



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 12/9/2017
Version: 3
Language: en-GB,IE
Date of print: 10/7/2018

Essential Glue

Material number 40915000/40916000

Page: 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Essential Glue
This safety data sheet pertains to the following products:
40915000
40916000

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Adhesive

1.3 Details of the supplier of the safety data sheet

Company name: Grohe AG
Street/POB-No.: Industriepark Edelburg
Postal Code, city: 58675 Hemer
Germany
WWW: www.grohe.com
E-mail: info@grohe.com
Telephone: +49 (0)2372 93-0
Telefax: +49 (0)2372 93-1322
Dept. responsible for information:
Telephone: +49 (0)2372 93-2037
sustainability@grohe.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen, Germany,
Telephone: +49 551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment:
No data available



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 12/9/2017
Version: 3
Language: en-GB,IE
Date of print: 10/7/2018

Essential Glue

Material number 40915000/40916000

Page: 2 of 10

SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 220-449-8 CAS 2768-02-7	Trimethoxyvinylsilane	< 3 %	Flam. Liq. 3; H226. Acute Tox. 4; H332.
EC No. 258-207-9 CAS 52829-07-9	Bis(2,2,6,6-Tetramethyl-4-piperidyl)sebacate	< 1 %	Eye Dam. 1; H318. Aquatic Acute 1; H400. Aquatic Chronic 2; H411.

Full text of H- and EUH-statements: see section 16.

Customs tariff number: 32141010

Additional information: Contains: Calcium carbonate, Titanium dioxide, Silicon dioxide, Aluminium oxide: The maximum workplace exposure limits are, where necessary, listed in section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: Move victim to fresh air. Seek medical treatment in case of troubles.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After swallowing: Rinse mouth. Never give anything by mouth to an unconscious person. Do not induce vomiting. Consult doctor afterwards.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 12/9/2017
Version: 3
Language: en-GB,IE
Date of print: 10/7/2018

Essential Glue

Material number 40915000/40916000

Page: 3 of 10

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.
In case of fire may be liberated: nitrogen oxides (NO_x), carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information: Hazchem-Code: -

Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with the substance. Do not breathe mist/vapours/spray. Avoid contact with skin and eyes. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Thoroughly clean surrounding area.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid contact with the substance. Do not breathe mist/vapours/spray. Avoid contact with skin and eyes. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Storage temperature: 5 °C up to 25 °C.
Protect from frost. Protect from heat and direct sunlight.
Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage: Do not store together with food.

7.3 Specific end use(s)

No information available.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 12/9/2017
Version: 3
Language: en-GB,IE
Date of print: 10/7/2018

Essential Glue

Material number 40915000/40916000

Page: 4 of 10

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
471-34-1	Calcium carbonate	Great Britain: WEL-TWA	10 mg/m ³ (inhalable fraction)
		Great Britain: WEL-TWA	4 mg/m ³ (respirable fraction)
13463-67-7	Titanium dioxide	Great Britain: WEL-TWA	10 mg/m ³ (inhalable fraction)
		Great Britain: WEL-TWA	4 mg/m ³ (respirable fraction)
		Ireland: 8 hours	10 mg/m ³ (inhalable fraction)
		Ireland: 8 hours	4 mg/m ³ (respirable fraction)
7631-86-9	Silicon dioxide	Great Britain: WEL-TWA	2.4 mg/m ³ (Silica, amorphous; respirable fraction)
		Great Britain: WEL-TWA	6 mg/m ³ (Silica, amorphous; inhalable fraction)
		Ireland: 8 hours	2.4 mg/m ³ Silicon dioxide, amorphous, respirable fraction
		Ireland: 8 hours	6 mg/m ³ Silicon dioxide, amorphous, inhalable fraction
1344-28-1	Aluminium oxide	Great Britain: WEL-TWA	10 mg/m ³ (inhalable fraction)
		Great Britain: WEL-TWA	4 mg/m ³ (respirable fraction)
		Ireland: 8 hours	10 mg/m ³ (inhalable fraction)
		Ireland: 8 hours	4 mg/m ³ (respirable fraction)

DNEL/DMEL:

Information about Trimethoxyvinylsilane

Systemic effects:

DNEL Long-term, workers, dermal: 0.69 mg/kg bw/d

DNEL Long-term, workers, inhalative: 4.9 mg/m³

DNEL Long-term, consumers, oral: 0.3 mg/kg bw/d

DNEL Long-term, consumers, dermal: 0.3 mg/kg bw/d

DNEL Long-term, consumers, inhalative: 1.04 mg/m³

DNEL Short-term, workers, dermal: 0.69 mg/kg bw/d

DNEL Short-term, workers, inhalative: 4.9 mg/m³

DNEL Short-term, consumers, dermal: 26.9 mg/kg bw/d

DNEL Short-term, consumers, inhalative: 93.4 mg/m³

PNEC:

Information about Trimethoxyvinylsilane:

PNEC water (freshwater): 0.34 mg/L

PNEC water (marine water): 0.034 mg/L

PNEC water (intermittent release): 3.4 mg/L

PNEC freshwater sediment: 0.27 mg/kg

PNEC marine sediment: 0.12 mg/kg

PNEC soil: 0.046 mg/kg

PNEC sewage treatment plant: 110 mg/L

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 12/9/2017
Version: 3
Language: en-GB,IE
Date of print: 10/7/2018

Essential Glue

Material number 40915000/40916000

Page: 5 of 10

Personal protection equipment

Occupational exposure controls

- Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. Use filter type P according to EN 14387. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.
- Hand protection: Protective gloves according to EN 374. During splash contact: Glove material: polychloroprene - Layer thickness: > 1 mm Breakthrough time: > 60 min In case of prolonged or frequently repeated skin contact: polychloroprene or natural rubber - Layer thickness: > 1 mm Breakthrough time: > 480 min Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to EN 166.
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures: Do not breathe mist/vapours/spray. Avoid contact with the substance. Avoid contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance: Physical state at 20 °C and 101.3 kPa: solid
Form: pasty
Colour: white
- Odour: characteristic
Odour threshold: No data available
- pH value: not applicable
- Melting point/freezing point: No data available
Initial boiling point and boiling range: No data available
Flash point/flash point range: Not applicable
Evaporation rate: No data available
Flammability: No data available
Explosion limits: No data available
Vapour pressure: No data available
Vapour density: No data available
Density: 1.5 g/cm³
Solubility: No data available
Partition coefficient: n-octanol/water: No data available
Auto-ignition temperature: No data available
Decomposition temperature: No data available
Viscosity, dynamic: 255000 mPa*s



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 12/9/2017
Version: 3
Language: en-GB,IE
Date of print: 10/7/2018

Essential Glue

Material number 40915000/40916000

Page: 6 of 10

Explosive properties: No data available
Oxidizing characteristics: No data available

9.2 Other information

Additional information: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to 10.3

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 12/9/2017
Version: 3
Language: en-GB,IE
Date of print: 10/7/2018

Essential Glue

Material number 40915000/40916000

Page: 7 of 10

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

ATEmix calculated: > 5000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

ATEmix calculated: > 5000 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

ATEmix calculated (Dusts/mist): > 15 mg/L

Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Other information: Information about Trimethoxyvinylsilane:

LD50 Rat, oral: 7,120 mg/kg (OECD 401, read across)

LD50 Rabbit, dermal: 3,540 mg/kg

LC50 Rat, inhalative (vapour): 16.8 mg/L/4h (OECD 403, read across)

For carcinogenic effects:

Information about CAS No. 7631-86-9

Carcinogen Status:

IARC Rating: Group 3

OSHA Carcinogen: not listed

NTP Rating: not listed

Information about CAS No. 13463-67-7

Carcinogen Status:

IARC Rating: Group 3

OSHA Carcinogen: not listed

NTP Rating: not listed



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 12/9/2017
Version: 3
Language: en-GB,IE
Date of print: 10/7/2018

Essential Glue

Material number 40915000/40916000

Page: 8 of 10

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Information about Trimethoxyvinylsilane:
Fish toxicity:
LC50 Oncorhynchus mykiss: 191 mg/L/96h (OECD 203, read across)
Daphnia toxicity:
EC50 Daphnia magna (Big water flea): > 100 mg/L/48h (OECD 202, read across)
Algae toxicity:
EC50: > 100 mg/L/72h (OECD 201, read across)
Bacterial toxicity:
EC50: > 2,500 mg/L/3h (OECD 209, read across)

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 08 04 10 = waste adhesives and sealants other than those mentioned in 08 04 09
Recommendation: Dispose of waste according to applicable legislation.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR:
not applicable



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 12/9/2017
Version: 3
Language: en-GB,IE
Date of print: 10/7/2018

Essential Glue

Material number 40915000/40916000

Page: 9 of 10

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Marine pollutant:

no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

-

No data available

National regulations - EC member states

Volatile organic compounds (VOC):

0 % by weight

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H226 = Flammable liquid and vapour.

H318 = Causes serious eye damage.

H332 = Harmful if inhaled.

H400 = Very toxic to aquatic life.

H411 = Toxic to aquatic life with long lasting effects.

Reason of change:

Changes in section 1: Material number
General revision

Date of first version:

2/5/2017



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 12/9/2017
Version: 3
Language: en-GB,IE
Date of print: 10/7/2018

Essential Glue

Material number 40915000/40916000

Page: 10 of 10

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.