



SWEDISH TYPE APPROVAL 1342 WITH DECISION ON PRODUCTION CONTROL

Holder: Grohe AG

Industriepark Edelburg, 58675 Hemer, Tyskland

Phone: +49 2372932029

E-mail: grohe@grohe.com

Homepage: www.grohe.com

Mechanical mixer

Product description

Single-lever mixer (EN 817) of brass provided with alternatively without connection to dishwasher. The mixer is provided with type-approved flexible connection hoses.

Intended use

Single-lever mixer for hot and cold tap water.

Scope

Eurosmart 2015 – article number: 33490xxx, 31556xxx and 31557xxx

Wave Cosmopolitan – article number: 30449xxx

Start 2015 – article number: 30262xxx

Eurostyle Cosmopolitan – article number: 30221xxx and 31482xxx

Euro Eco Spezial – article number: 32786xxx

Euro Eco EHM SPT – article number: 32752xxx

Concetto – article number: 32663xxx and 31483xxx

Get – article number: 31484xxx and 31486xxx

Eurosmart Cosmopolitan – article number: 31481xxx

Via Cosmopolitan High C-spout – article number: 30612xxx

Feel Clova OHM – article number: 31854xx0

Approval

The products meet the requirements of Chapter 8, Section 4, of the “Planning and Building Act” (PBA) regarding the technical characteristics of construction works, protection regarding hygiene, health and the environment, plan and building regulations, Planning and Building Ordinance (PBO) Chapter 4, Sections 12 and 13 and provided that what is stated in this approval is followed.

The products are approved according to the following section(s) of “Boverket's Building Regulations” (BBR 29)¹⁾:

Construction products with assessed properties	1:4
Tap water installations	6:62
Tap water flow	6:623
Design	6:625

The products are approved in accordance with the following sections of Boverket's regulations regarding protection for hygiene, health and environment, as well as the management of water and waste (BFS 2024:8):

General	Chapter 1, Sections 6-7
Water- and waste-water installation	Chapter 8, Section 1, 3-6 and 8

The regulations in Chapter 8, Section 13 shall always be taken into account during installation.

¹⁾ BBR 29 may be used under the conditions specified in BBR 31.

CERTIFIKAT

Kiwa Certification AB

Campus Gräsvik 1
SE-371 75 Karlskrona
Sweden

Tel +46 (0)455-30 56 00

Fax +46 (0)455-104 36

se.bygg@kiwa.com

www.kiwa.se



Accred. no. 1913
Certification of
Products
ISO/IEC 17065

Marking

Marking must be affixed on the product or, if there are special reasons, on the packaging or the delivery note. Marking shall indicate the following information:

Holder:	Grohe AG
Product name, and relevant article number:	Product name (article number)
Production site:	Applicable manufacturer or ID code
Traceability to the production:	(e.g. yyyy-mm-dd or batchnumber)
Information about requirements or class, if relevant:	-
The registered trademark of Boverket No 241 217:	
Certification Body:	Kiwa Certification AB 
Accreditation number:	1913
Type Approval No:	1342
Inspection Body:	Kiwa Certification AB

Production site(s):

Factory-ID: 1702, 5201

Control

The manufacturers' continuing internal control is combined with surveillance inspections conducted by an accredited Inspection Body.

Inspection Body: **Kiwa Certification AB**

Inspection agreement: **148/15 revision 5**

Factory production control shall be carried out in accordance with the current instructions for control.

During inspection at the construction site, the building proprietor must verify the identity of the product by means of the marking. Furthermore, the building proprietor must ensure that the correct products are delivered and that they are installed in accordance with the manufacturer's instructions in the accompanying documents. It must also be verified that the product is accompanied by a manufacturer's declaration that certifies that production has been carried out in accordance with the documents that formed the basis for this type approval.

The validity of the Swedish Type Approval also implies that the factory production control is carried out according to the current agreement and that the holder annually fulfils the requirement in "Boverket's regulations and general recommendations for type approval", BFS 2013:6, § 5 (TYP 7), on continuing internal control. The holder shall annually, at the latest on the 15th of December, report to Kiwa Certification AB at the e-mail address se.annualreporting@kiwa.com about continuing surveillance.

Associated documents

Installation manual Eurosmart 2015 – article number: 33490xxx, 31556xxx and 31557xxx vers. 99.0264

Installation manual Wave Cosmopolitan – article number: 30449xxx vers. 99.0318

Installation manual Start 2015 – article number: 30262xxx vers. 99.0318

Installation manual Eurostyle Cosmopolitan – article number: 30221xxx and 31482xxx vers. 99.0317 and 99.325.131

Installation manual Euro Eco Spezial – article number: 32786xxx vers. 96.996

Installation manual Euro Eco EHM SPT – article number: 32752xxx vers. 99.698

Installation manual Concetto – article number: 32663xxx and 31483xxx vers. 99.1070.031

Installation manual Get – article number: 31484xxx and 31486xxx vers. 93.912.231 and 93.912

Installation manual Eurosmart Cosmopolitan – article number: 31481xxx vers. 99.0519

Installation manual Via Cosmopolitan High C-spout – article number: 30612xxx vers. 99.1070.331

Installation manual Feel Clova OHM – article number: 31854xx0 vers. 93.912

The assessment basis for the approval

Assessment report no. 413/21, dated 2021-11-08 and documentation basis in the certification project dno. 431/21.

SINTEF test reports 2023:00922A and 201801114. TÜV Rheinland test report DE23YIBL 001.

Assessment report 1342-2, dated 2025.06.30 by Kiwa Certification AB

Comments

The mixers has been tested and verified according to EN 817:2008 and NKB 4.

The Type approval is valid provided that the product shall neither be CE marked according to the Construction Product Regulation (EU) No 305/2011 (CPR), nor has it been suspended or withdrawn by Kiwa Certification AB.

Date of decision: 2025.08.15

Current version: 1342-2

Valid until: 2026.11.07



Business Manager, Building & Energy
Kiwa Certification AB