



SWEDISH TYPE APPROVAL 1696 WITH DECISION ON PRODUCTION CONTROL

Holder: Grohe AG

Industriepark Edelburg, 58675 Hemer, Tyskland

Phone: +49 2372 93-2029

E-mail: grohe@grohe.se

Web: www.grohe.com

GROHE Mechanical Sanitary tapware, G2 BauCosmo Relaunch

Product description

Single-lever mixers in chrome-plated brass, equipped with type-approved flexible connecting hoses.

Intended use

Basin mixer for hot and cold tap water.

Scope

Article number	Product designation
22054xx1	BauLoop OHM basin low flow
23328xx1	Start Edge SLM Basin S
23328xxA	Start Edge SLM Basin S
23330xx1	Start Loop SLM Basin S
23335xx1	Start Loop SLM Basin S PushOp
23335xxA	Start Loop SLM Basin S PushOp
23337xx1	Start Edge SLM Basin S PushOp
23559xx1	BauEdge SLM ES Basin S
23757xx1	BauEdge OHM basin smth b Hygienica
23760xx1	BauEdge SLM Basin L
23761xx1	BauEdge SLM Basin XL SmthB
23762xx1	BauLoop SLM Basin M
23763xx1	BauLoop SLM Basin L
23764xx1	BauLoop SLM Basin XL Smth Bod
23877xx1	BauLoop OHM basin low flow S
23878xx1	BauLoop SLM Basin S PushOp
23879xx1	BauLoop OHM basin low flow "Click" S
23883xx1	BauLoop SLM ES Basin S PushOp
23885xx1	BauLoop OHM basin low flow M
23886xx1	BauLoop SLM Basin M PushOp
23887xx1	BauLoop SLM ES Basin M
23891xx1	BauLoop SLM Basin L PushOp
23894xx1	BauEdge OHM basin low flow S
23895xx1	BauEdge SLM Basin S PushOp
23896xx1	BauEdge OHM basin low flow "Click" S
23899xx1	BauEdge SLM ES Basin S PushOp
23911xx1	BauEdge SLM Basin L PushOp
23917xx1	BauLoop SLM Basin M Smth Bod
24193xx1	BauEdge OHM basin smth b S

Approval

The products meet the requirements of Chapter 8, Section 4, of the "Planning and Building Act" (PBA) regarding the technical characteristics of construction works, « Protection with regard to hygiene, health and environment », plan and building regulations, Planning and Building Ordinance (PBO) Chapter 4, Sections 12 and 13 and provided that what is stated in this approval is followed.

The products are approved according to the following section(s) of "Boverket's Building Regulations" (BBR 29)¹⁾:

Construction products with assessed properties 1:4

Tap water installations

6:62, first sentence, par.2 and general advice

Tap water flow

6:623, first sentence

Back flow

6:624

Design

6:625, paragraph 1 and 4

The products are approved in accordance with the following sections of Boverket's regulations regarding protection for hygiene, health and environment, as well as the management of water and waste (BFS 2024:8):

General

Chapter 1, Sections 6-7

Water- and waste-water installation

Chapter 8, Sections 1, 3-6 and 8

The regulations in Chapter 8, Section 13 shall always be taken into account during installation.

¹⁾ BBR 29 may be used under the conditions specified in BBR 31.

Marking

Marking must be affixed to the product or, if there are special reasons, to the packaging or the delivery note. Marking shall indicate the following information:

Holder:

Grohe AG

Product name, and relevant article number:

Product Name (Art. No.)

Production site:

Manufacturing site concerned

Traceability to the production:

(e.g. yyyy-mm-dd or batch number)

The registered trademark of Boverket:



Certification Body:

Kiwa Certification AB



Accreditation number:

1913

Type Approval No:

TG 1696

Inspection Body:

Kiwa Certification AB

Place of manufacture:

Fabrik designation 0202.

Control

The manufacturer's continuous self-monitoring is combined with surveillance carried out by an independent Inspection Body.

Inspection Body: **Kiwa Certification AB**

Control Agreement: **148/2015, revision 5**

Manufacturing control shall be carried out in accordance with the current inspection instructions.

Kiwa Certification AB

Campus Gräsvik 1
SE-371 75 Karlskrona
Sweden

Tel +46 (0)455-30 56 00

Fax +46 (0)455-104 36

se.bygg@kiwa.com

www.kiwa.se



Accred. no. 1913
Certification of
Products
ISO/IEC 17065

During inspection at the construction site, the building proprietor shall verify the product's identity using the labelling. Furthermore, the building proprietor shall ensure that the correct products have been delivered and that they are installed in accordance with the manufacturer's instructions in the associated documents. It shall also be verified that the product is accompanied by a manufacturer's declaration certifying that the manufacturing has been carried out in accordance with the documents that formed the basis for this type approval.

The validity of the type approval also requires that manufacturing control is carried out according to approved inspection instructions and that the products annually meet the requirements of this approval. The holder shall annually, no later than December 15, report to Kiwa Certification AB at se.annualreporting@kiwa.com with a copy of the continuous surveillance control, performed by the accredited Inspection Body.

Associated documents

Installation instructions as follows number: 99.0041.131 to BauEdge/BauLoop, 99.0710.031 to BauLoop and 99.0040.231 to StartEdge/StartLoop.

Assessment basis for approval

Test report no. 202000931 by SINTEF. Dokumentation KTW/W270 according to list 1696-3.
Assessment report no. 1696-3 by Kiwa Certification SE.

Remarks

Type approval is valid provided that the product is neither to be CE marked in accordance with the Construction Products Regulation, (EU) No 305/2011 (CPR), nor has it been suspended or recalled by Kiwa Certification AB.

Decision date: 2025-10-15

Current version: 1696-3

Valid until: 2030-10-14



Fredrik Sandberg

Business Manager, Building & Energy
Kiwa Certification AB

This is an translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.