
CATALOGUE
2022



GROHE.COM

GROHE
TABLE OF CONTENTS

Bath fittings	Fittings	Allure Brilliant	14
		Allure	24
		Atrio	37
		Grandera	52
		Lineare	63
		Eurocube Joy	70
		Eurocube	76
		GROHE Plus	86
		Essence	97
		Eurodisc Joy	111
		Eurodisc Cosmopolitan	114
		Concetto	120
		Eurostyle Cosmopolitan	125
		Eurostyle	129
		Eurosmart Cosmopolitan	136
		Eurosmart 2021	143
		Eurosmart Care	153
		Eurosmart	158
		Euroeco	163
		BauEdge 2021	165
		BauEdge	172
		BauLoop 2021	177
		BauLoop	183
		BauFlow	186
		GROHE SilkMove ES	188
	Two Handle fittings	Costa L	192
		Costa S	196
	Universal	Universal	198
		Multi purpose mixer	199
	Bath sets	Talentofill	200
	Accessories	Selection	202
		Selection Cube	207
		Essentials	210
		Essentials Cube	218

GROHE
TABLE OF CONTENTS

		BauCosmopolitan	222
		Essentials Authentic	225
Thermostats	Grohtherm	Grohtherm SmartControl	230
		Grohtherm 2 handle trim sets	243
		Grohtherm 2000	250
		Grohtherm Cube	252
		Grohtherm 1000	255
		Grohtherm 1000 Performance	258
		Grohtherm 800 Cosmopolitan	261
		Grohtherm 800	262
		Grohtherm 500	263
Concealed solutions		GROHE Rapido SmartBox	266
		GROHE Rapido C / stop valves	268
Showers	GROHE Digital	F-digital Deluxe	272
	Shower Systems	Rainshower System SmartControl	279
		Rainshower SmartActive System	283
		Rainshower System	286
		Euphoria SmartControl System	287
		Euphoria System	290
		Tempesta System	298
		Shower system accessories	305
	Head showers	Head showers	308
	Showers	Sena	331
		Rainshower SmartActive	333
		Rainshower	341
		Relexa	343
		Euphoria	344
		Tempesta	354
		Sena trigger sprays	370
		Tempesta-F trigger sprays	371
		Shower hoses	373
		Shower accessories	376
Kitchen fittings	Water systems	GROHE Blue Red in one	390
		GROHE Blue Professional	392

GROHE
TABLE OF CONTENTS

		GROHE Blue Home	397
		GROHE Blue Pure	404
		GROHE Blue accessories	407
		GROHE Red	410
	Premium lines	K7	414
		FootControl	415
		Minta / Minta SmartControl / Minta Touch	416
		Zedra / Zedra SmartControl / Zedra Touch	421
		Atrio	423
		Essence	424
		Eurocube	426
	Competence lines	Eurodisc Cosmopolitan	427
		Eurodisc	428
		Concetto	429
		Eurostyle Cosmopolitan	432
		Eurosmart Cosmopolitan	433
		Eurosmart	435
		Euroeco / Euroeco Special	440
		Costa	441
		Bau Lines	443
		Soap dispensers	446
	Kitchen sinks	Stainless Steel Sinks	449
		Composite Sinks	459
Special fittings	Electronic fittings	Eurocube E	470
		Essence E	473
		Bluetooth monitoring	477
		Europlus E	486
		Eurosmart Cosmopolitan E	489
		Euroeco Cosmopolitan E	498
		Bau Cosmopolitan E	502
	Special thermostats	Grohtherm Micro	504
		Grohtherm Special	505
		Grohtherm XL	510
	Single-lever mixer	Eurosmart Care	513

GROHE
TABLE OF CONTENTS

		Euroeco Special	518
		Euroeco Special / SSC	524
	Self-closing fittings	Eurodisc SE	527
		Eurosmart Cosmopolitan T	529
		Euroeco Cosmopolitan T	531
	Accessories Special Fittings	Accessories Special Fittings	532
Shower toilet		GROHE Sensia IGS	536
		GROHE Sensia Arena	539
		Manual Bidet Seat	545
Ceramics		Essence	548
		Cube Ceramic	554
		Euro Ceramic	558
		Bau Ceramic	563
		Acrylic shower trays	570
Installation Systems	Rapid SLX	Rapid SLX	574
	Rapid SL	Rapid SL for WC	577
		Rapid SL for urinal	586
		Rapid SL for wash basin and bidet	588
		Rapid SL for the disabled	592
		Rapid SL free-standing installation	595
		Rapid SL fitting supports	597
		Rapid SL project elements	598
		Rapid SL accessories	599
	Uniset	Uniset frames and accessories	602
Flushing systems	WC	Flushing cisterns	608
		Accessories for flushing cisterns	610
		WC flush valves	619
		WC electronic	624
	Urinal	Urinal electronic	629
		Urinal flush valves	636
Actuations	WC	Wall plates for WC	642
		GROHE Fresh	650
		Wall plates for WC flush valves	651
	Urinal	Wall plates for urinal	652

GROHE
TABLE OF CONTENTS

Connections and Security	Angle Valves	656
	WAS valves	658
	Safety systems	662
	Eurotec valves	664
Spare parts	Cartridges	668
	Thermo elements and thermostatic cartridges	670
	Aquadimmer	671
	Head parts	672
	Extension sets	674
	Unions	675
	Outlets and spouts	677
	Flow straighteners	678
	Waste sets and traps	680
	Connections and non-return valves	681
	Spare parts for electronics	682
	Diverters	683
	Hoses	684
	Spare parts for kitchen faucets	685
	Spare parts for showers	687
	Spare parts for accessories	688
	Miscellaneous	689
	Special tools	690
	Cleaning and care	691
	Spare parts for sanitary systems	692
	Spare parts for shower toilet	694
	Spare parts for Ceramics	696
Survey of references		699
LIXIL makes better homes a reality for everyone, everywhere.		720


PURE FREUDE AN WASSER.


Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.









QUALITY


From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

"No.1 most trusted brand in the sanitary industry" – Wirtschaftswoche, 2017

TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

"Top 50 companies to change the world" – Fortune Magazine, 2017





DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

Over 400 design awards won since 2003

SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

Double award winner of the German Sustainability Award 2021

GROHE
BATH FITTINGS









CONTENTS

Fittings	Allure Brilliant	14
	Allure	24
	Atrio	37
	Grandera	52
	Lineare	63
	Eurocube Joy	70
	Eurocube	76
	GROHE Plus	86
	Essence	97
	Eurodisc Joy	111
	Eurodisc Cosmopolitan	114
	Concetto	120
	Eurostyle Cosmopolitan	125
	Eurostyle	129
	Eurosmart Cosmopolitan	136
	Eurosmart 2021	143
	Eurosmart Care	153
	Eurosmart	158
	Euroeco	163
	BauEdge 2021	165
	BauEdge	172
	BauLoop 2021	177
	BauLoop	183
	BauFlow	186
	GROHE SilkMove ES	188
Two Handle fittings	Costa L	192
	Costa S	196
Universal	Universal	198
	Multi purpose mixer	199
Bath sets	Talentofill	200
Accessories	Selection	202
	Selection Cube	207
	Essentials	210
	Essentials Cube	218
	BauCosmopolitan	222
	Essentials Authentic	225

GROHE
ALLURE BRILLIANT


	Product no.	Colour	RRP (€) incl. VAT
	23 029 000	chrome	624.00
	23 029 AL0	brushed hard graphite	999.00
	**Allure Brilliant** **Single-lever basin mixer 1/2“** **M-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.0 l/min. flow limiter **GROHE FastFixation** installation system spout with integrated mousseur pop-up waste set 1 1/4“ flexible connection hoses		
	23 033 000	chrome	624.00
	ditto, smooth body		
	23 109 000	chrome	776.00
	23 109 AL0	brushed hard graphite	1,241.00
	**Allure Brilliant** **Single-lever basin mixer 1/2“** **L-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.0 l/min. flow limiter **GROHE FastFixation** installation system spout with integrated mousseur pop-up waste set 1 1/4“ flexible connection hoses		
	23 112 000	chrome	776.00
	ditto, smooth body		
	23 114 000	chrome	961.00
	23 114 AL0	brushed hard graphite	1,538.00
	**Allure Brilliant** **Single-lever basin mixer 1/2“** **XL-Size** single hole installation for free-standing basins **GROHE SilkMove** 28 mm ceramic cartridge temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.0 l/min. flow limiter **GROHE FastFixation** installation system spout with integrated mousseur smooth body flexible connection hoses		
	20 344 000	chrome	911.00
	20 344 DC0	supersteel	1,275.00
	20 344 AL0	brushed hard graphite	1,457.00
	**Allure Brilliant** **Three-hole basin mixer 1/2“** **M-Size** ceramic headparts 1/2“, 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.0 l/min. flow limiter spout with integrated mousseur pop-up waste set 1 1/4“ pressure-proof, flexible connection hoses between spout and side valves		

* price on request

GROHE
ALLURE BRILLIANT

	Product no.	Colour	RRP (€) incl. VAT






20 342 000 **chrome** **763.00**

Allure Brilliant
Three-hole basin mixer 1/2“
S-Size
ceramic headparts 1/2“, 90°
GROHE EcoJoy 5.0 l/min. flow limiter
low spout with integrated mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves







20 346 000 **chrome** **793.00**

Allure Brilliant
Three-hole basin mixer 1/2“
S-Size
wall mounted
without concealed body
set for final installation for 29 025 002
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
centre distance 200 mm
projection 161 mm

20 348 000 **chrome** **843.00**
ditto, projection 210 mm






29 025 002 **270.00**

Two-handle basin mixer
concealed body, 1/2“
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






19 781 000 **chrome** **759.00**

Allure Brilliant
Two-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for 23 200
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
center distance 110 mm
projection 161 mm

19 783 000 **chrome** **810.00**
ditto, projection 210 mm






23 200 002 **258.00**

Single-lever mixer 1/2“, concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE
ALLURE BRILLIANT

	Product no.	Colour	RRP (€) incl. VAT






23 117 000 **chrome** **708.00**

Allure Brilliant
Single-lever bidet mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses





24 071 000 **chrome** **389.00**
24 071 DC0 **supersteel** **545.00**
24 071 AL0 **brushed hard graphite** **623.00**


Allure Brilliant
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---





24 072 000 **chrome** **428.00**
24 072 DC0 **supersteel** **599.00**
24 072 AL0 **brushed hard graphite** **685.00**

Allure Brilliant
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE
ALLURE BRILLIANT

Product no.	Colour	RRP (€) incl. VAT





24 099 000	**chrome**	**453.00**
24 099 DC0	**supersteel**	**635.00**
24 099 AL0	**brushed hard graphite**	**725.00**

Allure Brilliant
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation






19 787 001	**chrome**	**1,670.00**

Allure Brilliant
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with integrated mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.5 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000






29 037 000	**856.00**

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color





23 119 000	**chrome**	**2,800.00**
23 119 AL0	**brushed hard graphite**	**4,480.00**


Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube+
metal shower hose 1250 mm
protected against backflow

* price on request

GROHE
ALLURE BRILLIANT

	Product no.	Colour	RRP (€) incl. VAT






45 984 001 **511.00**

Rough-in set 1/2“
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2“ female connections (hot/cold supplies)
flushing plug
gasket
fixing material






13 319 000	**chrome**	**812.00**
13 319 DC0	**supersteel**	**1,136.00**
13 319 AL0	**brushed hard graphite**	**1,299.00**

Allure Brilliant
Cascade spout for bath and shower
wall mounted
GROHE StarLight chrome finish
projection 180 mm






13 299 000	**chrome**	**351.00**
13 299 DC0	**supersteel**	**491.00**
13 299 AL0	**brushed hard graphite**	**561.00**

Allure Brilliant
Bath spout
wall mounted
GROHE StarLight chrome finish
projection 161 mm
spout with integrated mousseur






19 798 000	**chrome**	**287.00**
19 798 DC0	**supersteel**	**401.00**
19 798 AL0	**brushed hard graphite**	**459.00**

Allure Brilliant
5-way diverter
set for final installation for 29 033 000
without concealed body
GROHE StarLight chrome finish





29 033 000 **288.00**


5-way diverter
concealed body
wall installation
with ceramic sealing disks
connection cold and hot 1/2“
2 outlets 1/2“
1 bath outlet 3/4“
installation depth infinitely adjustable
66 - 113 mm
DR-brass

* price on request

GROHE
ALLURE BRILLIANT


	Product no.	Colour	RRP (€) incl. VAT






19 796 000 **chrome** **206.00**

Allure Brilliant
Concealed valve exposed part
set for final installation for 29 032 000 (preassembled headpart 1/2")
35 028 000
GROHE StarLight chrome finish






35 028 000 **148.00**

Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4"
connection threads 1/2"
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm






26 064 000 **chrome** **596.00**

Rainshower Allure 230
Head shower set 286 mm, 1 spray
consisting of:
head shower Rainshower Allure 230 (27 480 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

26 054 000 **chrome** **596.00**
ditto, with non-restricted flow






26 065 000 **chrome** **546.00**

Rainshower Allure 230
Head shower set ceiling 154 mm, 1 spray
consisting of:
head shower Rainshower Allure 230 (27 480 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower ceiling 154 mm (27 711 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

---

new











26 802 000 **chrome** **136.00**
26 802 DC0 **supersteel** **191.00**
26 802 AL0 **brushed hard graphite** **232.00**

Rainshower Aqua
Body spray cube 2 spray
spray pattern:
PureRain, ActiveJet
including concealed body and compound seal
75 x 75 mm
pivoting range ± 15° rotatable
connection thread 1/2"
throw distance 600 mm
GROHE EcoJoy 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
min. recommended pressure 1.0 bar
not suitable for instantaneous heater


GROHE
ALLURE BRILLIANT

	Product no.	Colour	RRP (€) incl. VAT
 	27 251 000 27 251 AL0	chrome brushed hard graphite	123.00 208.00
	Rainshower F-Series 5" **Side shower 1 spray** Normal spray including concealed body 127 x 127 mm flow straightener with ball joint (± 12.5° rotatable) connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **GROHE FlowBalance** flow regulating screw **SpeedClean** anti-lime system		
 	27 884 001	chrome	104.00
	Euphoria Cube+ Stick **Hand shower 1 spray** Normal spray material: metal **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	27 707 000	chrome	55.00
	Allure Brilliant **Shower outlet elbow, 1/2"** male thread protected against backflow material: metal **GROHE StarLight** chrome finish		
 	27 706 000	chrome	35.00
	Allure Brilliant **Wall hand shower holder** not adjustable material: metal **GROHE StarLight** chrome finish		
 	40 564 000 40 564 DC0 40 564 AL0	chrome supersteel brushed hard graphite	280.00 392.00 448.00
	Bottle trap for **wash basin** **GROHE StarLight** chrome finish brass body		
 	40 565 000 40 565 DC0 40 565 AL0	chrome supersteel brushed hard graphite	86.00 120.00 137.00
	Plug incl. cup for wash basins with overflow for standard pop-up waste set 1¼" for replacement in an existing system **GROHE StarLight** chrome finish		

* price on request

GROHE
ALLURE BRILLIANT






Product no.	Colour	RRP (€) incl. VAT
38 732 000	**chrome**	**63.00**
38 732 DC0	**supersteel**	**151.00**
38 732 AL0	**brushed hard graphite**	**151.00**

Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

GROHE
ALLURE BRILLIANT

	Product no.	Colour	RRP (€) incl. VAT






40 494 000 **chrome** **1,024.00**

Allure Brilliant
Holder with soap dispenser
material: glass / metal
filling quantity 150 ml
concealed fastening
GROHE StarLight chrome finish






40 493 000 **chrome** **366.00**

Allure Brilliant
Holder with tumbler
material: glass / metal
concealed fastening
GROHE StarLight chrome finish






40 503 000 **chrome** **431.00**

Allure Brilliant
Shelf with tumbler
material: glass / metal
concealed fastening
GROHE StarLight chrome finish






40 504 000 **chrome** **438.00**

Allure Brilliant
Shelf with soap dish
GROHE StarLight chrome finish






40 496 000 **chrome** **301.00**

Allure Brilliant
Towel bar
2 arms, not pivotable
concealed fastening
GROHE StarLight chrome finish








40 497 000 **chrome** **781.00**

Allure Brilliant
Towel rail
650 mm (drilling length 600 mm)
material: metal
concealed fastening
GROHE StarLight chrome finish

* price on request


GROHE
ALLURE BRILLIANT

	Product no.	Colour	RRP (€) incl. VAT
 	**40 498 000**	**chrome**	**144.00**
	Allure Brilliant **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish		
 	**40 499 000**	**chrome**	**292.00**
	Allure Brilliant **Toilet paper holder** without cover material: metal concealed fastening **GROHE StarLight** chrome finish		
 	**40 500 000**	**chrome**	**479.00**
	Allure Brilliant **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE StarLight** chrome finish		

GROHE ALLURE

	Product no.	Colour	RRP (€) incl. VAT
new	32 757 001	chrome	500.00
	32 757 GN1	brushed cool sunrise	801.00
	32 757 DL1	brushed warm sunset	801.00
	32 757 A01	hard graphite	751.00






Allure
Single-lever basin mixer 1/2“
M-Size
single hole installation
swivelling spout
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE FastFixation Plus installation system
GROHE AquaGuide adjustable slim air mousseur
pop-up waste set 1 1/4“
flexible connection hoses
temperature limiter

new	32 146 001	chrome	556.00
	32 146 GN1	brushed cool sunrise	890.00
	32 146 DL1	brushed warm sunset	890.00
	32 146 A01	hard graphite	834.00






Allure
Single-lever basin mixer 1/2“
L-Size
single hole installation
swivelling spout
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE FastFixation Plus installation system
GROHE AquaGuide adjustable slim air mousseur
pop-up waste set 1 1/4“
flexible connection hoses
temperature limiter

new	23 403 001	chrome	639.00
	23 403 GN1	brushed cool sunrise	1,023.00
	23 403 DL1	brushed warm sunset	1,023.00
	23 403 A01	hard graphite	959.00






Allure
Single-lever basin mixer 1/2“
XL-Size
single hole installation
swivelling spout
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
smooth body
GROHE AquaGuide adjustable slim air mousseur
projection 185 mm
height 377 mm
push-to-open waste set
flexible connection hoses
temperature limiter

new	23 856 001	chrome	1,946.00
	23 856 GN1	brushed cool sunrise	3,114.00
	23 856 DL1	brushed warm sunset	3,114.00
	23 856 A01	hard graphite	2,919.00






Allure
Single-lever basin mixer floor mounted
single hole installation
for free-standing basins
set for final installation for
45 984 001
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
smooth body
GROHE AquaGuide adjustable slim air mousseur
projection 185 mm
temperature limiter

* price on request

GROHE ALLURE

	Product no.	Colour	RRP (€) incl. VAT






45 984 001 — **511.00**

Rough-in set 1/2“
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2“ female connections (hot/cold supplies)
flushing plug
gasket
fixing material

---

new






20 188 001	**chrome**	**945.00**
20 188 GN1	**brushed cool sunrise**	**1,512.00**
20 188 DL1	**brushed warm sunset**	**1,512.00**
20 188 A01	**hard graphite**	**1,418.00**

Allure
Three-hole basin mixer 1/2“
M-Size
deck mounted
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE AquaGuide adjustable slim air mousseur
projection 143 mm
pressure-proof, flexible connection hoses
between spout and side valves
pop-up waste set 1 1/4“

---

new





20 189 002	**chrome**	**917.00**
20 189 GN2	**brushed cool sunrise**	**1,468.00**
20 189 DL2	**brushed warm sunset**	**1,468.00**
20 189 A02	**hard graphite**	**1,376.00**


Allure
Three-hole basin mixer 1/2“
S-Size
wall mounted
without concealed body
set for final installation for 29 025 000
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
Precision Control with haptic click feedback (optional)
GROHE AquaGuide adjustable slim air mousseur
centre distance 200 mm
projection 150 mm

29 025 002 — **270.00**
Rough-in set for 3-hole basin mixer

---

new





20 193 002	**chrome**	**945.00**
20 193 GN2	**brushed cool sunrise**	**1,512.00**
20 193 DL2	**brushed warm sunset**	**1,512.00**
20 193 A02	**hard graphite**	**1,418.00**

Allure
Three-hole basin mixer 1/2“
M-Size
wall mounted
without concealed body
set for final installation for 29 025 000
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
Precision Control with haptic click feedback (optional)
GROHE AquaGuide adjustable slim air mousseur
centre distance 200 mm
projection 208 mm


29 025 002 — **270.00**
Rough-in set for 3-hole basin mixer

GROHE ALLURE

	Product no.	Colour	RRP (€) incl. VAT

new





19 309 002	**chrome**	**1,029.00**
19 309 GN2	**brushed cool sunrise**	**1,646.00**
19 309 DL2	**brushed warm sunset**	**1,646.00**
19 309 A02	**hard graphite**	**1,543.00**


Allure
Two-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for 23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE AquaGuide adjustable slim air mousseur
center distance 110 mm
projection 154 mm

23 429 000	**268.00**

Set for final installation for 2-hole basin mixer

new





19 386 002	**chrome**	**1,056.00**
19 386 GN2	**brushed cool sunrise**	**1,690.00**
19 386 DL2	**brushed warm sunset**	**1,690.00**
19 386 A02	**hard graphite**	**1,585.00**


Allure
Two-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for 23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE AquaGuide adjustable slim air mousseur
center distance 110 mm
projection 212 mm

23 429 000	**268.00**

Set for final installation for 2-hole basin mixer

new






24 160 001	**chrome**	**306.00**
24 160 GN1	**brushed cool sunrise**	**489.00**
24 160 DL1	**brushed warm sunset**	**489.00**
24 160 A01	**hard graphite**	**459.00**

Allure
Single-lever bidet mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses

new





32 846 001	**chrome**	**612.00**
32 846 GN1	**brushed cool sunrise**	**979.00**
32 846 DL1	**brushed warm sunset**	**979.00**
32 846 A01	**hard graphite**	**917.00**

Allure
Single-lever shower mixer 1/2“ exposed
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation installation system
adjustable flow rate limiter
shower front outlet 1/2“
with integrated non return-valve
covered S-unions
protected against backflow


* price on request

GROHE ALLURE

	Product no.	Colour	RRP (€) incl. VAT

new






32 826 001	chrome	667.00
32 826 GN1	brushed cool sunrise	1,068.00
32 826 DL1	brushed warm sunset	1,068.00
32 826 A01	hard graphite	1,001.00

Allure
Single-lever bath mixer 1/2" exposed
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation installation system
adjustable flow rate limiter
automatic diverter: bath/shower
cast spout
mousseur
shower bottom outlet 1/2" with integrated non return-valve
covered S-unions
protected against backflow

new






18 968 001	chrome	214.00
18 968 GN1	brushed cool sunrise	342.00
18 968 DL1	brushed warm sunset	342.00
18 968 A01	hard graphite	321.00

Allure
Shower and bath tray
for installation with 32 846 001 and 32 826 001
easy to click on and remove
material: acrylic glass
width 315 mm
depth 136 mm

new





19 317 001	chrome	403.00
19 317 GN1	brushed cool sunrise	645.00
19 317 DL1	brushed warm sunset	645.00
19 317 A01	hard graphite	605.00

Allure
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	87.00

GROHE Rapido SmartBox universal rough-in box for concealed installation


PROFESSIONAL GROHE

35 604 000	87.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

new





19 315 001	chrome	459.00
19 315 GN1	brushed cool sunrise	734.00
19 315 DL1	brushed warm sunset	734.00
19 315 A01	hard graphite	688.00

Allure
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	87.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

PROFESSIONAL GROHE

35 604 000	87.00


GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE ALLURE

Product no.	Colour	RRP (€) incl. VAT

new





29 176 001	**chrome**	**500.00**
29 176 GN1	**brushed cool sunrise**	**801.00**
29 176 DL1	**brushed warm sunset**	**801.00**
29 176 A01	**hard graphite**	**751.00**

Allure
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000	**87.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

new





19 380 002	**chrome**	**528.00**
19 380 GN2	**brushed cool sunrise**	**845.00**
19 380 DL2	**brushed warm sunset**	**845.00**
19 380 A02	**hard graphite**	**792.00**

Allure
Thermostat for concealed installation with one valve
set for final installation for GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE ALLURE

	Product no.	Colour	RRP (€) incl. VAT
new	29 181 002	chrome	556.00
	29 181 GN2	brushed cool sunrise	890.00
	29 181 DL2	brushed warm sunset	890.00
	29 181 A02	hard graphite	834.00






Allure
Thermostat for concealed installation with 2-way diverter head shower/hand shower
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		87.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		
35 604 000		87.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

new	19 446 002	chrome	556.00
	19 446 GN2	brushed cool sunrise	890.00
	19 446 DL2	brushed warm sunset	890.00
	19 446 A02	hard graphite	834.00






Allure
Thermostat for concealed installation with 2-way diverter hand shower/bath filler
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		87.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		
35 604 000		87.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

new	25 221 001	chrome	1,384.00
	25 221 GN1	brushed cool sunrise	2,215.00
	25 221 DL1	brushed warm sunset	2,215.00
	25 221 A01	hard graphite	2,077.00






Allure
5-hole bath combination
for installation under tiled surround
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
with lever handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
optional baseframes for installation: 29 037 001/29 037 002

GROHE ALLURE

	Product no.	Colour	RRP (€) incl. VAT
new	19 316 001	chrome	1,968.00
	19 316 GN1	brushed cool sunrise	3,149.00
	19 316 DL1	brushed warm sunset	3,149.00
	19 316 A01	hard graphite	2,952.00






Allure
Four-hole single-lever bath combination
for installation under tiled surround
GROHE StarLight chrome finish
single lever mixer operating element
diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
optional baseframes for installation: 29 037 001/29 037 002

29 037 002		853.00






4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve
caps to cover screw fixations always come in chrome color

new	25 222 001	chrome	2,446.00
	25 222 GN1	brushed cool sunrise	3,914.00
	25 222 DL1	brushed warm sunset	3,914.00
	25 222 A01	hard graphite	3,670.00






Allure
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur and stop limiter
projection 263 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
Sena hand shower 6.6 l/min
shower hose 1250 mm
protected against backflow

45 984 001		511.00






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/ spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

new	13 317 001	chrome	1,557.00
	13 317 GN1	brushed cool sunrise	2,491.00
	13 317 DL1	brushed warm sunset	2,491.00
	13 317 A01	hard graphite	2,335.00






Allure
Cascade spout for bath and shower
wall mounted
with decorative glass cover plate
GROHE StarLight chrome finish
projection 169 mm

* price on request

GROHE ALLURE

	Product no.	Colour	RRP (€) incl. VAT
new	13 264 001	chrome	348.00
	13 264 GN1	brushed cool sunrise	556.00
	13 264 DL1	brushed warm sunset	556.00
	13 264 A01	hard graphite	521.00






Allure
Bath spout 3/4"
wall mounted
GROHE StarLight chrome finish
projection 167 mm
caché mousseur

new	19 590 001	chrome	236.00
	19 590 GN1	brushed cool sunrise	378.00
	19 590 DL1	brushed warm sunset	378.00
	19 590 A01	hard graphite	354.00






Allure
3-way diverter 1/2"
set for final installation for 29 033 000
without concealed body
bayonet union escutcheon
GROHE StarLight chrome finish

	29 033 000	288.00






5-way diverter
concealed body
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth infinitely adjustable
66 - 113 mm
DR-brass


new	19 334 001	chrome	139.00
	19 334 GN1	brushed cool sunrise	222.00
	19 334 DL1	brushed warm sunset	222.00
	19 334 A01	hard graphite	209.00






Allure
Concealed valve exposed part
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
escutcheon with screwable wall sealing
with lever handle






	35 028 000	148.00





Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4"
connection threads 1/2"
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm

GROHE ALLURE


	Product no.	Colour	RRP (€) incl. VAT
 	**26 070 000**	**chrome**	**516.00**
	Rainshower F-Series 10" 254 x 254 **Head shower set 275 mm, 1 spray** consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray pattern: Rain shower arm Rainshower 275 mm (27 488 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
	26 060 000	**chrome**	**516.00**
	ditto, with non-restricted flow		
 	**26 071 000**	**chrome**	**516.00**
	Rainshower F-Series 10" **Head shower set ceiling 142 mm, 1 spray** consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
new	**26 802 000**	**chrome**	**136.00**
	26 802 GN0	**brushed cool sunrise**	**232.00**
	26 802 DL0	**brushed warm sunset**	**232.00**
	26 802 A00	**hard graphite**	**218.00**
 	**Rainshower Aqua** **Body spray cube 2 spray** spray pattern: PureRain, ActiveJet including concealed body and compound seal 75 x 75 mm pivoting range ± 15° rotatable connection thread 1/2" throw distance 600 mm **GROHE EcoJoy** 3.3 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system min. recommended pressure 1.0 bar **not suitable for instantaneous heater**		
 	**28 034 000**	**chrome**	**158.00**
	Sena Stick **Hand shower 1 spray** Normal spray material: metal **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 076 000**	**chrome**	**56.00**
	Rainshower **Shower outlet elbow** male thread with square escutcheon protected against backflow **GROHE StarLight** chrome finish		

* price on request

GROHE ALLURE

	Product no.	Colour	RRP (€) incl. VAT
	27 075 000	**chrome**	**36.00**






Rainshower
Wall hand shower holder
not adjustable
with square escutcheon
GROHE StarLight chrome finish

37 535 000	**chrome**	**81.00**
37 535 GN0	**brushed cool sunrise**	**177.00**
37 535 DL0	**brushed warm sunset**	**177.00**
37 535 A00	**hard graphite**	**177.00**






Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

GROHE ALLURE

	Product no.	Colour	RRP (€) incl. VAT
new	40 278 001	chrome	128.00
	40 278 GN1	brushed cool sunrise	205.00
	40 278 DL1	brushed warm sunset	205.00
	40 278 A01	hard graphite	192.00






Allure
Holder
fits glass 40 254 003 or soap dispenser 40 306 003 (to be ordered separately)
material: metal
concealed fastening
GROHE StarLight chrome finish

new	40 306 003	chrome	85.00
	40 306 GN3	brushed cool sunrise	136.00
	40 306 DL3	brushed warm sunset	136.00
	40 306 A03	hard graphite	128.00






Soap dispenser
material: glass / metal
filling quantity 160 ml
fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately)
GROHE StarLight chrome finish

	40 254 003	56.00






Glass
material: glass
fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately)

new	40 963 001	chrome	128.00
	40 963 GN1	brushed cool sunrise	205.00
	40 963 DL1	brushed warm sunset	205.00
	40 963 A01	hard graphite	192.00






Allure
Holder
for soap dish 40 256 003 or hair dryer inlet 40 964 001 (to be ordered separately)
material: metal
concealed fastening
GROHE StarLight chrome finish

	40 256 003	65.00






Soap dish
material: glass
fits holders Allure (40 963 001) and Atrio (40 305 xx3), sold separately

new	40 964 001	black	42.00






Allure
Hair dryer inlet
material: plastic
holder 40 963 001 to be ordered separately

* price on request

GROHE ALLURE

	Product no.	Colour	RRP (€) incl. VAT
new	40 284 001	chrome	69.00
	40 284 GN1	brushed cool sunrise	111.00
	40 284 DL1	brushed warm sunset	111.00
	40 284 A01	hard graphite	104.00






Allure
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

---

new	40 342 001	chrome	256.00
	40 342 GN1	brushed cool sunrise	409.00
	40 342 DL1	brushed warm sunset	409.00
	40 342 A01	hard graphite	384.00






Allure
Double towel bar
material: metal
pivotable 90°
length 460 mm
concealed fastening
GROHE StarLight chrome finish

---

new	40 341 001	chrome	256.00
	40 341 GN1	brushed cool sunrise	409.00
	40 341 DL1	brushed warm sunset	409.00
	40 341 A01	hard graphite	384.00






Allure
Towel rail
center distance 569 mm
material: metal
concealed fastening
GROHE StarLight chrome finish

---

new	40 339 001	chrome	111.00
	40 339 GN1	brushed cool sunrise	178.00
	40 339 DL1	brushed warm sunset	178.00
	40 339 A01	hard graphite	167.00






Allure
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

---

new	40 955 001	chrome	236.00
	40 955 GN1	brushed cool sunrise	378.00
	40 955 DL1	brushed warm sunset	378.00
	40 955 A01	hard graphite	354.00






Allure
Grab rail
material: metal
concealed fastening
center distance 269 mm
GROHE StarLight chrome finish

---

new	40 279 001	chrome	167.00
	40 279 GN1	brushed cool sunrise	267.00
	40 279 DL1	brushed warm sunset	267.00
	40 279 A01	hard graphite	250.00






Allure
Toilet paper holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHE ALLURE

	Product no.	Colour	RRP (€) incl. VAT
new	40 956 001	chrome	153.00
	40 956 GN1	brushed cool sunrise	245.00
	40 956 DL1	brushed warm sunset	245.00
	40 956 A01	hard graphite	229.00






Allure
Spare toilet paper holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish

new	40 340 001	chrome	278.00
	40 340 GN1	brushed cool sunrise	445.00
	40 340 DL1	brushed warm sunset	445.00
	40 340 A01	hard graphite	417.00






Allure
Toilet brush set
wall mounted
concealed fastening
material: glass / metal
GROHE StarLight chrome finish

new	40 965 001	chrome	375.00
	40 965 GN1	brushed cool sunrise	600.00
	40 965 DL1	brushed warm sunset	600.00
	40 965 A01	hard graphite	563.00






Allure
Shelf
wall mounted
material: glass / metal
concealed fastening
width 600 mm
depth 100 mm
GROHE StarLight chrome finish

new	40 966 001	chrome	139.00
	40 966 GN1	brushed cool sunrise	222.00
	40 966 DL1	brushed warm sunset	222.00
	40 966 A01	hard graphite	209.00






Allure
Shower basket
wall mounted
material: metal/plastic
with draining function
concealed fastening
width 300 mm
depth 100 mm
height 66 mm
GROHE StarLight chrome finish

new	40 967 001	chrome	195.00
	40 967 GN1	brushed cool sunrise	311.00
	40 967 DL1	brushed warm sunset	311.00
	40 967 A01	hard graphite	292.00






Allure
Beauty / shaving mirror
wall mounted
magnification: x 7
material: glass / metal
concealed fastening
GROHE StarLight chrome finish

* price on request


GROHE ATRIO

	Product no.	Colour	RRP (€) incl. VAT
	32 043 003	chrome	382.00
	32 043 DC3	supersteel	535.00
	32 043 GL3	cool sunrise	574.00
	32 043 DA3	warm sunset	574.00
	32 043 AL3	brushed hard graphite	612.00




Atrio
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4“
flexible connection hoses

	32 042 003	chrome	441.00
	32 042 DC3	supersteel	618.00
	32 042 GL3	cool sunrise	662.00
	32 042 DA3	warm sunset	662.00
	32 042 AL3	brushed hard graphite	706.00




Atrio
Single-lever basin mixer 1/2“
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4“
flexible connection hoses

	32 647 003	chrome	618.00
	32 647 DC3	supersteel	865.00
	32 647 GL3	cool sunrise	926.00
	32 647 DA3	warm sunset	926.00
	32 647 AL3	brushed hard graphite	988.00



Atrio
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4“
flexible connection hoses

	19 287 003	chrome	441.00
	19 287 DC3	supersteel	618.00
	19 287 GL3	cool sunrise	662.00
	19 287 DA3	warm sunset	662.00
	19 287 AL3	brushed hard graphite	706.00




Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for 23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
center distance 110 mm
projection 185 mm

GROHE
ATRIO

Product no.	Colour	RRP (€) incl. VAT






19 918 003	**chrome**	**500.00**
19 918 DC3	**supersteel**	**700.00**
19 918 GL3	**cool sunrise**	**750.00**
19 918 DA3	**warm sunset**	**750.00**
19 918 AL3	**brushed hard graphite**	**800.00**

Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for 23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
center distance 110 mm
projection 221 mm






23 429 000		**268.00**

Joystick mixer 1/2", concealed body
for 2-hole basin mixers
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation depth 78,5 - 103,5 mm
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






32 108 003	**chrome**	**500.00**
32 108 DC3	**supersteel**	**700.00**
32 108 GL3	**cool sunrise**	**750.00**
32 108 DA3	**warm sunset**	**750.00**
32 108 AL3	**brushed hard graphite**	**800.00**

Atrio
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
rapid installation system
tubular C-spout with ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses






32 650 003	**chrome**	**529.00**
32 650 DC3	**supersteel**	**741.00**
32 650 GL3	**cool sunrise**	**794.00**
32 650 DA3	**warm sunset**	**794.00**
32 650 AL3	**brushed hard graphite**	**847.00**

Atrio
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
covered S-unions
protected against backflow





32 652 003	**chrome**	**618.00**
32 652 DC3	**supersteel**	**865.00**
32 652 GL3	**cool sunrise**	**926.00**
32 652 DA3	**warm sunset**	**926.00**
32 652 AL3	**brushed hard graphite**	**988.00**


Atrio
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower bottom outlet 1/2" with integrated non return-valve
covered S-unions
protected against backflow

* price on request

GROHE ATRIO

Product no.	Colour	RRP (€) incl. VAT
24 065 003	**chrome**	**338.00**
24 065 DC3	**supersteel**	**473.00**
24 065 GL3	**cool sunrise**	**506.00**
24 065 DA3	**warm sunset**	**506.00**
24 065 AL3	**brushed hard graphite**	**540.00**






Atrio
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

Product no.	Colour	RRP (€) incl. VAT
24 066 003	**chrome**	**371.00**
24 066 DC3	**supersteel**	**520.00**
24 066 GL3	**cool sunrise**	**557.00**
24 066 DA3	**warm sunset**	**557.00**
24 066 AL3	**brushed hard graphite**	**594.00**






Atrio
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

Product no.	Colour	RRP (€) incl. VAT
24 096 003	**chrome**	**397.00**
24 096 DC3	**supersteel**	**556.00**
24 096 GL3	**cool sunrise**	**595.00**
24 096 DA3	**warm sunset**	**595.00**
24 096 AL3	**brushed hard graphite**	**635.00**





Atrio
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
ATRIO

Product no.	Colour	RRP (€) incl. VAT
24 134 003	**chrome**	**652.00**
24 134 DC3	**supersteel**	**913.00**
24 134 GL3	**cool sunrise**	**978.00**
24 134 DA3	**warm sunset**	**978.00**
24 134 AL3	**brushed hard graphite**	**1,043.00**






Atrio
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000	**87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation	

35 604 000	**87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation	

Product no.	Colour	RRP (€) incl. VAT
24 135 003	**chrome**	**697.00**
24 135 DC3	**supersteel**	**976.00**
24 135 GL3	**cool sunrise**	**1,046.00**
24 135 DA3	**warm sunset**	**1,046.00**
24 135 AL3	**brushed hard graphite**	**1,116.00**





Atrio
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000	**87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation	


35 604 000	**87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation	

* price on request

GROHE ATRIO

Product no.	Colour	RRP (€) incl. VAT
24 138 003	**chrome**	**697.00**
24 138 DC3	**supersteel**	**976.00**
24 138 GL3	**cool sunrise**	**1,046.00**
24 138 DA3	**warm sunset**	**1,046.00**
24 138 AL3	**brushed hard graphite**	**1,116.00**






Atrio
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000	**87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation	

35 604 000	**87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation	

32 653 003	**chrome**	**1,706.00**
32 653 DC3	**supersteel**	**2,388.00**
32 653 GL3	**cool sunrise**	**2,559.00**
32 653 DA3	**warm sunset**	**2,559.00**
32 653 AL3	**brushed hard graphite**	**2,729.00**






Atrio
Single-lever bath mixer, floor mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 301 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm
protected against backflow

45 984 001	**511.00**
Rough-in set 1/2" for floor-mounted mixers/spouts	


GROHE
ATRIO

	Product no.	Colour	RRP (€) incl. VAT
	20 021 003	chrome	294.00
	20 021 DC3	supersteel	412.00
	20 021 GL3	cool sunrise	441.00
	20 021 DA3	warm sunset	441.00
	20 021 AL3	brushed hard graphite	471.00




Atrio
Pillar tap 1/2"
XS-Size
headpart 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
mousseur
with lever handle

	21 022 003	chrome	471.00
	21 022 DC3	supersteel	659.00
	21 022 GL3	cool sunrise	706.00
	21 022 DA3	warm sunset	706.00
	21 022 AL3	brushed hard graphite	753.00




Atrio
One-hole basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with lever handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

	21 019 003	chrome	471.00
	21 019 DC3	supersteel	659.00
	21 019 GL3	cool sunrise	706.00
	21 019 DA3	warm sunset	706.00
	21 019 AL3	brushed hard graphite	753.00



Atrio
One-hole basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

	21 044 003	chrome	647.00
	21 044 DC3	supersteel	906.00
	21 044 GL3	cool sunrise	971.00
	21 044 DA3	warm sunset	971.00
	21 044 AL3	brushed hard graphite	1,035.00




Atrio
One-hole basin mixer, 1/2"
XL-Size
for free-standing basins
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

* price on request

GROHE ATRIO

	Product no.	Colour	RRP (€) incl. VAT
	20 009 003	chrome	588.00
	20 009 DC3	supersteel	824.00
	20 009 GL3	cool sunrise	882.00
	20 009 DA3	warm sunset	882.00
	20 009 AL3	brushed hard graphite	941.00






Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves
with lever handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

	20 008 003	chrome	588.00
	20 008 DC3	supersteel	824.00
	20 008 GL3	cool sunrise	882.00
	20 008 DA3	warm sunset	882.00
	20 008 AL3	brushed hard graphite	941.00






Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

	20 169 003	chrome	500.00
	20 169 DC3	supersteel	700.00
	20 169 GL3	cool sunrise	750.00
	20 169 DA3	warm sunset	750.00
	20 169 AL3	brushed hard graphite	800.00







Atrio
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold with
ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with lever handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.


GROHE
ATRIO

	Product no.	Colour	RRP (€) incl. VAT
	**20 164 003**	**chrome**	**500.00**
	20 164 DC3	**supersteel**	**700.00**
	20 164 GL3	**cool sunrise**	**750.00**
	20 164 DA3	**warm sunset**	**750.00**
	20 164 AL3	**brushed hard graphite**	**800.00**




Atrio
Three-hole basin mixer
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold with
ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

	**29 025 002**	**270.00**




Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

	**24 027 003**	**chrome**	**500.00**
	24 027 DC3	**supersteel**	**700.00**
	24 027 GL3	**cool sunrise**	**750.00**
	24 027 DA3	**warm sunset**	**750.00**
	24 027 AL3	**brushed hard graphite**	**800.00**



Atrio
Single-hole bidet mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

	**26 003 003**	**chrome**	**529.00**
	26 003 DC3	**supersteel**	**741.00**
	26 003 GL3	**cool sunrise**	**794.00**
	26 003 DA3	**warm sunset**	**794.00**
	26 003 AL3	**brushed hard graphite**	**847.00**




Atrio
Shower mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valves in the
shower outlet 1/2"
covered S-unions
protected against backflow
with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

* price on request

GROHE ATRIO


	Product no.	Colour	RRP (€) incl. VAT
	25 010 003	**chrome**	**706.00**
	25 010 DC3	**supersteel**	**988.00**
	25 010 GL3	**cool sunrise**	**1,059.00**
	25 010 DA3	**warm sunset**	**1,059.00**
	25 010 AL3	**brushed hard graphite**	**1,129.00**






Atrio
Bath mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
tubular spout
with stop limiter
integrated non-return valves in the
shower outlet 1/2"
covered S-unions
protected against backflow
with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

25 044 003	**chrome**	**2,206.00**






Atrio
Bath mixer 1/2"
floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001
without roughing-in-set
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel tubular spout
with mousseur and stop limiter
projection 301 mm
integrated non-return valve in the shower outlet 1/2"
hand shower Sena Stick (26 465)
with shower holder
Silverflex shower hose 1250 mm (28 362)
protected against backflow
with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

45 984 001		**511.00**






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

19 088 003	**chrome**	**103.00**
19 088 DC3	**supersteel**	**144.00**
19 088 GL3	**cool sunrise**	**154.00**
19 088 DA3	**warm sunset**	**154.00**
19 088 AL3	**brushed hard graphite**	**165.00**






Atrio
Concealed valve exposed part
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
escutcheon with screwable wall sealing
with lever handle

* price on request


GROHE
ATRIO

	Product no.	Colour	RRP (€) incl. VAT
 	**19 069 003**	**chrome**	**103.00**
	19 069 DC3	**supersteel**	**144.00**
	19 069 GL3	**cool sunrise**	**154.00**
	19 069 DA3	**warm sunset**	**154.00**
	19 069 AL3	**brushed hard graphite**	**165.00**


Atrio
Concealed valve exposed part
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
escutcheon with screwable wall sealing
with cross handle

35 028 000		**148.00**

Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4“
connection threads 1/2“
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm

 	**19 922 003**	**chrome**	**1,324.00**
	19 922 DC3	**supersteel**	**1,853.00**
	19 922 GL3	**cool sunrise**	**1,985.00**
	19 922 DA3	**warm sunset**	**1,985.00**
	19 922 AL3	**brushed hard graphite**	**2,118.00**

Atrio
5-hole bath combination
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
with lever handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

 	**19 923 003**	**chrome**	**1,324.00**
	19 923 DC3	**supersteel**	**1,853.00**
	19 923 GL3	**cool sunrise**	**1,985.00**
	19 923 DA3	**warm sunset**	**1,985.00**
	19 923 AL3	**brushed hard graphite**	**2,118.00**


Atrio
5-hole bath combination
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
with cross handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

* price on request

GROHE ATRIO

	Product no.	Colour	RRP (€) incl. VAT






29 037 002		**853.00**

4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve
caps to cover screw fixations always come in chrome color






13 139 003	**chrome**	**265.00**
13 139 DC3	**supersteel**	**371.00**
13 139 GL3	**cool sunrise**	**397.00**
13 139 DA3	**warm sunset**	**397.00**
13 139 AL3	**brushed hard graphite**	**424.00**

Atrio
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 171 mm





29 118 000	**chrome**	**529.00**
29 118 DC0	**supersteel**	**741.00**
29 118 GL0	**cool sunrise**	**794.00**
29 118 DA0	**warm sunset**	**794.00**
29 118 AL0	**brushed hard graphite**	**847.00**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
ATRIO

Product no.	Colour	RRP (€) incl. VAT






29 119 000	**chrome**	**576.00**
29 119 DC0	**supersteel**	**807.00**
29 119 GL0	**cool sunrise**	**865.00**
29 119 DA0	**warm sunset**	**865.00**
29 119 AL0	**brushed hard graphite**	**922.00**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000	**87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation	

35 604 000	**87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation	





29 121 000	**chrome**	**624.00**
29 121 DC0	**supersteel**	**873.00**
29 121 GL0	**cool sunrise**	**935.00**
29 121 DA0	**warm sunset**	**935.00**
29 121 AL0	**brushed hard graphite**	**998.00**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000	**87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation	


35 604 000	**87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation	

* price on request

GROHE ATRIO

Product no.	Colour	RRP (€) incl. VAT





29 122 000	**chrome**	**380.00**
29 122 DC0	**supersteel**	**533.00**
29 122 GL0	**cool sunrise**	**571.00**
29 122 DA0	**warm sunset**	**571.00**
29 122 AL0	**brushed hard graphite**	**609.00**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 600 000	**87.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

PROFESSIONAL GROHE

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





34 705 000	**chrome**	**1,542.00**


Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation (29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)



14 077 XH0	**chrome/frosted granite**	**29.00**

SmartControl
Caps concealed
consisting of:
9 caps with 6 different symbols
fits Grohtherm SmartControl and SmartControl mixer sets for final installation






37 624 000	**chrome**	**99.00**
37 624 DC0	**supersteel**	**177.00**
37 624 GL0	**cool sunrise**	**177.00**
37 624 DA0	**warm sunset**	**177.00**
37 624 AL0	**brushed hard graphite**	**177.00**

Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

GROHE
ATRIO

Product no.	Colour	RRP (€) incl. VAT






40 304 003	**chrome**	**85.00**
40 304 DC3	**supersteel**	**119.00**
40 304 GL3	**cool sunrise**	**128.00**
40 304 DA3	**warm sunset**	**128.00**
40 304 AL3	**brushed hard graphite**	**136.00**

Atrio
Holder
for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3)
material: metal
concealed fastening
GROHE StarLight chrome finish






40 306 003	**chrome**	**85.00**
40 306 DC3	**supersteel**	**119.00**
40 306 GL3	**cool sunrise**	**128.00**
40 306 DA3	**warm sunset**	**128.00**
40 306 AL3	**brushed hard graphite**	**136.00**

Soap dispenser
material: glass / metal
filling quantity 160 ml
fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately)
GROHE StarLight chrome finish






40 254 003 **56.00**

Glass
material: glass
fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately)






40 305 003	**chrome**	**85.00**
40 305 DC3	**supersteel**	**119.00**
40 305 GL3	**cool sunrise**	**128.00**
40 305 DA3	**warm sunset**	**128.00**
40 305 AL3	**brushed hard graphite**	**136.00**

Atrio
Holder
for Atrio soap dish (40 256 003)
material: metal
concealed fastening
GROHE StarLight chrome finish






40 256 003 **65.00**

Soap dish
material: glass
fits holders Allure (40 963 001) and Atrio (40 305 xx3), sold separately

---











40 307 003	**chrome**	**115.00**
40 307 DC3	**supersteel**	**161.00**
40 307 GL3	**cool sunrise**	**172.00**
40 307 DA3	**warm sunset**	**172.00**
40 307 AL3	**brushed hard graphite**	**184.00**

Atrio
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish


* price on request

GROHE
ATRIO

	Product no.	Colour	RRP (€) incl. VAT
 	40 308 003	chrome	191.00
	40 308 DC3	supersteel	268.00
	40 308 GL3	cool sunrise	287.00
	40 308 DA3	warm sunset	287.00
	40 308 AL3	brushed hard graphite	306.00
	Atrio **Towel bar** material: metal 2 arms, not pivotable concealed fastening **GROHE StarLight** chrome finish		
 	40 309 003	chrome	182.00
	40 309 DC3	supersteel	255.00
	40 309 GL3	cool sunrise	274.00
	40 309 DA3	warm sunset	274.00
	40 309 AL3	brushed hard graphite	292.00
	Atrio **Towel rail** 650 mm (drilling length 600 mm) material: metal concealed fastening **GROHE StarLight** chrome finish		
 	40 312 003	chrome	59.00
	40 312 DC3	supersteel	82.00
	40 312 GL3	cool sunrise	88.00
	40 312 DA3	warm sunset	88.00
	40 312 AL3	brushed hard graphite	94.00
	Atrio **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish		
 	40 313 003	chrome	129.00
	40 313 DC3	supersteel	181.00
	40 313 GL3	cool sunrise	194.00
	40 313 DA3	warm sunset	194.00
	40 313 AL3	brushed hard graphite	207.00
	Atrio **Toilet paper holder** material: metal concealed fastening without cover **GROHE StarLight** chrome finish		
 	40 314 003	chrome	257.00
	40 314 DC3	supersteel	360.00
	40 314 GL3	cool sunrise	386.00
	40 314 DA3	warm sunset	386.00
	40 314 AL3	brushed hard graphite	412.00
	Atrio **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE StarLight** chrome finish		
	40 791 001	white	8.00
	40 791 KS1	velvet black	8.00
	Spare brush head		


GROHE
GRANDERA

	Product no.	Colour	RRP (€) incl. VAT
	**23 303 000**	**chrome**	**390.00**
	23 303 IG0	**chrome/gold**	**506.00**




Grandera
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4“
flexible connection hoses

	**23 310 000**	**chrome**	**390.00**
	23 310 IG0	**chrome/gold**	**506.00**




Grandera
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses

	**23 321 000**	**chrome**	**390.00**



Grandera
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses


	**21 107 000**	**chrome**	**468.00**
	21 107 IG0	**chrome/gold**	**608.00**




Grandera
Two-handle basin mixer, 1/2“
L-Size
single hole installation
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
swivel spout
pop-up waste set 1 1/4“
flexible connection hoses

* price on request


GROHE GRANDERA

	Product no.	Colour	RRP (€) incl. VAT
 	**23 313 000** **23 313 IG0**	**chrome** **chrome/gold**	**516.00** **671.00**


Grandera
Single-lever basin mixer 1/2“
XL-Size
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses

 	**20 417 000** **20 417 IG0**	**chrome** **chrome/gold**	**549.00** **713.00**

Grandera
Three-hole basin mixer 1/2“
S-Size
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves

 	**20 389 000** **20 389 IG0**	**chrome** **chrome/gold**	**607.00** **789.00**

Grandera
Three-hole basin mixer 1/2“
M-Size
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves

 	**20 414 000** **20 414 IG0**	**chrome** **chrome/gold**	**455.00** **591.00**


Grandera
Three-hole basin mixer 1/2“
S-Size
wall mounted
set for final installation for 29 025 002
without concealed body
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 200 mm
projection 177 mm


20 415 000 **20 415 IG0**	**chrome** **chrome/gold**	**503.00** **654.00**

ditto, projection 234 mm

GROHE
GRANDERA

	Product no.	Colour	RRP (€) incl. VAT






29 025 002 **270.00**

Two-handle basin mixer
concealed body, 1/2“
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






19 929 000	**chrome**	**468.00**
19 929 IG0	**chrome/gold**	**608.00**

Grandera
Two-hole basin mixer
S-Size
wall mounted
set for final installation for 23 319 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
center distance 110 mm
projection 177 mm

19 930 000	**chrome**	**516.00**
19 930 IG0	**chrome/gold**	**671.00**

ditto, projection 234 mm






23 319 000 **254.00**

Grandera
Single-lever mixer 1/2“, concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device






23 315 000	**chrome**	**438.00**
23 315 IG0	**chrome/gold**	**570.00**

Grandera
Single-lever bidet mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses





23 316 000	**chrome**	**455.00**
23 316 IG0	**chrome/gold**	**591.00**


Grandera
Single-lever shower mixer 1/2“
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
shower outlet 1/2“
integrated non-return valve
covered S-unions
protected against backflow

* price on request

GROHE
GRANDERA

	Product no.	Colour	RRP (€) incl. VAT






23 317 000	**chrome**	**568.00**
23 317 IG0	**chrome/gold**	**739.00**

Grandera
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
covered S-unions
protected against backflow





24 067 000	**chrome**	**317.00**
24 067 IG0	**chrome/gold**	**380.00**

Grandera
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	**87.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---





24 068 000	**chrome**	**348.00**
24 068 IG0	**chrome/gold**	**418.00**

Grandera
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	**87.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---






19 936 000	**chrome**	**1,201.00**
19 936 IG0	**chrome/gold**	**1,562.00**

Grandera
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7,6 l
metal shower hose 1500 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000

GROHE
GRANDERA

	Product no.	Colour	RRP (€) incl. VAT






19 919 000 **chrome** **1,282.00**
19 919 IG0 **chrome/gold** **1,667.00**

Grandera
5-hole bath combination
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7,6 l
metal shower hose 1500 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000






29 037 000 **856.00**

4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






23 318 000 **chrome** **1,821.00**
23 318 IG0 **chrome/gold** **2,368.00**

Grandera
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984
without roughing-in set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 320 mm
integrated non-return valves in the
shower outlet 1/2"
with shower holder
Grandera hand shower 7,6 l
Silverflex shower hose 1250 mm
protected against backflow






45 984 001 **511.00**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material





13 341 000 **chrome** **260.00**
13 341 IG0 **chrome/gold** **338.00**


Grandera
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 177 mm

* price on request

GROHE GRANDERA


	Product no.	Colour	RRP (€) incl. VAT






19 944 000	**chrome**	**117.00**
19 944 IG0	**chrome/gold**	**152.00**

Grandera
Volume Control Trim
set for final installation for
35 028 000
29 032 000 (preassembled headpart 1/2“)
GROHE StarLight chrome finish






35 028 000 **148.00**

Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4“
connection threads 1/2“
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm






29 802 000 **44.00**

Concealed valve 3/4“
pre-assembled headpart 3/4“
short spindle
protection sleeve
thread union 3/4“
DR-brass






29 811 000 **21.00**

Concealed valve 1/2“
preassembled ceramic headpart 1/2“
180°
threaded union 1/2“
installation depth adjustable
25 - 80 mm
DR-brass






27 974 000	**chrome**	**487.00**
27 974 IG0	**chrome/gold**	**633.00**

Grandera 210
Head shower 1 spray
Rain
221 x 221 mm
material: metal
with ball joint rotation angle ± 15°
connection thread 1/2“
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

GROHE
GRANDERA

	Product no.	Colour	RRP (€) incl. VAT






27 986 000	**chrome**	**110.00**
27 986 IG0	**chrome/gold**	**143.00**

Rainshower Grandera
Shower arm 285 mm
projection 286 mm
material: metal
connection thread 1/2"
GROHE StarLight chrome finish






27 978 000	**chrome**	**81.00**

Rainshower Grandera
Shower arm ceiling 142 mm
material: metal
connection thread 1/2"
GROHE StarLight chrome finish






26 037 001	**chrome**	**123.00**

Grandera Stick
Hand shower 1 spray
spray pattern: Rain
material: metal
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






26 037 IG0	**chrome/gold**	**160.00**

Grandera Stick
Hand shower 1 spray
spray pattern: Rain
material: metal
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system





27 993 000	**chrome**	**169.00**
27 993 IG0	**chrome/gold**	**219.00**


Grandera Stick
Wall holder set 1 spray
consisting of:
Stick hand shower (26 037 000)
wall hand shower holder (27 969)
Rotaflex shower hose 1500 mm (28 417 000)
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

* price on request

GROHE GRANDERA

	Product no.	Colour	RRP (€) incl. VAT






26 038 000	**chrome**	**256.00**
26 038 IG0	**chrome/gold**	**333.00**

Grandera Stick
Shower rail set 1 spray
consisting of:
Stick hand shower (26 037 000)
shower rail, 900 mm (27 785)
Rotaflex metal shower hose 1750 mm (28 025 000)
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 970 000	**chrome**	**140.00**
27 970 IG0	**chrome/gold**	**183.00**

Grandera
Shower outlet elbow, 1/2"
material: metal
male thread
protected against backflow
GROHE StarLight chrome finish






27 969 000	**chrome**	**93.00**
27 969 IG0	**chrome/gold**	**121.00**

Grandera
Wall hand shower holder
material: metal
GROHE StarLight chrome finish






19 952 000	**chrome**	**187.00**

Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991






29 708 000		**299.00**

5-way diverter
concealed body, 1/2"
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
bath outlet 3/4"
installation depth infinitely adjustable
24-60 mm
DR-brass







GROHE
GRANDERA

	Product no.	Colour	RRP (€) incl. VAT
 	**28 912 000**	**chrome**	**181.00**


Trap 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

* price on request


GROHE
GRANDERA

	Product no.	Colour	RRP (€) incl. VAT
 	**40 627 000** **40 627 IG0**	**chrome** **chrome/gold**	**276.00** **359.00**
	Grandera **Holder with ceramic soap dispenser** material: ceramic/metal filling quantity 110 ml **GROHE StarLight** chrome finish		
 	**40 626 000** **40 626 IG0**	**chrome** **chrome/gold**	**211.00** **274.00**
	Grandera **Holder with ceramic tumbler** material: ceramic/metal concealed fastening **GROHE StarLight** chrome finish		
 	**40 628 000** **40 628 IG0**	**chrome** **chrome/gold**	**260.00** **338.00**
	Grandera **Holder with ceramic soap dish** material: ceramic/metal concealed fastening **GROHE StarLight** chrome finish		
 	**40 630 000** **40 630 IG0**	**chrome** **chrome/gold**	**179.00** **232.00**
	Grandera **Towel ring** material: metal concealed fastening **GROHE StarLight** chrome finish		
 	**40 629 000** **40 629 IG0**	**chrome** **chrome/gold**	**292.00** **380.00**
	Grandera **Towel rail** 600 mm **GROHE StarLight** chrome finish		
 	**40 631 000** **40 631 IG0**	**chrome** **chrome/gold**	**84.00** **110.00**
	Grandera **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish		


GROHE
GRANDERA

	Product no.	Colour	RRP (€) incl. VAT
 	**40 633 000** **40 633 IG0**	**chrome** **chrome/gold**	**198.00** **256.00**

Grandera
Bath grip
material: metal
length 385 mm
concealed fastening
GROHE StarLight chrome finish

 	**40 625 000** **40 625 IG0**	**chrome** **chrome/gold**	**221.00** **287.00**

Grandera
Toilet paper holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish


 	**40 632 000** **40 632 IG0**	**chrome** **chrome/gold**	**308.00** **401.00**

Grandera
Toilet brush set
material: ceramic
GROHE StarLight chrome finish

* price on request


GROHE LINEARE

	Product no.	Colour	RRP (€) incl. VAT
	32 109 001	chrome	226.00
	32 109 DC1	supersteel	317.00
	32 109 AL1	brushed hard graphite	362.00




Lineare
Single-lever basin mixer 1/2“
XS-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

	23 791 001	chrome	226.00
	23 791 DC1	supersteel	317.00
	23 791 AL1	brushed hard graphite	362.00




Lineare
Single-lever basin mixer 1/2“
XS-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses

	32 114 001	chrome	241.00
	32 114 DC1	supersteel	338.00
	32 114 AL1	brushed hard graphite	386.00



Lineare
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

	23 106 001	chrome	241.00
	23 106 DC1	supersteel	338.00
	23 106 AL1	brushed hard graphite	386.00




Lineare
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses

GROHE
LINEARE

	Product no.	Colour	RRP (€) incl. VAT
	23 296 001	chrome	317.00
	23 296 DC1	supersteel	443.00
	23 296 AL1	brushed hard graphite	506.00






Lineare
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar

23 405 001	chrome	338.00
23 405 DC1	supersteel	473.00
23 405 AL1	brushed hard graphite	540.00






Lineare
Single-lever basin mixer 1/2“
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar

20 304 001	chrome	354.00






Lineare
Three-hole basin mixer 1/2“
M-Size
metal lever
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar
union nut 1/2“ x 10.5 mm

19 409 001	chrome	275.00
19 409 DC1	supersteel	385.00
19 409 AL1	brushed hard graphite	440.00







Lineare
Two-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 149 mm
min. recommended pressure 1.0 bar

* price on request

GROHE LINEARE

	Product no.	Colour	RRP (€) incl. VAT
	23 444 001	**chrome**	**298.00**
	23 444 DC1	**supersteel**	**417.00**
	23 444 AL1	**brushed hard graphite**	**477.00**






Lineare
Two-hole basin mixer
L-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 207 mm
min. recommended pressure 1.0 bar

	23 571 000	**258.00**






Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

	33 848 001	**chrome**	**264.00**
	33 848 DC1	**supersteel**	**369.00**
	33 848 AL1	**brushed hard graphite**	**422.00**






Lineare
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

	33 865 001	**chrome**	**271.00**
	33 865 DC1	**supersteel**	**380.00**
	33 865 AL1	**brushed hard graphite**	**434.00**






Lineare
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar

GROHE
LINEARE

Product no.	Colour	RRP (€) incl. VAT






34 719 000	**chrome**	**390.00**

Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valves and dirt strainers
protected against backflow






33 849 001	**chrome**	**347.00**
33 849 DC1	**supersteel**	**485.00**
33 849 AL1	**brushed hard graphite**	**555.00**

Lineare
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar
pillar installation optional with pillar unions 12 030 000






34 718 000	**chrome**	**428.00**

Grohtherm SmartControl
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valves and dirt strainers
protected against backflow





24 063 001	**chrome**	**204.00**
24 063 DC1	**supersteel**	**285.00**
24 063 AL1	**brushed hard graphite**	**326.00**

Lineare
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE LINEARE

Product no.	Colour	RRP (€) incl. VAT






24 064 001	**chrome**	**224.00**
24 064 DC1	**supersteel**	**314.00**
24 064 AL1	**brushed hard graphite**	**359.00**

Lineare
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 095 001	**chrome**	**250.00**
24 095 DC1	**supersteel**	**350.00**
24 095 AL1	**brushed hard graphite**	**400.00**

Lineare
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






19 577 001	**chrome**	**940.00**
19 577 DC1	**supersteel**	**1,316.00**
19 577 AL1	**brushed hard graphite**	**1,505.00**

Lineare
Four-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

GROHE
LINEARE

	Product no.	Colour	RRP (€) incl. VAT






19 965 001 **chrome** **760.00**

Lineare
Three-hole single-lever
bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
consisting of:
single lever mixer operating element
diverter bath/shower
without spout
hand shower Sena Stick (26 465)
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
for use with 29 037 000
for combination with 28 990 / 28 991






29 037 000 **856.00**

4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






23 792 001 **chrome** **1,749.00**
23 792 DC1 **supersteel** **2,448.00**
23 792 AL1 **brushed hard graphite** **2,798.00**

Lineare
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 271 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm (28 362)
protected against backflow





45 984 001 **511.00**


Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

* price on request

GROHE LINEARE

	Product no.	Colour	RRP (€) incl. VAT
	13 383 001	**chrome**	**256.00**
	13 383 DC1	**supersteel**	**359.00**
	13 383 AL1	**brushed hard graphite**	**410.00**






Lineare
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

---

	34 705 000	**chrome**	**1,542.00**






Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

---

	19 952 000	**chrome**	**187.00**
	19 952 DC0	**supersteel**	**261.00**
	19 952 AL0	**brushed hard graphite**	**299.00**






Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991

---

	28 912 000	**chrome**	**181.00**
	28 912 DC0	**supersteel**	**253.00**
	28 912 AL0	**brushed hard graphite**	**289.00**






Trap 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

---

	37 601 000	**chrome**	**99.00**
	37 601 DC0	**supersteel**	**177.00**
	37 601 AL0	**brushed hard graphite**	**177.00**






Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

GROHE
EUROCUBE JOY

	Product no.	Colour	RRP (€) incl. VAT






23 654 000 **chrome** **263.00**

Eurocube Joy
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 656 000 **chrome** **258.00**

Eurocube Joy
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses






23 657 000 **chrome** **276.00**

Eurocube Joy
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 658 000 **chrome** **271.00**

Eurocube Joy
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses





23 661 000 **chrome** **364.00**


Eurocube Joy
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

* price on request

GROHE
EUROCUBE JOY

	Product no.	Colour	RRP (€) incl. VAT






19 997 000 **chrome** **298.00**

Eurocube Joy
Two-hole basin mixer
M-Size
wall mounted
set for final installation for 23 429 000
without concealed body
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
center distance 110 mm
projection 170 mm

19 998 000 **chrome** **313.00**
ditto, projection 230 mm






23 429 000 **268.00**

Joystick mixer 1/2", concealed body
for 2-hole basin mixers
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation depth 78,5 - 103,5 mm
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






46 901 000 **107.00**

Extension-set, 25 mm
for 23 429 000 Joystick mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
including disassembly key






23 664 000 **chrome** **283.00**

Eurocube Joy
Single-lever bidet mixer 1/2"
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy ball-joint mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 665 000 **chrome** **324.00**

Eurocube Joy
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
shower bottom outlet 1/2" with integrated non return-valve
protected against backflow

GROHE
EUROCUBE JOY

	Product no.	Colour	RRP (€) incl. VAT






34 488 000 **chrome** **399.00**

Grohtherm Cube
Thermostatic shower mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2“, 180°
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow






23 666 000 **chrome** **398.00**

Eurocube Joy
Single-lever bath mixer 1/2“
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE XL Waterfall
integrated non-return valve in the shower outlet 1/2“
S-unions
protected against backflow






34 497 000 **chrome** **523.00**

Grohtherm Cube
Thermostatic bath mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2“
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow





24 061 000 **chrome** **193.00**

Eurocube
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE
EUROCUBE JOY

	Product no.	Colour	RRP (€) incl. VAT





24 062 000 **chrome** **213.00**


Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---





24 094 000 **chrome** **238.00**


Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---





24 153 000 **chrome** **515.00**
24 153 DC0 **supersteel** **720.00**
24 153 AL0 **brushed hard graphite** **823.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EUROCUBE JOY

Product no.	Colour	RRP (€) incl. VAT





24 154 000	**chrome**	**574.00**
24 154 DC0	**supersteel**	**803.00**
24 154 AL0	**brushed hard graphite**	**918.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 155 000	**chrome**	**574.00**
24 155 DC0	**supersteel**	**803.00**
24 155 AL0	**brushed hard graphite**	**918.00**

Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





34 741 000	**chrome**	**1,358.00**


Grohtherm Cube
Perfect shower set with Rainshower Allure 230
consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

* price on request

GROHE
EUROCUBE JOY

	Product no.	Colour	RRP (€) incl. VAT






23 667 001 **chrome** **1,708.00**

Eurocube Joy
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE FeatherControl Joystick cartridge
GROHE StarLight finish
automatic diverter: bath/shower
spout with mousseur
hand shower Euphoria Cube+ 6.6 l/min
Silverflex shower hose 1250 mm (28 362)
projection 298 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
protected against backflow






45 984 001 **511.00**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

GROHE EUROCUBE

	Product no.	Colour	RRP (€) incl. VAT






23 137 000	**chrome**	**180.00**

Eurocube
Pillar tap
XS-Size
single hole installation
ceramic headpart 1/2“, 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min






23 127 00E	**chrome**	**229.00**

Eurocube
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

23 127 000	**chrome**	**229.00**
23 127 DC0	**supersteel**	**320.00**
23 127 AL0	**brushed hard graphite**	**366.00**

ditto, with non-restricted flow






23 132 00E	**chrome**	**223.00**

Eurocube
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses






23 445 000	**chrome**	**241.00**
23 445 DC0	**supersteel**	**337.00**
23 445 AL0	**brushed hard graphite**	**386.00**

Eurocube
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses





23 446 000	**chrome**	**235.00**


Eurocube
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

* price on request

GROHE EUROCUBE

	Product no.	Colour	RRP (€) incl. VAT






23 135 00E	**chrome**	**274.00**

Eurocube
Single-lever basin mixer 1/2“
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses

23 135 000	**chrome**	**274.00**
23 135 DC0	**supersteel**	**384.00**
23 135 AL0	**brushed hard graphite**	**439.00**

ditto, with non-restricted flow






23 406 000	**chrome**	**318.00**
23 406 DC0	**supersteel**	**446.00**
23 406 AL0	**brushed hard graphite**	**509.00**

Eurocube
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

new






36 441 000	**chrome**	**811.00**
36 441 DC0	**supersteel**	**1,055.00**
36 441 AL0	**brushed hard graphite**	**1,217.00**

Eurocube E
Infra-red electronic basin mixer 1/2“ with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

GROHE EUROCUBE


	Product no.	Colour	RRP (€) incl. VAT
	**20 351 000**	**chrome**	**345.00**
	20 351 DC0	**supersteel**	**482.00**
	20 351 AL0	**brushed hard graphite**	**551.00**



Eurocube
Three-hole basin mixer 1/2"
S-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

19 895 000	**chrome**	**284.00**
19 895 DC0	**supersteel**	**397.00**
19 895 AL0	**brushed hard graphite**	**454.00**






Eurocube
Two-hole basin mixer
S-Size
wall mounted
set for final installation for 23 200
without concealed body
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 171 mm

23 447 000	**chrome**	**297.00**
23 447 DC0	**supersteel**	**416.00**
23 447 AL0	**brushed hard graphite**	**476.00**

ditto, projection 231 mm

23 200 002		**258.00**






Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

23 138 000	**chrome**	**229.00**
23 138 DC0	**supersteel**	**320.00**
23 138 AL0	**brushed hard graphite**	**366.00**






Eurocube
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

23 145 000	**chrome**	**259.00**
23 145 DC0	**supersteel**	**363.00**
23 145 AL0	**brushed hard graphite**	**415.00**






Eurocube
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
covered S-unions
protected against backflow

* price on request

GROHE EUROCUBE

Product no.	Colour	RRP (€) incl. VAT






34 488 000 **chrome** **399.00**

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow






23 140 000 **chrome** **302.00**
23 140 DC0 **supersteel** **483.00**
23 140 AL0 **brushed hard graphite** **543.00**

Eurocube
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
covered S-unions
protected against backflow






34 497 000 **chrome** **523.00**

Grohtherm Cube
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow





24 061 000 **chrome** **193.00**
24 061 DC0 **supersteel** **271.00**
24 061 AL0 **brushed hard graphite** **309.00**

Eurocube
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE
EUROCUBE

Product no.	Colour	RRP (€) incl. VAT






24 062 000	**chrome**	**213.00**
24 062 DC0	**supersteel**	**298.00**
24 062 AL0	**brushed hard graphite**	**340.00**

Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 094 000	**chrome**	**238.00**
24 094 DC0	**supersteel**	**333.00**
24 094 AL0	**brushed hard graphite**	**381.00**

Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 153 000	**chrome**	**515.00**
24 153 DC0	**supersteel**	**720.00**
24 153 AL0	**brushed hard graphite**	**823.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE EUROCUBE

Product no.	Colour	RRP (€) incl. VAT





24 154 000	**chrome**	**574.00**
24 154 DC0	**supersteel**	**803.00**
24 154 AL0	**brushed hard graphite**	**918.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 155 000	**chrome**	**574.00**
24 155 DC0	**supersteel**	**803.00**
24 155 AL0	**brushed hard graphite**	**918.00**

Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation






34 741 000	**chrome**	**1,358.00**

Grohtherm Cube
Perfect shower set with Rainshower Allure 230
consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

GROHE
EUROCUBE

	Product no.	Colour	RRP (€) incl. VAT






25 239 000 **chrome** **606.00**

Eurocube
Perfect shower set with Tempesta 250 Cube
consisting of:
Eurocube set for final installation (24 062)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Tempesta 250 Cube head shower set (26 682)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube shower outlet elbow 1/2" with wall shower holder (26 370)
Silverflex shower hose 1.500 mm (28 364)






19 897 001 **chrome** **1,117.00**
19 897 DC1 **supersteel** **1,564.00**
19 897 AL1 **brushed hard graphite** **1,787.00**

Eurocube
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.6 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000






19 966 000 **chrome** **788.00**

Eurocube
3-hole bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
single lever mixer operating element
diverter bath/shower
without spout
Euphoria Cube hand shower (27 699 000) 9.4 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
for use with 29 037 000
for combination with 28 990 / 28 991






29 037 000 **856.00**

4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

* price on request

GROHE EUROCUBE


	Product no.	Colour	RRP (€) incl. VAT
	**23 672 001**	**chrome**	**1,716.00**
	23 672 DC1	**supersteel**	**2,403.00**
	23 672 AL1	**brushed hard graphite**	**2,746.00**



Eurocube
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
Euphoria Cube+ Stick hand shower 6.6 l/min (26 467)
Silverflex shower hose 1250 mm (28 362)
projection 298 mm
integrated non-return valve in the shower outlet 1/2"
protected against backflow
with shower holder




45 984 001 **511.00**



Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material


	**13 303 000**	**chrome**	**137.00**
	13 303 DC0	**supersteel**	**192.00**
	13 303 AL0	**brushed hard graphite**	**219.00**




Eurocube
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 170 mm




13 304 000 **chrome** **154.00**



Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
with concealed connection piece
male thread 1/2"
projection 170 mm
min. recommended pressure 1.0 bar








35 028 000 **148.00**



Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4"
connection threads 1/2"
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm

GROHE EUROCUBE


	Product no.	Colour	RRP (€) incl. VAT
 	**29 800 000** **Concealed stop-valve, 1/2“** pre-assembled headpart 1/2“ short spindle protection sleeve threaded union 1/2“ DR-brass		**24.00**
	29 802 000 **ditto, 3/4“, pre-assembled headpart 3/4“, thread union 3/4“**		**44.00**
	29 805 000 **ditto, 1“, pre-assembled headpart 1“, thread union 1“**		**68.00**
 	**29 801 000** **Concealed stop-valve, 1/2“** pre-assembled headpart 1/2“ short spindle, protection sleeve soldered connection Ø 15 mm DR-brass		**24.00**
	29 803 000 **ditto, soldered connection Ø 18 mm**		**44.00**
	29 804 000 **ditto, soldered connection Ø 22 mm**		**44.00**
 	**22 012 000** **22 012 DC0** **22 012 AL0** **Eurocube** **Angle valve 1/2“** wall connection 1/2“ outlet 3/8“ cartridge headpart metal handle marking: neutral metal push-on escutcheon **GROHE StarLight** finish	**chrome** **supersteel** **brushed hard graphite**	**52.00** **73.00** **84.00**
 	**19 952 000** **19 952 DC0** **19 952 AL0** **Talentofill** **Inlet-, pop-up and waste-system** set for final installation consisting of: escutcheon supply part waste plug fixing set **in combination with** **Talentofill 28 990/28 991**	**chrome** **supersteel** **brushed hard graphite**	**187.00** **261.00** **299.00**
 	**40 564 000** **40 564 DC0** **40 564 AL0** **Bottle trap** for **wash basin** **GROHE StarLight** chrome finish brass body	**chrome** **supersteel** **brushed hard graphite**	**280.00** **392.00** **448.00**

* price on request

GROHE EUROCUBE

Product no.	Colour	RRP (€) incl. VAT
37 535 000	**chrome**	**81.00**
37 535 DC0	**supersteel**	**177.00**
37 535 AL0	**brushed hard graphite**	**177.00**






Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

40 565 000	**chrome**	**86.00**






Plug incl. cup
for wash basins with overflow
for standard pop-up waste set 1¼"
for replacement in an existing system
GROHE StarLight chrome finish

GROHE PLUS

	Product no.	Colour	RRP (€) incl. VAT






23 958 003 **chrome** **797.00**

GROHE Plus
Single-lever basin mixer 1/2" with LED display < br/>M-size
colour LED water temperature display
infra-red diverter: mousseur / Eco spray
automatic return to mousseur
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
1.5 V alkaline mono battery, 4 x mono cell
external battery






23 959 003 **chrome** **832.00**

GROHE Plus
Single-lever basin mixer 1/2" with LED display
L-Size
colour LED water temperature display
infra-red diverter: mousseur / Eco spray
automatic return to mousseur
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
1.5 V alkaline mono battery, 4 x mono cell
external battery






32 612 003 **chrome** **226.00**
32 612 DC3 **supersteel** **316.00**
32 612 AL3 **brushed hard graphite** **361.00**

GROHE Plus
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses





33 163 003 **chrome** **226.00**


GROHE Plus
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

* price on request

GROHE PLUS

	Product no.	Colour	RRP (€) incl. VAT
	23 871 003	chrome	282.00
	23 871 DC3	supersteel	395.00
	23 871 AL3	brushed hard graphite	451.00






GROHE Plus
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4“
flexible connection hoses

23 872 003	chrome	282.00






GROHE Plus
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses

23 851 003	chrome	316.00
23 851 DC3	supersteel	442.00
23 851 AL3	brushed hard graphite	506.00






GROHE Plus
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4“
flexible connection hoses

23 873 003	chrome	316.00






GROHE Plus
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses


GROHE PLUS

	Product no.	Colour	RRP (€) incl. VAT
	**23 843 003**	**chrome**	**367.00**
	23 843 DC3	**supersteel**	**514.00**
	23 843 AL3	**brushed hard graphite**	**587.00**




GROHE Plus
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock easy retraction and smooth docking
pop-up waste set 1 1/4“
flexible connection hoses

	**23 844 003**	**chrome**	**367.00**




GROHE Plus
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock easy retraction and smooth docking
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses

	**32 618 003**	**chrome**	**350.00**
	32 618 DC3	**supersteel**	**490.00**
	32 618 AL3	**brushed hard graphite**	**560.00**



GROHE Plus
Single-lever basin mixer 1/2“
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses





	**20 301 003**	**chrome**	**350.00**




GROHE Plus
Three-hole basin mixer 1/2“
M-Size
metal lever
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pop-up waste set 1 1/4“
GROHE FastFixation installation system
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2“ x 10.5 mm

* price on request


GROHE PLUS

	Product no.	Colour	RRP (€) incl. VAT
 	**29 303 003**	**chrome**	**275.00**
	29 303 DC3	**supersteel**	**386.00**
	29 303 AL3	**brushed hard graphite**	**441.00**
	GROHE Plus **Two-hole basin mixer** **M-Size** wall mounted set for final installation for 23 200 without concealed body metal escutcheon metal lever **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE AquaGuide** adjustable mousseur center distance 110 mm projection 147 mm min. recommended pressure 1.0 bar		
	29 306 003	**chrome**	**293.00**
	ditto, projection 203 mm		
 	**23 200 002**		**258.00**
	Single-lever mixer 1/2", concealed body for 2-hole basin mixers wall installation without finishing trim set **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		
 	**33 241 003**	**chrome**	**226.00**
	33 241 DC3	**supersteel**	**316.00**
	33 241 AL3	**brushed hard graphite**	**361.00**
	GROHE Plus **Single-lever bidet mixer 1/2"** single hole installation metal lever **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar		
 	**33 577 003**	**chrome**	**271.00**
	33 577 DC3	**supersteel**	**379.00**
	33 577 AL3	**brushed hard graphite**	**433.00**
	GROHE Plus **Single-lever shower mixer 1/2"** wall mounted metal lever **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1.0 bar		


GROHE PLUS

	Product no.	Colour	RRP (€) incl. VAT
 	**34 719 000**	**chrome**	**390.00**


Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valves and dirt strainers
protected against backflow

 	**33 553 003**	**chrome**	**339.00**
	33 553 DC3	**supersteel**	**474.00**
	33 553 AL3	**brushed hard graphite**	**542.00**

GROHE Plus
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
laminar mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar

 	**34 718 000**	**chrome**	**428.00**

Grohtherm SmartControl
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valves and dirt strainers
protected against backflow

 	**33 547 003**	**chrome**	**381.00**


GROHE Plus
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
laminar mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
with shower set
consisting of:
hand shower Euphoria Cube Stick (27 698 000)
wall shower holder (27 693 000)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.0 bar

* price on request

GROHE PLUS

Product no.	Colour	RRP (€) incl. VAT






40 954 000	**chrome**	**121.00**

GROHE Plus
Tray
suitable for
33 553 003
33 547 003
33 577 003





24 059 003	**chrome**	**214.00**
24 059 DC3	**supersteel**	**300.00**
24 059 AL3	**brushed hard graphite**	**343.00**

GROHE Plus
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	**87.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---





24 060 003	**chrome**	**226.00**
24 060 DC3	**supersteel**	**316.00**
24 060 AL3	**brushed hard graphite**	**361.00**

GROHE Plus
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE PLUS

Product no.	Colour	RRP (€) incl. VAT





24 093 003	**chrome**	**254.00**
24 093 DC3	**supersteel**	**356.00**
24 093 AL3	**brushed hard graphite**	**406.00**

GROHE Plus
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation






29 307 003	**chrome**	**931.00**
29 307 DC3	**supersteel**	**1,304.00**
29 307 AL3	**brushed hard graphite**	**1,490.00**

GROHE Plus
Four-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
consisting of:
pre-assembled spout laminar mousseur
single lever mixer operating element
metal lever
diverter bath/shower
hand shower Euphoria Cube 6.6 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
min. recommended pressure 1.0 bar






23 845 003	**chrome**	**768.00**

GROHE Plus
Three-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
consisting of:
single lever mixer operating element
diverter bath/shower
without spout
Euphoria Cube hand shower 7.6 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
for combination with 28 990 / 28 991
min. recommended pressure 1.0 bar






29 037 002	**853.00**

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve
caps to cover screw fixations always come in chrome color

* price on request


GROHE PLUS

	Product no.	Colour	RRP (€) incl. VAT
	**23 846 003**	**chrome**	**1,716.00**
	23 846 DC3	**supersteel**	**2,402.00**
	23 846 AL3	**brushed hard graphite**	**2,745.00**




GROHE Plus
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with laminar mousseur
projection 282 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube 6.6 l/min
Silverflex shower hose 1250 mm (28 362)
protected against backflow
min. recommended pressure 1.0 bar

	**45 984 001**		**511.00**



Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

	**13 404 003**	**chrome**	**158.00**
	13 404 DC3	**supersteel**	**221.00**
	13 404 AL3	**brushed hard graphite**	**253.00**




GROHE Plus
Bath spout
wall mounted
GROHE StarLight chrome finish
laminar mousseur
male thread 1/2"
projection 168 mm

GROHE PLUS

Product no.	Colour	RRP (€) incl. VAT






26 507 000	**chrome**	**1,156.00**
26 507 LS0	**moon white**	**1,335.00**
26 507 DC0	**supersteel**	**1,734.00**
26 507 AL0	**brushed hard graphite**	**2,081.00**

Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.





26 508 000	**chrome**	**1,156.00**
26 508 LS0	**moon white**	**1,335.00**
26 508 DC0	**supersteel**	**1,734.00**
26 508 AL0	**brushed hard graphite**	**2,081.00**


Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

* price on request

GROHE PLUS

	Product no.	Colour	RRP (€) incl. VAT






34 705 000 **chrome** **1,542.00**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)






34 706 000 **chrome** **1,533.00**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)







19 952 000 **chrome** **187.00**
19 952 DC0 **supersteel** **261.00**
19 952 AL0 **brushed hard graphite** **299.00**

Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991






40 564 000 **chrome** **280.00**
40 564 DC0 **supersteel** **392.00**
40 564 AL0 **brushed hard graphite** **448.00**

Bottle trap
for **wash basin**
GROHE StarLight chrome finish
brass body






28 912 000 **chrome** **181.00**
28 912 DC0 **supersteel** **253.00**
28 912 AL0 **brushed hard graphite** **289.00**

Trap 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

GROHE PLUS

Product no.	Colour	RRP (€) incl. VAT






37 535 000	**chrome**	**81.00**
37 535 DC0	**supersteel**	**177.00**
37 535 AL0	**brushed hard graphite**	**177.00**

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)





37 624 000	**chrome**	**99.00**
37 624 DC0	**supersteel**	**177.00**
37 624 AL0	**brushed hard graphite**	**177.00**


Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

* price on request

GROHE ESSENCE

Product no.	Colour	RRP (€) incl. VAT
24 171 001	**chrome**	**173.00**
24 171 DC1	**supersteel**	**241.00**
24 171 GL1	**cool sunrise**	**259.00**
24 171 GN1	**brushed cool sunrise**	**276.00**
24 171 DA1	**warm sunset**	**259.00**
24 171 DL1	**brushed warm sunset**	**276.00**
24 171 A01	**hard graphite**	**259.00**
24 171 AL1	**brushed hard graphite**	**276.00**






Essence
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

23 589 001	**chrome**	**174.00**
23 589 DC1	**supersteel**	**243.00**
23 589 GL1	**cool sunrise**	**260.00**
23 589 GN1	**brushed cool sunrise**	**278.00**
23 589 DA1	**warm sunset**	**260.00**
23 589 DL1	**brushed warm sunset**	**278.00**
23 589 A01	**hard graphite**	**260.00**
23 589 AL1	**brushed hard graphite**	**278.00**

will be replaced by 24 171

24 172 001	**chrome**	**167.00**
24 172 DC1	**supersteel**	**234.00**
24 172 GL1	**cool sunrise**	**250.00**
24 172 GN1	**brushed cool sunrise**	**267.00**
24 172 DA1	**warm sunset**	**250.00**
24 172 DL1	**brushed warm sunset**	**267.00**
24 172 A01	**hard graphite**	**250.00**
24 172 AL1	**brushed hard graphite**	**267.00**






Essence
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses
professional edition

23 590 001	**chrome**	**168.00**
23 590 DC1	**supersteel**	**235.00**
23 590 GL1	**cool sunrise**	**252.00**
23 590 GN1	**brushed cool sunrise**	**269.00**
23 590 DA1	**warm sunset**	**252.00**
23 590 DL1	**brushed warm sunset**	**269.00**
23 590 A01	**hard graphite**	**252.00**
23 590 AL1	**brushed hard graphite**	**269.00**

will be replaced by 24 172

24 180 001	**chrome**	**173.00**






Essence
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






24 179 001 **chrome** **173.00**

Essence
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
waste set with push-open plug
flexible connection hoses
professional edition






24 175 001 **chrome** **173.00**

Essence
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

32 898 001 **chrome** **174.00**
will be replaced by 24 175 001






32 899 001 **chrome** **168.00**

Essence
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
retractable chain
flexible connection hoses





34 813 001 **chrome** **168.00**

Essence
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses
professional edition


34 294 001 **chrome** **168.00**
will be replaced by 34 813 001

* price on request

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






24 183 001	**chrome**	**174.00**

Essence
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition






24 173 001	**chrome**	**202.00**
24 173 DC1	**supersteel**	**282.00**
24 173 GL1	**cool sunrise**	**303.00**
24 173 GN1	**brushed cool sunrise**	**323.00**
24 173 DA1	**warm sunset**	**303.00**
24 173 DL1	**brushed warm sunset**	**323.00**
24 173 A01	**hard graphite**	**303.00**
24 173 AL1	**brushed hard graphite**	**323.00**

Essence
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

23 462 001	**chrome**	**203.00**
23 462 DC1	**supersteel**	**285.00**
23 462 GL1	**cool sunrise**	**305.00**
23 462 GN1	**brushed cool sunrise**	**325.00**
23 462 DA1	**warm sunset**	**305.00**
23 462 DL1	**brushed warm sunset**	**325.00**
23 462 A01	**hard graphite**	**305.00**
23 462 AL1	**brushed hard graphite**	**325.00**

will be replaced by 24 173






23 480 001	**chrome**	**198.00**

Essence
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
retractable chain
flexible connection hoses

GROHE ESSENCE

Product no.	Colour	RRP (€) incl. VAT






24 181 001 **chrome** **203.00**

Essence
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
smooth body
waste set with push-open plug
flexible connection hoses
min. recommended pressure 1.0 bar
professional edition

23 798 001 **chrome** **203.00**
will be replaced by 24 181 001






24 176 001 **chrome** **196.00**

Essence
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses
professional edition

23 463 001 **chrome** **198.00**
will be replaced by 24 176 001





24 174 001	**chrome**	**221.00**
24 174 DC1	**supersteel**	**310.00**
24 174 GL1	**cool sunrise**	**332.00**
24 174 GN1	**brushed cool sunrise**	**354.00**
24 174 DA1	**warm sunset**	**332.00**
24 174 DL1	**brushed warm sunset**	**354.00**
24 174 A01	**hard graphite**	**332.00**
24 174 AL1	**brushed hard graphite**	**354.00**

Essence
Single-lever basin mixer 1/2“
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

32 628 001	**chrome**	**223.00**
32 628 DC1	**supersteel**	**312.00**
32 628 GL1	**cool sunrise**	**335.00**
32 628 GN1	**brushed cool sunrise**	**357.00**
32 628 DA1	**warm sunset**	**335.00**
32 628 DL1	**brushed warm sunset**	**357.00**
32 628 A01	**hard graphite**	**335.00**
32 628 AL1	**brushed hard graphite**	**357.00**


will be replaced by 24 174

* price on request

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






24 182 001	**chrome**	**221.00**

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
smooth body
waste set with push-open plug
flexible connection hoses
min. recommended pressure 1.0 bar
professional edition

23 799 001	**chrome**	**223.00**

will be replaced by 24 182 001






24 177 001	**chrome**	**216.00**

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses
professional edition

23 541 001	**chrome**	**217.00**

will be replaced by 24 177 001





24 170 001	**chrome**	**300.00**
24 170 DC1	**supersteel**	**420.00**
24 170 DA1	**warm sunset**	**449.00**
24 170 DL1	**brushed warm sunset**	**479.00**
24 170 A01	**hard graphite**	**449.00**
24 170 AL1	**brushed hard graphite**	**479.00**

Essence
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus rapid installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses
professional edition

32 901 001	**chrome**	**302.00**
32 901 DC1	**supersteel**	**423.00**
32 901 GL1	**cool sunrise**	**453.00**
32 901 GN1	**brushed cool sunrise**	**483.00**
32 901 DA1	**warm sunset**	**453.00**
32 901 DL1	**brushed warm sunset**	**483.00**
32 901 A01	**hard graphite**	**453.00**
32 901 AL1	**brushed hard graphite**	**483.00**


will be replaced by 24 170

GROHE ESSENCE

Product no.	Colour	RRP (€) incl. VAT

new






36 445 000	**chrome**	**652.00**
36 445 DC0	**supersteel**	**848.00**
36 445 GL0	**cool sunrise**	**913.00**
36 445 GN0	**brushed cool sunrise**	**978.00**
36 445 DA0	**warm sunset**	**913.00**
36 445 DL0	**brushed warm sunset**	**978.00**
36 445 A00	**hard graphite**	**913.00**
36 445 AL0	**brushed hard graphite**	**978.00**

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






20 296 001	**chrome**	**284.00**

Essence
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves





20 299 001	**chrome**	**312.00**


Essence
3-hole basin mixer
L-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar
union nut 1/2" x 10.5 mm

* price on request

GROHE ESSENCE

Product no.	Colour	RRP (€) incl. VAT






29 192 001	chrome	221.00
29 192 DC1	supersteel	310.00
29 192 GL1	cool sunrise	332.00
29 192 GN1	brushed cool sunrise	354.00
29 192 DA1	warm sunset	332.00
29 192 DL1	brushed warm sunset	354.00
29 192 A01	hard graphite	332.00
29 192 AL1	brushed hard graphite	354.00

Essence
Two-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 183 mm
professional edition

19 408 001	chrome	223.00
19 408 DC1	supersteel	312.00
19 408 GL1	cool sunrise	335.00
19 408 GN1	brushed cool sunrise	357.00
19 408 DA1	warm sunset	335.00
19 408 DL1	brushed warm sunset	357.00
19 408 A01	hard graphite	335.00
19 408 AL1	brushed hard graphite	357.00

will be replaced by 29 192






29 193 001	chrome	249.00
29 193 DC1	supersteel	349.00
29 193 GL1	cool sunrise	374.00
29 193 GN1	brushed cool sunrise	399.00
29 193 DA1	warm sunset	374.00
29 193 DL1	brushed warm sunset	399.00
29 193 A01	hard graphite	374.00
29 193 AL1	brushed hard graphite	399.00

Essence
Two-hole basin mixer
L-Size
wall mounted
set for final installation for
23 571 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 230 mm
replaces 19 967 001
professional edition

19 967 001	chrome	251.00
19 967 DC1	supersteel	352.00
19 967 GL1	cool sunrise	377.00
19 967 GN1	brushed cool sunrise	402.00
19 967 DA1	warm sunset	377.00
19 967 DL1	brushed warm sunset	402.00
19 967 A01	hard graphite	377.00
19 967 AL1	brushed hard graphite	402.00

will be replaced by 29 193






23 571 000		258.00

Single-lever mixer 1/2“, universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE ESSENCE

Product no.	Colour	RRP (€) incl. VAT






24 178 001	chrome	173.00
24 178 DC1	supersteel	241.00
24 178 GL1	cool sunrise	259.00
24 178 GN1	brushed cool sunrise	276.00
24 178 DA1	warm sunset	259.00
24 178 DL1	brushed warm sunset	276.00
24 178 A01	hard graphite	259.00
24 178 AL1	brushed hard graphite	276.00

Essence
Single-lever bidet mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

32 935 001	chrome	174.00
32 935 DC1	supersteel	243.00
32 935 GL1	cool sunrise	260.00
32 935 GN1	brushed cool sunrise	278.00
32 935 DA1	warm sunset	260.00
32 935 DL1	brushed warm sunset	278.00
32 935 A01	hard graphite	260.00
32 935 AL1	brushed hard graphite	278.00

will be replaced by 24 178





25 252 001	chrome	192.00
25 252 DC1	supersteel	269.00
25 252 GL1	cool sunrise	288.00
25 252 GN1	brushed cool sunrise	307.00
25 252 DA1	warm sunset	288.00
25 252 DL1	brushed warm sunset	307.00
25 252 A01	hard graphite	288.00
25 252 AL1	brushed hard graphite	307.00

Essence
Single-lever shower mixer 1/2“
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2“
integrated non-return valve
S-unions
protected against backflow
professional edition

33 636 001	chrome	192.00
33 636 DC1	supersteel	269.00
33 636 GL1	cool sunrise	288.00
33 636 GN1	brushed cool sunrise	307.00
33 636 DA1	warm sunset	288.00
33 636 DL1	brushed warm sunset	307.00
33 636 A01	hard graphite	288.00
33 636 AL1	brushed hard graphite	307.00


will be replaced by 25 252

* price on request

GROHE ESSENCE

Product no.	Colour	RRP (€) incl. VAT
25 250 001	**chrome**	**234.00**
25 250 DC1	**supersteel**	**328.00**
25 250 GL1	**cool sunrise**	**351.00**
25 250 GN1	**brushed cool sunrise**	**374.00**
25 250 DA1	**warm sunset**	**351.00**
25 250 DL1	**brushed warm sunset**	**374.00**
25 250 A01	**hard graphite**	**351.00**
25 250 AL1	**brushed hard graphite**	**374.00**






Essence
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
professional edition

33 624 001	**chrome**	**236.00**
33 624 DC1	**supersteel**	**330.00**
33 624 GL1	**cool sunrise**	**354.00**
33 624 GN1	**brushed cool sunrise**	**377.00**
33 624 DA1	**warm sunset**	**354.00**
33 624 DL1	**brushed warm sunset**	**377.00**
33 624 A01	**hard graphite**	**354.00**
33 624 AL1	**brushed hard graphite**	**377.00**

will be replaced by 25 250

25 249 001	**chrome**	**280.00**





Essence
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
with shower set
Euphoria Cosmopolitan Stick handshower (27 367)
wall shower holder Tempesta Cosmopolitan 100 (27 594 000)
Silverflex shower hose 1.500 mm (28 364)
professional edition


33 628 001	**chrome**	**282.00**

will be replaced by 25 249 001

GROHE ESSENCE

Product no.	Colour	RRP (€) incl. VAT





24 168 001	**chrome**	**177.00**
24 168 DC1	**supersteel**	**248.00**
24 168 GL1	**cool sunrise**	**265.00**
24 168 GN1	**brushed cool sunrise**	**283.00**
24 168 DA1	**warm sunset**	**265.00**
24 168 DL1	**brushed warm sunset**	**283.00**
24 168 A01	**hard graphite**	**265.00**
24 168 AL1	**brushed hard graphite**	**283.00**

Essence
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set
professional edition


24 057 001	**chrome**	**178.00**
24 057 DC1	**supersteel**	**249.00**
24 057 GL1	**cool sunrise**	**267.00**
24 057 GN1	**brushed cool sunrise**	**285.00**
24 057 DA1	**warm sunset**	**267.00**
24 057 DL1	**brushed warm sunset**	**285.00**
24 057 A01	**hard graphite**	**267.00**
24 057 AL1	**brushed hard graphite**	**285.00**

will be replaced by 24 168

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 167 001	**chrome**	**195.00**
24 167 DC1	**supersteel**	**272.00**
24 167 GL1	**cool sunrise**	**292.00**
24 167 GN1	**brushed cool sunrise**	**311.00**
24 167 DA1	**warm sunset**	**292.00**
24 167 DL1	**brushed warm sunset**	**311.00**
24 167 A01	**hard graphite**	**292.00**
24 167 AL1	**brushed hard graphite**	**311.00**

Essence
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set
professional edition

24 058 001	**chrome**	**196.00**
24 058 DC1	**supersteel**	**274.00**
24 058 GL1	**cool sunrise**	**294.00**
24 058 GN1	**brushed cool sunrise**	**314.00**
24 058 DA1	**warm sunset**	**294.00**
24 058 DL1	**brushed warm sunset**	**314.00**
24 058 A01	**hard graphite**	**294.00**
24 058 AL1	**brushed hard graphite**	**314.00**

will be replaced by 24 167

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT
PROFESSIONAL GROHE	24 169 001	chrome	220.00
	24 169 DC1	supersteel	308.00
	24 169 GL1	cool sunrise	330.00
	24 169 GN1	brushed cool sunrise	352.00
	24 169 DA1	warm sunset	330.00
	24 169 DL1	brushed warm sunset	352.00
	24 169 A01	hard graphite	330.00
	24 169 AL1	brushed hard graphite	352.00





Essence
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set
professional edition


24 092 001	chrome	222.00
24 092 DC1	supersteel	310.00
24 092 GL1	cool sunrise	333.00
24 092 GN1	brushed cool sunrise	355.00
24 092 DA1	warm sunset	333.00
24 092 DL1	brushed warm sunset	355.00
24 092 A01	hard graphite	333.00
24 092 AL1	brushed hard graphite	355.00

will be replaced by 24 169

35 600 000 — 87.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

PROFESSIONAL GROHE
35 604 000 — 87.00
GROHE Rapido SmartBox universal rough-in box for concealed installation






34 705 000 — chrome — 1,542.00

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT
	25 251 001	**chrome**	**798.00**
	25 251 DC1	**supersteel**	**1,117.00**
	25 251 GL1	**cool sunrise**	**1,196.00**
	25 251 GN1	**brushed cool sunrise**	**1,276.00**
	25 251 DA1	**warm sunset**	**1,196.00**
	25 251 DL1	**brushed warm sunset**	**1,276.00**
	25 251 A01	**hard graphite**	**1,196.00**
	25 251 AL1	**brushed hard graphite**	**1,276.00**





Essence
Four-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
for chrome: hand shower 27 806, for other colours: hand shower 26 465
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
professional edition


19 578 001	**chrome**	**805.00**
19 578 DC1	**supersteel**	**1,126.00**
19 578 GL1	**cool sunrise**	**1,207.00**
19 578 GN1	**brushed cool sunrise**	**1,287.00**
19 578 DA1	**warm sunset**	**1,207.00**
19 578 DL1	**brushed warm sunset**	**1,287.00**
19 578 A01	**hard graphite**	**1,207.00**
19 578 AL1	**brushed hard graphite**	**1,287.00**

will be replaced by 25 251

---

19 976 001	**chrome**	**563.00**






Essence
Three-hole single-lever
bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
consisting of:
single lever mixer operating element
diverter bath/shower
without spout
hand shower 27 400 000
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
for use with 29 037 000
for combination with 28 990 / 28 991

---

29 037 000		**856.00**






4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

* price on request

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






23 741 001	**chrome**	**2,382.00**
23 741 DC1	**supersteel**	**3,334.00**

Essence
Single-lever free-standing shower system
floor-mounted
set for final installation for
45 984 001
29 038 001
29 086 000
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter:
head shower/hand shower
360° horizontal swivable shower arm
integrated non-return valve in the shower outlet 1/2"
with shower holder
Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)
with ball joint
rotation angle ± 15°
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
for chrome: hand shower 27 806, for other colours: hand shower 26 465
Silverflex shower hose 1750 mm (28 388 000)
protected against backflow
min. recommended pressure 1.0 bar






25 248 001	**chrome**	**1,259.00**
25 248 DC1	**supersteel**	**1,763.00**
25 248 GL1	**cool sunrise**	**1,889.00**
25 248 GN1	**brushed cool sunrise**	**2,015.00**
25 248 DA1	**warm sunset**	**1,889.00**
25 248 DL1	**brushed warm sunset**	**2,015.00**
25 248 A01	**hard graphite**	**1,889.00**
25 248 AL1	**brushed hard graphite**	**2,015.00**

Essence
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur and stop limiter
projection 277 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
for chrome: hand shower 27 806, for other colours: hand shower 26 465
Silverflex shower hose 1250 mm (28 362)
protected against backflow
professional edition

23 491 001	**chrome**	**1,270.00**
23 491 DC1	**supersteel**	**1,778.00**
23 491 GL1	**cool sunrise**	**1,905.00**
23 491 GN1	**brushed cool sunrise**	**2,033.00**
23 491 DA1	**warm sunset**	**1,905.00**
23 491 DL1	**brushed warm sunset**	**2,033.00**
23 491 A01	**hard graphite**	**1,905.00**
23 491 AL1	**brushed hard graphite**	**2,033.00**

will be replaced by 25 248





45 984 001	**511.00**


Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

GROHE ESSENCE

Product no.	Colour	RRP (€) incl. VAT

new






13 449 001	chrome	132.00
13 449 DC1	supersteel	184.00
13 449 GL1	cool sunrise	198.00
13 449 GN1	brushed cool sunrise	211.00
13 449 DA1	warm sunset	198.00
13 449 DL1	brushed warm sunset	211.00
13 449 A01	hard graphite	198.00
13 449 AL1	brushed hard graphite	211.00

Essence
Bath spout
wall mounted
mousseur
male thread 1/2“
GROHE StarLight chrome finish
projection 230 mm
professional edition






19 952 000	chrome	187.00
19 952 DC0	supersteel	261.00
19 952 GL0	cool sunrise	280.00
19 952 GN0	brushed cool sunrise	299.00
19 952 DA0	warm sunset	280.00
19 952 DL0	brushed warm sunset	299.00
19 952 A00	hard graphite	280.00
19 952 AL0	brushed hard graphite	299.00

Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991






28 912 000	chrome	181.00
28 912 DC0	supersteel	253.00
28 912 GL0	cool sunrise	271.00
28 912 GN0	brushed cool sunrise	289.00
28 912 DA0	warm sunset	271.00
28 912 DL0	brushed warm sunset	289.00
28 912 A00	hard graphite	271.00
28 912 AL0	brushed hard graphite	289.00

Trap 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish





37 601 000	chrome	99.00
37 601 DC0	supersteel	177.00
37 601 GL0	cool sunrise	177.00
37 601 GN0	brushed cool sunrise	177.00
37 601 DA0	warm sunset	177.00
37 601 DL0	brushed warm sunset	177.00
37 601 A00	hard graphite	177.00
37 601 AL0	brushed hard graphite	177.00


Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

* price on request

GROHE
EURODISC JOY

	Product no.	Colour	RRP (€) incl. VAT






23 425 000 **chrome** **220.00**

Eurodisc Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 427 000 **chrome** **233.00**

Eurodisc Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 428 000 **chrome** **335.00**

Eurodisc Joy
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses






19 968 000 **chrome** **255.00**

Eurodisc Joy
Two-hole basin mixer
M-Size
wall mounted
set for final installation for 23 429 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
center distance 110 mm
projection 171 mm






19 969 000 **chrome** **268.00**

Eurodisc Joy
Two-hole basin mixer
L-Size
wall mounted
set for final installation for 23 429 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
center distance 110 mm
projection 226 mm

GROHE
EURODISC JOY

	Product no.	Colour	RRP (€) incl. VAT






23 429 000 **268.00**

Joystick mixer 1/2", concealed body
for 2-hole basin mixers
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation depth 78,5 - 103,5 mm
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






46 901 000 **107.00**

Extension-set, 25 mm
for 23 429 000 Joystick mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
including disassembly key






24 036 000 **chrome** **233.00**


Eurodisc Joy
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy ball-joint mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 430 000 **chrome** **247.00**

Eurodisc Joy
Single-lever shower mixer 1/2"
wall mounted
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow





23 431 000 **chrome** **335.00**


Eurodisc Joy
Single-lever bath mixer 1/2"
wall mounted
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow

* price on request

GROHE
EURODISC JOY

	Product no.	Colour	RRP (€) incl. VAT






24 055 002 **chrome** **165.00**

Eurodisc Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 056 002 **chrome** **181.00**

Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EURODISC COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






23 051 002 **chrome** **117.00**

Eurodisc Cosmopolitan
Pillar tap
XS-Size
single hole installation
ceramic headpart 1/2“, 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min






23 049 002 **chrome** **185.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses






33 190 20E **chrome** **185.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses






32 469 20E **chrome** **179.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body
flexible connection hoses





23 448 002 **chrome** **210.00**


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

* price on request

GROHE
EURODISC COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






23 054 003 **chrome** **231.00**


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation Plus installation system
mousseur
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000






23 432 000 **chrome** **322.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses






23 055 002 **chrome** **262.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
mousseur
pop-up waste set 1 1/4“
flexible connection hoses





19 573 002 **chrome** **231.00**


Eurodisc Cosmopolitan
Two-hole basin mixer
M-Size
wall mounted
set for final installation for 23 571 000
without concealed body
GROHE StarLight chrome finish
GROHE AquaGuide
center distance 110 mm
projection 170 mm

19 974 002 **chrome** **246.00**
ditto, projection 225 mm

GROHE
EURODISC COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






23 571 000 **258.00**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---






33 244 002 **chrome** **185.00**

Eurodisc Cosmopolitan
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses






33 569 002 **chrome** **185.00**


Eurodisc Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
integrated non-return valve
S-unions
protected against backflow






34 719 000 **chrome** **390.00**

Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valves and dirt strainers
protected against backflow





33 390 002 **chrome** **231.00**


Eurodisc Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow

* price on request

GROHE
EURODISC COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






34 718 000 **chrome** **428.00**

Grohtherm SmartControl
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valves and dirt strainers
protected against backflow






33 395 002 **chrome** **280.00**

Eurodisc Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
with shower set
hand shower Euphoria 110 Champagne (27 222)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)






24 055 002 **chrome** **165.00**

Eurodisc Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 056 002 **chrome** **181.00**

Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE
EURODISC COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






34 705 000 **chrome** **1,542.00**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)






13 278 002 **chrome** **112.00**

Eurodisc Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 170 mm






13 279 002 **chrome** **131.00**

Eurodisc Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
with concealed connection piece
male thread 1/2"
projection 170 mm






19 952 000 **chrome** **187.00**

Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991






37 624 000 **chrome** **99.00**

Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

* price on request

GROHE
EURODISC COSMOPOLITAN


	Product no.	Colour	RRP (€) incl. VAT
 	**28 912 000**	**chrome**	**181.00**

Trap 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

GROHE
CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






32 207 001 **chrome** **115.00**

Concetto
Pillar tap
XS-Size
single hole installation
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min






32 204 10E **chrome** **146.00**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses

32 204 001 **chrome** **146.00**
ditto, with non-restricted flow






23 931 001 **chrome** **140.00**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109






23 060 001 **chrome** **182.00**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for open water heater





32 240 10E **chrome** **140.00**


Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body
flexible connection hoses

* price on request

GROHE CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






23 450 001 **chrome** **166.00**

Concetto
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 932 001 **chrome** **160.00**

Concetto
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar






23 451 001 **chrome** **160.00**

Concetto
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses






23 739 002 **chrome** **247.00**

Concetto
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
min. recommended pressure 1.0 bar

GROHE CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






32 629 002 **chrome** **210.00**

Concetto
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
mousseur
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
min. recommended pressure 1.0 bar






23 920 001 **chrome** **236.00**

Concetto
Single-lever basin mixer 1/2“
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar






20 216 001 **chrome** **252.00**

Concetto
Three-hole basin mixer 1/2“
L-Size
ceramic headpart 1/2“, 90°
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
pressure-proof, flexible connection hoses between middle-body and side valves





19 575 001 **chrome** **213.00**


Concetto
Two-hole basin mixer
S-Size
wall mounted
set for final installation for 23 571 000
without concealed body
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 147 mm

* price on request

GROHE CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






23 571 000 **258.00**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---






32 208 001 **chrome** **146.00**

Concetto
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses






32 210 001 **chrome** **146.00**

Concetto
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow






32 211 001 **chrome** **182.00**

Concetto
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow





24 053 001 **chrome** **158.00**

Concetto
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


---

* price on request

GROHE
CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






24 054 001 **chrome** **174.00**

Concetto
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






19 576 002 **chrome** **760.00**

Concetto
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
Euphoria Cosmopolitan hand shower 6.6 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000






29 037 000 **856.00**

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






13 280 001 **chrome** **109.00**

Concetto
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 170 mm





13 281 001 **chrome** **126.00**


Concetto
Bath spout with diverter
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"

* price on request

GROHE
EUROSTYLE COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






23 039 002 **chrome** **102.00**

Eurostyle Cosmopolitan
Pillar tap
XS-Size
single hole installation
ceramic headpart 1/2“, 90°
GROHE StarLight chrome finish






23 037 002 **chrome** **139.00**

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses






33 552 20E **chrome** **139.00**

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses






33 561 002 **chrome** **192.00**

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
flow straightener
pop-up waste set 1 1/4“
flexible connection hoses
for open water heater






32 468 20E **chrome** **133.00**

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body
flexible connection hoses

GROHE
EUROSTYLE COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






23 043 003 **chrome** **195.00**

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
mousseur
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar






20 208 002 **chrome** **279.00**

Eurostyle Cosmopolitan
Three-hole basin mixer
S-Size
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses between middle-body and side valves






19 571 002 **chrome** **238.00**

Eurostyle Cosmopolitan
Two-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 171 mm





23 571 000 **258.00**


Single-lever mixer 1/2“, universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

* price on request

GROHE
EUROSTYLE COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






33 565 002 **chrome** **139.00**

Eurostyle Cosmopolitan
Single-lever bidet mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses

33 566 002 **chrome** **133.00**
ditto, with retractable chain






33 590 002 **chrome** **139.00**

Eurostyle Cosmopolitan
Single-lever shower mixer 1/2“
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2“
integrated non-return valve
S-unions
protected against backflow






33 591 002 **chrome** **170.00**

Eurostyle Cosmopolitan
Single-lever bath mixer 1/2“
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2“
S-unions
protected against backflow





24 051 002 **chrome** **158.00**

Eurostyle Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


---

* price on request

GROHE
EUROSTYLE COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






24 052 002 **chrome** **174.00**

Eurostyle Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






23 048 003 **chrome** **860.00**

Eurostyle Cosmopolitan
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
Euphoria Cosmopolitan hand shower 6.6 l/min
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000






29 037 000 **856.00**

4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






13 276 002 **chrome** **115.00**

Eurostyle Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 170 mm





13 277 002 **chrome** **134.00**


Eurostyle Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
with concealed connection piece
male thread 1/2"
projection 170 mm

* price on request

GROHE EUROSTYLE

	Product no.	Colour	RRP (€) incl. VAT






33 558 003	**chrome**	**135.00**
33 558 LS3	**moon white/chrome**	**176.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 929 003	**chrome**	**131.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses






23 707 003	**chrome**	**129.00**
23 707 LS3	**moon white/chrome**	**168.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 564 003	**chrome**	**141.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 708 003	**chrome**	**135.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses

GROHE
EUROSTYLE

	Product no.	Colour	RRP (€) incl. VAT






23 930 003 **chrome** **137.00**

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses






33 561 003 **chrome** **192.00**

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for open water heater






23 710 003 **chrome** **183.00**

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for open water heater






32 468 003 **chrome** **129.00**

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses





23 715 003 **chrome** **123.00**


Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses

* price on request

GROHE EUROSTYLE

	Product no.	Colour	RRP (€) incl. VAT






23 567 003 **chrome** **135.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
smooth body
flexible connection hoses






23 716 003 **chrome** **129.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
smooth body
flexible connection hoses






23 569 003 **chrome** **211.00**
23 569 LS3 **moon white/chrome** **275.00**

Eurostyle
Single-lever basin mixer 1/2“
L-Size
single hole installation
loop metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4“
flexible connection hoses






23 718 003 **chrome** **201.00**
23 718 LS3 **moon white/chrome** **262.00**

Eurostyle
Single-lever basin mixer 1/2“
L-Size
single hole installation
solid metal lever
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4“

GROHE EUROSTYLE

	Product no.	Colour	RRP (€) incl. VAT






23 570 003	**chrome**	**262.00**
23 570 LS3	**moon white/chrome**	**341.00**

Eurostyle
Single-lever basin mixer 1/2“
XL-Size
single hole installation
loop metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses






23 719 003	**chrome**	**251.00**
23 719 LS3	**moon white/chrome**	**326.00**

Eurostyle
Single-lever basin mixer 1/2“
XL-Size
single hole installation
solid metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses






19 571 003	**chrome**	**255.00**

Eurostyle
Two-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for 23 571 000
loop metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 203 mm






29 097 003	**chrome**	**243.00**
29 097 LS3	**moon white/chrome**	**316.00**

Eurostyle
Two-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for 23 571 000
solid metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 203 mm






23 571 000	**258.00**

Single-lever mixer 1/2“, universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

* price on request

GROHE EUROSTYLE


	Product no.	Colour	RRP (€) incl. VAT
	33 565 003	chrome	135.00
	33 565 LS3	moon white/chrome	176.00



Eurostyle
Single-lever bidet mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

23 720 003	chrome	129.00
23 720 LS3	moon white/chrome	168.00






Eurostyle
Single-lever bidet mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

23 722 003	chrome	143.00
23 722 LS3	moon white/chrome	186.00






Eurostyle
Single-lever shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow

33 591 003	chrome	183.00
33 591 LS3	moon white/chrome	238.00






Eurostyle
Single-lever bath mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow

23 726 LS3	moon white/chrome	228.00






Eurostyle
Single-lever bath mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow

* price on request

GROHE
EUROSTYLE

Product no.	Colour	RRP (€) incl. VAT





24 048 003	**chrome**	**147.00**
24 048 LS3	**moon white**	**192.00**

Eurostyle
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 046 003	**chrome**	**146.00**
24 046 LS3	**moon white**	**183.00**

Eurostyle
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 049 003	**chrome**	**162.00**
24 049 LS3	**moon white**	**211.00**

Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE EUROSTYLE

Product no.	Colour	RRP (€) incl. VAT





24 047 003	**chrome**	**160.00**
24 047 LS3	**moon white**	**201.00**

Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






32 825 00E **chrome** **109.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses






23 925 000 **chrome** **105.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
GROHE EcoJoy mousseur 5.7 l/min
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109






23 125 000 **chrome** **154.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
optional temperature limiter ref. no. 46 375 000
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 4.0 l/min
GROHE FastFixation installation system
retractable chain
flexible connection hoses
optional temperature limiter
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
recommended pressure 1.0 - 5.0 bar





32 824 000 **chrome** **103.00**


Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
mousseur
smooth body
flexible connection hoses

* price on request

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






23 927 000 **chrome** **105.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses






23 325 000 **chrome** **125.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 926 000 **chrome** **121.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000






23 327 000 **chrome** **120.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






23 928 000 **chrome** **120.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses






32 830 001 **chrome** **160.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
mousseur
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter ref. no. 46 375 000






23 933 001 **chrome** **162.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
mousseur
swivel tubular spout
with stop limiter
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter ref. no. 46 375 000





23 921 000 **chrome** **200.00**


Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar

* price on request

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






20 187 000 **chrome** **221.00**

Eurosmart Cosmopolitan
Three-hole basin mixer 1/2“
S-Size
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves






19 381 000 **chrome** **203.00**

Eurosmart Cosmopolitan
Two-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 170 mm






23 571 000 **258.00**

Single-lever mixer 1/2“, universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






32 839 000 **chrome** **109.00**

Eurosmart Cosmopolitan
Single-lever bidet mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses

32 840 000 **chrome** **103.00**
ditto, with retractable chain






32 837 000 **chrome** **109.00**

Eurosmart Cosmopolitan
Single-lever shower mixer 1/2“
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2“ with integrated non return-valve
S-unions
protected against backflow

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






32 831 000 **chrome** **131.00**

Eurosmart Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow






32 832 000 **chrome** **166.00**

Eurosmart Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
with shower set
Euphoria Cosmopolitan hand shower (27 367)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)






32 847 000 **chrome** **247.00**

Eurosmart Cosmopolitan
Solid basin mixer, 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
swivel tubular spout
projection 400 mm
S-unions





24 044 000 **chrome** **139.00**

Eurosmart Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE
EUROSMART COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT





24 045 000 **chrome** **153.00**


Eurosmart Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






32 880 000 **chrome** **131.00**

Eurosmart Cosmopolitan
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
set for final installation
concealed body
33 962 000
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter






32 879 000 **chrome** **146.00**

Eurosmart Cosmopolitan
Single-lever bath mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
set for final installation
concealed body 33 961 000
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
metal lever
metal wall escutcheon
screwed
optional temperature limiter ref. no. 46 308







13 261 000 **chrome** **97.00**

Eurosmart Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 170 mm

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT
 	**13 262 000**	**chrome**	**113.00**

Eurosmart Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"
projection 170 mm


* price on request

GROHE
EUROSMART 2021

	Product no.	Colour	RRP (€) incl. VAT

new






23 965 003 **chrome** **90.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
angled version
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
adjustable flow rate limiter
single hole installation
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new






23 968 003 **chrome** **90.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
angled version
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
flexible connection hoses
smooth body with push-open pop-up waste set 1 1/4“
professional edition

new






23 966 003 **chrome** **85.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
angled version
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE EcoJoy mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition

new





23 967 003 **chrome** **85.00**


Eurosmart
Single-lever basin mixer 1/2“
S-Size
angled version
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
flexible connection hoses
smooth body
professional edition

GROHE
EUROSMART 2021

	Product no.	Colour	RRP (€) incl. VAT

new






23 969 003 **chrome** **90.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
angled version
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new






23 975 003 **chrome** **348.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
2-in-1 hybrid with touchless or manual operation
manual lever operation having priority
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
infra-red electronic
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
non-return valve
dirt strainer
with integrated solenoid valve
external battery
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
additional functions and precise settings by remote control 36 407
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar
CE approved
professional edition

new





33 265 003 **chrome** **90.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
flexible connection hoses
pop-up waste set 1 1/4“
professional edition

23 922 003 **chrome** **90.00**
ditto, smooth body with push-open pop-up waste set 1 1/4“

32 467 003 **chrome** **85.00**
ditto, smooth body


* price on request

GROHE
EUROSMART 2021

	Product no.	Colour	RRP (€) incl. VAT

new





PROFESSIONAL GROHE


23 456 003 **chrome** **86.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
flexible connection hoses
hybrid pop-up waste set 1 1/4“
professional edition

---

new





PROFESSIONAL GROHE


33 188 003 **chrome** **85.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition

---

new





PROFESSIONAL GROHE


23 124 003 **chrome** **131.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
professional edition

---

new





PROFESSIONAL GROHE

32 926 003 **chrome** **90.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
pop-up waste set 1 1/4“
lift rod in lateral position
flexible connection hoses
professional edition

PROFESSIONAL GROHE

23 924 003 **chrome** **90.00**
ditto, smooth body with push-open pop-up waste set 1 1/4“

PROFESSIONAL GROHE


32 154 003 **chrome** **85.00**
ditto, smooth body

GROHE
EUROSMART 2021

	Product no.	Colour	RRP (€) incl. VAT

new






24 192 003 **chrome** **104.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
Cradle to Cradle Certified Gold
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition

new






23 974 003 **chrome** **90.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE LowFlow mousseur 3.5 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition

new





23 322 003 **chrome** **103.00**


Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

23 923 003 **chrome** **103.00**
ditto, smooth body with push-open pop-up waste set 1 1/4“

23 324 003 **chrome** **98.00**
ditto, smooth body

new





23 393 30E **chrome** **103.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

23 395 30E **chrome** **98.00**
ditto, smooth body


* price on request

GROHE
EUROSMART 2021

	Product no.	Colour	RRP (€) incl. VAT

new






PROFESSIONAL GROHE

23 976 003 **chrome** **220.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
pull out spout
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new





PROFESSIONAL GROHE

23 537 003 **chrome** **148.00**


Eurosmart
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
swivel tubular spout
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

PROFESSIONAL GROHE

23 970 003 **chrome** **148.00**
ditto, smooth body with push-open pop-up waste set 1 1/4“

new






PROFESSIONAL GROHE

23 372 003 **chrome** **85.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition

new





PROFESSIONAL GROHE

23 323 003 **chrome** **98.00**


Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE EcoJoy mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition

GROHE
EUROSMART 2021

	Product no.	Colour	RRP (€) incl. VAT

new






23 394 30E **chrome** **98.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition

new






23 743 003 **chrome** **142.00**

Eurosmart
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
swivel tubular spout
retractable chain
flexible connection hoses
professional edition

new






23 971 003 **chrome** **200.00**

Eurosmart
Single-lever basin mixer 1/2“
XL-Size
for free-standing basins
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition

new





24 164 003 **chrome** **200.00**

Eurosmart
Single-lever basin mixer 1/2“
XL-Size
for free-standing basins
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition


* price on request

GROHE
EUROSMART 2021

	Product no.	Colour	RRP (€) incl. VAT

new






29 337 003 **chrome** **182.00**

Eurosmart
Two-hole basin mixer
S-Size
wall mounted
metal lever
without concealed body
set for final installation for
23 571 000
metal escutcheon
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 171 mm
professional edition

new






29 338 003 **chrome** **199.00**

Eurosmart
Two-hole basin mixer
M-Size
wall mounted
metal lever
without concealed body
set for final installation for
23 571 000
metal escutcheon
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 211 mm
professional edition






23 571 000 **258.00**

Single-lever mixer 1/2“, universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

new





32 929 003 **chrome** **94.00**


Eurosmart
Single-lever bidet mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
with ball joint
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE
EUROSMART 2021

	Product no.	Colour	RRP (€) incl. VAT

new






32 927 003 **chrome** **88.00**

Eurosmart
Single-lever bidet mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
with ball joint
retractable chain
flexible connection hoses
professional edition

new






32 928 003 **chrome** **94.00**

Eurosmart
Single-lever bidet mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
with ball joint
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new






33 555 003 **chrome** **99.00**

Eurosmart
Single-lever shower mixer 1/2“
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
shower bottom outlet 1/2“ with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition

new





33 300 003 **chrome** **116.00**

Eurosmart
Single-lever bath mixer 1/2“
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2“
S-unions
metal wall escutcheons
protected against backflow
professional edition


* price on request

GROHE
EUROSMART 2021

	Product no.	Colour	RRP (€) incl. VAT

new






PROFESSIONAL GROHE

33 302 003 **chrome** **149.00**

Eurosmart
Single-lever bath mixer 1/2“
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2“
S-unions
metal wall escutcheons
protected against backflow
with shower set
consisting of:
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2“ x 1/2“ (28 151)
professional edition

new





PROFESSIONAL GROHE

24 042 003 **chrome** **130.00**

Eurosmart
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set
professional edition


35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

PROFESSIONAL GROHE

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

new





PROFESSIONAL GROHE

24 043 003 **chrome** **143.00**

Eurosmart
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set
metal lever
professional edition

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

PROFESSIONAL GROHE


35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EUROSMART 2021

	Product no.	Colour	RRP (€) incl. VAT

new






33 556 003 **chrome** **125.00**

Eurosmart
Single-lever shower mixer 1/2“
wall installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation escutcheon with covered fixation
consisting of:
set for final installation (19 451 003)
with concealed body
adjustable flow rate limiter
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter ref. no. 46 308
professional edition

new





13 448 003 **chrome** **92.00**

Eurosmart
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2“
projection 171 mm
min. recommended pressure 1.0 bar
professional edition


* price on request

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT

new






23 988 003 **chrome** **132.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
built-in non return valves
dirt strainers
GROHE EcoJoy mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
max. pressure differential 5:1
professional edition

new






23 989 003 **chrome** **145.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
built-in non return valves
dirt strainers
GROHE EcoJoy mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
max. pressure differential 5:1
professional edition

new





23 986 003 **chrome** **172.00**


Eurosmart
Single-lever basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
loop metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
built-in non return valves
dirt strainers
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT

new






23 987 003 **chrome** **185.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
loop metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
built-in non return valves
dirt strainers
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition

new






23 980 003 **chrome** **106.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new






23 981 003 **chrome** **119.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new





25 241 003 **chrome** **131.00**

Eurosmart
Single-lever bath mixer 1/2“
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2“
S-unions
metal wall escutcheons
protected against backflow
professional edition


* price on request

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT

new






25 242 003 **chrome** **114.00**

Eurosmart
Single-lever shower mixer 1/2“
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
shower bottom outlet 1/2“ with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition

new






23 984 003 **chrome** **172.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
long metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
built-in non return valves
dirt strainers
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition

new






23 985 003 **chrome** **185.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
long metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
built-in non return valves
dirt strainers
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition

new





23 982 003 **chrome** **106.00**


Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT

new






23 983 003 **chrome** **119.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition


new






25 243 003 **chrome** **131.00**

Eurosmart
Single-lever bath mixer 1/2“
wall mounted
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2“
S-unions
metal wall escutcheons
protected against backflow
professional edition






34 665 000 **chrome** **489.00**

Grohtherm Special
Thermostatic bath mixer 1/2“
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet 1/2“ with integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
with S-unions and with covers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus

new





25 244 003 **chrome** **114.00**


Eurosmart
Single-lever shower mixer 1/2“
wall mounted
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
shower bottom outlet 1/2“ with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition

* price on request

GROHE
EUROSMART CARE

Product no.	Colour	RRP (€) incl. VAT
34 667 000	**chrome**	**391.00**






Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






33 265 002 **chrome** **94.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 922 002 **chrome** **89.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses






23 456 002 **chrome** **90.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
hybrid pop-up waste set 1 1/4“
flexible connection hoses






23 124 002 **chrome** **132.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 4.0 l/min
GROHE FastFixation installation system
retractable chain
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose





32 467 002 **chrome** **88.00**


Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses

* price on request

GROHE EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






23 924 002 **chrome** **89.00**

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses






23 322 001 **chrome** **108.00**

Eurosmart
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 923 002 **chrome** **103.00**

Eurosmart
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses






23 324 001 **chrome** **102.00**

Eurosmart
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses





23 537 002 **chrome** **148.00**


Eurosmart
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
swivel tubular spout
swivel area 360°
pop-up waste set 1 1/4"
flexible connection hoses

23 743 002 **chrome** **142.00**
ditto, with retractable chain

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






32 929 002 **chrome** **94.00**

Eurosmart
Single-lever bidet mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
with ball joint
pop-up waste set 1 1/4“
flexible connection hoses






33 555 002 **chrome** **99.00**

Eurosmart
Single-lever shower mixer 1/2“
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2“ with integrated non return-valve
S-unions
protected against backflow






33 300 002 **chrome** **116.00**

Eurosmart
Single-lever bath mixer 1/2“
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2“
S-unions
protected against backflow





24 042 002 **chrome** **130.00**

Eurosmart
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE EUROSMART

	Product no.	Colour	RRP (€) incl. VAT





24 043 002 **chrome** **143.00**


Eurosmart
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






33 556 002 **chrome** **124.00**

Eurosmart
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation covered fixation
consisting of:
set for final installation (19 451 002)
with concealed body
adjustable flow rate limiter
metal lever
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter ref. no. 46 308






33 305 002 **chrome** **143.00**

Eurosmart
Single-lever bath mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation covered fixation
consisting of:
set for final installation (19 450 002)
with concealed body
adjustable flow rate limiter
automatic diverter: bath/shower
metal lever
metal escutcheon
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308






19 970 002 **chrome** **55.00**

Eurosmart
3-port diverter trim
for use with diverter rough-in valve 29 712 000 and 29 706 000
without concealed body
GROHE StarLight chrome finish

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT
 	**19 972 002**	**chrome**	**55.00**


Eurosmart
5-port diverter trim
for use with diverter rough-in valve (29 714 000, 29 708 000)
without concealed body
GROHE StarLight chrome finish

* price on request

GROHE EUROECO

	Product no.	Colour	RRP (€) incl. VAT






32 734 000 **chrome** **70.00**

Euroeco
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
flow limiter 9 l/min.
rapid installation system
mousseur
smooth body
flexible connection hoses
optional temperature limiter ref. no. 46 375 000






32 882 000 **chrome** **70.00**

Euroeco
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
flow limiter 9 l/min.
rapid installation system
ball-joint mousseur
retractable chain
flexible connection hoses
optional temperature limiter ref. no. 46 375 000






32 740 000 **chrome** **76.00**

Euroeco
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
optional temperature limiter
protected against backflow






32 743 000 **chrome** **95.00**

Euroeco
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
optional temperature limiter ref. no. 46 308
protected against backflow






32 742 000 **chrome** **115.00**

Euroeco
Single-lever shower mixer
concealed installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
set for final installation (19 378 000)
concealed body (33 964 000)
metal lever
escutcheon- and shaft-sealing
metal wall escutcheons
screwed
optional temperature limiter ref. no. 46 308

GROHE
EUROECO

Product no.	Colour	RRP (€) incl. VAT
32 747 000	**chrome**	**129.00**





Euroeco
Single-lever bath mixer
concealed installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
set for final installation (19 379 000)
concealed body (33 963)
automatic diverter: bath/shower
metal lever
escutcheon- and shaft-sealing
metal wall escutcheons
optional temperature limiter ref. no. 46 308
screwed


* price on request

GROHE
BAUEDGE 2021

	Product no.	Colour	RRP (€) incl. VAT

new






20 421 001 — chrome — 61.00

BauEdge
Pillar tap 1/2"
XS-Size
single hole installation
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"
professional edition

---

new






23 328 001 — chrome — 78.00

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

---

new





23 895 001 — chrome — 78.00


BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

23 330 001 — chrome — 73.00
dito, smooth body

---

new





23 559 001 — chrome — 78.00


BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

GROHE
BAUEDGE 2021

	Product no.	Colour	RRP (€) incl. VAT

new






23 899 001 **chrome** **78.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

new






23 894 001 **chrome** **78.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

new






23 896 001 **chrome** **78.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

new





24 193 001 **chrome** **90.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
Cradle to Cradle Certified Gold
single hole installation
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition


* price on request

GROHE
BAUEDGE 2021

	Product no.	Colour	RRP (€) incl. VAT

new






23 757 001 **chrome** **108.00**

BauEdge
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
shower hose 1500 mm
professional edition

new






23 758 001 **chrome** **95.00**

BauEdge
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new






23 901 001 **chrome** **95.00**

BauEdge
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition

23 904 001 **chrome** **90.00**
ditto, without plastic push open waste set 1 1/4“

new





23 759 001 **chrome** **95.00**


BauEdge
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE
BAUEDGE 2021

	Product no.	Colour	RRP (€) incl. VAT

new






23 908 001 **chrome** **95.00**

BauEdge
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition

new






23 902 001 **chrome** **95.00**

BauEdge
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new






23 760 001 **chrome** **108.00**

BauEdge
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new





23 911 001 **chrome** **108.00**


BauEdge
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition


* price on request

GROHE
BAUEDGE 2021

	Product no.	Colour	RRP (€) incl. VAT

new






23 761 001 **chrome** **128.00**

BauEdge
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition






36 451 000 **chrome** **246.00**

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59

---

new






23 331 001 **chrome** **78.00**

BauEdge
Single-lever bidet mixer 1/2"
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
with ball joint
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

---

new





23 635 001 **chrome** **78.00**


BauEdge
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition

GROHE
BAUEDGE 2021

	Product no.	Colour	RRP (€) incl. VAT

new






29 078 001 **chrome** **127.00**

BauEdge
Single-lever shower mixer 1/2"
concealed installation
consisting of:
set for final installation
metal lever
concealed body
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 375 000
professional edition

new





24 161 001 **chrome** **128.00**

BauEdge
Single-lever shower mixer 1/2"
metal lever
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
flow performance:
outlet B or C = 30 l/min
without roughing-in-set
professional edition

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


PROFESSIONAL GROHE

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

new

PROFESSIONAL GROHE






34 793 000 **chrome** **147.00**

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

new

PROFESSIONAL GROHE





23 604 001 **chrome** **107.00**

BauEdge
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition


* price on request

GROHE
BAUEDGE 2021

	Product no.	Colour	RRP (€) incl. VAT

new






23 562 001 **chrome** **149.00**

BauEdge
Single-lever bath mixer 1/2"
single hole installation
GROHE Longlife 35 mm ceramic cartridge with Eco-Override-Stop with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
flexible connection hoses
protected against backflow

new






29 079 001 **chrome** **142.00**

BauEdge
Single-lever bath mixer 1/2"
concealed installation
consisting of:
set for final installation
metal lever
concealed body
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 375 000
professional edition

new





24 162 001 **chrome** **179.00**

BauEdge
Single-lever mixer with 2-way diverter
metal lever
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set
professional edition


PROFESSIONAL GROHE

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

new

PROFESSIONAL GROHE






13 255 001 **chrome** **40.00**

BauCosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 171 mm
male thread 1/2"

GROHE
BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






20 421 000 **chrome** **62.00**

BauEdge
Pillar tap 1/2"
XS-Size
single hole installation
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"






23 328 000 **chrome** **80.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

23 802 000 **chrome** **79.00**
ditto, with temperature limiter






23 329 000 **chrome** **74.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
retractable chain
flexible connection hoses






23 330 000 **chrome** **74.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses





32 858 000 **chrome** **77.00**


BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
smooth body
flexible connection hoses
rapid installation system

* price on request

GROHE BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






23 757 000 **chrome** **110.00**

BauEdge
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife 35 mm ceramic cartridge
adjustable flow rate limiter
optional temperature limiter ref. no. 46 375 000
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 4.0 l/min
rapid installation system
retractable chain
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
recommended pressure 1.0 - 5.0 bar






23 758 000 **chrome** **96.00**

BauEdge
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses






23 759 000 **chrome** **96.00**

BauEdge
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses






23 760 000 **chrome** **110.00**

BauEdge
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4“
flexible connection hoses

GROHE
BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






23 761 000 **chrome** **130.00**

BauEdge
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses






36 451 000 **chrome** **246.00**

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2“
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59






20 197 000 **chrome** **103.00**

BauEdge
Three-hole basin mixer 1/2“
metal lever
ceramic headpart 1/2“, 90°
GROHE StarLight chrome finish
spout with mousseur
pop-up waste set 1“
flexible connection hoses





23 331 000 **chrome** **80.00**

BauEdge
Single-lever bidet mixer 1/2“
single hole installation
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4“
flexible connection hoses


23 332 000 **chrome** **74.00**
ditto, with retractable chain

* price on request

GROHE BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






23 333 000 **chrome** **80.00**

BauEdge
Single-lever shower mixer 1/2"
wall mounted
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow
optional temperature limiter ref. no. 46 375 000






23 334 000 **chrome** **100.00**

BauEdge
Single-lever bath mixer 1/2"
wall mounted
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow
optional temperature limiter ref. no. 46 375 000






29 078 000 **chrome** **129.00**

BauEdge
Single-lever shower mixer 1/2"
concealed installation
consisting of:
set for final installation
concealed body (33 964 000)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308






29 079 000 **chrome** **144.00**

BauEdge
Single-lever bath mixer 1/2"
concealed installation
consisting of:
set for final installation
concealed body (33 963)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308






29 040 000 **chrome** **91.00**

BauEdge
Single-lever shower mixer
concealed installation
consisting of:
set for final installation
concealed body (32 962 000)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter

GROHE
BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT
	**29 039 000**	**chrome**	**112.00**



BauEdge
Single-lever bath mixer
concealed installation
consisting of:
set for final installation
concealed body (32 963 000)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter


* price on request

GROHE
BAULOOP 2021

	Product no.	Colour	RRP (€) incl. VAT

new






20 422 001 **chrome** 61.00

BauLoop
Pillar tap 1/2“
XS-Size
single hole installation
ceramic headpart 1/2“, 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2“
professional edition

---

new






23 335 001 **chrome** 78.00

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

---

new





23 878 001 **chrome** 78.00


BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition

23 337 001 **chrome** 73.00
ditto, without plastic push open waste set 1 1/4“

---

new





22 054 001 **chrome** 78.00


BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE
BAULOOP 2021

	Product no.	Colour	RRP (€) incl. VAT

new






23 883 001 **chrome** **78.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition

new






23 877 001 **chrome** **78.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new






23 879 001 **chrome** **78.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition

new





23 762 001 **chrome** **95.00**

BauLoop
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition


* price on request

GROHE
BAULOOP 2021

	Product no.	Colour	RRP (€) incl. VAT

new






23 886 001 **chrome** **95.00**

BauLoop
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition

23 917 001 **chrome** **90.00**
ditto, without plastic push open waste set 1 1/4“

new






23 887 001 **chrome** **95.00**

BauLoop
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new






23 885 001 **chrome** **95.00**

BauLoop
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new





23 763 001 **chrome** **117.00**


BauLoop
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE
BAULOOP 2021

	Product no.	Colour	RRP (€) incl. VAT

new







23 891 001 **chrome** **117.00**

BauLoop
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition

new






23 764 001 **chrome** **128.00**

BauLoop
Single-lever basin mixer 1/2“
XL-Size
for free-standing basins
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition

new






23 338 001 **chrome** **78.00**

BauLoop
Single-lever bidet mixer 1/2“
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
with ball joint
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new





23 633 001 **chrome** **78.00**

BauLoop
Single-lever shower mixer 1/2“
wall mounted
metal lever
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2“ with integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition


* price on request

GROHE
BAULOOP 2021

	Product no.	Colour	RRP (€) incl. VAT

new






29 080 001 **chrome** 127.00

BauLoop
Single-lever shower mixer 1/2"
concealed installation
consisting of:
set for final installation
metal lever
concealed body
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 375 000
professional edition

new






34 793 000 **chrome** 147.00

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

new






23 602 001 **chrome** 107.00

BauLoop
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition

new






29 081 001 **chrome** 142.00

BauLoop
Single-lever bath mixer 1/2"
concealed installation
consisting of:
set for final installation
metal lever
concealed body
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 375 000
professional edition

GROHE
BAULOOP 2021

	Product no.	Colour	RRP (€) incl. VAT
new	13 255 001	chrome	40.00






BauCosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 171 mm
male thread 1/2“

* price on request

GROHE BAULOOP

	Product no.	Colour	RRP (€) incl. VAT






20 422 000 **chrome** **62.00**

BauLoop
Pillar tap 1/2“
XS-Size
single hole installation
metal lever
ceramic headpart 1/2“, 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2“






23 335 000 **chrome** **80.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses

23 803 000 **chrome** **79.00**
ditto, with temperature limiter






23 336 000 **chrome** **74.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
retractable chain
flexible connection hoses






23 337 000 **chrome** **74.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses






23 762 000 **chrome** **96.00**

BauLoop
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses

GROHE
BAULOOP


	Product no.	Colour	RRP (€) incl. VAT






23 763 000 **chrome** **110.00**

BauLoop
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses






23 764 000 **chrome** **130.00**

BauLoop
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses






20 289 000 **chrome** **199.00**

BauLoop
Two-hole basin mixer
wall mounted
consisting of:
set for final installation and concealed body
metal lever
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
center distance 110 mm
projection 171 mm






23 338 000 **chrome** **80.00**

BauLoop
Single-lever bidet mixer 1/2"
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses





23 340 000 **chrome** **80.00**


BauLoop
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter ref. no. 46 308

* price on request

GROHE BAULOOP

	Product no.	Colour	RRP (€) incl. VAT






23 341 000 **chrome** **100.00**

BauLoop
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter ref. no. 46 308






29 080 000 **chrome** **129.00**

BauLoop
Single-lever shower mixer 1/2"
concealed installation
consisting of:
set for final installation
concealed body (33 964 000)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308






29 042 000 **chrome** **91.00**

BauLoop
Single-lever shower mixer
concealed installation
consisting of:
set for final installation
concealed body (32 962 001)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308






29 081 000 **chrome** **144.00**

BauLoop
Single-lever bath mixer 1/2"
concealed installation
consisting of:
set for final installation
concealed body (33 963)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308






29 041 000 **chrome** **112.00**

BauLoop
Single-lever bath mixer
concealed installation
consisting of:
set for final installation
concealed body (32 963 001)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308

GROHE
BAUFLOW

	Product no.	Colour	RRP (€) incl. VAT






20 575 000 **chrome** **56.00**

BauFlow
Pillar tap 1/2“
XS-Size
single hole installation
metal lever
ceramic headpart 1/2“, 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2“






23 751 000 **chrome** **77.00**

BauFlow
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses






23 752 000 **chrome** **74.00**

BauFlow
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses






23 753 000 **chrome** **112.00**

BauFlow
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4“
flexible connection hoses





23 754 000 **chrome** **77.00**


BauFlow
Single-lever bidet mixer 1/2“
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4“
flexible connection hoses

* price on request

GROHE BAUFLOW

	Product no.	Colour	RRP (€) incl. VAT






23 755 000 **chrome** **80.00**

BauFlow
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow






23 756 000 **chrome** **96.00**

BauFlow
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow

new






34 793 000 **chrome** **147.00**

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






29 112 000 **chrome** **133.00**

BauFlow
Single-lever shower mixer
concealed installation
consisting of:
set for final installation
concealed body (33 964 000)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
metal wall escutcheon





29 113 000 **chrome** **148.00**


BauFlow
Single-lever bath mixer
concealed installation
consisting of:
set for final installation
concealed body (33 963)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheon

GROHE
SILKMOVE ES

	Product no.	Colour	RRP (€) incl. VAT

new





PROFESSIONAL GROHE


23 969 003 **chrome** **90.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
angled version
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

---

new





PROFESSIONAL GROHE

32 926 003 **chrome** **90.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
pop-up waste set 1 1/4“
lift rod in lateral position
flexible connection hoses
professional edition

PROFESSIONAL GROHE

23 924 003 **chrome** **90.00**
ditto, smooth body with push-open pop-up waste set 1 1/4“


PROFESSIONAL GROHE

32 154 003 **chrome** **85.00**
ditto, smooth body

---

new





PROFESSIONAL GROHE

24 192 003 **chrome** **104.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
Cradle to Cradle Certified Gold
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition


* price on request

GROHE SILKMOVE ES

	Product no.	Colour	RRP (€) incl. VAT

new






23 393 30E | **chrome** | **103.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

23 395 30E | **chrome** | **98.00**
ditto, smooth body

new






24 164 003 | **chrome** | **200.00**

Eurosmart
Single-lever basin mixer 1/2“
XL-Size
for free-standing basins
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition

new






23 974 003 | **chrome** | **90.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE LowFlow mousseur 3.5 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition

new





23 559 001 | **chrome** | **78.00**


BauEdge
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE
SILKMOVE ES

	Product no.	Colour	RRP (€) incl. VAT

new






24 193 001 **chrome** **90.00**

BauEdge
Single-lever basin mixer 1/2“
S-Size
Cradle to Cradle Certified Gold
single hole installation
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition

new






23 759 001 **chrome** **95.00**

BauEdge
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new






23 908 001 **chrome** **95.00**

BauEdge
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition

new





22 054 001 **chrome** **78.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition


* price on request

GROHE
SILKMOVE ES

	Product no.	Colour	RRP (€) incl. VAT

new






23 883 001 **chrome** **78.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition

new






23 887 001 **chrome** **95.00**

BauLoop
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE
COSTA L

	Product no.	Colour	RRP (€) incl. VAT






20 404 001 **chrome** **48.00**

Costa L
Pillar tap 1/2"
metal handle
heat-insulated
screwable
marking: blue
Longlife-headpart
cast spout with mousseur
GROHE StarLight chrome finish






20 186 001 **chrome** **80.00**

Costa L
Pillar tap 1/2"
metal handle
heat-insulated
screwable
marking: blue
Longlife-headpart
cast spout with mousseur
GROHE StarLight chrome finish






20 393 001 **chrome** **82.00**

Costa L
Pillar tap 1/2"
metal handle
heat-insulated
screwable
marking: blue
Longlife-headpart
swivel tubular spout with mousseur
GROHE StarLight chrome finish






21 390 001 **chrome** **194.00**

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
cast spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish





21 375 001 **chrome** **104.00**


Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
swivel tubular spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish

* price on request

GROHE
COSTA L

	Product no.	Colour	RRP (€) incl. VAT






26 330 001 **chrome** **95.00**

Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower connection 1/2"
S-unions
protected against backflow
GROHE StarLight chrome finish
integrated non-return valve in the shower outlet






26 308 001 **chrome** **72.00**

Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower connection 1/2"
without connection unions
GROHE StarLight chrome finish






25 450 001 **chrome** **137.00**

Costa L
Bath mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
automatic diverter: bath/shower
mousseur
S-unions
integrated non-return valve in the shower outlet
protected against backflow
GROHE StarLight chrome finish






13 540 000 **chrome** **103.00**

Bath spout 3/4"
wall mounted
flow straightener
sliding escutcheon
female thread 3/4"
projection 140 mm
GROHE StarLight chrome finish






30 098 001 **chrome** **42.00**

Costa L
Bibtap 1/2"
wall mounted
metal handle
heat-insulated
screwable
marking: blue
GROHE StarLight finish
mousseur
Longlife-headparts

GROHE
COSTA L

	Product no.	Colour	RRP (€) incl. VAT






30 484 001 **chrome** **59.00**

Costa L
Bibtap 1/2“
wall mounted
metal handle
heat-insulated
screwable
marking: blue
GROHE StarLight finish
mousseur
Longlife-headparts
swivel tubular spout
swivel area 360°






19 854 001 **chrome** **21.00**

Costa L
Concealed valve exposed part
for GROHE concealed valves, 1/2“, 3/4“, 1“
installation depth infinitely adjustable
10 - 35 mm
metal handle
heat-insulated
marking: blue
sliding escutcheon
GROHE StarLight chrome finish

19 855 001 **chrome** **21.00**
ditto, marking red






19 808 001 **chrome** **29.00**

Costa L
Concealed valve exposed part
set for final installation for
35 028 000
for GROHE concealed valves, 1/2“, 3/4“, 1“
installation depth infinitely adjustable
20-80 mm
escutcheon with wall sealing
screwable
metal handle
heat-insulated
marking: blue
GROHE StarLight chrome finish

19 809 001 **chrome** **29.00**
ditto, marking red







19 806 001 **chrome** **48.00**

Costa L
Concealed valve exposed part
set for final installation for
35 028 000
for GROHE concealed valves, 1/2“, 3/4“, 1“
installation depth infinitely adjustable
20 - 200 mm
escutcheon with wall sealing
screwable
metal handle
heat-insulated
marking: blue
GROHE StarLight chrome finish

19 807 001 **chrome** **48.00**
ditto, marking red







35 028 000 **148.00**

Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4“
connection threads 1/2“
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm

* price on request


GROHE
COSTA L

	Product no.	Colour	RRP (€) incl. VAT
 	**29 800 000**		**24.00**
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle protection sleeve threaded union 1/2“ DR-brass		
	29 802 000 **ditto, 3/4“, pre-assembled headpart 3/4“, thread union 3/4“**		**44.00**
	29 805 000 **ditto, 1“, pre-assembled headpart 1“, thread union 1“**		**68.00**
 	**29 801 000**		**24.00**
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle, protection sleeve soldered connection Ø 15 mm DR-brass		
	29 803 000 **ditto, soldered connection Ø 18 mm**		**44.00**
	29 804 000 **ditto, soldered connection Ø 22 mm**		**44.00**

GROHE
COSTA S

	Product no.	Colour	RRP (€) incl. VAT





20 405 001 **chrome** **64.00**


Costa S
Pillar tap 1/2“
metal handle
heat-insulated
screwable
marking: blue
Carbodur headpart
cast spout with mousseur
union nut 1/2“ x 10.5 mm
GROHE StarLight chrome finish



20 179 001 **chrome** **126.00**

Costa S
Pillar tap
metal handle
heat-insulated
screwable
GROHE StarLight finish
ceramic headpart 1/2“, 90°
flow straightener
swivel tubular spout
swivel area 360°
union nut 1/2“ with 10.5 mm drilling






21 255 001 **chrome** **195.00**

Costa S
One-hole basin mixer, 1/2“
metal handles
heat-insulated
screwable
Carbodur headpart
cast spout with mousseur
pop-up waste set 1 1/4“
flexible connection hoses
GROHE StarLight chrome finish






21 257 001 **chrome** **153.00**

Costa S
One-hole basin mixer, 1/2“
heat-insulated
metal handles
screwable
Carbodur headpart
swivel tubular spout with mousseur
pop-up waste set 1 1/4“
flexible connection hoses
GROHE StarLight chrome finish





21 338 001 **chrome** **124.00**


Costa S
One-hole basin mixer, 1/2“
metal handles
heat-insulated
screwable
Carbodur headpart
swivel tubular spout with mousseur
retractable chain
flexible connection hoses
GROHE StarLight chrome finish

* price on request

GROHE
COSTA S

	Product no.	Colour	RRP (€) incl. VAT






26 317 001 **chrome** **116.00**

Costa S
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
shower connection 1/2"
S-unions
GROHE StarLight chrome finish






26 318 001 **chrome** **102.00**

Costa S
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
shower connection 1/2"
without connection unions
GROHE StarLight chrome finish






25 483 001 **chrome** **173.00**

Costa S
Bath mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
automatic diverter: bath/shower
mousseur
S-unions
GROHE StarLight chrome finish






26 792 10A **chrome** **208.00**

Costa S
Solid basin mixer, 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
diverter bath/shower
S-unions
connection angle 3/4" x 3/4" (12 419)
spout 300 mm (13 017)
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
wall shower holder (28 605)
GROHE StarLight chrome finish






26 788 001 **chrome** **134.00**

Costa S
50 mm extension
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
diverter
without connection unions
swivel tubular spout
centre distance 120 mm
GROHE StarLight chrome finish

GROHE UNIVERSAL

	Product no.	Colour	RRP (€) incl. VAT






20 201 000	**chrome**	**112.00**
20 201 AL0	**brushed hard graphite**	**180.00**

Universal pillar tap 1/2"
C-spout
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
union nut 1/2"
with 10.5 mm drilling
GROHE StarLight chrome finish
projection 113 mm






20 202 000	**chrome**	**128.00**

Universal pillar tap 1/2"
7°-spout
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
union nut 1/2"
with 10.5 mm drilling
GROHE StarLight chrome finish
projection 114 mm






20 205 000	**chrome**	**92.00**

Universal wall-mounted tap 1/2"
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
connection thread 1/2"
GROHE StarLight chrome finish
projection 106 mm





20 203 000	**chrome**	**99.00**


Universal wall-mounted tap 1/2"
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
connection thread 1/2"
GROHE StarLight chrome finish
projection 185 mm

* price on request

GROHE
MULTI PURPOSE MIXER

	Product no.	Colour	RRP (€) incl. VAT






32 847 000 **chrome** **247.00**

Eurosmart Cosmopolitan
Solid basin mixer, 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
swivel tubular spout
projection 400 mm
S-unions






32 708 00A **chrome** **297.00**

Solid basin mixer, 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
swivel tubular spout
projection 400 mm
S-unions
metal wall escutcheons
set constisting of:
hand shower Tempesta 100 II 9.5 l/min (27 597)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)






26 792 10A **chrome** **208.00**

Costa S
Solid basin mixer, 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
diverter bath/shower
S-unions
connection angle 3/4" x 3/4" (12 419)
spout 300 mm (13 017)
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
wall shower holder (28 605)
GROHE StarLight chrome finish

GROHE
TALENTOFILL

Product no.	Colour	RRP (€) incl. VAT






19 952 000	**chrome**	**187.00**
19 952 DC0	**supersteel**	**261.00**
19 952 BE0	**polished nickel**	**280.00**
19 952 EN0	**brushed nickel**	**299.00**
19 952 GL0	**cool sunrise**	**280.00**
19 952 GN0	**brushed cool sunrise**	**299.00**
19 952 DA0	**warm sunset**	**280.00**
19 952 DL0	**brushed warm sunset**	**299.00**
19 952 A00	**hard graphite**	**280.00**
19 952 AL0	**brushed hard graphite**	**299.00**

Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991






28 990 000 **chrome** **204.00**

Talentofill
Inlet-, pop-up and waste-system
for normal bath tubs
without finishing trim set
with bottle trap and 45°-outlet-bend
without anti-vacuum device
installation acc. to DIN 1988
only with anti-vacuum device A2 type
or Talentofill connection set (28 995)






28 991 000 **283.00**

Talentofill
Inlet-, pop-up and waste-system
for body formed bath tubs
without finishing trim set
with bottle trap and 45°-outlet-bend
without anti-vacuum device
installation acc. to DIN 1988
only with anti-vacuum device A2 type
or Talentofill connection set (28 995)






28 993 000 **64.00**

Talentofill
Connection set 3/4“
with 1.5 m-flexible connection pipe
without finishing trim set





28 995 000 **311.00**


Talentofill
Connection set 3/4“
with concealed anti-vacuum device
consisting of:
-concealed pipe interrupter (A2 type, DIN 1988, part IV)
- 3.5 m flexible connection pipe (in 2 parts)
without escutcheon (19 954)

* price on request

GROHE TALENTOFILL

	Product no.	Colour	RRP (€) incl. VAT





19 954 000 **chrome** 16.00

Talentofill
Escutcheon
for connection set 28 995
GROHE StarLight chrome finish



28 963 000 44.00


Inlet part with mousseur
suitable to Talentofill 28 990/28 991 production before 03/2007



29 009 000 84.00

Inlet part with mousseur
suitable to Talentofill 28 990/28 991 production after 03/2007






14 055 000 106.00

Backflow protection combination (DIN-EN1717)
retrofit set for protection against backflow in combination
with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox:
Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats,
single-lever mixers






28 939 000 115.00

Talento
Pop-up bath waste and overflow
set for normal bath
and deep shower trays
without finishing trim set
bottle trap 45° waste elbow





28 943 000 152.00

Talento
Pop-up bath waste and overflow
set for special baths
without finishing trim set
bottle trap 45° waste elbow


---

* price on request

GROHE SELECTION

Product no.	Colour	RRP (€) incl. VAT






41 027 000	chrome	71.00
41 027 DC0	supersteel	99.00
41 027 BE0	polished nickel	106.00
41 027 EN0	brushed nickel	113.00
41 027 GL0	cool sunrise	106.00
41 027 GN0	brushed cool sunrise	113.00
41 027 DA0	warm sunset	106.00
41 027 DL0	brushed warm sunset	113.00
41 027 A00	hard graphite	106.00
41 027 AL0	brushed hard graphite	113.00

Selection
Holder
material: metal
for Selection soap dispenser (41 028) or Selection glass (41 029 000)
concealed fastening
GROHE StarLight chrome finish






41 028 000	chrome	71.00
41 028 DC0	supersteel	99.00
41 028 BE0	polished nickel	106.00
41 028 EN0	brushed nickel	113.00
41 028 GL0	cool sunrise	106.00
41 028 GN0	brushed cool sunrise	113.00
41 028 DA0	warm sunset	106.00
41 028 DL0	brushed warm sunset	113.00
41 028 A00	hard graphite	106.00
41 028 AL0	brushed hard graphite	113.00

Selection
Soap dispenser
material: glass / metal
filling quantity 120 ml
fits in the following holder:
41 027
GROHE StarLight chrome finish






41 029 000	chrome	34.00

Selection
White glass
material: glass
fits in the following holder:
41 027





41 035 000	chrome	79.00
41 035 DC0	supersteel	111.00
41 035 BE0	polished nickel	119.00
41 035 EN0	brushed nickel	126.00
41 035 GL0	cool sunrise	119.00
41 035 GN0	brushed cool sunrise	126.00
41 035 DA0	warm sunset	119.00
41 035 DL0	brushed warm sunset	126.00
41 035 A00	hard graphite	119.00
41 035 AL0	brushed hard graphite	126.00


Selection
Towel ring
material: metal
holder for soap dish (41 036) and shower tray (41 037)
length 200 mm
concealed fastening
GROHE StarLight chrome finish

* price on request

GROHE SELECTION

	Product no.	Colour	RRP (€) incl. VAT






41 036 000 — 45.00

Selection
Soap dish without holder
material: glass
for use with towel ring (41 035)






41 037 000 — 20.00

Selection
Shower tray without holder
material: plastic
for use with towel ring (41 035)






41 038 000	chrome	93.00
41 038 DC0	supersteel	130.00
41 038 BE0	polished nickel	140.00
41 038 EN0	brushed nickel	149.00
41 038 GL0	cool sunrise	140.00
41 038 GN0	brushed cool sunrise	149.00
41 038 DA0	warm sunset	140.00
41 038 DL0	brushed warm sunset	149.00
41 038 A00	hard graphite	140.00
41 038 AL0	brushed hard graphite	149.00

Selection
Corner shower tray with holder
material: metal/plastic
concealed fastening
GROHE StarLight chrome finish






41 039 000	chrome	25.00
41 039 DC0	supersteel	36.00
41 039 BE0	polished nickel	38.00
41 039 EN0	brushed nickel	41.00
41 039 GL0	cool sunrise	38.00
41 039 GN0	brushed cool sunrise	41.00
41 039 DA0	warm sunset	38.00
41 039 DL0	brushed warm sunset	41.00
41 039 A00	hard graphite	38.00
41 039 AL0	brushed hard graphite	41.00

Selection
Single robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish






41 049 000	chrome	42.00
41 049 DC0	supersteel	59.00
41 049 BE0	polished nickel	63.00
41 049 EN0	brushed nickel	68.00
41 049 GL0	cool sunrise	63.00
41 049 GN0	brushed cool sunrise	68.00
41 049 DA0	warm sunset	63.00
41 049 DL0	brushed warm sunset	68.00
41 049 A00	hard graphite	63.00
41 049 AL0	brushed hard graphite	68.00

Selection
Double robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHE SELECTION

Product no.	Colour	RRP (€) incl. VAT
41 056 000	chrome	113.00
41 056 DC0	supersteel	158.00
41 056 BE0	polished nickel	169.00
41 056 EN0	brushed nickel	181.00
41 056 GL0	cool sunrise	169.00
41 056 GN0	brushed cool sunrise	181.00
41 056 DA0	warm sunset	169.00
41 056 DL0	brushed warm sunset	181.00
41 056 A00	hard graphite	169.00
41 056 AL0	brushed hard graphite	181.00






Selection
Towel rail
material: metal
length 600 mm
concealed fastening
for use with glass shelf (41 057)
GROHE StarLight chrome finish

41 057 000	chrome	133.00






Selection
Glass shelf
material: glass
for use with towel rail (41 056)

41 058 000	chrome	147.00
41 058 DC0	supersteel	205.00
41 058 BE0	polished nickel	220.00
41 058 EN0	brushed nickel	235.00
41 058 GL0	cool sunrise	220.00
41 058 GN0	brushed cool sunrise	235.00
41 058 DA0	warm sunset	220.00
41 058 DL0	brushed warm sunset	235.00
41 058 A00	hard graphite	220.00
41 058 AL0	brushed hard graphite	235.00






Selection
Towel rail
material: metal
length 800 mm
concealed fastening
GROHE StarLight chrome finish

41 059 000	chrome	155.00
41 059 DC0	supersteel	217.00
41 059 BE0	polished nickel	233.00
41 059 EN0	brushed nickel	248.00
41 059 GL0	cool sunrise	233.00
41 059 GN0	brushed cool sunrise	248.00
41 059 DA0	warm sunset	233.00
41 059 DL0	brushed warm sunset	248.00
41 059 A00	hard graphite	233.00
41 059 AL0	brushed hard graphite	248.00






Selection
Towel holder, non pivotable
material: metal
depth 411 mm (functional depth 360 mm)
two arms
concealed fastening
GROHE StarLight chrome finish

* price on request

GROHE SELECTION

Product no.	Colour	RRP (€) incl. VAT






41 063 000	chrome	127.00
41 063 DC0	supersteel	178.00
41 063 BE0	polished nickel	190.00
41 063 EN0	brushed nickel	203.00
41 063 GL0	cool sunrise	190.00
41 063 GN0	brushed cool sunrise	203.00
41 063 DA0	warm sunset	190.00
41 063 DL0	brushed warm sunset	203.00
41 063 A00	hard graphite	190.00
41 063 AL0	brushed hard graphite	203.00

Selection
Towel holder, pivotable
material: metal
depth 441 mm (functional depth 400 mm)
two arms
concealed fastening
GROHE StarLight chrome finish






41 064 000	chrome	87.00
41 064 DC0	supersteel	122.00
41 064 BE0	polished nickel	131.00
41 064 EN0	brushed nickel	140.00
41 064 GL0	cool sunrise	131.00
41 064 GN0	brushed cool sunrise	140.00
41 064 DA0	warm sunset	131.00
41 064 DL0	brushed warm sunset	140.00
41 064 A00	hard graphite	131.00
41 064 AL0	brushed hard graphite	140.00

Selection
Grip bar
material: metal
length 336 mm (functional length 300 mm)
concealed fastening
GROHE StarLight chrome finish






41 066 000	chrome	310.00
41 066 DC0	supersteel	435.00
41 066 BE0	polished nickel	466.00
41 066 EN0	brushed nickel	497.00
41 066 GL0	cool sunrise	466.00
41 066 GN0	brushed cool sunrise	497.00
41 066 DA0	warm sunset	466.00
41 066 DL0	brushed warm sunset	497.00
41 066 A00	hard graphite	466.00
41 066 AL0	brushed hard graphite	497.00

Selection
Multi-towel rack
material: metal
length 596 mm
concealed fastening
GROHE StarLight chrome finish






41 067 000	chrome	71.00
41 067 DC0	supersteel	99.00
41 067 BE0	polished nickel	106.00
41 067 EN0	brushed nickel	113.00
41 067 GL0	cool sunrise	106.00
41 067 GN0	brushed cool sunrise	113.00
41 067 DA0	warm sunset	106.00
41 067 DL0	brushed warm sunset	113.00
41 067 A00	hard graphite	106.00
41 067 AL0	brushed hard graphite	113.00

Selection
Spare toilet paper holder (2 rolls)
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

GROHE SELECTION

Product no.	Colour	RRP (€) incl. VAT






41 068 000	chrome	56.00
41 068 DC0	supersteel	79.00
41 068 BE0	polished nickel	85.00
41 068 EN0	brushed nickel	90.00
41 068 GL0	cool sunrise	85.00
41 068 GN0	brushed cool sunrise	90.00
41 068 DA0	warm sunset	85.00
41 068 DL0	brushed warm sunset	90.00
41 068 A00	hard graphite	85.00
41 068 AL0	brushed hard graphite	90.00

Selection
Toilet paper holder
without cover
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish






41 069 000	chrome	113.00
41 069 DC0	supersteel	158.00
41 069 BE0	polished nickel	169.00
41 069 EN0	brushed nickel	181.00
41 069 GL0	cool sunrise	169.00
41 069 GN0	brushed cool sunrise	181.00
41 069 DA0	warm sunset	169.00
41 069 DL0	brushed warm sunset	181.00
41 069 A00	hard graphite	169.00
41 069 AL0	brushed hard graphite	181.00

Selection
Toilet paper holder
with cover
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish





41 076 000	chrome	141.00
41 076 DC0	supersteel	198.00
41 076 BE0	polished nickel	212.00
41 076 EN0	brushed nickel	226.00
41 076 GL0	cool sunrise	212.00
41 076 GN0	brushed cool sunrise	226.00
41 076 DA0	warm sunset	212.00
41 076 DL0	brushed warm sunset	226.00
41 076 A00	hard graphite	212.00
41 076 AL0	brushed hard graphite	226.00

Selection
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish


40 791 001	white	8.00
40 791 KS1	velvet black	8.00

Spare brush head

40 993 000		65.00

Spare glass for brush





41 077 000	chrome	212.00
41 077 DC0	supersteel	296.00
41 077 BE0	polished nickel	317.00
41 077 EN0	brushed nickel	339.00
41 077 GL0	cool sunrise	317.00
41 077 GN0	brushed cool sunrise	339.00
41 077 DA0	warm sunset	317.00
41 077 DL0	brushed warm sunset	339.00
41 077 A00	hard graphite	317.00
41 077 AL0	brushed hard graphite	339.00


Selection
Shaving mirror
material: glass / metal
without lights
magnification: x 7
concealed fastening
GROHE StarLight chrome finish

* price on request

GROHE
SELECTION CUBE

	Product no.	Colour	RRP (€) incl. VAT






40 865 000 **chrome** **60.00**

Selection Cube
Holder
material: metal
for Selection Cube glass (40 783 000),
Selection Cube soap dish (40 806 000)
or Selection Cube soap dispenser (40 805 000)
concealed fastening
GROHE StarLight chrome finish






40 805 000 **chrome** **75.00**

Selection Cube
Soap dispenser
material: glass / metal
filling quantity 300 ml
fits in the following holder:
Selection Cube (40 865 000)
GROHE StarLight finish






40 806 000 **50.00**

Selection Cube
Soap dish
material: glass
fits in the following holder:
Selection Cube (40 865 000)






40 783 000 **40.00**

Selection Cube
Glass
material: glass
fits in the following holder:
Selection Cube (40 865 000)






40 766 000 **chrome** **85.00**

Selection Cube
Towel ring
material: metal
concealed fastening
GROHE StarLight finish





40 768 000 **chrome** **239.00**

Selection Cube
Double towel bar
material: metal
2 arms, pivotable
400 mm
concealed fastening
GROHE StarLight finish


---

* price on request

GROHE
SELECTION CUBE

	Product no.	Colour	RRP (€) incl. VAT






40 767 000 **chrome** **159.00**

Selection Cube
Towel rail
500 mm (functional length 459 mm)
material: metal
concealed fastening
GROHE StarLight chrome finish






40 804 000 **chrome** **448.00**

Selection Cube
Multi bath towel rack
material: metal
600 mm (functional length 575 mm)
concealed fastening
GROHE StarLight finish






40 782 000 **chrome** **45.00**

Selection Cube
Robe hook
material: metal
concealed fastening
GROHE StarLight finish






40 807 000 **chrome** **249.00**

Selection Cube
Grip bar/towel bar
material: metal
600 mm (functional length 548 mm)
concealed fastening
GROHE StarLight finish






40 781 000 **chrome** **129.00**

Selection Cube
Toilet paper holder
material: metal
concealed fastening
with cover
GROHE StarLight finish








40 784 000 **chrome** **60.00**

Selection Cube
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight finish

* price on request


GROHE
SELECTION CUBE

	Product no.	Colour	RRP (€) incl. VAT
 	**40 857 000** **Selection Cube** **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE StarLight** finish	**chrome**	**174.00**
	40 870 000 **Spare brush head**		**16.00**
	40 868 000 **Spare brush**	**chrome**	**54.00**
	40 867 000 **Spare glass**		**68.00**
 	**40 809 000** **Selection Cube** **Soap wire basket** material: metal for corner installation **GROHE StarLight** finish	**chrome**	**174.00**
 	**40 808 000** **Selection Cube** **Shaving mirror** material: glass / metal wall mounted concealed fastening magnification: x 3 **GROHE StarLight** finish	**chrome**	**219.00**

GROHE ESSENTIALS

Product no.	Colour	RRP (€) incl. VAT






40 369 001	**chrome**	**34.00**
40 369 DC1	**supersteel**	**47.00**
40 369 BE1	**polished nickel**	**51.00**
40 369 EN1	**brushed nickel**	**54.00**
40 369 GL1	**cool sunrise**	**51.00**
40 369 GN1	**brushed cool sunrise**	**54.00**
40 369 DA1	**warm sunset**	**51.00**
40 369 DL1	**brushed warm sunset**	**54.00**
40 369 A01	**hard graphite**	**51.00**
40 369 AL1	**brushed hard graphite**	**54.00**

Essentials
Holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 394 001	**chrome**	**28.00**
40 394 DC1	**supersteel**	**39.00**
40 394 BE1	**polished nickel**	**42.00**
40 394 EN1	**brushed nickel**	**44.00**
40 394 GL1	**cool sunrise**	**42.00**
40 394 GN1	**brushed cool sunrise**	**44.00**
40 394 DA1	**warm sunset**	**42.00**
40 394 DL1	**brushed warm sunset**	**44.00**
40 394 A01	**hard graphite**	**42.00**
40 394 AL1	**brushed hard graphite**	**44.00**

Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish






40 368 001 **9.00**

Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)





40 372 001 **11.00**


Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

* price on request

GROHE ESSENTIALS

Product no.	Colour	RRP (€) incl. VAT






40 448 001	**chrome**	**63.00**
40 448 DC1	**supersteel**	**88.00**
40 448 EN1	**brushed nickel**	**100.00**

Essentials
Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
consisting of:
holder (40 369 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 444 001	**chrome**	**43.00**
40 444 DC1	**supersteel**	**60.00**
40 444 EN1	**brushed nickel**	**69.00**

Essentials
Soap dish with holder
material: glass / metal
consisting of:
holder (40 369 001)
soap dish (40 368 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 447 001	**chrome**	**42.00**
40 447 DC1	**supersteel**	**59.00**
40 447 EN1	**brushed nickel**	**67.00**

Essentials
Crystal glass with holder
material: glass / metal
consisting of:
holder (40 369 001)
Glass cup (40 372 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 365 001	**chrome**	**34.00**
40 365 DC1	**supersteel**	**47.00**
40 365 BE1	**polished nickel**	**51.00**
40 365 EN1	**brushed nickel**	**54.00**
40 365 GL1	**cool sunrise**	**51.00**
40 365 GN1	**brushed cool sunrise**	**54.00**
40 365 DA1	**warm sunset**	**51.00**
40 365 DL1	**brushed warm sunset**	**54.00**
40 365 A01	**hard graphite**	**51.00**
40 365 AL1	**brushed hard graphite**	**54.00**

Essentials
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

GROHE ESSENTIALS

Product no.	Colour	RRP (€) incl. VAT
40 371 001	chrome	60.00
40 371 DC1	supersteel	84.00
40 371 BE1	polished nickel	90.00
40 371 EN1	brushed nickel	96.00
40 371 GL1	cool sunrise	90.00
40 371 GN1	brushed cool sunrise	96.00
40 371 DA1	warm sunset	90.00
40 371 DL1	brushed warm sunset	96.00
40 371 A01	hard graphite	90.00
40 371 AL1	brushed hard graphite	96.00






Essentials
Towel bar
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

Product no.	Colour	RRP (€) incl. VAT
40 688 001	chrome	49.00
40 688 DC1	supersteel	69.00
40 688 BE1	polished nickel	74.00
40 688 EN1	brushed nickel	79.00
40 688 GL1	cool sunrise	74.00
40 688 GN1	brushed cool sunrise	79.00
40 688 DA1	warm sunset	74.00
40 688 DL1	brushed warm sunset	79.00
40 688 A01	hard graphite	74.00
40 688 AL1	brushed hard graphite	79.00






Essentials
Towel rail
material: metal
504 mm (functional length 450 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

Product no.	Colour	RRP (€) incl. VAT
40 366 001	chrome	54.00
40 366 DC1	supersteel	75.00
40 366 BE1	polished nickel	81.00
40 366 EN1	brushed nickel	86.00
40 366 GL1	cool sunrise	81.00
40 366 GN1	brushed cool sunrise	86.00
40 366 DA1	warm sunset	81.00
40 366 DL1	brushed warm sunset	86.00
40 366 A01	hard graphite	81.00
40 366 AL1	brushed hard graphite	86.00






Essentials
Towel rail
material: metal
654 mm (functional length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

Product no.	Colour	RRP (€) incl. VAT
40 386 001	chrome	68.00
40 386 DC1	supersteel	95.00
40 386 BE1	polished nickel	101.00
40 386 EN1	brushed nickel	108.00
40 386 GL1	cool sunrise	101.00
40 386 GN1	brushed cool sunrise	108.00
40 386 DA1	warm sunset	101.00
40 386 DL1	brushed warm sunset	108.00
40 386 A01	hard graphite	101.00
40 386 AL1	brushed hard graphite	108.00






Essentials
Towel rail
material: metal
854 mm (functional length 800 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

* price on request

GROHE ESSENTIALS

Product no.	Colour	RRP (€) incl. VAT






40 802 001	chrome	92.00
40 802 DC1	supersteel	129.00
40 802 BE1	polished nickel	138.00
40 802 EN1	brushed nickel	148.00
40 802 GL1	cool sunrise	138.00
40 802 GN1	brushed cool sunrise	148.00
40 802 DA1	warm sunset	138.00
40 802 DL1	brushed warm sunset	148.00
40 802 A01	hard graphite	138.00
40 802 AL1	brushed hard graphite	148.00

Essentials
Double towel rail
material: metal
654 mm (functional length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)






40 800 001	chrome	181.00
40 800 DC1	supersteel	253.00
40 800 BE1	polished nickel	271.00
40 800 EN1	brushed nickel	289.00
40 800 GL1	cool sunrise	271.00
40 800 GN1	brushed cool sunrise	289.00
40 800 DA1	warm sunset	271.00
40 800 DL1	brushed warm sunset	289.00
40 800 A01	hard graphite	271.00
40 800 AL1	brushed hard graphite	289.00

Essentials
Multi bath towel rack
material: metal
604 mm (functional length 550 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)






40 364 001	chrome	19.00
40 364 DC1	supersteel	26.00
40 364 BE1	polished nickel	28.00
40 364 EN1	brushed nickel	30.00
40 364 GL1	cool sunrise	28.00
40 364 GN1	brushed cool sunrise	30.00
40 364 DA1	warm sunset	28.00
40 364 DL1	brushed warm sunset	30.00
40 364 A01	hard graphite	28.00
40 364 AL1	brushed hard graphite	30.00

Essentials
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 421 001	chrome	54.00
40 421 DC1	supersteel	75.00
40 421 BE1	polished nickel	81.00
40 421 EN1	brushed nickel	86.00
40 421 GL1	cool sunrise	81.00
40 421 GN1	brushed cool sunrise	86.00
40 421 DA1	warm sunset	81.00
40 421 DL1	brushed warm sunset	86.00
40 421 A01	hard graphite	81.00
40 421 AL1	brushed hard graphite	86.00

Essentials
Grip bar
material: metal
349 mm (functional length 295 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

GROHE ESSENTIALS

Product no.	Colour	RRP (€) incl. VAT






40 793 001	**chrome**	**77.00**
40 793 DC1	**supersteel**	**108.00**

Essentials
Grip bar
material: metal
507 mm (functional length 450 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)






40 794 001	**chrome**	**92.00**
40 794 DC1	**supersteel**	**129.00**

Essentials
Grip bar
material: metal
657 mm (functional length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)






40 797 001	**chrome**	**240.00**

Essentials
Grip bar
material: metal
737 x 997 mm (functional length 680 x 940 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)






40 799 001	**chrome**	**62.00**
40 799 DC1	**supersteel**	**86.00**

Essentials
Glass shelf
material: glass / metal
530 mm (functional length 380 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 689 001	**chrome**	**40.00**
40 689 DC1	**supersteel**	**56.00**
40 689 BE1	**polished nickel**	**60.00**
40 689 EN1	**brushed nickel**	**64.00**
40 689 GL1	**cool sunrise**	**60.00**
40 689 GN1	**brushed cool sunrise**	**64.00**
40 689 DA1	**warm sunset**	**60.00**
40 689 DL1	**brushed warm sunset**	**64.00**
40 689 A01	**hard graphite**	**60.00**
40 689 AL1	**brushed hard graphite**	**64.00**

Essentials
Toilet paper holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

* price on request

GROHE ESSENTIALS






Product no.	Colour	RRP (€) incl. VAT
40 367 001	chrome	45.00
40 367 DC1	supersteel	62.00
40 367 BE1	polished nickel	67.00
40 367 EN1	brushed nickel	71.00
40 367 GL1	cool sunrise	67.00
40 367 GN1	brushed cool sunrise	71.00
40 367 DA1	warm sunset	67.00
40 367 DL1	brushed warm sunset	71.00
40 367 A01	hard graphite	67.00
40 367 AL1	brushed hard graphite	71.00

Essentials
Toilet paper holder
material: metal
with cover
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






Product no.	Colour	RRP (€) incl. VAT
40 385 001	chrome	34.00
40 385 DC1	supersteel	47.00
40 385 BE1	polished nickel	51.00
40 385 EN1	brushed nickel	54.00
40 385 GL1	cool sunrise	51.00
40 385 GN1	brushed cool sunrise	54.00
40 385 DA1	warm sunset	51.00
40 385 DL1	brushed warm sunset	54.00
40 385 A01	hard graphite	51.00
40 385 AL1	brushed hard graphite	54.00

Essentials
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)





Product no.	Colour	RRP (€) incl. VAT
40 374 001	chrome	55.00
40 374 DC1	supersteel	77.00
40 374 BE1	polished nickel	83.00
40 374 EN1	brushed nickel	89.00
40 374 GL1	cool sunrise	83.00
40 374 GN1	brushed cool sunrise	89.00
40 374 DA1	warm sunset	83.00
40 374 DL1	brushed warm sunset	89.00
40 374 A01	hard graphite	83.00
40 374 AL1	brushed hard graphite	89.00

Essentials
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 791 001	white	8.00
40 791 KS1	velvet black	8.00

Spare brush head

40 392 000	chrome	26.00

Spare brush


40 393 000	daVinci satin white	20.00

Spare glass

GROHE ESSENTIALS

	Product no.	Colour	RRP (€) incl. VAT






40 663 001 **chrome** **75.00**

BauCosmopolitan
Soap wire basket
material: metal
for corner installation
large
suitable for screwing (including screws and dowels)






40 664 001 **chrome** **60.00**

BauCosmopolitan
Soap wire basket
material: metal
for corner installation
small
suitable for screwing (including screws and dowels)






40 407 001 **chrome** **107.00**
40 407 DC1 **supersteel** **149.00**

Essentials
City restroom accessories set 3-in-1
material: glass / metal
consisting of:
toilet brush set (40 374 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 775 001 **chrome** **105.00**
40 775 DC1 **supersteel** **147.00**
40 775 EN1 **brushed nickel** **168.00**

Essentials
Guest bathroom accessories set 3-in-1
material: metal
consisting of:
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)





40 776 001 **chrome** **136.00**
40 776 DC1 **supersteel** **190.00**


Essentials
Master bathroom accessories set 4-in-1
material: metal
consisting of:
towel ring (40 365 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
towel rail, 600 mm (40 366 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

* price on request

GROHE ESSENTIALS

	Product no.	Colour	RRP (€) incl. VAT






40 846 001 **chrome** **165.00**

Essentials
Master bathroom accessories set 4-in-1
material: metal
consisting of:
soap dispenser with holder (40 448 001)
crystal glass with holder (40 447 001)
double towel bar (40 371 001), suitable for screwing only (including screws and dowels)
robe hook (40 364 001)
concealed fastening
GROHE StarLight finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)





40 344 001 **chrome** **172.00**
40 344 DC1 **supersteel** **240.00**

Essentials
Master bathroom accessories set 5-in-1
material: glass / metal
consisting of:
towel ring (40 365 001)
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
paper holder with cover (40 367 001)
soap dish with holder (40 444 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)





40 915 000 **9.00**

Glue for bath accessories
contains syringe with with glue and adapter for the wall mounting plate
curing time 24 hours
one pack is required for one wall holder plate, please note for bath towel holders
suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal
not suitable for wallpaper, plaster and coating
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
ESSENTIALS CUBE

Product no.	Colour	RRP (€) incl. VAT






40 508 001	**chrome**	**45.00**
40 508 DC1	**supersteel**	**62.00**
40 508 AL1	**brushed hard graphite**	**71.00**

Essentials Cube
Holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish






40 394 001	**chrome**	**28.00**
40 394 DC1	**supersteel**	**39.00**
40 394 AL1	**brushed hard graphite**	**44.00**

Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish






40 368 001 **9.00**

Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 372 001 **11.00**

Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 756 001	**chrome**	**72.00**

Essentials Cube
Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
consisting of:
holder (40 508 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish






40 755 001	**chrome**	**54.00**

Essentials Cube
Crystal glass with holder
material: glass / metal
consisting of:
holder (40 508 001)
crystal glass (40 372 001)
concealed fastening
GROHE StarLight chrome finish


* price on request

GROHE
ESSENTIALS CUBE

	Product no.	Colour	RRP (€) incl. VAT
 	**40 754 001**	**chrome**	**54.00**


Essentials Cube
Soap dish with holder
material: glass / metal
consisting of:
holder (40 508 001)
soap dish (40 368 001)
concealed fastening
GROHE StarLight chrome finish

40 510 001	**chrome**	**62.00**
40 510 DC1	**supersteel**	**86.00**
40 510 AL1	**brushed hard graphite**	**98.00**


Essentials Cube
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

40 624 001	**chrome**	**86.00**
40 624 DC1	**supersteel**	**121.00**
40 624 AL1	**brushed hard graphite**	**138.00**


Essentials Cube
Towel bar
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE StarLight chrome finish

40 509 001	**chrome**	**68.00**
40 509 DC1	**supersteel**	**96.00**
40 509 AL1	**brushed hard graphite**	**109.00**


Essentials Cube
Towel rail
material: metal
600 mm (functional length 558 mm)
concealed fastening
GROHE StarLight chrome finish

40 512 001	**chrome**	**224.00**
40 512 DC1	**supersteel**	**314.00**
40 512 AL1	**brushed hard graphite**	**359.00**

Essentials Cube
Multi-towel rack
material: metal
600 mm (functional length 558 mm)
concealed fastening
GROHE StarLight chrome finish

40 511 001	**chrome**	**26.00**
40 511 DC1	**supersteel**	**36.00**
40 511 AL1	**brushed hard graphite**	**41.00**





Essentials Cube
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHE
ESSENTIALS CUBE

Product no.	Colour	RRP (€) incl. VAT






40 514 001	**chrome**	**92.00**
40 514 DC1	**supersteel**	**129.00**
40 514 AL1	**brushed hard graphite**	**148.00**

Essentials Cube
Grip bar
material: metal
392 mm (functional length 340 mm)
concealed fastening
GROHE StarLight chrome finish






40 507 001	**chrome**	**52.00**
40 507 DC1	**supersteel**	**72.00**
40 507 AL1	**brushed hard graphite**	**83.00**

Essentials Cube
Toilet paper holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish






40 623 001	**chrome**	**43.00**
40 623 DC1	**supersteel**	**60.00**
40 623 AL1	**brushed hard graphite**	**69.00**

Essentials Cube
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish





40 513 001	**chrome**	**89.00**
40 513 DC1	**supersteel**	**125.00**
40 513 AL1	**brushed hard graphite**	**143.00**

Essentials Cube
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 791 001	**white**	**8.00**
40 791 KS1	**velvet black**	**8.00**

Spare brush head


40 392 000	**chrome**	**26.00**

Spare brush

40 393 000	**daVinci satin white**	**20.00**

Spare glass





40 757 001	**chrome**	**150.00**


Essentials Cube
City restroom accessories set 3-in-1
material: glass / metal
consisting of:
robe hook (40 511 001)
toilet paper holder (40 507 001)
toilet brush (40 513 001)
concealed fastening
GROHE StarLight chrome finish

* price on request

GROHE
ESSENTIALS CUBE


	Product no.	Colour	RRP (€) incl. VAT






40 777 001 **chrome** **131.00**

Essentials Cube
Guest bathroom accessories set 3-in-1
material: metal
consisting of:
robe hook (40 511 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE StarLight chrome finish






40 778 001 **chrome** **187.00**

Essentials Cube
Master bathroom accessories set 4-in-1
material: metal
consisting of:
robe hook (40 511 001)
towel ring (40 510 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE StarLight chrome finish






40 847 001 **chrome** **215.00**

Essentials Cube
Bathroom accessories set 4-in-1
material: glass / metal
consisting of:
soap dispenser with holder (40 756 001)
crystal glass with holder (40 755 001)
double towel bar (40 624 001)
robe hook (40 511 001)
concealed fastening
GROHE StarLight finish






40 758 001 **chrome** **232.00**

Essentials Cube
Master bathroom accessories set 5-in-1
material: glass / metal
consisting of:
soap dish with holder (40 754 001)
towel rail, 558 mm (40 509 001)
toilet paper holder (40 507 001)
robe hook (40 511 001)
towel ring (40 510 001)
concealed fastening
GROHE StarLight chrome finish

GROHE
BAUCOSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






40 585 001 **chrome** **27.00**

BauCosmopolitan
Holder
material: metal
for crystal glass (40 372 001), soap dish (40 368 001),
or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 394 001 **chrome** **28.00**

Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish






40 368 001 **9.00**

Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 372 001 **11.00**

Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 460 001 **chrome** **27.00**

BauCosmopolitan
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)





40 459 001 **chrome** **39.00**


BauCosmopolitan
Towel rail
material: metal
522 mm (functional length 430 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

* price on request

GROHE
BAUCOSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






40 462 001	**chrome**	**142.00**

BauCosmopolitan
Multi-towel rack
material: metal
564 mm (functional length 510 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)






40 461 001	**chrome**	**16.00**

BauCosmopolitan
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 457 001	**chrome**	**33.00**

BauCosmopolitan
Paper holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)





40 463 001	**chrome**	**43.00**

BauCosmopolitan
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 791 001	**white**	**8.00**
40 791 KS1	**velvet black**	**8.00**

Spare brush head


40 392 000	**chrome**	**26.00**

Spare brush

40 393 000	**daVinci satin white**	**20.00**

Spare glass






40 663 001	**chrome**	**75.00**

BauCosmopolitan
Soap wire basket
material: metal
for corner installation
large
suitable for screwing (including screws and dowels)

GROHE
BAUCOSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT





40 664 001 **chrome** **60.00**

BauCosmopolitan
Soap wire basket
material: metal
for corner installation
small
suitable for screwing (including screws and dowels)

40 915 000 **9.00**




Glue for bath accessories
contains syringe with with glue and adapter for the wall mounting plate
curing time 24 hours
one pack is required for one wall holder plate, please note for bath towel holders
suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal
not suitable for wallpaper, plaster and coating
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

* price on request

GROHE
ESSENTIALS AUTHENTIC

	Product no.	Colour	RRP (€) incl. VAT






40 652 001	**chrome**	**34.00**
40 652 EN1	**brushed nickel**	**54.00**

Essentials Authentic
Holder
material: metal
for crystal glass (40 372 001), soap dish (40 368 001),
or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish






40 394 001	**chrome**	**28.00**
40 394 EN1	**brushed nickel**	**44.00**

Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish






40 368 001 **9.00**

Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 372 001 **11.00**

Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 655 001	**chrome**	**34.00**
40 655 EN1	**brushed nickel**	**54.00**

Essentials Authentic
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish







40 653 001	**chrome**	**54.00**
40 653 EN1	**brushed nickel**	**86.00**

Essentials Authentic
Towel rail
material: metal
626 mm (functional length 582 mm)
concealed fastening
GROHE StarLight chrome finish

GROHE
ESSENTIALS AUTHENTIC

	Product no.	Colour	RRP (€) incl. VAT






40 654 001	**chrome**	**92.00**
40 654 EN1	**brushed nickel**	**148.00**

Essentials Authentic
Double towel rail
material: metal
626 mm (functional length 582 mm)
concealed fastening
GROHE StarLight chrome finish






40 660 001	**chrome**	**181.00**
40 660 EN1	**brushed nickel**	**289.00**

Essentials Authentic
Multi-towel rack
material: metal
586 mm (functional length 542 mm)
concealed fastening
GROHE StarLight chrome finish






40 656 001	**chrome**	**19.00**
40 656 EN1	**brushed nickel**	**30.00**

Essentials Authentic
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish






40 657 001	**chrome**	**40.00**
40 657 EN1	**brushed nickel**	**64.00**

Essentials Authentic
Toilet paper holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish





40 658 001	**chrome**	**55.00**
40 658 EN1	**brushed nickel**	**89.00**

Essentials Authentic
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 791 001	**white**	**8.00**
40 791 KS1	**velvet black**	**8.00**

Spare brush head

40 392 000	**chrome**	**26.00**


Spare brush


40 393 000	**daVinci satin white**	**20.00**

Spare glass

* price on request

GROHE
ESSENTIALS AUTHENTIC





Product no.	Colour	RRP (€) incl. VAT
40 659 001	**chrome**	**60.00**
40 659 EN1	**brushed nickel**	**96.00**

Essentials Authentic
Filling basket, small
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHTHERM
THERMOSTATS





CONTENTS

Grohtherm SmartControl	230
Grohtherm 2 handle trim sets	243
Grohtherm 2000	250
Grohtherm Cube	252
Grohtherm 1000	255
Grohtherm 1000 Performance	258
Grohtherm 800 Cosmopolitan	261
Grohtherm 800	262
Grohtherm 500	263

SAFETY NOTE

Avoiding scalding
For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremly important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.


In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






29 123 000	**chrome**	**529.00**
29 123 DC0	**supersteel**	**741.00**
29 123 GN0	**brushed cool sunrise**	**847.00**
29 123 DL0	**brushed warm sunset**	**847.00**
29 123 A00	**hard graphite**	**794.00**
29 123 AL0	**brushed hard graphite**	**847.00**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 124 000	**chrome**	**576.00**
29 124 DC0	**supersteel**	**807.00**
29 124 GN0	**brushed cool sunrise**	**922.00**
29 124 DL0	**brushed warm sunset**	**922.00**
29 124 A00	**hard graphite**	**865.00**
29 124 AL0	**brushed hard graphite**	**922.00**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






29 125 000 **chrome** **692.00**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 126 000	**chrome**	**624.00**
29 126 DC0	**supersteel**	**873.00**
29 126 GN0	**brushed cool sunrise**	**998.00**
29 126 DL0	**brushed warm sunset**	**998.00**
29 126 A00	**hard graphite**	**935.00**
29 126 AL0	**brushed hard graphite**	**998.00**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT





29 127 000	**chrome**	**380.00**
29 127 DC0	**supersteel**	**533.00**
29 127 GN0	**brushed cool sunrise**	**609.00**
29 127 DL0	**brushed warm sunset**	**609.00**
29 127 A00	**hard graphite**	**571.00**
29 127 AL0	**brushed hard graphite**	**609.00**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included


35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





29 153 LS0	**moon white**	**682.00**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






29 156 LS0 **moon white** **729.00**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 157 LS0 **moon white** **776.00**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT





29 158 LS0	**moon white**	**481.00**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included


35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





29 118 000	**chrome**	**529.00**
29 118 DC0	**supersteel**	**741.00**
29 118 GL0	**cool sunrise**	**794.00**
29 118 GN0	**brushed cool sunrise**	**847.00**
29 118 DA0	**warm sunset**	**794.00**
29 118 DL0	**brushed warm sunset**	**847.00**
29 118 A00	**hard graphite**	**794.00**
29 118 AL0	**brushed hard graphite**	**847.00**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT
29 119 000	**chrome**	**576.00**
29 119 DC0	**supersteel**	**807.00**
29 119 GL0	**cool sunrise**	**865.00**
29 119 GN0	**brushed cool sunrise**	**922.00**
29 119 DA0	**warm sunset**	**865.00**
29 119 DL0	**brushed warm sunset**	**922.00**
29 119 A00	**hard graphite**	**865.00**
29 119 AL0	**brushed hard graphite**	**922.00**






Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

29 120 000	**chrome**	**692.00**





Grohtherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min


35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT
29 121 000	**chrome**	**624.00**
29 121 DC0	**supersteel**	**873.00**
29 121 GL0	**cool sunrise**	**935.00**
29 121 GN0	**brushed cool sunrise**	**998.00**
29 121 DA0	**warm sunset**	**935.00**
29 121 DL0	**brushed warm sunset**	**998.00**
29 121 A00	**hard graphite**	**935.00**
29 121 AL0	**brushed hard graphite**	**998.00**






Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

Product no.	Colour	RRP (€) incl. VAT
29 122 000	**chrome**	**380.00**
29 122 DC0	**supersteel**	**533.00**
29 122 BE0	**polished nickel**	**571.00**
29 122 EN0	**brushed nickel**	**609.00**
29 122 GL0	**cool sunrise**	**571.00**
29 122 GN0	**brushed cool sunrise**	**609.00**
29 122 DA0	**warm sunset**	**571.00**
29 122 DL0	**brushed warm sunset**	**609.00**
29 122 A00	**hard graphite**	**571.00**
29 122 AL0	**brushed hard graphite**	**609.00**





Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






29 150 LS0 **moon white** **682.00**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 151 LS0 **moon white** **729.00**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min


35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






29 904 LS0 **moon white** **776.00**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 152 LS0 **moon white** **481.00**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





34 742 000 **chrome** **1,360.00**


Grohtherm SmartControl
Perfect shower set
consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 125 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower F-Series 10" head shower set (26 070 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)

* price on request

GROHE
GROHTHERM SMARTCONTROL

	Product no.	Colour	RRP (€) incl. VAT






34 706 000 **chrome** **1,533.00**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)






34 744 000 **chrome** **1,067.00**

Grohtherm SmartControl
Perfect shower set
consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 120 000)
GROHE Rapido SmartBox 35 600/35 604
Euphoria 260 head shower set 3 sprays (26 458 000)
including horizontal shower arm 380 mm
hand shower Euphoria Cosmopolitan Stick (27 400 000)
Silverflex shower hose 1250 mm (28 362)





34 705 000 **chrome** **1,542.00**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)




14 077 XH0 **chrome/frosted granite** **29.00**

SmartControl
Caps concealed
consisting of:
9 caps with 6 different symbols
fits Grohtherm SmartControl and SmartControl mixer sets for final installation

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






34 713 000 **chrome** **923.00**

Grohtherm SmartControl
Combi thermostatic shower mixer
with 3 valves, exposed/concealed
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow
requires concealed body 26 449 000,
to be ordered separately






34 714 000 **chrome** **861.00**

Grohtherm SmartControl
Combi thermostatic shower mixer
with 2 valves, exposed/concealed
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow
requires concealed body 26 449 000,
to be ordered separately





26 449 000 **151.00**


Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
material for wall sealing included
installation device

* price on request

GROHE
GROHTHERM SMARTCONTROL

	Product no.	Colour	RRP (€) incl. VAT






34 719 000 **chrome** **390.00**

Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valves and dirt strainers
protected against backflow






34 718 000 **chrome** **428.00**

Grohtherm SmartControl
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valves and dirt strainers
protected against backflow






34 721 000 **chrome** **506.00**

Grohtherm SmartControl
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set,
900 mm (27 226 001)





34 720 000 **chrome** **500.00**

Grohtherm SmartControl
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set,
600 mm (27 231 001)

GROHE
GROHTHERM SMARTCONTROL



Product no.	Colour	RRP (€) incl. VAT
14 079 XH0	**chrome/frosted granite**	**20.00**


SmartControl
Caps exposed
consisting of:
3 caps with 3 different symbols
fits Euphoria SmartControl shower systems

* price on request

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Product no.	Colour	RRP (€) incl. VAT






24 078 000 **chrome** **396.00**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 079 000 **chrome** **441.00**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 080 000 **chrome** **441.00**


Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Product no.	Colour	RRP (€) incl. VAT




34 728 000 **chrome** **675.00**

Grohtherm
Perfect shower set with Tempesta 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox 35 600/35 604
head shower Tempesta 210 9.5 l/min (26 410)
shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection
and shower hose to be ordered separately




34 729 000 **chrome** **744.00**

Grohtherm
Perfect shower set with Tempesta 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox 35 600/35 604
head shower Tempesta 210 9.5 l/min (26 410)
shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II (27 597)
shower outlet elbow (28 628)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)



34 730 000 **chrome** **1,372.00**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 310
consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan 310 metal head shower (27 477 000)
Rainshower shower arm 422 mm (26 145 000)
Sena hand shower (28 034 000)
Rainshower wall holder (27 075 000)
Rainshower wall elbow connection (27 076 000)
Silverflex shower hose 1250 mm (28 362)



34 734 000 **chrome** **1,027.00**


Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
Rainshower shower arm 422 mm (26 146 000)
Euphoria hand shower (27 265)
shower outlet elbow (28 628)
Silverflex shower hose 1250 mm (28 362)

* price on request

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Product no.	Colour	RRP (€) incl. VAT






24 075 000 **chrome** **396.00**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 076 000 **chrome** **441.00**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 077 000 **chrome** **441.00**

Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Product no.	Colour	RRP (€) incl. VAT






34 726 000 **chrome** **675.00**

Grohtherm
Perfect shower set with Tempesta 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
head shower Tempesta 210 9.5 l/min (26 410)
shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection
and shower hose to be ordered separately






34 727 000 **chrome** **744.00**

Grohtherm
Perfect shower set with Tempesta 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
head shower Tempesta 210 9.5 l/min (26 410)
shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II (27 597)
shower outlet elbow (28 628)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)






34 731 000 **chrome** **1,372.00**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 310
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan 310 metal head shower (27 477 000)
Rainshower shower arm 422 mm (26 146 000)
Sena hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)





34 732 000 **chrome** **1,197.00**


Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan 210 metal head shower (28 373)
Rainshower shower arm 286 mm (28 576)
Sena hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)

* price on request

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Product no.	Colour	RRP (€) incl. VAT






34 735 000 **chrome** **795.00**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 160
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan head shower 160 mm (27 134)
Rainshower shower arm 286 mm (28 576)
Euphoria hand shower (27 265)
shower outlet elbow (28 628)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Product no.	Colour	RRP (€) incl. VAT






24 153 000	**chrome**	**515.00**
24 153 DC0	**supersteel**	**720.00**
24 153 AL0	**brushed hard graphite**	**823.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 154 000	**chrome**	**574.00**
24 154 DC0	**supersteel**	**803.00**
24 154 AL0	**brushed hard graphite**	**918.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 155 000	**chrome**	**574.00**
24 155 DC0	**supersteel**	**803.00**
24 155 AL0	**brushed hard graphite**	**918.00**

Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Product no.	Colour	RRP (€) incl. VAT






34 741 000 **chrome** **1,358.00**

Grohtherm Cube
Perfect shower set with Rainshower Allure 230
consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 2000

	Product no.	Colour	RRP (€) incl. VAT






34 169 001 **chrome** **332.00**

Grohtherm 2000
Thermostatic shower mixer 1/2“
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2“, 180°
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow






34 174 001 **chrome** **415.00**

Grohtherm 2000
Thermostatic bath mixer 1/2“
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
integrated **GROHE EcoButton** (economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2“
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow






34 482 001 **chrome** **549.00**

Grohtherm 2000
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 2000 thermostat shower mixer (34 169)
Power&Soul Cosmopolitan 130 shower set (27 734 000)





18 608 001 **chrome** **50.00**

Grohtherm 2000
GROHE EasyReach shower tray
metal tray
removable for easy cleaning
GROHE StarLight chrome finish
suitable for Grohtherm 2000
- exposed thermostatic shower mixer with center distance 150 mm
- exposed thermostatic bath mixer with center distance 150 mm

* price on request

GROHE
GROHTHERM 2000

Product no.	Colour	RRP (€) incl. VAT
47 175 000		**162.00**




GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
GROHTHERM CUBE

Product no.	Colour	RRP (€) incl. VAT






34 491 000 **chrome** **442.00**

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray (18 700 000)
removable for easy cleaning
da Vinci satin white finish
GROHE EcoJoy technology for less water and perfect flow






34 488 000 **chrome** **399.00**

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow





34 502 000 **chrome** **566.00**


Grohtherm Cube
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray (18 700 000)
removable for easy cleaning
da Vinci satin white finish
GROHE EcoJoy technology for less water and perfect flow

* price on request

GROHE
GROHTHERM CUBE

Product no.	Colour	RRP (€) incl. VAT






34 497 000 **chrome** **523.00**

Grohtherm Cube
Thermostatic bath mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2“
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow





18 700 000 **daVinci satin white** **45.00**


Grohtherm Cube
GROHE EasyReach tray
removable for easy cleaning
da Vinci satin white finish
suitable for Grohtherm Cube
- exposed thermostatic shower mixer with center distance 150 mm
- exposed thermostatic bath mixer with center distance 150 mm



47 175 000 **162.00**

GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings





24 153 000 **chrome** **515.00**
24 153 DC0 **supersteel** **720.00**
24 153 AL0 **brushed hard graphite** **823.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM CUBE

Product no.	Colour	RRP (€) incl. VAT





24 154 000	**chrome**	**574.00**
24 154 DC0	**supersteel**	**803.00**
24 154 AL0	**brushed hard graphite**	**918.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 155 000	**chrome**	**574.00**
24 155 DC0	**supersteel**	**803.00**
24 155 AL0	**brushed hard graphite**	**918.00**

Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000	**87.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation



34 741 000	**chrome**	**1,358.00**


Grohtherm Cube
Perfect shower set with Rainshower Allure 230
consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

* price on request

GROHE
GROHTHERM 1000

	Product no.	Colour	RRP (€) incl. VAT






34 814 003 **chrome** **253.00**

Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
GROHE EcoJoy technology for less water and perfect flow
professional edition






34 816 003 **chrome** **324.00**

Grohtherm 1000
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
GROHE EcoJoy technology for less water and perfect flow
professional edition






34 823 003 **chrome** **318.00**

Grohtherm 1000
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
built-in non return valves
mousseur
dirt strainers
protected against backflow
without connection unions
GROHE EcoJoy technology for less water and perfect flow
professional edition

GROHE
GROHTHERM 1000

	Product no.	Colour	RRP (€) incl. VAT






34 824 004 **chrome** **295.00**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2" (34 814)
Tempesta shower set II, 900 mm (27 646)
professional edition






34 820 004 **chrome** **290.00**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2" (34 814)
Tempesta shower rail set II, 600 mm (27 598)
professional edition






34 825 001 **chrome** **293.00**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 818)
Tempesta shower rail set II, 600 mm (27 598)
professional edition





34 819 004 **chrome** **285.00**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 817)
Tempesta shower rail set II, 600 mm (27 598)
professional edition

* price on request

GROHE
GROHTHERM 1000

Product no.	Colour	RRP (€) incl. VAT
47 175 000		**162.00**




GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
GROHTHERM 1000 PERFORMANCE

	Product no.	Colour	RRP (€) incl. VAT






34 827 000 **chrome** **231.00**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
professional edition

34 776 000 **chrome** **231.00**
replaced by professional version 34 827 000






34 828 000 **chrome** **226.00**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without connection unions
GROHE EcoJoy technology for less water and perfect flow
professional edition





34 830 000 **chrome** **301.00**

Grohtherm 1000 Performance
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
professional edition


34 779 000 **chrome** **301.00**
replaced by professional version 34 830 000

* price on request

GROHE
GROHTHERM 1000 PERFORMANCE

	Product no.	Colour	RRP (€) incl. VAT






34 831 000 **chrome** **296.00**

Grohtherm 1000 Performance
Thermostatic bath mixer 1/2“
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2“
built-in non return valves
mousseur
dirt strainers
protected against backflow
without connection unions
GROHE EcoJoy technology for less water and perfect flow
professional edition






34 834 000 **chrome** **267.00**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2“ (34 827)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included
professional edition

34 783 000 **chrome** **267.00**
replaced by professional version 34 834 000





34 835 000 **chrome** **271.00**


Grohtherm 1000 Performance
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2“ (34 827)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included
professional edition

34 784 000 **chrome** **271.00**
replaced by professional version 34 835 000

GROHE
GROHTHERM 1000 PERFORMANCE

	Product no.	Colour	RRP (€) incl. VAT






34 836 000 **chrome** **261.00**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 828)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included
professional edition





34 838 000 **chrome** **271.00**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 832)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
professional edition



47 175 000 **162.00**


GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

* price on request

GROHE
GROHTHERM 800 COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






34 768 000 **chrome** **254.00**

Grohtherm 800 Cosmopolitan
Thermostatic shower set 1/2"
consisting of:
Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included





34 769 000 **chrome** **261.00**

Grohtherm 800 Cosmopolitan
Thermostatic shower set 1/2"
consisting of:
Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included




47 175 000 **162.00**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
GROHTHERM 800

Product no.	Colour	RRP (€) incl. VAT






34 576 000 **chrome** **270.00**

Grohtherm 800
Thermostatic bath mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2“, 180°
shower bottom outlet 1/2“
adjustable mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 566 001 **chrome** **247.00**

Grohtherm 800
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 800 thermostatic shower mixer 1/2“ (34 558 000)
Tempesta shower set II, 900 mm (27 646)





34 565 001 **chrome** **243.00**

Grohtherm 800
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 800 thermostatic shower mixer 1/2“ (34 558 000)
Tempesta shower rail set II, 600 mm (27 598)



47 175 000 **162.00**

GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings


* price on request

GROHE
GROHTHERM 500

	Product no.	Colour	RRP (€) incl. VAT

new






34 793 000 **chrome** 147.00

Grohtherm 500
Thermostatic shower mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

new







34 796 000 **chrome** 180.00

Grohtherm 500
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 500 thermostatic shower mixer 1/2“ (34 793)
Tempesta 100 shower rail set 1 spray 620 mm (27 853)

new





34 797 000 **chrome** 185.00

Grohtherm 500
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 500 thermostatic shower mixer 1/2“ (34 793)
Tempesta 100 shower rail set 1 spray 920 mm (27 854)

GROHE
CONCEALED SOLUTIONS






CONTENTS

GROHE Rapido SmartBox 266
GROHE Rapido C / stop valves 268

GROHE
RAPIDO SMARTBOX

	Product no.	Colour	RRP (€) incl. VAT






35 604 000 **87.00**

Rapido SmartBox
Universal rough-in box, 1/2"
3 outlets 1/2"
2 inlets below, 1/2"
installation depth 75-105 mm
connection unit in DR brass
pre-mounted flushing plug
stable build-in box and protective cover
fixation options for solid walls and dry cladding
gasket
without set for final installation
professional edition

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






14 055 000 **106.00**

Backflow protection combination (DIN-EN1717)
retrofit set for protection against backflow in combination
with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox:
Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats,
single-lever mixers






14 053 00M **42.00**

Service stops
fits Grohtherm SmartControl, SmartControl mixer and Grohtherm 2-handle
thermostatic trim sets in combination with GROHE Rapido SmartBox
packaging unit: 2 pieces






14 048 000 **86.00**

Rapido SmartBox
Universal extension set single-lever mixers, 25 mm
fits Grohtherm SmartControl and SmartControl Mixer sets
for final installation with up to three functions in combination
with GROHE Rapido SmartBox







14 056 000 **97.00**

Universal extension set single-lever mixers, 25 mm
fits for concealed single-lever mixers in combination with
GROHE Rapido SmartBox


* price on request


GROHE
RAPIDO SMARTBOX

	Product no.	Colour	RRP (€) incl. VAT
 	**14 057 000**		**120.00**
	Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**		
 	**14 058 000**		**47.00**
	Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**		
	**49 003 000**	**chrome**	**229.00**
	GROHE TurboStat cartridge 3/4“ for reversed inlets (hot water right) fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox service solution, does not comply with EN1111		

GROHE
RAPIDO C / STOP VALVES

	Product no.	Colour	RRP (€) incl. VAT






35 028 000 — **148.00**

Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4“
connection threads 1/2“
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm






29 800 000 — **24.00**

Concealed stop-valve, 1/2“
pre-assembled headpart 1/2“
short spindle
protection sleeve
threaded union 1/2“
DR-brass

29 802 000 — **44.00**
ditto, 3/4“, pre-assembled headpart 3/4“, thread union 3/4“

29 805 000 — **68.00**
ditto, 1“, pre-assembled headpart 1“, thread union 1“






29 801 000 — **24.00**

Concealed stop-valve, 1/2“
pre-assembled headpart 1/2“
short spindle, protection sleeve
soldered connection Ø 15 mm
DR-brass

29 803 000 — **44.00**
ditto, soldered connection Ø 18 mm

29 804 000 — **44.00**
ditto, soldered connection Ø 22 mm






29 811 000 — **21.00**

Concealed valve 1/2“
preassembled ceramic headpart 1/2“
180°
threaded union 1/2“
installation depth adjustable
25 - 80 mm
DR-brass

29 813 000 — **38.00**
ditto, 3/4“





45 202 000 — **17.00**

Extension-set, 80 mm
for GROHE concealed valves, 1/2“, 3/4“, 1“

45 203 000 — **17.00**
ditto, 200 mm

* price on request

GROHE
SHOWERS






CONTENTS

GROHE Digital Shower Systems	F-digital Deluxe	272
	Rainshower System SmartControl	279
	Rainshower SmartActive System	283
	Rainshower System	286
	Euphoria SmartControl System	287
	Euphoria System	290
	Tempesta System	298
	Shower system accessories	305
Head showers	Head showers	308
Showers	Sena	331
	Rainshower SmartActive	333
	Rainshower	341
	Relexa	343
	Euphoria	344
	Tempesta	354
	Sena trigger sprays	370
	Tempesta-F trigger sprays	371
	Shower hoses	373
	Shower accessories	376

GROHE
F-DIGITAL DELUXE

Product no.	Colour	RRP (€) incl. VAT





26 373 001 **chrome** **24,601.00**

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm (width) x 762 mm (height) x 145 mm (depth)
material: metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-lime system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish


requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl
3 x Grohtherm SmartControl (29 126 000)
3 x GROHE Rapido SmartBox (35 604 000)
1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++





26 376 001 **chrome** **2,337.00**

Rainshower F-Series 40"
Roughing-in set
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm (width) x 745 mm (height) x 152 mm (depth)
min. installation depth: 167 mm
1/2" connections


The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

* price on request

GROHE
F-DIGITAL DELUXE

Product no.	Colour	RRP (€) incl. VAT






29 126 000 **chrome** **624.00**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

35 604 000 **87.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






26 370 000 **chrome** **43.00**

Euphoria Cube
Shower outlet elbow, 1/2"
with wall shower holder
male thread
protected against backflow
GROHE StarLight chrome finish






27 888 000 **chrome** **104.00**

Euphoria Cube+ Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






28 143 000 **chrome** **33.00**

Relexaflex Metal Longlife
Metal shower hose 1500
1500 mm
material: metal
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
Universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

GROHE
F-DIGITAL DELUXE

	Product no.	Colour	RRP (€) incl. VAT






27 865 000 **chrome** **4,991.00**

Rainshower F-Series 20"
Ceiling shower with light, 1 spray
Rain
508 x 508 x 59 mm
material: metal
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.






29 069 000 **150.00**

Rainshower F-Series
Cable connection
for ceiling shower with light (27 865 000)
consisting of:
2 cable extensions (5 m each)






36 359 000 **chrome** **1,398.00**

Rainshower F-Series
Light set
127 x 127 mm per module
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
consisting of:
- 1 light module with two plug connections
- 1 light module with one plug connection
waterproof & corrosion protected
supply voltage: 12 V DC
CE approved
GROHE StarLight chrome finish
requires rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.





29 072 000 **266.00**


Rainshower F-Series
Rough-in set light set
for use with double light modules (36 359 000)
consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)

* price on request

GROHE
F-DIGITAL DELUXE

Product no.	Colour	RRP (€) incl. VAT






36 360 000 **chrome** **1,198.00**

Rainshower F-Series
Sound set
127 x 127 mm per module
full range stereo speaker
consisting of:
2 speakers with plug connections
waterproof & corrosion protected
GROHE StarLight chrome finish
requires rough-in set (29 073 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.






29 073 000 **266.00**


Rainshower F-Series
Rough-in set sound set
for use with double sound modules (36 360 000)
consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece






29 074 000 **433.00**

GROHE F-digital Deluxe
Rough-in set steam generator
for use with steam module (36 362 000 or 27 934 000)
consisting of:
- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m






26 374 000 **1,199.00**

GROHE F-digital Deluxe
Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)
to control LightCurtain of Rainshower F-Series 40"
AquaSymphony ceiling shower
additional light, sound and steam modules
can be connected and controlled
consisting of:
- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40"
AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)
CE approved
optional the base unit box can be placed into extra equipment 36 367 000

GROHE
F-DIGITAL DELUXE

Product no.	Colour	RRP (€) incl. VAT






36 397 000 **1,199.00**

GROHE F-digital Deluxe
Base unit box 2.0 Bluetooth (BCU V2.0)
for connecting light, sound and steam modules
consisting of:
- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) **or** 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved
optional the base unit box can be placed into extra equipment 36 367 000






42 429 000 **120.00**

GROHE F-digital Deluxe
Power supply base unit box
power supply for base unit box (26 374 000 or 36 397 000)
total 2 power supplies max (8 devices max.) can be connected to the base unit box
with one power supply 4 devices (light/sound modules) can be driven
- ceiling shower with integrated light (27 865 000): 4 devices
- per light module: 1 device
- per sound module: 1 device

input voltage: 90-240 V AC, 50-60 Hz
output voltage: 12 V DC
CE approved





36 371 000 **677.00**

GROHE F-digital Deluxe
Bluetooth unit BT-01A for Apple and Android devices
with integrated electronic for wireless data communication
combinable with existing 36 365 000 docking station
wall mounted
86 x 73 x 42 mm
connection cable set for data communication and power supply (5 m each)
CE approved
Bluetooth transmitter power supply: 12 V
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
requires Base Unit Box 2.0 Bluetooth (36 397 000) – to be ordered separately
Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary


System requirements
Androidoperating system: as of release 2.3.3
pixel density: 160 dpi minimum
display resolution: 320 x 470 pixels per inch
System requirements
Apple
iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**
Apple operating system: as of release iOS 6.0 and above
Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/ iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

* price on request

GROHE
F-DIGITAL DELUXE

	Product no.	Colour	RRP (€) incl. VAT






36 367 000 **316.00**

GROHE F-digital Deluxe
Rough-in set base unit box
for use with base unit box (26 374 000 or 36 397 000)
550 x 700 x 110 mm
height (100 mm) and depth (50 mm) adjustable
with removable front panel for installation
with adjustable front frame for installation in wall niches
galvanized and powder coated (RAL 9010, pure white) steel plate
with two mounting rails and elbow for power outlets
and mounting materials






47 837 000 **83.00**

GROHE F-digital Deluxe
Cable extension steam generator, 5 m
cable extension up to 10 m






47 867 000 **83.00**

GROHE F-digital Deluxe
Cable extension light set, 5 m
connection between base unit box (26 374 000 or
36 397 000) and light modules (27 865 000)
cable extension up to 10 m






47 868 000 **83.00**

GROHE F-digital Deluxe
Cable extension for power supply, 5 m
connection between power supply (42 429 000) and
base unit box (26 374 000 or 36 397 000)
each power supply needs a separate extension cable
cable extension up to 5 m





47 877 000 **83.00**

GROHE F-digital Deluxe
Cable extension temperature sensor, 5 m
extension between base unit box (26 374 000 or 36 397 000) and
temperature sensor
cable extension up to 5 m



40 666 000 **chrome** **1,319.00**

Spare part LED set
spare part for 27 865 000
consisting of:
2 lamps connected in series
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+

GROHE
F-DIGITAL DELUXE

Product no.	Colour	RRP (€) incl. VAT
48 348 000	**chrome**	**41.00**




Spray face
for SmartControl and head showers with
multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly key

* price on request

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






26 250 000 **chrome** **1,630.00**

Rainshower System SmartControl Duo 360
Shower system with thermostat for wall mounting
consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
suitable for instantaneous heaters from 18 kW/h
Twistfree to prevent hose from twisting

* to be decided at first installation; factory default setting: GROHE PureRain
In case of a 160 cc thermostat you need to purchase one of the
following wall fixation sets for installation: 125356, 125357

26 250 LS0 **moon white** **1,630.00**
ditto, head shower with white spray plate





26 361 000 **chrome** **1,476.00**

Rainshower System SmartControl Mono 360
Shower system with thermostat for wall mounting
consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
suitable for instantaneous heaters from 18 kW/h
Twistfree to prevent hose from twisting

* to be decided at first installation; factory default setting: GROHE PureRain
In case of a 160 cc thermostat you need to purchase one of the
following wall fixation sets for installation: 125356, 125357


26 361 LS0 **moon white** **1,476.00**
ditto, head shower with white spray plate

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT







26 443 000 **chrome** **1,630.00**


Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed
consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360 with horizontal
450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
Twistfree to prevent hose from twisting
requires rough-in set 26 264 001 and concealed
unit 26 449 000 – all to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain

26 443 LS0 **moon white** **1,630.00**
ditto, head shower with white spray plate








26 446 000 **chrome** **1,476.00**

Rainshower System SmartControl Mono 360
Combi shower system with thermostat, exposed/concealed
consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360 with horizontal
450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
Twistfree to prevent hose from twisting
requires rough-in set 26 264 001 and concealed
unit 26 449 000 – all to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain

26 446 LS0 **moon white** **1,476.00**
ditto, head shower with white spray plate





26 254 000 **chrome** **677.00**

Rainshower Duo 360
Head shower set 450 mm, 2 sprays
consisting of:
head shower Rainshower Duo 360, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
requires rough-in set 26 264 001 – to be ordered separately


* to be decided at first installation; factory default setting: GROHE PureRain

* price on request

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

	Product no.	Colour	RRP (€) incl. VAT






26 254 LS0 **moon white** **677.00**

Rainshower Duo 360
Head shower set 450 mm, 2 sprays
consisting of:
head shower Rainshower Duo 360, spray plate white
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain






26 450 000 **chrome** **584.00**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
consisting of:
head shower Rainshower Mono 360, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain






26 450 LS0 **moon white** **584.00**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
consisting of:
head shower Rainshower Mono 360, spray plate white
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain






26 264 001 **123.00**

Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information






26 449 000 **151.00**

Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
material for wall sealing included
installation device

GROHE
RAINSHOWER SYSTEM SMARTCONTROL


	Product no.	Colour	RRP (€) incl. VAT





48 349 000 **chrome** **111.00**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish



48 350 000 **chrome** **135.00**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting
15 cm longer
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish


Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI



48 348 000 **chrome** **41.00**

Spray face
for SmartControl and head showers with
multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly key





26 385 000 **chrome** **16.00**


Rainshower SmartControl
Compensation disc
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable

* price on request

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Product no.	Colour	RRP (€) incl. VAT






26 647 000 **chrome** **1,007.00**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection with one click
GROHE StarLight chrome finish
GROHE FastFixation upper bracket adjustable
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 647 LS0 **moon white** **1,158.00**
ditto, head shower with white spray plate





26 648 000 **chrome** **1,007.00**


Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 574)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection with one click
GROHE StarLight chrome finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 648 LS0 **moon white** **1,158.00**
ditto, head shower with white spray plate

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Product no.	Colour	RRP (€) incl. VAT






26 649 000	chrome	1,007.00

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 Cube (26 567)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 Cube (26 550)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection with one click
GROHE StarLight chrome finish
GROHE FastFixation upper bracket adjustable
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 652 000	chrome	1,007.00

ditto, with GROHE EcoJoy 9.5 l/min flow limiter





26 657 000	chrome	1,158.00


Rainshower SmartActive 310
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Rainshower SmartActive 130 (26 574)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation (upper bracket adjustable
for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

* price on request

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Product no.	Colour	RRP (€) incl. VAT





27 966 001 **chrome** **1,225.00**


Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection with one click
GROHE StarLight chrome finish
GROHE FastFixation upper bracket adjustable
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

27 968 001 **chrome** **1,225.00**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter

GROHE
RAINSHOWER SYSTEM

Product no.	Colour	RRP (€) incl. VAT






27 174 001 **chrome** **1,408.00**

Rainshower System 400
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 400 head shower (28 778 000)
material: metal
with ball joint rotation angle ± 20°
hand shower Sena Stick (28 034 000)
adjustable in height with gliding element (12 140 000)
shower hose, 1.750 mm
1/2" x 1/2" (28 025)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.





27 058 000 **chrome** **781.00**


Rainshower System 210
Shower system with diverter
for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
with ball joint rotation angle ± 15°
Sena hand shower (28 034 000)
adjustable in height with gliding element (12 140 000)
metal shower hose 1750 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
minimum flow rate 7 l/min.

* price on request

GROHE
EUPHORIA SMARTCONTROL SYSTEM

Product no.	Colour	RRP (€) incl. VAT






26 507 000	**chrome**	**1,156.00**
26 507 LS0	**moon white**	**1,335.00**
26 507 DC0	**supersteel**	**1,734.00**
26 507 GL0	**cool sunrise**	**1,965.00**
26 507 GN0	**brushed cool sunrise**	**2,081.00**
26 507 DA0	**warm sunset**	**1,965.00**
26 507 DL0	**brushed warm sunset**	**2,081.00**
26 507 A00	**hard graphite**	**1,965.00**
26 507 AL0	**brushed hard graphite**	**2,081.00**

Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






26 508 000	**chrome**	**1,156.00**
26 508 LS0	**moon white**	**1,335.00**
26 508 DC0	**supersteel**	**1,734.00**
26 508 GN0	**brushed cool sunrise**	**2,081.00**
26 508 DL0	**brushed warm sunset**	**2,081.00**
26 508 AL0	**brushed hard graphite**	**2,081.00**

Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
EUPHORIA SMARTCONTROL SYSTEM

Product no.	Colour	RRP (€) incl. VAT






26 608 000 **chrome** **1,099.00**

Euphoria SmartControl System 260 Mono
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath termostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
GROHE ProGrip with knurl structure





26 509 000 **chrome** **1,003.00**


Euphoria SmartControl System 260 Mono
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

* price on request

GROHE
EUPHORIA SMARTCONTROL SYSTEM

	Product no.	Colour	RRP (€) incl. VAT





26 510 000 **chrome** **1,168.00**


Euphoria SmartControl System 260 Mono
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath termostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.



14 079 XH0 **chrome/frosted granite** **20.00**

SmartControl
Caps exposed
consisting of:
3 caps with 3 different symbols
fits Euphoria SmartControl shower systems






48 497 000 **chrome** **248.00**

Shower system pipe for retrofitting
material: metal
15 cm longer
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507 and 26 508
GROHE StarLight chrome finish
not suitable for all other shower systems





48 498 000 **chrome** **116.00**


Shower system pipe for retrofitting
material: metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507, 26 508 and 26 509
GROHE StarLight chrome finish
not suitable for all other shower systems

GROHE
EUPHORIA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT

new






26 075 001 **chrome** 792.00

Euphoria System 310
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
spray pattern:
GROHE PureRain
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE MetalGrip ergonomically shaped metal handles
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)
professional edition

new





26 723 000 **chrome** 792.00

Euphoria System 310
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
spray pattern:
GROHE PureRain
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE MetalGrip ergonomically shaped metal handles
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)
professional edition


* price on request

GROHE
EUPHORIA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT

new






27 296 003 **chrome** **612.00**

Euphoria System 260
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE ProGrip with knurl structure
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow
rate reduction)
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)
professional edition

new





27 615 002 **chrome** **612.00**


Euphoria System 260
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE ProGrip with knurl structure
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow
rate reduction)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)
professional edition

GROHE
EUPHORIA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT

new






27 475 002 **chrome** **772.00**

Euphoria System 260
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow
rate reduction)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
professional edition

new





26 114 002 **chrome** **756.00**

Euphoria System 260
Shower system with bath thermostat for wall mounting
with short shower rail for installation in showers
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage (27 221 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
distance between thermostat and upper bracket: 1016 mm
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow
rate reduction)
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
professional edition


* price on request

GROHE
EUPHORIA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT

new






27 473 002 **chrome** **555.00**

Euphoria System 260
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Euphoria 260 (26 457)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition

new






23 061 003 **chrome** **586.00**

Euphoria System 260
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria Cosmopolitan Stick (27 400 000)
spray pattern:
Rain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition






26 362 LN1 **white** **36.00**

GROHE EasyReach tray
for Euphoria and Tempesta shower systems with thermostat
centre distance 150 mm

GROHE
EUPHORIA SYSTEM

Product no.	Colour	RRP (€) incl. VAT
26 075 DC0	**supersteel**	**1,313.00**
26 075 GL0	**cool sunrise**	**1,501.00**
26 075 GN0	**brushed cool sunrise**	**1,594.00**
26 075 DA0	**warm sunset**	**1,501.00**
26 075 DL0	**brushed warm sunset**	**1,594.00**
26 075 A00	**hard graphite**	**1,501.00**
26 075 AL0	**brushed hard graphite**	**1,594.00**






Euphoria System 310
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 metal head shower (27 477 000)
with ball joint rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)

26 087 000	**chrome**	**1,381.00**






Euphoria Cube System 230
Shower system with thermostatic mixer for wall mounting
consisting of:
shower arm, projection 400 mm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Allure head shower (27 479 000)
material: metal
spray pattern: Rain
with ball joint rotation angle ± 15°
hand shower Euphoria Cube (27 699)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 187 000	**chrome**	**875.00**






Euphoria System 230
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Allure 230 (27 479 000)
material: metal
spray pattern: Rain
with ball joint rotation angle ± 15°
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)

* price on request

GROHE
EUPHORIA SYSTEM

Product no.	Colour	RRP (€) incl. VAT






26 363 000 **chrome** **806.00**

Euphoria System 210
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
spray pattern: Rain
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (26 362 LN0)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h






27 964 000 **chrome** **781.00**

Euphoria System 210
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
with ball joint rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)







27 932 000 **chrome** **624.00**

Euphoria System 150
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria Cube 150 (27 705 000)
spray pattern: Rain
with ball joint rotation angle ± 12°
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)

GROHE
EUPHORIA SYSTEM

Product no.	Colour	RRP (€) incl. VAT






27 475 001 **chrome** **751.00**

Euphoria System 260
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.





23 058 003 **chrome** **781.00**


Euphoria Eurodisc Cosmopolitan System 210
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
with ball joint rotation angle ± 15°
hand shower Euphoria Cosmopolitan Stick (27 400 000)
spray pattern: Rain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

* price on request

GROHE
EUPHORIA SYSTEM

Product no.	Colour	RRP (€) incl. VAT






23 147 001 **chrome** **1,227.00**

Euphoria Cube System 230
Shower system with single lever mixer for wall mounting
consisting of:
shower arm, projection 400 mm
exposed single-lever shower mixer with diverter
allows change between:
Rainshower Allure 230 metal head shower (27 479)
with ball joint rotation angle ± 15°
hand shower Euphoria Cube Stick (27 698 000)
spray pattern: Rain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 35 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






27 421 002 **chrome** **479.00**

Euphoria System 260
Shower system with diverter
for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
change between hand and head shower
by diverter
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow
rate reduction)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar






27 696 000 **chrome** **766.00**


Euphoria Cube System 150
Shower system with diverter
for wall mounting
consisting of:
shower arm, projection 400 mm
head shower Euphoria Cube 152 mm x 152 mm
with ball joint rotation angle ± 20°
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
TEMPESTA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT

new






26 670 000 **chrome** **470.00**

Tempesta Cosmopolitan System 250
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Tempesta 250 (26 666)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)
professional edition

new





26 689 000 **chrome** **470.00**


Tempesta Cosmopolitan System 250 Cube
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)
professional edition

* price on request

GROHE
TEMPESTA SYSTEM

Product no.	Colour	RRP (€) incl. VAT







27 922 000 **chrome** **456.00**

Tempesta Cosmopolitan 160
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower 1 spray (28 232 000)
with ball joint rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)

new






26 672 000 **chrome** **609.00**


Tempesta Cosmopolitan System 250
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Tempesta 250 (26 666)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
professional edition

GROHE
TEMPESTA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT

new






26 691 000 **chrome** **609.00**

Tempesta Cosmopolitan System 250 Cube
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
professional edition





26 223 001 **chrome** **682.00**

Tempesta Cosmopolitan System 210
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
spray pattern: Rain
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.


* price on request

GROHE
TEMPESTA SYSTEM

Product no.	Colour	RRP (€) incl. VAT

new






26 673 000 **chrome** **428.00**

Tempesta Cosmopolitan System 250
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Tempesta 250 (26 666)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition

new






26 692 000 **chrome** **428.00**

Tempesta Cosmopolitan System 250 Cube
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition

GROHE
TEMPESTA SYSTEM

Product no.	Colour	RRP (€) incl. VAT






26 224 001 **chrome** **474.00**

Tempesta Cosmopolitan System 210
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Tempesta 210 (26 408)
spray pattern: Rain
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

new





26 674 000 **chrome** **567.00**

Tempesta Cosmopolitan System 250
Shower system with single lever bath mixer for wall mounting
with short shower rail for installation in showers
consisting of:
horizontal 355 mm shower arm
exposed single-lever bath mixer with diverter handle
allows change between:
head shower Tempesta 250 (26 666)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 575)
4 spray patterns:
GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition


* price on request

GROHE
TEMPESTA SYSTEM

Product no.	Colour	RRP (€) incl. VAT

new






26 693 000 **chrome** **567.00**

Tempesta Cosmopolitan System 250 Cube
Shower system with single lever bath mixer for wall mounting
with short shower rail for installation in showers
consisting of:
horizontal 355 mm shower arm
exposed single-lever bath mixer with diverter handle
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 575)
4 spray patterns:
GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition

new





26 675 000 **chrome** **270.00**


Tempesta Cosmopolitan System 250
Flex shower system with diverter for wall mounting
consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower,
head shower or head shower Eco setting
head shower Tempesta 250 (26 666)
2 spray patterns (via diverter):
Rain, SmartRain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 575)
4 spray patterns:
GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
adjustable in height with gliding element
distance between diverter and upper bracket: 920 mm
Relexaflex shower hose 1500 mm 1/2" x 1/2"
Relexaflex shower hose 500 mm 1/2" x 1/2"
flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 500 mm shower hose
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition

GROHE
TEMPESTA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT

new






26 694 000 **chrome** **270.00**

Tempesta Cosmopolitan System 250 Cube
Flex shower system with diverter for wall mounting
consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower,
head shower or head shower Eco setting
head shower Tempesta 250 Cube (26 685)
2 spray patterns (via diverter):
Rain, SmartRain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 575)
4 spray patterns:
GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
adjustable in height with gliding element
distance between diverter and upper bracket: 920 mm
Relexaflex shower hose 1500 mm 1/2" x 1/2"
Relexaflex shower hose 500 mm 1/2" x 1/2"
flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 500 mm shower hose
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition






26 381 001 **chrome** **261.00**

Tempesta System 210
Flex shower system with diverter for wall mounting
consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower,
head shower or head shower Eco setting
head shower Tempesta 210 (26 408)
2 spray patterns (via diverter):
Rain, SmartRain
chrome plated spray face
with ball joint
rotation angle ± 15°
hand shower Tempesta 100 (27 852)
spray pattern: Rain
adjustable in height with gliding element
distance between diverter and upper bracket: 620 mm
shower hose Relexaflex 1500 mm (28 151)
shower hose Relexaflex 1250 mm (28 150)
flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 1250 mm shower hose
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

* price on request


GROHE
SHOWER SYSTEM ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT

48 349 000 **chrome** **111.00**


Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish



48 350 000 **chrome** **135.00**


Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting
15 cm longer
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI


48 514 000 **chrome** **56.00**

Shower system pipe for retrofitting
for shower systems with plastic inner water guide
shower pipe for retrofitting
15 cm longer
than original shower system pipe
for bath/shower systems: 30 cm shorter than original pipe
suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE StarLight chrome finish

48 515 000 **chrome** **51.00**

Shower system pipe for retrofitting
for shower systems with plastic inner water guide
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
for bath/shower systems: 60 cm shorter than original pipe
suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE StarLight chrome finish


48 497 000 **chrome** **248.00**

Shower system pipe for retrofitting
material: metal
15 cm longer
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507 and 26 508
GROHE StarLight chrome finish
not suitable for all other shower systems

GROHE
SHOWER SYSTEM ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






48 498 000 **chrome** **116.00**

Shower system pipe for retrofitting
material: metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507, 26 508 and 26 509
GROHE StarLight chrome finish
not suitable for all other shower systems






48 053 000 **chrome** **81.00**

Shower system pipe for retrofitting
for shower systems with metal or plastic inner water guide
shower pipe for retrofitting
15 cm longer
than original shower system pipe
for bath/shower systems: 30 cm shorter than original pipe
suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE StarLight chrome finish






48 054 000 **chrome** **120.00**

Shower system pipe for retrofitting
for shower systems with metal or plastic inner water guide
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
for bath/shower systems: 60 cm shorter than original pipe
suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE StarLight chrome finish






14 014 000 **chrome** **57.00**

Rainshower
Shower arm for shower systems
material: metal
projection 340 mm
distance from wall 390 mm
connection thread 1/2"
GROHE StarLight chrome finish
suitable for all GROHE shower systems except SmartControl
suitable for all GROHE shower systems





14 047 000 **chrome** **57.00**


Rainshower
Shower arm for shower systems
material: metal
projection 340 mm
distance from wall 390 mm
connection thread 1/2"
GROHE StarLight chrome finish
suitable for all GROHE shower systems except SmartControl
suitable for GROHE shower systems
with short nippel, see TPI

* price on request


GROHE
SHOWER SYSTEM ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT
	**14 079 XH0**	**chrome/frosted granite**	**20.00**


SmartControl
Caps exposed
consisting of:
3 caps with 3 different symbols
fits Euphoria SmartControl shower systems

 	**26 362 LN1**	**white**	**36.00**


GROHE EasyReach tray
for Euphoria and Tempesta shower systems with thermostat
centre distance 150 mm

 	**27 180 000**	**chrome**	**46.00**

Rainshower
Compensation disc
for Rainshower systems 27 174, 27 175, 27 032,
27 058, 27 030, 27 038, 27 089, 27 031
GROHE StarLight chrome finish

 	**26 385 000**	**chrome**	**16.00**

Rainshower SmartControl
Compensation disc
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable

 	**27 933 000**	**chrome**	**101.00**

Euphoria Cube
Compensation disc
for Euphoria Cube shower systems (Cube brackets)
GROHE StarLight chrome finish

---


* price on request

GROHE
HEAD SHOWERS

Product no.	Colour	RRP (€) incl. VAT

new






26 801 000	**chrome**	**136.00**
26 801 DC0	**supersteel**	**191.00**
26 801 BE0	**polished nickel**	**218.00**
26 801 EN0	**brushed nickel**	**232.00**
26 801 GL0	**cool sunrise**	**218.00**
26 801 GN0	**brushed cool sunrise**	**232.00**
26 801 DA0	**warm sunset**	**218.00**
26 801 DL0	**brushed warm sunset**	**232.00**
26 801 A00	**hard graphite**	**218.00**
26 801 AL0	**brushed hard graphite**	**232.00**

Rainshower Aqua
Body spray round 2 spray
spray pattern:
PureRain, ActiveJet
including concealed body and compound seal
Ø 75 mm
pivoting range ± 15° rotatable
connection thread 1/2"
throw distance 600 mm
GROHE EcoJoy 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
min. recommended pressure 1.0 bar
not suitable for instantaneous heater

new





26 802 000	**chrome**	**136.00**
26 802 DC0	**supersteel**	**191.00**
26 802 GN0	**brushed cool sunrise**	**232.00**
26 802 DL0	**brushed warm sunset**	**232.00**
26 802 A00	**hard graphite**	**218.00**
26 802 AL0	**brushed hard graphite**	**232.00**


Rainshower Aqua
Body spray cube 2 spray
spray pattern:
PureRain, ActiveJet
including concealed body and compound seal
75 x 75 mm
pivoting range ± 15° rotatable
connection thread 1/2"
throw distance 600 mm
GROHE EcoJoy 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
min. recommended pressure 1.0 bar
not suitable for instantaneous heater

* price on request

GROHE
HEAD SHOWERS

Product no.	Colour	RRP (€) incl. VAT





26 254 000	**chrome**	**677.00**


Rainshower Duo 360
Head shower set 450 mm, 2 sprays
consisting of:
head shower Rainshower Duo 360, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain

26 254 LS0	**moon white**	**677.00**

ditto, head shower with white spray plate





26 450 000	**chrome**	**584.00**


Rainshower Mono 360
Head shower set 450 mm, 1 spray
consisting of:
head shower Rainshower Mono 360, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain

26 450 LS0	**moon white**	**584.00**

ditto, head shower with white spray plate






26 264 001		**123.00**

Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information





26 475 000	**chrome**	**553.00**
26 475 DC0	**supersteel**	**774.00**
26 475 GL0	**cool sunrise**	**885.00**
26 475 GN0	**brushed cool sunrise**	**940.00**
26 475 DA0	**warm sunset**	**885.00**
26 475 DL0	**brushed warm sunset**	**940.00**
26 475 A00	**hard graphite**	**885.00**
26 475 AL0	**brushed hard graphite**	**940.00**

Rainshower SmartActive 310
Head shower set 430 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 -
to be ordered separately


26 475 LS0	**moon white**	**726.00**

ditto, head shower with white spray plate

GROHE
HEAD SHOWERS

Product no.	Colour	RRP (€) incl. VAT






26 477 000	**chrome**	**553.00**
26 477 GL0	**cool sunrise**	**885.00**
26 477 GN0	**brushed cool sunrise**	**940.00**
26 477 DA0	**warm sunset**	**885.00**
26 477 DL0	**brushed warm sunset**	**940.00**
26 477 A00	**hard graphite**	**885.00**
26 477 AL0	**brushed hard graphite**	**940.00**

Rainshower SmartActive 310
Head shower set ceiling 142 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

26 477 LS0	**moon white**	**726.00**

ditto, head shower with white spray plate






26 479 000	**chrome**	**582.00**
26 479 GN0	**brushed cool sunrise**	**990.00**
26 479 DL0	**brushed warm sunset**	**990.00**
26 479 AL0	**brushed hard graphite**	**990.00**

Rainshower SmartActive 310 Cube
Head shower set 430 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

26 479 LS0	**moon white**	**756.00**

ditto, head shower with white spray plate





26 481 000	**chrome**	**582.00**
26 481 GN0	**brushed cool sunrise**	**990.00**
26 481 DL0	**brushed warm sunset**	**990.00**
26 481 AL0	**brushed hard graphite**	**990.00**

Rainshower SmartActive 310 Cube
Head shower set ceiling 142 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

26 481 LS0	**moon white**	**756.00**


ditto, head shower with white spray plate

* price on request

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






26 484 000 **115.00**

Rainshower
Universal rough-in box, 1/2"
for head shower set
26 475 / 26 477 / 26 479 / 26 481
2 inlets, 1/2"
installation depth 75-105 mm
connection unit in DR brass
stable build-in box and protective cover
leakproof housing
gasket
integrated flushing plug
GROHE EcoJoy 9.5 l/min flow limiter per each water way
without set for final installation

26 483 000 **115.00**
ditto, with non-restricted flow






26 640 000 **chrome** **658.00**

Rainshower SmartConnect 310
Head shower set 422 mm, 2 sprays
consisting of:
head shower Rainshower SmartConnect 310 (26 641)
spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
default spray type programmable
horizontal 422 mm shower arm (26 146)
with round escutcheon
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar






26 642 000 **chrome** **685.00**

Rainshower SmartConnect 310 Cube
Head shower set 422 mm, 2 sprays
consisting of:
head shower Rainshower SmartConnect 310 Cube (26 643)
spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
default spray type programmable
horizontal 422 mm shower arm (26 146)
with square escutcheon
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar

GROHE
HEAD SHOWERS

Product no.	Colour	RRP (€) incl. VAT






26 558 000	**chrome**	**397.00**

Rainshower Mono 310
Head shower set 422 mm, 1 spray
consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
Rainshower shower arm 422 mm (26 146 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 557 000	**chrome**	**397.00**
ditto, with non-restricted flow		






26 560 000	**chrome**	**397.00**

Rainshower Mono 310
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 559 000	**chrome**	**397.00**
ditto, with non-restricted flow		






26 564 000	**chrome**	**425.00**
26 564 GN0	**brushed cool sunrise**	**851.00**
26 564 DL0	**brushed warm sunset**	**851.00**
26 564 AL0	**brushed hard graphite**	**851.00**

Rainshower Mono 310 Cube
Head shower set 422 mm, 1 spray
consisting of:
head shower Rainshower 310
1 spray pattern:
GROHE PureRain
Rainshower shower arm 422 mm (26 145 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 563 000	**chrome**	**425.00**
ditto, with non-restricted flow		





26 566 000	**chrome**	**425.00**
26 566 GN0	**brushed cool sunrise**	**851.00**
26 566 DL0	**brushed warm sunset**	**851.00**
26 566 AL0	**brushed hard graphite**	**851.00**

Rainshower Mono 310 Cube
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower 310
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater


26 565 000	**chrome**	**425.00**
ditto, with non-restricted flow		

* price on request

GROHE
HEAD SHOWERS

Product no.	Colour	RRP (€) incl. VAT






26 256 000	**chrome**	**773.00**

Rainshower Cosmopolitan 400
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower Cosmopolitan 400 (28 778 000)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater






26 257 000	**chrome**	**561.00**

Rainshower 310
Head shower set 422 mm, 1 spray
consisting of:
Rainshower Cosmopolitan 310 head shower (27 477 000)
1 spray pattern:
Rain
Rainshower shower arm 422 mm (26 146 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater






26 066 000	**chrome**	**581.00**
26 066 DC0	**supersteel**	**814.00**
26 066 GL0	**cool sunrise**	**930.00**
26 066 GN0	**brushed cool sunrise**	**988.00**
26 066 DA0	**warm sunset**	**930.00**
26 066 DL0	**brushed warm sunset**	**988.00**
26 066 A00	**hard graphite**	**930.00**
26 066 AL0	**brushed hard graphite**	**988.00**

Rainshower Cosmopolitan 310
Head shower set 380 mm, 1 spray
consisting of:
head shower Rainshower Cosmopolitan 310 (27 478 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

26 056 000	**chrome**	**581.00**

ditto, with non-restricted flow






26 067 000	**chrome**	**581.00**
26 067 DC0	**supersteel**	**814.00**
26 067 GL0	**cool sunrise**	**930.00**
26 067 GN0	**brushed cool sunrise**	**988.00**
26 067 DA0	**warm sunset**	**930.00**
26 067 DL0	**brushed warm sunset**	**988.00**
26 067 A00	**hard graphite**	**930.00**
26 067 AL0	**brushed hard graphite**	**988.00**

Rainshower Cosmopolitan 310
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower Cosmopolitan 310 (27 478 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






26 259 000 **chrome** **499.00**

Rainshower F-Series 10" 254 x 254
Head shower set 422 mm, 1 spray
consisting of:
head shower Rainshower F-Series 10" (27 271 000)
1 spray pattern:
Rain
Rainshower shower arm square 422 mm (26 145 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater






26 070 000 **chrome** **516.00**

Rainshower F-Series 10" 254 x 254
Head shower set 275 mm, 1 spray
consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 275 mm (27 488 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

26 060 000 **chrome** **516.00**
ditto, with non-restricted flow






26 071 000 **chrome** **516.00**

Rainshower F-Series 10"
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






26 064 000 **chrome** **596.00**

Rainshower Allure 230
Head shower set 286 mm, 1 spray
consisting of:
head shower Rainshower Allure 230 (27 480 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

26 054 000 **chrome** **596.00**
ditto, with non-restricted flow





26 065 000 **chrome** **546.00**


Rainshower Allure 230
Head shower set ceiling 154 mm, 1 spray
consisting of:
head shower Rainshower Allure 230 (27 480 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower ceiling 154 mm (27 711 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

* price on request

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






26 171 000 **chrome** **448.00**

Rainshower Cosmopolitan 210
Head shower set 422 mm, 1 spray
consisting of:
Rainshower Cosmopolitan 210 metal head shower,
spray plate chrome (28 368 000)
1 spray pattern:
Rain
Rainshower shower arm 422 mm, escutcheon chrome (26 146)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
starting **at 0.5** bar flow pressure






26 052 000 **chrome** **419.00**

Rainshower Cosmopolitan 210
Head shower set 286 mm, 1 spray
consisting of:
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
1 spray pattern:
Rain
shower arm Rainshower 286 mm (28 576 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






26 063 000 **chrome** **419.00**

Rainshower Cosmopolitan 210
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower Cosmopolitan 210 (28 373 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






26 459 000 **chrome** **235.00**

Euphoria 260
Head shower set 380 mm, 3 sprays
consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 458 000 **chrome** **235.00**
ditto, with non-restricted flow





26 461 000 **chrome** **187.00**


Euphoria 260
Head shower set ceiling 142 mm, 3 sprays
consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 460 000 **chrome** **187.00**
ditto, with non-restricted flow

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






26 073 000 **chrome** **256.00**

Euphoria Cube 150
Head shower set 286 mm, 1 spray
consisting of:
head shower Euphoria Cube 150 (27 705 000)
1 spray pattern:
Rain
shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

---

new





26 663 000 **chrome** **220.00**


Tempesta 250
Head shower set 380 mm, 1 spray
consisting of:
head shower Tempesta 250 (26 662)
Rain
fully chrome plated surfaces
shower arm 380 mm (28 361)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 668 000 **chrome** **206.00**
ditto, but head shower with white rear cover

---

new





26 664 000 **chrome** **177.00**


Tempesta 250
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Tempesta 250 (26 662)
Rain
fully chrome plated surfaces
shower arm ceiling 142 mm (28 724)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 669 000 **chrome** **164.00**
ditto, but head shower with white rear cover

---

new





26 682 000 **chrome** **220.00**

Tempesta 250 Cube
Head shower set 380 mm, 1 spray
consisting of:
head shower Tempesta 250 Cube (26 681)
1 spray pattern:
Rain
fully chrome plated surfaces
shower arm 380 mm
with square escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 687 000 **chrome** **206.00**
ditto, but head shower with white rear cover


* price on request

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT

new






26 683 000	chrome	177.00

Tempesta 250 Cube
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Tempesta 250 Cube (26 681)
1 spray pattern:
Rain
fully chrome plated surfaces
shower arm ceiling 142 mm (27 485)
with square escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 688 000	chrome	164.00

ditto, but head shower with white rear cover






26 412 000	chrome	170.00

Tempesta 210
Head shower set 286 mm, 1 spray
consisting of:
head shower Tempesta 210 9.5 l/min (26 410)
1 spray pattern:
Rain
shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 411 000	chrome	170.00

ditto, with non-restricted flow






27 870 001	chrome	75.00

Tempesta 100
Head shower set 4 sprays
GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar






26 088 001	chrome	68.00

Tempesta 100
Head shower set 3 sprays
GROHE Rain O², Rain, Massage
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






27 869 001 **chrome** **81.00**

Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater





26 090 001 **chrome** **75.00**


Tempesta Cosmopolitan 100
Head shower set 3 sprays
GROHE Rain O², Rain, Massage
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

* price on request

GROHE
HEAD SHOWERS

Product no.	Colour	RRP (€) incl. VAT





26 373 001 **chrome** **24,601.00**


Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm (width) x 762 mm (height) x 145 mm (depth)
material: metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-lime system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish


requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl
3 x Grohtherm SmartControl (29 126 000)
3 x GROHE Rapido SmartBox (35 604 000)
1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++






26 376 001 **chrome** **2,337.00**

Rainshower F-Series 40"
Roughing-in set
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm (width) x 745 mm (height) x 152 mm (depth)
min. installation depth: 167 mm
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.






27 865 000 **chrome** **4,991.00**

Rainshower F-Series 20"
Ceiling shower with light, 1 spray
Rain
508 x 508 x 59 mm
material: metal
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






27 286 000 **chrome** **2,081.00**

Rainshower F-Series 20"
Ceiling shower 1 spray
Rain
508 x 508 mm
material: metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 939 001 **chrome** **3,388.00**


Rainshower F-Series 15"
Ceiling shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 17 mm (height) x 456 mm (depth)
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-lime system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: approx. 20 l/min
2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min
head shower has to be controlled by 4 outlets






27 938 001 **chrome** **3,388.00**

Rainshower F-Series 15"
Head shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 60 mm (height) x 677 mm (depth)
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-lime system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: approx. 20 l/min
2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min
requires rough-in set (26 042 000) – to be ordered separately
head shower has to be controlled by 4 outlets






26 042 000 **233.00**

Rainshower F-Series 15"
Roughing-in set
for use with Rainshower F-Series 15" Multi Spray head shower
max. installation depth: 91 mm
min. wall thickness: not less than 200 mm
minimum screw-in depth of stud bolts: 14 mm
1/2" connections





27 467 000 **chrome** **685.00**


Rainshower F-Series 10" 254 x 254
Ceiling shower 1 spray
Rain
254 x 254 mm
material: metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

* price on request

GROHE
HEAD SHOWERS

Product no.	Colour	RRP (€) incl. VAT






27 285 000	**chrome**	**500.00**

Rainshower F-Series 10"
Head shower 1 spray
Rain
254 x 254 mm
material: metal
ball joint ± 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

27 271 000	**chrome**	**500.00**

ditto, with non-restricted flow






27 251 000	**chrome**	**123.00**
27 251 GL0	**cool sunrise**	**196.00**
27 251 GN0	**brushed cool sunrise**	**208.00**
27 251 DA0	**warm sunset**	**196.00**
27 251 DL0	**brushed warm sunset**	**208.00**
27 251 A00	**hard graphite**	**196.00**
27 251 AL0	**brushed hard graphite**	**208.00**

Rainshower F-Series 5"
Side shower 1 spray
Normal spray
including concealed body
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-lime system







27 253 000	**chrome**	**189.00**

Rainshower F-Series 5"
Head shower 1 spray
Normal spray
wall mounted
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
connection thread 1/2" with pre-assembled
Teflon sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-lime system










26 641 000	**chrome**	**607.00**

Rainshower SmartConnect 310
Head shower 2 sprays
GROHE PureRain, ActiveRain
default spray type programmable
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar

GROHE
HEAD SHOWERS

Product no.	Colour	RRP (€) incl. VAT






26 643 000 **chrome** **635.00**

Rainshower SmartConnect 310 Cube
Head shower 2 sprays
GROHE PureRain, ActiveRain
default spray type programmable
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar






26 562 000 **chrome** **326.00**

Rainshower Mono 310
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 562 LS0 **moon white** **423.00**
ditto, head shower with white spray plate






26 561 000 **chrome** **326.00**
26 561 LS0 **moon white** **423.00**

Rainshower Mono 310
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater





26 568 000 **chrome** **354.00**

Rainshower Mono 310 Cube
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater


26 568 LS0 **moon white** **460.00**
ditto, head shower with white spray plate

* price on request

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






26 567 000	**chrome**	**354.00**
26 567 LS0	**moon white**	**460.00**

Rainshower Mono 310 Cube
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater






27 470 000	**chrome**	**519.00**

Rainshower Veris 300
Head shower 1 spray
Rain
300 x 150 mm
material: metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 863 000	**chrome**	**743.00**

Rainshower Allure 230
Ceiling shower 1 spray
Rain
230 x 230 mm
material: metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system







27 480 000	**chrome**	**532.00**

Rainshower Allure 230
Head shower 1 spray
Rain
230 x 230 mm
material: metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

27 479 000	**chrome**	**532.00**

ditto, with non-restricted flow






28 778 000	**chrome**	**716.00**

Rainshower Cosmopolitan 400
Head shower 1 spray
normal (wide) spray **starting at 0.5** bar
flow pressure
Ø 400 mm
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-lime system
this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






27 478 000 **chrome** **549.00**

Rainshower Cosmopolitan 310
Head shower 1 spray
Rain
Ø 310 mm
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

27 477 000 **chrome** **549.00**
ditto, with non-restricted flow






28 368 00E **chrome** **374.00**

Rainshower Cosmopolitan 210
Head shower 1 spray
Rain
starting **at 0.5** bar flow pressure
Ø 210 mm
material: metal
with ball joint
rotation angle ± 15°
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
This head shower should only be used in conjunction with shower arm 28 384, 28 497 or 28 576!

28 368 000 **chrome** **374.00**
ditto, with non-restricted flow





28 368 LS0 **moon white/chrome** **464.00**

Rainshower Cosmopolitan 210
Head shower 1 spray
Rain
spray plate white
Ø 210 mm
material: metal
with ball joint rotation angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-lime system







26 474 EN0 **brushed nickel** **675.00**




Rainshower Rustic 210
Head shower 1 spray
spray pattern: Rain
normal (wide) spray **starting at 0.5** bar flow pressure
Ø 210 mm
120 spray nozzles
brass
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE StarLight finish
SpeedClean anti-lime system

* price on request

GROHE
HEAD SHOWERS





	Product no.	Colour	RRP (€) incl. VAT
 	**27 974 000** **27 974 IG0**	**chrome** **chrome/gold**	**487.00** **633.00**
	Grandera 210 **Head shower 1 spray** Rain 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**28 308 000**	**chrome**	**155.00**
	Sena 75 **Head shower 1 spray** Normal spray sprayface: metal **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
	**26 456 000**	**chrome**	**141.00**
	Euphoria 260 **Head shower 3 sprays** Rain, SmartRain, Jet Ø 260 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 457 000 **ditto, with 9.5 l/min flow limiter**	**chrome**	**141.00**
	26 455 000 **ditto, with non-restricted flow**	**chrome**	**141.00**
 	**27 492 000**	**chrome**	**145.00**
	Euphoria Cosmopolitan 180 **Head shower 1 spray** Rain Ø 180 mm ball joint ± 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**28 233 000**	**chrome**	**93.00**
	Euphoria Cosmopolitan 160 **Head shower 1 spray** Rain ball joint ± 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system suitable for instantaneous heater		

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT
 	**27 705 000** **Euphoria Cube 150** **Head shower 1 spray** Rain 152 x 152 mm ball-joint, rotation angle ± 12° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**chrome**	**159.00**
new  	**26 662 000** **Tempesta 250** **Head shower 1 spray** Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater professional edition	**chrome**	**133.00**
	26 666 000 **ditto, but with white rear cover**	**chrome**	**120.00**
new  	**26 681 000** **Tempesta 250 Cube** **Head shower 1 spray** Rain 250 mm x 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater professional edition	**chrome**	**133.00**
	26 685 000 **ditto, but with white rear cover**	**chrome**	**120.00**
	**26 409 000** **Tempesta 210** **Head shower 1 spray** Rain Ø 210 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater	**chrome**	**96.00**
	26 410 000 **ditto, with 9.5 l/min flow limiter**	**chrome**	**96.00**
	26 408 000 **ditto, with non-restricted flow**	**chrome**	**96.00**

* price on request


GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT
 	**26 044 001** **27 606 001**	**chrome** **chrome**	**62.00** **62.00**
	Tempesta 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater max. flow rate 1.75 gpm (6.6 l/min) min. recommended pressure 1.0 bar **ditto, with 9.5 l/min flow limiter**		
 	**26 050 001**	**chrome**	**49.00**
	Tempesta 100 **Head shower 1 spray** Rain ball joint ± 15° rotatable **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater		
 	**27 591 001**	**chrome**	**68.00**
	Tempesta Cosmopolitan 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
	**26 051 001**	**chrome**	**55.00**
	Tempesta Cosmopolitan 100 **Head shower 1 spray** Rain ball joint ± 15° rotatable connection thread 1/2" **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater		
 	**28 002 000**	**chrome**	**211.00**
	Relexa 70 **Sports head shower 1 spray** low aerosol emission heavy, casted model theft proof connection thread 1/2" projection 58 mm flow limiter 9 l/min. and 12 l/min. **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system suicide-resisting design pipe union plug-in for wall connection		

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






26 146 000 **chrome** **94.00**

Rainshower
Shower arm 422 mm
material: metal
connection thread 1/2"
with round escutcheon, **GROHE StarLight** chrome finish






26 146 LS0 **moon white/chrome** **122.00**

Rainshower
Shower arm 422 mm
material: metal
connection thread 1/2"
with round escutcheon, white
suitable for all Rainshower head showers
GROHE StarLight chrome finish






28 982 000 **chrome** **148.00**

Rainshower
Shower arm 378 mm
material: metal
connection thread 1/2"






28 361 000 **chrome** **108.00**

Rainshower
Shower arm, 380 mm
material: metal
connection thread 1/2"
suitable for all Rainshower head showers
except Rainshower 400 mm
GROHE StarLight chrome finish

28 576 000 **chrome** **85.00**
ditto, projection 286 mm






26 145 000 **chrome** **94.00**

Rainshower
Shower arm 422 mm
material: metal
connection thread 1/2"
with square escutcheon
GROHE StarLight chrome finish





27 488 000 **chrome** **85.00**


Rainshower
Shower arm 275 mm
material: metal
connection thread 1/2"
with square escutcheon
GROHE StarLight chrome finish

* price on request

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






27 709 000 **chrome** **118.00**

Rainshower
Shower arm 286 mm
material: metal
connection thread 1/2"
GROHE StarLight chrome finish






28 497 000 **chrome** **75.00**

Rainshower
Shower arm ceiling 292 mm
material: metal
connection thread 1/2"
GROHE StarLight chrome finish

28 724 000 **chrome** **56.00**
28 724 LS0 **moon white/chrome** **83.00**
ditto, length 142 mm






27 484 000 **chrome** **74.00**

Rainshower
Shower arm ceiling 292 mm
material: metal
connection thread 1/2"
with square escutcheon
GROHE StarLight chrome finish

27 485 000 **chrome** **63.00**
ditto, length 142 mm






27 711 000 **chrome** **100.00**

Rainshower
Shower arm ceiling 154 mm
material: metal
connection thread 1/2"
GROHE StarLight chrome finish






27 986 000 **chrome** **110.00**
27 986 IG0 **chrome/gold** **143.00**

Rainshower Grandera
Shower arm 285 mm
projection 286 mm
material: metal
connection thread 1/2"
GROHE StarLight chrome finish

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






27 978 000 **chrome** **81.00**

Rainshower Grandera
Shower arm ceiling 142 mm
material: metal
connection thread 1/2"
GROHE StarLight chrome finish






27 406 000 **chrome** **49.00**

Relexa
Shower arm 218 mm
connection thread 1/2"
GROHE StarLight chrome finish






28 541 000 **chrome** **82.00**

Relexa
Shower arm 147 mm
connection thread 1/2"
GROHE StarLight chrome finish





28 429 000 **chrome** **46.00**

Relexa
Shower arm 55 mm
connection thread 1/2"
GROHE StarLight chrome finish




48 348 000 **chrome** **41.00**


Spray face
for SmartControl and head showers with
multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly key

* price on request


GROHE
SENA

	Product no.	Colour	RRP (€) incl. VAT
 	28 034 000	chrome	158.00


Sena Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

 	26 465 000	chrome	158.00
	26 465 DC0	supersteel	221.00
	26 465 BE0	polished nickel	253.00
	26 465 EN0	brushed nickel	269.00
	26 465 GL0	cool sunrise	253.00
	26 465 GN0	brushed cool sunrise	269.00
	26 465 DA0	warm sunset	253.00
	26 465 DL0	brushed warm sunset	269.00
	26 465 A00	hard graphite	253.00
	26 465 AL0	brushed hard graphite	269.00


Sena Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

 	28 348 000	chrome	277.00

Sena
Wall holder set 1 spray
material: metal
consisting of:
hand shower Sena Stick (28 034 000)
wall shower holder (28 690)
shower hose (28 151 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system


 	28 308 000	chrome	155.00

Sena 75
Head shower 1 spray
Normal spray
sprayface: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

 	28 690 000	chrome	118.00

Sena
Wall hand shower holder
not adjustable
material: metal
GROHE StarLight chrome finish

GROHE
SENA

	Product no.	Colour	RRP (€) incl. VAT
 	**28 389 000**	**chrome**	**40.00**


Sena
Adapter 1/2“ x 1/2“
material: metal
for use with hand shower holder or shower rail
GROHE StarLight chrome finish

* price on request

GROHE
RAINSHOWER SMARTACTIVE

Product no.	Colour	RRP (€) incl. VAT






26 574 000	**chrome**	**83.00**
26 574 DC0	**supersteel**	**125.00**
26 574 GL0	**cool sunrise**	**142.00**
26 574 GN0	**brushed cool sunrise**	**150.00**
26 574 DA0	**warm sunset**	**142.00**
26 574 DL0	**brushed warm sunset**	**150.00**
26 574 A00	**hard graphite**	**142.00**
26 574 AL0	**brushed hard graphite**	**150.00**

Rainshower SmartActive 130
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater

26 544 000	**chrome**	**83.00**
ditto, with non-restricted flow		






26 574 LS0	**moon white**	**83.00**

Rainshower SmartActive 130
Hand shower 3 sprays
spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater

26 544 LS0	**moon white**	**83.00**
ditto, with non-restricted flow		





26 575 000	**chrome**	**178.00**


Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater

26 546 000	**chrome**	**178.00**
ditto, with non-restricted flow		

GROHE
RAINSHOWER SMARTACTIVE

Product no.	Colour	RRP (€) incl. VAT






26 577 LS0 **moon white** **178.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 576 LS0 **moon white** **178.00**
ditto, with non-restricted flow






26 548 000 **chrome** **183.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 578 000 **chrome** **183.00**
ditto, with non-restricted flow









26 579 LS0 **moon white** **183.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater

26 578 LS0 **moon white** **183.00**
ditto, with non-restricted flow

* price on request


GROHE
RAINSHOWER SMARTACTIVE

	Product no.	Colour	RRP (€) incl. VAT
 	**26 581 000**	**chrome**	**117.00**
	Rainshower SmartActive 130 **Wall holder set 3 sprays** consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting suitable for instantaneous heater		
 	**26 581 LS0**	**moon white**	**117.00**
	Rainshower SmartActive 130 **Wall holder set 3 sprays** consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting suitable for instantaneous heater		
 	**26 580 000**	**chrome**	**138.00**
	Rainshower SmartActive 130 **Wall holder set 3 sprays** consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting suitable for instantaneous heater		
 	**26 580 LS0**	**moon white**	**138.00**
	Rainshower SmartActive 130 **Wall holder set 3 sprays** consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting suitable for instantaneous heater		

GROHE
RAINSHOWER SMARTACTIVE

Product no.	Colour	RRP (€) incl. VAT





26 582 000	**chrome**	**83.00**
26 582 DC0	**supersteel**	**125.00**
26 582 GN0	**brushed cool sunrise**	**150.00**
26 582 DL0	**brushed warm sunset**	**150.00**
26 582 AL0	**brushed hard graphite**	**150.00**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater


26 552 000	**chrome**	**85.00**

ditto, with GROHE EcoJoy 6.8 l/min flow limiter

26 550 000	**chrome**	**83.00**

ditto, with non-restricted flow






26 582 LS0	**moon white**	**83.00**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater

26 551 LS0	**moon white**	**83.00**

ditto, with non-restricted flow





26 584 000	**chrome**	**178.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater

26 585 000	**chrome**	**181.00**

ditto, with GROHE EcoJoy 6.8 l/min flow limiter

26 583 000	**chrome**	**178.00**


ditto, with non-restricted flow

* price on request

GROHE
RAINSHOWER SMARTACTIVE

Product no.	Colour	RRP (€) incl. VAT






26 584 LS0 **moon white** **178.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater






26 586 000 **chrome** **183.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater

26 587 000 **chrome** **183.00**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter






26 586 LS0 **moon white** **183.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater

26 587 LS0 **moon white** **183.00**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter






26 589 000 **chrome** **117.00**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater

GROHE
RAINSHOWER SMARTACTIVE

Product no.	Colour	RRP (€) incl. VAT






26 589 LS0 **moon white** **117.00**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater






26 588 000 **chrome** **138.00**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater






26 588 LS0 **moon white** **138.00**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater






26 590 000 **chrome** **105.00**

Rainshower SmartActive 150
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater

26 553 000 **chrome** **104.00**
ditto, with non-restricted flow





26 554 LS0 **moon white** **105.00**


Rainshower SmartActive 150
Hand shower 3 sprays
spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar

* price on request

GROHE
RAINSHOWER SMARTACTIVE

Product no.	Colour	RRP (€) incl. VAT






26 592 000 **chrome** **212.00**

Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater

26 591 000 **chrome** **211.00**
ditto, with non-restricted flow






26 592 LS0 **moon white** **212.00**

Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 554)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater





26 594 000 **chrome** **218.00**


Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater

26 593 000 **chrome** **217.00**
ditto, with non-restricted flow

GROHE
RAINSHOWER SMARTACTIVE

	Product no.	Colour	RRP (€) incl. VAT






26 594 LS0	**moon white**	**218.00**

Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 554)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater






26 602 000	**chrome**	**108.00**

Rainshower SmartActive
Shower rail, 600 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation Plus (adjustable distance between wall shower holders for adaption to existing drillings)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish





26 603 000	**chrome**	**113.00**
26 603 DC0	**supersteel**	**204.00**
26 603 BE0	**polished nickel**	**227.00**
26 603 EN0	**brushed nickel**	**250.00**
26 603 GL0	**cool sunrise**	**227.00**
26 603 GN0	**brushed cool sunrise**	**250.00**
26 603 DA0	**warm sunset**	**227.00**
26 603 DL0	**brushed warm sunset**	**250.00**
26 603 A00	**hard graphite**	**227.00**
26 603 AL0	**brushed hard graphite**	**250.00**


Rainshower SmartActive
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation Plus (adjustable distance between wall shower holders for adaption to existing drillings)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish

* price on request

GROHE
RAINSHOWER


	Product no.	Colour	RRP (€) incl. VAT






27 272 000 **chrome** **126.00**

Rainshower Solo 150
Hand shower 2 sprays
Rain, SmartRain
eco function (reduction of flow rate)
elbow adapter for the combination of
hand showers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 273 001 **chrome** **267.00**

Rainshower Solo 150
Shower rail set 2 sprays
consisting of:
hand shower Solo 150 (27 272 000)
shower rail, 900 mm (28 819 001)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between
brackets for adaption to existing drilling holes
SpeedClean anti-lime system

GROHE
RAINSHOWER

	Product no.	Colour	RRP (€) incl. VAT






27 274 000 **chrome** **126.00**

Rainshower Eco 120
Hand shower 2 sprays
Rain, SmartRain
eco function (reduction of flow rate)
elbow adapter for the combination of
hand showers with shower sets
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system





45 914 XE0 **gray night time** **14.00**


Compensation disc
for Relexa / Rainshower shower bars
28 819 / 28 797 / 27 136

* price on request

GROHE
RELEXA

Product no.	Colour	RRP (€) incl. VAT






28 002 000 **chrome** **211.00**

Relexa 70
Sports head shower 1 spray
low aerosol emission
heavy, casted model
theft proof
connection thread 1/2"
projection 58 mm
flow limiter 9 l/min. and 12 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suicide-resisting design
pipe union plug-in for wall connection

GROHE
EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT






27 222 000 **chrome** **68.00**

Euphoria 110 Champagne
Hand shower 3 sprays
Rain, Champagne spray, SmartRain
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-lime system






26 513 000 **chrome** **71.00**

Euphoria 110 Massage
Hand shower 3 sprays
spray face Ø 110 mm
Rain, Massage, SmartRain
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
spray plate white
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 239 001 **chrome** **71.00**

Euphoria 110 Massage
Hand shower 3 sprays
spray face Ø 110 mm
Rain, Massage, SmartRain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
spray plate white
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 221 001 **chrome** **65.00**
ditto, with non-restricted flow






27 239 000 **chrome** **65.00**

Euphoria 110 Massage
Hand shower 3 sprays
Rain, Massage, SmartRain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-lime system

27 221 000 **chrome** **58.00**
ditto, with non-restricted flow





27 238 000 **chrome** **50.00**

Euphoria 110 Duo
Hand shower 2 sprays
Rain, SmartRain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-lime system
min. recommended pressure 1.0 bar


27 220 000 **chrome** **47.00**
ditto, with non-restricted flow

* price on request

GROHE
EUPHORIA

Product no.	Colour	RRP (€) incl. VAT






27 265 00E **chrome** **34.00**

Euphoria 110 Mono
Hand shower 1 spray
Rain
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 265 000 **chrome** **34.00**
ditto, with non-restricted flow






27 232 001 **chrome** **121.00**

Euphoria 110 Champagne
Shower rail set 3 sprays
consisting of:
hand shower Champagne (27 222 000)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 243 001 **chrome** **112.00**

Euphoria 110 Massage
Shower rail set 3 sprays
consisting of:
hand shower Massage (27 239 000)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater

27 231 001 **chrome** **112.00**
ditto, with non-restricted flow





27 242 001 **chrome** **106.00**

Euphoria 110 Duo
Shower rail set 2 sprays
consisting of:
hand shower Euphoria 110 Duo (27 238)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar


27 230 001 **chrome** **106.00**
ditto, with non-restricted flow

* price on request

GROHE
EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT






27 266 00E **chrome** **93.00**

Euphoria 110 Mono
Shower rail set 1 spray
consisting of:
hand shower Euphoria Mono (27 265)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 266 001 **chrome** **93.00**
ditto, with non-restricted flow






27 227 001 **chrome** **129.00**

Euphoria 110 Champagne
Shower rail set 3 sprays
consisting of:
hand shower Champagne (27 222 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 226 001 **chrome** **120.00**
27 226 AL1 **brushed hard graphite** **203.00**

Euphoria 110 Massage
Shower rail set 3 sprays
consisting of:
hand shower Massage (27 221 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater





27 225 001 **chrome** **114.00**


Euphoria 110 Duo
Shower rail set 2 sprays
consisting of:
hand shower Duo (27 220 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater

* price on request

GROHE
EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT






27 267 001 **chrome** **101.00**

Euphoria 110 Mono
Shower rail set 1 spray
consisting of:
hand shower Mono (27 265 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 355 000 **chrome** **113.00**

Euphoria 110 Champagne
Wall holder set 3 sprays
consisting of:
hand shower Champagne (27 222 000)
wall shower holder 28 401
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 354 000 **chrome** **61.00**

Euphoria 110 Mono
Wall holder set 1 spray
consisting of:
hand shower Mono (27 265 000)
wall shower holder (27 056)
Silverflex shower hose 1250 mm (28 362)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar





26 459 000 **chrome** **235.00**


Euphoria 260
Head shower set 380 mm, 3 sprays
consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 458 000 **chrome** **235.00**
ditto, with non-restricted flow

GROHE
EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT





26 461 000	**chrome**	**187.00**

Euphoria 260
Head shower set ceiling 142 mm, 3 sprays
consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 460 000	**chrome**	**187.00**
ditto, with non-restricted flow		




26 456 000	**chrome**	**141.00**

Euphoria 260
Head shower 3 sprays
Rain, SmartRain, Jet
Ø 260 mm
ball joint ± 15° rotatable
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 457 000	**chrome**	**141.00**
ditto, with 9.5 l/min flow limiter		
26 455 000	**chrome**	**141.00**
ditto, with non-restricted flow		






27 499 000	**chrome**	**54.00**

Euphoria
Shower rail, 600 mm
with wall holders, glide element and swivel holder
GROHE FastFixation (upper bracket adjustable
for adaption to existing drilling holes)
GROHE StarLight chrome finish

27 500 000	**chrome**	**57.00**
ditto, 900 mm		






48 051 000		**9.00**

Compensation disc
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524





27 596 000		**7.00**


GROHE EasyReach tray
acrylic
for Tempesta and Euphoria
shower rails Ø 22 mm

* price on request

GROHE
EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT






27 400 000 **chrome** **53.00**

Euphoria Cosmopolitan Stick
Hand shower 1 spray
Normal spray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 367 000 **chrome** **53.00**
ditto, with non-restricted flow






27 368 000 **chrome** **190.00**

Euphoria Cosmopolitan Stick
Shower rail set 1 spray
consisting of:
hand shower 27 400 000
shower rail, 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
soap dish (27 206)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






26 404 000 **chrome** **81.00**

Euphoria Cosmopolitan Stick
Wall holder set 1 spray
with integrated wall union 1/2"
consisting of:
hand shower 27 400 000
shower outlet elbow 1/2" with
wall shower holder (28 679)
male thread
protected against backflow
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 369 000 **chrome** **83.00**

Euphoria Cosmopolitan Stick
Wall holder set 1 spray
consisting of:
hand shower 27 400 000
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater






27 492 000 **chrome** **145.00**

Euphoria Cosmopolitan 180
Head shower 1 spray
Rain
Ø 180 mm
ball joint ± 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

GROHE EUPHORIA

Product no.	Colour	RRP (€) incl. VAT





28 233 000	**chrome**	**93.00**

Euphoria Cosmopolitan 160
Head shower 1 spray
Rain
ball joint ± 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater






27 888 000	**chrome**	**104.00**
27 888 GN0	**brushed cool sunrise**	**176.00**
27 888 DL0	**brushed warm sunset**	**176.00**
27 888 AL0	**brushed hard graphite**	**176.00**

Euphoria Cube+ Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

27 884 001	**chrome**	**104.00**

ditto, with non-restricted flow






27 891 000	**chrome**	**277.00**

Euphoria Cube+ Stick
Shower rail set 1 spray
consisting of:
hand shower, metal (27 888 000)
shower rail 600 mm (27 892 000)
metal shower hose 1750 mm (28 025)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 889 000	**chrome**	**145.00**

Euphoria Cube+ Stick
Wall holder set 1 spray
consisting of:
hand shower, metal (27 888 000)
wall shower holder (27 706)
metal shower hose 1500 mm (28 417)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar









27 706 000	**chrome**	**35.00**

Allure Brilliant
Wall hand shower holder
not adjustable
material: metal
GROHE StarLight chrome finish

* price on request


GROHE EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT
 	**27 707 000**	**chrome**	**55.00**
	Allure Brilliant **Shower outlet elbow, 1/2"** male thread protected against backflow material: metal **GROHE StarLight** chrome finish		
 	**27 699 000**	**chrome**	**53.00**
	Euphoria Cube Stick **Hand shower 1 spray** Normal spray **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
	27 698 000	**chrome**	**53.00**
	ditto, with non-restricted flow		
 	**27 936 000**	**chrome**	**225.00**
	Euphoria Cube **Shower set** consisting of: hand shower (27 698 000) shower rail 600 mm (27 892 000) Silverflex shower hose 1750 mm (28 388 000) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**27 700 000**	**chrome**	**235.00**
	Euphoria Cube Stick **Shower rail set 1 spray** consisting of: hand shower (27 698 000) shower rail 900 mm (27 841) Silverflex shower hose 1750 mm (28 388 000) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Twistfree** to prevent hose from twisting min. recommended pressure 1.0 bar		
 	**26 405 000**	**chrome**	**105.00**
	Euphoria Cube Stick **Wall holder set 1 spray** with integrated wall union 1/2" consisting of: hand shower (27 699 000) shower outlet elbow 1/2" with wall shower holder (26 370) male thread protected against backflow Silverflex shower hose 1250 mm (28 362) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE StarLight** chrome finish **GROHE DreamSpray** perfect spray pattern **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		

GROHE
EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT






27 703 000 **chrome** **90.00**

Euphoria Cube Stick
Wall holder set 1 spray
consisting of:
hand shower (27 699 000)
wall shower holder (27 693 000)
Silverflex shower hose 1250 mm (28 362)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
min. recommended pressure 1.0 bar

27 702 000 **chrome** **90.00**
ditto, with non-restricted flow






26 073 000 **chrome** **256.00**

Euphoria Cube 150
Head shower set 286 mm, 1 spray
consisting of:
head shower Euphoria Cube 150 (27 705 000)
1 spray pattern:
Rain
shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 705 000 **chrome** **159.00**

Euphoria Cube 150
Head shower 1 spray
Rain
152 x 152 mm
ball-joint, rotation angle ± 12°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 892 000 **chrome** **207.00**

Euphoria Cube
Shower rail, 600 mm
with wall holders, glide element and swivel holder
GROHE StarLight chrome finish

27 841 000 **chrome** **218.00**
ditto, 900 mm










27 845 000 **11.00**

Euphoria Cube
Compensation disc
for Euphoria Cube shower bars 27 892 000 / 27 841 000
stackable

* price on request


GROHE
EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT
 	27 693 000	chrome	28.00
	Euphoria Cube **Wall hand shower holder** not adjustable **GROHE StarLight** chrome finish		
 	27 704 000	chrome	32.00
	Euphoria Cube **Shower outlet elbow, 1/2"** male thread protected against backflow **GROHE StarLight** chrome finish		
 	26 370 000	chrome	43.00
	26 370 GN0	brushed cool sunrise	73.00
	26 370 DL0	brushed warm sunset	73.00
	26 370 AL0	brushed hard graphite	73.00
	Euphoria Cube **Shower outlet elbow, 1/2"** with wall shower holder male thread protected against backflow **GROHE StarLight** chrome finish		
 	27 709 000	chrome	118.00
	Rainshower **Shower arm 286 mm** material: metal connection thread 1/2" **GROHE StarLight** chrome finish		
 	27 711 000	chrome	100.00
	Rainshower **Shower arm ceiling 154 mm** material: metal connection thread 1/2" **GROHE StarLight** chrome finish		

GROHE TEMPESTA

Product no.	Colour	RRP (€) incl. VAT






27 575 002	**chrome**	**49.00**

Tempesta Cosmopolitan 100
Hand shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

27 573 002	**chrome**	**49.00**
ditto, with non-restricted flow		






27 574 002	**chrome**	**37.00**

Tempesta Cosmopolitan 100
Hand shower 3 sprays
GROHE Rain O², Rain, Massage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

27 572 002	**chrome**	**37.00**
ditto, with non-restricted flow		






27 571 20E	**chrome**	**29.00**

Tempesta Cosmopolitan 100
Hand shower 2 sprays
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 046 002	**chrome**	**29.00**
ditto, with 6.6 l/min flow llimiter		
27 571 002	**chrome**	**29.00**
ditto, with non-restricted flow		






26 082 002	**chrome**	**23.00**

Tempesta Cosmopolitan 100
Hand shower 1 spray
Rain
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
universal mounting system, fitting all standard shower hoses
min. recommended pressure 1.0 bar





27 577 002	**chrome**	**94.00**


Tempesta Cosmopolitan 100
Shower rail set 4 sprays
consisting of:
hand shower (27 575)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

* price on request

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






27 576 002 **chrome** **86.00**

Tempesta Cosmopolitan 100
Shower set 3 sprays
consisting of:
hand shower (27 574)
shower rail, 600 mm
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 929 002 **chrome** **86.00**
ditto, with non-restricted flow






27 928 002 **chrome** **76.00**

Tempesta Cosmopolitan 100
Shower rail set 2 sprays
consisting of:
hand shower (27 571)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar






26 083 002 **chrome** **68.00**

Tempesta Cosmopolitan 100
Shower rail set 1 spray
consisting of:
hand shower (26 082)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar









27 580 002 **chrome** **84.00**

Tempesta Cosmopolitan 100
Shower rail set 4 sprays
consisting of:
hand shower Tempesta Cosmopolitan 100 (27 575)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 787 002 **chrome** **84.00**
ditto, with non-restricted flow

GROHE TEMPESTA


	Product no.	Colour	RRP (€) incl. VAT
 	**27 579 002**	**chrome**	**75.00**
	Tempesta Cosmopolitan 100 **Shower rail set 3 sprays** consisting of: hand shower (27 574) shower rail, 600 mm (27 521) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 786 002	**chrome**	**75.00**
	ditto, with non-restricted flow		
 	**27 578 20E**	**chrome**	**65.00**
	Tempesta Cosmopolitan 100 **Shower rail set 2 sprays** consisting of: hand shower Tempesta Cosmopolitan 100 (27 571 20E) shower rail, 600 mm (27 521) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 076 002	**chrome**	**65.00**
	ditto, with 6.6 l/min flow limiter		
	27 578 002	**chrome**	**65.00**
	ditto, with non-restricted flow		
 	**27 790 002**	**chrome**	**91.00**
	Tempesta Cosmopolitan 100 **Shower rail set 4 sprays** consisting of: hand shower (27 573) shower rail, 900 mm (27 522) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 789 002**	**chrome**	**82.00**
	Tempesta Cosmopolitan 100 **Shower rail set 3 sprays** consisting of: hand shower (27 572) shower rail, 900 mm (27 522) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		

* price on request

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






27 788 002 **chrome** **72.00**

Tempesta Cosmopolitan 100
Shower rail set 2 sprays
consisting of:
hand shower (27 571)
shower rail, 900 mm (27 522)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 584 002 **chrome** **56.00**

Tempesta Cosmopolitan 100
Shower set 3 sprays
consisting of:
hand shower (27 574)
wall shower holder adjustable (27 595)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 588 002 **chrome** **52.00**

Tempesta Cosmopolitan 100
Wall holder set 3 sprays
consisting of:
hand shower (27 574)
wall shower holder non-adjustable (27 594)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system






26 084 002 **chrome** **37.00**

Tempesta Cosmopolitan 100
Wall holder set 1 spray
consisting of:
hand shower (26 082)
wall shower holder non-adjustable (27 594)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 869 001 **chrome** **81.00**

Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O^2, Rain, Massage, Jet
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






26 090 001 **chrome** **75.00**

Tempesta Cosmopolitan 100
Head shower set 3 sprays
GROHE Rain O², Rain, Massage
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater





27 591 001 **chrome** **68.00**


Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system



26 051 001 **chrome** **55.00**

Tempesta Cosmopolitan 100
Head shower 1 spray
Rain
ball joint ± 15° rotatable
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater






27 521 000 **chrome** **55.00**

Tempesta Cosmopolitan
Shower rail, 600 mm
with wall brackets, glider and swivel holder
GROHE StarLight chrome finish

27 522 000 **chrome** **59.00**
ditto, 900 mm






48 051 000 **9.00**

Compensation disc
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524





27 596 000 **7.00**


GROHE EasyReach tray
acrylic
for Tempesta and Euphoria
shower rails Ø 22 mm

* price on request

GROHE
TEMPESTA





Product no.	Colour	RRP (€) incl. VAT
27 594 000	**chrome**	**14.00**









Tempesta Cosmopolitan
Wall hand shower holder
not adjustable
GROHE StarLight chrome finish

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT
 	**28 421 002**	**chrome**	**45.00**
	Tempesta 100 **Hand shower 4 sprays** GROHE Rain O², Rain, Massage, Jet **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **ShockProof** silicone ring prevents damages caused by shower falling		
	28 578 002	**chrome**	**45.00**
	ditto, with non-restricted flow		
 	**28 419 002**	**chrome**	**33.00**
	Tempesta 100 **Hand shower 3 sprays** GROHE Rain O², Rain, Massage **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **ShockProof** silicone ring prevents damages caused by shower falling		
	28 261 002	**chrome**	**33.00**
	ditto, with non-restricted flow		
 	**27 597 10E**	**chrome**	**25.00**
	Tempesta 100 **Hand shower 2 sprays** Rain, Jet **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
	26 161 001	**chrome**	**25.00**
	ditto, with 9.5 l/min flow limiter		
	27 597 001	**chrome**	**25.00**
	ditto, with non-restricted flow		
 	**27 923 001**	**chrome**	**20.00**
	Tempesta 100 **Hand shower 1 spray** Rain **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **ShockProof** silicone ring prevents damages caused by shower falling		
	27 852 001	**chrome**	**20.00**
	ditto, with non-restricted flow		

* price on request

GROHE TEMPESTA


	Product no.	Colour	RRP (€) incl. VAT
 	28 436 002	chrome	85.00
Tempesta 100 **Shower rail set 4 sprays** consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EasyReach** tray (27 596) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater			
	28 593 002	chrome	85.00
ditto, with non-restricted flow			
 	27 600 001	chrome	78.00
Tempesta 100 **Shower rail set 3 sprays** consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EasyReach** tray (27 596) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar			
	27 927 001	chrome	78.00
ditto, with non-restricted flow			
 	27 926 001	chrome	69.00
Tempesta 100 **Shower rail set 2 sprays** consisting of: hand shower Tempesta 100 II (27 597) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EasyReach** tray (27 596) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater			
 	27 645 001	chrome	76.00
Tempesta 100 **Shower rail set 4 sprays** consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar			
	27 795 001	chrome	76.00
ditto, with non-restricted flow			

* price on request

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






27 644 001 **chrome** **69.00**

Tempesta 100
Shower rail set 3 sprays
consisting of:
hand shower (28 419)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 794 001 **chrome** **69.00**
ditto, with non-restricted flow






26 803 000 **chrome** **89.00**

Tempesta 100
Shower rail set 2 sprays
Cradle to Cradle Certified Gold
consisting of:
hand shower Tempesta 100 II 5.7 l/min
shower rail, 600 mm (27 523)
metal shower hose 1750 mm 1/2" x 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 598 10E **chrome** **60.00**

Tempesta 100
Shower rail set 2 sprays
consisting of:
hand shower Tempesta 100 II 5.7 l/min (27 597)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 598 001 **chrome** **60.00**
ditto, with non-restricted flow









27 924 001 **chrome** **50.00**

Tempesta 100
Shower rail set 1 spray
consisting of:
hand shower (27 923)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
ShockProof silicone ring prevents damages caused by shower falling





27 853 001 **chrome** **50.00**
ditto, with non-restricted flow

* price on request

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT
 	**28 789 002** **Tempesta 100** **Shower rail set 3 sprays** consisting of: hand shower (28 419) shower rail, 900 mm (27 524) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **ShockProof** silicone ring prevents damages caused by shower falling	**chrome**	**76.00**
	27 796 001 **ditto, with non-restricted flow**	**chrome**	**76.00**
 	**27 646 10E** **Tempesta 100** **Shower rail set 2 sprays** consisting of: hand shower Tempesta 100 II (27 597) shower rail, 900 mm (27 524) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater	**chrome**	**67.00**
	26 163 001 **ditto, with 9.5 l/min flow limiter**	**chrome**	**66.00**
	27 646 001 **ditto, with non-restricted flow**	**chrome**	**67.00**
 	**27 925 001** **Tempesta 100** **Shower rail set 1 spray** consisting of: hand shower (27 923) shower rail, 900 mm (27 524) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **ShockProof** silicone ring prevents damages caused by shower falling	**chrome**	**56.00**
	27 854 001 **ditto, with non-restricted flow**	**chrome**	**56.00**
 	**27 601 10E** **Tempesta 100** **Wall holder set 2 sprays** consisting of: hand shower Tempesta 100 II (27 597) wall shower holder adjustable (27 595) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**43.00**

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT
 	**27 849 001**	**chrome**	**49.00**
	Tempesta 100 **Wall holder set 3 sprays** consisting of: hand shower (28 261) wall shower holder (28 605) not adjustable Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**27 803 10E**	**chrome**	**39.00**
	Tempesta 100 **Wall holder set 2 sprays** consisting of: hand shower Tempesta 100 II (27 597) wall shower holder (28 605) not adjustable Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**27 798 10E**	**chrome**	**37.00**
	Tempesta 100 **Wall holder set 2 sprays** consisting of: hand shower Tempesta 100 II (27 597) wall shower holder (28 605) not adjustable Relexaflex hose 1250 mm 1/2" x 1/2" (28 150) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 164 001	**chrome**	**37.00**
	ditto, with 9.5 l/min flow limiter		
	27 799 001	**chrome**	**37.00**
	ditto, with non-restricted flow		
 	**26 406 001**	**chrome**	**54.00**
	Tempesta 100 **Wall holder set 2 sprays** with integrated wall union 1/2" consisting of: hand shower Tempesta 100 II (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		


* price on request

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT

new





26 663 000	chrome	220.00


Tempesta 250
Head shower set 380 mm, 1 spray
consisting of:
head shower Tempesta 250 (26 662)
Rain
fully chrome plated surfaces
shower arm 380 mm (28 361)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 668 000	chrome	206.00

ditto, but head shower with white rear cover

new






26 682 000	chrome	220.00

Tempesta 250 Cube
Head shower set 380 mm, 1 spray
consisting of:
head shower Tempesta 250 Cube (26 681)
1 spray pattern:
Rain
fully chrome plated surfaces
shower arm 380 mm
with square escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 687 000	chrome	206.00

ditto, but head shower with white rear cover






26 412 000	chrome	170.00

Tempesta 210
Head shower set 286 mm, 1 spray
consisting of:
head shower Tempesta 210 9.5 l/min (26 410)
1 spray pattern:
Rain
shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 411 000	chrome	170.00

ditto, with non-restricted flow






27 870 001	chrome	75.00

Tempesta 100
Head shower set 4 sprays
GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






26 088 001 **chrome** **68.00**

Tempesta 100
Head shower set 3 sprays
GROHE Rain O², Rain, Massage
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

---

new





26 664 000 **chrome** **177.00**


Tempesta 250
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Tempesta 250 (26 662)
Rain
fully chrome plated surfaces
shower arm ceiling 142 mm (28 724)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 669 000 **chrome** **164.00**
ditto, but head shower with white rear cover

---

new






26 683 000 **chrome** **177.00**

Tempesta 250 Cube
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Tempesta 250 Cube (26 681)
1 spray pattern:
Rain
fully chrome plated surfaces
shower arm ceiling 142 mm (27 485)
with square escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 688 000 **chrome** **164.00**
ditto, but head shower with white rear cover





26 414 000 **chrome** **144.00**

Tempesta 210
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Tempesta 210 9.5 l/min (26 410)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater


26 413 000 **chrome** **144.00**
ditto, with non-restricted flow

* price on request

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT
new	26 662 000	chrome	133.00






Tempesta 250
Head shower 1 spray
Rain
Ø 250 mm
fully chrome plated surfaces
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 666 000	chrome	120.00
ditto, but with white rear cover		

new	26 681 000	chrome	133.00





Tempesta 250 Cube
Head shower 1 spray
Rain
250 mm x 250 mm
fully chrome plated surfaces
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 685 000	chrome	120.00
ditto, but with white rear cover		

26 409 000	chrome	96.00




Tempesta 210
Head shower 1 spray
Rain
Ø 210 mm
ball joint ± 15° rotatable
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 410 000	chrome	96.00
ditto, with 9.5 l/min flow limiter		
26 408 000	chrome	96.00
ditto, with non-restricted flow		

26 044 001	chrome	62.00





Tempesta 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
max. flow rate 1.75 gpm (6.6 l/min)
min. recommended pressure 1.0 bar


27 606 001	chrome	62.00
ditto, with 9.5 l/min flow limiter		

* price on request

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






26 050 001 **chrome** 49.00

Tempesta 100
Head shower 1 spray
Rain
ball joint ± 15° rotatable
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater






27 523 000 **chrome** 51.00

Tempesta
Shower rail, 600 mm
with wall brackets, glider and swivel holder
GROHE StarLight chrome finish

27 524 000 **chrome** 55.00
ditto, 900 mm






48 051 000 9.00

Compensation disc
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524






27 596 000 7.00

GROHE EasyReach tray
acrylic
for Tempesta and Euphoria
shower rails Ø 22 mm






27 595 000 **chrome** 21.00

Tempesta
Wall hand shower holder
adjustable
GROHE StarLight chrome finish





28 605 000 **chrome** 16.00


Relexa
Wall hand shower holder
not adjustable
GROHE StarLight chrome finish

* price on request

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






27 406 000 **chrome** 49.00

Relexa
Shower arm 218 mm
connection thread 1/2"
GROHE StarLight chrome finish






28 541 000 **chrome** 82.00

Relexa
Shower arm 147 mm
connection thread 1/2"
GROHE StarLight chrome finish






28 429 000 **chrome** 46.00

Relexa
Shower arm 55 mm
connection thread 1/2"
GROHE StarLight chrome finish






27 519 000 **chrome** 59.00

Tempesta Rustic
Shower rail, 600 mm
with wall brackets, glider and swivel holder
GROHE StarLight chrome finish

GROHE
SENA TRIGGER SPRAYS

	Product no.	Colour	RRP (€) incl. VAT






26 328 000 **chrome** **78.00**

Sena Trigger Spray 35
Hand shower 1 spray
with trigger control
material: metal
GROHE StarLight chrome finish
SpeedClean anti-lime system
Please refer to local norms regarding installation.






26 332 000 **chrome** **194.00**

Sena Trigger Spray 35
Wall holder set with self-closing angle valve, 1 spray
consisting of:
hand shower with trigger control (26 328)
valve with integrated shower holder (26 333)
Silverflex Longlife shower hose 1250 mm (26 335)
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
Please refer to local norms regarding installation.

26 329 000 **chrome** **191.00**
ditto, hose 1000 mm










26 333 000 **chrome** **94.00**

Valve
with wall shower holder
escutcheon
connection thread 1/2"
GROHE StarLight chrome finish
Please refer to local norms regarding installation.

* price on request


GROHE
TEMPESTA-F TRIGGER SPRAYS

	Product no.	Colour	RRP (€) incl. VAT
 	**27 512 001**	**chrome**	**22.00**
	Tempesta-F Trigger Spray 30 **Hand shower 1 spray** with trigger control **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life universal mounting system, fitting all standard shower hoses Please refer to local norms regarding installation.		
 	**28 020 L01**	**white**	**15.00**
	Tempesta-F Trigger Spray 30 **Hand shower 1 spray** with trigger control **GROHE StarLight** finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life universal mounting system, fitting all standard shower hoses Please refer to local norms regarding installation.		
 	**26 353 000**	**chrome**	**40.00**
	Tempesta-F Trigger Spray 30 **Wall holder set 1 spray** consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting Please refer to local norms regarding installation.		
	27 513 001	**chrome**	**38.00**
	ditto, with 1250 mm hose		
	26 352 000	**chrome**	**36.00**
	ditto, with 1000 mm hose		
 	**26 354 000**	**chrome**	**45.00**
	Tempesta-F Trigger Spray 30 **Wall holder set 1 spray** consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) metal shower hose 1250 mm **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life Please refer to local norms regarding installation. Relexaflex Metal Longlife shower hose 1250 mm		
 	**27 812 IL1**	**chrome/white**	**32.00**
	Tempesta-F Trigger Spray 30 **Wall holder set 1 spray** consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) Silverflex Longlife shower hose 1250 mm (26 335) **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting Please refer to local norms regarding installation.		
	26 355 IL0	**chrome/white**	**30.00**
	ditto, with 1000 mm hose		

GROHE
TEMPESTA-F TRIGGER SPRAYS

	Product no.	Colour	RRP (€) incl. VAT






26 356 IL0 **chrome/white** **35.00**

Tempesta-F Trigger Spray 30
Wall holder set 1 spray
consisting of:
hand shower with trigger control
wall shower holder (28 605)
Relexaflex Metal Longlife shower hose 1250 mm
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
min. recommended pressure 1.0 bar
Please refer to local norms regarding installation.






26 357 000 **chrome** **80.00**

Tempesta-F Trigger Spray 30
Wall holder set with angle valve 1 spray
consisting of:
hand shower with trigger control (27 512 001)
wall shower holder (28 605)
Silverflex Longlife shower hose 1500 mm (26 346)
angle valve 1/2" (22 958)
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
min. recommended pressure 1.0 bar
Please refer to local norms regarding installation.

27 514 001 **chrome** **78.00**
ditto, with 1250 mm hose





26 358 000 **chrome** **123.00**


Tempesta-F Trigger Spray 30
Wall holder set with self-closing angle valve, 1 spray
consisting of:
hand shower with trigger control (27 512 001)
valve with integrated shower holder (26 333)
Silverflex Longlife shower hose 1000 mm (26 334)
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
Please refer to local norms regarding installation.

* price on request

GROHE
SHOWER HOSES

Product no.	Colour	RRP (€) incl. VAT






28 025 000	**chrome**	**39.00**

Rotaflex Metal Longlife
Metal shower hose Twistfree 1750
1750 mm
material: metal
strengthened model
tensile strength 500 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
Universal connection G 1/2" x 1/2"
rotation cone for **Twistfree**-function
GROHE StarLight chrome finish
blister packaging

28 417 000	**chrome**	**36.00**
28 417 EN0	**brushed nickel**	**61.00**

ditto, 1500 mm





28 145 000	**chrome**	**40.00**

Relexaflex Metal Longlife
Metal shower hose 2000
2000 mm
material: metal
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
Universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging


28 143 000	**chrome**	**33.00**
28 143 LS0	**moon white**	**44.00**
28 143 KS0	**velvet black**	**44.00**

ditto, 1500 mm

28 142 000	**chrome**	**30.00**

ditto, 1250 mm





28 140 000	**chrome**	**34.00**

Relexaflex Metal
Metal shower hose 2000
2000 mm
material: metal
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
Universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 139 000	**chrome**	**31.00**

ditto, 1750 mm


28 105 000	**chrome**	**27.00**

ditto, 1500 mm

GROHE
SHOWER HOSES

Product no.	Colour	RRP (€) incl. VAT





26 346 000	**chrome**	**31.00**

Silverflex Longlife
Shower hose Twistfree 1500
1500 mm
smooth surface for easy cleaning
Longlife
strengthened model
tensile strength 500 N
pressure resistance up to 12 bar
heat resistance 75°C
AntiFold bendproof
Universal connection G 1/2" x 1/2"
rotation cone for **Twistfree**-function
GROHE StarLight chrome finish
blister packaging

26 335 000	**chrome**	**28.00**
ditto, 1250 mm		
26 334 000	**chrome**	**25.00**
ditto, 1000 mm		






28 388 000	**chrome**	**27.00**
28 388 DC0	**supersteel**	**38.00**
28 388 GL0	**cool sunrise**	**44.00**
28 388 DA0	**warm sunset**	**44.00**
28 388 A00	**hard graphite**	**44.00**

Silverflex
Shower hose Twistfree 1750
1750 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
Universal connection G 1/2" x 1/2"
rotation cone for **Twistfree**-function
blister packaging

28 364 000	**chrome**	**24.00**
ditto, 1500 mm		
28 362 000	**chrome**	**21.00**
28 362 DC0	**supersteel**	**30.00**
28 362 GL0	**cool sunrise**	**34.00**
28 362 DA0	**warm sunset**	**34.00**
28 362 A00	**hard graphite**	**34.00**
ditto, 1250 mm		







28 413 001	**chrome**	**24.00**

Rotaflex
Shower hose Twistfree 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
Universal connection G 1/2" x 1/2"
rotation cone for **Twistfree**-function
GROHE StarLight chrome finish
blister packaging






28 410 001	**chrome**	**21.00**
ditto, 1750 mm		
28 409 001	**chrome**	**18.00**
ditto, 1500 mm		

* price on request

GROHE
SHOWER HOSES

	Product no.	Colour	RRP (€) incl. VAT
 	**28 155 001** **Relexaflex** **Shower hose 2000** 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C **AntiFold** bendproof **Universal connection** G 1/2" x 1/2" **GROHE StarLight** chrome finish **blister packaging**	**chrome**	**21.00**
	28 154 001 **ditto, 1750 mm**	**chrome**	**18.00**
	28 151 001 **ditto, 1500 mm**	**chrome**	**16.00**
	28 150 001 **ditto, 1250 mm**	**chrome**	**13.00**
 	**28 158 000** **Metal shower hose** 2000 mm for bath rim, installation under tiled surround and shower sets **GROHE StarLight** chrome finish	**chrome**	**47.00**

GROHE
SHOWER ACCESSORIES


		Product no.	Colour	RRP (€) incl. VAT
		27 055 000	chrome	48.00
		Rainshower **Wall hand shower holder** adjustable **GROHE StarLight** chrome finish		
		28 623 000	chrome	36.00
		Relexa **Wall hand shower holder** adjustable **GROHE StarLight** chrome finish		
		27 595 000	chrome	21.00
		Tempesta **Wall hand shower holder** adjustable **GROHE StarLight** chrome finish		
		28 690 000	chrome	118.00
		Sena **Wall hand shower holder** not adjustable material: metal **GROHE StarLight** chrome finish		
		27 056 000	chrome	32.00
		Rainshower **Wall hand shower holder** not adjustable without escutcheon **GROHE StarLight** chrome finish		

* price on request

GROHE
SHOWER ACCESSORIES


Product no.	Colour	RRP (€) incl. VAT






27 074 000	chrome	36.00
27 074 DC0	supersteel	50.00
27 074 LS0	moon white	47.00
27 074 BE0	polished nickel	58.00
27 074 EN0	brushed nickel	61.00
27 074 GL0	cool sunrise	58.00
27 074 GN0	brushed cool sunrise	61.00
27 074 DA0	warm sunset	58.00
27 074 DL0	brushed warm sunset	61.00
27 074 A00	hard graphite	58.00
27 074 AL0	brushed hard graphite	61.00

Rainshower
Wall hand shower holder
not adjustable
with round escutcheon
GROHE StarLight chrome finish






27 075 000	chrome	36.00
27 075 LS0	moon white	47.00

Rainshower
Wall hand shower holder
not adjustable
with square escutcheon
GROHE StarLight chrome finish






27 706 000	chrome	35.00

Allure Brilliant
Wall hand shower holder
not adjustable
material: metal
GROHE StarLight chrome finish






27 693 000	chrome	28.00

Euphoria Cube
Wall hand shower holder
not adjustable
GROHE StarLight chrome finish







28 622 000	chrome	18.00

Relexa
Wall hand shower holder
not adjustable
GROHE StarLight chrome finish

GROHE
SHOWER ACCESSORIES


	Product no.	Colour	RRP (€) incl. VAT
 	27 594 000	chrome	14.00
	Tempesta Cosmopolitan **Wall hand shower holder** not adjustable **GROHE StarLight** chrome finish		
 	28 605 000	chrome	16.00
	Relexa **Wall hand shower holder** not adjustable **GROHE StarLight** chrome finish		

* price on request

GROHE
SHOWER ACCESSORIES


	Product no.	Colour	RRP (€) incl. VAT






27 151 000	**chrome**	**107.00**

Lead-through for pull-out showers
for bath rim installation and under tiled surround
lead-through for shower hose
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The lead-through can be combined with all hand showers!
GROHE StarLight chrome finish






27 531 000	**chrome**	**134.00**

Lead-through for pull-out showers
for bath rim installation and under tiled surround
lead-through for shower hose
with square escutcheon
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The lead-through can be combined with all hand showers!
GROHE StarLight chrome finish






27 621 000	**chrome**	**346.00**

Grohtherm F
Wall shower union with integrated shower holder
vertical or horizontal installation
for use with rough-in box 35 034 000 (1/2" connection) / 35 035 (1/2" NPT connection)
sold separately
shower outlet 1/2"
protected against backflow






35 034 000		**233.00**

Grohtherm F
Rough-in box for wall shower union 27 621
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
1/2" connections
installation depth 70 - 95 mm






27 057 000	**chrome**	**56.00**
27 057 DC0	**supersteel**	**79.00**
27 057 LS0	**moon white/chrome**	**70.00**
27 057 GL0	**cool sunrise**	**90.00**
27 057 GN0	**brushed cool sunrise**	**96.00**
27 057 DA0	**warm sunset**	**90.00**
27 057 DL0	**brushed warm sunset**	**96.00**
27 057 A00	**hard graphite**	**90.00**
27 057 AL0	**brushed hard graphite**	**96.00**

Rainshower
Shower outlet elbow, 1/2"
male thread
with round escutcheon
protected against backflow
GROHE StarLight chrome finish

GROHE
SHOWER ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






27 076 000	**chrome**	**56.00**
27 076 LS0	**moon white**	**73.00**

Rainshower
Shower outlet elbow
male thread
with square escutcheon
protected against backflow
GROHE StarLight chrome finish






27 707 000	**chrome**	**55.00**


Allure Brilliant
Shower outlet elbow, 1/2"
male thread
protected against backflow
material: metal
GROHE StarLight chrome finish






27 704 000	**chrome**	**32.00**

Euphoria Cube
Shower outlet elbow, 1/2"
male thread
protected against backflow
GROHE StarLight chrome finish






26 370 000	**chrome**	**43.00**
26 370 GN0	**brushed cool sunrise**	**73.00**
26 370 DL0	**brushed warm sunset**	**73.00**
26 370 AL0	**brushed hard graphite**	**73.00**

Euphoria Cube
Shower outlet elbow, 1/2"
with wall shower holder
male thread
protected against backflow
GROHE StarLight chrome finish





28 671 000	**chrome**	**33.00**

Relexa
Shower outlet elbow, 1/2"
male thread
GROHE StarLight chrome finish

28 680 000	**chrome**	**47.00**

ditto, protected against backflow





28 672 000	**chrome**	**38.00**

Relexa
Shower outlet elbow, 1/2"
1/2" NPT female thread
GROHE StarLight chrome finish

* price on request


GROHE
SHOWER ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT
 	**28 626 000** **Relexa** **Shower outlet elbow, 1/2"** shower connection 1/2" male thread **GROHE StarLight** chrome finish with matt chrome cap	**chrome**	**33.00**
	28 678 000 **ditto, protected against backflow**	**chrome**	**39.00**
	28 636 000 **ditto, for IG combination**	**chrome**	**33.00**
 	**28 628 000** **Relexa** **Shower outlet elbow, 1/2"** with wall shower holder male thread **GROHE StarLight** chrome finish	**chrome**	**33.00**
	28 679 000 **ditto, protected against backflow**	**chrome**	**49.00**

GROHE
SHOWER ACCESSORIES

Product no.	Colour	RRP (€) incl. VAT






26 602 000	**chrome**	**108.00**

Rainshower SmartActive
Shower rail, 600 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation Plus (adjustable distance between wall shower holders for adaption to existing drillings)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish

26 603 000	**chrome**	**113.00**
26 603 DC0	**supersteel**	**204.00**
26 603 BE0	**polished nickel**	**227.00**
26 603 EN0	**brushed nickel**	**250.00**
26 603 GL0	**cool sunrise**	**227.00**
26 603 GN0	**brushed cool sunrise**	**250.00**
26 603 DA0	**warm sunset**	**227.00**
26 603 DL0	**brushed warm sunset**	**250.00**
26 603 A00	**hard graphite**	**227.00**
26 603 AL0	**brushed hard graphite**	**250.00**

ditto, 900 mm






28 620 000	**chrome**	**109.00**

Relexa
Shower rail, 600 mm
Ø 28 mm
with wall holders
glide element and swivel holder
angle of inclination adjustable by click stop device
height adjustment by click stop
GROHE StarLight chrome finish






28 621 000	**chrome**	**111.00**

Relexa
Shower rail, 1000 mm
Ø 28 mm
with wall holders
glide element and swivel holder
angle of inclination adjustable by click stop device
height adjustment by click stop
GROHE StarLight chrome finish






28 587 000	**chrome**	**195.00**

Relexa
Shower rail, 900 mm
with handle
handle can be mounted right or left handed
with wall brackets (3 pieces)
gliding element with metal sleeve
angle of inclination adjustable by click stop device
height adjustment by click stop
GROHE StarLight chrome finish





27 892 000	**chrome**	**207.00**







Euphoria Cube
Shower rail, 600 mm
with wall holders, glide element and swivel holder
GROHE StarLight chrome finish

27 841 000	**chrome**	**218.00**

ditto, 900 mm


* price on request

GROHE
SHOWER ACCESSORIES


	Product no.	Colour	RRP (€) incl. VAT
 	27 499 000 **Euphoria** **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE FastFixation** (upper bracket adjustable for adaption to existing drilling holes) **GROHE StarLight** chrome finish	chrome	54.00
	27 500 000 **ditto, 900 mm**	chrome	57.00
 	27 519 000 **Tempesta Rustic** **Shower rail, 600 mm** with wall brackets, glider and swivel holder **GROHE StarLight** chrome finish	chrome	59.00
 	27 521 000 **Tempesta Cosmopolitan** **Shower rail, 600 mm** with wall brackets, glider and swivel holder **GROHE StarLight** chrome finish	chrome	55.00
	27 522 000 **ditto, 900 mm**	chrome	59.00
 	27 523 000 **Tempesta** **Shower rail, 600 mm** with wall brackets, glider and swivel holder **GROHE StarLight** chrome finish	chrome	51.00
	27 524 000 **ditto, 900 mm**	chrome	55.00
 	45 914 XE0 **Compensation disc** for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136	gray night time	14.00
 	45 459 000 **Compensation disc** for shower rail 28 620/28 621		10.00

* price on request


GROHE
SHOWER ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT
 	48 051 000		9.00


Compensation disc
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524

 	27 845 000		11.00


Euphoria Cube
Compensation disc
for Euphoria Cube shower bars 27 892 000 / 27 841 000
stackable

 	26 385 000	chrome	16.00


Rainshower SmartControl
Compensation disc
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable

 	28 856 000		37.00

Soap dish
acrylic, clear
for Relexa shower rails (28 820 and 28 666)
GROHE StarLight chrome finish

 	28 631 000		50.00







Relexa
Soap dish
for shower rail 28 620/28 621
GROHE StarLight chrome finish

 	27 206 000		21.00


Soap dish
transparent
surface in parts with eroded structure
for shower rail Ø 22 or 25 mm

* price on request


GROHE
SHOWER ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT
 	**27 596 000**		**7.00**
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm		
 	**28 708 000**	**chrome**	**95.00**
	Pipe clip for pillar shower, 1/2" with stone pin, with wooden screws **GROHE StarLight** chrome finish		
 	**28 389 000**	**chrome**	**40.00**
	Sena **Adapter 1/2" x 1/2"** material: metal for use with hand shower holder or shower rail **GROHE StarLight** chrome finish		
 	**28 812 000**	**black**	**8.00**
	Adapter 1/2" x 1/2" black (to combine hand showers of other manufacturers with Relexa shower rails)		
 	**28 813 000**	**white**	**7.00**
	Adapter 1/2" x 1/2" white (to combine hand showers of other manufacturers with Relexa shower rails)		
 	**28 635 XX0**	**dark grey**	**9.00**
	Relexa **Coupling piece** as replacement connector for new hand shower and hose each hand shower is equipped with a coupling piece		


GROHE
SHOWER ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT
 	**28 634 XX0**	**dark grey**	**30.00**


Relexa
Quick coupling
for combination with average showers
without integrated **Grohclick**
with new system
only in connection with coupling piece
(28 635/28 637)

 	**28 874 000**	**chrome**	**19.00**

T connection, 1/2"
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE StarLight chrome finish

 	**28 988 000**	**chrome**	**44.00**

Drain down valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish

 	**28 799 000**	**chrome**	**71.00**

Diverter
GROHE StarLight chrome finish

* price on request

GROHE
KITCHEN FITTINGS





CONTENTS


Water systems	GROHE Blue Red in one	390
	GROHE Blue Professional	392
	GROHE Blue Home	397
	GROHE Blue Pure	404
	GROHE Blue accessories	407
	GROHE Red	410
Premium lines	K7	414
	FootControl	415
	Minta / Minta SmartControl / Minta Touch	416
	Zedra / Zedra SmartControl / Zedra Touch	421
	Atrio	423
	Essence	424
	Eurocube	426
Competence lines	Eurodisc Cosmopolitan	427
	Eurodisc	428
	Concetto	429
	Eurostyle Cosmopolitan	432
	Eurosmart Cosmopolitan	433
	Eurosmart	435
	Euroeco / Euroeco Special	440
	Costa	441
	Bau Lines	443
	Soap dispensers	446
Kitchen sinks	Stainless Steel Sinks	449
	Composite Sinks	459

GROHE
BLUE RED IN ONE

Product no.	Colour	RRP (€) incl. VAT

new





31 876 000	**chrome**	**3,846.00**
31 876 DC0	**supersteel**	**4,422.00**

GROHE Blue Red in one
C-spout duo kit
consisting of:
GROHE single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for 3 types of filtered and chilled table water and filtered boiling water
still, medium, sparkling, 100° C boiling
GROHE ChildLock protected activation for boiling water
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate inner water ways for chilled, boiling and non-filtered water
flexible connection hoses
undersink device with integrated filter and CO_2 bottle
delivers up to 4 liters of chilled still or 5 liters of chilled sparkling water per hour and up to 6 liters of 100° C boiling water per hour
LED colour communication for status of filter and CO_2 bottle capacity
filter head with flexible water hardness adjustment
GROHE Blue S-Size filter for water hardness reduction and premium taste
Capacity 600 L at 20° dKH
GROHE Blue 425 g CO_2 bottle
required inlet pressure: 2-7 bar
max. water inlet temperature 24° C
power consumption 2100 W
supply voltage 230 V AC, 50 Hz
type of protection IP22
standby power consumption 30 W
noise level in standby 35 dB(A) at 20° C ambient temperature
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
maximum distance between faucet and undersink device 1.5 m
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Watersystem app
push notifications at low filter resp. CO_2 capacity
with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.


* price on request

GROHE
BLUE RED IN ONE

Product no.	Colour	RRP (€) incl. VAT

new






31 877 000 | **chrome** | **3,685.00**

GROHE Blue Red in one
C-spout Mono kit
consisting of:
GROHE Mono faucet with filter function
single hole installation
C-spout
handle for 3 types of filtered and chilled table water and filtered boiling water still, medium, sparkling, 100° C boiling
GROHE ChildLock protected activation for boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
separate inner water ways for chilled and boiling water
undersink device with integrated filter and CO_2 bottle
delivers up to 4 liters of chilled still or 5 liters of chilled sparkling water per hour and up to 6 liters of 100° C boiling water per hour
LED colour communication for status of filter and CO_2 bottle capacity
filter head with flexible water hardness adjustment
GROHE Blue S-Size filter for water hardness reduction and premium taste
Capacity 600 L at 20° dKH
GROHE Blue 425 g CO_2 bottle
required inlet pressure: 2-7 bar
max. water inlet temperature 24° C
power consumption 2100 W
supply voltage 230 V AC, 50 Hz
type of protection IP22
standby power consumption 30 W
noise level in standby 35 dB(A) at 20° C ambient temperature
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
maximum distance between faucet and undersink device 1.5 m
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Watersystem app
push notifications at low filter resp. CO_2 capacity
with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

GROHE
BLUE PROFESSIONAL





Product no.	Colour	RRP (€) incl. VAT
31 323 002	**chrome**	**2,796.00**
31 323 DC2	**supersteel**	**3,215.00**

GROHE Blue Professional
C-spout kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)


System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

* price on request

GROHE
BLUE PROFESSIONAL

Product no.	Colour	RRP (€) incl. VAT
31 347 003	**chrome**	**2,796.00**
31 347 DC3	**supersteel**	**3,215.00**






GROHE Blue Professional
L-spout kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

GROHE
BLUE PROFESSIONAL






Product no.	Colour	RRP (€) incl. VAT
31 325 002	**chrome**	**3,081.00**
31 325 DC2	**supersteel**	**3,543.00**

GROHE Blue Professional
C-spout kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

* price on request

GROHE
BLUE PROFESSIONAL




Product no.	Colour	RRP (€) incl. VAT
31 326 002	**chrome**	**3,081.00**
31 326 DC2	**supersteel**	**3,543.00**

GROHE Blue Professional
L-spout kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

GROHE
BLUE PROFESSIONAL



Product no.	Colour	RRP (€) incl. VAT
31 302 002	**chrome**	**2,710.00**
31 302 DC2	**supersteel**	**3,116.00**

GROHE Blue Professional
C-spout kit
consisting of:
GROHE Blue Mono faucet with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

* price on request

GROHE
BLUE HOME



Product no.	Colour	RRP (€) incl. VAT
31 455 001	**chrome**	**2,156.00**
31 455 DC1	**supersteel**	**2,479.00**
31 455 DL1	**brushed warm sunset**	**2,694.00**
31 455 AL1	**brushed hard graphite**	**2,694.00**

GROHE Blue Home
C-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME

Product no.	Colour	RRP (€) incl. VAT
31 541 000	**chrome**	**2,500.00**
31 541 DC0	**supersteel**	**2,875.00**



GROHE Blue Home
C-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

* price on request

GROHE
BLUE HOME



Product no.	Colour	RRP (€) incl. VAT
31 454 001	**chrome**	**2,156.00**
31 454 DC1	**supersteel**	**2,479.00**
31 454 DL1	**brushed warm sunset**	**2,694.00**
31 454 AL1	**brushed hard graphite**	**2,694.00**

GROHE Blue Home
L-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME

Product no.	Colour	RRP (€) incl. VAT
31 539 000	**chrome**	**2,500.00**
31 539 DC0	**supersteel**	**2,875.00**



GROHE Blue Home
L-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

* price on request

GROHE
BLUE HOME



Product no.	Colour	RRP (€) incl. VAT
31 456 001	**chrome**	**2,156.00**
31 456 DC1	**supersteel**	**2,479.00**

GROHE Blue Home
U-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
U-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME

Product no.	Colour	RRP (€) incl. VAT
31 543 000	**chrome**	**2,500.00**
31 543 DC0	**supersteel**	**2,875.00**



GROHE Blue Home
U-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
U-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle


System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

* price on request

GROHE
BLUE HOME

Product no.	Colour	RRP (€) incl. VAT
31 498 001	**chrome**	**2,080.00**
31 498 DC1	**supersteel**	**2,392.00**
31 498 DL1	**brushed warm sunset**	**2,600.00**
31 498 AL1	**brushed hard graphite**	**2,600.00**






GROHE Blue Home
Mono Starter kit
consisting of:
GROHE Blue Home Mono faucet with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
swivel tubular spout
swivel area 150°
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE PURE

Product no.	Colour	RRP (€) incl. VAT






30 382 000 **chrome** **700.00**
30 382 DC0 **supersteel** **910.00**

GROHE Blue Pure Minta
Starter kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
L-spout
pull-out mousseur
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
swivel tubular spout
swivel area 90°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Capacity 3000 L
filter exchange timer including 2 x AA batteries






30 383 000 **chrome** **485.00**

GROHE Blue Pure Eurosmart
Starter kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Capacity 3000 L
filter exchange timer including 2 x AA batteries





30 385 000 **chrome** **457.00**


GROHE Blue Pure BauCurve
Starter kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Capacity 3000 L
filter exchange timer including 2 x AA batteries

* price on request

GROHE
BLUE PURE

Product no.	Colour	RRP (€) incl. VAT






30 387 000 **chrome** **357.00**

GROHE Blue Pure Mono
Starter kit
consisting of:
GROHE Blue Mono faucet with filter function
single hole installation
C-spout
handle for filtered table water
headpart 1/2"
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Capacity 3000 L
filter exchange timer including 2 x AA batteries






30 386 000 **chrome** **628.00**

GROHE Blue Pure BauCurve
Starter kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue Ultrasafe filter for bacteria filtration and premium taste
Capacity 3000 L
flow meter for filter lifetime measurement including 2 x AA batteries






31 721 000 **chrome** **528.00**
31 721 DC0 **supersteel** **687.00**

GROHE Blue Pure Minta
Single-lever sink mixer with filter function
single hole installation
L-spout
pull-out mousseur
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
swivel tubular spout
swivel area 90°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
includes sink mixers only
can be combined with filter set 40 438 001






31 722 000 **chrome** **314.00**

GROHE Blue Pure Eurosmart
Single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
includes sink mixers only
can be combined with filter set 40 438 001

GROHE
BLUE PURE

	Product no.	Colour	RRP (€) incl. VAT






31 723 000 **chrome** **286.00**

GROHE Blue Pure BauCurve
Single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
includes sink mixers only
can be combined with filter set 40 438 001





31 724 000 **chrome** **186.00**


GROHE Blue Pure Mono
Mono faucet with filter function
single hole installation
C-spout
handle for filtered table water
headpart 1/2"
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
flexible connection hoses
includes sink mixers only
can be combined with filter set 40 438 001

* price on request

GROHE
BLUE ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






40 848 000 — **21.00**

GROHE Blue
Drinking bottle
Tritan drinking bottle with GROHE Blue decor
BPA (Bispenol A) free
lid with strap
volume 500 ml






40 848 SD0	**stainless steel**	**32.00**
40 848 GN0	**brushed cool sunrise**	**42.00**
40 848 DL0	**brushed warm sunset**	**42.00**
40 848 AL0	**brushed hard graphite**	**42.00**

GROHE Blue
Thermo drinking bottle
stainless steel drinking bottle with GROHE Blue decor
double-walled
lid with strap
volume 450 ml





40 405 001 — **72.00**


GROHE Blue
Glass carafe with lid set
crystal glass with GROHE Blue decor
stainless steel lid with tilt lock
with integrated sieve to hold back e.g. fruits
plastic lid for closing
BPA (Bispenol A) free
dish washer safe
volume 1.0 l



40 636 SD0	**stainless steel**	**32.00**

GROHE Blue
Lid set
set consists of 2 lids
stainless steel lid with tilt lock
with integrated sieve to hold back e.g. fruits
plastic lid for closing
BPA (Bispenol A) free
dish washer safe





40 437 000 — **72.00**

GROHE Blue
Water glasses (6 pieces)
crystal glasses with GROHE Blue decor
dish washer safe
volume 250 ml



46 717 000 — **166.00**

Pressure indicator
for GROHE Blue
including adapters for 425 g and 2 kg CO_2 bottles

GROHE
BLUE ACCESSORIES


Product no.	Colour	RRP (€) incl. VAT



40 962 000 **53.00**

GROHE Blue
CO_2 adapter
adapter for GROHE Blue Professional CO_2 pressure reducer
for use with 425 g CO_2 bottles
for GROHE Blue Professional systems as of January 2019






40 452 000 **32.00**

GROHE Blue
Pressure reducing valve
for installation of GROHE Blue Chilled & Sparkling with
more than 5 bar water pressure






40 578 000 **97.00**

GROHE Blue
Pressure reducing valve
for installation of GROHE Blue Chilled & Sparkling with
more than 5 bar water pressure
VA approved






40 404 001 **116.00**

GROHE Blue
Filter S-Size
BWT replacement filter for GROHE Blue and GROHE Red water systems
Capacity 600 L at 20° dKH
5-phases filter
reduces substances responsible for taste and odor, e.g. chlorine
reduces limescale and heavy metals
compatible with GROHE Blue Home, GROHE Blue Professional,
GROHE Blue Pure (only with flow meter) and GROHE Red

40 430 001 **217.00**
ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high

40 412 001 **285.00**
ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high





40 547 001 **108.00**


GROHE Blue
Activated carbon filter
BWT replacement filter for GROHE Blue water systems
for soft water areas below 9° dKH
Capacity 3000 L
reduces substances responsible for taste and odor, e.g. chlorine
compatible with GROHE Blue Home, GROHE Blue Professional
and GROHE Blue Pure

* price on request

GROHE
BLUE ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






40 691 002 **151.00**

GROHE Blue
Magnesium + Zinc filter
BWT replacement filter for GROHE Blue and GROHE Red water systems
Capacity 400 L at 17° dGH
enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc
reduces substances responsible for taste and odor, e.g. chlorine
reduces limescale and heavy metals
compatible with GROHE Blue Home, GROHE Blue Professional,
GROHE Blue Pure (only with flow meter) and GROHE Red






40 575 002 **234.00**

GROHE Blue
UltraSafe filter
BWT replacement filter for GROHE Blue water systems
filter capacity maximum 3000 l or 6 months
retains microplastic > 1 µm and 99,999 % of bacteria, removes lead by 99,5 %
reduces substances responsible for taste and odor, e.g. chlorine
compatible with GROHE Blue Home, GROHE Blue Professional
and GROHE Blue Pure (only with flow meter)





40 434 001 **72.00**


GROHE Blue
Cleaning cartridge
for 100% disinfection and cleaning of the GROHE Blue chiller and filter head including sprayhead
for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



40 694 000 **32.00**

GROHE Blue
Cleaning cartridge adapter
for GROHE Blue BWT Filterhead 64 508 001
for use with GROHE Blue cleaning cartridge 40 434 001, sold separately





40 422 000 **169.00**

GROHE Blue
Starter kit 425 g CO_2 bottles (4 pieces)
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
for refilling please order 40 687 000
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



40 843 000 **106.00**

GROHE Blue
Extension set
consisting of:
extension cable 5 m
hose for drinking water, 5 m
tube cutter
adapters and clips
suitable for GROHE Blue Home and GROHE Blue Professional
(from January 2019)

* price on request


GROHE
RED

Product no.	Colour	RRP (€) incl. VAT



30 079 001	**chrome**	**1,985.00**
30 079 DC1	**supersteel**	**2,283.00**

GROHE Red Duo
Faucet and L size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for boiling and hot water
5.5 liter 100° C boiling water
7 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit



30 325 001	**chrome**	**1,985.00**
30 325 DC1	**supersteel**	**2,283.00**


GROHE Red Duo
Faucet and L size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for boiling and hot water
5.5 liter 100° C boiling water
7 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

* price on request

GROHE
RED

Product no.	Colour	RRP (€) incl. VAT






30 083 001	**chrome**	**1,838.00**
30 083 DC1	**supersteel**	**2,114.00**
30 083 DL1	**brushed warm sunset**	**2,298.00**
30 083 AL1	**brushed hard graphite**	**2,298.00**

GROHE Red Duo
Faucet and M size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit






30 327 001	**chrome**	**1,838.00**
30 327 DC1	**supersteel**	**2,114.00**
30 327 DL1	**brushed warm sunset**	**2,298.00**
30 327 AL1	**brushed hard graphite**	**2,298.00**

GROHE Red Duo
Faucet and M size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

GROHE
RED

Product no.	Colour	RRP (€) incl. VAT






30 080 001 **chrome** **1,838.00**

GROHE Red Mono
Pillar tap and L size boiler
consisting of:
GROHE Red Mono pillar tap
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for boiling and hot water
5.5 liter 100° C boiling water
7 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit





30 085 001 **chrome** **1,691.00**
30 085 DL1 **brushed warm sunset** **2,114.00**
30 085 AL1 **brushed hard graphite** **2,114.00**


GROHE Red Mono
Pillar tap and M size boiler
consisting of:
GROHE Red Mono pillar tap
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

* price on request

GROHE
RED

	Product no.	Colour	RRP (€) incl. VAT
	30 339 001	**chrome**	**1,691.00**
	30 339 DC1	**supersteel**	**1,945.00**





GROHE Red Mono
Pillar tap and M size boiler
consisting of:
GROHE Red Mono pillar tap
single hole installation
L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit


40 841 001	**chrome**	**235.00**



GROHE Red
External mixing valve for GROHE Red
for thermostatic mixing of mains and boiling water
to generate warm water
adjustable between 35°C and 75°C
hot fill and cold fill installation possible
including 70 cm connection hose, manifold and wall fixation

40 438 001		**363.00**






GROHE Red
Filter with filter head
for regions with water hardness higher 12° KH
turn before GROHE Red boiler
flexible connection hoses
filter 600 l

40 432 000		**61.00**







GROHE Red
Tea glasses (4 pieces)
heat proof glass with GROHE Red decor
dish washer safe
volume 250 ml

KITCHEN FITTINGS

GROHE
K7

	Product no.	Colour	RRP (€) incl. VAT
 	**32 950 000** **32 950 DC0**	**chrome** **supersteel**	**786.00** **1,021.00**

K7
Single-lever sink mixer 1/2“
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system

 	**31 379 000** **31 379 DC0**	**chrome** **supersteel**	**756.00** **983.00**


K7
Single-lever sink mixer 1/2“
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system

* price on request

GROHE
FOOTCONTROL

Product no.	Colour	RRP (€) incl. VAT
30 309 000		268.00






FootControl
Retro-fit set
Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatic safety stop after 60 sec. (factory set)
type of protection IP 44
upgrade set for GROHE pull-out kitchen faucets
not suitable for combination with open water heater (SKUs 32 555 000, 31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0, 31 179 000, 31 132 001

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Product no.	Colour	RRP (€) incl. VAT






31 613 000	**chrome**	**431.00**
31 613 DC0	**supersteel**	**560.00**
31 613 DA0	**warm sunset**	**603.00**
31 613 A00	**hard graphite**	**603.00**

Minta SmartControl
Sink mixer with SmartControl
single hole installation
GROHE StarLight chrome finish
pull-out spray with laminar
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus installation system
GROHE Zero isolated inner water ways - lead and nickel free within the faucet






31 360 001	**chrome**	**685.00**
31 360 DC1	**supersteel**	**891.00**

Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout
single hole installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatic safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system






31 358 002	**chrome**	**681.00**
31 358 DC2	**supersteel**	**885.00**

Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout
single hole installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatic safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

* price on request


GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Product no.	Colour	RRP (€) incl. VAT
	**31 375 000**	**chrome**	**252.00**
	31 375 DC0	**supersteel**	**328.00**
	31 375 GN0	**brushed cool sunrise**	**378.00**
	31 375 DA0	**warm sunset**	**353.00**
	31 375 DL0	**brushed warm sunset**	**378.00**
	31 375 A00	**hard graphite**	**353.00**
	31 375 AL0	**brushed hard graphite**	**378.00**




Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
flexible connection hoses
protected against backflow
rapid installation system

	**32 168 000**	**chrome**	**283.00**
	32 168 DC0	**supersteel**	**367.00**






Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system

	**30 274 000**	**chrome**	**349.00**
	30 274 DC0	**supersteel**	**454.00**
	30 274 GN0	**brushed cool sunrise**	**524.00**
	30 274 DA0	**warm sunset**	**489.00**
	30 274 DL0	**brushed warm sunset**	**524.00**
	30 274 A00	**hard graphite**	**489.00**
	30 274 AL0	**brushed hard graphite**	**524.00**



Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
flow straightener
pull-out dual spray - switches back and forth
between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
metal spray
adjustable flow rate limiter
swivel tubular spout, swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH


	Product no.	Colour	RRP (€) incl. VAT
 	**32 917 000**	**chrome**	**234.00**
	32 917 DC0	**supersteel**	**305.00**
	32 917 KS0	**velvet black**	**305.00**
	32 917 GN0	**brushed cool sunrise**	**352.00**
	32 917 DA0	**warm sunset**	**328.00**
	32 917 DL0	**brushed warm sunset**	**352.00**
	32 917 A00	**hard graphite**	**328.00**
	32 917 AL0	**brushed hard graphite**	**352.00**
	Minta **Single-lever sink mixer 1/2"** C-spout single hole installation **GROHE StarLight** finish **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout selectable swivel area: 0° / 150° / 360° flexible connection hoses rapid installation system optional temperature limiter ref. no. 46 308		
 	**32 918 000**	**chrome**	**285.00**
	32 918 DC0	**supersteel**	**370.00**
	Minta **Single-lever sink mixer 1/2"** C-spout single hole installation **GROHE StarLight** finish **GROHE SilkMove** 46 mm ceramic cartridge **pull-out mousseur** adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system		
	32 918 00E	**chrome**	**285.00**
	with GROHE EcoJoy 5.7 l/min. flow limiter		
 	**32 321 002**	**chrome**	**293.00**
	32 321 DC2	**supersteel**	**380.00**
	32 321 GN2	**brushed cool sunrise**	**439.00**
	32 321 DA2	**warm sunset**	**410.00**
	32 321 DL2	**brushed warm sunset**	**439.00**
	32 321 A02	**hard graphite**	**410.00**
	32 321 AL2	**brushed hard graphite**	**439.00**
	Minta **Single-lever sink mixer 1/2"** C-spout single hole installation **GROHE StarLight** chrome finish **GROHE SilkMove** 46 mm ceramic cartridge **GROHE EasyDock** easy retraction and smooth docking **pull-out dual spray** diverter: laminar spray/**SpeedClean** shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system		

* price on request

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Product no.	Colour	RRP (€) incl. VAT





30 348 001 **chrome** **293.00**


Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock easy retraction and smooth docking
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
shorter lever (71 mm)
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system



30 349 001 **chrome** **281.00**

Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock easy retraction and smooth docking
pull-out dual spray
diverter: mousseur/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system






32 488 000	**chrome**	**234.00**
32 488 DC0	**supersteel**	**305.00**
32 488 DA0	**warm sunset**	**328.00**
32 488 DL0	**brushed warm sunset**	**352.00**
32 488 A00	**hard graphite**	**328.00**
32 488 AL0	**brushed hard graphite**	**352.00**

Minta
Single-lever sink mixer 1/2"
U-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
selectable swivel area: 0° / 150° / 360°
swivel tubular spout
flexible connection hoses
rapid installation system
optional temperature limiter ref. no. 46 308






32 067 000 **chrome** **285.00**

Minta
Single-lever sink mixer 1/2"
U-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Product no.	Colour	RRP (€) incl. VAT






32 322 002	**chrome**	**293.00**
32 322 DC2	**supersteel**	**380.00**
32 322 DA2	**warm sunset**	**410.00**
32 322 DL2	**brushed warm sunset**	**439.00**
32 322 A02	**hard graphite**	**410.00**
32 322 AL2	**brushed hard graphite**	**439.00**

Minta
Single-lever sink mixer 1/2“
U-spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

new





31 558 000	**chrome**	**353.00**
31 558 GN0	**brushed cool sunrise**	**529.00**
31 558 AL0	**brushed hard graphite**	**529.00**

Minta
Single-lever sink mixer 1/2“
L-spout
integrated stop valve
single hole installation
GROHE StarLight chrome finish
pull-out dual spray - switches back and forth
between regular flow and spray
46 mm ceramic cartridge
swivel area 90°
flexible connection hoses
rapid installation system



40 684 000	**chrome**	**37.00**
40 684 DC0	**supersteel**	**58.00**


Minta
Lever
for Minta single lever sink mixer

* price on request

GROHE
ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH


	Product no.	Colour	RRP (€) incl. VAT






31 593 002	**chrome**	**619.00**
31 593 DC2	**supersteel**	**805.00**


Zedra SmartControl
Sink mixer with SmartControl
single hole installation
GROHE StarLight chrome finish
pull-out spray with laminar
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus installation system
GROHE Zero isolated inner water ways - lead and nickel free within the faucet






30 219 002	**chrome**	**788.00**
30 219 DC2	**supersteel**	**1,024.00**

Zedra Touch
Electronic single-lever sink mixer 1/2“
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatic safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses






32 294 002	**chrome**	**450.00**
32 294 DC2	**supersteel**	**585.00**

Zedra
Single-lever sink mixer 1/2“
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus installation system
GROHE Zero isolated inner water ways - lead and nickel free within the faucet

GROHE
ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

	Product no.	Colour	RRP (€) incl. VAT






32 553 002	**chrome**	**422.00**
32 553 DC2	**supersteel**	**549.00**

Zedra
Single-lever sink mixer 1/2“
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus installation system
GROHE Zero isolated inner water ways - lead and nickel free within the faucet






30 026 002	**chrome**	**267.00**
30 026 DC2	**supersteel**	**347.00**

Zedra
Pillar tap with filter function
single hole installation
handle for filtered table water
ceramic headpart 1/2“, 90°
GROHE StarLight chrome finish
swivel tubular spout
swivel area 140°
flexible connection hoses
GROHE FastFixation Plus installation system
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
requires GROHE filter set including filter head (40 438 001), sold separately
6.6 l/min

* price on request

GROHE
ATRIO






Product no.	Colour	RRP (€) incl. VAT
30 362 000	**chrome**	**588.00**
30 362 DC0	**supersteel**	**764.00**
30 362 AL0	**brushed hard graphite**	**882.00**

Atrio
Two handle sink mixer 1/2“
C-spout
single hole installation
GROHE StarLight chrome finish
ceramic headparts 1/2“, 90°
selectable swivel area: 0° / 150° / 360°
flexible connection hoses
rapid installation system
mousseur

GROHE ESSENCE

Product no.	Colour	RRP (€) incl. VAT
31 615 000	**chrome**	**520.00**
31 615 DC0	**supersteel**	**677.00**
31 615 BE0	**polished nickel**	**729.00**
31 615 EN0	**brushed nickel**	**781.00**
31 615 GL0	**cool sunrise**	**729.00**
31 615 GN0	**brushed cool sunrise**	**781.00**
31 615 DA0	**warm sunset**	**729.00**
31 615 DL0	**brushed warm sunset**	**781.00**
31 615 A00	**hard graphite**	**729.00**
31 615 AL0	**brushed hard graphite**	**781.00**






Essence SmartControl
Sink mixer with SmartControl
single hole installation
GROHE StarLight chrome finish
pull-out spray with laminar
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus installation system
GROHE Zero isolated inner water ways - lead and nickel free within the faucet

---

new

30 503 000	**chrome**	*
30 503 DC0	**supersteel**	*





Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
flow straightener
with integrated temperature limiter
professional spray
with flexible, hygienic **GROHFlexx kitchen** Santoprene hose
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
professional edition

30 294 000	**chrome**	**543.00**
30 294 DC0	**supersteel**	**705.00**
30 294 GL0	**cool sunrise**	**760.00**
30 294 GN0	**brushed cool sunrise**	**814.00**
30 294 DA0	**warm sunset**	**760.00**
30 294 DL0	**brushed warm sunset**	**814.00**
30 294 A00	**hard graphite**	**760.00**
30 294 AL0	**brushed hard graphite**	**814.00**

will be replaced by 30 503

---

30 321 GE0	**green**	**75.00**
30 321 XC0	**dark grey**	**75.00**
30 321 MW0	**chrome/sheer marble**	**75.00**
30 321 HG0	**dark brown**	**75.00**
30 321 DG0	**red**	**75.00**
30 321 DP0	**pink**	**75.00**
30 321 DU0	**purple**	**75.00**
30 321 TY0	**blue**	**75.00**
30 321 YF0	**yellow**	**75.00**
30 321 YR0	**orange**	**75.00**



GROHFlexx kitchen hose spout
hose spout for Essence kitchen faucet
for 30 294 000/30 294 DC0
flexible, hygienic **GROHFlexx kitchen** santoprene hose
including fixing parts


* price on request

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT

new





30 505 000	**chrome**	*
30 505 DC0	**supersteel**	*
30 505 GL0	**cool sunrise**	*
30 505 GN0	**brushed cool sunrise**	*
30 505 DA0	**warm sunset**	*
30 505 DL0	**brushed warm sunset**	*
30 505 A00	**hard graphite**	*
30 505 AL0	**brushed hard graphite**	*


Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter
professional edition

30 269 000	**chrome**	292.00
30 269 DC0	**supersteel**	380.00
30 269 GL0	**cool sunrise**	409.00
30 269 GN0	**brushed cool sunrise**	438.00
30 269 DA0	**warm sunset**	409.00
30 269 DL0	**brushed warm sunset**	438.00
30 269 A00	**hard graphite**	409.00
30 269 AL0	**brushed hard graphite**	438.00

will be replaced by 30 505

new





30 504 000	**chrome**	*
30 504 DC0	**supersteel**	*
30 504 GL0	**cool sunrise**	*
30 504 GN0	**brushed cool sunrise**	*
30 504 DA0	**warm sunset**	*
30 504 DL0	**brushed warm sunset**	*
30 504 A00	**hard graphite**	*
30 504 AL0	**brushed hard graphite**	*

Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
flow straightener
pull-out dual spray - switches back and forth
between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
metal spray
swivel tubular spout swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
integrated temperature limiter
professional edition


30 270 000	**chrome**	384.00
30 270 DC0	**supersteel**	500.00
30 270 GL0	**cool sunrise**	538.00
30 270 GN0	**brushed cool sunrise**	577.00
30 270 DA0	**warm sunset**	538.00
30 270 DL0	**brushed warm sunset**	577.00
30 270 A00	**hard graphite**	538.00
30 270 AL0	**brushed hard graphite**	577.00

will be replaced by 30 504

GROHE
EUROCUBE

Product no.	Colour	RRP (€) incl. VAT
31 255 000	**chrome**	**281.00**
31 255 DC0	**supersteel**	**366.00**






Eurocube
Single-lever sink mixer 1/2“
single hole installation
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
mousseur
swivel cast spout
swivel area 90°
flexible connection hoses
rapid installation system

* price on request

GROHE
EURODISC COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






33 770 002 **chrome** **243.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system






32 257 002 **chrome** **301.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system






33 772 002 **chrome** **257.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150°
projection 271 mm
S-unions

GROHE
EURODISC

	Product no.	Colour	RRP (€) incl. VAT






33 770 001 **chrome** **231.00**

Eurodisc
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
with stop limiter
flexible connection hoses
rapid installation system






32 257 001 **chrome** **292.00**


Eurodisc
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/**SpeedClean** shower jet
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

* price on request


GROHE CONCETTO

	Product no.	Colour	RRP (€) incl. VAT
 	**31 491 000**	**chrome**	**444.00**
	31 491 DC0	**supersteel**	**577.00**


Concetto
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
flow straightener
with integrated temperature limiter
professional spray
with flexible, hygienic **GROHFlexx kitchen** Santoprene hose
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

 	**32 661 003**	**chrome**	**215.00**
	32 661 DC3	**supersteel**	**279.00**

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150°
flexible connection hoses
GROHE FastFixation installation system

 	**32 663 003**	**chrome**	**243.00**
	32 663 DC3	**supersteel**	**315.00**

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation installation system


 	**31 483 002**	**chrome**	**254.00**
	31 483 DC2	**supersteel**	**330.00**

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation installation system

GROHE
CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






31 128 001 **chrome** **221.00**
31 128 DC1 **supersteel** **288.00**

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system






31 129 001 **chrome** **270.00**
31 129 DC1 **supersteel** **350.00**

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system






30 273 001 **chrome** **307.00**
30 273 DC1 **supersteel** **399.00**

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow straightener
pull-out dual spray - switches back and forth
between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
metal spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system





31 210 001 **chrome** **366.00**


Concetto
Single-lever sink mixer 1/2"
for installation in front of window
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses

* price on request

GROHE
CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






32 659 001 **chrome** **196.00**

Concetto
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system






32 667 001 **chrome** **196.00**

Concetto
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 280 mm
S-unions

GROHE
EUROSTYLE COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






31 126 004 **chrome** **229.00**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation installation system






31 124 002 **chrome** **194.00**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system





45 562 000 **chrome** **54.00**


Adapter
to convert to other spouts with screw coupling G3/4
suitable for several sink mixers, wall mounted
e.g. 33 772 002, 33 982 002
GROHE StarLight finish

* price on request

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






32 843 002	**chrome**	**172.00**
32 843 DC2	**supersteel**	**224.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150°
flexible connection hoses
GROHE FastFixation installation system

32 843 20E	**chrome**	**178.00**

ditto, with GROHE Ecojoy






31 481 001	**chrome**	**234.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation installation system






30 193 000	**chrome**	**129.00**
30 193 DC0	**supersteel**	**168.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system







32 842 000	**chrome**	**132.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

GROHE
EUROSMART COSMOPOLITAN

		Product no.	Colour	RRP (€) incl. VAT
		**31 161 000**	**chrome**	**236.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2“
integrated stop valve
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

		**31 170 000**	**chrome**	**261.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2“
for installation in front of window
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
mousseur
swivel tubular spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses


* price on request

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT

new






30 506 000 **chrome** **134.00**

Eurosmart
Single-lever sink mixer 1/2"
low spout
Cradle to Cradle Certified Gold
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy 5,7 l/min mousseur with coin slot for tool free replacement
adjustable flow rate limiter
integrated temperature limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system

new






33 281 003 **chrome** **117.00**
33 281 DC3 **supersteel** **152.00**

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system

new






33 281 30E **chrome** **117.00**

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy 5,7 l/min mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system

new





30 260 003 **chrome** **117.00**


Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
swivel cast spout
swivel area 90°
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system

GROHE EUROSMART

	Product no.	Colour	RRP (€) incl. VAT

new






31 790 001	**chrome**	**128.00**

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
swivel cast spout
swivel area 90°
mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system

new






30 305 001	**chrome**	**172.00**
30 305 DC1	**supersteel**	**224.00**

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
flow straightener
with integrated temperature limiter
pull-out dual spray - switches back and forth
between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 90°
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system
protected against backflow

new






30 463 000	**chrome**	**122.00**
30 463 DC0	**supersteel**	**159.00**

Eurosmart
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system
min. recommended pressure 1.0 bar

new





33 202 003	**chrome**	**122.00**

Eurosmart
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system


* price on request

GROHE EUROSMART

	Product no.	Colour	RRP (€) incl. VAT

new






32 223 003 **chrome** **122.00**

Eurosmart
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start and Eco-click
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system
Qualitel approval

new






31 789 001 **chrome** **135.00**

Eurosmart
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 90°
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system

new






31 786 001 **chrome** **190.00**

Eurosmart
Single-lever sink mixer 1/2"
integrated stop valve
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 90° / 360°
flexible connection hoses 3/8"
GROHE FastFixation installation system

new





31 787 001 **chrome** **190.00**


Eurosmart
Single-lever sink mixer 1/2"
integrated stop valve
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 90° / 360°
flexible connection hoses 3/8"
GROHE FastFixation installation system

GROHE EUROSMART

	Product no.	Colour	RRP (€) incl. VAT

new






30 567 000	**chrome**	**164.00**
30 567 DC0	**supersteel**	**213.00**

Eurosmart
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system
min. recommended pressure 1.0 bar

new






30 497 001	**chrome**	**180.00**
30 497 DC1	**supersteel**	**235.00**

Eurosmart
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 90°
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system
min. recommended pressure 1.0 bar

new






31 391 003	**chrome**	**145.00**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 216 mm
integrated temperature limiter
S-unions

new






31 509 003	**chrome**	**145.00**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 149 mm
integrated temperature limiter
S-unions

new





32 224 003	**chrome**	**145.00**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 276 mm
integrated temperature limiter
S-unions


* price on request

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT

new





32 482 003	**chrome**	**145.00**


Eurosmart
Single-lever sink mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 244 mm
integrated temperature limiter
C-unions

* price on request

GROHE
EUROECO / EUROECO SPECIAL

Product no.	Colour	RRP (€) incl. VAT






32 786 000 **chrome** **154.00**

Euroeco Special
Single-lever sink mixer 1/2“
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
selectable swivel area: 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses
rapid installation system





32 787 000 **chrome** **154.00**


Euroeco Special
Single-lever sink mixer 1/2“
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
swivel area 140°
metal lever
lever length 120 mm
flexible connection hoses
rapid installation system

* price on request

GROHE
COSTA

	Product no.	Colour	RRP (€) incl. VAT






31 831 001 **chrome** **95.00**

Costa L
Single-hole sink mixer 1/2“
metal handles
heat-insulated
GROHE StarLight finish
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses






31 187 001 **chrome** **110.00**

Costa L
Wall sink mixer 1/2“
metal handles
heat-insulated
GROHE StarLight finish
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
projection 200 mm
S-unions






30 484 001 **chrome** **59.00**

Costa L
Bibtap 1/2“
wall mounted
metal handle
heat-insulated
screwable
marking: blue
GROHE StarLight finish
mousseur
Longlife-headparts
swivel tubular spout
swivel area 360°





30 098 001 **chrome** **42.00**


Costa L
Bibtap 1/2“
wall mounted
metal handle
heat-insulated
screwable
marking: blue
GROHE StarLight finish
mousseur
Longlife-headparts



20 179 001 **chrome** **126.00**

Costa S
Pillar tap
metal handle
heat-insulated
screwable
GROHE StarLight finish
ceramic headpart 1/2“, 90°
flow straightener
swivel tubular spout
swivel area 360°
union nut 1/2“ with 10.5 mm drilling

GROHE
COSTA

	Product no.	Colour	RRP (€) incl. VAT
 	**31 195 001**	**chrome**	**125.00**


Costa S
Wall sink mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
GROHE StarLight finish
Carbodur headpart
mousseur
swivel spout
swivel area 360°
projection 200 mm
without connection unions

* price on request

GROHE
BAU LINES

	Product no.	Colour	RRP (€) incl. VAT






31 368 001 **chrome** **106.00**

BauLoop
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed






31 367 001 **chrome** **106.00**

BauEdge
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed






31 536 001 **chrome** **106.00**

BauCurve
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed
min. recommended pressure 1.0 bar






31 538 001 **chrome** **106.00**

GROHE BauFlow
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed





31 535 001 **chrome** **106.00**


BauClassic
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a 60 mm worktop fixation set 48 384 000 is needed

* price on request

GROHE
BAU LINES

	Product no.	Colour	RRP (€) incl. VAT






31 706 000 **chrome** **100.00**

BauLoop
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed






31 713 000 **chrome** **133.00**

BauLoop
Single-lever sink mixer 1/2"
integrated stop valve
medium spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
swivel tubular spout
swivel area 90°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
min. recommended pressure 1.0 bar






31 693 000 **chrome** **100.00**

BauEdge
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed






31 696 000 **chrome** **133.00**

BauEdge
Single-lever sink mixer 1/2"
integrated stop valve
medium spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
swivel tubular spout
swivel area 90°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
min. recommended pressure 1.0 bar





31 688 000 **chrome** **100.00**


GROHE BauFlow
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

* price on request

GROHE
BAU LINES

	Product no.	Colour	RRP (€) incl. VAT






31 715 000 **chrome** **100.00**

BauCurve
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed
min. recommended pressure 1.0 bar





31 680 000 **chrome** **90.00**

BauEco
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed
min. recommended pressure 1.0 bar




48 384 000 **14.00**

Shank fastening assembly
with fastening nut M33 x 1.5
including screws and seals

GROHE
KITCHEN ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






40 402 000	**chrome**	**130.00**

GROHE Switch
Battery powered shut-off valve for dishwashers
consisting of:
battery powered wireless remote control
electronic valve
battery powered controller box
type of protection IP 45
flow rate 10 l/min at 1.0 bar
max. water inlet temperature 40° C
cable length valve to controller 40 cm
battery lifetime 2 - 4 years
batteries and fixation material included






40 535 000	**chrome**	**69.00**
40 535 DC0	**supersteel**	**97.00**
40 535 BE0	**polished nickel**	**104.00**
40 535 GL0	**cool sunrise**	**104.00**
40 535 GN0	**brushed cool sunrise**	**111.00**
40 535 DA0	**warm sunset**	**104.00**
40 535 DL0	**brushed warm sunset**	**111.00**
40 535 A00	**hard graphite**	**104.00**
40 535 AL0	**brushed hard graphite**	**111.00**

Cosmopolitan soap dispenser
for liquid soaps
storage bin 500 ml
GROHE StarLight finish






40 536 000	**chrome**	**62.00**
40 536 DC0	**supersteel**	**87.00**


Contemporary soap dispenser
for liquid soaps
storage bin 500 ml
GROHE StarLight finish






40 537 000	**chrome**	**76.00**

Authentic soap dispenser
for liquid soaps
storage bin 500 ml
GROHE StarLight finish





36 194 000	**chrome**	**157.00**


Soap dispenser
pillar tap with push-button,
for liquid soaps
projection 113 mm
for tap hole drillings 22 - 30 mm
storage bin 1 l.
GROHE StarLight finish

* price on request

GROHE
KITCHEN ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






41 073 000 **chrome** **34.00**

Original WAS combination service valve 1/2“
wall mounted
cartridge headpart for closable
copper pipe connection
grease chamber headpart 3/8“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish






41 050 000 **chrome** **53.00**

Original WAS under-basin valve 1/2“
sink installation
adjustable up to 50 mm
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish
for combination with pipe ventilating valve type HB 41 239 000






41 010 000 **chrome** **31.00**

Original WAS connecting valve 1/2“
wall mounted
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish






41 263 000 **chrome** **9.00**

Egaplus service valve 1/2“
wall connection 1/2“
outlet 3/8“
with length compensation
with compression nut Ø 10 mm
ergonomic handle
marking: neutral
metal push-on escutcheon






45 704 000 **chrome** **44.00**

Flexible connection hose
300 mm
3/8“ x 3/8“







45 247 000 **chrome** **23.00**

Nipple
for reset from Costa-outlets into Atlanta-outlets
GROHE StarLight chrome finish


GROHE
SOAP DISPENSERS

	Product no.	Colour	RRP (€) incl. VAT
 	**13 052 000**	**chrome**	**42.00**


Swivel tube spout
for kitchen wall mixer
swivelling
mousseur
coupling nut M 22 x 1
projection 150 mm
DR-brass
GROHE StarLight chrome finish

 	**13 071 000**	**chrome**	**39.00**

Tubular spout
swivelling, without stop
mousseur
coupling nut 3/4“
projection 140 mm
DR-brass
GROHE StarLight chrome finish

 	**13 028 000**	**chrome**	**37.00**

Swivel tube spout
for kitchen wall mixers, 1/2“
tubular spout
mousseur
projection 200 mm
coupling nut 3/4“
DR-brass
GROHE StarLight finish

 	**13 034 000**	**chrome**	**56.00**


Swivel tube spout
for kitchen wall mixers, 1/2“
tubular spout
mousseur
projection 300 mm
coupling nut 3/4“
DR-brass
GROHE StarLight finish

* price on request

GROHE
STAINLESS STEEL SINKS

	Product no.	Colour	RRP (€) incl. VAT






31 582 SD1 **stainless steel** **1,109.00**

K1000
Stainless steel sink with drainer
model: K1000 80-S 116/52 1.0 rh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1.2 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable right
cut-out (top mount): 1145 x 505 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10






31 581 SD1 **stainless steel** **1,109.00**

K1000
Stainless steel sink with drainer
model: K1000 80-S 116/52 1.0 lh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left
cut-out (top mount): 1145 x 505 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10






31 583 SD1 **stainless steel** **748.00**

K800
Stainless steel sink
model: K800 60-S 51.8/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 518 x 510 mm
1 bowl: 462 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 503 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8

GROHE
STAINLESS STEEL SINKS

Product no.	Colour	RRP (€) incl. VAT






31 584 SD1 **stainless steel** **831.00**

K800
Stainless steel sink
model: K800 90-S 84.6/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 846 x 510 mm
1 bowl: 790 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 831 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10






31 585 SD1 **stainless steel** **1,109.00**

K800
Stainless steel sink
model: K800 120-S 102.4/51 2.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 462 x 400 x 200 mm
2 bowl: 462 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10





31 586 SD1 **stainless steel** **970.00**


K800
Stainless steel sink
model: K800 120-S 102.4/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 968 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

* price on request

GROHE
STAINLESS STEEL SINKS

Product no.	Colour	RRP (€) incl. VAT






31 574 SD1	**stainless steel**	**308.00**
31 574 GN1	**brushed cool sunrise**	**555.00**
31 574 DL1	**brushed warm sunset**	**555.00**
31 574 AL1	**brushed hard graphite**	**555.00**

K700U
Stainless steel sink
model: K700U 60-S 54.4/44.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 550 x 450 mm
1 bowl: 500 x 400 x 200 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
cut-out: 500 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket
strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8






31 575 SD1	**stainless steel**	**381.00**

K700U
Stainless steel sink
model: K700U 80-S 76/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 760 x 450 mm
1 bowl: 500 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
sink mountable left
cut-out (undermount): 712 x 402 mm (R16)
cut-out (top mount): 745 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket
strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8






31 576 SD1	**stainless steel**	**353.00**

K700U
Stainless steel sink
model: K700U 60-S 59.5/45 1.5 rh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 595 x 450 mm
1 bowl: 340 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
sink mountable right
cut-out (undermount): 547 x 402 mm (R16)
cut-out (top mount): 580 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket
strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8

GROHE
STAINLESS STEEL SINKS

Product no.	Colour	RRP (€) incl. VAT






31 578 SD1 **stainless steel** **278.00**

K700
Stainless steel sink
model: K700 45-S 46.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 464 x 464 mm
1 bowl: 400 x 400 x 200 mm
outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10
GROHE FastFixation installation system
cut-out (undermount): 402 x 402 mm (R11)
cut-out (top mount): 449 x 449 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket
strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8






31 726 SD0 **stainless steel** **308.00**

K700
Stainless steel sink
model: K700 60-S 55/45 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 550 x 450 mm
1 bowl: 500 x 400 x 200 mm
outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10
GROHE FastFixation installation system
cut-out (undermount): 502 x 402 mm (R11)
cut-out (top mount): 535 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket
strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8





31 571 SD1 **stainless steel** **236.00**


K500
Stainless steel sink with drainer
model: K500 45-S 86/50 1.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 340 x 420 x 170 mm
outer radius: R6 (topmount), inner bowl radius: R65
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 842 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

* price on request

GROHE
STAINLESS STEEL SINKS

	Product no.	Colour	RRP (€) incl. VAT






31 563 SD1 **stainless steel** **278.00**

K500
Stainless steel sink with drainer
model: K500 60-S 100/50 1.0 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 450 x 400 x 180 mm
outer radius: R6 (topmount), inner bowl radius: R75
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 982 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16






31 572 SD1 **stainless steel** **300.00**

K500
Stainless steel sink with drainer
model: K500 60-S 100/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 340 x 420 x 185 mm
0.5 bowl: 170 x 320 x 125 mm
outer radius: R6 (topmount), inner bowl radius: R65
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 982 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16






31 588 SD1 **stainless steel** **314.00**

K500
Stainless steel sink with drainer
model: K500 80-S 116/50 2.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 340 x 420 x 190 mm
2 bowl: 340 x 420 x 190 mm
outer radius: R6 (topmount), inner bowl radius: R90
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 18

GROHE
STAINLESS STEEL SINKS

	Product no.	Colour	RRP (€) incl. VAT






31 573 SD1 **stainless steel** **445.00**

Minta
Kitchen sink and tap bundle
consisting of:
K500 stainless steel sink with drainer (31 571 SD1)
mounting type: top mount
Minta single-lever sink mixer (32 168)
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
outer radius: R6 (flush mount and inset sllim top), inner bowl radius: R65
GROHE FastFixation installation system
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14






31 568 SD0 **stainless steel** **272.00**

K400+
Stainless steel sink with drainer
model: K400+ 45-S 87.3/51.3 1.0 rev
mounting type: flat edge
material: stainless steel AISI 316 (V4A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 873 x 513 mm
1 bowl: 363 x 400 x 188 mm
outer radius: R10, inner bowl radius: R95
GROHE FastFixation installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (flat edge): 18





31 569 SD0 **stainless steel** **389.00**


K400+
Stainless steel sink with drainer
model: K400+ 60-S 98.3/51.3 1.5 rev
mounting type: flat edge
material: stainless steel AISI 316 (V4A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 983 x 513 mm
1 bowl: 363 x 400 x 188 mm
0.5 bowl: 150 x 300 x 150 mm
outer radius: R10, inner bowl radius: R95
GROHE FastFixation installation system
sink mountable left or right
cut-out: 950 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (flat edge): 18

* price on request

GROHE
STAINLESS STEEL SINKS

	Product no.	Colour	RRP (€) incl. VAT






31 566 SD0 **stainless steel** **194.00**

K400
Stainless steel sink with drainer
model: K400 45-S 86/50 1.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 362.5 x 400 x 188 mm
outer radius: R10, inner bowl radius: R95
GROHE FastFixation installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6






31 567 SD0 **stainless steel** **258.00**

K400
Stainless steel sink with drainer
model: K400 60-S 97/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 970 x 500 mm
1 bowl: 363 x 400 x 188 mm
0.5 bowl: 150 x 300 x 150 mm
outer radius: R10, inner bowl radius: R95
GROHE FastFixation installation system
sink mountable left or right
cut-out: 950 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8






31 587 SD0 **stainless steel** **272.00**

K400
Stainless steel sink with drainer
model: K400 80-S 116/50 2.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
2 bowl: 362.5 x 400 x 188 mm
outer radius: R10, inner bowl radius: R95
GROHE FastFixation installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8

GROHE
STAINLESS STEEL SINKS

Product no.	Colour	RRP (€) incl. VAT






31 570 SD0 **stainless steel** **389.00**

Concetto
Kitchen sink and tap bundle
consisting of:
K400 stainless steel sink with drainer (31 566 SD0)
mounting type: top mount
Concetto single lever sink mixer (32 663 003)
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
outer radius: R10, inner bowl radius: R95
GROHE FastFixation installation system
amount of fasteners included (top mount): 6






31 564 SD1 **stainless steel** **222.00**

K200
Stainless steel sink with drainer
model: K200 60-S 96.5/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.6 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 965 x 500 mm
1 bowl: 346 x 396 x 165 mm
0.5 bowl: 180 x 340 x 130 mm
outer radius: R10 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 941 x 476 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16





31 565 SD1 **stainless steel** **236.00**


Eurosmart
Kitchen sink and tap bundle
consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
mounting type: top mount
Eurosmart single lever sink mixer (33 281 003)
low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
with integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
mousseur with coin slot for tool free replacement
flexible connection hoses
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

* price on request

GROHE
STAINLESS STEEL SINKS

Product no.	Colour	RRP (€) incl. VAT






31 562 SD1 **stainless steel** **222.00**

Bau
Kitchen sink and tap bundle
consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
mounting type: top mount
Bau Edge single lever sink mixer (31 367 001)
high spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14






31 552 SD1 **stainless steel** **125.00**

K200
Stainless steel sink with drainer
model: K200 45-S 86/50 1.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.6 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 350 x 400 x 160 mm
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 842 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

GROHE
STAINLESS STEEL SINKS

Product no.	Colour	RRP (€) incl. VAT





31 720 SD0 **stainless steel** **136.00**


K200
Stainless steel sink
model: K200 50-S Ø 44 1.0
mounting type: top mount
material: stainless steel AISI 304 (V2A)
GROHE Whisper
min. cabinet size: 500 mm
dimensions: Ø 440 mm
1 bowl: Ø 390 mm
inner bowl radius: Ø 390
GROHE FastFixation installation system
cut-out: Ø 422 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 5

* price on request

GROHE
COMPOSITE SINKS

Product no.	Colour	RRP (€) incl. VAT






31 650 AT0	**granite gray**	**301.00**
31 650 AP0	**granite black**	**301.00**

K700
Composite sink
model: K700 50-C 40/50 1.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 400 x 500 mm
1 bowl: 350 x 375 x 200 mm
outer radius: R6, inner bowl radius: R45
GROHE FastFixation installation system
cut-out: 380 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6
heat resistant up to 180° C






31 651 AP0	**granite black**	**356.00**

K700
Composite sink
model: K700 60-C 56/51 1.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 560 x 510 mm
1 bowl: 500 x 360 x 200 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
cut-out: 545 x 495 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
heat resistant up to 180° C






31 652 AT0	**granite gray**	**397.00**
31 652 AP0	**granite black**	**397.00**

K700
Composite sink
model: K700 80-C 78/51 1.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 780 x 510 mm
1 bowl: 720 x 370 x 220 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
cut-out: 764 x 494 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 9
heat resistant up to 180° C

GROHE
COMPOSITE SINKS

Product no.	Colour	RRP (€) incl. VAT






31 657 AT0	**granite gray**	**403.00**
31 657 AP0	**granite black**	**403.00**

K700
Composite sink
model: K700 90-C 83.8/55.9 2.0
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 838 x 559 mm
1 bowl: 406 x 438 x 241 mm
1 bowl: 316 x 438 x 241 mm
outer radius: R6, inner bowl radius: R15
GROHE FastFixation installation system
sink mountable left
cut-out (top mount installation): 818 x 539 mm
cut-out (undermount installation): 757 x 437 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 9
amount of fasteners included (undermount): 9
heat resistant up to 180° C





31 658 AT0	**granite gray**	**414.00**
31 658 AP0	**granite black**	**414.00**


K700
Composite sink
model: K700 100-C 90/50 2.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 1000 mm
dimensions: 900 x 500 mm
1 bowl: 465 x 443 x 230 mm
1 bowl: 315 x 443 x 230 mm
outer radius: R6, inner bowl radius: R8
GROHE FastFixation installation system
sink mountable left or right
cut-out: 880 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

* price on request

GROHE
COMPOSITE SINKS

	Product no.	Colour	RRP (€) incl. VAT
	31 653 AT0	**granite gray**	**264.00**
	31 653 AP0	**granite black**	**264.00**






K700U
Composite sink
model: K700U 50-C 45.7/40.6 1.0
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 457 x 406 mm
1 bowl: 417 x 366 x 203 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
cut-out: 417 x 366 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
mounting with silicone (top mount)
optional push to open excenter (40 986 SD0)
amount of fasteners included (undermount): 8
heat resistant up to 180° C

	31 654 AT0	**granite gray**	**303.00**
	31 654 AP0	**granite black**	**303.00**






K700U
Composite sink
model: K700U 60-C 53.3/45.7 1.0
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 533 x 457 mm
1 bowl: 469 x 393 x 205 mm
outer radius: R7, inner bowl radius: R10
GROHE FastFixation installation system
cut-out: 468 x 390 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6
amount of fasteners included (undermount): 6
heat resistant up to 180° C

	31 655 AT0	**granite gray**	**359.00**
	31 655 AP0	**granite black**	**359.00**






K700U
Composite sink
model: K700U 70-C 61/45.7 1.0
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 700 mm
dimensions: 610 x 460 mm
1 bowl: 544 x 394 x 205 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out: 543 x 393 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6
amount of fasteners included (undermount): 6
heat resistant up to 180° C

GROHE
COMPOSITE SINKS

	Product no.	Colour	RRP (€) incl. VAT
	31 644 AT0	**granite gray**	**401.00**
	31 644 AP0	**granite black**	**401.00**






K500
Composite sink with drainer
model: K500 50-C 86/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 347 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12
GROHE FastFixation installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

	31 647 AT0	**granite gray**	**500.00**
	31 647 AP0	**granite black**	**500.00**






K500
Composite sink with drainer
model: K500 80-C 116/50 2.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 330 x 440 x 200 mm
2 bowl: 330 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12
GROHE FastFixation installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

	31 648 AT0	**granite gray**	**383.00**
	31 648 AP0	**granite black**	**383.00**






K500
Composite sink
model: K500 60-C 55.5/46 1.5 rev
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 555 x 460 mm
1 bowl: 335 x 400 x 200 mm
0.5 bowl: 155 x 400 x 140 mm
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 525 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
mounting with silicone (top mount)
optional push to open excenter (40 986 SD0)
amount of fasteners included (undermount): 8
heat resistant up to 180° C

* price on request

GROHE
COMPOSITE SINKS






Product no.	Colour	RRP (€) incl. VAT
31 649 AT0	**granite gray**	**467.00**
31 649 AP0	**granite black**	**467.00**

K500
Composite sink
model: K500 90-C 86/50 2.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 860 x 500 mm
1 bowl: 390 x 430 x 200 mm
2 bowl: 380 x 365 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

GROHE
COMPOSITE SINKS

	Product no.	Colour	RRP (€) incl. VAT
	31 639 AT0	**granite gray**	**297.00**
	31 639 AP0	**granite black**	**297.00**






K400
Composite sink with drainer
model: K400 50-C 78/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 780 x 500 mm
1 bowl: 347 x 440 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 765 x 485 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

31 640 AT0	**granite gray**	**375.00**
31 640 AP0	**granite black**	**375.00**






K400
Composite sink with drainer
model: K400 50-C 86/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 337 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

31 641 AT0	**granite gray**	**403.00**
31 641 AP0	**granite black**	**403.00**






K400
Composite sink with drainer
model: K400 60-C 100/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

* price on request

GROHE
COMPOSITE SINKS

	Product no.	Colour	RRP (€) incl. VAT
	31 642 AT0	**granite gray**	**431.00**
	31 642 AP0	**granite black**	**431.00**






K400
Composite sink with drainer
model: K400 60-C 100/50 1.5 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 335 x 420 x 205 mm
0.5 bowl: 155 x 295 x 146 mm
outer radius: R6, inner bowl radius: big bowl R10, small bowl R8
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

31 643 AT0	**granite gray**	**459.00**
31 643 AP0	**granite black**	**459.00**






K400
Composite sink with drainer
model: K400 80-C 116/50 1.5 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 400 x 420 x 205 mm
2 bowl: 295 x 295 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

31 656 AT0	**granite gray**	**247.00**
31 656 AP0	**granite black**	**247.00**





K200
Composite sink
model: K200 50-C 51 1.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: Ø 510 mm
1 bowl: Ø 380 x 200 mm
inner bowl radius: Ø 380
GROHE FastFixation installation system
cut-out: Ø 490 mm
drainer: automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 3
heat resistant up to 180° C

GROHE
COMPOSITE SINKS

	Product no.	Colour	RRP (€) incl. VAT
	**40 986 SD0**	**stainless steel**	**49.00**

Pop-up waste set
round pop-up with push control
space saving waste set
including strainer plug
Ø 35 mm cut-out diameter
fits all kitchen sink series

* price on request

GROHE
SPECIAL FITTINGS





CONTENTS

Electronic fittings	Eurocube E	470
	Essence E	473
	Bluetooth monitoring	477
	Europlus E	486
	Eurosmart Cosmopolitan E	489
	Euroeco Cosmopolitan E	498
	Bau Cosmopolitan E	502
Special thermostats	Grohtherm Micro	504
	Grohtherm Special	505
	Grohtherm XL	510
Single-lever mixer	Eurosmart Care	513
	Euroeco Special	518
	Euroeco Special / SSC	524
Self-closing fittings	Eurodisc SE	527
	Eurosmart Cosmopolitan T	529
	Euroeco Cosmopolitan T	531
Accessories Special Fittings		532

SYSTEM REQUIREMENTS
FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE
EUROCUBE E

Product no.	Colour	RRP (€) incl. VAT






36 440 000	**chrome**	**840.00**

Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

new






36 441 000	**chrome**	**811.00**
36 441 DC0	**supersteel**	**1,055.00**
36 441 AL0	**brushed hard graphite**	**1,217.00**

Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar





36 442 000	**chrome**	**913.00**


Eurocube E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.7 l/min
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

* price on request

GROHE
EUROCUBE E

	Product no.	Colour	RRP (€) incl. VAT






36 264 001 **203.00**

Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000






38 748 002 **chrome** **558.00**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






36 407 001 **189.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply






36 340 000 **63.00**

Power extension cable
length 3.00 m

36 341 000 **115.00**
ditto, length 10 m

GROHE
EUROCUBE E


	Product no.	Colour	RRP (€) incl. VAT
	42 388 000		79.00
	Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		
	42 393 000		49.00
	Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer		
 	36 338 000		103.00
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		

* price on request

GROHE
ESSENCE E

Product no.	Colour	RRP (€) incl. VAT






36 444 000	**chrome**	**681.00**

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

new

36 445 000	**chrome**	**652.00**
36 445 DC0	**supersteel**	**848.00**
36 445 GL0	**cool sunrise**	**913.00**
36 445 GN0	**brushed cool sunrise**	**978.00**
36 445 DA0	**warm sunset**	**913.00**
36 445 DL0	**brushed warm sunset**	**978.00**
36 445 A00	**hard graphite**	**913.00**
36 445 AL0	**brushed hard graphite**	**978.00**






Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

GROHE
ESSENCE E

	Product no.	Colour	RRP (€) incl. VAT






36 446 000 **chrome** **609.00**

Essence E
Infra-red electronic basin tap 1/2“
without temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






36 447 000 **chrome** **864.00**

Essence E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.0 l/min
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar





36 264 001 **203.00**


Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000

* price on request

GROHE
ESSENCE E

Product no.	Colour	RRP (€) incl. VAT






38 748 002 **chrome** **558.00**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)





36 407 001 **189.00**


Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply



42 388 000 **79.00**

Mains adaptor
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
to replace battery






36 340 000 **63.00**

Power extension cable
length 3.00 m

36 341 000 **115.00**
ditto, length 10 m

GROHE
ESSENCE E


	Product no.	Colour	RRP (€) incl. VAT
	**42 393 000**		**49.00**
	Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer		
 	**36 338 000**		**103.00**
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		

* price on request

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT
36 413 000	**chrome**	**806.00**





Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" with mixing device
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
rapid installation system
mixing device with adjustable hot water limiter
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
with integrated solenoid valve
integrated non-return valves and dirt strainers
with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush, thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT
36 409 000	**chrome**	**663.00**





Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2“
without temperature control
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
rapid installation system
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
external solenoid valve
dirt strainer
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
thermal disinfection
auto flush, cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.


*** Available for free via iTunes app or Google Play store.

* price on request

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT





36 414 000 **chrome** **1,095.00**

Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
GROHE StarLight finish
GROHE CoolTouch
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
swivel cast spout 219 mm
with swivel stop at 130° or fixed
projection 287 mm
laminar mousseur 9 l/min
S-unions, escutcheon covers for S unions
non-return valve, dirt strainers
power connection cable 3.0 m
for use with connection set 39 383 000
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.






39 383 000 **77.00**

Eurosmart Cosmopolitan E
Thermostatic 230 V connection set
fitting support
2 fitting connections 1/2"
power supply connector
wall installation
for use with Eurosmat Cosmopolitan E thermostat 230 V

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT





36 410 000 **chrome** **760.00**

Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap without mixing device
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box 36 336 001/36 337 001
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush, thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.






36 337 001 **136.00**

Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve





36 336 001 **362.00**


Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

* price on request

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT





36 412 000 **chrome** **861.00**

Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box 36 339 001
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
projection 172 mm
with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush, thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.






36 339 001 **249.00**

Eurosmart Cosmopolitan E
Concealed mounting box with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT





36 415 000 **chrome** **721.00**

Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic for concealed shower thermostat
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
for concealed installation box
36 416 001
GROHE StarLight chrome finish
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
shut off delay
auto flush, thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.





36 416 001 **708.00**


Eurosmart Cosmopolitan E
Concealed body
for shower
with integrated pre-adjustable thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

* price on request

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT





37 503 000 **chrome** **961.00**

Tectron Skate Bluetooth
Infra-red electronic for urinal
for Rapido U 37 338 000
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
GROHE StarLight finish
flow pressure min 0.5 bar
operating pressure max 10 bar

with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush, cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.






37 338 000 **144.00**

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
shortable inspection shaft incl. protection

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT






37 504 000 **chrome** **1,184.00**

Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with additional manual actuation
GROHE StarLight finish
front plate 156 x 197 mm
servo motor
for use with Rapid SLX please order shaft 66 791 000 (sold separately)
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.






36 340 000 **63.00**

Power extension cable
length 3.00 m

36 341 000 **115.00**
ditto, length 10 m





36 338 000 **103.00**


Switch-mode power supply
for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

* price on request

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT
36 407 001		**189.00**






Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

GROHE
EUROPLUS E

Product no.	Colour	RRP (€) incl. VAT






36 207 001 **chrome** **595.00**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve, dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 208 001 **chrome** **537.00**
ditto, without mixing device






36 015 001 **chrome** **675.00**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve, dirt strainers
solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 016 001 **chrome** **617.00**
ditto, without mixing device








36 407 001 **189.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

* price on request

GROHE
EUROPLUS E

	Product no.	Colour	RRP (€) incl. VAT
 	**36 340 000** **Power extension cable** length 3.00 m		**63.00**
	36 341 000 **ditto, length 10 m**		**115.00**
	**42 393 000** **Battery housing** including 6 V lithium-battery, type CR-P2 to replace transformer		**49.00**
	**42 388 000** **Mains adaptor** with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		**79.00**
 	**36 338 000** **Switch-mode power supply** for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		**103.00**
	**36 209 000** **Hidden mixing device** vandal-proof, covered and pre-adjustable mixer suitable for single hole mixers Europlus E and Eurodisc SE consisting of: special mixing device, adjustment by screwdriver metallic cap **GROHE StarLight** chrome finish	**chrome**	**94.00**
 	**36 133 000** **Mousseur** external thread M 24 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly key theft proof **GROHE StarLight** finish male thread	**chrome**	**22.00**

GROHE
EUROPLUS E

Product no.	Colour	RRP (€) incl. VAT
42 177 00M		**4.00**




Sticker with pictograph
self-adhesive
for wash basin-single hole mixer
wash basin exposed faucets
in units of 5

* price on request

GROHE
EUROSMART COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT






36 331 001 **chrome** **408.00**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
pop-up waste set 1 1/4"
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K






36 422 000 **chrome** **495.00**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






36 325 001 **chrome** **417.00**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

GROHE
EUROSMART COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT






36 421 000 **chrome** **492.00**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






36 439 000 **chrome** **368.00**

Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2"
without temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar





36 330 001 **chrome** **392.00**


Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

* price on request

GROHE
EUROSMART COSMOPOLITAN E

	Product no.	Colour	RRP (€) incl. VAT







36 386 001 **chrome** **906.00**

Eurosmart Cosmopolitan E
Powerbox
infra-red electronic basin mixer with mixing device
and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
including Powerbox self-generating power system
GROHE StarLight finish
GROHE EcoJoy 6.0 l/min mousseur
including all flexible connection hoses
non-return valve
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407







36 454 000 **chrome** **1,038.00**


Eurosmart Cosmopolitan E Special
Infra-red electronic wall basin mixer
with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone
(hand-body detection mode)
two additional detection modes adjustable (hand-hand or body-body)
GROHE StarLight chrome finish
GROHE CoolTouch
laminar mousseur 9 l/min
non-return valve
dirt strainers
GROHE SafetyPlus
temperature scale handle with internal safety stop between 35°C and 43°C
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
swivel cast spout 219 mm
projection 287 mm
swivel range stop at 130°, lockable
with S-unions and with covers
self-sealing escutcheons
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109

36 455 000 **chrome** **1,010.00**
ditto, projection 255 mm

GROHE
EUROSMART COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT






36 332 000 **chrome** **923.00**

Eurosmart Cosmopolitan E
Infra-red electronic wall basin mixer
with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone
(hand-body detection mode)
two additional detection modes adjustable (hand-hand or body-body)
GROHE StarLight chrome finish
GROHE CoolTouch
laminar mousseur 9 l/min
non-return valve, dirt strainers
temperature scale handle with **GROHE SafeStop** at 38°C
swivel cast spout 219 mm
projection 287 mm
swivel range stop at 130°, lockable
self-sealing escutcheons
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109

36 333 000 **chrome** **906.00**
ditto, projection 255 mm






36 334 SD0 **stainless steel** **479.00**

Eurosmart Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE EcoJoy technology for less water and perfect flow
laminar mousseur 9 l/min
stainless steel escutcheon
SuperSteel spout
projection 232 mm
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation for concealed fitting box
36 336 001/36 337 001
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

36 335 SD0 **stainless steel** **462.00**
ditto, projection 172 mm





36 337 001 **136.00**


Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

* price on request

GROHE
EUROSMART COSMOPOLITAN E

	Product no.	Colour	RRP (€) incl. VAT






36 336 001 **362.00**

Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






36 376 000 **chrome** **520.00**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
projection 232 mm
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation for concealed fitting box 36 339 001
CE approved
acoustic group I in accordance with DIN 4109

36 315 000 **chrome** **514.00**
ditto, projection 172 mm






36 339 001 **249.00**

Eurosmart Cosmopolitan E
Concealed mounting box
with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






36 457 000 **chrome** **959.00**

Eurosmart Cosmopolitan E Special
Infra-red electronic shower mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
ergonomic metal handle
GROHE StarLight chrome finish
GROHE CoolTouch
non-return valve
dirt strainers
GROHE SafetyPlus
temperature scale handle with internal safety stop between 35°C and 43°C
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
shower bottom outlet 1/2" with integrated non return-valve
with S-unions and with covers
self-sealing escutcheons
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109

GROHE
EUROSMART COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT






36 456 000 **chrome** **257.00**

Eurosmart Cosmopolitan E Special
Infra-red electronic for concealed shower thermostat
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for concealed installation box 36 458 000 and 36 459 000
ergonomic metal handle
GROHE StarLight chrome finish
GROHE SafetyPlus
temperature scale handle with internal safety stop between 35°C and 43°C
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109






36 458 000 **771.00**

Eurosmart Cosmopolitan E
Concealed body
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






36 459 000 **828.00**

Eurosmart Cosmopolitan E
Concealed body
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






47 780 000 **161.00**

Extension-set 27.5 mm
for Rapido T 35 500 000/35 050 000
for concealed installation box 36 458 000 and 36 459 000
for use with central-thermostats and
shower-thermostats with shut-off valve





36 463 000 **chrome** **228.00**


Eurosmart Cosmopolitan E
Infra-red electronic for concealed shower thermostat
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for concealed installation box 36 416 000 and 36 464 000
for hidden thermostatic mixer
GROHE StarLight chrome finish
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109

* price on request

GROHE
EUROSMART COSMOPOLITAN E

	Product no.	Colour	RRP (€) incl. VAT






36 464 000 **685.00**

Eurosmart Cosmopolitan E
Concealed body
for shower
with integrated pre-adjustable thermostatic mixer
suitable for infra-red set 36 463 000
2 stop valves
non-return valves with filters
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






36 416 001 **708.00**

Eurosmart Cosmopolitan E
Concealed body
for shower
with integrated pre-adjustable thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

36 407 001 **189.00**






Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

36 340 000 **63.00**







Power extension cable
length 3.00 m

36 341 000 **115.00**
ditto, length 10 m

GROHE
EUROSMART COSMOPOLITAN E


	Product no.	Colour	RRP (€) incl. VAT
	**42 393 000**		**49.00**
	Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer		
	**42 388 000**		**79.00**
	Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		
 	**36 338 000**		**103.00**
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		
 	**36 276 000**		**120.00**
	Rotation lock vandalism hampering fixing device suitable for single hole mixers Eurosmart Cosmopolitan E/Eurosmart Cosmopolitan T		
 	**36 133 000**	**chrome**	**22.00**
	Mousseur external thread M 24 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly key theft proof **GROHE StarLight** finish male thread		
	**42 408 000**	**chrome**	**23.00**
	Hidden mixing device re-fitting set for vandal-proof, covered and pre-adjustable mixer suitable for single hole mixers Eurosmart Cosmopolitan E metallic cap **GROHE StarLight** chrome finish		

* price on request

GROHE
EUROSMART COSMOPOLITAN E

	Product no.	Colour	RRP (€) incl. VAT






34 487 000 **chrome** **154.00**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE StarLight chrome finish
built-in non return valves
dirt strainer
without connection set
max. pressure differential 5:1





47 533 000 **chrome** **28.00**

Grohtherm Micro
Connection set
for Grohtherm Micro
consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
union nuts
GROHE StarLight chrome finish




42 177 00M **4.00**

Sticker with pictograph
self-adhesive
for wash basin-single hole mixer
wash basin exposed faucets
in units of 5

GROHE
EUROECO COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT






36 271 000 **chrome** **308.00**

Euroeco Cosmopolitan E
Infra-red electronic basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
external solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K






36 269 000 **chrome** **332.00**

Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2“
without temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
external solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K





36 272 000 **chrome** **308.00**


Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2“
without temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainer
external solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved

* price on request

GROHE
EUROECO COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT






36 384 000 **chrome** **682.00**

Euroeco Cosmopolitan E
Powerbox
infra-red electronic basin tap 1/2" without mixer
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
including Powerbox self-generating power system
GROHE StarLight finish
GROHE EcoJoy 6.0 l/min mousseur
flexible connection hose
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407






36 274 000 **chrome** **360.00**

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
metal body
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved






36 273 000 **chrome** **428.00**

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
GROHE EcoJoy mousseur 5.7 l/min
chrome spout
projection 172 mm
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation for concealed fitting box 36 336 001/36 337 001
CE approved
acoustic group I in accordance with DIN 4109






36 337 001 **136.00**

Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE
EUROECO COSMOPOLITAN E

	Product no.	Colour	RRP (€) incl. VAT






36 336 001 **362.00**

Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---






36 407 001 **189.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply





36 340 000 **63.00**

Power extension cable
length 3.00 m

36 341 000 **115.00**
ditto, length 10 m



42 393 000 **49.00**

Battery housing
including 6 V lithium-battery, type CR-P2
to replace transformer



42 388 000 **79.00**


Mains adaptor
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
to replace battery

* price on request

GROHE
EUROECO COSMOPOLITAN E

	Product no.	Colour	RRP (€) incl. VAT






36 338 000 **103.00**

Switch-mode power supply
for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief






36 133 000 **chrome** **22.00**

Mousseur
external thread
M 24 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
including disassembly key
theft proof
GROHE StarLight finish
male thread






34 487 000 **chrome** **154.00**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE StarLight chrome finish
built-in non return valves
dirt strainer
without connection set
max. pressure differential 5:1





45 704 000 **chrome** **44.00**

Flexible connection hose
300 mm
3/8" x 3/8"




42 177 00M **4.00**

Sticker with pictograph
self-adhesive
for wash basin-single hole mixer
wash basin exposed faucets
in units of 5

GROHE
BAU COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT






36 451 000 **chrome** **246.00**

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2“
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59






36 452 000 **chrome** **228.00**

Bau Cosmopolitan E
Infra-red electronic basin tap 1/2“
without temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
body made of composite polymer
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59





36 453 000 **chrome** **260.00**


Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2“
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59

* price on request

GROHE
BAU COSMOPOLITAN E

	Product no.	Colour	RRP (€) incl. VAT






36 407 001 **189.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply





36 340 000 **63.00**

Power extension cable
length 3.00 m


36 341 000 **115.00**
ditto, length 10 m



42 393 000 **49.00**

Battery housing
including 6 V lithium-battery, type CR-P2
to replace transformer






36 338 000 **103.00**

Switch-mode power supply
for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE
GROHTHERM MICRO

	Product no.	Colour	RRP (€) incl. VAT






34 487 000 **chrome** **154.00**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE StarLight chrome finish
built-in non return valves
dirt strainer
without connection set
max. pressure differential 5:1






47 533 000 **chrome** **28.00**

Grohtherm Micro
Connection set
for Grohtherm Micro
consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
union nuts
GROHE StarLight chrome finish






45 704 000 **chrome** **44.00**

Flexible connection hose
300 mm
3/8" x 3/8"





45 120 000 **chrome** **30.00**


Connection hose, 300 mm
connector set 3/8"
for copper pipe Ø 10 mm
coupling nut 3/8"
300 mm

* price on request

GROHE
GROHTHERM SPECIAL


	Product no.	Colour	RRP (€) incl. VAT






34 667 000 **chrome** **391.00**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus






34 665 000 **chrome** **489.00**

Grohtherm Special
Thermostatic bath mixer 1/2"
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
with S-unions and with covers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus







34 681 000 **chrome** **386.00**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
dirt strainers
without S-unions and covers
GROHE FastFixation for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafetyPlus

GROHE
GROHTHERM SPECIAL

	Product no.	Colour	RRP (€) incl. VAT






34 671 000 **chrome** **484.00**

Grohtherm Special
Thermostatic bath mixer 1/2“
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet 1/2“ with integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
without S-unions and covers
GROHE FastFixation for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafetyPlus






13 080 000 **chrome** **223.00**

Cast swivel spout
length 77 mm
GROHE StarLight chrome finish






13 137 000 **chrome** **217.00**

Cast swivel spout
length 115 mm
GROHE StarLight chrome finish






13 138 000 **chrome** **224.00**

Cast swivel spout
length 175 mm
GROHE StarLight chrome finish





34 666 000 **chrome** **434.00**


Grohtherm Special
Thermostatic basin mixer 1/2“
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2“, 90°
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
bottom outlet for spouts 13 378 or 13 380
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus

* price on request

GROHE
GROHTHERM SPECIAL

Product no.	Colour	RRP (€) incl. VAT






13 378 000 **chrome** **117.00**

Cast swivel spout
length 115 mm
swivelling (180 or 90°) and lockable
laminar flow straightener 9 l/min
GROHE StarLight finish

13 380 000 **chrome** **129.00**
ditto, length 175 mm






29 094 000 **chrome** **298.00**

Grohtherm Special
Thermostatic shower mixer
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
temperature scale handle with internal safety stop between 35°C and 43°C
integrated mixed water shut off
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus

35 500 000 **246.00**
GROHE Rapido T thermostatic mixer for concealed installation






29 095 000 **chrome** **304.00**

Grohtherm Special
Thermostatic bath mixer
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
temperature scale handle with internal safety stop between 35°C and 43°C
integrated mixed water shut off
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus

35 500 000 **246.00**
GROHE Rapido T thermostatic mixer for concealed installation





29 096 000 **chrome** **246.00**


Grohtherm Special
Central thermostatic mixer
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handle
temperature scale handle with internal safety stop between 35°C and 43°C
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus

35 500 000 **246.00**
GROHE Rapido T thermostatic mixer for concealed installation

GROHE
GROHTHERM SPECIAL

	Product no.	Colour	RRP (€) incl. VAT





35 500 000 **246.00**

GROHE Rapido T
Thermostatic mixer for concealed installation
for use with Grohtherm Special
without finishing trim set
flat installation depth 70 - 95 mm
easy to install, premounted and tested unit
GROHE TurboStat compact cartridge with wax thermoelement
two top outlets 1/2", lockable
high flow rate up to 50 l/min. by use of three outlets
bottom outlet 1/2" can be used only with separate stop valve
safe to install, stable built-in-box and protective cap
fixation options for solid walls and dry cladding
material for wall sealing included
body of DR brass
built-in non return valves and dirt strainers



47 979 000 **12.00**


Non-return valves
including screws and O-rings for **GROHE FastFixation**
packaging unit: 2 pieces



47 994 000 **8.00**

Grohtherm Special
Temperature unlocking handle
unlocking of temperature handle for thermal disinfection






12 051 000 **chrome** **57.00**

S-union, lockable
1/2" x 3/4"
screw socket to cover the union nut and the escutcheon
sealing towards wall
adjustment range 12.5 mm
suitable for 1/2" connections
GROHE StarLight chrome finish








47 780 000 **161.00**

Extension-set 27.5 mm
for Rapido T 35 500 000/35 050 000
for concealed installation box 36 458 000 and 36 459 000
for use with central-thermostats and
shower-thermostats with shut-off valve

47 781 000 **188.00**
ditto, for use with bath-thermostats with aquadimmer

* price on request


GROHE
GROHTHERM SPECIAL

	Product no.	Colour	RRP (€) incl. VAT
	**29 007 000**		**185.00**
	Safety combination (EN 1717) for Rapido T 35 500 000/35 050 000 re-fitting-set for backflow protection, for use with inlet- pop-up and waste-sets e.g.: Talentofill 28 990 000 or 28 991 000 replaces use of pipe interrupter, threrefore no additional escutcheon necessary		
 	**28 874 000**	**chrome**	**19.00**
	T connection, 1/2" for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves **GROHE StarLight** chrome finish		
 	**28 988 000**	**chrome**	**44.00**
	Drain down valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" **GROHE StarLight** chrome finish		
 	**12 030 000**	**chrome**	**80.00**
	Pillar union 1/2" angle 3/4" x 1/2" mounting set 1/2" projection 47 mm **GROHE StarLight** chrome finish		

GROHE
GROHTHERM XL

	Product no.	Colour	RRP (€) incl. VAT






35 085 000 **chrome** **1,765.00**

Grohtherm XL
Thermostatic mixer 1“
wall mounted
range of use 9 l/min to 140 l/min
wax thermoelement
temperature scale handles with
pre-adjustable safety stop between
33°C and 43°C
arrangement to make the thermal
disinfection easier
built-in non return valves and dirt
strainers as compact service units
connecting thread 1 1/4“
outlet thread 1 1/2“
changeable top/bottom outlet
without connection unions
GROHE StarLight chrome finish






35 087 000 **chrome** **2,160.00**

Grohtherm XL
Thermostatic mixer 1 1/4“
wall mounted
range of use 9 l/min to 140 l/min
wax thermoelement
temperature scale handles with
pre-adjustable safety stop between
33°C and 43°C
arrangement to make the thermal
disinfection easier
built-in non return valves and dirt
strainers as compact service units
connecting thread 1 1/2“
outlet thread 2“
changeable top/bottom outlet
without connection unions
GROHE StarLight chrome finish






12 411 000 **chrome** **106.00**

S-union
nut 1 1/4“ x 1“ male thread
adjustment range 50 mm
screw escutcheon
(for Grohtherm XL 1“, 35 085/35 086)
GROHE StarLight chrome finish






12 417 000 **chrome** **101.00**

Straight union
nut 1 1/4“ x 1“ male thread
screw escutcheon
(for Grohtherm XL 1“, 35 085/35 086)
GROHE StarLight chrome finish

12 420 000 **chrome** **71.00**
ditto,
nut, 1 1/2“ x 1 1/4“, male thread
(for Grohtherm XL 1 1/4“, 35 087/35 088)










12 424 000 **chrome** **77.00**

Straight union
nut 1 1/2“ x 1 1/4“ male thread
(for Grohtherm XL 1“, 35 085/35 086)
GROHE StarLight chrome finish

* price on request

GROHE
GROHTHERM XL

	Product no.	Colour	RRP (€) incl. VAT
 	**12 428 000**	**chrome**	**94.00**
	Elbow union nut 1 1/4" x 1" male thread (for Grohtherm XL 1", 35 085/35 086) **GROHE StarLight** chrome finish		
	12 430 000	**chrome**	**121.00**
	Elbow union **nut, 1 1/2" x 1 1/4", male thread** **(for Grohtherm XL 1 1/4", 35 087/35 088)**		
 	**12 432 000**	**chrome**	**146.00**
	Wall union, male 1 1/4" nut 1 1/2" x 1 1/4" male thread projection 125 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) **GROHE StarLight** chrome finish		
 	**12 444 000**	**chrome**	**334.00**
	Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) **GROHE StarLight** chrome finish		
 	**12 448 000**	**chrome**	**273.00**
	Wall union, male 1 1/2" with thermometer nut 2" x 1 1/2" male thread projection 90 mm screw escutcheon **GROHE StarLight** chrome finish		
 	**12 436 000**	**chrome**	**208.00**
	Wall union, male 1 1/4" without thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) **GROHE StarLight** chrome finish		
	**47 569 000**	**chrome**	**291.00**
	Loose key and shield		

SPECIAL FITTINGS

GROHE
GROHTHERM XL



Product no.	Colour	RRP (€) incl. VAT
12 124 000	**chrome**	**130.00**

Mixed water circulation connection
consisting of:
flexible connection hose
3/4“ x 3/4“, 90° angle
connecting nipple M45 x 1.5 x 3/4“
for connection to existing circulation pipe
double nipple 1“ male thread x 3/4“
for connection to Grohtherm XL
GROHE StarLight chrome finish


* price on request

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT

new






23 988 003 **chrome** **132.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
built-in non return valves
dirt strainers
GROHE EcoJoy mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
max. pressure differential 5:1
professional edition

new






23 989 003 **chrome** **145.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
built-in non return valves
dirt strainers
GROHE EcoJoy mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
max. pressure differential 5:1
professional edition

new





23 986 003 **chrome** **172.00**


Eurosmart
Single-lever basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
loop metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
built-in non return valves
dirt strainers
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT

new






23 987 003 **chrome** **185.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
loop metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
built-in non return valves
dirt strainers
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition

new






23 980 003 **chrome** **106.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new






23 981 003 **chrome** **119.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new





25 241 003 **chrome** **131.00**

Eurosmart
Single-lever bath mixer 1/2“
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2“
S-unions
metal wall escutcheons
protected against backflow
professional edition


* price on request

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT

new





25 242 003 **chrome** **114.00**


Eurosmart
Single-lever shower mixer 1/2“
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
shower bottom outlet 1/2“ with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT

new






23 984 003 **chrome** **172.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
long metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
built-in non return valves
dirt strainers
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition

new






23 985 003 **chrome** **185.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
long metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
GROHE Zero isolated inner water ways - lead and nickel free within the faucet
built-in non return valves
dirt strainers
GROHE EcoJoy 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition

new






23 982 003 **chrome** **106.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition

new





23 983 003 **chrome** **119.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition


* price on request

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT

new






25 243 003 **chrome** **131.00**

Eurosmart
Single-lever bath mixer 1/2"
wall mounted
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
professional edition

new






25 244 003 **chrome** **114.00**

Eurosmart
Single-lever shower mixer 1/2"
wall mounted
long metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition






34 667 000 **chrome** **391.00**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus

GROHE
EUROECO SPECIAL

	Product no.	Colour	RRP (€) incl. VAT






32 763 000 **chrome** **119.00**

Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
pop-up waste set 1 1/4"
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate approx. 2.5 l/min
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses

32 762 000 **chrome** **119.00**
ditto, smooth body






32 766 000 **chrome** **269.00**

Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
pop-up waste set 1 1/4"
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate approx. 2.5 l/min
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses

32 765 000 **chrome** **258.00**
ditto, smooth body






23 294 000 **chrome** **228.00**

Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
pop-up waste set 1 1/4"
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate approx. 2.5 l/min
laminar flow straightener 5 l/min.
metal lever
lever length 160 mm
rapid installation system
flexible connection hoses





23 293 000 **chrome** **258.00**


Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
smooth body
high version
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate approx. 2.5 l/min
laminar flow straightener 5 l/min.
loop metal lever
lever length 160 mm
flexible connection hoses
rapid installation system

* price on request

GROHE
EUROECO SPECIAL

	Product no.	Colour	RRP (€) incl. VAT






30 208 000 **chrome** **283.00**

Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
high spout, 302 mm
smooth body
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 5.7 l/min.
swivel tubular spout, swivel area 140°
metal lever, lever length 170 mm
rapid installation system
flexible connection hoses






32 776 000 **chrome** **270.00**

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
cast spout
projection 157 mm
metal lever
lever length 120 mm
S-unions






32 778 000 **chrome** **281.00**

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
cast spout
projection 205 mm
metal lever
lever length 170 mm
S-unions

32 779 000 **chrome** **318.00**
ditto, with lockable S unions, projection 221 mm





32 770 000 **chrome** **267.00**


Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 157 mm
metal lever
lever length 120 mm
S-unions

32 768 000 **chrome** **303.00**
ditto, with lockable S unions, projection 174 mm

GROHE
EUROECO SPECIAL

	Product no.	Colour	RRP (€) incl. VAT






32 767 000 **chrome** **303.00**

Euroeco Special
Single-lever basin mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 197 mm
metal lever
lever length 120 mm
S-unions

32 771 000 **chrome** **340.00**
ditto, with lockable S unions, projection 214 mm






32 773 000 **chrome** **318.00**

Euroeco Special
Single-lever basin mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
cast swivel spout, lockable
laminar flow straightener 9 l/min
projection 257 mm
metal lever
lever length 170 mm
S-unions

32 774 000 **chrome** **354.00**
ditto, with lockable S unions, projection 274 mm






32 775 000 **chrome** **369.00**

Euroeco Special
Single-lever basin mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener
cast swivel spout, lockable
projection 342 mm
metal lever
lever length 170 mm
with lockable S-unions





32 772 000 **chrome** **307.00**


Euroeco Special
Single-lever basin mixer
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable minimum flow rate approx. 2.5 l/min
adjustable temperature limiter
adjustable flow rate limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 222 mm
metal lever
lever length 170 mm
without S-unions
water saving

* price on request

GROHE
EUROECO SPECIAL

	Product no.	Colour	RRP (€) incl. VAT






32 780 000 **chrome** **125.00**

Euroeco Special
Single-lever shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
shower bottom outlet 1/2"
integrated non-return valve
metal lever
lever length 120 mm
S-unions, protected against backflow






32 783 000 **chrome** **147.00**

Euroeco Special
Single-lever bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
metal lever
lever length 120 mm
temperature limiter
S-unions, protected against backflow






46 343 000 **273.00**

Extension set
50 mm
for universal single-lever mixer for concealed installation 1/2"
for use with bath and shower mixer
for use with all trim set designs and surfaces






32 786 000 **chrome** **154.00**

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
selectable swivel area: 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses
rapid installation system






32 787 000 **chrome** **154.00**

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
swivel area 140°
metal lever
lever length 120 mm
flexible connection hoses
rapid installation system

GROHE
EUROECO SPECIAL

	Product no.	Colour	RRP (€) incl. VAT





32 847 000 **chrome** **247.00**

Eurosmart Cosmopolitan
Solid basin mixer, 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
swivel tubular spout
projection 400 mm
S-unions



32 870 000 **chrome** **35.00**

Euroeco Special
Lever 115 mm
for Euroeco Special single-lever mixer
GROHE StarLight chrome finish

32 871 000 **chrome** **30.00**
ditto, length 160 mm



46 259 000 **chrome** **25.00**

Lever 120 mm
GROHE StarLight chrome finish



46 257 000 **chrome** **83.00**

Lever 170 mm
GROHE StarLight chrome finish




46 688 000 **chrome** **49.00**

Lever 120 mm
for Euroeco Special
single lever basin mixer
metal, 120 mm
GROHE StarLight chrome finish

46 689 000 **chrome** **33.00**
length 170 mm





12 051 000 **chrome** **57.00**


S-union, lockable
1/2" x 3/4"
screw socket to cover the union nut and the escutcheon
sealing towards wall
adjustment range 12.5 mm
suitable for 1/2" connections
GROHE StarLight chrome finish

* price on request

GROHE
EUROECO SPECIAL

	Product no.	Colour	RRP (€) incl. VAT






34 487 000 **chrome** **154.00**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE StarLight chrome finish
built-in non return valves
dirt strainer
without connection set
max. pressure differential 5:1






47 533 000 **chrome** **28.00**

Grohtherm Micro
Connection set
for Grohtherm Micro
consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
union nuts
GROHE StarLight chrome finish

GROHE
EUROECO SPECIAL / SSC

	Product no.	Colour	RRP (€) incl. VAT






32 788 000 **chrome** **256.00**

Euroeco Special
Single-lever safety basin mixer 1/2“
single hole installation
pop-up waste set 1 1/4“
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses

32 789 000 **chrome** **237.00**
ditto, smooth body






32 790 000 **chrome** **329.00**

Euroeco Special / SSC
Single-lever safety basin mixer 1/2“
single hole installation
smooth body
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses






32 823 000 **chrome** **405.00**

Euroeco Special
Single-lever safety basin mixer 1/2“
ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
cast spout with flow straightener 9 l/min.
projection 170 mm
metal lever
lever length 170 mm
without connection unions





32 795 000 **chrome** **409.00**


Euroeco Special / SSC
Single-lever safety basin mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
cast spout with flow straightener 9 l/min.
projection 204 mm
metal lever
lever length 170 mm
S-unions

* price on request

GROHE
EUROECO SPECIAL / SSC

	Product no.	Colour	RRP (€) incl. VAT





32 792 000 **chrome** **435.00**

Euroeco Special / SSC
Single-lever safety basin mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
cast swivel spout, lockable with flow straightener 9 l/min.
projection 197 mm
metal lever
lever length 120 mm
S-unions

32 793 000 **chrome** **453.00**
ditto, projection 256 mm



46 277 000 **10.00**

Temperature limiter
for cartridge 46 278
for Euroeco safety mixer batteries



46 278 000 **97.00**

Cartridge
with ceramic sealing system
for Euroeco safety mixer batteries



46 686 000 **chrome** **31.00**

Lever 120 mm
for Euroeco Special
single sequential basin mixer
metal, 120 mm
GROHE StarLight chrome finish




46 687 000 **chrome** **46.00**

Lever 170 mm
for Euroeco Special
single sequential basin mixer
metal, 170 mm
GROHE StarLight chrome finish

GROHE
EUROECO SPECIAL / SSC

	Product no.	Colour	RRP (€) incl. VAT
	28 874 000	**chrome**	**19.00**






T connection, 1/2“
for connection to shower and bath/shower- mixer
union nut 1/2“
2 connections 1/2“ for the shower hose or drain valves
GROHE StarLight chrome finish

	28 988 000	**chrome**	**44.00**






Drain down valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2“
GROHE StarLight chrome finish

* price on request

GROHE
EURODISC SE

Product no.	Colour	RRP (€) incl. VAT






36 233 000 **chrome** **590.00**

Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter
6 V lithium battery, type CR-P2
GROHE StarLight chrome finish
flexible connection hoses
non-return valves with integrated dirt strainers
rapid installation system
start-stop function
electronic control of operating time
safety stop after 180 sec.
functions to activate with tip code
flow time infinitely adjustable from 2-180 sec.
automatic flushing: 5 min after 3 days
without use
activation of permanent run for thermal disinfection for 3.5 or 11 min
CE approved
type of protection faucet IP 59K





36 249 000 **chrome** **545.00**

Eurodisc SE
Self-closing basin tap 1/2" without mixing device
6 V lithium battery, type CR-P2
for cold or premixed water
marking: blue
GROHE StarLight chrome finish
flexible connection hose
dirt strainer
rapid installation system
start-stop function
electronic control of operating time
safety stop after 180 sec.
functions to activate with tip code
flow time infinitely adjustable from 2-180 sec.
automatic flushing: 5 min after 3 days
without use
CE approved
type of protection faucet IP 59K



36 209 000 **chrome** **94.00**


Hidden mixing device
vandal-proof, covered and pre-adjustable mixer
suitable for single hole mixers
Europlus E and Eurodisc SE
consisting of:
special mixing device, adjustment by screwdriver
metallic cap
GROHE StarLight chrome finish



42 886 000 **35.00**

Battery
6 V lithium battery, type CR-P2

GROHE
EURODISC SE

	Product no.	Colour	RRP (€) incl. VAT
 	**45 704 000**	**chrome**	**44.00**


Flexible connection hose
300 mm
3/8“ x 3/8“

* price on request

GROHE
EUROSMART COSMOPOLITAN T

	Product no.	Colour	RRP (€) incl. VAT






36 318 000 **chrome** **332.00**

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device
and adjustable temperature limiter
GROHE StarLight chrome finish
pop-up waste set 1 1/4“
3 adjustable flow times: short - medium - long (factory setting: short),
approx. 7, 15, 30 sec (pressure dependent)
pressure range 0.5 to 6 bar
2 flexible hoses
non-return valve
dirt strainers,

36 317 000 **chrome** **304.00**
ditto, without pop-up waste set






36 320 000 **chrome** **479.00**

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2“ with mixing device
and adjustable temperature limiter
wall mounted
GROHE StarLight chrome finish
mixing device with hot water stop-valve
hose connection G 1/2“
3 adjustable flow times: short - medium - long (factory setting: medium),
approx. 7, 15, 30 sec (pressure dependent)
pressure range 0.5 to 6 bar
S-unions, non-return valve
dirt strainers






36 321 000 **chrome** **346.00**

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2“ with mixing device
and adjustable temperature limiter
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium),
approx. 7, 15, 30 sec (pressure dependent)
pressure range 0.5 to 6 bar
dirt strainers
set for final installation for concealed fitting box 36 322 001
without concealed body






36 322 001 **152.00**

Eurosmart Cosmopolitan T
Concealed mounting box
with mixture
wall installation
suitable for self-closing final installation sets
with adhesive flange for sealing the wall
2 stop valves
housing with mixing device
non-return valve
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve





36 276 000 **120.00**

Rotation lock
vandalism hampering fixing device
suitable for single hole mixers
Eurosmart Cosmopolitan E/Eurosmart Cosmopolitan T

GROHE
EUROSMART COSMOPOLITAN T

Product no.	Colour	RRP (€) incl. VAT
36 133 000	**chrome**	**22.00**






Mousseur
external thread
M 24 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
including disassembly key
theft proof
GROHE StarLight finish
male thread

* price on request

GROHE
EUROECO COSMOPOLITAN T

	Product no.	Colour	RRP (€) incl. VAT






36 265 000 **chrome** **123.00**

Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)






36 266 000 **chrome** **113.00**

Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
wall mounted
marking: blue/red
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flow limiter 5.7 l/min
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)






36 316 000 **chrome** **45.00**

Euroeco Cosmopolitan T
Extension, 42 mm
for self-closing pillar tap 1/2" (36 266 000)
GROHE StarLight chrome finish






36 268 000 **chrome** **113.00**

Euroeco Cosmopolitan T
Self-closing gate valve 1/2"
for concealed installation
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)






36 267 000 **chrome** **106.00**

Euroeco Cosmopolitan T
Self-closing shower valve 1/2"
exposed installation
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)

GROHE
ACCESSORIES SPECIAL FITTINGS

	Product no.	Colour	RRP (€) incl. VAT






19 840 000 **chrome** **29.00**

Concealed valve exposed part
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable
20-80 mm
escutcheon with screwable wall sealing
socket spanner
GROHE StarLight chrome finish






19 841 000 **chrome** **37.00**

Atlanta
Concealed valve exposed part
set for final installation for
35 028 000
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable
20 - 200 mm
escutcheon with screwable wall sealing
socket spanner
GROHE StarLight chrome finish






28 988 000 **chrome** **44.00**

Drain down valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish






28 874 000 **chrome** **19.00**

T connection, 1/2"
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE StarLight chrome finish






12 409 000 **chrome** **170.00**

Atlanta
Stop valve 1/2", nut 3/4"
for thermostatic mixers
coupling nut 3/4"
connection thread 3/4"
Trecorn-de-Luxe handle
marking: neutral
GROHE StarLight chrome finish





29 736 000 **chrome** **75.00**


Diverter
shower connection 1/2"
union nut 1/2"
male thread 1/2"
male thread 3/4"
for mounting on fittings
GROHE StarLight chrome finish

* price on request

GROHE
ACCESSORIES SPECIAL FITTINGS

	Product no.	Colour	RRP (€) incl. VAT
	29 033 000		**288.00**





5-way diverter
concealed body
wall installation
with ceramic sealing disks
connection cold and hot 1/2“
2 outlets 1/2“
1 bath outlet 3/4“
installation depth infinitely adjustable
66 - 113 mm
DR-brass

GROHE SENSIA
SHOWER TOILETS






CONTENTS

GROHE Sensia IGS	536
GROHE Sensia Arena	539
Manual Bidet Seat	545

GROHE
SENSIA IGS

Product no.	Colour	RRP (€) incl. VAT
39 111 SH0	**alpine white**	**5,033.00**





GROHE Sensia IGS
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene decalcification program, unique 70°C hot water cleaning for entire water system, automatic shower cleaning before and after every use
GROHE DreamSpray technology:
separate water way for lady spray
aerated shower spray
oscillating spray (automatic forward and reverse motion of the spray)
pulsating spray for massage
adjustable spray intensity
automatic pre- and post-rinsing of spray nozzle with fresh water
warm water with adjustable temperature
Other functions
warm air dryer with adjustable temperature
odor extraction with filter
Duroplast WC seat and lid with soft close function
push and turn seat control operation
4 programmable user profiles for remote controller
power switch
inside night lighting
hidden water supply and power supply connections


includes:
touchscreen remote control with wall-mounted holder
batteries for remote controller
active carbon filter
fixing and connecting material
flush pipe
installation guide, manual
cable with system plug on device
pressure 0.1 - 1.0 MPa (1 - 10 bar)
nominal voltage 220-240 V AC 1400 W
main frequency 50-60 Hz
type of protection IPX4
complying with EN 1717/13077
CE approved
SH0:
alpine white ceramic, housing, front, seat and lid

* price on request

GROHE
SENSIA IGS

Product no.	Colour	RRP (€) incl. VAT





39 596 000 **267.00**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)



46 884 000 **100.00**

Care set
for GROHE Sensia IGS shower WC
consisting of:
1 odor filter
descaling agent for 2 applications



46 882 00M **66.00**

Descaling agent
for GROHE Sensia IGS shower WC
for 4 applications
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



46 883 00M **122.00**

Odor filter
for GROHE Sensia IGS shower WC
contains 2 odor filters

GROHE
SENSIA IGS

	Product no.	Colour	RRP (€) incl. VAT
	**42 459 000**	**chrome**	**71.00**

Connection set
for Sensia IGS shower WC system

	40 899 000	**45.00**



Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL and Uniset installations
to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

	14 911 LD0	**alpine white/red**	**792.00**
	14 911 LK0	**alpine white/black**	**792.00**
	14 911 LP0	**alpine white**	**792.00**
	14 911 SH0	**alpine white**	**413.00**



Panel set
for Sensia IGS shower WC system
complete set
LD0:
matt chrome housing
red front
LK0:
matt chrome housing
black front
LP0:
matt chrome housing
alpine white front
SH0:
Alpine white housing and front

	14 912 000	**162.00**



Spray
for Sensia IGS shower WC system
Including cover and disassembling tool

	14 914 000	**32.00**


Splash protection
for Sensia IGS shower WC system

* price on request

GROHE
SENSIA ARENA

Product no.	Colour	RRP (€) incl. VAT
39 354 SH1	**alpine white**	**3,352.00**





GROHE Sensia Arena
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene GROHE antibacterial glazing SIAA Kokin Japanese standard compliant)
and anti stick coating ceramic appliance with Aquaceramics technology
GROHE power flush: rimless wash down jet WC with **GROHE Triple Vortex** flushing technology
GROHE Skin Clean:
2 dedicated adjustable spray arms (1 for rear spray, 1 for lady spray)
separate water way for lady spray
oscillating spray (automatic forward and reverse motion of the spray)
pulsating spray for massage
adjustable spray intensity
automatic pre- and post-rinsing of spray nozzle with fresh water
integrated instant heater provides unlimited warm water
adjustable temperature


Other functions
warm air dryer with adjustable temperature
odor extraction with filter
PlasmaCluster function - ion technology
descaling function
Duroplast WC seat and lid with automatic opening/close function
infra-red user detection
seat control operation
power switch
inside bowl night light
hidden water supply and power supply connections
remote control
smart phone app for iOS and Android

includes:
noise protection sheet, mounting bases and washers
manual remote controller with wall-mounted holder
active carbon filter for odour absorption
water supply connection set for concealed cistern
nozzle guard
cable with system plug on device
pressure 0.05 - 1 MPa (0.5 - 10 bar)
nominal voltage 220-240 V AC
main frequency 50-60 Hz
type of protection IPX4
complies with EN 1717
CE approved

GROHE
SENSIA ARENA

Product no.	Colour	RRP (€) incl. VAT





39 596 000 **267.00**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use


including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

* price on request

GROHE
SENSIA ARENA

Product no.	Colour	RRP (€) incl. VAT






39 597 000 **267.00**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated socket for shower toilets (power)
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
without outlet pipe
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves






39 598 000 **281.00**

Rapid SLX
3-in-1 set for WC, 1.13 m installation height
flushing cistern GDX, 6 l
consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Rapid SL wall brackets (38 558 00M)
WC set for noise protection (37 131 000)
including flow manager

GROHE
SENSIA ARENA

Product no.	Colour	RRP (€) incl. VAT






39 600 000 **338.00**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use

including wall brackets 38 558 00M for on-the-wall installation
including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
including adapter 38 338 000





46 944 001 **251.00**

GROHE Sensia Arena
Installation kit for automatic flush and pre-flush
for Rapid SL and Rapid SLX with flushing cistern GD2 in combination with Sensia Arena shower toilet
consisting of:
servo motor for GD 2
actuation rod for flushing valve
cable and blind cap
flexible hose
WC actuation plate not included
CE approved



40 899 000 **45.00**


Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

* price on request

GROHE
SENSIA ARENA

	Product no.	Colour	RRP (€) incl. VAT
	14 928 000		29.00
	GROHE Sensia Arena **Spray** for Sensia Arena shower toilet system, wall hung and floor standing standard shower		
	14 929 000		29.00
	GROHE Sensia Arena **Spray** for Sensia Arena shower toilet system, wall hung and floor standing lady shower		
	14 936 000		44.00
	GROHE Sensia Arena **Splash protection** for Sensia Arena shower toilet system, wall hung and floor standing		
	46 977 00M		54.00
	GROHE Sensia Arena **Descaler** packaging unit 4 x 80 g bag This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/		
	46 978 000		54.00
	GROHE Sensia Arena **Descaling kit** for 39 354 SH0 80 g bag descaler splash protection bottle adapter		
	46 978 001		113.00
	GROHE Sensia Arena **Descaling kit** for 39 354 SH1 80 g bag descaler bottle adapter hose with clip sticker holder for bottle 1 x spray standard shower (14 928 000) 1 x spray lady shower (14 929 000)		

GROHE
SENSIA ARENA


	Product no.	Colour	RRP (€) incl. VAT
	**46 979 000** **GROHE Sensia Arena** **Descaler bottle** for 39 354 SH0 and 39 354 SH1 bottle adapter		**22.00**
 	**14 926 002** **GROHE Sensia Arena** **Remote control** for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung including wall holder		**368.00**

* price on request

GROHE
MANUAL BIDET SEAT

	Product no.	Colour	RRP (€) incl. VAT






39 648 SH0 **alpine white** **291.00**

Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“
includes:
mounting plate
filter
pressure 0.1 - 1.0 MPa (1 - 10 bar)
complies with EN 1717






39 651 SH0 **alpine white** **434.00**


Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware






39 652 SH0 **alpine white** **588.00**

Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
Grohtherm Micro 34 487 000
small under-basin thermostat
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)





14 074 000 **43.00**

Accessory set shower hose and T piece
for manual bidet seat
consisting of:
T unit 3/8“
flexible connection hose
795 mm
3/8“ x 3/8“











CONTENTS

Essence	548
Cube Ceramic	554
Euro Ceramic	558
Bau Ceramic	563
Acrylic shower trays	570

GROHE
ESSENCE


		Product no.	Colour	RRP (€) incl. VAT
		**39 564 00H**	**alpine white**	**299.00**
		Essence **Wash basin 70** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 700 x 485 mm suitable for half and full pedestal sanitary ware **PureGuard** anti scale coating and anti bacterial glazing		
		**39 565 00H**	**alpine white**	**279.00**
		Essence **Wash basin 60** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 600 x 485 mm suitable for half and full pedestal sanitary ware **PureGuard** anti scale coating and anti bacterial glazing		
		**39 566 00H**	**alpine white**	**657.00**
		Essence **Vanity basin 100** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 1000 x 460 mm sanitary ware **PureGuard** anti scale coating and anti bacterial glazing		
		**39 567 00H**	**alpine white**	**471.00**
		Essence **Vanity basin 80** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 800 x 460 mm sanitary ware **PureGuard** anti scale coating and anti bacterial glazing		
		**39 568 00H**	**alpine white**	**323.00**
		Essence **Vanity basin 60** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 600 x 460 mm sanitary ware **PureGuard** anti scale coating and anti bacterial glazing		
		**39 608 00H**	**alpine white**	**439.00**
		Essence **Vessel basin 60** Without overflow 600 x 400 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware **PureGuard** anti scale coating and anti bacterial glazing		

* price on request

GROHE
ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






39 609 00H **alpine white** **356.00**

Essence
Vessel basin 45
Without overflow
450 x 450 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
PureGuard anti scale coating and anti bacterial glazing






39 570 000 **alpine white** **174.00**

Essence
Half pedestal
including fixation set
sanitary ware






39 571 00H **alpine white** **416.00**

Essence
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)






39 572 00H **alpine white** **465.00**

Essence
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
wash down
rimless
flush volume 3/4.5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)






39 573 00H **alpine white** **433.00**

Essence
Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
for concealed cistern
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)

GROHE
ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






39 578 000 **alpine white** **262.00**

Essence
Exposed flushing cistern for close coupled combination
side inlet
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware






39 579 000 **alpine white** **262.00**

Essence
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware






39 577 000 **alpine white** **174.00**

Essence
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Essence bowls






39 576 000 **alpine white** **116.00**

Essence
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Essence bowls






39 574 00H **alpine white** **416.00**

Essence
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing






39 575 00H **alpine white** **433.00**

Essence
Floorstanding bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing

* price on request


GROHE
ESSENCE

Product no.	Colour	RRP (€) incl. VAT



39 611 000 **alpine white** **5,568.00**


Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
Without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats



39 617 000 **alpine white** **971.00**


Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
water volume 240 l
usable volume 170 l
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats
requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately





39 620 00H **alpine white** **1,131.00**

Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
water volume 240 l
usable volume 170 l
with EasyClean
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats
requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately




39 622 000 **alpine white** **5,568.00**

Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

GROHE
ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






49 113 000	**chrome**	**2,284.00**
49 113 SH0	**alpine white**	**2,284.00**

Essence
Waste set for free standing bathtubs
dual function of overflow and waste water drainage
concealed overflow
electric pressure sensor unlocks the overflow drainage
mains supply necessary for installation






19 952 000	**chrome**	**187.00**

Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991






28 943 000	**152.00**

Talento
Pop-up bath waste and overflow
set for special baths
without finishing trim set
bottle trap 45° waste elbow





28 991 000	**283.00**

Talentofill
Inlet-, pop-up and waste-system
for body formed bath tubs
without finishing trim set
with bottle trap and 45°-outlet-bend
without anti-vacuum device
installation acc. to DIN 1988
only with anti-vacuum device A2 type
or Talentofill connection set (28 995)



49 115 000	**chrome**	**114.00**

Essence
Feet for built-in bathtubs
individual height adjustment of each foot
GROHE FastFixation installation system







* price on request

GROHE
ESSENCE

	Product no.	Colour	RRP (€) incl. VAT
	**49 114 000**		**189.00**

Essence
Sealing system
GROHE FastFixation installation system
1 x sealing fleece 1.80 m
2 x sealing fleece 2.00 m
2 x sealing corners 90°
2 x outside corner
2 x 90° outside corner
including sound insulation and tile separator strip
waterproof ETAG 022 DIN 18534

GROHE
CUBE CERAMIC


		Product no.	Colour	RRP (€) incl. VAT
		**39 386 00H**	**alpine white**	**626.00**
		Cube Ceramic **Wash basin 100** wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm sanitary ware **PureGuard** anti scale coating and anti bacterial glazing		
		**39 469 00H**	**alpine white**	**541.00**
		Cube Ceramic **Wash basin 80** wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm sanitary ware **PureGuard** anti scale coating and anti bacterial glazing		
		**39 473 00H**	**alpine white**	**293.00**
		Cube Ceramic **Wash basin 60** wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware **PureGuard** anti scale coating and anti bacterial glazing		
		**39 474 00H**	**alpine white**	**275.00**
		Cube Ceramic **Wash basin 50** wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware **PureGuard** anti scale coating and anti bacterial glazing		
		**39 475 00H**	**alpine white**	**626.00**
		Cube Ceramic **Counter top basin 100** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware **PureGuard** anti scale coating and anti bacterial glazing		
		**39 476 00H**	**alpine white**	**542.00**
		Cube Ceramic **Counter top basin 80** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm including fixation set sanitary ware **PureGuard** anti scale coating and anti bacterial glazing		

* price on request

GROHE
CUBE CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 477 00H **alpine white** **293.00**

Cube Ceramic
Counter top basin 60
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing






39 478 00H **alpine white** **275.00**

Cube Ceramic
Counter top basin 50
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
500 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing






39 481 00H **alpine white** **263.00**

Cube Ceramic
Vessel basin 50
Without overflow
500 x 470 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing






39 482 00H **alpine white** **234.00**

Cube Ceramic
Vessel basin 40
Without overflow
410 x 410 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing






39 480 00H **alpine white** **263.00**

Cube Ceramic
Under-counter wash basin 50
installation from below
with overflow
492 x 370 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing






39 479 00H **alpine white** **281.00**

Cube Ceramic
Counter basin 60
flat back side glazed
built-in
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing

GROHE
CUBE CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 483 00H **alpine white** **228.00**

Cube Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
455 x 350 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing






39 245 00H **alpine white** **521.00**

Cube Ceramic
Wall hung WC
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 488 000 (soft close)






39 485 00H **alpine white** **544.00**

Cube Ceramic
Floor standing back to wall WC
for concealed cistern
universal trap for horizontal and vertical outlet
back to wall
wash down
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 488 000 (soft close)






39 484 00H **alpine white** **584.00**

Cube Ceramic
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
rimless
flush volume 3/4.5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 488 000 (soft close)





39 489 000 **alpine white** **320.00**


Cube Ceramic
Exposed flushing cistern for close coupled combination
side inlet
including flushing set GROHE AV1
including fixation set
sanitary ware

* price on request

GROHE
CUBE CERAMIC


	Product no.	Colour	RRP (€) incl. VAT





39 490 000 **alpine white** **320.00**


Cube Ceramic
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
including fixation set
sanitary ware



39 488 000 **alpine white** **225.00**

Cube Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Cube Ceramic bowls






39 487 00H **alpine white** **443.00**

Cube Ceramic
Floorstanding bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing

GROHE
EURO CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 585 00H **alpine white** **510.00**

Euro Ceramic
Vanity basin 100
wall hung
1 hole punched, 2 holes pre-punched
with overflow
1000 x 460 mm
suitable for vanity units
sanitary ware
PureGuard anti scale coating and anti bacterial glazing






39 584 00H **alpine white** **395.00**

Euro Ceramic
Vanity basin 80
wall hung
1 hole punched, 2 holes pre-punched
with overflow
800 x 460 mm
suitable for vanity units
sanitary ware
PureGuard anti scale coating and anti bacterial glazing






39 323 000 **alpine white** **110.00**
39 323 00H **alpine white** **166.00**

Euro Ceramic
Wash basin 65
wall hung
1 hole punched
with overflow
650 x 514 mm
sanitary ware
optional: **PureGuard** anti scale coating
and anti bacterial glazing (00H)






39 335 000 **alpine white** **99.00**
39 335 00H **alpine white** **155.00**

Euro Ceramic
Wash basin 60
wall hung
1 hole punched
with overflow
595 x 482 mm
sanitary ware
optional: **PureGuard** anti scale coating
and anti bacterial glazing (00H)






39 337 000 **alpine white** **108.00**
39 337 00H **alpine white** **164.00**

Euro Ceramic
Counter top basin 60
1 hole punched
with overflow
596 x 483 mm
sanitary ware
optional: **PureGuard** anti scale coating
and anti bacterial glazing (00H)





39 336 000 **alpine white** **97.00**
39 336 00H **alpine white** **153.00**


Euro Ceramic
Wash basin 55
wall hung
1 hole punched
with overflow
550 x 450 mm
sanitary ware
optional: **PureGuard** anti scale coating
and anti bacterial glazing (00H)

* price on request

GROHE
EURO CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 423 000 **alpine white** **118.00**

Bau Ceramic
Undercounter wash basin 55
installation from below
with overflow
560 x 420 mm
sanitary ware






39 324 000 **alpine white** **72.00**
39 324 00H **alpine white** **127.00**

Euro Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
450 x 396 mm
sanitary ware
distance between installation holes: 160 mm
optional: **PureGuard** anti scale coating
and anti bacterial glazing (00H)






39 327 000 **alpine white** **90.00**
39 327 00H **alpine white** **146.00**

Euro Ceramic
Mini hand rinse basin
wall hung
1 hole punched
370 x 180 mm
sanitary ware
no pedestals recommended
optional: **PureGuard** anti scale coating
and anti bacterial glazing (00H)






39 328 000 **alpine white** **307.00**
39 328 00H **alpine white** **362.00**

Euro Ceramic
Wall hung WC
for concealed cistern
horizontal outlet
GROHE Triple Vortex flushing technology
wash down
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating
and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)






39 206 000 **alpine white** **279.00**
39 206 00H **alpine white** **334.00**

Euro Ceramic
Wall hung compact WC
for concealed cistern
horizontal outlet
GROHE Triple Vortex flushing technology
wash down
rimless
flush volume 3/5 l
49 cm width
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating
and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)

GROHE
EURO CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 538 000 **alpine white** **245.00**

Euro Ceramic
Wall hung WC, basic
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)






39 703 000 **alpine white** **384.00**

Euro Ceramic
Wall hung WC set
consisting of:
Euro Ceramic wall hung WC, 3/5 l (39 538 000)
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware
Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
material: Duroplast
including fixation set






39 462 000 **alpine white** **529.00**
39 462 00H **alpine white** **529.00**

Euro Ceramic
Bundle close-coupled WC
consisting of:
Euro Ceramic WC (39 338 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
Euro Ceramic cistern (39 332 000)
bottom inlet
including flushing set
sanitary ware
Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet






39 330 001 **alpine white** **111.00**


Euro Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Euro Ceramic bowls

* price on request

GROHE
EURO CERAMIC





	Product no.	Colour	RRP (€) incl. VAT
 	**39 331 001**	**alpine white**	**76.00**

Euro Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
suitable for all GROHE Euro Ceramic WCs

 	**39 208 000**	**alpine white**	**277.00**
	39 208 00H	**alpine white**	**332.00**







Euro Ceramic
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating
and anti bacterial glazing (00H)

GROHE
EURO CERAMIC

	Product no.	Colour	RRP (€) incl. VAT
 	**39 453 000** **WC connection outlet** horizontal 320 mm from wall		**37.00**
 	**39 454 000** **WC connection outlet** horizontal and vertical length adjustable 60 to 105 mm from wall		**69.00**
 	**39 457 000** **WC connection outlet** vertical length adjustable 93.5 to 137 mm from wall		**70.00**
 	**39 551 000** **WC connection outlet** vertical length adjustable 200 to 250 mm from wall		**70.00**
	**49 522 000** **Mounting set** for Euro Ceramic cistern 39 333 000 for back inlet installation		**77.00**


* price on request

GROHE
BAU CERAMIC

		Product no.	Colour	RRP (€) incl. VAT
		39 420 000	alpine white	75.00
Bau Ceramic **Wash basin 65** wall hung 1 hole punched with overflow 646 x 468 mm sanitary ware				
		39 421 000	alpine white	65.00
Bau Ceramic **Wash basin 60** wall hung 1 hole punched with overflow 609 x 442 mm sanitary ware				
		39 440 000	alpine white	64.00
Bau Ceramic **Wash basin 55** wall hung 1 hole punched with overflow 553 x 386 mm sanitary ware				
		39 422 000	alpine white	118.00
Bau Ceramic **Counter basin 55** built-in 1 hole punched with overflow 560 x 400 mm sanitary ware				
		39 423 000	alpine white	118.00
Bau Ceramic **Undercounter wash basin 55** installation from below with overflow 560 x 420 mm sanitary ware				
		39 424 000	alpine white	64.00
Bau Ceramic **Hand rinse basin 45** wall hung 1 hole punched with overflow 453 x 354 mm sanitary ware distance between installation holes: 205 mm				

GROHE
BAU CERAMIC


	Product no.	Colour	RRP (€) incl. VAT



39 425 000 **alpine white** **64.00**

Bau Ceramic
Full pedestal
including fixation set
sanitary ware






39 427 000 **alpine white** **121.00**

Bau Ceramic
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)






39 491 000 **alpine white** **96.00**

Bau Ceramic
Wall hung WC
for concealed cistern
wash down
open rim
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)






39 428 000 **N** **alpine white** **134.00**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
boxed rim
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)






39 349 000 **N** **alpine white** **149.00**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)






39 429 000 **N** **alpine white** **149.00**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
vertical outlet, concealed
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)

* price on request


GROHE
BAU CERAMIC

	Product no.	Colour	RRP (€) incl. VAT



39 436 000 N — **alpine white** — **116.00**

Bau Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set
sanitary ware




39 494 000 N — **alpine white** — **87.00**

Bau Ceramic
Exposed flushing cistern
side inlet
including flushing set
sanitary ware

new






39 898 000 — **alpine white** — **100.00**

Bau Ceramic
WC seat soft close slim
with lid
slim design
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with Bau Ceramic bowls 39 427 000, 39 430 000 and 39 431 000






39 492 000 — **alpine white** — **52.00**

Bau Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Bau Ceramic bowls






39 493 000 — **alpine white** — **93.00**

Bau Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Bau Ceramic bowls





39 433 000 — **alpine white** — **204.00**


Bau Ceramic
Wall hung bidet
1 hole punched
with overflow
sanitary ware

CERAMICS

GROHE
BAU CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 438 000 **alpine white** **230.00**

Bau Ceramic
Urinal
concealed inlet
flush volume 1 l
including fixation set
sanitary ware
for installation please order urinal trap 39 732 000 (horizontal outlet)
or 39 733 000 (vertical outlet), sold separately
not compatible with temperature sensor 39 367 000






39 439 000 **alpine white** **230.00**

Bau Ceramic
Urinal
top inlet
flush volume 1 l
including fixation set
sanitary ware
for installation please order urinal trap 39 732 000 (horizontal outlet)
or 39 733 000 (vertical outlet), sold separately






39 732 000 **52.00**

Urinal trap
horizontal trap Ø 50 mm
flush volume 0.5 - 4 l
middle inlet and outlet 80 mm
for Bau Ceramic urinals 39 438 000 and 39 439 000
material: plastic






39 733 000 **52.00**

Urinal trap
vertical trap
flush volume 2 - 4 l
for Bau Ceramic urinals 39 438 000 and 39 439 000
material: plastic





39 351 000 **alpine white** **205.00**


Bau Ceramic
Wall hung WC set
consisting of:
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/6 l
sanitary ware
Bau Ceramic WC seat (39 493 000)
soft close
quick release function
detachable
material: Duroplast
including fixation set

* price on request

GROHE
BAU CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 496 000 **alpine white** **331.00**

Bau Ceramic
Bundle close-coupled WC
consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
Bau Ceramic exposed flushing cistern (39 494 000)
side inlet
including flushing set
sanitary ware
Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set






39 648 SH0 **alpine white** **291.00**

Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
includes:
mounting plate
filter
pressure 0.1 - 1.0 MPa (1 - 10 bar)
complies with EN 1717






39 651 SH0 **alpine white** **434.00**

Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

GROHE
BAU CERAMIC

Product no.	Colour	RRP (€) incl. VAT






39 652 SH0 **alpine white** **588.00**

Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
Grohtherm Micro 34 487 000
small under-basin thermostat
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)









14 074 000 **43.00**

Accessory set shower hose and T piece
for manual bidet seat
consisting of:
T unit 3/8"
flexible connection hose
795 mm
3/8" x 3/8"

* price on request


GROHE
BAU CERAMIC

	Product no.	Colour	RRP (€) incl. VAT
 	**39 453 000** **WC connection outlet** horizontal 320 mm from wall		**37.00**
 	**39 454 000** **WC connection outlet** horizontal and vertical length adjustable 60 to 105 mm from wall		**69.00**
 	**39 457 000** **WC connection outlet** vertical length adjustable 93.5 to 137 mm from wall		**70.00**
 	**39 551 000** **WC connection outlet** vertical length adjustable 200 to 250 mm from wall		**70.00**

GROHE
ACRYLIC SHOWER TRAYS

	Product no.	Colour	RRP (€) incl. VAT






39 300 000 **alpine white** **263.00**


Acrylic shower tray 1000 x 1000
dimensions: 1000 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014416
recommended Schedel installation set SD 90083






39 301 000 **alpine white** **194.00**

Acrylic shower tray 900 x 900
dimensions: 900 x 900 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014408
recommended Schedel installation set SD 90081






39 302 000 **alpine white** **186.00**

Acrylic shower tray 800 x 800
dimensions: 800 x 800 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014411
recommended Schedel installation set SD 90080





39 305 000 **alpine white** **328.00**


Acrylic shower tray 800 x 1200
dimensions: 800 x 1200 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150183)
extension set MR SF (# 150194)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014413
recommended Schedel installation set SD 90084

* price on request

GROHE
ACRYLIC SHOWER TRAYS

	Product no.	Colour	RRP (€) incl. VAT
	39 306 000	**alpine white**	**214.00**






Acrylic shower tray 800 x 1000
dimensions: 800 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014412
recommended Schedel installation set SD 90082

	49 533 000	**chrome**	**56.00**






Waste set for universal shower tray
Ø 112 mm
Vertical outlet
GROHE StarLight chrome finish
flow rate 1.1 l/s according to DIN EN 274

	49 534 000	**chrome**	**56.00**





Waste set for universal shower tray
Ø 112 mm
horizontal outlet
GROHE StarLight chrome finish
flow rate 0.7 l/s (42 l/min) according to DIN EN 274

GROHE
INSTALLATION SYSTEMS






CONTENTS

Rapid SLX	Rapid SLX	574
Rapid SL	Rapid SL for WC	577
	Rapid SL for urinal	586
	Rapid SL for wash basin and bidet	588
	Rapid SL for the disabled	592
	Rapid SL free-standing installation	595
	Rapid SL fitting supports	597
	Rapid SL project elements	598
	Rapid SL accessories	599
Uniset	Uniset frames and accessories	602

GROHE
RAPID SLX

Product no.	Colour	RRP (€) incl. VAT
39 596 000		267.00





Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use


including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

* price on request

GROHE
RAPID SLX

Product no.	Colour	RRP (€) incl. VAT






39 597 000 **267.00**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated socket for shower toilets (power)
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
without outlet pipe
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves





39 600 000 **338.00**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use

including wall brackets 38 558 00M for on-the-wall installation
including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
including adapter 38 338 000

GROHE
RAPID SLX

	Product no.	Colour	RRP (€) incl. VAT






39 603 000 **chrome** **342.00**

Rapid SLX
3-in-1 set for WC, 1.13 m installation height
flushing cistern GDX, 6 l
consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL wall brackets (38 558 00M)
including flow manager





39 598 000 **281.00**

Rapid SLX
3-in-1 set for WC, 1.13 m installation height
flushing cistern GDX, 6 l
consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Rapid SL wall brackets (38 558 00M)
WC set for noise protection (37 131 000)
including flow manager



39 607 000 **83.00**


Rapid SLX
Accessory
for WC bowls with a bearing area of less than 20 cm
vertical support for ceramics with
small bearing area (< 205 mm)

* price on request

GROHE
RAPID SL FOR WC

	Product no.	Colour	RRP (€) incl. VAT
	39 374 KS0	**velvet black**	**965.00**






GROHE glass module
for Rapid SL and Uniset
with flushing cistern GD 2
for connecting shower toilet Sensia Arena
or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome,
flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection
for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
set for noise protection
including accessory for mounting glass plate and WC ceramic

	39 374 LS0	**moon white**	**965.00**






GROHE glass module
for Rapid SL and Uniset
with flushing cistern GD 2
for connecting shower toilet Sensia Arena
or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome,
flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection
for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
set for noise protection
including accessory for mounting glass plate and WC ceramic

GROHE
RAPID SL FOR WC

Product no.	Colour	RRP (€) incl. VAT






38 528 001 **210.00**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





39 002 000 **374.00**

Rapid SL
Element for WC, 1.13 m installation height, for external odour extraction
with flushing cistern GD 2, 6 - 9 l
with flush pipe for external odour extraction
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
flush pipe with connection for odor extraction 50 mm
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase


for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

* price on request

GROHE
RAPID SL FOR WC

	Product no.	Colour	RRP (€) incl. VAT






39 687 000 **239.00**

Rapid SL Slim
Element for WC with flushing cistern 88.9 mm, 1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
2 WC fixing bolts
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern SLIM, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl.
protection during construction phase,
for vertical use
for on-the-wall installation please order wall brackets 39 699 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)






38 827 000 **chrome** **347.00**

Rapid SL
5-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)






39 501 000 **chrome** **292.00**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates

GROHE
RAPID SL FOR WC

Product no.	Colour	RRP (€) incl. VAT






38 536 001 **223.00**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 539 001 **232.00**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical or horizontal use


including wall brackets 38 558 00M for on-the-wall installation
including WC set for noise protection (37 131 000)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

* price on request

GROHE
RAPID SL FOR WC

Product no.	Colour	RRP (€) incl. VAT






38 624 001 **287.00**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
angle valve 1/2“
water inlet with pipe fixation
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)
including adapter 38 338 000





39 062 000 **463.00**

Rapid SL
Element for WC with leakage box, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
leakage box
collection body with wastewater lead-through and
connection for spill, black
leakage / slash water protection


flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
angle valve 1/2“
water inlet with pipe fixation
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)
including adapter 38 338 000

GROHE
RAPID SL FOR WC

	Product no.	Colour	RRP (€) incl. VAT






38 675 001 **347.00**

Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please
order fixing element 38 559 001 (sold separately)





39 687 000 **239.00**


Rapid SL Slim
Element for WC with flushing cistern 88.9 mm, 1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
2 WC fixing bolts
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern SLIM, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl.
protection during construction phase,
for vertical use
for on-the-wall installation please order wall brackets 39 699 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)

* price on request

GROHE
RAPID SL FOR WC

Product no.	Colour	RRP (€) incl. VAT






38 994 000 **354.00**

Rapid SL
Element for WC with flushing cistern 80 mm, 1.13 m installation height
element width 0.62 m
for small, narrow bathrooms
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top or back
low noise (group I acc. to German Noise Specification), insulated against condensation
water supply 1/2“ and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)





38 525 001 **339.00**

Rapid SL
Element for WC, 1.00 m installation height
with flushing cistern 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification), insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl. protection
during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

GROHE
RAPID SL FOR WC

Product no.	Colour	RRP (€) incl. VAT






38 526 000 **310.00**

Rapid SL
Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification), insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl. protection
during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)





38 618 000 **325.00**

Rapid SL
Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
angle valve 1/2“
water inlet with pipe fixation
shortable inspection shaft incl. protection
during construction phase

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)
including adapter 38 338 000



40 899 000 **45.00**


Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL and Uniset installations
to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

* price on request

GROHE
RAPID SL FOR WC

	Product no.	Colour	RRP (€) incl. VAT





38 558 00M **15.00**


Rapid SL
Wall brackets
for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces



39 699 000 **38.00**

Wall brackets for slim cistern
for use with 88.9 mm cistern






42 333 000 **18.00**

4.5 l adapter for GD2
to reduce the maximum flush volume to 4.5 liters






42 327 000 **17.00**

PP-outlet bend Ø 90 mm
variable depth adjustment






42 946 000 **15.00**

Outlet elbow
made of PE
Ø 80/100 mm

GROHE
RAPID SL FOR URINAL

	Product no.	Colour	RRP (€) incl. VAT






38 786 001 **280.00**

Rapid SL
Element for urinal with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for ceramic
inlet connection and inlet connecting set
water group with stop valve
flow pressure min 0.5 bar, operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
shortable inspection shaft incl. protection during
construction phase for sets for final installation
with dimensions 116 x 144 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 803 001 **353.00**

Rapid SL
Element for urinal with infra-red electronic
with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
inlet connection and inlet connecting set
fixing bolts M8, with fixing device for ceramic
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
shortable inspection shaft incl. protection during
construction phase for sets for final installation
with dimensions 116 x 144 mm
including wall brackets 38 558 00M for on-the-wall installation





39 376 000 **332.00**


Rapid SL
Element for urinal with temperature sensor
with roughing-in set for T sensor
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for ceramic
inlet connection and inlet connecting set
box for concealed installation
including roughing-in box
water group with stop valve and
flush elbow
for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold separately)
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

* price on request

GROHE
RAPID SL FOR URINAL

Product no.	Colour	RRP (€) incl. VAT
38 558 00M		**15.00**






Rapid SL
Wall brackets
for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces

GROHE
RAPID SL FOR WASH BASIN AND BIDET

Product no. Colour RRP (€) incl. VAT






38 581 001 **446.00**

Rapid SL
Element for bidet, 1.13 m installation height
for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
pre-assembled
height adjustable fitting connections
lockable
TÜV approved
fixing material
bidet fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 554 001 **131.00**

Rapid SL
Element for wash basin, single hole installation with noise protection
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






39 052 000 **183.00**

Rapid SL
Element for wash basin, single hole installation, height adjustable with noise protection
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
fixing and connecting traverse, height adjustable
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)





38 557 001 **122.00**


Rapid SL
Element for wash basin, single hole installation
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

* price on request

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Product no.	Colour	RRP (€) incl. VAT






38 625 001 **288.00**

Rapid SL
Element for wash basin with concealed trap
for single hole installation or
wall mounted fittings
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
single installation or fitting to a rail
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
2 noise protected fitting connections 1/2"
concealed syphon for concealed wall installation
including cover plate for concealed trap, stainless steel
including adjustable brass outlet bend
chrome plated, height adjustable
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 748 002 **chrome** **558.00**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 546 000 **149.00**

Rapid SL
Element for wash basin, for wall mounted fittings
1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Product no.	Colour	RRP (€) incl. VAT






38 541 000 **156.00**


Rapid SL
Element for wash basin, single hole installation
1.00 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 544 000 **284.00**


Rapid SL
Element for hospital waste sink
for wall mounted fittings
1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
waterproof plywood
HT-outlet bend Ø 50 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 553 001 **279.00**

Rapid SL
Element for bidet, 1.13 m installation height
vertical support for ceramics with
small bearing area (< 205 mm)
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
bidet fixing bolts, HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 545 000 **335.00**


Rapid SL
Element for bidet, 1.00 m installation height
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
bidet fixing bolts, HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

* price on request

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Product no.	Colour	RRP (€) incl. VAT






38 543 000 **324.00**

Rapid SL
Element for bidet, 0.82 m installation height
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
bidet fixing bolts, HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 558 00M **15.00**

Rapid SL
Wall brackets
for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces

GROHE
RAPID SL FOR THE DISABLED

	Product no.	Colour	RRP (€) incl. VAT






38 675 001 **347.00**

Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please
order fixing element 38 559 001 (sold separately)





A	1080	1130
B	230	280
C	910	960
D	950	1000
E	1010	1060


39 140 000 **699.00**

Rapid SL
Element for WC, 1.13 m installation height
with fixing element for back support and support rails
with flushing cistern GD 2, 6 - 9 l
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, 4 wall brackets, fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm, depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 759 SD0 **stainless steel** **974.00**


Radio electronic
for WC
receiver modul 868,4 MHz
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
for flushing cistern GD 2, for flushing cistern 6 l
concealed installation, front plate 156 x 197 mm
servo motor
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
adjustable flush volume
adjustable flow time
72 h flushing can be activated
with extension cable, 3.00 m length,
for connecting transformer and
electronic
CE approved

* price on request

GROHE
RAPID SL FOR THE DISABLED

	Product no.	Colour	RRP (€) incl. VAT
	38 934 SD0	**stainless steel**	**592.00**






WC control for manual remote actuation
for concealed flushing cisterns, 6 - 9 l
for connecting one or more potential-free actuation buttons via cable
suitable for support rails for the disabled with integrated actuation button
from Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
stainless steel wall plate 156 x 197 mm
transformer for external installation
operating voltage 230 V AC, 50/60 Hz, 4.0 VA
servo motor
3 m connecting cable
for the connection of transformer and electronic
3 m connection cable with plug
CE approved
delivery range without actuation button/support rails

	39 141 000	**674.00**






Radio electronic
for WC with flushing cistern GD2
receiver modul 868,4 MHz
for wall sender 39 142 000 or radio transmitter 38 758 000
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
servo motor
integrated battery box for 4 x 1.5 V Mono D (LR20)
adjustable flush volume
72 h flushing can be activated
Dual Flush possible (6/3 or 9/4.5 l)
WC actuation plate and batteries are not included
CE approved

	38 625 001	**288.00**






Rapid SL
Element for wash basin with concealed trap
for single hole installation or
wall mounted fittings
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
single installation or fitting to a rail
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
2 noise protected fitting connections 1/2"
concealed syphon for concealed wall installation
including cover plate for concealed trap, stainless steel
including adjustable brass outlet bend
chrome plated, height adjustable
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

	38 541 000	**156.00**






Rapid SL
Element for wash basin, single hole installation
1.00 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FOR THE DISABLED

Product no.	Colour	RRP (€) incl. VAT





38 559 001 **200.00**


Rapid SL
Fixing element, 1.13 m installation height
to fix support for the disabled in lightweight studded wall partitions or on-the-wall installations
0.31 m wide
powder coated steel frame
waterproof plywood
fixing material
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

* price on request

GROHE
RAPID SL FREE-STANDING INSTALLATION

	Product no.	Colour	RRP (€) incl. VAT






38 584 001 **283.00**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
for free-standing installation, for on-the-wall
installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
lockable
fixing material
2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 587 000 **393.00**


Rapid SL
Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
for free-standing installation, for on-the-wall
installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
lockable
TÜV approved
fixing material
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl. protection
during construction phase
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

GROHE
RAPID SL FREE-STANDING INSTALLATION

	Product no.	Colour	RRP (€) incl. VAT






38 581 001 **446.00**

Rapid SL
Element for bidet, 1.13 m installation height
for free-standing installation, for on-the-wall
installations or studded walls
powder coated steel frame, self-supporting
pre-assembled
height adjustable fitting connections
lockable
TÜV approved
fixing material
bidet fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 558 00M **15.00**

Rapid SL
Wall brackets
for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces


* price on request

GROHE
RAPID SL FITTING SUPPORTS

	Product no.	Colour	RRP (€) incl. VAT
 	**37 998 000**		**98.00**

Rapid SL
Fitting support for exposed fittings
for **studded walls**
for empty frames
2 noise protected fitting connections 1/2“
fixing material

GROHE
RAPID SL PROJECT ELEMENTS

	Product no.	Colour	RRP (€) incl. VAT
 	**38 558 00M**		**15.00**


Rapid SL
Wall brackets
for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces

* price on request

GROHE
RAPID SL ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






38 636 001 — **96.00**

Rapid SL
Cladding for wall mounted WC
1.13 m installation height
gypsum fibre boards 1180 x 480 x 12.5 mm
with all cut-outs
self-tapping screws
2 zinc coated support angles with
fixing screws





38 558 00M — **15.00**


Rapid SL
Wall brackets
for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces



39 699 000 — **38.00**

Wall brackets for slim cistern
for use with 88.9 mm cistern






38 629 000 — **58.00**

Rapid SL
Extension
for floor constructions from 200 up to 350 mm
fixing material
not suitable for project elements






38 733 000 — **32.00**

Rapid SL
Xtra wall brackets, flexible placing
for additional fixation of WC elements
or installation without floor fixing
mounting angles including wall bracket and fixing material
2 pieces








38 562 001 — **107.00**

Rapid SL
Set for corner installation
for WC, bidet, wash basin and urinal
single installation or fitting to a rail
fitting maximum 625 mm from the corner
fixing material for corner installation
2 wall brackets **1.13 m**
135°

GROHE
RAPID SL ACCESSORIES


	Product no.	Colour	RRP (€) incl. VAT
 	38 779 000		85.00
	Rapid SL **Accessory** for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)		
	39 607 000		83.00
	Rapid SLX **Accessory** for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)		
 	37 131 000		4.00
	Set for noise protection for WC sound insulation 2 rubber pipes		
	42 397 000		11.00
	Tube		
	42 766 000		20.00
	Distance pipe 3“		
 	38 338 000		13.00
	Connecting box		

* price on request

GROHE
RAPID SL ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






40 911 000 **16.00**

Revision shaft for small flush plates
for combination with Rapid SL and Uniset with GD 2 cistern






40 950 000 **chrome** **20.00**


Revision shaft for small flush plates
for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height






40 949 000 **chrome** **26.00**

Revision shaft for small flush plates
for combination with 80 mm cistern






43 617 000 **80.00**

Motor support device
for Rapid SL 38 675
for the disabled
as of mid 2008
for installation of infra-red electronic



42 216 000 **56.00**

PVC waste bend
diameter 90/100 mm




39 860 000 **69.00**

Upgrade kit for cisterns (Scandinavian DZR standard)
water connection inside the cistern
consisting of:
wall fixations for frame base (2 pieces)
pipe-in-pipe connector (NT VVS 129)
flexible hose

GROHE
UNISET FRAMES AND ACCESSORIES

Product no.	Colour	RRP (€) incl. VAT






38 643 001 **193.00**

Uniset
Element for WC with EPS housing
with flushing cistern GD 2, 6 - 9 l
sound-insulating EPS module for
masonry-in
830 x 480 x 130 mm
rail adaptors for modular fixing
for single or rail installation
wall rail with fixing accessories for
single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase

preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 642 001 **202.00**

Uniset
Element for WC with EPS housing and support feet
with flushing cistern GD 2, 6 - 9 l
sound-insulating EPS module for
masonry-in
830 x 470 x 130 mm
rail adaptors for modular fixing
wall rail with fixing accessories for
single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase


preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

* price on request

GROHE
UNISET FRAMES AND ACCESSORIES

Product no. | Colour | RRP (€) incl. VAT






39 165 000 **148.00**

Uniset
Element for WC
with flushing cistern GD 2, 6 - 9 l
778 x 440 x 116 mm
for single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
cistern insulated against condensation
1/2“ angle valve with push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical or horizontal use

preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)






39 683 000 **129.00**

Uniset Slim
Element for WC with flushing cistern 88.9 mm
module for masonry-in
793 x 426 x 130 mm
2 WC fixing bolts
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern SLIM, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
low noise (group I acc. to German Noise Specification)
insulated against condensation
shortable inspection shaft incl.
protection during construction phase,
for vertical use
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)

GROHE
UNISET FRAMES AND ACCESSORIES

Product no.	Colour	RRP (€) incl. VAT






38 415 001 **308.00**

Uniset
Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
front or top actuation
sound-insulating EPS module for
masonry-in
rail adaptors for modular fixing
wall rail with fixing accessories for
single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm, depth adjustable
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection
angle valve 1/2“
shortable inspection shaft incl. protection
during construction phase

preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold
separately)






38 785 000 **239.00**

Uniset
Element for urinal with infra-red electronic
with GROHE Rapido U
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
sound-insulating EPS module for
masonry-in with closed surface
rail adaptors for modular fixing
for single or series installation
fixing accessories for single installation
height adjustable fitting connections
inlet connection and inlet connecting set
HT-outlet bend Ø 50 mm
threaded bolts M8
fixing material for urinal bowl
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2“ outer thread
connecting box for mains supply 230 V
installation box with gasket
shortable inspection shaft incl. protection during
construction phase for sets for final installation
with dimensions 116 x 144 mm






37 304 000 **40.00**

Uniset
Support feet
matching **Uniset** for **WC and bidet**
made of hot galvanized steel
fixing material
for on-the-wall installations

* price on request

GROHE
UNISET FRAMES AND ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT
	**40 899 000**		**45.00**
	Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm		
 	**40 911 000**		**16.00**
	Revision shaft for small flush plates for combination with Rapid SL and Uniset with GD 2 cistern		
	40 950 000	**chrome**	**20.00**
	ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height		
	40 949 000	**chrome**	**26.00**
	ditto, for combination with 80 mm cistern		

GROHE
FLUSHING SYSTEMS






CONTENTS

WC	Flushing cisterns	608
	Accessories for flushing cisterns	610
	WC flush valves	619
	WC electronic	624
Urinal	Urinal electronic	629
	Urinal flush valves	636

GROHE
FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT






37 355 SH0 **alpine white** **139.00**

Flushing cistern for WC
6 - 9 l adjustable
exposed installation
interruptible flush cycle
servo actuation
low level, made of ABS
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
angle valve 1/2“
copper pipe
mounting template
flush pipe bend
WC inlet connector






38 661 000 **123.00**

Flushing cistern GD 2
6 - 9 l adjustable
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
flush pipe insulated against condensation
fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)






38 987 000 **123.00**

Flushing cistern GD 2
6 - 9 l adjustable
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
flush pipe insulated against condensation
fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow
with inlet pipe and connector
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





39 682 000 **97.00**


Solo Slim
Flushing cistern for WC 88.9 mm
without flush pipe insulation
cistern volume 6 l
angle valve 1/2“
GROHE EcoJoy technology for less water and perfect flow
shortable inspection shaft incl.
protection during construction phase,
for vertical use
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)
flushing cistern SLIM, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top
optional flow manager please order separately
for on-the-wall installation please order wall brackets 39 699 000 (sold separately)

* price on request

GROHE
FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT






38 422 000 **172.00**

Flushing cistern for WC
6 - 9 l adjustable
concealed installation
0.82 m installation height
dual flush discharge valve, pneumatic
front or top actuation
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
415 x 410 x 360 mm
1/2“ water supply connection
fixing brackets
flush pipe
shortable inspection shaft incl. protection
during construction phase
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow






38 691 000 **194.00**

Eau2
WC flushing cistern 0.82 m
6l / 3l
Dual Flush
low noise filling valve
6 - 9 l adjustable
concealed installation
0.82 m installation height
water supply from left/right or back
connection from left / right or back
non-interruptible flush cycle
front or top single 6 l only flush
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
415 x 410 x 360 mm
with angle stop valve 1/2“ and flush pipe
1/2“ water supply connection
angle valve 1/2“
fixing brackets
flush pipe
without wall plate/actuation
protecting block
min. recommended
static pressure 0.2 bar

air button
front or top actuation
extended hose length for flexibility
when positioning the actuation
sleek and minimal styling allows the button to be fitted in any 360 degree orientation
GROHE EcoJoy technology for less water and perfect flow






38 771 000 **chrome** **46.00**

Pneumatic push button actuation
for dual flush or start & stop actuation
Ø 48 mm
in combination with bath furniture or removable claddings for cistern inspection
for material thickness from 18 -24 mm
pneumatic hose 600 mm
GROHE StarLight chrome finish

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT






37 095 000 — **39.00**

Filling valve
3/8"
universal application
without adapter for the pipe connection
cap, restrictor

**) max. shortening 100 mm

37 092 000 — **46.00**
ditto, with adapter






43 537 000 — **27.00**

Filling valve
for concealed flushing cisterns 6 l





42 297 PI0 — **matt chrome/chrome** — **70.00**

Eco-discharge valve
dual flush discharge valve AV1
push button actuation Ø 40 mm with Eco-knob
with fixing device for lid
GROHE EcoJoy technology for less water and perfect flow
fixing set with 100 mm screws and
cellular rubber joint 100 mm dia.



42 253 000 — **85.00**

Discharge valve, Dual Flush



43 907 PI0 — **matt chrome/chrome** — **106.00**

Replace kit set
for close-coupled ceramic cisterns
with filling valve, servo discharge valve
interruptible flush cycle
fixing set with 100 mm screws and
cellular rubber joint 100 mm dia.
centring for filling and discharge valve
when having larger bore holes
GROHE StarLight chrome finish


**) max. shortening 100 mm

* price on request

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT






37 088 PI0 — **matt chrome/chrome** — **62.00**

Servo discharge valve
interruptible flush cycle
with short discharge valve housing
decide for maintenance opening
and complete before installation
escutcheon
push button for lid holes Ø 16 - 35 mm
fixing material
GROHE StarLight chrome finish






37 497 PI0 — **matt chrome/chrome** — **62.00**

Servo discharge valve
interruptible flush cycle
for close-coupled ceramic cisterns
push button actuation with
escutcheon Ø 38 mm
fixing set with 100 mm screws and
cellular rubber joint 100 mm dia.
GROHE StarLight chrome finish






37 086 PI0 — **matt chrome/chrome** — **85.00**

Servo discharge valve
interruptible flush cycle
flush volume 3 l minimum
short discharge valve housing
push button actuation Ø 40 mm
escutcheon
fixing set with 100 mm screws and
cellular rubber joint 100 mm dia.





37 100 SH0 — **alpine white** — **25.00**

Flush pipe
390 x 350 mm



43 536 000 — **8.00**

Valve head



43 733 000 — **5.00**

Membrane
filling valve

43 758 00M — **76.00**
ditto, 10 pieces per set

GROHE
ACCESSORIES FOR FLUSHING CISTERNS


	Product no.	Colour	RRP (€) incl. VAT



42 271 00M — **66.00**

Nipple
multi-packaging: 10 pieces






38 735 000 — **62.00**

Retro-fit set
for flushing cistern 6 l
concealed installation
dual flush discharge valve AV1
including valve seat
for 6 l or 3 l
angle valve 1/2“
guiding pipe for screws
without wall plate
GROHE EcoJoy technology for less water and perfect flow






38 736 000 — **47.00**

Retro-fit set dual flush
for flushing cistern GD 2
6 - 9 l adjustable
dual flush discharge valve AV1
including valve seat
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow






42 320 000 — **46.00**

Dual Flush discharge valve AV1
AV1 complete with pipe extension
6 - 9 l adjustable
without valve seat
without actuation






42 137 000 — **24.00**

Servo discharge valve
non-interruptible flush cycle
without actuation










43 486 000 — **65.00**

Servo discharge valve

* price on request


GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT
 	**42 265 000**		**190.00**
Discharge valve, Dual Flush for flushing cistern 0.82 m pneumatic actuation for 6 l or 3 l including valve seat			
 	**42 774 000**		**76.00**
Waste vent pneumatic			
	**42 233 000**	**chrome**	**17.00**
Tube			
 	**43 908 000**		**29.00**
Flush pipe, concealed complete for concealed cisterns with polystyrene insulation and protective cover length 280 mm			
 	**37 311 K00**	**black**	**45.00**
WC inlet and outlet connecting set for wall hung WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm 150 mm long cover for WC fixing bolts			
 	**37 489 000**		**6.00**
Extension for concealed flush pipe length 200 mm			
	43 352 000		**7.00**
	ditto, length 300 mm		

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT






37 103 SH0 **alpine white** **9.00**

Inlet set
connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC
connector
escutcheon






37 104 K00 **black** **16.00**

WC inlet and outlet connecting set
for wall hung WC
connecting pipe Ø 45 mm
length 200 mm
connector
waste sleeve Ø 110 mm
150 mm long
cover for WC fixing bolts






37 105 K00 **black** **25.00**

Extension
for concealed flush pipe
length 300 mm





37 115 PI0 **matt chrome/chrome** **18.00**


Push button and escutcheon
for servo set
for close-coupled ceramic cisterns
lid hole Ø 40 mm
GROHE StarLight chrome finish



37 117 PI0 **matt chrome/chrome** **19.00**

Push button and escutcheon
for servo set
for close-coupled ceramic cisterns
lid hole Ø 16 - 35 mm
GROHE StarLight chrome finish





37 119 000 **5.00**


Connector
55 mm
for low level flushing cisterns

* price on request

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT






37 125 000 **chrome** **11.00**

Dummy plug and escutcheon cap
for ceramic flushing cisterns
lid hole Ø 40 mm
GROHE StarLight chrome finish






42 327 000 **17.00**

PP-outlet bend Ø 90 mm
variable depth adjustment






42 333 000 **18.00**

4.5 l adapter for GD2
to reduce the maximum flush volume to 4.5 liters






42 946 000 **15.00**

Outlet elbow
made of PE
Ø 80/100 mm





37 131 000 **4.00**



Set for noise protection
for WC
sound insulation
2 rubber pipes



42 773 000 **24.00**

Valve seat for concealed cisterns, Dual Flush

GROHE
ACCESSORIES FOR FLUSHING CISTERNS



	Product no.	Colour	RRP (€) incl. VAT
	**42 315 000**		**16.00**
	Valve seat for GD2		
	**43 542 000**		**18.00**
	Valve seat with o-ring **valve seat** for concealed flushing cisterns 6 - 9 l / 6 l **0.82 m installation height** (from 02.97) **for Variella Compact Ø 41 mm**		
	**43 545 000**		**24.00**
	Valve seat with o-ring for concealed flushing cisterns 6 - 9 l / 6 l **0.82 m installation height** (until 02.97) **for Variella Compact Ø 55 mm**		
 	**43 535 000**		**5.00**
	Push bar 350 mm for Servo discharge valve 350 mm		
	**43 540 000**		**9.00**
	Pop-up rod for Servo discharge valve 451 mm		
	**43 544 000**		**18.00**
	Outlet piston for Servo discharge valve		

* price on request

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT
	43 722 000 **Set of seals**		19.00
	43 734 000 **Lever**		11.00
	43 735 000 **Screw cap**		22.00
	43 745 000 **Seal**		16.00
	43 770 00M **Seal** multi-packaging: 10 pieces		10.00
	43 976 000 **Lever**		10.00

GROHE
ACCESSORIES FOR FLUSHING CISTERNS


	Product no.	Colour	RRP (€) incl. VAT
	**42 242 000**		**6.00**
	Reducer		
	**42 075 000**		**9.00**
	Flow restrictor reduces flow rate for exposed flushing cisterns installation in flush pipe shorten if necessary		
 	**42 300 000**		**14.00**
	Flow restrictor reduces flow rate		
 	**38 714 000**		**25.00**
	Extension set 70 mm for wall plates/actuations for flushing cistern GD 2, 6 - 9 l with pneumatic discharge valve		
	**42 593 000**		**35.00**
	Valve seat including flow manager reduces flow of the flush prevents overspill in rimless toilets easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2		
 	**40 911 000**		**16.00**
	Revision shaft for small flush plates for combination with Rapid SL and Uniset with GD 2 cistern		
	40 950 000	**chrome**	**20.00**
	ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height		
	40 949 000	**chrome**	**26.00**
	ditto, for combination with 80 mm cistern		

* price on request

GROHE
WC FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT






37 347 000 **chrome** **220.00**

Rondo A.S.
Flush valve for WC
¾"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
control cap and connection to
plastic flush pipe
with flow rate adjustment
6 - 9 l adjustable
with escutcheon
flow pressure min 1.2 bar
operating pressure max 5 bar
low noise (group I acc. to German Noise Specification)






37 349 000 **chrome** **254.00**

Rondo A.S.
Flush valve for WC
¾"
brass
integrated stop valve
GROHE StarLight chrome finish
for wash-down and wash-out bowls
control cap and connection to
plastic flush pipe
with flow rate adjustment
6 - 9 l adjustable
with escutcheon
flow pressure min 1.2 bar
operating pressure max 5 bar
low noise (group I acc. to German Noise Specification)






37 141 000 **chrome** **113.00**

DAL-full-automatic flush valve for WC
¾"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
with automatic flow rate
flow pressure range from 1.2 - 5.0 bar
low noise (group II according to
German noise specification)






37 139 000 **chrome** **100.00**

DAL-automatic flush valve for WC
3/4"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
with flow rate adjustment










37 132 000 **chrome** **33.00**


Fixing device
hidden fixing screws
for flush pipes Ø 28 mm
for distance to the wall from 15 - 85 mm

GROHE
WC FLUSH VALVES


	Product no.	Colour	RRP (€) incl. VAT
 	**37 133 000**		**69.00**
	Inlet adaptor for corner installation ¾"		
 	**37 107 000**	**chrome**	**67.00**
	Flush pipe for WC flush valve Ø 28 x 26 mm **600 x 200 mm** brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector		
 	**37 112 000**		**118.00**
	Flush pipe for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass		
 	**37 108 000**	**chrome**	**77.00**
	Flush pipe for WC flush valve Ø 28 x 26 mm **1000 x 200 mm** straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector		
 	**37 114 000**	**chrome**	**39.00**
	Flush pipe extension Ø 28 x 26 mm 260 mm brass		

* price on request

GROHE
WC FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT
 	**42 041 000**	**chrome**	**228.00**

Flush pipe set
for WC flush valve Rondo A.S.
for **squatting WC**
flush pipe 850 mm
distributor for the flush pipe
flush pipe fixing device


 	**37 135 000**		**8.00**

Connector
55 mm
for flush valve to pedestal WC

GROHE
WC FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT






37 153 000 **240.00**

Flush valve for WC
concealed installation
¾"
stop valve
6 - 9 l adjustable
flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation
low noise (group I acc. to German Noise Specification)






37 157 000 **268.00**


Flush valve for WC
concealed installation
¾"
stop valve
6 - 14 l adjustable
for low pressure
for wash-down and wash-out bowls
flow pressure range from 0.6 - 3.0 bar
(min. static pressure 1.5 bar)
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation






37 048 000 **248.00**

Flush valve for WC
concealed installation
¾"
with **connection** to solenoid valve
stop valve
6 - 9 l adjustable
flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
2 m connecting cable
box for concealed installation with
flush elbow
concealed flush pipe
without electronic actuation






43 996 000 **192.00**

Flush valve for WC
concealed installation
¾"
retrofit for 677.00.200/677.03.200/680.00.200
without stop valve
without flush pipe





43 997 000 **241.00**


Flush valve for WC
¾"
retrofit for 677.00.500/677.03.500/680.00.500
for low pressure
without stop valve
without flush pipe
reference:
model 677. with stainless steel actuation is to be replaced by ref. 43 997 and 43 179 P00 (plastic actuation).

* price on request

GROHE
WC FLUSH VALVES


	Product no.	Colour	RRP (€) incl. VAT






42 902 000 **chrome** **339.00**

Flush valve for WC
concealed installation
¾"
6 - 9 l adjustable
stainless steel wall plate
without stop valve
without flush pipe
to replace against model **663.04.200 (G1)**






42 901 000 **chrome** **325.00**

Flush valve for WC
¾"
concealed installation
6 - 9 l adjustable
wall plate Classic, 220 x 255 mm
GROHE StarLight chrome finish
without stop valve
without flush pipe
retrofit for
622.03.200 (G¾)
623.03.200 (G¾)
669.03.200 (G¾)
668.03.200 (G¾)
670.03.200 (G¾)






37 102 SH0 **alpine white** **21.00**

Inlet set
connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC
connector
escutcheon






37 131 000 **4.00**

Set for noise protection
for WC
sound insulation
2 rubber pipes

GROHE
WC ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT






38 698 SD1 **stainless steel** **649.00**

Tectron Skate
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved
for use with Rapid SLX please order shaft 66 791 000 (sold separately)






38 699 001 **chrome** **649.00**

Tectron Surf
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
GROHE StarLight chrome finish
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved
for use with Rapid SLX please order shaft 66 791 000 (sold separately)





37 419 000 **chrome** **873.00**
37 419 SD0 **stainless steel** **873.00**


Tectron Skate
Infra-red electronic for WC flushing cistern
with additional manual actuation
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
GROHE StarLight finish
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for single flush actuation
for flushing cistern GD 2
servo motor
concealed installation
hidden fixing screws
front plate 156 x 197 mm
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

* price on request

GROHE
WC ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT






37 504 000 **chrome** **1,184.00**

Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with additional manual actuation
GROHE StarLight finish
front plate 156 x 197 mm
servo motor
for use with Rapid SLX please order shaft 66 791 000 (sold separately)
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.






38 393 SD1 **stainless steel** **649.00**

Tectron Skate
Infra-red electronic for WC flush valve
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
concealed installation
front plate 156 x 197 mm
infra-red control
solenoid valve
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved

GROHE
WC ELECTRONIC

	Product no.	Colour	RRP (€) incl. VAT
new	**39 881 000**	**chrome**	**379.00**
	39 881 SH0	**alpine white**	**364.00**
	39 881 KF0	**matt black**	**448.00**






Tectron Bau E
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
GROHE StarLight chrome finish
with transformer 42 470 000 100-230 V AC 50-60 Hz, 6.75 V 4 W DC
for new installations and retrofit to all GD2 cisterns
servo motor
concealed installation
front plate 156 x 197 mm
hidden anti-theft device
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved


new	**39 882 000**	**chrome**	**298.00**
	39 882 SH0	**alpine white**	**283.00**
	39 882 KF0	**matt black**	**367.00**






Tectron Bau E
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
GROHE StarLight chrome finish
6 V lithium battery, type CR-P2
for new installations and retrofit to all GD2 cisterns
servo motor
concealed installation
front plate 156 x 197 mm
hidden anti-theft device
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved

43 617 000		**80.00**






Motor support device
for Rapid SL 38 675
for the disabled
as of mid 2008
for installation of infra-red electronic

38 759 SD0	**stainless steel**	**974.00**






Radio electronic
for WC
receiver modul 868,4 MHz
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
for flushing cistern GD 2, for flushing cistern 6 l
concealed installation, front plate 156 x 197 mm
servo motor
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
adjustable flush volume
adjustable flow time
72 h flushing can be activated
with extension cable, 3.00 m length,
for connecting transformer and
electronic
CE approved

* price on request

GROHE
WC ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT






39 141 000 **674.00**

Radio electronic
for WC with flushing cistern GD2
receiver modul 868,4 MHz
for wall sender 39 142 000 or radio transmitter 38 758 000
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
servo motor
integrated battery box for 4 x 1.5 V Mono D (LR20)
adjustable flush volume
72 h flushing can be activated
Dual Flush possible (6/3 or 9/4.5 l)
WC actuation plate and batteries are not included
CE approved






38 934 SD0 **stainless steel** **592.00**

WC control for manual remote actuation
for concealed flushing cisterns, 6 - 9 l
for connecting one or more potential-free actuation buttons via cable
suitable for support rails for the disabled with integrated actuation button from Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
stainless steel wall plate 156 x 197 mm
transformer for external installation
operating voltage 230 V AC, 50/60 Hz, 4.0 VA
servo motor
3 m connecting cable
for the connection of transformer and electronic
3 m connection cable with plug
CE approved
delivery range without actuation button/support rails






36 340 000 **63.00**

Power extension cable
length 3.00 m






36 341 000 **115.00**

Power extension cable
length 10.00 m








37 059 000 **chrome** **220.00**

Surf
Pneumatic actuation
GROHE StarLight chrome finish
remote hand actuation
push button actuation with escutcheon Ø 100 mm
vertical and horizontal installation
wall plate Surf 156 x 197 mm
pneumatic hose 1.50 m

GROHE
WC ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT
37 060 000	**chrome**	**89.00**






Pneumatic actuation
GROHE StarLight chrome finish
push button actuation with
escutcheon Ø 100 mm
pneumatic hose 1.50 m
without wall plate

Product no.	RRP (€) incl. VAT
36 407 001	**189.00**






Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

* price on request

GROHE
URINAL ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT






37 421 000 **chrome** **505.00**

Tectron Rondo
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
metal housing
exposed installation
flow pressure min 0.5 bar
operating pressure max 10 bar
with integrated stop valve
flush pipe with rubber connector
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
CE approved






37 426 000 **chrome** **505.00**

Tectron Rondo
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
metal housing
exposed installation
flow pressure min 0.5 bar
operating pressure max 10 bar
G 1/2
with integrated stop valve
flush pipe with rubber connector
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
CE approved






37 427 000 **chrome** **386.00**

Tectron retro-fit unit 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
metal housing
exposed installation
for urinal flush valve 37 021 and variants
flow pressure min 0.5 bar
operating pressure max 10 bar
with piston
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
CE approved

GROHE
URINAL ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT
37 428 000	**chrome**	**370.00**






Tectron retro-fit unit 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
metal housing
exposed installation
for urinal flush valve 37 339 000 and variants
flow pressure min 0.5 bar
operating pressure max 10 bar
with piston
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
CE approved

* price on request

GROHE
URINAL ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT






37 336 001 **chrome** **579.00**

Tectron Surf
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U
CE approved






37 337 001 **chrome** **579.00**

Tectron Surf
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U or Rapido UMB
CE approved






37 321 001	**chrome**	**579.00**
37 321 SH1	**alpine white**	**579.00**
37 321 SD1	**stainless steel**	**579.00**

Tectron Skate
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U
CE approved

GROHE
URINAL ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT
37 324 001	**chrome**	**579.00**
37 324 SD1	**stainless steel**	**579.00**






Tectron Skate
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U or Rapido UMB
CE approved

37 503 000	**chrome**	**961.00**





Tectron Skate Bluetooth
Infra-red electronic for urinal
for Rapido U 37 338 000
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
GROHE StarLight finish
flow pressure min 0.5 bar
operating pressure max 10 bar

with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush, cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.


*** Available for free via iTunes app or Google Play store.

* price on request

GROHE
URINAL ELECTRONIC

	Product no.	Colour	RRP (€) incl. VAT






37 751 001 **chrome** **518.00**

Tectron
Retro-fit unit
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
exposed installation
for concealed urinal flush valve 37 017
and DAL 509
metal housing 145 x 90 x 45 mm
solenoid valve with dirt strainer
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
CE approved






37 338 000 **144.00**

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2“ outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and
masonry-in
shortable inspection shaft incl. protection






38 787 000 **119.00**

GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2“ outer thread
installation box with gasket
fixing points for dry cladding and
masonry-in

GROHE
URINAL ELECTRONIC

	Product no.	Colour	RRP (€) incl. VAT






36 407 001 **189.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply






39 368 000 **726.00**

Temperature sensor for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
can be used with 39 376 000
siphon with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
CE approved





39 367 000 **726.00**


Temperature sensor for urinal
6 V lithium battery, type CR-P2
with water connection set and stop valve
siphon with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
CE approved
only for certain urinal ceramics, check online TPI

* price on request

GROHE
URINAL ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT
39 369 000		**966.00**






Temperature sensor with Bluetooth for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
can be used with 39 376 000
siphon with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
for Apple** and Android devices
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
shut-off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

GROHE
URINAL FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT






37 339 000 **chrome** **141.00**

Rondo
Flush valve for urinal
1/2"
brass
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar






37 342 000 **chrome** **169.00**

Rondo
Flush valve for urinal
1/2"
brass
vandal proof by metal actuation knob
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar






37 345 000 **chrome** **158.00**

Rondo
Flush valve for urinal
1/2"
brass
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar






37 346 000 **chrome** **116.00**

Rondo
Flush valve for urinal
1/2"
brass
without stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar










37 396 000 **chrome** **121.00**


Press urinal flush valve
1/2"
brass
GROHE StarLight chrome finish
with wall escutcheon

* price on request

GROHE
URINAL FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT
 	**37 044 000** **Inlet connecting set 1/2“** for urinal bowls with inlet from back connector Ø 33.5 - 38 mm		**28.00**
 	**37 035 000** **Urinal flush pipe** Ø 18 mm 200 mm brass chrome plated straight	**chrome**	**17.00**
 	**37 037 000** **Urinal flush pipe** Ø 18 mm 200 mm brass chrome plated offset 20 mm	**chrome**	**34.00**
 	**37 038 000** **Urinal flush pipe** Ø 18 mm 200 mm brass chrome plated offset 30 mm	**chrome**	**37.00**
	37 039 000 **ditto, offset 40 mm**	**chrome**	**42.00**
 	**37 040 000** **Urinal flush pipe** Ø 18 mm 200 mm brass chrome plated offset 50 mm	**chrome**	**48.00**
 	**37 043 000** **Urinal flush pipe** Ø 18 mm 400 mm brass straight	**chrome**	**49.00**

GROHE
URINAL FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT
 	**37 042 000**	**chrome**	**29.00**


Flush pipe extension
Ø 16 mm
200 mm
brass

* price on request

GROHE
URINAL FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT






37 338 000 **144.00**

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and
masonry-in
shortable inspection shaft incl. protection





38 787 000 **119.00**

GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
installation box with gasket
fixing points for dry cladding and
masonry-in





43 040 000 **16.00**

Converter set
for wall plate Surf
for manual urinal flush valve
concealed installation
for installation on model 509.
without wall plate/actuation





43 310 000 **chrome** **19.00**

Fixing nut



43 818 000 **chrome** **17.00**

Adapter for urinal
with inlet pipe
1/2"
GROHE StarLight chrome finish

GROHE
ACTUATIONS






CONTENTS

WC	Wall plates for WC	642
	GROHE Fresh	650
	Wall plates for WC flush valves	651
Urinal	Wall plates for urinal	652

GROHE
WALL PLATES FOR WC

Product no.	Colour	RRP (€) incl. VAT






37 535 000	**chrome**	**81.00**
37 535 P00	**matt chrome**	**81.00**
37 535 SH0	**alpine white**	**67.00**
37 535 DC0	**supersteel**	**177.00**
37 535 BE0	**polished nickel**	**177.00**
37 535 EN0	**brushed nickel**	**177.00**
37 535 GL0	**cool sunrise**	**177.00**
37 535 GN0	**brushed cool sunrise**	**177.00**
37 535 DA0	**warm sunset**	**177.00**
37 535 DL0	**brushed warm sunset**	**177.00**
37 535 A00	**hard graphite**	**177.00**
37 535 AL0	**brushed hard graphite**	**177.00**

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)





37 601 000	**chrome**	**99.00**
37 601 P00	**matt chrome**	**99.00**
37 601 SH0	**alpine white**	**81.00**
37 601 DC0	**supersteel**	**177.00**
37 601 BE0	**polished nickel**	**177.00**
37 601 EN0	**brushed nickel**	**177.00**
37 601 GL0	**cool sunrise**	**177.00**
37 601 GN0	**brushed cool sunrise**	**177.00**
37 601 DA0	**warm sunset**	**177.00**
37 601 DL0	**brushed warm sunset**	**177.00**
37 601 A00	**hard graphite**	**177.00**
37 601 AL0	**brushed hard graphite**	**177.00**


Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

* price on request

GROHE
WALL PLATES FOR WC

Product no.	Colour	RRP (€) incl. VAT






37 624 000	**chrome**	**99.00**
37 624 P00	**matt chrome**	**99.00**
37 624 SH0	**alpine white**	**81.00**
37 624 DC0	**supersteel**	**177.00**
37 624 BE0	**polished nickel**	**177.00**
37 624 EN0	**brushed nickel**	**177.00**
37 624 GL0	**cool sunrise**	**177.00**
37 624 GN0	**brushed cool sunrise**	**177.00**
37 624 DA0	**warm sunset**	**177.00**
37 624 DL0	**brushed warm sunset**	**177.00**
37 624 A00	**hard graphite**	**177.00**
37 624 AL0	**brushed hard graphite**	**177.00**

Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)






40 911 000		**16.00**

Revision shaft for small flush plates
for combination with Rapid SL and Uniset with GD 2 cistern

40 950 000	**chrome**	**20.00**
ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height		
40 949 000	**chrome**	**26.00**
ditto, for combination with 80 mm cistern		






38 915 KS0	**velvet black**	**1,000.00**
38 915 LS0	**moon white**	**1,000.00**

Veris Light
Flush plate
for dual flush or start & stop actuation
for SoftTouch flushing activation
external highlighted outline
with LEDs in blue, red, yellow, green
light colour individually adjustable
on/off timer for individual regulation of illuminating period
3 m connecting cable
transformer for external installation
110 V to 240 V 50/60 Hz broad range power supply, 9 VA
CE approved
for GD 2 cisterns with pneumatic discharge valve AV1
200 x 200 mm
made of security glass
GROHE EcoJoy technology for less water and perfect flow
not suitable for GROHE Fresh

GROHE
WALL PLATES FOR WC

	Product no.	Colour	RRP (€) incl. VAT






38 809 000	**chrome**	**641.00**

Nova Cosmopolitan Light
Flush plate
for dual flush or start & stop actuation
external highlighted outline
with LEDs in blue, red, yellow, green
light colour individually adjustable
on/off button
timer for individual regulation of illuminating period
3 m connecting cable
transformer for external installation
operating voltage 230 V AC, 50/60 Hz, 2.0 VA
CE approved
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)






38 765 000	**chrome**	**79.00**
38 765 SH0	**alpine white**	**64.00**
38 765 P00	**matt chrome**	**79.00**

Nova Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)






38 845 LS0	**moon white**	**276.00**
38 845 KS0	**velvet black**	**276.00**
38 845 MF0	**chrome/ daVinci satin**	**276.00**

Skate Cosmopolitan
Flush plate
with glass surface
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of security glass
mounting-set
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)





38 916 0A0	**mirror glass**	**336.00**


Skate Cosmopolitan
Flush plate
with mirror surface
plastic actuation buttons, titanium
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of security glass
mounting-set
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

* price on request

GROHE
WALL PLATES FOR WC

	Product no.	Colour	RRP (€) incl. VAT






38 957 000	**chrome**	**119.00**

Mounting set
for wall-aligned installation of Skate Cosmopolitan
with glass surface
for GD 2 and flushing cistern 80 mm
plastic mounting frame, chrome plated
minimum 8 mm tile thickness
for vertical or horizontal use
protection plate
dismantling tool for wall plate
fixing material






38 821 000	**chrome**	**261.00**

Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
vandal-proof
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of brass
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)






38 732 SD0	**stainless steel**	**168.00**

Skate Cosmopolitan
Wall plate, stainless steel
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
plastic fixing frame
hidden fixing screws
not suitable for GROHE Fresh
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 776 SD0	**stainless steel**	**172.00**

ditto, horizontal installation





38 732 000	**chrome**	**63.00**
38 732 DC0	**supersteel**	**151.00**
38 732 SH0	**alpine white**	**52.00**
38 732 P00	**matt chrome**	**63.00**
38 732 BE0	**polished nickel**	**151.00**
38 732 EN0	**brushed nickel**	**151.00**
38 732 GL0	**cool sunrise**	**151.00**
38 732 GN0	**brushed cool sunrise**	**151.00**
38 732 DA0	**warm sunset**	**151.00**
38 732 DL0	**brushed warm sunset**	**151.00**
38 732 A00	**hard graphite**	**151.00**
38 732 AL0	**brushed hard graphite**	**151.00**

Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 732 BR0	**titanium**	**130.00**


ditto, with anti-fingerprint surface

* price on request

GROHE
WALL PLATES FOR WC

Product no.	Colour	RRP (€) incl. VAT






38 844 000	**chrome**	**79.00**
38 844 SH0	**alpine white**	**64.00**
38 844 P00	**matt chrome**	**79.00**

Arena Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of ABS
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 858 000	**chrome**	**79.00**
38 858 P00	**matt chrome**	**79.00**
38 858 SH0	**alpine white**	**64.00**

ditto, horizontal installation






38 505 000	**chrome**	**52.00**
38 505 SH0	**alpine white**	**41.00**
38 505 P00	**matt chrome**	**52.00**

Skate Air
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 506 000	**chrome**	**52.00**
38 506 SH0	**alpine white**	**41.00**
38 506 P00	**matt chrome**	**69.00**

ditto, horizontal installation






38 862 000	**chrome**	**77.00**
38 862 SH0	**alpine white**	**61.00**
38 862 P00	**matt chrome**	**77.00**

Skate
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)






38 862 SD0	**stainless steel**	**181.00**

Skate
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
material: stainless steel
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

* price on request

GROHE
WALL PLATES FOR WC


	Product no.	Colour	RRP (€) incl. VAT
 	**38 861 000**	**chrome**	**78.00**

Surf
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

GROHE
WALL PLATES FOR WC

	Product no.	Colour	RRP (€) incl. VAT






38 564 000	**chrome**	**50.00**
38 564 SH0	**alpine white**	**40.00**

Skate Air
Flush plate
for single flush actuation
for pneumatic discharge valve
vertical installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

38 565 000	**chrome**	**50.00**
38 565 SH0	**alpine white**	**32.00**

ditto, horizontal installation






38 573 000	**chrome**	**65.00**
38 573 SH0	**alpine white**	**28.00**

Skate
Flush plate
for single flush actuation
for pneumatic discharge valve
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow






38 672 SD0	**stainless steel**	**121.00**

Skate
Wall plate, stainless steel
for single flush actuation
vandal-proof
for pneumatic discharge valve
vertical installation
156 x 197 mm
plastic fixing frame
hidden fixing screws
GROHE EcoJoy technology for less water and perfect flow






38 574 000	**chrome**	**66.00**

Surf
Flush plate
for single flush actuation
for pneumatic discharge valve
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow








37 059 000	**chrome**	**220.00**


Surf
Pneumatic actuation
GROHE StarLight chrome finish
remote hand actuation
push button actuation with
escutcheon Ø 100 mm
vertical and horizontal installation
wall plate Surf 156 x 197 mm
pneumatic hose 1.50 m

* price on request


GROHE
WALL PLATES FOR WC

	Product no.	Colour	RRP (€) incl. VAT
 	**37 060 000**	**chrome**	**89.00**

Pneumatic actuation
GROHE StarLight chrome finish
push button actuation with
escutcheon Ø 100 mm
pneumatic hose 1.50 m
without wall plate

	Product no.	Colour	RRP (€) incl. VAT
 	**38 771 000**	**chrome**	**46.00**

Pneumatic push button actuation
for dual flush or start & stop actuation
Ø 48 mm
in combination with bath furniture or
removable claddings for cistern
inspection
for material thickness from 18 -24 mm
pneumatic hose 600 mm
GROHE StarLight chrome finish


	Product no.	RRP (€) incl. VAT
 	**38 714 000**	**25.00**

Extension set 70 mm
for wall plates/actuations for flushing
cistern GD 2, 6 - 9 l
with pneumatic discharge valve

GROHE FRESH


	Product no.	Colour	RRP (€) incl. VAT






38 805 000 **chrome** **150.00**

Skate Cosmopolitan Set Fresh
Flush plate
for dual flush or start & stop actuation
with **GROHE Fresh**
fixing frame with opening function
with box for support of aromatic tabs
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)





38 796 000 **77.00**

GROHE Fresh
Retro-fit set
for GROHE flushing cistern GD 2 with pneumatic
discharge valve and regular inspection shaft
not suitable for Skate Cosmopolitan with
wood or glass or metal surface
fixing frame with opening function
with box for support of aromatic tabs
for chlorine-free tabs only
for all GROHE wall plates 156 x 197 mm



38 882 000 **7.00**


GROHE Fresh
Tabs
2 x 50 g WC tabs
every flush creates foam which cleans the toilet
fragrance ensures long-lasting freshness
protects against re-pollution and maintains long term cleanliness
reduces limescale and ensures radiant purity in the toilet
true feeling of freshness
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

* price on request

GROHE
WALL PLATES FOR WC FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT






37 547 000	**chrome**	**78.00**
37 547 P00	**matt chrome**	**78.00**
37 547 SH0	**alpine white**	**61.00**

Skate
Flush plate
vertical installation
156 x 197 mm
manual activation
push button actuation
made of ABS
GROHE StarLight chrome finish






38 445 SD0	**stainless steel**	**127.00**

Skate
Wall plate, stainless steel
vertical installation
156 x 197 mm
push button actuation
plastic fixing frame
hidden fixing screws






37 063 000	**chrome**	**65.00**
37 063 SH0	**alpine white**	**65.00**

Surf
Flush plate
156 x 197 mm
push button actuation
made of ABS
GROHE StarLight chrome finish

GROHE
WALL PLATES FOR URINAL

Product no.	Colour	RRP (€) incl. VAT






38 846 LS0	**moon white**	**351.00**
38 846 KS0	**velvet black**	**351.00**

Skate Cosmopolitan
Actuation plate
with glass surface
made of security glass
manual activation for urinal
plastic actuation button, chrome plated
set for final installation for Rapido U or Rapido UMB
fixing frame with mounting-set
116 x 144 mm, mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)






38 784 000	**chrome**	**133.00**
38 784 SH0	**alpine white**	**123.00**
38 784 P00	**matt chrome**	**134.00**

Skate Cosmopolitan
Actuation plate
manual activation for urinal
set for final installation for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)
GROHE StarLight chrome finish






38 784 SD0	**stainless steel**	**197.00**

Skate Cosmopolitan
Wall plate, stainless steel
manual activation for urinal
set for final installation for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)
plastic fixing frame
hidden fixing screws





38 804 000	**chrome**	**133.00**
38 804 SH0	**alpine white**	**123.00**


Nova Cosmopolitan
Actuation plate
manual activation for urinal
set for final installation for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)
GROHE StarLight chrome finish

* price on request

GROHE
WALL PLATES FOR URINAL

	Product no.	Colour	RRP (€) incl. VAT
	38 857 000	**chrome**	**134.00**
	38 857 SH0	**alpine white**	**123.00**
	38 857 P00	**matt chrome**	**134.00**






Arena Cosmopolitan
Actuation plate
manual activation for urinal
set for final installation for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)
GROHE StarLight chrome finish

	38 808 000	**chrome**	**116.00**
	38 808 SH0	**alpine white**	**105.00**
	38 808 P00	**matt chrome**	**116.00**





Surf
Actuation plate
manual activation for urinal
set for final installation for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)
GROHE StarLight chrome finish

GROHE
CONNECTION AND SECURITY TECHNOLOGY






CONTENTS

Angle Valves	656
WAS valves	658
Safety systems	662
Eurotec valves	664

GROHE
ANGLE VALVES

Product no.	Colour	RRP (€) incl. VAT
22 039 000	**chrome**	**9.00**
22 039 DC0	**supersteel**	**55.00**
22 039 BE0	**polished nickel**	**56.00**
22 039 EN0	**brushed nickel**	**57.00**
22 039 GL0	**cool sunrise**	**56.00**
22 039 GN0	**brushed cool sunrise**	**57.00**
22 039 DA0	**warm sunset**	**56.00**
22 039 DL0	**brushed warm sunset**	**57.00**
22 039 A00	**hard graphite**	**56.00**
22 039 AL0	**brushed hard graphite**	**57.00**






Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

---

22 043 000	**chrome**	**8.00**






Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

---

22 037 000	**chrome**	**7.00**
22 037 DC0	**supersteel**	**48.00**
22 037 BE0	**polished nickel**	**49.00**
22 037 EN0	**brushed nickel**	**49.00**
22 037 GL0	**cool sunrise**	**49.00**
22 037 GN0	**brushed cool sunrise**	**49.00**
22 037 DA0	**warm sunset**	**49.00**
22 037 DL0	**brushed warm sunset**	**49.00**
22 037 A00	**hard graphite**	**49.00**
22 037 AL0	**brushed hard graphite**	**49.00**






Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

---

22 023 000	**chrome**	**7.00**







Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

* price on request


GROHE
ANGLE VALVES

	Product no.	Colour	RRP (€) incl. VAT
 	**22 018 000**	**chrome**	**6.00**


Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

 	**22 052 000**	**chrome**	**12.00**


Angle valve 3/8"
self-sealing connection thread
wall connection 3/8"
outlet 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

 	**22 053 000**	**chrome**	**10.00**

Angle valve 3/8"
pre-roughened connection thread for easy sealing
wall connection 3/8"
outlet 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

 	**41 263 000**	**chrome**	**9.00**

Egaplus service valve 1/2"
wall connection 1/2"
outlet 3/8"
with length compensation
with compression nut Ø 10 mm
ergonomic handle
marking: neutral
metal push-on escutcheon


 	**22 012 000** **22 012 DC0** **22 012 AL0**	**chrome** **supersteel** **brushed hard graphite**	**52.00** **73.00** **84.00**

Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet 3/8"
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon
GROHE StarLight finish

GROHE
WAS VALVES

Product no.	Colour	RRP (€) incl. VAT






22 036 000 **chrome** **29.00**

Original WAS combination service valve 1/2“
self-sealing connection thread
wall connection 1/2“
outlet 3/8“
with length compensation
with compression nut Ø 10 mm
outlet 3/4“
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handles
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish
for combination with pipe ventilating valve type HB 41 239 000

22 035 000 **chrome** **24.00**
ditto, non self-sealing






22 034 000 **chrome** **29.00**

Original WAS combination service valve 3/8“
self-sealing connection thread
wall connection 3/8“
outlet 3/8“
with length compensation
with compression nut Ø 10 mm
outlet 3/4“
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handles
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish
for combination with pipe ventilating valve type HB 41 239 000

22 033 000 **chrome** **24.00**
ditto, non self-sealing






41 073 000 **chrome** **34.00**

Original WAS combination service valve 1/2“
wall mounted
cartridge headpart for closable
copper pipe connection
grease chamber headpart 3/8“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish

41 082 000 **chrome** **47.00**
ditto, 1/2“, with pipe ventilating valve





41 070 000 **chrome** **27.00**


Original WAS combination service valve 3/8“
wall mounted
cartridge headpart for closable
copper pipe connection
grease chamber headpart 3/8“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000

* price on request

GROHE
WAS VALVES

	Product no.	Colour	RRP (€) incl. VAT






41 030 000 **chrome** **35.00**

Original WAS valve „Eckfix" 3/8"
installation on service valve
axis dimension 60 mm
grease chamber headpart 3/8" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000






41 031 000 **chrome** **37.00**

Original WAS valve „Eckfix" 3/8"
installation on service valve
axis dimension 60 mm
grease chamber headpart 3/8" for closable hose connection
non-return valve type EB
spacer
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000






41 033 000 **chrome** **44.00**

Original WAS valve „Eckfix" 3/8"
installation on service valve
axis dimension 60 mm
with safety unit type HD (pipe ventilating valve combined with non-return valve)
grease chamber headpart 3/8" for closable hose connection
protected against backflow
GROHE StarLight chrome finish






41 010 000 **chrome** **31.00**

Original WAS connecting valve 1/2"
wall mounted
grease chamber headpart 1/2" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish

41 015 000 **chrome** **33.00**
ditto, 1/2", with pipe ventilating valve






41 190 000 **chrome** **35.00**

Fitting combination 1/2"
wall mounted
slanted seat model
with safety unit type HD (pipe ventilating valve combined with non-return valve)
grease chamber headpart 1/2" for closable hose connection
protected against backflow
GROHE StarLight chrome finish






41 154 000 **chrome** **42.00**

Fitting combination 1/2"
wall mounted
with safety unit type HD (pipe ventilating valve combined with non-return valve)
grease chamber headpart 1/2" for closable hose connection
protected against backflow
GROHE StarLight chrome finish

GROHE
WAS VALVES

	Product no.	Colour	RRP (€) incl. VAT






41 043 000 **chrome** **51.00**

Original WAS valve „Mixer“ 3/4“
wall mounted
for wall mixers 1/2“
right-hand connection
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
spacer
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000

41 040 000 **chrome** **51.00**
ditto, left hand connection






41 110 000 **chrome** **34.00**

Original WAS valve „Electro“ 1/2“
wall mounted
grease chamber headpart 3/8“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000






41 050 000 **chrome** **53.00**

Original WAS under-basin valve 1/2“
sink installation
adjustable up to 50 mm
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish
for combination with pipe ventilating valve type HB 41 239 000






41 130 000 **chrome** **59.00**

Eggemann
Original WAS connection adapter 1/2“
sink installation
adjustable up to 70 mm
coupling nut 3/4“
connecting pipe diameter 12 mm
GROHE StarLight chrome finish






41 133 000 **chrome** **34.00**

Eggemann
Original WAS connecting pipe 3/4“
coupling nut 3/4“
connecting pipe diameter 12 mm
GROHE StarLight chrome finish





41 007 000 **chrome** **21.00**


Eggemann
Original WAS T-piece 3/8“
for service valve
connector set 3/8“
GROHE StarLight chrome finish

* price on request

GROHE
WAS VALVES

	Product no.	Colour	RRP (€) incl. VAT






41 020 000 **chrome** **61.00**

Original WAS double valve „Simple“ 1/2“
wall mounted
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
female thread 1/2“
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000











41 022 000 **chrome** **56.00**

Original WAS double valve „Simple“ 1/2“
wall mounted
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000

GROHE
SAFETY SYSTEMS


	Product no.	Colour	RRP (€) incl. VAT
 	**41 230 000**	**chrome**	**44.00**
	Pipe-ventilating valve 1/2“ with safety unit type HD (pipe ventilating valve combined with non-return valve) vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717		
	41 231 000 **ditto, 3/4“**	**chrome**	**49.00**
 	**41 238 000**	**chrome**	**17.00**
	Pipe-ventilating valve 1/2“ type HB vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717 **GROHE StarLight** chrome finish		
	41 239 000 **ditto, 3/4“**	**chrome**	**19.00**
 	**41 270 000**	**chrome**	**36.00**
	Non-return valve 3/8“ for service valve connector set Ø 10 mm (3/8“) coupling nut 3/8“ safety unit type EB vertical or horizontal installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717 **GROHE StarLight** finish		
 	**41 126 000**	**chrome**	**46.00**
	Original WAS hose-connecting elbow 1/2“ wall mounted pipe ventilating valve type HB protected against backflow **GROHE StarLight** chrome finish		
	41 125 000 **ditto, without pipe ventilating valve**	**chrome**	**22.00**
 	**41 001 000**	**chrome**	**19.00**
	Original WAS hose-burst protection 3/4“ for 1/2“ hoses female thread 3/4“ male thread 3/4“ **GROHE StarLight** chrome finish		
 	**41 275 000**	**chrome**	**49.00**
	Original WAS inclined filter 3/4“ suitable for cold and warm water up to + 80° C transparent cap mesh width 315 µm stainless steel filter insert **GROHE StarLight** chrome finish		

* price on request


	Product no.	Colour	RRP (€) incl. VAT
	**41 827 000**		**18.00**

Strainer
for original WAS inclined filter
transparent cap
mesh width 315 µm
stainless steel filter insert


GROHE
EUROTEC VALVES

	Product no.	Colour	RRP (€) incl. VAT
 	**41 212 000**	**chrome**	**128.00**

Eurotec complete outside wall valve 1/2“
frost-proof via automatic draining for each closing operation
socket spanner and sanitary handle
red brass valve seat
non-return valve type EB
installation depth > or equal to 260 mm
CU connection 15 mm and male thread 1/2“
through bore 26 mm
protected against backflow
for combination with pipe ventilating valve type HB 41 239 000

 	**41 208 000**	**chrome**	**146.00**

Eurotec outside wall valve kit 1/2“
frost-proof via automatic draining for each closing operation
socket spanner and sanitary handle
red brass valve seat
non-return valve type EB
installation depth of 170 - 500 mm
CU connection 15 mm and male thread 1/2“
rotation lock
through bore 35 mm
protected against backflow
for combination with pipe ventilating valve type HB 41 239 000

 	**41 206 000**	**chrome**	**164.00**

Eurotec outside wall valve kit 1/2“
with safety unit type HD (pipe ventilating valve combined with non-return valve)
frost-proof via automatic draining for each closing operation
socket spanner and sanitary handle
red brass valve seat
installation depth of 170 - 500 mm
CU connection 15 mm and male thread 1/2“
rotation lock
through bore 35 mm
protected against backflow

* price on request

GROHE
SPARE PARTS





CONTENTS

Cartridges	668
Thermo elements and thermostatic cartridges	670
Aquadimmer	671
Head parts	672
Extension sets	674
Unions	675
Outlets and spouts	677
Flow straighteners	678
Waste sets and traps	680
Connections and non-return valves	681
Spare parts for electronics	682
Diverters	683
Hoses	684
Spare parts for kitchen faucets	685
Spare parts for showers	687
Spare parts for accessories	688
Miscellaneous	689
Special tools	690
Cleaning and care	691
Spare parts for sanitary systems	692
Spare parts for shower toilet	694
Spare parts for Ceramics	696

GROHE CARTRIDGES

Product no.	Colour	RRP (€) incl. VAT



46 580 000 — 66.00

Cartridge
28 mm
GROHE SilkMove
with ceramic sealing system
with temperature limiter
for single lever mixers



46 963 000 — 36.00

Cartridge
28 mm
GROHE SilkMove
with ceramic sealing system
with temperature limiter
for single lever sink mixer



46 907 000 — 62.00

Cartridge
29 mm
GROHE SilkMove Joystick cartridge
with ceramic sealing system
with o-ring for cartridge fixation nut
for single lever mixers



46 374 000 — 59.00

Cartridge
35 mm
GROHE SilkMove
with ceramic sealing system
with temperature limiter
adjustable flow rate limiter
for single lever mixers



46 863 000 — 61.00

Cartridge
35 mm
GROHE SilkMove ES
with cold start function
with ceramic sealing system
with temperature limiter
adjustable flow rate limiter
for single lever mixers



48 518 000 — 18.00

Cartridge
28 mm
GROHE SilkMove
with temperature limiter
with ceramic sealing system
for single lever mixers



46 048 000 — 57.00

Cartridge
46 mm
GROHE SilkMove
with ceramic sealing system
adjustable flow rate limiter
for single lever mixers

46 409 000 — 62.00
ditto, for open water heater



46 558 000 — 50.00

Cartridge
for low pressure
35 mm
GROHE SilkMove
with ceramic sealing system
for single lever mixers



46 278 000 — 97.00

Cartridge
with ceramic sealing system
for Euroeco safety mixer batteries



46 308 000 — 12.00

Temperature limiter
for cartridge 46 048 000
please see possible utilisation in current Technical Product Information and spare part documentation in print/online media



46 375 000 — 12.00

Temperature limiter
for cartridge 46 374 000
please see possible utilisation in current Technical Product Information and spare part documentation in print/online media



46 277 000 — 10.00

Temperature limiter
for cartridge 46 278
for Euroeco safety mixer batteries

* price on request

GROHE
CARTRIDGES

	Product no.	Colour	RRP (€) incl. VAT
	**48 297 000**		**17.00**
	Cartridge for Rainshower system SmartControl push button including fixation		
	**48 359 000**		**60.00**
	Cartridge for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000		
	**43 813 000**		**253.00**
	Cartridge for Contromix Surf/Public for self-closing basin and shower mixer 1/2"		

	Product no.	Colour	RRP (€) incl. VAT
	**46 989 000**		**49.00**
	Cartridge for SmartControl mixer including fastening nut		
	**49 088 000**		**9.00**
	Spindle for SmartControl concealed push for ON-OFF cartridge 48 359 000 including fitting template multi-packaging: 3 pieces		

* price on request

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

Product no.	Colour	RRP (€) incl. VAT



47 450 000 — 115.00

Thermo-element 1/2“
wax element



47 310 000 — 226.00

Thermo-element 3/4“
wax element



47 349 000 — 133.00

Thermo-element 3/8“
wax element



47 217 000 — 61.00

Thermo-element 1/2“
wax element
with non-rising spindle



47 220 000 — 201.00

Thermo-element 3/4“
wax element
with non-rising spindle



47 010 000 — 243.00

Thermo-element 1/2“
bimetal
for Grohmix thermostats



47 111 000 — 286.00

Thermo-element 1/2“
wax element
for Grohmix thermostats



47 012 000 — 277.00

Thermo-element 1/2“
for Grohmix thermostats



47 019 000 — 443.00

Thermo-element 3/4“
bimetal
for Grohmix thermostats



47 439 000 — 112.00

Thermostatic compact cartridge 1/2“
GROHE TurboStat compact cartridge with wax thermoelement

47 175 000 — 162.00
ditto, for inverted waterways, 1/2“



47 483 000 — 164.00

Thermostatic compact cartridge 3/4“
GROHE TurboStat compact cartridge with wax thermoelement

47 186 000 — 266.00
ditto, for inverted waterways, 3/4“



49 028 000 — 59.00

Thermostatic compact cartridge 3/4“
for Grohtherm SmartControl concealed
GROHE TurboStat compact cartridge with wax thermoelement
including fastening nut

* price on request

GROHE
AQUADIMMER

	Product no.	Colour	RRP (€) incl. VAT
	49 084 000		59.00
	Aquadimmer for thermostatic mixers		
	12 433 000		96.00
	Aquadimmer **for exposed fittings**		

	Product no.	Colour	RRP (€) incl. VAT
	47 364 000		106.00
	Aquadimmer for thermostatic mixers		

* price on request

GROHE
HEAD PARTS

Product no.	Colour	RRP (€) incl. VAT



11 003 000 **chrome** 27.00
Headpart 3/8“
Trecorn handle, marking: blue
GROHE StarLight chrome finish

11 006 000 **chrome** 29.00
ditto, marking red

45 966 000 **chrome** 23.00
ditto, marking blue, in cartons of 10

45 967 000 **chrome** 23.00
ditto, marking red, in cartons of 10



11 101 000 **chrome** 27.00
Headpart 1/2“
Trecorn handle, marking: blue
GROHE StarLight chrome finish

11 102 000 **chrome** 27.00
ditto, marking red

45 968 000 **chrome** 23.00
ditto, marking blue, in cartons of 10

45 969 000 **chrome** 23.00
ditto, marking red, in cartons of 10



11 104 000 **chrome** 78.00
Headpart 3/4“
Trecorn handle
marking: blue
GROHE StarLight chrome finish

11 105 000 **chrome** 78.00
ditto, marking red



45 951 000 **chrome** 22.00
Headpart 1/2“
brilliant handle
marking: blue
in cartons of 10

45 956 000 **chrome** 22.00
ditto, marking red



11 090 000 **chrome** 31.00
Headpart 1/2“
metal handle
heat-insulated
screwable
marking: blue/red
GROHE StarLight chrome finish

45 959 000 **chrome** 24.00
ditto, in cartons of 10



45 965 000 9.00
Headpart 3/8“
20 in a box



45 964 000 9.00
Headpart 1/2“
20 in a box



45 346 000 37.00
Ceramic headpart, 1/2“
with ceramic sealing disks
rotation angle 180°
stop: right-hand

45 978 000 32.00
ditto, packaging unit 20



45 342 000 38.00
Ceramic headpart, 1/2“
with ceramic sealing disks
rotation angle 180°
stop: left-hand



45 885 000 61.00
Ceramic headpart 3/4“
with ceramic sealing disks
rotation angle 180°
stop: right-hand



45 869 000 39.00
Concealed headpart 1/2“
with ceramic sealing disks
rotation angle 180°
stop: right-hand



45 882 000 37.00
Ceramic headpart, 1/2“
with ceramic sealing disks
rotation angle 90°
stop: right-hand

* price on request

GROHE
HEAD PARTS

Product no.	Colour	RRP (€) incl. VAT



45 883 000 43.00

Ceramic headpart, 1/2"
with ceramic sealing disks
rotation angle 90°
stop: left-hand



11 502 000 chrome 52.00

Headpart 1/2"
for concealed valves, 1/2"
Trecorn handle
sliding escutcheon
marking: red
GROHE StarLight chrome finish



11 504 000 chrome 77.00

Headpart 3/4"
for concealed valves, 3/4"
Trecorn handle
sliding escutcheon
marking: blue
GROHE StarLight chrome finish

11 505 000 chrome 77.00
ditto, marking red



11 507 000 chrome 97.00

Headpart 1"
for concealed valves 1"
Trecorn handle
sliding escutcheon
marking: blue
GROHE StarLight chrome finish

11 508 000 chrome 97.00
ditto, marking red



11 541 000 chrome 88.00

Headpart 1/2"
for concealed valves, 1/2", brilliant handle, heat-insulated, sliding escutcheon, marking: blue, **GROHE StarLight** chrome finish

11 542 000 chrome 88.00
ditto, marking red

11 544 000 chrome 128.00
ditto, 3/4", marking blue



11 513 000 chrome 49.00

Headpart 1/2"
for concealed valves, 1/2"
Trecorn handle, sliding escutcheon, marking: blue/red
GROHE StarLight chrome finish

11 514 000 chrome 62.00
ditto, for concealed valves, 3/4"



11 515 000 chrome 93.00

Headpart 1"
for concealed valves 1"
Trecorn handle
metal, heat insulated
sliding escutcheon
marking: blue/red
GROHE StarLight chrome finish

11 516 000 chrome 159.00
ditto, for concealed valves, 1 1/4"



11 550 000 chrome 64.00

Headpart 1/2"
for concealed valves, 1/2"
socket spanner, closed cap, sliding escutcheon
GROHE StarLight chrome finish

11 551 000 chrome 80.00
ditto, 3/4"



19 830 000 chrome 31.00

Atlanta
Concealed valve exposed part
set for final installation for 35 028 000
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable
20-80 mm, escutcheon with screwable wall sealing, brilliant handle, marking: blue
GROHE StarLight chrome finish

19 831 000 chrome 43.00
ditto, marking red



19 841 000 chrome 37.00

Atlanta
Concealed valve exposed part
set for final installation for 35 028 000
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable
20 - 200 mm, escutcheon with screwable wall sealing, socket spanner
GROHE StarLight chrome finish

19 840 000 chrome 29.00
ditto, installation depth infinitely adjustable 20-80 mm



19 470 000 chrome 74.00

Grohtherm 3000 Cosmopolitan
Concealed valve exposed part
set for final installation for
35 028 000
GROHE StarLight chrome finish
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable
20-80 mm
metal escutcheon with wall sealing
shut-off handle

* price on request

GROHE
EXTENSION SETS

Product no.	Colour	RRP (€) incl. VAT



45 202 000 — **17.00**

Extension-set, 80 mm
for GROHE concealed valves, 1/2", 3/4", 1"

45 203 000 — **17.00**
ditto, 200 mm



46 343 000 — **273.00**

Extension set
50 mm
for universal single-lever mixer for concealed installation 1/2"
for use with bath and shower mixer
for use with all trim set designs and surfaces



46 627 000 — **140.00**

Extension
25 mm
for single-lever two-hole basin mixer 1/2"
for concealed body 23 200, 23 319, 32635



46 943 000 — **181.00**

Extension
25 mm
for single-lever two-hole basin mixer 1/2"
for concealed body 23 200 002, 23 571



46 901 000 — **107.00**

Extension-set, 25 mm
for 23 429 000 Joystick mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
including disassembly key



14 048 000 — **86.00**

Rapido SmartBox
Universal extension set single-lever mixers, 25 mm
fits Grohtherm SmartControl and SmartControl Mixer sets
for final installation with up to three functions in combination
with GROHE Rapido SmartBox



14 056 000 — **97.00**

Universal extension set single-lever mixers, 25 mm
fits for concealed single-lever mixers
in combination with **GROHE Rapido SmartBox**



14 057 000 — **120.00**

Universal extension set single-lever mixers, 50 mm
fits for concealed single-lever mixers
in combination with **GROHE Rapido SmartBox**



14 058 000 — **47.00**

Universal extension set 2-handle thermostats, 25 mm
fits for concealed 2-handle thermostats
in combination with **GROHE Rapido SmartBox**

* price on request

GROHE UNIONS

Product no.	Colour	RRP (€) incl. VAT



12 001 00M	**chrome**	**22.00**
12 001 000	**chrome**	**20.00**

S-union
1/2" x 3/4"
adjustment range 7.5 mm
screw escutcheon
in dispense of 2 piece at 00M
GROHE StarLight chrome finish



12 400 000	**chrome**	**62.00**

S-union, lockable
sliding escutcheon
1/2" x 3/4"
adjustment range 10 mm
GROHE StarLight chrome finish



12 005 000	**chrome**	**69.00**

S-union
male thread, 1/2" x 3/4"
adjustment range 30 mm
screw escutcheon
GROHE StarLight chrome finish

12 465 000	**chrome**	**91.00**

ditto, 1/2" x 3/4", adjustment 55 mm



12 411 000	**chrome**	**106.00**

S-union
nut 1 1/4" x 1" male thread
adjustment range 50 mm
screw escutcheon
(for Grohtherm XL 1", 35 085/35 086)
GROHE StarLight chrome finish



12 693 000	**chrome**	**32.00**

S-union
1/2" x 3/4"
adjustment range 7.5 mm
with sound absorber
screw escutcheon
GROHE StarLight chrome finish



12 015 000	**chrome**	**46.00**

Wall unions
male thread 3/4" x 1/2"
GROHE StarLight chrome finish



12 050 000	**chrome**	**21.00**

S-union
3/8" x 3/4", **adjustment range 17 mm**
screw escutcheon, in dispense of 2 piece at 00M, **GROHE StarLight** chrome finish

12 050 00M	**chrome**	**53.00**

ditto, 3/8" x 3/4", adjustment range 17 mm, packaging unit 2

12 004 000	**chrome**	**29.00**

ditto, 1/2" x 1/2", adjustment 10 mm



12 051 000	**chrome**	**57.00**

S-union, lockable
1/2" x 3/4"
screw socket to cover the union nut and the escutcheon
sealing towards wall
adjustment range 12.5 mm
suitable for 1/2" connections
GROHE StarLight chrome finish



12 075 000	**chrome**	**29.00**

S-union
1/2" x 3/4"
adjustment range 7.5 mm
with sound absorber
screw escutcheon
diameter: 70 mm / depth: 26 mm
GROHE StarLight chrome finish
content: 1 piece



12 662 000	**chrome**	**27.00**

S-union
1/2" x 3/4"
adjustment range 7.5 mm
with sound absorber
screw escutcheon
diameter: 70 mm / depth: 26 mm
GROHE StarLight chrome finish
content: 1 piece



12 013 000	**chrome**	**40.00**

Wall union
male thread 3/4" x 1/2" female
GROHE StarLight chrome finish



12 030 000	**chrome**	**80.00**

Pillar union 1/2"
angle 3/4" x 1/2"
mounting set 1/2"
projection 47 mm
GROHE StarLight chrome finish

* price on request

GROHE UNIONS

Product no.	Colour	RRP (€) incl. VAT



12 419 000 **chrome** **39.00**

Elbow union
nut 3/4" x 3/4" male thread
for thermostat 34 361/34 364
GROHE StarLight chrome finish



12 407 000 **chrome** **172.00**

Wall union, male 1/2"
connection pipe Ø 18 mm
connector set 3/4"
male thread 1/2"
sliding escutcheon
GROHE StarLight chrome finish



12 444 000 **chrome** **334.00**

Wall union, male 1 1/4"
with thermometer
nut 1 1/2" x 1 1/4" male thread
projection 90 mm
screw escutcheon
(for Grohtherm XL 1", 35 085/35 086)
GROHE StarLight chrome finish



45 058 000 **chrome** **41.00**

Set for wall union 200 mm
with compression coupling 3/4"
for use with outlet elbow 12 407 ,1/2"
GROHE StarLight chrome finish



12 417 000 **chrome** **101.00**

Straight union
nut 1 1/4" x 1" male thread
screw escutcheon
(for Grohtherm XL 1", 35 085/35 086)
GROHE StarLight chrome finish



02 210 00M **chrome** **17.00**

Escutcheon
multi-packaging: 2 pieces

* price on request

GROHE
OUTLETS AND SPOUTS

	Product no.	Colour	RRP (€) incl. VAT
	**13 005 000**	**chrome**	**39.00**
	Swivel tube spout for kitchen wall mixers, 1/2“ tubular spout, projection 150 mm mousseur, coupling nut 3/4“, DR-brass **GROHE StarLight** chrome finish		
	13 084 000	**chrome**	**38.00**
	ditto, projection 200 mm		
	13 017 000	**chrome**	**48.00**
	ditto, projection 300 mm		
	**13 028 000**	**chrome**	**37.00**
	Swivel tube spout for kitchen wall mixers, 1/2“ tubular spout mousseur projection 200 mm coupling nut 3/4“ DR-brass **GROHE StarLight** finish		
	13 034 000	**chrome**	**56.00**
	ditto, projection 300 mm		
	**13 072 000**	**chrome**	**27.00**
	Tubular spout swivelling mousseur coupling nut M 22 x 1 projection 140 mm DR-brass **GROHE StarLight** chrome finish		
	**13 070 000**	**chrome**	**39.00**
	Tubular spout **for kitchen pillar mixers, 1/2“** mousseur coupling nut 3/4“ projection 185 mm without stop DR-brass **GROHE StarLight** chrome finish		
	13 077 000	**chrome**	**46.00**
	ditto, projection 235 mm		
	**13 462 000**	**chrome**	**130.00**
	Cast swivel spout length 175 mm swivelling laminar flow straightener 9 l/min coupling nut 3/4“ **GROHE StarLight** chrome finish		
	**45 247 000**	**chrome**	**23.00**
	Nipple for reset from Costa-outlets into Atlanta-outlets **GROHE StarLight** chrome finish		

	Product no.	Colour	RRP (€) incl. VAT
	**13 051 000**	**chrome**	**40.00**
	Tubular spout for kitchen wall mixer, swivelling mousseur, coupling nut M 22 x 1 projection 200 mm DR-brass **GROHE StarLight** chrome finish		
	13 052 000	**chrome**	**42.00**
	ditto, projection 150 mm		
	**13 076 000**	**chrome**	**40.00**
	Tubular spout swivelling with stop mousseur coupling nut 3/4“ projection 140 mm DR-brass **GROHE StarLight** chrome finish		
	13 071 000	**chrome**	**39.00**
	ditto, without stop		
	**13 073 000**	**chrome**	**38.00**
	Tubular swivel spout **for kitchen pillar mixers, 1/2“** tubular spout mousseur projection 185 mm DR-brass **GROHE StarLight** chrome finish		
	**13 461 000**	**chrome**	**102.00**
	Cast swivel spout length 115 mm swivelling laminar flow straightener 9 l/min coupling nut 3/4“ **GROHE StarLight** chrome finish		
	**13 269 000**	**chrome**	**122.00**
	Cast swivel spout length 117 mm swivelling and lockable laminar flow straightener 9 l/min **GROHE StarLight** chrome finish		
	13 270 000	**chrome**	**132.00**
	ditto, projection 177 mm		

GROHE
FLOW STRAIGHTENERS

Product no.	Colour	RRP (€) incl. VAT



48 189 000 **chrome** **20.00**

Water saving set
flow rate 1.0 gpm / 3.8 l/min
includes two supply adapters incl. flow regulator
and one mousseur insert
connection size G 3/8"
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence



48 190 000 **chrome** **20.00**

Water saving set
flow rate 0.5 gpm / 1.9 l/min
includes two supply adapters incl. flow regulator
and one mousseur insert
connection size G 3/8"
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence



48 191 000 **chrome** **20.00**

Water saving set
flow rate 0.35 gpm / 1.35 l/min
includes two supply adapters incl. flow regulator
and one mousseur insert
connection size G 3/8"
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence



13 935 000 **chrome** **17.00**

Mousseur
internal thread
M 22 x 1
5.7 l/min at 3 bar
including metal connection nipple for better exchange-service
SpeedClean anti-lime system
GROHE StarLight finish
female thread



48 417 000 **chrome** **7.00**

Mousseur
internal thread
M 22 x 1
6.6 l/min
GROHE StarLight chrome finish
female thread



13 959 000 **chrome** **19.00**

Flow straightener
internal thread
M 22 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
GROHE StarLight finish
female thread



48 159 000 **chrome** **9.00**

Mousseur
external thread
M 24 x 1
flow class: PCA
5.7 l/min at 3 bar
SpeedClean anti-lime system
male thread



46 837 000 **chrome** **26.00**

Flow straightener
external thread
M 24 x 1
flow class: PCA
5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE StarLight finish
male thread



13 960 000 **chrome** **22.00**

Laminar flow straightener
external thread
M 24 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
GROHE StarLight finish
male thread



36 133 000 **chrome** **22.00**

Mousseur
external thread
M 24 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
including disassembly key
theft proof
GROHE StarLight finish
male thread



13 929 000 **chrome** **16.00**

Mousseur
external thread
M 24 x 1
flow class A
13.5 - 15.0 l/min at 3 bar
GROHE StarLight finish
male thread



13 952 000 **chrome** **13.00**

Mousseur
external thread
M 24 x 1
flow class C
30.0 l/min. at 3 bar
GROHE StarLight finish
male thread

* price on request

GROHE
FLOW STRAIGHTENERS

	Product no.	Colour	RRP (€) incl. VAT
	**13 961 000**	**chrome**	**4.00**
	Mousseur external thread M 24 x 1 flow class: B 25.2 l/min at 3 bar **GROHE StarLight** finish male thread		
	**46 765 000**		**26.00**
	Mousseur external thread M 16.5 x 1 5.7 l/min at 3 bar integrated including disassembly key male thread		
	**48 410 000**		*
	Laminar flow straightener external thread M 18.5 x 1 4.5 l/min integrated including disassembly key male thread		
	**13 220 000**		**34.00**
	Mousseur flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly key		

	Product no.	Colour	RRP (€) incl. VAT
	**13 943 000**		**18.00**
	Mousseur external thread M 16.5 x 1 flow class: PCA 5.0 l/min integrated including disassembly key male thread		
	**13 937 000**		**24.00**
	Mousseur set consisting of: mousseur 14.9 l/min at 3 bar mousseur 6,6 l/min at 3 bar external thread including disassembly key male thread		
	**13 994 000**		**16.00**
	Mousseur external thread M 18.5 x 1 flow class: A + PCA 15.0 l/min + 5.7 l/min at 3 bar integrated including disassembly key male thread		

* price on request

GROHE
WASTE SETS AND TRAPS

Product no.	Colour	RRP (€) incl. VAT
28 910 000	chrome	56.00
28 910 DC0	supersteel	85.00
28 910 L00	white	146.00
28 910 AL0	brushed hard graphite	89.00



Waste set 1 1/4"
for wash basins with overflow
for basin/bidet fittings
complete
GROHE StarLight chrome finish

Product no.	Colour	RRP (€) incl. VAT
40 565 000	chrome	86.00
40 565 DC0	supersteel	120.00
40 565 AL0	brushed hard graphite	137.00



Plug incl. cup
for wash basins with overflow
for standard pop-up waste set 1¼"
for replacement in an existing system
GROHE StarLight chrome finish

Product no.	Colour	RRP (€) incl. VAT
65 807 000	chrome	50.00
65 807 LS0	moon white	95.00
65 807 BE0	polished nickel	75.00
65 807 GL0	cool sunrise	75.00
65 807 DA0	warm sunset	75.00
65 807 A00	hard graphite	75.00



Waste set with push-open plug
with push-open cover
for wash basins with overflow
removable cover, closable
GROHE StarLight chrome finish

Product no.	Colour	RRP (€) incl. VAT
65 807 DC0	supersteel	70.00
65 807 EN0	brushed nickel	80.00
65 807 GN0	brushed cool sunrise	80.00
65 807 DL0	brushed warm sunset	80.00
65 807 AL0	brushed hard graphite	80.00



Waste set with push-open plug
with push-open cover, for wash basins with overflow, removable cover, closable
GROHE StarLight finish

Product no.	Colour	RRP (€) incl. VAT
65 808 000	chrome	53.00



Waste vent 1 1/4"
for wash basins without overflow
removable cover
non-closable
GROHE StarLight chrome finish

Product no.	Colour	RRP (€) incl. VAT
40 824 000	chrome	21.00




Waste set with push-open plug
for wash basins with overflow
removable plug
closable

Product no.	Colour	RRP (€) incl. VAT
28 920 000	chrome	45.00



Trap 1 1/4"
for basins
with fixed dip tube
wall connection, sliding escutcheon
GROHE StarLight chrome finish

Product no.	Colour	RRP (€) incl. VAT
40 564 000	chrome	280.00
40 564 DC0	supersteel	392.00
40 564 A00	hard graphite	420.00
40 564 AL0	brushed hard graphite	448.00



Bottle trap
for **wash basin**
GROHE StarLight chrome finish
brass body

Product no.	Colour	RRP (€) incl. VAT
28 912 000	chrome	181.00
28 912 DC0	supersteel	253.00
28 912 EN0	brushed nickel	289.00
28 912 GL0	cool sunrise	271.00
28 912 GN0	brushed cool sunrise	289.00
28 912 DA0	warm sunset	271.00
28 912 DL0	brushed warm sunset	289.00
28 912 A00	hard graphite	271.00
28 912 AL0	brushed hard graphite	289.00



Trap 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

* price on request

GROHE
CONNECTIONS AND NON-RETURN VALVES

	Product no.	Colour	RRP (€) incl. VAT
	**47 189 000**	**chrome**	**41.00**

Non-return valve
multi-packaging: 2 pieces
GROHE StarLight chrome finish

	Product no.	Colour	RRP (€) incl. VAT
	**14 116 00M**		**63.00**

Non-return valve 1/2“
multi-packaging: 2 pieces

* price on request

GROHE
SPARE PARTS FOR ELECTRONICS

	Product no.	Colour	RRP (€) incl. VAT
	**26 646 000**	**chrome**	**263.00**

Wireless remote control
for Rainshower SmartConnect showers
wireless and water resistant (IP57)
to change and combine spray patterns
LED indicator for pairing and battery change
screw or glue holder to wall
including 1 x CR 2032 button cell
GROHE StarLight finish

	Product no.	Colour	RRP (€) incl. VAT
	**42 886 000**		**35.00**

Battery
6 V lithium battery, type CR-P2

	Product no.	Colour	RRP (€) incl. VAT
	**42 393 000**		**49.00**

Battery housing
including 6 V lithium-battery, type CR-P2
to replace transformer

	Product no.	Colour	RRP (€) incl. VAT
	**42 388 000**		**79.00**

Mains adaptor
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
to replace battery

* price on request

GROHE
DIVERTERS

Product no.	Colour	RRP (€) incl. VAT
65 655 000	chrome	24.00
65 655 DC0	supersteel	79.00
65 655 AL0	brushed hard graphite	82.00



Diverter
for single-lever and thermostatic bath mixer 1/2", wall mounted
automatic diverter: bath/shower
GROHE StarLight chrome finish

Product no.	Colour	RRP (€) incl. VAT
48 407 000	chrome	18.00
48 407 DC0	supersteel	45.00



Diverter
for bath mixers 1/2", wall and floor mounted
automatic diverter: bath/shower
mechanical parts
GROHE StarLight chrome finish

Product no.	Colour	RRP (€) incl. VAT
46 947 000	chrome	63.00
46 947 DC0	supersteel	71.00
46 947 AL0	brushed hard graphite	100.00



Diverter
for Eurocube Joy and Lineare New single-lever bath mixer wall mounted
mechanical parts
GROHE StarLight chrome finish

Product no.	RRP (€) incl. VAT
48 448 000	129.00



Diverter
for single lever mixer set for final installation with 3-way diverter

Product no.	Colour	RRP (€) incl. VAT
46 058 000	chrome	54.00



Diverter
for universal single-lever mixer for concealed installation 1/2" bath
including diverter knob
until 2010
GROHE StarLight chrome finish

Product no.	Colour	RRP (€) incl. VAT
48 442 000	chrome	82.00



Diverter
for concealed single lever bath mixers
including diverter knob
GROHE StarLight chrome finish

GROHE HOSES

	Product no.	Colour	RRP (€) incl. VAT
	**48 488 000**		**55.00**
	Shower hose for sink mixers with SmartControl **GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position approx. 1425 mm M12 x 1 **GROHE StarLight** finish		
	**48 293 000**		**42.00**
	Shower hose for sink mixer with pull-out dual spray or mousseur **GROHE EasyDock** easy retraction and smooth docking including weight and knurled nuts G 1/2 approx. 1425 mm M15 x 1 **GROHE StarLight** finish		

	Product no.	Colour	RRP (€) incl. VAT
	**45 120 000**	**chrome**	**30.00**
	Connection hose, 300 mm connector set 3/8“ for copper pipe Ø 10 mm coupling nut 3/8“ 300 mm		

* price on request

GROHE
SPARE PARTS FOR KITCHEN FAUCETS

Product no.	Colour	RRP (€) incl. VAT



48 487 000	**chrome**	**124.00**
48 487 DC0	**supersteel**	**244.00**
48 487 BE0	**polished nickel**	**238.00**
48 487 EN0	**brushed nickel**	**248.00**
48 487 GL0	**cool sunrise**	**313.00**
48 487 GN0	**brushed cool sunrise**	**360.00**
48 487 DA0	**warm sunset**	**285.00**
48 487 DL0	**brushed warm sunset**	**332.00**
48 487 A00	**hard graphite**	**283.00**
48 487 AL0	**brushed hard graphite**	**331.00**

Pull out spray
for sink mixers with SmartControl
pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF
GROHE StarLight chrome finish



48 473 000	**chrome**	**117.00**

Pull out spray
for single lever sink mixer 1/2"
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE StarLight chrome finish



48 474 000	**chrome**	**60.00**

Pull out spray
for single lever sink mixer 1/2"
pull out spray with 2 spray types
diverter: laminar spray/**SpeedClean** shower jet, automatic return to laminar spray
adjustable flow rate limiter
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE StarLight chrome finish



46 710 000	**chrome**	**94.00**

Pull out spray
GROHE StarLight chrome finish



46 731 000	**chrome**	**78.00**

Pull out spray
professional spray
regular flow/shower jet
automatic return to mousseur
SpeedClean anti-lime system
GROHE StarLight chrome finish



46 769 000	**chrome**	**53.00**

Pull out spray
GROHE StarLight chrome finish



46 925 000	**chrome**	**25.00**
46 925 DC0	**supersteel**	**79.00**

Pull out spray
for Minta single lever sink mixer with pull out mousseur
GROHE StarLight finish



46 857 000	**chrome**	**78.00**

Pull out spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable to 32 321 000, 32 322 000, 31 481 000, 31 483 000



46 858 000	**chrome**	**35.00**
46 858 DC0	**supersteel**	**108.00**

Pull out spray
for single lever sink mixer
mousseur jet



46 956 000	**chrome**	**61.00**
46 956 DC0	**supersteel**	**73.00**

Pull out spray
laminar spray/shower spray
automatic return to laminar spray
SpeedClean anti-lime system
GROHE StarLight chrome finish
including disassembly key for laminar spray for Eurosmart 2015 and Start 2015 sink mixers

* price on request

GROHE
SPARE PARTS FOR KITCHEN FAUCETS

	Product no.	Colour	RRP (€) incl. VAT
	48 416 000	**chrome**	41.00
	48 416 DC0	**supersteel**	55.00
	Pull out spray laminar spray/shower spray automatic return to laminar spray **SpeedClean** anti-lime system **GROHE StarLight** chrome finish including disassembly key		
	46 315 000		25.00
	Quick coupling		

	Product no.	Colour	RRP (€) incl. VAT
	46 338 000		32.00
	Coupling piece		
	05 334 000		4.10
	Support plate		

* price on request

GROHE
SPARE PARTS FOR SHOWERS

Product no.	Colour	RRP (€) incl. VAT



28 635 XX0 **dark grey** **9.00**

Relexa
Coupling piece
as replacement
connector for new hand shower and hose
each hand shower is equipped with a coupling piece



28 634 XX0 **dark grey** **30.00**

Relexa
Quick coupling
for combination with average showers without integrated **Grohclick**
with new system
only in connection with coupling piece (28 635/28 637)



28 817 000 **chrome** **13.00**

Adapter 1/2" x 1/4"
female thread 3/4" x 1/2"
male thread
GROHE StarLight chrome finish



45 304 000 **chrome** **40.00**

Elbow for shower mixers
1/2" x 1/2"
GROHE StarLight chrome finish
for bath mixers



48 279 000 **chrome** **33.00**

Shower bar holder
for shower systems with thermostat for wall mounting
including fixation set
GROHE StarLight chrome finish



48 423 000 **15.00**

Shower bar holder
for shower systems with thermostat for wall mounting
including fixation set
GROHE StarLight chrome finish



12 140 000 **chrome** **51.00**

Glide element
suitable for shower rails with diameter of 22.0 mm
glider with swivel holder
for height adjustability of the handshower
GROHE StarLight chrome finish



45 650 IP0 **chrome/ matt chrome** **62.00**

Glide element
suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm
glider with swivel holder
for height adjustability of the handshower
GROHE StarLight chrome finish



48 099 000 **chrome** **17.00**

Glide element
suitable for shower rails of Tempesta range with diameter of 21.8 mm
glider with swivel holder
for height adjustability of the handshower
GROHE StarLight chrome finish



48 424 000 **chrome** **27.00**
48 424 DC0 **supersteel** **132.00**
48 424 AL0 **brushed hard graphite** **44.00**

Glide element
suitable for shower rails Rainshower SmartActive with diameter 22 mm
glider with swivel holder
for height adjustability of the handshower
GROHE StarLight chrome finish

* price on request

GROHE
SPARE PARTS FOR ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT
	40 206 000	**chrome**	83.00
	Spare brush **GROHE StarLight** chrome finish		
	43 897 000	**white**	51.00
	Soap container		
	40 993 000		65.00
	Spare glass for brush for Selection toilet brush set material: glass		

	Product no.	Colour	RRP (€) incl. VAT
	40 207 000		16.00
	Spare brush head		
	40 952 000		19.00
	Spare glass		

* price on request

GROHE
MISCELLANEOUS

	Product no.	Colour	RRP (€) incl. VAT
	46 249 000	chrome	12.00
	Shank mounting kit		
	48 477 000		10.00
	Mounting set with fastening nut M33 x 1.5 including seals		

	Product no.	Colour	RRP (€) incl. VAT
	46 345 000		20.00
	Shank mounting kit		
	48 384 000		14.00
	Shank fastening assembly with fastening nut M33 x 1.5 including screws and seals		

* price on request

GROHE
SPECIAL TOOLS

	Product no.	Colour	RRP (€) incl. VAT
	**19 332 000**		**36.00**
	Socket spanner 34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge 32 mm for dis-/assembly of 35 mm cartridge		
	**19 377 000**		**53.00**
	Special spanner 30 mm for dis-/assembly exposed faucets with covered S-unions 34 mm for dis-/assembly of **GROHE TurboStat** thermostatic compact cartridge		

	Product no.	Colour	RRP (€) incl. VAT
	**48 021 000**	**chrome**	**10.00**
	Disassembly tool for mousseurs with housing: M 22 x 1, M 24 x 1, M 28 x 1 for integrated mousseurs: M 16.5 x 1, M 18.5 x 1, M 21.5 x 1, M 24 x 1 sales unit 10 pieces		

* price on request

GROHE
CLEANING AND CARE

	Product no.	Colour	RRP (€) incl. VAT
	**45 937 000**		**29.00**
	GROHE special grease 25 g sales unit 15 pieces		

	Product no.	Colour	RRP (€) incl. VAT
	**48 166 000**		**21.00**
	GROHclean **Detergent for fittings and bathrooms** 500 ml spray bottle based on citric acid in display box sales unit 10 pieces		

* price on request

GROHE
SPARE PARTS FOR SANITARY SYSTEMS

Product no.	Colour	RRP (€) incl. VAT
42 302 000	chrome	85.00
42 302 SH0	alpine white	69.00



Surf
Flush plate
for retrofit
for dual flush or start & stop actuation
for pneumatic discharge valve with 2 hoses (42 253 and 42 774)
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

Product no.	Colour	RRP (€) incl. VAT
42 303 000	chrome	91.00
42 303 SH0	alpine white	72.00



Skate
Flush plate
for retrofit
for pneumatic discharge valve with 2 hoses (42 253 and 42 774)
for dual flush or start & stop actuation
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

Product no.	Colour	RRP (€) incl. VAT
42 304 000	chrome	85.00
42 304 SH0	alpine white	61.00
42 304 P00	matt chrome	94.00



Skate Air
Flush plate
for dual flush or start & stop actuation
for retrofit
for pneumatic discharge valve AV1
for pneumatic discharge valve with 2 hoses (42 253 and 42 774)
vertical installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

Product no.	Colour	RRP (€) incl. VAT
42 305 000	chrome	89.00
42 305 SH0	alpine white	63.00
42 305 P00	matt chrome	92.00



Skate Air
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
for pneumatic discharge valve with 2 hoses (42 253 and 42 774)
horizontal installation
156 x 197 mm
made of ABS
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish

Product no.	Colour	RRP (€) incl. VAT
37 115 PI0	matt chrome/ chrome	18.00



Push button and escutcheon
for servo set
for close-coupled ceramic cisterns
lid hole Ø 40 mm
GROHE StarLight chrome finish

Product no.	Colour	RRP (€) incl. VAT
37 117 PI0	matt chrome/ chrome	19.00



Push button and escutcheon
for servo set
for close-coupled ceramic cisterns
lid hole Ø 16 - 35 mm
GROHE StarLight chrome finish

Product no.		RRP (€) incl. VAT
43 544 000		18.00



Outlet piston
for Servo discharge valve

Product no.		RRP (€) incl. VAT
43 535 000		5.00



Push bar 350 mm
for Servo discharge valve
350 mm

Product no.		RRP (€) incl. VAT
43 540 000		9.00

Pop-up rod
for Servo discharge valve
451 mm

Product no.		RRP (€) incl. VAT
42 315 000		16.00



Valve seat for GD2

* price on request

GROHE
SPARE PARTS FOR SANITARY SYSTEMS

	Product no.	Colour	RRP (€) incl. VAT
	**42 593 000**		**35.00**
	Valve seat including flow manager reduces flow of the flush prevents overspill in rimless toilets easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2		
	**42 775 000**		**10.00**
	Tubes		
	**43 722 000**		**19.00**
	Set of seals		

	Product no.	Colour	RRP (€) incl. VAT
	**42 233 000**	**chrome**	**17.00**
	Tube		
	**43 745 000**		**16.00**
	Seal		
	**43 758 00M**		**76.00**
	Membrane filling valve multi-packaging: 10 pieces		

* price on request

GROHE
SPARE PARTS FOR SHOWER TOILET

Product no.	Colour	RRP (€) incl. VAT



14 913 000 — 308.00

WC seat and lid
for Sensia IGS shower WC system
including hinges
without operating unit



14 915 000 — 450.00

Remote control
for Sensia IGS shower WC system
with wall holder including fixation
including batteries



14 916 000 — 386.00

Operating unit
for Sensia IGS shower WC system
with adjusting knob including battery



14 917 000 — 108.00

Connecting pipe
for Sensia IGS shower WC system
flush- and waste pipe



14 924 SH0 alpine white — 118.00

GROHE Sensia Arena
WC seat
for Sensia Arena shower toilet system, wall hung
automatic opening/close function
suitable WC lid: 14 925 SH0

14 925 SH0 alpine white — 132.00

GROHE Sensia Arena
WC lid
for Sensia Arena shower toilet system, wall hung
automatic opening/close function
suitable WC seat: 14 924 SH0



14 926 002 — 368.00

GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung
including wall holder



14 926 001 — 368.00

GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung
including wall holder



14 930 000 — 29.00

Nozzle guard
for Sensia Arena shower toilet system,
wall hung and floor standing



14 937 000 alpine white — 1,177.00

GROHE Sensia Arena
WC-ceramic
for Sensia Arena shower toilet system, wall hung



14 969 000 — 29.00

GROHE Sensia Arena
Fixing member rear
for Sensia Arena shower toilet system, wall hung



14 974 000 — 88.00

GROHE Sensia Arena
Connection hose assembly
for Sensia Arena shower toilet system, wall hung

* price on request

GROHE
SPARE PARTS FOR SHOWER TOILET

	Product no.	Colour	RRP (€) incl. VAT
	**14 933 000**		**29.00**
	GROHE Sensia Arena **Air filter** for Sensia Arena shower toilet system, wall hung		

	Product no.	Colour	RRP (€) incl. VAT
	**14 976 000**	**alpine white**	**1,466.00**
	GROHE Sensia Arena **E-bidet unit** for 39 354 SH1 for Sensia Arena shower toilet system, wall hung exchange set		

GROHE
SPARE PARTS FOR CERAMICS

Product no.	Colour	RRP (€) incl. VAT



49 512 000 **47.00**

Mounting set
for counter top basins
39 337 000, 39 337 00H, 39 475 00H
39 476 00H, 39 477 00H, 39 478 00H
for drop in basin 39 422 000, 39 479 00H
for vessel basin 39 481 00H
contains 2 pieces



49 518 000 **42.00**

Mounting set
for undercounter basins
39 423 000, 39 480 00H
contains 4 pieces



49 025 000 **chrome** **29.00**

Mounting set
for half pedestal
39 426 000
39 201 000
39 325 000
contains 2 pieces



49 516 000 **28.00**

Mounting set
for floor standing bidet/WC
39 428 000, 39 429 000, 39 430 000,
39 431 000, 39 432 000, 39 349 000,
39 329 000, 39 329 00H, 39 340 000,
39 340 00H, 39 339 000, 39 339 00H,
39 484 00H, 39 485 00H, 39 487 00H
contains 2 pieces



49 022 000 **chrome** **32.00**

Fixing bolt
for close coupled WC and cistern
39 436 000
39 437 000
39 333 000
39 332 000
39 489 000
39 490 000



49 027 000 **chrome** **81.00**

Fixing set
for Euro Ceramic wall hung bidet
220 mm
39 208 000, 39 208 00H



49 510 000 **75.00**

Fixing set
for Euro Ceramic wall hung WC
203 mm
39 328 000, 39 328 00H



49 024 000 **chrome** **81.00**

Fixing set
for Euro Ceramic compact wall hung WC
203 mm
39 206 000, 39 206 00H



49 509 000 **74.00**

Fixing set
for Cube Ceramic wall hung WC
178 mm
39 244 00H



49 529 000 **chrome** **25.00**

Fixing set
for Bau Ceramic seat and lid
39 493 000
39 492 000
contains 2 pieces



49 522 000 **77.00**

Mounting set
for Euro Ceramic cistern
39 333 000
for back inlet installation



49 120 000 **chrome** **19.00**

Fixation set for seat and cover
for WC seats 39 576 000, 39 577 000 and
39 898 000

* price on request

GROHE
SPARE PARTS FOR CERAMICS

	Product no.	Colour	RRP (€) incl. VAT



49 023 000 **chrome** **17.00**

Filling valve
for exposed close coupled cistern bottom inlet
39 332 000
39 436 000
universal application



49 020 000 **chrome** **34.00**

Filling valve for Euro Ceramic cistern
for close coupled cistern exposed side inlet
39 333 000
universal application



49 540 000 **41.00**

Filling valve
for exposed close coupled cistern bottom inlet
39 490 000
39 579 000
for exposed flushing cisterns



49 527 000 **28.00**

Filling valve
for close coupled cistern exposed side inlet
39 494 000
39 531 000
universal application



37 095 000 **39.00**

Filling valve
3/8"
universal application
without adapter for the pipe connection
cap, restrictor

**) max. shortening 100 mm



49 061 000 **chrome** **23.00**

Discharge valve for Bau Ceramic cistern
for close coupled cistern exposed side inlet
39 436 000
39 437 000
Dual Flush
universal application
for ceramic lid hole Ø 50 mm



49 066 000 **chrome** **43.00**

Discharge valve for Euro Ceramic cistern
for close-coupled cisterns
39 332 000
39 333 000
Dual Flush
universal application
for ceramic lid hole Ø 50 mm



49 065 000 **chrome** **24.00**

Discharge valve for Bau Ceramic cistern
for close coupled cistern exposed side inlet
39 494 000
Dual Flush
universal application
for ceramic lid hole Ø 50 mm



49 539 000 **87.00**

Discharge valve
for close-coupled cisterns
for exposed flushing cisterns
39 579 000
39 490 000
39 578 000
39 489 000



49 018 000 **white** **9.00**

Buffer set
for seat and lid
for 39 435 000
contains 2 pieces for lid and 4 pieces for seat



49 528 000 **white** **44.00**

Damper
for Bau Ceramic WC seat with soft close
left and right
39 493 000
contains 2 pieces



49 530 000 **white** **15.00**

Buffer set
for Bau Ceramic seat and lid
39 492 000
39 493 000
contains 2 pieces for lid and 4 pieces for seat

* price on request

GROHE
SPARE PARTS FOR CERAMICS

Product no.	Colour	RRP (€) incl. VAT



49 016 000 **alpine white** **11.00**

Locking cap
for Euro Ceramic close coupled WC
39 338 000 / 39 338 00H



49 019 000 **alpine white** **9.00**

Locking cap
for exposed ceramic cistern, side inlet
39 437 000
39 333 000



49 542 SH0 **alpine white** **149.00**

Essence
Drain cap for wash basins
for vessel basins 39 609 00H and
39 608 00H



49 526 000 **chrome** **14.00**

Dual flush push button
for ceramic cistern
39 436 000
39 437 000
39 333 000
39 332 000



49 538 000 **chrome** **30.00**

Dual flush push button
for ceramic flushing cisterns
39 578 000
39 490 000
39 579 000
39 489 000



49 021 000 **9.00**

Rubber sealing
for close coupled WC and cistern
39 436 000
39 437 000
39 333 000
39 332 000
39 489 000
39 490 000

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
02		
02 210 00M	676	17.00
05		
05 334 000	686	4.10
11		
11 003 000	672	27.00
11 006 000	672	29.00
11 090 000	672	31.00
11 101 000	672	27.00
11 102 000	672	27.00
11 104 000	672	78.00
11 105 000	672	78.00
11 502 000	673	52.00
11 504 000	673	77.00
11 505 000	673	77.00
11 507 000	673	97.00
11 508 000	673	97.00
11 513 000	673	49.00
11 514 000	673	62.00
11 515 000	673	93.00
11 516 000	673	159.00
11 541 000	673	88.00
11 542 000	673	88.00
11 544 000	673	128.00
11 550 000	673	64.00
11 551 000	673	80.00
12		
12 001 000	675	20.00
12 001 00M	675	22.00
12 004 000	675	29.00
12 005 000	675	69.00
12 013 000	675	40.00
12 015 000	675	46.00
12 030 000	509, 675	80.00
12 050 000	675	21.00
12 050 00M	675	53.00
12 051 000	508, 522	57.00
12 075 000	675	29.00
12 124 000	512	130.00
12 140 000	687	51.00
12 400 000	675	62.00
12 407 000	676	172.00
12 409 000	532	170.00
12 411 000	510, 675	106.00
12 417 000	510, 676	101.00
12 419 000	676	39.00
12 420 000	510	71.00
12 424 000	510	77.00
12 428 000	511	94.00
12 430 000	511	121.00
12 432 000	511	146.00
12 433 000	671	96.00
12 436 000	511	208.00
12 444 000	511, 676	334.00
12 448 000	511	273.00
12 465 000	675	91.00
12 662 000	675	27.00
12 693 000	675	32.00
13		
13 005 000	677	39.00
13 017 000	677	48.00
13 028 000	448, 677	37.00
13 034 000	448, 677	56.00
13 051 000	677	40.00
13 052 000	448, 677	42.00
13 070 000	677	39.00
13 071 000	448, 677	39.00
13 072 000	677	27.00
13 073 000	677	38.00
13 076 000	677	40.00
13 077 000	677	46.00
13 080 000	506	223.00
13 084 000	677	38.00
13 137 000	506	217.00
13 138 000	506	224.00
13 139 003	47	265.00
13 139 AL3	47	424.00
13 139 DA3	47	397.00
13 139 DC3	47	371.00
13 139 GL3	47	397.00
13 220 000	679	34.00
13 255 001	171, 182	40.00
13 261 000	141	97.00
13 262 000	142	113.00
13 264 001	31	348.00
13 264 A01	31	521.00
13 264 DL1	31	556.00
13 264 GN1	31	556.00
13 269 000	677	122.00
13 270 000	677	132.00
13 276 002	128	115.00
13 277 002	128	134.00
13 278 002	118	112.00
13 279 002	118	131.00
13 280 001	124	109.00
13 281 001	124	126.00
13 299 000	18	351.00
13 299 AL0	18	561.00
13 299 DC0	18	491.00
13 303 000	83	137.00
13 303 AL0	83	219.00
13 303 DC0	83	192.00
13 304 000	83	154.00
13 317 001	30	1,557.00
13 317 A01	30	2,335.00
13 317 DL1	30	2,491.00
13 317 GN1	30	2,491.00
13 319 000	18	812.00
13 319 AL0	18	1,299.00
13 319 DC0	18	1,136.00
13 341 000	56	260.00
13 341 IG0	56	338.00
13 378 000	507	117.00
13 380 000	507	129.00
13 383 001	69	256.00
13 383 AL1	69	410.00
13 383 DC1	69	359.00
13 404 003	93	158.00
13 404 AL3	93	253.00
13 404 DC3	93	221.00
13 448 003	152	92.00
13 449 001	110	132.00
13 449 A01	110	198.00
13 449 AL1	110	211.00
13 449 DA1	110	198.00
13 449 DC1	110	184.00
13 449 DL1	110	211.00
13 449 GL1	110	198.00
13 449 GN1	110	211.00
13 461 000	677	102.00
13 462 000	677	130.00
13 540 000	193	103.00
13 929 000	678	16.00
13 935 000	678	17.00
13 937 000	679	24.00
13 943 000	679	18.00
13 952 000	678	13.00
13 959 000	678	19.00
13 960 000	678	22.00
13 961 000	679	4.00
13 994 000	679	16.00
14		
14 014 000	306	57.00
14 047 000	306	57.00
14 048 000	266, 674	86.00
14 053 00M	266	42.00
14 055 000	201, 266	106.00
14 056 000	266, 674	97.00
14 057 000	267, 674	120.00
14 058 000	267, 674	47.00
14 074 000	545, 568	43.00
14 077 XH0	49, 239	29.00
14 079 XH0	242, 289	20.00
14 116 00M	681	63.00
14 911 LD0	538	792.00
14 911 LK0	538	792.00
14 911 LP0	538	792.00
14 911 SH0	538	413.00
14 912 000	538	162.00
14 913 000	694	308.00
14 914 000	538	32.00
14 915 000	694	450.00
14 916 000	694	386.00
14 917 000	694	108.00
14 924 SH0	694	118.00
14 925 SH0	694	132.00
14 926 001	694	368.00
14 926 002	544, 694	368.00
14 928 000	543	29.00
14 929 000	543	29.00
14 930 000	694	29.00
14 933 000	695	29.00
14 936 000	543	44.00
14 937 000	694	1,177.00
14 969 000	694	29.00
14 974 000	694	88.00
14 976 000	695	1,466.00
18		
18 608 001	250	50.00
18 700 000	253	45.00
18 968 001	27	214.00
18 968 A01	27	321.00
18 968 DL1	27	342.00
18 968 GN1	27	342.00
19		
19 069 003	46	103.00
19 069 AL3	46	165.00
19 069 DA3	46	154.00
19 069 DC3	46	144.00
19 069 GL3	46	154.00
19 088 003	45	103.00
19 088 AL3	45	165.00
19 088 DA3	45	154.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
19 088 DC3	45	144.00
19 088 GL3	45	154.00
19 287 003	37	441.00
19 287 AL3	37	706.00
19 287 DA3	37	662.00
19 287 DC3	37	618.00
19 287 GL3	37	662.00
19 309 002	26	1,029.00
19 309 A02	26	1,543.00
19 309 DL2	26	1,646.00
19 309 GN2	26	1,646.00
19 315 001	27	459.00
19 315 A01	27	688.00
19 315 DL1	27	734.00
19 315 GN1	27	734.00
19 316 001	30	1,968.00
19 316 A01	30	2,952.00
19 316 DL1	30	3,149.00
19 316 GN1	30	3,149.00
19 317 001	27	403.00
19 317 A01	27	605.00
19 317 DL1	27	645.00
19 317 GN1	27	645.00
19 332 000	690	36.00
19 334 001	31	139.00
19 334 A01	31	209.00
19 334 DL1	31	222.00
19 334 GN1	31	222.00
19 377 000	690	53.00
19 380 002	28	528.00
19 380 A02	28	792.00
19 380 DL2	28	845.00
19 380 GN2	28	845.00
19 381 000	139	203.00
19 386 002	26	1,056.00
19 386 A02	26	1,585.00
19 386 DL2	26	1,690.00
19 386 GN2	26	1,690.00
19 408 001	103	223.00
19 408 A01	103	335.00
19 408 AL1	103	357.00
19 408 DA1	103	335.00
19 408 DC1	103	312.00
19 408 DL1	103	357.00
19 408 GL1	103	335.00
19 408 GN1	103	357.00
19 409 001	64	275.00
19 409 AL1	64	440.00
19 409 DC1	64	385.00
19 446 002	29	556.00
19 446 A02	29	834.00
19 446 DL2	29	890.00
19 446 GN2	29	890.00
19 470 000	673	74.00
19 571 002	126	238.00
19 571 003	132	255.00
19 573 002	115	231.00
19 575 001	122	213.00
19 576 002	124	760.00
19 577 001	67	940.00
19 577 AL1	67	1,505.00
19 577 DC1	67	1,316.00
19 578 001	108	805.00
19 578 A01	108	1,207.00
19 578 AL1	108	1,287.00
19 578 DA1	108	1,207.00
19 578 DC1	108	1,126.00
19 578 DL1	108	1,287.00
19 578 GL1	108	1,207.00
19 578 GN1	108	1,287.00
19 590 001	31	236.00
19 590 A01	31	354.00
19 590 DL1	31	378.00
19 590 GN1	31	378.00
19 781 000	15	759.00
19 783 000	15	810.00
19 787 001	17	1,670.00
19 796 000	19	206.00
19 798 000	18	287.00
19 798 AL0	18	459.00
19 798 DC0	18	401.00
19 806 001	194	48.00
19 807 001	194	48.00
19 808 001	194	29.00
19 809 001	194	29.00
19 830 000	673	31.00
19 831 000	673	43.00
19 840 000	532, 673	29.00
19 841 000	532, 673	37.00
19 854 001	194	21.00
19 855 001	194	21.00
19 895 000	78	284.00
19 895 AL0	78	454.00
19 895 DC0	78	397.00
19 897 001	82	1,117.00
19 897 AL1	82	1,787.00
19 897 DC1	82	1,564.00
19 918 003	38	500.00
19 918 AL3	38	800.00
19 918 DA3	38	750.00
19 918 DC3	38	700.00
19 918 GL3	38	750.00
19 919 000	56	1,282.00
19 919 IG0	56	1,667.00
19 922 003	46	1,324.00
19 922 AL3	46	2,118.00
19 922 DA3	46	1,985.00
19 922 DC3	46	1,853.00
19 922 GL3	46	1,985.00
19 923 003	46	1,324.00
19 923 AL3	46	2,118.00
19 923 DA3	46	1,985.00
19 923 DC3	46	1,853.00
19 923 GL3	46	1,985.00
19 929 000	54	468.00
19 929 IG0	54	608.00
19 930 000	54	516.00
19 930 IG0	54	671.00
19 936 000	55	1,201.00
19 936 IG0	55	1,562.00
19 944 000	57	117.00
19 944 IG0	57	152.00
19 952 000	59, 69	187.00
19 952 A00	110, 200	280.00
19 952 AL0	69, 84	299.00
19 952 BE0	200	280.00
19 952 DA0	110, 200	280.00
19 952 DC0	69, 84	261.00
19 952 DL0	110, 200	299.00
19 952 EN0	200	299.00
19 952 GL0	110, 200	280.00
19 952 GN0	110, 200	299.00
19 954 000	201	16.00
19 965 001	68	760.00
19 966 000	82	788.00
19 967 001	103	251.00
19 967 A01	103	377.00
19 967 AL1	103	402.00
19 967 DA1	103	377.00
19 967 DC1	103	352.00
19 967 DL1	103	402.00
19 967 GL1	103	377.00
19 967 GN1	103	402.00
19 968 000	111	255.00
19 969 000	111	268.00
19 970 002	161	55.00
19 972 002	162	55.00
19 974 002	115	246.00
19 976 001	108	563.00
19 997 000	71	298.00
19 998 000	71	313.00

20

Product no.	Page	RRP (€) incl. VAT
20 008 003	43	588.00
20 008 AL3	43	941.00
20 008 DA3	43	882.00
20 008 DC3	43	824.00
20 008 GL3	43	882.00
20 009 003	43	588.00
20 009 AL3	43	941.00
20 009 DA3	43	882.00
20 009 DC3	43	824.00
20 009 GL3	43	882.00
20 021 003	42	294.00
20 021 AL3	42	471.00
20 021 DA3	42	441.00
20 021 DC3	42	412.00
20 021 GL3	42	441.00
20 164 003	44	500.00
20 164 AL3	44	800.00
20 164 DA3	44	750.00
20 164 DC3	44	700.00
20 164 GL3	44	750.00
20 169 003	43	500.00
20 169 AL3	43	800.00
20 169 DA3	43	750.00
20 169 DC3	43	700.00
20 169 GL3	43	750.00
20 179 001	196, 441	126.00
20 186 001	192	80.00
20 187 000	139	221.00
20 188 001	25	945.00
20 188 A01	25	1,418.00
20 188 DL1	25	1,512.00
20 188 GN1	25	1,512.00
20 189 002	25	917.00
20 189 A02	25	1,376.00
20 189 DL2	25	1,468.00
20 189 GN2	25	1,468.00
20 193 002	25	945.00
20 193 A02	25	1,418.00
20 193 DL2	25	1,512.00
20 193 GN2	25	1,512.00
20 197 000	174	103.00
20 201 000	198	112.00
20 201 AL0	198	180.00
20 202 000	198	128.00
20 203 000	198	99.00
20 205 000	198	92.00
20 208 002	126	279.00
20 216 001	122	252.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
20 289 000	184	199.00
20 296 001	102	284.00
20 299 001	102	312.00
20 301 003	88	350.00
20 304 001	64	354.00
20 342 000	15	763.00
20 344 000	14	911.00
20 344 AL0	14	1,457.00
20 344 DC0	14	1,275.00
20 346 000	15	793.00
20 348 000	15	843.00
20 351 000	78	345.00
20 351 AL0	78	551.00
20 351 DC0	78	482.00
20 389 000	53	607.00
20 389 IG0	53	789.00
20 393 001	192	82.00
20 404 001	192	48.00
20 405 001	196	64.00
20 414 000	53	455.00
20 414 IG0	53	591.00
20 415 000	53	503.00
20 415 IG0	53	654.00
20 417 000	53	549.00
20 417 IG0	53	713.00
20 421 000	172	62.00
20 421 001	165	61.00
20 422 000	183	62.00
20 422 001	177	61.00
20 575 000	186	56.00
21		
21 019 003	42	471.00
21 019 AL3	42	753.00
21 019 DA3	42	706.00
21 019 DC3	42	659.00
21 019 GL3	42	706.00
21 022 003	42	471.00
21 022 AL3	42	753.00
21 022 DA3	42	706.00
21 022 DC3	42	659.00
21 022 GL3	42	706.00
21 044 003	42	647.00
21 044 AL3	42	1,035.00
21 044 DA3	42	971.00
21 044 DC3	42	906.00
21 044 GL3	42	971.00
21 107 000	52	468.00
21 107 IG0	52	608.00
21 255 001	196	195.00
21 257 001	196	153.00
21 338 001	196	124.00
21 375 001	192	104.00
21 390 001	192	194.00
22		
22 012 000	84, 657	52.00
22 012 AL0	84, 657	84.00
22 012 DC0	84, 657	73.00
22 018 000	657	6.00
22 023 000	656	7.00
22 033 000	658	24.00
22 034 000	658	29.00
22 035 000	658	24.00
22 036 000	658	29.00
22 037 000	656	7.00
22 037 A00	656	49.00
22 037 AL0	656	49.00
22 037 BE0	656	49.00
22 037 DA0	656	49.00
22 037 DC0	656	48.00
22 037 DL0	656	49.00
22 037 EN0	656	49.00
22 037 GL0	656	49.00
22 037 GN0	656	49.00
22 039 000	656	9.00
22 039 A00	656	56.00
22 039 AL0	656	57.00
22 039 BE0	656	56.00
22 039 DA0	656	56.00
22 039 DC0	656	55.00
22 039 DL0	656	57.00
22 039 EN0	656	57.00
22 039 GL0	656	56.00
22 039 GN0	656	57.00
22 043 000	656	8.00
22 052 000	657	12.00
22 053 000	657	10.00
22 054 001	177, 190	78.00
23		
23 029 000	14	624.00
23 029 AL0	14	999.00
23 033 000	14	624.00
23 037 002	125	139.00
23 039 002	125	102.00
23 043 003	126	195.00
23 048 003	128	860.00
23 049 002	114	185.00
23 051 002	114	117.00
23 054 003	115	231.00
23 055 002	115	262.00
23 058 003	296	781.00
23 060 001	120	182.00
23 061 003	293	586.00
23 106 001	63	241.00
23 106 AL1	63	386.00
23 106 DC1	63	338.00
23 109 000	14	776.00
23 109 AL0	14	1,241.00
23 112 000	14	776.00
23 114 000	14	961.00
23 114 AL0	14	1,538.00
23 117 000	16	708.00
23 119 000	17	2,800.00
23 119 AL0	17	4,480.00
23 124 002	158	132.00
23 124 003	145	131.00
23 125 000	136	154.00
23 127 000	76	229.00
23 127 00E	76	229.00
23 127 AL0	76	366.00
23 127 DC0	76	320.00
23 132 00E	76	223.00
23 135 000	77	274.00
23 135 00E	77	274.00
23 135 AL0	77	439.00
23 135 DC0	77	384.00
23 137 000	76	180.00
23 138 000	78	229.00
23 138 AL0	78	366.00
23 138 DC0	78	320.00
23 140 000	79	302.00
23 140 AL0	79	543.00
23 140 DC0	79	483.00
23 145 000	78	259.00
23 145 AL0	78	415.00
23 145 DC0	78	363.00
23 147 001	297	1,227.00
23 200 002	15, 78	258.00
23 293 000	518	258.00
23 294 000	518	228.00
23 296 001	64	317.00
23 296 AL1	64	506.00
23 296 DC1	64	443.00
23 303 000	52	390.00
23 303 IG0	52	506.00
23 310 000	52	390.00
23 310 IG0	52	506.00
23 313 000	53	516.00
23 313 IG0	53	671.00
23 315 000	54	438.00
23 315 IG0	54	570.00
23 316 000	54	455.00
23 316 IG0	54	591.00
23 317 000	55	568.00
23 317 IG0	55	739.00
23 318 000	56	1,821.00
23 318 IG0	56	2,368.00
23 319 000	54	254.00
23 321 000	52	390.00
23 322 001	159	108.00
23 322 003	146	103.00
23 323 003	147	98.00
23 324 001	159	102.00
23 324 003	146	98.00
23 325 000	137	125.00
23 327 000	137	120.00
23 328 000	172	80.00
23 328 001	165	78.00
23 329 000	172	74.00
23 330 000	172	74.00
23 330 001	165	73.00
23 331 000	174	80.00
23 331 001	169	78.00
23 332 000	174	74.00
23 333 000	175	80.00
23 334 000	175	100.00
23 335 000	183	80.00
23 335 001	177	78.00
23 336 000	183	74.00
23 337 000	183	74.00
23 337 001	177	73.00
23 338 000	184	80.00
23 338 001	180	78.00
23 340 000	184	80.00
23 341 000	185	100.00
23 372 003	147	85.00
23 393 30E	146, 189	103.00
23 394 30E	148	98.00
23 395 30E	146, 189	98.00
23 403 001	24	639.00
23 403 A01	24	959.00
23 403 DL1	24	1,023.00
23 403 GN1	24	1,023.00
23 405 001	64	338.00
23 405 AL1	64	540.00
23 405 DC1	64	473.00
23 406 000	77	318.00
23 406 AL0	77	509.00
23 406 DC0	77	446.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
23 425 000	111	220.00
23 427 000	111	233.00
23 428 000	111	335.00
23 429 000	26	268.00
23 430 000	112	247.00
23 431 000	112	335.00
23 432 000	115	322.00
23 444 001	65	298.00
23 444 AL1	65	477.00
23 444 DC1	65	417.00
23 445 000	76	241.00
23 445 AL0	76	386.00
23 445 DC0	76	337.00
23 446 000	76	235.00
23 447 000	78	297.00
23 447 AL0	78	476.00
23 447 DC0	78	416.00
23 448 002	114	210.00
23 450 001	121	166.00
23 451 001	121	160.00
23 456 002	158	90.00
23 456 003	145	86.00
23 462 001	99	203.00
23 462 A01	99	305.00
23 462 AL1	99	325.00
23 462 DA1	99	305.00
23 462 DC1	99	285.00
23 462 DL1	99	325.00
23 462 GL1	99	305.00
23 462 GN1	99	325.00
23 463 001	100	198.00
23 480 001	99	198.00
23 491 001	109	1,270.00
23 491 A01	109	1,905.00
23 491 AL1	109	2,033.00
23 491 DA1	109	1,905.00
23 491 DC1	109	1,778.00
23 491 DL1	109	2,033.00
23 491 GL1	109	1,905.00
23 491 GN1	109	2,033.00
23 537 002	159	148.00
23 537 003	147	148.00
23 541 001	101	217.00
23 559 001	165, 189	78.00
23 562 001	171	149.00
23 564 003	129	141.00
23 567 003	131	135.00
23 569 003	131	211.00
23 569 LS3	131	275.00
23 570 003	132	262.00
23 570 LS3	132	341.00
23 571 000	65, 103	258.00
23 589 001	97	174.00
23 589 A01	97	260.00
23 589 AL1	97	278.00
23 589 DA1	97	260.00
23 589 DC1	97	243.00
23 589 DL1	97	278.00
23 589 GL1	97	260.00
23 589 GN1	97	278.00
23 590 001	97	168.00
23 590 A01	97	252.00
23 590 AL1	97	269.00
23 590 DA1	97	252.00
23 590 DC1	97	235.00
23 590 DL1	97	269.00
23 590 GL1	97	252.00
23 590 GN1	97	269.00
23 602 001	181	107.00
23 604 001	170	107.00
23 633 001	180	78.00
23 635 001	169	78.00
23 654 000	70	263.00
23 656 000	70	258.00
23 657 000	70	276.00
23 658 000	70	271.00
23 661 000	70	364.00
23 664 000	71	283.00
23 665 000	71	324.00
23 666 000	72	398.00
23 667 001	75	1,708.00
23 672 001	83	1,716.00
23 672 AL1	83	2,746.00
23 672 DC1	83	2,403.00
23 707 003	129	129.00
23 707 LS3	129	168.00
23 708 003	129	135.00
23 710 003	130	183.00
23 715 003	130	123.00
23 716 003	131	129.00
23 718 003	131	201.00
23 718 LS3	131	262.00
23 719 003	132	251.00
23 719 LS3	132	326.00
23 720 003	133	129.00
23 720 LS3	133	168.00
23 722 003	133	143.00
23 722 LS3	133	186.00
23 726 LS3	133	228.00
23 739 002	121	247.00
23 741 001	109	2,382.00
23 741 DC1	109	3,334.00
23 743 002	159	142.00
23 743 003	148	142.00
23 751 000	186	77.00
23 752 000	186	74.00
23 753 000	186	112.00
23 754 000	186	77.00
23 755 000	187	80.00
23 756 000	187	96.00
23 757 000	173	110.00
23 757 001	167	108.00
23 758 000	173	96.00
23 758 001	167	95.00
23 759 000	173	96.00
23 759 001	167, 190	95.00
23 760 000	173	110.00
23 760 001	168	108.00
23 761 000	174	130.00
23 761 001	169	128.00
23 762 000	183	96.00
23 762 001	178	95.00
23 763 000	184	110.00
23 763 001	179	117.00
23 764 000	184	130.00
23 764 001	180	128.00
23 791 001	63	226.00
23 791 AL1	63	362.00
23 791 DC1	63	317.00
23 792 001	68	1,749.00
23 792 AL1	68	2,798.00
23 792 DC1	68	2,448.00
23 798 001	100	203.00
23 799 001	101	223.00
23 802 000	172	79.00
23 803 000	183	79.00
23 843 003	88	367.00
23 843 AL3	88	587.00
23 843 DC3	88	514.00
23 844 003	88	367.00
23 845 003	92	768.00
23 846 003	93	1,716.00
23 846 AL3	93	2,745.00
23 846 DC3	93	2,402.00
23 851 003	87	316.00
23 851 AL3	87	506.00
23 851 DC3	87	442.00
23 856 001	24	1,946.00
23 856 A01	24	2,919.00
23 856 DL1	24	3,114.00
23 856 GN1	24	3,114.00
23 871 003	87	282.00
23 871 AL3	87	451.00
23 871 DC3	87	395.00
23 872 003	87	282.00
23 873 003	87	316.00
23 877 001	178	78.00
23 878 001	177	78.00
23 879 001	178	78.00
23 883 001	178, 191	78.00
23 885 001	179	95.00
23 886 001	179	95.00
23 887 001	179, 191	95.00
23 891 001	180	117.00
23 894 001	166	78.00
23 895 001	165	78.00
23 896 001	166	78.00
23 899 001	166	78.00
23 901 001	167	95.00
23 902 001	168	95.00
23 904 001	167	90.00
23 908 001	168, 190	95.00
23 911 001	168	108.00
23 917 001	179	90.00
23 920 001	122	236.00
23 921 000	138	200.00
23 922 002	158	89.00
23 922 003	144	90.00
23 923 002	159	103.00
23 923 003	146	103.00
23 924 002	159	89.00
23 924 003	145, 188	90.00
23 925 000	136	105.00
23 926 000	137	121.00
23 927 000	137	105.00
23 928 000	138	120.00
23 929 003	129	131.00
23 930 003	130	137.00
23 931 001	120	140.00
23 932 001	121	160.00
23 933 001	138	162.00
23 958 003	86	797.00
23 959 003	86	832.00
23 965 003	143	90.00
23 966 003	143	85.00
23 967 003	143	85.00
23 968 003	143	90.00
23 969 003	144, 188	90.00
23 970 003	147	148.00
23 971 003	148	200.00
23 974 003	146, 189	90.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
23 975 003	144	348.00
23 976 003	147	220.00
23 980 003	154, 514	106.00
23 981 003	154, 514	119.00
23 982 003	155, 516	106.00
23 983 003	156, 516	119.00
23 984 003	155, 516	172.00
23 985 003	155, 516	185.00
23 986 003	153, 513	172.00
23 987 003	154, 514	185.00
23 988 003	153, 513	132.00
23 989 003	153, 513	145.00
24		
24 027 003	44	500.00
24 027 AL3	44	800.00
24 027 DA3	44	750.00
24 027 DC3	44	700.00
24 027 GL3	44	750.00
24 036 000	112	233.00
24 042 002	160	130.00
24 042 003	151	130.00
24 043 002	161	143.00
24 043 003	151	143.00
24 044 000	140	139.00
24 045 000	141	153.00
24 046 003	134	146.00
24 046 LS3	134	183.00
24 047 003	135	160.00
24 047 LS3	135	201.00
24 048 003	134	147.00
24 048 LS3	134	192.00
24 049 003	134	162.00
24 049 LS3	134	211.00
24 051 002	127	158.00
24 052 002	128	174.00
24 053 001	123	158.00
24 054 001	124	174.00
24 055 002	113, 117	165.00
24 056 002	113, 117	181.00
24 057 001	106	178.00
24 057 A01	106	267.00
24 057 AL1	106	285.00
24 057 DA1	106	267.00
24 057 DC1	106	249.00
24 057 DL1	106	285.00
24 057 GL1	106	267.00
24 057 GN1	106	285.00
24 058 001	106	196.00
24 058 A01	106	294.00
24 058 AL1	106	314.00
24 058 DA1	106	294.00
24 058 DC1	106	274.00
24 058 DL1	106	314.00
24 058 GL1	106	294.00
24 058 GN1	106	314.00
24 059 003	91	214.00
24 059 AL3	91	343.00
24 059 DC3	91	300.00
24 060 003	91	226.00
24 060 AL3	91	361.00
24 060 DC3	91	316.00
24 061 000	72, 79	193.00
24 061 AL0	79	309.00
24 061 DC0	79	271.00
24 062 000	73, 80	213.00
24 062 AL0	80	340.00
24 062 DC0	80	298.00
24 063 001	66	204.00
24 063 AL1	66	326.00
24 063 DC1	66	285.00
24 064 001	67	224.00
24 064 AL1	67	359.00
24 064 DC1	67	314.00
24 065 003	39	338.00
24 065 AL3	39	540.00
24 065 DA3	39	506.00
24 065 DC3	39	473.00
24 065 GL3	39	506.00
24 066 003	39	371.00
24 066 AL3	39	594.00
24 066 DA3	39	557.00
24 066 DC3	39	520.00
24 066 GL3	39	557.00
24 067 000	55	317.00
24 067 IG0	55	380.00
24 068 000	55	348.00
24 068 IG0	55	418.00
24 071 000	16	389.00
24 071 AL0	16	623.00
24 071 DC0	16	545.00
24 072 000	16	428.00
24 072 AL0	16	685.00
24 072 DC0	16	599.00
24 075 000	245	396.00
24 076 000	245	441.00
24 077 000	245	441.00
24 078 000	243	396.00
24 079 000	243	441.00
24 080 000	243	441.00
24 092 001	107	222.00
24 092 A01	107	333.00
24 092 AL1	107	355.00
24 092 DA1	107	333.00
24 092 DC1	107	310.00
24 092 DL1	107	355.00
24 092 GL1	107	333.00
24 092 GN1	107	355.00
24 093 003	92	254.00
24 093 AL3	92	406.00
24 093 DC3	92	356.00
24 094 000	73, 80	238.00
24 094 AL0	80	381.00
24 094 DC0	80	333.00
24 095 001	67	250.00
24 095 AL1	67	400.00
24 095 DC1	67	350.00
24 096 003	39	397.00
24 096 AL3	39	635.00
24 096 DA3	39	595.00
24 096 DC3	39	556.00
24 096 GL3	39	595.00
24 099 000	17	453.00
24 099 AL0	17	725.00
24 099 DC0	17	635.00
24 134 003	40	652.00
24 134 AL3	40	1,043.00
24 134 DA3	40	978.00
24 134 DC3	40	913.00
24 134 GL3	40	978.00
24 135 003	40	697.00
24 135 AL3	40	1,116.00
24 135 DA3	40	1,046.00
24 135 DC3	40	976.00
24 135 GL3	40	1,046.00
24 138 003	41	697.00
24 138 AL3	41	1,116.00
24 138 DA3	41	1,046.00
24 138 DC3	41	976.00
24 138 GL3	41	1,046.00
24 153 000	73, 80	515.00
24 153 AL0	73, 80	823.00
24 153 DC0	73, 80	720.00
24 154 000	74, 81	574.00
24 154 AL0	74, 81	918.00
24 154 DC0	74, 81	803.00
24 155 000	74, 81	574.00
24 155 AL0	74, 81	918.00
24 155 DC0	74, 81	803.00
24 160 001	26	306.00
24 160 A01	26	459.00
24 160 DL1	26	489.00
24 160 GN1	26	489.00
24 161 001	170	128.00
24 162 001	171	179.00
24 164 003	148, 189	200.00
24 167 001	106	195.00
24 167 A01	106	292.00
24 167 AL1	106	311.00
24 167 DA1	106	292.00
24 167 DC1	106	272.00
24 167 DL1	106	311.00
24 167 GL1	106	292.00
24 167 GN1	106	311.00
24 168 001	106	177.00
24 168 A01	106	265.00
24 168 AL1	106	283.00
24 168 DA1	106	265.00
24 168 DC1	106	248.00
24 168 DL1	106	283.00
24 168 GL1	106	265.00
24 168 GN1	106	283.00
24 169 001	107	220.00
24 169 A01	107	330.00
24 169 AL1	107	352.00
24 169 DA1	107	330.00
24 169 DC1	107	308.00
24 169 DL1	107	352.00
24 169 GL1	107	330.00
24 169 GN1	107	352.00
24 170 001	101	300.00
24 170 A01	101	449.00
24 170 AL1	101	479.00
24 170 DA1	101	449.00
24 170 DC1	101	420.00
24 170 DL1	101	479.00
24 171 001	97	173.00
24 171 A01	97	259.00
24 171 AL1	97	276.00
24 171 DA1	97	259.00
24 171 DC1	97	241.00
24 171 DL1	97	276.00
24 171 GL1	97	259.00
24 171 GN1	97	276.00
24 172 001	97	167.00
24 172 A01	97	250.00
24 172 AL1	97	267.00
24 172 DA1	97	250.00
24 172 DC1	97	234.00
24 172 DL1	97	267.00
24 172 GL1	97	250.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
24 172 GN1	97	267.00
24 173 001	99	202.00
24 173 A01	99	303.00
24 173 AL1	99	323.00
24 173 DA1	99	303.00
24 173 DC1	99	282.00
24 173 DL1	99	323.00
24 173 GL1	99	303.00
24 173 GN1	99	323.00
24 174 001	100	221.00
24 174 A01	100	332.00
24 174 AL1	100	354.00
24 174 DA1	100	332.00
24 174 DC1	100	310.00
24 174 DL1	100	354.00
24 174 GL1	100	332.00
24 174 GN1	100	354.00
24 175 001	98	173.00
24 176 001	100	196.00
24 177 001	101	216.00
24 178 001	104	173.00
24 178 A01	104	259.00
24 178 AL1	104	276.00
24 178 DA1	104	259.00
24 178 DC1	104	241.00
24 178 DL1	104	276.00
24 178 GL1	104	259.00
24 178 GN1	104	276.00
24 179 001	98	173.00
24 180 001	97	173.00
24 181 001	100	203.00
24 182 001	101	221.00
24 183 001	99	174.00
24 192 003	146, 188	104.00
24 193 001	166, 190	90.00
25		
25 010 003	45	706.00
25 010 AL3	45	1,129.00
25 010 DA3	45	1,059.00
25 010 DC3	45	988.00
25 010 GL3	45	1,059.00
25 044 003	45	2,206.00
25 221 001	29	1,384.00
25 221 A01	29	2,077.00
25 221 DL1	29	2,215.00
25 221 GN1	29	2,215.00
25 222 001	30	2,446.00
25 222 A01	30	3,670.00
25 222 DL1	30	3,914.00
25 222 GN1	30	3,914.00
25 239 000	82	606.00
25 241 003	154, 514	131.00
25 242 003	155, 515	114.00
25 243 003	156, 517	131.00
25 244 003	156, 517	114.00
25 248 001	109	1,259.00
25 248 A01	109	1,889.00
25 248 AL1	109	2,015.00
25 248 DA1	109	1,889.00
25 248 DC1	109	1,763.00
25 248 DL1	109	2,015.00
25 248 GL1	109	1,889.00
25 248 GN1	109	2,015.00
25 249 001	105	280.00
25 250 001	105	234.00
25 250 A01	105	351.00
25 250 AL1	105	374.00
25 250 DA1	105	351.00
25 250 DC1	105	328.00
25 250 DL1	105	374.00
25 250 GL1	105	351.00
25 250 GN1	105	374.00
25 251 001	108	798.00
25 251 A01	108	1,196.00
25 251 AL1	108	1,276.00
25 251 DA1	108	1,196.00
25 251 DC1	108	1,117.00
25 251 DL1	108	1,276.00
25 251 GL1	108	1,196.00
25 251 GN1	108	1,276.00
25 252 001	104	192.00
25 252 A01	104	288.00
25 252 AL1	104	307.00
25 252 DA1	104	288.00
25 252 DC1	104	269.00
25 252 DL1	104	307.00
25 252 GL1	104	288.00
25 252 GN1	104	307.00
25 450 001	193	137.00
25 483 001	197	173.00
26		
26 003 003	44	529.00
26 003 AL3	44	847.00
26 003 DA3	44	794.00
26 003 DC3	44	741.00
26 003 GL3	44	794.00
26 037 001	58	123.00
26 037 IG0	58	160.00
26 038 000	59	256.00
26 038 IG0	59	333.00
26 042 000	320	233.00
26 044 001	327, 367	62.00
26 046 002	354	29.00
26 050 001	327, 368	49.00
26 051 001	327, 358	55.00
26 052 000	315	419.00
26 054 000	19, 314	596.00
26 056 000	313	581.00
26 060 000	32, 314	516.00
26 063 000	315	419.00
26 064 000	19, 314	596.00
26 065 000	19, 314	546.00
26 066 000	313	581.00
26 066 A00	313	930.00
26 066 AL0	313	988.00
26 066 DA0	313	930.00
26 066 DC0	313	814.00
26 066 DL0	313	988.00
26 066 GL0	313	930.00
26 066 GN0	313	988.00
26 067 000	313	581.00
26 067 A00	313	930.00
26 067 AL0	313	988.00
26 067 DA0	313	930.00
26 067 DC0	313	814.00
26 067 DL0	313	988.00
26 067 GL0	313	930.00
26 067 GN0	313	988.00
26 070 000	32, 314	516.00
26 071 000	32, 314	516.00
26 073 000	316, 352	256.00
26 075 001	290	792.00
26 075 A00	294	1,501.00
26 075 AL0	294	1,594.00
26 075 DA0	294	1,501.00
26 075 DC0	294	1,313.00
26 075 DL0	294	1,594.00
26 075 GL0	294	1,501.00
26 075 GN0	294	1,594.00
26 076 002	356	65.00
26 082 002	354	23.00
26 083 002	355	68.00
26 084 002	357	37.00
26 087 000	294	1,381.00
26 088 001	317, 366	68.00
26 090 001	318, 358	75.00
26 114 002	292	756.00
26 145 000	328	94.00
26 146 000	328	94.00
26 146 LS0	328	122.00
26 161 001	360	25.00
26 163 001	363	66.00
26 164 001	364	37.00
26 171 000	315	448.00
26 187 000	294	875.00
26 223 001	300	682.00
26 224 001	302	474.00
26 250 000	279	1,630.00
26 250 LS0	279	1,630.00
26 254 000	280, 309	677.00
26 254 LS0	281, 309	677.00
26 256 000	313	773.00
26 257 000	313	561.00
26 259 000	314	499.00
26 264 001	281, 309	123.00
26 308 001	193	72.00
26 317 001	197	116.00
26 318 001	197	102.00
26 328 000	370	78.00
26 329 000	370	191.00
26 330 001	193	95.00
26 332 000	370	194.00
26 333 000	370	94.00
26 334 000	374	25.00
26 335 000	374	28.00
26 346 000	374	31.00
26 352 000	371	36.00
26 353 000	371	40.00
26 354 000	371	45.00
26 355 IL0	371	30.00
26 356 IL0	372	35.00
26 357 000	372	80.00
26 358 000	372	123.00
26 361 000	279	1,476.00
26 361 LS0	279	1,476.00
26 362 LN1	293, 307	36.00
26 363 000	295	806.00
26 370 000	273, 353	43.00
26 370 AL0	353, 380	73.00
26 370 DL0	353, 380	73.00
26 370 GN0	353, 380	73.00
26 373 001	272, 319	24,601.00
26 374 000	275	1,199.00
26 376 001	272, 319	2,337.00
26 381 001	304	261.00
26 385 000	282, 307	16.00
26 404 000	349	81.00
26 405 000	351	105.00
26 406 001	364	54.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
26 408 000	326, 367	96.00
26 409 000	326, 367	96.00
26 410 000	326, 367	96.00
26 411 000	317, 365	170.00
26 412 000	317, 365	170.00
26 413 000	366	144.00
26 414 000	366	144.00
26 443 000	280	1,630.00
26 443 LS0	280	1,630.00
26 446 000	280	1,476.00
26 446 LS0	280	1,476.00
26 449 000	240, 281	151.00
26 450 000	281, 309	584.00
26 450 LS0	281, 309	584.00
26 455 000	325, 348	141.00
26 456 000	325, 348	141.00
26 457 000	325, 348	141.00
26 458 000	315, 347	235.00
26 459 000	315, 347	235.00
26 460 000	315, 348	187.00
26 461 000	315, 348	187.00
26 465 000	331	158.00
26 465 A00	331	253.00
26 465 AL0	331	269.00
26 465 BE0	331	253.00
26 465 DA0	331	253.00
26 465 DC0	331	221.00
26 465 DL0	331	269.00
26 465 EN0	331	269.00
26 465 GL0	331	253.00
26 465 GN0	331	269.00
26 474 EN0	324	675.00
26 475 000	309	553.00
26 475 A00	309	885.00
26 475 AL0	309	940.00
26 475 DA0	309	885.00
26 475 DC0	309	774.00
26 475 DL0	309	940.00
26 475 GL0	309	885.00
26 475 GN0	309	940.00
26 475 LS0	309	726.00
26 477 000	310	553.00
26 477 A00	310	885.00
26 477 AL0	310	940.00
26 477 DA0	310	885.00
26 477 DL0	310	940.00
26 477 GL0	310	885.00
26 477 GN0	310	940.00
26 477 LS0	310	726.00
26 479 000	310	582.00
26 479 AL0	310	990.00
26 479 DL0	310	990.00
26 479 GN0	310	990.00
26 479 LS0	310	756.00
26 481 000	310	582.00
26 481 AL0	310	990.00
26 481 DL0	310	990.00
26 481 GN0	310	990.00
26 481 LS0	310	756.00
26 483 000	311	115.00
26 484 000	311	115.00
26 507 000	94, 287	1,156.00
26 507 A00	287	1,965.00
26 507 AL0	94, 287	2,081.00
26 507 DA0	287	1,965.00
26 507 DC0	94, 287	1,734.00
26 507 DL0	287	2,081.00
26 507 GL0	287	1,965.00
26 507 GN0	287	2,081.00
26 507 LS0	94, 287	1,335.00
26 508 000	94, 287	1,156.00
26 508 AL0	94, 287	2,081.00
26 508 DC0	94, 287	1,734.00
26 508 DL0	287	2,081.00
26 508 GN0	287	2,081.00
26 508 LS0	94, 287	1,335.00
26 509 000	288	1,003.00
26 510 000	289	1,168.00
26 513 000	344	71.00
26 544 000	333	83.00
26 544 LS0	333	83.00
26 546 000	333	178.00
26 548 000	334	183.00
26 550 000	336	83.00
26 551 LS0	336	83.00
26 552 000	336	85.00
26 553 000	338	104.00
26 554 LS0	338	105.00
26 557 000	312	397.00
26 558 000	312	397.00
26 559 000	312	397.00
26 560 000	312	397.00
26 561 000	322	326.00
26 561 LS0	322	423.00
26 562 000	322	326.00
26 562 LS0	322	423.00
26 563 000	312	425.00
26 564 000	312	425.00
26 564 AL0	312	851.00
26 564 DL0	312	851.00
26 564 GN0	312	851.00
26 565 000	312	425.00
26 566 000	312	425.00
26 566 AL0	312	851.00
26 566 DL0	312	851.00
26 566 GN0	312	851.00
26 567 000	323	354.00
26 567 LS0	323	460.00
26 568 000	322	354.00
26 568 LS0	322	460.00
26 574 000	333	83.00
26 574 A00	333	142.00
26 574 AL0	333	150.00
26 574 DA0	333	142.00
26 574 DC0	333	125.00
26 574 DL0	333	150.00
26 574 GL0	333	142.00
26 574 GN0	333	150.00
26 574 LS0	333	83.00
26 575 000	333	178.00
26 576 LS0	334	178.00
26 577 LS0	334	178.00
26 578 000	334	183.00
26 578 LS0	334	183.00
26 579 LS0	334	183.00
26 580 000	335	138.00
26 580 LS0	335	138.00
26 581 000	335	117.00
26 581 LS0	335	117.00
26 582 000	336	83.00
26 582 AL0	336	150.00
26 582 DC0	336	125.00
26 582 DL0	336	150.00
26 582 GN0	336	150.00
26 582 LS0	336	83.00
26 583 000	336	178.00
26 584 000	336	178.00
26 584 LS0	337	178.00
26 585 000	336	181.00
26 586 000	337	183.00
26 586 LS0	337	183.00
26 587 000	337	183.00
26 587 LS0	337	183.00
26 588 000	338	138.00
26 588 LS0	338	138.00
26 589 000	337	117.00
26 589 LS0	338	117.00
26 590 000	338	105.00
26 591 000	339	211.00
26 592 000	339	212.00
26 592 LS0	339	212.00
26 593 000	339	217.00
26 594 000	339	218.00
26 594 LS0	340	218.00
26 602 000	340, 382	108.00
26 603 000	340, 382	113.00
26 603 A00	340, 382	227.00
26 603 AL0	340, 382	250.00
26 603 BE0	340, 382	227.00
26 603 DA0	340, 382	227.00
26 603 DC0	340, 382	204.00
26 603 DL0	340, 382	250.00
26 603 EN0	340, 382	250.00
26 603 GL0	340, 382	227.00
26 603 GN0	340, 382	250.00
26 608 000	288	1,099.00
26 640 000	311	658.00
26 641 000	321	607.00
26 642 000	311	685.00
26 643 000	322	635.00
26 646 000	682	263.00
26 647 000	283	1,007.00
26 647 LS0	283	1,158.00
26 648 000	283	1,007.00
26 648 LS0	283	1,158.00
26 649 000	284	1,007.00
26 652 000	284	1,007.00
26 657 000	284	1,158.00
26 662 000	326, 367	133.00
26 663 000	316, 365	220.00
26 664 000	316, 366	177.00
26 666 000	326, 367	120.00
26 668 000	316, 365	206.00
26 669 000	316, 366	164.00
26 670 000	298	470.00
26 672 000	299	609.00
26 673 000	301	428.00
26 674 000	302	567.00
26 675 000	303	270.00
26 681 000	326, 367	133.00
26 682 000	316, 365	220.00
26 683 000	317, 366	177.00
26 685 000	326, 367	120.00
26 687 000	316, 365	206.00
26 688 000	317, 366	164.00
26 689 000	298	470.00
26 691 000	300	609.00
26 692 000	301	428.00
26 693 000	303	567.00
26 694 000	304	270.00
26 723 000	290	792.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
26 788 001	197	134.00
26 792 10A	197, 199	208.00
26 801 000	308	136.00
26 801 A00	308	218.00
26 801 AL0	308	232.00
26 801 BE0	308	218.00
26 801 DA0	308	218.00
26 801 DC0	308	191.00
26 801 DL0	308	232.00
26 801 EN0	308	232.00
26 801 GL0	308	218.00
26 801 GN0	308	232.00
26 802 000	19, 32	136.00
26 802 A00	32, 308	218.00
26 802 AL0	19, 308	232.00
26 802 DC0	19, 308	191.00
26 802 DL0	32, 308	232.00
26 802 GN0	32, 308	232.00
26 803 000	362	89.00
27		
27 055 000	376	48.00
27 056 000	376	32.00
27 057 000	379	56.00
27 057 A00	379	90.00
27 057 AL0	379	96.00
27 057 DA0	379	90.00
27 057 DC0	379	79.00
27 057 DL0	379	96.00
27 057 GL0	379	90.00
27 057 GN0	379	96.00
27 057 LS0	379	70.00
27 058 000	286	781.00
27 074 000	377	36.00
27 074 A00	377	58.00
27 074 AL0	377	61.00
27 074 BE0	377	58.00
27 074 DA0	377	58.00
27 074 DC0	377	50.00
27 074 DL0	377	61.00
27 074 EN0	377	61.00
27 074 GL0	377	58.00
27 074 GN0	377	61.00
27 074 LS0	377	47.00
27 075 000	33, 377	36.00
27 075 LS0	377	47.00
27 076 000	32, 380	56.00
27 076 LS0	380	73.00
27 151 000	379	107.00
27 174 001	286	1,408.00
27 180 000	307	46.00
27 206 000	384	21.00
27 220 000	344	47.00
27 221 000	344	58.00
27 221 001	344	65.00
27 222 000	344	68.00
27 225 001	346	114.00
27 226 001	346	120.00
27 226 AL1	346	203.00
27 227 001	346	129.00
27 230 001	345	106.00
27 231 001	345	112.00
27 232 001	345	121.00
27 238 000	344	50.00
27 239 000	344	65.00
27 239 001	344	71.00
27 242 001	345	106.00
27 243 001	345	112.00
27 251 000	20, 321	123.00
27 251 A00	321	196.00
27 251 AL0	20, 321	208.00
27 251 DA0	321	196.00
27 251 DL0	321	208.00
27 251 GL0	321	196.00
27 251 GN0	321	208.00
27 253 000	321	189.00
27 265 000	345	34.00
27 265 00E	345	34.00
27 266 001	346	93.00
27 266 00E	346	93.00
27 267 001	347	101.00
27 271 000	321	500.00
27 272 000	341	126.00
27 273 001	341	267.00
27 274 000	342	126.00
27 285 000	321	500.00
27 286 000	320	2,081.00
27 296 003	291	612.00
27 354 000	347	61.00
27 355 000	347	113.00
27 367 000	349	53.00
27 368 000	349	190.00
27 369 000	349	83.00
27 400 000	349	53.00
27 406 000	330, 369	49.00
27 421 002	297	479.00
27 467 000	320	685.00
27 470 000	323	519.00
27 473 002	293	555.00
27 475 001	296	751.00
27 475 002	292	772.00
27 477 000	324	549.00
27 478 000	324	549.00
27 479 000	323	532.00
27 480 000	323	532.00
27 484 000	329	74.00
27 485 000	329	63.00
27 488 000	328	85.00
27 492 000	325, 349	145.00
27 499 000	348, 383	54.00
27 500 000	348, 383	57.00
27 512 001	371	22.00
27 513 001	371	38.00
27 514 001	372	78.00
27 519 000	369, 383	59.00
27 521 000	358, 383	55.00
27 522 000	358, 383	59.00
27 523 000	368, 383	51.00
27 524 000	368, 383	55.00
27 531 000	379	134.00
27 571 002	354	29.00
27 571 20E	354	29.00
27 572 002	354	37.00
27 573 002	354	49.00
27 574 002	354	37.00
27 575 002	354	49.00
27 576 002	355	86.00
27 577 002	354	94.00
27 578 002	356	65.00
27 578 20E	356	65.00
27 579 002	356	75.00
27 580 002	355	84.00
27 584 002	357	56.00
27 588 002	357	52.00
27 591 001	327, 358	68.00
27 594 000	359, 378	14.00
27 595 000	368, 376	21.00
27 596 000	348, 358	7.00
27 597 001	360	25.00
27 597 10E	360	25.00
27 598 001	362	60.00
27 598 10E	362	60.00
27 600 001	361	78.00
27 601 10E	363	43.00
27 606 001	327, 367	62.00
27 615 002	291	612.00
27 621 000	379	346.00
27 644 001	362	69.00
27 645 001	361	76.00
27 646 001	363	67.00
27 646 10E	363	67.00
27 693 000	353, 377	28.00
27 696 000	297	766.00
27 698 000	351	53.00
27 699 000	351	53.00
27 700 000	351	235.00
27 702 000	352	90.00
27 703 000	352	90.00
27 704 000	353, 380	32.00
27 705 000	326, 352	159.00
27 706 000	20, 350	35.00
27 707 000	20, 351	55.00
27 709 000	329, 353	118.00
27 711 000	329, 353	100.00
27 786 002	356	75.00
27 787 002	355	84.00
27 788 002	357	72.00
27 789 002	356	82.00
27 790 002	356	91.00
27 794 001	362	69.00
27 795 001	361	76.00
27 796 001	363	76.00
27 798 10E	364	37.00
27 799 001	364	37.00
27 803 10E	364	39.00
27 812 IL1	371	32.00
27 841 000	352, 382	218.00
27 845 000	352, 384	11.00
27 849 001	364	49.00
27 852 001	360	20.00
27 853 001	362	50.00
27 854 001	363	56.00
27 863 000	323	743.00
27 865 000	274, 319	4,991.00
27 869 001	318, 357	81.00
27 870 001	317, 365	75.00
27 884 001	20, 350	104.00
27 888 000	273, 350	104.00
27 888 AL0	350	176.00
27 888 DL0	350	176.00
27 888 GN0	350	176.00
27 889 000	350	145.00
27 891 000	350	277.00
27 892 000	352, 382	207.00
27 922 000	299	456.00
27 923 001	360	20.00
27 924 001	362	50.00
27 925 001	363	56.00
27 926 001	361	69.00
27 927 001	361	78.00
27 928 002	355	76.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
27 929 002	355	86.00
27 932 000	295	624.00
27 933 000	307	101.00
27 936 000	351	225.00
27 938 001	320	3,388.00
27 939 001	320	3,388.00
27 964 000	295	781.00
27 966 001	285	1,225.00
27 968 001	285	1,225.00
27 969 000	59	93.00
27 969 IG0	59	121.00
27 970 000	59	140.00
27 970 IG0	59	183.00
27 974 000	57, 325	487.00
27 974 IG0	57, 325	633.00
27 978 000	58, 330	81.00
27 986 000	58, 329	110.00
27 986 IG0	58, 329	143.00
27 993 000	58	169.00
27 993 IG0	58	219.00
28		
28 002 000	327, 343	211.00
28 020 L01	371	15.00
28 025 000	373	39.00
28 034 000	32, 331	158.00
28 105 000	373	27.00
28 139 000	373	31.00
28 140 000	373	34.00
28 142 000	373	30.00
28 143 000	273, 373	33.00
28 143 KS0	373	44.00
28 143 LS0	373	44.00
28 145 000	373	40.00
28 150 001	375	13.00
28 151 001	375	16.00
28 154 001	375	18.00
28 155 001	375	21.00
28 158 000	375	47.00
28 233 000	325, 350	93.00
28 261 002	360	33.00
28 308 000	325, 331	155.00
28 348 000	331	277.00
28 361 000	328	108.00
28 362 000	374	21.00
28 362 A00	374	34.00
28 362 DA0	374	34.00
28 362 DC0	374	30.00
28 362 GL0	374	34.00
28 364 000	374	24.00
28 368 000	324	374.00
28 368 00E	324	374.00
28 368 LS0	324	464.00
28 388 000	374	27.00
28 388 A00	374	44.00
28 388 DA0	374	44.00
28 388 DC0	374	38.00
28 388 GL0	374	44.00
28 389 000	332, 385	40.00
28 409 001	374	18.00
28 410 001	374	21.00
28 413 001	374	24.00
28 417 000	373	36.00
28 417 EN0	373	61.00
28 419 002	360	33.00
28 421 002	360	45.00
28 429 000	330, 369	46.00
28 436 002	361	85.00
28 497 000	329	75.00
28 541 000	330, 369	82.00
28 576 000	328	85.00
28 578 002	360	45.00
28 587 000	382	195.00
28 593 002	361	85.00
28 605 000	368, 378	16.00
28 620 000	382	109.00
28 621 000	382	111.00
28 622 000	377	18.00
28 623 000	376	36.00
28 626 000	381	33.00
28 628 000	381	33.00
28 631 000	384	50.00
28 634 XX0	386, 687	30.00
28 635 XX0	385, 687	9.00
28 636 000	381	33.00
28 671 000	380	33.00
28 672 000	380	38.00
28 678 000	381	39.00
28 679 000	381	49.00
28 680 000	380	47.00
28 690 000	331, 376	118.00
28 708 000	385	95.00
28 724 000	329	56.00
28 724 LS0	329	83.00
28 778 000	323	716.00
28 789 002	363	76.00
28 799 000	386	71.00
28 812 000	385	8.00
28 813 000	385	7.00
28 817 000	687	13.00
28 856 000	384	37.00
28 874 000	386, 509	19.00
28 910 000	680	56.00
28 910 AL0	680	89.00
28 910 DC0	680	85.00
28 910 L00	680	146.00
28 912 000	60, 69	181.00
28 912 A00	110, 680	271.00
28 912 AL0	69, 95	289.00
28 912 DA0	110, 680	271.00
28 912 DC0	69, 95	253.00
28 912 DL0	110, 680	289.00
28 912 EN0	680	289.00
28 912 GL0	110, 680	271.00
28 912 GN0	110, 680	289.00
28 920 000	680	45.00
28 939 000	201	115.00
28 943 000	201, 552	152.00
28 963 000	201	44.00
28 982 000	328	148.00
28 988 000	386, 509	44.00
28 990 000	200	204.00
28 991 000	200, 552	283.00
28 993 000	200	64.00
28 995 000	200	311.00
29		
29 007 000	509	185.00
29 009 000	201	84.00
29 025 002	15, 25	270.00
29 033 000	18, 31	288.00
29 037 000	17, 56	856.00
29 037 002	30, 47	853.00
29 039 000	176	112.00
29 040 000	175	91.00
29 041 000	185	112.00
29 042 000	185	91.00
29 069 000	274	150.00
29 072 000	274	266.00
29 073 000	275	266.00
29 074 000	275	433.00
29 078 000	175	129.00
29 078 001	170	127.00
29 079 000	175	144.00
29 079 001	171	142.00
29 080 000	185	129.00
29 080 001	181	127.00
29 081 000	185	144.00
29 081 001	181	142.00
29 094 000	507	298.00
29 095 000	507	304.00
29 096 000	507	246.00
29 097 003	132	243.00
29 097 LS3	132	316.00
29 112 000	187	133.00
29 113 000	187	148.00
29 118 000	47, 234	529.00
29 118 A00	234	794.00
29 118 AL0	47, 234	847.00
29 118 DA0	47, 234	794.00
29 118 DC0	47, 234	741.00
29 118 DL0	234	847.00
29 118 GL0	47, 234	794.00
29 118 GN0	234	847.00
29 119 000	48, 235	576.00
29 119 A00	235	865.00
29 119 AL0	48, 235	922.00
29 119 DA0	48, 235	865.00
29 119 DC0	48, 235	807.00
29 119 DL0	235	922.00
29 119 GL0	48, 235	865.00
29 119 GN0	235	922.00
29 120 000	235	692.00
29 121 000	48, 236	624.00
29 121 A00	236	935.00
29 121 AL0	48, 236	998.00
29 121 DA0	48, 236	935.00
29 121 DC0	48, 236	873.00
29 121 DL0	236	998.00
29 121 GL0	48, 236	935.00
29 121 GN0	236	998.00
29 122 000	49, 236	380.00
29 122 A00	236	571.00
29 122 AL0	49, 236	609.00
29 122 BE0	236	571.00
29 122 DA0	49, 236	571.00
29 122 DC0	49, 236	533.00
29 122 DL0	236	609.00
29 122 EN0	236	609.00
29 122 GL0	49, 236	571.00
29 122 GN0	236	609.00
29 123 000	230	529.00
29 123 A00	230	794.00
29 123 AL0	230	847.00
29 123 DC0	230	741.00
29 123 DL0	230	847.00
29 123 GN0	230	847.00
29 124 000	230	576.00
29 124 A00	230	865.00
29 124 AL0	230	922.00
29 124 DC0	230	807.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
29 124 DL0	230	922.00
29 124 GN0	230	922.00
29 125 000	231	692.00
29 126 000	231, 273	624.00
29 126 A00	231	935.00
29 126 AL0	231	998.00
29 126 DC0	231	873.00
29 126 DL0	231	998.00
29 126 GN0	231	998.00
29 127 000	232	380.00
29 127 A00	232	571.00
29 127 AL0	232	609.00
29 127 DC0	232	533.00
29 127 DL0	232	609.00
29 127 GN0	232	609.00
29 150 LS0	237	682.00
29 151 LS0	237	729.00
29 152 LS0	238	481.00
29 153 LS0	232	682.00
29 156 LS0	233	729.00
29 157 LS0	233	776.00
29 158 LS0	234	481.00
29 176 001	28	500.00
29 176 A01	28	751.00
29 176 DL1	28	801.00
29 176 GN1	28	801.00
29 181 002	29	556.00
29 181 A02	29	834.00
29 181 DL2	29	890.00
29 181 GN2	29	890.00
29 192 001	103	221.00
29 192 A01	103	332.00
29 192 AL1	103	354.00
29 192 DA1	103	332.00
29 192 DC1	103	310.00
29 192 DL1	103	354.00
29 192 GL1	103	332.00
29 192 GN1	103	354.00
29 193 001	103	249.00
29 193 A01	103	374.00
29 193 AL1	103	399.00
29 193 DA1	103	374.00
29 193 DC1	103	349.00
29 193 DL1	103	399.00
29 193 GL1	103	374.00
29 193 GN1	103	399.00
29 303 003	89	275.00
29 303 AL3	89	441.00
29 303 DC3	89	386.00
29 306 003	89	293.00
29 307 003	92	931.00
29 307 AL3	92	1,490.00
29 307 DC3	92	1,304.00
29 337 003	149	182.00
29 338 003	149	199.00
29 708 000	59	299.00
29 736 000	532	75.00
29 800 000	84, 195	24.00
29 801 000	84, 195	24.00
29 802 000	57, 84	44.00
29 803 000	84, 195	44.00
29 804 000	84, 195	44.00
29 805 000	84, 195	68.00
29 811 000	57, 268	21.00
29 813 000	268	38.00
29 904 LS0	238	776.00

30

Product no.	Page	RRP (€) incl. VAT
30 026 002	422	267.00
30 026 DC2	422	347.00
30 079 001	410	1,985.00
30 079 DC1	410	2,283.00
30 080 001	412	1,838.00
30 083 001	411	1,838.00
30 083 AL1	411	2,298.00
30 083 DC1	411	2,114.00
30 083 DL1	411	2,298.00
30 085 001	412	1,691.00
30 085 AL1	412	2,114.00
30 085 DL1	412	2,114.00
30 098 001	193, 441	42.00
30 193 000	433	129.00
30 193 DC0	433	168.00
30 208 000	519	283.00
30 219 002	421	788.00
30 219 DC2	421	1,024.00
30 260 003	435	117.00
30 269 000	425	292.00
30 269 A00	425	409.00
30 269 AL0	425	438.00
30 269 DA0	425	409.00
30 269 DC0	425	380.00
30 269 DL0	425	438.00
30 269 GL0	425	409.00
30 269 GN0	425	438.00
30 270 000	425	384.00
30 270 A00	425	538.00
30 270 AL0	425	577.00
30 270 DA0	425	538.00
30 270 DC0	425	500.00
30 270 DL0	425	577.00
30 270 GL0	425	538.00
30 270 GN0	425	577.00
30 273 001	430	307.00
30 273 DC1	430	399.00
30 274 000	417	349.00
30 274 A00	417	489.00
30 274 AL0	417	524.00
30 274 DA0	417	489.00
30 274 DC0	417	454.00
30 274 DL0	417	524.00
30 274 GN0	417	524.00
30 294 000	424	543.00
30 294 A00	424	760.00
30 294 AL0	424	814.00
30 294 DA0	424	760.00
30 294 DC0	424	705.00
30 294 DL0	424	814.00
30 294 GL0	424	760.00
30 294 GN0	424	814.00
30 305 001	436	172.00
30 305 DC1	436	224.00
30 309 000	415	268.00
30 321 DG0	424	75.00
30 321 DP0	424	75.00
30 321 DU0	424	75.00
30 321 GE0	424	75.00
30 321 HG0	424	75.00
30 321 MW0	424	75.00
30 321 TY0	424	75.00
30 321 XC0	424	75.00
30 321 YF0	424	75.00
30 321 YR0	424	75.00
30 325 001	410	1,985.00
30 325 DC1	410	2,283.00
30 327 001	411	1,838.00
30 327 AL1	411	2,298.00
30 327 DC1	411	2,114.00
30 327 DL1	411	2,298.00
30 339 001	413	1,691.00
30 339 DC1	413	1,945.00
30 348 001	419	293.00
30 349 001	419	281.00
30 362 000	423	588.00
30 362 AL0	423	882.00
30 362 DC0	423	764.00
30 382 000	404	700.00
30 382 DC0	404	910.00
30 383 000	404	485.00
30 385 000	404	457.00
30 386 000	405	628.00
30 387 000	405	357.00
30 463 000	436	122.00
30 463 DC0	436	159.00
30 484 001	194, 441	59.00
30 497 001	438	180.00
30 497 DC1	438	235.00
30 503 000	424	*
30 503 DC0	424	*
30 504 000	425	*
30 504 A00	425	*
30 504 AL0	425	*
30 504 DA0	425	*
30 504 DC0	425	*
30 504 DL0	425	*
30 504 GL0	425	*
30 504 GN0	425	*
30 505 000	425	*
30 505 A00	425	*
30 505 AL0	425	*
30 505 DA0	425	*
30 505 DC0	425	*
30 505 DL0	425	*
30 505 GL0	425	*
30 505 GN0	425	*
30 506 000	435	134.00
30 567 000	438	164.00
30 567 DC0	438	213.00

31

Product no.	Page	RRP (€) incl. VAT
31 124 002	432	194.00
31 126 004	432	229.00
31 128 001	430	221.00
31 128 DC1	430	288.00
31 129 001	430	270.00
31 129 DC1	430	350.00
31 161 000	434	236.00
31 170 000	434	261.00
31 187 001	441	110.00
31 195 001	442	125.00
31 210 001	430	366.00
31 255 000	426	281.00
31 255 DC0	426	366.00
31 302 002	396	2,710.00
31 302 DC2	396	3,116.00
31 323 002	392	2,796.00
31 323 DC2	392	3,215.00
31 325 002	394	3,081.00
31 325 DC2	394	3,543.00
31 326 002	395	3,081.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
31 326 DC2	395	3,543.00
31 347 003	393	2,796.00
31 347 DC3	393	3,215.00
31 358 002	416	681.00
31 358 DC2	416	885.00
31 360 001	416	685.00
31 360 DC1	416	891.00
31 367 001	443	106.00
31 368 001	443	106.00
31 375 000	417	252.00
31 375 A00	417	353.00
31 375 AL0	417	378.00
31 375 DA0	417	353.00
31 375 DC0	417	328.00
31 375 DL0	417	378.00
31 375 GN0	417	378.00
31 379 000	414	756.00
31 379 DC0	414	983.00
31 391 003	438	145.00
31 454 001	399	2,156.00
31 454 AL1	399	2,694.00
31 454 DC1	399	2,479.00
31 454 DL1	399	2,694.00
31 455 001	397	2,156.00
31 455 AL1	397	2,694.00
31 455 DC1	397	2,479.00
31 455 DL1	397	2,694.00
31 456 001	401	2,156.00
31 456 DC1	401	2,479.00
31 481 001	433	234.00
31 483 002	429	254.00
31 483 DC2	429	330.00
31 491 000	429	444.00
31 491 DC0	429	577.00
31 498 001	403	2,080.00
31 498 AL1	403	2,600.00
31 498 DC1	403	2,392.00
31 498 DL1	403	2,600.00
31 509 003	438	145.00
31 535 001	443	106.00
31 536 001	443	106.00
31 538 001	443	106.00
31 539 000	400	2,500.00
31 539 DC0	400	2,875.00
31 541 000	398	2,500.00
31 541 DC0	398	2,875.00
31 543 000	402	2,500.00
31 543 DC0	402	2,875.00
31 552 SD1	457	125.00
31 558 000	420	353.00
31 558 AL0	420	529.00
31 558 GN0	420	529.00
31 562 SD1	457	222.00
31 563 SD1	453	278.00
31 564 SD1	456	222.00
31 565 SD1	456	236.00
31 566 SD0	455	194.00
31 567 SD0	455	258.00
31 568 SD0	454	272.00
31 569 SD0	454	389.00
31 570 SD0	456	389.00
31 571 SD1	452	236.00
31 572 SD1	453	300.00
31 573 SD1	454	445.00
31 574 AL1	451	555.00
31 574 DL1	451	555.00
31 574 GN1	451	555.00
31 574 SD1	451	308.00
31 575 SD1	451	381.00
31 576 SD1	451	353.00
31 578 SD1	452	278.00
31 581 SD1	449	1,109.00
31 582 SD1	449	1,109.00
31 583 SD1	449	748.00
31 584 SD1	450	831.00
31 585 SD1	450	1,109.00
31 586 SD1	450	970.00
31 587 SD0	455	272.00
31 588 SD1	453	314.00
31 593 002	421	619.00
31 593 DC2	421	805.00
31 613 000	416	431.00
31 613 A00	416	603.00
31 613 DA0	416	603.00
31 613 DC0	416	560.00
31 615 000	424	520.00
31 615 A00	424	729.00
31 615 AL0	424	781.00
31 615 BE0	424	729.00
31 615 DA0	424	729.00
31 615 DC0	424	677.00
31 615 DL0	424	781.00
31 615 EN0	424	781.00
31 615 GL0	424	729.00
31 615 GN0	424	781.00
31 639 AP0	464	297.00
31 639 AT0	464	297.00
31 640 AP0	464	375.00
31 640 AT0	464	375.00
31 641 AP0	464	403.00
31 641 AT0	464	403.00
31 642 AP0	465	431.00
31 642 AT0	465	431.00
31 643 AP0	465	459.00
31 643 AT0	465	459.00
31 644 AP0	462	401.00
31 644 AT0	462	401.00
31 647 AP0	462	500.00
31 647 AT0	462	500.00
31 648 AP0	462	383.00
31 648 AT0	462	383.00
31 649 AP0	463	467.00
31 649 AT0	463	467.00
31 650 AP0	459	301.00
31 650 AT0	459	301.00
31 651 AP0	459	356.00
31 652 AP0	459	397.00
31 652 AT0	459	397.00
31 653 AP0	461	264.00
31 653 AT0	461	264.00
31 654 AP0	461	303.00
31 654 AT0	461	303.00
31 655 AP0	461	359.00
31 655 AT0	461	359.00
31 656 AP0	465	247.00
31 656 AT0	465	247.00
31 657 AP0	460	403.00
31 657 AT0	460	403.00
31 658 AP0	460	414.00
31 658 AT0	460	414.00
31 680 000	445	90.00
31 688 000	444	100.00
31 693 000	444	100.00
31 696 000	444	133.00
31 706 000	444	100.00
31 713 000	444	133.00
31 715 000	445	100.00
31 720 SD0	458	136.00
31 721 000	405	528.00
31 721 DC0	405	687.00
31 722 000	405	314.00
31 723 000	406	286.00
31 724 000	406	186.00
31 726 SD0	452	308.00
31 786 001	437	190.00
31 787 001	437	190.00
31 789 001	437	135.00
31 790 001	436	128.00
31 831 001	441	95.00
31 876 000	390	3,846.00
31 876 DC0	390	4,422.00
31 877 000	391	3,685.00

32

Product no.	Page	RRP (€) incl. VAT
32 042 003	37	441.00
32 042 AL3	37	706.00
32 042 DA3	37	662.00
32 042 DC3	37	618.00
32 042 GL3	37	662.00
32 043 003	37	382.00
32 043 AL3	37	612.00
32 043 DA3	37	574.00
32 043 DC3	37	535.00
32 043 GL3	37	574.00
32 067 000	419	285.00
32 108 003	38	500.00
32 108 AL3	38	800.00
32 108 DA3	38	750.00
32 108 DC3	38	700.00
32 108 GL3	38	750.00
32 109 001	63	226.00
32 109 AL1	63	362.00
32 109 DC1	63	317.00
32 114 001	63	241.00
32 114 AL1	63	386.00
32 114 DC1	63	338.00
32 146 001	24	556.00
32 146 A01	24	834.00
32 146 DL1	24	890.00
32 146 GN1	24	890.00
32 154 003	145, 188	85.00
32 168 000	417	283.00
32 168 DC0	417	367.00
32 204 001	120	146.00
32 204 10E	120	146.00
32 207 001	120	115.00
32 208 001	123	146.00
32 210 001	123	146.00
32 211 001	123	182.00
32 223 003	437	122.00
32 224 003	438	145.00
32 240 10E	120	140.00
32 257 001	428	292.00
32 257 002	427	301.00
32 294 002	421	450.00
32 294 DC2	421	585.00
32 321 002	418	293.00
32 321 A02	418	410.00
32 321 AL2	418	439.00
32 321 DA2	418	410.00
32 321 DC2	418	380.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
32 321 DL2	418	439.00
32 321 GN2	418	439.00
32 322 002	420	293.00
32 322 A02	420	410.00
32 322 AL2	420	439.00
32 322 DA2	420	410.00
32 322 DC2	420	380.00
32 322 DL2	420	439.00
32 467 002	158	88.00
32 467 003	144	85.00
32 468 003	130	129.00
32 468 20E	125	133.00
32 469 20E	114	179.00
32 482 003	439	145.00
32 488 000	419	234.00
32 488 A00	419	328.00
32 488 AL0	419	352.00
32 488 DA0	419	328.00
32 488 DC0	419	305.00
32 488 DL0	419	352.00
32 553 002	422	422.00
32 553 DC2	422	549.00
32 612 003	86	226.00
32 612 AL3	86	361.00
32 612 DC3	86	316.00
32 618 003	88	350.00
32 618 AL3	88	560.00
32 618 DC3	88	490.00
32 628 001	100	223.00
32 628 A01	100	335.00
32 628 AL1	100	357.00
32 628 DA1	100	335.00
32 628 DC1	100	312.00
32 628 DL1	100	357.00
32 628 GL1	100	335.00
32 628 GN1	100	357.00
32 629 002	122	210.00
32 647 003	37	618.00
32 647 AL3	37	988.00
32 647 DA3	37	926.00
32 647 DC3	37	865.00
32 647 GL3	37	926.00
32 650 003	38	529.00
32 650 AL3	38	847.00
32 650 DA3	38	794.00
32 650 DC3	38	741.00
32 650 GL3	38	794.00
32 652 003	38	618.00
32 652 AL3	38	988.00
32 652 DA3	38	926.00
32 652 DC3	38	865.00
32 652 GL3	38	926.00
32 653 003	41	1,706.00
32 653 AL3	41	2,729.00
32 653 DA3	41	2,559.00
32 653 DC3	41	2,388.00
32 653 GL3	41	2,559.00
32 659 001	431	196.00
32 661 003	429	215.00
32 661 DC3	429	279.00
32 663 003	429	243.00
32 663 DC3	429	315.00
32 667 001	431	196.00
32 708 00A	199	297.00
32 734 000	163	70.00
32 740 000	163	76.00
32 742 000	163	115.00
32 743 000	163	95.00
32 747 000	164	129.00
32 757 001	24	500.00
32 757 A01	24	751.00
32 757 DL1	24	801.00
32 757 GN1	24	801.00
32 762 000	518	119.00
32 763 000	518	119.00
32 765 000	518	258.00
32 766 000	518	269.00
32 767 000	520	303.00
32 768 000	519	303.00
32 770 000	519	267.00
32 771 000	520	340.00
32 772 000	520	307.00
32 773 000	520	318.00
32 774 000	520	354.00
32 775 000	520	369.00
32 776 000	519	270.00
32 778 000	519	281.00
32 779 000	519	318.00
32 780 000	521	125.00
32 783 000	521	147.00
32 786 000	440, 521	154.00
32 787 000	440, 521	154.00
32 788 000	524	256.00
32 789 000	524	237.00
32 790 000	524	329.00
32 792 000	525	435.00
32 793 000	525	453.00
32 795 000	524	409.00
32 823 000	524	405.00
32 824 000	136	103.00
32 825 00E	136	109.00
32 826 001	27	667.00
32 826 A01	27	1,001.00
32 826 DL1	27	1,068.00
32 826 GN1	27	1,068.00
32 830 001	138	160.00
32 831 000	140	131.00
32 832 000	140	166.00
32 837 000	139	109.00
32 839 000	139	109.00
32 840 000	139	103.00
32 842 000	433	132.00
32 843 002	433	172.00
32 843 20E	433	178.00
32 843 DC2	433	224.00
32 846 001	26	612.00
32 846 A01	26	917.00
32 846 DL1	26	979.00
32 846 GN1	26	979.00
32 847 000	140, 199	247.00
32 858 000	172	77.00
32 870 000	522	35.00
32 871 000	522	30.00
32 879 000	141	146.00
32 880 000	141	131.00
32 882 000	163	70.00
32 898 001	98	174.00
32 899 001	98	168.00
32 901 001	101	302.00
32 901 A01	101	453.00
32 901 AL1	101	483.00
32 901 DA1	101	453.00
32 901 DC1	101	423.00
32 901 DL1	101	483.00
32 901 GL1	101	453.00
32 901 GN1	101	483.00
32 917 000	418	234.00
32 917 A00	418	328.00
32 917 AL0	418	352.00
32 917 DA0	418	328.00
32 917 DC0	418	305.00
32 917 DL0	418	352.00
32 917 GN0	418	352.00
32 917 KS0	418	305.00
32 918 000	418	285.00
32 918 00E	418	285.00
32 918 DC0	418	370.00
32 926 003	145, 188	90.00
32 927 003	150	88.00
32 928 003	150	94.00
32 929 002	160	94.00
32 929 003	149	94.00
32 935 001	104	174.00
32 935 A01	104	260.00
32 935 AL1	104	278.00
32 935 DA1	104	260.00
32 935 DC1	104	243.00
32 935 DL1	104	278.00
32 935 GL1	104	260.00
32 935 GN1	104	278.00
32 950 000	414	786.00
32 950 DC0	414	1,021.00

33

33 163 003	86	226.00
33 188 003	145	85.00
33 190 20E	114	185.00
33 202 003	436	122.00
33 241 003	89	226.00
33 241 AL3	89	361.00
33 241 DC3	89	316.00
33 244 002	116	185.00
33 265 002	158	94.00
33 265 003	144	90.00
33 281 003	435	117.00
33 281 30E	435	117.00
33 281 DC3	435	152.00
33 300 002	160	116.00
33 300 003	150	116.00
33 302 003	151	149.00
33 305 002	161	143.00
33 390 002	116	231.00
33 395 002	117	280.00
33 547 003	90	381.00
33 552 20E	125	139.00
33 553 003	90	339.00
33 553 AL3	90	542.00
33 553 DC3	90	474.00
33 555 002	160	99.00
33 555 003	150	99.00
33 556 002	161	124.00
33 556 003	152	125.00
33 558 003	129	135.00
33 558 LS3	129	176.00
33 561 002	125	192.00
33 561 003	130	192.00
33 565 002	127	139.00
33 565 003	133	135.00
33 565 LS3	133	176.00
33 566 002	127	133.00
33 569 002	116	185.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
33 577 003	89	271.00
33 577 AL3	89	433.00
33 577 DC3	89	379.00
33 590 002	127	139.00
33 591 002	127	170.00
33 591 003	133	183.00
33 591 LS3	133	238.00
33 624 001	105	236.00
33 624 A01	105	354.00
33 624 AL1	105	377.00
33 624 DA1	105	354.00
33 624 DC1	105	330.00
33 624 DL1	105	377.00
33 624 GL1	105	354.00
33 624 GN1	105	377.00
33 628 001	105	282.00
33 636 001	104	192.00
33 636 A01	104	288.00
33 636 AL1	104	307.00
33 636 DA1	104	288.00
33 636 DC1	104	269.00
33 636 DL1	104	307.00
33 636 GL1	104	288.00
33 636 GN1	104	307.00
33 770 001	428	231.00
33 770 002	427	243.00
33 772 002	427	257.00
33 848 001	65	264.00
33 848 AL1	65	422.00
33 848 DC1	65	369.00
33 849 001	66	347.00
33 849 AL1	66	555.00
33 849 DC1	66	485.00
33 865 001	65	271.00
33 865 AL1	65	434.00
33 865 DC1	65	380.00
34		
34 169 001	250	332.00
34 174 001	250	415.00
34 294 001	98	168.00
34 482 001	250	549.00
34 487 000	497, 501	154.00
34 488 000	72, 79	399.00
34 491 000	252	442.00
34 497 000	72, 79	523.00
34 502 000	252	566.00
34 565 001	262	243.00
34 566 001	262	247.00
34 576 000	262	270.00
34 665 000	156, 505	489.00
34 666 000	506	434.00
34 667 000	157, 505	391.00
34 671 000	506	484.00
34 681 000	505	386.00
34 705 000	49, 69	1,542.00
34 706 000	95, 239	1,533.00
34 713 000	240	923.00
34 714 000	240	861.00
34 718 000	66, 90	428.00
34 719 000	66, 90	390.00
34 720 000	241	500.00
34 721 000	241	506.00
34 726 000	246	675.00
34 727 000	246	744.00
34 728 000	244	675.00
34 729 000	244	744.00
34 730 000	244	1,372.00
34 731 000	246	1,372.00
34 732 000	246	1,197.00
34 734 000	244	1,027.00
34 735 000	247	795.00
34 741 000	74, 81	1,358.00
34 742 000	238	1,360.00
34 744 000	239	1,067.00
34 768 000	261	254.00
34 769 000	261	261.00
34 776 000	258	231.00
34 779 000	258	301.00
34 783 000	259	267.00
34 784 000	259	271.00
34 793 000	170, 181	147.00
34 796 000	263	180.00
34 797 000	263	185.00
34 813 001	98	168.00
34 814 003	255	253.00
34 816 003	255	324.00
34 819 004	256	285.00
34 820 004	256	290.00
34 823 003	255	318.00
34 824 004	256	295.00
34 825 001	256	293.00
34 827 000	258	231.00
34 828 000	258	226.00
34 830 000	258	301.00
34 831 000	259	296.00
34 834 000	259	267.00
34 835 000	259	271.00
34 836 000	260	261.00
34 838 000	260	271.00
35		
35 028 000	19, 31	148.00
35 034 000	379	233.00
35 085 000	510	1,765.00
35 087 000	510	2,160.00
35 500 000	507	246.00
35 600 000	266	87.00
35 604 000	266	87.00
36		
36 015 001	486	675.00
36 016 001	486	617.00
36 133 000	487, 496	22.00
36 194 000	446	157.00
36 207 001	486	595.00
36 208 001	486	537.00
36 209 000	487, 527	94.00
36 233 000	527	590.00
36 249 000	527	545.00
36 264 001	471, 474	203.00
36 265 000	531	123.00
36 266 000	531	113.00
36 267 000	531	106.00
36 268 000	531	113.00
36 269 000	498	332.00
36 271 000	498	308.00
36 272 000	498	308.00
36 273 000	499	428.00
36 274 000	499	360.00
36 276 000	496, 529	120.00
36 315 000	493	514.00
36 316 000	531	45.00
36 317 000	529	304.00
36 318 000	529	332.00
36 320 000	529	479.00
36 321 000	529	346.00
36 322 001	529	152.00
36 325 001	489	417.00
36 330 001	490	392.00
36 331 001	489	408.00
36 332 000	492	923.00
36 333 000	492	906.00
36 334 SD0	492	479.00
36 335 SD0	492	462.00
36 336 001	480, 493	362.00
36 337 001	480, 492	136.00
36 338 000	472, 476	103.00
36 339 001	481, 493	249.00
36 340 000	471, 475	63.00
36 341 000	471, 475	115.00
36 359 000	274	1,398.00
36 360 000	275	1,198.00
36 367 000	277	316.00
36 371 000	276	677.00
36 376 000	493	520.00
36 384 000	499	682.00
36 386 001	491	906.00
36 397 000	276	1,199.00
36 407 001	471, 475	189.00
36 409 000	478	663.00
36 410 000	480	760.00
36 412 000	481	861.00
36 413 000	477	806.00
36 414 000	479	1,095.00
36 415 000	482	721.00
36 416 001	482, 495	708.00
36 421 000	490	492.00
36 422 000	489	495.00
36 439 000	490	368.00
36 440 000	470	840.00
36 441 000	77, 470	811.00
36 441 AL0	77, 470	1,217.00
36 441 DC0	77, 470	1,055.00
36 442 000	470	913.00
36 444 000	473	681.00
36 445 000	102, 473	652.00
36 445 A00	102, 473	913.00
36 445 AL0	102, 473	978.00
36 445 DA0	102, 473	913.00
36 445 DC0	102, 473	848.00
36 445 DL0	102, 473	978.00
36 445 GL0	102, 473	913.00
36 445 GN0	102, 473	978.00
36 446 000	474	609.00
36 447 000	474	864.00
36 451 000	169, 174	246.00
36 452 000	502	228.00
36 453 000	502	260.00
36 454 000	491	1,038.00
36 455 000	491	1,010.00
36 456 000	494	257.00
36 457 000	493	959.00
36 458 000	494	771.00
36 459 000	494	828.00
36 463 000	494	228.00
36 464 000	495	685.00
37		
37 035 000	637	17.00
37 037 000	637	34.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
37 038 000	637	37.00
37 039 000	637	42.00
37 040 000	637	48.00
37 042 000	638	29.00
37 043 000	637	49.00
37 044 000	637	28.00
37 048 000	622	248.00
37 059 000	627, 648	220.00
37 060 000	628, 649	89.00
37 063 000	651	65.00
37 063 SH0	651	65.00
37 086 PI0	611	85.00
37 088 PI0	611	62.00
37 092 000	610	46.00
37 095 000	610, 697	39.00
37 100 SH0	611	25.00
37 102 SH0	623	21.00
37 103 SH0	614	9.00
37 104 K00	614	16.00
37 105 K00	614	25.00
37 107 000	620	67.00
37 108 000	620	77.00
37 112 000	620	118.00
37 114 000	620	39.00
37 115 PI0	614, 692	18.00
37 117 PI0	614, 692	19.00
37 119 000	614	5.00
37 125 000	615	11.00
37 131 000	600, 615	4.00
37 132 000	619	33.00
37 133 000	620	69.00
37 135 000	621	8.00
37 139 000	619	100.00
37 141 000	619	113.00
37 153 000	622	240.00
37 157 000	622	268.00
37 304 000	605	40.00
37 311 K00	613	45.00
37 321 001	631	579.00
37 321 SD1	631	579.00
37 321 SH1	631	579.00
37 324 001	632	579.00
37 324 SD1	632	579.00
37 336 001	631	579.00
37 337 001	631	579.00
37 338 000	483, 633	144.00
37 339 000	636	141.00
37 342 000	636	169.00
37 345 000	636	158.00
37 346 000	636	116.00
37 347 000	619	220.00
37 349 000	619	254.00
37 355 SH0	608	139.00
37 396 000	636	121.00
37 419 000	624	873.00
37 419 SD0	624	873.00
37 421 000	629	505.00
37 426 000	629	505.00
37 427 000	629	386.00
37 428 000	630	370.00
37 489 000	613	6.00
37 497 PI0	611	62.00
37 503 000	483, 632	961.00
37 504 000	484, 625	1,184.00
37 535 000	33, 85	81.00
37 535 A00	33, 642	177.00
37 535 AL0	85, 96	177.00
37 535 BE0	642	177.00
37 535 DA0	642	177.00
37 535 DC0	85, 96	177.00
37 535 DL0	33, 642	177.00
37 535 EN0	642	177.00
37 535 GL0	642	177.00
37 535 GN0	33, 642	177.00
37 535 P00	642	81.00
37 535 SH0	642	67.00
37 547 000	651	78.00
37 547 P00	651	78.00
37 547 SH0	651	61.00
37 601 000	69, 110	99.00
37 601 A00	110, 642	177.00
37 601 AL0	69, 110	177.00
37 601 BE0	642	177.00
37 601 DA0	110, 642	177.00
37 601 DC0	69, 110	177.00
37 601 DL0	110, 642	177.00
37 601 EN0	642	177.00
37 601 GL0	110, 642	177.00
37 601 GN0	110, 642	177.00
37 601 P00	642	99.00
37 601 SH0	642	81.00
37 624 000	49, 96	99.00
37 624 A00	643	177.00
37 624 AL0	49, 96	177.00
37 624 BE0	643	177.00
37 624 DA0	49, 643	177.00
37 624 DC0	49, 96	177.00
37 624 DL0	643	177.00
37 624 EN0	643	177.00
37 624 GL0	49, 643	177.00
37 624 GN0	643	177.00
37 624 P00	643	99.00
37 624 SH0	643	81.00
37 751 001	633	518.00
37 998 000	597	98.00

38

Product no.	Page	RRP (€) incl. VAT
38 338 000	600	13.00
38 393 SD1	625	649.00
38 415 001	604	308.00
38 422 000	609	172.00
38 445 SD0	651	127.00
38 505 000	646	52.00
38 505 P00	646	52.00
38 505 SH0	646	41.00
38 506 000	646	52.00
38 506 P00	646	69.00
38 506 SH0	646	41.00
38 525 001	583	339.00
38 526 000	584	310.00
38 528 001	578	210.00
38 536 001	580	223.00
38 539 001	580	232.00
38 541 000	590, 593	156.00
38 543 000	591	324.00
38 544 000	590	284.00
38 545 000	590	335.00
38 546 000	589	149.00
38 553 001	590	279.00
38 554 001	588	131.00
38 557 001	588	122.00
38 558 00M	585, 587	15.00
38 559 001	594	200.00
38 562 001	599	107.00
38 564 000	648	50.00
38 564 SH0	648	40.00
38 565 000	648	50.00
38 565 SH0	648	32.00
38 573 000	648	65.00
38 573 SH0	648	28.00
38 574 000	648	66.00
38 581 001	588, 596	446.00
38 584 001	595	283.00
38 587 000	595	393.00
38 618 000	584	325.00
38 624 001	581	287.00
38 625 001	589, 593	288.00
38 629 000	599	58.00
38 636 001	599	96.00
38 642 001	603	202.00
38 643 001	602	193.00
38 661 000	608	123.00
38 672 SD0	648	121.00
38 675 001	582, 592	347.00
38 691 000	609	194.00
38 698 SD1	624	649.00
38 699 001	624	649.00
38 714 000	618, 649	25.00
38 732 000	21, 645	63.00
38 732 A00	645	151.00
38 732 AL0	21, 645	151.00
38 732 BE0	645	151.00
38 732 BR0	645	130.00
38 732 DA0	645	151.00
38 732 DC0	21, 645	151.00
38 732 DL0	645	151.00
38 732 EN0	645	151.00
38 732 GL0	645	151.00
38 732 GN0	645	151.00
38 732 P00	645	63.00
38 732 SD0	645	168.00
38 732 SH0	645	52.00
38 733 000	599	32.00
38 735 000	612	62.00
38 736 000	612	47.00
38 748 002	471, 475	558.00
38 759 SD0	592, 626	974.00
38 765 000	644	79.00
38 765 P00	644	79.00
38 765 SH0	644	64.00
38 771 000	609, 649	46.00
38 776 SD0	645	172.00
38 779 000	600	85.00
38 784 000	652	133.00
38 784 P00	652	134.00
38 784 SD0	652	197.00
38 784 SH0	652	123.00
38 785 000	605	239.00
38 786 001	586	280.00
38 787 000	633, 639	119.00
38 796 000	650	77.00
38 803 001	586	353.00
38 804 000	652	133.00
38 804 SH0	652	123.00
38 805 000	650	150.00
38 808 000	653	116.00
38 808 P00	653	116.00
38 808 SH0	653	105.00
38 809 000	644	641.00
38 821 000	645	261.00
38 827 000	579	347.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
38 844 000	646	79.00
38 844 P00	646	79.00
38 844 SH0	646	64.00
38 845 KS0	644	276.00
38 845 LS0	644	276.00
38 845 MF0	644	276.00
38 846 KS0	652	351.00
38 846 LS0	652	351.00
38 857 000	653	134.00
38 857 P00	653	134.00
38 857 SH0	653	123.00
38 858 000	646	79.00
38 858 P00	646	79.00
38 858 SH0	646	64.00
38 861 000	647	78.00
38 862 000	646	77.00
38 862 P00	646	77.00
38 862 SD0	646	181.00
38 862 SH0	646	61.00
38 882 000	650	7.00
38 915 KS0	643	1,000.00
38 915 LS0	643	1,000.00
38 916 0A0	644	336.00
38 934 SD0	593, 627	592.00
38 957 000	645	119.00
38 987 000	608	123.00
38 994 000	583	354.00
39		
39 002 000	578	374.00
39 052 000	588	183.00
39 062 000	581	463.00
39 111 SH0	536	5,033.00
39 140 000	592	699.00
39 141 000	593, 627	674.00
39 165 000	603	148.00
39 206 000	559	279.00
39 206 00H	559	334.00
39 208 000	561	277.00
39 208 00H	561	332.00
39 245 00H	556	521.00
39 300 000	570	263.00
39 301 000	570	194.00
39 302 000	570	186.00
39 305 000	570	328.00
39 306 000	571	214.00
39 323 000	558	110.00
39 323 00H	558	166.00
39 324 000	559	72.00
39 324 00H	559	127.00
39 327 000	559	90.00
39 327 00H	559	146.00
39 328 000	559	307.00
39 328 00H	559	362.00
39 330 001	560	111.00
39 331 001	561	76.00
39 335 000	558	99.00
39 335 00H	558	155.00
39 336 000	558	97.00
39 336 00H	558	153.00
39 337 000	558	108.00
39 337 00H	558	164.00
39 349 000	564	149.00
39 351 000	566	205.00
39 354 SH1	539	3,352.00
39 367 000	634	726.00
39 368 000	634	726.00
39 369 000	635	966.00
39 374 KS0	577	965.00
39 374 LS0	577	965.00
39 376 000	586	332.00
39 383 000	479	77.00
39 386 00H	554	626.00
39 420 000	563	75.00
39 421 000	563	65.00
39 422 000	563	118.00
39 423 000	559, 563	118.00
39 424 000	563	64.00
39 425 000	564	64.00
39 427 000	564	121.00
39 428 000	564	134.00
39 429 000	564	149.00
39 433 000	565	204.00
39 436 000	565	116.00
39 438 000	566	230.00
39 439 000	566	230.00
39 440 000	563	64.00
39 453 000	562, 569	37.00
39 454 000	562, 569	69.00
39 457 000	562, 569	70.00
39 462 000	560	529.00
39 462 00H	560	529.00
39 469 00H	554	541.00
39 473 00H	554	293.00
39 474 00H	554	275.00
39 475 00H	554	626.00
39 476 00H	554	542.00
39 477 00H	555	293.00
39 478 00H	555	275.00
39 479 00H	555	281.00
39 480 00H	555	263.00
39 481 00H	555	263.00
39 482 00H	555	234.00
39 483 00H	556	228.00
39 484 00H	556	584.00
39 485 00H	556	544.00
39 487 00H	557	443.00
39 488 000	557	225.00
39 489 000	556	320.00
39 490 000	557	320.00
39 491 000	564	96.00
39 492 000	565	52.00
39 493 000	565	93.00
39 494 000	565	87.00
39 496 000	567	331.00
39 501 000	579	292.00
39 538 000	560	245.00
39 551 000	562, 569	70.00
39 564 00H	548	299.00
39 565 00H	548	279.00
39 566 00H	548	657.00
39 567 00H	548	471.00
39 568 00H	548	323.00
39 570 000	549	174.00
39 571 00H	549	416.00
39 572 00H	549	465.00
39 573 00H	549	433.00
39 574 00H	550	416.00
39 575 00H	550	433.00
39 576 000	550	116.00
39 577 000	550	174.00
39 578 000	550	262.00
39 579 000	550	262.00
39 584 00H	558	395.00
39 585 00H	558	510.00
39 596 000	537, 540	267.00
39 597 000	541, 575	267.00
39 598 000	541, 576	281.00
39 600 000	542, 575	338.00
39 603 000	576	342.00
39 607 000	576, 600	83.00
39 608 00H	548	439.00
39 609 00H	549	356.00
39 611 000	551	5,568.00
39 617 000	551	971.00
39 620 00H	551	1,131.00
39 622 000	551	5,568.00
39 648 SH0	545, 567	291.00
39 651 SH0	545, 567	434.00
39 652 SH0	545, 568	588.00
39 682 000	608	97.00
39 683 000	602	129.00
39 687 000	579	239.00
39 699 000	585, 599	38.00
39 703 000	560	384.00
39 732 000	566	52.00
39 733 000	566	52.00
39 860 000	601	69.00
39 881 000	626	379.00
39 881 KF0	626	448.00
39 881 SH0	626	364.00
39 882 000	626	298.00
39 882 KF0	626	367.00
39 882 SH0	626	283.00
39 898 000	565	100.00
40		
40 206 000	688	83.00
40 207 000	688	16.00
40 254 003	34, 50	56.00
40 256 003	34, 50	65.00
40 278 001	34	128.00
40 278 A01	34	192.00
40 278 DL1	34	205.00
40 278 GN1	34	205.00
40 279 001	35	167.00
40 279 A01	35	250.00
40 279 DL1	35	267.00
40 279 GN1	35	267.00
40 284 001	35	69.00
40 284 A01	35	104.00
40 284 DL1	35	111.00
40 284 GN1	35	111.00
40 304 003	50	85.00
40 304 AL3	50	136.00
40 304 DA3	50	128.00
40 304 DC3	50	119.00
40 304 GL3	50	128.00
40 305 003	50	85.00
40 305 AL3	50	136.00
40 305 DA3	50	128.00
40 305 DC3	50	119.00
40 305 GL3	50	128.00
40 306 003	34, 50	85.00
40 306 A03	34	128.00
40 306 AL3	50	136.00
40 306 DA3	50	128.00
40 306 DC3	50	119.00
40 306 DL3	34	136.00
40 306 GL3	50	128.00
40 306 GN3	34	136.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
40 307 003	50	115.00
40 307 AL3	50	184.00
40 307 DA3	50	172.00
40 307 DC3	50	161.00
40 307 GL3	50	172.00
40 308 003	51	191.00
40 308 AL3	51	306.00
40 308 DA3	51	287.00
40 308 DC3	51	268.00
40 308 GL3	51	287.00
40 309 003	51	182.00
40 309 AL3	51	292.00
40 309 DA3	51	274.00
40 309 DC3	51	255.00
40 309 GL3	51	274.00
40 312 003	51	59.00
40 312 AL3	51	94.00
40 312 DA3	51	88.00
40 312 DC3	51	82.00
40 312 GL3	51	88.00
40 313 003	51	129.00
40 313 AL3	51	207.00
40 313 DA3	51	194.00
40 313 DC3	51	181.00
40 313 GL3	51	194.00
40 314 003	51	257.00
40 314 AL3	51	412.00
40 314 DA3	51	386.00
40 314 DC3	51	360.00
40 314 GL3	51	386.00
40 339 001	35	111.00
40 339 A01	35	167.00
40 339 DL1	35	178.00
40 339 GN1	35	178.00
40 340 001	36	278.00
40 340 A01	36	417.00
40 340 DL1	36	445.00
40 340 GN1	36	445.00
40 341 001	35	256.00
40 341 A01	35	384.00
40 341 DL1	35	409.00
40 341 GN1	35	409.00
40 342 001	35	256.00
40 342 A01	35	384.00
40 342 DL1	35	409.00
40 342 GN1	35	409.00
40 344 001	217	172.00
40 344 DC1	217	240.00
40 364 001	213	19.00
40 364 A01	213	28.00
40 364 AL1	213	30.00
40 364 BE1	213	28.00
40 364 DA1	213	28.00
40 364 DC1	213	26.00
40 364 DL1	213	30.00
40 364 EN1	213	30.00
40 364 GL1	213	28.00
40 364 GN1	213	30.00
40 365 001	211	34.00
40 365 A01	211	51.00
40 365 AL1	211	54.00
40 365 BE1	211	51.00
40 365 DA1	211	51.00
40 365 DC1	211	47.00
40 365 DL1	211	54.00
40 365 EN1	211	54.00
40 365 GL1	211	51.00
40 365 GN1	211	54.00
40 366 001	212	54.00
40 366 A01	212	81.00
40 366 AL1	212	86.00
40 366 BE1	212	81.00
40 366 DA1	212	81.00
40 366 DC1	212	75.00
40 366 DL1	212	86.00
40 366 EN1	212	86.00
40 366 GL1	212	81.00
40 366 GN1	212	86.00
40 367 001	215	45.00
40 367 A01	215	67.00
40 367 AL1	215	71.00
40 367 BE1	215	67.00
40 367 DA1	215	67.00
40 367 DC1	215	62.00
40 367 DL1	215	71.00
40 367 EN1	215	71.00
40 367 GL1	215	67.00
40 367 GN1	215	71.00
40 368 001	210, 218	9.00
40 369 001	210	34.00
40 369 A01	210	51.00
40 369 AL1	210	54.00
40 369 BE1	210	51.00
40 369 DA1	210	51.00
40 369 DC1	210	47.00
40 369 DL1	210	54.00
40 369 EN1	210	54.00
40 369 GL1	210	51.00
40 369 GN1	210	54.00
40 371 001	212	60.00
40 371 A01	212	90.00
40 371 AL1	212	96.00
40 371 BE1	212	90.00
40 371 DA1	212	90.00
40 371 DC1	212	84.00
40 371 DL1	212	96.00
40 371 EN1	212	96.00
40 371 GL1	212	90.00
40 371 GN1	212	96.00
40 372 001	210, 218	11.00
40 374 001	215	55.00
40 374 A01	215	83.00
40 374 AL1	215	89.00
40 374 BE1	215	83.00
40 374 DA1	215	83.00
40 374 DC1	215	77.00
40 374 DL1	215	89.00
40 374 EN1	215	89.00
40 374 GL1	215	83.00
40 374 GN1	215	89.00
40 385 001	215	34.00
40 385 A01	215	51.00
40 385 AL1	215	54.00
40 385 BE1	215	51.00
40 385 DA1	215	51.00
40 385 DC1	215	47.00
40 385 DL1	215	54.00
40 385 EN1	215	54.00
40 385 GL1	215	51.00
40 385 GN1	215	54.00
40 386 001	212	68.00
40 386 A01	212	101.00
40 386 AL1	212	108.00
40 386 BE1	212	101.00
40 386 DA1	212	101.00
40 386 DC1	212	95.00
40 386 DL1	212	108.00
40 386 EN1	212	108.00
40 386 GL1	212	101.00
40 386 GN1	212	108.00
40 392 000	215, 220	26.00
40 393 000	215, 220	20.00
40 394 001	210, 218	28.00
40 394 A01	210	42.00
40 394 AL1	210, 218	44.00
40 394 BE1	210	42.00
40 394 DA1	210	42.00
40 394 DC1	210, 218	39.00
40 394 DL1	210	44.00
40 394 EN1	210, 225	44.00
40 394 GL1	210	42.00
40 394 GN1	210	44.00
40 402 000	446	130.00
40 404 001	408	116.00
40 405 001	407	72.00
40 407 001	216	107.00
40 407 DC1	216	149.00
40 412 001	408	285.00
40 421 001	213	54.00
40 421 A01	213	81.00
40 421 AL1	213	86.00
40 421 BE1	213	81.00
40 421 DA1	213	81.00
40 421 DC1	213	75.00
40 421 DL1	213	86.00
40 421 EN1	213	86.00
40 421 GL1	213	81.00
40 421 GN1	213	86.00
40 422 000	409	169.00
40 430 001	408	217.00
40 432 000	413	61.00
40 434 001	409	72.00
40 437 000	407	72.00
40 438 001	413	363.00
40 444 001	211	43.00
40 444 DC1	211	60.00
40 444 EN1	211	69.00
40 447 001	211	42.00
40 447 DC1	211	59.00
40 447 EN1	211	67.00
40 448 001	211	63.00
40 448 DC1	211	88.00
40 448 EN1	211	100.00
40 452 000	408	32.00
40 457 001	223	33.00
40 459 001	222	39.00
40 460 001	222	27.00
40 461 001	223	16.00
40 462 001	223	142.00
40 463 001	223	43.00
40 493 000	22	366.00
40 494 000	22	1,024.00
40 496 000	22	301.00
40 497 000	22	781.00
40 498 000	23	144.00
40 499 000	23	292.00
40 500 000	23	479.00
40 503 000	22	431.00
40 504 000	22	438.00
40 507 001	220	52.00
40 507 AL1	220	83.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
40 507 DC1	220	72.00
40 508 001	218	45.00
40 508 AL1	218	71.00
40 508 DC1	218	62.00
40 509 001	219	68.00
40 509 AL1	219	109.00
40 509 DC1	219	96.00
40 510 001	219	62.00
40 510 AL1	219	98.00
40 510 DC1	219	86.00
40 511 001	219	26.00
40 511 AL1	219	41.00
40 511 DC1	219	36.00
40 512 001	219	224.00
40 512 AL1	219	359.00
40 512 DC1	219	314.00
40 513 001	220	89.00
40 513 AL1	220	143.00
40 513 DC1	220	125.00
40 514 001	220	92.00
40 514 AL1	220	148.00
40 514 DC1	220	129.00
40 535 000	446	69.00
40 535 A00	446	104.00
40 535 AL0	446	111.00
40 535 BE0	446	104.00
40 535 DA0	446	104.00
40 535 DC0	446	97.00
40 535 DL0	446	111.00
40 535 GL0	446	104.00
40 535 GN0	446	111.00
40 536 000	446	62.00
40 536 DC0	446	87.00
40 537 000	446	76.00
40 547 001	408	108.00
40 564 000	20, 84	280.00
40 564 A00	680	420.00
40 564 AL0	20, 84	448.00
40 564 DC0	20, 84	392.00
40 565 000	20, 85	86.00
40 565 AL0	20, 680	137.00
40 565 DC0	20, 680	120.00
40 575 002	409	234.00
40 578 000	408	97.00
40 585 001	222	27.00
40 623 001	220	43.00
40 623 AL1	220	69.00
40 623 DC1	220	60.00
40 624 001	219	86.00
40 624 AL1	219	138.00
40 624 DC1	219	121.00
40 625 000	62	221.00
40 625 IG0	62	287.00
40 626 000	61	211.00
40 626 IG0	61	274.00
40 627 000	61	276.00
40 627 IG0	61	359.00
40 628 000	61	260.00
40 628 IG0	61	338.00
40 629 000	61	292.00
40 629 IG0	61	380.00
40 630 000	61	179.00
40 630 IG0	61	232.00
40 631 000	61	84.00
40 631 IG0	61	110.00
40 632 000	62	308.00
40 632 IG0	62	401.00
40 633 000	62	198.00
40 633 IG0	62	256.00
40 636 SD0	407	32.00
40 652 001	225	34.00
40 652 EN1	225	54.00
40 653 001	225	54.00
40 653 EN1	225	86.00
40 654 001	226	92.00
40 654 EN1	226	148.00
40 655 001	225	34.00
40 655 EN1	225	54.00
40 656 001	226	19.00
40 656 EN1	226	30.00
40 657 001	226	40.00
40 657 EN1	226	64.00
40 658 001	226	55.00
40 658 EN1	226	89.00
40 659 001	227	60.00
40 659 EN1	227	96.00
40 660 001	226	181.00
40 660 EN1	226	289.00
40 663 001	216, 223	75.00
40 664 001	216, 224	60.00
40 666 000	277	1,319.00
40 684 000	420	37.00
40 684 DC0	420	58.00
40 688 001	212	49.00
40 688 A01	212	74.00
40 688 AL1	212	79.00
40 688 BE1	212	74.00
40 688 DA1	212	74.00
40 688 DC1	212	69.00
40 688 DL1	212	79.00
40 688 EN1	212	79.00
40 688 GL1	212	74.00
40 688 GN1	212	79.00
40 689 001	214	40.00
40 689 A01	214	60.00
40 689 AL1	214	64.00
40 689 BE1	214	60.00
40 689 DA1	214	60.00
40 689 DC1	214	56.00
40 689 DL1	214	64.00
40 689 EN1	214	64.00
40 689 GL1	214	60.00
40 689 GN1	214	64.00
40 691 002	409	151.00
40 694 000	409	32.00
40 754 001	219	54.00
40 755 001	218	54.00
40 756 001	218	72.00
40 757 001	220	150.00
40 758 001	221	232.00
40 766 000	207	85.00
40 767 000	208	159.00
40 768 000	207	239.00
40 775 001	216	105.00
40 775 DC1	216	147.00
40 775 EN1	216	168.00
40 776 001	216	136.00
40 776 DC1	216	190.00
40 777 001	221	131.00
40 778 001	221	187.00
40 781 000	208	129.00
40 782 000	208	45.00
40 783 000	207	40.00
40 784 000	208	60.00
40 791 001	51, 206	8.00
40 791 KS1	51, 206	8.00
40 793 001	214	77.00
40 793 DC1	214	108.00
40 794 001	214	92.00
40 794 DC1	214	129.00
40 797 001	214	240.00
40 799 001	214	62.00
40 799 DC1	214	86.00
40 800 001	213	181.00
40 800 A01	213	271.00
40 800 AL1	213	289.00
40 800 BE1	213	271.00
40 800 DA1	213	271.00
40 800 DC1	213	253.00
40 800 DL1	213	289.00
40 800 EN1	213	289.00
40 800 GL1	213	271.00
40 800 GN1	213	289.00
40 802 001	213	92.00
40 802 A01	213	138.00
40 802 AL1	213	148.00
40 802 BE1	213	138.00
40 802 DA1	213	138.00
40 802 DC1	213	129.00
40 802 DL1	213	148.00
40 802 EN1	213	148.00
40 802 GL1	213	138.00
40 802 GN1	213	148.00
40 804 000	208	448.00
40 805 000	207	75.00
40 806 000	207	50.00
40 807 000	208	249.00
40 808 000	209	219.00
40 809 000	209	174.00
40 824 000	680	21.00
40 841 001	413	235.00
40 843 000	409	106.00
40 846 001	217	165.00
40 847 001	221	215.00
40 848 000	407	21.00
40 848 AL0	407	42.00
40 848 DL0	407	42.00
40 848 GN0	407	42.00
40 848 SD0	407	32.00
40 857 000	209	174.00
40 865 000	207	60.00
40 867 000	209	68.00
40 868 000	209	54.00
40 870 000	209	16.00
40 899 000	538, 542	45.00
40 911 000	601, 605	16.00
40 915 000	217, 224	9.00
40 949 000	601, 605	26.00
40 950 000	601, 605	20.00
40 952 000	688	19.00
40 954 000	91	121.00
40 955 001	35	236.00
40 955 A01	35	354.00
40 955 DL1	35	378.00
40 955 GN1	35	378.00
40 956 001	36	153.00
40 956 A01	36	229.00
40 956 DL1	36	245.00
40 956 GN1	36	245.00
40 962 000	408	53.00
40 963 001	34	128.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
40 963 A01	34	192.00
40 963 DL1	34	205.00
40 963 GN1	34	205.00
40 964 001	34	42.00
40 965 001	36	375.00
40 965 A01	36	563.00
40 965 DL1	36	600.00
40 965 GN1	36	600.00
40 966 001	36	139.00
40 966 A01	36	209.00
40 966 DL1	36	222.00
40 966 GN1	36	222.00
40 967 001	36	195.00
40 967 A01	36	292.00
40 967 DL1	36	311.00
40 967 GN1	36	311.00
40 986 SD0	466	49.00
40 993 000	206, 688	65.00
41		
41 001 000	662	19.00
41 007 000	660	21.00
41 010 000	447, 659	31.00
41 015 000	659	33.00
41 020 000	661	61.00
41 022 000	661	56.00
41 027 000	202	71.00
41 027 A00	202	106.00
41 027 AL0	202	113.00
41 027 BE0	202	106.00
41 027 DA0	202	106.00
41 027 DC0	202	99.00
41 027 DL0	202	113.00
41 027 EN0	202	113.00
41 027 GL0	202	106.00
41 027 GN0	202	113.00
41 028 000	202	71.00
41 028 A00	202	106.00
41 028 AL0	202	113.00
41 028 BE0	202	106.00
41 028 DA0	202	106.00
41 028 DC0	202	99.00
41 028 DL0	202	113.00
41 028 EN0	202	113.00
41 028 GL0	202	106.00
41 028 GN0	202	113.00
41 029 000	202	34.00
41 030 000	659	35.00
41 031 000	659	37.00
41 033 000	659	44.00
41 035 000	202	79.00
41 035 A00	202	119.00
41 035 AL0	202	126.00
41 035 BE0	202	119.00
41 035 DA0	202	119.00
41 035 DC0	202	111.00
41 035 DL0	202	126.00
41 035 EN0	202	126.00
41 035 GL0	202	119.00
41 035 GN0	202	126.00
41 036 000	203	45.00
41 037 000	203	20.00
41 038 000	203	93.00
41 038 A00	203	140.00
41 038 AL0	203	149.00
41 038 BE0	203	140.00
41 038 DA0	203	140.00
41 038 DC0	203	130.00
41 038 DL0	203	149.00
41 038 EN0	203	149.00
41 038 GL0	203	140.00
41 038 GN0	203	149.00
41 039 000	203	25.00
41 039 A00	203	38.00
41 039 AL0	203	41.00
41 039 BE0	203	38.00
41 039 DA0	203	38.00
41 039 DC0	203	36.00
41 039 DL0	203	41.00
41 039 EN0	203	41.00
41 039 GL0	203	38.00
41 039 GN0	203	41.00
41 040 000	660	51.00
41 043 000	660	51.00
41 049 000	203	42.00
41 049 A00	203	63.00
41 049 AL0	203	68.00
41 049 BE0	203	63.00
41 049 DA0	203	63.00
41 049 DC0	203	59.00
41 049 DL0	203	68.00
41 049 EN0	203	68.00
41 049 GL0	203	63.00
41 049 GN0	203	68.00
41 050 000	447, 660	53.00
41 056 000	204	113.00
41 056 A00	204	169.00
41 056 AL0	204	181.00
41 056 BE0	204	169.00
41 056 DA0	204	169.00
41 056 DC0	204	158.00
41 056 DL0	204	181.00
41 056 EN0	204	181.00
41 056 GL0	204	169.00
41 056 GN0	204	181.00
41 057 000	204	133.00
41 058 000	204	147.00
41 058 A00	204	220.00
41 058 AL0	204	235.00
41 058 BE0	204	220.00
41 058 DA0	204	220.00
41 058 DC0	204	205.00
41 058 DL0	204	235.00
41 058 EN0	204	235.00
41 058 GL0	204	220.00
41 058 GN0	204	235.00
41 059 000	204	155.00
41 059 A00	204	233.00
41 059 AL0	204	248.00
41 059 BE0	204	233.00
41 059 DA0	204	233.00
41 059 DC0	204	217.00
41 059 DL0	204	248.00
41 059 EN0	204	248.00
41 059 GL0	204	233.00
41 059 GN0	204	248.00
41 063 000	205	127.00
41 063 A00	205	190.00
41 063 AL0	205	203.00
41 063 BE0	205	190.00
41 063 DA0	205	190.00
41 063 DC0	205	178.00
41 063 DL0	205	203.00
41 063 EN0	205	203.00
41 063 GL0	205	190.00
41 063 GN0	205	203.00
41 064 000	205	87.00
41 064 A00	205	131.00
41 064 AL0	205	140.00
41 064 BE0	205	131.00
41 064 DA0	205	131.00
41 064 DC0	205	122.00
41 064 DL0	205	140.00
41 064 EN0	205	140.00
41 064 GL0	205	131.00
41 064 GN0	205	140.00
41 066 000	205	310.00
41 066 A00	205	466.00
41 066 AL0	205	497.00
41 066 BE0	205	466.00
41 066 DA0	205	466.00
41 066 DC0	205	435.00
41 066 DL0	205	497.00
41 066 EN0	205	497.00
41 066 GL0	205	466.00
41 066 GN0	205	497.00
41 067 000	205	71.00
41 067 A00	205	106.00
41 067 AL0	205	113.00
41 067 BE0	205	106.00
41 067 DA0	205	106.00
41 067 DC0	205	99.00
41 067 DL0	205	113.00
41 067 EN0	205	113.00
41 067 GL0	205	106.00
41 067 GN0	205	113.00
41 068 000	206	56.00
41 068 A00	206	85.00
41 068 AL0	206	90.00
41 068 BE0	206	85.00
41 068 DA0	206	85.00
41 068 DC0	206	79.00
41 068 DL0	206	90.00
41 068 EN0	206	90.00
41 068 GL0	206	85.00
41 068 GN0	206	90.00
41 069 000	206	113.00
41 069 A00	206	169.00
41 069 AL0	206	181.00
41 069 BE0	206	169.00
41 069 DA0	206	169.00
41 069 DC0	206	158.00
41 069 DL0	206	181.00
41 069 EN0	206	181.00
41 069 GL0	206	169.00
41 069 GN0	206	181.00
41 070 000	658	27.00
41 073 000	447, 658	34.00
41 076 000	206	141.00
41 076 A00	206	212.00
41 076 AL0	206	226.00
41 076 BE0	206	212.00
41 076 DA0	206	212.00
41 076 DC0	206	198.00
41 076 DL0	206	226.00
41 076 EN0	206	226.00
41 076 GL0	206	212.00
41 076 GN0	206	226.00
41 077 000	206	212.00
41 077 A00	206	317.00
41 077 AL0	206	339.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
41 077 BE0	206	317.00
41 077 DA0	206	317.00
41 077 DC0	206	296.00
41 077 DL0	206	339.00
41 077 EN0	206	339.00
41 077 GL0	206	317.00
41 077 GN0	206	339.00
41 082 000	658	47.00
41 110 000	660	34.00
41 125 000	662	22.00
41 126 000	662	46.00
41 130 000	660	59.00
41 133 000	660	34.00
41 154 000	659	42.00
41 190 000	659	35.00
41 206 000	664	164.00
41 208 000	664	146.00
41 212 000	664	128.00
41 230 000	662	44.00
41 231 000	662	49.00
41 238 000	662	17.00
41 239 000	662	19.00
41 263 000	447, 657	9.00
41 270 000	662	36.00
41 275 000	662	49.00
41 827 000	663	18.00
42		
42 041 000	621	228.00
42 075 000	618	9.00
42 137 000	612	24.00
42 177 00M	488, 497	4.00
42 216 000	601	56.00
42 233 000	613, 692	17.00
42 242 000	618	6.00
42 253 000	610	85.00
42 265 000	613	190.00
42 271 00M	612	66.00
42 297 PI0	610	70.00
42 300 000	618	14.00
42 302 000	692	85.00
42 302 SH0	692	69.00
42 303 000	692	91.00
42 303 SH0	692	72.00
42 304 000	692	85.00
42 304 P00	692	94.00
42 304 SH0	692	61.00
42 305 000	692	89.00
42 305 P00	692	92.00
42 305 SH0	692	63.00
42 315 000	616, 692	16.00
42 320 000	612	46.00
42 327 000	585, 615	17.00
42 333 000	585, 615	18.00
42 388 000	472, 475	79.00
42 393 000	472, 476	49.00
42 397 000	600	11.00
42 408 000	496	23.00
42 429 000	276	120.00
42 459 000	538	71.00
42 593 000	618, 692	35.00
42 766 000	600	20.00
42 773 000	615	24.00
42 774 000	613	76.00
42 775 000	693	10.00
42 886 000	527, 682	35.00
42 901 000	623	325.00
42 902 000	623	339.00
42 946 000	585, 615	15.00
43		
43 040 000	639	16.00
43 310 000	639	19.00
43 352 000	613	7.00
43 486 000	612	65.00
43 535 000	616, 692	5.00
43 536 000	611	8.00
43 537 000	610	27.00
43 540 000	616, 692	9.00
43 542 000	616	18.00
43 544 000	616, 692	18.00
43 545 000	616	24.00
43 617 000	601, 626	80.00
43 722 000	617, 693	19.00
43 733 000	611	5.00
43 734 000	617	11.00
43 735 000	617	22.00
43 745 000	617, 693	16.00
43 758 00M	611, 693	76.00
43 770 00M	617	10.00
43 813 000	669	253.00
43 818 000	639	17.00
43 897 000	688	51.00
43 907 PI0	610	106.00
43 908 000	613	29.00
43 976 000	617	10.00
43 996 000	622	192.00
43 997 000	622	241.00
45		
45 058 000	676	41.00
45 120 000	504, 684	30.00
45 202 000	268, 674	17.00
45 203 000	268, 674	17.00
45 247 000	447, 677	23.00
45 304 000	687	40.00
45 342 000	672	38.00
45 346 000	672	37.00
45 459 000	383	10.00
45 562 000	432	54.00
45 650 IP0	687	62.00
45 704 000	447, 501	44.00
45 869 000	672	39.00
45 882 000	672	37.00
45 883 000	673	43.00
45 885 000	672	61.00
45 914 XE0	342, 383	14.00
45 937 000	691	29.00
45 951 000	672	22.00
45 956 000	672	22.00
45 959 000	672	24.00
45 964 000	672	9.00
45 965 000	672	9.00
45 966 000	672	23.00
45 967 000	672	23.00
45 968 000	672	23.00
45 969 000	672	23.00
45 978 000	672	32.00
45 984 001	18, 25	511.00
46		
46 048 000	668	57.00
46 058 000	683	54.00
46 249 000	689	12.00
46 257 000	522	83.00
46 259 000	522	25.00
46 277 000	525, 668	10.00
46 278 000	525, 668	97.00
46 308 000	668	12.00
46 315 000	686	25.00
46 338 000	685	32.00
46 343 000	521, 674	273.00
46 345 000	689	20.00
46 374 000	668	59.00
46 375 000	668	12.00
46 409 000	668	62.00
46 558 000	668	50.00
46 580 000	668	66.00
46 627 000	674	140.00
46 686 000	525	31.00
46 687 000	525	46.00
46 688 000	522	49.00
46 689 000	522	33.00
46 710 000	685	94.00
46 717 000	407	166.00
46 731 000	685	78.00
46 765 000	679	26.00
46 769 000	685	53.00
46 837 000	678	26.00
46 857 000	685	78.00
46 858 000	685	35.00
46 858 DC0	685	108.00
46 863 000	668	61.00
46 882 00M	537	66.00
46 883 00M	537	122.00
46 884 000	537	100.00
46 901 000	71, 112	107.00
46 907 000	668	62.00
46 925 000	685	25.00
46 925 DC0	685	79.00
46 943 000	674	181.00
46 944 001	542	251.00
46 947 000	683	63.00
46 947 AL0	683	100.00
46 947 DC0	683	71.00
46 956 000	685	61.00
46 956 DC0	685	73.00
46 963 000	668	36.00
46 977 00M	543	54.00
46 978 000	543	54.00
46 978 001	543	113.00
46 979 000	544	22.00
46 989 000	669	49.00
47		
47 010 000	670	243.00
47 012 000	670	277.00
47 019 000	670	443.00
47 111 000	670	286.00
47 175 000	251, 253	162.00
47 186 000	670	266.00
47 189 000	681	41.00
47 217 000	670	61.00
47 220 000	670	201.00
47 310 000	670	226.00
47 349 000	670	133.00
47 364 000	671	106.00
47 439 000	670	112.00
47 450 000	670	115.00
47 483 000	670	164.00
47 533 000	497, 504	28.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
47 569 000	511	291.00
47 780 000	494, 508	161.00
47 781 000	508	188.00
47 837 000	277	83.00
47 867 000	277	83.00
47 868 000	277	83.00
47 877 000	277	83.00
47 979 000	508	12.00
47 994 000	508	8.00
48		
48 021 000	690	10.00
48 051 000	348, 358	9.00
48 053 000	306	81.00
48 054 000	306	120.00
48 099 000	687	17.00
48 159 000	678	9.00
48 166 000	691	21.00
48 189 000	678	20.00
48 190 000	678	20.00
48 191 000	678	20.00
48 279 000	687	33.00
48 293 000	684	42.00
48 297 000	669	17.00
48 348 000	278, 282	41.00
48 349 000	282, 305	111.00
48 350 000	282, 305	135.00
48 359 000	669	60.00
48 384 000	445, 689	14.00
48 407 000	683	18.00
48 407 DC0	683	45.00
48 410 000	679	*
48 416 000	685	41.00
48 416 DC0	685	55.00
48 417 000	678	7.00
48 423 000	687	15.00
48 424 000	687	27.00
48 424 AL0	687	44.00
48 424 DC0	687	132.00
48 442 000	683	82.00
48 448 000	683	129.00
48 473 000	685	117.00
48 474 000	685	60.00
48 477 000	689	10.00
48 487 000	685	124.00
48 487 A00	685	283.00
48 487 AL0	685	331.00
48 487 BE0	685	238.00
48 487 DA0	685	285.00
48 487 DC0	685	244.00
48 487 DL0	685	332.00
48 487 EN0	685	248.00
48 487 GL0	685	313.00
48 487 GN0	685	360.00
48 488 000	684	55.00
48 497 000	289, 305	248.00
48 498 000	289, 306	116.00
48 514 000	305	56.00
48 515 000	305	51.00
48 518 000	668	18.00
49		
49 003 000	267	229.00
49 016 000	698	11.00
49 018 000	697	9.00
49 019 000	698	9.00
49 020 000	697	34.00
49 021 000	698	9.00
49 022 000	696	32.00
49 023 000	697	17.00
49 024 000	696	81.00
49 025 000	696	29.00
49 027 000	696	81.00
49 028 000	670	59.00
49 061 000	697	23.00
49 065 000	697	24.00
49 066 000	697	43.00
49 084 000	671	59.00
49 088 000	669	9.00
49 113 000	552	2,284.00
49 113 SH0	552	2,284.00
49 114 000	553	189.00
49 115 000	552	114.00
49 120 000	696	19.00
49 509 000	696	74.00
49 510 000	696	75.00
49 512 000	696	47.00
49 516 000	696	28.00
49 518 000	696	42.00
49 522 000	562, 696	77.00
49 526 000	698	14.00
49 527 000	697	28.00
49 528 000	697	44.00
49 529 000	696	25.00
49 530 000	697	15.00
49 533 000	571	56.00
49 534 000	571	56.00
49 538 000	698	30.00
49 539 000	697	87.00
49 540 000	697	41.00
49 542 SH0	698	149.00
65		
65 655 000	683	24.00
65 655 AL0	683	82.00
65 655 DC0	683	79.00
65 807 000	680	50.00
65 807 A00	680	75.00
65 807 AL0	680	80.00
65 807 BE0	680	75.00
65 807 DA0	680	75.00
65 807 DC0	680	70.00
65 807 DL0	680	80.00
65 807 EN0	680	80.00
65 807 GL0	680	75.00
65 807 GN0	680	80.00
65 807 LS0	680	95.00
65 808 000	680	53.00

* price on request

GROHE
SURVEY OF REFERENCES

* price on request

LIXIL MAKES BETTER HOMES
A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.

Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide. What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarat wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.


› WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.

lixil.com

LIXIL Link to Good Living












GROHE | American Standard | INAX | TOSTEM | SATO

Visit us:



QUALITY

*"**No.1** most trusted brand in the sanitary industry" –*
Wirtschaftswoche, 2017



TECHNOLOGY

*"**Top 50** companies to change the world" –*
Fortune Magazine, 2017



DESIGN

*Over **400 design awards** won since 2003*



SUSTAINABILITY

***Double award winner** of the German Sustainability Award 2021*

PLEASE CONTACT OUR LOCAL REPRESENTATIVES BELOW:

ESTONIA:
Paavo Sedrik
Tel.: +372 505 1639
paavo.sedrik@grohe.com
www.grohe.ee

LATVIA:
Toms Irbens
Tel.: +371 2 6122223
toms.irbens@grohe.com
www.grohe.lv

LITHUANIA:
Aistė Stankevičienė
Tel.: +370 68773336
aiste.stankeviciene@grohe.com
www.grohe.lt

GROHE AG Eesti filiaal
Tartu mnt 16
10117 Tallinn
Estonia
Tel.: +372 661 6354
grohe@grohe.ee

EST_02/2022 - Copyright by GROHE

PART OF LIXIL