

Pure Freude  
an Wasser

**GROHE**



# SPECIFIERS' KITCHEN CATALOGUE **2020**

EDITION FOR PROFESSIONALS



PRICES VALID FROM 1<sup>st</sup> JANUARY 2020 | [GROHE.CO.UK](https://www.grohe.co.uk)

GROHE  
KITCHEN FITTINGS





## CONTENTS

Water Systems	GROHE Blue Professional	25
	GROHE Blue Home	33
	GROHE Blue Pure	43
	GROHE Blue Accessories	47
	GROHE Red	53
	Waste separation systems	59
Premium Lines	K7	63
	Foot Control	65
	Minta / Minta SmartControl / Minta Touch	67
	Zedra / Zedra SmartControl / Zedra Touch	73
	Atrio	77
	Essence	79
	Eurocube	83
Competence Lines	Ambi	85
	Parkfield	87
	Eurodisc Cosmopolitan	89
	Eurodisc	91
	Concetto	93
	Eurostyle Cosmopolitan	97
	Eurosmart Cosmopolitan	101
	Eurosmart	105
	Euroeco / Euroeco Special	109
	Costa	111
	Bau Lines	115
	Soap dispensers and Accessories	119
Kitchen sinks	Stainless steel sinks	123
	Composite sinks	130
Discover the World of GROHE		138
LIXIL makes better homes a reality for everyone, everywhere		140

# HANDS ON GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen taps include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



## Lead+Nickel Free

No contact of water with lead and nickel due to isolated inner water ways.



## EasyExchange

The aerator is easy to install and de-install using just a coin.



## Professional Spray

Features a 360° spring arm and easy switching between the spray and mousseur.



## EasyTouch

Just touch the tap at any point with your wrist, elbow or just your fingertip to turn the tap ON and OFF.



## FootControl

Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the tap ON and OFF.



## Magnetic Docking

Thanks to powerful integrated magnets the pull-out spray head retracts easily and smoothly to the perfect position after every use.



## Pull-Out Dual Spray

Increases operating radius of the tap and offers easy switching between mousseur and the spray.



## Pull-Out Mousseur

Increases the operating radius of your tap.



## EasyDock

Guarantees easy retraction and smooth docking for your pull-out spray head, every time.



**GROHE QuickFix Plus**  
65% faster installation.



**SpeedClean**  
Remove limescale  
with a single wipe.



**OpenWaterHeater**  
The perfect flow in combination  
with open water heaters.



**StopValve**  
Includes a dishwasher shut-off  
valve on the tap body.




**PreWindow**  
To open the window, just lift  
up the tap and lay it flat on the  
surface.



**ComfortHeight**  
Height of the spout allows  
easy filling of large pots.



**SwivelStop**  
Limited turn angle  
prevents flooding.



**Forward Rotating Lever**  
Forward rotating lever prevents  
the lever hitting the backsplash.



**Enhanced Water**  
Superior-quality water directly  
from the kitchen tap – saving  
time, money and the environment.



**ChildLock**  
Integrated safety mechanism  
prevents unintentional opening  
by young children.



**Titanium Inside**  
All boilers in our GROHE Red  
collection are made from  
titanium.

# GROHE BLUE HOME

## WELCOME TO YOUR **PRIVATE** **WATER SOURCE**

When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure. And your kitchen into a meeting place for thirsty friends.



## **STILL, MEDIUM OR SPARKLING:** THE CHOICE IS ALL YOURS

How sparkling do you like your water? It's all a matter of taste. GROHE Blue Home has a simple and intuitive mechanism that lets you carbonate your drinking water at the touch of a button. Deliciously cool filtered water, just the way that you – and all your family – like it.



Still waters run deep. If you prefer your water cool and still, nothing could be simpler: just push the top button. The LED lights up blue and your glass fills with pure refreshment.



Sparkling – but not too much? More of a medium sparkling? Coming right up. Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.



Sparkling water, alive with bubbles. If that's your idea of thirst-quenching heaven, just press the lower button – the LED lights up green – for your perfect glass of water.

## THE **MAGIC** IS IN THE FILTER

For our GROHE Blue system we have worked with BWT, Europe's leading filtered water professionals, to ensure that our system produces an unparalleled, refreshing drinking experience. Our standard high performance S-Size filter comes with every GROHE Blue Home starter set. It uses a five-step filtration process to remove even the smallest particles from tap water, while leaving behind all the important minerals that benefit your health.



KITCHEN  
FITTINGS



## THE **GUARANTEE** FOR PURE TASTE

If you enjoy tea and coffee, you'll love them even more with GROHE Blue Home. Whether in your coffee machine or for making tea, the still water brings out the best in your favourite hot drinks. And thanks to the ultimate purity of the filtered water, the aromas can develop to the full – for an unforgettable café crema. At the same time protecting your high-end kitchen appliances.

# GROHE BLUE HOME

## NEW: WITH PULL-OUT FUNCTION

Our new GROHE Blue Home taps now come with a pull-out mousseur head for ultimate functionality and flexibility. Select from three contemporary tap shapes with a pull-out head, each with a hygienic mouser and two separate waterways, delivering both filtered and unfiltered water effortlessly.



## CONTROL VIA SMARTPHONE APP

Control your GROHE Blue Home tap via smartphone app for total convenience. The GROHE Ondus App will not only let you know when the filter or CO2 need replacing, but can reorder for you automatically. Use it to pour water and monitor your consumption via personal fitness apps.

### System requirements

iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

# THE **GROHE BLUE HOME** PRODUCT PORTFOLIO



**31 454 001 / 31 454 DC1**  
GROHE Blue Home  
L-spout



**31 455 001 / 31 455 DC1**  
GROHE Blue Home  
C-spout



**31 456 001 / 31 456 DC1**  
GROHE Blue Home  
U-spout



**31 498 001 / 31 498 DC1**  
GROHE Blue Home  
Mono



**31 539 000 / 31 539 DC0**  
GROHE Blue Home  
L-spout with pull-out



**31 541 000 / 31 541 DC0**  
GROHE Blue Home  
C-spout with pull-out



**31 543 000 / 31 543 DC0**  
GROHE Blue Home  
U-spout with pull-out

KITCHEN  
FITTINGS

## GROHE BLUE HOME CONTAINS:



# GROHE BLUE PROFESSIONAL

## THE **PERFECT SOLUTION** FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.

The GROHE Blue Professional water system makes this a reality in your own home. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the tap.



Hot and cold  
mixed water.

GROHE Blue  
Filtered, chilled and  
sparkling water.

## FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS** **TO YOUR OFFICE:**

Access to fresh, cool water at any time - still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing

# GROHE BLUE PROFESSIONAL PRODUCT PORTFOLIO



**31 323 002 / 31 323 DC2**  
GROHE Blue Professional  
C-spout



**31 347 003 / 31 347 DC3**  
GROHE Blue Professional  
L-spout



**31 325 002 / 31 325 DC2**  
GROHE Blue Professional  
C-spout, pull out mousseur



**31 326 002 / 31 326 DC2**  
GROHE Blue Professional  
L-spout, pull out mousseur



**31 302 002 / 31 302 DC2**  
GROHE Blue Professional  
Mono

# GROHE RED

## 99° C STRAIGHT FROM THE TAP

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen faucet.

With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.



## THE **BENEFITS** ARE CRYSTAL CLEAR

### SAFETY FIRST

Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

### NO MORE WAITING

kettle-hot water is always available at the turn of the lever, so waiting for the kettle or pot to boil is a thing of the past

### LESS WASTE

you only take the exact amount of hot water you need, so you save on water and energy consumption

### CLEAN, FRESH TASTE

filtered water heated to 100 degrees for an exceptional taste experience

### CLEAR YOUR WORKTOP

no need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single faucet



# GROHE RED

## PRODUCT PORTFOLIO



● ●  
**30 340 001 / 30 340 DC1**  
GROHE RED Duo  
L-spout, L Size



●  
**30 329 001**  
GROHE RED Mono  
L-spout, M Size



● ●  
**30 058 001 / 30 058 DC1**  
GROHE RED Duo  
C-spout, M Size



●  
**30 060 001**  
GROHE RED Mono  
C-spout, M Size

**30 327 001 / 30 327 DC1**  
GROHE RED Duo  
L-spout, M Size

EACH GROHE RED CONTAINS  
BOILER (M OR L SIZE) & FILTERSET.



BOILER L SIZE BOILER M SIZE



**40 841 001**  
GROHE RED mixing valve

**Colour options:**  
● 001 | StarLight Chrome | ● DC1 | SuperSteel

# GROHE EASYTOUCH



Simple activation/deactivation  
of the water flow by touch.



Manual control with the lever.



# GROHE FOOTCONTROL



For kitchens where time is of the essence and convenience is a must, why not go hands-free? GROHE's new FootControl taps can be turned on and off with a gentle tap of your foot on the base unit, leaving your hands free and your tap spotless at all times. Three of our most popular taps now come with this innovative FootControl technology, or you can retro-fit the feature to any GROHE pull-out kitchen tap. To say goodbye to germs, mess and hassle, simply tap your feet!



# GROHE PROFESSIONAL SPRAYS

## THE COLORFUL WORLD OF **ESSENCE** PROFESSIONAL

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic santoprene hose is not only easy-to-clean but also comes in a choice of 11 colour finishes.



### Colour options (hose)

Order 30 294 000 (chrome) / 30 294 DC0 (SuperSteel) and add a colour of your choice 30 321 + color code

● MW0   Sheer Marble	● XC0   Dark Grey	● YF0   Yellow	● YR0   Orange	● DG0   Red
● DP0   Pink	● DU0   Purple	● GE0   Green	● TY0   Blue	● HG0   Dark Brown

### Exchange the hose via 4 simple steps:



#### Step 1

Loose the 2 screws with the screwdriver from the body and the spray.



#### Step 2

Take the original hose with the connection out of the tap body and the spray and put it to the side.



#### Step 3

Take the new hose and insert it with the connection into the tap body and the spray.



#### Step 4

Insert the 2 screws with the screw driver.










## A CYLINDRICAL STATEMENT **CONCETTO PROFESSIONAL**

Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousseur and powerful SpeedClean spray with ease - the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.



# GROHE KITCHEN SINK FEATURES

## STAINLESS STEEL SINKS






	STANDARD BUILT-IN	FLAT-EDGE	FLUSH-MOUNT	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	AISI 304 (V2A)	AISI 316 (V4A)	SATIN FINISH	PVD COLOR	PRE-POLISHED	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED	BUNDLE AVAILABLE
	MOUNTING TYPE				NUMBER OF BOWLS & RADIUS				DRAINER	MATERIAL		FINISH		ADDITIONAL FEATURES				
K1000 			●		●			R10	●	●		●			●		●	
K800 			●		●		●	R10		●		●			●		●	
K700 U 			●	●		●		R10		●		●	●				***	
K700 			●		●			R15		●		●					***	
K500 	●				●	●	●	R65	●	●		●			●	●	●	●
K400+ 		●			●	●		R20	●		●	●			●	●	●	
K400 	●				●	●	●	R20	●	●		●			●	●	●	●
K300 	●				●	●		R95	●	●		●			●	●	●	●
K200 	●				●	●		R100/ R60	●	●			●		●	●	●	●

\* R0 (bottom, front & back top) / R30 (right & left top)

\*\* R0 (vertical) / R9 (bottom)

















\*\*\* optional accessory 40 953 000

COMPOSITE SINKS

	STANDARD BUILT-IN	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	COMPOSITE	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED
	MOUNTING TYPE		NUMBER OF BOWLS & RADIUS				DRAINER	MATERIAL	ADDITIONAL FEATURES		
K700 U 	●	●	●			R0 / R30*		●			●
K700 	●	○	●	●	●	R0		●	●	○	●
K500 	●	○	●	●		R0 / R9**	●	●	●	○	●
K400 	●		●	●		R15	●	●	●	●	●
K200 	●		●			R60		●	●		●






















○ selected products  
● all products in this line

## GROHE BLUE & GROHE RED WATERSYSTEMS
















	DESIGN	MIXED WATER	FILTERED WATER	SPARKLING WATER	BOILING WATER	PULL-OUT MOUSSEUR	CO <sub>2</sub> -BOTTLE	FILTER	FILTERHEAD	CARBONIZER	BOILER	APP CONTROL	CHROME	PVD COLORS	PERFECT MATCH	
															SOAP DISPENSER 40 535 000 / 40 535 DC0 (available colors p. 264)	WASTE SYSTEMS
GROHE BLUE HOME		•	•	•		•	•	•	•	•		•	•	•	•	•
		•	•	•		•	•	•	•	•		•	•	•	•	•
		•	•	•		•	•	•	•	•		•	•	•	•	•
GROHE BLUE HOME MONO			•	•			•	•	•			•	•	•	•	•
GROHE BLUE PROFESSIONAL		•	•	•		•	•	•	•	•		•	•	•	•	•
		•	•	•		•	•	•	•	•		•	•	•	•	•
		•	•	•		•	•	•	•	•		•	•	•	•	•
GROHE BLUE MONO PROFESSIONAL			•	•			•	•	•	•		•	•	•	•	•
GROHE BLUE PURE FILTER		•	•					•	•				•	•	•	•*
		•	•					•	•				•	•	•	•*
GROHE BLUE PURE FILTER MONO			•					•	•				•	•	•	•*
GROHE RED DUO		•			•			•	•		•		•	•	•	•
		•			•			•	•		•		•	•	•	•
		•			•			•	•		•		•	•	•	•
GROHE RED MONO					•			•	•		•		•	•	•	•
					•			•	•		•		•	•	•	•

\* Additional waste bin is needed












# GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	FILTERED WATER	EASYTOUCH	FOOTCONTROL	SMARTCONTROL	PROFESSIONAL SPRAY	PULL-OUT TRIPLE SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLORS	PERFECT MATCH – OUR RECOMMENDATION			
															SOAP DISPENSER 40 535 000 / 40 535 DC0 (available colors p. 264)	SOAP DISPENSER 40 536 000 / 40 536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE K7								●		●			●	●	●			
						●							●	●	●			
GROHE K7 FOOTCONTROL				●		●							●		●			
GROHE MINTA					●			●	●			●	●	●	●			
								●	●				●	●	●			
								●	●				●	●	●			
GROHE MINTA TOUCH			●					●					●	●	●			
			●						●				●	●	●			
GROHE ZEDRA					●		●	●				●	●	●			●	
		●					●	●				●	●	●			●	
GROHE ZEDRA TOUCH			●				●	●					●	●			●	
GROHE ESSENCE					●	●		●					●	●	●			
GROHE ESSENCE FOOTCONTROL				●				●					●	●	●			
GROHE ATRIO													●	●	●			
GROHE EUROCUBE													●	●	●			
						●							●	●	●			
GROHE AMBI													●		●	●		
GROHE PARKFIELD								●					●	●				●
GROHE EURODISC COSMOPOLITAN								●			●	●	●		●			
									●				●		●			
													●		●			

## GROHE FUNCTIONALITY AT A GLANCE

















	DESIGN	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLORS	PERFECT MATCH – OUR RECOMMENDATION	
									SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0
GROHE CONCETTO		●					●	●	●	
		●	●	●	●	●	●	●	●	
		●	●	●		●	●	●	●	
		●					●		●	
GROHE EUROSTYLE COSMOPOLITAN							●		●	
					●	●	●		●	
			●	●			●		●	
							●		●	
GROHE EUROSMART COSMOPOLITAN					●	●	●		●	
						●	●	●	●	
			●				●	●	●	
GROHE EUROSMART			●				●	●		●
						●	●	●		●
							●			●
GROHE BAU							●			●

GROHE LOW PRESSURE FITTINGS

	DESIGN	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLORS	PERFECT MATCH – OUR RECOMMENDATION	
								SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0
GROHE ZEDRA		●				●			●
GROHE MINTA			●			●		●	
		●				●		●	
GROHE CONCETTO			●	●	●	●		●	
			●			●		●	
GROHE EUROSTYLE COSMOPOLITAN						●		●	
						●		●	
						●		●	
GROHE EUROSMTART COSMOPOLITAN						●		●	
						●	●	●	
						●		●	

KITCHEN  
FITTINGS



# ACCESSORIES FOR GROHE WATER SYSTEMS

	FILTER					CO <sub>2</sub> BOTTLES				CLEANING AND ACCESSORIES		
	 <b>40 404 001</b> S-Size	 <b>40 430 001</b> M-Size	 <b>40 412 001</b> L-Size	 <b>40 547 001</b> ACTIVATED CARBON	 <b>40 691 001</b> MAGNESIUM	 <b>40 422 000</b> CO <sub>2</sub> STARTER KIT 425 G	 <b>40 687 000</b> CO <sub>2</sub> REFILL 425 G	 <b>40 423 000</b> CO <sub>2</sub> STARTER KIT 2 KG	 <b>40 424 000</b> CO <sub>2</sub> REFILL 2 KG	 <b>40 962 000</b> CO <sub>2</sub> ADAPTER TO 425 G	 <b>40 434 001</b> CLEANING CARTRIDGE	 <b>40 694 000</b> CLEANING CARTRIDGE ADAPTER
 GROHE BLUE HOME	•	•		•	•	•					•	•
 GROHE BLUE PROFESSIONAL	•	•	•	•	•	•		•		•	•	•
 GROHE RED	•	•	•		•							
 FILTER TAPS	•	•	•	•	•							

# GROHE BLUE PROFESSIONAL



# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 323 002	Chrome	4005176989933	2,067.83
31 323 DC2	supersteel	4005176989940	2,324.34
<p><b>GROHE Blue Professional C-spout kit</b>  Consisting of:  <b>GROHE Blue</b> single-lever sink mixer with filter function monobloc installation  C-spout  touch operated for 3 types of filtered and chilled water still, medium, sparkling  <b>GROHE StarLight</b> chrome finish  28 mm ceramic cartridge  with <b>GROHE SilkMove</b>  swivel tubular spout  swivel area 150°  separate inner water ways for filtered and non-filtered water  flexible connection hoses  <b>GROHE Blue Professional</b> cooler  delivers 12 liters of chilled sparkling water per hour  colour display with push and turn control  270 Watt cooling unit, 230 V, 50 Hz  type of protection IP 21  CE approved  requires ventilation holes in the bottom of the kitchen cabinet  software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app  push notifications at low filter resp. CO<sub>2</sub> capacity  additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices  Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  filter head with flexible water hardness adjustment  GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the delivery and have to be ordered separately  suitable filters:  - filter S-size, capacity 600 l at 20° dKH (40 404 001)  - filter M-size, capacity 1500 l at 20° dKH (40 430 001)  - filter L-size, capacity 2500 l at 20° dKH (40 412 001)  - activated carbon filter, capacity 3000 l (40 547 001)  - Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)</p>			
 			
<p><b>System requirements Apple</b>  iPhone with iOS 9.0 or higher</p> <p><b>System requirements Android</b>  smart phone with Android 4.3 or higher</p> <p>Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.</p> <p>* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.</p> <p>** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.</p> <p>*** Available for free via iTunes app or Google Play store.  to be equipped with a non-return valve EA approved by Belgaqua</p>			

# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 347 003	Chrome	4005176443336	2,067.83
31 347 DC3	supersteel	4005176446559	2,324.34



## GROHE Blue Professional L-spout kit

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible  
with Bluetooth 4.0\* and WIFI interface for wireless data communication  
for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

## System requirements Apple

iPhone with iOS 9.0 or higher

## System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.  
to be equipped with a non-return valve EA approved by Belgaqua

# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 325 002	Chrome	4005176507274	2,172.53
31 325 DC2	supersteel	4005176507250	3,261.43



## GROHE Blue Professional C-spout kit

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

**pull out mousseur spout**

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible  
with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls  
between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the  
delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- activated carbon filter, capacity 3000 l (40 547 001)
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

## System requirements Apple

iPhone with iOS 9.0 or higher

## System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have  
to be ordered separately via an authorised Apple store/store/iTunes or Google Play  
store.

\* The Bluetooth word mark and logos are registered trademarks owned by  
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.  
Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of  
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for  
the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.  
to be equipped with a non-return valve EA approved by Belgaqua

# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 326 002	Chrome	4005176507236	2,172.53
31 326 DC2	supersteel	4005176507212	3,261.43



## GROHE Blue Professional L-spout kit

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

**pull out mousseur spout**

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- activated carbon filter, capacity 3000 l (40 547 001)
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

## System requirements Apple

iPhone with iOS 9.0 or higher

## System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.  
to be equipped with a non-return valve EA approved by Belgauqua

# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 302 002	Chrome	4005176443343	1,968.36
31 302 DC2	supersteel	4005176443350	2,197.66



## GROHE Blue Professional C-spout kit

Consisting of:

**GROHE Blue** Mono mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** chrome finish

swivel tubular spout

swivel area 150°

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- activated carbon filter, capacity 3000 l (40 547 001)
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

## System requirements Apple

iPhone with iOS 9.0 or higher

## System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.  
to be equipped with a non-return valve EA approved by Belgaqua

# GROHE BLUE PROFESSIONAL



Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 554 002		4005176458521	2,444.00

## **GROHE Blue Professional Cooler and carbonizer**

delivers 12 liters of chilled water per hour  
colour display with push and turn control  
270 Watt cooling unit, 230 V, 50 Hz  
type of protection IP 21  
CE approved  
requires ventilation holes in the bottom of the kitchen cabinet  
software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app  
push notifications at low filter resp. CO<sub>2</sub> capacity  
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0\* and WIFI interface for wireless data communication for Apple\*\* and Android devices  
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  
compatible only with GROHE Blue faucets with push button operation

### **System requirements Apple**

iPhone with iOS 9.0 or higher

### **System requirements Android**

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.  
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)



# GROHE BLUE HOME



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 455 001	Chrome	4005176454134	1,989.90
31 455 DC1	supersteel	4005176454141	2,281.68
31 455 DA1	warm sunset	4005176488955	2,249.00
31 455 DL1	brushed warm sunset	4005176488962	2,249.00
31 455 A01	hard graphite	4005176488931	2,249.00
31 455 AL1	Brushed Hard Graphite	4005176488948	2,249.00

## GROHE Blue Home

### C-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water

still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements: Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.


Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgaqua



GROHE  
BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 455 000	Chrome	4005176323027	1,989.90
31 455 DC0	supersteel	4005176323034	2,281.68



**GROHE Blue Home C-spout**  
Consisting of:  
GROHE Blue Home single-lever sink mixer with filter function monobloc installation  
C-spout  
touch operated for 3 types of filtered and chilled water still, medium, sparkling  
**GROHE StarLight** finish  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
swivel tubular spout, swivel area 150°  
separate inner water ways for filtered and non-filtered water  
flexible connection hoses  
GROHE Blue Home cooler  
delivers 3 liters of chilled water per hour  
180 Watt cooling unit, 230 V, 50 Hz  
type of protection IP 21  
CE approved  
requires ventilation holes in the bottom of the kitchen cabinet  
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter  
GROHE Blue filter S-Size, filter head with flexible water hardness adjustment  
for regions with water hardness of more than 9° dKH  
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001  
**GROHE Blue** 425 g CO<sub>2</sub> bottle

KITCHEN  
FITTINGS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 541 000	Chrome	4005176437038	2,100.51
31 541 DC0	supersteel	4005176437045	2,646.32



## GROHE Blue Home C-spout

Consisting of:  
GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

**pull out mousseur spout**

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

## System requirements: Apple

iPhone with iOS 9.0 or higher

## System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgaqua

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 454 001	Chrome	4005176454110	1,989.90
31 454 DC1	supersteel	4005176454127	2,281.68
31 454 DA1	warm sunset	4005176488917	2,249.00
31 454 DL1	brushed warm sunset	4005176488924	2,249.00
31 454 A01	hard graphite	4005176488894	2,249.00
31 454 AL1	Brushed Hard Graphite	4005176488900	2,249.00

## GROHE Blue Home

### L-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data

at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

### System requirements Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.  
to be equipped with a non-return valve EA approved by Belgaqua



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 539 000	Chrome	4005176437014	2,100.51
31 539 DC0	supersteel	4005176437021	2,646.32



## GROHE Blue Home

### L-spout

Consisting of:  
GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

### L-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

### pull out mousseur spout

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements: Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgaqua

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 456 001	Chrome	4005176454158	1,989.90
31 456 DC1	supersteel	4005176454165	2,281.68

## GROHE Blue Home

### U-spout

Consisting of:  
GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

### U spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

### GROHE StarLight finish

28 mm ceramic cartridge

### with GROHE SilkMove

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet  
software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication  
for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter  
40 547 001

GROHE Blue 425 g CO<sub>2</sub> bottle

### System requirements: Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.


This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgacqua



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 543 000	Chrome	4005176437052	2,100.51
	31 543 DC0	supersteel	4005176437069	2,646.32
	<b>GROHE Blue Home U-spout</b> Consisting of: GROHE Blue Home single-lever sink mixer with filter function monobloc installation U spout touch operated for 3 types of filtered and chilled water still, medium, sparkling <b>GROHE StarLight</b> finish 28 mm ceramic cartridge with <b>GROHE SilkMove</b> <b>pull out mousseur spout</b> swivel tubular spout, swivel area 360° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Home cooler delivers 3 liters of chilled sparkling water per hour 180 Watt cooling unit, 230 V, 50 Hz type of protection IP 21 CE approved requires ventilation holes in the bottom of the kitchen cabinet software set-up and monitoring of filter and CO <sub>2</sub> capacity possible via GROHE Ondus app with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter GROHE Blue filter S-Size, filter head with flexible water hardness adjustment for regions with water hardness of more than 9° dKH for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001 <b>GROHE Blue</b> 425 g CO <sub>2</sub> bottle			
				
	<b>System requirements: Apple</b> iPhone with iOS 9.0 or higher			
	<b>System requirements Android</b> smart phone with Android 4.3 or higher			
	Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.			
	* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.			
	** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards			
	*** Available for free via iTunes app or Google Play store. This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a> to be equipped with a non-return valve EA approved by Belgaqua			



to be equipped with a non-return valve EA approved by Belgacqua

40 711 001		4005176454301	1,144.18
------------	--	---------------	----------

## GROHE Blue Home Cooler

180 Watt cooling unit, 230 V, 50 Hz  
delivers 3 liters of chilled sparkling water per hour  
CE approved  
requires ventilation holes in the bottom of the kitchen cabinet  
software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app  
with Bluetooth 4.0\* and WIFI interface for wireless data communication for Apple\*\* and Android devices  
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter

### System requirements: Apple

iPhone with iOS 9.0 or higher

### System requirements Android


smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards




\*\*\* Available for free via iTunes app or Google Play store.  
to be equipped with a non-return valve EA approved by Belgaqua




# GROHE BLUE PURE




# GROHE BLUE PURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 382 000	Chrome	4005176565496	501.51
	30 382 DC0	supersteel	4005176565502	574.80
	30 383 000	Chrome	4005176565519	344.46
	30 385 000	Chrome	4005176565533	313.05




## GROHE Blue Pure Minta Starter kit

Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation  
L-spout  
**pull out mousseur spout**  
separate handle for filtered water  
headpart 1/2"  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
swivel tubular spout  
swivel area 90°  
separate inner water ways for filtered  
and non-filtered water  
flexible connection hoses  
GROHE Blue filter head  
GROHE Blue activated carbon filter for premium taste  
Upto 3000 Liters  
filter exchange timer including 2 x AA batteries



## GROHE Blue Pure Eurosmart Starter kit


Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation  
C-spout  
separate handle for filtered water  
headpart 1/2"  
**GROHE StarLight** chrome finish  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
swivel tubular spout  
swivel area 150°  
separate inner water ways for filtered  
and non-filtered water  
flexible connection hoses  
GROHE Blue filter head  
GROHE Blue activated carbon filter for premium taste  
Upto 3000 Liters  
filter exchange timer including 2 x AA batteries



## GROHE Blue Pure BauCurve Starter kit

Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation  
C-spout  
separate handle for filtered water  
headpart 1/2"  
**GROHE StarLight** chrome finish  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
swivel tubular spout  
swivel area 150°  
separate inner water ways for filtered  
and non-filtered water  
flexible connection hoses  
GROHE Blue filter head  
GROHE Blue activated carbon filter for premium taste  
Upto 3000 Liters  
filter exchange timer including 2 x AA batteries

# GROHE BLUE PURE



Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 387 000	Chrome	4005176565557	260.70

**GROHE Blue Pure Mono Starter kit**  
Consisting of:  
**GROHE Blue** Mono mixer with filter function  
monobloc installation  
C-spout  
handle for filtered table water  
headpart 1/2"  
**GROHE StarLight** chrome finish  
swivel tubular spout  
swivel area 150°  
flexible connection hoses  
GROHE Blue filter head  
GROHE Blue activated carbon filter for premium taste  
Upto 3000 Liters  
filter exchange timer including 2 x AA batteries












# GROHE BLUE ACCESSORIES



# GROHE BLUE ACCESSORIES

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		40 848 000		4005176351082	7.41
<b>GROHE Blue Drinking bottle</b> Tritan drinking bottle with GROHE Blue decor BPA (Bisphenol A) free lid with strap volume 500 ml					
		40 848 SD0	stainless steel	4005176386008	11.24
<b>GROHE Blue Thermo drinking bottle</b> stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml					
		40 405 000		4005176860812	25.83
<b>GROHE Blue Glass carafe</b> crystal glass with GROHE Blue decor stainless steel lid dish washer safe volume 1l					
		40 437 000		4005176885471	25.83
<b>GROHE Blue Water glasses (6 pieces)</b> crystal glasses with GROHE Blue decor dish washer safe volume 250 ml					
		46 717 000		4005176890925	208.83
<b>Pressure indicator</b> for GROHE Blue including adapters for 425 g and 2 kg CO <sub>2</sub> bottles					
		40 962 000		4005176529412	29.58
<b>GROHE Blue CO<sub>2</sub> adapter</b> adapter for GROHE Blue Professional CO <sub>2</sub> pressure reducer for use with 425 g CO <sub>2</sub> bottles for GROHE Blue Professional systems as of January 2019					




# GROHE BLUE ACCESSORIES

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		40 621 000	Chrome	4005176923333	19.94
		40 621 DC0	supersteel	4005176923340	19.94
<b>GROHE Blue</b> <b>Shorter mixed water lever</b> for GROHE Blue and GROHE Red kitchen mixers to avoid the lever hitting the backwall of the kitchen in warm water position fits to: - 31 323 001 / DC1 - 31 324 001 / DC1 - all GROHE Red Duo faucets					
		40 404 001		4005176984068	51.66
		<b>GROHE Blue</b> <b>Filter S-Size</b> BWT replacement filter for GROHE Blue Capacity 600 L at 20° dKH 5-stage filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure			
		40 430 001		4005176984075	95.83
		ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high			
		40 412 001		4005176984082	124.99
		ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high			
		40 547 001		4005176984099	51.66
		<b>GROHE Blue</b> <b>Activated carbon filter</b> BWT replacement filter for GROHE Blue systems for regions with water hardness below 9° dKH Upto 3000 Liters 3-stage filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure			
		40 691 001		4005176984129	66.24
		<b>GROHE Blue</b> <b>Magnesium+ Filter</b> BWT replacement filter for GROHE Blue for recharge of the water with magnesium Capacity 400 L at 17° dGH 5-stage filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure			
		40 575 001		4005176385766	221.00
		<b>GROHE Blue UltraSafe</b> <b>Filter</b> exchange filter for GROHE Blue UltraSafe Up to 3000 Liters 2-phase-filter			
		64 508 001		4005176984112	34.16
		<b>GROHE Blue</b> <b>Filter Head</b> for use with GROHE Blue filters 40 404 001 / 40 430 001 / 40 412 001 / 40 691 001 / 40 547 001, sold separately			

# GROHE BLUE ACCESSORIES

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
 		40 434 001		4005176985294	29.58
		<b>GROHE Blue Cleaning cartridge</b> for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			
		40 694 000		4005176985300	22.08
		<b>GROHE Blue Cleaning cartridge adapter</b> for GROHE Blue BWT filterhead 64 508 001 for use with GROHE Blue cleaning cartridge 40 434 001, sold separately			
 		40 422 000		4005176890246	66.66
		<b>GROHE Blue Starter kit 425 g CO<sub>2</sub> bottles (4 pieces)</b> carbondioxid from natural sources for food and beverage (E290) Purity: CO <sub>2</sub> 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water for refilling please order 40 687 000 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			
 		40 687 000		4005176981838	29.16
		<b>GROHE Blue Refill 425 g CO<sub>2</sub> bottles (4 pieces)</b> carbondioxid from natural sources for food and beverage (E290) Purity: CO <sub>2</sub> 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			
 		40 920 000	Chrome	4005176470646	18.33
		<b>GROHE Blue 425 g CO<sub>2</sub> bottle</b> carbondioxid from natural sources for food and beverage (E290) Purity: CO <sub>2</sub> 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water sales unit 18 pieces This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			



# GROHE BLUE ACCESSORIES



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 423 000		4005176890253	87.49
	<b>GROHE Blue Starter kit 2 kg CO<sub>2</sub> bottle</b> carbondioxid from natural sources for food and beverage (E290) Purity: CO <sub>2</sub> 99.9 % v/v min. volume 1 bottle: 2 kg, up to 350 l sparkling water integrated shut-off valve and safety carrier handle for refilling please order 40 424 000 not suitable for the GROHE Blue Home cooler			
	40 843 000		4005176337109	47.91
	<b>GROHE Blue Extension set</b> Consisting of: extension cable 5 m hose for drinking water, 5 m tube cutter adapters and clips suitable for GROHE Blue Home and GROHE Blue Professional (from January 2019)			









# GROHE RED



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 328 001	Chrome	4005176414107	2,100.49
	30 328 DC1	supersteel	4005176414114	2,211.11
				
<p><b>GROHE Red Duo Tap and L Size Boiler</b> Consisting of: <b>GROHE Red Duo single-lever sink mixer (30 033 000)</b> monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water <b>GROHE StarLight</b> chrome finish 28 mm ceramic cartridge with <b>GROHE SilkMove</b> insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler <b>GROHE Red boiler L size</b> reservoir for kettle hot and hot water <b>Without safety expansion vessel, comes with safety valve assemblage instead</b> 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Red filter set for protection of the boiler from limescale Capacity 600 L at 20° dKH 5 phase filter flow rate measuring unit</p>				

	30 340 001	Chrome	4005176414893	2,100.50
	30 340 DC1	supersteel	4005176414909	2,211.12
				
<p><b>GROHE Red Duo Tap and L Size Boiler</b> Consisting of: <b>GROHE Red Duo single-lever sink mixer (30 033 000)</b> monobloc installation L-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water <b>GROHE StarLight</b> chrome finish 28 mm ceramic cartridge with <b>GROHE SilkMove</b> insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler <b>GROHE Red boiler L size</b> reservoir for kettle hot and hot water 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Red filter set for protection of the boiler from limescale Capacity 600 L at 20° dKH 5 phase filter flow rate measuring unit</p>				

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 058 001	Chrome	4005176989162	1,989.89
	30 058 DC1	supersteel	4005176989179	2,100.48
	30 058 DA1	warm sunset	4005176489273	2,249.00
	30 058 DL1	brushed warm sunset	4005176489280	2,249.00
	30 058 A01	hard graphite	4005176489259	2,249.00
	30 058 AL1	Brushed Hard Graphite	4005176489266	2,249.00
	<b>GROHE Red Duo</b> <b>Tap and M Size Boiler</b> Consisting of: <b>GROHE Red Duo single-lever sink mixer (30 033 000)</b> monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water <b>GROHE StarLight</b> chrome finish 28 mm ceramic cartridge with <b>GROHE SilkMove</b> insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler <b>GROHE Red boiler M size</b> reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Red filter set for protection of the boiler from limescale Capacity 600 L at 20° dKH 5 phase filter flow rate measuring unit			
	30 341 001	Chrome	4005176414916	1,989.89
	30 341 DC1	supersteel	4005176414923	2,100.48
	30 341 DA1	warm sunset	4005176489310	2,249.00
	30 341 DL1	brushed warm sunset	4005176489327	2,249.00
	30 341 A01	hard graphite	4005176489297	2,249.00
	30 341 AL1	Brushed Hard Graphite	4005176489303	2,249.00
	<b>GROHE Red Duo</b> <b>Tap and M Size Boiler</b> Consisting of: <b>GROHE Red Duo single-lever sink mixer (30 033 000)</b> monobloc installation L-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water <b>GROHE StarLight</b> chrome finish 28 mm ceramic cartridge with <b>GROHE SilkMove</b> insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler <b>GROHE Red boiler M size</b> reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Red filter set for protection of the boiler from limescale Capacity 600 L at 20° dKH 5 phase filter flow rate measuring unit			
	30 341 001	Chrome	4005176414916	1,989.89
	30 341 DC1	supersteel	4005176414923	2,100.48
	30 341 DA1	warm sunset	4005176489310	2,249.00
	30 341 DL1	brushed warm sunset	4005176489327	2,249.00

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 060 001	Chrome	4005176989186	1,768.69
	<p><b>GROHE Red Mono</b> <b>Pillar tap and M size boiler</b> Consisting of: <b>GROHE Red Mono pillar tap</b> monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water <b>GROHE StarLight</b> chrome finish insulated tubular spout swivel area 150° connection for GROHE Red boiler <b>GROHE Red boiler M size</b> reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Red filter set for protection of the boiler from limescale Capacity 600 L at 20° dKH 5 phase filter flow rate measuring unit</p>			
	30 329 001	Chrome	4005176414121	1,768.69
	<p><b>GROHE Red Mono</b> <b>Pillar tap and M size boiler</b> Consisting of: <b>GROHE Red Mono pillar tap</b> monobloc installation L-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water <b>GROHE StarLight</b> chrome finish insulated tubular spout swivel area 150° connection for GROHE Red boiler <b>GROHE Red boiler M size</b> reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Red filter set for protection of the boiler from limescale Capacity 600 L at 20° dKH 5 phase filter flow rate measuring unit</p>			
	40 841 001	Chrome	4005176335358	94.02
	<p><b>GROHE Red</b> <b>Mixing valve</b> for thermostatic mixing of mains and boiling water to generate warm water adjustable between 35°C and 75°C hot fill and cold fill installation possible including 70 cm connection hose, manifold and wall fixation</p>			











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	<b>40 842 001</b> <b>GROHE Red Boiler Size M</b> reservoir for hot water 3 liter hot water at 99° C 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W	<b>Chrome</b>	<b>4005176335365</b>	<b>1,039.75</b>
	<b>40 834 001</b> <b>GROHE Red Boiler Size L</b> reservoir for hot water 5.5 liter hot water at 99° C 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W	<b>Chrome</b>	<b>4005176335280</b>	<b>738.12</b>
 	<b>40 438 001</b> <b>GROHE Red Filter with filter head</b> for regions with water hardness higher 12° KH turn before GROHE Red boiler flexible connection hoses filter 600 l		<b>4005176984105</b>	<b>141.66</b>
 	<b>40 919 SD0</b> <b>GROHE Red Thermo drinking bottle</b> stainless steel bottle with GROHE Red decor double-walled lid with strap with tea strainer volume 450 ml	<b>stainless steel</b>	<b>4005176450136</b>	<b>13.33</b>
 	<b>40 432 000</b> <b>GROHE Red Tea glasses (4 pieces)</b> heat proof glass with GROHE Red decor dish washer safe volume 250 ml		<b>4005176883255</b>	<b>22.08</b>



# GROHE WASTE SEPARATION SYSTEMS




# GROHE WASTE SEPARATION SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 855 000		4005176356452	57.00
<b>GROHE Blue</b> <b>Waste separation system 30 cm - 15 l / 15 l</b> installation type: floor mounted, behind swinging door technique: full extension operation: manual telescopic separation: double, 2 x 15 l cabinet width: 30 cm and wider compatible with GROHE Blue Home and GROHE Red M and L size				
 	40 980 000		4005176586446	292.00
<b>GROHE Blue</b> <b>Waste separation system 60 cm - 29 l</b> installation type: side wall and front panel technique: full extension with pull-in damping separation: single, 1 x 29 l cabinet width: 60 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size				
 	40 981 000		4005176586453	292.00
<b>GROHE Blue</b> <b>Waste separation system 60 cm - 8 l / 8 l</b> installation type: side wall and front panel technique: full extension with pull-in damping separation: double, 2 x 8 l cabinet width: 60 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size				
 	40 982 000		4005176586460	311.00
<b>GROHE Blue</b> <b>Waste separation system 90 cm - 11 l / 29 l</b> installation type: side wall and front panel technique: full extension with pull-in damping separation: double, 1 x 11 l, 1 x 29 l cabinet width: 90 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size				
 	40 983 000		4005176586477	311.00
<b>GROHE Blue</b> <b>Waste separation system 90 cm - 8 l / 8 l / 11 l</b> installation type: side wall and front panel technique: full extension with pull-in damping separation: triple, 2 x 8 l, 1 x 11 l cabinet width: 90 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size				

# GROHE WASTE SEPARATION SYSTEMS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------







40 984 000		4005176586484	47.00
<b>GROHE Blue</b> <b>Retrofit kit for extricable metal cover</b> contents: pull-out rails and anti-slip mat for use with GROHE Blue waste separation system 40 980, 40 981, 40 982 or 40 983, sold separately			



# GROHE K7






# GROHE K7

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 950 000	Chrome	4005176879838	622.25
	32 950 DC0	supersteel	4005176879845	812.41
	32 950 A00	hard graphite	4005176488870	849.00
	32 950 AL0	Brushed Hard Graphite	4005176488887	849.00
	<div> <div>  </div> <div>  </div> </div>			
	31 379 000	Chrome	4005176938085	601.12
	31 379 DC0	supersteel	4005176938092	780.72
	31 379 A00	hard graphite	4005176488856	819.00
	31 379 AL0	Brushed Hard Graphite	4005176488863	819.00

# GROHE FOOT CONTROL



# GROHE FOOT CONTROL





	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 309 000		4005176351235	352.86
	<b>Foot Control</b> <b>Dual flush valve set</b> Foot control: activation of water via contact with sensor <b>battery supply</b> 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 upgrade set for GROHE pull-out kitchen faucets not suitable for combination with open water heater (SKUs 32 555 000, 31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0, 31 179 000, 31 132 001)			
	30 310 000	Chrome	4005176351242	313.00
	<b>Foot Control</b> <b>Dual flush valve set</b> Foot control: activation of water via contact with sensor <b>battery supply</b> 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 upgrade set for GROHE pull-out kitchen faucets not suitable for combination with open water heater (SKUs 32 555 000, 31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0, 31 179 000, 31 132 001)			

# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH



# GROHE


## MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 613 000	Chrome	4005176521973	304.00
	31 613 DC0	supersteel	4005176521980	394.00
	31 613 DA0	warm sunset	4005176523595	425.00
	31 613 A00	hard graphite	4005176523601	425.00
	<b>Minta SmartControl</b> Sink mixer with SmartControl monobloc installation <b>GROHE StarLight</b> chrome finish pull-out spray with laminar <b>GROHE Magnetic Docking</b> guarantees easy retraction and smooth docking of the spray head back to the starting position <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow temperature adjustment by turning of mixing valve on body swivel tubular spout swivel area 140° protected against backflow flexible connection hoses <b>GROHE QuickFix Plus</b> ultra fast and simple installation - no tools needed GROHE Zero separated inner water ways - lead and nickel free			
	31 360 001	Chrome	4005176343025	551.95
	31 360 DC1	supersteel	4005176343032	717.86
	<b>Minta Touch</b> Electronic single-lever sink mixer 1/2" L-spout <b>Touch: activation of water via skin contact</b> <b>battery supply</b> 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>pull out mousseur spout</b> adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system			
	31 358 002	Chrome	4005176465000	568.38
	31 358 DC2	supersteel	4005176465017	710.76
	<b>Minta Touch</b> Electronic single-lever sink mixer 1/2" C-spout monobloc installation <b>Touch: activation of water via skin contact</b> <b>battery supply</b> 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge pull-out dual spray diverter: laminar spray/SpeedClean shower jet swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system			
	31 375 000	Chrome	4005176934155	210.23
	31 375 DC0	supersteel	4005176934162	273.62
	31 375 DA0	warm sunset	4005176488634	299.00
	31 375 DL0	brushed warm sunset	4005176488641	299.00
	31 375 A00	hard graphite	4005176488610	299.00
	31 375 AL0	Brushed Hard Graphite	4005176488627	299.00
	<b>Minta</b> Single-lever sink mixer 1/2" L-spout <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout swivel range 0°/150°/360° flexible connection hoses rapid installation system			

# GROHE


## MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.      Colour      EAN code      Retail Guide Price (£)




32 168 000	Chrome	4005176824425	210.23
32 168 DC0	supersteel	4005176824432	273.62

**Minta**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**pull out mousseur spout**  
 adjustable flow rate limiter  
 swivel tubular spout  
 integrated non-return valve  
 protected against backflow  
 flexible connection hoses  
 rapid installation system




30 274 000	Chrome	4005176314988	263.05
30 274 DC0	supersteel	4005176314995	329.91
30 274 DA0	warm sunset	4005176488672	356.00
30 274 DL0	brushed warm sunset	4005176488689	356.00
30 274 A00	hard graphite	4005176488658	356.00
30 274 AL0	Brushed Hard Graphite	4005176488665	356.00

**Minta**  
**Single-lever sink mixer 1/2"**  
 L-spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
 flow strainer  
 pull-out dual spray control - switches between regular flow and spray  
 diverter: laminar spray/SpeedClean shower jet  
 automatic return to laminar spray  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 integrated non-return valve  
 protected against backflow  
 flexible connection hoses  
 rapid installation system



32 917 000	Chrome	4005176230950	167.97
32 917 DC0	supersteel	4005176804946	210.23
32 917 KS0	velvet black	4005176980640	227.14
32 917 DA0	warm sunset	4005176488719	239.00
32 917 DL0	brushed warm sunset	4005176488726	239.00
32 917 A00	hard graphite	4005176488696	239.00
32 917 AL0	Brushed Hard Graphite	4005176488702	239.00

**Minta**  
**Single-lever sink mixer 1/2"**  
 C-spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
 swivel tubular spout  
 selectable swivel area : 0° / 150° / 360°  
 flexible connection hoses  
 with compression nut  
 rapid installation system  
 optional temperature limiter (46 308 000)



32 918 000	Chrome	4005176230967	210.23
32 918 DC0	supersteel	4005176804953	273.62

**Minta**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**pull out mousseur spout**  
 adjustable flow rate limiter  
 swivel tubular spout  
 integrated non-return valve  
 protected against backflow  
 flexible connection hoses  
 rapid installation system  
 optional temperature limiter (46 308 000)


32 918 00E	Chrome	4005176866616	210.23
Ditto, with GROHE Ecojoy 5.7 l/min flow limiter			

KITCHEN  
FITTINGS

# GROHE


## MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.      Colour      EAN code      Retail Guide Price (£)



**32 511 000      Chrome      4005176295621      252.49**

**Minta**  
**Single-lever sink mixer 1/2"**  
**for use with displacement water heater**  
 C-spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
 pull-out laminar spray  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 integrated non-return valve  
 protected against backflow  
 flexible connection hoses  
 rapid installation system  
 optional temperature limiter (46 308 000)



**32 321 002      Chrome      4005176465109      208.15**  
**32 321 DC2      supersteel      4005176465116      270.91**  
**32 321 GN2      brushed cool sunrise      4005176618529      298.12**  
**32 321 DA2      warm sunset      4005176488757      298.00**  
**32 321 DL2      brushed warm sunset      4005176488764      298.00**  
**32 321 A02      hard graphite      4005176488733      298.00**  
**32 321 AL2      Brushed Hard Graphite      4005176488740      298.00**

**Minta**  
**Single-lever sink mixer 1/2"**  
 C-spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
 pull-out dual spray  
 diverter: laminar spray/SpeedClean shower jet  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 integrated non-return valve  
 protected against backflow  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1 bar**










**30 348 001      Chrome      4005176464973      203.00**

**Minta**  
**Single-lever sink mixer 1/2"**  
 C-spout  
 monobloc installation  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
 pull-out dual spray  
 diverter: laminar spray/SpeedClean shower jet  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 shorter lever (71 mm)  
 integrated non-return valve  
 protected against backflow  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1 bar**

# GROHE

## MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 349 001	Chrome	4005176464980	203.00
	<b>Minta</b> <b>Single-lever sink mixer 1/2"</b> C-spout monobloc installation <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position pull-out dual spray diverter: mousseur/shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system <b>min. recommended pressure 1 bar</b>			
	32 488 000	Chrome	4005176289552	167.97
	32 488 DC0	supersteel	4005176804939	221.36
	32 488 DA0	warm sunset	4005176488795	239.00
	32 488 DL0	brushed warm sunset	4005176488801	239.00
	32 488 A00	hard graphite	4005176488771	239.00
	32 488 AL0	Brushed Hard Graphite	4005176488788	239.00
	<b>Minta</b> <b>Single-lever sink mixer 1/2"</b> U spout, monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter selectable swivel area : 0° / 150° / 360° swivel tubular spout flexible connection hoses rapid installation system optional temperature limiter (46 308 000)			
	32 067 000	Chrome	4005176811142	210.23
	<b>Minta</b> <b>Single-lever sink mixer 1/2"</b> U spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>pull out mousseur spout</b> adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system			
				
	32 322 002	Chrome	4005176465123	208.15
	32 322 DC2	supersteel	4005176465130	270.91
	32 322 DA2	warm sunset	4005176488832	298.00
	32 322 DL2	brushed warm sunset	4005176488849	298.00
	32 322 A02	hard graphite	4005176488818	298.00
	32 322 AL2	Brushed Hard Graphite	4005176488825	298.00
	<b>Minta</b> <b>Single-lever sink mixer 1/2"</b> U spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system <b>min. recommended pressure 1 bar</b>			

# GROHE

## MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 684 000	Chrome	4005176940088	61.91
40 684 DC0	supersteel	4005176940095	65.06



Minta  
Lever  
for Minta single lever sink mixer

# GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH



# GROHE

## ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 593 002	Chrome	4005176521942	399.00
	31 593 DC2	supersteel	4005176521959	599.00
				
<b>Zedra SmartControl</b> <b>Sink mixer with SmartControl</b> monobloc installation <b>GROHE StarLight</b> chrome finish pull-out spray with laminar <b>GROHE Magnetic Docking</b> guarantees easy retraction and smooth docking of the spray head back to the starting position <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow temperature adjustment by turning of mixing valve on body swivel tubular spout swivel area 140° protected against backflow flexible connection hoses <b>GROHE QuickFix Plus</b> ultra fast and simple installation - no tools needed GROHE Zero separated inner water ways - lead and nickel free				
	30 219 002	Chrome	4005176466540	664.51
	30 219 DC2	supersteel	4005176466557	896.93
				
<b>Zedra Touch</b> <b>Electronic single-lever sink mixer 1/2"</b> <b>Touch:</b> activation of water via skin contact <b>battery supply</b> 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free <b>GROHE Magnetic Docking</b> guarantees easy retraction and smooth docking of the spray head back to the starting position pull-out spray with 3 spray types diverter: laminar spray/ <b>SpeedClean</b> shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses				
	32 294 002	Chrome	4005176466496	344.46
	32 294 DC2	supersteel	4005176466502	447.08
				
<b>Zedra</b> <b>Single-lever sink mixer 1/2"</b> monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE Magnetic Docking</b> guarantees easy retraction and smooth docking of the spray head back to the starting position pull-out spray with 3 spray types diverter: laminar spray/ <b>SpeedClean</b> shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses <b>GROHE QuickFix Plus</b> ultra fast and simple installation - no tools needed GROHE Zero separated inner water ways - lead and nickel free				

# GROHE

## ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

32 553 002	Chrome	4005176466649	322.48
32 553 DC2	supersteel	4005176466656	506.04



**Zedra**  
**Single-lever sink mixer 1/2"**  
monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
pull-out dual spray  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
**GROHE QuickFix Plus** ultra fast and simple installation - no tools needed  
GROHE Zero separated inner water ways - lead and nickel free



KITCHEN  
FITTINGS



# GROHE ATRIO




# GROHE ATRIO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 362 000	Chrome	4005176496479	449.17
	30 362 DC0	supersteel	4005176496486	585.27
	30 362 AL0	Brushed Hard Graphite	4005176497292	672.66
	<b>Atrio</b> <b>Two handle sink mixer 1/2"</b> C-spout monobloc installation <b>GROHE StarLight</b> chrome finish ceramic headparts 1/2", 90° selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system mousseur			

# GROHE ESSENCE



# GROHE ESSENCE



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 615 000	Chrome	4005176523649	362.00
31 615 DC0	supersteel	4005176523656	471.00
31 615 BE0	polished nickel	4005176523731	507.00
31 615 EN0	brushed nickel	4005176523748	543.00
31 615 GL0	cool sunrise	4005176523670	507.00
31 615 GN0	brushed cool sunrise	4005176523687	543.00
31 615 DA0	warm sunset	4005176523694	507.00
31 615 DL0	brushed warm sunset	4005176523700	543.00
31 615 A00	hard graphite	4005176523717	507.00
31 615 AL0	Brushed Hard Graphite	4005176523724	543.00

## Essence SmartControl

### Sink mixer with SmartControl

monobloc installation

**GROHE StarLight** chrome finish

pull-out spray with laminar

**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

temperature adjustment by turning of mixing valve on body

swivel tubular spout


swivel area 140°

protected against backflow

flexible connection hoses

**GROHE QuickFix Plus** ultra fast and simple installation - no tools needed

GROHE Zero separated inner water ways - lead and nickel free



30 294 000	Chrome	4005176341472	419.21
30 294 DC0	supersteel	4005176341489	540.89
30 294 BE0	polished nickel	4005176488511	546.00
30 294 EN0	brushed nickel	4005176488528	546.00
30 294 GL0	cool sunrise	4005176488078	546.00
30 294 GN0	brushed cool sunrise	4005176488085	546.00
30 294 DA0	warm sunset	4005176488498	546.00
30 294 DL0	brushed warm sunset	4005176488504	546.00
30 294 A00	hard graphite	4005176488054	546.00
30 294 AL0	Brushed Hard Graphite	4005176488061	546.00

## Essence

### Single-lever sink mixer 1/2"

monobloc installation

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

flow strainer

with integrated temperature limiter

professional spray

with flexible, hygienic GROHFlexx kitchen santoprene hose

diverter: laminar spray/SpeedClean shower jet

automatic return to laminar spray

metal spray

**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position

swivel spout

swivel area 360°

protected against backflow

flexible connection hoses

rapid installation system



30 321 GE0	green	4005176438271	98.45
30 321 XC0	Dark Grey	4005176385735	60.85
30 321 MW0	Sheer Marble	4005176385728	60.85
30 321 HG0	Dark Brown	4005176385742	60.85
30 321 DG0	red	4005176438219	98.45
30 321 DP0	pink	4005176438264	98.45
30 321 DU0	purple	4005176438257	98.45
30 321 TY0	blue	4005176438240	98.45
30 321 YF0	yellow	4005176438233	60.85
30 321 YR0	orange	4005176438226	98.45

## Essence GROHFlexx kitchen hose


Spout hose for Essence kitchen tap

for 30 294 000/ 30 294 DC0

flexible, hygienic **GROHFlexx kitchen** santoprene hose


including fixing parts

GROHE  
ESSENCE



Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 269 000	Chrome	4005176314902	264.36
30 269 DC0	supersteel	4005176314919	330.74
30 269 GL0	cool sunrise	4005176428616	341.79
30 269 GN0	brushed cool sunrise	4005176428623	341.80
30 269 DA0	warm sunset	4005176428630	341.79
30 269 DL0	brushed warm sunset	4005176428647	341.80
30 269 A00	hard graphite	4005176428661	341.79
30 269 AL0	Brushed Hard Graphite	4005176428654	341.80

**Essence**  
**Single-lever sink mixer 1/2"**  
high spout  
monobloc installation  
**GROHE StarLight** chrome finish  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
mousseur  
swivel tubular spout  
adjustable swivel area 0° / 150° / 360°  
flexible connection hoses  
rapid installation system  
integrated temperature limiter







30 270 000	Chrome	4005176314926	330.71
30 270 DC0	supersteel	4005176314933	386.03
30 270 GL0	cool sunrise	4005176427428	441.33
30 270 GN0	brushed cool sunrise	4005176427435	441.30
30 270 DA0	warm sunset	4005176427442	441.33
30 270 DL0	brushed warm sunset	4005176427459	441.30
30 270 A00	hard graphite	4005176427473	441.33
30 270 AL0	Brushed Hard Graphite	4005176427466	441.30

**Essence**  
**Single-lever sink mixer 1/2"**  
high spout  
monobloc installation  
**GROHE StarLight** chrome finish  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
flow strainer  
pull-out dual spray control - switches between regular flow and spray  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system  
integrated temperature limiter







# GROHE EUROCUBE



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 395 000	Chrome	4005176304774	574.06
	31 395 DC0	supersteel	4005176304767	740.00
				
<p><b>Eurocube</b> <b>Single-lever sink mixer 1/2"</b> monobloc installation <b>GROHE StarLight</b> finish 28 mm ceramic cartridge with <b>GROHE SilkMove</b> diverter: mousseur/shower jet swivel spout swivel area 140° 360° maneuverable spring arm protected against backflow flexible connection hoses applicable for under cupboard installation rapid installation system</p>				
	31 255 000	Chrome	4005176901416	198.00
	31 255 DC0	supersteel	4005176994319	408.19
				
<p><b>Eurocube</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> finish 28 mm ceramic cartridge with <b>GROHE SilkMove</b> mousseur swivel cast spout swivel area 360° flexible connection hoses rapid installation system</p>				

# GROHE AMBI





		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		30 189 000	Chrome	4005176914102	164.80
<b>Ambi</b> <b>Two handle sink mixer 1/2"</b> monobloc installation <b>GROHE StarLight</b> finish ceramic headparts 1/2", 90° mousseur swivel tubular spout selectable swivel area : 0° / 150° / 360° with lever handles lever opens to the front, protecting the backsplash flexible connection hoses rapid installation system <b>min. recommended pressure 0.4 bar</b>					
		30 190 000	Chrome	4005176914119	175.87
<b>Ambi Cosmopolitan</b> <b>Two handle sink mixer 1/2"</b> monobloc installation <b>GROHE StarLight</b> finish ceramic headpart mousseur swivel tubular spout selectable swivel area : 0° / 150° / 360° with lever handles flexible connection hoses lever opens to the front, protecting the backsplash rapid installation system <b>min. recommended pressure 0.4 bar</b>					

# GROHE PARKFIELD













# GROHE PARKFIELD

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 215 001	Chrome	4005176409066	351.75
	30 215 DC1	supersteel	4005176409073	358.48
<div>  <div> <p><b>Parkfield</b>  <b>Single-lever sink mixer 1/2"</b>  monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  with integrated temperature limiter  pull-out dual spray control - switches between regular flow and spray  diverter: mousseur/shower jet  automatic return to mousseur  adjustable flow rate limiter  swivel tubular spout  swivel area 360°  integrated non-return valve  protected against backflow  flexible connection hoses  rapid installation system</p> </div> </div>				

# GROHE EURODISC COSMOPOLITAN







# GROHE EURODISC COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		32 259 003	Chrome	4005176466908	217.93
<b>Eurodisc Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° mousseur flexible connection hoses <b>GROHE QuickFix</b> rapid installation system					
		31 122 004	Chrome	4005176466892	261.75
<b>Eurodisc Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free <b>pull out mousseur spout</b> adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses <b>GROHE QuickFix</b> rapid installation system <b>min. recommended pressure 1 bar</b>					
		33 770 002	Chrome	4005176888137	220.11
<b>Eurodisc Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system					
		32 257 002	Chrome	4005176886591	264.34
<b>Eurodisc Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel cast spout, swivel area 100° protected against backflow flexible connection hoses rapid installation system					
		33 772 002	Chrome	4005176890796	231.18
<b>Eurodisc Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° projection 211 mm S-unions					

# GROHE EURODISC















# GROHE EURODISC







	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
		<b>33 770 001</b>	<b>Chrome</b>	<b>4005176828959</b>	<b>197.99</b>
<b>Eurodisc</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° with stop restriction flexible connection hoses rapid installation system					
		<b>32 257 001</b>	<b>Chrome</b>	<b>4005176834165</b>	<b>209.06</b>
<b>Eurodisc</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system					

# GROHE CONCETTO



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 491 000	Chrome	4005176343308	337.01
	31 491 DC0	supersteel	4005176343315	442.65
<p><b>Concetto</b> <b>Single-lever sink mixer 1/2"</b> monobloc installation <b>GROHE StarLight</b> chrome finish 28 mm ceramic cartridge with <b>GROHE SilkMove</b> flow strainer with integrated temperature limiter professional spray with flexible, hygienic GROHFlexx kitchen santoprene hose diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray <b>GROHE Magnetic Docking</b> guarantees easy retraction and smooth docking of the spray head back to the starting position swivel spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>				
	32 661 003	Chrome	4005176466823	187.23
	32 661 DC3	supersteel	4005176466830	229.07
<p><b>Concetto</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses <b>GROHE QuickFix</b> rapid installation system</p>				
	32 663 003	Chrome	4005176466854	208.15
	32 663 DC3	supersteel	4005176466861	291.83
<p><b>Concetto</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses <b>GROHE QuickFix</b> rapid installation system <b>min. recommended pressure 1 bar</b></p>				
	31 212 003	Chrome	4005176466762	236.00
<p><b>Concetto</b> <b>Single-lever sink mixer 1/2"</b> <b>for use with displacement water heater</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free pull-out laminar spray automatic return adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>				











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 483 002	Chrome	4005176466809	239.53
	31 483 DC2	supersteel	4005176466816	312.75
 <p><b>Concetto</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses <b>GROHE QuickFix</b> rapid installation system</p>				
	32 666 001	Chrome	4005176887406	315.88
 <p><b>Concetto</b> <b>Single-lever sink mixer 1/2"</b> integrated stop valve high spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 90° flexible connection hoses rapid installation system</p>				
	31 128 001	Chrome	4005176886737	189.10
	31 128 DC1	supersteel	4005176891007	241.93
 <p><b>Concetto</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>				
	31 129 001	Chrome	4005176886744	231.36
	31 129 DC1	supersteel	4005176891021	294.75
 <p><b>Concetto</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>pull out mousseur spout</b> adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow flexible connection hoses rapid installation system</p>				

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		30 273 001	Chrome	4005176314964	263.05
		30 273 DC1	supersteel	4005176314971	337.01
<b>Concetto</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge flow strainer pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow integrated non-return valve flexible connection hoses rapid installation system					
		31 214 001	Chrome	4005176891090	232.00
		<b>Concetto</b> <b>Single-lever sink mixer 1/2"</b> for use with displacement water heater medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge pull-out laminar spray adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow flexible connection hoses rapid installation system			
		32 659 001	Chrome	4005176886713	167.97
		<b>Concetto</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system			







# GROHE EUROSTYLE COSMOPOLITAN



# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
		<b>33 975 004</b>	<b>Chrome</b>	<b>4005176467004</b>	<b>185.08</b>
<b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses <b>GROHE QuickFix</b> rapid installation system					
		<b>31 127 002</b>	<b>Chrome</b>	<b>4005176886669</b>	<b>175.88</b>
<b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> <b>for use with displacement water heater</b> high spout monobloc installation <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE StarLight</b> finish flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system					
		<b>31 126 004</b>	<b>Chrome</b>	<b>4005176466977</b>	<b>206.97</b>
<b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free <b>pull out mousseur spout</b> adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses <b>GROHE QuickFix</b> rapid installation system					
		<b>31 482 003</b>	<b>Chrome</b>	<b>4005176466984</b>	<b>239.83</b>
<b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses <b>GROHE QuickFix</b> rapid installation system					
		<b>30 221 002</b>	<b>Chrome</b>	<b>4005176984235</b>	<b>131.63</b>
<b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter					

# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
		<b>31 124 002</b>	<b>Chrome</b>	<b>4005176886614</b>	<b>164.82</b>
<b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system					
		<b>31 159 002</b>	<b>Chrome</b>	<b>4005176888106</b>	<b>297.53</b>
<b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> for installation in front of window medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° non-removable socket height: 30 mm flexible connection hoses					
		<b>33 977 002</b>	<b>Chrome</b>	<b>4005176886560</b>	<b>142.70</b>
<b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system					
		<b>32 230 002</b>	<b>Chrome</b>	<b>4005176886577</b>	<b>119.48</b>
<b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with energy saving function via cold start and Eco-click mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system Qualitel approval					
		<b>33 982 002</b>	<b>Chrome</b>	<b>4005176890833</b>	<b>131.63</b>
<b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° projection 273 mm S-unions					









KITCHEN  
FITTINGS













# GROHE EUROSMART COSMOPOLITAN







# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 843 002	Chrome	4005176466939	127.26
	32 843 DC2	supersteel	4005176466953	191.00
	<b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses <b>GROHE QuickFix</b> rapid installation system			
	32 843 20E	Chrome	4005176466946	130.00
ditto, with GROHE Ecojoy				
	32 845 002	Chrome	4005176466960	120.00
	<b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish GROHE Zero separated inner water ways - lead and nickel free <b>GROHE EcoJoy</b> technology for less water and perfect flow mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses <b>GROHE QuickFix</b> rapid installation system			
	31 180 000	Chrome	4005176889288	189.10
	<b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> <b>for use with displacement water heater</b> high spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system			
	31 481 001	Chrome	4005176466922	188.00
	<b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses <b>GROHE QuickFix</b> rapid installation system			

# GROHE EUROSMART COSMOPOLITAN













		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		30 193 000	Chrome	4005176919459	125.71
		30 193 DC0	supersteel	4005176938559	146.84
<b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system					
		30 199 000	Chrome	4005176922022	98.25
<b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge with Eco-Override-Stop and cold start function mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system Qualitel approval					
		30 195 000	Chrome	4005176919473	172.21
<b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> integrated stop valve medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° rapid installation system flexible connection hoses					
		32 842 000	Chrome	4005176874833	104.59
<b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system					
		31 179 000	Chrome	4005176889172	146.84
<b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> for use with displacement water heater low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system					









# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 161 000	Chrome	4005176889158	199.67
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> integrated stop valve low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
	31 170 000	Chrome	4005176889165	220.80
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> for installation in front of window low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter mousseur swivel tubular spout swivel area 140° non-removable socket height: 30 mm flexible connection hoses</p>			

# GROHE EUROSMART



		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		<b>33 202 002</b>	<b>Chrome</b>	<b>4005176861956</b>	<b>125.71</b>
		<b>Eurosmart</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge integrated temperature limiter mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system			
		<b>32 223 002</b>	<b>Chrome</b>	<b>4005176861970</b>	<b>125.71</b>
		<b>Eurosmart</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with energy saving function via cold start and Eco-click mousseur swivel tubular spout adjustable flow rate limiter adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system Qualitel approval			
		<b>30 305 000</b>	<b>Chrome</b>	<b>4005176343285</b>	<b>157.41</b>
		<b>30 305 DC0</b>	<b>supersteel</b>	<b>4005176359811</b>	<b>199.67</b>
		<b>Eurosmart</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge flow strainer with integrated temperature limiter pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel cast spout 88° swivel radius separate inner water ways – lead and nickel free flexible connection hoses rapid installation system protected against backflow			
		<b>33 281 002</b>	<b>Chrome</b>	<b>4005176861932</b>	<b>104.59</b>
		<b>33 281 DC2</b>	<b>supersteel</b>	<b>4005176359798</b>	<b>118.32</b>
		<b>Eurosmart</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge integrated temperature limiter adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system			
		<b>33 281 20E</b>	<b>Chrome</b>	<b>4005176868498</b>	<b>104.59</b>
		<b>Ditto, with GROHE Ecojoy 5.7 l/min flow limiter</b>			

	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
		<b>30 260 002</b>	<b>Chrome</b>	<b>4005176310386</b>	<b>104.59</b>
<b>Eurosmart</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system					
		<b>32 221 002</b>	<b>Chrome</b>	<b>4005176861949</b>	<b>94.02</b>
<b>Eurosmart</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with energy saving function via cold start and Eco-click adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system Qualitel E1C2A2U3 applied for					
		<b>32 224 002</b>	<b>Chrome</b>	<b>4005176862007</b>	<b>134.17</b>
<b>Eurosmart</b> <b>Single-lever sink mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° projection 277 mm integrated temperature limiter S-unions					
		<b>31 391 002</b>	<b>Chrome</b>	<b>4005176992476</b>	<b>110.09</b>
<b>Eurosmart</b> <b>Single-lever sink mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° projection 217 mm integrated temperature limiter S-unions					













# GROHE EUROECO / EUROECO SPECIAL

---













# GROHE







## EUROECO / EUROECO SPECIAL

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		32 752 000	Chrome	4005176868252	98.44
		32 750 000	Chrome	4005176868238	87.38
		32 786 000	Chrome	4005176871863	131.63
		33 912 000	Chrome	4005176111969	404.43
		32 787 000	Chrome	4005176871870	129.87

# GROHE COSTA













		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		31 831 001	Chrome	4005176843280	76.32
<b>Costa L</b> <b>Sink mixer 1/2"</b> metal handles heat-insulated <b>GROHE StarLight</b> finish Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses					
		31 930 001	Chrome	4005176843303	164.79
<b>Costa L</b> <b>Sink mixer 1/2"</b> <b>for use with displacement water heater</b> metal handles heat-insulated <b>GROHE StarLight</b> finish Longlife-headparts flow straightener swivel tubular spout swivel area 360° chain ring copper pipes					
		31 829 001	Chrome	4005176845697	77.42
<b>Costa L</b> <b>Sink mixer 1/2"</b> metal handles heat-insulated screwable Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses					
		31 187 001	Chrome	4005176843327	87.38
<b>Costa L</b> <b>Wall sink mixer 1/2"</b> metal handles heat-insulated <b>GROHE StarLight</b> finish Longlife-headparts mousseur swivel tubular spout swivel area 360° projection 200 mm S-unions					
		30 098 001	Chrome	4005176843266	32.07
<b>Costa L</b> <b>Bibtap 1/2"</b> wall mounted metal handle heat-insulated screwable marking: blue (cold) <b>GROHE StarLight</b> finish mousseur Longlife-headparts					











	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
		<b>31 819 001</b>	<b>Chrome</b>	<b>4005176843471</b>	<b>98.42</b>
<b>Costa S</b> <b>Sink mixer 1/2"</b> metal handles heat-insulated screwable <b>GROHE StarLight</b> finish Carbodur headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses					
		<b>31 067 001</b>	<b>Chrome</b>	<b>4005176845710</b>	<b>94.00</b>
<b>Costa S</b> <b>Sink mixer 1/2"</b> metal handles heat-insulated screwable <b>GROHE StarLight</b> finish ceramic headparts 1/2", 180° mousseur swivel tubular spout swivel area 360° flexible connection hoses					
		<b>30 064 001</b>	<b>Chrome</b>	<b>4005176843259</b>	<b>43.14</b>
<b>Costa L</b> <b>Bibtap 1/2"</b> metal handle wall mounted screwable marking: blue (cold) <b>GROHE StarLight</b> chrome finish Longlife-headpart Laminar flow straightener projection 150 mm					



# GROHE BAU LINES



		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		31 368 001	Chrome	4005176478529	81.00
<b>BauLoop</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system <b>GROHE QuickFix Plus</b> ultra fast and simple installation - no tools needed <b>min. recommended pressure 1 bar</b>					
		31 367 001	Chrome	4005176478512	103.55
<b>BauEdge</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system <b>GROHE QuickFix Plus</b> ultra fast and simple installation - no tools needed <b>min. recommended pressure 1 bar</b>					
		31 536 001	Chrome	4005176478567	75.00
<b>BauCurve</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system <b>min. recommended pressure 1 bar</b>					
		31 538 001	Chrome	4005176478574	77.00
<b>GROHE BauFlow</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses <b>GROHE QuickFix Plus</b> ultra fast and simple installation - no tools needed					
		31 535 001	Chrome	4005176478550	75.00
<b>BauClassic</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system <b>min. recommended pressure 1 bar</b>					

	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
		<b>31 706 000</b>	<b>Chrome</b>	<b>4005176530449</b>	<b>71.00</b>
<b>BauLoop</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses <b>GROHE QuickFix Plus</b> ultra fast and simple installation - no tools needed <b>min. recommended pressure 1 bar</b>					
		<b>31 693 000</b>	<b>Chrome</b>	<b>4005176530371</b>	<b>71.00</b>
<b>BauEdge</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses <b>GROHE QuickFix Plus</b> ultra fast and simple installation - no tools needed <b>min. recommended pressure 1 bar</b>					
		<b>31 688 000</b>	<b>Chrome</b>	<b>4005176530333</b>	<b>71.00</b>
<b>GROHE BauFlow</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses <b>GROHE QuickFix Plus</b> ultra fast and simple installation - no tools needed <b>min. recommended pressure 1 bar</b>					
		<b>31 715 000</b>	<b>Chrome</b>	<b>4005176564123</b>	<b>71.00</b>
<b>BauCurve</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses <b>GROHE QuickFix Plus</b> ultra fast and simple installation - no tools needed <b>min. recommended pressure 1 bar</b>					
		<b>31 680 000</b>	<b>Chrome</b>	<b>4005176530487</b>	<b>63.00</b>
<b>BauEco</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses <b>GROHE QuickFix Plus</b> ultra fast and simple installation - no tools needed <b>min. recommended pressure 1 bar</b>					















# GROHE SOAP DISPENSERS AND ACCESSORIES









# GROHE

## SOAP DISPENSERS AND ACCESSORIES

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		40 535 000	Chrome	4005176905490	38.33
		40 535 DC0	supersteel	4005176905520	53.74
		40 535 BE0	polished nickel	4005176489457	86.00
		40 535 GL0	cool sunrise	4005176489419	86.00
		40 535 GN0	brushed cool sunrise	4005176489426	86.00
		40 535 DA0	warm sunset	4005176489433	86.00
		40 535 DL0	brushed warm sunset	4005176489440	86.00
		40 535 A00	hard graphite	4005176489396	86.00
		40 535 AL0	Brushed Hard Graphite	4005176489402	86.00
		Cosmopolitan Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish			
		40 536 000	Chrome	4005176905506	34.58
		40 536 DC0	supersteel	4005176905537	48.74
Contemporary Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish					
		40 553 000	Chrome	4005176911422	48.33
		40 553 DC0	supersteel	4005176911439	67.49
Zedra Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish					
		40 537 000	Chrome	4005176905513	42.49
		40 537 DC0	supersteel	4005176905544	74.51
Authentic Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish					
		36 194 000	Chrome	4005176140921	136.41
		Soap dispenser pillar tap with push-button, for liquid soaps, projection 113 mm for tap hole drillings 22 - 30 mm storage bottle 1 l. GROHE StarLight finish			
		45 704 000	Chrome	4005176081231	40.93
		Flexible connection hose 300 mm 3/8" x 3/8"			

# GROHE

## SOAP DISPENSERS AND ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 071 000	Chrome	4005176023132	35.10
<b>Swivel tube spout</b> swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass <b>GROHE StarLight</b> chrome finish				
 	13 028 000	Chrome	4005176022821	38.04
<b>Swivel tube spout</b> for kitchen wall mixers, 1/2" tubular spout mousseur projection 200 mm coupling nut 3/4" DR-brass <b>GROHE StarLight</b> finish				
 	13 034 000	Chrome	4005176022869	52.11
<b>Swivel tube spout</b> for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass <b>GROHE StarLight</b> finish				





KITCHEN  
FITTINGS











# GROHE STAINLESS STEEL SINKS







# GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 582 SD1	stainless steel	4005176607158	1,511.13
	<p><b>K1000</b>  <b>Stainless Steel Sink with Drainer</b>            model: K1000 80-S 116/52 1.0 rh            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 1 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 800 mm            dimensions: 1160 x 520 mm            1 bowl: 710 x 400 mm  <b>GROHE QuickFix</b> installation system            sink mountable right            cut-out (top mount): 1145 x 505 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 581 SD1	stainless steel	4005176607141	1,511.13
	<p><b>K1000</b>  <b>Stainless Steel Sink with Drainer</b>            model: K1000 80-S 116/52 1.0 lh            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 1 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 800 mm            dimensions: 1160 x 520 mm            1 bowl: 710 x 400 mm  <b>GROHE QuickFix</b> installation system            sink mountable left            cut-out (top mount): 1145 x 505 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 583 SD1	stainless steel	4005176607165	971.82
	<p><b>K800</b>  <b>Stainless steel sink</b>            model: K800 60-S 51.8/51 1.0            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 1 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 600 mm            dimensions: 518 x 510 mm            1 bowl: 462 x 400 x 200 mm  <b>GROHE QuickFix</b> installation system            cut-out (top mount): 503 x 495 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 584 SD1	stainless steel	4005176607172	1,066.99
	<p><b>K800</b>  <b>Stainless steel sink</b>            model: K800 90-S 84.6/51 1.0            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 1 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 900 mm            dimensions: 846 x 510 mm            1 bowl: 790 x 400 x 200 mm  <b>GROHE QuickFix</b> installation system            cut-out (top mount): 831 x 495 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			

# GROHE STAINLESS STEEL SINKS







	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 585 SD1	stainless steel	4005176607189	1,934.12
	<p><b>K800</b> <b>Stainless steel sink</b> model: K800 120-S 102.4/51 2.0 mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm <b>GROHE StarLight</b> finish finish: satin finish <b>GROHE Whisper</b> min. cabinet size: 1200 mm dimensions: 1024 x 510 mm 1 bowl: 462 x 400 x 200 mm 2 bowl: 462 x 400 x 200 mm <b>GROHE QuickFix</b> installation system cut-out (top mount): 1009 x 495 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 586 SD1	stainless steel	4005176607196	1,267.91
	<p><b>K800</b> <b>Stainless steel sink</b> model: K800 120-S 102.4/51 1.0 mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm <b>GROHE StarLight</b> finish finish: satin finish <b>GROHE Whisper</b> min. cabinet size: 1200 mm dimensions: 1024 x 510 mm 1 bowl: 968 x 400 x 200 mm <b>GROHE QuickFix</b> installation system cut-out (top mount): 1009 x 495 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 574 SD1	stainless steel	4005176607080	347.91
	31 574 GN0	brushed cool sunrise	4005176563645	1,017.00
	31 574 DL0	brushed warm sunset	4005176563621	1,017.00
	31 574 AL0	Brushed Hard Graphite	4005176563638	1,017.00
	<p><b>K700 Undermount</b> <b>Stainless steel sink</b> model: K700U 60-S 54.4/44.4 1.0 mounting type: undermount material: stainless steel AISI 304 (V2A) material thickness: 1 mm <b>GROHE StarLight</b> finish finish: satin finish <b>GROHE Whisper</b> min. cabinet size: 600 mm dimensions: 540 x 440 mm 1 bowl: 500 x 400 x 195 mm <b>GROHE QuickFix</b> installation system cut-out: 500 x 400 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 575 SD1	stainless steel	4005176607097	548.83
	<p><b>K700 Undermount</b> <b>Stainless steel sink</b> model: K700U 80-S 76/45 1.5 lh mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm <b>GROHE StarLight</b> finish finish: satin finish <b>GROHE Whisper</b> min. cabinet size: 800 mm dimensions: 760 x 450 mm 1 bowl: 500 x 400 x 195 mm 0.5 bowl: 180 x 400 x 200 mm <b>GROHE QuickFix</b> installation system sink mountable left cut-out (undermount): 712 x 402 mm (R16) cut-out (top mount): 745 x 435 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set</p>			

# GROHE STAINLESS STEEL SINKS





	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 576 SD1	stainless steel	4005176607103	517.10
	<b>K700 Undermount</b> <b>Stainless steel sink</b> model: K700U 60-S 59.5/45 1.5 rh mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm <b>GROHE StarLight</b> finish finish: satin finish <b>GROHE Whisper</b> min. cabinet size: 600 mm dimensions: 595 x 450 mm 1 bowl: 340 x 400 x 200 mm 0.5 bowl: 180 x 400 x 140 mm <b>GROHE QuickFix</b> installation system sink mountable right cut-out (undermount): 547 x 402 mm (R16) cut-out (top mount): 580 x 435 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set			
	31 577 SD1	stainless steel	4005176607110	517.10
	<b>K700 Undermount</b> <b>Stainless steel sink</b> model: K700U 60-S 59.5/45 1.5 lh mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm <b>GROHE StarLight</b> finish finish: satin finish <b>GROHE Whisper</b> min. cabinet size: 600 mm dimensions: 595 x 450 mm 1 bowl: 340 x 400 x 200 mm 0.5 bowl: 180 x 400 x 140 mm <b>GROHE QuickFix</b> installation system sink mountable left cut-out (undermount): 547 x 402 mm (R16) cut-out (top mount): 580 x 435 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set			
	31 578 SD1	stainless steel	4005176607127	538.26
	<b>K700</b> <b>Stainless steel sink</b> model: K700 45-S 46.4/46.4 1.0 mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm <b>GROHE StarLight</b> finish finish: satin finish <b>GROHE Whisper</b> min. cabinet size: 450 mm dimensions: 464 x 464 mm 1 bowl: 400 x 400 x 200 mm <b>GROHE QuickFix</b> installation system cut-out (undermount): 402 x 402 mm (R11) cut-out (top mount): 449 x 449 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set			
	31 580 SD1	stainless steel	4005176607134	644.00
	<b>K700</b> <b>Stainless steel sink</b> model: K700 90-S 86.4/46.4 1.0 mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm <b>GROHE StarLight</b> finish finish: satin finish <b>GROHE Whisper</b> min. cabinet size: 900 mm dimensions: 864 x 464 mm 1 bowl: 800 x 400 x 200 mm <b>GROHE QuickFix</b> installation system cut-out (undermount): 802 x 402 mm (R11) cut-out (top mount): 849 x 449 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set			

# GROHE





## STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 571 SD1	stainless steel	4005176626029	221.00
	<b>K500</b> <b>Stainless Steel Sink with Drainer</b> model: K500 45-S 86/50 1.0 rev mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm <b>GROHE StarLight</b> finish finish: satin finish <b>GROHE Whisper</b> min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 340 x 420 x 170 mm <b>GROHE QuickFix</b> installation system sink mountable left or right cut-out (top mount): 842 x 482 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 563 SD1	stainless steel	4005176623738	195.29
	<b>K500</b> <b>Stainless Steel Sink with Drainer</b> model: K500 60-S 100/50 1.0 rev mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm <b>GROHE StarLight</b> finish finish: satin finish <b>GROHE Whisper</b> min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 450 x 400 x 180 mm <b>GROHE QuickFix</b> rapid installation system sink mountable left or right cut-out (top mount): 982 x 482 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 572 SD1	stainless steel	4005176626036	316.19
	<b>K500</b> <b>Stainless Steel Sink with Drainer</b> model: K500 60-S 100/50 1.5 rev mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm <b>GROHE StarLight</b> finish finish: satin finish <b>GROHE Whisper</b> min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 340 x 420 x 185 mm 0.5 bowl: 170 x 320 x 125 mm <b>GROHE QuickFix</b> installation system sink mountable left or right cut-out (top mount): 982 x 482 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set			





# GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 588 SD1	stainless steel	4005176626043	326.76
	<p><b>K500</b>  <b>Stainless Steel Sink with Drainer</b>            model: K500 80-S 116/50 2.0 rev            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 0.7 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 800 mm            dimensions: 1160 x 500 mm            1 bowl: 340 x 420 x 190 mm            2 bowl: 340 x 420 x 190 mm  <b>GROHE QuickFix</b> installation system            sink mountable left or right            cut-out (top mount): 1140 x 480 mm            drilling holes: 2 x 35 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 573 SD1	stainless steel	4005176626050	411.36
	<p><b>Minta</b>  <b>Kitchen sink and tap bundle</b>            Consisting of:            K500 stainless steel sink with drainer (31 571 SD1)            Minta single lever sink mixer (32 168 000)            high spout            monobloc installation  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>pull out mousseur spout</b>            adjustable flow rate limiter            swivel tubular spout            swivel area 360°            protected against backflow            flexible connection hoses  <b>GROHE QuickFix</b> rapid installation system</p>			
	31 568 SD0	stainless steel	4005176473258	210.43
	<p><b>K400+</b>  <b>Stainless Steel Sink with Drainer</b>            model: K400+ 45-S 87.3/51.3 1.0 rev            mounting type: flat edge            material: stainless steel AISI 316 (V4A)            material thickness: 0.7 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 450 mm            dimensions: 873 x 513 mm            1 bowl: 363 x 400 x 188 mm  <b>GROHE QuickFix</b> installation system            sink mountable left or right            cut-out: 840 x 480 mm            drilling holes: 2 x 35 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 569 SD0	stainless steel	4005176473265	305.61
	<p><b>K400+</b>  <b>Stainless Steel Sink with Drainer</b>            model: K400+ 60-S 98.3/51.3 1.5 rev            mounting type: flat edge            material: stainless steel AISI 316 (V4A)            material thickness: 0.7 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 600 mm            dimensions: 983 x 513 mm            1 bowl: 363 x 400 x 188 mm            0.5 bowl: 150 x 300 x 188 mm  <b>GROHE QuickFix</b> installation system            sink mountable left or right            cut-out: 950 x 480 mm            drilling holes: 2 x 35 mm            drainer: automatic waste fitting            accessories included: waste kit, basket strainer waste, mounting set</p>			

# GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 566 SD0	stainless steel	4005176473234	168.13
	<p><b>K400</b>  <b>Stainless Steel Sink with Drainer</b>            model: K400 45-S 86/50 1.0 rev            mounting type: standard built-in            material: stainless steel AISI 304 (V2A)            material thickness: 0.7 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 450 mm            dimensions: 860 x 500 mm            1 bowl: 362.5 x 400 x 188 mm  <b>GROHE QuickFix</b> installation system            sink mountable left or right            cut-out: 840 x 480 mm            drilling holes: 2 x 35 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 567 SD0	stainless steel	4005176473241	242.16
	<p><b>K400</b>  <b>Stainless Steel Sink with Drainer</b>            model: K400 60-S 97/50 1.5 rev            mounting type: standard built-in            material: stainless steel AISI 304 (V2A)            material thickness: 0.7 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 600 mm            dimensions: 970 x 500 mm            1 bowl: 363 x 400 x 188 mm            0.5 bowl: 150 x 300 x 188 mm  <b>GROHE QuickFix</b> installation system            sink mountable left or right            cut-out: 950 x 480 mm            drilling holes: 2 x 35 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 587 SD0	stainless steel	4005176473449	242.16
	<p><b>K400</b>  <b>Stainless Steel Sink with Drainer</b>            model: K400 80-S 116/50 2.0 rev            mounting type: standard built-in            material: stainless steel AISI 304 (V2A)            material thickness: 0.7 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 800 mm            dimensions: 1160 x 500 mm            2 bowl: 362.5 x 400 x 188 mm  <b>GROHE QuickFix</b> installation system            sink mountable left or right            cut-out: 1140 x 480 mm            drilling holes: 2 x 35 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 570 SD0	stainless steel	4005176473272	347.91
	<p><b>Concetto</b>  <b>Kitchen sink and tap bundle</b>            Consisting of:            K400 stainless steel sink with drainer (31 566 SD0)            Concetto single lever sink mixer (32 663 003)            high spout            monobloc installation  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>pull out mousseur spout</b>            adjustable flow rate limiter            swivel tubular spout            swivel area 360°            protected against backflow            flexible connection hoses            rapid installation system</p>			







# GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 564 SD1	stainless steel	4005176623745	156.20
	<p><b>K200</b>  <b>Stainless Steel Sink with Drainer</b>            model: K200 60-S 96.5/50 1.5 rev            mounting type: top mount            material: stainless steel AISI 304 (V2A)            material thickness: 0.6 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 600 mm            dimensions: 965 x 500 mm            1 bowl: 346 x 396 x 165 mm            0.5 bowl: 180 x 340 x 130 mm  <b>GROHE QuickFix</b> installation system            sink mountable left or right            cut-out (top mount): 941 x 476 mm            drilling holes: 2 x 35 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 565 SD1	stainless steel	4005176623752	175.74
	<p><b>Eurosmart</b>  <b>Kitchen sink and tap bundle</b>            Consisting of:            K200 stainless steel sink with drainer (31 552 SD1)            Eurosmart single-lever sink mixer (33 281 002)            low spout            monobloc installation  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            with integrated temperature limiter            adjustable flow rate limiter            swivel cast spout            swivel area 140°            GROHE Zero separated inner water ways - lead and nickel free            mousseur with coin slot for tool free replacement            flexible connection hoses  <b>GROHE QuickFix</b> rapid installation system</p>			
	31 562 SD1	stainless steel	4005176623721	189.29
	<p><b>Bau</b>  <b>Kitchen sink and tap bundle</b>            Consisting of:            K200 stainless steel sink with drainer (31 552 SD1)            Bau Edge single lever sink mixer (31 367 001)            high spout            monobloc installation  <b>GROHE StarLight</b> chrome finish            GROHE Longlife 28 mm ceramic cartridge            GROHE Zero separated inner water ways - lead and nickel free            mousseur            swivel tubular spout            swivel area 360°            flexible connection hoses  <b>GROHE QuickFix Plus</b> ultra fast and simple installation - no tools needed</p>			
	31 552 SD1	stainless steel	4005176623714	104.68
	<p><b>K200</b>  <b>Stainless Steel Sink with Drainer</b>            model: K200 45-S 86/50 1.0 rev            mounting type: top mount            material: stainless steel AISI 304 (V2A)            material thickness: 0.6 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 450 mm            dimensions: 860 x 500 mm            1 bowl: 350 x 400 x 160 mm  <b>GROHE QuickFix</b> installation system            sink mountable left or right            cut-out (top mount): 842 x 482 mm            drilling holes: 2 x 35 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			









# GROHE COMPOSITE SINKS











# GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 650 AT0	granite gray	4005176521294	233.48
	31 650 AP0	granite black	4005176521287	233.48
	<b>K700</b> <b>Composite sink</b> model: K700 50-C 40/50 1.0 mounting type: standard built-in material: quartz composite <b>GROHE Whisper</b> min. cabinet size: 500 mm dimensions: 400 x 500 mm 1 bowl: 340 x 370 x 200 mm <b>GROHE QuickFix</b> installation system cut-out: 380 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 651 AT0	granite gray	4005176521317	275.35
	31 651 AP0	granite black	4005176521300	275.35
	<b>K700</b> <b>Composite sink</b> model: K700 60-C 56/51 1.0 mounting type: standard built-in material: quartz composite <b>GROHE Whisper</b> min. cabinet size: 600 mm dimensions: 560 x 510 mm 1 bowl: 500 x 360 x 200 mm <b>GROHE QuickFix</b> installation system cut-out: 545 x 495 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 652 AT0	granite gray	4005176521331	307.81
	31 652 AP0	granite black	4005176521324	307.81
	<b>K700</b> <b>Composite sink</b> model: K700 80-C 78/51 1.0 mounting type: standard built-in material: quartz composite <b>GROHE Whisper</b> min. cabinet size: 800 mm dimensions: 780 x 510 mm 1 bowl: 720 x 370 x 220 mm <b>GROHE QuickFix</b> installation system cut-out: 764 x 494 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			


# GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 653 AT0	granite gray	4005176521355	204.17
	31 653 AP0	granite black	4005176521348	204.17
	<b>K700 Undermount Composite sink</b> model: K700U 50-C 45.7/40.6 1.0 mounting type: standard built-in and undermount material: quartz composite <b>GROHE Whisper</b> min. cabinet size: 500 mm dimensions: 457 x 406 mm 1 bowl: 417 x 366 x 203 mm <b>GROHE QuickFix</b> installation system cut-out: 417 x 366 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set			
	31 654 AT0	granite gray	4005176521379	234.53
	31 654 AP0	granite black	4005176521362	234.53
	<b>K700 Undermount Composite sink</b> model: K700U 60-C 53.3/45.7 1.0 mounting type: standard built-in and undermount material: quartz composite <b>GROHE Whisper</b> min. cabinet size: 600 mm dimensions: 533 x 457 mm 1 bowl: 469 x 393 x 205 mm <b>GROHE QuickFix</b> installation system cut-out: 468 x 390 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set			
	31 655 AT0	granite gray	4005176521393	277.46
	31 655 AP0	granite black	4005176521386	277.46
	<b>K700 Undermount Composite sink</b> model: K700U 70-C 61/45.7 1.0 mounting type: standard built-in and undermount material: quartz composite <b>GROHE Whisper</b> min. cabinet size: 700 mm dimensions: 610 x 460 mm 1 bowl: 544 x 394 x 205 mm <b>GROHE QuickFix</b> installation system cut-out: 543 x 393 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set			
	31 644 AT0	granite gray	4005176521171	309.91
	31 644 AP0	granite black	4005176521164	309.91
	<b>K500 Composite sink with drainer</b> model: K500 50-C 86/50 1.0 rev mounting type: standard built-in material: quartz composite <b>GROHE Whisper</b> min. cabinet size: 500 mm dimensions: 860 x 500 mm 1 bowl: 347 x 440 x 200 mm <b>GROHE QuickFix</b> installation system sink mountable left or right cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			

# GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 645 AT0	granite gray	4005176521195	323.53
	31 645 AP0	granite black	4005176521188	323.53
	<b>K500</b> <b>Composite sink with drainer</b> model: K500 60-C 100/50 1.0 rev mounting type: standard built-in material: quartz composite <b>GROHE Whisper</b> min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 480 x 440 x 200 mm <b>GROHE QuickFix</b> installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 646 AT0	granite gray	4005176521218	344.46
	31 646 AP0	granite black	4005176521201	344.46
	<b>K500</b> <b>Composite sink with drainer</b> model: K500 60-C 100/50 1.5 rev mounting type: standard built-in material: quartz composite <b>GROHE Whisper</b> min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 345 x 440 x 200 mm 0.5 bowl: 155 x 295 x 146 mm <b>GROHE QuickFix</b> installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 647 AT0	granite gray	4005176521232	387.39
	31 647 AP0	granite black	4005176521225	387.39
	<b>K500</b> <b>Composite sink with drainer</b> model: K500 80-C 116/50 2.0 rev mounting type: standard built-in material: quartz composite <b>GROHE Whisper</b> min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 330 x 440 x 200 mm 2 bowl: 330 x 440 x 200 mm <b>GROHE QuickFix</b> installation system sink mountable left or right cut-out: 1140 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 648 AT0	granite gray	4005176521256	296.31
	31 648 AP0	granite black	4005176521249	296.31
	<b>K500</b> <b>Composite sink</b> model: K500 60-C 55.5/46 1.5 rev mounting type: standard built-in and undermount material: quartz composite <b>GROHE Whisper</b> min. cabinet size: 600 mm dimensions: 555 x 460 mm 1 bowl: 335 x 400 x 200 mm 0.5 bowl: 155 x 400 x 140 mm <b>GROHE QuickFix</b> installation system sink mountable left or right cut-out: 525 x 400 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set			





# GROHE COMPOSITE SINKS




Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 649 AT0	granite gray	4005176521270	361.21
31 649 AP0	granite black	4005176521263	361.21


**K500**  
**Composite sink**  
model: K500 90-C 86/50 2.0 rev  
mounting type: standard built-in  
material: quartz composite  
**GROHE Whisper**  
min. cabinet size: 900 mm  
dimensions: 860 x 500 mm  
1 bowl: 390 x 430 x 200 mm  
2 bowl: 380 x 365 x 200 mm  
**GROHE QuickFix** installation system  
sink mountable left or right  
cut-out: 840 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting,  
waste kit, basket strainer waste, mounting set

# GROHE COMPOSITE SINKS


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 639 AT0	granite gray	4005176520464	230.33
	31 639 AP0	granite black	4005176520457	230.33
	31 640 AT0	granite gray	4005176520488	290.02
	31 640 AP0	granite black	4005176520471	290.02
	31 641 AT0	granite gray	4005176521119	312.01
	31 641 AP0	granite black	4005176521102	312.01
	31 642 AT0	granite gray	4005176521133	333.99
	31 642 AP0	granite black	4005176521126	333.99




**K400**  
**Composite sink with drainer**  
 model: K400 50-C 78/50 1.0 rev  
 mounting type: standard built-in  
 material: quartz composite  
**GROHE Whisper**  
 min. cabinet size: 500 mm  
 dimensions: 780 x 500 mm  
 1 bowl: 347 x 440 x 205 mm  
**GROHE QuickFix** installation system  
 sink mountable left or right  
 cut-out: 765 x 485 mm  
 drainer: automatic waste fitting  
 accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set



**K400**  
**Composite sink with drainer**  
 model: K400 50-C 86/50 1.0 rev  
 mounting type: standard built-in  
 material: quartz composite  
**GROHE Whisper**  
 min. cabinet size: 500 mm  
 dimensions: 860 x 500 mm  
 1 bowl: 337 x 420 x 205 mm  
**GROHE QuickFix** installation system  
 sink mountable left or right  
 cut-out: 840 x 480 mm  
 drainer: automatic waste fitting  
 accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set







**K400**  
**Composite sink with drainer**  
 model: K400 60-C 100/50 1.0 rev  
 mounting type: standard built-in  
 material: quartz composite  
**GROHE Whisper**  
 min. cabinet size: 600 mm  
 dimensions: 1000 x 500 mm  
 1 bowl: 480 x 420 x 205 mm  
**GROHE QuickFix** installation system  
 sink mountable left or right  
 cut-out: 980 x 480 mm  
 drainer: automatic waste fitting  
 accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set



**K400**  
**Composite sink with drainer**  
 model: K400 60-C 100/50 1.5 rev  
 mounting type: standard built-in  
 material: quartz composite  
**GROHE Whisper**  
 min. cabinet size: 600 mm  
 dimensions: 1000 x 500 mm  
 1 bowl: 335 x 420 x 205 mm  
 0.5 bowl: 155 x 295 x 146 mm  
**GROHE QuickFix** installation system  
 sink mountable left or right  
 cut-out: 980 x 480 mm  
 drainer: automatic waste fitting  
 accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

# GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 643 AT0	granite gray	4005176521157	354.93
	31 643 AP0	granite black	4005176521140	354.93
				
<p><b>K400</b> <b>Composite sink with drainer</b> model: K400 80-C 116/50 1.5 rev mounting type: standard built-in material: quartz composite <b>GROHE Whisper</b> min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 400 x 420 x 205 mm 2 bowl: 295 x 295 x 205 mm <b>GROHE QuickFix</b> installation system sink mountable left or right cut-out: 1140 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>				
	31 656 AT0	granite gray	4005176521416	191.61
	31 656 AP0	granite black	4005176521409	191.61
				
<p><b>K200</b> <b>Composite sink</b> model: K200 50-C 51 1.0 mounting type: standard built-in material: quartz composite <b>GROHE Whisper</b> min. cabinet size: 500 mm dimensions: Ø 510 mm 1 bowl: Ø 380 x 200 mm <b>GROHE QuickFix</b> installation system cut-out: Ø 490 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>				

# DISCOVER THE WORLD OF GROHE

If you're looking for ideas or solutions for your bathroom and kitchen, the **GROHE Media APP** is where you will find your inspiration. With a new name and a fresh new look, this app puts all the latest content from GROHE – magazines, videos, books and brochures – at your fingertips. This is just a small selection of what the world of GROHE has to offer: the perfect addition to your GROHE home.

GET IT HERE



VISIT US ONLINE AND FOLLOW US ON SOCIAL MEDIA

FACEBOOK [grohe.enjoywater](#) | INSTAGRAM [grohe\\_global](#)  
TWITTER [grohe](#) | YOUTUBE [grohe](#) | PINTEREST [grohe](#)



**System requirements**  
iPhone with iOS 11.0 or higher / smart phone with Android 6.0 or higher. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

---


# LIXIL MAKES BETTER HOMES A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.


Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide. What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarot wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.

› **WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.**




Visit us:



### QUALITY

*"No.1 most trusted brand  
in the sanitary industry" –  
Wirtschaftswoche, 2017*



### TECHNOLOGY

*"Top 50 companies  
to change the world" –  
Fortune Magazine, 2017*



### DESIGN

*Over 400 design awards  
won since 2003*



### SUSTAINABILITY

*CSR Award winner of the  
German Government, 2017*

GROHE Limited  
World Business Centre 2  
Newall Road  
London Heathrow Airport  
Hounslow  
Middlesex  
TW6 2SF  
Tel: 0208 283 2840  
Fax: 0871 200 3415  
E-Mail: [info-uk@grohe.com](mailto:info-uk@grohe.com)

GB\_02/2020 – Copyright by GROHE



PART OF **LIXIL**