SPECIFIERS' CATALOGUE
2020

EDITION FOR PROFESSIONALS

PRICES VALID FROM 1st JANUARY 2020 I GROHE.CO.UK

GROHE
TABLE OF CONTENTS

Our brand			8
Bath Taps	Single Lever Mixers	Allure Brilliant	27
		Allure	37
		Atrio	49
		Grandera	65
		Lineare	77
		Eurocube Joy	87
		Eurocube	93
		GROHE Plus	105
		Europlus	119
		Essence	121
		Eurodisc Joy	133
		Eurodisc Cosmopolitan	137
		Concetto	145
		Eurostyle Cosmopolitan	155
		Eurostyle	163
		Eurosmart Cosmopolitan	175
		Eurosmart	187
		BauEdge	195
		BauLoop	201
		BauFlow	205
	Two Handle fittings	Costa L	209
	Universal	Universal	215
	Bath Sets	Talentofill	217
	Accessories	Selection	221
		Selection Cube	227
		Essentials	231
		Essentials Cube	239
		BauCosmopolitan	245
		Essentials Authentic	249
Thermostats		Grohtherm SmartControl	269
		Grohtherm 2 handle trim sets	283
		Grohtherm 3000 Cosmopolitan	291
		Grohtherm 2000	293

GROHE
TABLE OF CONTENTS

		Grohtherm Cube	299
		Grohtherm 1000 Cosmopolitan 3/4“	305
		Grohtherm 1000	307
		Grohtherm 1000 Performance	311
		Grohtherm 800 Cosmopolitan	315
		Grohtherm 800	319
Concealed Solutions		GROHE Rapido SmartBox	333
		GROHE Rapido	336
		GROHE Rapido C / stop valves	337
Showers	GROHE Digital	F-digital Deluxe	353
		F-digital Controllers	361
	Shower Systems	Rainshower System SmartControl	363
		Rainshower SmartActive System	371
		Rainshower System	377
		Euphoria SmartControl System	381
		Euphoria Shower System	385
		Tempesta System	397
		Shower System Accessories	403
	Head Showers	Head Showers	407
	Showers	Sena	435
		Rainshower SmartActive	439
		Rainshower	451
		Relexa	457
		Euphoria	463
		Tempesta	475
		Sena Trigger Sprays	491
		Tempesta-F Trigger Sprays	493
		Trigger Sprays	497
		Shower Hoses	499
		Shower Accessories	503
Kitchen Fittings	Water Systems	GROHE Blue Professional	539
		GROHE Blue Home	547
		GROHE Blue Pure	557
		GROHE Blue Accessories	561

GROHE
TABLE OF CONTENTS

		GROHE Red	567
		Waste separation systems	573
	Premium Lines	K7	577
		Foot Control	579
		Minta / Minta SmartControl / Minta Touch	581
		Zedra / Zedra SmartControl / Zedra Touch	587
		Atrio	591
		Essence	593
		Eurocube	597
	Competence Lines	Ambi	599
		Parkfield	601
		Eurodisc Cosmopolitan	603
		Eurodisc	605
		Concetto	607
		Eurostyle Cosmopolitan	611
		Eurosmart Cosmopolitan	615
		Eurosmart	619
		Euroeco / Euroeco Special	623
		Costa	625
		Bau Lines	629
		Soap dispensers and Accessories	633
	Kitchen sinks	Stainless steel sinks	637
		Composite sinks	645
Commercial fittings	Electronic Fittings	Eurocube E	661
		Essence E	665
		Bluetooth monitoring	669
		Europlus E	679
		Eurosmart Cosmopolitan E	683
		Euroeco Cosmopolitan E	693
		Bau Cosmopolitan E	699
	Special Thermostats	Grohtherm Micro	703
		Grohtherm Special	705
		Grohtherm XL	711
	Single-Lever Mixers	Vertica Eurostyle Cosmopolitan	715

GROHE
TABLE OF CONTENTS

		Commercial Showers	717
		Euroeco Special	721
		Hospita	729
		Euroeco Single Sequential	731
	Self-closing Fittings	Eurodisc SE	735
		Eurosmart Cosmopolitan T	737
		Euroeco Cosmopolitan T	741
Shower Toilet		GROHE Sensia IGS	751
		GROHE Sensia Arena	755
		Manual bidet seat	761
Ceramics		Essence	773
		Cube Ceramic	783
		Euro Ceramic	789
		Bau Ceramic	797
		Acrylic shower trays	807
Installation Systems	Rapid SLX	Rapid SLX	813
	Rapid SL	Rapid SL for WC	817
		Rapid SL for Urinal	831
		Rapid SL for Wash Basin and Bidet	835
		Rapid SL for the Disabled	839
		Rapid SL Fitting Supports	843
		Rapid SL Accessories	845
Flushing Systems	WC	Flushing Cisterns	853
		Accessories for Flushing Cisterns	857
		WC Flush Valves	867
		Electronic Actuations for WC	873
	Urinal	Electronic Actuations for Urinal	877
		Urinal Flush Valves	883
Actuations	WC	Flush Plates for WC	889
		GROHE Fresh	897
		Flush Plates for WC Flush Valves	899
	Urinal	Flush Plates for Urinal	901
Connection and Security Technology		Angle Valves	906
		WAS valves	910

GROHE
TABLE OF CONTENTS

	Safety Systems	911
Spare Parts and Accessories	Cartridges	914
	Thermo elements and thermostatic cartridges	918
	Aquadimmer	922
	Head parts	923
	Spare parts for two-handle faucets	928
	Extension sets	930
	Unions	932
	Outlets and spouts	937
	Flow straighteners	940
	Waste sets and traps	946
	Connections and non-return valves	950
	Spare parts GROHE Sense	952
	Spare parts for electronics	953
	Diverters	954
	Hoses	956
	Spare parts for kitchen faucets	958
	Spare parts for showers	962
	Spare parts for accessories	966
	Seals	967
	Miscellaneous	968
	Special tools	972
	Cleaning and care	974
	Spare parts for sanitary systems	975
	Spare parts for shower toilet	980
	Spare parts for Ceramics	983
Survey of contents		985
Discover the World of GROHE		1016
LIXIL makes better homes a reality for everyone, everywhere		1018

PURE FREUDE AN WASSER.

Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.





QUALITY

From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

"No.1 most trusted brand in the sanitary industry" – Wirtschaftswoche, 2017

TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

"Top 50 companies to change the world" – Fortune Magazine, 2017



DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

Over 400 design awards won since 2003

SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

CSR Award winner of the German Government, 2017

IDENTIFY YOUR **WATER SYSTEM**

By identifying the plumbing system in your home, you can select the product that is best suited to your water pressure. The majority of GROHE's products can be used with most systems and we have a number of products that are suited to low Pressure. Water pressure is measured in Bar. Please refer to the diagrams to help identify your water system.

GRAVITY FED SYSTEMS

Measure from the base of the cold water tank to the exact position of where the water is coming out from in a vertical measurement (if it's a shower it will be to where the shower head is or if it's a tap to where the spout of the tap finishes). For each meter in vertical distance you will have 0.1 bar in pressure. So if you select a kitchen tap that requires 0.5 bar pressure then you will need 5 meters in vertical distance, if you select a basin tap that requires 0.2 bar then you will require 2 meters as you will see in the below drawing.



Fig 1

FOR EXAMPLE WATER PRESSURE CAN BE CALCULATED AS FOLLOWS:

Upstairs bathroom shower	1 m = 0.1 bar pressure
Upstairs bathroom basin taps	2 m = 0.2 bar pressure
Kitchen Tap	5 m = 0.5 bar pressure



Fig 2

GRAVITY FED (LOW PRESSURE) SYSTEMS

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- NO shower pump

How does it work?

1 - Cold water is fed to a storage tank in the loft

2 - Water passes to a cylinder where it is heated by a boiler circuit flow

3 - The pressure of water is determined by distance from the bottom of cold water tank to the top of highest outlet (Fig 2)

BOOSTED GRAVITY FED WATER SYSTEM

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- An additional booster pump

How does it work?

1 - Cold water is fed to a storage tank in the loft

2 - Water passes to a cylinder where it is heated by a boiler circuit flow

3 - The pressure of water is determined by a separately installed pump (1–3 bar/dynamic) (Fig 3)



Fig 3



Fig 4

MAINS HIGH PRESSURE WATER SYSTEM

Your home has:

- An unvented cylinder with an expansion vessel (usually located in a garage or service cupboard)
- NO cold water tank in the loft
- NO shower pump

How does it work?

1 - Cold water delivered at mains pressure (min 1.5 bar & 20 l/min)

2 - Water passes to a cylinder where it is heated by a boiler circuit flow

3 - An expansion vessel replaces the storage tank in loft to deal with expansion

4 - The water pressure is determined by mains pressure (Fig 4)

COMBINATION BOILER WATER SYSTEM

Your home has:

- A combination boiler for hot water on demand (usually located in the kitchen)
- NO storage tanks
- NO shower pump

How does it work?

1 - Cold water delivered at mains pressure (min 1.0 bar to boiler & cold supply)

2 - Water is heated as it travels through the combination boiler providing hot water on demand

3 - The pressure is dictated by the incoming mains and the flow of water is determined by the power of the selected boiler (Fig 5)



Fig 5

GROHE GUARANTEE

GROHE products are designed to be both visionary and innovative with quality always guaranteed. Purchasing GROHE products means your investment is perfectly balanced in terms of quality, technology and design with sustainable production.

THE 5 YEAR **MANUFACTURER'S GUARANTEE**

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE Manufacturer's 5-year Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html

THE 2 YEARS PLUS **MANUFACTURER'S GUARANTEE**

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "Grohe 2 years plus Manufacturer's Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html

GROHE HELPDESK
YOUR RELIABLE CONTACT

We'd love to help you – offering a friendly and helpful service
No matter what issues or questions you may have, you can find the right contact person for you.

Order management

(Ordering and Delivery Service)

Tel. 0208 283 2840

orders-uk@grohe.com

Opening Times:
Monday- Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

Customer Service

(Warranty, Technical, General Enquiries)

Tel. 0208 283 2840

info-uk@grohe.com

Opening Times:
Monday- Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

Projects

(Quotations, Architects, Developers)

Tel. 0208 283 2840

projects-uk@grohe.com

Opening Times:
Monday- Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

This pricelist replaces all previous editions. General conditions of sale and delivery apply.
We reserve the right to make changes to specifications, dimensions and design.

CERTIFICATES

The Water Regulations Advisory Scheme (WRAS) assesses water fittings products to ensure that they do not waste, misuse, unduly consume or contaminate the water supply,
in order to show compliance with Regulation 4 of the requirements of the Water Supply (Water Fittings) Regulations 1999. GROHE have over 500 products that have been approved by WRAS and a further selection that are in the process of being approved. The WRAS Approved product logo is shown on our website against each approved product. Please visit www.grohe.co.uk for our up-to-date listing.

Pure Freude an Wasser

GROHE

SPECIFIERS' CATALOGUE **2020**

EDITION FOR PROFESSIONALS

GROHE
BATH FITTINGS

CONTENTS

Single Lever Mixers	Allure Brilliant	27
	Allure	37
	Atrio	49
	Grandera	65
	Lineare	77
	Eurocube Joy	87
	Eurocube	93
	GROHE Plus	105
	Europlus	119
	Essence	121
	Eurodisc Joy	133
	Eurodisc Cosmopolitan	137
	Concetto	145
	Eurostyle Cosmopolitan	155
	Eurostyle	163
	Eurosmart Cosmopolitan	175
	Eurosmart	187
	BauEdge	195
	BauLoop	201
	BauFlow	205
Two Handle fittings	Costa L	209
Universal	Universal	215
Bath Sets	Talentofill	217
Accessories	Selection	221
	Selection Cube	227
	Essentials	231
	Essentials Cube	239
	BauCosmopolitan	245
	Essentials Authentic	249

GROHE
PLUS

ACCURACY THAT GOES BEYOND DESIGN

Imagine a bathroom that offers not just sleek, cutting-edge, bold design design, but also confidence and control. Where you can tell water temperature at a glance and switch water flow with just a swipe of your hand. A room where nothing is left to chance, where form delivers function in a sleek, tactile package. With the new GROHE Plus you can make it a reality.

This innovative range puts control and convenience in your hands, delivering accurate temperature information at a glance. The GROHE Plus range includes some taps with a temperature display, so you know the water will always be just the right temperature. GROHE Plus also offers a new level of ergonomic comfort and practical function too, presented in a silhouette of architectural strength and elegance, with surfaces so sleek they invite interaction.

23 959 003
L-Size
Basin mixer
with LED water temperature display
and two sprays
with smooth body
with push-open waste set

DESIGN OPTIONS
FOR EVERY CONCEPT

THE PERFECT FINISH

Whether your bathroom is a space of timeless elegance or slick minimalist styling, the GROHE Plus is a perfect fit. The Plus range features a broad selection of sizes, with models from compact basin mixers to wall-mounted taps and show-stopping floor-standing bath filler. GROHE Plus taps are also available in three durable, desirable finishes. Choose between the dazzling chrome finish or the more architectural Supersteel or Brushed Hard Graphite, according to your taste.

23 871 DC3
Basin mixer M-Size with pop-up waste set

32 612 003
Basin mixer S-Size with pop-up waste set

33 547 003 + 40 954 000
Shower mixer with shower set + tray

CO-ORDINATED BATHROOM
IN GROHE COLOURS

When it comes to perfect bathroom design, the ultimate guide should be the own personal style. GROHE has developed GROHE Colours as an enabler to put vision into reality.

The combination of outstanding design lines and exclusive colours gives the ultimate freedom of choice to perfectly express individuality. Whether tone-on-tone colour scheme, a harmony of contrasting colours, the shining golden beauty of cool sunrise or the intriguing elegance of brushed hard graphite - GROHE Colors are the perfect choice. A carefully selected range of 10 colors and finishes offering countless options to complement every interior design.

There is more to it than just the obvious beauty. GROHE Colours come with GROHE PVD quality. This outstanding finish ensures both maximum color brilliance as well as unparalleled material resistance.

GROHE Colours are not driven by fashion. They open new dimensions to express personal style in bathroom design. Taps, showers and accessories are all perfectly aligned in a preferred colour with GROHE quality to stay perfect in finish and function for the years to come.

GROHE
COLOURS

PRODUCT RANGE		COLOUR OPTIONS										
		CHROME	SUPERSTEEL	POLISHED NICKEL	BRUSHED NICKEL	COOL SUNRISE	BRUSHED COOL SUNRISE	WARM SUNSET	BRUSHED WARM SUNSET	HARD GRAPHITE	BRUSHED HARD GRAPHITE
GRANDERA		●									
ALLURE BRILLIANT		●	●							●	●
ATRIO		●	●			●		●			●
ESSENCE		●	●	●	●	●	●	●	●	●	●
EUROCUBE		●	●								●
LINEARE		●	●								●
GROHE PLUS		●	●								●

*** not all SKUs in all SPA colours**

GROHE
BATHROOM COMBINATIONS

	THERMOSTATS										SHOWER SYSTEMS						HEAD SHOWERS					
	DESIGN THERMOSTATS	GROHTHERM SMARTCONTROL	GROHTHERM 2-HANDLE TRIM SETS	GROHTHERM CUBE	GROHTHERM 3000	GROHTHERM 2000	GROHTHERM 1000 PERFORMANCE	GROHTHERM 1000	GROHTHERM 800 COSMOPOLITAN	GROHTHERM 800	RAINSHOWER SYSTEM SMARTCONTROL	RAINSHOWER SYSTEM	EUPHORIA SMARTCONTROL SYSTEM	EUPHORIA SYSTEM CUBE	EUPHORIA SYSTEM	TEMPESTA SYSTEM	DESIGN HEAD SHOWERS	AQUASYMPHONY / RAINSHOWER F-SERIES	RAINSHOWER 360	RAINSHOWER 310	EUPHORIA 260	TEMPESTA 210
ALLURE BRILLIANT		●		●							●	●	●	●			●	●		●		
ALLURE		●			●						●	●	●				●	●		●		
ATRIO	●	●			●						●	●	●				●	●	●	●		
GRANDERA												●	●				●	●		●		
LINEARE		●	●		●						●	●	●		●			●	●	●	●	
EUROCUBE		●	●	●									●	●				●		●		
GROHE PLUS		●	●		●						●	●	●		●			●	●	●	●	
ESSENCE		●	●		●						●	●	●					●		●		
EURODISC COSMOPOLITAN		●	●			●					●		●		●					●	●	
CONCETTO			●				●		●						●						●	
EUROSTYLE COSMOPOLITAN			●				●		●						●						●	
EUROSTYLE			●				●	●							●						●	
EUROSMART COSMOPOLITAN			●				●		●							●						●
EUROSMART			●				●	●								●						●
BAUEDGE										●						●						●
BAULOOP										●						●						●
BAUFLOW										●						●						●

													●		●	●	DESIGN HAND SHOWERS
										●		●		●	●		SENA
								●	●			●					RAINSHOWER SMARTACTIVE
								●	●			●					POWER & SOUL
										●	●					●	EUPHORIA CUBE
					●	●	●	●	●			●					EUPHORIA
●	●	●	●	●													TEMPESTA
										●	●	●			●	●	CUBE CERAMIC
									●	●		●		●			ESSENCE
			●	●	●	●											EURO CERMAIC
●	●	●															BAU CERAMIC
													●	●	●	●	DESIGN ACCESSORIES
											●	●			●	●	SELECTION CUBE
										●	●					●	ESSENTIALS CUBE
			●	●	●	●	●	●	●	●		●					ESSENTIALS
●	●	●															BAU COSMOPOLITAN
										●	●				●	●	SKATE COSMOPOLITAN
						●	●	●	●	●		●		●			NOVA COSMOPOLITAN
				●						●							ARENA COSMOPOLITAN
●	●	●	●		●												SKATE AIR

HAND SHOWERS

CERAMIC

ACCESSORIES

ACTUATIONS

GROHE
ALLURE BRILLIANT

GROHE
ALLURE BRILLIANT

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 029 000	**Chrome**	**4005176898709**	**563.00**
	23 029 DC0	**supersteel**	**4005176489471**	**752.59**
	23 029 A00	**hard graphite**	**4005176338335**	**918.07**
	23 029 AL0	**Brushed Hard Graphite**	**4005176353154**	**932.84**



Allure Brilliant
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses

23 033 000	**Chrome**	**4005176898716**	**563.00**
23 033 DC0	**supersteel**	**4005176489488**	**752.59**
23 033 A00	**hard graphite**	**4005176489631**	**806.36**
23 033 AL0	**Brushed Hard Graphite**	**4005176489648**	**860.12**

Ditto, smooth body

	23 109 000	**Chrome**	**4005176898754**	**706.80**
	23 109 DC0	**supersteel**	**4005176489860**	**935.65**
	23 109 A00	**hard graphite**	**4005176352683**	**1,003.00**
	23 109 AL0	**Brushed Hard Graphite**	**4005176353161**	**1,070.00**



Allure Brilliant
Single-lever basin mixer 1/2"
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses

23 112 000	**Chrome**	**4005176898778**	**706.80**
23 112 A00	**hard graphite**	**4005176489778**	**991.00**
23 112 AL0	**Brushed Hard Graphite**	**4005176489785**	**1,069.32**

Ditto, smooth body

	23 114 000	**Chrome**	**4005176898792**	**872.71**
	23 114 DC0	**supersteel**	**4005176489914**	**1,159.41**
	23 114 A00	**hard graphite**	**4005176352690**	**1,259.54**
	23 114 AL0	**Brushed Hard Graphite**	**4005176353178**	**1,310.00**



Allure Brilliant
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
smooth body
flexible connection hoses

	29 086 000		**4005176935497**	**231.18**



Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ALLURE BRILLIANT

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	20 344 000	**Chrome**	**4005176898884**	**828.48**
	20 344 DC0	**supersteel**	**4005176489815**	**1,098.39**
	20 344 A00	**hard graphite**	**4005176338342**	**1,340.62**
	20 344 AL0	**Brushed Hard Graphite**	**4005176353185**	**1,361.43**
	**Allure Brilliant** **Three-hole basin mixer 1/2"** **M-Size** ceramic headparts 1/2", 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.0 l/min. flow limiter spout with integrated mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves			
	20 342 000	**Chrome**	**4005176898860**	**695.76**
	20 342 DC0	**supersteel**	**4005176490071**	**920.13**
	20 342 A00	**hard graphite**	**4005176490125**	**985.87**
	20 342 AL0	**Brushed Hard Graphite**	**4005176490064**	**1,051.58**
	**Allure Brilliant** **Three-hole basin mixer 1/2"** **S-Size** ceramic headparts 1/2", 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.0 l/min. flow limiter low spout with integrated mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves			
	20 346 000	**Chrome**	**4005176898907**	**717.86**
	20 346 DC0	**supersteel**	**4005176490217**	**956.00**
	20 346 A00	**hard graphite**	**4005176490262**	**1,024.30**
	20 346 AL0	**Brushed Hard Graphite**	**4005176490200**	**1,092.57**
	**Allure Brilliant** **Three-hole basin mixer 1/2"** **S-Size** wall mounted **without concealed body** set for final installation for 29 025 002 valves hot/cold with headparts 1/2" - 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.0 l/min. flow limiter spout with integrated mousseur projection 161 mm			
	20 348 000	**Chrome**	**4005176898921**	**762.12**
	20 348 DC0	**supersteel**	**4005176490309**	**1,017.02**
	20 348 A00	**hard graphite**	**4005176490354**	**1,089.68**
	20 348 AL0	**Brushed Hard Graphite**	**4005176490293**	**1,162.31**
	Ditto, projection 210 mm			
	29 025 002		**4005176519895**	**229.00**
	**Two-handle basin mixer** **concealed body, 1/2"** for 3-hole basin mixer wall installation **without finishing trim set** DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
19 781 000	**Chrome**	**4005176898822**	**684.68**
19 781 DC0	**supersteel**	**4005176490392**	**915.34**
19 781 A00	**hard graphite**	**4005176490446**	**970.00**
19 781 AL0	**Brushed Hard Graphite**	**4005176490385**	**1,046.09**



Allure Brilliant
2-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for
23 200 000
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
centre distance 110 mm
projection 161 mm

19 783 000	**Chrome**	**4005176898846**	**728.94**
19 783 DC0	**supersteel**	**4005176490484**	**976.36**
19 783 A00	**hard graphite**	**4005176490538**	**1,046.09**
19 783 AL0	**Brushed Hard Graphite**	**4005176490477**	**1,115.83**

Ditto, projection 210 mm

---

23 200 002 — **4005176519901** — **220.00**



Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---

23 200 000 — **4005176908354** — **231.19**



Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device

---

23 117 000	**Chrome**	**4005176898938**	**640.44**
23 117 DC0	**supersteel**	**4005176490576**	**854.27**
23 117 A00	**hard graphite**	**4005176490620**	**915.32**
23 117 AL0	**Brushed Hard Graphite**	**4005176490569**	**976.33**



Allure Brilliant
Bidet mixer 1/2"
M-Size
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 071 000	**Chrome**	**4005176465901**	**364.36**
24 071 DC0	**supersteel**	**4005176465918**	**470.00**
24 071 A00	**hard graphite**	**4005176564734**	**503.00**
24 071 AL0	**Brushed Hard Graphite**	**4005176465925**	**537.00**



Allure Brilliant
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 072 000	**Chrome**	**4005176465932**	**401.01**
24 072 DC0	**supersteel**	**4005176465949**	**517.00**
24 072 A00	**hard graphite**	**4005176564741**	**554.00**
24 072 AL0	**Brushed Hard Graphite**	**4005176465956**	**590.00**



Allure Brilliant
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 099 000	**Chrome**	**4005176480744**	**425.07**
24 099 DC0	**supersteel**	**4005176480751**	**592.89**
24 099 A00	**hard graphite**	**4005176564758**	**585.73**
24 099 AL0	**Brushed Hard Graphite**	**4005176480768**	**677.61**



Allure Brilliant
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
19 787 001	Chrome	4005176429057	1,563.17
19 787 DC1	supersteel	4005176489570	2,013.69
19 787 A01	hard graphite	4005176495427	2,157.54
19 787 AL1	Brushed Hard Graphite	4005176489563	2,301.37



Allure Brilliant
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
bath spout with integrated mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000



29 037 000		4005176865749	762.09

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

45 388 000		4005176212758	77.76

Supporting legs for baseframe



23 119 001	Chrome	4005176428883	2,412.00

Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with integrated mousseur
hand shower Euphoria Cube+ 6.6 l/min
Silverflex shower hose 1250 mm
projection 270 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
protected against backflow



23 119 000	Chrome	4005176899027	2,542.95
23 119 DC0	supersteel	4005176489679	3,376.51
23 119 A00	hard graphite	4005176338601	3,923.55
23 119 AL0	Brushed Hard Graphite	4005176353208	4,185.12

Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube+
metal shower hose 1250 mm
protected against backflow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
13 301 000	Chrome	4005176899041	1,431.83
13 301 DC0	supersteel	4005176490804	2,084.00
13 301 A00	hard graphite	4005176490859	2,228.00
13 301 AL0	Brushed Hard Graphite	4005176490798	2,371.00



Allure Brilliant
Bath spout, floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE StarLight chrome finish
spout with integrated mousseur
total height 1070 mm
projection 270 mm

---

45 984 001		4005176992056	352.85



Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

---

29 086 000		4005176935497	231.18



Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

Ref. No.	Colour	EAN code	Retail Guide Price (£)
13 319 000	Chrome	4005176912627	739.98
13 319 DC0	supersteel	4005176490651	978.82
13 319 A00	hard graphite	4005176352782	1,037.00
13 319 AL0	Brushed Hard Graphite	4005176353284	1,118.68



Allure Brilliant
Cascade spout for bath and shower
wall mounted
GROHE StarLight chrome finish
projection 180 mm

Ref. No.	Colour	EAN code	Retail Guide Price (£)
13 299 000	Chrome	4005176899003	319.64
13 299 DC0	supersteel	4005176490712	423.08
13 299 A00	hard graphite	4005176490767	453.30
13 299 AL0	Brushed Hard Graphite	4005176490705	483.50



Allure Brilliant
Bath spout
wall mounted
GROHE StarLight chrome finish
projection 161 mm
spout with integrated mousseur

GROHE
ALLURE BRILLIANT

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**19 798 000**	**Chrome**	**4005176899157**	**264.35**
	19 798 DC0	**supersteel**	**4005176489969**	**345.80**
	19 798 A00	**hard graphite**	**4005176352614**	**359.00**
	19 798 AL0	**Brushed Hard Graphite**	**4005176353079**	**359.00**
	Allure Brilliant **5-way diverter** set for final installation for **29 033 000** **without concealed body** **GROHE StarLight** chrome finish installation depth adjustable 66 - 113 mm			
	**29 033 000**		**4005176845338**	**253.30**
	5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2“ 2 outlets 1/2“ 1 bath outlet 3/4“ installation depth adjustable 66 - 113 mm DR-brass			
	**19 796 000**	**Chrome**	**4005176899133**	**186.94**
	19 796 DC0	**supersteel**	**4005176490019**	**248.17**
	19 796 A00	**hard graphite**	**4005176352607**	**258.00**
	19 796 AL0	**Brushed Hard Graphite**	**4005176353062**	**258.00**
	Allure Brilliant **Concealed stop-valve trim** set for final installation for 29 032 000 (preassembled headpart 1/2“) 29 068 000 (preassembled ceramic headpart 1/2“ - not to be used as shut-off) 35 028 000 **GROHE StarLight** chrome finish installation depth adjustable 43 - 91 mm			
	**29 032 000**		**4005176845277**	**32.08**
	Concealed valve pre-assembled headpart 1/2“ threaded union 1/2“ installation depth adjustable 43 - 91 mm DR-brass			
	**27 707 000**	**Chrome**	**4005176908446**	**43.15**
	27 707 DC0	**supersteel**	**4005176490897**	**65.00**
	27 707 A00	**hard graphite**	**4005176490941**	**75.00**
	27 707 AL0	**Brushed Hard Graphite**	**4005176490880**	**79.00**
	Allure Brilliant **Shower outlet elbow, 1/2“** male thread protected against backflow material: metal **GROHE StarLight** chrome finish			
	**27 706 000**	**Chrome**	**4005176908439**	**32.08**
	27 706 DC0	**supersteel**	**4005176490989**	**41.00**
	27 706 A00	**hard graphite**	**4005176491030**	**47.00**
	27 706 AL0	**Brushed Hard Graphite**	**4005176490972**	**50.00**
	Allure Brilliant **Wall hand Shower holder** non-adjustable material: metal **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 494 000	Chrome	4005176899263	299.17
40 494 DC0	supersteel	4005176491078	424.17
40 494 A00	hard graphite	4005176491122	457.50
40 494 AL0	Brushed Hard Graphite	4005176491061	482.50



Allure Brilliant
Holder with soap dispenser
material: glass / metal
filling quantity 150 ml
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 493 000	Chrome	4005176899256	199.17
40 493 DC0	supersteel	4005176491160	274.17
40 493 A00	hard graphite	4005176491214	299.17
40 493 AL0	Brushed Hard Graphite	4005176491153	315.83



Allure Brilliant
Holder with tumbler
material: glass / metal
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 503 000	Chrome	4005176900068	232.50
40 503 DC0	supersteel	4005176491252	324.17
40 503 A00	hard graphite	4005176491306	349.17
40 503 AL0	Brushed Hard Graphite	4005176491245	374.17



Allure Brilliant
Shelf with tumbler
material: glass / metal
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 504 000	Chrome	4005176900075	240.83
40 504 DC0	supersteel	4005176491436	332.50
40 504 A00	hard graphite	4005176491481	357.50
40 504 AL0	Brushed Hard Graphite	4005176491429	382.50



Allure Brilliant
Shelf with soap dish
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 496 000	Chrome	4005176899287	162.49
40 496 DC0	supersteel	4005176491887	232.50
40 496 A00	hard graphite	4005176491931	240.83
40 496 AL0	Brushed Hard Graphite	4005176491870	257.50



Allure Brilliant
Towel bar
2 arms, not pivotable
length 431 mm
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 497 000	Chrome	4005176899294	182.50
40 497 DC0	supersteel	4005176491528	257.50
40 497 A00	hard graphite	4005176491573	274.17
40 497 AL0	Brushed Hard Graphite	4005176491511	299.17



Allure Brilliant
Towel rail
650 mm (drilling length 600 mm)
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 498 000	Chrome	4005176899300	78.33
40 498 DC0	supersteel	4005176491344	108.33
40 498 A00	hard graphite	4005176491399	116.66
40 498 AL0	Brushed Hard Graphite	4005176491337	124.99



Allure Brilliant
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

40 499 000	Chrome	4005176899317	158.33
40 499 DC0	supersteel	4005176491610	224.17
40 499 A00	hard graphite	4005176491665	240.83
40 499 AL0	Brushed Hard Graphite	4005176491603	257.50



Allure Brilliant
Toilet roll holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish

40 500 000	Chrome	4005176899324	257.50
40 500 DC0	supersteel	4005176491979	365.83
40 500 A00	hard graphite	4005176492020	390.83
40 500 AL0	Brushed Hard Graphite	4005176491962	415.83



Allure Brilliant
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

GROHE ALLURE

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**32 757 000**	**Chrome**	**4005176870897**	**397.09**
		Allure **Basin mixer 1/2"** **M-Size** monobloc installation 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses			
		**32 146 000**	**Chrome**	**4005176821622**	**507.70**
		Allure **Single-lever basin mixer 1/2"** **L-Size** monobloc installation 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses			
		23 076 000	**Chrome**	**4005176890505**	**507.70**
		Ditto, smooth body			
		**32 760 000**	**Chrome**	**4005176870927**	**673.62**
		Allure **Basin mixer 1/2"** **XL-Size** monobloc installation **for free-standing basins** 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses projection 104 mm			
		**23 403 000**	**Chrome**	**4005176941627**	**673.63**
		Allure **Basin mixer 1/2"** **XL-Size** monobloc installation metal lever **for free-standing basins** 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter **GROHE QuickFix Plus** installation system smooth body projection 180 mm flexible connection hoses temperature limiter			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



32 249 000	**Chrome**	4005176832383	717.87

Allure
Basin mixer 1/2“
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
pop-up waste set 1 1/4“
flexible connection hoses



20 143 000	**Chrome**	4005176832581	629.38

Allure
Three-hole basin mixer 1/2“
M-Size
with metal plate
GROHE StarLight chrome finish
ceramic headpart 1/2“, 180°
flow limiter 8 l/min.
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves



20 188 000	**Chrome**	4005176875724	629.38

Allure
Three-hole basin mixer 1/2“
M-Size
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur
pressure-proof, flexible connection hoses
between spout and side valves
pop-up waste set 1 1/4“



20 190 000	**Chrome**	4005176875748	562.99

Allure
Three-hole basin mixer 1/2“
S-Size
wall mounted, **without concealed body**
set for final installation for
32 706 000
with metal plate
valves hot/cold with Carbodur ceramic
headparts 1/2“ - 180
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur
centre distance 200 mm
projection 172 mm,

20 192 000	**Chrome**	4005176875991	596.19

Ditto, projection 220 mm



32 706 000		4005176855092	242.21

Two-handle basin mixer
concealed body, 1/2“
for 3-hole basin mixer
wall installation
without finishing trim set

GROHE ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**20 189 000**	**Chrome**	**4005176875731**	**562.99**
	Allure **Three-hole basin mixer 1/2"** **S-Size** wall mounted, **without concealed body** set for final installation for 29 025 002 with lever handles with metal plate valves hot/cold with headparts 1/2" - 90° **GROHE StarLight** chrome finish flow limiter 8 l/min. spout with mousseur projection 172 mm,			
	20 193 000	**Chrome**	**4005176876004**	**596.19**
	Ditto, projection 220 mm			
 	**29 025 002**		**4005176519895**	**229.00**
	Two-handle basin mixer **concealed body, 1/2"** for 3-hole basin mixer wall installation **without finishing trim set** DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
	**19 309 000**	**Chrome**	**4005176820656**	**562.99**
	Allure **2-hole basin mixer** **S-Size** wall mounted **without concealed body** set for final installation for 33 769 000 with metal plate **GROHE StarLight** chrome finish flow limiter 8 l/min. spout with mousseur centre distance 110 mm projection 172 mm			
	19 386 000	**Chrome**	**4005176876011**	**607.25**
	Ditto, projection 220 mm			
	**33 769 000**		**4005176819605**	**242.24**
	Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation **without finishing trim set** **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter			
	**32 147 000**	**Chrome**	**4005176821653**	**397.09**
	Allure **Bidet mixer 1/2"** **M-Size** monobloc installation 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



32 846 000 **Chrome** **4005176882432** **701.60**

Allure
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix system
adjustable flow rate limiter
shower front outlet 1/2"
with integrated non return-valve
flat wall installation with covered unions
protected against backflow



32 826 000 **Chrome** **4005176882425** **839.53**

Allure
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix system
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flat wall installation with covered unions
protected against backflow



24 069 000 **Chrome** **4005176465888** **336.09**

Allure
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---



24 070 000 **Chrome** **4005176465895** **369.58**

Allure
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---



34 706 000 **Chrome** **4005176413797** **1,370.46**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox 35 600 000
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)

GROHE ALLURE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 742 000 **Chrome** **4005176484094** **1,293.06**

Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 125 000)
GROHE Rapido SmartBox 35 600 000
Rainshower F-Series 10" head shower set (26 070 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)



19 316 000 **Chrome** **4005176821783** **1,270.93**

Allure
3-hole single-lever bath combination
trim set for 33 339 000
without baseframe
single lever mixer operating element
bath inlet with automatic diverter
bath/shower
hand shower (28 034 000)
metal shower hose 2000 mm



33 339 000 **4005176222818** **784.24**

3-hole single-lever bath combination
baseframe for installation
under tiled surround
without finishing trim set
mounting plate and base frame
46 mm cartridge with **GROHE SilkMove**
and spout fixing pre-assembled
flexible connection hoses
connection for shower hose
drainage box with
integrated outlet for splash water
this part should be easy to access
protected against backflow

45 388 000 **4005176212758** **77.76**
Supporting legs for baseframe



32 754 002 **Chrome** **4005176428876** **2,255.36**

Allure
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur
and stop limiter
projection 300 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
Sena hand shower 6.6 l/min
shower hose 1500 mm
protected against backflow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**13 218 000**	**Chrome**	**4005176847110**	**1,366.73**

Allure
Bath spout, floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE StarLight chrome finish
spout with mousseur
projection 300 mm
total height 910 mm

	**45 984 001**		**4005176992056**	**352.85**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

	**29 086 000**		**4005176935497**	**231.18**

Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

	**13 317 000**	**Chrome**	**4005176912603**	**739.98**

Allure
Cascade spout for bath and shower
wall mounted
GROHE StarLight chrome finish
projection 180 mm

	**13 264 000**	**Chrome**	**4005176882449**	**231.18**

Allure
Bath spout 3/4"
wall mounted
GROHE StarLight chrome finish
projection 172 mm
mousseur

GROHE ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**19 590 000**	**Chrome**	**4005176890529**	**197.97**
	Allure **5-way diverter** set for final installation for **29 033 000** **without concealed body** bayonet union escutcheon installation depth adjustable 66 - 113 mm only for use with concealed body **GROHE StarLight** chrome finish			
	**29 033 000**		**4005176845338**	**253.30**
	5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2“ 2 outlets 1/2“ 1 bath outlet 3/4“ installation depth adjustable 66 - 113 mm DR-brass			
	**19 334 000**	**Chrome**	**4005176823800**	**142.69**
	Allure **Concealed stop-valve trim** set for final installation for 35 028 000 for concealed valves, 1/2“, 3/4“ installation depth adjustable 20-80 mm escutcheon with screwable wall sealing **without concealed body** **GROHE StarLight** chrome finish			
 	**35 028 000**		**4005176908316**	**131.61**
	GROHE Rapido C **Rough-in for single volume control** for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4“ connection threads 1/2“ installation depth 70 - 95 mm			
	**29 800 000**		**4005176504839**	**30.43**
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle protection sleeve threaded union 1/2“ DR-brass			
	29 802 000		**4005176504853**	**51.42**
	ditto, 3/4“, pre-assembled headpart 3/4“, thread union 3/4“			
	29 805 000		**4005176504884**	**86.36**
	ditto, 1“, pre-assembled headpart 1“, thread union 1“			
	**29 801 000**		**4005176504846**	**25.08**
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000		**4005176504877**	**39.88**
	ditto, soldered connection Ø 22 mm			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



29 811 000 **4005176062711** **51.42**

Concealed stop valve 1/2"
preassembled ceramic headpart 1/2"
180°
threaded union 1/2"
installation depth adjustable
25 - 80 mm
DR-brass



19 384 000 **Chrome** **4005176875755** **142.69**

Allure
Concealed stop-valve trim
with lever handle
set for final installation for
29 032 000
35 028 000
installation depth adjustable
43 - 91 mm
metal escutcheon
without concealed body
GROHE StarLight chrome finish

35 028 000 **4005176908316** **131.61**
GROHE Rapido C rough-in box for single volume control



29 032 000 **4005176845277** **32.08**

Concealed valve
pre-assembled headpart 1/2"
threaded union 1/2"
installation depth adjustable
43 - 91 mm
DR-brass



27 469 000 **Chrome** **4005176882593** **1,116.06**

Rainshower F-Series System 254
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
with ball joint, rotation angle ± 20°
hand shower Sena (28 341 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE
ALLURE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 070 000 **Chrome** **4005176937248** **463.46**

Rainshower F-Series 10" 254 x 254
Head shower set 275 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 275 mm (27 488 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 060 000 **Chrome** **4005176937149** **463.46**
ditto, with non-restricted flow



26 071 000 **Chrome** **4005176937255** **463.46**

Rainshower F-Series 10"
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 278 000	Chrome	4005176824081	76.66
	Allure **Glass/soap dish holder** for glass or soap dish without glass without soap dish **GROHE StarLight** chrome finish			
	40 254 000 **Glass**		4005176211065	25.83
	40 278 000	Chrome	4005176824081	76.66
	Allure **Glass/soap dish holder** for glass or soap dish without glass without soap dish **GROHE StarLight** chrome finish			
	40 256 000 **Soap dish**	Glass Matt	4005176211089	36.66
	40 339 000	Chrome	4005176824111	104.16
	Allure **Towel ring** material: metal concealed fastening **GROHE StarLight** chrome finish			
	40 342 000	Chrome	4005176824142	154.16
	Allure **Towel bar** 2 arms, not pivotable length 426 mm concealed fastening **GROHE StarLight** chrome finish			
	40 341 000	Chrome	4005176824135	154.16
	Allure **Towel rail** 640 mm (drilling length 600 mm) material: metal concealed fastening **GROHE StarLight** chrome finish			
	40 284 000	Chrome	4005176824104	42.08
	Allure **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish			

GROHE
ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 279 000	Chrome	4005176824098	104.16
	Allure **Toilet roll holder** without cover material: metal concealed fastening **GROHE StarLight** chrome finish			
	40 340 000	Chrome	4005176824128	166.66
	Allure **Toilet brush set** wall model **GROHE StarLight** chrome finish			
	40 207 000 **Spare brush head**		4005176170973	14.59
	40 206 000 **Spare brush**	Chrome	4005176170904	58.03
	40 265 000 **Spare glass for brush**		4005176211171	63.02

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 043 003	Chrome	4005176454479	309.85
32 043 DC3	supersteel	4005176454486	492.72
32 043 GL3	cool sunrise	4005176492211	487.00
32 043 AL3	Brushed Hard Graphite	4005176454691	563.13



Atrio
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses

32 042 003	Chrome	4005176454448	357.42
32 042 DC3	supersteel	4005176454455	568.50
32 042 GL3	cool sunrise	4005176492143	561.64
32 042 DA3	warm sunset	4005176492167	561.64
32 042 AL3	Brushed Hard Graphite	4005176454462	649.72



Atrio
Single-lever basin mixer 1/2"
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses

32 647 003	Chrome	4005176454707	501.25
32 647 DC3	supersteel	4005176454714	795.94
32 647 GL3	cool sunrise	4005176492280	786.31
32 647 DA3	warm sunset	4005176492303	786.31
32 647 AL3	Brushed Hard Graphite	4005176454721	909.64



Atrio
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses

19 287 003	Chrome	4005176454738	357.42
19 287 DC3	supersteel	4005176454745	568.50
19 287 GL3	cool sunrise	4005176492358	561.64
19 287 DA3	warm sunset	4005176492372	561.64
19 287 AL3	Brushed Hard Graphite	4005176454752	649.72



Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 185 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
19 918 003	**Chrome**	**4005176454769**	**405.01**
19 918 DC3	**supersteel**	**4005176454776**	**644.31**
19 918 GL3	**cool sunrise**	**4005176492426**	**636.52**
19 918 DA3	**warm sunset**	**4005176492440**	**636.52**
19 918 AL3	**Brushed Hard Graphite**	**4005176454783**	**736.36**



Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 221 mm

23 429 000		**4005176993695**	**231.17**



Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

32 108 003	**Chrome**	**4005176454790**	**405.01**
32 108 DC3	**supersteel**	**4005176454806**	**644.31**
32 108 GL3	**cool sunrise**	**4005176492495**	**636.52**
32 108 DA3	**warm sunset**	**4005176492518**	**636.52**
32 108 AL3	**Brushed Hard Graphite**	**4005176454813**	**736.36**



Atrio
Bidet mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
rapid installation system
tubular C-spout with ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

32 650 003	**Chrome**	**4005176454820**	**429.32**
32 650 DC3	**supersteel**	**4005176454837**	**682.21**
32 650 GL3	**cool sunrise**	**4005176492563**	**673.95**
32 650 DA3	**warm sunset**	**4005176492587**	**673.95**
32 650 AL3	**Brushed Hard Graphite**	**4005176454844**	**779.67**



Atrio
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow

32 652 003	**Chrome**	**4005176454851**	**501.25**
32 652 DC3	**supersteel**	**4005176454868**	**795.94**
32 652 GL3	**cool sunrise**	**4005176492631**	**786.31**
32 652 DA3	**warm sunset**	**4005176492655**	**786.31**
32 652 AL3	**Brushed Hard Graphite**	**4005176454875**	**909.64**



Atrio
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
cast spout
mousseur
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 065 003	Chrome	4005176465741	312.01
24 065 DC3	supersteel	4005176465758	434.96
24 065 GL3	cool sunrise	4005176564574	429.69
24 065 DA3	warm sunset	4005176564550	430.00
24 065 AL3	Brushed Hard Graphite	4005176465765	497.09



Atrio
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000		4005176413469	132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 066 003	Chrome	4005176465772	342.37
24 066 DC3	supersteel	4005176465789	478.44
24 066 GL3	cool sunrise	4005176564642	472.65
24 066 DA3	warm sunset	4005176564628	473.00
24 066 AL3	Brushed Hard Graphite	4005176465796	546.78



Atrio
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000		4005176413469	132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 096 003	Chrome	4005176480669	366.45
24 096 DC3	supersteel	4005176480676	511.58
24 096 GL3	cool sunrise	4005176564710	505.39
24 096 DA3	warm sunset	4005176564697	506.00
24 096 AL3	Brushed Hard Graphite	4005176480683	584.63



Atrio
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000		4005176413469	132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 134 003	Chrome	4005176480959	600.98
24 134 DC3	supersteel	4005176480973	840.09
24 134 GL3	cool sunrise	4005176564369	829.92
24 134 DA3	warm sunset	4005176564345	829.92
24 134 AL3	Brushed Hard Graphite	4005176480997	960.09



Atrio
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		4005176413469	132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 135 003	Chrome	4005176480966	642.86
24 135 DC3	supersteel	4005176480980	898.59
24 135 GL3	cool sunrise	4005176564437	887.73
24 135 DA3	warm sunset	4005176564413	888.00
24 135 AL3	Brushed Hard Graphite	4005176481000	1,026.96



Atrio
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		4005176413469	132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 138 003	**Chrome**	**4005176481017**	**642.86**
24 138 DC3	**supersteel**	**4005176481024**	**898.59**
24 138 GL3	**cool sunrise**	**4005176564505**	**887.73**
24 138 DA3	**warm sunset**	**4005176564482**	**888.00**
24 138 AL3	**Brushed Hard Graphite**	**4005176481031**	**1,026.96**



Atrio
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

32 653 003	**Chrome**	**4005176454912**	**1,382.12**
32 653 DC3	**supersteel**	**4005176454929**	**2,198.28**
32 653 GL3	**cool sunrise**	**4005176492709**	**2,171.69**
32 653 DA3	**warm sunset**	**4005176492723**	**2,171.69**
32 653 AL3	**Brushed Hard Graphite**	**4005176454936**	**2,512.31**



Atrio
Single-lever bath mixer, floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 301 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm
protected against backflow

45 984 001		**4005176992056**	**352.85**



Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
20 021 003	Chrome	4005176455193	239.00
20 021 DC3	supersteel	4005176455209	379.04
20 021 GL3	cool sunrise	4005176493393	374.44
20 021 DA3	warm sunset	4005176493416	374.44
20 021 AL3	Brushed Hard Graphite	4005176455216	433.16



Atrio
Pillar tap 1/2" XS-Size
headpart 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
mousseur
fixed spout
flexible connection hoses
with lever handle

21 022 003	Chrome	4005176454943	381.75
21 022 DC3	supersteel	4005176454950	606.42
21 022 GL3	cool sunrise	4005176492778	599.09
21 022 DA3	warm sunset	4005176492792	599.09
21 022 AL3	Brushed Hard Graphite	4005176454967	693.07



Atrio
Basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with lever handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

21 019 003	Chrome	4005176455223	381.75
21 019 DC3	supersteel	4005176455230	606.42
21 019 GL3	cool sunrise	4005176493461	599.09
21 019 DA3	warm sunset	4005176493485	599.09
21 019 AL3	Brushed Hard Graphite	4005176455247	693.07



Atrio
Basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

21 044 003	Chrome	4005176455254	524.51
21 044 DC3	supersteel	4005176455261	833.84
21 044 GL3	cool sunrise	4005176493539	823.74
21 044 DA3	warm sunset	4005176493553	823.74
21 044 AL3	Brushed Hard Graphite	4005176455278	952.95





Atrio
Basin mixer, 1/2"
XL-Size
for free-standing basins
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
20 009 003	Chrome	4005176454974	381.74
20 009 DC3	supersteel	4005176454981	758.03
20 009 GL3	cool sunrise	4005176492839	748.86
20 009 DA3	warm sunset	4005176492853	748.86
20 009 AL3	Brushed Hard Graphite	4005176454998	866.30



Atrio
Three-hole basin mixer 1/2“
M-Size
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4“
flexible connection hoses between spout and side valves
with lever handles
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.

Ref. No.	Colour	EAN code	Retail Guide Price (£)
20 008 003	Chrome	4005176455285	476.91
20 008 DC3	supersteel	4005176455292	758.03
20 008 GL3	cool sunrise	4005176493607	748.86
20 008 DA3	warm sunset	4005176493621	748.86
20 008 AL3	Brushed Hard Graphite	4005176455308	866.30



Atrio
Three-hole basin mixer 1/2“
M-Size
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves
with cross handles
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.

Ref. No.	Colour	EAN code	Retail Guide Price (£)
20 169 003	Chrome	4005176455001	405.01
20 169 DC3	supersteel	4005176455018	644.31
20 169 GL3	cool sunrise	4005176492907	636.52
20 169 DA3	warm sunset	4005176492921	636.52
20 169 AL3	Brushed Hard Graphite	4005176455025	736.36



Atrio
Three-hole basin mixer 1/2“
S-Size
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold
with headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with lever handles
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.

Ref. No.	Colour	EAN code	Retail Guide Price (£)
20 164 003	Chrome	4005176455315	405.01
20 164 DC3	supersteel	4005176455322	644.31
20 164 GL3	cool sunrise	4005176493676	636.52
20 164 DA3	warm sunset	4005176493690	636.52
20 164 AL3	Brushed Hard Graphite	4005176455339	736.36



Atrio
3-hole basin mixer
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold
with headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with cross handles
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 025 002		**4005176519895**	**229.00**





Two-handle basin mixer
concealed body, 1/2"
for 3-hole basin mixer
wall installation
without finishing trim set
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve



24 027 003	**Chrome**	**4005176455346**	**405.01**
24 027 DC3	**supersteel**	**4005176455353**	**644.31**
24 027 GL3	**cool sunrise**	**4005176493744**	**636.52**
24 027 DA3	**warm sunset**	**4005176493768**	**636.52**
24 027 AL3	**Brushed Hard Graphite**	**4005176455360**	**736.36**

Atrio
Bidet mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
bow spout
pop-up waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.



26 003 003	**Chrome**	**4005176455377**	**429.32**
26 003 DC3	**supersteel**	**4005176455384**	**682.21**
26 003 GL3	**cool sunrise**	**4005176493812**	**673.95**
26 003 DA3	**warm sunset**	**4005176493836**	**673.95**
26 003 AL3	**Brushed Hard Graphite**	**4005176455391**	**779.67**

Atrio
Shower mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
shower outlet 1/2"
integrated non-return valves in the shower outlet 1/2"
covered S-unions
protected against backflow
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.



25 010 003	**Chrome**	**4005176455407**	**572.10**
25 010 DC3	**supersteel**	**4005176455414**	**909.64**
25 010 GL3	**cool sunrise**	**4005176493881**	**898.65**
25 010 DA3	**warm sunset**	**4005176493904**	**898.65**
25 010 AL3	**Brushed Hard Graphite**	**4005176455421**	**1,039.58**

Atrio
Bath / shower mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
tubular spout
with stop restriction
mousseur
covered S-unions
protected against backflow
without shower set
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
25 044 003	**Chrome**	**4005176455438**	**1,787.12**
25 044 DC3	**supersteel**	**4005176455445**	**2,842.59**
25 044 GL3	**cool sunrise**	**4005176493959**	**2,808.21**
25 044 DA3	**warm sunset**	**4005176493973**	**2,808.21**
25 044 AL3	**Brushed Hard Graphite**	**4005176455452**	**3,248.67**



Atrio
Bath / shower mixer 1/2"
floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel tubular spout with mousseur and stop limiter
projection 301 mm
integrated non-return valve
in the shower outlet 1/2"
hand shower Sena Stick (26 465)
with shower holder
Silverflex shower hose 1250 mm (28 362)
protected against backflow, with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

45 984 001		**4005176992056**	**352.85**



Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

19 088 003	**Chrome**	**4005176455162**	**107.85**
19 088 DC3	**supersteel**	**4005176455179**	**139.57**
19 088 GL3	**cool sunrise**	**4005176493324**	**130.00**
19 088 DA3	**warm sunset**	**4005176493348**	**130.00**
19 088 AL3	**Brushed Hard Graphite**	**4005176455186**	**150.16**



Atrio
Concealed stop-valve trim
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
installation depth adjustable
20-80 mm
escutcheon with screwable wall sealing
with lever handle

19 069 003	**Chrome**	**4005176455469**	**83.53**
19 069 DC3	**supersteel**	**4005176455476**	**132.64**
19 069 GL3	**cool sunrise**	**4005176494017**	**130.00**
19 069 DA3	**warm sunset**	**4005176494031**	**130.00**
19 069 AL3	**Brushed Hard Graphite**	**4005176455483**	**151.60**



Atrio
Concealed stop-valve trim
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
installation depth adjustable
20-80 mm
escutcheon with screwable wall sealing
with cross handle

35 028 000		**4005176908316**	**131.61**





GROHE Rapido C
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
installation depth 70 - 95 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)



29 032 000		**4005176845277**	**32.08**

Concealed valve
pre-assembled headpart 1/2“
threaded union 1/2“
installation depth adjustable
43 - 91 mm
DR-brass



19 922 003	**Chrome**	**4005176455568**	**1,220.80**
19 922 DC3	**supersteel**	**4005176455575**	**1,515.00**
19 922 GL3	**cool sunrise**	**4005176494673**	**1,684.91**
19 922 DA3	**warm sunset**	**4005176494697**	**1,684.91**
19 922 AL3	**Brushed Hard Graphite**	**4005176455582**	**1,776.00**

Atrio
5-hole bath/shower combination
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
with lever handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



19 923 003	**Chrome**	**4005176455537**	**1,220.80**
19 923 DC3	**supersteel**	**4005176455544**	**1,705.54**
19 923 GL3	**cool sunrise**	**4005176494611**	**1,684.91**
19 923 DA3	**warm sunset**	**4005176494635**	**1,684.91**
19 923 AL3	**Brushed Hard Graphite**	**4005176455551**	**1,632.00**

Atrio
5-hole bath/shower combination
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
with cross handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



29 037 002	**4005176519918**	**724.00**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve
caps to cover screw fixations always come in chrome color

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
13 139 003	Chrome	4005176455131	214.66
13 139 DC3	supersteel	4005176455148	341.09
13 139 GL3	cool sunrise	4005176493263	336.99
13 139 DA3	warm sunset	4005176493287	336.99
13 139 AL3	Brushed Hard Graphite	4005176455155	389.84



Atrio
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 171 mm

29 118 000	Chrome	4005176412240	475.85
29 118 DC0	supersteel	4005176455032	606.00
29 118 GL0	cool sunrise	4005176492976	673.95
29 118 DA0	warm sunset	4005176492990	673.95
29 118 AL0	Brushed Hard Graphite	4005176455049	683.67



Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000		4005176413469	132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 119 000	Chrome	4005176412257	548.82
29 119 DC0	supersteel	4005176455056	742.85
29 119 GL0	cool sunrise	4005176493041	726.00
29 119 DA0	warm sunset	4005176493065	726.00
29 119 AL0	Brushed Hard Graphite	4005176455063	744.40



Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000		4005176413469	132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 121 000	**Chrome**	**4005176412271**	**560.46**
29 121 DC0	**supersteel**	**4005176455094**	**714.00**
29 121 GL0	**cool sunrise**	**4005176493188**	**793.78**
29 121 DA0	**warm sunset**	**4005176493201**	**793.78**
29 121 AL0	**Brushed Hard Graphite**	**4005176455100**	**918.30**



Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 122 000	**Chrome**	**4005176412288**	**341.57**
29 122 DC0	**supersteel**	**4005176455117**	**436.00**
29 122 GL0	**cool sunrise**	**4005176515194**	**484.36**
29 122 DA0	**warm sunset**	**4005176515217**	**484.36**
29 122 A00	**hard graphite**	**4005176515231**	**484.36**



Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

34 705 000	**Chrome**	**4005176413285**	**1,381.53**



Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2“ (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 304 003	**Chrome**	**4005176461576**	**47.49**
40 304 DC3	**supersteel**	**4005176461583**	**66.66**
40 304 GL3	**cool sunrise**	**4005176494130**	**106.00**
40 304 DA3	**warm sunset**	**4005176494154**	**106.00**
40 304 AL3	**Brushed Hard Graphite**	**4005176462399**	**76.24**



Atrio
Glass/soap dish holder
for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3)
material: metal
concealed fastening
GROHE StarLight chrome finish

40 306 003	**Chrome**	**4005176461545**	**47.49**
40 306 DC3	**supersteel**	**4005176461552**	**66.66**
40 306 GL3	**cool sunrise**	**4005176494079**	**106.00**
40 306 DA3	**warm sunset**	**4005176494093**	**106.00**
40 306 AL3	**Brushed Hard Graphite**	**4005176461569**	**76.24**



Atrio
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holder:
Atrio (40 304)
GROHE StarLight chrome finish

40 254 003		**4005176462405**	**39.00**



Atrio
Glass
material: glass
fits in the following holder:
Atrio (40 304)

40 305 003	**Chrome**	**4005176462412**	**47.49**
40 305 DC3	**supersteel**	**4005176462429**	**66.66**
40 305 GL3	**cool sunrise**	**4005176494185**	**106.00**
40 305 DA3	**warm sunset**	**4005176494208**	**106.00**
40 305 AL3	**Brushed Hard Graphite**	**4005176462436**	**76.24**



Atrio
Glass/soap dish holder
for Atrio soap dish (40 256 003)
material: metal
concealed fastening
GROHE StarLight chrome finish

40 256 003	**Glass Matt**	**4005176462443**	**36.24**



Atrio
Soap dish
material: glass
fits in the following holder:
Atrio (40 305 xx3)

40 307 003	**Chrome**	**4005176462450**	**63.74**
40 307 DC3	**supersteel**	**4005176462467**	**87.49**
40 307 GL3	**cool sunrise**	**4005176494246**	**142.00**
40 307 DA3	**warm sunset**	**4005176494260**	**142.00**
40 307 AL3	**Brushed Hard Graphite**	**4005176462474**	**104.16**



Atrio
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 308 003	Chrome	4005176462481	108.33
40 308 DC3	supersteel	4005176462498	149.99
40 308 GL3	cool sunrise	4005176494307	236.00
40 308 DA3	warm sunset	4005176494321	236.00
40 308 AL3	Brushed Hard Graphite	4005176462504	165.83





Atrio
Towel bar
material: metal
2 arms, not pivotable
length 489 mm
concealed fastening
GROHE StarLight chrome finish

40 309 003	Chrome	4005176462511	99.99
40 309 DC3	supersteel	4005176462528	141.66
40 309 GL3	cool sunrise	4005176494369	225.00
40 309 DA3	warm sunset	4005176494383	225.00
40 309 AL3	Brushed Hard Graphite	4005176462627	162.49



Atrio
Towel rail
650 mm (drilling length 600 mm)
material: metal
concealed fastening
GROHE StarLight chrome finish

40 312 003	Chrome	4005176462535	32.91
40 312 DC3	supersteel	4005176462542	45.83
40 312 GL3	cool sunrise	4005176494420	73.00
40 312 DA3	warm sunset	4005176494444	73.00
40 312 AL3	Brushed Hard Graphite	4005176462559	52.49



Atrio
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

40 313 003	Chrome	4005176462566	72.08
40 313 DC3	supersteel	4005176462573	99.99
40 313 GL3	cool sunrise	4005176494482	160.00
40 313 DA3	warm sunset	4005176494505	160.00
40 313 AL3	Brushed Hard Graphite	4005176462580	116.66



Atrio
Toilet roll holder
material: metal
concealed fastening
without cover
GROHE StarLight chrome finish

40 314 003	Chrome	4005176462597	141.66
40 314 DC3	supersteel	4005176462603	199.17
40 314 GL3	cool sunrise	4005176494543	318.00
40 314 DA3	warm sunset	4005176494567	318.00
40 314 AL3	Brushed Hard Graphite	4005176462610	232.50



Atrio
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 791 001	white	4005176323409	4.58
40 791 KS1	velvet black	4005176336379	4.58

Spare brush head

GROHE GRANDERA

GROHE
GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**23 303 000** **23 303 IG0**	**Chrome** **chrome/gold**	**4005176924088** **4005176924095**	**352.87** **463.45**
	Grandera **Basin mixer 1/2"** **M-Size** monobloc installation 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow **GROHE QuickFix** installation system **GROHE AquaGuide** adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" flexible connection hoses			
	**23 310 000** **23 310 IG0**	**Chrome** **chrome/gold**	**4005176930331** **4005176930348**	**352.87** **463.45**
	Grandera **Basin mixer 1/2"** **M-Size** monobloc installation 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow **GROHE QuickFix** installation system **GROHE AquaGuide** adjustable mousseur 5.7 l/min smooth body flexible connection hoses			
	**21 107 000** **21 107 IG0**	**Chrome** **chrome/gold**	**4005176930393** **4005176930409**	**419.22** **551.94**
	Grandera **Two-handle basin mixer, 1/2"** **L-Size** monobloc installation valves hot/cold with headparts 1/2" - 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow **GROHE AquaGuide** adjustable mousseur 5.7 l/min swivel spout pop-up waste set 1 1/4" flexible connection hoses			
	**23 313 000** **23 313 IG0**	**Chrome** **chrome/gold**	**4005176930614** **4005176930621**	**463.45** **607.24**
	Grandera **Basin mixer 1/2"** **XL-Size** **for free-standing basins** 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow **GROHE QuickFix** installation system **GROHE AquaGuide** adjustable mousseur 5.7 l/min smooth body flexible connection hoses			
	**20 417 000** **20 417 IG0**	**Chrome** **chrome/gold**	**4005176930553** **4005176930560**	**496.64** **651.49**
	Grandera **Three-hole basin mixer 1/2"** **S-Size** valves hot/cold with headparts 1/2" - 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow **GROHE AquaGuide** adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**20 389 000**	**Chrome**	**4005176924101**	**551.95**
	20 389 IG0	**chrome/gold**	**4005176924118**	**717.87**
	Grandera **Three-hole basin mixer 1/2“** **M-Size** valves hot/cold with headparts 1/2“ - 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow **GROHE AquaGuide** adjustable mousseur 5.7 l/min pop-up waste set 1 1/4“ pressure-proof, flexible connection hoses between spout and side valves			
	**20 414 000**	**Chrome**	**4005176930492**	**408.16**
	20 414 IG0	**chrome/gold**	**4005176930508**	**506.69**
	Grandera **Three-hole basin mixer 1/2“** **S-Size** wall mounted set for final installation for 29 025 002 **without concealed body** valves hot/cold with headparts 1/2“ - 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow **GROHE AquaGuide** adjustable mousseur 5.7 l/min centre distance 200 mm projection 177 mm			
	20 415 000	**Chrome**	**4005176930515**	**431.51**
	20 415 IG0	**chrome/gold**	**4005176930522**	**596.19**
	Ditto, projection 234 mm			
 	**29 025 002**		**4005176519895**	**229.00**
	Two-handle basin mixer **concealed body, 1/2“** for 3-hole basin mixer wall installation **without finishing trim set** DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
	**19 929 000**	**Chrome**	**4005176930430**	**400.92**
	19 929 IG0	**chrome/gold**	**4005176930447**	**551.94**
	Grandera **2-hole basin mixer** **S-Size** wall mounted set for final installation for 23 319 000 **without concealed body** **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow **GROHE AquaGuide** adjustable mousseur 5.7 l/min centre distance 110 mm projection 177 mm			
	19 930 000	**Chrome**	**4005176930454**	**463.45**
	19 930 IG0	**chrome/gold**	**4005176930461**	**607.24**
	Ditto, projection 234 mm			
	**23 319 000**		**4005176931192**	**231.19**
	Grandera **Single-lever mixer 1/2“, concealed body** for 2 hole basin mixer wall installation **without finishing trim set** **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device			

GROHE
GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 315 000	**Chrome**	**4005176930652**	**397.10**
	23 315 IG0	**chrome/gold**	**4005176930669**	**518.77**



Grandera
Bidet mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

	23 316 000	**Chrome**	**4005176930690**	**389.77**
	23 316 IG0	**chrome/gold**	**4005176930706**	**506.69**



Grandera
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow

	23 317 000	**Chrome**	**4005176930799**	**518.76**
	23 317 IG0	**chrome/gold**	**4005176930805**	**633.37**



Grandera
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow

	24 067 000	**Chrome**	**4005176465802**	**296.30**
	24 067 IG0	**chrome/gold**	**4005176465819**	**355.98**



Grandera
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	24 068 000	**Chrome**	**4005176465840**	**326.68**
	24 068 IG0	**chrome/gold**	**4005176465857**	**391.57**



Grandera
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

	19 936 000	**Chrome**	**4005176930812**	**1,093.93**
	19 936 IG0	**chrome/gold**	**4005176930829**	**1,414.71**



Grandera
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7.6 l/min
metal shower hose
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000

	19 919 000	**Chrome**	**4005176924125**	**1,160.31**
	19 919 IG0	**chrome/gold**	**4005176924132**	**1,514.26**



Grandera
5-hole bath/shower combination
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7.6 l/min
metal shower hose
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000

	29 037 000		**4005176865749**	**762.09**



4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

45 388 000		**4005176212758**	**77.76**

Supporting legs for baseframe

GROHE
GRANDERA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 318 000	**Chrome**	**4005176930874**	**1,658.06**
23 318 IG0	**chrome/gold**	**4005176930881**	**2,144.75**



Grandera
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 320 mm
integrated non-return valves in the
shower outlet 1/2"
with shower holder
Grandera hand shower 7.6 l/min
Silverflex shower hose 1250 mm
protected against backflow

---

45 984 001	**4005176992056**	**352.85**



Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

---

29 086 000	**4005176935497**	**231.18**



Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

---

13 341 000	**Chrome**	**4005176931000**	**231.18**
13 341 IG0	**chrome/gold**	**4005176931017**	**308.60**



Grandera
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 177 mm

---

19 942 000	**Chrome**	**4005176931048**	**142.68**
19 942 IG0	**chrome/gold**	**4005176931055**	**180.97**



Grandera
5-way diverter
set for final installation for
29 708 000
without concealed body
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**29 708 000**		**4005176102653**	**292.78**
	5-way diverter **concealed body, 1/2"** **without finishing trim set** wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth adjustable 24-60 mm			
	**19 944 000** **19 944 IG0**	**Chrome** **chrome/gold**	**4005176931086** **4005176931093**	**109.48** **131.62**
	Grandera **Volume Control Trim** set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") **GROHE StarLight** chrome finish installation depth adjustable 43 - 91 mm			
	**29 032 000**		**4005176845277**	**32.08**
	Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass			
	**29 802 000**		**4005176504853**	**51.42**
	Concealed stop valve 3/4" pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass			
	**29 811 000**		**4005176062711**	**51.42**
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
	**27 974 000** **27 974 IG0**	**Chrome** **chrome/gold**	**4005176932793** **4005176933486**	**430.28** **563.00**
	Grandera 210 **Head shower 1 spray** 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			

GROHE
GRANDERA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 986 000	**Chrome**	**4005176933011**	**98.43**
27 986 IG0	**chrome/gold**	**4005176933547**	**131.61**



Rainshower Grandera
Shower arm 286 mm
projection 286 mm
material: metal
connection thread 1/2"
Grandera escutcheon
GROHE StarLight chrome finish
suitable for all Grandera head showers

27 978 000	**Chrome**	**4005176932830**	**76.31**
27 978 IG0	**chrome/gold**	**4005176933509**	**98.43**



Rainshower Grandera
Shower arm ceiling 142 mm
material: metal
length 142 mm
connection thread 1/2"
Grandera escutcheon
GROHE StarLight chrome finish
suitable for all Grandera head showers

26 037 001	**Chrome**	**4005176487392**	**104.70**
26 037 EN1	**brushed nickel**	**4005176487408**	**177.98**



Grandera Stick
Hand shower 1 spray
Rain spray pattern
material: metal
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
Inner WaterGuide for a longer life
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Universal Mounting System. Fits all standard shower hoses

26 037 IG0	**chrome/gold**	**4005176936210**	**142.68**



Grandera Stick
Hand shower 1 spray
Rain spray pattern
material: metal
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
Inner WaterGuide for a longer life
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Universal Mounting System. Fits all standard shower hoses

27 993 000	**Chrome**	**4005176933080**	**153.74**
27 993 IG0	**chrome/gold**	**4005176933585**	**197.98**



Grandera Stick
Wall holder set 1 spray
Consisting of:
Stick hand shower (26 037 000)
Wall hand shower holder (27 969)
Rotaflex shower hose 1500 mm (28 417 000)
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
Inner WaterGuide for a longer life
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**26 038 000**	**Chrome**	**4005176935404**	**216.69**

Grandera Stick
Shower rail set 1 spray
Consisting of:
Stick hand shower (26 037 000)
shower rail 900 mm (27 785)
Rotaflex Longlife metal shower hose 1750 mm (28 025)
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
Inner WaterGuide for a longer life
GROHE CoolTouch prevents scalding on hot surfaces
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater

	**27 970 000**	**Chrome**	**4005176931154**	**120.57**
	27 970 IG0	**chrome/gold**	**4005176931161**	**164.79**

Grandera
Shower outlet elbow, 1/2“
material: metal
male thread
protected against backflow
GROHE StarLight chrome finish

	**27 969 000**	**Chrome**	**4005176931123**	**87.38**
	27 969 IG0	**chrome/gold**	**4005176931130**	**109.50**

Grandera
Wall hand Shower holder
material: metal
GROHE StarLight chrome finish

GROHE
GRANDERA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 627 000	**Chrome**	**4005176927768**	**154.16**
40 627 IG0	**chrome/gold**	**4005176927775**	**199.17**



Grandera
holder with ceramic soap dispenser
material: ceramic/metal
filling quantity 110 ml
GROHE StarLight chrome finish

40 626 000	**Chrome**	**4005176927737**	**116.66**
40 626 IG0	**chrome/gold**	**4005176927744**	**149.99**



Grandera
holder with ceramic tumbler
material: ceramic/metal
concealed fastening
GROHE StarLight chrome finish

40 628 000	**Chrome**	**4005176927898**	**141.66**
40 628 IG0	**chrome/gold**	**4005176927904**	**182.50**



Grandera
soap dish with holder
material: ceramic/metal
concealed fastening
GROHE StarLight chrome finish

40 630 000	**Chrome**	**4005176927959**	**99.99**
40 630 IG0	**chrome/gold**	**4005176927966**	**129.16**
40 630 EN0	**brushed nickel**	**4005176927973**	**158.33**



Grandera
Towel ring
Ø 205 mm
material: metal
concealed fastening
GROHE StarLight chrome finish

40 629 000	**Chrome**	**4005176927928**	**162.49**
40 629 IG0	**chrome/gold**	**4005176927935**	**207.50**
40 629 EN0	**brushed nickel**	**4005176927942**	**257.50**



Grandera
Towel rail
600 mm
GROHE StarLight chrome finish

40 631 000	**Chrome**	**4005176927980**	**46.66**
40 631 IG0	**chrome/gold**	**4005176927997**	**60.41**



Grandera
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GRANDERA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 633 000	Chrome	4005176928048	108.33
40 633 IG0	chrome/gold	4005176928055	141.66
40 633 EN0	brushed nickel	4005176928062	174.17



Grandera
Bath grip
material: metal
length 385 mm
concealed fastening
GROHE StarLight chrome finish

40 625 000	Chrome	4005176927706	120.83
40 625 IG0	chrome/gold	4005176927713	158.33
40 625 EN0	brushed nickel	4005176927720	190.83



Grandera
Toilet roll holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish

40 632 000	Chrome	4005176928017	170.83
40 632 IG0	chrome/gold	4005176928024	224.17



Grandera
Toilet brush set
material: ceramic
GROHE StarLight chrome finish

GROHE LINEARE

GROHE LINEARE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 109 001	**Chrome**	**4005176408373**	**220.11**
	32 109 DC1	**supersteel**	**4005176412691**	**291.36**
	32 109 AL1	**Brushed Hard Graphite**	**4005176586118**	**308.00**



Lineare
Basin mixer 1/2“
XS-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

	23 791 001	**Chrome**	**4005176409097**	**220.11**
	23 791 DC1	**supersteel**	**4005176412707**	**291.36**
	23 791 AL1	**Brushed Hard Graphite**	**4005176586125**	**308.00**



Lineare
Basin mixer 1/2“
XS-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses

	23 790 001	**Chrome**	**4005176408380**	**220.11**



Lineare
Basin mixer 1/2“
XS-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

	32 114 001	**Chrome**	**4005176409103**	**209.05**
	32 114 DC1	**supersteel**	**4005176412714**	**310.78**



Lineare
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

	23 106 001	**Chrome**	**4005176409110**	**231.17**
	23 106 DC1	**supersteel**	**4005176412721**	**310.78**
	23 106 AL1	**Brushed Hard Graphite**	**4005176586149**	**328.00**



Lineare
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**23 296 001**	**Chrome**	**4005176409127**	**297.54**
	23 296 DC1	**supersteel**	**4005176412738**	**407.90**

Lineare
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4“
flexible connection hoses

	**23 405 001**	**Chrome**	**4005176409134**	**275.42**
	23 405 DC1	**supersteel**	**4005176412745**	**435.09**
	23 405 AL1	**Brushed Hard Graphite**	**4005176586163**	**459.00**

Lineare
Basin mixer 1/2“
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus rapid installation system
smooth body
flexible connection hoses

	**20 304 001**	**Chrome**	**4005176409141**	**352.85**

Lineare
Three-hole basin mixer 1/2“
M-Size
metal lever
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2“ x 10.5 mm

	**19 409 001**	**Chrome**	**4005176409158**	**275.42**
	19 409 DC1	**supersteel**	**4005176412752**	**352.85**
	19 409 AL1	**Brushed Hard Graphite**	**4005176586170**	**374.00**

Lineare
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 149 mm

GROHE LINEARE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 444 001	**Chrome**	**4005176411977**	**275.41**
23 444 DC1	**supersteel**	**4005176412769**	**383.81**
23 444 AL1	**Brushed Hard Graphite**	**4005176586187**	**405.00**



Lineare
2-hole basin mixer
L-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 207 mm

---

23 571 000		**4005176334276**	**220.10**



Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---

33 848 001	**Chrome**	**4005176409172**	**253.30**
33 848 DC1	**supersteel**	**4005176412776**	**339.95**



Lineare
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

---

33 865 001	**Chrome**	**4005176409202**	**286.48**
33 865 DC1	**supersteel**	**4005176412790**	**369.42**
33 865 AL1	**Brushed Hard Graphite**	**4005176586217**	**369.00**



Lineare
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow

---

34 719 000	**Chrome**	**4005176457654**	**370.52**



Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
33 849 001	**Chrome**	**4005176409189**	**286.49**
33 849 DC1	**supersteel**	**4005176412783**	**446.77**
33 849 AL1	**Brushed Hard Graphite**	**4005176586200**	**471.00**



Lineare
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
pillar installation optional with pillar unions 12 030 000

34 718 000	**Chrome**	**4005176457647**	**408.15**



Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow

33 850 001	**Chrome**	**4005176409196**	**331.84**



Lineare
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
with shower set
Consisting of:
hand shower Sena Stick (26 465)
wall shower holder Tempesta 100
Cosmopolitan (27 594 000)
Silverflex shower hose 1.500 mm (28 364)

24 063 001	**Chrome**	**4005176465703**	**188.47**
24 063 DC1	**supersteel**	**4005176465727**	**262.72**
24 063 AL1	**Brushed Hard Graphite**	**4005176586248**	**277.00**



Lineare
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE LINEARE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 064 001	**Chrome**	**4005176465710**	**207.30**
24 064 DC1	**supersteel**	**4005176465734**	**288.99**
24 064 AL1	**Brushed Hard Graphite**	**4005176586255**	**305.00**



Lineare
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 095 001	**Chrome**	**4005176480645**	**231.39**
24 095 DC1	**supersteel**	**4005176480652**	**322.14**
24 095 AL1	**Brushed Hard Graphite**	**4005176586262**	**340.00**



Lineare
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

25 113 000	**Chrome**	**4005176881862**	**441.34**



Lineare
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valves in the
shower outlet 1/2"
recommended pressure 0.2-5.0 bar
GROHE StarLight chrome finish

25 104 000	**Chrome**	**4005176881794**	**408.14**



Lineare
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
recommended pressure 0.2-5.0 bar
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	19 577 001	**Chrome**	**4005176409233**	**662.56**
	19 577 DC1	**supersteel**	**4005176412820**	**1,211.71**
	19 577 EN1	**brushed nickel**	**4005176413018**	**1,276.83**
	19 577 AL1	**Brushed Hard Graphite**	**4005176586224**	**1,277.00**



Lineare
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
metal lever
bath inlet with mousseur
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

19 965 001	**Chrome**	**4005176409240**	**485.57**



Lineare
3-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
single lever mixer operating element
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
for combination with 28 990 / 28 991

29 037 000		**4005176865749**	**762.09**



4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

45 388 000		**4005176212758**	**77.76**

Supporting legs for baseframe

23 792 001	**Chrome**	**4005176409257**	**1,635.92**
23 792 DC1	**supersteel**	**4005176412837**	**2,253.21**
23 792 EN1	**brushed nickel**	**4005176413001**	**2,374.36**
23 792 AL1	**Brushed Hard Graphite**	**4005176586231**	**2,375.00**



Lineare
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 271 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm (28 362)
protected against backflow

GROHE LINEARE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**45 984 001**		**4005176992056**	**352.85**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

	**29 086 000**	**4005176935497**	**231.18**

Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

	**13 383 001**	**Chrome**	**4005176418167**	**197.99**
	13 383 DC1	**supersteel**	**4005176418174**	**330.23**

Lineare
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

	**34 705 000**	**Chrome**	**4005176413285**	**1,381.53**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

	**19 952 000**	**Chrome**	**4005176174230**	**48.67**
	19 952 DC0	**supersteel**	**4005176467776**	**61.00**
	19 952 AL0	**Brushed Hard Graphite**	**4005176353376**	**132.00**

Talentofill
Inlet-, pop-up and waste-system
set for final installation
escutcheon
supply part
waste plug
fixing set

in combination with Talentofill
28 990 000/28 991 000

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
19 025 000	**Chrome**	**4005176209154**	**54.19**



Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish

28 912 000	**Chrome**	**4005176266751**	**231.18**
28 912 DC0	**supersteel**	**4005176467905**	**215.00**
28 912 AL0	**Brushed Hard Graphite**	**4005176467844**	**243.00**



Bottle trap, 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

37 601 000	**Chrome**	**4005176416057**	**73.23**
37 601 DC0	**supersteel**	**4005176416088**	**165.67**
37 601 AL0	**Brushed Hard Graphite**	**4005176529030**	**165.67**



Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately

GROHE
EUROCUBE JOY

GROHE
EUROCUBE JOY

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**23 654 000**	**Chrome**	**4005176342080**	**231.19**
		Eurocube Joy **Basin mixer 1/2"** **S-Size** monobloc installation metal lever GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses			
		**23 656 000**	**Chrome**	**4005176342103**	**209.05**
		Eurocube Joy **Basin mixer 1/2"** **S-Size** monobloc installation metal lever GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system smooth body flexible connection hoses			
		**23 657 000**	**Chrome**	**4005176342110**	**286.48**
		Eurocube Joy **Basin mixer 1/2"** **M-Size** monobloc installation metal lever GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses			
		**23 658 000**	**Chrome**	**4005176342127**	**220.11**
		Eurocube Joy **Basin mixer 1/2"** **M-Size** monobloc installation metal lever GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system smooth body flexible connection hoses			
		**23 661 000**	**Chrome**	**4005176342158**	**297.54**
		Eurocube Joy **Basin mixer 1/2"** **XL-Size** monobloc installation metal lever **for free-standing basins** GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system smooth body flexible connection hoses			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROCUBE JOY

Ref. No.	Colour	EAN code	Retail Guide Price (£)



19 997 000 **Chrome** **4005176342189** **242.23**

Eurocube Joy
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 429 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 170 mm

19 998 000 **Chrome** **4005176342196** **275.42**
ditto, projection 230 mm



23 429 000 **4005176993695** **231.17**

Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---



23 664 000 **Chrome** **4005176342202** **242.23**

Eurocube Joy
Bidet mixer 1/2"
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy ball-joint mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 665 000 **Chrome** **4005176342219** **264.35**

Eurocube Joy
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
shower bottom outlet 1/2" with
integrated non return-valve
protected against backflow



34 488 000 **Chrome** **4005176940620** **352.85**

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

GROHE
EUROCUBE JOY

Ref. No.	Colour	EAN code	Retail Guide Price (£)



23 666 000 **Chrome** **4005176342226** **308.62**

Eurocube Joy
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE XL Waterfall
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow



34 497 000 **Chrome** **4005176940675** **445.00**

Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow



24 061 000 **Chrome** **4005176465680** **181.12**

Eurocube
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 062 000 **Chrome** **4005176465697** **199.98**

Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROCUBE JOY

Ref. No.	Colour	EAN code	Retail Guide Price (£)



24 094 000	**Chrome**	**4005176480638**	**223.00**

Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation



24 153 000	**Chrome**	**4005176481178**	**474.29**
24 153 DC0	**supersteel**	**4005176574221**	**612.00**
24 153 AL0	**Brushed Hard Graphite**	**4005176585913**	**699.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation



24 154 000	**Chrome**	**4005176481185**	**528.73**
24 154 DC0	**supersteel**	**4005176574238**	**682.00**
24 154 AL0	**Brushed Hard Graphite**	**4005176585920**	**779.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EUROCUBE JOY

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 155 000	**Chrome**	**4005176481192**	**528.73**
24 155 DC0	**supersteel**	**4005176574245**	**682.00**
24 155 AL0	**Brushed Hard Graphite**	**4005176585937**	**779.00**



Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

34 741 000	**Chrome**	**4005176481208**	**1,252.20**



Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

23 667 001	**Chrome**	**4005176429019**	**1,616.04**



Eurocube Joy
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE FeatherControl Joystick cartridge
GROHE StarLight finish
automatic diverter: bath/shower
spout with mousseur
hand shower Euphoria Cube+ 6.6 l/min
Silverflex shower hose 1250 mm (28 362)
projection 298 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
protected against backflow

45 984 001		**4005176992056**	**352.85**



Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

GROHE
EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**23 137 000**	**Chrome**	**4005176901096**	**164.82**
	Eurocube **Pillar tap** **XS-Size** monobloc installation metal lever ceramic headpart **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm			
	**23 127 00E**	**Chrome**	**4005176901591**	**220.12**
	Eurocube **Basin mixer 1/2"** **S-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 127 000	**Chrome**	**4005176900341**	**220.12**
	ditto, with non-restricted flow			
	**23 823 000**	**Chrome**	**4005176457944**	**198.00**
	Eurocube **Basin mixer 1/2"** **S-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE QuickFix Plus** installation system mousseur pop-up waste set 1 1/4" flexible connection hoses with compression MI coupling 46 914 for **low pressure** min. recommended pressure 0.2 bar			
	**23 132 00E**	**Chrome**	**4005176906725**	**209.06**
	Eurocube **Basin mixer 1/2"** **S-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system smooth body flexible connection hoses			
	23 132 000	**Chrome**	**4005176900990**	**209.06**
	ditto, with non-restricted flow			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



23 390 00E	**Chrome**	**4005176938436**	**220.12**

Eurocube
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 392 00E	**Chrome**	**4005176938450**	**220.11**

Ditto, smooth body



23 445 000	**Chrome**	**4005176998706**	**231.18**
23 445 DC0	**supersteel**	**4005176524974**	**291.00**
23 445 AL0	**Brushed Hard Graphite**	**4005176584657**	**333.00**

Eurocube
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 446 000	**Chrome**	**4005176998720**	**220.10**

Eurocube
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses



23 135 00E	**Chrome**	**4005176906732**	**231.18**

Eurocube
Single-lever basin mixer 1/2"
L-Size
monobloc installation, metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

23 135 000	**Chrome**	**4005176901027**	**242.23**

ditto, with non-restricted flow

GROHE
EUROCUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 406 000	**Chrome**	**4005176941658**	**275.40**
23 406 DC0	**supersteel**	**4005176524998**	**384.00**
23 406 AL0	**Brushed Hard Graphite**	**4005176584671**	**439.00**



Eurocube
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses

36 441 000	**Chrome**	**4005176415630**	**739.17**



Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

20 351 000	**Chrome**	**4005176901041**	**297.54**
20 351 DC0	**supersteel**	**4005176525001**	**416.00**
20 351 AL0	**Brushed Hard Graphite**	**4005176584688**	**475.00**



Eurocube
Three-hole basin mixer 1/2"
S-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses between spout and side valves
union nut 1/2" x 10.5 mm

19 895 000	**Chrome**	**4005176901072**	**253.30**
19 895 AL0	**Brushed Hard Graphite**	**4005176585494**	**391.00**



Eurocube
2-hole basin mixer
S-Size
wall mounted
set for final installation for 23 200 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm

23 447 000	**Chrome**	**4005176998737**	**253.30**

Ditto, projection 231 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



23 200 002		**4005176519901**	**220.00**

Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve



23 200 000		**4005176908354**	**231.19**

Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device



23 138 000	**Chrome**	**4005176901133**	**209.07**

Eurocube
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses



23 145 000	**Chrome**	**4005176901270**	**242.22**
23 145 DC0	**supersteel**	**4005176525049**	**313.00**
23 145 AL0	**Brushed Hard Graphite**	**4005176585524**	**358.00**

Eurocube
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow
optional temperature limiter (46 375 000)



18 541 000		**4005176910869**	**32.08**

Eurocube
Shelf
for shower mixer 23 145 000
for shower mixer 23 193 000

GROHE EUROCUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 488 000	**Chrome**	**4005176940620**	**352.85**



Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

23 140 000	**Chrome**	**4005176901157**	**264.36**
23 140 DC0	**supersteel**	**4005176525056**	**365.00**
23 140 AL0	**Brushed Hard Graphite**	**4005176585531**	**417.00**



Eurocube
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow
optional temperature limiter (46 375 000)

23 141 000	**Chrome**	**4005176901164**	**330.71**



Eurocube
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow
optional temperature limiter (46 375 000)
Hand shower (27 698 000)
wall shower holder (27 693 000)
shower hose 1500 mm (28 151 000)

34 497 000	**Chrome**	**4005176940675**	**445.00**



Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 061 000	**Chrome**	**4005176465680**	**181.12**
24 061 AL0	**Brushed Hard Graphite**	**4005176585586**	**267.00**



Eurocube
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 062 000	**Chrome**	**4005176465697**	**199.98**
24 062 DC0	**supersteel**	**4005176553905**	**257.00**
24 062 AL0	**Brushed Hard Graphite**	**4005176585579**	**294.00**



Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

24 094 000	**Chrome**	**4005176480638**	**223.00**
24 094 DC0	**supersteel**	**4005176574047**	**287.00**
24 094 AL0	**Brushed Hard Graphite**	**4005176585593**	**328.00**



Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EUROCUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 153 000	**Chrome**	**4005176481178**	**474.29**
24 153 DC0	**supersteel**	**4005176574221**	**612.00**
24 153 AL0	**Brushed Hard Graphite**	**4005176585913**	**699.00**



Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 154 000	**Chrome**	**4005176481185**	**528.73**
24 154 DC0	**supersteel**	**4005176574238**	**682.00**
24 154 AL0	**Brushed Hard Graphite**	**4005176585920**	**779.00**



Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 155 000	**Chrome**	**4005176481192**	**528.73**
24 155 DC0	**supersteel**	**4005176574245**	**682.00**
24 155 AL0	**Brushed Hard Graphite**	**4005176585937**	**779.00**



Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**34 741 000**	**Chrome**	**4005176481208**	**1,252.20**

Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

	**23 409 000**	**Chrome**	**4005176942105**	**672.50**

Eurocube
Perfect shower set with Euphoria Cube 152
Consisting of:
Eurocube set for final installation (19 896 000)
Euphoria Cube 152 head shower (27 705 000)
Rainshower shower arm 275 mm (27 488 000)
Euphoria Cube Stick hand shower set (27 702)
Euphoria Cube shower outlet elbow (27 704)
min. recommended pressure 1 bar

	**23 143 000**	**Chrome**	**4005176901188**	**341.76**

Eurocube
Single-lever bath/shower mixer 1/2"
deck mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
pillar unions
protected against backflow
optional temperature limiter (46 375 000)

	**25 137 000**	**Chrome**	**4005176906770**	**352.85**

Eurocube
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
GROHE StarLight chrome finish
recommended pressure 0.2 - 5.0 bar

	**25 136 000**	**Chrome**	**4005176906763**	**308.59**

Eurocube
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
GROHE StarLight chrome finish
recommended pressure 0.2 - 5.0 bar

GROHE
EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	19 897 001	**Chrome**	**4005176429101**	**1,072.92**
	19 897 DC1	**supersteel**	**4005176525087**	**1,348.00**
	19 897 AL1	**Brushed Hard Graphite**	**4005176585548**	**1,540.00**



Eurocube
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
metal lever
bath inlet with mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

19 966 000	**Chrome**	**4005176986864**	**680.00**



Eurocube
3-hole bath combination trim set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
single lever mixer operating element
diverter bath/shower
without spout
Euphoria Cube hand shower (27 699 000) 9.4 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
for combination with 28 990 / 28 991

29 037 000		**4005176865749**	**762.09**



4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

45 388 000		**4005176212758**	**77.76**

Supporting legs for baseframe

23 672 001	**Chrome**	**4005176429002**	**1,600.55**
23 672 DC1	**supersteel**	**4005176525094**	**2,070.00**
23 672 AL1	**Brushed Hard Graphite**	**4005176585555**	**2,366.00**



Eurocube
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
29 038 001
29 086 000
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
Euphoria Cube+ Stick hand shower 6.6 l/min (26 467)
Silverflex shower hose 1250 mm (28 362)
projection 298 mm
integrated non-return valve
in the shower outlet 1/2"
protected against backflow
with shower holder

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



45 984 001 **4005176992056** **352.85**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material



29 086 000 **4005176935497** **231.18**

Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug



13 303 000	**Chrome**	**4005176906350**	**120.57**
13 303 DC0	**supersteel**	**4005176525100**	**163.00**
13 303 AL0	**Brushed Hard Graphite**	**4005176585562**	**186.00**

Eurocube
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm



13 304 000 **Chrome** **4005176906367** **131.62**

Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"
projection 170 mm



19 910 000 **Chrome** **4005176987014** **54.18**

Eurocube
Volume Control Trim
for concealed valves, 1/2", 3/4"
without concealed body
installation depth adjustable
16 - 38 mm
metal handle
Sliding escutcheon with wall sealing
GROHE StarLight chrome finish





35 028 000 **4005176908316** **131.61**

GROHE Rapido C
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
installation depth 70 - 95 mm

GROHE
EUROCUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



29 800 000		**4005176504839**	**30.43**

Concealed stop-valve, 1/2“
pre-assembled headpart 1/2“
short spindle
protection sleeve
threaded union 1/2“
DR-brass

29 802 000		**4005176504853**	**51.42**

ditto, 3/4“, pre-assembled headpart 3/4“, thread union 3/4“

29 805 000		**4005176504884**	**86.36**

ditto, 1“, pre-assembled headpart 1“, thread union 1“



29 801 000		**4005176504846**	**25.08**

Concealed stop-valve, 1/2“
pre-assembled headpart 1/2“
short spindle
protection sleeve
soldered connection Ø15 mm
DR-brass

29 804 000		**4005176504877**	**39.88**

ditto, soldered connection Ø 22 mm

29 811 000		**4005176062711**	**51.42**

ditto, 1/2“, pre-assembled headpart 1/2“, thread union 1/2“



22 012 000	**Chrome**	**4005176906343**	**43.14**
22 012 DC0	**supersteel**	**4005176525742**	**63.00**
22 012 AL0	**Brushed Hard Graphite**	**4005176585944**	**72.00**

Eurocube
Angle valve 1/2“
wall connection 1/2“
outlet thread 3/8“
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon



22 013 000	**Chrome**	**4005176909689**	**43.14**

Eurocube
Angle valve 1/2“
wall connection 1/2“
outlet 1/2“
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon



37 535 000	**Chrome**	**4005176416019**	**63.95**
37 535 DC0	**supersteel**	**4005176416040**	**165.60**
37 535 AL0	**Brushed Hard Graphite**	**4005176431357**	**165.60**

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS

GROHE PLUS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 958 003	**Chrome**	**4005176605642**	**679.00**
23 958 DC3	**supersteel**	**4005176612756**	**947.43**
23 958 AL3	**Brushed Hard Graphite**	**4005176612749**	**1,082.76**



GROHE Plus
Single-lever basin mixer 1/2" with LED display < br/>M-size
colour LED water temperature display
infra-red diverter: mousseur / Eco spray
automatic return to mousseur
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
1.5 V alkaline mono battery, 4 x mono cell
external battery
mains power retrofit possible

23 959 003	**Chrome**	**4005176605659**	**699.00**



GROHE Plus
Single-lever basin mixer 1/2" with LED display
L-Size
colour LED water temperature display
infra-red diverter: mousseur / Eco spray
automatic return to mousseur
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
1.5 V alkaline mono battery, 4 x mono cell
external battery
mains power retrofit possible

32 612 003	**Chrome**	**4005176529696**	**199.00**
32 612 DC3	**supersteel**	**4005176574054**	**269.00**
32 612 AL3	**Brushed Hard Graphite**	**4005176585609**	**307.00**



GROHE Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

32 612 30L	**Chrome**	**4005176529979**	**199.00**



GROHE Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**33 163 003**	**Chrome**	**4005176529702**	**199.00**

GROHE Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

	**23 870 003**	**Chrome**	**4005176529719**	**199.00**

GROHE Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

	**23 871 003**	**Chrome**	**4005176529726**	**249.00**
	23 871 DC3	**supersteel**	**4005176574061**	**336.00**
	23 871 AL3	**Brushed Hard Graphite**	**4005176585616**	**384.00**

GROHE Plus
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4"
flexible connection hoses

	**23 872 003**	**Chrome**	**4005176529733**	**249.00**

GROHE Plus
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

GROHE PLUS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 851 003	Chrome	4005176496523	279.00
23 851 DC3	supersteel	4005176574078	376.00
23 851 AL3	Brushed Hard Graphite	4005176585623	430.00



GROHE Plus
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4"
flexible connection hoses

---

23 873 003	Chrome	4005176529986	279.00



GROHE Plus
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

---

23 843 003	Chrome	4005176496547	329.00



GROHE Plus
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
pop-up waste set 1 1/4"
flexible connection hoses

---

23 844 003	Chrome	4005176496554	329.00



GROHE Plus
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 618 003	Chrome	4005176529740	299.00
	32 618 DC3	supersteel	4005176574092	416.00
	32 618 AL3	Brushed Hard Graphite	4005176585647	476.00

GROHE Plus
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses

20 301 003	Chrome	4005176529757	301.99



GROHE Plus
Three-hole basin mixer 1/2"
M-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pop-up waste set 1 1/4"
GROHE QuickFix installation system
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm

29 303 003	Chrome	4005176529764	249.00
29 303 DC3	supersteel	4005176574108	328.00
29 303 AL3	Brushed Hard Graphite	4005176585654	374.00



GROHE Plus
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 200 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 147 mm
min. recommended pressure 1 bar

29 306 003	Chrome	4005176529771	259.00

ditto, projection 203 mm

23 200 002		4005176519901	220.00



Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**23 200 000**		**4005176908354**	**231.19**

Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device

	**33 241 003**	**Chrome**	**4005176529849**	**199.00**
	33 241 DC3	**supersteel**	**4005176574184**	**269.00**
	33 241 AL3	**Brushed Hard Graphite**	**4005176585739**	**307.00**

GROHE Plus
Bidet mixer 1/2"
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1 bar

	**33 577 003**	**Chrome**	**4005176529801**	**239.00**
	33 577 DC3	**supersteel**	**4005176574139**	**322.00**
	33 577 AL3	**Brushed Hard Graphite**	**4005176585685**	**368.00**

GROHE Plus
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1 bar

	**34 719 000**	**Chrome**	**4005176457654**	**370.52**

Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	33 553 003	**Chrome**	**4005176529795**	**299.00**
	33 553 DC3	**supersteel**	**4005176574122**	**403.00**
	33 553 AL3	**Brushed Hard Graphite**	**4005176585678**	**460.00**



GROHE Plus
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
laminar mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1 bar

---

34 718 000	**Chrome**	**4005176457647**	**408.15**



Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow

---

33 547 003	**Chrome**	**4005176529818**	**339.00**



GROHE Plus
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
laminar mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
with shower set
Consisting of:
hand shower Euphoria Cube Stick (27 698 000)
wall shower holder (27 693 000)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1 bar

---

40 954 000	**Chrome**	**4005176496844**	**99.00**

GROHE Plus
Tray
suitable for
33 553 003
33 547 003
33 577 003

GROHE PLUS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 059 003	**Chrome**	**4005176529832**	**189.00**
24 059 DC3	**supersteel**	**4005176574153**	**255.00**
24 059 AL3	**Brushed Hard Graphite**	**4005176585708**	**292.00**



GROHE Plus
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 060 003	**Chrome**	**4005176529825**	**199.00**
24 060 DC3	**supersteel**	**4005176574146**	**269.00**
24 060 AL3	**Brushed Hard Graphite**	**4005176585692**	**307.00**



GROHE Plus
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 093 003	**Chrome**	**4005176530050**	**219.00**
24 093 DC3	**supersteel**	**4005176574214**	**302.00**
24 093 AL3	**Brushed Hard Graphite**	**4005176585760**	**345.00**



GROHE Plus
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN code	Retail Guide Price (£)
25 132 003	**Chrome**	**4005176529870**	**369.00**



GROHE Plus
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
recommended pressure 0.2 - 5.0 bar
GROHE StarLight finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**25 133 003**	**Chrome**	**4005176529887**	**399.00**

GROHE Plus
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
recommended pressure 0.2 - 5.0 bar
GROHE StarLight finish

	**29 307 003**	**Chrome**	**4005176529993**	**799.00**
	29 307 DC3	**supersteel**	**4005176574160**	**1,107.00**
	29 307 AL3	**Brushed Hard Graphite**	**4005176585715**	**1,265.00**

GROHE Plus
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout laminar mousseur
single lever mixer operating element
metal lever
diverter bath/shower
hand shower Euphoria Cube 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
min. recommended pressure 1 bar

	**23 845 003**	**Chrome**	**4005176496677**	**679.00**

GROHE Plus
3-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
Consisting of:
single lever mixer operating element
diverter bath/shower
without spout
Euphoria Cube hand shower 7.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
for combination with 28 990 / 28 991
min. recommended pressure 1 bar

	**29 037 002**		**4005176519918**	**724.00**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve
caps to cover screw fixations always come in chrome color

45 388 000		**4005176212758**	**77.76**

Supporting legs for baseframe

GROHE PLUS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 846 003	Chrome	4005176496684	1,499.00
23 846 DC3	supersteel	4005176574177	2,039.00
23 846 AL3	Brushed Hard Graphite	4005176585722	2,330.00



GROHE Plus
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with laminar mousseur
projection 282 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube 6.6 l/min
Silverflex shower hose 1250 mm (28 362)
protected against backflow
min. recommended pressure 1 bar

---

45 984 001 | 4005176992056 | 352.85



Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

---

29 086 000 | 4005176935497 | 231.18



Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

---

13 404 003 | Chrome | 4005176529788 | 139.00



GROHE Plus
Bath spout
wall mounted
GROHE StarLight chrome finish
laminar mousseur
male thread 1/2"
projection 168 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 507 000	**Chrome**	**4005176457586**	**1,093.94**
26 507 LS0	**moon white**	**4005176457609**	**1,259.85**
26 507 DC0	**supersteel**	**4005176526374**	**1,472.00**
26 507 AL0	**Brushed Hard Graphite**	**4005176557422**	**1,766.00**



Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
GROHE PureRain and Centered Jet spray
hand shower Euphoria 110 Massage, spray plate white
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

26 508 000	**Chrome**	**4005176457593**	**1,093.94**
26 508 LS0	**moon white**	**4005176457616**	**1,259.85**
26 508 DC0	**supersteel**	**4005176526367**	**1,472.00**
26 508 AL0	**Brushed Hard Graphite**	**4005176557507**	**1,766.00**



Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
GROHE PureRain and Centered Jet spray
hand shower Euphoria Cube Stick
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**34 705 000**	**Chrome**	**4005176413285**	**1,381.53**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

	**34 706 000**	**Chrome**	**4005176413797**	**1,370.46**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox 35 600 000
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)

	**19 952 000**	**Chrome**	**4005176174230**	**48.67**
	19 952 DC0	**supersteel**	**4005176467776**	**61.00**
	19 952 AL0	**Brushed Hard Graphite**	**4005176353376**	**132.00**

Talentofill
Inlet-, pop-up and waste-system
set for final installation
escutcheon
supply part
waste plug
fixing set

in combination with Talentofill
28 990 000/28 991 000

	**19 025 000**	**Chrome**	**4005176209154**	**54.19**

Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish

	**40 564 000**	**Chrome**	**4005176912740**	**253.31**
	40 564 DC0	**supersteel**	**4005176491795**	**329.00**
	40 564 AL0	**Brushed Hard Graphite**	**4005176491788**	**376.00**

Bottle trap
for **wash basin**
GROHE StarLight chrome finish
brass body

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**28 912 000**	**Chrome**	**4005176266751**	**231.18**
	28 912 DC0	**supersteel**	**4005176467905**	**215.00**
	28 912 AL0	**Brushed Hard Graphite**	**4005176467844**	**243.00**

Bottle trap, 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

	**37 535 000**	**Chrome**	**4005176416019**	**63.95**
	37 535 DC0	**supersteel**	**4005176416040**	**165.60**
	37 535 AL0	**Brushed Hard Graphite**	**4005176431357**	**165.60**

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately

	**37 624 000**	**Chrome**	**4005176416095**	**73.23**
	37 624 DC0	**supersteel**	**4005176416125**	**165.70**
	37 624 AL0	**Brushed Hard Graphite**	**4005176529115**	**165.67**

Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately

GROHE EUROPLUS

GROHE
EUROPLUS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
33 155 002	**Chrome**	**4005176865947**	**253.29**



Europlus
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
rapid installation system
pull out spout with mousseur
integrated non-return valve
pop-up waste set 1 1/4“
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

GROHE
ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 589 001	Chrome	4005176339172	159.28
23 589 DC1	supersteel	4005176369919	223.72
23 589 BE1	polished nickel	4005176419638	239.72
23 589 EN1	brushed nickel	4005176425844	255.69
23 589 GL1	cool sunrise	4005176407321	239.72
23 589 GN1	brushed cool sunrise	4005176419614	255.69
23 589 DA1	warm sunset	4005176407314	239.72
23 589 DL1	brushed warm sunset	4005176419621	255.69
23 589 A01	hard graphite	4005176407338	239.72
23 589 AL1	Brushed Hard Graphite	4005176407345	255.69



Essence
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

23 590 001	Chrome	4005176339189	148.22
23 590 DC1	supersteel	4005176369926	216.45
23 590 BE1	polished nickel	4005176426018	231.93
23 590 EN1	brushed nickel	4005176426025	247.38
23 590 GL1	cool sunrise	4005176425851	231.93
23 590 GN1	brushed cool sunrise	4005176425868	247.38
23 590 DA1	warm sunset	4005176425875	231.93
23 590 DL1	brushed warm sunset	4005176425882	247.38
23 590 A01	hard graphite	4005176426001	231.93
23 590 AL1	Brushed Hard Graphite	4005176425998	247.38



Essence
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses

23 591 001	Chrome	4005176339196	131.62



Essence
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

32 898 001	Chrome	4005176306860	153.74



Essence
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 294 001	Chrome	4005176306877	142.69

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses

	23 379 001	Chrome	4005176306891	164.81

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

	23 462 001	Chrome	4005176306907	186.92
	23 462 DC1	supersteel	4005176369933	261.90
	23 462 BE1	polished nickel	4005176426087	280.63
	23 462 EN1	brushed nickel	4005176426094	299.33
	23 462 GL1	cool sunrise	4005176426032	280.63
	23 462 GN1	brushed cool sunrise	4005176426049	299.33
	23 462 DA1	warm sunset	4005176426056	280.63
	23 462 DL1	brushed warm sunset	4005176426063	299.33
	23 462 A01	hard graphite	4005176425325	280.63
	23 462 AL1	Brushed Hard Graphite	4005176426070	299.33

Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

	23 480 001	Chrome	4005176306921	184.00

Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
retractable chain
flexible connection hoses

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 463 001	**Chrome**	**4005176306914**	**175.86**



Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses

32 628 001	**Chrome**	**4005176306983**	**197.97**
32 628 DC1	**supersteel**	**4005176369940**	**287.36**
32 628 BE1	**polished nickel**	**4005176419669**	**307.90**
32 628 EN1	**brushed nickel**	**4005176426100**	**328.42**
32 628 GL1	**cool sunrise**	**4005176407369**	**307.90**
32 628 GN1	**brushed cool sunrise**	**4005176419645**	**328.42**
32 628 DA1	**warm sunset**	**4005176407352**	**307.90**
32 628 DL1	**brushed warm sunset**	**4005176419652**	**328.42**
32 628 A01	**hard graphite**	**4005176407376**	**307.90**
32 628 AL1	**Brushed Hard Graphite**	**4005176407383**	**328.42**



Essence
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

23 541 001	**Chrome**	**4005176313912**	**186.92**



Essence
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 901 001	Chrome	4005176306969	264.36
32 901 DC1	supersteel	4005176369957	389.24
32 901 BE1	polished nickel	4005176426131	417.06
32 901 EN1	brushed nickel	4005176426148	444.85
32 901 GL1	cool sunrise	4005176407505	417.06
32 901 GN1	brushed cool sunrise	4005176426117	444.85
32 901 DA1	warm sunset	4005176407499	417.06
32 901 DL1	brushed warm sunset	4005176426124	444.85
32 901 A01	hard graphite	4005176407512	417.06
32 901 AL1	Brushed Hard Graphite	4005176407529	444.85



Essence
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus rapid installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses

36 445 000	Chrome	4005176415678	601.70



Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

20 296 001	Chrome	4005176307072	253.30



Essence
Three-hole basin mixer 1/2"
M-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



20 299 001	**Chrome**	**4005176307096**	**319.66**

Essence
3-hole basin mixer
L-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses between spout and side valves
union nut 1/2" x 10.5 mm

19 408 001	**Chrome**	**4005176307133**	**186.91**
19 408 DC1	**supersteel**	**4005176369964**	**287.36**
19 408 BE1	**polished nickel**	**4005176426216**	**307.90**
19 408 EN1	**brushed nickel**	**4005176426223**	**328.42**
19 408 GL1	**cool sunrise**	**4005176426155**	**307.90**
19 408 GN1	**brushed cool sunrise**	**4005176426162**	**328.42**
19 408 DA1	**warm sunset**	**4005176426179**	**307.90**
19 408 DL1	**brushed warm sunset**	**4005176426186**	**328.42**
19 408 A01	**hard graphite**	**4005176426209**	**307.90**
19 408 AL1	**Brushed Hard Graphite**	**4005176426193**	**328.42**



Essence
2-hole basin mixer
M-Size
wall mounted
set for final installation for 23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 183 mm

19 967 001	**Chrome**	**4005176307140**	**209.06**
19 967 DC1	**supersteel**	**4005176369971**	**323.77**
19 967 BE1	**polished nickel**	**4005176426292**	**346.89**
19 967 EN1	**brushed nickel**	**4005176426308**	**370.00**
19 967 GL1	**cool sunrise**	**4005176426230**	**346.89**
19 967 GN1	**brushed cool sunrise**	**4005176426247**	**370.00**
19 967 DA1	**warm sunset**	**4005176426254**	**346.89**
19 967 DL1	**brushed warm sunset**	**4005176426261**	**370.00**
19 967 A01	**hard graphite**	**4005176426285**	**346.89**
19 967 AL1	**Brushed Hard Graphite**	**4005176426278**	**370.00**

ditto, projection 230 mm



23 571 000		**4005176334276**	**220.10**

Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 935 001	Chrome	4005176307171	153.74
32 935 DC1	supersteel	4005176369988	223.72
32 935 BE1	polished nickel	4005176426377	239.72
32 935 EN1	brushed nickel	4005176426384	255.69
32 935 GL1	cool sunrise	4005176426315	239.72
32 935 GN1	brushed cool sunrise	4005176426322	255.69
32 935 DA1	warm sunset	4005176426339	239.72
32 935 DL1	brushed warm sunset	4005176426346	255.69
32 935 A01	hard graphite	4005176426360	239.72
32 935 AL1	Brushed Hard Graphite	4005176426353	255.69



Essence
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

Ref. No.	Colour	EAN code	Retail Guide Price (£)
33 636 001	Chrome	4005176307287	164.82
33 636 DC1	supersteel	4005176371141	247.36
33 636 BE1	polished nickel	4005176426674	265.05
33 636 EN1	brushed nickel	4005176426681	282.71
33 636 GL1	cool sunrise	4005176426612	265.05
33 636 GN1	brushed cool sunrise	4005176426629	282.71
33 636 DA1	warm sunset	4005176426636	265.05
33 636 DL1	brushed warm sunset	4005176426643	282.71
33 636 A01	hard graphite	4005176426667	265.05
33 636 AL1	Brushed Hard Graphite	4005176426650	282.71



Essence
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 765 000	Chrome	4005176612022	188.59



Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

GROHE
ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
33 624 001	Chrome	4005176990786	198.01
33 624 DC1	supersteel	4005176371097	303.77
33 624 BE1	polished nickel	4005176426452	325.45
33 624 EN1	brushed nickel	4005176426469	347.14
33 624 GL1	cool sunrise	4005176426391	325.45
33 624 GN1	brushed cool sunrise	4005176426407	347.14
33 624 DA1	warm sunset	4005176426414	325.45
33 624 DL1	brushed warm sunset	4005176426421	347.14
33 624 A01	hard graphite	4005176426445	325.45
33 624 AL1	Brushed Hard Graphite	4005176426438	347.14



Essence
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow

33 628 001	Chrome	4005176990793	242.22



Essence
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
with shower set
Consisting of:
hand shower Euphoria Cosmopolitan
Stick (27 400 000) 6.6 l/min
wall shower holder Tempesta 100
Cosmopolitan (27 594 000)
Silverflex shower hose 1.500 mm (28 364)

34 766 000	Chrome	4005176612039	245.70



Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 057 001	Chrome	4005176465468	164.38
24 057 DC1	supersteel	4005176465482	229.62
24 057 BE1	polished nickel	4005176465628	246.03
24 057 EN1	brushed nickel	4005176465642	262.42
24 057 GL1	cool sunrise	4005176465505	246.03
24 057 GN1	brushed cool sunrise	4005176465529	262.42
24 057 DA1	warm sunset	4005176465543	246.03
24 057 DL1	brushed warm sunset	4005176465567	262.42
24 057 A01	hard graphite	4005176465581	246.03
24 057 AL1	Brushed Hard Graphite	4005176465604	262.42



Essence
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000		4005176413469	132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 058 001	Chrome	4005176465475	181.12
24 058 DC1	supersteel	4005176465499	252.56
24 058 BE1	polished nickel	4005176465635	270.60
24 058 EN1	brushed nickel	4005176465659	288.65
24 058 GL1	cool sunrise	4005176465512	270.60
24 058 GN1	brushed cool sunrise	4005176465536	288.65
24 058 DA1	warm sunset	4005176465550	270.60
24 058 DL1	brushed warm sunset	4005176465574	288.65
24 058 A01	hard graphite	4005176465598	270.60
24 058 AL1	Brushed Hard Graphite	4005176465611	288.65



Essence
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000		4005176413469	132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 092 001	**Chrome**	**4005176480522**	**205.21**
24 092 DC1	**supersteel**	**4005176480539**	**285.69**
24 092 BE1	**polished nickel**	**4005176480607**	**306.11**
24 092 EN1	**brushed nickel**	**4005176480614**	**326.49**
24 092 GL1	**cool sunrise**	**4005176480546**	**306.11**
24 092 GN1	**brushed cool sunrise**	**4005176480553**	**326.49**
24 092 DA1	**warm sunset**	**4005176480560**	**306.11**
24 092 DL1	**brushed warm sunset**	**4005176480577**	**326.49**
24 092 A01	**hard graphite**	**4005176481291**	**306.11**
24 092 AL1	**Brushed Hard Graphite**	**4005176481307**	**326.49**



Essence
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

34 705 000	**Chrome**	**4005176413285**	**1,381.53**



Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower with 2 sprays,
horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

Ref. No.	Colour	EAN code	Retail Guide Price (£)
19 578 001	**Chrome**	**4005176307195**	**739.99**
19 578 DC1	**supersteel**	**4005176371103**	**1,036.73**
19 578 BE1	**polished nickel**	**4005176426537**	**1,110.77**
19 578 EN1	**brushed nickel**	**4005176374463**	**1,184.83**
19 578 GL1	**cool sunrise**	**4005176426476**	**1,110.77**
19 578 GN1	**brushed cool sunrise**	**4005176426483**	**1,184.83**
19 578 DA1	**warm sunset**	**4005176426490**	**1,110.77**
19 578 DL1	**brushed warm sunset**	**4005176426506**	**1,184.83**
19 578 A01	**hard graphite**	**4005176426520**	**1,110.77**
19 578 AL1	**Brushed Hard Graphite**	**4005176426513**	**1,184.83**



Essence
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
metal lever
bath inlet with mousseur
diverter bath/shower
for chrome: hand shower 27400000
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**19 976 001**	**Chrome**	**4005176307218**	**441.32**
	Essence **3-hole single-lever bath combination** Three hole installation **GROHE SilkMove** 35 mm ceramic cartridge **GROHE StarLight** chrome finish single lever mixer operating element diverter bath/shower hand shower 27 400 000 metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 for combination with 28 990 / 28 991			
	**29 037 000**		**4005176865749**	**762.09**
	4/5-hole bath combination (optional) **baseframe for installation** **under tiled surround** base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color			
	45 388 000		**4005176212758**	**77.76**
	Supporting legs for baseframe			
	**23 741 001**	**Chrome**	**4005176371509**	**1,713.37**
	23 741 DC1	**supersteel**	**4005176371516**	**3,069.05**
	Essence **Single-lever free-standing shower system** floor-mounted set for final installation for 45 984 001 29 038 001 29 086 000 **without roughing-in-set** **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish automatic diverter head shower/hand shower 360° horizontal swivable shower arm integrated non-return valve in the shower outlet 1/2" with shower holder Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000) with ball joint rotation angle ± 15° **GROHE DreamSpray** perfect spray pattern **SpeedClean** anti-limescale system for chrome: hand shower 27400000 Silverflex shower hose 1750 mm (28 388 000) protected against backflow			

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 491 001	**Chrome**	**4005176307263**	**1,138.19**
23 491 DC1	**supersteel**	**4005176371127**	**1,636.94**
23 491 BE1	**polished nickel**	**4005176426605**	**1,753.87**
23 491 EN1	**brushed nickel**	**4005176371134**	**1,870.78**
23 491 GL1	**cool sunrise**	**4005176407581**	**1,753.87**
23 491 GN1	**brushed cool sunrise**	**4005176426582**	**1,870.78**
23 491 DA1	**warm sunset**	**4005176407574**	**1,753.87**
23 491 DL1	**brushed warm sunset**	**4005176426599**	**1,870.78**
23 491 A01	**hard graphite**	**4005176407598**	**1,753.87**
23 491 AL1	**Brushed Hard Graphite**	**4005176407604**	**1,870.78**



Essence
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur
and stop limiter
projection 277 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
for chrome: hand shower 27400000
Silverflex shower hose 1250 mm (28 362)
protected against backflow

45 984 001	**4005176992056**	**352.85**



Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

29 086 000	**4005176935497**	**231.18**



Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 601 000	**Chrome**	**4005176416057**	**73.23**
37 601 DC0	**supersteel**	**4005176416088**	**165.67**
37 601 BE0	**polished nickel**	**4005176529009**	**165.67**
37 601 EN0	**brushed nickel**	**4005176529047**	**165.67**
37 601 GL0	**cool sunrise**	**4005176524271**	**165.67**
37 601 GN0	**brushed cool sunrise**	**4005176529016**	**165.67**
37 601 DA0	**warm sunset**	**4005176524288**	**165.67**
37 601 DL0	**brushed warm sunset**	**4005176529023**	**165.67**
37 601 A00	**hard graphite**	**4005176528996**	**165.67**
37 601 AL0	**Brushed Hard Graphite**	**4005176529030**	**165.67**



Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC JOY

GROHE
EURODISC JOY

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 425 000	**Chrome**	**4005176993596**	**175.86**
	23 425 LS0	**moon white**	**4005176993602**	**231.17**



Eurodisc Joy
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

23 427 000	**Chrome**	**4005176993619**	**197.99**
23 427 LS0	**moon white**	**4005176993626**	**253.31**



Eurodisc Joy
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

23 428 000	**Chrome**	**4005176993633**	**297.54**
23 428 LS0	**moon white**	**4005176993640**	**386.03**



Eurodisc Joy
Basin mixer 1/2“
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses

19 968 000	**Chrome**	**4005176993657**	**209.05**
19 968 LS0	**moon white**	**4005176993664**	**330.72**



Eurodisc Joy
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 429 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 171 mm

19 969 000	**Chrome**	**4005176993671**	**231.19**
19 969 LS0	**moon white**	**4005176993688**	**253.31**



Eurodisc Joy
2-hole basin mixer
L-Size
wall mounted
set for final installation for
23 429 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 226 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC JOY

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**23 429 000**		**4005176993695**	**231.17**

Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

	**24 036 000**	**Chrome**	**4005176993701**	**209.05**
	24 036 LS0	**moon white**	**4005176993718**	**242.25**

Eurodisc Joy
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy ball-joint mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

	**23 430 000**	**Chrome**	**4005176993725**	**220.12**
	23 430 LS0	**moon white**	**4005176993732**	**242.22**

Eurodisc Joy
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
protected against backflow

	**23 431 000**	**Chrome**	**4005176993749**	**220.11**
	23 431 LS0	**moon white**	**4005176993756**	**253.30**

Eurodisc Joy
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove Joystick cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow

	**24 055 002**	**Chrome**	**4005176465420**	**154.95**

Eurodisc Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

	35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EURODISC JOY

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 056 002	**Chrome**	**4005176465437**	**169.61**



Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EURODISC COSMOPOLITAN

GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 051 002	Chrome	4005176887567	98.44

Eurodisc Cosmopolitan
Pillar tap
XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
union nut 1/2" x 10.5 mm

	23 049 002	Chrome	4005176887536	186.94

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE QuickFix Plus installation
system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses

	33 190 20E	Chrome	4005176887482	186.94

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation
system with centering support
pop-up waste set 1 1/4"
flexible connection hoses

	33 183 002	Chrome	4005176887499	176.98

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation
system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

	32 469 20E	Chrome	4005176908835	175.89

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
metal lever
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation
system with centering support
smooth body
flexible connection hoses
noise classification 1 in accordance
with DIN4109

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 469 20L	**Chrome**	**4005176917110**	**166.85**



Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE QuickFix Plus installation
system with centering support
GROHE StarLight chrome finish
mousseur
smooth body
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

23 389 20E	**Chrome**	**4005176938412**	**186.95**



Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1 bar

23 384 20E	**Chrome**	**4005176936722**	**209.06**



Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy
saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation
system with centering support
pop-up waste set 1 1/4"
flexible connection hoses

23 382 20E	**Chrome**	**4005176936708**	**175.89**

Ditto, with GROHE SilkMove ES

23 448 002	**Chrome**	**4005176998744**	**186.94**



Eurodisc Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

GROHE
EURODISC COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		23 449 002	**Chrome**	4005176998768	175.86

Eurodisc Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
smooth body
flexible connection hoses

		23 054 003	**Chrome**	4005176472596	185.09

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix Plus installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1 bar
optional temperature limiter (46 375 000)

		23 432 000	**Chrome**	4005176993763	286.48

Eurodisc Cosmopolitan
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses
optional temperature limiter (46 375 000)

		23 055 002	**Chrome**	4005176887680	231.16

Eurodisc Cosmopolitan
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation
system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)



19 573 002 **Chrome** **4005176887659** **209.07**

Eurodisc Cosmopolitan
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide NEW
centre distance 110 mm
projection 170 mm

19 974 002 **Chrome** **4005176305948** **220.11**
ditto, projection 225 mm



23 571 000 **4005176334276** **220.10**

Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---



33 244 002 **Chrome** **4005176888779** **175.87**

Eurodisc Cosmopolitan
Bidet mixer 1/2"
S-Size
metal lever
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation
system with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)



33 569 002 **Chrome** **4005176887734** **186.94**

Eurodisc Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
shower bottom outlet 1/2"
integrated non-return valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)



34 719 000 **Chrome** **4005176457654** **370.52**

Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow

GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**33 192 002**	**Chrome**	**4005176887864**	**209.07**

Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow
optional temperature limiter (46 308 000)

	**33 390 002**	**Chrome**	**4005176887796**	**209.07**

Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)

	**34 718 000**	**Chrome**	**4005176457647**	**408.15**

Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow

	**33 395 002**	**Chrome**	**4005176887802**	**275.40**

Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
noise classification 1 in accordance
with DIN4109
with shower set
Consisting of:
hand shower euphoria 110 Champagne (27 222)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)



24 055 002 **Chrome** **4005176465420** **154.95**

Eurodisc Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---



24 056 002 **Chrome** **4005176465437** **169.61**

Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---



34 705 000 **Chrome** **4005176413285** **1,381.53**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower with 2 sprays,
horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)



33 392 002 **Chrome** **4005176889554** **297.55**

Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
deck mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
pillar unions
protected against backflow
optional temperature limiter (46 308 000)

GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	13 278 002	**Chrome**	**4005176887871**	**98.42**



Eurodisc Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

	37 624 000	**Chrome**	**4005176416095**	**73.23**



Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

GROHE CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 207 001	**Chrome**	**4005176888878**	**99.99**



Concetto
Pillar tap
XS-Size
monobloc installation
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
union nut 1/2" x 10.5 mm
noise classification 1 in accordance with DIN4109

	32 204 10E	**Chrome**	**4005176887345**	**140.39**



Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses

	23 931 001	**Chrome**	**4005176584015**	**130.29**



Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1 bar
noise classification 1 in accordance with DIN4109

	23 060 001	**Chrome**	**4005176888021**	**130.29**



Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for use with displacement water heater
optional temperature limiter (46 375 000)
noise classification 1 in accordance with DIN4109

	32 202 10L	**Chrome**	**4005176903960**	**130.29**



Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)
min. recommended pressure 0.2 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 240 10E	**Chrome**	**4005176906794**	**130.29**



Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body
flexible connection hoses

	32 240 10L	**Chrome**	**4005176903977**	**120.19**



Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix installation system
mousseur
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)

	23 380 10E	**Chrome**	**4005176938245**	**140.39**



Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	23 385 10E	**Chrome**	**4005176938269**	**130.29**

Ditto, with GROHE SilkMove ES

	23 450 001	**Chrome**	**4005176998775**	**150.49**



Concetto
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	23 932 001	**Chrome**	**4005176584022**	**140.39**



Concetto
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1 bar

GROHE
CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



23 451 001 **Chrome** **4005176998799** **140.39**

Concetto
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses



23 739 002 **Chrome** **4005176472602** **199.00**

Concetto
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix installation system
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter (46 375 000)
min. recommended pressure 1 bar



32 629 002 **Chrome** **4005176472619** **170.69**

Concetto
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter (46 375 000)
min. recommended pressure 1 bar



20 216 001 **Chrome** **4005176888373** **221.19**

Concetto
Three-hole basin mixer 1/2“
L-Size
ceramic headpart
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



19 575 001 **Chrome** **4005176888366** **180.79**

Concetto
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
GROHE StarLight chrome finish
centre distance 110 mm
projection 147 mm



23 571 000 **4005176334276** **220.10**

Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



32 208 001 **Chrome** **4005176888908** **130.29**

Concetto
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses



32 210 001 **Chrome** **4005176888939** **150.49**

Concetto
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)
noise classification 1 in accordance
with DIN4109



34 765 000 **Chrome** **4005176612022** **188.59**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

GROHE
CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 211 001	Chrome	4005176889028	170.69

Concetto
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)

	34 766 000	Chrome	4005176612039	245.70

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

	32 212 001	Chrome	4005176889035	200.99

Concetto
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
with shower set
Consisting of:
Euphoria Cosmopolitan hand shower (27 400)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

	32 700 001	Chrome	4005176887994	160.59

Concetto
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
46 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
noise classification 1 in accordance
with DIN4109

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

Ref. No.	Colour	EAN code	Retail Guide Price (£)



24 053 001 **Chrome** **4005176465406** **144.00**

Concetto
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 054 001 **Chrome** **4005176465413** **158.00**

Concetto
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation



19 345 001 **Chrome** **4005176888953** **150.49**

Concetto
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing



32 213 001 **Chrome** **4005176888960** **150.49**

Concetto
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
set for final installation
concealed body
33 964 000
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter
min. recommended pressure 1 bar



19 346 001 **Chrome** **4005176889080** **160.59**

Concetto
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered coupling

GROHE
CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 214 001	**Chrome**	4005176889097	170.69

Concetto
Single-lever bath/shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
set for final installation
concealed body
33 963 000
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter
min. recommended pressure 1 bar

	25 102 000	**Chrome**	4005176881671	231.29

Concetto
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
GROHE StarLight chrome finish
recommended pressure 0.2-5.0 bar

	25 109 000	**Chrome**	4005176881848	261.59

Concetto
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
GROHE StarLight chrome finish

	19 576 002	**Chrome**	4005176429088	693.87

Concetto
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
diverter bath/shower
Euphoria Cosmopolitan hand shower 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000

	29 037 000		4005176865749	762.09

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

	45 388 000		4005176212758	77.76

Supporting legs for baseframe

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**13 280 001**	**Chrome**	**4005176888687**	**89.89**

Concetto
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**13 281 001**	**Chrome**	**4005176888694**	**120.19**

Concetto
Bath spout with diverter
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"

GROHE EUROSTYLE COSMOPOLITAN

GROHE
EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 039 002	**Chrome**	4005176886881	87.39

Eurostyle Cosmopolitan
Pillar tap
XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
mousseur

	23 037 002	**Chrome**	4005176886355	142.67

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses

	23 387 20E	**Chrome**	4005176938382	120.55

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	33 552 20E	**Chrome**	4005176886300	120.55

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
noise classification 1 in accordance
with DIN4109

	33 561 002	**Chrome**	4005176886379	142.69

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for use with displacement water heater
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**32 468 20E**	**Chrome**	**4005176906886**	**120.54**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body
flexible connection hoses
noise classification 1 in accordance with DIN4109

	**32 468 20L**	**Chrome**	**4005176917097**	**115.27**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur, smooth body
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)

	**23 374 20E**	**Chrome**	**4005176936678**	**120.55**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1 bar

	23 373 20E	**Chrome**	**4005176936661**	**120.54**

Ditto, with GROHE SilkMove ES

	**23 043 003**	**Chrome**	**4005176472732**	**185.07**

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1 bar
optional temperature limiter (46 375 000)

GROHE
EUROSTYLE COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**20 208 002**	**Chrome**	**4005176886980**	**253.30**

Eurostyle Cosmopolitan
3-hole basin mixer
S-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

		**19 571 002**	**Chrome**	**4005176886973**	**220.12**

Eurostyle Cosmopolitan
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm

		**23 571 000**		**4005176334276**	**220.10**

Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

		**33 565 002**	**Chrome**	**4005176887000**	**120.55**

Eurostyle Cosmopolitan
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)

		**33 590 002**	**Chrome**	**4005176887048**	**131.61**

Eurostyle Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
integrated non-return valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**32 229 002**	**Chrome**	**4005176887055**	**133.84**

Eurostyle Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
shower bottom outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
optional temperature limiter ref. no. 08 791
noise classification 1 in accordance with DIN4109

	**34 765 000**	**Chrome**	**4005176612022**	**188.59**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

	**33 614 002**	**Chrome**	**4005176887208**	**198.33**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow
optional temperature limiter (46 308 000)

	**33 591 002**	**Chrome**	**4005176887123**	**153.75**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 766 000 **Chrome** **4005176612039** **245.70**

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow



33 592 20A **Chrome** **4005176454288** **203.51**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
with shower set
hand shower Tempesta Cosmopolitan 100, 2 sprays (27 571)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)



24 051 002 **Chrome** **4005176465383** **148.67**

Eurostyle Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 052 002 **Chrome** **4005176465390** **163.33**

Eurostyle Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



19 507 002 **Chrome** **4005176887079** **153.73**

Eurostyle Cosmopolitan
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing



19 506 002 **Chrome** **4005176887185** **153.74**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing



23 048 003 **Chrome** **4005176429132** **828.48**

Eurostyle Cosmopolitan
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing, single lever mixer operating element
diverter bath/shower
Euphoria Cosmopolitan hand shower 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000



29 037 000 **4005176865749** **762.09**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

45 388 000 **4005176212758** **77.76**
Supporting legs for baseframe



13 276 002 **Chrome** **4005176887246** **98.44**

Eurostyle Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

GROHE EUROSTYLE

GROHE EUROSTYLE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	33 558 003	Chrome	4005176334139	120.57
	33 558 LS3	moon white	4005176335686	163.71



Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	23 929 003	Chrome	4005176583995	115.15



Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

	23 707 003	Chrome	4005176364778	109.50
	23 707 LS3	moon white	4005176364785	153.73



Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	23 564 003	Chrome	4005176334146	119.00



Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	23 708 003	Chrome	4005176364990	103.97



Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSTYLE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 374 003	**Chrome**	**4005176334153**	**120.57**
	23 374 LS3	**moon white**	**4005176334450**	**164.81**



Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	23 709 003	**Chrome**	**4005176365003**	**109.50**
	23 709 LS3	**moon white**	**4005176365010**	**142.67**



Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	23 930 003	**Chrome**	**4005176584008**	**115.15**



Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

	33 561 003	**Chrome**	**4005176334160**	**120.57**



Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses

	33 557 003	**Chrome**	**4005176334184**	**109.50**



Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
retractable chain
flexible connection hoses

GROHE EUROSTYLE

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**32 468 003**	**Chrome**	**4005176334207**	**109.50**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses

		**23 715 003**	**Chrome**	**4005176365065**	**98.45**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses

		**23 567 003**	**Chrome**	**4005176334214**	**120.57**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses

		**23 716 003**	**Chrome**	**4005176365072**	**142.68**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses

		**23 717 30L**	**Chrome**	**4005176365089**	**98.45**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
mousseur for low pressure
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSTYLE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 569 003	**Chrome**	**4005176334238**	**209.06**
	23 569 LS3	**moon white**	**4005176334467**	**231.00**



Eurostyle
Single-lever basin mixer 1/2“
L-Size
monobloc installation
loop metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4“
flexible connection hoses

	23 718 003	**Chrome**	**4005176365096**	**186.94**
	23 718 LS3	**moon white**	**4005176365102**	**220.11**



Eurostyle
Single-lever basin mixer 1/2“
L-Size
monobloc installation
solid metal lever
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4“

	23 570 003	**Chrome**	**4005176334245**	**231.17**
	23 570 LS3	**moon white**	**4005176334474**	**275.43**



Eurostyle
Basin mixer 1/2“
XL-Size
monobloc installation
loop metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses

	23 719 003	**Chrome**	**4005176365119**	**220.13**
	23 719 LS3	**moon white**	**4005176365126**	**253.30**



Eurostyle
Basin mixer 1/2“
XL-Size
monobloc installation
solid metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses

GROHE
EUROSTYLE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	19 571 003	**Chrome**	**4005176334269**	**220.13**
	19 571 LS3	**moon white**	**4005176334498**	**275.43**



Eurostyle
2-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for
23 571 000
metal escutcheon
loop metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 203 mm

	29 097 003	**Chrome**	**4005176365133**	**204.00**
	29 097 LS3	**moon white**	**4005176365140**	**269.00**



Eurostyle
2-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for
23 571 000
metal escutcheon
solid metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 203 mm

	23 571 000		**4005176334276**	**220.10**



Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

	33 565 003	**Chrome**	**4005176334283**	**98.44**
	33 565 LS3	**moon white**	**4005176334504**	**165.92**



Eurostyle
Bidet mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

	23 720 003	**Chrome**	**4005176365157**	**109.50**
	23 720 LS3	**moon white**	**4005176365164**	**153.73**



Eurostyle
Bidet mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSTYLE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
33 590 003	**Chrome**	**4005176334306**	**164.82**
33 590 LS3	**moon white**	**4005176334511**	**175.86**



Eurostyle
Single-lever shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow

23 722 003	**Chrome**	**4005176365188**	**164.84**
23 722 LS3	**moon white**	**4005176365195**	**164.81**



Eurostyle
Single-lever shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow

34 143 003	**Chrome**	**4005176309618**	**220.80**



Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

33 591 003	**Chrome**	**4005176334351**	**175.86**
33 591 LS3	**moon white**	**4005176334535**	**220.11**



Eurostyle
Single-lever bath/shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow

GROHE EUROSTYLE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 726 003	**Chrome**	**4005176365256**	**164.82**
23 726 LS3	**moon white**	**4005176365263**	**220.09**





Eurostyle
Single-lever bath/shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow

34 155 003	**Chrome**	**4005176310027**	**273.62**



Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

33 592 30A	**Chrome**	**4005176456497**	**190.56**



Eurostyle
Single-lever bath/shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow
with shower set Tempesta
Consisting of:
hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

24 048 003	**Chrome**	**4005176465345**	**136.11**
24 048 LS3	**moon white**	**4005176465352**	**176.93**



Eurostyle
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSTYLE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 046 003	**Chrome**	**4005176465307**	**129.82**
24 046 LS3	**moon white**	**4005176465314**	**168.57**



Eurostyle
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 049 003	**Chrome**	**4005176465369**	**149.72**
24 049 LS3	**moon white**	**4005176465376**	**194.75**



Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 047 003	**Chrome**	**4005176465321**	**143.43**
24 047 LS3	**moon white**	**4005176465338**	**185.31**



Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

19 507 003	**Chrome**	**4005176334337**	**120.56**
19 507 LS3	**moon white**	**4005176334528**	**168.00**



Eurostyle
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
loop metal lever
GROHE StarLight chrome finish
GROHE QuickFix covered fixing
escutcheon- and shaft-sealing
metal wall escutcheon

GROHE EUROSTYLE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**29 098 003** **29 098 LS3**	**Chrome** **moon white**	**4005176365225** **4005176365232**	**120.55** **162.00**

Eurostyle
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
solid metal lever
GROHE StarLight chrome finish
GROHE QuickFix covered fixing
escutcheon- and shaft-sealing
metal wall escutcheon



33 635 003 | **Chrome** | **4005176334344** | **147.00**

Eurostyle
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix covered fixing
Consisting of:
compatible with
(19 507 003)
with concealed body
adjustable flow rate limiter
loop metal lever
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter (46 308 000)



23 725 003 | **Chrome** | **4005176365249** | **153.75**

Eurostyle
Single-lever shower mixer 1/2"
wall installation
Consisting of:
compatible with
(19 507 003)
with concealed body
solid metal lever
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
metal wall escutcheon
escutcheon- and shaft-sealing
GROHE QuickFix covered fixing
optional temperature limiter (46 308 000)



19 506 003	**Chrome**	**4005176334399**	**142.69**
19 506 LS3	**moon white**	**4005176334542**	**186.93**

Eurostyle
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
GROHE StarLight chrome finish
GROHE QuickFix covered fixing
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheon



29 099 003	**Chrome**	**4005176365300**	**142.68**
29 099 LS3	**moon white**	**4005176365317**	**175.64**

Eurostyle
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
solid metal lever
GROHE StarLight chrome finish
GROHE QuickFix covered fixing
automatic diverter: bath/shower
escutcheon- and shaft-sealing

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSTYLE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**33 637 003**	**Chrome**	**4005176334405**	**195.77**

Eurostyle
Single-lever bath/shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix covered fixing
Consisting of:
compatible with
(19 506 003)
with concealed body
adjustable flow rate limiter
automatic diverter: bath/shower
loop metal lever
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter (46 308 000)

	**23 730 003**	**Chrome**	**4005176365324**	**164.81**

Eurostyle
Single-lever bath/shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix covered fixing
Consisting of:
compatible with
(19 506 003)
with concealed body
adjustable flow rate limiter
automatic diverter: bath/shower
solid metal lever
optional temperature limiter (46 308 000)
metal wall escutcheons

GROHE EUROSMART COSMOPOLITAN

GROHE
EUROSMART COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**32 825 00E**	**Chrome**	**4005176874628**	**115.15**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation, metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1 bar

		**32 825 000**	**Chrome**	**4005176874611**	**115.15**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1 bar
optional temperature limiter (46 375 000)

		**32 955 000**	**Chrome**	**4005176880117**	**104.59**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for use with displacement water heater
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

		**23 925 000**	**Chrome**	**4005176583353**	**110.09**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
GROHE EcoJoy mousseur 5.7 l/min
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 825 00L	Chrome	4005176917028	114.38

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
for **low pressure**
recommended pressure 0.2 - 5.0 bar
optional temperature limiter (46 375 000)

	32 827 00E	Chrome	4005176906565	115.15

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
retractable chain
flexible connection hoses
noise classification 1 in accordance
with DIN4109

	32 824 000	Chrome	4005176874604	104.59

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur
smooth body
flexible connection hoses
optional temperature limiter (46 375 000)

	32 824 00L	Chrome	4005176917035	104.59

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
adjustable minimum flow rate 2.5 l/min
GROHE QuickFix installation system
with centering support
mousseur
smooth body
flexible connection hoses
for **low pressure**
recommended pressure 0.2 - 5.0 bar
optional temperature limiter (46 375 000)

GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 377 00E	**Chrome**	4005176936630	115.15
	Eurosmart Cosmopolitan **Basin mixer 1/2"** **S-Size** monobloc installation metal lever **GROHE SilkMove ES** 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** installation system with centering support pop-up waste set 1 1/4" flexible connection hoses **min. recommended pressure 1 bar**			
	23 378 00E	**Chrome**	4005176936647	104.59
	Eurosmart Cosmopolitan **Basin mixer 1/2"** **S-Size** monobloc installation metal lever **GROHE SilkMove ES** 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** installation system with centering support retractable chain flexible connection hoses			
	23 376 00E	**Chrome**	4005176936623	109.87
	Eurosmart Cosmopolitan **Basin mixer 1/2"** **S-Size** monobloc installation metal lever **GROHE SilkMove ES** 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** installation system with centering support smooth body flexible connection hoses			
	23 325 000	**Chrome**	4005176933974	125.71
	Eurosmart Cosmopolitan **Basin mixer 1/2"** **M-Size** monobloc installation metal lever **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 926 000	Chrome	4005176583360	125.71
	Eurosmart Cosmopolitan **Basin mixer 1/2"** **M-Size** monobloc installation metal lever **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses **min. recommended pressure 1 bar** optional temperature limiter (46 375 000)			
	23 327 000	Chrome	4005176934094	115.15
	23 327 KW0	supermatt black	4005176565205	150.49
	Eurosmart Cosmopolitan **Basin mixer 1/2"** **M-Size** monobloc installation metal lever **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body flexible connection hoses optional temperature limiter (46 375 000)			
	23 396 00E	Chrome	4005176938504	125.71
	Eurosmart Cosmopolitan **Basin mixer 1/2"** **M-Size** monobloc installation metal lever **GROHE SilkMove ES** 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min **GROHE StarLight** chrome finish temperature limiter **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** installation system with centering support pop-up waste set 1 1/4" flexible connection hoses **min. recommended pressure 1 bar**			
	23 927 000	Chrome	4005176583377	125.71
	ditto, smooth body with push-open pop-up waste set 1 1/4"			
	23 928 000	Chrome	4005176583384	115.15
	Eurosmart Cosmopolitan **Basin mixer 1/2"** **M-Size** monobloc installation metal lever **GROHE SilkMove ES** 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 830 001	**Chrome**	**4005176472749**	**145.39**



Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix installation system
mousseur
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)

23 933 001	**Chrome**	**4005176584039**	**145.39**

ditto, with push-open pop-up waste set 1 1/4"

36 327 001	**Chrome**	**4005176305771**	**330.73**



Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

20 187 000	**Chrome**	**4005176874680**	**199.67**



Eurosmart Cosmopolitan
Three-hole basin mixer 1/2"
S-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses between spout and side valves
union nut with 10.5-mm drilling

19 381 000	**Chrome**	**4005176874673**	**178.54**



Eurosmart Cosmopolitan
2-hole basin mixer
S-Size
wall mounted
set for final installation for 23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 170 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)



23 571 000 **4005176334276** **220.10**

Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



32 839 000 **Chrome** **4005176874802** **104.59**

Eurosmart Cosmopolitan
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)

32 840 000 **Chrome** **4005176874819** **95.08**
ditto, with retractable chain



32 837 000 **Chrome** **4005176874772** **125.71**

Eurosmart Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
optional temperature limiter (46 308 000)
protected against backflow



18 349 000 **4005176874796** **26.41**

Eurosmart Cosmopolitan
Plastic tray
for 32 837 000



34 765 000 **Chrome** **4005176612022** **188.59**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 836 000	**Chrome**	**4005176874758**	**146.84**



Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
46 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow
optional temperature limiter (46 308 000)
Qualitel E1/E3C2A2U3 applied for

---

	32 831 000	**Chrome**	**4005176874703**	**146.84**



Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)

---

	34 766 000	**Chrome**	**4005176612039**	**245.70**



Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

---

	32 833 000	**Chrome**	**4005176874727**	**120.43**



Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
46 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
Qualitel E1/E3C2A2U3 applied for

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)



32 832 000 **Chrome** **4005176874710** **167.97**

Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
with shower set
Euphoria Cosmopolitan hand shower (27 367)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)



25 128 000 **Chrome** **4005176905209** **199.67**

Eurosmart Cosmopolitan
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
GROHE StarLight chrome finish
min. recommended pressure 0.2 bar



25 129 000 **Chrome** **4005176905216** **241.93**

Eurosmart Cosmopolitan
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
GROHE StarLight chrome finish
min. recommended pressure 0.2 bar



24 044 000 **Chrome** **4005176465185** **129.00**

Eurosmart Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---



24 045 000 **Chrome** **4005176465291** **142.00**

Eurosmart Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)



25 219 001 **Chrome** **4005176466373** **408.00**

Eurosmart Cosmopolitan
Perfect shower set with Tempesta 210
Consisting of:
Eurosmart Cosmopolitan set for final installation with automatic diverter bath / shower (24 045)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II 9.5 l/min (27 597)
Shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)



19 383 000 **Chrome** **4005176874765** **104.59**

Eurosmart Cosmopolitan
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing



32 880 000 **Chrome** **4005176877360** **136.28**

Eurosmart Cosmopolitan
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
set for final installation
concealed body
33 962 000
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter



19 382 000 **Chrome** **4005176874697** **125.71**

Eurosmart Cosmopolitan
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing



32 879 000 **Chrome** **4005176877353** **136.28**

Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
set for final installation
concealed body
33 961 000
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
metal lever
metal wall escutcheon
screwed
optional temperature limiter (46 308 000)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**13 261 000**	**Chrome**	**4005176877384**	**83.46**

Eurosmart Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**13 262 000**	**Chrome**	**4005176877391**	**94.02**

Eurosmart Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"
projection 170 mm

GROHE EUROSMART

GROHE
EUROSMART

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



33 265 002 **Chrome** **4005176861543** **94.02**

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 922 002 **Chrome** **4005176583322** **94.00**

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses



23 456 002 **Chrome** **4005176304941** **91.91**

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
hybrid pop-up waste set 1 1/4"
flexible connection hoses



33 265 20L **Chrome** **4005176304729** **94.02**

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar



33 188 002 **Chrome** **4005176862052** **94.02**

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
retractable chain
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 467 002	Chrome	4005176862069	83.46
	Eurosmart **Basin mixer 1/2"** **S-Size** monobloc installation metal lever **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body flexible connection hoses			
	32 467 20L	Chrome	4005176304736	83.46
	Eurosmart **Basin mixer 1/2"** **S-Size** monobloc installation metal lever **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE QuickFix** rapid installation system mousseur smooth body flexible connection hoses for **low pressure** min. recommended pressure 0.2 bar			
	32 926 002	Chrome	4005176861567	94.02
	Eurosmart **Basin mixer 1/2"** **S-Size** monobloc installation metal lever **GROHE SilkMove ES** 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	32 154 002	Chrome	4005176862113	95.08
	Ditto, with GROHE SilkMove ES			
	23 322 001	Chrome	4005176934506	104.59
	Eurosmart **Basin mixer 1/2"** **M-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 923 002	Chrome	4005176583339	104.59
	Eurosmart **Basin mixer 1/2"** **M-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			

GROHE
EUROSMART

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**23 323 001**	**Chrome**	**4005176934513**	**104.59**
		Eurosmart **Basin mixer 1/2"** **M-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system retractable chain flexible connection hoses			
		**23 324 001**	**Chrome**	**4005176934520**	**94.02**
		Eurosmart **Basin mixer 1/2"** **M-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body flexible connection hoses			
		**23 393 10E**	**Chrome**	**4005176938467**	**104.59**
		Eurosmart **Basin mixer 1/2"** **M-Size** monobloc installation metal lever **GROHE SilkMove ES** 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 394 10E	**Chrome**	**4005176938474**	**94.02**
		Ditto, with GROHE SilkMove ES			
		23 924 002	**Chrome**	**4005176583346**	**95.08**
		ditto, smooth body with push-open pop-up waste set 1 1/4"			
		23 395 10E	**Chrome**	**4005176938481**	**94.02**
		Ditto, with GROHE SilkMove ES			
		**23 537 002**	**Chrome**	**4005176312212**	**125.71**
		Eurosmart **Single-lever basin mixer 1/2"** **L-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system swivel tubular spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSMART

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**32 929 002**	**Chrome**	**4005176862366**	**83.46**

Eurosmart
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

	**33 555 002**	**Chrome**	**4005176862304**	**94.02**

Eurosmart
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow

	**32 172 002**	**Chrome**	**4005176862311**	**94.02**

Eurosmart
Single-lever shower mixer 1/2"
wall mounted
metal lever
35 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
Qualitel E1C2A2U3 applied for

	**33 412 002**	**Chrome**	**4005176862205**	**104.59**

Eurosmart
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
35 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow

	**33 300 002**	**Chrome**	**4005176862182**	**104.59**

Eurosmart
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow

GROHE
EUROSMART

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 567 000 **Chrome** **4005176310157** **241.93**

Grohtherm 800
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow



33 302 20A **Chrome** **4005176456510** **135.23**

Eurosmart
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
with shower set
Consisting of:
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)



33 304 002 **Chrome** **4005176862236** **104.59**

Eurosmart
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
35 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
without connection unions for wall mounting
protected against backflow



33 303 002 **Chrome** **4005176862243** **189.10**

Eurosmart
Single-lever bath/shower mixer 1/2"
deck mounted
metal lever
35 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
in the shower outlet 1/2"
pillar unions
protected against backflow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSMART

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



25 098 000 **Chrome** **4005176881633** **178.54**

Eurosmart
Bath filler
deck mounted
metal handle
GROHE SilkMove 56 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter



25 105 000 **Chrome** **4005176881800** **210.23**

Eurosmart
Single-lever bath/shower mixer 1/2"
deck mounted
metal handle
GROHE SilkMove 56 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"



24 042 002 **Chrome** **4005176465161** **118.00**

Eurosmart
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---



24 043 002 **Chrome** **4005176465178** **130.00**

Eurosmart
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---



19 451 002 **Chrome** **4005176862335** **94.02**

Eurosmart
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE QuickFix covered fixing
escutcheon- and shaft-sealing
metal wall escutcheon

GROHE
EUROSMART

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**19 450 002**	**Chrome**	**4005176862229**	**104.59**
	Eurosmart **Single-lever bath/shower mixer trim** set for final installation for 33 961 000, 33 963 000, 33 965 000 **without concealed body** metal lever **GROHE StarLight** chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon			
	**29 706 000**		**4005176102639**	**282.29**
	3-way diverter **concealed body, 1/2"** **without finishing trim set** wall installation DR-brass ceramic discs connection mixed water 1/2" 2 outlets 1/2" protection sleeve installation depth adjustable 24-60 mm			
	**29 708 000**		**4005176102653**	**292.78**
	5-way diverter **concealed body, 1/2"** **without finishing trim set** wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth adjustable 24-60 mm			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BAUEDGE

GROHE
BAUEDGE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



20 421 000 **Chrome** **4005176934353** **49.49**

BauEdge
Pillar tap 1/2" XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"



20 421 00M **Chrome** **4005176986932** **101.79**

BauEdge
Basin tap 1/2"
metal lever
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow mousseur
2 pieces



23 356 000 **Chrome** **4005176934131** **74.74**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
metal pop up waste set
flexible connection hoses



23 328 000 **Chrome** **4005176934254** **70.70**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

23 802 000 **Chrome** **4005176421655** **71.71**
ditto, with temperature limiter



23 559 000 **Chrome** **4005176327698** **73.73**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BAUEDGE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



23 329 000 **Chrome** **4005176934261** **66.66**

BauEdge
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
retractable chain
flexible connection hoses



23 330 000 **Chrome** **4005176934278** **64.64**

BauEdge
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses



23 757 000 **Chrome** **4005176388453** **99.00**

BauEdge
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE Longlife 35 mm ceramic cartridge
adjustable flow rate limiter
optional temperature limiter (46 375 000)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 4.0 l/min
rapid installation system
retractable chain
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
recommended pressure 1.0 - 5.0 bar



23 758 000 **Chrome** **4005176388460** **86.86**

BauEdge
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses

23 822 000 **Chrome** **4005176452192** **86.86**
ditto, with temperature limiter



23 759 000 **Chrome** **4005176388477** **86.86**

BauEdge
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses

GROHE
BAUEDGE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



23 760 000 **Chrome** **4005176388484** **98.98**

BauEdge
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses



23 761 000 **Chrome** **4005176388491** **117.16**

BauEdge
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses



36 451 000 **Chrome** **4005176473678** **229.47**

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109



20 474 000 **Chrome** **4005176319112** **169.00**

BauEdge
2-hole basin mixer
wall mounted
Consisting of:
set for final installation and concealed body
metal lever
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
centre distance 110 mm
projection 171 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BAUEDGE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**23 331 000** **23 332 000**	**Chrome** **Chrome**	**4005176934285** **4005176934292**	**70.70** **73.73**
	BauEdge **Bidet mixer 1/2"** monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses **ditto, with retractable chain**			
	**23 333 000**	**Chrome**	**4005176934308**	**69.69**
	BauEdge **Single-lever shower mixer 1/2"** wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions, metal wall escutcheon protected against backflow optional temperature limiter (46 375 000)			
	**23 334 000**	**Chrome**	**4005176934322**	**84.84**
	BauEdge **Single-lever bath/shower mixer 1/2"** wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions, metal wall escutcheon protected against backflow optional temperature limiter (46 375 000)			
	**34 567 000**	**Chrome**	**4005176310157**	**241.93**
	Grohtherm 800 **Thermostatic bath/shower mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE SafeStop** safety button at 38°C **(calibration required)** **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE TurboStat** compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon **min. recommended pressure 1 bar** **GROHE EcoJoy** technology for less water and perfect flow			

GROHE
BAUEDGE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



29 078 000 **Chrome** **4005176934315** **116.15**

BauEdge
Single-lever shower mixer 1/2"
concealed installation
Consisting of:
set for final installation
concealed body (33 964)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter (46 308 000)



29 079 000 **Chrome** **4005176934339** **129.28**

BauEdge
Single-lever bath/shower mixer 1/2"
concealed installation
Consisting of:
set for final installation
concealed body(33 963)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter (46 308 000)



25 217 000 **Chrome** **4005176479786** **160.59**

BauEdge
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Ceramic valves 3/4", 90°
automatic diverter, lockable: bath/shower
integrated non-return valve
GROHE StarLight chrome finish
Min. recommended pressure 0.5 bar



25 216 000 **Chrome** **4005176479779** **130.29**

BauEdge
Two-handled Bath filler 1/2"
deck mounted
metal handles
Ceramic valves 3/4", 90°
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BAULOOP

GROHE
BAULOOP

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**20 422 000**	**Chrome**	**4005176934490**	**49.49**

BauLoop
Pillar tap 1/2" XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"

	**23 335 000**	**Chrome**	**4005176934391**	**79.79**

BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

	**23 336 000**	**Chrome**	**4005176934407**	**79.79**

BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
retractable chain
flexible connection hoses

	**23 337 000**	**Chrome**	**4005176934414**	**64.64**

BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses

	**23 762 000**	**Chrome**	**4005176388538**	**86.86**

BauLoop
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BAULOOP

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 763 000	**Chrome**	4005176388545	98.98

BauLoop
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses

	23 764 000	**Chrome**	4005176388552	117.16

BauLoop
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses

	23 338 000	**Chrome**	4005176934421	89.89

BauLoop
Bidet mixer 1/2"
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

	23 340 000	**Chrome**	4005176934445	69.69

BauLoop
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter (46 308 000)

	23 341 000	**Chrome**	4005176934469	79.79

BauLoop
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter (46 308 000)

GROHE
BAULOOP

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 567 000	**Chrome**	**4005176310157**	**241.93**



Grohtherm 800
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	29 080 000	**Chrome**	**4005176934452**	**109.06**



BauLoop
Single-lever shower mixer 1/2"
concealed installation
Consisting of:
set for final installation
concealed body (33 964)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter (46 308 000)

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	29 081 000	**Chrome**	**4005176934476**	**121.89**



BauLoop
Single-lever bath/shower mixer 1/2"
concealed installation
Consisting of:
set for final installation
concealed body(33 963)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter (46 308 000)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BAUFLOW

GROHE
BAUFLOW

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**20 575 000**	**Chrome**	**4005176388422**	**51.76**

BauFlow
Pillar tap 1/2" XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"

	**23 751 000**	**Chrome**	**4005176388149**	**71.84**

BauFlow
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

	**23 752 000**	**Chrome**	**4005176388156**	**67.61**

BauFlow
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses

	**23 753 000**	**Chrome**	**4005176388163**	**103.54**

BauFlow
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses

	**23 754 000**	**Chrome**	**4005176388170**	**94.02**

BauFlow
Bidet mixer 1/2"
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BAUFLOW

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**23 755 000**	**Chrome**	**4005176388187**	**72.89**

BauFlow
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow

 	**23 756 000**	**Chrome**	**4005176388392**	**83.46**

BauFlow
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow

	**34 567 000**	**Chrome**	**4005176310157**	**241.93**

Grohtherm 800
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

	**29 112 000**	**Chrome**	**4005176388408**	**114.54**

BauFlow
Single-lever shower mixer trim
concealed installation
Consisting of:
set for final installation
concealed body (33 964)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
metal wall escutcheon

GROHE
BAUFLOW

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**29 113 000**	**Chrome**	**4005176388415**	**127.88**

BauFlow
Single-lever bath/shower mixer trim
concealed installation
Consisting of:
set for final installation
concealed body(33 963)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheon

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COSTA L

GROHE
COSTA L

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	20 404 001	**Chrome**	4005176842986	**54.18**

Costa L
Basin tap 1/2"
metal handle
heat-insulated
screwable
marking: blue (cold)
Longlife-headpart
cast spout with mousseur
union nut 1/2" with 10.5 mm drilling
GROHE StarLight chrome finish

	20 186 001	**Chrome**	4005176874437	**65.26**

Costa L
Basin tap 1/2"
metal handle
heat-insulated
screwable
marking: blue (cold)
Longlife-headpart
cast spout with mousseur
union nut 1/2" with 10.5 mm drilling
GROHE StarLight chrome finish

	20 393 001	**Chrome**	4005176842993	**71.90**

Costa L
Basin tap 1/2"
metal handle
heat-insulated
screwable
marking: blue (cold)
Longlife-headpart
swivel tubular spout with mousseur
union nut 1/2" with 10.5 mm drilling
GROHE StarLight chrome finish

	21 390 001	**Chrome**	4005176843006	**142.69**

Costa L
Basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
cast spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish

	21 375 001	**Chrome**	4005176843037	**98.44**

Costa L
Basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
swivel tubular spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COSTA L

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 330 001 **Chrome** **4005176843112** **82.96**

Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower connection 1/2"
S-unions
GROHE StarLight chrome finish



26 308 001 **Chrome** **4005176843129** **98.45**

Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower connection 1/2"
without connection unions for wall mounting
GROHE StarLight chrome finish



25 450 001 **Chrome** **4005176843372** **131.61**

Costa L
Bath / shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
automatic diverter: bath/shower
mousseur
S-unions
GROHE StarLight chrome finish



25 452 001 **Chrome** **4005176843075** **123.21**

Costa L
Bath / shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower top outlet 3/4"
automatic diverter: bath/shower
mousseur
S-unions
GROHE StarLight chrome finish



25 460 10A **Chrome** **4005176456541** **153.74**

Costa L
Bath / shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
automatic diverter: bath/shower
mousseur
S-unions
with shower set
Consisting of:
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE StarLight chrome finish

GROHE
COSTA L

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**13 540 000**	**Chrome**	**4005176005411**	**103.89**
	Bath spout 3/4" wall mounted flow straightener female thread 3/4" projection 140 mm **GROHE StarLight** chrome finish			
	**30 098 001**	**Chrome**	**4005176843266**	**32.07**
	Costa L **Bibtap 1/2"** wall mounted metal handle heat-insulated screwable marking: blue (cold) **GROHE StarLight** finish mousseur Longlife-headparts			
	**30 008 001**	**Chrome**	**4005176843242**	**32.07**
	Costa L **Stop cock** wall mounted heat-insulated metal handle screwable marking: blue (cold) Longlife-headpart **GROHE StarLight** chrome finish pipe-ventilating valve			
	**19 808 001**	**Chrome**	**4005176843204**	**21.01**
	Costa L **Concealed stop-valve trim** set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue (cold) **GROHE StarLight** chrome finish			
	19 809 001 **ditto, marking red**	**Chrome**	**4005176853876**	**21.01**
 	**35 028 000**		**4005176908316**	**131.61**
	GROHE Rapido C **Rough-in for single volume control** for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COSTA L

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	29 800 000		4005176504839	30.43
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle protection sleeve threaded union 1/2“ DR-brass			
	29 802 000		4005176504853	51.42
	ditto, 3/4“, pre-assembled headpart 3/4“, thread union 3/4“			
	29 805 000		4005176504884	86.36
	ditto, 1“, pre-assembled headpart 1“, thread union 1“			
	29 801 000		4005176504846	25.08
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000		4005176504877	39.88
	ditto, soldered connection Ø 22 mm			

GROHE UNIVERSAL

GROHE
UNIVERSAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



20 201 000 **Chrome** **4005176883354** **105.07**

Universal pillar tap 1/2"
C-spout
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
union nut 1/2"
with 10.5 mm drilling
GROHE StarLight chrome finish
projection 113 mm



20 205 000 **Chrome** **4005176883682** **76.33**

Universal wall-mounted tap DN15
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
connection thread 1/2"
GROHE StarLight chrome finish
projection 106 mm



20 203 000 **Chrome** **4005176883378** **92.89**

Universal wall-mounted tap DN15
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
connection thread 1/2"
GROHE StarLight chrome finish
projection 185 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TALENTOFILL

GROHE
TALENTOFILL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
19 952 000	Chrome	4005176174230	48.67
19 952 DC0	supersteel	4005176467776	61.00
19 952 EN0	brushed nickel	4005176468100	251.00
19 952 A00	hard graphite	4005176352874	120.00
19 952 AL0	Brushed Hard Graphite	4005176353376	132.00



Talentofill
Inlet-, pop-up and waste-system
set for final installation
escutcheon
supply part
waste plug
fixing set

in combination with Talentofill
28 990 000/28 991 000



28 990 000 — 4005176174025 — 131.61

Talentofill
Inlet-, pop-up and waste-system
for normal baths
without finishing trim set
with bottle trap and 45°-outlet-bend



28 991 000 — 4005176174032 — 187.84

Talentofill
Inlet-, pop-up and waste-system
for baths with waste up to 370 mm reach
without finishing trim set



28 993 000 — 4005176174056 — 92.88

Talentofill
Connection set 3/4“
with 1.5 m-flexible connection pipe
without finishing trim set



28 995 000 — 4005176175725 — 263.24

Talentofill
Connection set 3/4“
with concealed anti-vacuum device
Consisting of:
-concealed-pipe-interrupter ref.-no. 28 994
(A2 type, DIN 1988, part IV)
- 3.5 m-flexible connection pipe (in 2 parts)
without escutcheon (19 954)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TALENTOFILL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	19 954 000	Chrome	4005176175732	20.62

Talentofill
Escutcheon
for connection set 28 995
GROHE StarLight chrome finish

	28 963 000		4005176186479	37.67

Inlet part with mousseur
suitable for Talentofill 28 990/28 991 production before 03/2007

	29 009 000		4005176837838	47.96

Inlet part with mousseur
suitable for Talentofill 28 990/28 991 production after 03/2007

	14 055 000		4005176413520	161.51

Backflow protection combination (DIN-EN1717)
retrofit set for protection against backflow in combination
with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers

	19 025 000	Chrome	4005176209154	54.19

Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish

	28 939 000		4005176209161	82.90

Talento
Pop-up bath waste and overflow
set for normal bath
and deep shower trays
with bowden cable
without finishing trim set
bottle trap
45° waste elbow

GROHE
TALENTOFILL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**28 943 000**		**4005176209178**	**93.40**

Talento
Pop-up bath waste and overflow
with bowden cable
without finishing trim set
bottle trap
45° waste elbow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE SELECTION

GROHE SELECTION

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 027 000	Chrome	4005176576836	49.00
41 027 DC0	supersteel	4005176576843	69.00
41 027 BE0	polished nickel	4005176576850	74.00
41 027 EN0	brushed nickel	4005176576867	79.00
41 027 GL0	cool sunrise	4005176576874	74.00
41 027 GN0	brushed cool sunrise	4005176576881	79.00
41 027 DA0	warm sunset	4005176576898	74.00
41 027 DL0	brushed warm sunset	4005176576904	79.00
41 027 A00	hard graphite	4005176576911	74.00
41 027 AL0	Brushed Hard Graphite	4005176576928	79.00



Selection
Glass/soap dish holder
material: metal
for Selection soap dispenser (41 028) or Selection glass (41 029 000)
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 028 000	Chrome	4005176576942	49.00
41 028 DC0	supersteel	4005176576959	69.00
41 028 BE0	polished nickel	4005176576966	74.00
41 028 EN0	brushed nickel	4005176576973	79.00
41 028 GL0	cool sunrise	4005176576980	74.00
41 028 GN0	brushed cool sunrise	4005176576997	79.00
41 028 DA0	warm sunset	4005176577000	74.00
41 028 DL0	brushed warm sunset	4005176577017	79.00
41 028 A00	hard graphite	4005176577024	74.00
41 028 AL0	Brushed Hard Graphite	4005176577031	79.00



Selection
Soap dispenser
material: glass / metal
filling quantity 120 ml
fits in the following holder:
41 027
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 029 000	Chrome	4005176577055	24.00



Selection
White glass
material: glass
fits in the following holder:
41 027

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 035 000	Chrome	4005176577062	55.00
41 035 DC0	supersteel	4005176577079	77.00
41 035 BE0	polished nickel	4005176577086	83.00
41 035 EN0	brushed nickel	4005176577093	88.00
41 035 GL0	cool sunrise	4005176577109	83.00
41 035 GN0	brushed cool sunrise	4005176577116	88.00
41 035 DA0	warm sunset	4005176577123	83.00
41 035 DL0	brushed warm sunset	4005176577130	88.00
41 035 A00	hard graphite	4005176577147	83.00
41 035 AL0	Brushed Hard Graphite	4005176577154	88.00



Selection
Towel ring
material: metal
holder for soap dish (41 036) and shower tray (41 037)
length 200 mm
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 036 000	glass clear	4005176577178	32.00



Selection
Soap dish without holder
material: glass
for use with towel ring (41 035)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE SELECTION

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 037 000	Chrome	4005176577185	14.00



Selection
Shower tray without holder
material: glass
for use with towel ring (41 035)

41 038 000	Chrome	4005176577192	65.00
41 038 DC0	supersteel	4005176577208	91.00
41 038 BE0	polished nickel	4005176577215	97.00
41 038 EN0	brushed nickel	4005176577222	104.00
41 038 GL0	cool sunrise	4005176577239	97.00
41 038 GN0	brushed cool sunrise	4005176577246	104.00
41 038 DA0	warm sunset	4005176577253	97.00
41 038 DL0	brushed warm sunset	4005176577260	104.00
41 038 A00	hard graphite	4005176577277	97.00
41 038 AL0	Brushed Hard Graphite	4005176577284	104.00



Selection
Corner shower tray with holder
material: glass / metal
consisting of holder and soap dish
concealed fastening
GROHE StarLight chrome finish

41 039 000	Chrome	4005176577307	18.00
41 039 DC0	supersteel	4005176577314	25.00
41 039 BE0	polished nickel	4005176577321	27.00
41 039 EN0	brushed nickel	4005176577338	29.00
41 039 GL0	cool sunrise	4005176577345	27.00
41 039 GN0	brushed cool sunrise	4005176577352	29.00
41 039 DA0	warm sunset	4005176577369	27.00
41 039 DL0	brushed warm sunset	4005176577376	29.00
41 039 A00	hard graphite	4005176577383	27.00
41 039 AL0	Brushed Hard Graphite	4005176577390	29.00



Selection
Single robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

41 049 000	Chrome	4005176577413	30.00
41 049 DC0	supersteel	4005176577420	42.00
41 049 BE0	polished nickel	4005176577437	44.00
41 049 EN0	brushed nickel	4005176577444	47.00
41 049 GL0	cool sunrise	4005176577451	44.00
41 049 GN0	brushed cool sunrise	4005176577468	47.00
41 049 DA0	warm sunset	4005176577475	44.00
41 049 DL0	brushed warm sunset	4005176577482	47.00
41 049 A00	hard graphite	4005176577499	44.00
41 049 AL0	Brushed Hard Graphite	4005176577505	47.00



Selection
Double robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

41 056 000	Chrome	4005176577529	79.00
41 056 DC0	supersteel	4005176577536	110.00
41 056 BE0	polished nickel	4005176577543	118.00
41 056 EN0	brushed nickel	4005176577550	126.00
41 056 GL0	cool sunrise	4005176577567	118.00
41 056 GN0	brushed cool sunrise	4005176577574	126.00
41 056 DA0	warm sunset	4005176577581	118.00
41 056 DL0	brushed warm sunset	4005176577598	126.00
41 056 A00	hard graphite	4005176577604	118.00
41 056 AL0	Brushed Hard Graphite	4005176577611	126.00



Selection
Towel rail
material: metal
length 600 mm
concealed fastening
for use with glass shelf (41 057)
GROHE StarLight chrome finish

GROHE SELECTION

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 057 000	**Chrome**	**4005176577635**	**92.00**



Selection
Glass shelf
material: glass
durable surface
for use with towel rail (41 056)

41 058 000	**Chrome**	**4005176577642**	**102.00**
41 058 DC0	**supersteel**	**4005176577659**	**143.00**
41 058 BE0	**polished nickel**	**4005176577666**	**153.00**
41 058 EN0	**brushed nickel**	**4005176577673**	**163.00**
41 058 GL0	**cool sunrise**	**4005176577680**	**153.00**
41 058 GN0	**brushed cool sunrise**	**4005176577697**	**163.00**
41 058 DA0	**warm sunset**	**4005176577703**	**153.00**
41 058 DL0	**brushed warm sunset**	**4005176577710**	**163.00**
41 058 A00	**hard graphite**	**4005176577727**	**153.00**
41 058 AL0	**Brushed Hard Graphite**	**4005176577734**	**163.00**



Selection
Towel rail
material: metal
length 800 mm
concealed fastening
GROHE StarLight chrome finish

41 059 000	**Chrome**	**4005176577758**	**108.00**
41 059 DC0	**supersteel**	**4005176577765**	**151.00**
41 059 BE0	**polished nickel**	**4005176577772**	**162.00**
41 059 EN0	**brushed nickel**	**4005176577789**	**173.00**
41 059 GL0	**cool sunrise**	**4005176577796**	**162.00**
41 059 GN0	**brushed cool sunrise**	**4005176577802**	**173.00**
41 059 DA0	**warm sunset**	**4005176577819**	**162.00**
41 059 DL0	**brushed warm sunset**	**4005176577826**	**173.00**
41 059 A00	**hard graphite**	**4005176577833**	**162.00**
41 059 AL0	**Brushed Hard Graphite**	**4005176577840**	**173.00**



Selection
Towel holder, non pivotable
material: metal
depth 411 mm (functional depth 360 mm)
two arms
concealed fastening
GROHE StarLight chrome finish

41 063 000	**Chrome**	**4005176577864**	**88.00**
41 063 DC0	**supersteel**	**4005176577871**	**124.00**
41 063 BE0	**polished nickel**	**4005176577888**	**132.00**
41 063 EN0	**brushed nickel**	**4005176577895**	**141.00**
41 063 GL0	**cool sunrise**	**4005176577901**	**132.00**
41 063 GN0	**brushed cool sunrise**	**4005176577918**	**141.00**
41 063 DA0	**warm sunset**	**4005176577925**	**132.00**
41 063 DL0	**brushed warm sunset**	**4005176577932**	**141.00**
41 063 A00	**hard graphite**	**4005176577949**	**132.00**
41 063 AL0	**Brushed Hard Graphite**	**4005176577956**	**141.00**



Selection
Towel holder, pivotable
material: metal
depth 441 mm (functional depth 400 mm)
two arms
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE SELECTION

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 064 000	Chrome	4005176577970	61.00
41 064 DC0	supersteel	4005176577987	85.00
41 064 BE0	polished nickel	4005176577994	91.00
41 064 EN0	brushed nickel	4005176578007	97.00
41 064 GL0	cool sunrise	4005176578014	91.00
41 064 GN0	brushed cool sunrise	4005176578021	97.00
41 064 DA0	warm sunset	4005176578038	91.00
41 064 DL0	brushed warm sunset	4005176578045	97.00
41 064 A00	hard graphite	4005176578052	91.00
41 064 AL0	Brushed Hard Graphite	4005176578069	97.00



Selection
Grip bar
material: metal
length 336 mm (functional length 300 mm)
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 066 000	Chrome	4005176578083	216.00
41 066 DC0	supersteel	4005176578090	302.00
41 066 BE0	polished nickel	4005176578106	323.00
41 066 EN0	brushed nickel	4005176578113	345.00
41 066 GL0	cool sunrise	4005176578120	323.00
41 066 GN0	brushed cool sunrise	4005176578137	345.00
41 066 DA0	warm sunset	4005176578144	323.00
41 066 DL0	brushed warm sunset	4005176578151	345.00
41 066 A00	hard graphite	4005176578168	323.00
41 066 AL0	Brushed Hard Graphite	4005176578175	345.00



Selection
Multi-towel rack
material: metal
length 596 mm
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 067 000	Chrome	4005176578199	49.00
41 067 DC0	supersteel	4005176578205	69.00
41 067 BE0	polished nickel	4005176578212	74.00
41 067 EN0	brushed nickel	4005176578229	79.00
41 067 GL0	cool sunrise	4005176578236	74.00
41 067 GN0	brushed cool sunrise	4005176578243	79.00
41 067 DA0	warm sunset	4005176578250	74.00
41 067 DL0	brushed warm sunset	4005176578267	79.00
41 067 A00	hard graphite	4005176578274	74.00
41 067 AL0	Brushed Hard Graphite	4005176578281	79.00



Selection
Spare toilet paper holder (2 rolls)
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 068 000	Chrome	4005176578304	40.00
41 068 DC0	supersteel	4005176578311	55.00
41 068 BE0	polished nickel	4005176578328	59.00
41 068 EN0	brushed nickel	4005176578335	63.00
41 068 GL0	cool sunrise	4005176578342	59.00
41 068 GN0	brushed cool sunrise	4005176578359	63.00
41 068 DA0	warm sunset	4005176578366	59.00
41 068 DL0	brushed warm sunset	4005176578373	63.00
41 068 A00	hard graphite	4005176578380	59.00
41 068 AL0	Brushed Hard Graphite	4005176578397	63.00



Selection
Toilet roll holder
without cover
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

GROHE SELECTION

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 069 000	Chrome	4005176578410	79.00
41 069 DC0	supersteel	4005176578427	110.00
41 069 BE0	polished nickel	4005176578434	118.00
41 069 EN0	brushed nickel	4005176578441	126.00
41 069 GL0	cool sunrise	4005176578458	118.00
41 069 GN0	brushed cool sunrise	4005176578465	126.00
41 069 DA0	warm sunset	4005176578472	118.00
41 069 DL0	brushed warm sunset	4005176578489	126.00
41 069 A00	hard graphite	4005176578496	118.00
41 069 AL0	Brushed Hard Graphite	4005176578502	126.00



Selection
Toilet roll holder
with cover
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 076 000	Chrome	4005176578526	98.00
41 076 DC0	supersteel	4005176578533	137.00
41 076 BE0	polished nickel	4005176578540	147.00
41 076 EN0	brushed nickel	4005176578557	157.00
41 076 GL0	cool sunrise	4005176578564	147.00
41 076 GN0	brushed cool sunrise	4005176578571	157.00
41 076 DA0	warm sunset	4005176578588	147.00
41 076 DL0	brushed warm sunset	4005176578595	157.00
41 076 A00	hard graphite	4005176578601	147.00
41 076 AL0	Brushed Hard Graphite	4005176578618	157.00



Selection
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 791 001	white	4005176323409	4.58
40 791 KS1	velvet black	4005176336379	4.58

Spare brush head

Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 077 000	Chrome	4005176578632	147.00
41 077 DC0	supersteel	4005176578649	206.00
41 077 BE0	polished nickel	4005176578656	220.00
41 077 EN0	brushed nickel	4005176578663	235.00
41 077 GL0	cool sunrise	4005176578670	220.00
41 077 GN0	brushed cool sunrise	4005176578687	235.00
41 077 DA0	warm sunset	4005176575587	220.00
41 077 DL0	brushed warm sunset	4005176578694	235.00
41 077 A00	hard graphite	4005176578700	220.00
41 077 AL0	Brushed Hard Graphite	4005176578717	235.00



Selection
Shaving mirror
material: glass / metal
without lights
magnification: x 7
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SELECTION CUBE

GROHE
SELECTION CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



40 865 000 **Chrome** **4005176378140** **32.49**

Selection Cube
Glass/soap dish holder
material: metal
for Selection Cube glass (40 783 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000)
concealed fastening
GROHE StarLight chrome finish



40 805 000 **Chrome** **4005176347924** **40.41**

Selection Cube
Soap dispenser
material: glass / metal
filling quantity 300 ml
fits in the following holder:
Selection Cube (40 865 000)
GROHE StarLight finish



40 806 000 **Glass Matt** **4005176347931** **27.08**

Selection Cube
Soap dish
material: glass
fits in the following holder:
Selection Cube (40 865 000)



40 783 000 **4005176347894** **21.66**

Selection Cube
Glass
material: glass
fits in the following holder:
Selection Cube (40 865 000)



40 766 000 **Chrome** **4005176347849** **45.83**

Selection Cube
Towel ring
material: metal
concealed fastening
GROHE StarLight finish



40 768 000 **Chrome** **4005176347863** **129.16**

Selection Cube
Double towel bar
material: metal
2 arms, pivotable
400 mm
concealed fastening
GROHE StarLight finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SELECTION CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 767 000	Chrome	4005176347856	87.49
Selection Cube **Towel rail** 500 mm (functional length 459 mm) material: metal concealed fastening **GROHE StarLight** chrome finish				
	40 804 000	Chrome	4005176347917	240.83
Selection Cube **Multi bath towel rack** material: metal 600 mm (functional length 575 mm) concealed fastening **GROHE StarLight** finish				
	40 782 000	Chrome	4005176347887	24.16
Selection Cube **Robe hook** material: metal concealed fastening **GROHE StarLight** finish				
	40 807 000	Chrome	4005176347948	133.33
Selection Cube **Grip bar/towel bar** material: metal 600 mm (functional length 548 mm) concealed fastening **GROHE StarLight** finish				
	40 781 000	Chrome	4005176347870	70.41
Selection Cube **Toilet roll holder** material: metal concealed fastening with cover **GROHE StarLight** finish				
	40 784 000	Chrome	4005176347900	32.49
Selection Cube **Spare toilet paper holder** material: metal wall mounted concealed fastening **GROHE StarLight** finish				

GROHE
SELECTION CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



40 857 000	**Chrome**	**4005176378393**	**95.83**

Selection Cube
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight finish



40 809 000	**Chrome**	**4005176347962**	**95.83**

Selection Cube
Soap wire basket
material: metal
for corner installation
large
GROHE StarLight finish



40 808 000	**Chrome**	**4005176347955**	**120.83**

Selection Cube
Shaving mirror
material: glass / metal
wall mounted
concealed fastening
magnification: x 3
GROHE StarLight finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS

GROHE ESSENTIALS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 369 001	Chrome	4005176326196	18.33
40 369 DC1	supersteel	4005176412462	25.83
40 369 BE1	polished nickel	4005176430176	27.49
40 369 EN1	brushed nickel	4005176326202	29.58
40 369 GL1	cool sunrise	4005176429422	27.49
40 369 GN1	brushed cool sunrise	4005176429873	29.58
40 369 DA1	warm sunset	4005176428975	27.49
40 369 DL1	brushed warm sunset	4005176430022	29.58
40 369 A01	hard graphite	4005176429576	27.49
40 369 AL1	Brushed Hard Graphite	4005176429729	29.58



Essentials
Glass/soap dish holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 394 001	Chrome	4005176326233	14.99
40 394 DC1	supersteel	4005176421532	21.24
40 394 BE1	polished nickel	4005176430183	22.49
40 394 EN1	brushed nickel	4005176412646	24.16
40 394 GL1	cool sunrise	4005176429439	22.49
40 394 GN1	brushed cool sunrise	4005176429880	24.16
40 394 DA1	warm sunset	4005176428982	22.49
40 394 DL1	brushed warm sunset	4005176430039	24.16
40 394 A01	hard graphite	4005176429583	22.49
40 394 AL1	Brushed Hard Graphite	4005176429736	24.16



Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

40 368 001	glass clear	4005176326219	5.08



Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 372 001		4005176326226	6.08



Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 448 001	Chrome	4005176328343	34.16
40 448 DC1	supersteel	4005176413155	47.91
40 448 EN1	brushed nickel	4005176335525	54.58



Essentials
Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
Consisting of:
holder (40 369 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 444 001	Chrome	4005176328336	23.33
40 444 DC1	supersteel	4005176413148	32.91
40 444 EN1	brushed nickel	4005176335501	37.49



Essentials
Soap dish with holder
material: glass / metal
Consisting of:
holder (40 369 001)
soap dish (40 368 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 447 001	Chrome	4005176328701	22.91
40 447 DC1	supersteel	4005176413162	32.08
40 447 EN1	brushed nickel	4005176335518	36.24



Essentials
Crystal glass with holder
material: glass / metal
Consisting of:
holder (40 369 001)
Glass cup (40 372 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 365 001	Chrome	4005176326240	18.33
40 365 DC1	supersteel	4005176412431	25.83
40 365 BE1	polished nickel	4005176430121	27.49
40 365 EN1	brushed nickel	4005176326257	29.58
40 365 GL1	cool sunrise	4005176429378	27.49
40 365 GN1	brushed cool sunrise	4005176429828	29.58
40 365 DA1	warm sunset	4005176428920	27.49
40 365 DL1	brushed warm sunset	4005176429972	29.58
40 365 A01	hard graphite	4005176429521	27.49
40 365 AL1	Brushed Hard Graphite	4005176429675	29.58



Essentials
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 371 001	Chrome	4005176326318	32.49
40 371 DC1	supersteel	4005176412479	45.83
40 371 BE1	polished nickel	4005176430138	48.74
40 371 EN1	brushed nickel	4005176430268	52.08
40 371 GL1	cool sunrise	4005176429385	48.74
40 371 GN1	brushed cool sunrise	4005176429835	52.08
40 371 DA1	warm sunset	4005176428937	48.74
40 371 DL1	brushed warm sunset	4005176429989	52.08
40 371 A01	hard graphite	4005176429538	48.74
40 371 AL1	Brushed Hard Graphite	4005176429682	52.08



Essentials
Towel bar
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

GROHE ESSENTIALS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 688 001	Chrome	4005176326288	26.66
40 688 DC1	supersteel	4005176413124	37.49
40 688 BE1	polished nickel	4005176430145	39.99
40 688 EN1	brushed nickel	4005176326295	42.91
40 688 GL1	cool sunrise	4005176429392	39.99
40 688 GN1	brushed cool sunrise	4005176429842	42.91
40 688 DA1	warm sunset	4005176428944	39.99
40 688 DL1	brushed warm sunset	4005176429996	42.91
40 688 A01	hard graphite	4005176429545	39.99
40 688 AL1	Brushed Hard Graphite	4005176429699	42.91



Essentials
Towel rail
material: metal
504 mm (useable length 450 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 366 001	Chrome	4005176326264	29.16
40 366 DC1	supersteel	4005176412448	40.83
40 366 BE1	polished nickel	4005176430152	43.74
40 366 EN1	brushed nickel	4005176326271	46.66
40 366 GL1	cool sunrise	4005176429408	43.74
40 366 GN1	brushed cool sunrise	4005176429859	46.66
40 366 DA1	warm sunset	4005176428951	43.74
40 366 DL1	brushed warm sunset	4005176430008	46.66
40 366 A01	hard graphite	4005176429552	43.74
40 366 AL1	Brushed Hard Graphite	4005176429705	46.66



Essentials
Towel rail
material: metal
654 mm (useable length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 386 001	Chrome	4005176326301	36.66
40 386 BE1	polished nickel	4005176430169	54.99
40 386 EN1	brushed nickel	4005176430275	58.74
40 386 GL1	cool sunrise	4005176429415	54.99
40 386 GN1	brushed cool sunrise	4005176429866	58.74
40 386 DA1	warm sunset	4005176428968	54.99
40 386 DL1	brushed warm sunset	4005176430015	58.74
40 386 A01	hard graphite	4005176429569	54.99
40 386 AL1	Brushed Hard Graphite	4005176429712	58.74



Essentials
Towel rail
material: metal
854 mm (useable length 800 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 802 001	Chrome	4005176328107	49.99
40 802 BE1	polished nickel	4005176430251	75.41
40 802 EN1	brushed nickel	4005176430329	80.41
40 802 GL1	cool sunrise	4005176429507	75.41
40 802 GN1	brushed cool sunrise	4005176429958	80.41
40 802 DA1	warm sunset	4005176429354	75.41
40 802 DL1	brushed warm sunset	4005176430107	80.41
40 802 A01	hard graphite	4005176429651	75.41
40 802 AL1	Brushed Hard Graphite	4005176429804	80.41



Essentials
Double towel rail
material: metal
654 mm (useable length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 800 001	Chrome	4005176327988	99.99
40 800 DC1	supersteel	4005176413223	137.49
40 800 BE1	polished nickel	4005176430244	145.83
40 800 EN1	brushed nickel	4005176430312	158.33
40 800 GL1	cool sunrise	4005176429491	145.83
40 800 GN1	brushed cool sunrise	4005176429941	158.33
40 800 DA1	warm sunset	4005176429347	145.83
40 800 DL1	brushed warm sunset	4005176430091	158.33
40 800 A01	hard graphite	4005176429644	145.83
40 800 AL1	Brushed Hard Graphite	4005176429798	158.33



Essentials
Multi bath towel rack
material: metal
604 mm (useable length 550 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 364 001	Chrome	4005176326332	9.99
40 364 BE1	polished nickel	4005176430114	14.99
40 364 EN1	brushed nickel	4005176326349	16.24
40 364 GL1	cool sunrise	4005176429361	14.99
40 364 GN1	brushed cool sunrise	4005176429811	16.24
40 364 DA1	warm sunset	4005176428913	14.99
40 364 DL1	brushed warm sunset	4005176429965	16.24
40 364 A01	hard graphite	4005176429514	14.99
40 364 AL1	Brushed Hard Graphite	4005176429668	16.24



Essentials
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 421 001	Chrome	4005176326325	29.16
40 421 DC1	supersteel	4005176413117	40.83
40 421 BE1	polished nickel	4005176430237	43.74
40 421 EN1	brushed nickel	4005176430305	46.66
40 421 GL1	cool sunrise	4005176429484	43.74
40 421 GN1	brushed cool sunrise	4005176429934	46.66
40 421 DA1	warm sunset	4005176429330	43.74
40 421 DL1	brushed warm sunset	4005176430084	46.66
40 421 A01	hard graphite	4005176429637	43.74
40 421 AL1	Brushed Hard Graphite	4005176429781	46.66



Essentials
Grip bar
material: metal
349 mm (useable length 295 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 793 001	Chrome	4005176327599	41.66
40 793 DC1	supersteel	4005176413230	58.33



Essentials
Grip bar
material: metal
507 mm (useable length 450 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 794 001	Chrome	4005176327605	49.99
40 794 DC1	supersteel	4005176413247	69.99



Essentials
Grip bar
material: metal
657 mm (useable length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

GROHE ESSENTIALS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 797 001	**Chrome**	**4005176327636**	**129.16**



Essentials
Grip bar
material: metal
737 x 997 mm (useable length 680 x 940 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 799 001	**Chrome**	**4005176327971**	**33.33**
40 799 DC1	**supersteel**	**4005176413216**	**46.66**



Essentials
Glass shelf
material: glass / metal
530 mm (useable length 380 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 689 001	**Chrome**	**4005176326363**	**21.66**
40 689 DC1	**supersteel**	**4005176413131**	**30.41**
40 689 BE1	**polished nickel**	**4005176430213**	**32.49**
40 689 EN1	**brushed nickel**	**4005176326370**	**34.58**
40 689 GL1	**cool sunrise**	**4005176429460**	**32.49**
40 689 GN1	**brushed cool sunrise**	**4005176429910**	**34.58**
40 689 DA1	**warm sunset**	**4005176429316**	**32.49**
40 689 DL1	**brushed warm sunset**	**4005176430060**	**34.58**
40 689 A01	**hard graphite**	**4005176429613**	**32.49**
40 689 AL1	**Brushed Hard Graphite**	**4005176429767**	**34.58**



Essentials
Toilet roll holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 367 001	**Chrome**	**4005176326387**	**24.16**
40 367 DC1	**supersteel**	**4005176412455**	**33.74**
40 367 BE1	**polished nickel**	**4005176430220**	**36.24**
40 367 EN1	**brushed nickel**	**4005176326394**	**38.74**
40 367 GL1	**cool sunrise**	**4005176429477**	**36.24**
40 367 GN1	**brushed cool sunrise**	**4005176429927**	**38.74**
40 367 DA1	**warm sunset**	**4005176429323**	**36.24**
40 367 DL1	**brushed warm sunset**	**4005176430077**	**38.74**
40 367 A01	**hard graphite**	**4005176429620**	**36.24**
40 367 AL1	**Brushed Hard Graphite**	**4005176429774**	**38.74**



Essentials
Toilet roll holder
material: metal
with cover
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 385 001	Chrome	4005176326356	18.33
40 385 DC1	supersteel	4005176413094	25.83
40 385 BE1	polished nickel	4005176430206	27.49
40 385 EN1	brushed nickel	4005176430299	29.58
40 385 GL1	cool sunrise	4005176429453	27.49
40 385 GN1	brushed cool sunrise	4005176429903	29.58
40 385 DA1	warm sunset	4005176429309	27.49
40 385 DL1	brushed warm sunset	4005176430053	29.58
40 385 A01	hard graphite	4005176429606	27.49
40 385 AL1	Brushed Hard Graphite	4005176429750	29.58



Essentials
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 374 001	Chrome	4005176326400	29.99
40 374 DC1	supersteel	4005176412486	42.08
40 374 BE1	polished nickel	4005176430190	44.99
40 374 EN1	brushed nickel	4005176430282	48.33
40 374 GL1	cool sunrise	4005176429446	44.99
40 374 GN1	brushed cool sunrise	4005176429897	48.33
40 374 DA1	warm sunset	4005176429293	44.99
40 374 DL1	brushed warm sunset	4005176430046	48.33
40 374 A01	hard graphite	4005176429590	44.99
40 374 AL1	Brushed Hard Graphite	4005176429743	48.33



Essentials
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 791 001	white	4005176323409	4.58
40 791 KS1	velvet black	4005176336379	4.58

Spare brush head

40 392 000	Chrome	4005176846656	19.94

Spare brush

40 393 000	daVinci satin white	4005176846663	12.49

Spare glass

40 663 001	Chrome	4005176327834	40.83



BauCosmopolitan
Soap wire basket
material: metal
for corner installation
large
suitable for screwing (including screws and dowels)

40 664 001	Chrome	4005176327841	32.91



BauCosmopolitan
Soap wire basket
material: metal
for corner installation
small
suitable for screwing (including screws and dowels)

GROHE ESSENTIALS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**40 407 001**	**Chrome**	**4005176328350**	**57.91**
	40 407 DC1	**supersteel**	**4005176413179**	**81.24**

Essentials
3-in-1 WC set
material: glass / metal
Consisting of:
toilet brush set (40 374 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

	**40 775 001**	**Chrome**	**4005176328626**	**57.08**
	40 775 DC1	**supersteel**	**4005176413186**	**79.99**
	40 775 EN1	**brushed nickel**	**4005176324765**	**91.66**

Essentials
3-in-1 Guest bathroom accessories set
material: metal
Consisting of:
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

	**40 776 001**	**Chrome**	**4005176328633**	**73.74**
	40 776 DC1	**supersteel**	**4005176413193**	**104.16**

Essentials
4-in-1 Master bathroom accessories set
material: metal
Consisting of:
towel ring (40 365 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
towel rail, 600 mm (40 366 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

	**40 846 001**	**Chrome**	**4005176344091**	**91.66**

Essentials
4-in-1 Master bathroom accessories set
material: metal
Consisting of:
soap dispenser with holder (40 448 001)
crystal glass with holder (40 447 001)
double towel bar (40 371 001), suitable for screwing only (including screws and dowels)
robe hook (40 364 001)
concealed fastening
GROHE StarLight finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

	**40 344 001**	**Chrome**	**4005176323461**	**91.66**
	40 344 DC1	**supersteel**	**4005176413209**	**129.16**

Essentials
Master bathroom accessories set 5-in-1
material: glass / metal
Consisting of:
towel ring (40 365 001)
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
paper holder with cover (40 367 001)
soap dish with holder (40 444 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS CUBE

GROHE
ESSENTIALS CUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 508 001	Chrome	4005176324413	24.16
40 508 DC1	supersteel	4005176636554	34.16
40 508 AL1	Brushed Hard Graphite	4005176636653	38.74





Essentials Cube
Glass/soap dish holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

40 394 001	Chrome	4005176326233	14.99
40 394 DC1	supersteel	4005176421532	21.24
40 394 AL1	Brushed Hard Graphite	4005176429736	24.16



Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

40 368 001	glass clear	4005176326219	5.08



Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 372 001		4005176326226	6.08



Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 756 001	Chrome	4005176328381	39.16



Essentials Cube
Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
Consisting of:
holder (40 508 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

40 755 001	Chrome	4005176328374	29.16



Essentials Cube
Crystal glass with holder
material: glass / metal
Consisting of:
holder (40 508 001)
crystal glass (40 372 001)
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS CUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 754 001	**Chrome**	**4005176328367**	**29.58**



Essentials Cube
Soap dish with holder
material: glass / metal
Consisting of:
holder (40 508 001)
soap dish (40 368 001)
concealed fastening
GROHE StarLight chrome finish

40 510 001	**Chrome**	**4005176324420**	**33.33**
40 510 DC1	**supersteel**	**4005176636172**	**60.00**
40 510 AL1	**Brushed Hard Graphite**	**4005176636578**	**69.00**



Essentials Cube
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

40 624 001	**Chrome**	**4005176324444**	**47.08**
40 624 DC1	**supersteel**	**4005176636486**	**84.00**
40 624 AL1	**Brushed Hard Graphite**	**4005176636585**	**96.00**



Essentials Cube
Towel bar
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE StarLight chrome finish

40 509 001	**Chrome**	**4005176324437**	**37.08**
40 509 DC1	**supersteel**	**4005176636493**	**67.00**



Essentials Cube
Towel rail
material: metal
600 mm (useable length 558 mm)
concealed fastening
GROHE StarLight chrome finish

40 512 001	**Chrome**	**4005176324451**	**120.83**
40 512 AL1	**Brushed Hard Graphite**	**4005176636608**	**249.00**



Essentials Cube
Multi-towel rack
material: metal
600 mm (useable length 558 mm)
concealed fastening
GROHE StarLight chrome finish

40 511 001	**Chrome**	**4005176324475**	**14.16**
40 511 DC1	**supersteel**	**4005176636516**	**26.00**
40 511 AL1	**Brushed Hard Graphite**	**4005176636615**	**29.00**



Essentials Cube
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHE
ESSENTIALS CUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 514 001	**Chrome**	**4005176324468**	**49.99**
40 514 DC1	**supersteel**	**4005176636523**	**90.00**
40 514 AL1	**Brushed Hard Graphite**	**4005176636622**	**103.00**



Essentials Cube
Grip bar
material: metal
392 mm (useable length 340 mm)
concealed fastening
GROHE StarLight chrome finish

---

40 507 001	**Chrome**	**4005176324598**	**27.91**
40 507 DC1	**supersteel**	**4005176636530**	**51.00**
40 507 AL1	**Brushed Hard Graphite**	**4005176636639**	**58.00**



Essentials Cube
Toilet roll holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish

---

40 623 001	**Chrome**	**4005176324482**	**23.33**
40 623 DC1	**supersteel**	**4005176636547**	**42.00**
40 623 AL1	**Brushed Hard Graphite**	**4005176636646**	**48.00**



Essentials Cube
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

---

40 513 001	**Chrome**	**4005176324604**	**48.74**
40 513 DC1	**supersteel**	**4005176636165**	**87.00**
40 513 AL1	**Brushed Hard Graphite**	**4005176636561**	**99.00**



Essentials Cube
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 791 001	**white**	**4005176323409**	**4.58**
40 791 KS1	**velvet black**	**4005176336379**	**4.58**

Spare brush head

40 392 000	**Chrome**	**4005176846656**	**19.94**

Spare brush

40 393 000	**daVinci satin white**	**4005176846663**	**12.49**

Spare glass

---

40 757 001	**Chrome**	**4005176328497**	**81.66**



Essentials Cube
3-in-1 WC set
material: glass / metal
Consisting of:
robe hook (40 511 001)
toilet paper holder (40 507 001)
toilet brush (40 513 001)
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



40 777 001 **Chrome** **4005176328640** **71.24**

Essentials Cube
3-in-1 Guest bathroom accessories set
material: metal
Consisting of:
robe hook (40 511 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE StarLight chrome finish





40 778 001 **Chrome** **4005176328657** **99.99**

Essentials Cube
4-in-1 Master bathroom accessories set
material: metal
Consisting of:
robe hook (40 511 001)
towel ring (40 510 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE StarLight chrome finish



40 847 001 **Chrome** **4005176344107** **116.66**

Essentials Cube
4-in-1 Bathroom accessories set
material: glass / metal
Consisting of:
soap dispenser with holder (40 756 001)
crystal glass with holder (40 755 001)
double towel bar (40 624 001)
robe hook (40 511 001)
concealed fastening
GROHE StarLight finish



40 758 001 **Chrome** **4005176328503** **124.99**

Essentials Cube
Master bathroom accessories set 5-in-1
material: glass / metal
Consisting of:
soap dish with holder (40 754 001)
towel rail, 558 mm (40 509 001)
toilet paper holder (40 507 001)
robe hook (40 511 001)
towel ring (40 510 001)
concealed fastening
GROHE StarLight chrome finish

GROHE BAUCOSMOPOLITAN

GROHE
BAUCOSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)



40 585 001 **Chrome** **4005176327797** **14.58**

BauCosmopolitan
Glass/soap dish holder
material: metal
for crystal glass (40 372 001), soap dish (40 368 001),
or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or
gluing (glue 40 915 000 sold separately)



40 394 001 **Chrome** **4005176326233** **14.99**

Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish



40 368 001 **glass clear** **4005176326219** **5.08**

Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 372 001 **4005176326226** **6.08**

Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 460 001 **Chrome** **4005176327803** **14.58**

BauCosmopolitan
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)



40 459 001 **Chrome** **4005176327810** **20.83**

BauCosmopolitan
Towel rail
material: metal
522 mm (useable length 430 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 462 001	Chrome	4005176327827	77.08
	BauCosmopolitan **Multi-towel rack** material: metal 564 mm (useable length 510 mm) concealed fastening **GROHE StarLight** chrome finish suitable for screwing (including screws and dowels)			
	40 461 001	Chrome	4005176327858	8.74
	BauCosmopolitan **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 457 001	Chrome	4005176327865	18.33
	BauCosmopolitan **Toilet Roll Holder** material: metal without cover concealed fastening **GROHE StarLight** chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 463 001	Chrome	4005176327872	23.74
	BauCosmopolitan **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE StarLight** chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 791 001	white	4005176323409	4.58
	40 791 KS1	velvet black	4005176336379	4.58
	Spare brush head			
	40 392 000	Chrome	4005176846656	19.94
	Spare brush			
	40 393 000	daVinci satin white	4005176846663	12.49
	Spare glass			
	40 663 001	Chrome	4005176327834	40.83
	BauCosmopolitan **Soap wire basket** material: metal **for corner installation** large suitable for screwing (including screws and dowels)			

GROHE
BAUCOSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 664 001	**Chrome**	**4005176327841**	**32.91**



BauCosmopolitan
Soap wire basket
material: metal
for corner installation
small
suitable for screwing (including screws and dowels)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS AUTHENTIC

GROHE
ESSENTIALS AUTHENTIC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 652 001	Chrome	4005176324321	18.33
40 652 EN1	brushed nickel	4005176324239	29.58



Essentials Authentic
Glass/soap dish holder
material: metal
for crystal glass (40 372 001), soap dish (40 368 001),
or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

40 394 001	Chrome	4005176326233	14.99
40 394 EN1	brushed nickel	4005176412646	24.16



Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

40 368 001	glass clear	4005176326219	5.08



Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 372 001		4005176326226	6.08



Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 655 001	Chrome	4005176324338	18.33
40 655 EN1	brushed nickel	4005176324246	29.58



Essentials Authentic
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

40 653 001	Chrome	4005176324345	29.16
40 653 EN1	brushed nickel	4005176324253	46.66



Essentials Authentic
Towel rail
material: metal
626 mm (useable length 582 mm)
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS AUTHENTIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 654 001	Chrome	4005176324352	49.99
	40 654 EN1	brushed nickel	4005176324260	80.41
	Essentials Authentic **Double towel rail** material: metal 626 mm (useable length 582 mm) concealed fastening **GROHE StarLight** chrome finish			
	40 660 001	Chrome	4005176324369	99.99
	40 660 EN1	brushed nickel	4005176324277	158.33
	Essentials Authentic **Multi-towel rack** material: metal 586 mm (useable length 542 mm) concealed fastening **GROHE StarLight** chrome finish			
	40 656 001	Chrome	4005176324383	9.99
	40 656 EN1	brushed nickel	4005176324291	16.24
	Essentials Authentic **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish			
	40 657 001	Chrome	4005176324390	21.66
	40 657 EN1	brushed nickel	4005176324307	34.58
	Essentials Authentic **Toilet roll holder** material: metal without cover concealed fastening **GROHE StarLight** chrome finish			
	40 658 001	Chrome	4005176324406	29.99
	40 658 EN1	brushed nickel	4005176324314	48.33
	Essentials Authentic **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE StarLight** chrome finish			
	40 791 001	white	4005176323409	4.58
	40 791 KS1	velvet black	4005176336379	4.58
	Spare brush head			
	40 392 000	Chrome	4005176846656	19.94
	Spare brush			
	40 393 000	daVinci satin white	4005176846663	12.49
	Spare glass			

GROHE
ESSENTIALS AUTHENTIC





Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 659 001	**Chrome**	**4005176324376**	**32.91**
40 659 EN1	**brushed nickel**	**4005176324284**	**52.49**

Essentials Authentic
Corner Basket, small
material: metal
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHTHERM
THERMOSTATS

CONTENTS

Grohtherm SmartControl	269
Grohtherm 2 handle trim sets	283
Grohtherm 3000 Cosmopolitan	291
Grohtherm 2000	293
Grohtherm Cube	299
Grohtherm 1000 Cosmopolitan 3/4“	305
Grohtherm 1000	307
Grohtherm 1000 Performance	311
Grohtherm 800 Cosmopolitan	315
Grohtherm 800	319

SAFETY NOTE

Avoiding scalding
For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremly important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.

GROHE
TURBOSTAT

Always the right temperature, for ultimate convenience and safety.
GROHE TurboStat technology lies at the heart of our Grohtherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.

Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.



Exceptionally swift reaction to water-pressure fluctuations.

without GROHE TurboStat

with GROHE TurboStat



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.

GROHE
COOLTOUCH

Safety first with 100% GROHE CoolTouch.
GROHE's CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface - so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.

Safety surround = 100% GROHE CoolTouch
No risk of scalding

Safety housing with water cooling



Thermal image
without GROHE CoolTouch



Thermal image
with GROHE CoolTouch

THE NOT-SO-HIDDEN BENEFITS:
GROHE SMARTCONTROL CONCEALED

Space – we'd all like to have more of it, especially in the shower area where it is often in short supply. So when you have the luxury of planning your shower from scratch, GROHE SmartControl Concealed is a wonderful option. With its concealed installation and exceedingly slim design, GROHE SmartControl Concealed offers more space under the shower and an uncluttered, clean look.

Of course, GROHE SmartControl Concealed also offers the many features shared by GROHE SmartControl Exposed and the GROHE Combi shower system: from precise and intuitive volume and temperature control to your choice of shower sprays at the touch of a button.

NEW GROHE TWO-HANDLE THERMOSTATS: **ROUND, SQUARE OR CUBE?**

Our new thermostats with conventional operation are anything but conventional. We have designed them to be as user-friendly and intuitive as possible. Turn on the hand shower by rotating the upper control button slightly to the left. To switch over to the head shower, turn the control button towards the right. Also available as 1-function model to operate a single shower. The exceedingly narrow plates, with a height of just 10 mm and the slim design of the controls, ensure that the overall outreach is a mere 43mm. Offering the choice between round, square and cube shapes, our thermostats appeal not only to lovers of geometry. Representing the perfect balance between form and function, our two-handle thermostats provide a beautiful centrepiece for every shower.

All Grohtherm Concealed thermostats are made to fit our new universal solution: the GROHE Rapido SmartBox system.

THE BEST OF BOTH WORLDS:
GROHE SMARTCONTROL COMBI SHOWER SYSTEM

Flexibility best describes the reason for choosing the GROHE SmartControl combi shower system, which offers a range of different installation options and possible combinations.
This means for example, that you are free to position the thermostat either vertically under the showerhead or, if you choose, away from the central axis – or even on one of the side walls of the shower. Flexibility also extends to the way you can combine the thermostat with other GROHE head, hand or body showers, creating your own personal shower experience. You also have the option of turning your bath into a shower – by combining the SmartControl thermostat with a bathtub inlet and a hand shower.

DISCOVER THE NEW STANDARD IN EXPOSED THERMOSTATS: **GROHTHERM SMARTCONTROL EXPOSED**

We are proud to present our Grohtherm SmartControl: a major new development in exposed thermostats. Available as separate units, Grohtherm SmartControl exposed thermostats combine the design of GROHE and the comfort of SmartControl. We've given it a compact shape to offer more space under the shower and its EasyReach tray makes plenty of room on top for shower accessories. A forward-facing thermostat button makes operation from the front most convenient. And like all GROHE thermostats, Grohtherm SmartControl comes equipped with TurboStat for precise temperature control and 100 % CoolTouch to keep thermostat surfaces at a safe temperature and avoid scalding.

GROHTHERM
3000 COSMOPOLITAN

Minimalist & 100% GROHE CoolTouch.
Grohtherm 3000 Cosmopolitan thermostats are based on an aesthetic philosophy based on simple cylinders in perfect proportions, creating balance and harmony enhanced by GROHE StarLight chrome, a deep luxurious finish.

While GROHE TurboStat maintains your perfect water temperature, GROHE CoolTouch eliminates the risk of scalding from hot chrome surfaces, while the EcoButton enables you to reduce your water consumption up to 50%.



GROHTHERM **2000**

100% GROHE CoolTouch, advanced ergonomics & EasyReach tray.

The elegant design of Grohtherm 2000 ensures it will complement any bathroom design. Experience the beauty of the XL WaterFall from our exposed bath/shower thermostat. Enjoy the convenience of the GROHE EasyReach shower tray, with easy-to-clean integrated storage for your shampoo or soap.

Featuring 100% GROHE CoolTouch, the solid metal housing of Grohtherm 2000 remains cool and safe at all times. With GROHE TurboStat you will always enjoy your perfect water temperature, independent of any fluctuations in water pressure. Grohtherm 2000 thermostats are available with and without the metal made GROHE EasyReach storage.

GROHTHERM
CUBE

100% Cube.
For years, GROHE has been synonymous with thermostats for the bathroom, with over 30 million sold worldwide. With the launch of this pure Cubist thermostat range, GROHE offers innovative design combined with the highest quality standards. From it's Cubist design and its water-saving options to the smart EasyReach soap tray – Grohtherm Cube thermostats and shower systems offer full enjoyment to the last detail, perfectly matching several GROHE cubic tap and shower designs.

GROHTHERM
1000

ULTIMATE COMFORT WITH GROHE COOLTOUCH.
Enjoy taking a refreshing shower more then ever before. The Grohtherm 1000 with contemporary design offers a GROHE CoolTouch compact body, ergonomically shaped metal handles, GROHE TurboStat technology and water-saving eco functions.



GROHTHERM
1000 PERFORMANCE

new

COOLTOUCH THERMOSTAT WITH PROGRIP.
Transform your shower into a smart comfort zone. GROHE TurboStat provides you with a constant water tenperature without the hot or cold surprises during your shower. The smart designed ProGrip gives you precise control on waterflow and temperature and thanks to the internal cooling channel of GROHE CoolTouch, the complete shower body never exceeds your showering temperature.



GROHE TurboStat
For a perfect water temperature at all times.

GROHE CoolTouch compact body
No risk of scalding on the body.

Smart Ergonomics
GROHE ProGrip with knurl structure combines ergonomic grip with amazing shape

SafeStop
Safety lock protects against scalding.

EasyLogic
improved intuitive graphics on body

GROHE AquaDimmer Eco
Switch between spout and shower with water saving function for shower.

GROHTHERM **800**
COSMOPOLITAN

new

Minimalistic design with ergonomic metal handle.
Offering quality, technology and design at a competitive price, Grohtherm 800 Cosmopolitan is our most compact thermostat. Crafted from a series of perfect cylinders, its slender design is the preferred choice for modern, architectural-style spaces.

GROHTHERM
800

SAFE AND ERGONOMIC.
Experience the benefits of a thermostatically controlled shower at an attractive price. Finished in sparkling GROHE StarLight chrome, Grohtherm 800 benefits from GROHE TurboStat technology, ensuring luxurious showering at a constant temperature. The SafeStop button, set at 38°C, prevents children from turning up the temperature, while the EcoButton allows you to reduce water usage.



GROHE
GROHTHERM
SMARTCONTROL

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 123 000	**Chrome**	**4005176413292**	**497.74**
29 123 GN0	**brushed cool sunrise**	**4005176558122**	**718.88**
29 123 DL0	**brushed warm sunset**	**4005176558092**	**718.88**
29 123 A00	**hard graphite**	**4005176558054**	**673.95**
29 123 AL0	**Brushed Hard Graphite**	**4005176558061**	**718.88**



Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 124 000	**Chrome**	**4005176413308**	**541.99**
29 124 DC0	**supersteel**	**4005176526329**	**684.94**
29 124 GN0	**brushed cool sunrise**	**4005176558207**	**782.79**
29 124 DL0	**brushed warm sunset**	**4005176558177**	**782.79**
29 124 A00	**hard graphite**	**4005176558139**	**733.87**
29 124 AL0	**Brushed Hard Graphite**	**4005176558146**	**782.79**



Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 125 000	**Chrome**	**4005176413315**	**650.38**



Grohtherm SmartControl
Thermostat for concealed installation with
2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 126 000	**Chrome**	**4005176413322**	**586.24**
29 126 DC0	**supersteel**	**4005176526343**	**740.86**
29 126 GN0	**brushed cool sunrise**	**4005176558368**	**846.71**
29 126 DL0	**brushed warm sunset**	**4005176558337**	**846.71**
29 126 A00	**hard graphite**	**4005176558290**	**793.78**
29 126 AL0	**Brushed Hard Graphite**	**4005176558306**	**846.71**



Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 127 000	**Chrome**	**4005176413339**	**357.28**
29 127 DC0	**supersteel**	**4005176526350**	**452.08**
29 127 GN0	**brushed cool sunrise**	**4005176558443**	**516.64**
29 127 DL0	**brushed warm sunset**	**4005176558412**	**516.64**
29 127 A00	**hard graphite**	**4005176558375**	**484.36**
29 127 AL0	**Brushed Hard Graphite**	**4005176558382**	**516.64**



Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 153 LS0	**moon white**	**4005176413582**	**640.45**



Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)



29 156 LS0 **moon white** **4005176413599** **684.69**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation



29 157 LS0 **moon white** **4005176413605** **728.91**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 158 LS0	**moon white**	**4005176413612**	**452.39**



Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 118 000	**Chrome**	**4005176412240**	**475.85**
29 118 DC0	**supersteel**	**4005176455032**	**606.00**
29 118 BE0	**polished nickel**	**4005176492952**	**673.95**
29 118 EN0	**brushed nickel**	**4005176492969**	**711.00**
29 118 GL0	**cool sunrise**	**4005176492976**	**673.95**
29 118 GN0	**brushed cool sunrise**	**4005176492983**	**718.88**
29 118 DA0	**warm sunset**	**4005176492990**	**673.95**
29 118 DL0	**brushed warm sunset**	**4005176493003**	**711.00**
29 118 A00	**hard graphite**	**4005176493010**	**673.95**
29 118 AL0	**Brushed Hard Graphite**	**4005176455049**	**683.67**



Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 119 000	Chrome	4005176412257	548.82
29 119 DC0	supersteel	4005176455056	742.85
29 119 BE0	polished nickel	4005176493027	726.00
29 119 EN0	brushed nickel	4005176493034	774.00
29 119 GL0	cool sunrise	4005176493041	726.00
29 119 GN0	brushed cool sunrise	4005176493058	774.00
29 119 DA0	warm sunset	4005176493065	726.00
29 119 DL0	brushed warm sunset	4005176493072	774.00
29 119 A00	hard graphite	4005176493089	726.00
29 119 AL0	Brushed Hard Graphite	4005176455063	744.40



Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000		4005176413469	132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 120 000	Chrome	4005176412264	621.77



Grohtherm SmartControl
Thermostat for concealed installation with
2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min

35 600 000		4005176413469	132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 121 000	**Chrome**	**4005176412271**	**560.46**
29 121 DC0	**supersteel**	**4005176455094**	**714.00**
29 121 BE0	**polished nickel**	**4005176493164**	**793.78**
29 121 EN0	**brushed nickel**	**4005176493171**	**837.00**
29 121 GL0	**cool sunrise**	**4005176493188**	**793.78**
29 121 GN0	**brushed cool sunrise**	**4005176493195**	**847.00**
29 121 DA0	**warm sunset**	**4005176493201**	**793.78**
29 121 DL0	**brushed warm sunset**	**4005176493218**	**846.71**
29 121 A00	**hard graphite**	**4005176493225**	**793.78**
29 121 AL0	**Brushed Hard Graphite**	**4005176455100**	**918.30**



Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 122 000	**Chrome**	**4005176412288**	**341.57**
29 122 DC0	**supersteel**	**4005176455117**	**436.00**
29 122 BE0	**polished nickel**	**4005176493232**	**484.36**
29 122 EN0	**brushed nickel**	**4005176413728**	**469.00**
29 122 GL0	**cool sunrise**	**4005176515194**	**484.36**
29 122 GN0	**brushed cool sunrise**	**4005176515200**	**516.64**
29 122 DA0	**warm sunset**	**4005176515217**	**484.36**
29 122 DL0	**brushed warm sunset**	**4005176515224**	**516.64**
29 122 A00	**hard graphite**	**4005176515231**	**484.36**
29 122 AL0	**Brushed Hard Graphite**	**4005176455124**	**469.00**



Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)



29 150 LS0 **moon white** **4005176413544** **640.45**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation



29 151 LS0 **moon white** **4005176413551** **684.69**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)



29 904 LS0 **moon white** **4005176413568** **728.91**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation



29 152 LS0 **moon white** **4005176413575** **452.39**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation



34 742 000 **Chrome** **4005176484094** **1,293.06**

Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 125 000)
GROHE Rapido SmartBox 35 600 000
Rainshower F-Series 10" head shower set (26 070 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**34 706 000**	**Chrome**	**4005176413797**	**1,370.46**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox 35 600 000
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)

	**34 743 000**	**Chrome**	**4005176484100**	**1,204.56**

Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 120 000)
GROHE Rapido SmartBox 35 600 000
Rainshower Cosmopolitan 210 head shower set (26 062 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)

	**34 744 000**	**Chrome**	**4005176484117**	**1,012.08**

Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 120 000)
GROHE Rapido SmartBox 35 600 000
Euphoria 260 head shower set 3 sprays (26 458 000)
including horizontal shower arm 380 mm
hand shower Euphoria Cosmopolitan Stick (27 400)
Silverflex shower hose 1250 mm (28 362)

	**34 705 000**	**Chrome**	**4005176413285**	**1,381.53**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

GROHE
GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**34 713 000**	**Chrome**	**4005176409776**	**883.79**

Grohtherm SmartControl
Combi thermostatic shower mixer
with 3 valves, exposed/concealed
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow

requires concealed body 26 449 000 – to be ordered separately

	**34 714 000**	**Chrome**	**4005176409783**	**828.47**

Grohtherm SmartControl
Combi thermostatic shower mixer
with 2 valves, exposed/concealed
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow

requires concealed body 26 449 000 – to be ordered separately

	**26 449 000**		**4005176409790**	**275.40**

Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 719 000 **Chrome** **4005176457654** **370.52**

Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow



34 718 000 **Chrome** **4005176457647** **408.15**

Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow



34 721 000 **Chrome** **4005176457678** **481.17**

Grohtherm SmartControl
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set, 900 mm (27 226 001)



34 720 000 **Chrome** **4005176457661** **474.52**

Grohtherm SmartControl
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set, 600 mm (27 231 001)

GROHE GROHTHERM 2 HANDLE TRIM SETS

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



24 078 000 **Chrome** **4005176466038** **365.39**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 079 000 **Chrome** **4005176466045** **407.27**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 080 000 **Chrome** **4005176466052** **407.27**

Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**34 728 000**	**Chrome**	**4005176466069**	**563.29**

Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection and shower hose to be ordered separately

	**34 729 000**	**Chrome**	**4005176466076**	**632.40**

Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II (27 597)
Shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

	**34 730 000**	**Chrome**	**4005176466342**	**1,368.44**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 310
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
Rainshower shower arm 422 mm (26 145 000)
hand shower (28 034 000)
Rainshower wall holder (27 075 000)
Rainshower wall elbow connection (27 076 000)
Silverflex shower hose 1250 mm (28 362)

	**34 734 000**	**Chrome**	**4005176466403**	**965.34**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
shower arm Rainshower 422 mm (26 146 000)
Euphoria Hand shower (27 265)
Shower outlet elbow (28 628 000)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



24 075 000 **Chrome** **4005176465987** **365.39**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 076 000 **Chrome** **4005176465994** **407.27**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 077 000 **Chrome** **4005176466007** **407.27**

Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**34 726 000**	**Chrome**	**4005176466014**	**552.82**

Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection and shower hose to be ordered separately

	**34 727 000**	**Chrome**	**4005176466021**	**618.78**

Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II (27 597)
Shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

	**34 731 000**	**Chrome**	**4005176466359**	**1,368.44**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 310
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
shower arm Rainshower 422 mm (26 146 000)
hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)

	**34 732 000**	**Chrome**	**4005176466366**	**939.16**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan 210 metal head shower (28 373)
Rainshower shower arm 286 mm (28 576)
hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 735 000	**Chrome**	**4005176466410**	**770.59**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 160
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan Headshower 160 mm (27 134)
Rainshower shower arm 286 mm (28 576)
Euphoria Hand shower (27 265)
Shower outlet elbow (28 628 000)
Silverflex shower hose 1250 mm (28 362)



24 153 000	**Chrome**	**4005176481178**	**474.29**
24 153 DC0	**supersteel**	**4005176574221**	**612.00**
24 153 AL0	**Brushed Hard Graphite**	**4005176585913**	**699.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation



24 154 000	**Chrome**	**4005176481185**	**528.73**
24 154 DC0	**supersteel**	**4005176574238**	**682.00**
24 154 AL0	**Brushed Hard Graphite**	**4005176585920**	**779.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 155 000	**Chrome**	**4005176481192**	**528.73**
24 155 DC0	**supersteel**	**4005176574245**	**682.00**
24 155 AL0	**Brushed Hard Graphite**	**4005176585937**	**779.00**



Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

34 741 000	**Chrome**	**4005176481208**	**1,252.20**



Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 3000
COSMOPOLITAN

GROHE
GROHTHERM 3000 COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 274 000 **Chrome** **4005176847905** **430.28**

Grohtherm 3000 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves, dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EcoJoy technology for less water and perfect flow



34 276 000 **Chrome** **4005176847929** **507.72**

Grohtherm 3000 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
Aquadimmer with multiple function
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EcoJoy technology for less water and perfect flow



34 277 000 **Chrome** **4005176847936** **463.44**

Grohtherm 3000 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
Aquadimmer with multiple function
- flow control
- diverter: bath/shower
shower bottom outlet 1/2", mousseur
built-in non return valves, dirt strainers
protected against backflow
without connection unions for wall mounting

47 175 000 **4005176803895** **156.36**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2000

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 469 001 **Chrome** **4005176926396** **330.73**

Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
temperature scale handle with
GROHE SafeStop safety stop at 38°C
(**calibration required**)
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
GROHE TurboStat compact cartridge
with wax thermoelement
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
removable for easy cleaning
chrome
GROHE EcoJoy technology for less water and perfect flow



34 463 001 **Chrome** **4005176926419** **365.00**

Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
integrated flow limiter 14 l/min in the shower outlet
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray
removable for easy cleaning
chrome
GROHE EcoJoy technology for less water and perfect flow



34 169 001 **Chrome** **4005176926518** **308.59**

Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 446 001	Chrome	4005176926402	308.59



Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow
integrated flow limiter 14 l/min in the shower outlet

34 170 001	Chrome	4005176926471	286.47



Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
chrome plated union nuts
GROHE EcoJoy technology for less water and perfect flow

34 464 001	Chrome	4005176926433	374.96



Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button with economy stop for shower)
- flow control
- diverter: bath/shower

shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
removable for easy cleaning
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 174 001 **Chrome** **4005176926426** **374.99**

Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button
  with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow



34 466 001 **Chrome** **4005176926440** **386.05**

Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button
  with economy stop for shower)
- flow control
shower bottom outlet 1/2"
- diverter: bath/shower
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
min. recommended pressure 1 bar
integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 484 001	Chrome	4005176932519	397.09



Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 176 001	Chrome	4005176926488	695.76



Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
deck mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- flow control
- diverter: bath/shower
- integrated (economy button with economy stop for shower)
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
pillar unions with covered fixing
GROHE EcoJoy technology for less water and perfect flow

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 281 001	Chrome	4005176926501	485.57



Grohtherm 2000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 2000 thermostat shower mixer (34 469)
Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 195 001 **Chrome** **4005176926631** **330.74**

Grohtherm 2000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 2000 thermostat shower mixer (34 469)
Euphoria 110 Massage shower set, 600 mm (27 231 001)



18 608 001 **Chrome** **4005176985140** **43.14**

Grohtherm 2000
GROHE EasyReach shower tray
metal tray
removable for easy cleaning
GROHE StarLight chrome finish
suitable for Grohtherm 2000
- exposed thermostatic shower mixer with centre distance 150 mm
- exposed thermostatic bath mixer with centre distance 150 mm

47 175 000 **4005176803895** **156.36**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM CUBE

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 491 000	**Chrome**	**4005176940644**	**397.08**



Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray (18 700 000)
removable for easy cleaning
Da Vinci satin white finish
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

34 488 000	**Chrome**	**4005176940620**	**352.85**



Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

34 509 000	**Chrome**	**4005176941801**	**363.91**



Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
shower bottom outlet 1/2"
ceramic headpart 1/2", 180°
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 502 000	Chrome	4005176940798	496.63



Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray (18 700 000)
removable for easy cleaning
Da Vinci satin white finish
GROHE EcoJoy technology for less water and perfect flow

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 497 000	Chrome	4005176940675	445.00



Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 508 000	Chrome	4005176941795	474.52



Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
18 700 000	**daVinci satin white**	**4005176940811**	**43.13**



Grohtherm Cube
GROHE EasyReach tray
for Grohtherm Cube
removable for easy cleaning
Da Vinci satin white finish
suitable for Grohterm Cube
- exposed thermostatic shower mixer with centre distance 150 mm
- exposed thermostatic bath mixer with centre distance 150 mm

---

47 175 000		**4005176803895**	**156.36**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

---

24 153 000	**Chrome**	**4005176481178**	**474.29**
24 153 DC0	**supersteel**	**4005176574221**	**612.00**
24 153 AL0	**Brushed Hard Graphite**	**4005176585913**	**699.00**



Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

24 154 000	**Chrome**	**4005176481185**	**528.73**
24 154 DC0	**supersteel**	**4005176574238**	**682.00**
24 154 AL0	**Brushed Hard Graphite**	**4005176585920**	**779.00**



Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 155 000	**Chrome**	**4005176481192**	**528.73**
24 155 DC0	**supersteel**	**4005176574245**	**682.00**
24 155 AL0	**Brushed Hard Graphite**	**4005176585937**	**779.00**



Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**132.18**

GROHE Rapido SmartBox universal rough-in box for concealed installation

34 741 000	**Chrome**	**4005176481208**	**1,252.20**



Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 1000
COSMOPOLITAN 3/4“

GROHE
GROHTHERM 1000 COSMOPOLITAN 3/4“

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**34 430 000**	**Chrome**	**4005176917981**	**241.93**

Grohtherm 1000 Cosmopolitan
Thermostat shower mixer 3/4“
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
S-unions
recommended pressure 0.1 - 1.0 bar
max. pressure differential 5:1

	**34 437 000**	**Chrome**	**4005176918025**	**284.18**

Grohtherm 1000 Cosmopolitan
Thermostatic shower mixer 3/4“
with shower set
Consisting of:
Grohtherm 1000 Cosmopolitan M thermostatic
shower mixer 3/4“ (34 430 000)
Euphoria Mono shower set (27 256 001) with
GROHE DreamSpray
recommended pressure 0.1 - 1.0 bar
max. pressure differential 5:1
Euphoria Shower set (27 256 001)

	**34 448 000**	**Chrome**	**4005176919183**	**358.14**

Grohtherm 1000 Cosmopolitan
Thermostatic bath/shower mixer ¾“
GROHE StarLight chrome finish
chromed scale rings
GROHE SafeStop Plus, removable max.
temperature stop at 46° C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
shower bottom outlet 1/2“
built-in non return valve
dirt strainers
protected against backflow
without connection unions for wall mounting
recommended pressure 0.1 - 1.0 bar
max. pressure differential 5:1

	**34 519 000**	**Chrome**	**4005176998515**	**271.69**

Grohtherm 1000 Cosmopolitan
Thermostatic bath/shower mixer 1/2“
GROHE StarLight finish
chromed scale rings
GROHE SafeStop Plus, removable max.
temperature stop at 46° C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
shower bottom outlet 1/2“
built-in non return valve
dirt strainers
protected against backflow
without connection unions for wall mounting
recommended pressure 0.1 - 1.0 bar
max. pressure differential 5:1

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000

GROHE
GROHTHERM 1000

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 143 003 **Chrome** **4005176309618** **220.80**

Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow



34 438 003 **Chrome** **4005176309632** **220.80**

Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
S-unions
protected against backflow
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow



34 146 003 **Chrome** **4005176309625** **210.23**

Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 155 003 **Chrome** **4005176310027** **273.62**

Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow



34 439 003 **Chrome** **4005176310041** **284.18**

Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow



34 156 003 **Chrome** **4005176310034** **284.18**

Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
built-in non return valves
mousseur
dirt strainers
protected against backflow
without connection unions for wall mounting
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 1000

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 256 004 **Chrome** **4005176456671** **273.62**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 143 003)
Tempesta shower set II, 900 mm (27 646)



34 151 004 **Chrome** **4005176456664** **269.40**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 143 003)
Tempesta shower rail set 2 sprays, 600 mm (27 598)
min. recommended pressure 1 bar



34 557 001 **Chrome** **4005176456688** **241.93**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 438 003)
Tempesta shower rail set 2 sprays, 600 mm (27 598)



34 152 004 **Chrome** **4005176456640** **289.47**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 146 003)
Tempesta shower rail set 2 sprays, 600 mm (27 598)
min. recommended pressure 1 bar

47 175 000 **4005176803895** **156.36**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000
PERFORMANCE

GROHE
GROHTHERM 1000 PERFORMANCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 776 000 **Chrome** **4005176612930** **199.07**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow



34 779 000 **Chrome** **4005176612961** **259.35**

Grohtherm 1000 Performance
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow



34 780 000 **Chrome** **4005176612978** **254.56**

Grohtherm 1000 Performance
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
built-in non return valves
mousseur
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 781 000 **Chrome** **4005176612985** **203.15**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
S-unions
protected against backflow
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow



34 782 000 **Chrome** **4005176612992** **263.42**

Grohtherm 1000 Performance
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton** (economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow



34 783 000 **Chrome** **4005176613005** **229.78**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 776 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included

GROHE
GROHTHERM 1000 PERFORMANCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 784 000 **Chrome** **4005176613012** **233.20**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 776 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included



34 787 000 **Chrome** **4005176613043** **233.85**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 781 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)

47 175 000 **4005176803895** **156.36**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000
exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 800
COSMOPOLITAN

GROHE
GROHTHERM 800 COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 765 000	Chrome	4005176612022	188.59



Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

34 767 000	Chrome	4005176612046	183.80



Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
built-in non return valves
shower bottom outlet 1/2"
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow

34 771 000	Chrome	4005176612886	192.66



Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 800 COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 766 000	**Chrome**	**4005176612039**	**245.70**



Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 770 000	**Chrome**	**4005176612077**	**240.91**



Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 772 000	**Chrome**	**4005176612893**	**249.77**



Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 800 COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 768 000	Chrome	4005176612053	219.09

Grohtherm 800 Cosmopolitan
Thermostatic shower set 1/2"
Consisting of:
Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included



34 769 000	Chrome	4005176612060	224.48

Grohtherm 800 Cosmopolitan
Thermostatic shower set 1/2"
Consisting of:
Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included

47 175 000	4005176803895	156.36

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 800

GROHE
GROHTHERM 800

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 562 000 **Chrome** **4005176310102** **199.67**

Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow



34 567 000 **Chrome** **4005176310157** **241.93**

Grohtherm 800
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow



34 569 000 **Chrome** **4005176310171** **241.93**

Grohtherm 800
Thermostatic bath mixer 1/2", 160cc
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 800

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 566 001 **Chrome** **4005176456701** **230.31**

Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 800 thermostatic shower mixer 1/2"
(34 558 000)
Tempesta shower set II, 900 mm (27 646)
min. recommended pressure 1 bar



34 565 001 **Chrome** **4005176456718** **210.23**

Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 800 thermostatic shower mixer 1/2"
(34 558 000)
Tempesta shower rail set 2 sprays, 600 mm (27 598)
min. recommended pressure 1 bar

47 175 000 **4005176803895** **156.36**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
CONCEALED SOLUTIONS

CONTENTS

GROHE Rapido SmartBox	333
GROHE Rapido	336
GROHE Rapido C / stop valves	337

MASTERPIECE OF **TECHNOLOGY**
GROHE RAPIDO SMARTBOX SYSTEM

With it's universal solutions, our GROHE Rapido SmartBox System is the answer for everything. Never before has a rough-in from GROHE offered so many different options ans so much flexibility and freedom. A wide selection of suitable trim sets and showers ensures that the style chosen for the bathroom exteds seamlessly into the shower area. And seen from a practical angle, the slim, streamlined design makes cleaning faster and more convenient. GROHE SmartControl Concealed promises perfect shower control and is remarkable for its exceedingly flat design and clean, uncluttered look. Our two-handle thermostats, too, are compact and space-saving, blending precise performance with a sleek, minimalistic apprearance. Or take our single-lever mixers: a choice of models offering control of one, two or three functions and a range of stylish designs.



GROHE SMARTCONTROL

- Control up to three shower functions for a better shower experience
- Intuitive operation and perfect control of water volume through SmartControl
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower

TWO-HANDLE THERMOSTATS

- New trim range in round, square and cube style
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower
- 1-function and 2-function models available with Grohe Aquadimmer

SINGLE-LEVER MIXERS

- New trims in coordinated design for all Grohe bath lines
- 1-, 2- and 3-function models
- Slim wall plates with Grohe QuickFix system and slim diverters

GROHE RAPIDO SMARTBOX
OVERVIEW SINGLE-LEVER MIXER TRIM SETS

	1 function	2 functions	3 functions
Allure Brilliant	24 071 000	24 072 000	24 099 000
Allure	24 069 000	24 070 000	
Atrio	24 065 003	24 066 003	24 096 003
Grandera	24 067 000	24 068 000	
Lineare	24 063 001	24 064 001	24 095 001
Eurocube	24 061 000	24 062 000	24 094 000
GROHE Plus	24 059 003	24 060 003	24 093 003

	1 function	2 functions	3 functions
Essence	 24 057 001	 24 058 001	 24 092 001
Eurodisc Cosmopolitan	 24 055 002	 24 056 002	
Concetto	 24 053 001	 24 054 001	
Eurostyle Cosmopolitan	 24 051 002	 24 052 002	
Eurostyle	 24046003	 24 047 003	
	 24 048 003	 24 049 003	
Eurosmart Cosmopolitan	 24 044 000	 24 045 000	
Eurosmart	 24 042 002	 24 043 002	

GROHE RAPIDO SMARTBOX
OVERVIEW TWO-HANDLE THERMOSTAT TRIM SETS

	1 function	2 functions shower/shower	2 functions bathtub/shower
Atrio	 24 134 003	 24 135 003	 24 138 003
Grohtherm Cube	24 153 000	24 154 000	24 155 000
Grohtherm (square)	24 078 000	24 079 000	24 080 000
Grohtherm (round)	24 075 000	24 076 000	24 077 000

GROHE RAPIDO SMARTBOX
OVERVIEW SMARTCONTROL TRIM SETS

	1 function	2 functions		3 functions	4 functions	
Grohtherm SmartControl round	 29 118 000	29 119 000	29 120 000	29 121 000	29 118 000 + 29 122 000	
Grohtherm SmartControl square	29 123 000	29 124 000	29 125 000	29 126 000	29 123 000 + 29 127 000	
Grohtherm SmartControl glass round	29 150 LS0	29 151 LS0		29 904 LS0	29 150 LS0 + 29 152 LS0	
Grohtherm SmartControl glass square	29 153 LS0	29 156 LS0		29 157 LS0	29 153 LS0 + 29 158 LS0	
SmartControl Mixer round	29 144 000	29 145 000		29 146 000		
SmartControl Mixer square	29 147 000	29 148 000		29 149 000		

GROHE RAPIDO C/CONCEALED VALVES OVERVIEW

	Rapido C stop-valve with pre-assambled ceramic headpart 35 028	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart 29 800/29 802/29 805	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart 29 801/29 803/ 29 804/29 806	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart 29 811/29 813
Allure	 19 334 000	 19 334 000	 19 334 000	 19 334 000
Allure*	 19 384 000			
Allure Brilliant*	 19 796 000			
Atlanta	 19 841 000	 19 841 000	 19 841 000	 19 841 000
Atrio	 19 088 003	 19 088 003	 19 088 003	 19 088 003
	 19 069 003	 19 069 003	 19 069 003	 19 069 003

* Concealed valve 29 032 000 with longlife headpart can also be used

	Rapido C stop-valve with pre-assambled ceramic headpart 35 028	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart 29 800/29 802/29 805	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart 29 801/29 803/ 29 804/29 806	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart 29 811/29 813
Brilliant	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000
Costa	 19 808 001 19 809 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001
Eurocube	 19 910 000	 19 910 000	 19 910 000	 19 910 000
Grandera	 19 944 000			
Grohtherm 3000 Cosmopolitan	 19 470 000	 19 470 000	 19 470 000	 19 470 000

GROHE
RAPIDO SMARTBOX

GROHE
RAPIDO SMARTBOX

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**35 600 000**		**4005176413469**	**132.18**
	GROHE Rapido SmartBox **Universal rough-in box, 1/2"** 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixing options for solid walls and dry cladding gasket without set for final installation			
	**14 055 000**		**4005176413520**	**161.51**
	Backflow protection combination (DIN-EN1717) retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers			
	**14 053 00M**		**4005176413513**	**50.88**
	Service stops fits Grohtherm SmartControl, SmartControl mixer and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox packaging unit: 2 pieces			
	47 790 000		**4005176841491**	**59.72**
	Rapido connection set fits to Rapido T (35 050), Rapido E (35 501) and Rapido SmartBox (35 600) VA approved 2 pcs./unit			
	**14 048 000**		**4005176413483**	**151.54**
	GROHE Rapido SmartBox **Universal extension set single-lever mixers, 25 mm** 25 mm fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox			
	**14 056 000**		**4005176466298**	**114.13**
	Universal extension set single-lever mixers, 25 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPIDO SMARTBOX

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	14 057 000		4005176466304	147.62
Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**				
 	14 058 000		4005176466311	147.63
Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**				
	49 003 000	Chrome	4005176413537	208.31
GROHE TurboStat cartridge 3/4“ for reversed inlets (hot water right) fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox service solution, does not comply with EN1111				

GROHE RAPIDO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	33 961 000		4005176119972	303.27
	Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set wall installation **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing fastening loops			
	33 962 000		4005176119989	208.83
	Single-lever mixer 1/2", concealed body for shower **without finishing trim set** wall installation **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing fastening loops			
	33 963 000		4005176128387	92.35
	Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set wall installation **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing			
	33 964 000		4005176128394	93.40
	Single-lever mixer 1/2", concealed body for shower **without finishing trim set** wall installation **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPIDO C / STOP VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**35 028 000**		**4005176908316**	**131.61**
	GROHE Rapido C **Rough-in for single volume control** for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4“ connection threads 1/2“ installation depth 70 - 95 mm			
	**29 800 000**		**4005176504839**	**30.43**
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle protection sleeve threaded union 1/2“ DR-brass			
	29 802 000		**4005176504853**	**51.42**
	ditto, 3/4“, pre-assembled headpart 3/4“, thread union 3/4“			
	29 805 000		**4005176504884**	**86.36**
	ditto, 1“, pre-assembled headpart 1“, thread union 1“			
	**29 801 000**		**4005176504846**	**25.08**
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000		**4005176504877**	**39.88**
	ditto, soldered connection Ø 22 mm			
	**29 811 000**		**4005176062711**	**51.42**
	Concealed stop valve 1/2“ preassembled ceramic headpart 1/2“ 180° threaded union 1/2“ installation depth adjustable 25 - 80 mm DR-brass			
	29 813 000		**4005176062735**	**82.90**
	ditto, 3/4“			
 	**45 202 000**		**4005176052835**	**11.54**
	Extension 20-80 for concealed valves, 1/2“, 3/4“			
	45 203 000		**4005176052842**	**19.94**
	ditto, 200 mm			

GROHE
SHOWERS



CONTENTS

GROHE Digital	F-digital Deluxe	353
	F-digital Controllers	361
Shower Systems	Rainshower System SmartControl	363
	Rainshower SmartActive System	371
	Rainshower System	377
	Euphoria SmartControl System	381
	Euphoria Shower System	385
	Tempesta System	397
	Shower System Accessories	403
Head Showers	Head Showers	407
Showers	Sena	435
	Rainshower SmartActive	439
	Rainshower	451
	Relexa	457
	Euphoria	463
	Tempesta	475
	Sena Trigger Sprays	491
	Tempesta-F Trigger Sprays	493
	Trigger Sprays	497
	Shower Hoses	499
	Shower Accessories	503

GROHE SHOWERS
INNOVATIVE SPRAY TECHNOLOGY

GROHE's DreamSpray technology is at the heart of every GROHE shower. Boasting the finest quality materials and engineering, it incorporates innovation that helps you to enjoy an unparalleled showering experience.

The advanced shower engine inside the shower heads delivers the ultimate in precise and consistent water distribution to each individual nozzle. Whatever spray pattern you choose, for whatever your mood, you can be assured of sheer joy under the shower.

GETTING THE BEST SHOWER EXPERIENCE WITH JUST ONE SHOWER

While some types of shower gently caress the skin like summer rain, others give an invigorating massage. The new GROHE Rainshower 310 SmartActive showers combine the best of both worlds for a thoroughly satisfying shower every time.

DOUBLE THE PLEASURE

GROHE Rainshower 310 SmartActive showers use a special spray face to double the pleasure of showering. Oval water outlets arranged in a star-shaped pattern at the center of the spray face generate the vigorous GROHE ActiveRain. They are surrounded by an arrangement of nozzles producing the much more gentle PureRain spray. This means users can choose between a concentrated jet to loosen up tense muscles or rinse shampoo out of their hair and a rain shower softly enveloping their body. The shower can be energizing and invigorating or soothing and relaxing – or it can combine the two modes into a deeply satisfying shower session. To simplify switching between the different shower functions and combining them, GROHE offers the new SmartControl Concealed units, featuring intuitive push-and-turn button technology.

Discover all our other spray patterns here:

DRIZZLE SPRAYS
Revitalizing cool water mist acts like a fresh sea breeze.

AQUACURTAIN
A wrap-around curtain of pure water invites you to dive into a different world.

NORMAL SPRAY
A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.

RAIN SPRAY
Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.

GROHE PURERAIN SPRAY
The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.

SMARTRAIN SPRAY
All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.

GROHE RAIN O² SPRAY
A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.

GROHE BOKOMA SPRAY
Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.

WATERFALL XL SPRAYS
An extra wide spout creates the sensual pleasure of a waterfall in your own bathroom.

PURE SPRAY
The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.

JET SPRAY
A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.

ACTIVERAIN SPRAY
Innovative Spray to loosen up tense muscles or rinse shampoo out of your hair.

MASSAGE SPRAY
A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.

CHAMPAGNE SPRAY
Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.

DELUXE CHAMPAGNE SPRAY
An extra-rich spray bursting with soft water droplets.

GROHE TRIOMASSAGE SPRAY
The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.

GROHE RAINSHOWER SMARTACTIVE
SPREAD HAPPINESS - DESIGNED TO MAKE YOU SMILE

Life is fun. And so is Showering.
Start or end your day with a great shower experience, one that leaves you refreshed, relaxed and smiling. The new premium Rainshower SmartActive hand shower offers three great spray patterns. It comes in a choice of sleek, minimalist shapes in round and square and two sizes – 130mm and 150mm – and with either a chrome-plated or white moulded spray face as well as a host of color options.

Every aspect of the **GROHE Rainshower SmartActive** is designed to make you smile. From its fresh design to the colourful range and the one-touch switching between the three spray modes.

Right is just one click away.
The GROHE SmartTip controller on the back of the shower head lets you switch between spray patterns with just one click.

GROHE Rain
A soft and refreshing shower

GROHE ActiveMassage
A moving spray reducing stress and tension

GROHE Jet
The power shower after sports

With **GROHE DripStop**, not a single drop leaves the Rain or Jet spray nozzles after turning off the hand shower.

EUPHORIA SMARTCONTROL
YOUR TURN - YOUR SHOWER

We've put a lot of thought into our new GROHE Euphoria SmartControl shower system: the result is a range of features that make the Euphoria more convenient and more enjoyable to use. The shower arm has a swivel function that allows you to rotate the showerhead through 180° to achieve the perfect angle. And the fully adjustable shower holder allows the hand shower to be positioned individually at the ideal height.

We have made the sleek Grohtherm SmartControl body smaller and more compact to offer more space in the shower. And because we want you to enjoy your shower as quickly as possible, we came up with the GROHE QuickFix. This allows the position of the upper bracket to be altered during installation of the shower rail. The advantage: the upper bracket can be installed easily and quickly by utilising existing drilled holes.







Push the button
to start the shower

Turn to adjust
the water volume gradually
from Eco to Full Flow.



Push again to stop or
pause the shower. The volume
is now preset when you restart.

GROHE RAINSHOWER SMARTCONTROL
3D SHOWERING - PUSH, TURN, SHOWER

Rainshower SmartControl – Choose the spray, control the volume, save the settings. All with one control. Showering has just become an even more fluid experience. GROHE's unique SmartControl push-and-turn button technology takes the idea of comfortable showering to a new level and requires very little effort. The spray jet type can be directly selected by pressing the push button, meaning adjusting the jet disc is no longer necessary. In addition, personalised jet strength settings can be selected and saved for the desired spray jet type just by turning the button. Everything in one button = An innovative all-in-one solution.

What is more, GROHE SmartControl allows you to combine the different spray jet types in just a few steps. Try GROHE PureRain + TrioMassage, for example. Prefer to switch to handshower? Not a problem! All it takes to activate it is pressing the push button. In short, just three buttons are enough to offer you a vast array of showering options. The new user-friendliness of GROHE SmartControl makes using water even more efficient and utterly convenient.

Additional features include: GROHE TurboStat technology, which ensures that the chosen temperature is reached and maintained within fractions of a second; the SafeStop button, which prevents the water temperature from being turned up beyond 38 degrees; GROHE CoolTouch, which keeps the outer surface of the thermostat at a temperature that is safe to touch; the GROHE Rainshower 360 XXL head shower; and last but not least an elegant organic design. Thanks to the the clearly labelled EasyLogic design operating the thermostat becomes child's play and the EasyReach tray provides enough space for all your shower utensils.



Push the button
to start the shower



Turn to adjust the water volume gradually
from Eco to Full Flow.



Push again to stop or pause the shower.
The volume is now preset when you restart.

GROHE SPA F-DIGITAL DELUXE
ALL OF THE SENSES IN **PERFECT HARMONY**

F-DIGITAL DELUXE: TIME TO CREATE YOUR OWN PERSONAL SPA.
Create your own personal tailor-made spa experience with GROHE F-digital Deluxe. This cosmopolitan, multisensory shower will stimulate all your senses and transform your bathroom into an indulgent space for physical, emotional and spiritual well-being. The intuitive GROHE F-digital Deluxe App* lets you design your own personal combination of lighting, sound and fsteam - by wireless Bluetooth® connection - for a unique spa sanctuary in your own home.

A UNIQUE EXPERIENCE
FOR ALL THE SENSES



TOUCH

With just one touch you can transform your shower into your own personal spa. Soft lighting, relaxing steam and your favourite music. You can stimulate all of your senses with just a single movement of the hand.



LIGHT

Colour has a positive effect on our sense of well-being. But we all perceive colours differently. With the GROHE light modules**, you can change the colours to suit your mood and enjoy a personalised chromotherapy experience while showering.



SOUND

There's nothing on this earth that moves us more than music. The perfect song or sound can fill us with joy, make us feel relaxed, recharge our batteries or help us forget our troubles. With the GROHE sound modules, you can now enjoy your favourite music while showering.



STEAM

Experience regeneration in its purest form with the GROHE steam modules. Gentle steam not only enhances our sense of emotional well-being, but also has a positive effect on the entire body. It opens the pores, detoxifies the body, hydrates the skin and helps the muscles to relax.

A small niche at the top of the steam outlet close to the source of the steam can be topped up with pure essential oils that enriches the mist to give an all-embracing aroma and a truly relaxing experience.

Download on the App Store

GET IT ON Google play

* Available for free via iTunes app or Google Play store.
** This luminare contains built-in LED lamps, which cannot be changed: Energy efficiency class LED: A - A++

GROHE

INGENIOUS: A TOTAL WATER EXPERIENCE AT YOUR FINGERTIPS.

Compose your own water music. With AquaSymphony you can create your perfect shower moment. The intelligent control systems let you select and adjust a different shower experience for every day, to be completely in tune with your wishes. Choose your favourite!

GROHTHERM SMARTCONTROL CONFIGURATION
3 x 29 126 000, 3 x 35 600 000, 26 370 000, 27 698 000, 28 143 000



SPRAYS

① Waterfall	④ Pure	⑦ Drizzle
② Rain	⑤ Rain	⑧ AquaCurtain
③ Bokoma	⑥ Waterfall	⑨ Handshower

For detailed information please see our GROHE F-digital Deluxe Planning & Installation Guide.

GROHE
F-DIGITAL DELUXE

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 373 001 **Chrome** **4005176415593** **20,739.05**

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm x 762 mm x 145 mm
material: metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish

requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl
3 x Grohtherm SmartControl (29 126 000)
3 x GROHE Rapido SmartBox (35 600 000)
1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot
be changed: energy efficiency class: A++



26 376 001 **Chrome** **4005176415609** **1,974.41**

Rainshower F-Series 40"
Roughing-in set
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm x 745 mm x 152 mm
min. installation depth: 167 mm
Waterways: Brass
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.



29 126 000 **Chrome** **4005176413322** **586.24**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **4005176413469** **132.18**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL DELUXE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 370 000	Chrome	4005176341380	32.07

Euphoria Cube
Shower outlet elbow, 1/2"
with wall shower holder
male thread
protected against backflow
GROHE StarLight chrome finish

	27 888 000	Chrome	4005176921179	87.39

Euphoria Cube+ Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

	28 143 000	Chrome	4005176601347	21.81

Relexaflex Metal Longlife
Metal shower hose 1500
1500 mm
material: metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

	27 865 000	Chrome	4005176918179	4,216.78

Rainshower F-Series 20"
Ceiling shower with light, 1 spray
Rain
508 x 508 x 59 mm
material: metal
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.

	29 069 000		4005176918384	131.62

Rainshower F-Series
Cable connection
for ceiling shower with light (27 865 000)
Consisting of:
2 cable extensions (5 m each)

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



36 359 000 **Chrome** **4005176918414** **1,248.82**

Rainshower F-Series
Light set
127 x 127 mm per module
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
Consisting of:
- 1 light module with two plug connections
- 1 light module with one plug connection
waterproof & corrosion protected
supply voltage: 12 V DC
CE approved
GROHE StarLight chrome finish
requires rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.



29 072 000 **4005176918421** **242.24**

Rainshower F-Series
Rough-in set light set
for use with double light modules (36 359 000)
Consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)



36 360 000 **Chrome** **4005176918438** **1,071.84**

Rainshower F-Series
Sound set
127 x 127 mm per module
full range stereo speaker
Consisting of:
2 speakers with plug connections
waterproof & corrosion protected
GROHE StarLight chrome finish
requires rough-in set (29 073 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.



29 073 000 **4005176918445** **242.24**

Rainshower F-Series
Rough-in set sound set
for use with double sound modules (36 360 000)
Consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 934 000 **Chrome** **4005176927157** **3,272.98**

GROHE F-digital Deluxe
Steam generator 6.6 kW
with steam outlet and temperature sensor
Consisting of:
steam generator
415 x 445 x 130 mm
suitable for rooms up to 12.5 m³
supply voltage 400 V 3L+N+PE AC, 50 Hz
power 6.6 kW
water inlet ¾"
operating pressure 1 - 5 bar (above pressure reducer)
automatic emptying
water outlet 1/2"
steam temperature: max. 55°C
steam outlet 1/2"
type of protection IP 23
CE approved
with connection plug
steam outlet module with indentation for fragranced oil
127 x 127 mm
connection thread 1/2"
temperature sensor module
60 x 60 x 12 mm
SpeedClean anti-limescale system
GROHE StarLight chrome finish
requires rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.



29 074 000 **4005176918469** **386.03**

GROHE F-digital Deluxe
Rough-in set steam generator
for use with steam module (36 362 000 or 27 934 000)
Consisting of:
- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m

14 015 000 **Chrome** **4005176932748** **135.37**

GROHE F-digital Deluxe
Descaler 6 x 80 g
to remove limescale from the water tank of the steam generator
absolutely odorless and harmless to human beings
and the natural environment
2 bags sufficient for one time descaling
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/





26 374 000 **4005176350825** **894.84**

GROHE F-digital Deluxe
Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)
to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower
additional light, sound and steam modules can be connected and controlled
Consisting of:
- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40" AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved
must be accessible for service
optional the base unit box can be placed into extra equipment 36 367 000
component to be ordered separately

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN code	Retail Guide Price (£)





36 397 000 **4005176999413** **1,071.82**

GROHE F-digital Deluxe
Base unit box 2.0 Bluetooth (BCU V2.0)
for connecting light, sound and steam modules
Consisting of:
- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) **or** 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved
must be accessible for service
optional the base unit box can be placed into extra equipment 36 367 000



42 429 000 **4005176918520** **109.52**

GROHE F-digital Deluxe
Power supply base unit box
power supply for base unit box (26 374 000 or 36 397 000)
each power supply for 2 light/sound modules (36 359 000)
or 1 celing shower with integrated light (27 865 000)
total 2 power supplies max (8 devices max.) can be connected to the base unit box
with one power supply 4 devices (light/sound modules) can be driven
- ceiling shower with integrated light (27 865 000): 4 devices
- per light module: 1 device
- per sound module: 1 device

input voltage: 90-240 V AC, 50-60Hz
output voltage: 12 V DC
CE approved



36 371 000 **4005176928970** **607.24**

GROHE F-digital Deluxe
Bluetooth unit BT-01A for Apple and Android devices
with integrated electronic for wireless data communication
combinable with existing 36 365 000 docking station
wall mounted
86 x 73 x 42 mm
Features:
reset switch
status indicatior (LED)
stand alone/maximum configuration
one-to-one connection
with safety cut-off mechanism (1 user)
safety shutdown in case of connection loss
connection cable set for data communication and power supply (5 m each)
CE approved
Bluetooth transmitter power supply: 12 V
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
requires Base Unit Box 2.0 (36 397 000) or Base Unit Box 4.0 (26 374 000) – to be ordered separately
Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary

System requirements Android
operating system: as of release 2.3.3
pixel density: 160 dpi minimum
display resolution: 320 x 470 pixels per inch

System requirements: Apple
iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**
Apple operating system: as of release iOS 6.0 and above

Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL DELUXE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	36 367 000		4005176923203	286.48
	GROHE F-digital Deluxe **Rough-in set base unit box** for use with base unit box (26 374 000 or 36 397 000) 550 x 700 x 110 mm height (100 mm) and depth (50 mm) adjustable with adjustable front frame for installation in wall niches with adjustable front frame for installation in wall niches galvanized and powder coated (RAL 9010, pure white) steel plate 1 mm thick steel plate with two mounting rails and elbow for power outlets and mounting materials			
	47 837 000		4005176918490	76.32
	GROHE F-digital Deluxe **Cable extension steam generator AquaSymphony, 5 m** extension between base unit box (26 374 000 or 36 397 000) and steam generator (36 362 000 or 27 934 000) cable extension up to 10 m			
	47 867 000		4005176923227	76.32
	GROHE F-digital Deluxe **Cable extension light set, 5 m** connection between base unit box (26 374 000 or 36 397 000) and light modules (27 865 000) each light module needs a separate extension cable cable extension up to 10 m			
	47 910 000		4005176938887	54.19
	ditto, length 1.65 m			
	47 868 000		4005176923234	76.32
	GROHE F-digital Deluxe **Cable extension for power supply, 5 m** connection between power supply (42 429 000) and base unit box (26 374 000 or 36 397 000) each power supply needs a separate extension cable cable extension up to 5 m			
	47 877 000		4005176923241	76.32
	GROHE F-digital Deluxe **Cable extension temperature sensor, 5 m** extension between base unit box (26 374 000 or 36 397 000) and temperature sensor cable extension up to 5 m			
	40 666 000	**Chrome**	4005176935633	836.40
	Spare part LED set spare part for 27 865 000 Consisting of: 2 lamps connected in series this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+			

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
48 348 000	**Chrome**	**4005176408502**	**29.09**

Spray face
for SmartControl and head showers with multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly key

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL CONTROLLERS

GROHE
F-DIGITAL CONTROLLERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	36 309 000	**Chrome**	4005176894794	264.37
	F-digital **Digital Controller** **Remote Controller for bath or shower** additional multifunctional operating unit - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring **GROHE StarLight** chrome finish energy efficiency class illumination of control unit: not applicable			
	36 078 000		4005176856532	109.51
	Plug power supply 110-240 V operating voltage 6V cable length 400 mm			
	47 727 000		4005176884160	30.43
	Connection wire 2-pin cable length 3 m			
	36 356 000		4005176911347	164.80
	GROHE F-digital **Transceiver** optional accessory for digital mixing unit			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM
SMARTCONTROL

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 250 000 **Chrome** **4005176316999** **1,403.65**

Rainshower System SmartControl Duo 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
* to be decided during initial installation; factory default setting: GROHE PureRain



26 250 LS0 **moon white** **4005176317002** **1,381.53**

Rainshower System SmartControl Duo 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting

* to be decided during initial installation; factory default setting: GROHE PureRain

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 361 000	Chrome	4005176347580	1,281.97



Rainshower System SmartControl Mono 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
* to be decided during initial installation; factory default setting: GROHE PureRain

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 361 LS0	moon white	4005176409707	1,270.92



Rainshower System SmartControl Mono 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting

* to be decided during initial installation; factory default setting: GROHE PureRain

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 443 000 **Chrome** **4005176409875** **1,281.98**

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360 with horizontal 450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain



26 443 LS0 **moon white** **4005176409882** **1,270.92**

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360 with horizontal 450 mm shower arm, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 446 000	Chrome	4005176409905	1,372.68



Rainshower System SmartControl Mono 360
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360 with horizontal
450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 446 LS0	moon white	4005176409912	1,372.68



Rainshower System SmartControl Mono 360
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360 with horizontal
450 mm shower arm, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 254 000	Chrome	4005176317026	585.12



Rainshower Duo 360
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower Duo 360, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 254 LS0 **moon white** **4005176409806** **695.73**

Rainshower Duo 360
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower Duo 360, spray plate white
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain



26 450 000 **Chrome** **4005176409813** **543.12**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower Mono 360, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain



26 450 LS0 **moon white** **4005176409820** **543.12**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower Mono 360, spray plate white
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain



26 264 001 **4005176417108** **198.00**

Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information



26 449 000 **4005176409790** **275.40**

Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



48 349 000 **Chrome** **4005176409851** **110.60**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish



48 350 000 **Chrome** **4005176409868** **138.27**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting
15 cm longer than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI

48 348 000 **Chrome** **4005176408502** **29.09**

Spray face
for SmartControl and head showers with multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly key



26 385 000 **Chrome** **4005176375057** **19.94**

Rainshower SmartControl
spacer
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable

GROHE
RAINSHOWER
SMARTACTIVE SYSTEM

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 647 000 **Chrome** **4005176533013** **855.00**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar



26 647 LS0 **moon white** **4005176533051** **984.00**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight finish
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 648 000	Chrome	4005176533020	855.00



Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 574)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 648 LS0	moon white	4005176533068	984.00



Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 574)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 649 000 **Chrome** **4005176533037** **855.00**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 Cube (26 567)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 Cube (26 550)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

26 652 000 **Chrome** **4005176533044** **855.00**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter



26 657 000 **Chrome** **4005176533075** **984.00**

Rainshower SmartActive 310
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Rainshower SmartActive 130 (26 574)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 966 001	**Chrome**	**4005176532993**	**1,040.00**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

27 968 001	**Chrome**	**4005176533006**	**1,040.00**

ditto, with GROHE EcoJoy 9.5 l/min flow limiter

GROHE
RAINSHOWER SYSTEM

GROHE
RAINSHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 174 001	Chrome	4005176877162	1,259.86



Rainshower System 400
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 400 head shower (28 778 000)
material: metal
with ball joint
rotation angle ± 20°
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
shower hose 1.750 mm (28 025 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 966 000	Chrome	4005176929250	1,116.06



Rainshower System 310
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
minimum flow rate 7 l/min.

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 968 000	Chrome	4005176929687	1,116.06



Rainshower System 310
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
minimum flow rate 7 l/min.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 469 000 **Chrome** **4005176882593** **1,116.06**

Rainshower F-Series System 254
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
with ball joint, rotation angle ± 20°
hand shower Sena (28 341 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 569 000 **Chrome** **4005176894275** **1,116.06**
ditto, with non-restricted flow



27 032 001 **Chrome** **4005176877155** **983.33**

Rainshower System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint, rotation angle ± 15°
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm (27 178)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life



27 967 000 **Chrome** **4005176929670** **983.33**

Rainshower System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 head shower (28 368 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7 l/min.

GROHE
RAINSHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 641 000	**Chrome**	**4005176901645**	**1,116.06**



Rainshower System 210
Shower system with bath thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
material: metal
with ball joint, rotation angle ± 15°
bath inlet
separate diverter for hand shower Sena (28 341 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm (27 178)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 058 000	**Chrome**	**4005176830464**	**695.74**



Rainshower System 210
Shower system with diverter
for wall mounting
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint
rotation angle ± 15°
hand shower (28 034 000)
adjustable height via gliding element
(12 140 000)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA
SMARTCONTROL SYSTEM

GROHE
EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 507 000	Chrome	4005176457586	1,093.94
26 507 LS0	moon white	4005176457609	1,259.85
26 507 DC0	supersteel	4005176526374	1,472.00
26 507 BE0	polished nickel	4005176557439	1,667.72
26 507 EN0	brushed nickel	4005176557460	1,765.81
26 507 GL0	cool sunrise	4005176557477	1,667.72
26 507 GN0	brushed cool sunrise	4005176557484	1,765.81
26 507 DA0	warm sunset	4005176557446	1,667.72
26 507 DL0	brushed warm sunset	4005176557453	1,765.81
26 507 A00	hard graphite	4005176557415	1,667.72
26 507 AL0	Brushed Hard Graphite	4005176557422	1,766.00



Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
GROHE PureRain and Centered Jet spray
hand shower Euphoria 110 Massage, spray plate white
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

26 508 000	Chrome	4005176457593	1,093.94
26 508 LS0	moon white	4005176457616	1,259.85
26 508 DC0	supersteel	4005176526367	1,472.00
26 508 GN0	brushed cool sunrise	4005176557569	1,765.81
26 508 DL0	brushed warm sunset	4005176557538	1,765.81
26 508 A00	hard graphite	4005176557491	1,667.72
26 508 AL0	Brushed Hard Graphite	4005176557507	1,766.00



Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
GROHE PureRain and Centered Jet spray
hand shower Euphoria Cube Stick
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 509 000 **Chrome** **4005176457623** **950.14**

Euphoria SmartControl System 260 Mono
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar



26 510 000 **Chrome** **4005176457630** **1,105.01**

Euphoria SmartControl System 260 Mono
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

GROHE EUPHORIA SHOWER SYSTEM

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 075 000	**Chrome**	**4005176937606**	**817.41**
26 075 DC0	**supersteel**	**4005176371219**	**1,208.49**
26 075 BE0	**polished nickel**	**4005176428593**	**1,658.07**
26 075 EN0	**brushed nickel**	**4005176428609**	**1,658.06**
26 075 GL0	**cool sunrise**	**4005176425332**	**1,658.07**
26 075 GN0	**brushed cool sunrise**	**4005176425349**	**1,658.06**
26 075 DA0	**warm sunset**	**4005176425356**	**1,658.07**
26 075 DL0	**brushed warm sunset**	**4005176425363**	**1,658.06**
26 075 A00	**hard graphite**	**4005176425387**	**1,658.07**
26 075 AL0	**Brushed Hard Graphite**	**4005176425370**	**2,215.55**



Euphoria System 310
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

26 384 000	**Chrome**	**4005176369032**	**871.61**



Euphoria System 310
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
GROHE MetalGrip ergonomically shaped metal handles
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 metal head shower
Rain spray pattern
GROHE EcoJoy 12 l/min flow limiter
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
GROHE EcoJoy 9.5 l/min flow limiter
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE TurboStat compact cartridge
with wax thermoelement
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 296 002	**Chrome**	**4005176417818**	**571.86**



Euphoria System 260
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 615 001	**Chrome**	**4005176417825**	**571.86**



Euphoria System 260
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 087 000	**Chrome**	**4005176940828**	**1,215.61**



Euphoria Cube System 230
Shower system with thermoststic mixer for wall mounting
shower arm
projection 400 mm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Allure head shower (27 479 000)
material: metal
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria Cube (27 699)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
minimum flow rate 7 l/min.

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 187 000	**Chrome**	**4005176310744**	**939.09**



Euphoria System 230
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Allure 230 (27 479 000)
material: metal
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 363 000	**Chrome**	**4005176339264**	**695.75**



Euphoria System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (26 362 LN0)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 964 000	**Chrome**	**4005176929595**	**717.86**



Euphoria System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 383 000 **Chrome** **4005176369025** **726.71**

Euphoria System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
GROHE MetalGrip ergonomically shaped metal handles
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 metal head shower
Rain spray pattern
GROHE EcoJoy 12 l/min flow limiter
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
GROHE EcoJoy 9.5 l/min flow limiter
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE TurboStat compact cartridge
with wax thermoelement
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)



26 383 001 **Chrome** **4005176460050** **889.31**

Euphoria System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
GROHE MetalGrip ergonomically shaped metal handles
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 metal head shower
Rain spray pattern
hand shower Euphoria 110 Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 249 000	**Chrome**	**4005176317156**	**585.12**



Euphoria System 190
Shower system with thermostat for wall mounting
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower 190 1 spray (27 370)
Rain
with ball joint
rotation angle ± 15°
hand shower 100 3 sprays: GROHE Rain O², Rain, Massage (27 574001)
adjustable height via gliding element
GROHE EasyReach shower tray
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow rate
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 296 001	**Chrome**	**4005176896293**	**579.99**



Euphoria System 180
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria Cosmopolitan 180 (27 491 000), Rain spray pattern
with ball joint, rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 418 000 **Chrome** **4005176407666** **471.00**

Euphoria System 180 E
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
with ergonomic handles
allows change between:
head shower Euphoria Cosmopolitan 180 (27 491 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar



27 932 000 **Chrome** **4005176924231** **551.96**

Euphoria System 150
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria Cube 150 (27 705 000)
Rain spray pattern
with ball joint
rotation angle ± 12°
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)



26 241 000 **Chrome** **4005176316319** **434.72**

Euphoria Shower System
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 475 001	**Chrome**	**4005176417863**	**715.65**





Euphoria System 260
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 114 001	**Chrome**	**4005176417870**	**701.28**



Euphoria System 260
Shower system with bath thermostat for wall mounting
with short shower rail for installation in showers
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage
(27 221 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
distance between thermostat and upper bracket: 1016 mm
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 243 000 **Chrome** **4005176316326** **580.73**

Euphoria Shower System
Shower system with bath thermostat for wall mounting
with short shower rail for installation in showers
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
separate diverter for hand shower
gliding element
Silverflex shower hose 1750 mm (28 388 000)
distance between thermostat and upper bracket: 1016 mm
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar



27 473 001 **Chrome** **4005176417900** **514.33**

Euphoria System 260
Shower system with single lever for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar



23 061 002 **Chrome** **4005176417917** **543.14**

Euphoria Concetto System 260
Shower system with single lever for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria Cosmopolitan Stick (27 400)
Rain spray pattern
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**23 058 003**	**Chrome**	**4005176313790**	**659.85**

Euphoria Eurodisc Cosmopolitan System 210
Shower system with single lever for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria Cosmopolitan Stick (27 400)
Rain spray pattern
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

	**23 147 001**	**Chrome**	**4005176313271**	**1,171.38**

Euphoria Cube System 230
Shower system with single lever for wall mounting
Consisting of:
shower arm
projection 400 mm
exposed single-lever shower mixer
with diverter
allows change between:
Rainshower Allure 230 metal head shower (27 479)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria Cube Stick (27 698 000)
Rain spray pattern
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 35 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 421 002	**Chrome**	**4005176417924**	**456.82**



Euphoria System 260
Shower system with diverter
for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 696 000	**Chrome**	**4005176907074**	**684.68**



Euphoria Cube System 150
Shower system with diverter
for wall mounting
Consisting of:
shower arm
projection 400 mm
change between hand and head shower
by using the diverter
head shower Euphoria Cube 152 mm x 152 mm
Rain spray pattern
with ball joint
rotation angle ± 20°
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA SYSTEM

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 922 001 **Chrome** **4005176985348** **491.25**

Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)



26 514 000 **Chrome** **4005176476099** **565.21**

Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 9.5 l/min (26 410)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 302 001	**Chrome**	**4005176408137**	**491.25**



Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Relexaflex shower hose 1500 mm (28 161)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 922 000	**Chrome**	**4005176923364**	**506.04**



Tempesta Cosmopolitan 160
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower 1 spray (28 232 000)
Rain
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)





26 223 001 **Chrome** **4005176408144** **628.59**

Tempesta Cosmopolitan System 210
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.



26 224 001 **Chrome** **4005176408168** **436.32**

Tempesta Cosmopolitan System 210
Shower system with single lever for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 381 001	**Chrome**	**4005176451980**	**241.93**



Tempesta System 210
Flex shower system with diverter for wall mounting
Consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower or head shower Eco setting
head shower Tempesta 210 (26 408)
2 spray patterns (via diverter):
chrome plated spray face
with ball joint
rotation angle ± 15°
hand shower Tempesta 100 (27 852)
Rain spray pattern
adjustable height via gliding element
distance between diverter and upper bracket: 620 mm
shower hose Relexaflex 1500 mm (28 151)
shower hose Relexaflex 1250 mm (28 150)
flexible installation: connection to faucet / wall union for water supply with 1/2“ thread of the 1250 mm shower hose
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
SHOWER SYSTEM
ACCESSORIES

GROHE
SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



48 349 000 **Chrome** **4005176409851** **110.60**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish



48 350 000 **Chrome** **4005176409868** **138.27**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting
15 cm longer than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI



48 053 000 **Chrome** **4005176890031** **93.40**

Shower system pipe for retrofitting
for shower systems with metal or plastic inner water guide
shower pipe for retrofitting
15 cm longer than original shower system pipe
for bath/shower systems: 30 cm shorter than original pipe
suitable for all Rainshower and Euphoria shower systems
except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE StarLight chrome finish



48 054 000 **Chrome** **4005176890048** **72.41**

Shower system pipe for retrofitting
for shower systems with metal or plastic inner water guide
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
for bath/shower systems: 60 cm shorter than original pipe
suitable for all Rainshower and Euphoria shower systems
except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE StarLight chrome finish



14 014 000 **Chrome** **4005176929274** **54.19**

Rainshower
Shower arm for shower systems
material: metal
projection 340 mm
distance from wall 390 mm
connection thread 1/2"
GROHE StarLight chrome finish
suitable for all GROHE shower systems except SmartControl
suitable for all GROHE shower systems

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**27 180 000**	**Chrome**	**4005176839306**	**43.12**
	Rainshower spacer for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031 **GROHE StarLight** chrome finish			
	**26 385 000**	**Chrome**	**4005176375057**	**19.94**
	Rainshower SmartControl spacer for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable			
	**26 362 LN0**	**white**	**4005176339257**	**19.94**
	GROHE EasyReach tray for Euphoria and Tempesta shower systems with thermostat centre distance 150 mm			

GROHE
HEAD SHOWERS

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 254 000	Chrome	4005176317026	585.12



Rainshower Duo 360
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower Duo 360, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 254 LS0	moon white	4005176409806	695.73



Rainshower Duo 360
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower Duo 360, spray plate white
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 450 000	Chrome	4005176409813	543.12



Rainshower Mono 360
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower Mono 360, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 450 LS0	moon white	4005176409820	543.12



Rainshower Mono 360
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower Mono 360, spray plate white
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

Ref. No.	EAN code	Retail Guide Price (£)
26 264 001	4005176417108	198.00



Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 475 000	**Chrome**	**4005176423758**	**519.87**
26 475 DC0	**supersteel**	**4005176526237**	**656.97**
26 475 BE0	**polished nickel**	**4005176557118**	**750.85**
26 475 EN0	**brushed nickel**	**4005176557149**	**797.76**
26 475 GL0	**cool sunrise**	**4005176557156**	**750.85**
26 475 GN0	**brushed cool sunrise**	**4005176557163**	**797.76**
26 475 DA0	**warm sunset**	**4005176557125**	**750.85**
26 475 DL0	**brushed warm sunset**	**4005176557132**	**797.76**
26 475 A00	**hard graphite**	**4005176557095**	**750.85**
26 475 AL0	**Brushed Hard Graphite**	**4005176557101**	**797.76**



Rainshower SmartActive 310
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely

26 475 LS0	**moon white**	**4005176425899**	**682.46**



Rainshower SmartActive 310
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely

26 477 000	**Chrome**	**4005176423772**	**519.87**
26 477 DC0	**supersteel**	**4005176526244**	**656.97**
26 477 BE0	**polished nickel**	**4005176557194**	**750.85**
26 477 EN0	**brushed nickel**	**4005176557224**	**797.76**
26 477 GL0	**cool sunrise**	**4005176557231**	**750.85**
26 477 GN0	**brushed cool sunrise**	**4005176557248**	**797.76**
26 477 DA0	**warm sunset**	**4005176557200**	**750.85**
26 477 DL0	**brushed warm sunset**	**4005176557217**	**797.76**
26 477 A00	**hard graphite**	**4005176557170**	**750.85**
26 477 AL0	**Brushed Hard Graphite**	**4005176557187**	**797.76**



Rainshower SmartActive 310
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely

26 477 LS0	**moon white**	**4005176425912**	**682.46**



Rainshower SmartActive 310
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 479 000	**Chrome**	**4005176425196**	**547.54**
26 479 DC0	**supersteel**	**4005176526251**	**691.96**
26 479 GN0	**brushed cool sunrise**	**4005176557323**	**840.22**
26 479 DL0	**brushed warm sunset**	**4005176557293**	**840.22**
26 479 A00	**hard graphite**	**4005176557255**	**790.79**
26 479 AL0	**Brushed Hard Graphite**	**4005176557262**	**840.22**



Rainshower SmartActive 310 Cube
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely

26 479 LS0	**moon white**	**4005176425936**	**710.14**



Rainshower SmartActive 310 Cube
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310 Cube, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely

26 481 000	**Chrome**	**4005176425219**	**547.54**
26 481 DC0	**supersteel**	**4005176526268**	**691.96**
26 481 GN0	**brushed cool sunrise**	**4005176557408**	**840.22**
26 481 DL0	**brushed warm sunset**	**4005176557378**	**840.22**
26 481 A00	**hard graphite**	**4005176557330**	**790.79**
26 481 AL0	**Brushed Hard Graphite**	**4005176557347**	**840.22**



Rainshower SmartActive 310 Cube
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely

26 481 LS0	**moon white**	**4005176425950**	**710.14**



Rainshower SmartActive 310 Cube
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310 Cube, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 484 000 **Chrome** **4005176425110** **108.40**

Rainshower
Universal rough-in box, 1/2"
for head shower set
26 475 / 26 477 / 26 479 / 26 481
2 inlets, 1/2"
installation depth 75-105 mm
connection unit in DR brass
stable build-in box and protective cover
leakproof housing
gasket
integrated flushing plug
GROHE EcoJoy 9.5 l/min flow limiter per each water way
without set for final installation

26 483 000 **Chrome** **4005176425103** **108.40**
ditto, with non-restricted flow



26 642 000 **Chrome** **4005176530227** **589.00**

Rainshower SmartConnect 310 Cube
Head shower set 422 mm, 2 sprays
Consisting of:
head shower Rainshower SmartConnect 310 Cube (26 643)
spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
default spray type programmable
horizontal 422 mm shower arm (26 146)
with square escutcheon
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar



26 640 000 **Chrome** **4005176530203** **566.00**

Rainshower SmartConnect 310
Head shower set 422 mm, 2 sprays
Consisting of:
head shower Rainshower SmartConnect 310 (26 641)
spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
default spray type programmable
horizontal 422 mm shower arm (26 146)
with round escutcheon
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 558 000	**Chrome**	**4005176481727**	**366.46**

Rainshower Mono 310
Head shower set 422 mm, 1 spray
Consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
shower arm Rainshower 422 mm (26 146 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 557 000	**Chrome**	**4005176481710**	**366.46**

ditto, with non-restricted flow



26 560 000	**Chrome**	**4005176481741**	**366.46**

Rainshower Mono 310
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 559 000	**Chrome**	**4005176481734**	**366.46**

ditto, with non-restricted flow



26 564 000	**Chrome**	**4005176481789**	**392.63**
26 564 GN0	**brushed cool sunrise**	**4005176557804**	**722.20**
26 564 DL0	**brushed warm sunset**	**4005176557774**	**722.20**
26 564 A00	**hard graphite**	**4005176557736**	**686.09**
26 564 AL0	**Brushed Hard Graphite**	**4005176557743**	**722.20**

Rainshower Mono 310 Cube
Head shower set 422 mm, 1 spray
Consisting of:
head shower Rainshower 310
1 spray pattern:
GROHE PureRain
Rainshower shower arm 422 mm (26 145 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 563 000	**Chrome**	**4005176481772**	**392.63**

ditto, with non-restricted flow



26 566 000	**Chrome**	**4005176482106**	**392.63**
26 566 GN0	**brushed cool sunrise**	**4005176557880**	**722.20**
26 566 DL0	**brushed warm sunset**	**4005176557859**	**722.20**
26 566 A00	**hard graphite**	**4005176557811**	**686.09**
26 566 AL0	**Brushed Hard Graphite**	**4005176557828**	**722.20**

Rainshower Mono 310 Cube
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower 310
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 565 000	**Chrome**	**4005176482090**	**392.63**

ditto, with non-restricted flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 256 000	**Chrome**	**4005176318597**	**762.09**



Rainshower Cosmopolitan 400
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower Cosmopolitan 400 (28 778 000)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
min. recommended pressure 1 bar

26 257 000	**Chrome**	**4005176317927**	**551.95**



Rainshower 310
Head shower set 422 mm, 1 spray
Consisting of:
Rainshower Cosmopolitan 310 head shower (27 477 000)
1 spray pattern:
Rain
shower arm Rainshower 422 mm (26 146 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal shower head after closing the valve
suitable for instantaneous heater
min. recommended pressure 1 bar

26 066 000	**Chrome**	**4005176937200**	**518.76**
26 066 DC0	**supersteel**	**4005176371172**	**748.83**
26 066 BE0	**polished nickel**	**4005176427244**	**855.78**
26 066 EN0	**brushed nickel**	**4005176427251**	**909.28**
26 066 GL0	**cool sunrise**	**4005176427183**	**855.78**
26 066 GN0	**brushed cool sunrise**	**4005176427190**	**909.28**
26 066 DA0	**warm sunset**	**4005176427206**	**855.78**
26 066 DL0	**brushed warm sunset**	**4005176427213**	**909.28**
26 066 A00	**hard graphite**	**4005176427237**	**855.78**
26 066 AL0	**Brushed Hard Graphite**	**4005176427220**	**909.28**



Rainshower Cosmopolitan 310
Head shower set 380 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 310 (27 478 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal shower head after closing the valve

26 056 000	**Chrome**	**4005176937101**	**518.76**

ditto, with non-restricted flow

26 067 000	**Chrome**	**4005176937217**	**518.76**
26 067 DC0	**supersteel**	**4005176371189**	**748.83**
26 067 BE0	**polished nickel**	**4005176427329**	**855.78**
26 067 EN0	**brushed nickel**	**4005176427336**	**909.28**
26 067 GL0	**cool sunrise**	**4005176427268**	**855.78**
26 067 GN0	**brushed cool sunrise**	**4005176427275**	**909.28**
26 067 DA0	**warm sunset**	**4005176427282**	**855.78**
26 067 DL0	**brushed warm sunset**	**4005176427299**	**909.28**
26 067 A00	**hard graphite**	**4005176427312**	**855.78**
26 067 AL0	**Brushed Hard Graphite**	**4005176427305**	**909.28**



Rainshower Cosmopolitan 310
Head shower set ceiling 142 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 310 (27 478 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal shower head after closing the valve

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 070 000 **Chrome** **4005176937248** **463.46**

Rainshower F-Series 10" 254 x 254
Head shower set 275 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 275 mm (27 488 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 060 000 **Chrome** **4005176937149** **463.46**
ditto, with non-restricted flow



26 071 000 **Chrome** **4005176937255** **463.46**

Rainshower F-Series 10"
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system



26 064 000 **Chrome** **4005176937187** **529.82**

Rainshower Allure 230
Head shower set 286 mm, 1 spray
Consisting of:
Head shower Rainshower Allure 230 (27 480 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 054 000 **Chrome** **4005176937088** **529.82**
ditto, with non-restricted flow



26 065 000 **Chrome** **4005176937194** **485.57**

Rainshower Allure 230
Head shower set ceiling 154 mm, 1 spray
Consisting of:
Head shower Rainshower Allure 230 (27 480 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower ceiling 154 mm (27 711 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system



26 171 000 **Chrome** **4005176997310** **397.09**

Rainshower Cosmopolitan 210
Head shower set 422 mm, 1 spray
Consisting of:
Rainshower Cosmopolitan 210 metal head shower,
spray plate chrome (28 368 000)
1 spray pattern:
Rain
Rainshower shower arm 422 mm, escutcheon chrome (26 146)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal
shower head after closing the valve
suitable for instantaneous heater
starting at 0.5 bar flow pressure

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 062 000	**Chrome**	**4005176937163**	**374.97**

Rainshower Cosmopolitan 210
Head shower set 286 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal shower head after closing the valve starting at 0.5 bar flow pressure

26 052 000	**Chrome**	**4005176937064**	**374.97**

ditto, with non-restricted flow



26 063 000	**Chrome**	**4005176937170**	**374.97**

Rainshower Cosmopolitan 210
Head shower set ceiling 142 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal shower head after closing the valve starting at 0.5 bar flow pressure



26 459 000	**Chrome**	**4005176416965**	**221.23**

Euphoria 260
Head shower set 380 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 458 000	**Chrome**	**4005176416958**	**221.23**

ditto, with non-restricted flow



26 461 000	**Chrome**	**4005176416989**	**175.88**

Euphoria 260
Head shower set ceiling 142 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 460 000	**Chrome**	**4005176416972**	**175.88**

ditto, with non-restricted flow

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**26 073 000**	**Chrome**	**4005176937279**	**231.19**
	Euphoria Cube 150 **Head shower set 286 mm, 1 spray** head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
	**26 412 000**	**Chrome**	**4005176390173**	**160.40**
	Tempesta 210 **Head shower set 286 mm, 1 spray** Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	**26 414 000**	**Chrome**	**4005176408090**	**134.96**
	Tempesta 210 **Head shower set ceiling 142 mm, 1 spray** Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	26 413 000	**Chrome**	**4005176390180**	**160.41**
	ditto, with non-restricted flow			
	**26 267 001**	**Chrome**	**4005176444197**	**57.50**
	Tempesta 100 **Head shower 1 spray** Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life for **low pressure** **min. recommended pressure 1 bar**			
	**27 869 001**	**Chrome**	**4005176444005**	**77.45**
	Tempesta Cosmopolitan 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** **min. recommended pressure 1 bar**			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**26 090 001**	**Chrome**	**4005176443992**	**71.88**

Tempesta Cosmopolitan 100
Head shower set 3 sprays
GROHE Rain O², Rain, Massage
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**26 089 001**	**Chrome**	**4005176444067**	**68.56**

Tempesta Rustic 100
Head shower set 4 sprays
GROHE Rain O², Rain, Massage, Jet
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 373 001	**Chrome**	**4005176415593**	**20,739.05**



Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm x 762 mm x 145 mm
material: metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish

requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl
3 x Grohtherm SmartControl (29 126 000)
3 x GROHE Rapido SmartBox (35 600 000)
1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++

26 376 001	**Chrome**	**4005176415609**	**1,974.41**



Rainshower F-Series 40"
Roughing-in set
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm x 745 mm x 152 mm
min. installation depth: 167 mm
Waterways: Brass
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

27 865 000	**Chrome**	**4005176918179**	**4,216.78**



Rainshower F-Series 20"
Ceiling shower with light, 1 spray
Rain
508 x 508 x 59 mm
material: metal
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 286 000 **Chrome** **4005176860737** **1,768.67**

Rainshower F-Series 20"
Ceiling shower 1 spray
Rain
508 x 508 mm
material: metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system



27 939 001 **Chrome** **4005176927287** **3,029.65**

Rainshower F-Series 15"
Ceiling shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 17 mm (height) x 456 mm (depth)
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-limescale system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: ca. 20 l/min
2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min

head shower has to be controlled by 4 outlets



27 938 001 **Chrome** **4005176927072** **3,029.65**

Rainshower F-Series 15"
Head shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 60 mm (height) x 677 mm (depth)
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-limescale system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: ca. 20 l/min
2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min
Requires Rough-in (26 042) - to be ordered separately

head shower has to be controlled by 4 outlets





26 042 000 **4005176935954** **196.79**

Rainshower F-Series 15"
Roughing-in set
for use with Rainshower F-Series 15" Multi Spray head shower
295 mm (width) x 121 mm (height) x 181 mm (depth)
Max. installation depth: 91 mm
Min. wall thickness: not less than 200 mm
Minimum screw-in depth of stud bolts: 14 mm
Full metal construction
Waterways: Brass
1/2" connections



27 467 000 **Chrome** **4005176882609** **607.25**

Rainshower F-Series 10" 254 x 254
Ceiling shower 1 spray
Rain
254 x 254 mm
material: metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 285 000	**Chrome**	**4005176860713**	**441.33**

Rainshower F-Series 10"
Head shower 1 spray
Rain
254 x 254 mm
material: metal
Ball joint +/- 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system



27 271 000	**Chrome**	**4005176860690**	**441.33**

Rainshower F-Series 10"
Head shower 1 spray
Rain
254 x 254 mm
material: metal
Ball joint +/- 20° rotatable
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

27 252 000	**Chrome**	**4005176856334**	**109.49**

Rainshower F-Series 5"
Side shower 1 spray
Normal spray
including concealed body
also to be used as head shower
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
female thread 1/2" NPT
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system
suitable for instantaneous heater



27 251 000	**Chrome**	**4005176856327**	**109.49**
27 251 DC0	**supersteel**	**4005176431586**	**145.70**
27 251 BE0	**polished nickel**	**4005176431593**	**166.53**
27 251 EN0	**brushed nickel**	**4005176431562**	**176.92**
27 251 GL0	**cool sunrise**	**4005176338861**	**166.53**
27 251 GN0	**brushed cool sunrise**	**4005176431555**	**176.92**
27 251 DA0	**warm sunset**	**4005176338854**	**166.53**
27 251 DL0	**brushed warm sunset**	**4005176431579**	**176.92**
27 251 A00	**hard graphite**	**4005176338878**	**180.61**
27 251 AL0	**Brushed Hard Graphite**	**4005176338885**	**191.88**

Rainshower F-Series 5"
Side shower 1 spray
Normal spray
including concealed body
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system

27 254 000	**Chrome**	**4005176856372**	**164.80**

Rainshower F-Series 5"
Head shower 1 spray
Normal spray
wall mounted
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
female thread 1/2" NPT
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system
suitable for instantaneous heater

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 253 000	**Chrome**	**4005176856365**	**164.80**



Rainshower F-Series 5"
Head shower 1 spray
wall mounted
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
connection thread with pre-assembled
sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system

---

26 643 000	**Chrome**	**4005176530234**	**546.00**



Rainshower SmartConnect 310 Cube
Head shower 2 sprays
GROHE PureRain, ActiveRain
default spray type programmable
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar

---

26 641 000	**Chrome**	**4005176530210**	**522.00**



Rainshower SmartConnect 310
Head shower 2 sprays
GROHE PureRain, ActiveRain
default spray type programmable
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar

---

26 569 000	**Chrome**	**4005176482175**	**287.00**
26 569 EN0	**brushed nickel**	**4005176482182**	**430.00**

Rainshower Mono 310
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 562 000	**Chrome**	**4005176481765**	**300.49**
26 562 LS0	**moon white**	**4005176482144**	**390.54**

ditto, with GROHE EcoJoy 9.5 l/min flow limiter

26 561 000	**Chrome**	**4005176481758**	**300.49**
26 561 LS0	**moon white**	**4005176482137**	**390.54**

ditto, with non-restricted flow

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 570 000	**Chrome**	**4005176482199**	**312.00**
26 570 EN0	**brushed nickel**	**4005176482205**	**468.00**

Rainshower Mono 310 Cube
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 568 000	**Chrome**	**4005176482120**	**326.67**
26 568 LS0	**moon white**	**4005176482168**	**425.07**

ditto, with GROHE EcoJoy 9.5 l/min flow limiter

26 567 000	**Chrome**	**4005176482113**	**326.67**
26 567 LS0	**moon white**	**4005176482151**	**425.07**

ditto, with non-restricted flow

---

27 470 000	**Chrome**	**4005176882531**	**463.46**



Rainshower Veris 300
Head shower 1 spray
Rain
300 x 150 mm
material: metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

---

27 470 LS0	**moon white**	**4005176997235**	**554.11**



Rainshower Veris 300
Head shower 1 spray
Rain
spray plate white
300 x 150 mm
material: metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
min. recommended pressure 1 bar

---

27 863 000	**Chrome**	**4005176918155**	**662.55**



Rainshower Allure 230
Ceiling shower 1 spray
Rain
230 x 230 mm
material: metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

---

26 469 000	**Chrome**	**4005176423970**	**469.00**

Rainshower Allure 230
Head shower 1 spray
Rain
230 x 230 mm
material: metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 480 000	**Chrome**	**4005176883316**	**474.53**



Rainshower Allure 230
Head shower 1 spray
Rain
230 x 230 mm
material: metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
min. recommended pressure 1 bar

27 479 000	**Chrome**	**4005176883309**	**474.53**

ditto, with non-restricted flow

28 778 000	**Chrome**	**4005176820526**	**640.44**



Rainshower Cosmopolitan 400
Head shower 1 spray
diameter 400 mm
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE StarLight chrome finish
SpeedClean anti-limescale system
min. recommended pressure 1 bar
this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497

26 472 000	**Chrome**	**4005176424908**	**484.00**

Rainshower Cosmopolitan 310
Head shower 1 spray
Rain
Ø 310 mm
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater

27 478 000	**Chrome**	**4005176883293**	**485.58**



Rainshower Cosmopolitan 310
Head shower 1 spray
Rain
Ø 310 mm
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
min. recommended pressure 1 bar

27 477 000	**Chrome**	**4005176883286**	**485.58**

ditto, with non-restricted flow

28 368 00E	**Chrome**	**4005176867385**	**330.72**



Rainshower Cosmopolitan 210
Head shower 1 spray
Rain
starting at 0.5 bar flow pressure
Ø 210 mm
material: metal
with ball joint
rotation angle ± 15°
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 368 000	**Chrome**	**4005176267253**	**220.11**

ditto, with non-restricted flow

28 373 000	**Chrome**	**4005176267277**	**341.78**

ditto, with 9.5 l/min flow limiter

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 368 LS0	**moon white**	**4005176997242**	**419.21**



Rainshower Cosmopolitan 210
Head shower 1 spray
Rain
starting at 0.5 bar flow pressure
spray plate white
Ø 210 mm
material: metal
with ball joint
rotation angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
this headshower should only be used in conjunction with shower arm 28 384 000, 28 497 000, 28 576 000 or 28 724 000

27 135 000	**Chrome**	**4005176836077**	**119.34**
27 135 EN0	**brushed nickel**	**4005176836084**	**221.02**

Rainshower Cosmopolitan 160
Head shower 4 sprays
Rain / Jet / Pure / Champagne spray
Ø 160 mm
ball joint wih turning angle 15° ± 15°
GROHE EcoJoy 9.5 l/min flow limiter
SpeedClean anti-limescale system
suitable for instantaneous heater
Min. recommended pressure 0.5 bar
The head shower is suitable for minimum flow rate of 7.5 l/min and a maximum of 9.5 l/min (ASME A112.18.1M). Minimum pressure > 1 bar, maximum 6 bar (ASME A112.18.1M).
recommended for use with Rainshower shower arms

27 134 000	**Chrome**	**4005176836060**	**120.56**



Rainshower Cosmopolitan 160
Head shower 4 sprays
Rain / Jet / Pure / Champagne spray
Ø 160 mm
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 474 000	**Chrome**	**4005176424939**	**350.00**
26 474 BE0	**polished nickel**	**4005176424953**	**455.00**
26 474 EN0	**brushed nickel**	**4005176424946**	**455.00**
26 474 ZB0	**antique bronze**	**4005176424960**	**455.00**

Rainshower Rustic 210
Head shower 1 spray
Rain spray pattern
normal (wide) spray **starting at 0.5** bar flow pressure
Ø 210 mm
120 spray nozzles
brass
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 369 000	**Chrome**	**4005176267260**	**352.85**



Rainshower Rustic 210
Head shower 1 spray
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 974 000 27 974 IG0	Chrome chrome/gold	4005176932793 4005176933486	430.28 563.00
	Grandera 210 **Head shower 1 spray** 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
	28 308 000	Chrome	4005176254949	124.88
	Sena 75 **Head shower 1 spray** Normal spray material: metal **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
	28 448 000	Chrome	4005176265167	169.21
	Movario 100 Five **Head shower 5 sprays** Wide spray / Needle Jet / Rain / Massage / Champagne spray **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
	28 528 000	Chrome	4005176271199	135.08
	Movario 70 NPT **Side shower 2 sprays** Wide spray/Massage extreme low profile ball-joint 1/2" NPT female thread **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
	27 530 000	Chrome	4005176889219	463.45
	Relexa Deluxe 130 **Head shower 4 sprays** Normal, Rain, Champagne spray, Champagne spray Deluxe Ball joint +/- 15° rotatable **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **Inner WaterGuide** for a longer life			
	27 068 000	Chrome	4005176832130	142.70
	Relexa 100 Five **Head shower 5 sprays** Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint 1/2" NPT female thread **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life minimum flow rate 7.5 l/min.			

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**27 062 000**	**Chrome**	**4005176831669**	**197.98**
	Relexa 100 Five **Head shower 5 sprays** Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life minimum flow rate 7.5 l/min.			
	**27 065 000**	**Chrome**	**4005176832109**	**164.80**
	Relexa 100 Trio **Head shower 3 sprays** Wide Spray/ Needle Jet / Rain ball-joint connection thread with pre-assembled sealing **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
	**27 067 000**	**Chrome**	**4005176832123**	**131.61**
	Relexa 65 **Side shower 2 sprays** Wide spray/Massage ball-joint **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
	**26 457 000**	**Chrome**	**4005176416934**	**132.75**
	Euphoria 260 **Head shower 3 sprays** Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	26 455 000	**Chrome**	**4005176416903**	**132.75**
	ditto, with non-restricted flow			
	**27 492 000**	**Chrome**	**4005176885556**	**131.62**
	Euphoria Cosmopolitan 180 **Head shower 1 spray** Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **min. recommended pressure 1 bar**			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	28 233 000	Chrome	4005176868016	87.40
Euphoria Cosmopolitan 160 **Head shower 1 spray** Rain Ball joint +/- 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **suitable for instantaneous heater**				
	27 237 000	Chrome	4005176854286	76.32
Euphoria 110 Mono **Head shower 1 spray** Rain connection thread 1/2" bellows **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **suitable for instantaneous heater** **min. recommended pressure 1 bar**				
	28 737 000	Chrome	4005176872983	54.19
Euphoria Rustic 130 **Head shower 1 spray** Rain Ball joint +/- 20° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system				
	26 468 000	Chrome	4005176423963	147.63
Euphoria Cube 150 **Head shower 1 spray** Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life				
	27 705 000	Chrome	4005176907166	142.68
Euphoria Cube 150 **Head shower 1 spray** Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **min. recommended pressure 1 bar**				

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)

26 409 000 **Chrome** **4005176390128** **90.72**

Tempesta 210
Head shower 1 spray
Rain
Ø 210 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 410 000 **Chrome** **4005176390142** **90.72**
ditto, with 9.5 l/min flow limiter

26 408 000 **Chrome** **4005176390111** **90.72**
ditto, with non-restricted flow



27 606 001 **Chrome** **4005176444180** **58.62**

Tempesta 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life



26 050 001 **Chrome** **4005176444166** **46.47**

Tempesta 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar



27 591 001 **Chrome** **4005176443985** **65.27**

Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

26 051 001 **Chrome** **4005176443954** **51.98**

Tempesta Cosmopolitan 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**27 541 001**	**Chrome**	**4005176451676**	**82.94**

Tempesta Cosmopolitan 200
Head shower 1 spray
Rain spray pattern
Ball joint +/- 20° rotatable
connection thread 1/2"
suitable for instantaneous heater
min. recommended pressure 1 bar

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**27 610 001**	**Chrome**	**4005176444050**	**59.72**

Tempesta Rustic 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 404 000	Chrome	4005176601736	20.04



Relexa Basic 85
Head shower 1 spray
Rain
brass tin plate
50 mm high
connection thread 1/2"

28 342 000	Chrome	4005176260070	62.28

Relexa Plus 65
Head shower 1 spray
non-adjustable
1/2" NPT female thread
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 094 000	Chrome	4005176601132	51.42



Relexa Plus 50
Head shower 1 spray
with ball joint
1/2" connection
GROHE StarLight chrome finish
adjustable flow rate
without shower arm

28 002 000	Chrome	4005176858796	186.91



Relexa 70
Sports head shower 1 spray
low aerosol emission
heavy, cast model
theft proof
connection thread 1/2"
projection 57 mm
flow limiter 9 l/min. and 12 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suicide resistant design
pipe union plug-in for wall connection

28 948 000	Chrome	4005176209871	135.37



Relexa Plus 60
Sports head shower 1 spray
heavy, cast model
connection thread 1/2"
projection 148 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 286 000	Chrome	4005176198526	98.43



Relexa 50
Side shower 2 sprays
Wide Spray/ Needle Jet
ball-joint
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 198 000	**Chrome**	**4005176038686**	**124.88**



Relexa 50
Side shower 1 spray
Normal spray
ball-joint
GROHE StarLight chrome finish
SpeedClean anti-limescale system
pre-adjustment for the flow rate
pre-adjustable flow rate from 5-11 l/min.
minimum flow rate 4.5 l/min

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 146 000 **Chrome** **4005176986017** **109.52**

Rainshower
Shower arm 422 mm
material: metal
connection thread 1/2"
with round escutcheon, chrome
can be used for all Rainshower head showers
GROHE StarLight chrome finish



26 146 LS0 **moon white** **4005176997266** **109.50**

Rainshower
Shower arm 422 mm
material: metal
connection thread 1/2"
with round escutcheon, white
can be used for all Rainshower head showers
GROHE StarLight chrome finish



28 982 000 **Chrome** **4005176829987** **131.64**

Rainshower
Shower arm 378 mm
material: metal
connection thread 1/2"
GROHE StarLight chrome finish



28 361 000 **Chrome** **4005176295157** **98.43**

Rainshower
Shower arm, 380 mm
material: metal
connection thread 1/2"
can be used for all Rainshower head showers except Rainshower 400 mm
GROHE StarLight chrome finish

28 576 000 **Chrome** **4005176274022** **76.32**

Ditto, projection 286 mm



28 384 000 **Chrome** **4005176267451** **175.86**

Rainshower Rustic
Shower arm 272 mm
material: metal
connection thread 1/2"
GROHE StarLight chrome finish



26 145 000 **Chrome** **4005176986000** **131.64**

Rainshower
Shower arm 422 mm
material: metal
connection thread 1/2"
with square escutcheon
can be used for all Rainshower head showers
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**27 488 000**	**Chrome**	**4005176885525**	**76.32**
	Rainshower **Shower arm 275 mm** material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower 400 mm **GROHE StarLight** chrome finish			
	**27 709 000**	**Chrome**	**4005176909092**	**109.50**
	Rainshower **Shower arm 286 mm** material: metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower **GROHE StarLight** chrome finish			
	**28 497 000**	**Chrome**	**4005176270338**	**65.27**
	Rainshower **Shower ceiling arm 292 mm** material: metal connection thread 1/2" can be used for all Rainshower head showers **GROHE StarLight** chrome finish			
	28 724 000 **ditto, length 142 mm**	**Chrome**	**4005176812644**	**54.20**
	**27 484 000**	**Chrome**	**4005176885488**	**65.26**
	Rainshower **Shower ceiling arm 292 mm** material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers **GROHE StarLight** chrome finish			
	27 485 000 **ditto, 142 mm length**	**Chrome**	**4005176885495**	**54.21**
	**27 711 000**	**Chrome**	**4005176909115**	**87.38**
	Rainshower **Shower arm ceiling 154 mm** material: metal connection thread 1/2" **GROHE StarLight** chrome finish			
	**27 986 000** **27 986 IG0**	**Chrome** **chrome/gold**	**4005176933011** **4005176933547**	**98.43** **131.61**
	Rainshower Grandera **Shower arm 286 mm** projection 286 mm material: metal connection thread 1/2" Grandera escutcheon **GROHE StarLight** chrome finish suitable for all Grandera head showers			

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 978 000 27 978 IG0	Chrome chrome/gold	4005176932830 4005176933509	76.31 98.43
	Rainshower Grandera **Shower arm ceiling 142 mm** material: metal length 142 mm connection thread 1/2" Grandera escutcheon **GROHE StarLight** chrome finish suitable for all Grandera head showers			
	27 406 000	Chrome	4005176600166	51.42
	Relexa **Shower arm 218 mm** connection thread 1/2" projection 218 mm escutcheon **GROHE StarLight** chrome finish			
	28 541 000	Chrome	4005176040528	40.93
	Relexa **Shower arm 147 mm** connection thread 1/2" escutcheon **GROHE StarLight** chrome finish			
	28 429 000	Chrome	4005176601910	51.42
	Relexa **Shower arm 55 mm** connection thread 1/2" **GROHE StarLight** chrome finish			
	48 348 000	Chrome	4005176408502	29.09
	Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly key			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENA

GROHE
SENA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 341 000	**Chrome**	**4005176259463**	**142.68**



Sena Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

28 034 000	**Chrome**	**4005176231810**	**142.68**

ditto, with non-restricted flow

26 465 000	**Chrome**	**4005176423918**	**145.55**
26 465 DC0	**supersteel**	**4005176459092**	**203.59**
26 465 BE0	**polished nickel**	**4005176459160**	**232.66**
26 465 EN0	**brushed nickel**	**4005176423925**	**247.19**
26 465 GL0	**cool sunrise**	**4005176459108**	**232.66**
26 465 GN0	**brushed cool sunrise**	**4005176459115**	**247.19**
26 465 DA0	**warm sunset**	**4005176459122**	**232.66**
26 465 DL0	**brushed warm sunset**	**4005176459139**	**247.19**
26 465 A00	**hard graphite**	**4005176459146**	**232.66**
26 465 AL0	**Brushed Hard Graphite**	**4005176459153**	**247.19**



Sena Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

28 348 000	**Chrome**	**4005176263262**	**135.37**



Sena
Wall holder set 1 spray
material: metal
hand shower Sena Stick (28 034 000)
wall shower holder (28 690)
shower hose (28 151 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

28 308 000	**Chrome**	**4005176254949**	**124.88**



Sena 75
Head shower 1 spray
Normal spray
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 690 000	**Chrome**	**4005176256196**	**93.40**



Sena
Wall hand Shower holder
non-adjustable
material: metal
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**28 389 000**	**Chrome**	**4005176269837**	**12.49**

Sena
Adapter 1/2" x 1/2"
material: metal
for use with hand shower holder or shower rail
GROHE StarLight chrome finish

GROHE RAINSHOWER SMARTACTIVE

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 544 000 **Chrome** **4005176478888** **72.00**

Rainshower SmartActive 130
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar



26 574 000 **Chrome** **4005176485916** **72.00**

Rainshower SmartActive 130
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar



26 545 000 **Chrome** **4005176485930** **72.00**

Rainshower SmartActive 130
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar



26 546 000 **Chrome** **4005176479816** **154.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 544)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance
between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 575 000	Chrome	4005176485947	154.00



Rainshower SmartActive 130
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 547 000	Chrome	4005176485978	154.00



Rainshower SmartActive 130
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 545)
shower rail 600 mm
with wall holders made of metal
Rotaflex Longlife metal shower hose 1750 mm (28 025)
GROHE EasyReach tray
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 578 000	Chrome	4005176485985	158.00



Rainshower SmartActive 130
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 544)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 578 LS0	moon white	4005176486197	158.00



Rainshower SmartActive 130
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 544)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 579 LS0 **moon white** **4005176486203** **159.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance
between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar



26 581 000 **Chrome** **4005176486234** **101.00**

Rainshower SmartActive 130
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar



26 581 LS0 **moon white** **4005176486241** **101.00**

Rainshower SmartActive 130
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar



26 580 000 **Chrome** **4005176486210** **119.00**

Rainshower SmartActive 130
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 580 LS0	**moon white**	**4005176486227**	**119.00**



Rainshower SmartActive 130
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 550 000 **Chrome** **4005176479854** **72.00**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar



26 582 000 **Chrome** **4005176486258** **72.00**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar



26 552 000 **Chrome** **4005176486272** **72.00**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar



26 583 000 **Chrome** **4005176486289** **154.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance
between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 584 000 **Chrome** **4005176486296** **154.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar



26 584 LS0 **moon white** **4005176486302** **154.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar



26 585 000 **Chrome** **4005176486319** **154.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 552)
shower rail 600 mm
with wall holders made of metal
Rotaflex Longlife metal shower hose 1750 mm (28 025)
GROHE EasyReach tray
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar



26 586 000 **Chrome** **4005176486333** **158.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 587 000	Chrome	4005176486340	159.00



Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 586 LS0	moon white	4005176486357	158.00



Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 587 LS0	moon white	4005176486364	159.00



Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 588 000	Chrome	4005176486371	119.00



Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder, adjustable (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 588 LS0	**moon white**	**4005176486388**	**119.00**



Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder, adjustable (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

26 589 000	**Chrome**	**4005176486395**	**101.00**



Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

26 589 LS0	**moon white**	**4005176486401**	**101.00**



Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 553 000 **Chrome** **4005176479885** **90.00**

Rainshower SmartActive 150
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar



26 590 000 **Chrome** **4005176486418** **90.00**

Rainshower SmartActive 150
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar



26 591 000 **Chrome** **4005176486425** **182.00**

Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 553)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance
between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar



26 592 LS0 **moon white** **4005176486432** **183.00**

Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance
between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 592 000	Chrome	4005176486449	182.00



Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 593 000	Chrome	4005176486456	187.00



Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 553)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 594 LS0	moon white	4005176486463	188.00



Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 594 000	Chrome	4005176486470	188.00



Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 602 000	**Chrome**	**4005176486531**	**93.00**



Rainshower SmartActive
Shower rail, 600 mm
with wall holders made of metal
glide element and swivel holder
GROHE QuickFix (variable distance between
wall shower holders to adapt to existing holes)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 603 000	**Chrome**	**4005176486548**	**98.00**
26 603 BE0	**polished nickel**	**4005176558719**	**196.00**
26 603 EN0	**brushed nickel**	**4005176558740**	**215.00**
26 603 GL0	**cool sunrise**	**4005176558757**	**196.00**
26 603 GN0	**brushed cool sunrise**	**4005176558764**	**215.00**
26 603 DA0	**warm sunset**	**4005176558726**	**196.00**
26 603 DL0	**brushed warm sunset**	**4005176558733**	**215.00**
26 603 A00	**hard graphite**	**4005176558696**	**196.00**
26 603 AL0	**Brushed Hard Graphite**	**4005176558702**	**215.00**



Rainshower SmartActive
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE QuickFix (variable distance between
wall shower holders to adapt to existing holes)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE RAINSHOWER

GROHE
RAINSHOWER

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 134 000	**Chrome**	**4005176836060**	**120.56**



Rainshower Cosmopolitan 160
Head shower 4 sprays
Rain / Jet / Pure / Champagne spray
Ø 160 mm
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 369 000	**Chrome**	**4005176267260**	**352.85**



Rainshower Rustic 210
Head shower 1 spray
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

27 276 000	**Chrome**	**4005176861437**	**87.39**
27 276 LS0	**moon white**	**4005176861451**	**87.39**



Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
GROHE EcoJoy technology for less water and perfect flow
metal elbow adapter for the combination of hand showers with shower hoses
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 443 000	**red**	**4005176880025**	**87.40**



Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 444 000	**orange**	**4005176880049**	**87.40**



Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater

27 446 000	**yellow**	**4005176880063**	**87.40**



Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater

GROHE
RAINSHOWER

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 447 000	pink	4005176880087	88.73



Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of
hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 448 000	purple	4005176880100	87.40



Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of
hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 449 000	blue	4005176879982	87.40



Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of
hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 277 001	Chrome	4005176875489	209.06



Rainshower Icon 150
Shower rail set 2 sprays
hand shower Icon 150 (27 276 000)
shower rail 900 mm (28 819 001)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
Elbow adapter for the combination of
handshowers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance
between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**27 272 000**	**Chrome**	**4005176860836**	**109.51**

Rainshower Solo 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
Elbow adapter for the combination of handshowers with shower sets
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**27 273 001**	**Chrome**	**4005176875502**	**242.23**

Rainshower Solo 150
Shower rail set 2 sprays
hand shower Solo 150 (27 272 000)
shower rail 900 mm (28 819 001)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
Elbow adapter for the combination of handshowers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

GROHE
RAINSHOWER

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**27 274 000**	**Chrome**	**4005176861383**	**109.51**

Rainshower Eco 120
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
Elbow adapter for the combination of handshowers with shower sets
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

	**45 914 XE0**	**gray night time**	**4005176842054**	**24.40**

Spacer
for Relexa / Rainshower shower bars
28 819 / 28 797 / 27 136

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RELEXA

GROHE
RELEXA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**27 530 000**	**Chrome**	**4005176889219**	**463.45**
	Relexa Deluxe 130 **Head shower 4 sprays** Normal, Rain, Champagne spray, Champagne spray Deluxe Ball joint +/- 15° rotatable **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **Inner WaterGuide** for a longer life			
	28 897 000	**Chrome**	**4005176827044**	**128.97**
	Relexa 100 Five **Hand shower 5 sprays** Wide spray / Needle Jet / Rain / Massage / Champagne spray 1/2" NPT female thread **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses **suitable for instantaneous heater**			
	**28 796 000**	**Chrome**	**4005176824296**	**131.61**
	Relexa 100 Five **Hand shower 5 sprays** Wide spray / Needle Jet / Rain / Massage / Champagne spray **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life minimum flow rate 7.5 l/min.			
	**28 793 000**	**Chrome**	**4005176823961**	**76.32**
	Relexa 100 Trio **Hand shower 3 sprays** Wide Spray/ Needle Jet / Rain **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
	28 917 000	**Chrome**	**4005176827112**	**220.19**
	Relexa 100 Five **Shower rail set 5 sprays** Consisting of: hand shower Relexa Five (28 897) shower rail, 600 mm (28 797) **GROHE DreamSpray** perfect spray pattern shower hose 1.750 mm (28 025 000) **GROHE StarLight** chrome finish **GROHE QuickFix Plus** adjustable distance between brackets, to adapt to existing holes **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RELEXA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	28 964 001	Chrome	4005176877254	220.12

Relexa 100 Five
Shower rail set 5 sprays
Consisting of:
Hand shower Relexa Five (28 796 000)
shower rail, 600 mm (28 797)
with wall holders made of metal
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

	28 942 001	Chrome	4005176877223	186.92

Relexa 100 Trio
Shower rail set 3 sprays
Consisting of:
Hand shower Relexa Trio (28 793 000)
shower rail, 600 mm (28 797)
with wall holders made of metal
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

	27 068 000	Chrome	4005176832130	142.70

Relexa 100 Five
Head shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
ball-joint
1/2" NPT female thread
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.

	27 062 000	Chrome	4005176831669	197.98

Relexa 100 Five
Head shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
ball-joint
connection thread with pre-assembled sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.

	27 065 000	Chrome	4005176832109	164.80

Relexa 100 Trio
Head shower 3 sprays
Wide Spray/ Needle Jet / Rain
ball-joint
connection thread with pre-assembled sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE
RELEXA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**27 067 000**	**Chrome**	**4005176832123**	**131.61**

Relexa 65
Side shower 2 sprays
Wide spray/Massage
ball-joint
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

	**28 537 000**	**Chrome**	**4005176040443**	**103.89**

Relexa Low Aerosol 46
Hand shower 1 spray
metal spray plate
GROHE StarLight chrome finish
flow limiter
Universal Mounting System. Fits all standard shower hoses
9.5 l/min. maximum flow rate at 1 - 6 bar

	**28 404 000**	**Chrome**	**4005176601736**	**20.04**

Relexa Basic 85
Head shower 1 spray
Rain
brass tin plate
50 mm high
connection thread 1/2“

---

	28 342 000	**Chrome**	**4005176260070**	**62.28**

Relexa Plus 65
Head shower 1 spray
non-adjustable
1/2“ NPT female thread
GROHE StarLight chrome finish
SpeedClean anti-limescale system

	**28 094 000**	**Chrome**	**4005176601132**	**51.42**

Relexa Plus 50
Head shower 1 spray
with ball joint
1/2“ connection
GROHE StarLight chrome finish
adjustable flow rate
without shower arm

	**28 002 000**	**Chrome**	**4005176858796**	**186.91**

Relexa 70
Sports head shower 1 spray
low aerosol emission
heavy, cast model
theft proof
connection thread 1/2“
projection 57 mm
flow limiter 9 l/min. and 12 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suicide resistant design
pipe union plug-in for wall connection

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RELEXA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**28 948 000**	**Chrome**	**4005176209871**	**135.37**

Relexa Plus 60
Sports head shower 1 spray
heavy, cast model
connection thread 1/2"
projection 148 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**28 286 000**	**Chrome**	**4005176198526**	**98.43**

Relexa 50
Side shower 2 sprays
Wide Spray/ Needle Jet
ball-joint
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE
EUPHORIA

GROHE
EUPHORIA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 222 000	Chrome	4005176854132	65.25
	Euphoria 110 Champagne **Hand shower 3 sprays** Rain, Champagne spray, SmartRain **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	26 513 000	Chrome	4005176457722	67.48
	Euphoria 110 Massage **Hand shower 3 sprays** spray face Ø 110 mm Rain, Massage, SmartRain GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish spray plate white **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	27 239 001	Chrome	4005176457715	67.48
	Euphoria 110 Massage **Hand shower 3 sprays** spray face Ø 110 mm Rain, Massage, SmartRain **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish spray plate white **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	27 221 001	Chrome	4005176457708	61.95
	ditto, with non-restricted flow			
	27 239 000	Chrome	4005176854323	59.71
	Euphoria 110 Massage **Hand shower 3 sprays** Rain, Massage, SmartRain **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 221 000	Chrome	4005176854125	54.20
	ditto, with non-restricted flow			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 238 000	**Chrome**	**4005176854293**	**42.19**



Euphoria 110 Duo
Hand shower 2 sprays
Rain, SmartRain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar

27 220 000	**Chrome**	**4005176854118**	**43.12**

ditto, with non-rectricted flow

---

27 265 00E	**Chrome**	**4005176885693**	**32.06**



Euphoria 110 Mono
Hand shower 1 spray
Rain
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar

27 265 000	**Chrome**	**4005176856983**	**32.06**

ditto, with non-restricted flow

---

27 224 000	**Chrome**	**4005176854156**	**32.06**



Euphoria 110 Mono
Hand shower 1 spray
Rain
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
min. recommended pressure 1 bar

---

27 232 001	**Chrome**	**4005176899560**	**109.51**



Euphoria 110 Champagne
Shower rail set 3 sprays
Consisting of:
hand shower Champagne (27 222)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 243 001	**Chrome**	**4005176899799**	**98.44**

Euphoria 110 Massage
Shower rail set 3 sprays
hand shower Massage (27 239 000)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

27 231 001	**Chrome**	**4005176899553**	**98.44**

ditto, with non-restricted flow



27 242 001	**Chrome**	**4005176899782**	**98.42**

Euphoria 110 Duo
Shower rail set 2 sprays
Consisting of:
hand shower Euphoria 110 Duo (27 238)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

27 230 001	**Chrome**	**4005176899546**	**92.89**

ditto, with non-restricted flow



27 266 00E	**Chrome**	**4005176890710**	**78.97**

Euphoria 110 Mono
Shower rail set 1 spray
Consisting of:
hand shower Euphoria Mono (27 265 000)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

27 266 001	**Chrome**	**4005176899812**	**87.38**

ditto, with non-restricted flow



27 256 001	**Chrome**	**4005176899805**	**81.84**

Euphoria 110 Mono
Shower rail set 1 spray
hand shower Mono (27 224 000)
shower rail, 600 mm (27 499)
shower hose 1500 mm (28 161)
soap dish
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 227 001	Chrome	4005176899522	109.50



Euphoria 110 Champagne
Shower rail set 3 sprays
Consisting of:
hand shower Champagne (27 222)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 226 001	Chrome	4005176899515	109.50



Euphoria 110 Massage
Shower rail set 3 sprays
Consisting of:
hand shower Massage (27 221 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 225 001	Chrome	4005176899508	98.44



Euphoria 110 Duo
Shower rail set 2 sprays
hand shower Duo (27 220 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 267 001	Chrome	4005176899829	95.11



Euphoria 110 Mono
Shower rail set 1 spray
Consisting of:
Handshower mono (27 265 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 355 000	**Chrome**	**4005176874451**	**98.43**

Euphoria 110 Champagne
Wall holder set 3 sprays
Wall shower holder 28 401
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar



27 354 000	**Chrome**	**4005176874444**	**54.20**

Euphoria 110 Mono
Wall holder set 1 spray
wall shower holder (27 056)
Silverflex shower hose 1250 mm (28 362)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar



26 459 000	**Chrome**	**4005176416965**	**221.23**

Euphoria 260
Head shower set 380 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 458 000	**Chrome**	**4005176416958**	**221.23**

ditto, with non-restricted flow



26 461 000	**Chrome**	**4005176416989**	**175.88**

Euphoria 260
Head shower set ceiling 142 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 460 000	**Chrome**	**4005176416972**	**175.88**

ditto, with non-restricted flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**26 457 000**	**Chrome**	**4005176416934**	**132.75**
	Euphoria 260 **Head shower 3 sprays** Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	26 455 000	**Chrome**	**4005176416903**	**132.75**
	ditto, with non-restricted flow			
	**27 237 000**	**Chrome**	**4005176854286**	**76.32**
	Euphoria 110 Mono **Head shower 1 spray** Rain connection thread 1/2" bellows **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	**27 499 000**	**Chrome**	**4005176886041**	**43.14**
	Euphoria **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE QuickFix** (upper bracket adjustable to adapt to existing holes) **GROHE StarLight** chrome finish			
	27 500 000	**Chrome**	**4005176886058**	**54.19**
	ditto, 900 mm			
	**48 051 000**		**4005176890024**	**6.30**
	Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500			
	**27 596 000**		**4005176895944**	**9.95**
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm			

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 400 000 **Chrome** **4005176877292** **43.15**

Euphoria Cosmopolitan Stick
Hand shower 1 spray
Normal spray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar

27 367 000 **Chrome** **4005176875939** **43.15**
ditto, with non-restricted flow



27 368 000 **Chrome** **4005176875946** **164.81**

Euphoria Cosmopolitan Stick
Shower rail set 1 spray
Consisting of:
hand shower 27 400 000
shower rail, 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
soap dish (27 206)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar



27 369 000 **Chrome** **4005176875953** **76.31**

Euphoria Cosmopolitan Stick
Wall holder set 1 spray
hand shower 27 400 000
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
Min. recommended pressure 0.5 bar



27 492 000 **Chrome** **4005176885556** **131.62**

Euphoria Cosmopolitan 180
Head shower 1 spray
Rain
Ø 180 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
min. recommended pressure 1 bar



28 233 000 **Chrome** **4005176868016** **87.40**

Euphoria Cosmopolitan 160
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)

26 467 000 **Chrome** **4005176423956** **88.01**

Euphoria Cube+ Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 888 000 **Chrome** **4005176921179** **87.39**
ditto, with 9.5 l/min flow limiter

27 884 001 **Chrome** **4005176919695** **87.39**
ditto, with non-restricted flow



27 891 000 **Chrome** **4005176921209** **242.25**

Euphoria Cube+ Stick
Shower rail set 1 spray
hand shower, metal (27 888 000)
shower rail 600 mm (27 892 000)
metal shower hose 1750 mm (28 025)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting



27 890 000 **Chrome** **4005176921193** **253.31**

Euphoria Cube+ Stick
Shower rail set 1 spray
Consisting of:
hand shower, metal
shower rail 900 mm (27 841)
metal shower hose 1750 mm (28 025)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting



27 889 000 **Chrome** **4005176921186** **131.62**

Euphoria Cube+ Stick
Wall holder set 1 spray
hand shower, metal (27 888 000)
wall shower holder (27 706)
metal shower hose 1500 mm (28 417)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 699 000 **Chrome** **4005176907104** **43.13**

Euphoria Cube Stick
Hand shower 1 spray
Normal spray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 698 000 **Chrome** **4005176907098** **43.13**
ditto, with non-restricted flow



27 936 000 **Chrome** **4005176927058** **189.86**

Euphoria Cube
Shower set
Consisting of:
Hand shower (27 698 000)
shower rail 600 mm (27 892 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar



27 700 000 **Chrome** **4005176907111** **209.04**

Euphoria Cube Stick
Shower rail set 1 spray
Hand shower (27 698 000)
shower rail 900 mm (27 841)
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min. recommended pressure 1 bar



26 405 000 **Chrome** **4005176385162** **78.00**

Euphoria Cube Stick
Wall holder set 1 spray
with integrated wall union 1/2"
Consisting of:
Handshower (27 699 000)
shower outlet elbow 1/2" with wall shower holder (26 370)
male thread
protected against backflow
Silverflex shower hose 1250 mm (28 362)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar



27 703 000 **Chrome** **4005176907142** **76.30**

Euphoria Cube Stick
Wall holder set 1 spray
Handshower (27 699 000)
wall shower holder (27 693 000)
Silverflex shower hose 1250 mm (28 362)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min. recommended pressure 1 bar

27 702 000 **Chrome** **4005176907135** **76.30**
ditto, with non-restricted flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 073 000	Chrome	4005176937279	231.19



Euphoria Cube 150
Head shower set 286 mm, 1 spray
head shower Euphoria Cube 150 (27 705 000)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 705 000	Chrome	4005176907166	142.68



Euphoria Cube 150
Head shower 1 spray
Rain
152 x 152 mm
ball-joint
rotation angle ± 12°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 737 000	Chrome	4005176872983	54.19

Euphoria Rustic 130
Head shower 1 spray
Rain
Ball joint +/- 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE TEMPESTA

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**27 608 001**	**Chrome**	**4005176444029**	**51.99**
	Tempesta Rustic 100 **Hand shower 4 sprays** GROHE Rain O², Rain, Massage, Jet **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
	26 085 001	**Chrome**	**4005176444036**	**45.36**
	ditto, with non-restricted flow			
	**27 609 001**	**Chrome**	**4005176451898**	**97.35**
	Tempesta Rustic 100 **Shower rail set 4 sprays** hand shower (27 608) shower rail, 600 mm (27 519) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EasyReach** tray (27 596) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
	26 086 001	**Chrome**	**4005176451904**	**91.83**
	ditto, with non-restricted flow			
	**27 805 001**	**Chrome**	**4005176451911**	**67.48**
	Tempesta Rustic 100 **Wall holder set 4 sprays** hand shower (27 608) wall shower holder adjustable (27 595) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
	**26 089 001**	**Chrome**	**4005176444067**	**68.56**
	Tempesta Rustic 100 **Head shower set 4 sprays** GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	**27 610 001**	**Chrome**	**4005176444050**	**59.72**
	Tempesta Rustic 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA



Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 519 000	**Chrome**	**4005176886485**	**54.20**
Tempesta Rustic **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish			
27 520 000 **ditto, 900 mm**	**Chrome**	**4005176886492**	**54.21**

GROHE TEMPESTA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 575 002	**Chrome**	**4005176443930**	**46.44**



Tempesta Cosmopolitan 100
Hand shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 573 002	**Chrome**	**4005176443947**	**46.44**

ditto, with non-restricted flow

---

27 574 002	**Chrome**	**4005176443916**	**35.38**



Tempesta Cosmopolitan 100
Hand shower 3 sprays
GROHE Rain O², Rain, Massage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 572 002	**Chrome**	**4005176443923**	**35.38**

ditto, with non-restricted flow

---

27 571 20E	**Chrome**	**4005176443275**	**27.65**



Tempesta Cosmopolitan 100
Hand shower 2 sprays
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar

27 571 002	**Chrome**	**4005176443893**	**27.65**

ditto, with non-restricted flow

26 130 001	**Chrome**	**4005176443909**	**27.65**

ditto, with non-restricted flow, for low pressure

---

26 082 002	**Chrome**	**4005176443268**	**22.13**



Tempesta Cosmopolitan 100
Hand shower 1 spray
Rain
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

---

27 577 002	**Chrome**	**4005176451584**	**84.06**



Tempesta Cosmopolitan 100
Shower rail set 4 sprays
Consisting of:
hand shower (27 575)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 576 002	**Chrome**	**4005176451560**	**81.84**

Tempesta Cosmopolitan 100
Shower set 3 sprays
Consisting of:
hand shower (27 574)
shower rail, 600 mm (27 521 000)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

27 929 002	**Chrome**	**4005176451577**	**81.84**

ditto, with non-restricted flow



26 083 002	**Chrome**	**4005176451546**	**64.15**

Tempesta Cosmopolitan 100
Shower rail set 1 spray
Consisting of:
hand shower (26 082)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life



27 580 002	**Chrome**	**4005176451515**	**79.65**

Tempesta Cosmopolitan 100
Shower rail set 4 sprays
Consisting of:
hand shower Tempesta Cosmopolitan 100 (27 575)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 787 002	**Chrome**	**4005176451522**	**79.65**

ditto, with non-restricted flow



27 579 002	**Chrome**	**4005176451492**	**71.91**

Tempesta Cosmopolitan 100
Shower rail set 3 sprays
Consisting of:
hand shower (27 574)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 786 002	**Chrome**	**4005176451508**	**71.91**

ditto, with non-restricted flow

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**27 578 20E**	**Chrome**	**4005176451362**	**61.32**
	Tempesta Cosmopolitan 100 **Shower rail set 2 sprays** Consisting of: hand shower Tempesta Cosmopolitan 100 (27 571 20E) shower rail, 600 mm (27 521) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
	27 578 002	**Chrome**	**4005176451386**	**61.32**
	ditto, with non-restricted flow			
	**27 790 002**	**Chrome**	**4005176451614**	**77.00**
	Tempesta Cosmopolitan 100 **Shower rail set 4 sprays** Consisting of: hand shower (27 573) shower rail, 900 mm (27 522) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	**27 584 002**	**Chrome**	**4005176451621**	**53.11**
	Tempesta Cosmopolitan 100 **Shower set 3 sprays** hand shower (27 574) wall shower holder adjustable (27 595) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
	**27 588 002**	**Chrome**	**4005176451669**	**49.78**
	Tempesta Cosmopolitan 100 **Wall holder set 3 sprays** Consisting of: hand shower (27 574) wall shower holder non-adjustable (27 594) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE StarLight** chrome finish **GROHE DreamSpray** perfect spray pattern **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 084 002	Chrome	4005176451645	35.37



Tempesta Cosmopolitan 100
Wall holder set 1 spray
Consisting of:
hand shower (26 082)
wall shower holder non-adjustable (27 594)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 869 001	Chrome	4005176444005	77.45



Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 090 001	Chrome	4005176443992	71.88



Tempesta Cosmopolitan 100
Head shower set 3 sprays
GROHE Rain O², Rain, Massage
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 591 001	Chrome	4005176443985	65.27



Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 051 001	Chrome	4005176443954	51.98

Tempesta Cosmopolitan 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

GROHE
TEMPESTA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 541 001	**Chrome**	**4005176451676**	**82.94**





Tempesta Cosmopolitan 200
Head shower 1 spray
Rain spray pattern
Ball joint +/- 20° rotatable
connection thread 1/2"
suitable for instantaneous heater
min. recommended pressure 1 bar



27 521 000	**Chrome**	**4005176886508**	**43.13**

Tempesta Cosmopolitan
Shower rail, 600 mm
with wall brackets, glider and swival holder
GROHE StarLight chrome finish

27 522 000	**Chrome**	**4005176886515**	**54.20**

ditto, 900 mm



48 051 000	**4005176890024**	**6.30**

Spacer
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524
for Euphoria shower rails
27 499 / 27 500



27 596 000	**4005176895944**	**9.95**

GROHE EasyReach tray
acrylic
for Tempesta and Euphoria shower rails Ø 22 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 421 002	**Chrome**	**4005176444142**	**43.14**



Tempesta 100
Hand shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

28 578 002	**Chrome**	**4005176444159**	**43.14**

ditto, with non-restricted flow

---

28 419 002	**Chrome**	**4005176444128**	**32.07**



Tempesta 100
Hand shower 3 sprays
GROHE Rain O², Rain, Massage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

28 261 002	**Chrome**	**4005176444135**	**32.07**

ditto, with non-restricted flow

---

27 597 10E	**Chrome**	**4005176985409**	**24.33**



Tempesta 100
Hand shower 2 sprays
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

26 161 001	**Chrome**	**4005176444104**	**24.33**

ditto, with 9.5 l/min flow limiter

27 597 001	**Chrome**	**4005176985508**	**24.33**

ditto, with non-restricted flow

28 422 002	**Chrome**	**4005176444111**	**24.33**

ditto, with non-restricted flow, for low pressure

---

27 923 001	**Chrome**	**4005176444074**	**19.02**



Tempesta 100
Hand shower 1 spray
Rain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
Universal Mounting System. Fits all standard shower hoses

27 852 001	**Chrome**	**4005176444081**	**19.02**

ditto, with non-restricted flow

28 214 003	**Chrome**	**4005176444098**	**23.26**

ditto, with non-restricted flow, for low pressure

GROHE
TEMPESTA

Ref. No.	Colour	EAN code	Retail Guide Price (£)



28 436 002 **Chrome** **4005176451799** **80.75**

Tempesta 100
Shower rail set 4 sprays
Consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar



27 600 001 **Chrome** **4005176451775** **74.11**

Tempesta 100
Shower rail set 3 sprays
hand shower (28 419)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling



26 638 000 **Chrome** **4005176528347** **58.00**

Tempesta 100
Shower rail set 2 sprays
Consisting of:
hand shower Tempesta 100 (26 161)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar

27 926 001 **Chrome** **4005176451768** **64.51**
ditto, with non-restricted flow



27 645 001 **Chrome** **4005176451744** **71.88**

Tempesta 100
Shower rail set 4 sprays
Consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

27 795 001 **Chrome** **4005176451751** **71.88**
ditto, with non-restricted flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 644 001	**Chrome**	**4005176451720**	**65.24**

Tempesta 100
Shower rail set 3 sprays
Consisting of:
hand shower (28 419)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

27 794 001	**Chrome**	**4005176451737**	**65.24**

ditto, with non-restricted flow



27 598 10E	**Chrome**	**4005176985416**	**56.05**

Tempesta 100
Shower rail set 2 sprays
Consisting of:
hand shower Tempesta 100 II 5.7 l/min (27 597)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

26 162 001	**Chrome**	**4005176451713**	**56.04**

ditto, with 9.5 l/min flow limiter

27 598 001	**Chrome**	**4005176985515**	**56.05**

ditto, with non-restricted flow

28 438 001	**Chrome**	**4005176985553**	**57.12**

ditto, with non-restricted flow, for low pressure



27 924 001	**Chrome**	**4005176451690**	**46.53**

Tempesta 100
Shower rail set 1 spray
Consisting of:
hand shower (27 923)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

27 853 001	**Chrome**	**4005176451706**	**46.53**

ditto, with non-restricted flow

28 280 004	**Chrome**	**4005176306624**	**54.19**

ditto, with non-restricted flow, for low pressure



28 789 002	**Chrome**	**4005176451843**	**71.88**

Tempesta 100
Shower rail set 3 sprays
Consisting of:
hand shower (28 419)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar

27 796 001	**Chrome**	**4005176451850**	**71.88**

ditto, with non-restricted flow

GROHE
TEMPESTA

Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 646 10E **Chrome** **4005176985423** **62.39**

Tempesta 100
Shower rail set 2 sprays
Consisting of:
hand shower Tempesta 100 II (27 597)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar

27 646 001 **Chrome** **4005176985522** **62.39**
ditto, with non-restricted flow



27 925 001 **Chrome** **4005176451812** **52.89**

Tempesta 100
Shower rail set 1 spray
Consisting of:
hand shower (27 923)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar

27 854 001 **Chrome** **4005176451829** **52.89**
ditto, with non-restricted flow



27 601 10E **Chrome** **4005176985430** **40.19**

Tempesta 100
Wall holder set 2 sprays
hand shower Tempesta 100 II (27 597)
wall shower holder adjustable (27 595)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
min. recommended pressure 1 bar



26 639 000 **Chrome** **4005176528354** **43.00**

Tempesta 100
Wall holder set 3 sprays
Consisting of:
hand shower Tempesta 100 (28 419)
wall shower holder (28 605)
non-adjustable
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN code	Retail Guide Price (£)



27 803 10E **Chrome** **4005176985454** **37.00**

Tempesta 100
Wall holder set 2 sprays
hand shower Tempesta 100 II (27 597)
wall shower holder (28 605), non-adjustable
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
min. recommended pressure 1 bar



27 798 10E **Chrome** **4005176985447** **34.88**

Tempesta 100
Wall holder set 2 sprays
Consisting of:
hand shower Tempesta 100 II (27 597)
wall shower holder (28 605)
non-adjustable
Relexaflex hose 1250 mm 1/2" x 1/2" (28 150)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar

26 164 001 **Chrome** **4005176451867** **34.88**
ditto, with 9.5 l/min flow limiter

27 799 001 **Chrome** **4005176985539** **34.88**
ditto, with non-restricted flow



26 406 001 **Chrome** **4005176451881** **51.83**

Tempesta 100
Wall holder set 2 sprays
with integrated wall union 1/2"
Consisting of:
hand shower Tempesta 100 II (27 597)
shower outlet elbow 1/2" with wall shower holder (28 679)
male thread
protected against backflow
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar



26 412 000 **Chrome** **4005176390173** **160.40**

Tempesta 210
Head shower set 286 mm, 1 spray
Consisting of:
head shower Tempesta 210 9.5 l/min (26 410)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**26 267 001**	**Chrome**	**4005176444197**	**57.50**
	Tempesta 100 **Head shower 1 spray** Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life for **low pressure** **min. recommended pressure 1 bar**			
	**26 414 000**	**Chrome**	**4005176408090**	**134.96**
	Tempesta 210 **Head shower set ceiling 142 mm, 1 spray** Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	26 413 000	**Chrome**	**4005176390180**	**160.41**
	ditto, with non-restricted flow			
	26 409 000	**Chrome**	**4005176390128**	**90.72**
	Tempesta 210 **Head shower 1 spray** Rain Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	26 410 000	**Chrome**	**4005176390142**	**90.72**
	ditto, with 9.5 l/min flow limiter			
	26 408 000	**Chrome**	**4005176390111**	**90.72**
	ditto, with non-restricted flow			
	**27 606 001**	**Chrome**	**4005176444180**	**58.62**
	Tempesta 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
	**26 050 001**	**Chrome**	**4005176444166**	**46.47**
	Tempesta 100 **Head shower 1 spray** Rain Ball joint +/- 15° rotatable **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** **min. recommended pressure 1 bar**			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 523 000	Chrome	4005176886522	43.12
	Tempesta **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish			
	27 524 000 **ditto, 900 mm**	Chrome	4005176886539	65.25
	48 051 000		4005176890024	6.30
	Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500			
	27 596 000		4005176895944	9.95
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm			
	27 406 000	Chrome	4005176600166	51.42
	Relexa **Shower arm 218 mm** connection thread 1/2" projection 218 mm escutcheon **GROHE StarLight** chrome finish			
	28 541 000	Chrome	4005176040528	40.93
	Relexa **Shower arm 147 mm** connection thread 1/2" escutcheon **GROHE StarLight** chrome finish			
	28 429 000	Chrome	4005176601910	51.42
	Relexa **Shower arm 55 mm** connection thread 1/2" **GROHE StarLight** chrome finish			

GROHE
SENA TRIGGER SPRAYS

GROHE
SENA TRIGGER SPRAYS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**26 328 000**	**Chrome**	**4005176332111**	**66.37**

Sena Trigger Spray 35
Hand shower 1 spray
with trigger control
material: metal
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Universal Mounting System. Fits all standard shower hoses
Min. recommended pressure 0.5 bar
Please refer to local norms regarding installation.

	**26 332 000**	**Chrome**	**4005176332135**	**175.87**

Sena Trigger Spray 35
Wall holder set with self-closing angle valve, 1 spray
Consisting of:
hand shower with trigger control (26 328)
valve with integrated shower holder (26 333 000)
Silverflex Longlife shower hose 1250 mm (26 335)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
Min. recommended pressure 0.5 bar
Please refer to local norms regarding installation.

	26 329 000	**Chrome**	**4005176332128**	**164.82**

ditto, hose 1.000 mm

	**26 333 000**	**Chrome**	**4005176332142**	**70.80**

Valve
with wall shower holder
escutcheon
connection thread 1/2"
GROHE StarLight chrome finish
Please refer to local norms regarding installation.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA-F TRIGGER SPRAYS

GROHE
TEMPESTA-F TRIGGER SPRAYS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 512 001	Chrome	4005176333804	21.01

Tempesta-F Trigger Spray 30
Hand shower 1 spray
with trigger control
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
min. recommended pressure 1 bar
Please refer to local norms regarding installation.



Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 020 L01	white	4005176333828	14.27

Tempesta-F Trigger Spray 30
Hand shower 1 spray
with trigger control
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
min. recommended pressure 1 bar
Please refer to local norms regarding installation.



Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 353 000	Chrome	4005176333866	32.07

Tempesta-F Trigger Spray 30
Wall holder set 1 spray
Consisting of:
hand shower with trigger control (27 512 001)
wall shower holder (28 605)
Silverflex Longlife shower hose 1500 mm (26 346)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min. recommended pressure 1 bar
Please refer to local norms regarding installation.

27 513 001	Chrome	4005176333842	32.07
ditto, with 1250 mm hose			
26 352 000	Chrome	4005176333835	33.52
ditto, with 1000 mm hose			



Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 354 000	Chrome	4005176333873	43.14

Tempesta-F Trigger Spray 30
Wall holder set 1 spray
Consisting of:
hand shower with trigger control (27 512 001)
wall shower holder (28 605)
metal shower hose 1250 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
min. recommended pressure 1 bar
Please refer to local norms regarding installation.



Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 812 IL1	chrome/white	4005176333897	33.17

Tempesta-F Trigger Spray 30
Wall holder set 1 spray
Consisting of:
hand shower with trigger control (28 020 L01)
wall shower holder (28 605)
Silverflex Longlife shower hose 1250 mm (26 335)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min. recommended pressure 1 bar
Please refer to local norms regarding installation.

26 355 IL0	chrome/white	4005176333880	32.08
ditto, with 1000 mm hose			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA-F TRIGGER SPRAYS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 356 IL0 **chrome/white** **4005176333903** **32.00**

Tempesta-F Trigger Spray 30
Wall holder set 1 spray
Consisting of:
hand shower with trigger control (28 020 L01)
wall shower holder (28 605)
metal shower hose 1250 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
min. recommended pressure 1 bar
Please refer to local norms regarding installation.



26 357 000 **Chrome** **4005176333927** **87.36**

Tempesta-F Trigger Spray 30
Wall holder set with angle valve 1 spray
Consisting of:
hand shower with trigger control (27 512 001)
wall shower holder (28 605)
Silverflex Longlife shower hose 1500 mm (26 346)
angle valve 1/2" (22 958)
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min. recommended pressure 1 bar
Please refer to local norms regarding installation.

27 514 001 **Chrome** **4005176333910** **65.26**
ditto, with 1250 mm hose



26 358 000 **Chrome** **4005176333941** **115.04**

Tempesta-F Trigger Spray 30
Wall holder set with self-closing angle valve, 1 spray
Consisting of:
hand shower with trigger control (27 512 001)
valve with integrated shower holder (26 333 000)
Silverflex Longlife shower hose 1000 mm (26 334)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min. recommended pressure 1 bar
Please refer to local norms regarding installation.

GROHE
TRIGGER SPRAYS

GROHE
TRIGGER SPRAYS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**28 343 000**	**Chrome**	**4005176260285**	**20.99**
	Trigger Spray **Hand shower 1 spray** **GROHE StarLight** chrome finish Universal Mounting System. Fits all standard shower hoses			
	**27 102 000**	**Chrome**	**4005176600074**	**54.93**
	Trigger Spray **Wall holder set 1 spray** **GROHE StarLight** chrome finish			
	14 165 00M	**Chrome**	**4005176006043**	**19.94**
	Non-return valve male thread 1/2“ female thread 1/2“ **GROHE StarLight** chrome finish multi-packaging: 2 pieces			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER HOSES

GROHE
SHOWER HOSES

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 025 000	**Chrome**	**4005176284830**	**25.30**



Rotaflex Metal Longlife
Metal shower hose Twistfree 1750
1750 mm
material: metal
Longlife
strengthened model
tensile strength 500 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
Cone with silicone tape to prevent turning of hand shower during usage
GROHE StarLight chrome finish
blister packaging

28 417 000	**Chrome**	**4005176264702**	**23.54**
ditto, 1500mm hose			

28 145 000	**Chrome**	**4005176601354**	**25.72**



Relexaflex Metal Longlife
Metal shower hose 2000
2000 mm
material: metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 143 000	**Chrome**	**4005176601347**	**21.81**
28 143 LS0	**moon white**	**4005176842269**	**28.63**
28 143 KS0	**velvet black**	**4005176842252**	**28.63**
ditto, 1500mm hose			
28 142 000	**Chrome**	**4005176601330**	**19.62**
ditto, 1250 mm			

28 140 000	**Chrome**	**4005176601323**	**22.04**



Relexaflex Metal
Metal shower hose 2000
2000 mm
material: metal
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 139 000	**Chrome**	**4005176601316**	**19.82**
ditto, 1750mm hose			
28 105 000	**Chrome**	**4005176601217**	**18.07**
ditto, 1500mm hose			

26 346 000	**Chrome**	**4005176332173**	**20.26**



Silverflex Longlife
Shower hose Twistfree 1500
1500 mm
smooth surface for easy cleaning
Longlife
strengthened model
tensile strength 500 N
pressure resistance up to 12 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

26 335 000	**Chrome**	**4005176332166**	**18.07**
ditto, 1.250 mm			
26 334 000	**Chrome**	**4005176332159**	**16.28**
ditto, 1.000 mm			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER HOSES



Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 137 000	**Chrome**	**4005176836237**	**19.62**

Silverflex
Shower hose Twistfree 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

28 388 000	**Chrome**	**4005176295362**	**17.87**
28 388 DC0	**supersteel**	**4005176386428**	**23.98**
28 388 BE0	**polished nickel**	**4005176295386**	**27.01**
28 388 GL0	**cool sunrise**	**4005176427657**	**27.01**
28 388 DA0	**warm sunset**	**4005176427671**	**27.01**
28 388 A00	**hard graphite**	**4005176427701**	**27.01**
ditto, 1750mm hose			
28 364 000	**Chrome**	**4005176295294**	**15.69**
ditto, 1500mm hose			
28 362 000	**Chrome**	**4005176295225**	**13.96**
28 362 DC0	**supersteel**	**4005176386435**	**18.75**
28 362 BE0	**polished nickel**	**4005176295249**	**21.36**
28 362 GL0	**cool sunrise**	**4005176427589**	**21.36**
28 362 DA0	**warm sunset**	**4005176427602**	**21.36**
28 362 A00	**hard graphite**	**4005176427633**	**21.36**
ditto, 1250 mm			



28 413 001	**Chrome**	**4005176933257**	**15.42**

Rotaflex
Shower hose Twistfree 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

28 410 001	**Chrome**	**4005176933240**	**18.78**
ditto, 1750 mm			
28 409 001	**Chrome**	**4005176933233**	**12.34**
ditto, 1500 mm			



28 155 001	**Chrome**	**4005176933226**	**13.52**

Relexaflex
Shower hose 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 154 001	**Chrome**	**4005176933219**	**12.21**
ditto, 1750 mm			
28 151 001	**Chrome**	**4005176933202**	**10.45**
28 151 L01	**white**	**4005176935091**	**19.90**
ditto, 1500 mm			
28 150 001	**Chrome**	**4005176933196**	**8.64**
ditto, 1250 mm			

GROHE
SHOWER HOSES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**28 161 001**	**Chrome**	**4005176935107**	**16.73**
	Silverflex **Shower hose Twistfree 1500** for **low pressure** 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for **Twistfree** function **GROHE StarLight** chrome finish **blister packaging**			
	**28 158 000**	**Chrome**	**4005176601606**	**30.84**
	Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets **GROHE StarLight** chrome finish			
	**28 146 000**	**Chrome**	**4005176121753**	**51.42**
	Metal hose 2000 mm M 15 x M 15 **GROHE StarLight** chrome finish			
	**45 973 001**	**Chrome**	**4005176442919**	**9.68**
	Relexaflex **Shower hose 1500** 1500 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" **GROHE StarLight** chrome finish in units of 10			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 055 000	Chrome	4005176830433	43.15
Rainshower **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish				
	28 401 000	Chrome	4005176264474	46.07
Movario **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish				
	28 623 000	Chrome	4005176031595	30.43
Relexa **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish				
	27 595 000	Chrome	4005176895937	17.71
Tempesta **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish				
	28 690 000	Chrome	4005176256196	93.40
Sena **Wall hand Shower holder** non-adjustable material: metal **GROHE StarLight** chrome finish				
	27 056 000	Chrome	4005176830440	32.06
Rainshower **Wall hand Shower holder** non-adjustable without escutcheon **GROHE StarLight** chrome finish				

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 074 000	Chrome	4005176833083	32.07
	27 074 DC0	supersteel	4005176374487	54.19
	27 074 LS0	moon white	4005176873591	43.12
	27 074 BE0	polished nickel	4005176834325	59.71
	27 074 EN0	brushed nickel	4005176834301	59.70
	27 074 GL0	cool sunrise	4005176338984	59.71
	27 074 GN0	brushed cool sunrise	4005176427084	59.70
	27 074 DA0	warm sunset	4005176338977	59.71
	27 074 DL0	brushed warm sunset	4005176427091	59.70
	27 074 A00	hard graphite	4005176338991	59.71
	27 074 AL0	Brushed Hard Graphite	4005176339004	59.70
	Rainshower **Wall hand Shower holder** non-adjustable with round escutcheon **GROHE StarLight** chrome finish			
	27 075 000	Chrome	4005176833090	32.07
	Rainshower **Wall hand Shower holder** non-adjustable with square escutcheon **GROHE StarLight** chrome finish			
	27 706 000	Chrome	4005176908439	32.08
	27 706 DC0	supersteel	4005176490989	41.00
	27 706 A00	hard graphite	4005176491030	47.00
	27 706 AL0	Brushed Hard Graphite	4005176490972	50.00
	Allure Brilliant **Wall hand Shower holder** non-adjustable material: metal **GROHE StarLight** chrome finish			
	27 693 000	Chrome	4005176907043	21.02
	Euphoria Cube **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish			
	28 403 000	Chrome	4005176264511	40.93
	Movario **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish			

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	28 622 000	Chrome	4005176041297	30.69
	Relexa **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish			
	27 594 000	Chrome	4005176895920	12.05
	Tempesta Cosmopolitan **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish			
	28 605 000	Chrome	4005176041105	19.94
	Relexa **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**27 151 000**	**Chrome**	**4005176837012**	**98.44**
	Pull-out shower for bath rim installation and under tiled surround Lead-through for shower hose shower hose 1/2" x 3/8", 2000 mm (28 158 000) **The pull-out shower assembly can be combined with all hand showers** **GROHE StarLight** chrome finish			
	**27 531 000**	**Chrome**	**4005176889486**	**261.30**
	Pull-out shower for bath rim installation and under tiled surround Lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000) **The pull-out shower assembly can be combined with all hand showers** **GROHE StarLight** chrome finish			
	**27 621 000**	**Chrome**	**4005176898310**	**308.60**
	Grohtherm F **Wall shower union with integrated shower holder** vertical or horizontal installation for use with rough-in box 35 034 000 (1/2" connection) sold separately shower outlet 1/2" hand shower and shower hose sold separately protected against backflow vertical and horizontal installation			
	**35 034 000**		**4005176915697**	**209.06**
	Grohtherm F **Rough-in for wall shower union 27 621** for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing flushing plug for masonry and drywall installation fixing points for front and back wall body of DR brass 1/2" connections installation depth 70 - 95 mm			
	**27 057 000**	**Chrome**	**4005176830457**	**54.18**
	27 057 DC0	**supersteel**	**4005176371196**	**72.51**
	27 057 BE0	**polished nickel**	**4005176426957**	**82.91**
	27 057 EN0	**brushed nickel**	**4005176426964**	**88.04**
	27 057 GL0	**cool sunrise**	**4005176338946**	**82.91**
	27 057 GN0	**brushed cool sunrise**	**4005176426933**	**88.04**
	27 057 DA0	**warm sunset**	**4005176338939**	**82.91**
	27 057 DL0	**brushed warm sunset**	**4005176426940**	**88.04**
	27 057 A00	**hard graphite**	**4005176338953**	**82.91**
	27 057 AL0	**Brushed Hard Graphite**	**4005176338960**	**88.04**
	Rainshower **Shower outlet elbow, 1/2"** male thread with round escutcheon protected against backflow **GROHE StarLight** chrome finish			

GROHE
SHOWER ACCESSORIES

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 076 000	Chrome	4005176833106	54.18
27 706 DC0	supersteel	4005176490989	41.00
27 706 A00	hard graphite	4005176491030	47.00
27 706 AL0	Brushed Hard Graphite	4005176490972	50.00



Rainshower
Shower outlet elbow
male thread
with square escutcheon
protected against backflow
GROHE StarLight chrome finish

---

27 707 000	Chrome	4005176908446	43.15
27 707 DC0	supersteel	4005176490897	65.00
27 707 A00	hard graphite	4005176490941	75.00
27 707 AL0	Brushed Hard Graphite	4005176490880	79.00



Allure Brilliant
Shower outlet elbow, 1/2"
male thread
protected against backflow
material: metal
GROHE StarLight chrome finish

---

27 704 000	Chrome	4005176907159	32.06



Euphoria Cube
Shower outlet elbow, 1/2"
male thread
protected against backflow
GROHE StarLight chrome finish

---

26 370 000	Chrome	4005176341380	32.07



Euphoria Cube
Shower outlet elbow, 1/2"
with wall shower holder
male thread
protected against backflow
GROHE StarLight chrome finish

---

28 405 000	Chrome	4005176264559	51.42



Movario
Shower outlet elbow, 1/2"
protected against backflow
GROHE StarLight chrome finish

---

28 671 000	Chrome	4005176103070	32.07



Relexa
Shower outlet elbow, 1/2"
male thread
GROHE StarLight chrome finish

28 680 000	Chrome	4005176116780	40.93

ditto, protected against backflow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**28 626 000**	**Chrome**	**4005176041358**	**51.42**
	Relexa **Shower outlet elbow, 1/2"** shower connection 1/2" wall connection 1/2" male thread **GROHE StarLight** chrome finish with matt chrome cap			
	28 678 000	**Chrome**	**4005176116711**	**51.42**
	ditto, protected against backflow			
	28 636 000	**Chrome**	**4005176078606**	**54.20**
	ditto, for IG-combination			
	**28 406 000**	**Chrome**	**4005176264566**	**51.42**
	Movario **Shower outlet elbow, 1/2"** with shower holder protected against backflow **GROHE StarLight** chrome finish			
	**28 628 000**	**Chrome**	**4005176041396**	**51.82**
	Relexa **Shower outlet elbow, 1/2"** with wall shower holder male thread **GROHE StarLight** chrome finish			
	28 679 000	**Chrome**	**4005176116759**	**51.42**
	ditto, protected against backflow			

GROHE
SHOWER ACCESSORIES

Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 602 000	**Chrome**	**4005176486531**	**93.00**

Rainshower SmartActive
Shower rail, 600 mm
with wall holders made of metal
glide element and swivel holder
GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish

26 603 000	**Chrome**	**4005176486548**	**98.00**
26 603 BE0	**polished nickel**	**4005176558719**	**196.00**
26 603 EN0	**brushed nickel**	**4005176558740**	**215.00**
26 603 GL0	**cool sunrise**	**4005176558757**	**196.00**
26 603 GN0	**brushed cool sunrise**	**4005176558764**	**215.00**
26 603 DA0	**warm sunset**	**4005176558726**	**196.00**
26 603 DL0	**brushed warm sunset**	**4005176558733**	**215.00**
26 603 A00	**hard graphite**	**4005176558696**	**196.00**
26 603 AL0	**Brushed Hard Graphite**	**4005176558702**	**215.00**

ditto, 900 mm



28 620 000	**Chrome**	**4005176041259**	**135.37**

Relexa
Shower rail, 600 mm
Ø 28 mm
with wall holders
glide element and swivel holder
angle of inclination adjustable by click stop device
height adjustment via locking nut
GROHE StarLight chrome finish



28 621 000	**Chrome**	**4005176041273**	**166.85**

Relexa
Shower rail, 1000 mm
Ø 28 mm
with wall holders
glide element and swivel holder
angle of inclination adjustable by click stop device
height adjustment via locking nut
GROHE StarLight chrome finish



28 587 000	**Chrome**	**4005176282966**	**187.84**

Relexa
Shower rail, 900 mm
with handle
handle can be mounted right or left handed
with wall brackets (3 pieces)
gliding element with metal sleeve
angle of inclination adjustable by click stop device
height adjustment via locking nut
GROHE StarLight chrome finish



27 892 000	**Chrome**	**4005176921216**	**186.95**

Euphoria Cube
Shower rail, 600 mm
with wall holders, glide element and swivel holder
GROHE StarLight chrome finish

27 841 000	**Chrome**	**4005176916670**	**198.00**

ditto, 900 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**27 499 000**	**Chrome**	**4005176886041**	**43.14**
	Euphoria **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE QuickFix** (upper bracket adjustable to adapt to existing holes) **GROHE StarLight** chrome finish			
	27 500 000 **ditto, 900 mm**	**Chrome**	**4005176886058**	**54.19**
	**27 519 000**	**Chrome**	**4005176886485**	**54.20**
	Tempesta Rustic **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish			
	27 520 000 **ditto, 900 mm**	**Chrome**	**4005176886492**	**54.21**
	**27 521 000**	**Chrome**	**4005176886508**	**43.13**
	Tempesta Cosmopolitan **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish			
	27 522 000 **ditto, 900 mm**	**Chrome**	**4005176886515**	**54.20**
	**27 523 000**	**Chrome**	**4005176886522**	**43.12**
	Tempesta **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish			
	27 524 000 **ditto, 900 mm**	**Chrome**	**4005176886539**	**65.25**
	**45 914 XE0**	**gray night time**	**4005176842054**	**24.40**
	Spacer for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136			
	**45 459 000**		**4005176056444**	**13.09**
	spacer for shower rail 28 620 / 28 621			

GROHE
SHOWER ACCESSORIES

Ref. No.	Colour	EAN code	Retail Guide Price (£)



48 051 000 — **4005176890024** — **6.30**

Spacer
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524
for Euphoria shower rails
27 499 / 27 500



26 385 000 — **Chrome** — **4005176375057** — **19.94**

Rainshower SmartControl
Spacer
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable



28 856 000 — **4005176603495** — **30.43**

Soap dish
acrylic, clear
for Relexa shower rails (28 820 and 28 666)
GROHE StarLight chrome finish



28 631 000 — **4005176019142** — **51.42**

Relexa
Soap dish
for shower rail 28 620 / 28 621
GROHE StarLight chrome finish



27 206 000 — **4005176845444** — **21.02**

Soap dish
transparent
surface textured in parts



27 596 000 — **4005176895944** — **9.95**

GROHE EasyReach tray
acrylic
for Tempesta and Euphoria shower rails Ø 22 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 320 000	Chrome	4005176600159	78.18
Riser pipe 1300 mm with compression coupling 3/4" wall support with compensation piece **GROHE StarLight** chrome finish				
	28 708 000	Chrome	4005176602375	82.90
Pipe clip for pillar shower, 1/2" for shower riser Ø 18 mm with stone pin with wood screws **GROHE StarLight** chrome finish				
	28 389 000	Chrome	4005176269837	12.49
Sena **Adapter 1/2" x 1/2"** material: metal for use with hand shower holder or shower rail **GROHE StarLight** chrome finish				
	28 812 000	black	4005176602887	9.50
Adapter 1/2" x 1/2" black (to combine handshowers of other manufacturers with Relexa shower rails)				
	28 813 000	white	4005176602894	9.50
Adapter 1/2" x 1/2" white (to combine handshowers of other manufacturers with Relexa shower rails)				
	28 635 XX0	dark grey	4005176041457	9.44
Relexa **Coupling piece** as replacement connector for new hand shower and hose each handshower is equipped with a coupling piece				

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	28 634 XX0	dark grey	4005176041440	30.17

Relexa
Quick coupling
for combination with average showers
without integrated **Grohclick**
with new system
only in connection with coupling piece
(28 635/28 637)

	28 874 000	Chrome	4005176042348	73.61

Tee Connection
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE StarLight chrome finish

	28 988 000	Chrome	4005176042805	102.91

Drain Down Valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish

	28 799 000	Chrome	4005176602511	102.21

Diverter
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
KITCHEN FITTINGS

CONTENTS

Water Systems	GROHE Blue Professional	539
	GROHE Blue Home	547
	GROHE Blue Pure	557
	GROHE Blue Accessories	561
	GROHE Red	567
	Waste separation systems	573
Premium Lines	K7	577
	Foot Control	579
	Minta / Minta SmartControl / Minta Touch	581
	Zedra / Zedra SmartControl / Zedra Touch	587
	Atrio	591
	Essence	593
	Eurocube	597
Competence Lines	Ambi	599
	Parkfield	601
	Eurodisc Cosmopolitan	603
	Eurodisc	605
	Concetto	607
	Eurostyle Cosmopolitan	611
	Eurosmart Cosmopolitan	615
	Eurosmart	619
	Euroeco / Euroeco Special	623
	Costa	625
	Bau Lines	629
	Soap dispensers and Accessories	633
Kitchen sinks	Stainless steel sinks	637
	Composite sinks	645

HANDS ON
GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen taps include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.

Lead+Nickel Free
No contact of water with lead and nickel due to isolated inner water ways.

EasyExchange
The aerator is easy to install and de-install using just a coin.

ProfessionalSpray
Features a 360° spring arm and easy switching between the spray and mousseur.

EasyTouch
Just touch the tap at any point with your wrist, elbow or just your fingertip to turn the tap ON and OFF.

FootControl
Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the tap ON and OFF.

Magnetic Docking
Thanks to powerful integrated magnets the pull-out spray head retracts easily and smoothly to the perfect position after every use.

Pull-Out Dual Spray
Increases operating radius of the tap and offers easy switching between mousseur and the spray.

Pull-Out Mousseur
Increases the operating radius of your tap.

EasyDock
Guarantees easy retraction and smooth docking for your pull-out spray head, every time.

GROHE QuickFix Plus
65% faster installation.

SpeedClean
Remove limescale with a single wipe.

OpenWaterHeater
The perfect flow in combination with open water heaters.

StopValve
Includes a dishwater shut-off valve on the tap body.

PreWindow
To open the window, just lift up the tap and lay it flat on the surface.

ComfortHeight
Height of the spout allows easy filling of large pots.

SwivelStop
Limited turn angle prevents flooding.



Forward Rotating Lever
Forward rotating lever prevents the lever hitting the backsplash.

Enhanced Water
Superior-quality water directly from the kitchen tap – saving time, money and the environment.

ChildLock
Integrated safety mechanism prevents unintentional opening by young children.

Titanium Inside
All boilers in our GROHE Red collection are made from titanium.

WELCOME TO YOUR **PRIVATE WATER SOURCE**

When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure. And your kitchen into a meeting place for thirsty friends.

STILL, MEDIUM OR SPARKLING: THE CHOICE IS ALL YOURS

How sparkling do you like your water? It's all a matter of taste. GROHE Blue Home has a simple and intuitive mechanism that lets you carbonate your drinking water at the touch of a button. Deliciously cool filtered water, just the way that you – and all your family – like it.

Still waters run deep. If you prefer your water cool and still, nothing could be simpler: just push the top button. The LED lights up blue and your glass fills with pure refreshment.

Sparkling – but not too much? More of a medium sparkling? Coming right up. Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.

Sparkling water, alive with bubbles. If that's your idea of thirst-quenching heaven, just press the lower button – the LED lights up green – for your perfect glass of water.

THE **MAGIC** IS IN THE FILTER

For our GROHE Blue system we have worked with BWT, Europe's leading filtered water professionals, to ensure that our system produces an unparalleled, refreshing drinking experience. Our standard high performance S-Size filter comes with every GROHE Blue Home starter set. It uses a five-step filtration process to remove even the smallest particles from tap water, while leaving behind all the important minerals that benefit your health.

THE **GUARANTEE** FOR PURE TASTE

If you enjoy tea and coffee, you'll love them even more with GROHE Blue Home. Whether in your coffee machine or for making tea, the still water brings out the best in your favourite hot drinks. And thanks to the ultimate purity of the filtered water, the aromas can develop to the full – for an unforgettable café crema. At the same time protecting your high-end kitchen appliances.

NEW: WITH **PULL-OUT FUNCTION**

Our new GROHE Blue Home taps now come with a pull-out mousseur head for ultimate functionality and flexibility. Select from three contemporary tap shapes with a pull-out head, each with a hygienic mouser and two separate waterways, delivering both filtered and unfiltered water effortlessly.



CONTROL VIA SMARTPHONE APP

Control your GROHE Blue Home tap via smartphone app for total convenience. The GROHE Ondus App will not only let you know when the filter or CO2 need replacing, but can reorder for you automatically. Use it to pour water and monitor your consumption via personal fitness apps.

System requirements
iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

THE **GROHE BLUE HOME PRODUCT** PORTFOLIO

31 454 001 / 31 454 DC1
GROHE Blue Home
L-spout

31 455 001 / 31 455 DC1
GROHE Blue Home
C-spout

31 456 001 / 31 456 DC1
GROHE Blue Home
U-spout

31 498 001 / 31 498 DC1
GROHE Blue Home
Mono

31 539 000 / 31 539 DC0
GROHE Blue Home
L-spout with pull-out

31 541 000 / 31 541 DC0
GROHE Blue Home
C-spout with pull-out

31 543 000 / 31 543 DC0
GROHE Blue Home
U-spout with pull-out

GROHE BLUE HOME CONTAINS:

THE **PERFECT SOLUTION** FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.
The GROHE Blue Professional water system makes this a reality in your own home. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the tap.

FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS TO YOUR OFFICE:**

Access to fresh, cool water at any time - still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing

GROHE BLUE PROFESSIONAL
PRODUCT PORTFOLIO

31 323 002 / 31 323 DC2
GROHE Blue Professional
C-spout

31 347 003 / 31 347 DC3
GROHE Blue Professional
L-spout

31 325 002 / 31 325 DC2
GROHE Blue Professional
C-spout, pull out mousseur

31 326 002 / 31 326 DC2
GROHE Blue Professional
L-spout, pull out mousseur

31 302 002 / 31 302 DC2
GROHE Blue Professional
Mono

99° C STRAIGHT FROM THE TAP

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen faucet.
With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.

THE **BENEFITS** ARE CRYSTAL CLEAR

SAFETY FIRST
Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

NO MORE WAITING
kettle-hot water is always available at the turn of the lever, so waiting for the kettle or pot to boil is a thing of the past

LESS WASTE
you only take the exact amount of hot water you need, so you save on water and energy consumption

CLEAN, FRESH TASTE
filtered water heated to 100 degrees for an exceptional taste experience

CLEAR YOUR WORKTOP
no need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single faucet

GROHE RED
PRODUCT PORTFOLIO

30 340 001 / 30 340 DC1
GROHE RED Duo
L-spout, L Size

30 329 001
GROHE RED Mono
L-spout, M Size

30 058 001 / 30 058 DC1
GROHE RED Duo
C-spout, M Size

30 060 001
GROHE RED Mono
C-spout, M Size

30 327 001 / 30 327 DC1
GROHE RED Duo
L-spout, M Size

EACH GROHE RED CONTAINS
BOILER (M OR L SIZE) & FILTERSET.

40 841 001
GROHE RED mixing valve

Colour options:
001 I StarLight Chrome | DC1 I SuperSteel

GROHE
EASYTOUCH

Simple activation/deactivation
of the water flow by touch.

Manual control with the lever.

Kitchens are hands-on places, where multi-tasking is a must. Why not make life easier for yourself with a GROHE touch-activated tap? We've developed a choice of two innovative solutions that let you control the flow of water without using your hands, making your kitchen more hygienic, convenient and instinctive to use. GROHE EasyTouch taps can be activated with a simple touch of the wrist or elbow. Leave your hands free and keep your tap sparkling clean. Change the way you control your kitchen with just a single touch.

GROHE
FOOTCONTROL

For kitchens where time is of the essence and convenience is a must, why not go hands-free? GROHE's new FootControl taps can be turned on and off with a gentle tap of your foot on the base unit, leaving your hands free and your tap spotless at all times. Three of our most popular taps now come with this innovative FootControl technology, or you can retro-fit the feature to any GROHE pull-out kitchen tap. To say goodbye to germs, mess and hassle, simply tap your feet!

GROHE
PROFESSIONAL SPRAYS

THE COLORFUL WORLD OF **ESSENCE PROFESSIONAL**

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic santoprene hose is not only easy-to-clean but also comes in a choice of 11 colour finishes.

Colour options (hose)

Order 30 294 000 (chrome) / 30 294 DC0 (SuperSteel) and add a colour of your choice 30 321 + color code

- MW0 I Sheer Marble
- XC0 I Dark Grey
- YF0 I Yellow
- YR0 I Orange
- DG0 I Red
- DP0 I Pink
- DU0 I Purple
- GE0 I Green
- TY0 I Blue
- HG0 I Dark Brown

Exchange the hose via 4 simple steps:

Step 1
Loose the 2 screws with the screwdriver from the body and the spray.

Step 2
Take the original hose with the connection out of the tap body and the spray and put it to the side.

Step 3
Take the new hose and insert it with the connection into the tap body and the spray.

Step 4
Insert the 2 screws with the screw driver.

A CYLINDRICAL STATEMENT
CONCETTO PROFESSIONAL

Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousseur and powerful SpeedClean spray with ease - the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.

GROHE KITCHEN SINK FEATURES

STAINLESS STEEL SINKS

	STANDARD BUILT-IN	FLAT-EDGE	FLUSH-MOUNT	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	AISI 304 (V2A)	AISI 316 (V4A)	SATIN FINISH	PVD COLOR	PRE-POLISHED	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED	BUNDLE AVAILABLE
	MOUNTING TYPE				**NUMBER OF BOWLS & RADIUS**				**DRAI-NER**	**MATERIAL**		**FINISH**			**ADDITIONAL FEATURES**			
K1000 			●		●			R10	●	●		●			●		●	
K800			●		●		●	R10		●		●			●		●	
K700 U			●	●		●		R10		●		●	●				*** ●	
K700			●		●			R15		●		●					*** ●	
K500	●				●	●	●	R65	●	●		●			●	●	●	●
K400+		●			●	●		R20	●		●	●			●	●	●	
K400	●				●	●	●	R20	●	●		●			●	●	●	●
K300	●				●	●		R95	●	●		●			●	●	●	●
K200	●				●	●		R100/ R60	●	●				●	●	●	●	●

* R0 (bottom, front & back top) / R30 (right & left top)
** R0 (vertical) / R9 (bottom)
*** optional accessory 40 953 000

COMPOSITE SINKS

	STANDARD BUILT-IN	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	COMPOSITE	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED
	MOUNTING TYPE		**NUMBER OF BOWLS & RADIUS**				**DRAINER**	**MATERIAL**	**ADDITIONAL FEATURES**		
K700 U	●	●	●			R0 / R30*		●			●
K700	●	O	●	●	●	R0		●	●	O	●
K500	●	O	●	●		R0 / R9**	●	●	●	O	●
K400	●		●	●		R15	●	●	●	●	●
K200	●		●			R60		●	●		●

O selected products
● all products in this line

GROHE BLUE & GROHE RED WATERSYSTEMS

	DESIGN	MIXED WATER	FILTERED WATER	SPARKLING WATER	BOILING WATER	PULL-OUT MOUSSEUR	CO_2-BOTTLE	FILTER	FILTERHEAD	CARBONIZER	BOILER	APP CONTROL	CHROME	PVD COLORS	PERFECT MATCH: SOAP DISPENSER 40 535 000 / 40 535 DC0 (available colors p. 264)	PERFECT MATCH: WASTE SYSTEMS
GROHE BLUE HOME		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE HOME MONO			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PROFESSIONAL		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE MONO PROFESSIONAL			●	●			●	●	●	●		●	●	●	●	●
GROHE BLUE PURE FILTER		●	●					●	●				●	●	●	●*
		●	●					●	●				●	●	●	●*
GROHE BLUE PURE FILTER MONO			●					●	●				●	●	●	●*
GROHE RED DUO		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
GROHE RED MONO					●			●	●		●		●	●	●	●
					●			●	●		●		●	●	●	●

* Additional waste bin is needed

GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	FILTERED WATER	EASYTOUCH	FOOTCONTROL	SMARTCONTROL	PROFESSIONAL SPRAY	PULL-OUT TRIPLE SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLORS	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 535 000 / 40 535 DC0 (available colors p. 264)	SOAP DISPENSER 40 536 000 / 40 536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE K7								●		●			●	●	●			
						●							●	●	●			
GROHE K7 FOOTCONTROL				●		●							●		●			
GROHE MINTA					●			●	●			●	●	●	●			
								●	●				●	●	●			
								●	●				●	●	●			
GROHE MINTA TOUCH			●					●					●	●	●			
			●						●				●	●	●			
GROHE ZEDRA					●		●	●				●	●	●			●	
		●					●	●				●	●	●			●	
GROHE ZEDRA TOUCH			●				●	●					●	●			●	
GROHE ESSENCE					●	●		●					●	●	●			
GROHE ESSENCE FOOTCONTROL				●				●					●	●	●			
GROHE ATRIO													●	●	●			
GROHE EUROCUBE													●	●	●			
						●							●	●	●			
GROHE AMBI													●		●	●		
GROHE PARKFIELD								●					●	●				●
GROHE EURODISC COSMOPOLITAN								●			●	●	●		●			
									●				●		●			
													●		●			

GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLORS	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 535 000 / 40 535 DC0	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 536 000 / 40 536 DC0
GROHE CONCETTO		●					●	●	●	
		●	●	●	●	●	●	●	●	
		●	●	●		●	●	●	●	
		●					●		●	
GROHE EUROSTYLE COSMOPOLITAN							●		●	
					●	●	●		●	
			●	●			●		●	
							●		●	
GROHE EUROSMART COSMOPOLITAN					●	●	●		●	
						●	●	●	●	
			●				●	●	●	
GROHE EUROSMART			●				●	●		●
						●	●	●		●
							●			●
GROHE BAU							●			●

	DESIGN	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLORS	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 535 000 / 40 535 DC0	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 553 000 / 40 553 DC0
GROHE ZEDRA		●				●			●
GROHE MINTA			●			●		●	
		●				●		●	
GROHE CONCETTO			●	●	●	●		●	
			●			●		●	
GROHE EUROSTYLE COSMOPOLITAN						●		●	
						●		●	
						●		●	
GROHE EUROSMART COSMOPOLITAN						●		●	
						●	●	●	
						●		●	

ACCESSORIES
FOR GROHE WATER SYSTEMS

	FILTER					CO_2 BOTTLES		CLEANING AND ACCESSORIES		
	40 404 001 S-Size	**40 430 001** M-Size	**40 412 001** L-Size	**40 547 001** ACTIVATED CARBON	**40 691 001** MAGNESIUM	**40 422 000** CO_2 STARTER KIT 425 G **40 687 000** CO_2 REFILL 425 G	**40 423 000** CO_2 STARTER KIT 2 KG **40 424 000** CO_2 REFILL 2 KG	**40 962 000** CO_2 ADAPTER TO 425 G	**40 434 001** CLEANING CARTRIDGE	**40 694 000** CLEANING CARTRIDGE ADAPTER
GROHE BLUE HOME	•	•		•	•	•			•	•
GROHE BLUE PROFESSIONAL	•	•	•	•	•	•	•	•	•	•
GROHE RED	•	•	•		•					
FILTER TAPS	•	•	•	•	•					

GROHE
BLUE PROFESSIONAL

GROHE
BLUE PROFESSIONAL



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 323 002	**Chrome**	**4005176989933**	**2,067.83**
31 323 DC2	**supersteel**	**4005176989940**	**2,324.34**

GROHE Blue Professional
C-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE PROFESSIONAL



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 347 003	**Chrome**	**4005176443336**	**2,067.83**
31 347 DC3	**supersteel**	**4005176446559**	**2,324.34**

GROHE Blue Professional
L-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE PROFESSIONAL



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 325 002	**Chrome**	**4005176507274**	**2,172.53**
31 325 DC2	**supersteel**	**4005176507250**	**3,261.43**

GROHE Blue Professional
C-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE PROFESSIONAL



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 326 002	**Chrome**	**4005176507236**	**2,172.53**
31 326 DC2	**supersteel**	**4005176507212**	**3,261.43**

GROHE Blue Professional
L-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE PROFESSIONAL



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 302 002	**Chrome**	**4005176443343**	**1,968.36**
31 302 DC2	**supersteel**	**4005176443350**	**2,197.66**

GROHE Blue Professional
C-spout kit
Consisting of:
GROHE Blue Mono mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 554 002		**4005176458521**	**2,444.00**

GROHE Blue Professional
Cooler and carbonizer
delivers 12 liters of chilled water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
compatible only with GROHE Blue faucets with push button operation

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME

GROHE
BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 455 001	**Chrome**	**4005176454134**	**1,989.90**
31 455 DC1	**supersteel**	**4005176454141**	**2,281.68**
31 455 DA1	**warm sunset**	**4005176488955**	**2,249.00**
31 455 DL1	**brushed warm sunset**	**4005176488962**	**2,249.00**
31 455 A01	**hard graphite**	**4005176488931**	**2,249.00**
31 455 AL1	**Brushed Hard Graphite**	**4005176488948**	**2,249.00**

GROHE Blue Home
C-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 455 000	**Chrome**	**4005176323027**	**1,989.90**
31 455 DC0	**supersteel**	**4005176323034**	**2,281.68**

GROHE Blue Home
C-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

GROHE
BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 541 000	**Chrome**	**4005176437038**	**2,100.51**
31 541 DC0	**supersteel**	**4005176437045**	**2,646.32**

GROHE Blue Home
C-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout, swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 454 001	**Chrome**	**4005176454110**	**1,989.90**
31 454 DC1	**supersteel**	**4005176454127**	**2,281.68**
31 454 DA1	**warm sunset**	**4005176488917**	**2,249.00**
31 454 DL1	**brushed warm sunset**	**4005176488924**	**2,249.00**
31 454 A01	**hard graphite**	**4005176488894**	**2,249.00**
31 454 AL1	**Brushed Hard Graphite**	**4005176488900**	**2,249.00**

GROHE Blue Home
L-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle
This product includes an article which is declared as a hazardous substance.
Find more information in the safety data sheet. You can download the safety data
at: www.grohe.com/safety-data-sheets/

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 539 000	**Chrome**	**4005176437014**	**2,100.51**
31 539 DC0	**supersteel**	**4005176437021**	**2,646.32**

GROHE Blue Home
L-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout, swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 456 001	**Chrome**	**4005176454158**	**1,989.90**
31 456 DC1	**supersteel**	**4005176454165**	**2,281.68**

GROHE Blue Home
U-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
U spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 543 000	**Chrome**	**4005176437052**	**2,100.51**
31 543 DC0	**supersteel**	**4005176437069**	**2,646.32**

GROHE Blue Home
U-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
U spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout, swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 498 001	**Chrome**	**4005176454172**	**1,989.89**
31 498 DC1	**supersteel**	**4005176454189**	**2,211.11**
31 498 DA1	**warm sunset**	**4005176488993**	**2,249.00**
31 498 DL1	**brushed warm sunset**	**4005176489006**	**2,249.00**
31 498 A01	**hard graphite**	**4005176488979**	**2,249.00**
31 498 AL1	**Brushed Hard Graphite**	**4005176488986**	**2,249.00**

GROHE Blue Home
Mono Starter kit
Consisting of:
GROHE Blue Home Mono faucet with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
swivel tubular spout, swivel area 150°
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 711 001		**4005176454301**	**1,144.18**



GROHE Blue Home
Cooler
180 Watt cooling unit, 230 V, 50 Hz
delivers 3 liters of chilled sparkling water per hour
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE PURE

GROHE
BLUE PURE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 382 000	**Chrome**	**4005176565496**	**501.51**
30 382 DC0	**supersteel**	**4005176565502**	**574.80**



GROHE Blue Pure Minta
Starter kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
L-spout
pull out mousseur spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
swivel tubular spout
swivel area 90°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Upto 3000 Liters
filter exchange timer including 2 x AA batteries

30 383 000	**Chrome**	**4005176565519**	**344.46**



GROHE Blue Pure Eurosmart
Starter kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Upto 3000 Liters
filter exchange timer including 2 x AA batteries

30 385 000	**Chrome**	**4005176565533**	**313.05**



GROHE Blue Pure BauCurve
Starter kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Upto 3000 Liters
filter exchange timer including 2 x AA batteries

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE PURE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 387 000	**Chrome**	**4005176565557**	**260.70**



GROHE Blue Pure Mono
Starter kit
Consisting of:
GROHE Blue Mono mixer with filter function
monobloc installation
C-spout
handle for filtered table water
headpart 1/2“
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Upto 3000 Liters
filter exchange timer including 2 x AA batteries

GROHE
BLUE ACCESSORIES

GROHE
BLUE ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 848 000		4005176351082	7.41
GROHE Blue **Drinking bottle** Tritan drinking bottle with GROHE Blue decor BPA (Bispenol A) free lid with strap volume 500 ml				
	40 848 SD0	stainless steel	4005176386008	11.24
GROHE Blue **Thermo drinking bottle** stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml				
	40 405 000		4005176860812	25.83
GROHE Blue **Glass carafe** crystal glass with GROHE Blue decor stainless steel lid dish washer safe volume 1l				
	40 437 000		4005176885471	25.83
GROHE Blue **Water glasses (6 pieces)** crystal glasses with GROHE Blue decor dish washer safe volume 250 ml				
	46 717 000		4005176890925	208.83
Pressure indicator for GROHE Blue including adapters for 425 g and 2 kg CO_2 bottles				
	40 962 000		4005176529412	29.58
GROHE Blue **CO_2 adapter** adapter for GROHE Blue Professional CO_2 pressure reducer for use with 425 g CO_2 bottles for GROHE Blue Professional systems as of January 2019				

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE ACCESSORIES

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 621 000	**Chrome**	**4005176923333**	**19.94**
40 621 DC0	**supersteel**	**4005176923340**	**19.94**

GROHE Blue
Shorter mixed water lever
for GROHE Blue and GROHE Red kitchen mixers to avoid the lever hitting the backwall of the kitchen in warm water position
fits to:
- 31 323 001 / DC1
- 31 324 001 / DC1
- all GROHE Red Duo faucets

---

40 404 001 — **4005176984068** — **51.66**



GROHE Blue
Filter S-Size
BWT replacement filter for GROHE Blue
Capacity 600 L at 20° dKH
5-stage filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure

40 430 001 — **4005176984075** — **95.83**
ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high

40 412 001 — **4005176984082** — **124.99**
ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high

---

40 547 001 — **4005176984099** — **51.66**



GROHE Blue
Activated carbon filter
BWT replacement filter for GROHE Blue systems
for regions with water hardness below 9° dKH
Upto 3000 Liters
3-stage filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure

---

40 691 001 — **4005176984129** — **66.24**



GROHE Blue
Magnesium+ Filter
BWT replacement filter for GROHE Blue
for recharge of the water with magnesium
Capacity 400 L at 17° dGH
5-stage filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure

---

40 575 001 — **4005176385766** — **221.00**



GROHE Blue UltraSafe
Filter
exchange filter for GROHE Blue UltraSafe
Up to 3000 Liters
2-phase-filter

---

64 508 001 — **4005176984112** — **34.16**

GROHE Blue
Filter Head
for use with GROHE Blue filters 40 404 001 / 40 430 001 / 40 412 001 / 40 691 001 / 40 547 001, sold separately

GROHE
BLUE ACCESSORIES

Ref. No.	Colour	EAN code	Retail Guide Price (£)



40 434 001 **4005176985294** **29.58**

GROHE Blue
Cleaning cartridge
for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head
for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

40 694 000 **4005176985300** **22.08**

GROHE Blue
Cleaning cartridge adapter
for GROHE Blue BWT filterhead 64 508 001
for use with GROHE Blue cleaning cartridge 40 434 001, sold separately

40 422 000 **4005176890246** **66.66**

GROHE Blue
Starter kit 425 g CO_2 bottles (4 pieces)
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
for refilling please order 40 687 000
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

40 687 000 **4005176981838** **29.16**

GROHE Blue
Refill 425 g CO_2 bottles (4 pieces)
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



40 920 000 **Chrome** **4005176470646** **18.33**

GROHE Blue
425 g CO_2 bottle
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
sales unit 18 pieces
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**40 423 000**		**4005176890253**	**87.49**

GROHE Blue
Starter kit 2 kg CO_2 bottle
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 2 kg, up to 350 l sparkling water
integrated shut-off valve and safety carrier handle
for refilling please order 40 424 000
not suitable for the GROHE Blue Home cooler

	40 843 000		**4005176337109**	**47.91**

GROHE Blue
Extension set
Consisting of:
extension cable 5 m
hose for drinking water, 5 m
tube cutter
adapters and clips
suitable for GROHE Blue Home and GROHE Blue Professional
(from January 2019)

GROHE RED

GROHE
RED

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 328 001	**Chrome**	**4005176414107**	**2,100.49**
30 328 DC1	**supersteel**	**4005176414114**	**2,211.11**



GROHE Red Duo
Tap and L Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
monobloc installation
C-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for kettle hot and hot water
Without safety expansion vessel, comes with safety valve assembeley instead
5.5 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

30 340 001	**Chrome**	**4005176414893**	**2,100.50**
30 340 DC1	**supersteel**	**4005176414909**	**2,211.12**



GROHE Red Duo
Tap and L Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
monobloc installation
L-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for kettle hot and hot water
5.5 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RED

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 058 001	**Chrome**	**4005176989162**	**1,989.89**
30 058 DC1	**supersteel**	**4005176989179**	**2,100.48**
30 058 DA1	**warm sunset**	**4005176489273**	**2,249.00**
30 058 DL1	**brushed warm sunset**	**4005176489280**	**2,249.00**
30 058 A01	**hard graphite**	**4005176489259**	**2,249.00**
30 058 AL1	**Brushed Hard Graphite**	**4005176489266**	**2,249.00**



GROHE Red Duo
Tap and M Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
monobloc installation
C-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

30 341 001	**Chrome**	**4005176414916**	**1,989.89**
30 341 DC1	**supersteel**	**4005176414923**	**2,100.48**
30 341 DA1	**warm sunset**	**4005176489310**	**2,249.00**
30 341 DL1	**brushed warm sunset**	**4005176489327**	**2,249.00**
30 341 A01	**hard graphite**	**4005176489297**	**2,249.00**
30 341 AL1	**Brushed Hard Graphite**	**4005176489303**	**2,249.00**



GROHE Red Duo
Tap and M Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
monobloc installation
L-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

GROHE
RED

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 060 001	**Chrome**	**4005176989186**	**1,768.69**



GROHE Red Mono
Pillar tap and M size boiler
Consisting of:
GROHE Red Mono pillar tap
monobloc installation
C-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

	30 329 001	**Chrome**	**4005176414121**	**1,768.69**



GROHE Red Mono
Pillar tap and M size boiler
Consisting of:
GROHE Red Mono pillar tap
monobloc installation
L-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

	40 841 001	**Chrome**	**4005176335358**	**94.02**

GROHE Red
Mixing valve
for thermostatic mixing of mains and boiling water to generate warm water adjustable between 35°C and 75°C
hot fill and cold fill installation possible
including 70 cm connection hose, manifold and wall fixation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RED

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 842 001	**Chrome**	**4005176335365**	**1,039.75**

GROHE Red
Boiler Size M
reservoir for hot water
3 liter hot water at 99° C
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hoses and connection for boiling water
CE approved
power supply 230 V 50 Hz 30 VA
power consumption 2100 W
standby power consumption 15 W

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 834 001	**Chrome**	**4005176335280**	**738.12**

GROHE Red
Boiler Size L
reservoir for hot water
5.5 liter hot water at 99° C
5.5 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hoses and connection for boiling water
CE approved
power supply 230 V 50 Hz 30 VA
power consumption 2100 W
standby power consumption 15 W

			Ref. No.	EAN code	Retail Guide Price (£)
			**40 438 001**	**4005176984105**	**141.66**

GROHE Red
Filter with filter head
for regions with water hardness higher 12° KH
turn before GROHE Red boiler
flexible connection hoses
filter 600 l

			Ref. No.	EAN code	Retail Guide Price (£)
		**stainless steel**	**40 919 SD0**	**4005176450136**	**13.33**

GROHE Red
Thermo drinking bottle
stainless steel bottle with GROHE Red decor
double-walled
lid with strap
with tea strainer
volume 450 ml

		Ref. No.	EAN code	Retail Guide Price (£)
		**40 432 000**	**4005176883255**	**22.08**

GROHE Red
Tea glasses (4 pieces)
heat proof glass with GROHE Red decor
dish washer safe
volume 250 ml

GROHE
WASTE SEPARATION SYSTEMS

GROHE
WASTE SEPARATION SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 855 000		4005176356452	57.00

GROHE Blue
Waste separation system 30 cm - 15 l / 15 l
installation type: floor mounted, behind swinging door
technique: full extension
operation: manual telescopic
separation: double, 2 x 15 l
cabinet width: 30 cm and wider
compatible with GROHE Blue Home and GROHE Red M and L size

	40 980 000		4005176586446	292.00

GROHE Blue
Waste separation system 60 cm - 29 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: single, 1 x 29 l
cabinet width: 60 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size

	40 981 000		4005176586453	292.00

GROHE Blue
Waste separation system 60 cm - 8 l / 8 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: double, 2 x 8 l
cabinet width: 60 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size

	40 982 000		4005176586460	311.00

GROHE Blue
Waste separation system 90 cm - 11 l / 29 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: double, 1 x 11 l, 1 x 29 l
cabinet width: 90 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size

	40 983 000		4005176586477	311.00

GROHE Blue
Waste separation system 90 cm - 8 l / 8 l / 11 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: triple, 2 x 8 l, 1 x 11 l
cabinet width: 90 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WASTE SEPARATION SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 984 000		4005176586484	47.00

GROHE Blue
Retrofit kit for extricable metal cover
contents: pull-out rails and anti-slip mat
for use with GROHE Blue waste separation system
40 980, 40 981, 40 982 or 40 983, sold separately

GROHE
K7

GROHE
K7

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**32 950 000**	**Chrome**	**4005176879838**	**622.25**
	32 950 DC0	**supersteel**	**4005176879845**	**812.41**
	32 950 A00	**hard graphite**	**4005176488870**	**849.00**
	32 950 AL0	**Brushed Hard Graphite**	**4005176488887**	**849.00**

K7
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system

	**31 379 000**	**Chrome**	**4005176938085**	**601.12**
	31 379 DC0	**supersteel**	**4005176938092**	**780.72**
	31 379 A00	**hard graphite**	**4005176488856**	**819.00**
	31 379 AL0	**Brushed Hard Graphite**	**4005176488863**	**819.00**

K7
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout, swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FOOT CONTROL

GROHE
FOOT CONTROL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**30 309 000**		**4005176351235**	**352.86**

Foot Control
Dual flush valve set
Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
upgrade set for GROHE pull-out kitchen faucets
not suitable for combination with open water heater (SKUs 32 555 000, 31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0, 31 179 000, 31 132 001

	**30 310 000**	**Chrome**	**4005176351242**	**313.00**

Foot Control
Dual flush valve set
Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
upgrade set for GROHE pull-out kitchen faucets
not suitable for combination with open water heater (SKUs 32 555 000, 31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0, 31 179 000, 31 132 001

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 613 000	**Chrome**	**4005176521973**	**304.00**
31 613 DC0	**supersteel**	**4005176521980**	**394.00**
31 613 DA0	**warm sunset**	**4005176523595**	**425.00**
31 613 A00	**hard graphite**	**4005176523601**	**425.00**



Minta SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE StarLight chrome finish
pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero separated inner water ways - lead and nickel free

31 360 001	**Chrome**	**4005176343025**	**551.95**
31 360 DC1	**supersteel**	**4005176343032**	**717.86**



Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

31 358 002	**Chrome**	**4005176465000**	**568.38**
31 358 DC2	**supersteel**	**4005176465017**	**710.76**



Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout
monobloc installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

31 375 000	**Chrome**	**4005176934155**	**210.23**
31 375 DC0	**supersteel**	**4005176934162**	**273.62**
31 375 DA0	**warm sunset**	**4005176488634**	**299.00**
31 375 DL0	**brushed warm sunset**	**4005176488641**	**299.00**
31 375 A00	**hard graphite**	**4005176488610**	**299.00**
31 375 AL0	**Brushed Hard Graphite**	**4005176488627**	**299.00**



Minta
Single-lever sink mixer 1/2"
L-spout
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 168 000	**Chrome**	**4005176824425**	**210.23**
32 168 DC0	**supersteel**	**4005176824432**	**273.62**



Minta
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

30 274 000	**Chrome**	**4005176314988**	**263.05**
30 274 DC0	**supersteel**	**4005176314995**	**329.91**
30 274 DA0	**warm sunset**	**4005176488672**	**356.00**
30 274 DL0	**brushed warm sunset**	**4005176488689**	**356.00**
30 274 A00	**hard graphite**	**4005176488658**	**356.00**
30 274 AL0	**Brushed Hard Graphite**	**4005176488665**	**356.00**



Minta
Single-lever sink mixer 1/2"
L-spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

32 917 000	**Chrome**	**4005176230950**	**167.97**
32 917 DC0	**supersteel**	**4005176804946**	**210.23**
32 917 KS0	**velvet black**	**4005176980640**	**227.14**
32 917 DA0	**warm sunset**	**4005176488719**	**239.00**
32 917 DL0	**brushed warm sunset**	**4005176488726**	**239.00**
32 917 A00	**hard graphite**	**4005176488696**	**239.00**
32 917 AL0	**Brushed Hard Graphite**	**4005176488702**	**239.00**



Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
with compression nut
rapid installation system
optional temperature limiter (46 308 000)

32 918 000	**Chrome**	**4005176230967**	**210.23**
32 918 DC0	**supersteel**	**4005176804953**	**273.62**



Minta
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)

32 918 00E	**Chrome**	**4005176866616**	**210.23**

Ditto, with GROHE Ecojoy 5.7 l/min flow limiter

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)



32 511 000	**Chrome**	**4005176295621**	**252.49**

Minta
Single-lever sink mixer 1/2"
for use with displacement water heater
C-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)



32 321 002	**Chrome**	**4005176465109**	**208.15**
32 321 DC2	**supersteel**	**4005176465116**	**270.91**
32 321 GN2	**brushed cool sunrise**	**4005176618529**	**298.12**
32 321 DA2	**warm sunset**	**4005176488757**	**298.00**
32 321 DL2	**brushed warm sunset**	**4005176488764**	**298.00**
32 321 A02	**hard graphite**	**4005176488733**	**298.00**
32 321 AL2	**Brushed Hard Graphite**	**4005176488740**	**298.00**

Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar

30 348 001	**Chrome**	**4005176464973**	**203.00**

Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
shorter lever (71 mm)
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 349 001	**Chrome**	**4005176464980**	**203.00**

Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: mousseur/shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar

32 488 000	**Chrome**	**4005176289552**	**167.97**
32 488 DC0	**supersteel**	**4005176804939**	**221.36**
32 488 DA0	**warm sunset**	**4005176488795**	**239.00**
32 488 DL0	**brushed warm sunset**	**4005176488801**	**239.00**
32 488 A00	**hard graphite**	**4005176488771**	**239.00**
32 488 AL0	**Brushed Hard Graphite**	**4005176488788**	**239.00**



Minta
Single-lever sink mixer 1/2"
U spout, monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
selectable swivel area : 0° / 150° / 360°
swivel tubular spout
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)

32 067 000	**Chrome**	**4005176811142**	**210.23**



Minta
Single-lever sink mixer 1/2"
U spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

32 322 002	**Chrome**	**4005176465123**	**208.15**
32 322 DC2	**supersteel**	**4005176465130**	**270.91**
32 322 DA2	**warm sunset**	**4005176488832**	**298.00**
32 322 DL2	**brushed warm sunset**	**4005176488849**	**298.00**
32 322 A02	**hard graphite**	**4005176488818**	**298.00**
32 322 AL2	**Brushed Hard Graphite**	**4005176488825**	**298.00**



Minta
Single-lever sink mixer 1/2"
U spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 684 000	**Chrome**	**4005176940088**	**61.91**
40 684 DC0	**supersteel**	**4005176940095**	**65.06**

Minta
Lever
for Minta single lever sink mixer

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

GROHE
ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 593 002	**Chrome**	**4005176521942**	**399.00**
31 593 DC2	**supersteel**	**4005176521959**	**599.00**



Zedra SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE StarLight chrome finish
pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero separated inner water ways - lead and nickel free

30 219 002	**Chrome**	**4005176466540**	**664.51**
30 219 DC2	**supersteel**	**4005176466557**	**896.93**





Zedra Touch
Electronic single-lever sink mixer 1/2“
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses

32 294 002	**Chrome**	**4005176466496**	**344.46**
32 294 DC2	**supersteel**	**4005176466502**	**447.08**





Zedra
Single-lever sink mixer 1/2“
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero separated inner water ways - lead and nickel free

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH



Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 553 002	**Chrome**	**4005176466649**	**322.48**
32 553 DC2	**supersteel**	**4005176466656**	**506.04**

Zedra
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero separated inner water ways - lead and nickel free

GROHE
ATRIO

GROHE
ATRIO



Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 362 000	**Chrome**	**4005176496479**	**449.17**
30 362 DC0	**supersteel**	**4005176496486**	**585.27**
30 362 AL0	**Brushed Hard Graphite**	**4005176497292**	**672.66**

Atrio
Two handle sink mixer 1/2“
C-spout
monobloc installation
GROHE StarLight chrome finish
ceramic headparts 1/2“, 90°
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system
mousseur

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 615 000	**Chrome**	**4005176523649**	**362.00**
31 615 DC0	**supersteel**	**4005176523656**	**471.00**
31 615 BE0	**polished nickel**	**4005176523731**	**507.00**
31 615 EN0	**brushed nickel**	**4005176523748**	**543.00**
31 615 GL0	**cool sunrise**	**4005176523670**	**507.00**
31 615 GN0	**brushed cool sunrise**	**4005176523687**	**543.00**
31 615 DA0	**warm sunset**	**4005176523694**	**507.00**
31 615 DL0	**brushed warm sunset**	**4005176523700**	**543.00**
31 615 A00	**hard graphite**	**4005176523717**	**507.00**
31 615 AL0	**Brushed Hard Graphite**	**4005176523724**	**543.00**



Essence SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE StarLight chrome finish
pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero separated inner water ways - lead and nickel free

30 294 000	**Chrome**	**4005176341472**	**419.21**
30 294 DC0	**supersteel**	**4005176341489**	**540.89**
30 294 BE0	**polished nickel**	**4005176488511**	**546.00**
30 294 EN0	**brushed nickel**	**4005176488528**	**546.00**
30 294 GL0	**cool sunrise**	**4005176488078**	**546.00**
30 294 GN0	**brushed cool sunrise**	**4005176488085**	**546.00**
30 294 DA0	**warm sunset**	**4005176488498**	**546.00**
30 294 DL0	**brushed warm sunset**	**4005176488504**	**546.00**
30 294 A00	**hard graphite**	**4005176488054**	**546.00**
30 294 AL0	**Brushed Hard Graphite**	**4005176488061**	**546.00**



Essence
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHFlexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

30 321 GE0	**green**	**4005176438271**	**98.45**
30 321 XC0	**Dark Grey**	**4005176385735**	**60.85**
30 321 MW0	**Sheer Marble**	**4005176385728**	**60.85**
30 321 HG0	**Dark Brown**	**4005176385742**	**60.85**
30 321 DG0	**red**	**4005176438219**	**98.45**
30 321 DP0	**pink**	**4005176438264**	**98.45**
30 321 DU0	**purple**	**4005176438257**	**98.45**
30 321 TY0	**blue**	**4005176438240**	**98.45**
30 321 YF0	**yellow**	**4005176438233**	**60.85**
30 321 YR0	**orange**	**4005176438226**	**98.45**

Essence GROHFlexx kitchen hose
Spout hose for Essence kitchen tap
for 30 294 000/ 30 294 DC0
flexible, hygienic **GROHFlexx kitchen** santoprene hose
including fixing parts

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE



Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 269 000	Chrome	4005176314902	264.36
30 269 DC0	supersteel	4005176314919	330.74
30 269 GL0	cool sunrise	4005176428616	341.79
30 269 GN0	brushed cool sunrise	4005176428623	341.80
30 269 DA0	warm sunset	4005176428630	341.79
30 269 DL0	brushed warm sunset	4005176428647	341.80
30 269 A00	hard graphite	4005176428661	341.79
30 269 AL0	Brushed Hard Graphite	4005176428654	341.80

Essence
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter



Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 270 000	Chrome	4005176314926	330.71
30 270 DC0	supersteel	4005176314933	386.03
30 270 GL0	cool sunrise	4005176427428	441.33
30 270 GN0	brushed cool sunrise	4005176427435	441.30
30 270 DA0	warm sunset	4005176427442	441.33
30 270 DL0	brushed warm sunset	4005176427459	441.30
30 270 A00	hard graphite	4005176427473	441.33
30 270 AL0	Brushed Hard Graphite	4005176427466	441.30

Essence
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
integrated temperature limiter

GROHE EUROCUBE

GROHE
EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 395 000	**Chrome**	**4005176304774**	**574.06**
	31 395 DC0	**supersteel**	**4005176304767**	**740.00**



Eurocube
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
diverter: mousseur/shower jet
swivel spout
swivel area 140°
360° maneuverable spring arm
protected against backflow
flexible connection hoses
applicable for under cupboard installation
rapid installation system

	31 255 000	**Chrome**	**4005176901416**	**198.00**
	31 255 DC0	**supersteel**	**4005176994319**	**408.19**



Eurocube
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
mousseur
swivel cast spout
swivel area 360°
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
AMBI

GROHE
AMBI

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**30 189 000**	**Chrome**	**4005176914102**	**164.80**

Ambi
Two handle sink mixer 1/2"
monobloc installation
GROHE StarLight finish
ceramic headparts 1/2", 90°
mousseur
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
with lever handles
lever opens to the front, protecting the backsplash
flexible connection hoses
rapid installation system
min. recommended pressure 0.4 bar

	**30 190 000**	**Chrome**	**4005176914119**	**175.87**

Ambi Cosmopolitan
Two handle sink mixer 1/2"
monobloc installation
GROHE StarLight finish
ceramic headpart
mousseur
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
with lever handles
flexible connection hoses
lever opens to the front, protecting the backsplash
rapid installation system
min. recommended pressure 0.4 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
PARKFIELD

GROHE
PARKFIELD



Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 215 001	**Chrome**	**4005176409066**	**351.75**
30 215 DC1	**supersteel**	**4005176409073**	**358.48**

Parkfield
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
with integrated temperature limiter
pull-out dual spray control - switches between regular flow and spray
diverter: mousseur/shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC
COSMOPOLITAN

GROHE
EURODISC COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**32 259 003**	**Chrome**	**4005176466908**	**217.93**
		Eurodisc Cosmopolitan **Single-lever sink mixer 1/2"** high spout monobloc installation **GROHE StarLight** chrome finish **GROHE SilkMove** 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° mousseur flexible connection hoses **GROHE QuickFix** rapid installation system			
		**31 122 004**	**Chrome**	**4005176466892**	**261.75**
		Eurodisc Cosmopolitan **Single-lever sink mixer 1/2"** high spout monobloc installation **GROHE StarLight** chrome finish **GROHE SilkMove** 35 mm ceramic cartridge **GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free **pull out mousseur spout** adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses **GROHE QuickFix** rapid installation system **min. recommended pressure 1 bar**			
		**33 770 002**	**Chrome**	**4005176888137**	**220.11**
		Eurodisc Cosmopolitan **Single-lever sink mixer 1/2"** medium spout monobloc installation **GROHE StarLight** finish **GROHE SilkMove** 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system			
		**32 257 002**	**Chrome**	**4005176886591**	**264.34**
		Eurodisc Cosmopolitan **Single-lever sink mixer 1/2"** medium spout monobloc installation **GROHE StarLight** finish **GROHE SilkMove** 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel cast spout, swivel area 100° protected against backflow flexible connection hoses rapid installation system			
		**33 772 002**	**Chrome**	**4005176890796**	**231.18**
		Eurodisc Cosmopolitan **Single-lever sink mixer 1/2"** wall mounted **GROHE StarLight** finish **GROHE SilkMove** 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° projection 211 mm S-unions			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC

GROHE
EURODISC

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**33 770 001**	**Chrome**	**4005176828959**	**197.99**

Eurodisc
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
with stop restriction
flexible connection hoses
rapid installation system

		**32 257 001**	**Chrome**	**4005176834165**	**209.06**

Eurodisc
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/shower jet
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CONCETTO

GROHE CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**31 491 000** **31 491 DC0**	**Chrome** **supersteel**	**4005176343308** **4005176343315**	**337.01** **442.65**

Concetto
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHFlexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

	**32 661 003** **32 661 DC3**	**Chrome** **supersteel**	**4005176466823** **4005176466830**	**187.23** **229.07**

Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE QuickFix rapid installation system

	**32 663 003** **32 663 DC3**	**Chrome** **supersteel**	**4005176466854** **4005176466861**	**208.15** **291.83**

Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system
min. recommended pressure 1 bar

	**31 212 003**	**Chrome**	**4005176466762**	**236.00**

Concetto
Single-lever sink mixer 1/2"
for use with displacement water heater
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
pull-out laminar spray
automatic return
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**31 483 002**	**Chrome**	**4005176466809**	**239.53**
	31 483 DC2	**supersteel**	**4005176466816**	**312.75**

Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system

	**32 666 001**	**Chrome**	**4005176887406**	**315.88**

Concetto
Single-lever sink mixer 1/2"
integrated stop valve
high spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 90°
flexible connection hoses
rapid installation system

	**31 128 001**	**Chrome**	**4005176886737**	**189.10**
	31 128 DC1	**supersteel**	**4005176891007**	**241.93**

Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

	**31 129 001**	**Chrome**	**4005176886744**	**231.36**
	31 129 DC1	**supersteel**	**4005176891021**	**294.75**

Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system

GROHE
CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 273 001	**Chrome**	**4005176314964**	**263.05**
	30 273 DC1	**supersteel**	**4005176314971**	**337.01**



Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
integrated non-return valve
flexible connection hoses
rapid installation system

31 214 001	**Chrome**	**4005176891090**	**232.00**



Concetto
Single-lever sink mixer 1/2"
for use with displacement water heater
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system

32 659 001	**Chrome**	**4005176886713**	**167.97**



Concetto
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE
COSMOPOLITAN

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)



33 975 004 **Chrome** **4005176467004** **185.08**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE QuickFix rapid installation system



31 127 002 **Chrome** **4005176886669** **175.88**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
for use with displacement water heater
high spout
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight finish
flow straightener
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system



31 126 004 **Chrome** **4005176466977** **206.97**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system



31 482 003 **Chrome** **4005176466984** **239.83**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system



30 221 002 **Chrome** **4005176984235** **131.63**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**31 124 002**	**Chrome**	**4005176886614**	**164.82**
		Eurostyle Cosmopolitan **Single-lever sink mixer 1/2"** medium spout monobloc installation **GROHE StarLight** finish **GROHE SilkMove** 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system			
		**31 159 002**	**Chrome**	**4005176888106**	**297.53**
		Eurostyle Cosmopolitan **Single-lever sink mixer 1/2"** for installation in front of window medium spout monobloc installation **GROHE StarLight** finish **GROHE SilkMove** 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° non-removable socket height: 30 mm flexible connection hoses			
		**33 977 002**	**Chrome**	**4005176886560**	**142.70**
		Eurostyle Cosmopolitan **Single-lever sink mixer 1/2"** low spout monobloc installation **GROHE StarLight** finish **GROHE SilkMove** 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system			
		**32 230 002**	**Chrome**	**4005176886577**	**119.48**
		Eurostyle Cosmopolitan **Single-lever sink mixer 1/2"** low spout monobloc installation **GROHE StarLight** finish **GROHE SilkMove ES** 35 mm ceramic cartridge with energy saving function via cold start and Eco-click mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system Qualitel approval			
		**33 982 002**	**Chrome**	**4005176890833**	**131.63**
		Eurostyle Cosmopolitan **Single-lever sink mixer 1/2"** wall mounted **GROHE StarLight** finish **GROHE SilkMove** 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° projection 273 mm S-unions			

GROHE
EUROSMART
COSMOPOLITAN

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)



32 843 002	**Chrome**	**4005176466939**	**127.26**
32 843 DC2	**supersteel**	**4005176466953**	**191.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE QuickFix rapid installation system

32 843 20E	**Chrome**	**4005176466946**	**130.00**

ditto, with GROHE Ecojoy



32 845 002	**Chrome**	**4005176466960**	**120.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
GROHE EcoJoy technology for less water and perfect flow
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE QuickFix rapid installation system



31 180 000	**Chrome**	**4005176889288**	**189.10**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
for use with displacement water heater
high spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow straightener
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system



31 481 001	**Chrome**	**4005176466922**	**188.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**30 193 000** **30 193 DC0**	**Chrome** **supersteel**	**4005176919459** **4005176938559**	**125.71** **146.84**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

		**30 199 000**	**Chrome**	**4005176922022**	**98.25**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge with Eco-Override-Stop and cold start function
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system
Qualitel approval

		**30 195 000**	**Chrome**	**4005176919473**	**172.21**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
integrated stop valve
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
rapid installation system
flexible connection hoses

		**32 842 000**	**Chrome**	**4005176874833**	**104.59**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

		**31 179 000**	**Chrome**	**4005176889172**	**146.84**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
for use with displacement water heater
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
flow straightener
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

GROHE
EUROSMART COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		31 161 000	Chrome	4005176889158	199.67

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
integrated stop valve
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

		31 170 000	Chrome	4005176889165	220.80

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
for installation in front of window
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
mousseur
swivel tubular spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART

GROHE
EUROSMART

Ref. No.	Colour	EAN code	Retail Guide Price (£)



33 202 002 **Chrome** **4005176861956** **125.71**

Eurosmart
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system



32 223 002 **Chrome** **4005176861970** **125.71**

Eurosmart
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge with
energy saving function via cold start and Eco-click
mousseur
swivel tubular spout
adjustable flow rate limiter
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
Qualitel approval



30 305 000 **Chrome** **4005176343285** **157.41**
30 305 DC0 **supersteel** **4005176359811** **199.67**

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
with integrated temperature limiter
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
88° swivel radius
separate inner water ways – lead and nickel free
flexible connection hoses
rapid installation system
protected against backflow



33 281 002 **Chrome** **4005176861932** **104.59**
33 281 DC2 **supersteel** **4005176359798** **118.32**

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways – lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system

33 281 20E **Chrome** **4005176868498** **104.59**
Ditto, with GROHE Ecojoy 5.7 l/min flow limiter

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



30 260 002 **Chrome** **4005176310386** **104.59**

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways – lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system



32 221 002 **Chrome** **4005176861949** **94.02**

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start and Eco-click
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways – lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system
Qualitel E1C2A2U3 applied for



32 224 002 **Chrome** **4005176862007** **134.17**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 277 mm
integrated temperature limiter
S-unions



31 391 002 **Chrome** **4005176992476** **110.09**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 217 mm
integrated temperature limiter
S-unions

GROHE
EUROECO /
EUROECO SPECIAL

GROHE
EUROECO / EUROECO SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



32 752 000 **Chrome** **4005176868252** **98.44**

Euroeco
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
metal lever
flexible connection hoses
rapid installation system



32 750 000 **Chrome** **4005176868238** **87.38**

Euroeco
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
metal lever
flexible connection hoses
rapid installation system



32 786 000 **Chrome** **4005176871863** **131.63**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses



33 912 000 **Chrome** **4005176111969** **404.43**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
metal lever
lever length 120 mm
temperature limiter
Attention: old product



32 787 000 **Chrome** **4005176871870** **129.87**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
lever length 120 mm
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COSTA

GROHE
COSTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



31 831 001 **Chrome** **4005176843280** **76.32**

Costa L
Sink mixer 1/2"
metal handles
heat-insulated
GROHE StarLight finish
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses



31 930 001 **Chrome** **4005176843303** **164.79**

Costa L
Sink mixer 1/2"
for use with displacement water heater
metal handles
heat-insulated
GROHE StarLight finish
Longlife-headparts
flow straightener
swivel tubular spout
swivel area 360°
chain ring
copper pipes



31 829 001 **Chrome** **4005176845697** **77.42**

Costa L
Sink mixer 1/2"
metal handles
heat-insulated
screwable
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses



31 187 001 **Chrome** **4005176843327** **87.38**

Costa L
Wall sink mixer 1/2"
metal handles
heat-insulated
GROHE StarLight finish
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
projection 200 mm
S-unions



30 098 001 **Chrome** **4005176843266** **32.07**

Costa L
Bibtap 1/2"
wall mounted
metal handle
heat-insulated
screwable
marking: blue (cold)
GROHE StarLight finish
mousseur
Longlife-headparts

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COSTA

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		31 819 001	**Chrome**	4005176843471	98.42
		Costa S **Sink mixer 1/2"** metal handles heat-insulated screwable **GROHE StarLight** finish Carbodur headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses			
		31 067 001	**Chrome**	4005176845710	94.00
		Costa S **Sink mixer 1/2"** metal handles heat-insulated screwable **GROHE StarLight** finish ceramic headparts 1/2", 180° mousseur swivel tubular spout swivel area 360° flexible connection hoses			
		30 064 001	**Chrome**	4005176843259	43.14
		Costa L **Bibtap 1/2"** metal handle wall mounted screwable marking: blue (cold) **GROHE StarLight** chrome finish Longlife-headpart Laminar flow straightener projection 150 mm			

GROHE
BAU LINES

GROHE
BAU LINES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 368 001	**Chrome**	**4005176478529**	**81.00**



BauLoop
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar

---

	31 367 001	**Chrome**	**4005176478512**	**103.55**



BauEdge
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar

---

	31 536 001	**Chrome**	**4005176478567**	**75.00**



BauCurve
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar

---

	31 538 001	**Chrome**	**4005176478574**	**77.00**



GROHE BauFlow
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed

---

	31 535 001	**Chrome**	**4005176478550**	**75.00**



BauClassic
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU LINES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



31 706 000 **Chrome** **4005176530449** **71.00**

BauLoop
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar



31 693 000 **Chrome** **4005176530371** **71.00**

BauEdge
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar



31 688 000 **Chrome** **4005176530333** **71.00**

GROHE BauFlow
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar



31 715 000 **Chrome** **4005176564123** **71.00**

BauCurve
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar



31 680 000 **Chrome** **4005176530487** **63.00**

BauEco
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar

GROHE
SOAP DISPENSERS AND ACCESSORIES

GROHE
SOAP DISPENSERS AND ACCESSORIES

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 535 000	Chrome	4005176905490	38.33
40 535 DC0	supersteel	4005176905520	53.74
40 535 BE0	polished nickel	4005176489457	86.00
40 535 GL0	cool sunrise	4005176489419	86.00
40 535 GN0	brushed cool sunrise	4005176489426	86.00
40 535 DA0	warm sunset	4005176489433	86.00
40 535 DL0	brushed warm sunset	4005176489440	86.00
40 535 A00	hard graphite	4005176489396	86.00
40 535 AL0	Brushed Hard Graphite	4005176489402	86.00



Cosmopolitan Soap Dispenser
for liquid soaps,
storage bin 500 ml
GROHE StarLight finish

40 536 000	Chrome	4005176905506	34.58
40 536 DC0	supersteel	4005176905537	48.74



Contemporary Soap Dispenser
for liquid soaps,
storage bin 500 ml
GROHE StarLight finish

40 553 000	Chrome	4005176911422	48.33
40 553 DC0	supersteel	4005176911439	67.49



Zedra Soap Dispenser
for liquid soaps,
storage bin 500 ml
GROHE StarLight finish

40 537 000	Chrome	4005176905513	42.49
40 537 DC0	supersteel	4005176905544	74.51



Authentic Soap Dispenser
for liquid soaps,
storage bin 500 ml
GROHE StarLight finish

36 194 000	Chrome	4005176140921	136.41



Soap dispenser
pillar tap with push-button,
for liquid soaps,
projection 113 mm
for tap hole drillings 22 - 30 mm
storage bottle 1 l.
GROHE StarLight finish

45 704 000	Chrome	4005176081231	40.93



Flexible connection hose
300 mm
3/8" x 3/8"

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SOAP DISPENSERS AND ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	13 071 000	Chrome	4005176023132	35.10

Swivel tube spout
swivelling, without stop
mousseur
coupling nut 3/4“
projection 140 mm
DR-brass
GROHE StarLight chrome finish

	13 028 000	Chrome	4005176022821	38.04

Swivel tube spout
for kitchen wall mixers, 1/2“
tubular spout
mousseur
projection 200 mm
coupling nut 3/4“
DR-brass
GROHE StarLight finish

	13 034 000	Chrome	4005176022869	52.11

Swivel tube spout
for kitchen wall mixers, 1/2“
tubular spout
mousseur
projection 300 mm
coupling nut 3/4“
DR-brass
GROHE StarLight finish

GROHE
STAINLESS STEEL SINKS

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 582 SD1	stainless steel	4005176607158	1,511.13



K1000
Stainless Steel Sink with Drainer
model: K1000 80-S 116/52 1.0 rh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
GROHE QuickFix installation system
sink mountable right
cut-out (top mount): 1145 x 505 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 581 SD1	stainless steel	4005176607141	1,511.13



K1000
Stainless Steel Sink with Drainer
model: K1000 80-S 116/52 1.0 lh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
GROHE QuickFix installation system
sink mountable left
cut-out (top mount): 1145 x 505 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 583 SD1	stainless steel	4005176607165	971.82



K800
Stainless steel sink
model: K800 60-S 51.8/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 518 x 510 mm
1 bowl: 462 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 503 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 584 SD1	stainless steel	4005176607172	1,066.99



K800
Stainless steel sink
model: K800 90-S 84.6/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 846 x 510 mm
1 bowl: 790 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 831 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 585 SD1	**stainless steel**	**4005176607189**	**1,934.12**



K800
Stainless steel sink
model: K800 120-S 102.4/51 2.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 462 x 400 x 200 mm
2 bowl: 462 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

31 586 SD1	**stainless steel**	**4005176607196**	**1,267.91**



K800
Stainless steel sink
model: K800 120-S 102.4/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 968 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

31 574 SD1	**stainless steel**	**4005176607080**	**347.91**
31 574 GN0	**brushed cool sunrise**	**4005176563645**	**1,017.00**
31 574 DL0	**brushed warm sunset**	**4005176563621**	**1,017.00**
31 574 AL0	**Brushed Hard Graphite**	**4005176563638**	**1,017.00**



K700 Undermount
Stainless steel sink
model: K700U 60-S 54.4/44.4 1.0
mounting type: undermount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 540 x 440 mm
1 bowl: 500 x 400 x 195 mm
GROHE QuickFix installation system
cut-out: 500 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set

31 575 SD1	**stainless steel**	**4005176607097**	**548.83**



K700 Undermount
Stainless steel sink
model: K700U 80-S 76/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 760 x 450 mm
1 bowl: 500 x 400 x 195 mm
0.5 bowl: 180 x 400 x 200 mm
GROHE QuickFix installation system
sink mountable left
cut-out (undermount): 712 x 402 mm (R16)
cut-out (top mount): 745 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



31 576 SD1 **stainless steel** **4005176607103** **517.10**

K700 Undermount
Stainless steel sink
model: K700U 60-S 59.5/45 1.5 rh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 595 x 450 mm
1 bowl: 340 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
GROHE QuickFix installation system
sink mountable right
cut-out (undermount): 547 x 402 mm (R16)
cut-out (top mount): 580 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set



31 577 SD1 **stainless steel** **4005176607110** **517.10**

K700 Undermount
Stainless steel sink
model: K700U 60-S 59.5/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 595 x 450 mm
1 bowl: 340 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
GROHE QuickFix installation system
sink mountable left
cut-out (undermount): 547 x 402 mm (R16)
cut-out (top mount): 580 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set



31 578 SD1 **stainless steel** **4005176607127** **538.26**

K700
Stainless steel sink
model: K700 45-S 46.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 464 x 464 mm
1 bowl: 400 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (undermount): 402 x 402 mm (R11)
cut-out (top mount): 449 x 449 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set



31 580 SD1 **stainless steel** **4005176607134** **644.00**

K700
Stainless steel sink
model: K700 90-S 86.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 864 x 464 mm
1 bowl: 800 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (undermount): 802 x 402 mm (R11)
cut-out (top mount): 849 x 449 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



31 571 SD1 **stainless steel** **4005176626029** **221.00**

K500
Stainless Steel Sink with Drainer
model: K500 45-S 86/50 1.0 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 340 x 420 x 170 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out (top mount): 842 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set



31 563 SD1 **stainless steel** **4005176623738** **195.29**

K500
Stainless Steel Sink with Drainer
model: K500 60-S 100/50 1.0 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 450 x 400 x 180 mm
GROHE QuickFix rapid installation system
sink mountable left or right
cut-out (top mount): 982 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set



31 572 SD1 **stainless steel** **4005176626036** **316.19**

K500
Stainless Steel Sink with Drainer
model: K500 60-S 100/50 1.5 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 340 x 420 x 185 mm
0.5 bowl: 170 x 320 x 125 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out (top mount): 982 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 588 SD1	stainless steel	4005176626043	326.76



K500
Stainless Steel Sink with Drainer
model: K500 80-S 116/50 2.0 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 340 x 420 x 190 mm
2 bowl: 340 x 420 x 190 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out (top mount): 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

31 573 SD1	stainless steel	4005176626050	411.36



Minta
Kitchen sink and tap bundle
Consisting of:
K500 stainless steel sink with drainer (31 571 SD1)
Minta single lever sink mixer (32 168 000)
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system

31 568 SD0	stainless steel	4005176473258	210.43



K400+
Stainless Steel Sink with Drainer
model: K400+ 45-S 87.3/51.3 1.0 rev
mounting type: flat edge
material: stainless steel AISI 316 (V4A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 873 x 513 mm
1 bowl: 363 x 400 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

31 569 SD0	stainless steel	4005176473265	305.61



K400+
Stainless Steel Sink with Drainer
model: K400+ 60-S 98.3/51.3 1.5 rev
mounting type: flat edge
material: stainless steel AISI 316 (V4A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 983 x 513 mm
1 bowl: 363 x 400 x 188 mm
0.5 bowl: 150 x 300 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 950 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 566 SD0	**stainless steel**	**4005176473234**	**168.13**



K400
Stainless Steel Sink with Drainer
model: K400 45-S 86/50 1.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 362.5 x 400 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

31 567 SD0	**stainless steel**	**4005176473241**	**242.16**



K400
Stainless Steel Sink with Drainer
model: K400 60-S 97/50 1.5 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 970 x 500 mm
1 bowl: 363 x 400 x 188 mm
0.5 bowl: 150 x 300 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 950 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

31 587 SD0	**stainless steel**	**4005176473449**	**242.16**



K400
Stainless Steel Sink with Drainer
model: K400 80-S 116/50 2.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
2 bowl: 362.5 x 400 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

31 570 SD0	**stainless steel**	**4005176473272**	**347.91**



Concetto
Kitchen sink and tap bundle
Consisting of:
K400 stainless steel sink with drainer (31 566 SD0)
Concetto single lever sink mixer (32 663 003)
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 564 SD1	**stainless steel**	**4005176623745**	**156.20**



K200
Stainless Steel Sink with Drainer
model: K200 60-S 96.5/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.6 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 965 x 500 mm
1 bowl: 346 x 396 x 165 mm
0.5 bowl: 180 x 340 x 130 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out (top mount): 941 x 476 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

31 565 SD1	**stainless steel**	**4005176623752**	**175.74**



Eurosmart
Kitchen sink and tap bundle
Consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
Eurosmart single-lever sink mixer (33 281 002)
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
with integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero separated inner water ways - lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix rapid installation system

31 562 SD1	**stainless steel**	**4005176623721**	**189.29**



Bau
Kitchen sink and tap bundle
Consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
Bau Edge single lever sink mixer (31 367 001)
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed

31 552 SD1	**stainless steel**	**4005176623714**	**104.68**



K200
Stainless Steel Sink with Drainer
model: K200 45-S 86/50 1.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.6 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 350 x 400 x 160 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out (top mount): 842 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMPOSITE SINKS

GROHE
COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 650 AT0	**granite gray**	**4005176521294**	**233.48**
	31 650 AP0	**granite black**	**4005176521287**	**233.48**



K700
Composite sink
model: K700 50-C 40/50 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 400 x 500 mm
1 bowl: 340 x 370 x 200 mm
GROHE QuickFix installation system
cut-out: 380 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 651 AT0	**granite gray**	**4005176521317**	**275.35**
31 651 AP0	**granite black**	**4005176521300**	**275.35**



K700
Composite sink
model: K700 60-C 56/51 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 560 x 510 mm
1 bowl: 500 x 360 x 200 mm
GROHE QuickFix installation system
cut-out: 545 x 495 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 652 AT0	**granite gray**	**4005176521331**	**307.81**
31 652 AP0	**granite black**	**4005176521324**	**307.81**



K700
Composite sink
model: K700 80-C 78/51 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 780 x 510 mm
1 bowl: 720 x 370 x 220 mm
GROHE QuickFix installation system
cut-out: 764 x 494 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 653 AT0	**granite gray**	**4005176521355**	**204.17**
	31 653 AP0	**granite black**	**4005176521348**	**204.17**



K700 Undermount
Composite sink
model: K700U 50-C 45.7/40.6 1.0
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 457 x 406 mm
1 bowl: 417 x 366 x 203 mm
GROHE QuickFix installation system
cut-out: 417 x 366 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

	31 654 AT0	**granite gray**	**4005176521379**	**234.53**
	31 654 AP0	**granite black**	**4005176521362**	**234.53**



K700 Undermount
Composite sink
model: K700U 60-C 53.3/45.7 1.0
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 533 x 457 mm
1 bowl: 469 x 393 x 205 mm
GROHE QuickFix installation system
cut-out: 468 x 390 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

	31 655 AT0	**granite gray**	**4005176521393**	**277.46**
	31 655 AP0	**granite black**	**4005176521386**	**277.46**



K700 Undermount
Composite sink
model: K700U 70-C 61/45.7 1.0
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 700 mm
dimensions: 610 x 460 mm
1 bowl: 544 x 394 x 205 mm
GROHE QuickFix installation system
cut-out: 543 x 393 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

	31 644 AT0	**granite gray**	**4005176521171**	**309.91**
	31 644 AP0	**granite black**	**4005176521164**	**309.91**



K500
Composite sink with drainer
model: K500 50-C 86/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 347 x 440 x 200 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 645 AT0	granite gray	4005176521195	323.53
31 645 AP0	granite black	4005176521188	323.53



K500
Composite sink with drainer
model: K500 60-C 100/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 440 x 200 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 646 AT0	granite gray	4005176521218	344.46
31 646 AP0	granite black	4005176521201	344.46



K500
Composite sink with drainer
model: K500 60-C 100/50 1.5 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 345 x 440 x 200 mm
0.5 bowl: 155 x 295 x 146 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 647 AT0	granite gray	4005176521232	387.39
31 647 AP0	granite black	4005176521225	387.39



K500
Composite sink with drainer
model: K500 80-C 116/50 2.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 330 x 440 x 200 mm
2 bowl: 330 x 440 x 200 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 648 AT0	granite gray	4005176521256	296.31
31 648 AP0	granite black	4005176521249	296.31



K500
Composite sink
model: K500 60-C 55.5/46 1.5 rev
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 555 x 460 mm
1 bowl: 335 x 400 x 200 mm
0.5 bowl: 155 x 400 x 140 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 525 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMPOSITE SINKS



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 649 AT0	**granite gray**	**4005176521270**	**361.21**
31 649 AP0	**granite black**	**4005176521263**	**361.21**

K500
Composite sink
model: K500 90-C 86/50 2.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 860 x 500 mm
1 bowl: 390 x 430 x 200 mm
2 bowl: 380 x 365 x 200 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 639 AT0	granite gray	4005176520464	230.33
31 639 AP0	granite black	4005176520457	230.33



K400
Composite sink with drainer
model: K400 50-C 78/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 780 x 500 mm
1 bowl: 347 x 440 x 205 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 765 x 485 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 640 AT0	granite gray	4005176520488	290.02
31 640 AP0	granite black	4005176520471	290.02



K400
Composite sink with drainer
model: K400 50-C 86/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 337 x 420 x 205 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 641 AT0	granite gray	4005176521119	312.01
31 641 AP0	granite black	4005176521102	312.01



K400
Composite sink with drainer
model: K400 60-C 100/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 420 x 205 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 642 AT0	granite gray	4005176521133	333.99
31 642 AP0	granite black	4005176521126	333.99



K400
Composite sink with drainer
model: K400 60-C 100/50 1.5 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 335 x 420 x 205 mm
0.5 bowl: 155 x 295 x 146 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 643 AT0	**granite gray**	**4005176521157**	**354.93**
	31 643 AP0	**granite black**	**4005176521140**	**354.93**



K400
Composite sink with drainer
model: K400 80-C 116/50 1.5 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 400 x 420 x 205 mm
2 bowl: 295 x 295 x 205 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

	31 656 AT0	**granite gray**	**4005176521416**	**191.61**
	31 656 AP0	**granite black**	**4005176521409**	**191.61**



K200
Composite sink
model: K200 50-C 51 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: Ø 510 mm
1 bowl: Ø 380 x 200 mm
GROHE QuickFix installation system
cut-out: Ø 490 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

GROHE
COMMERCIAL FITTINGS

CONTENTS

Electronic Fittings	Eurocube E	661
	Essence E	665
	Bluetooth monitoring	669
	Europlus E	679
	Eurosmart Cosmopolitan E	683
	Euroeco Cosmopolitan E	693
	Bau Cosmopolitan E	699
Special Thermostats	Grohtherm Micro	703
	Grohtherm Special	705
	Grohtherm XL	711
Single-Lever Mixers	Vertica Eurostyle Cosmopolitan	715
	Commercial Showers	717
	Euroeco Special	721
	Hospita	729
	Euroeco Single Sequential	731
Self-closing Fittings	Eurodisc SE	735
	Eurosmart Cosmopolitan T	737
	Euroeco Cosmopolitan T	741

SYSTEM REQUIREMENTS FOR ELECTRONIC TAPS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE FULL BATHROOM
ACROSS ALL YOUR FACILITIES

CONSISTENT BATHROOM STYLE – ACROSS ALL PRIVATE & PUBLIC AREAS OF A BUILDING

Our product solutions for private and public areas are perfectly matched. This enables you to offer a consistent bathroom experience across all your facilities.

PRIVATE AREA

PUBLIC AREA

ROUND AND SQUARE

BAUEDGE
SINGLE-LEVER MIXER

BAU CERAMIC

BAU COSMOPOLITAN E
TOUCHLESS BASIN MIXER

ROUND AND SQUARE

EUROSMART COSMOPOLITAN
SINGLE-LEVER MIXER

EURO CERAMIC

EUROSMART COSMOPOLITAN E
TOUCHLESS BASIN MIXER

EUROECO COSMOPOLITAN E
TOUCHLESS BASIN MIXER

ROUND FEMININE

ESSENCE
SINGLE-LEVER MIXER

ESSENCE

ESSENCE E
TOUCHLESS BASIN MIXER

EDGE MASCULINE

EUROCUBE
SINGLE-LEVER MIXER

CUBE CERAMIC

EUROCUBE E
TOUCHLESS BASIN MIXER

EUROSMART COSMOPOLITAN E
THE COMFORT OF A PUBLIC BATHROOM – WITHOUT COMPROMISING ON HYGIENE

SHOWER HEAD

SHOWER

new

new

new

Our touchless range Eurosmart Cosmopolitan E offers solutions for basins, showers, WC's and urinals. Enjoy the benefits of a public bathroom - completely touchless. Avoiding the spread of germs through touchless use, thermal disinfection and hygienic flushing.

WC / URINAL

BASIN

new

BAU COSMOPOLITAN E
DISCOVER TOUCHLESS COMFORT



HYGIENE

TOUCHLESS

Reliable, proven and precise sensor technology for hygienic, touch-free actuation of basin taps, WCs and urinals.

INNER WATER GUIDE

Innovative tap construction allows for significant dead space reduction.

SUSTAINABILITY

GROHE ECOJOY

Save precious resources and enjoy 100% water comfort. Water and energy saving aerator provides a flow rate of 5.7 l/min. Precise touchless technology prevents you from water loss.

QUALITY

MADE IN GERMANY

German perfectionism inspires ultimate customer confidence

DESIGN

GROHE STARLIGHT

Made-to-last surfaces ranging from precious matte to shiny like a diamond.

36 407 001
Remote control for GROHE Touchless fittings

Basic functionalites can be adjusted without remote control - simply by hand.

TECHNOLOGY

GROHE SENSOR

The responsive sensor switches the mixer on and off for ultimate comfort and the simple cleaning mode makes maintenance easy.

GROHE REMOTE CONTROL

Detailed configuration for all functions by remote control
- Automatic flushing
- Thermal desinfection
- Cleaning mode
- Detection range and shut-off delay

LONGLIFE BATTERY

Unique low-energy electronics ensure a long service life.

36 451 000
Touchless basin mixer
(battery operated)

36 452 000
Touchless basin tap
(battery operated)

MAINS OPERATED

36 453 000
Touchless basin mixer
(with plug transformer 100-230 V AC)

GROHE
EUROCUBE E

GROHE
EUROCUBE E

Ref. No.	Colour	EAN code	Retail Guide Price (£)



36 440 000 **Chrome** **4005176415623** **770.88**

Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K



36 441 000 **Chrome** **4005176415630** **739.17**

Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K



36 442 000 **Chrome** **4005176415647** **834.34**

Eurocube E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.7 l/min
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
noise classification 1 in accordance
with DIN4109

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROCUBE E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



36 264 001 — **4005176416279** — **210.45**

Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000



38 748 002 — **Chrome** — **4005176416323** — **495.97**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2“
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



36 407 001 — **4005176368974** — **261.30**

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply



36 340 000 — **4005176911385** — **54.21**

Power extension cable
length 3.00 m

36 341 000 — **4005176911392** — **97.46**
ditto, length 10 m

GROHE
EUROCUBE E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 388 000		4005176905827	50.37
	Mains adaptor **without power supply 36 338 000 (required)** to replace battery			
	42 393 000		4005176905872	68.26
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
	36 338 000		4005176896743	87.38
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE E

GROHE
ESSENCE E

Ref. No.	Colour	EAN code	Retail Guide Price (£)



36 444 000 **Chrome** **4005176415661** **622.84**

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K



36 445 000 **Chrome** **4005176415678** **601.70**

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K



36 446 000 **Chrome** **4005176415685** **559.41**

Essence E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE E

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 447 000	**Chrome**	**4005176416293**	**792.04**



Essence E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.0 l/min
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
noise classification 1 in accordance
with DIN4109

36 264 001		**4005176416279**	**210.45**



Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000

38 748 002	**Chrome**	**4005176416323**	**495.97**



Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

36 407 001		**4005176368974**	**261.30**



Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

GROHE
ESSENCE E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 388 000		**4005176905827**	**50.37**
	Mains adaptor **without power supply 36 338 000 (required)** to replace battery			
	36 340 000		**4005176911385**	**54.21**
	Power extension cable length 3.00 m			
	36 341 000		**4005176911392**	**97.46**
	ditto, length 10 m			
	42 393 000		**4005176905872**	**68.26**
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
	**36 338 000**		**4005176896743**	**87.38**
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 413 000	**Chrome**	**4005176320576**	**570.75**



Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" with mixing device
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
rapid installation system
mixing device with adjustable hot water limiter
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
with integrated solenoid valve
integrated non-return valves
and dirt strainers
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 409 000	**Chrome**	**4005176320538**	**470.11**



Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2"
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
rapid installation system
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
solenoid valve
dirt strainer
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
thermal disinfection
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 414 000	**Chrome**	**4005176320583**	**774.28**



Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
GROHE StarLight finish
GROHE CoolTouch
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
swivel cast spout 219 mm
with swivel stop at 130° or fixed
projection 287 mm
laminar mousseur 9 l/min
S-unions
escutcheon covers for S-unions
non-return valve
dirt strainers
power connection cable 3.0 m
for use with connection set
39 383 000
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

39 383 000		**4005176356926**	**54.19**



Eurosmart Cosmopolitan E
Thermostatic 230 V connection set
fitting support
2 fitting connections DN 15
power supply connector
wall installation
for use with Eurosmart Cosmopolitan E thermostat 230 V

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 410 000	**Chrome**	**4005176320545**	**539.78**



Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 336 001/36 337 001
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

36 337 001	**4005176595417**	**115.00**



Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

36 336 001	**4005176991769**	**304.00**



Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 412 000	**Chrome**	**4005176320569**	**608.36**



Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 339 001
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

36 339 001		**4005176595424**	**210.00**



Eurosmart Cosmopolitan E
Concealed mounting box with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 415 000	**Chrome**	**4005176320590**	**511.66**



Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic for concealed thermostatic shower
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
for concealed installation box
36 416 001
GROHE StarLight chrome finish
chrome escutcheon
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

36 416 001		**4005176595394**	**594.00**



Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated pre-adjustable thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 503 000	**Chrome**	**4005176320507**	**662.57**



Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U 37 338 000
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
GROHE StarLight finish
flow pressure min 0.5 bar
operating pressure max 10 bar

with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

37 338 000		**4005176837920**	**131.61**



GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 504 000	**Chrome**	**4005176320521**	**828.48**



Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2 / Rapid SL 1.13 m only
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with additional manual actuation
GROHE StarLight finish
front plate 156 x 197 mm
servo motor

with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.



36 340 000	**4005176911385**	**54.21**
Power extension cable length 3.00 m		
36 341 000 **ditto, length 10 m**	**4005176911392**	**97.46**



36 338 000	**4005176896743**	**87.38**

Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 407 001		**4005176368974**	**261.30**



Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROPLUS E

GROHE
EUROPLUS E

Ref. No.	Colour	EAN code	Retail Guide Price (£)



36 207 001 **Chrome** **4005176929373** **585.13**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 208 001 **Chrome** **4005176929380** **496.65**
ditto, without mixing device



36 015 001 **Chrome** **4005176929359** **507.69**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 016 001 **Chrome** **4005176929366** **437.88**
ditto, without mixing device



36 407 001 **4005176368974** **261.30**

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROPLUS E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	36 340 000		4005176911385	54.21
	Power extension cable length 3.00 m			
	36 341 000		4005176911392	97.46
	ditto, length 10 m			
	42 393 000		4005176905872	68.26
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
	42 388 000		4005176905827	50.37
	Mains adaptor **without power supply 36 338 000 (required)** to replace battery			
	36 338 000		4005176896743	87.38
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			
	36 209 000	**Chrome**	4005176207105	72.04
	Security cover cap vandal-proof, covered and pre-adjustable suitable for single hole mixers Europlus E and Eurodisc SE Consisting of: special mixing device for actuation by screwdriver metallic cap **GROHE StarLight** chrome finish			
	36 133 000	**Chrome**	4005176140310	22.93
	Flow restrictor external thread M 24 x 1 flow class Z 7.5 l/min at 3 bar including disassembly key theft proof **GROHE StarLight** finish			

GROHE EUROSMART COSMOPOLITAN E

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)



36 327 001 **Chrome** **4005176305771** **330.73**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

36 331 001 **Chrome** **4005176305795** **289.81**
ditto, with pop-up waste set 1 1/4"



36 422 000 **Chrome** **4005176368530** **351.27**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K



36 325 001 **Chrome** **4005176305764** **374.97**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	36 421 000	**Chrome**	**4005176368523**	**349.10**



Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

	36 439 000	**Chrome**	**4005176389740**	**260.74**



Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

	36 330 001	**Chrome**	**4005176305788**	**352.86**



Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 324 001	**Chrome**	**4005176305757**	**532.04**



Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36338000 (required)
for use with displacement water heater
fixed build in static flow limiter 5 l/min
on the hose connection
non-return valve
dirt strainers
flexible connection hoses
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
type of protection faucet IP 59K
min. recommended pressure 1 bar

36 386 001	**Chrome**	**4005176311673**	**643.19**



Eurosmart Cosmopolitan E
Powerbox
Infra-red electronic basin mixer 1/2“ with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
including Powerbox self-generating power system
GROHE EcoJoy 6.0 l/min mousseur
including all flexible connection hoses
non-return valve
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)





36 454 000 **Chrome** **4005176487774** **882.00**

Eurosmart Cosmopolitan E Special
Infra-red electronic wall basin mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)
two additional detection modes adjustable (hand-hand or body-body)
GROHE StarLight chrome finish
GROHE CoolTouch
laminar mousseur 9 l/min
non-return valve
dirt strainers
GROHE SafetyPlus fixed temperature stop
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
swivel cast spout 219 mm
projection 287 mm
swivel range stop at 130°, lockable
with S-unions, chrome nuts and covers
self-sealing escutcheons
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

36 455 000 **Chrome** **4005176487781** **858.00**
ditto, projection 255 mm





36 332 000 **Chrome** **4005176896682** **779.54**

Eurosmart Cosmopolitan E
Infra-red electronic wall basin mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)
two additional detection modes adjustable (hand-hand or body-body)
GROHE StarLight chrome finish
laminar mousseur 9 l/min
non-return valve
dirt strainers
temperature scale handle with
GROHE SafeStop safety stop at 38°C
(**calibration required**)
swivel cast spout 219 mm
projection 287 mm
swivel range stop at 130°, lockable
self-sealing escutcheons
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

36 333 000 **Chrome** **4005176896699** **765.65**
ditto, projection 255 mm

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)



36 334 SD0 **stainless steel** **4005176896705** **430.29**

Eurosmart Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar mousseur 9 l/min
stainless steel escutcheon
SuperSteel spout
projection 232 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 336 001/36 337 001
CE approved
noise classification 1 in accordance
with DIN4109

36 335 SD0 **stainless steel** **4005176896712** **408.15**
ditto, projection 172 mm



36 337 001 **4005176595417** **115.00**

Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 336 001 **4005176991769** **304.00**

Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 376 000 **Chrome** **4005176932243** **551.94**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar flow straightener 9 l/min
chrome escutcheon
chrome spout
projection 232 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 339 001
CE approved
noise classification 1 in accordance
with DIN4109

36 315 000 **Chrome** **4005176896590** **463.46**
ditto, projection 172 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



36 339 001 **4005176595424** **210.00**

Eurosmart Cosmopolitan E
Concealed mounting box
with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve





36 457 000 **Chrome** **4005176494765** **805.00**

Eurosmart Cosmopolitan E Special
Infra-red electronic shower mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
ergonomic metal handle
GROHE StarLight chrome finish
GROHE CoolTouch
non-return valve
dirt strainers
GROHE SafetyPlus fixed temperature stop
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
shower bottom outlet 1/2" with
integrated non return-valve
with S-unions, chrome nuts and covers
self-sealing escutcheons
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109



36 456 000 **Chrome** **4005176494758** **216.00**

Eurosmart Cosmopolitan E Special
Infra-red electronic for concealed thermostatic shower
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for concealed installation box 36 458 000 and 36 459 000
ergonomic metal handle
GROHE StarLight chrome finish
GROHE SafetyPlus fixed temperature stop
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109



36 458 000 **4005176494772** **647.00**

Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE
EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



36 459 000 **4005176576188** **695.00**

Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



47 780 000 **4005176836541** **142.66**

Rapido T
Extension set 27.5 mm
for Rapido T 35 500 000/35 050 000
for concealed installation box 36 458 000 and 36 459 000
for use with central and shower-thermostatswith shut-off valve

---



36 463 000 **Chrome** **4005176576690** **192.00**

Eurosmart Cosmopolitan E
Infra-red electronic for concealed thermostatic shower
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for concealed installation box 36 416 000 and 36 464 000
for hidden thermostatic mixer
GROHE StarLight chrome finish
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109



36 464 000 **4005176576706** **582.00**

Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated pre-adjustable
thermostatic mixer
suitable for infra-red set 36 463 000
2 stop valves
non-return valves with filters
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 416 001 **4005176595394** **594.00**

Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated pre-adjustable
thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**36 407 001**		**4005176368974**	**261.30**
	Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 **monitoring** consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO_2 capacity (GROHE Blue Home) **configuration** cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) **service** send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply			
	**36 340 000**		**4005176911385**	**54.21**
	Power extension cable length 3.00 m			
	36 341 000 **ditto, length 10 m**		**4005176911392**	**97.46**
	42 393 000		**4005176905872**	**68.26**
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
	42 388 000		**4005176905827**	**50.37**
	Mains adaptor **without power supply 36 338 000 (required)** to replace battery			
	**36 338 000**		**4005176896743**	**87.38**
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			

GROHE
EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	36 133 000	**Chrome**	**4005176140310**	**22.93**

Flow restrictor
external thread
M 24 x 1
flow class Z
7.5 l/min at 3 bar
including disassembly key
theft proof
GROHE StarLight finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO
COSMOPOLITAN E

GROHE
EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)



36 271 000 **Chrome** **4005176893193** **275.43**

Euroeco Cosmopolitan E
Infra-red electronic basin tap
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K



36 269 000 **Chrome** **4005176893179** **297.55**

Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
without power supply 36338000 (required)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K



36 272 000 **Chrome** **4005176893209** **275.43**

Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainer
solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)



36 384 000 **Chrome** **4005176982774** **607.24**

Euroeco Cosmopolitan E
Powerbox
infra-red electronic basin tap 1/2"
without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
including Powerbox self-generating power system
GROHE EcoJoy 6.0 l/min mousseur
flexible connection hose
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407



36 274 000 **Chrome** **4005176893223** **352.85**

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
metal body
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved



36 273 000 **Chrome** **4005176893216** **361.60**

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE EcoJoy mousseur 5.7 l/min
chrome escutcheon
chrome spout
projection 172 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 336 001/36 337 001
CE approved
noise classification 1 in accordance
with DIN4109



36 337 001 **4005176595417** **115.00**

Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE
EUROECO COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**36 336 001**		**4005176991769**	**304.00**

Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 407 001 **4005176368974** **261.30**

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply



36 340 000 **4005176911385** **54.21**

Power extension cable
length 3.00 m

36 341 000 **4005176911392** **97.46**
ditto, length 10 m

---

42 393 000 **4005176905872** **68.26**

Battery Housing
including 6 V lithium-battery, type CR-P2
to replace transformer

---

42 388 000 **4005176905827** **50.37**

Mains adaptor
without power supply 36 338 000 (required)
to replace battery

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**36 338 000**		**4005176896743**	**87.38**
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			
	36 133 000	**Chrome**	**4005176140310**	**22.93**
	Flow restrictor external thread M 24 x 1 flow class Z 7.5 l/min at 3 bar including disassembly key theft proof **GROHE StarLight** finish			
	**45 704 000**	**Chrome**	**4005176081231**	**40.93**
	Flexible connection hose 300 mm 3/8“ x 3/8“			

GROHE
BAU COSMOPOLITAN E

GROHE
BAU COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 451 000	**Chrome**	**4005176473678**	**229.47**



Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

36 452 000	**Chrome**	**4005176473685**	**213.61**



Bau Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
body made of composite polymer
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

36 453 000	**Chrome**	**4005176473791**	**242.16**



Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**36 407 001**		**4005176368974**	**261.30**
	Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 **monitoring** consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO_2 capacity (GROHE Blue Home) **configuration** cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) **service** send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply			
	36 340 000		**4005176911385**	**54.21**
	Power extension cable length 3.00 m			
	36 341 000 **ditto, length 10 m**		**4005176911392**	**97.46**
	42 393 000		**4005176905872**	**68.26**
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
	**36 338 000**		**4005176896743**	**87.38**
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			

GROHE
GROHTHERM MICRO

GROHE
GROHTHERM MICRO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**34 487 000**	**Chrome**	**4005176936234**	**131.63**
	Grohtherm Micro **Thermostatic scalding protection** temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread **GROHE TurboStat** thermoelement **GROHE StarLight** chrome finish built-in non return valves dirt strainer without connection set			
 	**47 533 000**	**Chrome**	**4005176207181**	**30.43**
	Grohtherm Micro **Connection set** for Grohtherm Micro (34 487 000) Consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose **GROHE StarLight** chrome finish			
	**45 704 000**	**Chrome**	**4005176081231**	**40.93**
	Flexible connection hose 300 mm 3/8" x 3/8"			
	**45 120 000**	**Chrome**	**4005176007279**	**36.52**
	Flexible pressure hose with compression nut for copper pipe Ø 10 mm coupling nut 3/8" 300 mm			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SPECIAL

GROHE
GROHTHERM SPECIAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 667 000	**Chrome**	**4005176351570**	**277.09**



Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
GROHE Quickfix for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish

---

34 725 000	**Chrome**	**4005176457081**	**344.20**



Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
Thermostatic cartridge max.temperature 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions, chrome nuts and covers
GROHE Quickfix for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafetyPlus fixed temperature stop

---

34 665 000	**Chrome**	**4005176351556**	**346.92**





Grohtherm Special
Thermostatic bath/shower mixer 1/2"
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
GROHE Quickfix for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**34 681 000**	**Chrome**	**4005176354090**	**330.72**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish

 	**34 671 000**	**Chrome**	**4005176351587**	**353.43**

Grohtherm Special
Thermostatic bath/shower mixer 1/2"
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish

	**13 080 000**	**Chrome**	**4005176234934**	**173.94**

Biflo spout
length 77 mm
GROHE StarLight chrome finish

	**13 137 000**	**Chrome**	**4005176234941**	**173.94**

Cast swivel spout
length 115 mm
GROHE StarLight chrome finish

GROHE
GROHTHERM SPECIAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)



34 666 000 **Chrome** **4005176351563** **307.63**

Grohtherm Special
Thermostat basin mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
bottom outlet for spouts 13 378 or 13 380
metal temperature safety stop
dirt strainers
GROHE Quickfix for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish



13 378 000 **Chrome** **4005176351532** **82.90**

Cast swivel spout
length 115 mm
swivelling (180 or 90°) and lockable
laminar flow straightener 9 l/min
GROHE StarLight finish

13 380 000 **Chrome** **4005176351549** **91.63**
ditto, length 175 mm



29 094 000 **Chrome** **4005176354106** **211.62**

Grohtherm Special
Thermostatic shower mixer
set for final installation for
35 050 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
metal temperature safety stop
GROHE StarLight chrome finish
TMV2 compliant when used with 35 050 000

35 500 000 **4005176831522** **253.29**
GROHE Rapido T thermostatic
mixer for concealed installation



29 095 000 **Chrome** **4005176354113** **216.00**

Grohtherm Special
Thermostatic bath/shower mixer trim
set for final installation for
35 050 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
metal temperature safety stop
GROHE StarLight chrome finish
TMV2 compliant when used with 35 050 000

35 500 000 **4005176831522** **253.29**
GROHE Rapido T thermostatic
mixer for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	29 096 000	Chrome	4005176354120	174.54
	Grohtherm Special **Trim for thermostatic shower valve** set for final installation for 35 050 000 **without concealed body** escutcheon- and shaft-sealing covered connections ergonomic metal wing handle temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) metal temperature safety stop **GROHE StarLight** chrome finish **TMV2 compliant when used with 35 050 000**			
	35 500 000		4005176831522	253.29
	GROHE Rapido T thermostatic mixer for concealed installation			
	35 500 000		4005176831522	253.29
	GROHE Rapido T **Thermostatic mixer for concealed installation** **for use with Grohtherm Special** **without finishing trim set** flat installation depth 70 mm - 95 mm **GROHE TurboStat** compact cartridge with wax thermoelement two top outlets 1/2", lockable bottom outlet 1/2" - can only be used with separate stopvalve built-in non return valve and dirt strainers **min. recommended pressure 1 bar**			
	47 979 000		4005176316708	17.00
	Non-return valves including screws and O-rings for **GROHE QuickFix** packaging unit: 2 pieces			
	47 994 000		4005176364723	2.18
	Grohtherm Special **Temperature unlocking handle** unlocking of temperature handle for thermal disinfection			
	12 051 000	Chrome	4005176213588	40.93
	S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections **GROHE StarLight** chrome finish			

GROHE
GROHTHERM SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**47 780 000**		**4005176836541**	**142.66**
	Rapido T **Extension set 27.5 mm** for Rapido T 35 500 000/35 050 000 for concealed installation box 36 458 000 and 36 459 000 for use with central and shower-thermostatswith shut-off valve			
	47 781 000		**4005176836558**	**164.81**
	ditto, for use with bath-thermostats with aquadimmer			
	29 007 000		**4005176837678**	**156.25**
	Safety combination (EN 1717) for Rapido T 35 500 000/35 050 000 Re-fitting set for backflow protection for use with inlet pop-up and waste sets e.g. Talentofil 28 990 000 or 28 991 000			
	**28 874 000**	**Chrome**	**4005176042348**	**73.61**
	Tee Connection for connection to shower and bath/shower- mixer union nut 1/2“ 2 connections 1/2“ for the shower hose or drain valves **GROHE StarLight** chrome finish			
	**28 988 000**	**Chrome**	**4005176042805**	**102.91**
	Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2“ **GROHE StarLight** chrome finish			
	**12 030 000**	**Chrome**	**4005176021558**	**78.86**
	Pillar union 1/2“ for all series with 3/4“ visible nuts angle 3/4“ x 1/2“ mounting set 1/2“ projection 47 mm **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM XL

GROHE
GROHTHERM XL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**35 085 000**	**Chrome**	**4005176207068**	**1,927.36**
	Grohtherm XL **Thermostat mixer 1“** wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/4“ outlet thread 1 1/2“ changeable top/bottom outlet without connection unions for wall mounting **GROHE StarLight** chrome finish			
	**35 087 000**	**Chrome**	**4005176207082**	**2,244.65**
	Grohtherm XL **Thermostat mixer 1 1/4“** wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/2“ outlet thread 2“ changeable top/bottom outlet without connection unions for wall mounting **GROHE StarLight** chrome finish			
	**12 411 000**	**Chrome**	**4005176004667**	**114.18**
	S-union nut 1 1/4“ x 1“ male thread **adjustment range 50 mm** screw escutcheon (for Grohtherm XL 1“, 35 085 000/35 086 000) **GROHE StarLight** chrome finish in units of 1			
	**12 417 000**	**Chrome**	**4005176004681**	**70.36**
	Straight union nut 1 1/4“ x 1“ male thread screw escutcheon (for Grohtherm XL 1“, 35 085 000/35 086 000) **GROHE StarLight** chrome finish			
	12 420 000	**Chrome**	**4005176004704**	**103.89**
	ditto, **nut, 1 1/2“ x 1 1/4“, male thread** **(for Grohtherm XL 1 1/4“, 35 087/35 088)**			
	**12 424 000**	**Chrome**	**4005176004735**	**90.20**
	Straight union, male 1 1/4“, nut 1 1/2“ nut 1 1/2“ x 1 1/4“ male thread (for Grohtherm XL 1“, 35 085 000/35 086 000) **GROHE StarLight** chrome finish			
	12 426 000	**Chrome**	**4005176004742**	**198.23**
	ditto, **nut, 2“ x 1 1/2“, external thread** **(for Grohtherm XL 1 1/4“, 35 087/35 088)**			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM XL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	12 428 000	Chrome	4005176004759	136.16
	Elbow union nut 1 1/4" x 1" male thread (for Grohtherm XL 1", 35 085 000/35 086 000) **GROHE StarLight** chrome finish			
	12 430 000	Chrome	4005176004766	149.60
	Elbow union **nut, 1 1/2" x 1 1/4", male thread** **(for Grohtherm XL 1 1/4", 35 087/35 088)**			
	12 432 000	Chrome	4005176004773	157.82
	Wall union, male 1 1/4" nut 1 1/2" x 1 1/4" male thread projection 125 mm screw escutcheon (for Grohtherm XL 1", 35 085 000/35 086 000) **GROHE StarLight** chrome finish			
	12 444 000	Chrome	4005176004834	196.97
	Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085 000/35 086 000) **GROHE StarLight** chrome finish			
	12 448 000	Chrome	4005176004841	449.14
	Wall union, male 1 1/2" with thermometer nut 2" x 1 1/2" male thread projection 90 mm screw escutcheon **GROHE StarLight** chrome finish			
	12 436 000	Chrome	4005176004797	161.92
	Wall union, male 1 1/4" without thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085 000/35 086 000) **GROHE StarLight** chrome finish			
	47 569 000	Chrome	4005176214189	383.77
	Loose key and shield			

GROHE
GROHTHERM XL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
12 124 000	**Chrome**	**4005176262579**	**103.89**

Mixed water circulation connection
Consisting of:
flexible connection hose
3/4“ x 3/4“
90° angle
connecting nipple M45 x 1.5 x 3/4“
for connection to existing circulation pipe
double nipple 1“ male thread x 3/4“
for connection to Grohtherm XL
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
VERTICA EUROSTYLE
COSMOPOLITAN

GROHE
VERTICA EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 302 000	**Chrome**	**4005176923876**	**327.43**



Eurostyle Cosmopolitan
Vertica-OHM-Bath Mixer, 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
lockable automatic diverter: bath/shower
lockable spout
integrated non-return valve
in the shower outlet 1/2"
elbow union 45°
metal wall escutcheons
optional temperature limiter (46 375 000)
protected against backflow
noise classification 1 in accordance with DIN4109

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMMERCIAL SHOWERS

GROHE
COMMERCIAL SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**28 587 000**	**Chrome**	**4005176282966**	**187.84**

Relexa
Shower rail, 900 mm
with handle
handle can be mounted right or left handed
with wall brackets (3 pieces)
gliding element with metal sleeve
angle of inclination adjustable by
click stop device
height adjustment via locking nut
GROHE StarLight chrome finish

	**28 671 000**	**Chrome**	**4005176103070**	**32.07**

Relexa
Shower outlet elbow, 1/2"
male thread
GROHE StarLight chrome finish

	**28 405 000**	**Chrome**	**4005176264559**	**51.42**

Movario
Shower outlet elbow, 1/2"
protected against backflow
GROHE StarLight chrome finish

	**28 406 000**	**Chrome**	**4005176264566**	**51.42**

Movario
Shower outlet elbow, 1/2"
with shower holder
protected against backflow
GROHE StarLight chrome finish

	**28 161 001**	**Chrome**	**4005176935107**	**16.73**

Silverflex
Shower hose Twistfree 1500
for **low pressure**
1500 mm
smooth surface for easy cleaning
tensile strength 350 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMMERCIAL SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



28 142 000	**Chrome**	**4005176601330**	**19.62**

Relexaflex Metal Longlife
Metal shower hose 1250
1250 mm
material: metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 143 000	**Chrome**	**4005176601347**	**21.81**
28 143 KS0	**velvet black**	**4005176842252**	**28.63**
28 143 LS0	**moon white**	**4005176842269**	**28.63**

ditto, 1500mm hose



28 145 000	**Chrome**	**4005176601354**	**25.72**

Relexaflex Metal Longlife
Metal shower hose 2000
2000 mm
material: metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging



28 002 000	**Chrome**	**4005176858796**	**186.91**

Relexa 70
Sports head shower 1 spray
low aerosol emission
heavy, cast model
theft proof
connection thread 1/2"
projection 57 mm
flow limiter 9 l/min. and 12 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suicide resistant design
pipe union plug-in for wall connection



28 948 000	**Chrome**	**4005176209871**	**135.37**

Relexa Plus 60
Sports head shower 1 spray
heavy, cast model
connection thread 1/2"
projection 148 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system



28 094 000	**Chrome**	**4005176601132**	**51.42**

Relexa Plus 50
Head shower 1 spray
with ball joint
1/2" connection
GROHE StarLight chrome finish
adjustable flow rate
without shower arm

GROHE
COMMERCIAL SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 988 000	**Chrome**	**4005176042805**	**102.91**



Drain Down Valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish

28 874 000	**Chrome**	**4005176042348**	**73.61**



Tee Connection
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE StarLight chrome finish

28 429 000	**Chrome**	**4005176601910**	**51.42**



Relexa
Shower arm 55 mm
connection thread 1/2"
GROHE StarLight chrome finish

28 541 000	**Chrome**	**4005176040528**	**40.93**



Relexa
Shower arm 147 mm
connection thread 1/2"
escutcheon
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO SPECIAL

GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 762 000	**Chrome**	**4005176871023**	**109.50**



Euroeco Special
Basin mixer 1/2"
monobloc installation
smooth body
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system, flexible connection hoses

32 763 000	**Chrome**	**4005176871030**	**109.50**

Ditto, with pop up waste set

32 765 000	**Chrome**	**4005176871054**	**231.19**



Euroeco Special
Single-lever basin mixer 1/2"
monobloc installation
smooth body, high version
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses

32 766 000	**Chrome**	**4005176871061**	**242.23**

Ditto, with pop up waste set

23 293 000	**Chrome**	**4005176921148**	**196.37**



Euroeco Special
Basin mixer 1/2"
monobloc installation
smooth body
high version
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 5 l/min
loop metal lever
lever length 160 mm
flexible connection hoses
rapid installation system

30 208 000	**Chrome**	**4005176927836**	**253.30**



Euroeco Special
Basin mixer 1/2"
monobloc installation
high spout
302 mm
smooth body
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 5.7 l/min.
swivel tubular spout
swivel area 140°
metal lever
lever length 170 mm
rapid installation system
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 776 000	**Chrome**	**4005176871764**	**228.31**



Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast spout
projection 157 mm
metal lever
lever length 120 mm
S-unions

32 778 000	**Chrome**	**4005176871788**	**253.30**



Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast spout
projection 205 mm
metal lever
lever length 170 mm
S-unions

32 779 000	**Chrome**	**4005176871795**	**286.49**

ditto, with lockable S unions, projection 221 mm

32 770 000	**Chrome**	**4005176871702**	**225.21**



Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 157 mm
metal lever
lever length 120 mm
S-unions

32 768 000	**Chrome**	**4005176871689**	**256.06**

ditto, with lockable S unions, projection 174 mm

32 767 000	**Chrome**	**4005176871078**	**275.40**



Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 197 mm
metal lever
lever length 120 mm
S-unions

32 771 000	**Chrome**	**4005176871719**	**297.54**

ditto, with lockable S unions, projection 214 mm

GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 773 000	**Chrome**	**4005176871733**	**268.41**



Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
cast swivel spout, lockable
laminar flow straightener 9 l/min
projection 257 mm
metal lever
lever length 170 mm
S-unions

32 775 000	**Chrome**	**4005176871757**	**311.60**

ditto, with lockable S unions, projection 342 mm

32 774 000	**Chrome**	**4005176871740**	**299.27**



Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 274 mm
metal lever
lever length 170 mm
with lockable S-unions

32 772 000	**Chrome**	**4005176871726**	**259.17**



Euroeco Special
Single-lever basin mixer
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable minimum flow rate 2.5 l/min
adjustable temperature limiter
adjustable flow rate limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 222 mm
metal lever
lever length 170 mm
without connection unions
water saving

32 780 000	**Chrome**	**4005176871801**	**106.00**



Euroeco Special
Single-lever shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
shower bottom outlet 1/2"
integrated non-return valve
metal lever
lever length 120 mm
S-unions
protected against backflow
without shower set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)



32 783 000 **Chrome** **4005176871832** **124.55**

Euroeco Special
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
metal lever
lever length 120 mm
temperature limiter
S-unions
protected against backflow
without shower set



32 784 000 **Chrome** **4005176871849** **131.62**

Euroeco Special
Single-lever shower mixer trim
set for final installation for
without concealed body
GROHE StarLight chrome finish
metal lever
lever length 120 mm
escutcheon- and shaft-sealing
metal escutcheon
screwed
temperature limiter

33 963 000 **4005176128387** **92.35**
Single-lever bath/shower mixer 1/2" concealed body

33 961 000 **4005176119972** **303.27**
Single-lever mixer 1/2", concealed body

33 964 000 **4005176128394** **93.40**
Single-lever shower mixer 1/2" concealed body

33 962 000 **4005176119989** **208.83**
Single-lever mixer 1/2", concealed body



32 786 000 **Chrome** **4005176871863** **131.63**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses



33 912 000 **Chrome** **4005176111969** **404.43**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
metal lever
lever length 120 mm
temperature limiter
Attention: old product

COMMERCIAL FITTINGS

GROHE
EUROECO SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



32 787 000 **Chrome** **4005176871870** **129.87**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
lever length 120 mm
flexible connection hoses

32 870 000 **Chrome** **4005176876523** **94.45**

Euroeco Special
Lever 115 mm
for Euroeco special single-lever mixer
GROHE StarLight chrome finish

32 871 000 **Chrome** **4005176876530** **110.72**
ditto, length 160 mm

46 259 000 **Chrome** **4005176146046** **76.19**

Lever 120 mm
GROHE StarLight chrome finish

46 257 000 **Chrome** **4005176146022** **86.41**

Lever 170 mm
GROHE StarLight chrome finish



12 051 000 **Chrome** **4005176213588** **40.93**

S-union
1/2" x 3/4"
screw socket to cover the union nut
and the rosette
sealing towards wall
adjustment range 12.5 mm
lockable for service
suitable for 1/2" connections
GROHE StarLight chrome finish



34 487 000 **Chrome** **4005176936234** **131.63**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE StarLight chrome finish
built-in non return valves
dirt strainer
without connection set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**47 533 000**	**Chrome**	**4005176207181**	**30.43**

Grohtherm Micro
Connection set
for Grohtherm Micro (34 487 000)
Consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
GROHE StarLight chrome finish

GROHE
HOSPITA

GROHE
HOSPITA

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		30 978 000	Chrome	4005176098918	209.04
		Hospita **Sink pillar tap, 1/2"** marking: blue (cold) **GROHE StarLight** chrome finish			
		20 025 000	Chrome	4005176099403	124.88
		Hospita **Pillar tap** **1/2"** red/blue markers **GROHE StarLight** chrome finish			
		45 316 000	Chrome	4005176099267	72.41
		Lever marking: blue/red projection 100 mm for use with ceramic headparts **GROHE StarLight** chrome finish			
		45 314 000	Chrome	4005176099250	82.90
		Lever projection 150 mm marking: blue/red for use with ceramic headparts **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO SINGLE
SEQUENTIAL

GROHE
EUROECO SINGLE SEQUENTIAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)



32 789 000 **Chrome** **4005176871894** **209.06**

Euroeco Single Sequential
Single-lever safety basin mixer 1/2"
monobloc installation
smooth body
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses,

32 788 000 **Chrome** **4005176871887** **231.17**
Ditto, with pop up waste set



32 790 000 **Chrome** **4005176871900** **277.72**

Euroeco Single Sequential
Single-lever safety basin mixer 1/2"
monobloc installation
smooth body
high version
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses



32 823 000 **Chrome** **4005176877995** **342.39**

Euroeco Special
Single-lever safety basin mixer 1/2"
ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
cast spout with flow straightener 9 l/min.
projection 170 mm
metal lever
lever length 170 mm
without connection unions for wall mounting



32 795 000 **Chrome** **4005176871955** **363.91**

Euroeco Single Sequential
Single-lever safety basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
cast spout with flow straightener 9 l/min.
projection 204 mm
metal lever
lever length 170 mm
S-unions

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO SINGLE SEQUENTIAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)



32 792 000 **Chrome** **4005176871924** **367.13**

Euroeco Single Sequential
Single-lever safety basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
cast swivel spout, lockable with flow straightener 9 l/min.
projection 197 mm
metal lever
lever length 120 mm
S-unions

32 793 000 **Chrome** **4005176871931** **382.55**
ditto, projection 256 mm

46 277 000 **4005176131851** **40.93**

Temperature limiter
for cartridge 46 278
for Euroeco special mixer

46 278 000 **4005176131868** **103.89**

Ceramic cartridge
for Euroeco special mixer

46 686 000 **Chrome** **4005176883088** **27.08**

Lever 120 mm
for Euroeco Special
single sequential basin mixer
metal, 120 mm
GROHE StarLight chrome finish

46 687 000 **Chrome** **4005176883095** **37.09**

Lever 170 mm
for Euroeco Special
single sequential basin mixer
metal, 170 mm
GROHE StarLight chrome finish

GROHE
EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**28 874 000**	**Chrome**	**4005176042348**	**73.61**

Tee Connection
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE StarLight chrome finish

	**28 988 000**	**Chrome**	**4005176042805**	**102.91**

Drain Down Valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC SE

GROHE
EURODISC SE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**36 233 000**	**Chrome**	**4005176283338**	**523.65**

Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter
6V lithium battery, type CR-P2
GROHE StarLight chrome finish
flexible connection hoses
start-stop function
self-closing electronic
safety stop after 180 sec.
Flow time infinitely adjustable from 2-180 sec.
Automatic flushing: 5 min after 3 days without use
thermal desinfection for 3,5 or 11 min
CE approved
type of protection faucet IP 59K

	**36 249 000**	**Chrome**	**4005176283345**	**597.10**

Eurodisc SE
Self-closing basin tap 1/2“
6V lithium battery, type CR-P2
for cold or premixed water
marking: blue (cold)
GROHE StarLight chrome finish
flexible connection hose
dirt strainer
rapid installation system
start-stop function
self-closing electronic
safety stop after 180 sec.
external access to flow time adjustment
Flow time infinitely adjustable from 2-180 sec.
Automatic flushing: 5 min after 3 days without use
CE approved
type of protection faucet IP 59K

	36 209 000	**Chrome**	**4005176207105**	**72.04**

Security cover cap
vandal-proof, covered and pre-adjustable
suitable for single hole mixers
Europlus E and Eurodisc SE
Consisting of:
special mixing device for actuation by screwdriver
metallic cap
GROHE StarLight chrome finish

	42 886 000		**4005176200670**	**40.93**

Battery
6V lithium battery, type CR-P2

	**45 704 000**	**Chrome**	**4005176081231**	**40.93**

Flexible connection hose
300 mm
3/8“ x 3/8“

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART
COSMOPOLITAN T

COMMERCIAL
FITTINGS

GROHE
EUROSMART COSMOPOLITAN T

Ref. No.	Colour	EAN code	Retail Guide Price (£)



36 317 000 **Chrome** **4005176896514** **275.43**

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device
and adjustable temperature limiter
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)
2 flexible hoses, non-return valve
dirt strainers

36 318 000 **Chrome** **4005176896521** **297.55**
Ditto, with pop up waste set



36 319 000 **Chrome** **4005176896538** **462.85**

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device
and adjustable temperature limiter
wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
swivel cast spout 200 mm
swivel range stop at 130°, lockable
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
S-unions, non-return valve
dirt strainers



36 320 000 **Chrome** **4005176896545** **430.29**

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device
and adjustable temperature limiter
wall mounted
GROHE StarLight chrome finish
mixing device with hot water stop-valve
hose connection G 1/2"
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
S-unions
non-return valve
dirt strainers



36 321 000 **Chrome** **4005176896552** **308.59**

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device
and adjustable temperature limiter
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
dirt strainers
set for final installation for concealed fitting box
36 322 001
without concealed body



36 322 001 **4005176595400** **128.00**

Eurosmart Cosmopolitan T
Concealed mounting box
with mixture
wall installation
with adhesive flange for sealing the wall
2 stop valves
non-return valve
for use with 36 321 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN T

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	36 133 000	**Chrome**	**4005176140310**	**22.93**

Flow restrictor
external thread
M 24 x 1
flow class Z
7.5 l/min at 3 bar
including disassembly key
theft proof
GROHE StarLight finish

GROHE
EUROECO
COSMOPOLITAN T

GROHE
EUROECO COSMOPOLITAN T

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**36 265 000**	**Chrome**	**4005176893131**	**120.57**

Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)

	**36 266 000**	**Chrome**	**4005176893148**	**98.43**

Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
wall mounted
marking: blue/red
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
5.7 l/min flow rate
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)
escutcheon

	**36 316 000**	**Chrome**	**4005176896279**	**32.06**

Euroeco Cosmopolitan T
Extension, 42 mm
for self-closing pillar tap 1/2" (36 266 000)
GROHE StarLight chrome finish

	**36 268 000**	**Chrome**	**4005176893162**	**98.43**

Euroeco Cosmopolitan T
Self-closing shower valve 1/2"
for concealed installation
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)

	**36 267 000**	**Chrome**	**4005176893155**	**98.45**

Euroeco Cosmopolitan T
Self-closing shower valve 1/2"
exposed body and trim set
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
escutcheon

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE SENSIA
SHOWER TOILETS



CONTENTS

GROHE Sensia IGS	751
GROHE Sensia Arena	755
Manual bidet seat	761

GROHE
SENSIA ARENA

The GROHE Sensia Arena Toilet is the next level of personal care in the 21st century bathroom, offering a broad range of intelligent features. Prompted by a sensor, the lid opens and closes automatically while a gentle nightlight guides your way in the dark. The absorption of odours supports the transformation of a simple bathroom to a relaxing and hygienic zone. Every design detail has been carefully considered to offer new levels of cleanliness at every stage. Special hygienic coatings and powerful flushing keep the toilet clean while the self-cleaning, anti-bacterial spray arms give you total peace of mind when using the spray function. Discover the Sensia Arena and increase your personal well-being and comfort.

Enjoy a wealth of benefits that will fit you like a glove

01 Perfect skin care
With a selection of fully adjustable sprays, anti–bacterial twin shower arms and unlimited warm water for comfortable cleaning we offer perfect skin care: GROHE SkinClean.

02 Ultimate hygiene clean
Leading-edge AquaCeramic technology, germ-resistant HyperClean coating and self-cleaning, anti-bacterial spray arms provide you the greatest possible convenience and hygiene: GROHE HygieneClean.

03 Personal comfort
With features like odour absorption, air dryer, nightlight and the smartphone app we offer the smartest comfort: Personal Comfort.

GROHE MANUAL BIDET SEAT
PERFECTLY HYGIENIC WITH TWIN SHOWER

Comfortable cleaning with pure water – no electricity needed
The GROHE Manual Bidet Seat transforms a simple toilet into a comfortable, hygienic place where personal care and cleaning are second nature. Attached to a WC ceramic, the seat doesn't require electricity – instead, the spray is operated by a side lever powered only by water pressure, putting the control at your fingertips for an effective but gentle cleaning experience. No mess, no splashes and no stress. Made from hardwearing Duroplast, the seat itself creates an elegant visual addition to the bathroom.

REAR SPRAY
Thorough yet gentle, the targeted rear spray promises precise personal cleaning.

LADY SHOWER
The refreshing lady shower uses a completely separate spray arm for complete hygiene. The softer, wider spray pattern is more gentle, ideal for intimate feminine areas.

SOFT CLOSE SEAT
Both seat and lid have a quiet soft close mechanism meaning no danger of trapped fingers or of damaging the material.

RETRACTABLE NOZZLES
The two retractable spray arms are protected for extra hygiene.

SPRAY ARM CLEANING FUNCTION
Have confidence that the two spray arms remain germ-free, thanks to the cleaning function. Made from anti-bacterial material, the spray heads can be rinsed before and after every use controlled by the seat control lever.

GROHE
SENSIA IGS

SHOWER TOILET

GROHE
SENSIA IGS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 111 SH0	**alpine white**	**4005176304668**	**4,843.66**



GROHE Sensia IGS
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene decalcification program, unique 70°C hot water cleaning for entire water system, automatic shower cleaning before and after every use
GROHE DreamSpray technology:
separate water way for lady spray
aerated shower spray
oscillating spray (automatic forward and reverse motion of the spray)
pulsating spray for massage
adjustable spray intensity
automatic pre- and post-rinsing of spray nozzle with fresh water
warm water with adjustable temperature
Additional functions
warm air dryer with adjustable temperature
odor extraction with filter
Duroplast WC seat and lid with soft close function
push and turn seat control operation
4 programmable user profiles for remote controller
power switch
inside night lighting
hidden water supply and power supply connection
includes:
touchscreen remote control with wall-mounted holder
batteries for remote control
active carbon filter
fixing and connecting material
flush pipe
installation guide, manual
cable with system plug on device
pressure 0.1 - 1 MPa (1 - 10 bar)
nominal voltage 220-240 V AC 1400 W
main frequency 50-60 Hz
type of protection IPX4
complies with EN 1717/13077
CE approved
SH0:
alpine white ceramic, housing, front, seat and lid

39 596 000		**4005176527494**	**333.00**



Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
with flushing cistern GD 2 , 6 l - 2.6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
water supply from right, back or top
low noise (group I acc. to
German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order
revision shaft 66 791 000 (sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENSIA IGS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 899 000		4005176413896	38.72

Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

GROHE
SENSIA ARENA

SHOWER TOILET

GROHE
SENSIA ARENA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 354 SH1	**alpine white**	**4005176470448**	**2,764.18**



GROHE Sensia Arena
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology
GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology
GROHE Skin Clean:
2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray)
separate water way for lady spray
oscillating spray (automatic forward and reverse motion of the spray)
pulsating spray for massage
adjustable spray intensity
automatic pre- and post-rinsing of spray nozzle with fresh water
integrated instant heater provides unlimited warm water
adjustable temperature
Additional functions
warm air dryer with adjustable temperature
odor extraction with filter
PlasmaCluster function - ion technology
descaling function
Duroplast WC seat and lid with automatic opening/close function
soft close
infra-red user detection
seat control operation
power switch
inside bowl night light
hidden water supply and power supply connection
remote control
smart phone app for iOS and Android
includes:
manual remote controller with wall-mounted holder
active carbon filter for odour absorption
water supply connection set for concealed cistern
nozzle guard
pressure 0.05 - 1 MPa (0.5 - 10 bar)
nominal voltage 220-240 V AC
main frequency 50-60 Hz
type of protection IPX4
complies with EN 1717
CE approved

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENSIA ARENA

Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 596 000 **4005176527494** **333.00**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
with flushing cistern GD 2 , 6 l - 2.6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
water supply from right, back or top
low noise (group I acc. to
German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order
revision shaft 66 791 000 (sold separately)



46 944 001 **4005176479977** **199.00**

GROHE Sensia Arena
Installation kit for automatic flush and pre-flush
Suitable for Sensia Arena shower toilet on a 1.13 m Rapid SL frame
Consisting of:
servo motor for GD 2
actuation rod for flushing valve
cable and blind cap
flexible hose
WC actuation plate not included
CE approved

40 899 000 **4005176413896** **38.72**

Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL installations to
shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

GROHE
SENSIA ARENA

Ref. No.	Colour	EAN code	Retail Guide Price (£)

14 928 000 — **4005176375484** — **30.66**

GROHE Sensia Arena
Spray
for Sensia Arena shower toilet system, wall hung and floor standing
standard shower

14 929 000 — **4005176375491** — **30.66**

GROHE Sensia Arena
Spray
for Sensia Arena shower toilet system, wall hung and floor standing
lady shower

14 936 000 — **4005176375569** — **41.25**

GROHE Sensia Arena
splash protection
for Sensia Arena shower toilet system, wall hung and floor standing

46 977 00M — **4005176423727** — **49.68**

GROHE Sensia Arena
Descaler
packaging unit 4 x 80 g bag
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

46 978 000 — **4005176423734** — **49.68**

GROHE Sensia Arena
Descaling kit
for 39 354 SH0
80 g bag descaler
splash protection
bottle
adapter



46 978 001 — **4005176479984** — **96.77**

GROHE Sensia Arena
Descaling kit
for 39 354 SH1
80 g bag descaler
bottle
adapter
hose with clip
sticker
holder for bottle
1 x spray standard shower (14 928 000)
1 x spray lady shower (14 929 000)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENSIA ARENA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 979 000		4005176423741	20.09

GROHE Sensia Arena
Descaler bottle
for 39 354 SH0
bottle
adapter

GROHE
MANUAL BIDET SEAT

GROHE
MANUAL BIDET SEAT

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 648 SH0 **alpine white** **4005176575310** **247.00**

Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“
includes:
mounting plate
filter
pressure 0.1 - 1 MPa (1 - 10 bar)
complies with EN 1717

39 651 SH0 **alpine white** **4005176575327** **346.00**

Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“

Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

39 652 SH0 **alpine white** **4005176575334** **470.00**

Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“

Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

Grohtherm Micro 34 487 000
small under-basin thermostat
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)





14 074 000 **4005176575365** **37.00**

Accessory set shower hose and T piece
for manual bidet seat
Consisting of:
T unit 3/8“
flexible connection hose
795 mm
3/8“ x 3/8“

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CERAMICS

CONTENTS

Essence	773
Cube Ceramic	783
Euro Ceramic	789
Bau Ceramic	797
Acrylic shower trays	807

FOUR UNIQUE
CERAMIC DESIGN LINES

Create pure unison in your bathroom: with GROHE Ceramics. If you choose one of our perfect matches, you can be sure that you are composing a coherent and perfectly designed style.

Whatever your lifestyle, whatever your taste, you'll find the perfect combination of products within GROHE's four ceramic ranges. Each has its own distinctive qualities and they make creating a visually unified bathroom simple and fun.

ESSENCE
BEAUTY IN ITS PUREST FORM

CUBE CERAMIC
A CLEAR STYLE STATEMENT

EURO CERAMIC
IN TUNE WITH MY LIFESTYLE

BAU CERAMIC
VERSATILITY FOR A MODERN LIFE

FIVE COMPELLING **TECHNOLOGIES**

You may not see it at first sight – but our ceramics are equipped with the most advanced technology. At GROHE it is our aspiration to make your time in the bathroom as comfortable as possible without any restrictions. Discover our innovative GROHE technologies.

OUR KEY TECHNOLOGIES



TRIPLE VORTEX FLUSH
THE POWER OF THREE: CLEAN AND SILENT

RIMLESS TECHNOLOGY
LEAVES BACTERIA NOWHERE TO HIDE

PUREGUARD
STAYS SPARKLING WHITE - NO CHANCE FOR BACTERIA AND DIRT

QUICK RELEASE SEAT
EASY REMOVAL FOR EASY CLEANING

SEAT & COVER SOFT CLOSE
GENTLE AND QUIET

WITH OUR PERFECT MATCHES YOU CAN BE SURE **THAT EVERYTHING FITS**

A consistent design language and ergonomic use are essential for making your bathroom a place of true relaxation. With our perfect matches, we created four coordinated collections for a complete bathroom solution.

Each of our matches was tested to be perfect in design and function. Choose for yourself the line that complements your personal style.

BAU CERAMIC

EURO CERAMIC

ESSENCE

CUBE CERAMIC

BAUEDGE

BAULOOP

EUROSTYLE
COSMOPOLITAN

EUROSTYLE

EUROSMART
COSMOPOLITAN

EUROSMART

ESSENCE

LINEARE

GROHE PLUS

ATRIO

EUROCUBE

LINEARE

ALLURE

ALLURE
BRILLIANT

GROHE ESSENCE

CERAMICS

GROHE
ESSENCE

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		39 564 00H	alpine white	4005176485602	275.84
		Essence **Wash basin 70** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 700 x 485 mm suitable for half and full pedestal sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **12 pieces per pallet**			
		39 565 00H	alpine white	4005176485619	254.54
		Essence **Wash basin 60** **wall fixings not included** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 600 x 485 mm suitable for half and full pedestal sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **16 pieces per pallet**			
		39 566 00H	alpine white	4005176485626	605.99
		Essence **Vanity basin 100** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 1000 x 460 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **8 pieces per pallet**			
		39 567 00H	alpine white	4005176485633	435.59
		Essence **Vanity basin 80** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 800 x 460 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **12 pieces per pallet**			
		39 568 00H	alpine white	4005176485640	297.14
		Essence **Vanity basin 60** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 600 x 460 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **16 pieces per pallet**			
		39 608 00H	alpine white	4005176566493	579.36
		Essence **Vessel basin 60** without overflow 600 x 400 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 609 00H **alpine white** **4005176566509** **386.60**

Essence
Vessel basin 45
without overflow
450 x 450 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)



39 570 000 **alpine white** **4005176484865** **158.69**

Essence
Half pedestal
including fixation set
sanitary ware
33 pieces per pallet



39 571 00H **alpine white** **4005176485671** **382.34**

Essence
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)
12 pieces per pallet



39 572 00H **alpine white** **4005176485688** **424.94**

Essence
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
wash down
rimless
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)
6 pieces per pallet



39 573 00H **alpine white** **4005176485794** **399.38**

Essence
Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
for concealed cistern
rimless
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)
8 pieces per pallet

GROHE
ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 578 000 **alpine white** **4005176485145** **243.89**

Essence
Exposed flushing cistern for close coupled combination
connection from the left/right hand side
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware
24 pieces per pallet



39 579 000 **alpine white** **4005176485152** **243.89**

Essence
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware
24 pieces per pallet



39 577 000 **alpine white** **4005176485138** **158.69**

Essence
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Essence bowls
7 pieces per master carton



39 576 000 **alpine white** **4005176485121** **105.44**

Essence
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Essence bowls
7 pieces per master carton



39 574 00H **alpine white** **4005176485800** **382.34**

Essence
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
16 pieces per pallet



39 575 00H **alpine white** **4005176485817** **399.38**

Essence
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
8 pieces per pallet

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 611 000 **alpine white** **4005176571275** **6,501.11**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats



39 612 000 **alpine white** **4005176571282** **6,295.30**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
with AntiSlip
without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats



39 613 00H **alpine white** **4005176571299** **6,634.61**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
with EasyClean
without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats



39 614 00H **alpine white** **4005176571305** **6,768.12**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
with EasyClean
with AntiSlip
without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats



39 729 000 **alpine white** **4005176594991** **5,922.30**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats



39 728 000 **alpine white** **4005176594885** **6,295.30**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
with AntiSlip
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

GROHE
ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**39 727 00H**	**alpine white**	**4005176594878**	**6,634.61**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
with EasyClean
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

	**39 726 00H**	**alpine white**	**4005176594861**	**6,768.12**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
with EasyClean
with AntiSlip
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

	**39 617 000**	**alpine white**	**4005176571312**	**1,248.10**

Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats

	**39 619 000**	**alpine white**	**4005176571329**	**1,376.43**

Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
with AntiSlip
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats

	**39 620 00H**	**alpine white**	**4005176571336**	**1,376.43**

Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
with EasyClean
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 621 00H	**alpine white**	**4005176571343**	**1,503.65**



Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
with EasyClean
with AntiSlip
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats

---

	39 622 000	**alpine white**	**4005176571350**	**6,220.49**



Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

---

	39 623 000	**alpine white**	**4005176571367**	**6,645.31**



Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
with drilled tap hole
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

---

	39 649 00H	**alpine white**	**4005176571374**	**6,645.16**



Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
with EasyClean
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

---

	39 650 00H	**alpine white**	**4005176571381**	**6,780.58**



Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
with EasyClean
with drilled tap hole
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

GROHE
ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**49 113 000** **49 113 SH0**	**Chrome** **alpine white**	**4005176571398** **4005176571404**	**2,001.81** **2,006.05**
	Essence **Waste set for free standing bathtubs** dual function of overflow and waste water drainage concealed overflow electric pressure sensor unlocks the overflow drainage mains supply necessary for installation			
	**19 025 000**	**Chrome**	**4005176209154**	**54.19**
	Talento **Waste and overflow set for baths** set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 **GROHE StarLight** chrome finish			
	**19 952 000**	**Chrome**	**4005176174230**	**48.67**
	Talentofill **Inlet-, pop-up and waste-system** set for final installation escutcheon supply part waste plug fixing set **in combination with Talentofill** **28 990 000/28 991 000**			
	**28 943 000**		**4005176209178**	**93.40**
	Talento **Pop-up bath waste and overflow** with bowden cable **without finishing trim set** bottle trap 45° waste elbow			
	**28 991 000**		**4005176174032**	**187.84**
	Talentofill **Inlet-, pop-up and waste-system** for baths with waste up to 370 mm reach **without finishing trim set**			
	49 115 000	**Chrome**	**4005176571411**	**100.51**
	Essence **Feet for built-in bathtubs** individual height adjustment of each foot **GROHE QuickFix** system			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	49 114 000		**4005176571428**	**166.14**

Essence
Sealing system
GROHE QuickFix system
waterproof ETAG 022 DIN 18534

GROHE
CUBE CERAMIC

GROHE
CUBE CERAMIC

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**39 386 00H**	**alpine white**	**4005176438356**	**538.94**
		Cube Ceramic **Wash basin 100** wall hung 1 hole punched, 2 holes pre-punched with overflow 1010 x 490 mm **wall fixings not included** sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **10 pieces per pallet**			
		**39 469 00H**	**alpine white**	**4005176438363**	**465.79**
		Cube Ceramic **Wash basin 80** wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm **wall fixings not included** sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **10 pieces per pallet**			
		**39 473 00H**	**alpine white**	**4005176438370**	**252.03**
		Cube Ceramic **Wash basin 60** **wall fixings not included** wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **16 pieces per pallet**			
		**39 474 00H**	**alpine white**	**4005176438387**	**235.15**
		Cube Ceramic **Wash basin 50** **wall fixings not included** wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **18 pieces per pallet**			
		**39 475 00H**	**alpine white**	**4005176442599**	**538.94**
		Cube Ceramic **Counter top basin 100** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **10 pieces per pallet**			
		**39 476 00H**	**alpine white**	**4005176442605**	**466.92**
		Cube Ceramic **Counter top basin 80** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm **wall fixings not included** including fixation set sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **10 pieces per pallet**			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CUBE CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 477 00H **alpine white** **4005176442612** **253.15**

Cube Ceramic
Counter top basin 60
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
16 pieces per pallet



39 478 00H **alpine white** **4005176442629** **237.40**

Cube Ceramic
Counter top basin 50
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
500 x 490 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
18 pieces per pallet



39 481 00H **alpine white** **4005176442650** **227.27**

Cube Ceramic
Vessel basin 50
without overflow
500 x 470 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
20 pieces per pallet



39 482 00H **alpine white** **4005176442667** **201.39**

Cube Ceramic
Vessel basin 40
without overflow
400 x 400 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
24 pieces per pallet



39 480 00H **alpine white** **4005176442643** **227.27**

Cube Ceramic
Under-counter wash basin 50
installation from below
with overflow
492 x 370 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
18 pieces per pallet



39 479 00H **alpine white** **4005176442636** **243.02**

Cube Ceramic
Counter basin 60
flat back side glazed
built-in
1 hole punched, 2 holes pre-punched
with overflow
605 x 490 mm
walls fixings not included
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
16 pieces per pallet

GROHE
CUBE CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 483 00H **alpine white** **4005176442674** **195.77**

Cube Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
455 x 350 mm
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
22 pieces per pallet



39 245 00H **alpine white** **4005176524479** **480.32**

Cube Ceramic
Wall hung WC
horizontal outlet
rimless
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 488 000 (soft close)



39 485 00H **alpine white** **4005176442704** **420.80**

Cube Ceramic
Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
wash down
rimless
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 488 000 (soft close)
8 pieces per pallet



39 484 00H **alpine white** **4005176442698** **452.30**

Cube Ceramic
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
rimless
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 488 000 (soft close)
6 pieces per pallet



39 489 000 **alpine white** **4005176442742** **237.42**

Cube Ceramic
Exposed flushing cistern for close coupled combination
connection from the left/right hand side
including flushing set GROHE AV1
including fixation set
sanitary ware
24 pieces per pallet

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CUBE CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 490 000 **alpine white** **4005176442759** **237.42**

Cube Ceramic
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
including fixation set
sanitary ware
24 pieces per pallet



39 488 000 **alpine white** **4005176442735** **174.40**

Cube Ceramic
WC seat soft close
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Cube Ceramic bowls



39 486 00H **alpine white** **4005176442711** **369.05**

Cube Ceramic
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
6 pieces per pallet



39 487 00H **alpine white** **4005176442728** **381.41**

Cube Ceramic
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
8 pieces per pallet

GROHE
EURO CERAMIC

GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**39 585 00H**	**alpine white**	**4005176519178**	**463.28**

Euro Ceramic
Vanity basin 100
wall hung
1 hole punched, 2 holes pre-punched
with overflow
1000 x 460 mm
suitable for vanity units
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
8 pieces per pallet

	**39 584 00H**	**alpine white**	**4005176519161**	**358.91**

Euro Ceramic
Vanity basin 80
wall hung
1 hole punched, 2 holes pre-punched
with overflow
800 x 460 mm
suitable for vanity units
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
12 pieces per pallet

	**39 323 000** **39 323 00H**	**alpine white** **alpine white**	**4005176407116** **4005176417344**	**102.03** **153.63**

Euro Ceramic
Wash basin 65
wall hung
1 hole punched
with overflow
650 x 515 mm
wall fixings not included
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

	**39 335 000** **39 335 00H**	**alpine white** **alpine white**	**4005176407239** **4005176417351**	**96.32** **142.19**

Euro Ceramic
Wash basin 60
wall hung
1 hole punched
with overflow
600 x 480 mm
wall fixings not included
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

	**39 641 000**	**alpine white**	**4005176570155**	**228.99**

Euro Ceramic
Bundle wash basin 60 + Eurosmart basin mixer
Consisting of:
Euro Ceramic wash basin 60 (39 335 000)
Eurosmart basin mixer M-size (23 322 001)
TOX mounting set
Angle valve 1/2" (22 039 000)
P-trap 1 1/4" (28 947 000)

	**39 642 000** **39 642 KW0**	**alpine white** **supermatt black**	**4005176570162** **4005176573521**	**239.64** **273.00**

Euro Ceramic
Bundle wash basin 60 + Eurosmart Cosmopolitan basin mixer
Consisting of:
Euro Ceramic wash basin 60 (39 335 000)
Eurosmart Cosmopolitan basin mixer M-Size (23 325 000)
TOX mounting set
Angle valve 1/2" (22 039 000)
P-trap 1 1/4" (28 947 000)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 337 000	**alpine white**	**4005176407253**	**102.04**
	39 337 00H	**alpine white**	**4005176418334**	**153.65**



Euro Ceramic
Counter top basin 60
1 hole punched
with overflow
600 x 480 mm
wall fixings not included
including fixation set
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

---

	39 336 000	**alpine white**	**4005176407246**	**94.83**
	39 336 00H	**alpine white**	**4005176417368**	**140.46**



Euro Ceramic
Wash basin 55
wall hung
1 hole punched
with overflow
550 x 450 mm
wall fixings not included
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

---

	39 423 000	**alpine white**	**4005176406201**	**111.41**



Universal
Undercounter wash basin 55
installation from below
with overflow
560 x 420 mm
fixings included
sanitary ware
including fixation set

---

	39 324 000	**alpine white**	**4005176407123**	**67.66**
	39 324 00H	**alpine white**	**4005176417375**	**119.26**



Euro Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
450 x 400 mm
wall fixings not included
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

---

	39 327 000	**alpine white**	**4005176390104**	**84.84**
	39 327 00H	**alpine white**	**4005176418341**	**136.45**



Euro Ceramic
Compact handrinse basin
wall hung
1 hole punched
370 x 180 mm
wall fixings not included
sanitary ware
no pedestals recommended
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

---

	39 201 000	**alpine white**	**4005176344947**	**73.39**



Euro Ceramic
Semi pedestal for wash basin
39230,39335 and 39336
invisible fixation set included
sanitary ware
suitable for all GROHE wash basins except
39 324 000, 39 324 00H, 39 327000, 39 327 00H

GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 325 000	**alpine white**	**4005176407130**	**73.39**

Euro Ceramic
Semi pedestal for hand rinse basin
39 324 000
invisible fixation set included
sanitary ware
suitable for hand rinse basins 39 324 000/39 324 00H



39 202 000	**alpine white**	**4005176344954**	**84.84**

Euro Ceramic
Full pedestal for wash basin
39230,39335,39336 and 39324
invisible fixation set included
sanitary ware
suitable for all GROHE wash basins except
39 324 000, 39 324 00H, 39 327000, 39 327 00H



39 328 000	**alpine white**	**4005176407161**	**285.51**
39 328 00H	**alpine white**	**4005176417382**	**337.12**

Euro Ceramic
Wall hung WC
for concealed cistern
horizontal outlet
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)



39 554 000	**alpine white**	**4005176484452**	**382.35**

Euro Ceramic
Wall hung WC set
horizontal outlet
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
Euro Ceramic WC seat
soft close
quick release function
detachable
material: Duroplast
4 pieces per pallet



39 206 000	**alpine white**	**4005176344992**	**262.59**
39 206 00H	**alpine white**	**4005176418495**	**314.17**

Euro Ceramic
Wall hung compact WC
horizontal outlet
Triple Vortex
rimless
flush volume 3/5 l
49 cm width
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURO CERAMIC

Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 693 000 **alpine white** **4005176581281** **354.40**

Euro Ceramic
Wall hung WC set
Consisting of:
Euro Ceramic wall hung compact WC (39 206 000)
horizontal outlet
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation

Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
material: Duroplast
6 pieces per pallet



39 538 000 **alpine white** **4005176468292** **223.66**

Euro Ceramic
Wall hung WC, basic
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)
12 pieces per pallet



39 338 000 **alpine white** **4005176407260** **222.46**
39 338 00H **alpine white** **4005176418501** **274.04**

Euro Ceramic
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)



39 332 000 **alpine white** **4005176407208** **205.25**

Euro Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set with dual flush
including fixation set
sanitary ware



39 333 000 **alpine white** **4005176407215** **205.25**

Euro Ceramic
Exposed flushing cistern
side or back inlet
for back inlet please order mounting set 49 522 000 (sold separately)
including flushing set with dual flush
including fixation set
sanitary ware

GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**39 462 000**	**alpine white**	**4005176454608**	**480.81**
	39 462 00H	**alpine white**	**4005176454615**	**530.29**

Euro Ceramic
Floor standing 2 piece WC
close coupled
universal trap for horizontal and vertical outlet
Triple Vortex
rimless
flush volume 6/3 l
including cistern with bottom inlet, seat and cover soft close and fixation set
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

	**39 329 000**	**alpine white**	**4005176407178**	**210.91**
	39 329 00H	**alpine white**	**4005176418518**	**262.58**

Euro Ceramic
Floor standing WC
universal trap for horizontal and vertical outlet
wash down
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)

	**39 555 000**	**alpine white**	**4005176484469**	**318.41**

Euro Ceramic
Floor standing WC set
universal trap for horizontal and vertical outlet
rimless
flush volume 3/5 l
including fixation set
sanitary ware
Euro Ceramic WC seat
soft close
quick release function
detachable
material: Duroplast
4 pieces per pallet

	**39 339 000**	**alpine white**	**4005176407277**	**218.24**
	39 339 00H	**alpine white**	**4005176418525**	**269.84**

Euro Ceramic
Floor standing back to wall WC
horizontal outlet
back to wall
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)

	**39 330 001**	**alpine white**	**4005176468834**	**102.07**

Euro Ceramic
WC seat soft close
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
suitable for all GROHE Euro Ceramic WCs

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 331 001	**alpine white**	**4005176468827**	**72.73**



Euro Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
suitable for all GROHE Euro Ceramic WCs



39 208 000	**alpine white**	**4005176345029**	**256.86**
39 208 00H	**alpine white**	**4005176418532**	**308.45**

Euro Ceramic
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)



39 340 000	**alpine white**	**4005176423697**	**222.43**
39 340 00H	**alpine white**	**4005176423703**	**274.04**

Euro Ceramic
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**39 453 000** **WC connection outlet** horizontal 320 mm from wall		**4005176421099**	**21.38**
	**39 454 000** **WC connection outlet** horizontal and vertical length adjustable 60 to 105 mm from wall		**4005176421105**	**21.38**
	**39 457 000** **WC connection outlet** vertical length adjustable 93.5 to 137 mm from wall		**4005176421112**	**21.38**
	**49 532 000** **Escutcheon** for 39 457 000		**4005176474224**	**10.11**
	**39 551 000** **WC connection outlet** vertical length adjustable 200 to 250 mm from wall		**4005176469640**	**65.63**
	49 522 000 **Mounting set** for Euro Ceramic cistern 39 333 000 for back inlet installation		**4005176421501**	**25.88**

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

CERAMICS

GROHE
BAU CERAMIC

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**39 420 000** **Bau Ceramic** **Wash basin 65** wall hung 1 hole punched with overflow 646 x 468 mm **wall fixings not included** sanitary ware	**alpine white**	4005176405983	**72.01**
		**39 421 000** **Bau Ceramic** **Wash basin 60** wall hung 1 hole punched with overflow 609 x 442 mm **wall fixings not included** sanitary ware	**alpine white**	4005176428906	**66.39**
		**39 644 000** **Bau Ceramic** **Bundle wash basin 60 + BauFlow basin mixer** Consisting of: **Bau Ceramic wash basin 60 (39 421 000)** wall hung 1 hole punched with overflow 609 x 442 mm **wall fixings not included** sanitary ware **BauFlow single-lever basin mixer S-size (23 751 000)** monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system pop-up waste set 1 1/4“ flexible connection hoses **Mounting set** brand: TOX hanger bolts M10 x 140 **Angle valve 1/2“ (22 039 000)** self-sealing connection thread wall connection 1/2“ outlet thread 3/8“ with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm **GROHE StarLight** chrome finish **P-trap 1 1/4“ (28 947 000)** for basins wall connection escutcheon	**alpine white**	4005176570186	**174.67**
		**39 440 000** **Bau Ceramic** **Wash basin 55** wall hung 1 hole punched with overflow 553 x 386 mm **wall fixings not included** sanitary ware	**alpine white**	4005176405976	**60.75**

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 643 000	**alpine white**	**4005176570179**	**190.64**



Bau Ceramic
Bundle wash basin 55 + BauEdge basin mixer
Consisting of:
Bau Ceramic wash basin 55 (39 440 000))
wall hung
1 hole punched
with overflow
553 x 386 mm
wall fixings not included
sanitary ware

BauEdge single-lever basin mixer M-size (23 759 000)
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

Mounting set
brand: TOX
hanger bolts M10 x 140

Angle valve 1/2" (22 039 000)
self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight chrome finish

P-trap 1 1/4" (28 947 000)
for basins
wall connection
escutcheon

39 422 000	**alpine white**	**4005176406195**	**111.41**



Bau Ceramic
Counter Drop-in basin 55
built-in
1 hole punched
with overflow
560 x 400 mm
fixings included
sanitary ware

39 423 000	**alpine white**	**4005176406201**	**111.41**



Universal
Undercounter wash basin 55
installation from below
with overflow
560 x 420 mm
fixings included
sanitary ware
including fixation set

39 424 000	**alpine white**	**4005176406218**	**60.75**



Bau Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
453 x 354 mm
wall fixings not included
sanitary ware

GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**39 426 000**	**alpine white**	**4005176406232**	**66.40**

Bau Ceramic
Half pedestal
including fixation set
sanitary ware
suitable to all Bau Ceramic wash basins except 39 424 000

	**39 425 000**	**alpine white**	**4005176406225**	**60.75**

Bau Ceramic
Full pedestal
including fixation set
sanitary ware

	**39 427 000**	**alpine white**	**4005176406249**	**111.39**

Bau Ceramic
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)

	**39 491 000**	**alpine white**	**4005176449994**	**78.00**

Bau Ceramic
Wall hung WC
for concealed cistern
wash down
boxed rim
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)
16 pieces per pallet

	**39 428 000**	**alpine white**	**4005176406256**	**128.26**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
boxed rim
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)

	**39 349 000**	**alpine white**	**4005176449659**	**139.51**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**39 429 000**	**alpine white**	**4005176406263**	**139.51**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
vertical outlet, concealed
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)

	**39 436 000**	**alpine white**	**4005176406331**	**111.38**

Bau Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set & button
sanitary ware

	**39 437 000**	**alpine white**	**4005176406348**	**111.38**

Bau Ceramic
Exposed flushing cistern
connection from the left/right hand side
including flushing set & button
sanitary ware

	**39 430 000**	**alpine white**	**4005176406270**	**94.52**

Bau Ceramic
Floor standing WC
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware

	**39 431 000**	**alpine white**	**4005176406287**	**94.52**

Bau Ceramic
Floor standing WC
wash down
rimless
vertical outlet
flush volume 6/3 l
including fixation set
sanitary ware

	**39 492 000**	**alpine white**	**4005176450013**	**43.89**

Bau Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Bau Ceramic bowls

GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 493 000	alpine white	4005176450020	88.91

Bau Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Bau Ceramic bowls

	39 433 000	alpine white	4005176406300	190.15

Bau Ceramic
Wall hung bidet
1 hole punched
with overflow
sanitary ware

	39 432 000	alpine white	4005176406294	190.13

Bau Ceramic
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware

	39 438 000	alpine white	4005176406355	212.65

Bau Ceramic
Urinal
concealed inlet
wall fixings Included
flush volume 1 l
including fixation set
sanitary ware
for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately
not compatible with temperature sensor 39 367 000

	39 439 000	alpine white	4005176406362	212.65

Bau Ceramic
Urinal
top inlet
wall fixings Included
flush volume 1 l
including fixation set
sanitary ware
for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately

	39 732 000		4005176595431	44.96

Urinal trap
horizontal trap Ø 50 mm
flush volume 2 - 4 l
middle inlet and outlet 80 mm
for Bau Ceramic urinals 39 438 000 and 39 439 000
material: plastic

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 351 000 **alpine white** **4005176450006** **190.14**

Bau Ceramic
Wall hung WC set
WC seat and lid with soft close feature
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware



39 497 000 **alpine white** **4005176450068** **143.78**

Bau Ceramic
Wall hung WC set
WC seat and lid
for concealed cistern
wash down
boxed rim
horizontal outlet
flush volume 6/3 l
sanitary ware
12 pieces per pallet



39 347 000 **alpine white** **4005176449680** **302.65**

Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)
wash down
boxed rim
horizontal outlet, concealed
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 437 000)
connection from the left/right hand side
including flushing set & button
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set



39 346 000 **alpine white** **4005176449673** **313.90**

Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with vertical outlet (39 429 000)
wash down
rimless
vertical outlet
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 437 000)
connection from the left/right hand side
including flushing set & button
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set

GROHE
BAU CERAMIC

Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 496 000 **alpine white** **4005176450051** **314.82**

Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 494 000)
connection from the left/right hand side
including flushing set & button
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet



39 648 SH0 **alpine white** **4005176575310** **247.00**

Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“
includes:
mounting plate
filter
pressure 0.1 - 1 MPa (1 - 10 bar)
complies with EN 1717

39 651 SH0 **alpine white** **4005176575327** **346.00**

Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“

Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 652 SH0	**alpine white**	**4005176575334**	**470.00**

Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“

Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

Grohtherm Micro 34 487 000
small under-basin thermostat
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)

	**14 074 000**		**4005176575365**	**37.00**

Accessory set shower hose and T piece
for manual bidet seat
Consisting of:
T unit 3/8“
flexible connection hose
795 mm
3/8“ x 3/8“

GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**39 453 000** **WC connection outlet** horizontal 320 mm from wall		**4005176421099**	**21.38**
	**39 454 000** **WC connection outlet** horizontal and vertical length adjustable 60 to 105 mm from wall		**4005176421105**	**21.38**
	**39 457 000** **WC connection outlet** vertical length adjustable 93.5 to 137 mm from wall		**4005176421112**	**21.38**
	**49 532 000** **Escutcheon** for 39 457 000		**4005176474224**	**10.11**
	**39 551 000** **WC connection outlet** vertical length adjustable 200 to 250 mm from wall		**4005176469640**	**65.63**

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACRYLIC SHOWER TRAYS

CERAMICS

GROHE
ACRYLIC SHOWER TRAYS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 300 000 **alpine white** **4005176346026** **245.32**

Acrylic shower tray 1000 x 1000
dimensions: 1000 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014416
recommended Schedel installation set SD 90083
20 pieces per pallet



39 301 000 **alpine white** **4005176346033** **180.84**

Acrylic shower tray 900 x 900
dimensions: 900 x 900 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014408
recommended Schedel installation set SD 90081
20 pieces per pallet



39 302 000 **alpine white** **4005176346040** **173.43**

Acrylic shower tray 800 x 800
dimensions: 800 x 800 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014411
recommended Schedel installation set SD 90080
20 pieces per pallet



39 305 000 **alpine white** **4005176346071** **306.67**

Acrylic shower tray 800 x 1200
dimensions: 800 x 1200 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150183)
extension set MR SF (# 150194)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014413
recommended Schedel installation set SD 90084
20 pieces per pallet

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACRYLIC SHOWER TRAYS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 306 000	**alpine white**	**4005176346088**	**199.86**



Acrylic shower tray 800 x 1000
dimensions: 800 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014412
recommended Schedel installation set SD 90082
20 pieces per pallet

	39 307 000	**alpine white**	**4005176346095**	**438.85**



Acrylic shower tray 900 x 1400
dimensions: 900 x 1400 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150181)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014415
recommended Schedel installation set SD 90086
20 pieces per pallet

	39 308 000	**alpine white**	**4005176346101**	**377.51**



Acrylic shower tray 900 x 1200
dimensions: 900 x 1200 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150183)
extension set MR SF (# 150194)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014414
recommended Schedel installation set SD 90085
20 pieces per pallet

	49 533 000	**Chrome**	**4005176478475**	**31.31**
	49 533 SH0	**alpine white**	**4005176560033**	**48.00**



Waste set for universal shower tray
Ø 112 mm
vertical outlet
GROHE StarLight chrome finish
flow rate 1.1 l/s according to DIN EN 274

	49 534 000	**Chrome**	**4005176478482**	**31.31**
	49 534 SH0	**alpine white**	**4005176560040**	**48.00**



Waste set for universal shower tray
Ø 112 mm
horizontal outlet
GROHE StarLight chrome finish
flow rate 0.7 l/s (42 l/min) according to DIN EN 274

GROHE
INSTALLATION SYSTEMS



CONTENTS

Rapid SLX	Rapid SLX	813
Rapid SL	Rapid SL for WC	817
	Rapid SL for Urinal	831
	Rapid SL for Wash Basin and Bidet	835
	Rapid SL for the Disabled	839
	Rapid SL Fitting Supports	843
	Rapid SL Accessories	845

GROHE
RAPID SLX

INSTALLATION
SYSTEMS

GROHE
RAPID SLX

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 596 000		4005176527494	333.00



Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
with flushing cistern GD 2 , 6 l - 2.6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
water supply from right, back or top
low noise (group I acc. to
German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order
revision shaft 66 791 000 (sold separately)

39 603 000	Chrome	4005176527562	391.00



Rapid SLX
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL front wall brackets (38 558 00M)
including flow manager

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SLX

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 598 000		4005176527517	350.00



Rapid SLX
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Rapid SL front wall brackets (38 558 00M)
WC set for noise protection (37 131 000)
including flow manager

GROHE
RAPID SL FOR WC

GROHE StarLight

GROHE EcoJoy

GROHE Whisper

INSTALLATION SYSTEMS

GROHE
RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**39 374 KS0**	**velvet black**	**4005176344770**	**698.17**

Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic

	**39 374 LS0**	**moon white**	**4005176344787**	**698.17**

Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 528 001		**4005176863943**	**286.47**



Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply from left/right or back
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE
RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**39 500 000**	**Chrome**	**4005176453861**	**264.57**

Rapid SL
5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)
WC set for noise protection (37 131 000)

	**38 827 000**	**Chrome**	**4005176870477**	**419.21**

Rapid SL
5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)

	**38 750 001**	**Chrome**	**4005176863363**	**398.20**

Rapid SL
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, chrome, vertical installation (38 505 000)
Rapid SL front wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)

	**38 860 000**	**Chrome**	**4005176878084**	**374.99**

Rapid SL
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Nova Cosmopolitan flush plate, chrome (38 765 000)
GROHE Fresh retrofit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



38 888 000 **Chrome** **4005176879630** **430.26**

Rapid SL
4-in-1 set for WC, 1.00 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 525 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)



38 885 000 **Chrome** **4005176879609** **419.19**

Rapid SL
4-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)



39 501 000 **Chrome** **4005176453878** **372.74**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL front wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates



39 503 000 **Chrome** **4005176454097** **372.70**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air S flush plate, chrome, vertical installation (37 965 000)
Rapid SL front wall brackets (38 558 00M)

GROHE
RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**39 504 000**	**Chrome**	**4005176454103**	**372.74**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
flushing cistern GD 2, 6 - 3 l
Consisting of:
Rapid SL element for WC (38 528 001)
Arena Cosmopolitan S flush plate, chrome (37 624 000)
Rapid SL front wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates

	**39 581 000**	**Chrome**	**4005176496011**	**372.74**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Nova Cosmopolitan S flush plate, chrome (37 601 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)

	**38 719 001**	**alpine white**	**4005176863448**	**214.00**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 840 000)
Skate Air flush plate, alpine white, vertical installation (38 505 SH0)
Rapid SL front wall brackets (38 558 00M)
including adapter 38 338 000

	**38 721 001**	**Chrome**	**4005176863431**	**359.00**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, chrome, vertical installation (38 505 000)
Rapid SL front wall brackets (38 558 00M)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**38 722 001**	**alpine white**	**4005176863424**	**343.00**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, alpine white, vertical installation (38 505 SH0)
Rapid SL front wall brackets (38 558 00M)

	**38 772 001**	**Chrome**	**4005176863288**	**374.97**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
Rapid SL front wall brackets (38 558 00M)

	**38 761 000**	**Chrome**	**4005176841620**	**397.09**

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Skate Air flush plate, chrome, horizontal installation (38 506 000)
Rapid SL front wall brackets (38 558 00M)

	**38 773 000**	**Chrome**	**4005176850288**	**397.10**

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
Rapid SL front wall brackets (38 558 00M)

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)



38 868 000 **Chrome** **4005176878091** **397.09**

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Nova Cosmopolitan flush plate, chrome (38 765 000)
Rapid SL front wall brackets (38 558 00M)



38 764 001 **alpine white** **4005176863301** **238.92**

Rapid SL
2-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, alpine white, vertical installation (38 505 SH0)



38 947 000 **4005176911217** **379.00**

Rapid SL
2-in-1 set for WC, 1.00 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 525 001)
Rapid SL front wall brackets (38 558 00M)



38 948 000 **4005176911224** **374.99**

Rapid SL
2-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Rapid SL front wall brackets (38 558 00M)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)



38 536 001 | **4005176863929** | **308.58**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply from left/right or back
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)



38 539 001 | **4005176863912** | **240.04**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation
including WC set for noise protection (37 131 000)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 680 001		4005176863509	397.08



Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
NF approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
PVC outlet bend 100 mm
spacer Ø 80 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

38 675 001		4005176863516	308.61



Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 - 3 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please order fixing element 38 559 001 (sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)



38 994 000 **4005176932335** **352.85**

Rapid SL
Element for WC with flushing cistern 80 mm, 1.13 m installation height
element width 0.62 m
for small, narrow bathrooms
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
water supply from top or back
water supply 1/2“ and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)



38 995 000 **4005176932342** **363.92**

Rapid SL
Element for WC with flushing cistern 80 mm, variable width
1.13 m finished installation height
for small, narrow bathrooms
variable element width 0.70 – 1.20 m
for on-the-wall installation
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
water supply from top
water supply 1/2“ and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation



38 525 001 **4005176863967** **352.86**

Rapid SL
Element for WC, 1.00 m installation height
with flushing cistern 6 - 3 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
water supply from left/right or back
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

GROHE
RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**38 526 000**		**4005176291050**	**352.86**
	Rapid SL **Element for WC, 0.82 m installation height with flushing cistern 6 - 3 l** for on-the-wall installations or studded walls powder coated steel frame, self-supporting TÜV approved 2 WC fixing bolts fixing device for ceramic distance of fixing bolts 180/230 mm PP outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set **flushing cistern 6 - 9 l containing the following features:** water supply from left/right or back Insulated against condensation 1/2“ water supply connection including integrated angle valve and push fit flexible hose union for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)			
	40 899 000		**4005176413896**	**38.72**
	Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm			
	**38 558 00M**		**4005176291418**	**26.41**
	Rapid SL **Front wall brackets** for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm **2 pieces**			
	**42 333 000**		**4005176845888**	**14.59**
	4.5 l adapter for GD2 to reduce the maximum flush volume to 4.5 liters suitable for all elements with flushing cistern GD 2			
	**42 327 000**		**4005176838705**	**12.49**
	PP-outlet bend Ø 90 mm variable depth adjustment			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**42 946 000**		**4005176153655**	**30.17**
	Elbow made of PE Ø 80/100 mm			

GROHE
RAPID SL FOR URINAL

INSTALLATION SYSTEMS

GROHE
RAPID SL FOR URINAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**38 786 001**		**4005176864025**	**319.00**

Rapid SL
Element for urinal with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studded walls
height adjustable fitting connections
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device
for the ceramic
inlet connection and inlet connecting set
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
inspection shaft incl. protection during construction phase
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

	**38 803 001**		**4005176864049**	**334.04**

Rapid SL
Element for urinal with infra-red electronic
with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
inlet connection and inlet connecting set
fixing bolts M8, with fixing device
for the ceramic
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
inspection shaft incl. protection during construction phase
including wall brackets 38 558 00M for on-the-wall installation

	**39 376 000**		**4005176342998**	**235.65**

Rapid SL
Element for urinal with temperature sensor
with roughing-in set for T sensor
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device
for the ceramic
inlet connection and inlet connecting set
box for concealed installation
including roughing-in box
water group with stop valve and
flush elbow
for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold separately)
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR URINAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**38 558 00M**		**4005176291418**	**26.41**

Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

GROHE
RAPID SL FOR WASH BASIN AND BIDET

INSTALLATION SYSTEMS

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



38 554 001 4005176863806 131.62

Rapid SL
Element for wash basin, single hole installation with noise protection
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 557 001 4005176863783 116.13

Rapid SL
Element for wash basin, single hole installation
1.13 m finished installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
Includes
wash basin fixing bolts with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 748 002 Chrome 4005176416323 495.97

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 546 000 4005176291289 299.00

Rapid SL
Element for wash basin, for wall mounted fittings
1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
Includes
wash basin fixing bolts with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



38 541 000 | **4005176291234** | **209.06**

Rapid SL
Element for wash basin, single hole installation
1.0 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 553 001 | **4005176863813** | **303.09**

Rapid SL
Element for bidet, 1.13 m installation height
vertical support for ceramics with small bearing area (< 205 mm)
for on-the-wall installations or studded walls
height adjustable fitting connections
Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 545 000 | **4005176291272** | **292.01**

Rapid SL
Element for bidet, 1.00 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections
Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)





38 543 000 | **4005176291258** | **294.75**

Rapid SL
Element for bidet, 0.82 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections
Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 558 00M | **4005176291418** | **26.41**

Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

GROHE RAPID SL FOR THE DISABLED

GROHE
RAPID SL FOR THE DISABLED

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	38 675 001		**4005176863516**	**308.61**



Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 - 3 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please order
fixing element 38 559 001 (sold separately)

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 140 000		**4005176315268**	**590.95**



A	1130	1080
B	280	230
C	960	910
D	1000	950
E	1060	1010
F	460	410

Rapid SL
Element for WC, 1.13 m installation height
with fixing element for back support and support rails
with flushing cistern GD 2 , 6 l - 2.6 l
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
4 wall brackets
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply from left/right or back
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	38 541 000		**4005176291234**	**209.06**



A1	135-280
A2	320-410
B1	80
B2	120-200
B3	280-300
C	585-635

Rapid SL
Element for wash basin, single hole installation
1.0 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR THE DISABLED

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 559 001		4005176863776	168.75



Rapid SL
Fixing element, 1.13 m installation height
to fix **support** for the disabled
0.31 m wide
powder coated steel frame
waterproof plywood
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FITTING SUPPORTS

INSTALLATION SYSTEMS

GROHE
RAPID SL FITTING SUPPORTS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 998 000		4005176262586	109.50



Rapid SL
Fitting support for exposed fittings
for **studded walls**
for empty elements
2 noise protected fitting connections 1/2"

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL ACCESSORIES

GROHE
RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	38 558 00M		4005176291418	26.41
Rapid SL **Front wall brackets** for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm **2 pieces**				
	38 629 000		4005176293191	55.29
Rapid SL **Flush pipe extension** for floor constructions from 200 up to 350 mm fixing material not suitable for project elements				
	38 733 000		4005176837289	32.05
Rapid SL **Xtra wall brackets, flexible placing** for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material **2 pieces**				
	38 562 001		4005176863752	98.44
Rapid SL **Set for corner installation** for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets **1.13 m** **135°**				
	38 779 000		4005176855306	103.89
Rapid SL **Accessory** for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)				
	37 131 000		4005176144585	39.95
Set for noise protection for WC sound insulation 2 rubber pipes				

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 397 000 **Connecting hose**		4005176906855	11.54
	42 766 000 **Distance pipe 3“**		4005176222115	12.59
	38 338 000 **Water supply pipe connector**		4005176286179	29.24
	40 911 000 **Inspection shaft for small flush plates** for combination with Rapid SL/GD 2 1.13 m cisterns		4005176416132	11.95
	40 950 000 **Inspection shaft for small flush plates** for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height	**Chrome**	4005176478994	16.95
	40 949 000 **Inspection shaft for small flush plates** for combination with 80 mm cistern	**Chrome**	4005176477881	22.00

GROHE
RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	66 791 000 **Inspection shaft** for combination with Rapid SLX cisterns		**4005176866562**	**15.64**
	**43 617 000** **Motor support device** for Rapid SL 38 675 for the disabled as of mid 2008 or installation of infra-red electronic		**4005176841163**	**72.41**
	42 216 000 **PVC waste bend** diameter 90/100 mm		**4005176803185**	**19.94**

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSHING SYSTEMS

CONTENTS

WC	Flushing Cisterns	853
	Accessories for Flushing Cisterns	857
	WC Flush Valves	867
	Electronic Actuations for WC	873
Urinal	Electronic Actuations for Urinal	877
	Urinal Flush Valves	883

GROHE
FLUSHING CISTERNS

GROHE
FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)



37 762 SH0 **alpine white** **4005176213250** **72.41**

Flushing cistern for WC
for concealed bath furniture installation
non-interruptible flush cycle
flush button not included
min. recommended pressure 0.2 bar
ABS flush pipe 180 mm x 320 mm
connection from the left/right hand side



37 945 SH0 **alpine white** **4005176256387** **72.41**

Flushing cistern for WC 6L
for concealed bath furniture installation
non-interruptible flush cycle
flush button not included
ABS flush pipe 180 mm x 320 mm
min. recommended pressure 0.2 bar
connection from bottom left or right



37 791 SH0 **alpine white** **4005176217241** **166.85**

Flushing cistern for WC
6 l / 3 l
exposed installation
interruptible flush cycle
hidden flush pipe connection
servo actuation
low level
made of PS
low noise (group I acc. to
German Noise Specification)
fully insulated against condensation
with isolation valve 1/2“
copper pipe
mounting template
flush pipe bend
WC inlet connector



38 661 000 **4005176294907** **164.82**

WC concealed cistern
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
connection from left/right/back or top
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.
flush pipe insulated against condensation
fixing brackets
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**38 987 000**		**4005176924798**	**110.62**

WC concealed cistern
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
connection from left/right/back or top
Insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.
flush pipe insulated against condensation
fixing brackets
flush pipe and connector
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

	**38 863 000**		**4005176832345**	**131.62**

Flushing cistern for WC 80 mm
6 l / 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply connection from top
with plaster base coating made of vinyl fleece
with push fit flexible hose union
with isolation valve 1/2"
Inspection shaft incl.
protection during construction phase,
for vertical flush plates only
fixing brackets
for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)

	**38 422 000**		**4005176275203**	**175.88**

Flushing cistern for WC
6 l / 3 l
0.82 m finished installation height
front/top actuation
water supply from left/right or back
Insulated against condensation
415 x 140 x 360 mm
fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow

	**38 691 000**		**4005176815454**	**175.88**

Eau2
WC Flushing cistern 0.82 m
6 l / 3 l, Dual Flush
water supply from left/right or back
with angle stop valve 1/2" and flush pipe
fixing brackets
min. recommended pressure 0.2 bar

air button
front/top actuation
extended hose length for flexibility when positioning the actuation
sleek and minimal styling allows the button to be fitted in any 360° orientation
GROHE EcoJoy technology for less water and perfect flow

GROHE
FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**39 053 000**		**4005176935978**	**76.31**

Concealed flushing cistern
6 l / 3 l
Dual Flush
water supply from bottom
min. recommended pressure 0.2 bar
mechnical round push button actuation Ø 50 mm with Eco button
mechanical actuation from front, top, left or right
for walls 18 -24 mm thickness
bowden cable 0.5 m length
for more flexibility in push button position
fixing brackets
flush pipe
WC inlet connector
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

	**39 054 000**		**4005176936289**	**76.31**

Concealed flushing cistern
6 l / 3 l
Dual Flush
min. recommended pressure 0.2 bar
mechnical round push button actuation Ø 50 mm with Eco button
mechanical actuation from front, top, left or right
for walls 18 -24 mm thickness
bowden cable 0.5 m length
for more flexibility in push button position
fixing brackets
flush pipe
WC inlet connector
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

	**39 056 000**	**Chrome**	**4005176936302**	**19.94**

Round push button actuation Ø 50 mm with Eco button
in combination with bath furniture
for combination with flushing cistern 39 053 000 & 39 054 000
for walls 18 -24 mm thickness
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ACCESSORIES FOR FLUSHING CISTERNS

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**37 095 000**		**4005176145124**	**30.43**
	Filling valve 3/8“ universal application			
	37 093 000		**4005176145070**	**40.93**
	ditto, but with stand pipe for bottom inlet			
	37 092 000		**4005176145049**	**34.84**
	ditto, with adaptor			
	**43 537 000**		**4005176157653**	**40.93**
	Filling valve for concealed flushing cisterns 6 l			
	**42 181 000**		**4005176286872**	**40.93**
	Filling valve 1/2“			
	**42 297 PI0**	**matt chrome/chrome**	**4005176832048**	**65.28**
	Eco-discharge valve dual flush discharge valve AV1 push button actuation Ø 40 mm with Eco-knob with fixing device for lid **GROHE EcoJoy** technology for less water and perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia.			
	42 253 000		**4005176814532**	**61.91**
	Dual Flush discharge valve			
	43 907 PI0	**matt chrome/chrome**	**4005176177545**	**82.90**
	Replace kit set for close-coupled ceramic cisterns with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes **GROHE StarLight** chrome finish **) max. shortening 100 mm			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**37 078 PI0**	**matt chrome/chrome**	**4005176160783**	**82.75**
	Servo-set retrofit unit for close-coupled flushing cisterns connection from the side with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes **GROHE StarLight** chrome finish **) max. shortening 100 mm			
	**37 088 PI0**	**matt chrome/chrome**	**4005176149672**	**51.42**
	Servo discharge valve interruptible flush cycle with short discharge valve housing decide for maintenance opening and complete before installation escutcheon push button for lid holes Ø 16 - 35 mm fixing material **GROHE StarLight** chrome finish			
	37 085 PI0	**matt chrome/chrome**	**4005176149641**	**51.42**
	ditto, with push button for lid hole Ø 40 mm			
	**37 100 SH0**	**alpine white**	**4005176142093**	**19.94**
	Flush pipe 390 x 350 mm			
	43 536 000		**4005176157646**	**8.24**
	Valve head			
	43 733 000		**4005176158926**	**9.44**
	Membrane filling valve			
	43 758 00M		**4005176159121**	**40.93**
	ditto, 10 pieces per set			
	42 271 00M		**4005176820588**	**50.79**
	Nipple multi-packaging: 10 pieces			

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	37 099 K00	black	4005176142086	30.74
Flush pipe for low level flushing cistern behind the wall two-parts 180 x 70 mm 300 mm extension including protecting plug				
	38 735 000		4005176837500	54.19
Dual flush valve set dual flush discharge valve AV1 consisting of valve seat 6l/3l adjustable **GROHE EcoJoy** technology for less water and perfect flow				
	38 736 000		4005176837517	43.15
Dual flush valve set **for flushing cistern GD 2 / Rapid SL 1.13 m only** **6 l / 3 l** dual flush discharge valve AV1 consisting of valve seat **without wall plate/actuation**				
	42 320 000		4005176837487	61.91
Dual Flush discharge valve AV1 AV1 complete with pipe extension **6 l / 3 l** without valve seat **without actuation**				
	42 137 000		4005176259524	19.94
Servo discharge valve				
	43 486 000		4005176157158	51.42
Servo discharge valve 50 pieces per carton				

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 774 000		4005176221590	61.91
Waste pneumatic				
	42 233 000	Chrome	4005176300653	19.94
Connecting hose				
	43 908 000		4005176160257	19.94
Flush pipe, concealed complete for concealed cisterns with polystyrine insulation and protective cover length 280 mm				
	37 311 K00	black	4005176160851	19.94
WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia waste sleeve Ø 90 mm 150 mm long 2 chrome finished caps for WC fixing bolts				
	37 489 000		4005176167386	9.44
Flush pipe extension length 200 mm				
	43 352 000		4005176832413	9.44
Ditto, length 300 mm without connector 37 119 000				
	37 104 K00	black	4005176160844	19.94
WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia length 200 mm connector 150 mm long				

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	37 105 K00	black	4005176141904	19.94
Flush pipe extension length 300 mm				
	37 115 PI0	matt chrome/chrome	4005176172571	9.44
Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 40 mm **GROHE StarLight** chrome finish				
	37 117 PI0	matt chrome/chrome	4005176172588	9.44
Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 16 - 35 mm **GROHE StarLight** chrome finish				
	37 119 000		4005176144370	4.09
Connector Ø 55 mm				
	37 125 000	Chrome	4005176144059	6.40
Dummy plug and escutcheon cap for ceramic flushing cisterns lid hole Ø 40 mm **GROHE StarLight** chrome finish				
	42 327 000		4005176838705	12.49
PP-outlet bend Ø 90 mm variable depth adjustment				

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 333 000		4005176845888	14.59
	4.5 l adapter for GD2 to reduce the maximum flush volume to 4.5 liters suitable for all elements with flushing cistern GD 2			
	42 946 000		4005176153655	30.17
	Elbow made of PE Ø 80/100 mm			
	37 131 000		4005176144585	39.95
	Set for noise protection for WC sound insulation 2 rubber pipes			
	42 773 000		4005176221583	15.84
	Valve seat for concealed cisterns, DF			
	42 315 000		4005176835643	11.54
	Valve seat for GD2			
	43 542 000		4005176157714	19.94
	Valve seat with o-ring **valve seat** for concealed flushing cisterns 6 - 9 l / 6 l **0.82 m finished installation height** (from 02.97) **for Variella Compact Ø 41 mm**			

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 545 000		4005176157745	19.94
	Valve seat with o-ring for concealed flushing cisterns 6 - 9 l / 6 l **0.82 m finished installation height** (till 20.97) **for Variella Compact Ø 55 mm**			
	43 535 000		4005176157639	3.15
	Push bar 350 mm for Servo discharge valve 350 mm			
	43 540 000		4005176157691	9.44
	Pop-up rod for Servo discharge valve 451 mm			
	43 544 000		4005176157738	9.44
	Outlet piston			
	43 722 000		4005176158810	11.54
	Set of seals			
	43 734 000		4005176158933	9.44
	Lever			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 735 000 **Screw cap**		4005176158940	2.41
	43 745 000 **Sealing washer**		4005176158995	9.44
	43 770 00M **Sealing washer** multi-packaging: 10 pieces		4005176159244	9.44
	43 976 000 **Lever**		4005176164781	9.44
	42 242 000 **4“ outlet adaptor for Rapid SL**		4005176804977	12.59
	42 075 000 **Flow restrictor** reduces flow rate for exposed flushing cisterns installation in flush pipe shorten if necessary		4005176244919	8.34

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 300 000		4005176832079	30.43

Flow restrictor
reduces flow rate
for flushing cistern GD 2 / Rapid SL 1.13 m only
installation in valve seat
to eliminate water splashes coming out of the bowl

 	38 714 000		4005176828454	14.59

WC wall plate extension set 70 mm
with pneumatic discharge valve

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WC FLUSH VALVES

FLUSHING SYSTEMS

GROHE
WC FLUSH VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**37 347 000**	**Chrome**	**4005176837999**	**209.07**
	Rondo A.S. **Flush valve for WC** ¾" brass **GROHE StarLight** chrome finish for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment **6 l / 3 l** with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)			
	**37 141 000**	**Chrome**	**4005176143113**	**104.54**
	DAL-Full-automatic flush valve for WC ¾" brass **GROHE StarLight** chrome finish for wash-down and wash-out bowls with automatic flow rate flow pressure range from 1.2 - 5.0 bar low noise (group II according to German noise specification)			
	**37 139 000**	**Chrome**	**4005176143083**	**87.38**
	DAL-Automatic flush valve for WC 3/4" brass **GROHE StarLight** chrome finish for wash-down and wash-out bowls with flow rate adjustment			
	**37 132 000**	**Chrome**	**4005176144608**	**18.94**
	Fixing device hidden fixing screws for flush pipes Ø 28 mm for distance to the wall from 15 - 85 mm			
	**37 133 000**		**4005176144622**	**31.27**
	Inlet adaptor **for corner installation** ¾"			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WC FLUSH VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	37 107 000	Chrome	4005176141713	46.07
Flush pipe for WC flush valve Ø 28 x 26 mm **600 x 200 mm** brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector				
	37 112 000		4005176141911	71.51
Flush pipe for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass				
	37 108 000	Chrome	4005176141720	39.36
Flush pipe for WC flush valve Ø 28 x 26 mm **1000 x 200 mm** straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector				
	37 114 000	Chrome	4005176141935	18.94
Flush pipe extension Ø 28 x 26 mm 260 mm brass				
 	37 135 000		4005176144653	6.04
Connector Ø 55 mm for flush valve to pedestal WC				

GROHE
WC FLUSH VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**37 153 000**		**4005176142864**	**282.29**
	Flush valve for WC concealed installation ¾" **stop valve** **6 l / 3 l** flow pressure range from 1.2 - 5.0 bar with flow rate adjustment box for concealed installation with flush elbow flush pipe adjustable in length **without wall plate/actuation** low noise (group I acc. to German Noise Specification)			
	**37 157 000**		**4005176142932**	**269.75**
	Flush valve for WC concealed installation ¾" **stop valve** 6 - 14 l adjustable for **low pressure** for wash-down and wash-out bowls flow pressure range from 0.6 - 3.0 bar (min. static pressure 1.5 bar) with flow rate adjustment box for concealed installation with flush elbow flush pipe adjustable in length **without wall plate/actuation** volume needed: 1.6 l/sec			
	**37 048 000**		**4005176142109**	**313.77**
	Flush valve for WC concealed installation ¾" with **connection** to solenoid valve **stop valve** **6 l / 3 l** flow pressure range from 1.2 - 5.0 bar with flow rate adjustment 2 m connecting cable box for concealed installation with flush elbow concealed flush pipe **without electronic actuation**			
 	**43 996 000**		**4005176160424**	**171.26**
	Flush valve for WC concealed installation ¾" **retrofit** for 677.00.200/677.03.200/680.00.200 **without stop valve** **without flush pipe**			
	**43 997 000**		**4005176160431**	**169.06**
	Flush valve for WC ¾" **retrofit** for 677.00.500/677.03.500/680.00.500 for **low pressure** **without stop valve** **without flush pipe** **reference:** **Model 677. with stainless steel actuation is to be replaced by ref. 43 997 and 43 179 P00 (plastic actuation).**			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WC FLUSH VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**42 901 000**	**Chrome**	**4005176167027**	**262.35**
	Flush valve for WC ¾" concealed installation **6 l / 3 l** wall plate Classic, 220 x 255 mm **GROHE StarLight** chrome finish **without stop valve** **without flush pipe** **retrofit** for **623.03.200 (G¾)**			
	**37 102 SH0**	**alpine white**	**4005176141768**	**15.53**
	Inlet set connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC connector escutcheon			
	**37 131 000**		**4005176144585**	**39.95**
	Set for noise protection for WC sound insulation 2 rubber pipes			

GROHE ELECTRONIC ACTUATIONS FOR WC

FLUSHING SYSTEMS

GROHE
ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	38 698 SD1	stainless steel	4005176929571	695.74



Tectron Skate
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2 / Rapid SL 1.13 m only
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
CE approved

38 699 001	Chrome	4005176929588	585.13



Tectron Surf
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
GROHE StarLight chrome finish
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2 / Rapid SL 1.13 m only
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand or remote
CE approved

37 419 000	Chrome	4005176933806	784.24
37 419 SD0	stainless steel	4005176933813	784.24



Tectron Skate
Infra-red electronic for WC flushing cistern
with additional manual actuation
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2 / Rapid SL 1.13 m only
servo motor
concealed installation
front plate 156 x 197 mm
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand or remote
CE approved

38 393 SD1	stainless steel	4005176929564	460.80



Tectron Skate
Infra-red electronic for WC flush valve
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
concealed installation
front plate 156 x 197 mm
infra-red control
solenoid valve
7 pre-set programs
CE approved

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**43 617 000**		**4005176841163**	**72.41**
	Motor support device for Rapid SL 38 675 for the disabled as of mid 2008 or installation of infra-red electronic			
 	**38 778 000**		**4005176855269**	**665.33**
	Radio transmitter for an additional flush plate for manual actuation for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB **for flushing cistern GD 2 / Rapid SL 1.13 m only** for flushing cistern 6 l concealed installation servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic			
	**36 340 000**		**4005176911385**	**54.21**
	Power extension cable length 3.00 m			
	**36 341 000**		**4005176911392**	**97.46**
	Power extension cable length 10.00 m			

GROHE
ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 977 000	**Chrome**	**4005176164798**	**208.83**



Air button
GROHE StarLight chrome finish
remote **hand**-actuation for
institutional requirements
white push button with escutcheon
Ø 100 mm
for walls of 80 - 240 mm thickness
actuation stop
pneumatic hose 1500 mm long

	36 407 001	**4005176368974**	**261.30**



Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ELECTRONIC ACTUATIONS
FOR URINAL

FLUSHING
SYSTEMS

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 421 000	**Chrome**	**4005176935572**	**424.00**



Tectron Rondo
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
metal housing
exposed installation
flow pressure min 0.5 bar
operating pressure max 10 bar
G 1/2
with **integrated stop valve**
flush pipe with rubber connector
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
CE approved

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 336 001	**Chrome**	**4005176929540**	**518.76**



Tectron Surf
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
for Rapido U
CE approved

37 337 001	**Chrome**	**4005176929557**	**488.89**



Tectron Surf
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
Rapido U or Rapido UMB
CE approved

37 321 001	**Chrome**	**4005176929496**	**518.76**
37 321 SD1	**stainless steel**	**4005176929502**	**518.76**



Tectron Skate
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
for Rapido U
CE approved

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 324 001	**Chrome**	**4005176929526**	**518.76**
37 324 SD1	**stainless steel**	**4005176929533**	**488.89**



Tectron Skate
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
Rapido U or Rapido UMB
CE approved

---

37 338 000	**4005176837920**	**131.61**



GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection

---

38 787 000	**4005176855689**	**109.51**



GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection during
construction phase

---

36 407 001	**4005176368974**	**261.30**



Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**39 368 000**		**4005176341540**	**514.90**

Temperature sensor for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
CE approved

	**39 367 000**		**4005176341533**	**514.90**

Temperature sensor for urinal
6V lithium battery, type CR-P2
with water connection set and stop valve
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
CE approved
only for certain urinal ceramics, check online TPI

	**39 369 000**		**4005176341557**	**685.07**

Temperature sensor with Bluetooth for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
for Apple** and Android devices
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
shut-off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards
*** Available for free via iTunes app or Google Play store.

GROHE
URINAL FLUSH VALVES

FLUSHING SYSTEMS

GROHE
URINAL FLUSH VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**37 339 000**	**Chrome**	**4005176837937**	**109.49**
	Rondo **Flush valve for urinal** **1/2“** brass integrated stop valve **GROHE StarLight** chrome finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar			
	**37 396 000**	**Chrome**	**4005176907968**	**120.57**
	Press urinal flush valve **1/2“** brass **GROHE StarLight** chrome finish with wall escutcheon			
	**37 044 000**		**4005176160776**	**19.94**
	Urinal inlet connector, 1/2“			
	**37 035 000**	**Chrome**	**4005176143731**	**12.38**
	Urinal flush pipe Ø 18 mm 200 mm brass **chrome plated** straight			
	**37 036 000**	**Chrome**	**4005176143748**	**19.52**
	Urinal flush pipe Ø 18 mm 200 mm brass **chrome plated** offset 10 mm			
	37 037 000 **Offset 20 mm**	**Chrome**	**4005176143762**	**21.57**
	**37 038 000**	**Chrome**	**4005176143786**	**23.62**
	Urinal flush pipe Ø 18 mm 200 mm brass **chrome plated** offset 30 mm			
	37 039 000 **ditto, offset 40 mm**	**Chrome**	**4005176143793**	**25.65**

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
URINAL FLUSH VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	37 040 000	Chrome	4005176143861	28.65
	Urinal flush pipe Ø 18 mm 200 mm brass **chrome plated** offset 50 mm			
	37 043 000	Chrome	4005176143922	38.57
	Urinal flush pipe Ø 18 mm 400 mm brass straight			
	37 042 000	Chrome	4005176143908	17.42
	Flush pipe extension Ø 16 mm 200 mm brass			
	43 818 000	Chrome	4005176159589	12.59
	Adapter for urinal with inlet pipe **1/2"** **GROHE StarLight** chrome finish			

GROHE
ACTUATIONS

CONTENTS

WC	Flush Plates for WC	889
	GROHE Fresh	897
	Flush Plates for WC Flush Valves	899
Urinal	Flush Plates for Urinal	901

GROHE
FLUSH PLATES FOR WC

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 535 000	Chrome	4005176416019	63.95
37 535 P00	matt chrome	4005176416026	63.95
37 535 SH0	alpine white	4005176416033	66.36
37 535 DC0	supersteel	4005176416040	165.60
37 535 BE0	polished nickel	4005176431340	165.60
37 535 EN0	brushed nickel	4005176431319	165.60
37 535 GL0	cool sunrise	4005176431302	165.60
37 535 GN0	brushed cool sunrise	4005176431296	165.60
37 535 DA0	warm sunset	4005176431333	165.60
37 535 DL0	brushed warm sunset	4005176431326	165.60
37 535 A00	hard graphite	4005176431364	165.60
37 535 AL0	Brushed Hard Graphite	4005176431357	165.60



Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 601 000	Chrome	4005176416057	73.23
37 601 P00	matt chrome	4005176416064	97.34
37 601 SH0	alpine white	4005176416071	60.25
37 601 DC0	supersteel	4005176416088	165.67
37 601 BE0	polished nickel	4005176529009	165.67
37 601 EN0	brushed nickel	4005176529047	165.67
37 601 GL0	cool sunrise	4005176524271	165.67
37 601 GN0	brushed cool sunrise	4005176529016	165.67
37 601 DA0	warm sunset	4005176524288	165.67
37 601 DL0	brushed warm sunset	4005176529023	165.67
37 601 A00	hard graphite	4005176528996	165.67
37 601 AL0	Brushed Hard Graphite	4005176529030	165.67



Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 624 000	Chrome	4005176416095	73.23
37 624 P00	matt chrome	4005176416101	97.34
37 624 SH0	alpine white	4005176416118	60.25
37 624 DC0	supersteel	4005176416125	165.70
37 624 BE0	polished nickel	4005176529085	165.67
37 624 EN0	brushed nickel	4005176529122	165.67
37 624 GL0	cool sunrise	4005176529054	165.67
37 624 GN0	brushed cool sunrise	4005176529092	165.67
37 624 DA0	warm sunset	4005176529061	165.67
37 624 DL0	brushed warm sunset	4005176529108	165.67
37 624 A00	hard graphite	4005176529078	165.67
37 624 AL0	Brushed Hard Graphite	4005176529115	165.67



Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**37 965 000** **37 965 SH0**	**Chrome** **alpine white**	**4005176442506** **4005176442513**	**64.15** **50.87**
	Skate Air S **Flush plate** for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m **for vertical installation** 130 x 172 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included **small inspection shaft 40 911 000 sold separately**			
	**40 911 000**		**4005176416132**	**11.95**
	Inspection shaft for small flush plates for combination with Rapid SL/GD 2 1.13 m cisterns			
	40 950 000 **ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height**	**Chrome**	**4005176478994**	**16.95**
	40 949 000 **ditto, for combination with 80 mm cistern**	**Chrome**	**4005176477881**	**22.00**
	**38 915 KS0** **38 915 LS0**	**velvet black** **moon white**	**4005176897108** **4005176897115**	**844.66** **883.78**
	Veris Light **Flush plate** for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor 110 V to 240 V 50/60 Hz broad range power supply 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass **GROHE EcoJoy** technology for less water and perfect flow **not suitable for GROHE Fresh**			
	**38 809 000**	**Chrome**	**4005176864681**	**574.06**
	Nova Cosmopolitan Light **Flush plate** for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation supply voltage 230 V AC, 50/60 Hz, 2.0 VA this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic drop valve AV1 **for vertical and horizontal installation** **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)



38 765 000	**Chrome**	**4005176846830**	**70.78**
38 765 SH0	**alpine white**	**4005176846854**	**54.20**
38 765 P00	**matt chrome**	**4005176846847**	**69.68**

Nova Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow



38 845 KS0	**velvet black**	**4005176878343**	**242.24**
38 845 LS0	**moon white**	**4005176878336**	**242.24**
38 845 MF0	**chrome/ daVinci satin**	**4005176878619**	**242.24**

Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
156 x 197 mm
made of security glass
mounting-set
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow



38 916 0A0	**mirror glass**	**4005176896941**	**297.54**

Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
156 x 197 mm
made of security glass
mounting-set
GROHE EcoJoy technology for less water and perfect flow



38 957 000	**Chrome**	**4005176914409**	**109.51**

Mounting set
for wall-aligned installation of Skate Cosmopolitan
with glass surface
for GD 2 and flushing cistern 80 mm
plastic mounting frame, chrome plated
minimum 8 mm tile thickness
protection plate
dismantling tool for wall plate



38 821 000	**Chrome**	**4005176868986**	**231.18**

Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
vandal-proof
for pneumatic drop valve AV1
for vertical installation
made of metal
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow



38 732 SD0	**stainless steel**	**4005176847691**	**153.75**

Skate Cosmopolitan
Wall plate, stainless steel
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
plastic fixing frame
hidden fixing screws
not suitable for GROHE Fresh
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow

38 776 SD0	**stainless steel**	**4005176853555**	**153.74**

ditto, horizontal installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 732 000	Chrome	4005176836114	70.80
38 732 DC0	supersteel	4005176431371	129.00
38 732 SH0	alpine white	4005176836138	54.17
38 732 P00	matt chrome	4005176836121	53.60
38 732 BE0	polished nickel	4005176427749	139.31
38 732 EN0	brushed nickel	4005176427756	139.31
38 732 GL0	cool sunrise	4005176339103	139.31
38 732 GN0	brushed cool sunrise	4005176427725	139.31
38 732 DA0	warm sunset	4005176339097	139.31
38 732 DL0	brushed warm sunset	4005176427732	139.31
38 732 A00	hard graphite	4005176339110	139.31
38 732 AL0	Brushed Hard Graphite	4005176339127	139.31



Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

38 732 BR0	titanium	4005176873676	120.55

ditto, with anti-fingerprint surface

38 844 000	Chrome	4005176874963	70.78
38 844 SH0	alpine white	4005176874970	54.19
38 844 P00	matt chrome	4005176875687	65.25



Arena Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish

38 858 000	Chrome	4005176876714	70.78
38 858 SH0	alpine white	4005176876738	54.19
38 858 P00	matt chrome	4005176876721	65.25

ditto, horizontal installation

38 505 000	Chrome	4005176290053	48.64
38 505 SH0	alpine white	4005176290046	32.08
38 505 P00	matt chrome	4005176290060	87.35



Skate Air
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

38 506 000	Chrome	4005176290121	70.76
38 506 SH0	alpine white	4005176290114	65.29
38 506 P00	matt chrome	4005176290138	72.41

ditto, horizontal installation

38 862 000	Chrome	4005176832314	70.78
38 862 SH0	alpine white	4005176832338	54.18
38 862 P00	matt chrome	4005176832321	64.65
38 862 SD0	stainless steel	4005176834721	164.80



Skate
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

38 861 000	Chrome	4005176832284	65.26



Surf
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 540 000	**Chrome**	**4005176807091**	**82.01**



Chiara and Sentosa
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve
for horizontal installation
203 x 185 mm
made of ABS
GROHE StarLight chrome finish

*** only front actuation**

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	38 564 000	**Chrome**	4005176291784	76.35
	38 564 SH0	**alpine white**	4005176291777	60.29
	Skate Air **Flush plate** **for single flush actuation** for pneumatic drop valve **for vertical installation** **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
	38 565 000	**Chrome**	4005176291845	48.69
	ditto, horizontal installation			
	38 573 000	**Chrome**	4005176292316	54.21
	38 573 SH0	**alpine white**	4005176292309	61.91
	38 573 P00	**matt chrome**	4005176292323	72.41
	Skate **Flush plate** **for single flush actuation** for pneumatic drop valve **for vertical and horizontal installation** **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
	38 672 SD0	**stainless steel**	4005176296468	120.57
	Skate **Wall plate, stainless steel** **for single flush actuation** vandal-proof for pneumatic drop valve **for vertical installation** 156 x 197 mm **GROHE EcoJoy** technology for less water and perfect flow			
	38 574 000	**Chrome**	4005176292385	61.91
	Surf **Flush plate** **for single flush actuation** for pneumatic drop valve **for vertical and horizontal installation** **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
	37 059 000	**Chrome**	4005176142857	136.41
	Air button **GROHE StarLight** chrome finish made of ABS escutcheon 100 mm dia wall plate Surf 156 x 197 mm			
	43 977 000	**Chrome**	4005176164798	208.83
	Air button **GROHE StarLight** chrome finish remote **hand**-actuation for **institutional requirements** **white** push button with escutcheon Ø 100 mm for walls of 80 - 240 mm thickness actuation stop pneumatic hose 1500 mm long			

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)



37 060 000 **Chrome** **4005176142901** **61.91**

Air button
GROHE StarLight chrome finish
made of ABS
escutcheon 100 mm dia
pneumatic hose 1500 mm long
for use with Adagio cistern 37 762 SH / 37 945 SH comes with nipple adaptor 42267

---

38 488 000 **Chrome** **4005176289866** **40.93**

Air button
with 750 mm air hose
for panel thickness up to 30 mm
for use with Adagio cistern 37 762 SH / 37 945 SH
GROHE StarLight finish



38 496 000 **Chrome** **4005176289958** **187.84**

Air button
air button 63 mm dia.
with 750 mm air hose
for panel thickness up to 30 mm
only for use with a removable shelf / panel
chrome plated brass
for use with Adagio cistern 37 762 SH / 37 945 SH
GROHE StarLight finish



38 771 000 **Chrome** **4005176848551** **43.15**

Pneumatic push button actuation
for dual flush or start & stop actuation
Ø 48 mm
in combination with bath furniture
for material thickness from 18 -24 mm
with 600 mm air hose
GROHE StarLight chrome finish

---

37 761 000 **Chrome** **4005176213243** **40.93**

Air button
GROHE StarLight chrome finish
for use with Adagio cistern 37 762 SH / 37 945 SH



38 714 000 **4005176828454** **14.59**

WC wall plate extension set 70 mm
with pneumatic discharge valve

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE FRESH



GROHE FRESH

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	38 805 000	Chrome	4005176865596	131.61

Skate Cosmopolitan Set Fresh
Flush plate
for dual flush or start & stop actuation
with **GROHE Fresh**
fixing frame with opening function
for chlorine-free tablets only
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

	38 796 000		4005176857034	65.25

GROHE Fresh
Dual flush valve set
for GROHE flushing cistern GD 2 with pneumatic
discharge valve and regular inspection shaft
not suitable for flush plates with
wood or glass or metal surface or new small flush plates
fixing frame with opening function
for chlorine-free tablets only
for all GROHE wall plates
156 x 197 mm

	38 882 000		4005176879197	8.40

GROHE Fresh
Tabs
2 x 50 g WC-Tabs
every flush creates foam which cleans the toilet
fragrance ensures long-lasting freshness
protects against re-pollution and maintains long term cleanliness
reduces limescale and ensures radiant purity in the toilet
true feeling of freshness
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR WC
FLUSH VALVES

GROHE
FLUSH PLATES FOR WC FLUSH VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	37 547 000 37 547 SH0 37 547 P00	Chrome alpine white matt chrome	4005176189425 4005176189418 4005176189449	72.41 61.91 67.37
	Skate **Flush plate** **for vertical installation** 156 x 197 mm manual activation push button actuation made of ABS **GROHE StarLight** chrome finish			
	38 445 SD0	stainless steel	4005176282850	105.88
	Skate **Wall plate, stainless steel** **for vertical installation** 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws			
	37 063 000 37 063 SH0	Chrome alpine white	4005176142185 4005176142307	61.91 61.91
	Surf **Flush plate** 156 x 197 mm manual activation push button actuation made of ABS **GROHE StarLight** chrome finish			
	37 069 000	Chrome	4005176142352	107.25
	Surf **Flush plate** **for vertical installation** 156 x 197 mm for concealed flush valve 6 - 9 l brass push button actuation fixing frame hidden fixing screws **GROHE StarLight** chrome finish			
	43 193 000	stainless steel	4005176155192	135.37
	Flush plate push button actuation **chrome plated** for flush valves **GROHE StarLight** finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR URINAL

GROHE
FLUSH PLATES FOR URINAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 846 LS0	**moon white**	**4005176878367**	**296.38**
38 846 KS0	**velvet black**	**4005176878268**	**296.38**



Skate Cosmopolitan
Actuation plate
with glass surface
made of security glass
manual activation for urinal
plastic actuation button, chrome plated
compatible with
Rapido U or Rapido UMB
fixing frame with mounting-set
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable

38 784 000	**Chrome**	**4005176855535**	**112.77**
38 784 SH0	**alpine white**	**4005176855559**	**103.76**
38 784 P00	**matt chrome**	**4005176855542**	**112.82**



Skate Cosmopolitan
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

38 784 SD0	**stainless steel**	**4005176877407**	**166.36**



Skate Cosmopolitan
Wall plate, stainless steel
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
low noise (group II according to German noise specification)
plastic fixing frame
hidden fixing screws

38 804 000	**Chrome**	**4005176861512**	**120.56**
38 804 SH0	**alpine white**	**4005176861529**	**109.52**
38 804 P00	**matt chrome**	**4005176861536**	**112.82**



Nova Cosmopolitan
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

38 857 000	**Chrome**	**4005176875694**	**112.82**
38 857 SH0	**alpine white**	**4005176875793**	**103.98**
38 857 P00	**matt chrome**	**4005176875663**	**109.50**



Arena Cosmopolitan
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR URINAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**38 808 000**	**Chrome**	**4005176864056**	**98.44**
	38 808 SH0	**alpine white**	**4005176864070**	**88.81**
	38 808 P00	**matt chrome**	**4005176864063**	**110.62**
	Surf **Actuation plate** manual activation for urinal compatible with **Rapido U or Rapido UMB** 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable **GROHE StarLight** chrome finish			
	**37 018 000**	**Chrome**	**4005176143359**	**72.41**
	37 018 P00	**matt chrome**	**4005176143281**	**67.58**
	37 018 SH0	**alpine white**	**4005176143595**	**69.21**
	Surf **Flush plate** 116 x 144 mm with push button actuation **GROHE StarLight** chrome finish			

GROHE
CONNECTION AND SECURITY TECHNOLOGY

CONTENTS

Angle Valves	906
WAS valves	910
Safety Systems	911

GROHE
ANGLE VALVES

Ref. No.	Colour	EAN code	Retail Guide Price (£)



22 039 AL0 **Brushed Hard Graphite** **4005176467936** **70.18**

Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish



22 043 000 **Chrome** **4005176305597** **15.41**

Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish



22 037 000 **Chrome** **4005176305535** **9.94**

Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish



22 041 000 **Chrome** **4005176305573** **9.95**

Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish



22 046 000 **Chrome** **4005176305627** **8.83**

Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
blister packaging
GROHE StarLight finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ANGLE VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**22 023 000**	**Chrome**	**4005176305405**	**6.62**

Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

	**22 018 000**	**Chrome**	**4005176305382**	**5.52**

Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

	**22 025 00M**	**Chrome**	**4005176306501**	**49.78**

Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
10 pieces
GROHE StarLight finish

	**22 029 000**	**Chrome**	**4005176305467**	**9.93**

Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
blister packaging
GROHE StarLight finish

	**22 032 000**	**Chrome**	**4005176305481**	**9.96**

Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
blister packaging
GROHE StarLight finish

GROHE
ANGLE VALVES

Ref. No.	Colour	EAN code	Retail Guide Price (£)



22 053 000 **Chrome** **4005176349027** **11.07**

Angle valve 3/8“
pre-roughened connection thread for easy sealing
wall connection 3/8“
outlet thread 3/8“
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm



22 017 00M **Chrome** **4005176940613** **54.20**

Universal angle valve 1/2“
with compression coupling
3/8“
for copper pipe Ø 10 mm
plastic handle
marking: neutral
screw escutcheon
metal
GROHE StarLight finish
10 pieces



22 016 00M **Chrome** **4005176940606** **76.32**

Universal angle valve 1/2“
with connection 1/2“
plastic handle
marking: neutral
screw escutcheon
metal
GROHE StarLight finish
sales unit 1 pieces



22 939 000 **Chrome** **4005176829369** **19.94**

Angle valve 1/2“
with compression nut
for copper pipe Ø 10 mm
TDL handle
marking: neutral
escutcheon
GROHE StarLight finish



22 940 000 **Chrome** **4005176829376** **19.94**

Angle valve 1/2“
without compression nut
for copper pipe Ø 10 mm
TDL handle
marking: neutral
escutcheon
GROHE StarLight finish



22 958 00M **Chrome** **4005176034237** **406.37**

Service valve
connection thread 1/2“
TDL handle
marking: neutral
escutcheon
GROHE StarLight finish
sales unit 1 pieces

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ANGLE VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**22 917 000**	**Chrome**	**4005176501388**	**46.43**
	Atlanta **Angle valve 1/2"** wall connection 1/2" outlet thread 3/8" socket spanner headpart closed cap with compression nut Ø 10 mm marking: neutral escutcheon **GROHE StarLight** finish			
	**22 012 000** **22 012 DC0** **22 012 AL0**	**Chrome** **supersteel** **Brushed Hard Graphite**	**4005176906343** **4005176525742** **4005176585944**	**43.14** **63.00** **72.00**
	Eurocube **Angle valve 1/2"** wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon			
	**22 013 000**	**Chrome**	**4005176909689**	**43.14**
	Eurocube **Angle valve 1/2"** wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon			

GROHE
WAS VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**22 035 000**	**Chrome**	**4005176305511**	**21.01**

Original WAS combination service valve 1/2“
pre-roughened connection thread for easy sealing
wall connection 1/2“
outlet thread 3/8“
with length compensation
with compression nut Ø 10 mm
outlet 3/4“
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
for combination with pipe ventilating valve type HB 41 239 000

	**22 033 000**	**Chrome**	**4005176305498**	**25.44**

Original WAS combination service valve 3/8“
wall connection 3/8“
outlet thread 3/8“
with length compensation
with compression nut Ø 10 mm
outlet 3/4“
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handles
marking: neutral
metal push-on escutcheon Ø 55 mm
for combination with pipe ventilating valve type HB 41 239 000

	**41 007 000**	**Chrome**	**4005176281815**	**14.59**

Eggemann
Original WAS T-piece 3/8“
for service valve
with compression nut
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SAFETY SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**41 275 000**	**Chrome**	**4005176280481**	**40.67**

Original WAS inclined filter 3/4"
suitable for cold and warm water up to + 80 C
transparent cap
mesh width 315 µm
stainless steel filter insert
GROHE StarLight chrome finish

GROHE
SPARE PARTS

CONTENTS

Cartridges	914
Thermo elements and thermostatic cartridges	918
Aquadimmer	922
Head parts	923
Spare parts for two-handle faucets	928
Extension sets	930
Unions	932
Outlets and spouts	937
Flow straighteners	940
Waste sets and traps	946
Connections and non-return valves	950
Spare parts GROHE Sense	952
Spare parts for electronics	953
Diverters	954
Hoses	956
Spare parts for kitchen faucets	958
Spare parts for showers	962
Spare parts for accessories	966
Seals	967
Miscellaneous	968
Special tools	972
Cleaning and care	974
Spare parts for sanitary systems	975
Spare parts for shower toilet	980
Spare parts for Ceramics	983

GROHE CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 580 000		4005176831867	93.40
	Cartridge 28 mm **GROHE SilkMove** with ceramic sealing system with temperature limiter for all single lever mixers			
	46 907 000		4005176319815	51.42
	Cartridge 29 mm **GROHE SilkMove** Joystick cartridge with ceramic sealing system with o-ring for cartridge fixation nut for all single lever mixers			
	46 374 000		4005176169076	93.40
	Cartridge 35 mm **GROHE SilkMove** with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	46 863 000		4005176942334	15.64
	Cartridge 35 mm **GROHE SilkMove ES** with cold start function with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	46 048 000		4005176008283	93.40
	Cartridge **GROHE SilkMove** adjustable flow rate limiter for all single lever mixers			
	46 409 000 **ditto, for open water heater**		4005176177668	49.63
	46 588 000 **ditto, with Eco-Button**		4005176832352	88.51
	46 386 000		4005176169410	114.38
	Cartridge **GROHE SilkMove**			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 558 000		4005176284120	16.79
	Cartridge for **low pressure** 35 mm **GROHE SilkMove** with ceramic sealing system for all single lever mixers			
	46 278 000		4005176131868	103.89
	Ceramic cartridge for Euroeco special mixer			
	46 308 000		4005176131769	40.93
	Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			
	46 375 000		4005176169083	40.93
	Temperature limiter for 35 mm cartridge 46 374 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			
	46 277 000		4005176131851	40.93
	Temperature limiter for cartridge 46 278 for Euroeco special mixer			
	48 297 000		4005176361265	37.78
	Cartridge for Rainshower system SmartControl push button including fixation			

GROHE CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	48 359 000		**4005176442810**	**43.02**
	Cartridge for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000			
	07 000 000		**4005176016899**	**124.88**
	Cartridge from 1974 for Euromix and Ladylux			
	08 201 000		**4005176003943**	**47.75**
	Cartridge for Moen			
	42 383 000	**Chrome**	**4005176903281**	**40.93**
	Cartridge for Euroeco Cosmopolitan T self-closing valves 1/2“: pillar tap, wall mounted, exposed shower marking: blue/red **GROHE StarLight** chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)			
	42 384 000	**Chrome**	**4005176903298**	**51.42**
	Cartridge for Euroeco Cosmopolitan T self-closing gate valve 1/2” marking: blue/red **GROHE StarLight** chrome finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)			
	42 713 000		**4005176249112**	**90.51**
	Cartridge for Controecon for self-closing pillar, shower and gate taps 1/2“ from 2001			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 717 000		**4005176249167**	**191.35**
	Cartridge for Controecon for self-closing concealed gate taps 1/2" from 2001			
	43 981 000		**4005176153341**	**145.87**
	Cartridge for Controecon for self-closing pillar, shower and gate taps 1/2" until 2001			
	43 982 000		**4005176153358**	**168.27**
	Cartridge for Controecon for self-closing concealed gate taps 1/2" until 2001			
	43 813 000		**4005176152467**	**178.14**
	Cartridge for Contromix Surf/Public for self-closing basin and shower mixer 1/2"			
	42 985 000		**4005176149771**	**93.40**
	Cartridge for Contropress for self-closing pillar, shower and gate taps 1/2" marking: blue (cold)			

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	47 450 000		4005176076190	166.85
	Thermo-element wax element with stainless steel slider to avoid corrosion			
	47 282 000		4005176061592	145.87
	ditto, for reverse waterways, 1/2“			
	47 310 000		4005176079238	187.84
	Wax thermo-element-cartridge wax element			
	47 379 000		4005176203169	282.29
	ditto, for reverse waterways, 3/4“			
	47 349 000		4005176141461	124.88
	Wax thermo-element-cartridge 3/8“ wax element			
	47 217 000		4005176241246	145.87
	Thermo-element wax element with non-rising spindle			
	47 657 000		4005176262838	292.78
	ditto, for reverse waterways, 1/2“			
	47 220 000		4005176241253	187.84
	Wax thermo-element-cartridge wax element with non-rising spindle			
	47 658 000		4005176262845	597.10
	ditto, for reverse waterways, 3/4“			
	47 010 000		4005176009419	204.16
	Thermo-element bimetal for Grohmix Thermostat			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	47 111 000		4005176009921	313.77
	Thermo-element wax element for Grohmix Thermostat			
	47 012 000		4005176009433	261.30
	Thermo-element wax element for Grohmix Thermostat			
	47 025 000		4005176009549	439.69
	Wax thermo-element-cartridge wax element for Grohmix Thermostat			
	47 019 000		4005176009488	415.92
	Wax thermo-element-cartridge bimetal for Grohmix Thermostat			
	47 565 000		4005176214110	304.32
	Thermostatic cartridge wax element for Grohtherm XL thermostats			
	47 574 000		4005176217920	40.93
	Thermostatic cartridge wax thermoelement ¾“			

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	47 532 000 **Thermostatic cartridge**		4005176206795	198.33
	47 024 000 **Thermo-element** wax element for Grohmix Thermostat		4005176009532	200.38
	00 798 000 **Wax thermo-element**	Chrome	4005176229008	30.43
	47 598 000 **Control unit**		4005176229169	282.29
	47 600 000 **Control unit**		4005176228995	240.31
	47 439 000 **Thermostatic compact cartridge 1/2“** **GROHE TurboStat** compact cartridge with wax thermoelement		4005176811975	156.36
	47 175 000 **ditto, for reverse waterways, 1/2“**		4005176803895	156.36

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	47 885 000		4005176924729	40.93
	Thermostatic compact cartridge 1/2“ GROHE Turbostat C3 compact cartridge with wax thermoelement			
	47 483 000		4005176815409	187.84
	Thermostatic compact cartridge 3/4“ **GROHE TurboStat** compact cartridge with wax thermoelement			
	47 186 000		4005176803901	187.84
	ditto, for reverse waterways, 3/4“			
	49 028 000		4005176442827	50.37
	Thermostatic compact cartridge 3/4“ for Grohtherm SmartControl concealed **GROHE TurboStat** compact cartridge with wax thermoelement including fastening nut			
	47 167 000		4005176010125	19.94
	Stop ring and regulating nut			

GROHE
AQUADIMMER

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	49 084 000		4005176487101	37.40
	Aquadimmer for thermostatic mixers			
	47 364 000		4005176171819	82.90
	Aquadimmer for thermostatic mixers			
	12 433 000		4005176272752	82.90
	Aquadimmer for exposed fittings			
	47 262 000		4005176118722	198.33
	Aquadimmer for concealed thermostatic shower mixer 3/4“ for three and four-hole bath combination 3/4“			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD PARTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	11 003 000	**Chrome**	4005176020353	23.29
	Headpart 3/8" Trecorn handle marking: blue (cold) **GROHE StarLight** chrome finish			
	11 006 000	**Chrome**	4005176020377	23.29
	ditto, marking red			
	11 101 000	**Chrome**	4005176020575	35.37
	Headpart 1/2" Trecorn handle marking: blue (cold) **GROHE StarLight** chrome finish			
	11 102 000	**Chrome**	4005176020599	35.37
	ditto, marking red			
	11 104 000	**Chrome**	4005176020612	69.16
	Headpart 3/4" Trecorn handle marking: blue (cold) **GROHE StarLight** chrome finish			
	11 105 000	**Chrome**	4005176020629	72.41
	ditto, marking red			
	11 090 000	**Chrome**	4005176020513	19.94
	Headpart 1/2" metal handle heat-insulated screwable marking: blue/red **GROHE StarLight** chrome finish			
	11 118 000	**Chrome**	4005176004261	26.23
	Headpart 1/2" marking: blue (cold) **GROHE StarLight** chrome finish			
	11 086 000	**Chrome**	4005176020476	32.84
	Headpart 1/2" with Treflor handle heat-insulated screwable marking: blue/red **GROHE StarLight** chrome finish			

GROHE
HEAD PARTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	06 170 000		4005176015717	11.02
	Headpart short spindle 3/8"			
	07 146 000		4005176017261	19.94
	Headpart 1/2" short spindle, 1/2"			
	45 964 000		4005176279911	7.00
	ditto, packaging unit 20			
	45 346 000		4005176104572	51.42
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 342 000		4005176129865	51.42
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: left-hand			
	45 885 000		4005176189913	103.89
	Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 869 000		4005176189876	30.43
	Concealed headpart 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD PARTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	45 882 000		**4005176189883**	**40.93**
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: right-hand			
	45 883 000		**4005176189890**	**40.93**
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: left-hand			
	45 888 000		**4005176189944**	**72.41**
	Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 90°			
	06 188 000		**4005176002519**	**103.89**
	Headpart without lever without cap without escutcheon for 3- and 4-way-diverter, 1/2"			
	07 156 000		**4005176003493**	**32.53**
	Screw-down valve, 3/4" short spindles for 3/4" handles			
	07 025 000		**4005176016929**	**30.43**
	ditto, short spindle for 1/2" handles for concealed valves, 3/4"			
	11 501 000	**Chrome**	**4005176004285**	**30.43**
	Headpart 1/2" for concealed valves, 1/2" Trecorn handle escutcheon marking: blue (cold) **GROHE StarLight** chrome finish			

GROHE
HEAD PARTS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
11 504 000	**Chrome**	**4005176020926**	**75.45**

Headpart 3/4"
for concealed valves, 3/4"
Trecorn handle
escutcheon
marking: blue (cold)
GROHE StarLight chrome finish

11 505 000	**Chrome**	**4005176020933**	**71.41**

ditto, marking red

11 508 000	**Chrome**	**4005176020964**	**72.41**

Headpart 1"
for concealed valves 1"
Trecorn handle
escutcheon
marking: red (hot)
GROHE StarLight chrome finish

11 513 000	**Chrome**	**4005176020971**	**40.93**



Headpart 1/2"
for concealed valves, 1/2"
Trecorn handle
metal, heat insulated
escutcheon
marking: blue/red
GROHE StarLight chrome finish

11 514 000	**Chrome**	**4005176020988**	**58.77**

ditto, for concealed valves, 3/4"

11 515 000	**Chrome**	**4005176020995**	**85.00**



Headpart 1"
for concealed valves 1"
Trecorn handle
metal, heat insulated
escutcheon
marking: blue/red
GROHE StarLight chrome finish

11 550 000	**Chrome**	**4005176021169**	**53.16**

Headpart 1/2"
for concealed valves, 1/2"
socket spanner
closed cap
escutcheon
GROHE StarLight chrome finish

19 830 000	**Chrome**	**4005176030697**	**27.00**



Atlanta
Concealed stop-valve trim
set for final installation for
35 028 000
for concealed valves, 1/2", 3/4"
installation depth adjustable
20-80 mm
escutcheon with screwable wall sealing
brilliant handle
marking: blue (cold)
GROHE StarLight chrome finish

19 831 000	**Chrome**	**4005176030703**	**27.00**

ditto, marking red

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD PARTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**19 841 000**	**Chrome**	**4005176030765**	**43.87**
	Atlanta **Concealed stop-valve trim** set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20 - 200 mm escutcheon with screwable wall sealing socket spanner **GROHE StarLight** chrome finish			
	19 840 000	**Chrome**	**4005176030758**	**34.99**
	ditto, installation depth infinitely adjustable 20-80 mm			
	**19 470 000**	**Chrome**	**4005176848018**	**65.28**
	Grohtherm 3000 Cosmopolitan **Concealed stop-valve trim** set for final installation for 35 028 000 **GROHE StarLight** chrome finish installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve			
	07 147 000		**4005176003455**	**19.94**
	Headpart 1/2" for concealed valves, 1/2" in units of 10			
	07 150 000		**4005176003479**	**35.37**
	Headpart 3/4" for concealed valves, 3/4"			
	11 148 000	**Chrome**	**4005176020827**	**51.42**
	Headpart 1/2" socket spanner closed cap **GROHE StarLight** chrome finish			

GROHE
SPARE PARTS FOR TWO-HANDLE FAUCETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	45 180 000	Chrome	4005176007576	40.93
	Florida Handle marking: blue/red single packed **GROHE StarLight** chrome finish			
	06 707 000	Chrome	4005176003066	18.94
	Brilliant handle 1/2" marking: red (hot)			
	45 124 000	Chrome	4005176007309	30.43
	Treflor handle 1/2" with handle fixing marking: blue/red **GROHE StarLight** chrome finish			
	45 144 000	Chrome	4005176007446	15.48
	Costa **ABS handle** heat insulated plastic **chrome plated** marking: blue/red **GROHE StarLight** chrome finish			
	45 258 000	Chrome	4005176054327	27.49
	Metal handle 1/2"			
	45 080 000	Chrome	4005176007040	28.86
	Trecorn handle 1/2" marking: blue (cold) with cap **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR TWO-HANDLE FAUCETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	45 081 000	Chrome	4005176007057	28.86
	Trecorn handle 1/2" marking: red (hot) with cap **GROHE StarLight** chrome finish			
	10 099 00M	Chrome	4005176812965	13.64
	Cover Cap multi-packaging: 2 pieces			
	02 490 P0M	matt chrome	4005176168185	14.59
	Cover Cap for shut-off valve temperature scale handle in units of 2			
	45 605 000	Chrome	4005176250262	9.44
	Repl.kit f.fastening			
	45 123 000	Chrome	4005176052002	11.96
	Handle fixation			
	45 186 000		4005176007668	13.54
	Replacement kit for fastening single packed			
	05 386 00M		4005176015106	14.38
	Snap insert			

GROHE
EXTENSION SETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**06 427 000**	**Chrome**	**4005176002762**	**18.73**
	Extension-set, 40 mm for concealed valves, 1/2“			
	06 428 000	**Chrome**	**4005176002786**	**22.77**
	ditto, for concealed valves 3/4“, 1“, 1 1/4“ and multi-way diverters, 1/2“			
	**45 202 000**		**4005176052835**	**11.54**
	Extension 20-80 for concealed valves, 1/2“, 3/4“			
	45 203 000		**4005176052842**	**19.94**
	ditto, 200 mm			
	**46 191 000**		**4005176119996**	**135.37**
	Extension set 25 mm for universal single-lever mixer for concealed installation 1/2“			
	**46 343 000**		**4005176189791**	**187.84**
	Extension set 50 mm for universal single-lever mixer for concealed installation 1/2“			
	**46 627 000**		**4005176855276**	**84.06**
	Flush pipe extension 25 mm for single-lever two-hole basin mixer 1/2“ for concealed body 23 200, 23 319, 32635			
	**14 048 000**		**4005176413483**	**151.54**
	GROHE Rapido SmartBox **Universal extension set single-lever mixers, 25 mm** 25 mm fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EXTENSION SETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**14 056 000**		**4005176466298**	**114.13**
	Universal extension set single-lever mixers, 25 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**			
	**14 057 000**		**4005176466304**	**147.62**
	Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**			
	**14 058 000**		**4005176466311**	**147.63**
	Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**			

GROHE
UNIONS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**12 001 000**	**Chrome**	**4005176004339**	**19.94**
	S-union 1/2" x 3/4" **adjustment range 7.5 mm** **GROHE StarLight** chrome finish			
	**12 004 000**	**Chrome**	**4005176004353**	**19.94**
	S-union 1/2" x 1/2" **adjustment range 10 mm** screw escutcheon **GROHE StarLight** chrome finish			
	**12 400 000**	**Chrome**	**4005176004582**	**40.93**
	S-union 1/2" x 3/4" **adjustment range 10 mm** **GROHE StarLight** chrome finish			
	**12 051 000**	**Chrome**	**4005176213588**	**40.93**
	S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections **GROHE StarLight** chrome finish			
	**12 005 000**	**Chrome**	**4005176004360**	**44.44**
	S-union male thread 1/2" x 3/4" screw escutcheon **adjustmetn range 30 mm** **GROHE StarLight** chrome finish			
	12 465 000	**Chrome**	**4005176004858**	**70.15**
	ditto, 1/2" x 3/4", adjustment range 55 mm			
	**12 023 000**	**Chrome**	**4005176089718**	**58.03**
	S-union 1/2" x 3/4" **adjustment range 7.5 mm** escutcheon for Chiara/Grohtherm 3000 wall mounted mixers **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE UNIONS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	12 058 000	Chrome	4005176122477	36.88
S-union 1/2" x 3/4" escutcheon **adjustment range 7.5 mm** **GROHE StarLight** chrome finish				
	12 075 000	Chrome	4005176004520	19.94
S-union 1/2" x 3/4" **adjustment range 7.5 mm** with sound absorber screw escutcheon diameter: 70 mm / depth: 26 mm **GROHE StarLight** chrome finish content: 1 piece				
	12 411 000	Chrome	4005176004667	114.18
S-union nut 1 1/4" x 1" male thread **adjustment range 50 mm** screw escutcheon (for Grohtherm XL 1", 35 085 000/35 086 000) **GROHE StarLight** chrome finish in units of 1				
	12 662 000	Chrome	4005176819056	40.93
S-union 1/2" x 3/4" **adjustment range 7.5 mm** with sound absorber screw escutcheon diameter: 70 mm / depth: 26 mm **GROHE StarLight** chrome finish content: 1 piece				
	12 693 000	Chrome	4005176829918	19.94
S-union 1/2" x 3/4" **adjustment range 7.5 mm** with sound absorber screw escutcheon **GROHE StarLight** chrome finish				
	12 013 000	Chrome	4005176004414	29.12
Wall union male thread 3/4" x 1/2" **GROHE StarLight** chrome finish				

GROHE
UNIONS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	12 015 000	Chrome	4005176004438	31.01
Wall unions male thread 3/4" x 1/2" **GROHE StarLight** chrome finish				
	18 862 000	Chrome	4005176028120	61.91
Wall union				
	12 041 000	Chrome	4005176004490	82.90
Pillar union 1/2" angle 3/4" stop screw 1/2" diametre of nut 10.5 mm **adjustment range 12.5 mm** projection 30 mm **GROHE StarLight** chrome finish				
	12 030 000	Chrome	4005176021558	78.86
Pillar union 1/2" for all series with 3/4" visible nuts angle 3/4" x 1/2" mounting set 1/2" projection 47 mm **GROHE StarLight** chrome finish				
	14 013 000	Chrome	4005176915567	93.40
Pillar union, pair connection thread 1/2" mounting set 1/2" height 70 mm projection 31 mm with connection nipple G3/4 **GROHE StarLight** chrome finish				
	12 060 000	Chrome	4005176122576	178.50
Pillar union 1/2" plug-in connection connection thread 1/2" mounting set 1/2" projection 57 mm 70 mm high without connection nipple **GROHE StarLight** chrome finish				

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE UNIONS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	47 327 000 **Nipple** M 20 x 1		**4005176121005**	**42.92**
	**18 121 000**	**Chrome**	**4005176815812**	**51.42**
	Pillar union, pair **GROHE StarLight** chrome finish			
	**12 419 000**	**Chrome**	**4005176004698**	**28.97**
	Elbow union nut 3/4" x 3/4" male thread for thermostatic 34 361/34 364 **GROHE StarLight** chrome finish			
	**12 063 000**	**Chrome**	**4005176021787**	**44.44**
	Elbow union male thread 1/2" x 3/4" escutcheon for Vertica-mixers **GROHE StarLight** chrome finish			
	**12 407 000**	**Chrome**	**4005176004629**	**113.02**
	Wall union, male 1/2" connection pipe Ø 18 mm connector set 3/4" male thread 1/2" escutcheon **GROHE StarLight** chrome finish			
	**12 444 000**	**Chrome**	**4005176004834**	**196.97**
	Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085 000/35 086 000) **GROHE StarLight** chrome finish			

GROHE
UNIONS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	45 058 000	Chrome	4005176006845	52.31
Set for wall union 200 mm with compression coupling 3/4“ to outlet elbow 12 407 ,1/2“ **GROHE StarLight** chrome finish				
	12 417 000	Chrome	4005176004681	70.36
Straight union nut 1 1/4“ x 1“ male thread screw escutcheon (for Grohtherm XL 1“, 35 085 000/35 086 000) **GROHE StarLight** chrome finish				
	12 901 00M	Chrome	4005176022456	11.54
Coupling nut 1/2“ x 10.5 mm drilling 10.5 mm nickel-plated in dispense of 2 piece at 00M **GROHE StarLight** chrome finish				
	13 911 000	Chrome	4005176005459	30.43
Flexible tube outlet M 22 x 1 female thread M 22 x 1 mousseur 150 mm **GROHE StarLight** chrome finish				
	02 210 00M	Chrome	4005176001185	19.94
Escutcheon multi-packaging: 2 pieces				
 	02 201 000	Chrome	4005176001147	10.13
Escutcheon 1/2“ Ø 65 mm **GROHE StarLight** chrome finish				

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
OUTLETS AND SPOUTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**13 005 000**	**Chrome**	**4005176022739**	**40.93**
	Swivel tube spout for kitchen wall mixers, 1/2" tubular spout projection 150 mm mousseur coupling nut 3/4" DR-brass **GROHE StarLight** chrome finish			
	13 084 000	**Chrome**	**4005176023217**	**35.58**
	Ditto, projection 200 mm			
	13 017 000	**Chrome**	**4005176022777**	**50.11**
	Ditto, projection 300 mm			
	**13 051 000**	**Chrome**	**4005176005091**	**24.14**
	Swivel tube spout for kitchen wall mixer swivelling mousseur coupling nut M 22 x 1 projection 200 mm DR-brass **GROHE StarLight** chrome finish			
	**13 028 000**	**Chrome**	**4005176022821**	**38.04**
	Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 200 mm coupling nut 3/4" DR-brass **GROHE StarLight** finish			
	13 034 000	**Chrome**	**4005176022869**	**52.11**
	Ditto, projection 300 mm			
	**13 076 000**	**Chrome**	**4005176023170**	**35.73**
	Swivel tube spout swivelling with stop mousseur coupling nut 3/4" projection 140 mm DR-brass **GROHE StarLight** chrome finish			
	13 071 000	**Chrome**	**4005176023132**	**35.10**
	ditto, without stop			
	**13 072 000**	**Chrome**	**4005176005145**	**30.43**
	Swivel tube spout swivelling mousseur coupling nut M 22 x 1 projection 140 mm DR-brass **GROHE StarLight** chrome finish			
	**13 073 000**	**Chrome**	**4005176005183**	**51.42**
	Swivel tube spout **for kitchen pillar mixers, 1/2"** tubular spout mousseur projection 185 mm DR-brass **GROHE StarLight** chrome finish			

GROHE
OUTLETS AND SPOUTS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



13 070 000 **Chrome** **4005176023125** **39.19**

Swivel tube spout
for kitchen pillar mixers, 1/2"
mousseur
coupling nut 3/4"
projection 185 mm
without stop
DR-brass
GROHE StarLight chrome finish

13 077 000 **Chrome** **4005176023187** **43.87**
Ditto, projection 235 mm



13 462 000 **Chrome** **4005176024276** **155.05**

Cast swivel spout
length 175 mm
swivelling
laminar flow straightener 9 l/min
coupling nut 3/4"
GROHE StarLight chrome finish



13 269 000 **Chrome** **4005176883132** **194.56**

Cast swivel spout
length 117 mm
swivelling and lockable
laminar flow straightener 9 l/min
GROHE StarLight chrome finish



13 049 000 **Chrome** **4005176125041** **125.93**

Swivel tube spout
stop limiter
mousseur
projection 225 mm
GROHE StarLight chrome finish

13 041 000 **Chrome** **4005176005077** **39.19**

Swivel tube spout
for kitchen pillar mixers, 1/2"
Sistra flow straightener
coupling nut 3/4"
projection 185 mm
without stop
DR-brass
GROHE StarLight chrome finish

13 037 000 **Chrome** **4005176005060** **32.53**

Swivel tube spout
Sistra flow straightener
coupling nut 3/4"
projection 140 mm
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
OUTLETS AND SPOUTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	13 043 000	**Chrome**	4005176801402	**39.51**
	C-spout for Minta single lever sink mixer **GROHE StarLight** chrome finish			
	46 103 000	**Chrome**	4005176008801	**112.49**
	Extractable outlet			
				

GROHE
FLOW STRAIGHTENERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)

48 189 000 **Chrome** **4005176928772** **28.79**

Water saving set
includes two supply adapters incl. flow regulator
and one mousseur insert
for combination with M22/24 mousseurs
connection size G 3/8“
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence

48 190 000 **Chrome** **4005176928987** **33.21**

Water saving set
includes two supply adapters incl. flow regulator
and one mousseur insert
for combination with M22/24 mousseurs
connection size G 3/8“
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence

48 191 000 **Chrome** **4005176928994** **33.21**

Water saving set
includes two supply adapters incl. flow regulator
and one mousseur insert
for combination with M22/24 mousseurs
connection size G 3/8“
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence



13 935 000 **Chrome** **4005176263859** **12.49**

Flow restrictor
internal thread
M 22 x 1(LP)
5.7 l/min at 3 bar
including metal connection nipple for better servicing
SpeedClean anti-limescale system
GROHE StarLight finish

13 959 000 **Chrome** **4005176109515** **9.44**

Flow straightener
internal thread
M 22 x 1(LP)
7.5 l/min at 3 bar
GROHE StarLight finish



13 954 000 **Chrome** **4005176025747** **9.44**

Flow straightener
internal thread
M 22 x 1(LP)
6.9 l/min. at 3 bar
SpeedClean anti-limescale system
GROHE StarLight finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	13 950 000	Chrome	4005176025679	12.59
Economy Mousseur internal thread M 22 x 1(LP) 7.5 l/min at 3 bar **GROHE StarLight** finish				
	13 928 000	Chrome	4005176025365	12.59
Flow restrictor internal thread M 22 x 1(LP) 13.5 l/min at 3 bar **GROHE StarLight** finish				
	13 900 000	Chrome	4005176005442	9.39
Strainer jet regulator **Sistra M24x1** internal thread M 22 x 1(LP) no limitation of flow rate including metal connection nipple for better servicing **GROHE StarLight** finish				
	48 159 000	Chrome	4005176919589	9.44
Flow restrictor external thread M 24 x 1 5.7 l/min at 3 bar **SpeedClean** anti-limescale system				
	46 837 000	Chrome	4005176931888	13.64
Flow straightener external thread M 24 x 1 5.7 l/min for pressures 1-5 bar **GROHE AquaGuide** adjustable mousseur **GROHE StarLight** finish				
	13 960 000	Chrome	4005176109522	15.74
Flow straightener external thread M 24 x 1 7.5 l/min at 3 bar **GROHE StarLight** finish				

GROHE
FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	36 133 000	**Chrome**	**4005176140310**	**22.93**
	Flow restrictor external thread M 24 x 1 flow class Z 7.5 l/min at 3 bar including disassembly key theft proof **GROHE StarLight** finish			
	13 955 000	**Chrome**	**4005176025808**	**10.49**
	Flow straightener external thread M 24 x 1 6.9 l/min at 3 bar **GROHE StarLight** finish			
	**13 951 000**	**Chrome**	**4005176025730**	**12.59**
	Economy Mousseur external thread M 24 x 1 7.5 l/min at 3 bar **GROHE StarLight** finish			
	64 451 000	**Chrome**	**4005176869273**	**9.44**
	Flow straightener external thread M 24 x 1 flow class A 13.5 l/min at 3 bar **GROHE AquaGuide** adjustable mousseur **GROHE StarLight** finish			
	13 929 000	**Chrome**	**4005176025440**	**12.59**
	13 929 G00	**gold**	**4005176005688**	**51.06**
	13 929 L00	**white**	**4005176005695**	**19.94**
	Flow restrictor external thread M 24 x 1 13.5 l/min at 3 bar **GROHE StarLight** finish			
	13 952 000	**Chrome**	**4005176079818**	**12.59**
	Flow restrictor external thread M 24 x 1 flow class C 30 l/min. at 3 bar **GROHE StarLight** finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	13 961 000	Chrome	4005176128431	4.20
Flow restrictor external thread M 24 x 1 flow class: B 25.2 l/min at 3 bar **GROHE StarLight** finish				
	13 941 000	Chrome	4005176162732	4.09
Flow restrictor external thread M 24 x 1 flow class D 34.8 - 37.8 l/min at 3 bar **GROHE StarLight** finish				
	13 927 000 13 927 G00	Chrome gold	4005176005541 4005176005565	19.94 68.79
Flow restrictor external thread M 28 x 1 30 l/min. at 3 bar **GROHE StarLight** finish				
	13 930 000	Chrome	4005176025488	19.94
Flow restrictor external thread M 28 x 1.5 55 l/min. at 3 bar for pull out shower (46 108) **GROHE StarLight** finish				
	13 907 000	Chrome	4005176025129	19.94
Strainer jet regulator **Sistra M24x1** external thread M 28 x 1 60.0 - 70.0 l/min at 3 bar **GROHE StarLight** finish				
	13 943 000		4005176831584	9.44
Flow restrictor external thread M 16.5 x 1 flow class PCA 5.0 l/min integrated including disassembly key				

GROHE
FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**46 765 000** **Flow restrictor** external thread M 16.5 x 1 5.7 l/min at 3 bar integrated including disassembly key		**4005176911484**	**9.44**
 	**13 937 000** **Mousseur set** Consisting of: mousseur 14.9 l/min at 3 bar mousseur 7.2 l/min at 3 bar external thread M 16.5 x 1 including disassembly key		**4005176819193**	**19.94**
	13 994 000 **Flow restrictor** external thread M 18.5 x 1 flow class: A + PCA 15.0 l/min + 5.7 l/min at 3 bar integrated including disassembly key		**4005176859618**	**12.49**
	**13 989 000** **Flow restrictor** external thread M 18.5 x 1 flow class V 17.8 l/min at 3 bar integrated including disassembly key		**4005176831881**	**12.59**
	**13 926 000** **Flow restrictor** external thread M 24 x 1 flow class C 27.0 l/min at 3 bar integrated including disassembly key		**4005176819063**	**24.24**
	**46 711 000** **Flow restrictor** contains 2 different inserts: flow class A and D 13.5 l/min and 34.8 - 37.8 l/min at 3 bar **SpeedClean** anti-limescale system integrated including disassembly key		**4005176890291**	**14.90**

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**13 925 000**	**Chrome**	**4005176005534**	**32.89**
	Ball-joint aerator internal thread M 22 x 1(LP) flow class A 13.5 l/min at 3 bar **GROHE StarLight** finish			
	**13 915 000**	**Chrome**	**4005176005473**	**30.69**
	Ball-joint aerator external thread M 24 x 1 flow class A 13.5 l/min at 3 bar **GROHE StarLight** finish			
	**13 220 000**		**4005176855504**	**19.94**
	Flow restrictor flow class Z 7.5 l/min at 3 bar including disassembly key			
	**64 374 000**	**Chrome**	**4005176869594**	**16.69**
	Flow restrictor external thread M 28 x 1 19.0 l/min at 3 bar dual flow straightener GROHE Blue **GROHE StarLight** finish			
	13 263 000	**Chrome**	**4005176879579**	**30.43**
	Flow restrictor external thread M 28 x 1 7.5 l/min at 3 bar hot water flow straightener for GROHE Red **GROHE StarLight** finish			

GROHE
WASTE SETS AND TRAPS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 910 000	**Chrome**	**4005176603846**	**61.91**
28 910 L00	**white**	**4005176603884**	**138.47**



Pop-up waste set 1 1/4"
for wash basins with overflow
for basin/bidet fittings

28 900 000	**Chrome**	**4005176603822**	**93.40**



Pop-up waste set 1 1/4"
for basins
GROHE StarLight chrome finish

28 940 000	**Chrome**	**4005176604058**	**38.19**



Pop-up waste set
with plug and chain
GROHE StarLight chrome finish

40 565 000	**Chrome**	**4005176912757**	**76.32**
40 565 DC0	**supersteel**	**4005176491702**	**83.00**
40 565 A00	**hard graphite**	**4005176491757**	**88.00**
40 565 AL0	**Brushed Hard Graphite**	**4005176491696**	**94.00**



Waste set with push-open plug
for wash basins with overflow
GROHE StarLight chrome finish

65 807 000	**Chrome**	**4005176849893**	**41.24**
65 807 BE0	**polished nickel**	**4005176467691**	**62.00**
65 807 GL0	**cool sunrise**	**4005176467738**	**90.00**
65 807 DA0	**warm sunset**	**4005176467752**	**90.00**
65 807 A00	**hard graphite**	**4005176467721**	**99.00**



Pop-up waste set
with push-open cover
removable cover
closable
GROHE StarLight chrome finish

65 807 DC0	**supersteel**	**4005176442797**	**100.48**
65 807 EN0	**brushed nickel**	**4005176467707**	**68.00**
65 807 GN0	**brushed cool sunrise**	**4005176467745**	**73.63**
65 807 DL0	**brushed warm sunset**	**4005176467769**	**123.00**
65 807 AL0	**Brushed Hard Graphite**	**4005176467714**	**73.63**



Pop-up waste set
with push-open cover
removable cover
closable
GROHE StarLight finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WASTE SETS AND TRAPS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	65 808 000	Chrome	4005176860065	43.13
	Waste 1 1/4" for basins mixers without Pop Up Waste removable cover non-closable **GROHE StarLight** chrome finish			
	40 824 000	Chrome	4005176332975	21.02
	Waste set with push-open plug for wash basins with overflow removable plug closable			
	07 182 000 07 182 G00	Chrome gold	4005176017438 4005176017346	25.19 103.99
	Chrome bath plug for waste set 1 1/4" **GROHE StarLight** chrome finish			
	07 052 000		4005176003370	30.43
	Eccentric rod for waste set 1 1/4" length 180 mm **GROHE StarLight** chrome finish			
	07 341 000	Chrome	4005176017728	40.93
	Eccentric rod for waste set 1 1/4" length 350 mm **GROHE StarLight** chrome finish			
	06 844 000	Chrome	4005176016714	18.37
	Joint piece for eccentric rods of waste set 1 1/4" **GROHE StarLight** chrome finish			

GROHE
WASTE SETS AND TRAPS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**28 947 000**	**Chrome**	**4005176604089**	**46.10**
	P-trap 1 1/4" for bidets for basins wall connection escutcheon **GROHE StarLight** chrome finish			
	**28 961 000**	**Chrome**	**4005176042799**	**45.76**
	trap for bidet escutcheon wall connection **GROHE StarLight** chrome finish			
	**28 946 000**	**Chrome**	**4005176604072**	**51.42**
	P-trap 1 1/4" for bidets for bidet wall connection escutcheon wall support 250 - 265 mm **GROHE StarLight** chrome finish			
	**28 920 000**	**Chrome**	**4005176603914**	**32.07**
	Bottle trap, 1 1/4" for basins with fixed dip tube wall connection escutcheon **GROHE StarLight** chrome finish			
	**40 564 000**	**Chrome**	**4005176912740**	**253.31**
	40 564 DC0	**supersteel**	**4005176491795**	**329.00**
	40 564 A00	**hard graphite**	**4005176491849**	**353.00**
	40 564 AL0	**Brushed Hard Graphite**	**4005176491788**	**376.00**
	Bottle trap for **wash basin** **GROHE StarLight** chrome finish brass body			
	**28 912 000**	**Chrome**	**4005176266751**	**231.18**
	Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WASTE SETS AND TRAPS



Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 912 DC0	**supersteel**	**4005176467905**	**215.00**
28 912 EN0	**brushed nickel**	**4005176467837**	**266.42**
28 912 GN0	**brushed cool sunrise**	**4005176467875**	**266.42**
28 912 DL0	**brushed warm sunset**	**4005176467899**	**243.00**
28 912 AL0	**Brushed Hard Graphite**	**4005176467844**	**243.00**

Bottle trap, 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight finish

GROHE
CONNECTIONS AND NON-RETURN VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 914 000		**4005176326424**	**7.24**
	Compression MI coupling for all basin and kitchen mixers 15 mm x 3/8" including nut & olive			
	14 165 00M	**Chrome**	**4005176006043**	**19.94**
	Non-return valve male thread 1/2" female thread 1/2" **GROHE StarLight** chrome finish multi-packaging: 2 pieces			
	47 189 000	**Chrome**	**4005176010330**	**40.93**
	Non-return valve multi-packaging: 2 pieces **GROHE StarLight** chrome finish			
	14 116 00M		**4005176006005**	**51.42**
	Non-return valve 1/2" multi-packaging: 2 pieces			
	14 117 00M		**4005176006012**	**145.87**
	Backflow preventer multi-packaging: 2 pieces			
	14 114 00M	**Chrome**	**4005176025921**	**59.03**
	Non-return valve multi-packaging: 2 pieces **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CONNECTIONS AND NON-RETURN VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	08 565 000 Non-return valve		4005176019739	19.94
	47 373 000 Non-return valve + shut-off		4005176010620	162.24

GROHE
SPARE PARTS GROHE SENSE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**48 374 LN0**	**white**	**4005176454424**	**75.00**

Mains adaptor
for GROHE Sense Guard
Consisting of:
mains supply 100-240 V AC, 50-60 Hz
secondary connection with plug
cable length 1500 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR ELECTRONICS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 229 000		4005176299223	208.83
	Solenoid valve for Europlus E			
	48 213 000		4005176937323	103.89
	Solenoid valve for electronic single-lever sink mixer			
	42 394 000		4005176906084	149.00
	Solenoid valve for infra-red electronic wall basin tap without mixing device			
	42 886 000		4005176200670	40.93
	Battery 6V lithium battery, type CR-P2			
	42 393 000		4005176905872	68.26
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
	42 388 000		4005176905827	50.37
	Mains adaptor **without power supply 36 338 000 (required)** to replace battery			

GROHE
DIVERTERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	08 915 000	Chrome	4005176020124	51.42
	Diverter for single-lever and thermostatic bath mixer 1/2", wall mounted automatic diverter: bath/shower			
	65 655 000		4005176844539	19.94
	Diverter for single-lever and thermostatic bath mixer 1/2", wall mounted automatic diverter: bath/shower mechanical parts **GROHE StarLight** chrome finish			
	07 531 000	Chrome	4005176003578	30.43
	Diverter for concealed single lever bath mixers and bath module 1/2", wall mounted automatic diverter: bath/shower including diverter knob **GROHE StarLight** chrome finish			
	46 058 000	Chrome	4005176008467	61.91
	Diverter for universal single-lever mixer for concealed installation 1/2" bath including diverter knob until 2010 **GROHE StarLight** chrome finish			
	45 048 000	Chrome	4005176006753	19.94
	Diverter for wall mounted bath mixers including diverter knob **GROHE StarLight** chrome finish			
	46 056 000	Chrome	4005176008443	41.24
	Diverter for wall mounted bath mixers lockable automatic diverter: bath/shower including diverter knob **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
DIVERTERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
47 238 000	**Chrome**	**4005176139727**	**40.93**

Diverter
for single-lever and thermostatic bath mixer 1/2", wall mounted
lockable automatic diverter: bath/shower
including diverter knob
GROHE StarLight chrome finish

GROHE
HOSES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	45 484 000	**Chrome**	**4005176135415**	**56.56**
	Flexible connection hose, 470 in units of 2			
	**45 120 000**	**Chrome**	**4005176007279**	**36.52**
	Flexible pressure hose with compression nut for copper pipe Ø 10 mm coupling nut 3/8“ 300 mm			
	46 322 000	**Chrome**	**4005176136245**	**32.01**
	inlet hose			
	**28 112 000**	**Chrome**	**4005176601286**	**40.93**
	Metal hose for sink mixers 1500 mm M 15 x 1 x 3/8“ nut **GROHE StarLight** chrome finish			
	**46 104 000**	**Chrome**	**4005176008856**	**72.41**
	Metalflex hose			
	**46 092 000**	**Chrome**	**4005176057755**	**51.42**
	Metal hose for sink mixers with extractible outlet 1500 mm			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HOSES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**46 174 000** **Metalflex hose**	**Chrome**	**4005176211294**	**61.91**
	48 293 000 **Shower hose** for sink mixer with pull-out dual spray or mousseur **GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position including weight and knurled nuts G 1/2 approx. 1425 mm M15 x 1 **GROHE StarLight** finish		**4005176358593**	**30.43**
 	**07 240 000** **Compression spring**		**4005176017476**	**19.94**

GROHE
SPARE PARTS FOR KITCHEN FAUCETS

Ref. No.	Colour	EAN code	Retail Guide Price (£)

42 580 SD0	stainless steel	4005176479236	10.00

Chrome bath plug
basket strainer waste
for kitchen sinks without automatic waste fitting
including lip seal
Ø 83 mm
GROHE StarLight finish

42 576 SD0	stainless steel	4005176478703	16.62

Chrome bath plug
basket strainer waste
for kitchen sinks with automatic waste fitting
an adjustable screw below the basket offers the adjustment
including lip seal
Ø 83 mm
GROHE StarLight finish

42 577 SD0	stainless steel	4005176478710	42.60

Chrome bath plug
basket strainer waste with steel cap
for kitchen sinks with automatic waste fitting
an adjustable screw below the basket offers the adjustment
including lip seal
Ø 83 mm
GROHE StarLight finish

42 579 SD0	stainless steel	4005176478734	22.04

Cover element
overflow cover element for kitchen sinks
consisting of frame and cover, printed
dimensions: 55.3 mm x 30.3 mm
GROHE StarLight finish



46 312 IE0	chrome / light grey	4005176136085	124.88
46 312 SD0	stainless steel	4005176265372	247.66
46 312 KH0	black softfeeling/black	4005176136108	122.88

Hand shower
diverter: mousseur/shower jet
automatic return to mousseur
for sink mixers
33 727
33 707
33 933

46 173 IE0	chrome / light grey	4005176211263	72.41

Hand shower

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR KITCHEN FAUCETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 575 DC0	**supersteel**	**4005176845864**	**135.37**
	46 575 000	**Chrome**	**4005176830099**	**72.41**
	Hand shower **GROHE StarLight** chrome finish			
	46 592 000	**Chrome**	**4005176833618**	**103.89**
	Minta **Hand shower** including hose			
	46 710 000	**Chrome**	**4005176889974**	**67.28**
	Hand shower **GROHE StarLight** chrome finish			
	46 731 000	**Chrome**	**4005176899973**	**58.77**
	Hand shower professional spray regular flow/shower jet automatic return to mousseur **SpeedClean** anti-limescale system **GROHE StarLight** chrome finish			
	46 246 000	**Chrome**	**4005176168086**	**114.38**
	46 246 SD0	**stainless steel**	**4005176198212**	**136.32**
	Extractable outlet removable for single-hole sink mixers Zedra (33 708) Zedra (33 738) Europlus (33 858)			
	46 576 000	**Chrome**	**4005176830105**	**49.85**
	K4 **Extractable outlet** for K4 single-lever shower mixer **GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position including weight approx. 1425 mm M15 x 1			

GROHE
SPARE PARTS FOR KITCHEN FAUCETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 590 000	**Chrome**	**4005176832482**	**40.93**
	Extractable outlet			
	46 925 000	**Chrome**	**4005176347528**	**11.54**
	Hand shower for Minta single lever sink mixer with pull out mousseur spout **GROHE StarLight** finish			
	46 757 000	**Chrome**	**4005176907654**	**19.94**
	Extractable outlet			
	46 857 000 **46 857 DC0**	**Chrome** **supersteel**	**4005176937309** **4005176937316**	**61.91** **82.90**
	Hand shower diverter: mousseur/shower jet automatic return to mousseur **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
	46 956 000	**Chrome**	**4005176384622**	**32.53**
	Hand shower Laminar spray/shower spray automatic return to laminar spray **SpeedClean** anti-limescale system **GROHE StarLight** chrome finish including disassembly key for laminar spray for Eurosmart 2015 and Start 2015 sink mixers			
	48 416 000 **48 416 DC0**	**Chrome** **supersteel**	**4005176482472** **4005176482489**	**27.01** **34.00**
	Hand shower Laminar spray/shower spray automatic return to laminar spray **SpeedClean** anti-limescale system **GROHE StarLight** chrome finish including disassembly key			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR KITCHEN FAUCETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 338 000 **Coupling piece**		4005176160653	40.93
	46 315 000 **Quick coupling**		4005176136146	45.59
	05 334 000 **Support plate**		4005176015083	9.44

GROHE
SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	28 815 000 **Snap coupling**	**black**	**4005176602948**	**19.94**
	45 899 000 **Quick coupling**		**4005176253072**	**19.94**
	**28 635 XX0** **Relexa** **Coupling piece** as replacement connector for new hand shower and hose each handshower is equipped with a coupling piece	**dark grey**	**4005176041457**	**9.44**
	**28 634 XX0** **Relexa** **Quick coupling** for combination with average showers without integrated **Grohclick** with new system only in connection with coupling piece (28 635/28 637)	**dark grey**	**4005176041440**	**30.17**
	**28 637 XX0** **Relexa** **Coupling piece** as replacement connector for new hand shower and hose each handshower is equipped with a coupling piece **with flow regulating valve** 9.5 l/min. maximum flow rate at 1 - 6 bar water saving	**dark grey**	**4005176093913**	**19.30**
	**28 785 000** **Swivel adaptor 1/2“** black (to combine Relexa handshowers with shower rails of other manufacturers)	**black**	**4005176602405**	**9.44**

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	28 817 000	Chrome	4005176602962	13.54

Adapter 1/2" x 1/4"
female thread 3/4" x 1/2"
male thread
GROHE StarLight chrome finish

	45 304 000	Chrome	4005176055201	31.79

Elbow for shower mixers
1/2" x 1/2"
GROHE StarLight chrome finish
bath mixers

	45 900 000		4005176253089	40.93

Nipple

	48 279 000	Chrome	4005176354069	19.94

Outlet shower holder
for shower systems with thermostat for wall mounting
including fixation set
GROHE StarLight chrome finish

	48 333 000	Chrome	4005176377945	51.42

Outlet shower holder
metal
including fastening set as replacement for former metal version 06 667 00M and 45 403 000
including disassembly key to loosen former plastic version 64 245 00M and 48 010 000
packaging unit: 2 pieces
GROHE StarLight chrome finish

	48 423 000		4005176484568	16.79

Outlet shower holder
for shower systems with thermostat for wall mounting
including fixation set
GROHE StarLight chrome finish

GROHE
SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	06 765 000	**Chrome**	**4005176831973**	**93.40**

Sliding piece
suitable for shower rails of Relexa, Rainshower and Euphoria range with diameter of 25 mm
glider with swivel holder
for height adjustability of the hand shower
GROHE StarLight chrome finish

	**07 659 000**	**Chrome**	**4005176003707**	**51.42**

Sliding piece
suitable for shower rails of Tempesta range with diameter of 25 mm
glider with swivel holder
for height adjustability of the hand shower
GROHE StarLight chrome finish

	12 140 000	**Chrome**	**4005176288319**	**61.91**

Sliding piece
suitable for shower rails with diameter of 22 mm
glider with swivel holder
for height adjustability of the hand shower
GROHE StarLight chrome finish

	45 650 IP0	**chrome/ matt chrome**	**4005176137228**	**51.42**

Sliding piece
suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm
glider with swivel holder
for height adjustability of the hand shower
GROHE StarLight chrome finish

	**12 435 000**	**Chrome**	**4005176272141**	**51.42**

Relexa Plus
Gliding element with metal sleeve
for shower rail 28 620 / 28 621
Ø 28 mm
angle of inclination adjustable by click stop device
height adjustment via locking nut
GROHE StarLight chrome finish

	48 099 000	**Chrome**	**4005176908583**	**19.94**

Sliding piece
suitable for shower rails of Tempesta range with diameter of 21.8 mm
glider with swivel holder
for height adjustability of the hand shower
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	08 864 000	Chrome	4005176266058	30.43
	connector 8 x 15 mm for three-, four- and five-hole single-lever bath combinations to connect hand shower with shower hose **GROHE StarLight** chrome finish			
	48 177 000	Chrome	4005176924248	40.93
	Sliding piece suitable for shower rails range with diameter 24.7 mm glider with swivel holder for height adjustability of the hand shower **GROHE StarLight** chrome finish			
	45 363 000	Chrome	4005176112324	19.94
	Cover plate for shower rail Relexa and Tempesta ø 25 mm			
	45 656 XX0	dark grey	4005176063626	19.94
	Pulsator element			

GROHE
SPARE PARTS FOR ACCESSORIES

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		40 212 000	Chrome	4005176171123	50.53
		Spare pump **GROHE StarLight** chrome finish			
		40 206 000	Chrome	4005176170904	58.03
		Spare brush **GROHE StarLight** chrome finish			
		40 207 000		4005176170973	14.59
		Spare brush			
		43 897 000	white	4005176173981	71.10
		Soap dish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE SEALS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 077 000 **Replacement kit for seal** for kitchen fittings		4005176008672	36.88
	46 429 K00 **Replacement kit for seal**	black	4005176196881	20.25
	46 090 000 **Replacement kit for seal**		4005176008719	23.72
	01 386 00M **Sealing washer** multi-packaging: 10 pieces		4005176000782	12.49
	03 214 00M **Sealing washer** multi packaging: 1 x 6 pieces and 1 x 3 pieces		4005176265501	11.02
	01 285 00M **O-Ring Ø13,5 x Ø2,75** multi packaging: 20 pieces		4005176000614	12.49

GROHE
MISCELLANEOUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	07 653 000	Chrome	4005176003684	19.94
	Stop ring 1/2" **GROHE StarLight** chrome finish			
	03 758 000	Chrome	4005176001741	51.42
	Stop ring			
	04 853 00M	Chrome	4005176014888	12.49
	Safety ring multi packaging: 5 pieces			
	08 065 00M	Chrome	4005176257773	19.94
	Safety ring multi packaging: 5 pieces			
	07 002 00M	Chrome	4005176113413	9.44
	Strainer multi-packaging: 2 pieces			
	07 264 00M	Chrome	4005176228797	9.44
	Filter multi-packaging: 2 pieces			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MISCELLANEOUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 739 000	Chrome	4005176900952	19.94
	Pop-up rod			
	06 048 000	Chrome	4005176002144	30.43
	Pop-up rod for Chiara before 2004 and Europlus from 1988 to 1999			
	06 329 000	Chrome	4005176228278	23.72
	Pop-up rod for Eurosmart and Eurostyle			
	46 249 000	Chrome	4005176185021	15.64
	Shank mounting kit			
	46 345 000		4005176226069	19.94
	Shank mounting kit			
	48 384 000		4005176474422	13.51
	Shank fastening assembly with fastening nut M33 x 1.5 including screws and seals			

GROHE
MISCELLANEOUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 436 000 Shield for cross handle	Chrome	4005176205644	13.85
	46 242 000 Shield for cross handle		4005176121913	14.59
	46 243 000 Shield for cross handle	Chrome	4005176121920	15.33
	45 023 000 Seat		4005176006494	9.44
	45 052 000 renewable seat set 3/4“		4005176006784	8.19
	07 587 000 Slider	Chrome	4005176229015	19.94

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MISCELLANEOUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	45 044 000 **Screw joint**	**Chrome**	**4005176006678**	**13.54**
	**45 388 000** **Supporting legs** for baseframe for direct floor installation fixing material in units of 2		**4005176212758**	**77.76**

GROHE
SPECIAL TOOLS

Ref. No.	Colour	EAN code	Retail Guide Price (£)

02 276 000 **Chrome** **4005176001215** **5.71**

Socket Spanner
multiple interlocking
11 mm
for headparts with e.g. 3/4“, 1“ or 5/4“

02 277 000 **Chrome** **4005176001222** **16.53**

Socket spanner 1/2“
multiple interlocking
8 mm
for 11 148 and 22 917

18 283 00M **4005176026669** **29.33**

Fitting aid
for mounting of
1/2“ fittings
in units of 10



19 332 000 **4005176823695** **72.41**

Socket Spanner
34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge
32 mm for disassembly of 35 mm cartridge

19 132 000 **4005176197260** **95.86**

Disassembling key
to disassemble / assemble thread connected copper tubes and flexible connection hoses

45 654 000 **4005176063534** **9.44**

Disassembling key

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPECIAL TOOLS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	48 021 000	**Chrome**	**4005176881435**	**9.44**

Disassembling key
for mousseurs with housing:
(M 22 x 1, M 24 x 1, M 28 x 1)
for integrated mousseurs:
M 16.5 x 1, M 18.5 x 1, M 21.5 x 1, M 24 x 1
sales unit 1 pieces



	19 377 000		**4005176872204**	**40.93**

Special Spanner
30 mm for dis-/assembly exposed faucets with covered S-unions
34 mm for dis-/assembly of **GROHE TurboStat** thermostatic compact cartridge



	19 017 000		**4005176212024**	**40.93**

Mounting wrench
SW 13
for installation of basin mixers with the Rapid system



	19 001 000		**4005176029417**	**40.93**

Adjusting Thermometer (°C)
Temperature range 0 to 100 °C

GROHE
CLEANING AND CARE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	45 937 000		**4005176279683**	**24.60**
	Grohe Special grease 25 g sales unit 15 pieces			
	48 166 000		**4005176923197**	**14.80**
	Grohclean **Detergent for fittings and bathrooms** 500 ml spray bottle based on citric acid in display box sales unit 1 pieces			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 302 000	**Chrome**	**4005176835360**	**72.41**
	42 302 SH0	**alpine white**	**4005176835384**	**61.91**
	Surf **Flush plate** for retrofit for dual flush or start & stop actuation for pneumatic discharge valve with 2 hoses (42 253 and 42 774) **for vertical and horizontal installation** 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
	42 303 000	**Chrome**	**4005176835391**	**72.41**
	42 303 SH0	**alpine white**	**4005176835414**	**61.91**
	Skate **Flush plate** for retrofit for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for dual flush or start & stop actuation **for vertical and horizontal installation** 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
	42 304 000	**Chrome**	**4005176835469**	**72.41**
	42 304 SH0	**alpine white**	**4005176835483**	**46.17**
	Skate Air **Flush plate** for dual flush or start & stop actuation for retrofit for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) **for vertical installation** 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
	42 305 000	**Chrome**	**4005176835490**	**72.41**
	Skate Air **Flush plate** for dual flush or start & stop actuation for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for horizontal installation 156 x 197 mm made of ABS **GROHE EcoJoy** technology for less water and perfect flow **GROHE StarLight** chrome finish			
	**37 115 PI0**	**matt chrome/chrome**	**4005176172571**	**9.44**
	Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 40 mm **GROHE StarLight** chrome finish			
	37 117 PI0	**matt chrome/chrome**	**4005176172588**	**9.44**
	Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 16 - 35 mm **GROHE StarLight** chrome finish			

GROHE
SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 122 000 **Cover**		4005176154836	30.43
	43 247 000 **Cover**	Chrome	4005176155499	52.31
	43 056 000 **Lever** for flush valves **GROHE StarLight** chrome finish	Chrome	4005176154393	35.84
	42 740 000 **Solenoid Valve**		4005176230653	366.24
	43 544 000 **Outlet piston**		4005176157738	9.44
  	43 535 000 **Push bar 350 mm** for Servo discharge valve 350 mm		4005176157639	3.15

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 540 000		4005176157691	9.44
	Pop-up rod for Servo discharge valve 451 mm			
	43 422 000		4005176156595	30.43
	Safety valve			
	43 405 000		4005176156489	100.06
	Isolating valves, pair			
	43 451 000		4005176156830	32.32
	Piston			
	43 506 000		4005176157356	9.44
	Bellow			
	42 315 000		4005176835643	11.54
	Valve seat for GD2			

GROHE
SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 533 000 **Seat**		4005176157615	9.44
	42 764 00M **Threaded bolt** for WC fixation for Rapid SL 1.13 m multi-packaging: 2 pieces		4005176222092	15.64
	42 233 000 **Connecting hose**	Chrome	4005176300653	19.94
	42 775 000 **Tubes**		4005176221606	9.44
	43 745 000 **Sealing washer**		4005176158995	9.44
	43 722 000 **Set of seals**		4005176158810	11.54

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 714 000 **Set of seals**		4005176158742	41.24
	43 758 00M **Membrane** filling valve multi-packaging: 10 pieces		4005176159121	40.93

GROHE
SPARE PARTS FOR SHOWER TOILET

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	14 924 SH0	**alpine white**	**4005176375446**	**104.68**

GROHE Sensia Arena
WC seat
for Sensia Arena shower toilet system, wall hung
automatic opening/close function
suitable WC lid: 14 925 SH0

	14 925 SH0	**alpine white**	**4005176375453**	**131.14**

GROHE Sensia Arena
WC lid
for Sensia Arena shower toilet system, wall hung
automatic opening/close function
suitable WC seat: 14 924 SH0

	**14 926 001**		**4005176483400**	**312.03**

GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung
including wall holder
including batteries

	**14 926 000**		**4005176375460**	**411.37**

GROHE Sensia Arena
Remote control
for 39 354 SH0
for Sensia Arena shower toilet system, wall hung
including wall holder
including batteries

	14 930 000		**4005176375507**	**20.09**

Nozzle guard
for Sensia Arena shower toilet system, wall hung and floor standing

	14 937 000	**alpine white**	**4005176407000**	**1,056.40**

GROHE Sensia Arena
WC-ceramic
for Sensia Arena shower toilet system, wall hung

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR SHOWER TOILET

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	14 969 000		4005176436079	27.49
	GROHE Sensia Arena **Fixing member rear** for Sensia Arena shower toilet system, wall hung			
	14 971 000		4005176436093	29.60
	GROHE Sensia Arena **Hose clip** for Sensia Arena shower toilet system, wall hung			
	14 974 000		4005176436123	80.37
	GROHE Sensia Arena **Connection hose assembly** for Sensia Arena shower toilet system, wall hung			
	14 933 000		4005176375538	9.51
	GROHE Sensia Arena **Air filter** for Sensia Arena shower toilet system, wall hung			
	14 972 000		4005176436109	27.49
	GROHE Sensia Arena **Anti-theft screw** for Sensia Arena shower toilet system, wall hung			
	14 919 000	alpine white	4005176375194	1,585.16
	GROHE Sensia Arena **E-bidet unit** for 39 354 SH0 for Sensia Arena shower toilet system, wall hung exchange set			

GROHE
SPARE PARTS FOR SHOWER TOILET

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	14 976 000	**alpine white**	**4005176483417**	**1,697.00**

GROHE Sensia Arena
E-bidet unit
for 39 354 SH1
for Sensia Arena shower toilet system, wall hung
exchange set

	14 927 000		**4005176375477**	**20.09**

GROHE Sensia Arena
Filter
for Sensia Arena function model shower toilet system, wall hung

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	Retail Guide Price (£)

49 512 000 **25.87**

Mounting set
for counter top basins
39 337 000
39 337 00H
39 475 00H
39 476 00H
39 477 00H
39 478 00H
for drop in basin 39 422 000, 39 479 00H
for vessel basin 39 481 00H
contains 2 pieces

49 518 000 **25.87**

Mounting set
for undercounter basins
39 423 000, 39 480 00H
contains 4 pieces

49 025 000 **Chrome** **22.50**

Mounting set
for half pedestal
39 426 000
39 201 000
39 325 000
contains 2 pieces

49 516 000 **22.51**

Mounting set
for floor standing bidet/WC
39 428 000, 39 429 000, 39 430 000,
39 431 000, 39 432 000, 39 349 000,
39 329 000, 39 329 00H, 39 340 000,
39 340 00H, 39 339 000, 39 339 00H,
39 484 00H, 39 485 00H, 39 487 00H
contains 2 pieces

49 021 000 **3.37**

Rubber sealing
for close coupled WC and cistern
39 436 000
39 437 000
39 333 000
39 332 000
39 489 000
39 490 000

49 022 000 **Chrome** **24.75**

Fixing bolt
for close coupled WC and cistern
39 436 000
39 437 000
39 333 000
39 332 000
39 489 000
39 490 000

49 526 000 **Chrome** **13.49**

Dual flush push button
for ceramic cistern
39 436 000
39 437 000
39 333 000
39 332 000

49 023 000 **Chrome** **15.75**

Filling valve
for close coupled cistern exposed bottom inlet
39 332 000
39 436 000
universal application

49 020 000 **Chrome** **15.74**

Filling valve for Euro Ceramic cistern
for close coupled cistern exposed side inlet
39 333 000
universal application

49 061 000 **Chrome** **15.73**

Discharge valve for Bau Ceramic cistern
for close coupled cistern exposed side inlet
39 436 000
39 437 000
Dual Flush
universal application
for ceramic lid hole Ø 50 mm

49 066 000 **Chrome** **15.76**

Discharge valve for Euro Ceramic cistern
for close-coupled cisterns
39 332 000
39 333 000
Dual Flush
universal application
for ceramic lid hole Ø 50 mm

49 016 000 **alpine white** **10.65**

Locking cap
for Euro Ceramic close coupled WC
39 338 000 / 39 338 00H

GROHE
SPARE PARTS FOR CERAMICS

Ref. No.	Colour	Retail Guide Price (£)

49 027 000 **Chrome** **63.02**

Fixing set
for Euro Ceramic wall hung bidet
220 mm
39 208 000, 39 208 00H

49 024 000 **Chrome** **63.02**

Fixing set
for Euro Ceramic compact wall hung WC
203 mm
39 206 000, 39 206 00H

49 528 000 **Chrome** **33.77**

Damper
for Bau Ceramic WC seat with soft close
left and right
39 493 000
contains 2 pieces

49 530 000 **white** **8.99**

Buffer set
for Bau Ceramic seat and lid
39 492 000
39 493 000
contains 2 pieces for lid and 4 pieces for seat

49 522 000 **25.88**

Mounting set
for Euro Ceramic cistern
39 333 000
for back inlet installation

Ref. No.	Colour	Retail Guide Price (£)

49 510 000 **58.51**

Fixing set
for Euro Ceramic wall hung WC
203 mm
39 328 000, 39 328 00H

49 509 000 **57.37**

Fixing set
for Cube Ceramic wall hung WC
178 mm
39 244 00H

49 529 000 **Chrome** **20.25**

Fixing set
for Bau Ceramic seat and lid
39 493 000
39 492 000
contains 2 pieces

49 019 000 **alpine white** **2.25**

Locking cap
for exposed ceramic cistern, side inlet
39 437 000
39 333 000

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
00			
00 798 000	4005176229008	920	30.43
01			
01 285 00M	4005176000614	967	12.49
01 386 00M	4005176000782	967	12.49
02			
02 201 000	4005176001147	936	10.13
02 210 00M	4005176001185	936	19.94
02 276 000	4005176001215	972	5.71
02 277 000	4005176001222	972	16.53
02 490 P0M	4005176168185	929	14.59
03			
03 214 00M	4005176265501	967	11.02
03 758 000	4005176001741	968	51.42
04			
04 853 00M	4005176014888	968	12.49
05			
05 334 000	4005176015083	961	9.44
05 386 00M	4005176015106	929	14.38
06			
06 048 000	4005176002144	969	30.43
06 170 000	4005176015717	924	11.02
06 188 000	4005176002519	925	103.89
06 329 000	4005176228278	969	23.72
06 427 000	4005176002762	930	18.73
06 428 000	4005176002786	930	22.77
06 707 000	4005176003066	928	18.94
06 765 000	4005176831973	964	93.40
06 844 000	4005176016714	947	18.37
07			
07 000 000	4005176016899	916	124.88
07 002 00M	4005176113413	968	9.44
07 025 000	4005176016929	925	30.43
07 052 000	4005176003370	947	30.43
07 146 000	4005176017261	924	19.94
07 147 000	4005176003455	927	19.94
07 150 000	4005176003479	927	35.37
07 156 000	4005176003493	925	32.53
07 182 000	4005176017438	947	25.19
07 182 G00	4005176017346	947	103.99
07 240 000	4005176017476	957	19.94
07 264 00M	4005176228797	968	9.44
07 341 000	4005176017728	947	40.93
07 531 000	4005176003578	954	30.43
07 587 000	4005176229015	970	19.94
07 653 000	4005176003684	968	19.94
07 659 000	4005176003707	964	51.42
08			
08 065 00M	4005176257773	968	19.94
08 201 000	4005176003943	916	47.75
08 565 000	4005176019739	951	19.94
08 864 000	4005176266058	965	30.43
08 915 000	4005176020124	954	51.42
10			
10 099 00M	4005176812965	929	13.64

Ref. no.	EAN/UPC	Page	2020 RRP £
11			
11 003 000	4005176020353	923	23.29
11 006 000	4005176020377	923	23.29
11 086 000	4005176020476	923	32.84
11 090 000	4005176020513	923	19.94
11 101 000	4005176020575	923	35.37
11 102 000	4005176020599	923	35.37
11 104 000	4005176020612	923	69.16
11 105 000	4005176020629	923	72.41
11 118 000	4005176004261	923	26.23
11 148 000	4005176020827	927	51.42
11 501 000	4005176004285	925	30.43
11 504 000	4005176020926	926	75.45
11 505 000	4005176020933	926	71.41
11 508 000	4005176020964	926	72.41
11 513 000	4005176020971	926	40.93
11 514 000	4005176020988	926	58.77
11 515 000	4005176020995	926	85.00
11 550 000	4005176021169	926	53.16
12			
12 001 000	4005176004339	932	19.94
12 004 000	4005176004353	932	19.94
12 005 000	4005176004360	932	44.44
12 013 000	4005176004414	933	29.12
12 015 000	4005176004438	934	31.01
12 023 000	4005176089718	932	58.03
12 030 000	4005176021558	710, 934	78.86
12 041 000	4005176004490	934	82.90
12 051 000	4005176213588	709, 726	40.93
12 058 000	4005176122477	933	36.88
12 060 000	4005176122576	934	178.50
12 063 000	4005176021787	935	44.44
12 075 000	4005176004520	933	19.94
12 124 000	4005176262579	714	103.89
12 140 000	4005176288319	964	61.91
12 400 000	4005176004582	932	40.93
12 407 000	4005176004629	935	113.02
12 411 000	4005176004667	712, 933	114.18
12 417 000	4005176004681	712, 936	70.36
12 419 000	4005176004698	935	28.97
12 420 000	4005176004704	712	103.89
12 424 000	4005176004735	712	90.20
12 426 000	4005176004742	712	198.23
12 428 000	4005176004759	713	136.16
12 430 000	4005176004766	713	149.60
12 432 000	4005176004773	713	157.82
12 433 000	4005176272752	922	82.90
12 435 000	4005176272141	964	51.42
12 436 000	4005176004797	713	161.92
12 444 000	4005176004834	713, 935	196.97
12 448 000	4005176004841	713	449.14
12 465 000	4005176004858	932	70.15
12 662 000	4005176819056	933	40.93
12 693 000	4005176829918	933	19.94
12 901 00M	4005176022456	936	11.54
13			
13 005 000	4005176022739	937	40.93
13 017 000	4005176022777	937	50.11
13 028 000	4005176022821	635, 937	38.04
13 034 000	4005176022869	635, 937	52.11
13 037 000	4005176005060	938	32.53
13 041 000	4005176005077	938	39.19
13 043 000	4005176801402	939	39.51
13 049 000	4005176125041	938	125.93

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
13 051 000	4005176005091	937	24.14
13 070 000	4005176023125	938	39.19
13 071 000	4005176023132	635, 937	35.10
13 072 000	4005176005145	937	30.43
13 073 000	4005176005183	937	51.42
13 076 000	4005176023170	937	35.73
13 077 000	4005176023187	938	43.87
13 080 000	4005176234934	707	173.94
13 084 000	4005176023217	937	35.58
13 137 000	4005176234941	707	173.94
13 139 003	4005176455131	60	214.66
13 139 AL3	4005176455155	60	389.84
13 139 DA3	4005176493287	60	336.99
13 139 DC3	4005176455148	60	341.09
13 139 GL3	4005176493263	60	336.99
13 218 000	4005176847110	43	1,366.73
13 220 000	4005176855504	945	19.94
13 261 000	4005176877384	185	83.46
13 262 000	4005176877391	185	94.02
13 263 000	4005176879579	945	30.43
13 264 000	4005176882449	43	231.18
13 269 000	4005176883132	938	194.56
13 276 002	4005176887246	161	98.44
13 278 002	4005176887871	144	98.42
13 280 001	4005176888687	153	89.89
13 281 001	4005176888694	153	120.19
13 299 000	4005176899003	33	319.64
13 299 A00	4005176490767	33	453.30
13 299 AL0	4005176490705	33	483.50
13 299 DC0	4005176490712	33	423.08
13 301 000	4005176899041	33	1,431.83
13 301 A00	4005176490859	33	2,228.00
13 301 AL0	4005176490798	33	2,371.00
13 301 DC0	4005176490804	33	2,084.00
13 303 000	4005176906350	103	120.57
13 303 AL0	4005176585562	103	186.00
13 303 DC0	4005176525100	103	163.00
13 304 000	4005176906367	103	131.62
13 317 000	4005176912603	43	739.98
13 319 000	4005176912627	33	739.98
13 319 A00	4005176352782	33	1,037.00
13 319 AL0	4005176353284	33	1,118.68
13 319 DC0	4005176490651	33	978.82
13 341 000	4005176931000	70	231.18
13 341 IG0	4005176931017	70	308.60
13 378 000	4005176351532	708	82.90
13 380 000	4005176351549	708	91.63
13 383 001	4005176418167	84	197.99
13 383 DC1	4005176418174	84	330.23
13 404 003	4005176529788	114	139.00
13 462 000	4005176024276	938	155.05
13 540 000	4005176005411	212	103.89
13 900 000	4005176005442	941	9.39
13 907 000	4005176025129	943	19.94
13 911 000	4005176005459	936	30.43
13 915 000	4005176005473	945	30.69
13 925 000	4005176005534	945	32.89
13 926 000	4005176819063	944	24.24
13 927 000	4005176005541	943	19.94
13 927 G00	4005176005565	943	68.79
13 928 000	4005176025365	941	12.59
13 929 000	4005176025440	942	12.59
13 929 G00	4005176005688	942	51.06
13 929 L00	4005176005695	942	19.94
13 930 000	4005176025488	943	19.94
13 935 000	4005176263859	940	12.49
13 937 000	4005176819193	944	19.94
13 941 000	4005176162732	943	4.09
13 943 000	4005176831584	943	9.44
13 950 000	4005176025679	941	12.59
13 951 000	4005176025730	942	12.59
13 952 000	4005176079818	942	12.59
13 954 000	4005176025747	940	9.44
13 955 000	4005176025808	942	10.49
13 959 000	4005176109515	940	9.44
13 960 000	4005176109522	941	15.74
13 961 000	4005176128431	943	4.20
13 989 000	4005176831881	944	12.59
13 994 000	4005176859618	944	12.49
14			
14 013 000	4005176915567	934	93.40
14 014 000	4005176929274	404	54.19
14 015 000	4005176932748	357	135.37
14 048 000	4005176413483	334, 930	151.54
14 053 00M	4005176413513	334	50.88
14 055 000	4005176413520	219, 334	161.51
14 056 000	4005176466298	334, 931	114.13
14 057 000	4005176466304	335, 931	147.62
14 058 000	4005176466311	335, 931	147.63
14 074 000	4005176575365	762, 805	37.00
14 114 00M	4005176025921	950	59.03
14 116 00M	4005176006005	950	51.42
14 117 00M	4005176006012	950	145.87
14 165 00M	4005176006043	498, 950	19.94
14 919 000	4005176375194	981	1,585.16
14 924 SH0	4005176375446	980	104.68
14 925 SH0	4005176375453	980	131.14
14 926 000	4005176375460	980	411.37
14 926 001	4005176483400	980	312.03
14 927 000	4005176375477	982	20.09
14 928 000	4005176375484	758	30.66
14 929 000	4005176375491	758	30.66
14 930 000	4005176375507	980	20.09
14 933 000	4005176375538	981	9.51
14 936 000	4005176375569	758	41.25
14 937 000	4005176407000	980	1,056.40
14 969 000	4005176436079	981	27.49
14 971 000	4005176436093	981	29.60
14 972 000	4005176436109	981	27.49
14 974 000	4005176436123	981	80.37
14 976 000	4005176483417	982	1,697.00
18			
18 121 000	4005176815812	935	51.42
18 283 00M	4005176026669	972	29.33
18 349 000	4005176874796	181	26.41
18 541 000	4005176910869	97	32.08
18 608 001	4005176985140	298	43.14
18 700 000	4005176940811	302	43.13
18 862 000	4005176028120	934	61.91
19			
19 001 000	4005176029417	973	40.93
19 017 000	4005176212024	973	40.93
19 025 000	4005176209154	85, 116	54.19
19 069 003	4005176455469	58	83.53
19 069 AL3	4005176455483	58	151.60
19 069 DA3	4005176494031	58	130.00
19 069 DC3	4005176455476	58	132.64
19 069 GL3	4005176494017	58	130.00
19 088 003	4005176455162	58	107.85
19 088 AL3	4005176455186	58	150.16
19 088 DA3	4005176493348	58	130.00

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
19 088 DC3	4005176455179	58	139.57
19 088 GL3	4005176493324	58	130.00
19 132 000	4005176197260	972	95.86
19 287 003	4005176454738	50	357.42
19 287 AL3	4005176454752	50	649.72
19 287 DA3	4005176492372	50	561.64
19 287 DC3	4005176454745	50	568.50
19 287 GL3	4005176492358	50	561.64
19 309 000	4005176820656	40	562.99
19 316 000	4005176821783	42	1,270.93
19 332 000	4005176823695	972	72.41
19 334 000	4005176823800	44	142.69
19 345 001	4005176888953	151	150.49
19 346 001	4005176889080	151	160.59
19 377 000	4005176872204	973	40.93
19 381 000	4005176874673	180	178.54
19 382 000	4005176874697	184	125.71
19 383 000	4005176874765	184	104.59
19 384 000	4005176875755	45	142.69
19 386 000	4005176876011	40	607.25
19 408 001	4005176307133	126	186.91
19 408 A01	4005176426209	126	307.90
19 408 AL1	4005176426193	126	328.42
19 408 BE1	4005176426216	126	307.90
19 408 DA1	4005176426179	126	307.90
19 408 DC1	4005176369964	126	287.36
19 408 DL1	4005176426186	126	328.42
19 408 EN1	4005176426223	126	328.42
19 408 GL1	4005176426155	126	307.90
19 408 GN1	4005176426162	126	328.42
19 409 001	4005176409158	79	275.42
19 409 AL1	4005176586170	79	374.00
19 409 DC1	4005176412752	79	352.85
19 450 002	4005176862229	194	104.59
19 451 002	4005176862335	193	94.02
19 470 000	4005176848018	927	65.28
19 506 002	4005176887185	161	153.74
19 506 003	4005176334399	172	142.69
19 506 LS3	4005176334542	172	186.93
19 507 002	4005176887079	161	153.73
19 507 003	4005176334337	171	120.56
19 507 LS3	4005176334528	171	168.00
19 571 002	4005176886973	158	220.12
19 571 003	4005176334269	168	220.13
19 571 LS3	4005176334498	168	275.43
19 573 002	4005176887659	141	209.07
19 575 001	4005176888366	149	180.79
19 576 002	4005176429088	152	693.87
19 577 001	4005176409233	83	662.56
19 577 AL1	4005176586224	83	1,277.00
19 577 DC1	4005176412820	83	1,211.71
19 577 EN1	4005176413018	83	1,276.83
19 578 001	4005176307195	130	739.99
19 578 A01	4005176426520	130	1,110.77
19 578 AL1	4005176426513	130	1,184.83
19 578 BE1	4005176426537	130	1,110.77
19 578 DA1	4005176426490	130	1,110.77
19 578 DC1	4005176371103	130	1,036.73
19 578 DL1	4005176426506	130	1,184.83
19 578 EN1	4005176374463	130	1,184.83
19 578 GL1	4005176426476	130	1,110.77
19 578 GN1	4005176426483	130	1,184.83
19 590 000	4005176890529	44	197.97
19 781 000	4005176898822	30	684.68
19 781 A00	4005176490446	30	970.00
19 781 AL0	4005176490385	30	1,046.09
19 781 DC0	4005176490392	30	915.34
19 783 000	4005176898846	30	728.94
19 783 A00	4005176490538	30	1,046.09
19 783 AL0	4005176490477	30	1,115.83
19 783 DC0	4005176490484	30	976.36
19 787 001	4005176429057	32	1,563.17
19 787 A01	4005176495427	32	2,157.54
19 787 AL1	4005176489563	32	2,301.37
19 787 DC1	4005176489570	32	2,013.69
19 796 000	4005176899133	34	186.94
19 796 A00	4005176352607	34	258.00
19 796 AL0	4005176353062	34	258.00
19 796 DC0	4005176490019	34	248.17
19 798 000	4005176899157	34	264.35
19 798 A00	4005176352614	34	359.00
19 798 AL0	4005176353079	34	359.00
19 798 DC0	4005176489969	34	345.80
19 808 001	4005176843204	212	21.01
19 809 001	4005176853876	212	21.01
19 830 000	4005176030697	926	27.00
19 831 000	4005176030703	926	27.00
19 840 000	4005176030758	927	34.99
19 841 000	4005176030765	927	43.87
19 895 000	4005176901072	96	253.30
19 895 AL0	4005176585494	96	391.00
19 897 001	4005176429101	102	1,072.92
19 897 AL1	4005176585548	102	1,540.00
19 897 DC1	4005176525087	102	1,348.00
19 910 000	4005176987014	103	54.18
19 918 003	4005176454769	51	405.01
19 918 AL3	4005176454783	51	736.36
19 918 DA3	4005176492440	51	636.52
19 918 DC3	4005176454776	51	644.31
19 918 GL3	4005176492426	51	636.52
19 919 000	4005176924125	69	1,160.31
19 919 IG0	4005176924132	69	1,514.26
19 922 003	4005176455568	59	1,220.80
19 922 AL3	4005176455582	59	1,776.00
19 922 DA3	4005176494697	59	1,684.91
19 922 DC3	4005176455575	59	1,515.00
19 922 GL3	4005176494673	59	1,684.91
19 923 003	4005176455537	59	1,220.80
19 923 AL3	4005176455551	59	1,632.00
19 923 DA3	4005176494635	59	1,684.91
19 923 DC3	4005176455544	59	1,705.54
19 923 GL3	4005176494611	59	1,684.91
19 929 000	4005176930430	67	400.92
19 929 IG0	4005176930447	67	551.94
19 930 000	4005176930454	67	463.45
19 930 IG0	4005176930461	67	607.24
19 936 000	4005176930812	69	1,093.93
19 936 IG0	4005176930829	69	1,414.71
19 942 000	4005176931048	70	142.68
19 942 IG0	4005176931055	70	180.97
19 944 000	4005176931086	71	109.48
19 944 IG0	4005176931093	71	131.62
19 952 000	4005176174230	84, 116	48.67
19 952 A00	4005176352874	218	120.00
19 952 AL0	4005176353376	84, 116	132.00
19 952 DC0	4005176467776	84, 116	61.00
19 952 EN0	4005176468100	218	251.00
19 954 000	4005176175732	219	20.62
19 965 001	4005176409240	83	485.57
19 966 000	4005176986864	102	680.00
19 967 001	4005176307140	126	209.06
19 967 A01	4005176426285	126	346.89
19 967 AL1	4005176426278	126	370.00
19 967 BE1	4005176426292	126	346.89

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
19 967 DA1	4005176426254	126	346.89
19 967 DC1	4005176369971	126	323.77
19 967 DL1	4005176426261	126	370.00
19 967 EN1	4005176426308	126	370.00
19 967 GL1	4005176426230	126	346.89
19 967 GN1	4005176426247	126	370.00
19 968 000	4005176993657	134	209.05
19 968 LS0	4005176993664	134	330.72
19 969 000	4005176993671	134	231.19
19 969 LS0	4005176993688	134	253.31
19 974 002	4005176305948	141	220.11
19 976 001	4005176307218	131	441.32
19 997 000	4005176342189	89	242.23
19 998 000	4005176342196	89	275.42
20			
20 008 003	4005176455285	56	476.91
20 008 AL3	4005176455308	56	866.30
20 008 DA3	4005176493621	56	748.86
20 008 DC3	4005176455292	56	758.03
20 008 GL3	4005176493607	56	748.86
20 009 003	4005176454974	56	381.74
20 009 AL3	4005176454998	56	866.30
20 009 DA3	4005176492853	56	748.86
20 009 DC3	4005176454981	56	758.03
20 009 GL3	4005176492839	56	748.86
20 021 003	4005176455193	55	239.00
20 021 AL3	4005176455216	55	433.16
20 021 DA3	4005176493416	55	374.44
20 021 DC3	4005176455209	55	379.04
20 021 GL3	4005176493393	55	374.44
20 025 000	4005176099403	730	124.88
20 143 000	4005176832581	39	629.38
20 164 003	4005176455315	56	405.01
20 164 AL3	4005176455339	56	736.36
20 164 DA3	4005176493690	56	636.52
20 164 DC3	4005176455322	56	644.31
20 164 GL3	4005176493676	56	636.52
20 169 003	4005176455001	56	405.01
20 169 AL3	4005176455025	56	736.36
20 169 DA3	4005176492921	56	636.52
20 169 DC3	4005176455018	56	644.31
20 169 GL3	4005176492907	56	636.52
20 186 001	4005176874437	210	65.26
20 187 000	4005176874680	180	199.67
20 188 000	4005176875724	39	629.38
20 189 000	4005176875731	40	562.99
20 190 000	4005176875748	39	562.99
20 192 000	4005176875991	39	596.19
20 193 000	4005176876004	40	596.19
20 201 000	4005176883354	216	105.07
20 203 000	4005176883378	216	92.89
20 205 000	4005176883682	216	76.33
20 208 002	4005176886980	158	253.30
20 216 001	4005176888373	148	221.19
20 296 001	4005176307072	125	253.30
20 299 001	4005176307096	126	319.66
20 301 003	4005176529757	109	301.99
20 304 001	4005176409141	79	352.85
20 342 000	4005176898860	29	695.76
20 342 A00	4005176490125	29	985.87
20 342 AL0	4005176490064	29	1,051.58
20 342 DC0	4005176490071	29	920.13
20 344 000	4005176898884	29	828.48
20 344 A00	4005176338342	29	1,340.62
20 344 AL0	4005176353185	29	1,361.43
20 344 DC0	4005176489815	29	1,098.39
20 346 000	4005176898907	29	717.86
20 346 A00	4005176490262	29	1,024.30
20 346 AL0	4005176490200	29	1,092.57
20 346 DC0	4005176490217	29	956.00
20 348 000	4005176898921	29	762.12
20 348 A00	4005176490354	29	1,089.68
20 348 AL0	4005176490293	29	1,162.31
20 348 DC0	4005176490309	29	1,017.02
20 351 000	4005176901041	96	297.54
20 351 AL0	4005176584688	96	475.00
20 351 DC0	4005176525001	96	416.00
20 389 000	4005176924101	67	551.95
20 389 IG0	4005176924118	67	717.87
20 393 001	4005176842993	210	71.90
20 404 001	4005176842986	210	54.18
20 414 000	4005176930492	67	408.16
20 414 IG0	4005176930508	67	506.69
20 415 000	4005176930515	67	431.51
20 415 IG0	4005176930522	67	596.19
20 417 000	4005176930553	66	496.64
20 417 IG0	4005176930560	66	651.49
20 421 000	4005176934353	196	49.49
20 421 00M	4005176986932	196	101.79
20 422 000	4005176934490	202	49.49
20 474 000	4005176319112	198	169.00
20 575 000	4005176388422	206	51.76
21			
21 019 003	4005176455223	55	381.75
21 019 AL3	4005176455247	55	693.07
21 019 DA3	4005176493485	55	599.09
21 019 DC3	4005176455230	55	606.42
21 019 GL3	4005176493461	55	599.09
21 022 003	4005176454943	55	381.75
21 022 AL3	4005176454967	55	693.07
21 022 DA3	4005176492792	55	599.09
21 022 DC3	4005176454950	55	606.42
21 022 GL3	4005176492778	55	599.09
21 044 003	4005176455254	55	524.51
21 044 AL3	4005176455278	55	952.95
21 044 DA3	4005176493553	55	823.74
21 044 DC3	4005176455261	55	833.84
21 044 GL3	4005176493539	55	823.74
21 107 000	4005176930393	66	419.22
21 107 IG0	4005176930409	66	551.94
21 375 001	4005176843037	210	98.44
21 390 001	4005176843006	210	142.69
22			
22 012 000	4005176906343	104, 909	43.14
22 012 AL0	4005176585944	104, 909	72.00
22 012 DC0	4005176525742	104, 909	63.00
22 013 000	4005176909689	104, 909	43.14
22 016 00M	4005176940606	908	76.32
22 017 00M	4005176940613	908	54.20
22 018 000	4005176305382	907	5.52
22 023 000	4005176305405	907	6.62
22 025 00M	4005176306501	907	49.78
22 029 000	4005176305467	907	9.93
22 032 000	4005176305481	907	9.96
22 033 000	4005176305498	910	25.44
22 035 000	4005176305511	910	21.01
22 037 000	4005176305535	906	9.94
22 039 AL0	4005176467936	906	70.18
22 041 000	4005176305573	906	9.95
22 043 000	4005176305597	906	15.41
22 046 000	4005176305627	906	8.83

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
22 053 000	4005176349027	908	11.07
22 917 000	4005176501388	909	46.43
22 939 000	4005176829369	908	19.94
22 940 000	4005176829376	908	19.94
22 958 00M	4005176034237	908	406.37

23

Ref. no.	EAN/UPC	Page	2020 RRP £
23 029 000	4005176898709	28	563.00
23 029 A00	4005176338335	28	918.07
23 029 AL0	4005176353154	28	932.84
23 029 DC0	4005176489471	28	752.59
23 033 000	4005176898716	28	563.00
23 033 A00	4005176489631	28	806.36
23 033 AL0	4005176489648	28	860.12
23 033 DC0	4005176489488	28	752.59
23 037 002	4005176886355	156	142.67
23 039 002	4005176886881	156	87.39
23 043 003	4005176472732	157	185.07
23 048 003	4005176429132	161	828.48
23 049 002	4005176887536	138	186.94
23 051 002	4005176887567	138	98.44
23 054 003	4005176472596	140	185.09
23 055 002	4005176887680	140	231.16
23 058 003	4005176313790	395	659.85
23 060 001	4005176888021	146	130.29
23 061 002	4005176417917	394	543.14
23 076 000	4005176890505	38	507.70
23 106 001	4005176409110	78	231.17
23 106 AL1	4005176586149	78	328.00
23 106 DC1	4005176412721	78	310.78
23 109 000	4005176898754	28	706.80
23 109 A00	4005176352683	28	1,003.00
23 109 AL0	4005176353161	28	1,070.00
23 109 DC0	4005176489860	28	935.65
23 112 000	4005176898778	28	706.80
23 112 A00	4005176489778	28	991.00
23 112 AL0	4005176489785	28	1,069.32
23 114 000	4005176898792	28	872.71
23 114 A00	4005176352690	28	1,259.54
23 114 AL0	4005176353178	28	1,310.00
23 114 DC0	4005176489914	28	1,159.41
23 117 000	4005176898938	30	640.44
23 117 A00	4005176490620	30	915.32
23 117 AL0	4005176490569	30	976.33
23 117 DC0	4005176490576	30	854.27
23 119 000	4005176899027	32	2,542.95
23 119 001	4005176428883	32	2,412.00
23 119 A00	4005176338601	32	3,923.55
23 119 AL0	4005176353208	32	4,185.12
23 119 DC0	4005176489679	32	3,376.51
23 127 000	4005176900341	94	220.12
23 127 00E	4005176901591	94	220.12
23 132 000	4005176900990	94	209.06
23 132 00E	4005176906725	94	209.06
23 135 000	4005176901027	95	242.23
23 135 00E	4005176906732	95	231.18
23 137 000	4005176901096	94	164.82
23 138 000	4005176901133	97	209.07
23 140 000	4005176901157	98	264.36
23 140 AL0	4005176585531	98	417.00
23 140 DC0	4005176525056	98	365.00
23 141 000	4005176901164	98	330.71
23 143 000	4005176901188	101	341.76
23 145 000	4005176901270	97	242.22
23 145 AL0	4005176585524	97	358.00
23 145 DC0	4005176525049	97	313.00
23 147 001	4005176313271	395	1,171.38
23 200 000	4005176908354	30, 97	231.19
23 200 002	4005176519901	30, 97	220.00
23 293 000	4005176921148	722	196.37
23 296 001	4005176409127	79	297.54
23 296 DC1	4005176412738	79	407.90
23 302 000	4005176923876	716	327.43
23 303 000	4005176924088	66	352.87
23 303 IG0	4005176924095	66	463.45
23 310 000	4005176930331	66	352.87
23 310 IG0	4005176930348	66	463.45
23 313 000	4005176930614	66	463.45
23 313 IG0	4005176930621	66	607.24
23 315 000	4005176930652	68	397.10
23 315 IG0	4005176930669	68	518.77
23 316 000	4005176930690	68	389.77
23 316 IG0	4005176930706	68	506.69
23 317 000	4005176930799	68	518.76
23 317 IG0	4005176930805	68	633.37
23 318 000	4005176930874	70	1,658.06
23 318 IG0	4005176930881	70	2,144.75
23 319 000	4005176931192	67	231.19
23 322 001	4005176934506	189	104.59
23 323 001	4005176934513	190	104.59
23 324 001	4005176934520	190	94.02
23 325 000	4005176933974	178	125.71
23 327 000	4005176934094	179	115.15
23 327 KW0	4005176565205	179	150.49
23 328 000	4005176934254	196	70.70
23 329 000	4005176934261	197	66.66
23 330 000	4005176934278	197	64.64
23 331 000	4005176934285	199	70.70
23 332 000	4005176934292	199	73.73
23 333 000	4005176934308	199	69.69
23 334 000	4005176934322	199	84.84
23 335 000	4005176934391	202	79.79
23 336 000	4005176934407	202	79.79
23 337 000	4005176934414	202	64.64
23 338 000	4005176934421	203	89.89
23 340 000	4005176934445	203	69.69
23 341 000	4005176934469	203	79.79
23 356 000	4005176934131	196	74.74
23 373 20E	4005176936661	157	120.54
23 374 003	4005176334153	165	120.57
23 374 20E	4005176936678	157	120.55
23 374 LS3	4005176334450	165	164.81
23 376 00E	4005176936623	178	109.87
23 377 00E	4005176936630	178	115.15
23 378 00E	4005176936647	178	104.59
23 379 001	4005176306891	123	164.81
23 380 10E	4005176938245	147	140.39
23 382 20E	4005176936708	139	175.89
23 384 20E	4005176936722	139	209.06
23 385 10E	4005176938269	147	130.29
23 387 20E	4005176938382	156	120.55
23 389 20E	4005176938412	139	186.95
23 390 00E	4005176938436	95	220.12
23 392 00E	4005176938450	95	220.11
23 393 10E	4005176938467	190	104.59
23 394 10E	4005176938474	190	94.02
23 395 10E	4005176938481	190	94.02
23 396 00E	4005176938504	179	125.71
23 403 000	4005176941627	38	673.63
23 405 001	4005176409134	79	275.42
23 405 AL1	4005176586163	79	459.00
23 405 DC1	4005176412745	79	435.09
23 406 000	4005176941658	96	275.40
23 406 AL0	4005176584671	96	439.00

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
23 406 DC0	4005176524998	96	384.00
23 409 000	4005176942105	101	672.50
23 425 000	4005176993596	134	175.86
23 425 LS0	4005176993602	134	231.17
23 427 000	4005176993619	134	197.99
23 427 LS0	4005176993626	134	253.31
23 428 000	4005176993633	134	297.54
23 428 LS0	4005176993640	134	386.03
23 429 000	4005176993695	51, 89	231.17
23 430 000	4005176993725	135	220.12
23 430 LS0	4005176993732	135	242.22
23 431 000	4005176993749	135	220.11
23 431 LS0	4005176993756	135	253.30
23 432 000	4005176993763	140	286.48
23 444 001	4005176411977	80	275.41
23 444 AL1	4005176586187	80	405.00
23 444 DC1	4005176412769	80	383.81
23 445 000	4005176998706	95	231.18
23 445 AL0	4005176584657	95	333.00
23 445 DC0	4005176524974	95	291.00
23 446 000	4005176998720	95	220.10
23 447 000	4005176998737	96	253.30
23 448 002	4005176998744	139	186.94
23 449 002	4005176998768	140	175.86
23 450 001	4005176998775	147	150.49
23 451 001	4005176998799	148	140.39
23 456 002	4005176304941	188	91.91
23 462 001	4005176306907	123	186.92
23 462 A01	4005176425325	123	280.63
23 462 AL1	4005176426070	123	299.33
23 462 BE1	4005176426087	123	280.63
23 462 DA1	4005176426056	123	280.63
23 462 DC1	4005176369933	123	261.90
23 462 DL1	4005176426063	123	299.33
23 462 EN1	4005176426094	123	299.33
23 462 GL1	4005176426032	123	280.63
23 462 GN1	4005176426049	123	299.33
23 463 001	4005176306914	124	175.86
23 480 001	4005176306921	123	184.00
23 491 001	4005176307263	132	1,138.19
23 491 A01	4005176407598	132	1,753.87
23 491 AL1	4005176407604	132	1,870.78
23 491 BE1	4005176426605	132	1,753.87
23 491 DA1	4005176407574	132	1,753.87
23 491 DC1	4005176371127	132	1,636.94
23 491 DL1	4005176426599	132	1,870.78
23 491 EN1	4005176371134	132	1,870.78
23 491 GL1	4005176407581	132	1,753.87
23 491 GN1	4005176426582	132	1,870.78
23 537 002	4005176312212	190	125.71
23 541 001	4005176313912	124	186.92
23 559 000	4005176327698	196	73.73
23 564 003	4005176334146	164	119.00
23 567 003	4005176334214	166	120.57
23 569 003	4005176334238	167	209.06
23 569 LS3	4005176334467	167	231.00
23 570 003	4005176334245	167	231.17
23 570 LS3	4005176334474	167	275.43
23 571 000	4005176334276	80, 126	220.10
23 589 001	4005176339172	122	159.28
23 589 A01	4005176407338	122	239.72
23 589 AL1	4005176407345	122	255.69
23 589 BE1	4005176419638	122	239.72
23 589 DA1	4005176407314	122	239.72
23 589 DC1	4005176369919	122	223.72
23 589 DL1	4005176419621	122	255.69
23 589 EN1	4005176425844	122	255.69
23 589 GL1	4005176407321	122	239.72
23 589 GN1	4005176419614	122	255.69
23 590 001	4005176339189	122	148.22
23 590 A01	4005176426001	122	231.93
23 590 AL1	4005176425998	122	247.38
23 590 BE1	4005176426018	122	231.93
23 590 DA1	4005176425875	122	231.93
23 590 DC1	4005176369926	122	216.45
23 590 DL1	4005176425882	122	247.38
23 590 EN1	4005176426025	122	247.38
23 590 GL1	4005176425851	122	231.93
23 590 GN1	4005176425868	122	247.38
23 591 001	4005176339196	122	131.62
23 654 000	4005176342080	88	231.19
23 656 000	4005176342103	88	209.05
23 657 000	4005176342110	88	286.48
23 658 000	4005176342127	88	220.11
23 661 000	4005176342158	88	297.54
23 664 000	4005176342202	89	242.23
23 665 000	4005176342219	89	264.35
23 666 000	4005176342226	90	308.62
23 667 001	4005176429019	92	1,616.04
23 672 001	4005176429002	102	1,600.55
23 672 AL1	4005176585555	102	2,366.00
23 672 DC1	4005176525094	102	2,070.00
23 707 003	4005176364778	164	109.50
23 707 LS3	4005176364785	164	153.73
23 708 003	4005176364990	164	103.97
23 709 003	4005176365003	165	109.50
23 709 LS3	4005176365010	165	142.67
23 715 003	4005176365065	166	98.45
23 716 003	4005176365072	166	142.68
23 717 30L	4005176365089	166	98.45
23 718 003	4005176365096	167	186.94
23 718 LS3	4005176365102	167	220.11
23 719 003	4005176365119	167	220.13
23 719 LS3	4005176365126	167	253.30
23 720 003	4005176365157	168	109.50
23 720 LS3	4005176365164	168	153.73
23 722 003	4005176365188	169	164.84
23 722 LS3	4005176365195	169	164.81
23 725 003	4005176365249	172	153.75
23 726 003	4005176365256	170	164.82
23 726 LS3	4005176365263	170	220.09
23 730 003	4005176365324	173	164.81
23 739 002	4005176472602	148	199.00
23 741 001	4005176371509	131	1,713.37
23 741 DC1	4005176371516	131	3,069.05
23 751 000	4005176388149	206	71.84
23 752 000	4005176388156	206	67.61
23 753 000	4005176388163	206	103.54
23 754 000	4005176388170	206	94.02
23 755 000	4005176388187	207	72.89
23 756 000	4005176388392	207	83.46
23 757 000	4005176388453	197	99.00
23 758 000	4005176388460	197	86.86
23 759 000	4005176388477	197	86.86
23 760 000	4005176388484	198	98.98
23 761 000	4005176388491	198	117.16
23 762 000	4005176388538	202	86.86
23 763 000	4005176388545	203	98.98
23 764 000	4005176388552	203	117.16
23 790 001	4005176408380	78	220.11
23 791 001	4005176409097	78	220.11
23 791 AL1	4005176586125	78	308.00
23 791 DC1	4005176412707	78	291.36
23 792 001	4005176409257	83	1,635.92

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
23 792 AL1	4005176586231	83	2,375.00
23 792 DC1	4005176412837	83	2,253.21
23 792 EN1	4005176413001	83	2,374.36
23 802 000	4005176421655	196	71.71
23 822 000	4005176452192	197	86.86
23 823 000	4005176457944	94	198.00
23 843 003	4005176496547	108	329.00
23 844 003	4005176496554	108	329.00
23 845 003	4005176496677	113	679.00
23 846 003	4005176496684	114	1,499.00
23 846 AL3	4005176585722	114	2,330.00
23 846 DC3	4005176574177	114	2,039.00
23 851 003	4005176496523	108	279.00
23 851 AL3	4005176585623	108	430.00
23 851 DC3	4005176574078	108	376.00
23 870 003	4005176529719	107	199.00
23 871 003	4005176529726	107	249.00
23 871 AL3	4005176585616	107	384.00
23 871 DC3	4005176574061	107	336.00
23 872 003	4005176529733	107	249.00
23 873 003	4005176529986	108	279.00
23 922 002	4005176583322	188	94.00
23 923 002	4005176583339	189	104.59
23 924 002	4005176583346	190	95.08
23 925 000	4005176583353	176	110.09
23 926 000	4005176583360	179	125.71
23 927 000	4005176583377	179	125.71
23 928 000	4005176583384	179	115.15
23 929 003	4005176583995	164	115.15
23 930 003	4005176584008	165	115.15
23 931 001	4005176584015	146	130.29
23 932 001	4005176584022	147	140.39
23 933 001	4005176584039	180	145.39
23 958 003	4005176605642	106	679.00
23 958 AL3	4005176612749	106	1,082.76
23 958 DC3	4005176612756	106	947.43
23 959 003	4005176605659	106	699.00
24			
24 027 003	4005176455346	57	405.01
24 027 AL3	4005176455360	57	736.36
24 027 DA3	4005176493768	57	636.52
24 027 DC3	4005176455353	57	644.31
24 027 GL3	4005176493744	57	636.52
24 036 000	4005176993701	135	209.05
24 036 LS0	4005176993718	135	242.25
24 042 002	4005176465161	193	118.00
24 043 002	4005176465178	193	130.00
24 044 000	4005176465185	183	129.00
24 045 000	4005176465291	183	142.00
24 046 003	4005176465307	171	129.82
24 046 LS3	4005176465314	171	168.57
24 047 003	4005176465321	171	143.43
24 047 LS3	4005176465338	171	185.31
24 048 003	4005176465345	170	136.11
24 048 LS3	4005176465352	170	176.93
24 049 003	4005176465369	171	149.72
24 049 LS3	4005176465376	171	194.75
24 051 002	4005176465383	160	148.67
24 052 002	4005176465390	160	163.33
24 053 001	4005176465406	151	144.00
24 054 001	4005176465413	151	158.00
24 055 002	4005176465420	135, 143	154.95
24 056 002	4005176465437	136, 143	169.61
24 057 001	4005176465468	129	164.38
24 057 A01	4005176465581	129	246.03
24 057 AL1	4005176465604	129	262.42
24 057 BE1	4005176465628	129	246.03
24 057 DA1	4005176465543	129	246.03
24 057 DC1	4005176465482	129	229.62
24 057 DL1	4005176465567	129	262.42
24 057 EN1	4005176465642	129	262.42
24 057 GL1	4005176465505	129	246.03
24 057 GN1	4005176465529	129	262.42
24 058 001	4005176465475	129	181.12
24 058 A01	4005176465598	129	270.60
24 058 AL1	4005176465611	129	288.65
24 058 BE1	4005176465635	129	270.60
24 058 DA1	4005176465550	129	270.60
24 058 DC1	4005176465499	129	252.56
24 058 DL1	4005176465574	129	288.65
24 058 EN1	4005176465659	129	288.65
24 058 GL1	4005176465512	129	270.60
24 058 GN1	4005176465536	129	288.65
24 059 003	4005176529832	112	189.00
24 059 AL3	4005176585708	112	292.00
24 059 DC3	4005176574153	112	255.00
24 060 003	4005176529825	112	199.00
24 060 AL3	4005176585692	112	307.00
24 060 DC3	4005176574146	112	269.00
24 061 000	4005176465680	90, 99	181.12
24 061 AL0	4005176585586	99	267.00
24 062 000	4005176465697	90, 99	199.98
24 062 AL0	4005176585579	99	294.00
24 062 DC0	4005176553905	99	257.00
24 063 001	4005176465703	81	188.47
24 063 AL1	4005176586248	81	277.00
24 063 DC1	4005176465727	81	262.72
24 064 001	4005176465710	82	207.30
24 064 AL1	4005176586255	82	305.00
24 064 DC1	4005176465734	82	288.99
24 065 003	4005176465741	52	312.01
24 065 AL3	4005176465765	52	497.09
24 065 DA3	4005176564550	52	430.00
24 065 DC3	4005176465758	52	434.96
24 065 GL3	4005176564574	52	429.69
24 066 003	4005176465772	52	342.37
24 066 AL3	4005176465796	52	546.78
24 066 DA3	4005176564628	52	473.00
24 066 DC3	4005176465789	52	478.44
24 066 GL3	4005176564642	52	472.65
24 067 000	4005176465802	68	296.30
24 067 IG0	4005176465819	68	355.98
24 068 000	4005176465840	69	326.68
24 068 IG0	4005176465857	69	391.57
24 069 000	4005176465888	41	336.09
24 070 000	4005176465895	41	369.58
24 071 000	4005176465901	31	364.36
24 071 A00	4005176564734	31	503.00
24 071 AL0	4005176465925	31	537.00
24 071 DC0	4005176465918	31	470.00
24 072 000	4005176465932	31	401.01
24 072 A00	4005176564741	31	554.00
24 072 AL0	4005176465956	31	590.00
24 072 DC0	4005176465949	31	517.00
24 075 000	4005176465987	286	365.39
24 076 000	4005176465994	286	407.27
24 077 000	4005176466007	286	407.27
24 078 000	4005176466038	284	365.39
24 079 000	4005176466045	284	407.27
24 080 000	4005176466052	284	407.27
24 092 001	4005176480522	130	205.21
24 092 A01	4005176481291	130	306.11
24 092 AL1	4005176481307	130	326.49

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
24 092 BE1	4005176480607	130	306.11
24 092 DA1	4005176480560	130	306.11
24 092 DC1	4005176480539	130	285.69
24 092 DL1	4005176480577	130	326.49
24 092 EN1	4005176480614	130	326.49
24 092 GL1	4005176480546	130	306.11
24 092 GN1	4005176480553	130	326.49
24 093 003	4005176530050	112	219.00
24 093 AL3	4005176585760	112	345.00
24 093 DC3	4005176574214	112	302.00
24 094 000	4005176480638	91, 99	223.00
24 094 AL0	4005176585593	99	328.00
24 094 DC0	4005176574047	99	287.00
24 095 001	4005176480645	82	231.39
24 095 AL1	4005176586262	82	340.00
24 095 DC1	4005176480652	82	322.14
24 096 003	4005176480669	52	366.45
24 096 AL3	4005176480683	52	584.63
24 096 DA3	4005176564697	52	506.00
24 096 DC3	4005176480676	52	511.58
24 096 GL3	4005176564710	52	505.39
24 099 000	4005176480744	31	425.07
24 099 A00	4005176564758	31	585.73
24 099 AL0	4005176480768	31	677.61
24 099 DC0	4005176480751	31	592.89
24 134 003	4005176480959	53	600.98
24 134 AL3	4005176480997	53	960.09
24 134 DA3	4005176564345	53	829.92
24 134 DC3	4005176480973	53	840.09
24 134 GL3	4005176564369	53	829.92
24 135 003	4005176480966	53	642.86
24 135 AL3	4005176481000	53	1,026.96
24 135 DA3	4005176564413	53	888.00
24 135 DC3	4005176480980	53	898.59
24 135 GL3	4005176564437	53	887.73
24 138 003	4005176481017	54	642.86
24 138 AL3	4005176481031	54	1,026.96
24 138 DA3	4005176564482	54	888.00
24 138 DC3	4005176481024	54	898.59
24 138 GL3	4005176564505	54	887.73
24 153 000	4005176481178	91, 100	474.29
24 153 AL0	4005176585913	91, 100	699.00
24 153 DC0	4005176574221	91, 100	612.00
24 154 000	4005176481185	91, 100	528.73
24 154 AL0	4005176585920	91, 100	779.00
24 154 DC0	4005176574238	91, 100	682.00
24 155 000	4005176481192	92, 100	528.73
24 155 AL0	4005176585937	92, 100	779.00
24 155 DC0	4005176574245	92, 100	682.00
25			
25 010 003	4005176455407	57	572.10
25 010 AL3	4005176455421	57	1,039.58
25 010 DA3	4005176493904	57	898.65
25 010 DC3	4005176455414	57	909.64
25 010 GL3	4005176493881	57	898.65
25 044 003	4005176455438	58	1,787.12
25 044 AL3	4005176455452	58	3,248.67
25 044 DA3	4005176493973	58	2,808.21
25 044 DC3	4005176455445	58	2,842.59
25 044 GL3	4005176493959	58	2,808.21
25 098 000	4005176881633	193	178.54
25 102 000	4005176881671	152	231.29
25 104 000	4005176881794	82	408.14
25 105 000	4005176881800	193	210.23
25 109 000	4005176881848	152	261.59
25 113 000	4005176881862	82	441.34
25 128 000	4005176905209	183	199.67
25 129 000	4005176905216	183	241.93
25 132 003	4005176529870	112	369.00
25 133 003	4005176529887	113	399.00
25 136 000	4005176906763	101	308.59
25 137 000	4005176906770	101	352.85
25 216 000	4005176479779	200	130.29
25 217 000	4005176479786	200	160.59
25 219 001	4005176466373	184	408.00
25 450 001	4005176843372	211	131.61
25 452 001	4005176843075	211	123.21
25 460 10A	4005176456541	211	153.74
26			
26 003 003	4005176455377	57	429.32
26 003 AL3	4005176455391	57	779.67
26 003 DA3	4005176493836	57	673.95
26 003 DC3	4005176455384	57	682.21
26 003 GL3	4005176493812	57	673.95
26 037 001	4005176487392	72	104.70
26 037 EN1	4005176487408	72	177.98
26 037 IG0	4005176936210	72	142.68
26 038 000	4005176935404	73	216.69
26 042 000	4005176935954	419	196.79
26 050 001	4005176444166	428, 488	46.47
26 051 001	4005176443954	428, 481	51.98
26 052 000	4005176937064	415	374.97
26 054 000	4005176937088	414	529.82
26 056 000	4005176937101	413	518.76
26 060 000	4005176937149	46, 414	463.46
26 062 000	4005176937163	415	374.97
26 063 000	4005176937170	415	374.97
26 064 000	4005176937187	414	529.82
26 065 000	4005176937194	414	485.57
26 066 000	4005176937200	413	518.76
26 066 A00	4005176427237	413	855.78
26 066 AL0	4005176427220	413	909.28
26 066 BE0	4005176427244	413	855.78
26 066 DA0	4005176427206	413	855.78
26 066 DC0	4005176371172	413	748.83
26 066 DL0	4005176427213	413	909.28
26 066 EN0	4005176427251	413	909.28
26 066 GL0	4005176427183	413	855.78
26 066 GN0	4005176427190	413	909.28
26 067 000	4005176937217	413	518.76
26 067 A00	4005176427312	413	855.78
26 067 AL0	4005176427305	413	909.28
26 067 BE0	4005176427329	413	855.78
26 067 DA0	4005176427282	413	855.78
26 067 DC0	4005176371189	413	748.83
26 067 DL0	4005176427299	413	909.28
26 067 EN0	4005176427336	413	909.28
26 067 GL0	4005176427268	413	855.78
26 067 GN0	4005176427275	413	909.28
26 070 000	4005176937248	46, 414	463.46
26 071 000	4005176937255	46, 414	463.46
26 073 000	4005176937279	416, 473	231.19
26 075 000	4005176937606	386	817.41
26 075 A00	4005176425387	386	1,658.07
26 075 AL0	4005176425370	386	2,215.55
26 075 BE0	4005176428593	386	1,658.07
26 075 DA0	4005176425356	386	1,658.07
26 075 DC0	4005176371219	386	1,208.49
26 075 DL0	4005176425363	386	1,658.06
26 075 EN0	4005176428609	386	1,658.06
26 075 GL0	4005176425332	386	1,658.07
26 075 GN0	4005176425349	386	1,658.06

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
26 082 002	4005176443268	478	22.13
26 083 002	4005176451546	479	64.15
26 084 002	4005176451645	481	35.37
26 085 001	4005176444036	476	45.36
26 086 001	4005176451904	476	91.83
26 087 000	4005176940828	388	1,215.61
26 089 001	4005176444067	417, 476	68.56
26 090 001	4005176443992	417, 481	71.88
26 114 001	4005176417870	393	701.28
26 130 001	4005176443909	478	27.65
26 145 000	4005176986000	432	131.64
26 146 000	4005176986017	432	109.52
26 146 LS0	4005176997266	432	109.50
26 161 001	4005176444104	483	24.33
26 162 001	4005176451713	485	56.04
26 164 001	4005176451867	487	34.88
26 171 000	4005176997310	414	397.09
26 187 000	4005176310744	388	939.09
26 223 001	4005176408144	400	628.59
26 224 001	4005176408168	400	436.32
26 241 000	4005176316319	392	434.72
26 243 000	4005176316326	394	580.73
26 249 000	4005176317156	391	585.12
26 250 000	4005176316999	364	1,403.65
26 250 LS0	4005176317002	364	1,381.53
26 254 000	4005176317026	367, 408	585.12
26 254 LS0	4005176409806	368, 408	695.73
26 256 000	4005176318597	413	762.09
26 257 000	4005176317927	413	551.95
26 264 001	4005176417108	368, 408	198.00
26 267 001	4005176444197	416, 488	57.50
26 302 001	4005176408137	399	491.25
26 308 001	4005176843129	211	98.45
26 328 000	4005176332111	492	66.37
26 329 000	4005176332128	492	164.82
26 330 001	4005176843112	211	82.96
26 332 000	4005176332135	492	175.87
26 333 000	4005176332142	492	70.80
26 334 000	4005176332159	500	16.28
26 335 000	4005176332166	500	18.07
26 346 000	4005176332173	500	20.26
26 352 000	4005176333835	494	33.52
26 353 000	4005176333866	494	32.07
26 354 000	4005176333873	494	43.14
26 355 IL0	4005176333880	494	32.08
26 356 IL0	4005176333903	495	32.00
26 357 000	4005176333927	495	87.36
26 358 000	4005176333941	495	115.04
26 361 000	4005176347580	365	1,281.97
26 361 LS0	4005176409707	365	1,270.92
26 362 LN0	4005176339257	405	19.94
26 363 000	4005176339264	389	695.75
26 370 000	4005176341380	355, 508	32.07
26 373 001	4005176415593	354, 418	20,739.05
26 374 000	4005176350825	357	894.84
26 376 001	4005176415609	354, 418	1,974.41
26 381 001	4005176451980	401	241.93
26 383 000	4005176369025	390	726.71
26 383 001	4005176460050	390	889.31
26 384 000	4005176369032	386	871.61
26 385 000	4005176375057	369, 405	19.94
26 405 000	4005176385162	472	78.00
26 406 001	4005176451881	487	51.83
26 408 000	4005176390111	428, 488	90.72
26 409 000	4005176390128	428, 488	90.72
26 410 000	4005176390142	428, 488	90.72
26 412 000	4005176390173	416, 487	160.40
26 413 000	4005176390180	416, 488	160.41
26 414 000	4005176408090	416, 488	134.96
26 418 000	4005176407666	392	471.00
26 443 000	4005176409875	366	1,281.98
26 443 LS0	4005176409882	366	1,270.92
26 446 000	4005176409905	367	1,372.68
26 446 LS0	4005176409912	367	1,372.68
26 449 000	4005176409790	280, 368	275.40
26 450 000	4005176409813	368, 408	543.12
26 450 LS0	4005176409820	368, 408	543.12
26 455 000	4005176416903	426, 469	132.75
26 457 000	4005176416934	426, 469	132.75
26 458 000	4005176416958	415, 468	221.23
26 459 000	4005176416965	415, 468	221.23
26 460 000	4005176416972	415, 468	175.88
26 461 000	4005176416989	415, 468	175.88
26 465 000	4005176423918	436	145.55
26 465 A00	4005176459146	436	232.66
26 465 AL0	4005176459153	436	247.19
26 465 BE0	4005176459160	436	232.66
26 465 DA0	4005176459122	436	232.66
26 465 DC0	4005176459092	436	203.59
26 465 DL0	4005176459139	436	247.19
26 465 EN0	4005176423925	436	247.19
26 465 GL0	4005176459108	436	232.66
26 465 GN0	4005176459115	436	247.19
26 467 000	4005176423956	471	88.01
26 468 000	4005176423963	427	147.63
26 469 000	4005176423970	422	469.00
26 472 000	4005176424908	423	484.00
26 474 000	4005176424939	424	350.00
26 474 BE0	4005176424953	424	455.00
26 474 EN0	4005176424946	424	455.00
26 474 ZB0	4005176424960	424	455.00
26 475 000	4005176423758	409	519.87
26 475 A00	4005176557095	409	750.85
26 475 AL0	4005176557101	409	797.76
26 475 BE0	4005176557118	409	750.85
26 475 DA0	4005176557125	409	750.85
26 475 DC0	4005176526237	409	656.97
26 475 DL0	4005176557132	409	797.76
26 475 EN0	4005176557149	409	797.76
26 475 GL0	4005176557156	409	750.85
26 475 GN0	4005176557163	409	797.76
26 475 LS0	4005176425899	409	682.46
26 477 000	4005176423772	409	519.87
26 477 A00	4005176557170	409	750.85
26 477 AL0	4005176557187	409	797.76
26 477 BE0	4005176557194	409	750.85
26 477 DA0	4005176557200	409	750.85
26 477 DC0	4005176526244	409	656.97
26 477 DL0	4005176557217	409	797.76
26 477 EN0	4005176557224	409	797.76
26 477 GL0	4005176557231	409	750.85
26 477 GN0	4005176557248	409	797.76
26 477 LS0	4005176425912	409	682.46
26 479 000	4005176425196	410	547.54
26 479 A00	4005176557255	410	790.79
26 479 AL0	4005176557262	410	840.22
26 479 DC0	4005176526251	410	691.96
26 479 DL0	4005176557293	410	840.22
26 479 GN0	4005176557323	410	840.22
26 479 LS0	4005176425936	410	710.14
26 481 000	4005176425219	410	547.54
26 481 A00	4005176557330	410	790.79
26 481 AL0	4005176557347	410	840.22
26 481 DC0	4005176526268	410	691.96

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
26 481 DL0	4005176557378	410	840.22
26 481 GN0	4005176557408	410	840.22
26 481 LS0	4005176425950	410	710.14
26 483 000	4005176425103	411	108.40
26 484 000	4005176425110	411	108.40
26 507 000	4005176457586	115, 382	1,093.94
26 507 A00	4005176557415	382	1,667.72
26 507 AL0	4005176557422	115, 382	1,766.00
26 507 BE0	4005176557439	382	1,667.72
26 507 DA0	4005176557446	382	1,667.72
26 507 DC0	4005176526374	115, 382	1,472.00
26 507 DL0	4005176557453	382	1,765.81
26 507 EN0	4005176557460	382	1,765.81
26 507 GL0	4005176557477	382	1,667.72
26 507 GN0	4005176557484	382	1,765.81
26 507 LS0	4005176457609	115, 382	1,259.85
26 508 000	4005176457593	115, 382	1,093.94
26 508 A00	4005176557491	382	1,667.72
26 508 AL0	4005176557507	115, 382	1,766.00
26 508 DC0	4005176526367	115, 382	1,472.00
26 508 DL0	4005176557538	382	1,765.81
26 508 GN0	4005176557569	382	1,765.81
26 508 LS0	4005176457616	115, 382	1,259.85
26 509 000	4005176457623	383	950.14
26 510 000	4005176457630	383	1,105.01
26 513 000	4005176457722	464	67.48
26 514 000	4005176476099	398	565.21
26 544 000	4005176478888	440	72.00
26 545 000	4005176485930	440	72.00
26 546 000	4005176479816	440	154.00
26 547 000	4005176485978	441	154.00
26 550 000	4005176479854	444	72.00
26 552 000	4005176486272	444	72.00
26 553 000	4005176479885	448	90.00
26 557 000	4005176481710	412	366.46
26 558 000	4005176481727	412	366.46
26 559 000	4005176481734	412	366.46
26 560 000	4005176481741	412	366.46
26 561 000	4005176481758	421	300.49
26 561 LS0	4005176482137	421	390.54
26 562 000	4005176481765	421	300.49
26 562 LS0	4005176482144	421	390.54
26 563 000	4005176481772	412	392.63
26 564 000	4005176481789	412	392.63
26 564 A00	4005176557736	412	686.09
26 564 AL0	4005176557743	412	722.20
26 564 DL0	4005176557774	412	722.20
26 564 GN0	4005176557804	412	722.20
26 565 000	4005176482090	412	392.63
26 566 000	4005176482106	412	392.63
26 566 A00	4005176557811	412	686.09
26 566 AL0	4005176557828	412	722.20
26 566 DL0	4005176557859	412	722.20
26 566 GN0	4005176557880	412	722.20
26 567 000	4005176482113	422	326.67
26 567 LS0	4005176482151	422	425.07
26 568 000	4005176482120	422	326.67
26 568 LS0	4005176482168	422	425.07
26 569 000	4005176482175	421	287.00
26 569 EN0	4005176482182	421	430.00
26 570 000	4005176482199	422	312.00
26 570 EN0	4005176482205	422	468.00
26 574 000	4005176485916	440	72.00
26 575 000	4005176485947	441	154.00
26 578 000	4005176485985	441	158.00
26 578 LS0	4005176486197	441	158.00
26 579 LS0	4005176486203	442	159.00
26 580 000	4005176486210	442	119.00
26 580 LS0	4005176486227	443	119.00
26 581 000	4005176486234	442	101.00
26 581 LS0	4005176486241	442	101.00
26 582 000	4005176486258	444	72.00
26 583 000	4005176486289	444	154.00
26 584 000	4005176486296	445	154.00
26 584 LS0	4005176486302	445	154.00
26 585 000	4005176486319	445	154.00
26 586 000	4005176486333	445	158.00
26 586 LS0	4005176486357	446	158.00
26 587 000	4005176486340	446	159.00
26 587 LS0	4005176486364	446	159.00
26 588 000	4005176486371	446	119.00
26 588 LS0	4005176486388	447	119.00
26 589 000	4005176486395	447	101.00
26 589 LS0	4005176486401	447	101.00
26 590 000	4005176486418	448	90.00
26 591 000	4005176486425	448	182.00
26 592 000	4005176486449	449	182.00
26 592 LS0	4005176486432	448	183.00
26 593 000	4005176486456	449	187.00
26 594 000	4005176486470	449	188.00
26 594 LS0	4005176486463	449	188.00
26 602 000	4005176486531	450, 510	93.00
26 603 000	4005176486548	450, 510	98.00
26 603 A00	4005176558696	450, 510	196.00
26 603 AL0	4005176558702	450, 510	215.00
26 603 BE0	4005176558719	450, 510	196.00
26 603 DA0	4005176558726	450, 510	196.00
26 603 DL0	4005176558733	450, 510	215.00
26 603 EN0	4005176558740	450, 510	215.00
26 603 GL0	4005176558757	450, 510	196.00
26 603 GN0	4005176558764	450, 510	215.00
26 638 000	4005176528347	484	58.00
26 639 000	4005176528354	486	43.00
26 640 000	4005176530203	411	566.00
26 641 000	4005176530210	421	522.00
26 642 000	4005176530227	411	589.00
26 643 000	4005176530234	421	546.00
26 647 000	4005176533013	372	855.00
26 647 LS0	4005176533051	372	984.00
26 648 000	4005176533020	373	855.00
26 648 LS0	4005176533068	373	984.00
26 649 000	4005176533037	374	855.00
26 652 000	4005176533044	374	855.00
26 657 000	4005176533075	374	984.00
27			
27 032 001	4005176877155	379	983.33
27 055 000	4005176830433	504	43.15
27 056 000	4005176830440	504	32.06
27 057 000	4005176830457	507	54.18
27 057 A00	4005176338953	507	82.91
27 057 AL0	4005176338960	507	88.04
27 057 BE0	4005176426957	507	82.91
27 057 DA0	4005176338939	507	82.91
27 057 DC0	4005176371196	507	72.51
27 057 DL0	4005176426940	507	88.04
27 057 EN0	4005176426964	507	88.04
27 057 GL0	4005176338946	507	82.91
27 057 GN0	4005176426933	507	88.04
27 058 000	4005176830464	380	695.74
27 062 000	4005176831669	426, 459	197.98
27 065 000	4005176832109	426, 459	164.80
27 067 000	4005176832123	426, 460	131.61
27 068 000	4005176832130	425, 459	142.70

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
27 074 000	4005176833083	505	32.07
27 074 A00	4005176338991	505	59.71
27 074 AL0	4005176339004	505	59.70
27 074 BE0	4005176834325	505	59.71
27 074 DA0	4005176338977	505	59.71
27 074 DC0	4005176374487	505	54.19
27 074 DL0	4005176427091	505	59.70
27 074 EN0	4005176834301	505	59.70
27 074 GL0	4005176338984	505	59.71
27 074 GN0	4005176427084	505	59.70
27 074 LS0	4005176873591	505	43.12
27 075 000	4005176833090	505	32.07
27 076 000	4005176833106	508	54.18
27 102 000	4005176600074	498	54.93
27 134 000	4005176836060	424, 452	120.56
27 135 000	4005176836077	424	119.34
27 135 EN0	4005176836084	424	221.02
27 137 000	4005176836237	501	19.62
27 151 000	4005176837012	507	98.44
27 174 001	4005176877162	378	1,259.86
27 180 000	4005176839306	405	43.12
27 206 000	4005176845444	512	21.02
27 220 000	4005176854118	465	43.12
27 221 000	4005176854125	464	54.20
27 221 001	4005176457708	464	61.95
27 222 000	4005176854132	464	65.25
27 224 000	4005176854156	465	32.06
27 225 001	4005176899508	467	98.44
27 226 001	4005176899515	467	109.50
27 227 001	4005176899522	467	109.50
27 230 001	4005176899546	466	92.89
27 231 001	4005176899553	466	98.44
27 232 001	4005176899560	465	109.51
27 237 000	4005176854286	427, 469	76.32
27 238 000	4005176854293	465	42.19
27 239 000	4005176854323	464	59.71
27 239 001	4005176457715	464	67.48
27 242 001	4005176899782	466	98.42
27 243 001	4005176899799	466	98.44
27 251 000	4005176856327	420	109.49
27 251 A00	4005176338878	420	180.61
27 251 AL0	4005176338885	420	191.88
27 251 BE0	4005176431593	420	166.53
27 251 DA0	4005176338854	420	166.53
27 251 DC0	4005176431586	420	145.70
27 251 DL0	4005176431579	420	176.92
27 251 EN0	4005176431562	420	176.92
27 251 GL0	4005176338861	420	166.53
27 251 GN0	4005176431555	420	176.92
27 252 000	4005176856334	420	109.49
27 253 000	4005176856365	421	164.80
27 254 000	4005176856372	420	164.80
27 256 001	4005176899805	466	81.84
27 265 000	4005176856983	465	32.06
27 265 00E	4005176885693	465	32.06
27 266 001	4005176899812	466	87.38
27 266 00E	4005176890710	466	78.97
27 267 001	4005176899829	467	95.11
27 271 000	4005176860690	420	441.33
27 272 000	4005176860836	455	109.51
27 273 001	4005176875502	455	242.23
27 274 000	4005176861383	456	109.51
27 276 000	4005176861437	453	87.39
27 276 LS0	4005176861451	453	87.39
27 277 001	4005176875489	454	209.06
27 285 000	4005176860713	420	441.33
27 286 000	4005176860737	419	1,768.67
27 296 001	4005176896293	391	579.99
27 296 002	4005176417818	387	571.86
27 320 000	4005176600159	513	78.18
27 354 000	4005176874444	468	54.20
27 355 000	4005176874451	468	98.43
27 367 000	4005176875939	470	43.15
27 368 000	4005176875946	470	164.81
27 369 000	4005176875953	470	76.31
27 400 000	4005176877292	470	43.15
27 406 000	4005176600166	434, 489	51.42
27 421 002	4005176417924	396	456.82
27 443 000	4005176880025	453	87.40
27 444 000	4005176880049	453	87.40
27 446 000	4005176880063	453	87.40
27 447 000	4005176880087	454	88.73
27 448 000	4005176880100	454	87.40
27 449 000	4005176879982	454	87.40
27 467 000	4005176882609	419	607.25
27 469 000	4005176882593	45, 379	1,116.06
27 470 000	4005176882531	422	463.46
27 470 LS0	4005176997235	422	554.11
27 473 001	4005176417900	394	514.33
27 475 001	4005176417863	393	715.65
27 477 000	4005176883286	423	485.58
27 478 000	4005176883293	423	485.58
27 479 000	4005176883309	423	474.53
27 480 000	4005176883316	423	474.53
27 484 000	4005176885488	433	65.26
27 485 000	4005176885495	433	54.21
27 488 000	4005176885525	433	76.32
27 492 000	4005176885556	426, 470	131.62
27 499 000	4005176886041	469, 511	43.14
27 500 000	4005176886058	469, 511	54.19
27 512 001	4005176333804	494	21.01
27 513 001	4005176333842	494	32.07
27 514 001	4005176333910	495	65.26
27 519 000	4005176886485	477, 511	54.20
27 520 000	4005176886492	477, 511	54.21
27 521 000	4005176886508	482, 511	43.13
27 522 000	4005176886515	482, 511	54.20
27 523 000	4005176886522	489, 511	43.12
27 524 000	4005176886539	489, 511	65.25
27 530 000	4005176889219	425, 458	463.45
27 531 000	4005176889486	507	261.30
27 541 001	4005176451676	429, 482	82.94
27 569 000	4005176894275	379	1,116.06
27 571 002	4005176443893	478	27.65
27 571 20E	4005176443275	478	27.65
27 572 002	4005176443923	478	35.38
27 573 002	4005176443947	478	46.44
27 574 002	4005176443916	478	35.38
27 575 002	4005176443930	478	46.44
27 576 002	4005176451560	479	81.84
27 577 002	4005176451584	478	84.06
27 578 002	4005176451386	480	61.32
27 578 20E	4005176451362	480	61.32
27 579 002	4005176451492	479	71.91
27 580 002	4005176451515	479	79.65
27 584 002	4005176451621	480	53.11
27 588 002	4005176451669	480	49.78
27 591 001	4005176443985	428, 481	65.27
27 594 000	4005176895920	506	12.05
27 595 000	4005176895937	504	17.71
27 596 000	4005176895944	469, 482	9.95
27 597 001	4005176985508	483	24.33
27 597 10E	4005176985409	483	24.33
27 598 001	4005176985515	485	56.05

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
27 598 10E	4005176985416	485	56.05
27 600 001	4005176451775	484	74.11
27 601 10E	4005176985430	486	40.19
27 606 001	4005176444180	428, 488	58.62
27 608 001	4005176444029	476	51.99
27 609 001	4005176451898	476	97.35
27 610 001	4005176444050	429, 476	59.72
27 615 001	4005176417825	387	571.86
27 621 000	4005176898310	507	308.60
27 641 000	4005176901645	380	1,116.06
27 644 001	4005176451720	485	65.24
27 645 001	4005176451744	484	71.88
27 646 001	4005176985522	486	62.39
27 646 10E	4005176985423	486	62.39
27 693 000	4005176907043	505	21.02
27 696 000	4005176907074	396	684.68
27 698 000	4005176907098	472	43.13
27 699 000	4005176907104	472	43.13
27 700 000	4005176907111	472	209.04
27 702 000	4005176907135	472	76.30
27 703 000	4005176907142	472	76.30
27 704 000	4005176907159	508	32.06
27 705 000	4005176907166	427, 473	142.68
27 706 000	4005176908439	34, 505	32.08
27 706 A00	4005176491030	34, 505	47.00
27 706 AL0	4005176490972	34, 505	50.00
27 706 DC0	4005176490989	34, 505	41.00
27 707 000	4005176908446	34, 508	43.15
27 707 A00	4005176490941	34, 508	75.00
27 707 AL0	4005176490880	34, 508	79.00
27 707 DC0	4005176490897	34, 508	65.00
27 709 000	4005176909092	433	109.50
27 711 000	4005176909115	433	87.38
27 786 002	4005176451508	479	71.91
27 787 002	4005176451522	479	79.65
27 790 002	4005176451614	480	77.00
27 794 001	4005176451737	485	65.24
27 795 001	4005176451751	484	71.88
27 796 001	4005176451850	485	71.88
27 798 10E	4005176985447	487	34.88
27 799 001	4005176985539	487	34.88
27 803 10E	4005176985454	487	37.00
27 805 001	4005176451911	476	67.48
27 812 IL1	4005176333897	494	33.17
27 841 000	4005176916670	510	198.00
27 852 001	4005176444081	483	19.02
27 853 001	4005176451706	485	46.53
27 854 001	4005176451829	486	52.89
27 863 000	4005176918155	422	662.55
27 865 000	4005176918179	355, 418	4,216.78
27 869 001	4005176444005	416, 481	77.45
27 884 001	4005176919695	471	87.39
27 888 000	4005176921179	355, 471	87.39
27 889 000	4005176921186	471	131.62
27 890 000	4005176921193	471	253.31
27 891 000	4005176921209	471	242.25
27 892 000	4005176921216	510	186.95
27 922 000	4005176923364	399	506.04
27 922 001	4005176985348	398	491.25
27 923 001	4005176444074	483	19.02
27 924 001	4005176451690	485	46.53
27 925 001	4005176451812	486	52.89
27 926 001	4005176451768	484	64.51
27 929 002	4005176451577	479	81.84
27 932 000	4005176924231	392	551.96
27 934 000	4005176927157	357	3,272.98
27 936 000	4005176927058	472	189.86
27 938 001	4005176927072	419	3,029.65
27 939 001	4005176927287	419	3,029.65
27 964 000	4005176929595	389	717.86
27 966 000	4005176929250	378	1,116.06
27 966 001	4005176532993	375	1,040.00
27 967 000	4005176929670	379	983.33
27 968 000	4005176929687	378	1,116.06
27 968 001	4005176533006	375	1,040.00
27 969 000	4005176931123	73	87.38
27 969 IG0	4005176931130	73	109.50
27 970 000	4005176931154	73	120.57
27 970 IG0	4005176931161	73	164.79
27 974 000	4005176932793	71, 425	430.28
27 974 IG0	4005176933486	71, 425	563.00
27 978 000	4005176932830	72, 434	76.31
27 978 IG0	4005176933509	72, 434	98.43
27 986 000	4005176933011	72, 433	98.43
27 986 IG0	4005176933547	72, 433	131.61
27 993 000	4005176933080	72	153.74
27 993 IG0	4005176933585	72	197.98
28			
28 002 000	4005176858796	430, 460	186.91
28 020 L01	4005176333828	494	14.27
28 025 000	4005176284830	500	25.30
28 034 000	4005176231810	436	142.68
28 094 000	4005176601132	430, 460	51.42
28 105 000	4005176601217	500	18.07
28 112 000	4005176601286	956	40.93
28 139 000	4005176601316	500	19.82
28 140 000	4005176601323	500	22.04
28 142 000	4005176601330	500, 719	19.62
28 143 000	4005176601347	355, 500	21.81
28 143 KS0	4005176842252	500, 719	28.63
28 143 LS0	4005176842269	500, 719	28.63
28 145 000	4005176601354	500, 719	25.72
28 146 000	4005176121753	502	51.42
28 150 001	4005176933196	501	8.64
28 151 001	4005176933202	501	10.45
28 151 L01	4005176935091	501	19.90
28 154 001	4005176933219	501	12.21
28 155 001	4005176933226	501	13.52
28 158 000	4005176601606	502	30.84
28 161 001	4005176935107	502, 718	16.73
28 198 000	4005176038686	431	124.88
28 214 003	4005176444098	483	23.26
28 233 000	4005176868016	427, 470	87.40
28 261 002	4005176444135	483	32.07
28 280 004	4005176306624	485	54.19
28 286 000	4005176198526	430, 461	98.43
28 308 000	4005176254949	425, 436	124.88
28 341 000	4005176259463	436	142.68
28 342 000	4005176260070	430, 460	62.28
28 343 000	4005176260285	498	20.99
28 348 000	4005176263262	436	135.37
28 361 000	4005176295157	432	98.43
28 362 000	4005176295225	501	13.96
28 362 A00	4005176427633	501	21.36
28 362 BE0	4005176295249	501	21.36
28 362 DA0	4005176427602	501	21.36
28 362 DC0	4005176386435	501	18.75
28 362 GL0	4005176427589	501	21.36
28 364 000	4005176295294	501	15.69
28 368 000	4005176267253	423	220.11
28 368 00E	4005176867385	423	330.72
28 368 LS0	4005176997242	424	419.21
28 369 000	4005176267260	424, 453	352.85

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
28 373 000	4005176267277	423	341.78
28 384 000	4005176267451	432	175.86
28 388 000	4005176295362	501	17.87
28 388 A00	4005176427701	501	27.01
28 388 BE0	4005176295386	501	27.01
28 388 DA0	4005176427671	501	27.01
28 388 DC0	4005176386428	501	23.98
28 388 GL0	4005176427657	501	27.01
28 389 000	4005176269837	437, 513	12.49
28 401 000	4005176264474	504	46.07
28 403 000	4005176264511	505	40.93
28 404 000	4005176601736	430, 460	20.04
28 405 000	4005176264559	508, 718	51.42
28 406 000	4005176264566	509, 718	51.42
28 409 001	4005176933233	501	12.34
28 410 001	4005176933240	501	18.78
28 413 001	4005176933257	501	15.42
28 417 000	4005176264702	500	23.54
28 419 002	4005176444128	483	32.07
28 421 002	4005176444142	483	43.14
28 422 002	4005176444111	483	24.33
28 429 000	4005176601910	434, 489	51.42
28 436 002	4005176451799	484	80.75
28 438 001	4005176985553	485	57.12
28 448 000	4005176265167	425	169.21
28 497 000	4005176270338	433	65.27
28 528 000	4005176271199	425	135.08
28 537 000	4005176040443	460	103.89
28 541 000	4005176040528	434, 489	40.93
28 576 000	4005176274022	432	76.32
28 578 002	4005176444159	483	43.14
28 587 000	4005176282966	510, 718	187.84
28 605 000	4005176041105	506	19.94
28 620 000	4005176041259	510	135.37
28 621 000	4005176041273	510	166.85
28 622 000	4005176041297	506	30.69
28 623 000	4005176031595	504	30.43
28 626 000	4005176041358	509	51.42
28 628 000	4005176041396	509	51.82
28 631 000	4005176019142	512	51.42
28 634 XX0	4005176041440	514, 962	30.17
28 635 XX0	4005176041457	513, 962	9.44
28 636 000	4005176078606	509	54.20
28 637 XX0	4005176093913	962	19.30
28 671 000	4005176103070	508, 718	32.07
28 678 000	4005176116711	509	51.42
28 679 000	4005176116759	509	51.42
28 680 000	4005176116780	508	40.93
28 690 000	4005176256196	436, 504	93.40
28 708 000	4005176602375	513	82.90
28 724 000	4005176812644	433	54.20
28 737 000	4005176872983	427, 473	54.19
28 778 000	4005176820526	423	640.44
28 785 000	4005176602405	962	9.44
28 789 002	4005176451843	485	71.88
28 793 000	4005176823961	458	76.32
28 796 000	4005176824296	458	131.61
28 799 000	4005176602511	514	102.21
28 812 000	4005176602887	513	9.50
28 813 000	4005176602894	513	9.50
28 815 000	4005176602948	962	19.94
28 817 000	4005176602962	963	13.54
28 856 000	4005176603495	512	30.43
28 874 000	4005176042348	514, 710	73.61
28 897 000	4005176827044	458	128.97
28 900 000	4005176603822	946	93.40
28 910 000	4005176603846	946	61.91
28 910 L00	4005176603884	946	138.47
28 912 000	4005176266751	85, 117	231.18
28 912 AL0	4005176467844	85, 117	243.00
28 912 DC0	4005176467905	85, 117	215.00
28 912 DL0	4005176467899	949	243.00
28 912 EN0	4005176467837	949	266.42
28 912 GN0	4005176467875	949	266.42
28 917 000	4005176827112	458	220.19
28 920 000	4005176603914	948	32.07
28 939 000	4005176209161	219	82.90
28 940 000	4005176604058	946	38.19
28 942 001	4005176877223	459	186.92
28 943 000	4005176209178	220, 780	93.40
28 946 000	4005176604072	948	51.42
28 947 000	4005176604089	948	46.10
28 948 000	4005176209871	430, 461	135.37
28 961 000	4005176042799	948	45.76
28 963 000	4005176186479	219	37.67
28 964 001	4005176877254	459	220.12
28 982 000	4005176829987	432	131.64
28 988 000	4005176042805	514, 710	102.91
28 990 000	4005176174025	218	131.61
28 991 000	4005176174032	218, 780	187.84
28 993 000	4005176174056	218	92.88
28 995 000	4005176175725	218	263.24
29			
29 007 000	4005176837678	710	156.25
29 009 000	4005176837838	219	47.96
29 025 002	4005176519895	29, 40	229.00
29 032 000	4005176845277	34, 45	32.08
29 033 000	4005176845338	34, 44	253.30
29 037 000	4005176865749	32, 69	762.09
29 037 002	4005176519918	59, 113	724.00
29 069 000	4005176918384	355	131.62
29 072 000	4005176918421	356	242.24
29 073 000	4005176918445	356	242.24
29 074 000	4005176918469	357	386.03
29 078 000	4005176934315	200	116.15
29 079 000	4005176934339	200	129.28
29 080 000	4005176934452	204	109.06
29 081 000	4005176934476	204	121.89
29 086 000	4005176935497	28, 33	231.18
29 094 000	4005176354106	708	211.62
29 095 000	4005176354113	708	216.00
29 096 000	4005176354120	709	174.54
29 097 003	4005176365133	168	204.00
29 097 LS3	4005176365140	168	269.00
29 098 003	4005176365225	172	120.55
29 098 LS3	4005176365232	172	162.00
29 099 003	4005176365300	172	142.68
29 099 LS3	4005176365317	172	175.64
29 112 000	4005176388408	207	114.54
29 113 000	4005176388415	208	127.88
29 118 000	4005176412240	60, 274	475.85
29 118 A00	4005176493010	274	673.95
29 118 AL0	4005176455049	60, 274	683.67
29 118 BE0	4005176492952	274	673.95
29 118 DA0	4005176492990	60, 274	673.95
29 118 DC0	4005176455032	60, 274	606.00
29 118 DL0	4005176493003	274	711.00
29 118 EN0	4005176492969	274	711.00
29 118 GL0	4005176492976	60, 274	673.95
29 118 GN0	4005176492983	274	718.88
29 119 000	4005176412257	60, 275	548.82
29 119 A00	4005176493089	275	726.00
29 119 AL0	4005176455063	60, 275	744.40

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
29 119 BE0	4005176493027	275	726.00
29 119 DA0	4005176493065	60, 275	726.00
29 119 DC0	4005176455056	60, 275	742.85
29 119 DL0	4005176493072	275	774.00
29 119 EN0	4005176493034	275	774.00
29 119 GL0	4005176493041	60, 275	726.00
29 119 GN0	4005176493058	275	774.00
29 120 000	4005176412264	275	621.77
29 121 000	4005176412271	61, 276	560.46
29 121 A00	4005176493225	276	793.78
29 121 AL0	4005176455100	61, 276	918.30
29 121 BE0	4005176493164	276	793.78
29 121 DA0	4005176493201	61, 276	793.78
29 121 DC0	4005176455094	61, 276	714.00
29 121 DL0	4005176493218	276	846.71
29 121 EN0	4005176493171	276	837.00
29 121 GL0	4005176493188	61, 276	793.78
29 121 GN0	4005176493195	276	847.00
29 122 000	4005176412288	61, 276	341.57
29 122 A00	4005176515231	61, 276	484.36
29 122 AL0	4005176455124	276	469.00
29 122 BE0	4005176493232	276	484.36
29 122 DA0	4005176515217	61, 276	484.36
29 122 DC0	4005176455117	61, 276	436.00
29 122 DL0	4005176515224	276	516.64
29 122 EN0	4005176413728	276	469.00
29 122 GL0	4005176515194	61, 276	484.36
29 122 GN0	4005176515200	276	516.64
29 123 000	4005176413292	270	497.74
29 123 A00	4005176558054	270	673.95
29 123 AL0	4005176558061	270	718.88
29 123 DL0	4005176558092	270	718.88
29 123 GN0	4005176558122	270	718.88
29 124 000	4005176413308	270	541.99
29 124 A00	4005176558139	270	733.87
29 124 AL0	4005176558146	270	782.79
29 124 DC0	4005176526329	270	684.94
29 124 DL0	4005176558177	270	782.79
29 124 GN0	4005176558207	270	782.79
29 125 000	4005176413315	271	650.38
29 126 000	4005176413322	271, 354	586.24
29 126 A00	4005176558290	271	793.78
29 126 AL0	4005176558306	271	846.71
29 126 DC0	4005176526343	271	740.86
29 126 DL0	4005176558337	271	846.71
29 126 GN0	4005176558368	271	846.71
29 127 000	4005176413339	272	357.28
29 127 A00	4005176558375	272	484.36
29 127 AL0	4005176558382	272	516.64
29 127 DC0	4005176526350	272	452.08
29 127 DL0	4005176558412	272	516.64
29 127 GN0	4005176558443	272	516.64
29 150 LS0	4005176413544	277	640.45
29 151 LS0	4005176413551	277	684.69
29 152 LS0	4005176413575	278	452.39
29 153 LS0	4005176413582	272	640.45
29 156 LS0	4005176413599	273	684.69
29 157 LS0	4005176413605	273	728.91
29 158 LS0	4005176413612	274	452.39
29 303 003	4005176529764	109	249.00
29 303 AL3	4005176585654	109	374.00
29 303 DC3	4005176574108	109	328.00
29 306 003	4005176529771	109	259.00
29 307 003	4005176529993	113	799.00
29 307 AL3	4005176585715	113	1,265.00
29 307 DC3	4005176574160	113	1,107.00
29 706 000	4005176102639	194	282.29
29 708 000	4005176102653	71, 194	292.78
29 800 000	4005176504839	44, 104	30.43
29 801 000	4005176504846	44, 104	25.08
29 802 000	4005176504853	44, 71	51.42
29 804 000	4005176504877	44, 104	39.88
29 805 000	4005176504884	44, 104	86.36
29 811 000	4005176062711	45, 71	51.42
29 813 000	4005176062735	337	82.90
29 904 LS0	4005176413568	278	728.91
30			
30 008 001	4005176843242	212	32.07
30 058 001	4005176989162	569	1,989.89
30 058 A01	4005176489259	569	2,249.00
30 058 AL1	4005176489266	569	2,249.00
30 058 DA1	4005176489273	569	2,249.00
30 058 DC1	4005176989179	569	2,100.48
30 058 DL1	4005176489280	569	2,249.00
30 060 001	4005176989186	570	1,768.69
30 064 001	4005176843259	627	43.14
30 098 001	4005176843266	212, 626	32.07
30 189 000	4005176914102	600	164.80
30 190 000	4005176914119	600	175.87
30 193 000	4005176919459	617	125.71
30 193 DC0	4005176938559	617	146.84
30 195 000	4005176919473	617	172.21
30 199 000	4005176922022	617	98.25
30 208 000	4005176927836	722	253.30
30 215 001	4005176409066	602	351.75
30 215 DC1	4005176409073	602	358.48
30 219 002	4005176466540	588	664.51
30 219 DC2	4005176466557	588	896.93
30 221 002	4005176984235	612	131.63
30 260 002	4005176310386	621	104.59
30 269 000	4005176314902	595	264.36
30 269 A00	4005176428661	595	341.79
30 269 AL0	4005176428654	595	341.80
30 269 DA0	4005176428630	595	341.79
30 269 DC0	4005176314919	595	330.74
30 269 DL0	4005176428647	595	341.80
30 269 GL0	4005176428616	595	341.79
30 269 GN0	4005176428623	595	341.80
30 270 000	4005176314926	595	330.71
30 270 A00	4005176427473	595	441.33
30 270 AL0	4005176427466	595	441.30
30 270 DA0	4005176427442	595	441.33
30 270 DC0	4005176314933	595	386.03
30 270 DL0	4005176427459	595	441.30
30 270 GL0	4005176427428	595	441.33
30 270 GN0	4005176427435	595	441.30
30 273 001	4005176314964	610	263.05
30 273 DC1	4005176314971	610	337.01
30 274 000	4005176314988	583	263.05
30 274 A00	4005176488658	583	356.00
30 274 AL0	4005176488665	583	356.00
30 274 DA0	4005176488672	583	356.00
30 274 DC0	4005176314995	583	329.91
30 274 DL0	4005176488689	583	356.00
30 294 000	4005176341472	594	419.21
30 294 A00	4005176488054	594	546.00
30 294 AL0	4005176488061	594	546.00
30 294 BE0	4005176488511	594	546.00
30 294 DA0	4005176488498	594	546.00
30 294 DC0	4005176341489	594	540.89
30 294 DL0	4005176488504	594	546.00
30 294 EN0	4005176488528	594	546.00
30 294 GL0	4005176488078	594	546.00

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
30 294 GN0	4005176488085	594	546.00
30 305 000	4005176343285	620	157.41
30 305 DC0	4005176359811	620	199.67
30 309 000	4005176351235	580	352.86
30 310 000	4005176351242	580	313.00
30 321 DG0	4005176438219	594	98.45
30 321 DP0	4005176438264	594	98.45
30 321 DU0	4005176438257	594	98.45
30 321 GE0	4005176438271	594	98.45
30 321 HG0	4005176385742	594	60.85
30 321 MW0	4005176385728	594	60.85
30 321 TY0	4005176438240	594	98.45
30 321 XC0	4005176385735	594	60.85
30 321 YF0	4005176438233	594	60.85
30 321 YR0	4005176438226	594	98.45
30 328 001	4005176414107	568	2,100.49
30 328 DC1	4005176414114	568	2,211.11
30 329 001	4005176414121	570	1,768.69
30 340 001	4005176414893	568	2,100.50
30 340 DC1	4005176414909	568	2,211.12
30 341 001	4005176414916	569	1,989.89
30 341 A01	4005176489297	569	2,249.00
30 341 AL1	4005176489303	569	2,249.00
30 341 DA1	4005176489310	569	2,249.00
30 341 DC1	4005176414923	569	2,100.48
30 341 DL1	4005176489327	569	2,249.00
30 348 001	4005176464973	584	203.00
30 349 001	4005176464980	585	203.00
30 362 000	4005176496479	592	449.17
30 362 AL0	4005176497292	592	672.66
30 362 DC0	4005176496486	592	585.27
30 382 000	4005176565496	558	501.51
30 382 DC0	4005176565502	558	574.80
30 383 000	4005176565519	558	344.46
30 385 000	4005176565533	558	313.05
30 387 000	4005176565557	559	260.70
30 978 000	4005176098918	730	209.04
31			
31 067 001	4005176845710	627	94.00
31 122 004	4005176466892	604	261.75
31 124 002	4005176886614	613	164.82
31 126 004	4005176466977	612	206.97
31 127 002	4005176886669	612	175.88
31 128 001	4005176886737	609	189.10
31 128 DC1	4005176891007	609	241.93
31 129 001	4005176886744	609	231.36
31 129 DC1	4005176891021	609	294.75
31 159 002	4005176888106	613	297.53
31 161 000	4005176889158	618	199.67
31 170 000	4005176889165	618	220.80
31 179 000	4005176889172	617	146.84
31 180 000	4005176889288	616	189.10
31 187 001	4005176843327	626	87.38
31 212 003	4005176466762	608	236.00
31 214 001	4005176891090	610	232.00
31 255 000	4005176901416	598	198.00
31 255 DC0	4005176994319	598	408.19
31 302 002	4005176443343	544	1,968.36
31 302 DC2	4005176443350	544	2,197.66
31 323 002	4005176989933	540	2,067.83
31 323 DC2	4005176989940	540	2,324.34
31 325 002	4005176507274	542	2,172.53
31 325 DC2	4005176507250	542	3,261.43
31 326 002	4005176507236	543	2,172.53
31 326 DC2	4005176507212	543	3,261.43
31 347 003	4005176443336	541	2,067.83
31 347 DC3	4005176446559	541	2,324.34
31 358 002	4005176465000	582	568.38
31 358 DC2	4005176465017	582	710.76
31 360 001	4005176343025	582	551.95
31 360 DC1	4005176343032	582	717.86
31 367 001	4005176478512	630	103.55
31 368 001	4005176478529	630	81.00
31 375 000	4005176934155	582	210.23
31 375 A00	4005176488610	582	299.00
31 375 AL0	4005176488627	582	299.00
31 375 DA0	4005176488634	582	299.00
31 375 DC0	4005176934162	582	273.62
31 375 DL0	4005176488641	582	299.00
31 379 000	4005176938085	578	601.12
31 379 A00	4005176488856	578	819.00
31 379 AL0	4005176488863	578	819.00
31 379 DC0	4005176938092	578	780.72
31 391 002	4005176992476	621	110.09
31 395 000	4005176304774	598	574.06
31 395 DC0	4005176304767	598	740.00
31 454 001	4005176454110	551	1,989.90
31 454 A01	4005176488894	551	2,249.00
31 454 AL1	4005176488900	551	2,249.00
31 454 DA1	4005176488917	551	2,249.00
31 454 DC1	4005176454127	551	2,281.68
31 454 DL1	4005176488924	551	2,249.00
31 455 000	4005176323027	549	1,989.90
31 455 001	4005176454134	548	1,989.90
31 455 A01	4005176488931	548	2,249.00
31 455 AL1	4005176488948	548	2,249.00
31 455 DA1	4005176488955	548	2,249.00
31 455 DC0	4005176323034	549	2,281.68
31 455 DC1	4005176454141	548	2,281.68
31 455 DL1	4005176488962	548	2,249.00
31 456 001	4005176454158	553	1,989.90
31 456 DC1	4005176454165	553	2,281.68
31 481 001	4005176466922	616	188.00
31 482 003	4005176466984	612	239.83
31 483 002	4005176466809	609	239.53
31 483 DC2	4005176466816	609	312.75
31 491 000	4005176343308	608	337.01
31 491 DC0	4005176343315	608	442.65
31 498 001	4005176454172	555	1,989.89
31 498 A01	4005176488979	555	2,249.00
31 498 AL1	4005176488986	555	2,249.00
31 498 DA1	4005176488993	555	2,249.00
31 498 DC1	4005176454189	555	2,211.11
31 498 DL1	4005176489006	555	2,249.00
31 535 001	4005176478550	630	75.00
31 536 001	4005176478567	630	75.00
31 538 001	4005176478574	630	77.00
31 539 000	4005176437014	552	2,100.51
31 539 DC0	4005176437021	552	2,646.32
31 541 000	4005176437038	550	2,100.51
31 541 DC0	4005176437045	550	2,646.32
31 543 000	4005176437052	554	2,100.51
31 543 DC0	4005176437069	554	2,646.32
31 552 SD1	4005176623714	644	104.68
31 562 SD1	4005176623721	644	189.29
31 563 SD1	4005176623738	641	195.29
31 564 SD1	4005176623745	644	156.20
31 565 SD1	4005176623752	644	175.74
31 566 SD0	4005176473234	643	168.13
31 567 SD0	4005176473241	643	242.16
31 568 SD0	4005176473258	642	210.43
31 569 SD0	4005176473265	642	305.61
31 570 SD0	4005176473272	643	347.91

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
31 571 SD1	4005176626029	641	221.00
31 572 SD1	4005176626036	641	316.19
31 573 SD1	4005176626050	642	411.36
31 574 AL0	4005176563638	639	1,017.00
31 574 DL0	4005176563621	639	1,017.00
31 574 GN0	4005176563645	639	1,017.00
31 574 SD1	4005176607080	639	347.91
31 575 SD1	4005176607097	639	548.83
31 576 SD1	4005176607103	640	517.10
31 577 SD1	4005176607110	640	517.10
31 578 SD1	4005176607127	640	538.26
31 580 SD1	4005176607134	640	644.00
31 581 SD1	4005176607141	638	1,511.13
31 582 SD1	4005176607158	638	1,511.13
31 583 SD1	4005176607165	638	971.82
31 584 SD1	4005176607172	638	1,066.99
31 585 SD1	4005176607189	639	1,934.12
31 586 SD1	4005176607196	639	1,267.91
31 587 SD0	4005176473449	643	242.16
31 588 SD1	4005176626043	642	326.76
31 593 002	4005176521942	588	399.00
31 593 DC2	4005176521959	588	599.00
31 613 000	4005176521973	582	304.00
31 613 A00	4005176523601	582	425.00
31 613 DA0	4005176523595	582	425.00
31 613 DC0	4005176521980	582	394.00
31 615 000	4005176523649	594	362.00
31 615 A00	4005176523717	594	507.00
31 615 AL0	4005176523724	594	543.00
31 615 BE0	4005176523731	594	507.00
31 615 DA0	4005176523694	594	507.00
31 615 DC0	4005176523656	594	471.00
31 615 DL0	4005176523700	594	543.00
31 615 EN0	4005176523748	594	543.00
31 615 GL0	4005176523670	594	507.00
31 615 GN0	4005176523687	594	543.00
31 639 AP0	4005176520457	650	230.33
31 639 AT0	4005176520464	650	230.33
31 640 AP0	4005176520471	650	290.02
31 640 AT0	4005176520488	650	290.02
31 641 AP0	4005176521102	650	312.01
31 641 AT0	4005176521119	650	312.01
31 642 AP0	4005176521126	650	333.99
31 642 AT0	4005176521133	650	333.99
31 643 AP0	4005176521140	651	354.93
31 643 AT0	4005176521157	651	354.93
31 644 AP0	4005176521164	647	309.91
31 644 AT0	4005176521171	647	309.91
31 645 AP0	4005176521188	648	323.53
31 645 AT0	4005176521195	648	323.53
31 646 AP0	4005176521201	648	344.46
31 646 AT0	4005176521218	648	344.46
31 647 AP0	4005176521225	648	387.39
31 647 AT0	4005176521232	648	387.39
31 648 AP0	4005176521249	648	296.31
31 648 AT0	4005176521256	648	296.31
31 649 AP0	4005176521263	649	361.21
31 649 AT0	4005176521270	649	361.21
31 650 AP0	4005176521287	646	233.48
31 650 AT0	4005176521294	646	233.48
31 651 AP0	4005176521300	646	275.35
31 651 AT0	4005176521317	646	275.35
31 652 AP0	4005176521324	646	307.81
31 652 AT0	4005176521331	646	307.81
31 653 AP0	4005176521348	647	204.17
31 653 AT0	4005176521355	647	204.17
31 654 AP0	4005176521362	647	234.53
31 654 AT0	4005176521379	647	234.53
31 655 AP0	4005176521386	647	277.46
31 655 AT0	4005176521393	647	277.46
31 656 AP0	4005176521409	651	191.61
31 656 AT0	4005176521416	651	191.61
31 680 000	4005176530487	631	63.00
31 688 000	4005176530333	631	71.00
31 693 000	4005176530371	631	71.00
31 706 000	4005176530449	631	71.00
31 715 000	4005176564123	631	71.00
31 819 001	4005176843471	627	98.42
31 829 001	4005176845697	626	77.42
31 831 001	4005176843280	626	76.32
31 930 001	4005176843303	626	164.79
32			
32 042 003	4005176454448	50	357.42
32 042 AL3	4005176454462	50	649.72
32 042 DA3	4005176492167	50	561.64
32 042 DC3	4005176454455	50	568.50
32 042 GL3	4005176492143	50	561.64
32 043 003	4005176454479	50	309.85
32 043 AL3	4005176454691	50	563.13
32 043 DC3	4005176454486	50	492.72
32 043 GL3	4005176492211	50	487.00
32 067 000	4005176811142	585	210.23
32 108 003	4005176454790	51	405.01
32 108 AL3	4005176454813	51	736.36
32 108 DA3	4005176492518	51	636.52
32 108 DC3	4005176454806	51	644.31
32 108 GL3	4005176492495	51	636.52
32 109 001	4005176408373	78	220.11
32 109 AL1	4005176586118	78	308.00
32 109 DC1	4005176412691	78	291.36
32 114 001	4005176409103	78	209.05
32 114 DC1	4005176412714	78	310.78
32 146 000	4005176821622	38	507.70
32 147 000	4005176821653	40	397.09
32 154 002	4005176862113	189	95.08
32 168 000	4005176824425	583	210.23
32 168 DC0	4005176824432	583	273.62
32 172 002	4005176862311	191	94.02
32 202 10L	4005176903960	146	130.29
32 204 10E	4005176887345	146	140.39
32 207 001	4005176888878	146	99.99
32 208 001	4005176888908	149	130.29
32 210 001	4005176888939	149	150.49
32 211 001	4005176889028	150	170.69
32 212 001	4005176889035	150	200.99
32 213 001	4005176888960	151	150.49
32 214 001	4005176889097	152	170.69
32 221 002	4005176861949	621	94.02
32 223 002	4005176861970	620	125.71
32 224 002	4005176862007	621	134.17
32 229 002	4005176887055	159	133.84
32 230 002	4005176886577	613	119.48
32 240 10E	4005176906794	147	130.29
32 240 10L	4005176903977	147	120.19
32 249 000	4005176832383	39	717.87
32 257 001	4005176834165	606	209.06
32 257 002	4005176886591	604	264.34
32 259 003	4005176466908	604	217.93
32 294 002	4005176466496	588	344.46
32 294 DC2	4005176466502	588	447.08
32 321 002	4005176465109	584	208.15
32 321 A02	4005176488733	584	298.00
32 321 AL2	4005176488740	584	298.00

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
32 321 DA2	4005176488757	584	298.00
32 321 DC2	4005176465116	584	270.91
32 321 DL2	4005176488764	584	298.00
32 321 GN2	4005176618529	584	298.12
32 322 002	4005176465123	585	208.15
32 322 A02	4005176488818	585	298.00
32 322 AL2	4005176488825	585	298.00
32 322 DA2	4005176488832	585	298.00
32 322 DC2	4005176465130	585	270.91
32 322 DL2	4005176488849	585	298.00
32 467 002	4005176862069	189	83.46
32 467 20L	4005176304736	189	83.46
32 468 003	4005176334207	166	109.50
32 468 20E	4005176906886	157	120.54
32 468 20L	4005176917097	157	115.27
32 469 20E	4005176908835	138	175.89
32 469 20L	4005176917110	139	166.85
32 488 000	4005176289552	585	167.97
32 488 A00	4005176488771	585	239.00
32 488 AL0	4005176488788	585	239.00
32 488 DA0	4005176488795	585	239.00
32 488 DC0	4005176804939	585	221.36
32 488 DL0	4005176488801	585	239.00
32 511 000	4005176295621	584	252.49
32 553 002	4005176466649	589	322.48
32 553 DC2	4005176466656	589	506.04
32 612 003	4005176529696	106	199.00
32 612 30L	4005176529979	106	199.00
32 612 AL3	4005176585609	106	307.00
32 612 DC3	4005176574054	106	269.00
32 618 003	4005176529740	109	299.00
32 618 AL3	4005176585647	109	476.00
32 618 DC3	4005176574092	109	416.00
32 628 001	4005176306983	124	197.97
32 628 A01	4005176407376	124	307.90
32 628 AL1	4005176407383	124	328.42
32 628 BE1	4005176419669	124	307.90
32 628 DA1	4005176407352	124	307.90
32 628 DC1	4005176369940	124	287.36
32 628 DL1	4005176419652	124	328.42
32 628 EN1	4005176426100	124	328.42
32 628 GL1	4005176407369	124	307.90
32 628 GN1	4005176419645	124	328.42
32 629 002	4005176472619	148	170.69
32 647 003	4005176454707	50	501.25
32 647 AL3	4005176454721	50	909.64
32 647 DA3	4005176492303	50	786.31
32 647 DC3	4005176454714	50	795.94
32 647 GL3	4005176492280	50	786.31
32 650 003	4005176454820	51	429.32
32 650 AL3	4005176454844	51	779.67
32 650 DA3	4005176492587	51	673.95
32 650 DC3	4005176454837	51	682.21
32 650 GL3	4005176492563	51	673.95
32 652 003	4005176454851	51	501.25
32 652 AL3	4005176454875	51	909.64
32 652 DA3	4005176492655	51	786.31
32 652 DC3	4005176454868	51	795.94
32 652 GL3	4005176492631	51	786.31
32 653 003	4005176454912	54	1,382.12
32 653 AL3	4005176454936	54	2,512.31
32 653 DA3	4005176492723	54	2,171.69
32 653 DC3	4005176454929	54	2,198.28
32 653 GL3	4005176492709	54	2,171.69
32 659 001	4005176886713	610	167.97
32 661 003	4005176466823	608	187.23
32 661 DC3	4005176466830	608	229.07
32 663 003	4005176466854	608	208.15
32 663 DC3	4005176466861	608	291.83
32 666 001	4005176887406	609	315.88
32 700 001	4005176887994	150	160.59
32 706 000	4005176855092	39	242.21
32 750 000	4005176868238	624	87.38
32 752 000	4005176868252	624	98.44
32 754 002	4005176428876	42	2,255.36
32 757 000	4005176870897	38	397.09
32 760 000	4005176870927	38	673.62
32 762 000	4005176871023	722	109.50
32 763 000	4005176871030	722	109.50
32 765 000	4005176871054	722	231.19
32 766 000	4005176871061	722	242.23
32 767 000	4005176871078	723	275.40
32 768 000	4005176871689	723	256.06
32 770 000	4005176871702	723	225.21
32 771 000	4005176871719	723	297.54
32 772 000	4005176871726	724	259.17
32 773 000	4005176871733	724	268.41
32 774 000	4005176871740	724	299.27
32 775 000	4005176871757	724	311.60
32 776 000	4005176871764	723	228.31
32 778 000	4005176871788	723	253.30
32 779 000	4005176871795	723	286.49
32 780 000	4005176871801	724	106.00
32 783 000	4005176871832	725	124.55
32 784 000	4005176871849	725	131.62
32 786 000	4005176871863	624, 725	131.63
32 787 000	4005176871870	624, 726	129.87
32 788 000	4005176871887	732	231.17
32 789 000	4005176871894	732	209.06
32 790 000	4005176871900	732	277.72
32 792 000	4005176871924	733	367.13
32 793 000	4005176871931	733	382.55
32 795 000	4005176871955	732	363.91
32 823 000	4005176877995	732	342.39
32 824 000	4005176874604	177	104.59
32 824 00L	4005176917035	177	104.59
32 825 000	4005176874611	176	115.15
32 825 00E	4005176874628	176	115.15
32 825 00L	4005176917028	177	114.38
32 826 000	4005176882425	41	839.53
32 827 00E	4005176906565	177	115.15
32 830 001	4005176472749	180	145.39
32 831 000	4005176874703	182	146.84
32 832 000	4005176874710	183	167.97
32 833 000	4005176874727	182	120.43
32 836 000	4005176874758	182	146.84
32 837 000	4005176874772	181	125.71
32 839 000	4005176874802	181	104.59
32 840 000	4005176874819	181	95.08
32 842 000	4005176874833	617	104.59
32 843 002	4005176466939	616	127.26
32 843 20E	4005176466946	616	130.00
32 843 DC2	4005176466953	616	191.00
32 845 002	4005176466960	616	120.00
32 846 000	4005176882432	41	701.60
32 870 000	4005176876523	726	94.45
32 871 000	4005176876530	726	110.72
32 879 000	4005176877353	184	136.28
32 880 000	4005176877360	184	136.28
32 898 001	4005176306860	122	153.74
32 901 001	4005176306969	125	264.36
32 901 A01	4005176407512	125	417.06
32 901 AL1	4005176407529	125	444.85
32 901 BE1	4005176426131	125	417.06

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
32 901 DA1	4005176407499	125	417.06
32 901 DC1	4005176369957	125	389.24
32 901 DL1	4005176426124	125	444.85
32 901 EN1	4005176426148	125	444.85
32 901 GL1	4005176407505	125	417.06
32 901 GN1	4005176426117	125	444.85
32 917 000	4005176230950	583	167.97
32 917 A00	4005176488696	583	239.00
32 917 AL0	4005176488702	583	239.00
32 917 DA0	4005176488719	583	239.00
32 917 DC0	4005176804946	583	210.23
32 917 DL0	4005176488726	583	239.00
32 917 KS0	4005176980640	583	227.14
32 918 000	4005176230967	583	210.23
32 918 00E	4005176866616	583	210.23
32 918 DC0	4005176804953	583	273.62
32 926 002	4005176861567	189	94.02
32 929 002	4005176862366	191	83.46
32 935 001	4005176307171	127	153.74
32 935 A01	4005176426360	127	239.72
32 935 AL1	4005176426353	127	255.69
32 935 BE1	4005176426377	127	239.72
32 935 DA1	4005176426339	127	239.72
32 935 DC1	4005176369988	127	223.72
32 935 DL1	4005176426346	127	255.69
32 935 EN1	4005176426384	127	255.69
32 935 GL1	4005176426315	127	239.72
32 935 GN1	4005176426322	127	255.69
32 950 000	4005176879838	578	622.25
32 950 A00	4005176488870	578	849.00
32 950 AL0	4005176488887	578	849.00
32 950 DC0	4005176879845	578	812.41
32 955 000	4005176880117	176	104.59
33			
33 155 002	4005176865947	120	253.29
33 163 003	4005176529702	107	199.00
33 183 002	4005176887499	138	176.98
33 188 002	4005176862052	188	94.02
33 190 20E	4005176887482	138	186.94
33 192 002	4005176887864	142	209.07
33 202 002	4005176861956	620	125.71
33 241 003	4005176529849	110	199.00
33 241 AL3	4005176585739	110	307.00
33 241 DC3	4005176574184	110	269.00
33 244 002	4005176888779	141	175.87
33 265 002	4005176861543	188	94.02
33 265 20L	4005176304729	188	94.02
33 281 002	4005176861932	620	104.59
33 281 20E	4005176868498	620	104.59
33 281 DC2	4005176359798	620	118.32
33 300 002	4005176862182	191	104.59
33 302 20A	4005176456510	192	135.23
33 303 002	4005176862243	192	189.10
33 304 002	4005176862236	192	104.59
33 339 000	4005176222818	42	784.24
33 390 002	4005176887796	142	209.07
33 392 002	4005176889554	143	297.55
33 395 002	4005176887802	142	275.40
33 412 002	4005176862205	191	104.59
33 547 003	4005176529818	111	339.00
33 552 20E	4005176886300	156	120.55
33 553 003	4005176529795	111	299.00
33 553 AL3	4005176585678	111	460.00
33 553 DC3	4005176574122	111	403.00
33 555 002	4005176862304	191	94.02
33 557 003	4005176334184	165	109.50
33 558 003	4005176334139	164	120.57
33 558 LS3	4005176335686	164	163.71
33 561 002	4005176886379	156	142.69
33 561 003	4005176334160	165	120.57
33 565 002	4005176887000	158	120.55
33 565 003	4005176334283	168	98.44
33 565 LS3	4005176334504	168	165.92
33 569 002	4005176887734	141	186.94
33 577 003	4005176529801	110	239.00
33 577 AL3	4005176585685	110	368.00
33 577 DC3	4005176574139	110	322.00
33 590 002	4005176887048	158	131.61
33 590 003	4005176334306	169	164.82
33 590 LS3	4005176334511	169	175.86
33 591 002	4005176887123	159	153.75
33 591 003	4005176334351	169	175.86
33 591 LS3	4005176334535	169	220.11
33 592 20A	4005176454288	160	203.51
33 592 30A	4005176456497	170	190.56
33 614 002	4005176887208	159	198.33
33 624 001	4005176990786	128	198.01
33 624 A01	4005176426445	128	325.45
33 624 AL1	4005176426438	128	347.14
33 624 BE1	4005176426452	128	325.45
33 624 DA1	4005176426414	128	325.45
33 624 DC1	4005176371097	128	303.77
33 624 DL1	4005176426421	128	347.14
33 624 EN1	4005176426469	128	347.14
33 624 GL1	4005176426391	128	325.45
33 624 GN1	4005176426407	128	347.14
33 628 001	4005176990793	128	242.22
33 635 003	4005176334344	172	147.00
33 636 001	4005176307287	127	164.82
33 636 A01	4005176426667	127	265.05
33 636 AL1	4005176426650	127	282.71
33 636 BE1	4005176426674	127	265.05
33 636 DA1	4005176426636	127	265.05
33 636 DC1	4005176371141	127	247.36
33 636 DL1	4005176426643	127	282.71
33 636 EN1	4005176426681	127	282.71
33 636 GL1	4005176426612	127	265.05
33 636 GN1	4005176426629	127	282.71
33 637 003	4005176334405	173	195.77
33 769 000	4005176819605	40	242.24
33 770 001	4005176828959	606	197.99
33 770 002	4005176888137	604	220.11
33 772 002	4005176890796	604	231.18
33 848 001	4005176409172	80	253.30
33 848 DC1	4005176412776	80	339.95
33 849 001	4005176409189	81	286.49
33 849 AL1	4005176586200	81	471.00
33 849 DC1	4005176412783	81	446.77
33 850 001	4005176409196	81	331.84
33 865 001	4005176409202	80	286.48
33 865 AL1	4005176586217	80	369.00
33 865 DC1	4005176412790	80	369.42
33 912 000	4005176111969	624, 725	404.43
33 961 000	4005176119972	336, 725	303.27
33 962 000	4005176119989	336, 725	208.83
33 963 000	4005176128387	336, 725	92.35
33 964 000	4005176128394	336, 725	93.40
33 975 004	4005176467004	612	185.08
33 977 002	4005176886560	613	142.70
33 982 002	4005176890833	613	131.63
34			
34 143 003	4005176309618	169, 308	220.80

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
34 146 003	4005176309625	308	210.23
34 151 004	4005176456664	310	269.40
34 152 004	4005176456640	310	289.47
34 155 003	4005176310027	170, 309	273.62
34 156 003	4005176310034	309	284.18
34 169 001	4005176926518	294	308.59
34 170 001	4005176926471	295	286.47
34 174 001	4005176926426	296	374.99
34 176 001	4005176926488	297	695.76
34 195 001	4005176926631	298	330.74
34 256 004	4005176456671	310	273.62
34 274 000	4005176847905	292	430.28
34 276 000	4005176847929	292	507.72
34 277 000	4005176847936	292	463.44
34 281 001	4005176926501	297	485.57
34 294 001	4005176306877	123	142.69
34 430 000	4005176917981	306	241.93
34 437 000	4005176918025	306	284.18
34 438 003	4005176309632	308	220.80
34 439 003	4005176310041	309	284.18
34 446 001	4005176926402	295	308.59
34 448 000	4005176919183	306	358.14
34 463 001	4005176926419	294	365.00
34 464 001	4005176926433	295	374.96
34 466 001	4005176926440	296	386.05
34 469 001	4005176926396	294	330.73
34 484 001	4005176932519	297	397.09
34 487 000	4005176936234	704, 726	131.63
34 488 000	4005176940620	89, 98	352.85
34 491 000	4005176940644	300	397.08
34 497 000	4005176940675	90, 98	445.00
34 502 000	4005176940798	301	496.63
34 508 000	4005176941795	301	474.52
34 509 000	4005176941801	300	363.91
34 519 000	4005176998515	306	271.69
34 557 001	4005176456688	310	241.93
34 562 000	4005176310102	320	199.67
34 565 001	4005176456718	321	210.23
34 566 001	4005176456701	321	230.31
34 567 000	4005176310157	192, 199	241.93
34 569 000	4005176310171	320	241.93
34 665 000	4005176351556	706	346.92
34 666 000	4005176351563	708	307.63
34 667 000	4005176351570	706	277.09
34 671 000	4005176351587	707	353.43
34 681 000	4005176354090	707	330.72
34 705 000	4005176413285	61, 84	1,381.53
34 706 000	4005176413797	41, 116	1,370.46
34 713 000	4005176409776	280	883.79
34 714 000	4005176409783	280	828.47
34 718 000	4005176457647	81, 111	408.15
34 719 000	4005176457654	80, 110	370.52
34 720 000	4005176457661	281	474.52
34 721 000	4005176457678	281	481.17
34 725 000	4005176457081	706	344.20
34 726 000	4005176466014	287	552.82
34 727 000	4005176466021	287	618.78
34 728 000	4005176466069	285	563.29
34 729 000	4005176466076	285	632.40
34 730 000	4005176466342	285	1,368.44
34 731 000	4005176466359	287	1,368.44
34 732 000	4005176466366	287	939.16
34 734 000	4005176466403	285	965.34
34 735 000	4005176466410	288	770.59
34 741 000	4005176481208	92, 101	1,252.20
34 742 000	4005176484094	42, 278	1,293.06
34 743 000	4005176484100	279	1,204.56
34 744 000	4005176484117	279	1,012.08
34 765 000	4005176612022	127, 149	188.59
34 766 000	4005176612039	128, 150	245.70
34 767 000	4005176612046	316	183.80
34 768 000	4005176612053	318	219.09
34 769 000	4005176612060	318	224.48
34 770 000	4005176612077	317	240.91
34 771 000	4005176612886	316	192.66
34 772 000	4005176612893	317	249.77
34 776 000	4005176612930	312	199.07
34 779 000	4005176612961	312	259.35
34 780 000	4005176612978	312	254.56
34 781 000	4005176612985	313	203.15
34 782 000	4005176612992	313	263.42
34 783 000	4005176613005	313	229.78
34 784 000	4005176613012	314	233.20
34 787 000	4005176613043	314	233.85
35			
35 028 000	4005176908316	44, 45	131.61
35 034 000	4005176915697	507	209.06
35 085 000	4005176207068	712	1,927.36
35 087 000	4005176207082	712	2,244.65
35 500 000	4005176831522	708, 709	253.29
35 600 000	4005176413469	31, 41	132.18
36			
36 015 001	4005176929359	680	507.69
36 016 001	4005176929366	680	437.88
36 078 000	4005176856532	362	109.51
36 133 000	4005176140310	681, 692	22.93
36 194 000	4005176140921	634	136.41
36 207 001	4005176929373	680	585.13
36 208 001	4005176929380	680	496.65
36 209 000	4005176207105	681, 736	72.04
36 233 000	4005176283338	736	523.65
36 249 000	4005176283345	736	597.10
36 264 001	4005176416279	663, 667	210.45
36 265 000	4005176893131	742	120.57
36 266 000	4005176893148	742	98.43
36 267 000	4005176893155	742	98.45
36 268 000	4005176893162	742	98.43
36 269 000	4005176893179	694	297.55
36 271 000	4005176893193	694	275.43
36 272 000	4005176893209	694	275.43
36 273 000	4005176893216	695	361.60
36 274 000	4005176893223	695	352.85
36 309 000	4005176894794	362	264.37
36 315 000	4005176896590	688	463.46
36 316 000	4005176896279	742	32.06
36 317 000	4005176896514	738	275.43
36 318 000	4005176896521	738	297.55
36 319 000	4005176896538	738	462.85
36 320 000	4005176896545	738	430.29
36 321 000	4005176896552	738	308.59
36 322 001	4005176595400	738	128.00
36 324 001	4005176305757	686	532.04
36 325 001	4005176305764	684	374.97
36 327 001	4005176305771	180, 684	330.73
36 330 001	4005176305788	685	352.86
36 331 001	4005176305795	684	289.81
36 332 000	4005176896682	687	779.54
36 333 000	4005176896699	687	765.65
36 334 SD0	4005176896705	688	430.29
36 335 SD0	4005176896712	688	408.15
36 336 001	4005176991769	673, 688	304.00
36 337 001	4005176595417	673, 688	115.00

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
36 338 000	4005176896743	664, 668	87.38
36 339 001	4005176595424	674, 689	210.00
36 340 000	4005176911385	663, 668	54.21
36 341 000	4005176911392	663, 668	97.46
36 356 000	4005176911347	362	164.80
36 359 000	4005176918414	356	1,248.82
36 360 000	4005176918438	356	1,071.84
36 367 000	4005176923203	359	286.48
36 371 000	4005176928970	358	607.24
36 376 000	4005176932243	688	551.94
36 384 000	4005176982774	695	607.24
36 386 001	4005176311673	686	643.19
36 397 000	4005176999413	358	1,071.82
36 407 001	4005176368974	663, 667	261.30
36 409 000	4005176320538	671	470.11
36 410 000	4005176320545	673	539.78
36 412 000	4005176320569	674	608.36
36 413 000	4005176320576	670	570.75
36 414 000	4005176320583	672	774.28
36 415 000	4005176320590	675	511.66
36 416 001	4005176595394	675, 690	594.00
36 421 000	4005176368523	685	349.10
36 422 000	4005176368530	684	351.27
36 439 000	4005176389740	685	260.74
36 440 000	4005176415623	662	770.88
36 441 000	4005176415630	96, 662	739.17
36 442 000	4005176415647	662	834.34
36 444 000	4005176415661	666	622.84
36 445 000	4005176415678	125, 666	601.70
36 446 000	4005176415685	666	559.41
36 447 000	4005176416293	667	792.04
36 451 000	4005176473678	198, 700	229.47
36 452 000	4005176473685	700	213.61
36 453 000	4005176473791	700	242.16
36 454 000	4005176487774	687	882.00
36 455 000	4005176487781	687	858.00
36 456 000	4005176494758	689	216.00
36 457 000	4005176494765	689	805.00
36 458 000	4005176494772	689	647.00
36 459 000	4005176576188	690	695.00
36 463 000	4005176576690	690	192.00
36 464 000	4005176576706	690	582.00
37			
37 018 000	4005176143359	903	72.41
37 018 P00	4005176143281	903	67.58
37 018 SH0	4005176143595	903	69.21
37 035 000	4005176143731	884	12.38
37 036 000	4005176143748	884	19.52
37 037 000	4005176143762	884	21.57
37 038 000	4005176143786	884	23.62
37 039 000	4005176143793	884	25.65
37 040 000	4005176143861	885	28.65
37 042 000	4005176143908	885	17.42
37 043 000	4005176143922	885	38.57
37 044 000	4005176160776	884	19.94
37 048 000	4005176142109	870	313.77
37 059 000	4005176142857	895	136.41
37 060 000	4005176142901	896	61.91
37 063 000	4005176142185	900	61.91
37 063 SH0	4005176142307	900	61.91
37 069 000	4005176142352	900	107.25
37 078 PI0	4005176160783	859	82.75
37 085 PI0	4005176149641	859	51.42
37 088 PI0	4005176149672	859	51.42
37 092 000	4005176145049	858	34.84
37 093 000	4005176145070	858	40.93
37 095 000	4005176145124	858	30.43
37 099 K00	4005176142086	860	30.74
37 100 SH0	4005176142093	859	19.94
37 102 SH0	4005176141768	871	15.53
37 104 K00	4005176160844	861	19.94
37 105 K00	4005176141904	862	19.94
37 107 000	4005176141713	869	46.07
37 108 000	4005176141720	869	39.36
37 112 000	4005176141911	869	71.51
37 114 000	4005176141935	869	18.94
37 115 PI0	4005176172571	862, 975	9.44
37 117 PI0	4005176172588	862, 975	9.44
37 119 000	4005176144370	862	4.09
37 125 000	4005176144059	862	6.40
37 131 000	4005176144585	846, 863	39.95
37 132 000	4005176144608	868	18.94
37 133 000	4005176144622	868	31.27
37 135 000	4005176144653	869	6.04
37 139 000	4005176143083	868	87.38
37 141 000	4005176143113	868	104.54
37 153 000	4005176142864	870	282.29
37 157 000	4005176142932	870	269.75
37 311 K00	4005176160851	861	19.94
37 321 001	4005176929496	879	518.76
37 321 SD1	4005176929502	879	518.76
37 324 001	4005176929526	880	518.76
37 324 SD1	4005176929533	880	488.89
37 336 001	4005176929540	879	518.76
37 337 001	4005176929557	879	488.89
37 338 000	4005176837920	676, 880	131.61
37 339 000	4005176837937	884	109.49
37 347 000	4005176837999	868	209.07
37 396 000	4005176907968	884	120.57
37 419 000	4005176933806	874	784.24
37 419 SD0	4005176933813	874	784.24
37 421 000	4005176935572	878	424.00
37 489 000	4005176167386	861	9.44
37 503 000	4005176320507	676	662.57
37 504 000	4005176320521	677	828.48
37 535 000	4005176416019	104, 117	63.95
37 535 A00	4005176431364	890	165.60
37 535 AL0	4005176431357	104, 117	165.60
37 535 BE0	4005176431340	890	165.60
37 535 DA0	4005176431333	890	165.60
37 535 DC0	4005176416040	104, 117	165.60
37 535 DL0	4005176431326	890	165.60
37 535 EN0	4005176431319	890	165.60
37 535 GL0	4005176431302	890	165.60
37 535 GN0	4005176431296	890	165.60
37 535 P00	4005176416026	890	63.95
37 535 SH0	4005176416033	890	66.36
37 547 000	4005176189425	900	72.41
37 547 P00	4005176189449	900	67.37
37 547 SH0	4005176189418	900	61.91
37 601 000	4005176416057	85, 132	73.23
37 601 A00	4005176528996	132, 890	165.67
37 601 AL0	4005176529030	85, 132	165.67
37 601 BE0	4005176529009	132, 890	165.67
37 601 DA0	4005176524288	132, 890	165.67
37 601 DC0	4005176416088	85, 132	165.67
37 601 DL0	4005176529023	132, 890	165.67
37 601 EN0	4005176529047	132, 890	165.67
37 601 GL0	4005176524271	132, 890	165.67
37 601 GN0	4005176529016	132, 890	165.67
37 601 P00	4005176416064	890	97.34
37 601 SH0	4005176416071	890	60.25
37 624 000	4005176416095	117, 144	73.23

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
37 624 A00	4005176529078	890	165.67
37 624 AL0	4005176529115	117, 890	165.67
37 624 BE0	4005176529085	890	165.67
37 624 DA0	4005176529061	890	165.67
37 624 DC0	4005176416125	117, 890	165.70
37 624 DL0	4005176529108	890	165.67
37 624 EN0	4005176529122	890	165.67
37 624 GL0	4005176529054	890	165.67
37 624 GN0	4005176529092	890	165.67
37 624 P00	4005176416101	890	97.34
37 624 SH0	4005176416118	890	60.25
37 761 000	4005176213243	896	40.93
37 762 SH0	4005176213250	854	72.41
37 791 SH0	4005176217241	854	166.85
37 945 SH0	4005176256387	854	72.41
37 965 000	4005176442506	891	64.15
37 965 SH0	4005176442513	891	50.87
37 998 000	4005176262586	844	109.50
38			
38 338 000	4005176286179	847	29.24
38 393 SD1	4005176929564	874	460.80
38 422 000	4005176275203	855	175.88
38 445 SD0	4005176282850	900	105.88
38 488 000	4005176289866	896	40.93
38 496 000	4005176289958	896	187.84
38 505 000	4005176290053	893	48.64
38 505 P00	4005176290060	893	87.35
38 505 SH0	4005176290046	893	32.08
38 506 000	4005176290121	893	70.76
38 506 P00	4005176290138	893	72.41
38 506 SH0	4005176290114	893	65.29
38 525 001	4005176863967	827	352.86
38 526 000	4005176291050	828	352.86
38 528 001	4005176863943	819	286.47
38 536 001	4005176863929	825	308.58
38 539 001	4005176863912	825	240.04
38 540 000	4005176807091	894	82.01
38 541 000	4005176291234	837, 840	209.06
38 543 000	4005176291258	837	294.75
38 545 000	4005176291272	837	292.01
38 546 000	4005176291289	836	299.00
38 553 001	4005176863813	837	303.09
38 554 001	4005176863806	836	131.62
38 557 001	4005176863783	836	116.13
38 558 00M	4005176291418	828, 833	26.41
38 559 001	4005176863776	841	168.75
38 562 001	4005176863752	846	98.44
38 564 000	4005176291784	895	76.35
38 564 SH0	4005176291777	895	60.29
38 565 000	4005176291845	895	48.69
38 573 000	4005176292316	895	54.21
38 573 P00	4005176292323	895	72.41
38 573 SH0	4005176292309	895	61.91
38 574 000	4005176292385	895	61.91
38 629 000	4005176293191	846	55.29
38 661 000	4005176294907	854	164.82
38 672 SD0	4005176296468	895	120.57
38 675 001	4005176863516	826, 840	308.61
38 680 001	4005176863509	826	397.08
38 691 000	4005176815454	855	175.88
38 698 SD1	4005176929571	874	695.74
38 699 001	4005176929588	874	585.13
38 714 000	4005176828454	866, 896	14.59
38 719 001	4005176863448	822	214.00
38 721 001	4005176863431	822	359.00
38 722 001	4005176863424	823	343.00
38 732 000	4005176836114	893	70.80
38 732 A00	4005176339110	893	139.31
38 732 AL0	4005176339127	893	139.31
38 732 BE0	4005176427749	893	139.31
38 732 BR0	4005176873676	893	120.55
38 732 DA0	4005176339097	893	139.31
38 732 DC0	4005176431371	893	129.00
38 732 DL0	4005176427732	893	139.31
38 732 EN0	4005176427756	893	139.31
38 732 GL0	4005176339103	893	139.31
38 732 GN0	4005176427725	893	139.31
38 732 P00	4005176836121	893	53.60
38 732 SD0	4005176847691	892	153.75
38 732 SH0	4005176836138	893	54.17
38 733 000	4005176837289	846	32.05
38 735 000	4005176837500	860	54.19
38 736 000	4005176837517	860	43.15
38 748 002	4005176416323	663, 667	495.97
38 750 001	4005176863363	820	398.20
38 761 000	4005176841620	823	397.09
38 764 001	4005176863301	824	238.92
38 765 000	4005176846830	892	70.78
38 765 P00	4005176846847	892	69.68
38 765 SH0	4005176846854	892	54.20
38 771 000	4005176848551	896	43.15
38 772 001	4005176863288	823	374.97
38 773 000	4005176850288	823	397.10
38 776 SD0	4005176853555	892	153.74
38 778 000	4005176855269	875	665.33
38 779 000	4005176855306	846	103.89
38 784 000	4005176855535	902	112.77
38 784 P00	4005176855542	902	112.82
38 784 SD0	4005176877407	902	166.36
38 784 SH0	4005176855559	902	103.76
38 786 001	4005176864025	832	319.00
38 787 000	4005176855689	880	109.51
38 796 000	4005176857034	898	65.25
38 803 001	4005176864049	832	334.04
38 804 000	4005176861512	902	120.56
38 804 P00	4005176861536	902	112.82
38 804 SH0	4005176861529	902	109.52
38 805 000	4005176865596	898	131.61
38 808 000	4005176864056	903	98.44
38 808 P00	4005176864063	903	110.62
38 808 SH0	4005176864070	903	88.81
38 809 000	4005176864681	891	574.06
38 821 000	4005176868986	892	231.18
38 827 000	4005176870477	820	419.21
38 844 000	4005176874963	893	70.78
38 844 P00	4005176875687	893	65.25
38 844 SH0	4005176874970	893	54.19
38 845 KS0	4005176878343	892	242.24
38 845 LS0	4005176878336	892	242.24
38 845 MF0	4005176878619	892	242.24
38 846 KS0	4005176878268	902	296.38
38 846 LS0	4005176878367	902	296.38
38 857 000	4005176875694	902	112.82
38 857 P00	4005176875663	902	109.50
38 857 SH0	4005176875793	902	103.98
38 858 000	4005176876714	893	70.78
38 858 P00	4005176876721	893	65.25
38 858 SH0	4005176876738	893	54.19
38 860 000	4005176878084	820	374.99
38 861 000	4005176832284	893	65.26
38 862 000	4005176832314	893	70.78
38 862 P00	4005176832321	893	64.65
38 862 SD0	4005176834721	893	164.80

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
38 862 SH0	4005176832338	893	54.18
38 863 000	4005176832345	855	131.62
38 868 000	4005176878091	824	397.09
38 882 000	4005176879197	898	8.40
38 885 000	4005176879609	821	419.19
38 888 000	4005176879630	821	430.26
38 915 KS0	4005176897108	891	844.66
38 915 LS0	4005176897115	891	883.78
38 916 0A0	4005176896941	892	297.54
38 947 000	4005176911217	824	379.00
38 948 000	4005176911224	824	374.99
38 957 000	4005176914409	892	109.51
38 987 000	4005176924798	855	110.62
38 994 000	4005176932335	827	352.85
38 995 000	4005176932342	827	363.92
39			
39 053 000	4005176935978	856	76.31
39 054 000	4005176936289	856	76.31
39 056 000	4005176936302	856	19.94
39 111 SH0	4005176304668	752	4,843.66
39 140 000	4005176315268	840	590.95
39 201 000	4005176344947	791	73.39
39 202 000	4005176344954	792	84.84
39 206 000	4005176344992	792	262.59
39 206 00H	4005176418495	792	314.17
39 208 000	4005176345029	795	256.86
39 208 00H	4005176418532	795	308.45
39 245 00H	4005176524479	786	480.32
39 300 000	4005176346026	808	245.32
39 301 000	4005176346033	808	180.84
39 302 000	4005176346040	808	173.43
39 305 000	4005176346071	808	306.67
39 306 000	4005176346088	809	199.86
39 307 000	4005176346095	809	438.85
39 308 000	4005176346101	809	377.51
39 323 000	4005176407116	790	102.03
39 323 00H	4005176417344	790	153.63
39 324 000	4005176407123	791	67.66
39 324 00H	4005176417375	791	119.26
39 325 000	4005176407130	792	73.39
39 327 000	4005176390104	791	84.84
39 327 00H	4005176418341	791	136.45
39 328 000	4005176407161	792	285.51
39 328 00H	4005176417382	792	337.12
39 329 000	4005176407178	794	210.91
39 329 00H	4005176418518	794	262.58
39 330 001	4005176468834	794	102.07
39 331 001	4005176468827	795	72.73
39 332 000	4005176407208	793	205.25
39 333 000	4005176407215	793	205.25
39 335 000	4005176407239	790	96.32
39 335 00H	4005176417351	790	142.19
39 336 000	4005176407246	791	94.83
39 336 00H	4005176417368	791	140.46
39 337 000	4005176407253	791	102.04
39 337 00H	4005176418334	791	153.65
39 338 000	4005176407260	793	222.46
39 338 00H	4005176418501	793	274.04
39 339 000	4005176407277	794	218.24
39 339 00H	4005176418525	794	269.84
39 340 000	4005176423697	795	222.43
39 340 00H	4005176423703	795	274.04
39 346 000	4005176449673	803	313.90
39 347 000	4005176449680	803	302.65
39 349 000	4005176449659	800	139.51
39 351 000	4005176450006	803	190.14
39 354 SH1	4005176470448	756	2,764.18
39 367 000	4005176341533	881	514.90
39 368 000	4005176341540	881	514.90
39 369 000	4005176341557	881	685.07
39 374 KS0	4005176344770	818	698.17
39 374 LS0	4005176344787	818	698.17
39 376 000	4005176342998	832	235.65
39 383 000	4005176356926	672	54.19
39 386 00H	4005176438356	784	538.94
39 420 000	4005176405983	798	72.01
39 421 000	4005176428906	798	66.39
39 422 000	4005176406195	799	111.41
39 423 000	4005176406201	791, 799	111.41
39 424 000	4005176406218	799	60.75
39 425 000	4005176406225	800	60.75
39 426 000	4005176406232	800	66.40
39 427 000	4005176406249	800	111.39
39 428 000	4005176406256	800	128.26
39 429 000	4005176406263	801	139.51
39 430 000	4005176406270	801	94.52
39 431 000	4005176406287	801	94.52
39 432 000	4005176406294	802	190.13
39 433 000	4005176406300	802	190.15
39 436 000	4005176406331	801	111.38
39 437 000	4005176406348	801	111.38
39 438 000	4005176406355	802	212.65
39 439 000	4005176406362	802	212.65
39 440 000	4005176405976	798	60.75
39 453 000	4005176421099	796, 806	21.38
39 454 000	4005176421105	796, 806	21.38
39 457 000	4005176421112	796, 806	21.38
39 462 000	4005176454608	794	480.81
39 462 00H	4005176454615	794	530.29
39 469 00H	4005176438363	784	465.79
39 473 00H	4005176438370	784	252.03
39 474 00H	4005176438387	784	235.15
39 475 00H	4005176442599	784	538.94
39 476 00H	4005176442605	784	466.92
39 477 00H	4005176442612	785	253.15
39 478 00H	4005176442629	785	237.40
39 479 00H	4005176442636	785	243.02
39 480 00H	4005176442643	785	227.27
39 481 00H	4005176442650	785	227.27
39 482 00H	4005176442667	785	201.39
39 483 00H	4005176442674	786	195.77
39 484 00H	4005176442698	786	452.30
39 485 00H	4005176442704	786	420.80
39 486 00H	4005176442711	787	369.05
39 487 00H	4005176442728	787	381.41
39 488 000	4005176442735	787	174.40
39 489 000	4005176442742	786	237.42
39 490 000	4005176442759	787	237.42
39 491 000	4005176449994	800	78.00
39 492 000	4005176450013	801	43.89
39 493 000	4005176450020	802	88.91
39 496 000	4005176450051	804	314.82
39 497 000	4005176450068	803	143.78
39 500 000	4005176453861	820	264.57
39 501 000	4005176453878	821	372.74
39 503 000	4005176454097	821	372.70
39 504 000	4005176454103	822	372.74
39 538 000	4005176468292	793	223.66
39 551 000	4005176469640	796, 806	65.63
39 554 000	4005176484452	792	382.35
39 555 000	4005176484469	794	318.41
39 564 00H	4005176485602	774	275.84
39 565 00H	4005176485619	774	254.54

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
39 566 00H	4005176485626	774	605.99
39 567 00H	4005176485633	774	435.59
39 568 00H	4005176485640	774	297.14
39 570 000	4005176484865	775	158.69
39 571 00H	4005176485671	775	382.34
39 572 00H	4005176485688	775	424.94
39 573 00H	4005176485794	775	399.38
39 574 00H	4005176485800	776	382.34
39 575 00H	4005176485817	776	399.38
39 576 000	4005176485121	776	105.44
39 577 000	4005176485138	776	158.69
39 578 000	4005176485145	776	243.89
39 579 000	4005176485152	776	243.89
39 581 000	4005176496011	822	372.74
39 584 00H	4005176519161	790	358.91
39 585 00H	4005176519178	790	463.28
39 596 000	4005176527494	752, 757	333.00
39 598 000	4005176527517	815	350.00
39 603 000	4005176527562	814	391.00
39 608 00H	4005176566493	774	579.36
39 609 00H	4005176566509	775	386.60
39 611 000	4005176571275	777	6,501.11
39 612 000	4005176571282	777	6,295.30
39 613 00H	4005176571299	777	6,634.61
39 614 00H	4005176571305	777	6,768.12
39 617 000	4005176571312	778	1,248.10
39 619 000	4005176571329	778	1,376.43
39 620 00H	4005176571336	778	1,376.43
39 621 00H	4005176571343	779	1,503.65
39 622 000	4005176571350	779	6,220.49
39 623 000	4005176571367	779	6,645.31
39 641 000	4005176570155	790	228.99
39 642 000	4005176570162	790	239.64
39 642 KW0	4005176573521	790	273.00
39 643 000	4005176570179	799	190.64
39 644 000	4005176570186	798	174.67
39 648 SH0	4005176575310	762, 804	247.00
39 649 00H	4005176571374	779	6,645.16
39 650 00H	4005176571381	779	6,780.58
39 651 SH0	4005176575327	762, 804	346.00
39 652 SH0	4005176575334	762, 805	470.00
39 693 000	4005176581281	793	354.40
39 726 00H	4005176594861	778	6,768.12
39 727 00H	4005176594878	778	6,634.61
39 728 000	4005176594885	777	6,295.30
39 729 000	4005176594991	777	5,922.30
39 732 000	4005176595431	802	44.96
40			
40 206 000	4005176170904	48, 966	58.03
40 207 000	4005176170973	48, 966	14.59
40 212 000	4005176171123	966	50.53
40 254 000	4005176211065	47	25.83
40 254 003	4005176462405	62	39.00
40 256 000	4005176211089	47	36.66
40 256 003	4005176462443	62	36.24
40 265 000	4005176211171	48	63.02
40 278 000	4005176824081	47	76.66
40 279 000	4005176824098	48	104.16
40 284 000	4005176824104	47	42.08
40 304 003	4005176461576	62	47.49
40 304 AL3	4005176462399	62	76.24
40 304 DA3	4005176494154	62	106.00
40 304 DC3	4005176461583	62	66.66
40 304 GL3	4005176494130	62	106.00
40 305 003	4005176462412	62	47.49
40 305 AL3	4005176462436	62	76.24
40 305 DA3	4005176494208	62	106.00
40 305 DC3	4005176462429	62	66.66
40 305 GL3	4005176494185	62	106.00
40 306 003	4005176461545	62	47.49
40 306 AL3	4005176461569	62	76.24
40 306 DA3	4005176494093	62	106.00
40 306 DC3	4005176461552	62	66.66
40 306 GL3	4005176494079	62	106.00
40 307 003	4005176462450	62	63.74
40 307 AL3	4005176462474	62	104.16
40 307 DA3	4005176494260	62	142.00
40 307 DC3	4005176462467	62	87.49
40 307 GL3	4005176494246	62	142.00
40 308 003	4005176462481	63	108.33
40 308 AL3	4005176462504	63	165.83
40 308 DA3	4005176494321	63	236.00
40 308 DC3	4005176462498	63	149.99
40 308 GL3	4005176494307	63	236.00
40 309 003	4005176462511	63	99.99
40 309 AL3	4005176462627	63	162.49
40 309 DA3	4005176494383	63	225.00
40 309 DC3	4005176462528	63	141.66
40 309 GL3	4005176494369	63	225.00
40 312 003	4005176462535	63	32.91
40 312 AL3	4005176462559	63	52.49
40 312 DA3	4005176494444	63	73.00
40 312 DC3	4005176462542	63	45.83
40 312 GL3	4005176494420	63	73.00
40 313 003	4005176462566	63	72.08
40 313 AL3	4005176462580	63	116.66
40 313 DA3	4005176494505	63	160.00
40 313 DC3	4005176462573	63	99.99
40 313 GL3	4005176494482	63	160.00
40 314 003	4005176462597	63	141.66
40 314 AL3	4005176462610	63	232.50
40 314 DA3	4005176494567	63	318.00
40 314 DC3	4005176462603	63	199.17
40 314 GL3	4005176494543	63	318.00
40 339 000	4005176824111	47	104.16
40 340 000	4005176824128	48	166.66
40 341 000	4005176824135	47	154.16
40 342 000	4005176824142	47	154.16
40 344 001	4005176323461	238	91.66
40 344 DC1	4005176413209	238	129.16
40 364 001	4005176326332	235	9.99
40 364 A01	4005176429514	235	14.99
40 364 AL1	4005176429668	235	16.24
40 364 BE1	4005176430114	235	14.99
40 364 DA1	4005176428913	235	14.99
40 364 DL1	4005176429965	235	16.24
40 364 EN1	4005176326349	235	16.24
40 364 GL1	4005176429361	235	14.99
40 364 GN1	4005176429811	235	16.24
40 365 001	4005176326240	233	18.33
40 365 A01	4005176429521	233	27.49
40 365 AL1	4005176429675	233	29.58
40 365 BE1	4005176430121	233	27.49
40 365 DA1	4005176428920	233	27.49
40 365 DC1	4005176412431	233	25.83
40 365 DL1	4005176429972	233	29.58
40 365 EN1	4005176326257	233	29.58
40 365 GL1	4005176429378	233	27.49
40 365 GN1	4005176429828	233	29.58
40 366 001	4005176326264	234	29.16
40 366 A01	4005176429552	234	43.74
40 366 AL1	4005176429705	234	46.66
40 366 BE1	4005176430152	234	43.74

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
40 366 DA1	4005176428951	234	43.74
40 366 DC1	4005176412448	234	40.83
40 366 DL1	4005176430008	234	46.66
40 366 EN1	4005176326271	234	46.66
40 366 GL1	4005176429408	234	43.74
40 366 GN1	4005176429859	234	46.66
40 367 001	4005176326387	236	24.16
40 367 A01	4005176429620	236	36.24
40 367 AL1	4005176429774	236	38.74
40 367 BE1	4005176430220	236	36.24
40 367 DA1	4005176429323	236	36.24
40 367 DC1	4005176412455	236	33.74
40 367 DL1	4005176430077	236	38.74
40 367 EN1	4005176326394	236	38.74
40 367 GL1	4005176429477	236	36.24
40 367 GN1	4005176429927	236	38.74
40 368 001	4005176326219	232, 240	5.08
40 369 001	4005176326196	232	18.33
40 369 A01	4005176429576	232	27.49
40 369 AL1	4005176429729	232	29.58
40 369 BE1	4005176430176	232	27.49
40 369 DA1	4005176428975	232	27.49
40 369 DC1	4005176412462	232	25.83
40 369 DL1	4005176430022	232	29.58
40 369 EN1	4005176326202	232	29.58
40 369 GL1	4005176429422	232	27.49
40 369 GN1	4005176429873	232	29.58
40 371 001	4005176326318	233	32.49
40 371 A01	4005176429538	233	48.74
40 371 AL1	4005176429682	233	52.08
40 371 BE1	4005176430138	233	48.74
40 371 DA1	4005176428937	233	48.74
40 371 DC1	4005176412479	233	45.83
40 371 DL1	4005176429989	233	52.08
40 371 EN1	4005176430268	233	52.08
40 371 GL1	4005176429385	233	48.74
40 371 GN1	4005176429835	233	52.08
40 372 001	4005176326226	232, 240	6.08
40 374 001	4005176326400	237	29.99
40 374 A01	4005176429590	237	44.99
40 374 AL1	4005176429743	237	48.33
40 374 BE1	4005176430190	237	44.99
40 374 DA1	4005176429293	237	44.99
40 374 DC1	4005176412486	237	42.08
40 374 DL1	4005176430046	237	48.33
40 374 EN1	4005176430282	237	48.33
40 374 GL1	4005176429446	237	44.99
40 374 GN1	4005176429897	237	48.33
40 385 001	4005176326356	237	18.33
40 385 A01	4005176429606	237	27.49
40 385 AL1	4005176429750	237	29.58
40 385 BE1	4005176430206	237	27.49
40 385 DA1	4005176429309	237	27.49
40 385 DC1	4005176413094	237	25.83
40 385 DL1	4005176430053	237	29.58
40 385 EN1	4005176430299	237	29.58
40 385 GL1	4005176429453	237	27.49
40 385 GN1	4005176429903	237	29.58
40 386 001	4005176326301	234	36.66
40 386 A01	4005176429569	234	54.99
40 386 AL1	4005176429712	234	58.74
40 386 BE1	4005176430169	234	54.99
40 386 DA1	4005176428968	234	54.99
40 386 DL1	4005176430015	234	58.74
40 386 EN1	4005176430275	234	58.74
40 386 GL1	4005176429415	234	54.99
40 386 GN1	4005176429866	234	58.74
40 392 000	4005176846656	237, 242	19.94
40 393 000	4005176846663	237, 242	12.49
40 394 001	4005176326233	232, 240	14.99
40 394 A01	4005176429583	232	22.49
40 394 AL1	4005176429736	232, 240	24.16
40 394 BE1	4005176430183	232	22.49
40 394 DA1	4005176428982	232	22.49
40 394 DC1	4005176421532	232, 240	21.24
40 394 DL1	4005176430039	232	24.16
40 394 EN1	4005176412646	232, 250	24.16
40 394 GL1	4005176429439	232	22.49
40 394 GN1	4005176429880	232	24.16
40 404 001	4005176984068	563	51.66
40 405 000	4005176860812	562	25.83
40 407 001	4005176328350	238	57.91
40 407 DC1	4005176413179	238	81.24
40 412 001	4005176984082	563	124.99
40 421 001	4005176326325	235	29.16
40 421 A01	4005176429637	235	43.74
40 421 AL1	4005176429781	235	46.66
40 421 BE1	4005176430237	235	43.74
40 421 DA1	4005176429330	235	43.74
40 421 DC1	4005176413117	235	40.83
40 421 DL1	4005176430084	235	46.66
40 421 EN1	4005176430305	235	46.66
40 421 GL1	4005176429484	235	43.74
40 421 GN1	4005176429934	235	46.66
40 422 000	4005176890246	564	66.66
40 423 000	4005176890253	565	87.49
40 430 001	4005176984075	563	95.83
40 432 000	4005176883255	571	22.08
40 434 001	4005176985294	564	29.58
40 437 000	4005176885471	562	25.83
40 438 001	4005176984105	571	141.66
40 444 001	4005176328336	233	23.33
40 444 DC1	4005176413148	233	32.91
40 444 EN1	4005176335501	233	37.49
40 447 001	4005176328701	233	22.91
40 447 DC1	4005176413162	233	32.08
40 447 EN1	4005176335518	233	36.24
40 448 001	4005176328343	232	34.16
40 448 DC1	4005176413155	232	47.91
40 448 EN1	4005176335525	232	54.58
40 457 001	4005176327865	247	18.33
40 459 001	4005176327810	246	20.83
40 460 001	4005176327803	246	14.58
40 461 001	4005176327858	247	8.74
40 462 001	4005176327827	247	77.08
40 463 001	4005176327872	247	23.74
40 493 000	4005176899256	35	199.17
40 493 A00	4005176491214	35	299.17
40 493 AL0	4005176491153	35	315.83
40 493 DC0	4005176491160	35	274.17
40 494 000	4005176899263	35	299.17
40 494 A00	4005176491122	35	457.50
40 494 AL0	4005176491061	35	482.50
40 494 DC0	4005176491078	35	424.17
40 496 000	4005176899287	35	162.49
40 496 A00	4005176491931	35	240.83
40 496 AL0	4005176491870	35	257.50
40 496 DC0	4005176491887	35	232.50
40 497 000	4005176899294	35	182.50
40 497 A00	4005176491573	35	274.17
40 497 AL0	4005176491511	35	299.17
40 497 DC0	4005176491528	35	257.50
40 498 000	4005176899300	36	78.33
40 498 A00	4005176491399	36	116.66

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
40 498 AL0	4005176491337	36	124.99
40 498 DC0	4005176491344	36	108.33
40 499 000	4005176899317	36	158.33
40 499 A00	4005176491665	36	240.83
40 499 AL0	4005176491603	36	257.50
40 499 DC0	4005176491610	36	224.17
40 500 000	4005176899324	36	257.50
40 500 A00	4005176492020	36	390.83
40 500 AL0	4005176491962	36	415.83
40 500 DC0	4005176491979	36	365.83
40 503 000	4005176900068	35	232.50
40 503 A00	4005176491306	35	349.17
40 503 AL0	4005176491245	35	374.17
40 503 DC0	4005176491252	35	324.17
40 504 000	4005176900075	35	240.83
40 504 A00	4005176491481	35	357.50
40 504 AL0	4005176491429	35	382.50
40 504 DC0	4005176491436	35	332.50
40 507 001	4005176324598	242	27.91
40 507 AL1	4005176636639	242	58.00
40 507 DC1	4005176636530	242	51.00
40 508 001	4005176324413	240	24.16
40 508 AL1	4005176636653	240	38.74
40 508 DC1	4005176636554	240	34.16
40 509 001	4005176324437	241	37.08
40 509 DC1	4005176636493	241	67.00
40 510 001	4005176324420	241	33.33
40 510 AL1	4005176636578	241	69.00
40 510 DC1	4005176636172	241	60.00
40 511 001	4005176324475	241	14.16
40 511 AL1	4005176636615	241	29.00
40 511 DC1	4005176636516	241	26.00
40 512 001	4005176324451	241	120.83
40 512 AL1	4005176636608	241	249.00
40 513 001	4005176324604	242	48.74
40 513 AL1	4005176636561	242	99.00
40 513 DC1	4005176636165	242	87.00
40 514 001	4005176324468	242	49.99
40 514 AL1	4005176636622	242	103.00
40 514 DC1	4005176636523	242	90.00
40 535 000	4005176905490	634	38.33
40 535 A00	4005176489396	634	86.00
40 535 AL0	4005176489402	634	86.00
40 535 BE0	4005176489457	634	86.00
40 535 DA0	4005176489433	634	86.00
40 535 DC0	4005176905520	634	53.74
40 535 DL0	4005176489440	634	86.00
40 535 GL0	4005176489419	634	86.00
40 535 GN0	4005176489426	634	86.00
40 536 000	4005176905506	634	34.58
40 536 DC0	4005176905537	634	48.74
40 537 000	4005176905513	634	42.49
40 537 DC0	4005176905544	634	74.51
40 547 001	4005176984099	563	51.66
40 553 000	4005176911422	634	48.33
40 553 DC0	4005176911439	634	67.49
40 554 002	4005176458521	545	2,444.00
40 564 000	4005176912740	116, 948	253.31
40 564 A00	4005176491849	948	353.00
40 564 AL0	4005176491788	116, 948	376.00
40 564 DC0	4005176491795	116, 948	329.00
40 565 000	4005176912757	946	76.32
40 565 A00	4005176491757	946	88.00
40 565 AL0	4005176491696	946	94.00
40 565 DC0	4005176491702	946	83.00
40 575 001	4005176385766	563	221.00
40 585 001	4005176327797	246	14.58
40 621 000	4005176923333	563	19.94
40 621 DC0	4005176923340	563	19.94
40 623 001	4005176324482	242	23.33
40 623 AL1	4005176636646	242	48.00
40 623 DC1	4005176636547	242	42.00
40 624 001	4005176324444	241	47.08
40 624 AL1	4005176636585	241	96.00
40 624 DC1	4005176636486	241	84.00
40 625 000	4005176927706	75	120.83
40 625 EN0	4005176927720	75	190.83
40 625 IG0	4005176927713	75	158.33
40 626 000	4005176927737	74	116.66
40 626 IG0	4005176927744	74	149.99
40 627 000	4005176927768	74	154.16
40 627 IG0	4005176927775	74	199.17
40 628 000	4005176927898	74	141.66
40 628 IG0	4005176927904	74	182.50
40 629 000	4005176927928	74	162.49
40 629 EN0	4005176927942	74	257.50
40 629 IG0	4005176927935	74	207.50
40 630 000	4005176927959	74	99.99
40 630 EN0	4005176927973	74	158.33
40 630 IG0	4005176927966	74	129.16
40 631 000	4005176927980	74	46.66
40 631 IG0	4005176927997	74	60.41
40 632 000	4005176928017	75	170.83
40 632 IG0	4005176928024	75	224.17
40 633 000	4005176928048	75	108.33
40 633 EN0	4005176928062	75	174.17
40 633 IG0	4005176928055	75	141.66
40 652 001	4005176324321	250	18.33
40 652 EN1	4005176324239	250	29.58
40 653 001	4005176324345	250	29.16
40 653 EN1	4005176324253	250	46.66
40 654 001	4005176324352	251	49.99
40 654 EN1	4005176324260	251	80.41
40 655 001	4005176324338	250	18.33
40 655 EN1	4005176324246	250	29.58
40 656 001	4005176324383	251	9.99
40 656 EN1	4005176324291	251	16.24
40 657 001	4005176324390	251	21.66
40 657 EN1	4005176324307	251	34.58
40 658 001	4005176324406	251	29.99
40 658 EN1	4005176324314	251	48.33
40 659 001	4005176324376	252	32.91
40 659 EN1	4005176324284	252	52.49
40 660 001	4005176324369	251	99.99
40 660 EN1	4005176324277	251	158.33
40 663 001	4005176327834	237, 247	40.83
40 664 001	4005176327841	237, 248	32.91
40 666 000	4005176935633	359	836.40
40 684 000	4005176940088	586	61.91
40 684 DC0	4005176940095	586	65.06
40 687 000	4005176981838	564	29.16
40 688 001	4005176326288	234	26.66
40 688 A01	4005176429545	234	39.99
40 688 AL1	4005176429699	234	42.91
40 688 BE1	4005176430145	234	39.99
40 688 DA1	4005176428944	234	39.99
40 688 DC1	4005176413124	234	37.49
40 688 DL1	4005176429996	234	42.91
40 688 EN1	4005176326295	234	42.91
40 688 GL1	4005176429392	234	39.99
40 688 GN1	4005176429842	234	42.91
40 689 001	4005176326363	236	21.66
40 689 A01	4005176429613	236	32.49
40 689 AL1	4005176429767	236	34.58

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
40 689 BE1	4005176430213	236	32.49
40 689 DA1	4005176429316	236	32.49
40 689 DC1	4005176413131	236	30.41
40 689 DL1	4005176430060	236	34.58
40 689 EN1	4005176326370	236	34.58
40 689 GL1	4005176429460	236	32.49
40 689 GN1	4005176429910	236	34.58
40 691 001	4005176984129	563	66.24
40 694 000	4005176985300	564	22.08
40 711 001	4005176454301	556	1,144.18
40 754 001	4005176328367	241	29.58
40 755 001	4005176328374	240	29.16
40 756 001	4005176328381	240	39.16
40 757 001	4005176328497	242	81.66
40 758 001	4005176328503	243	124.99
40 766 000	4005176347849	228	45.83
40 767 000	4005176347856	229	87.49
40 768 000	4005176347863	228	129.16
40 775 001	4005176328626	238	57.08
40 775 DC1	4005176413186	238	79.99
40 775 EN1	4005176324765	238	91.66
40 776 001	4005176328633	238	73.74
40 776 DC1	4005176413193	238	104.16
40 777 001	4005176328640	243	71.24
40 778 001	4005176328657	243	99.99
40 781 000	4005176347870	229	70.41
40 782 000	4005176347887	229	24.16
40 783 000	4005176347894	228	21.66
40 784 000	4005176347900	229	32.49
40 791 001	4005176323409	63, 226	4.58
40 791 KS1	4005176336379	63, 226	4.58
40 793 001	4005176327599	235	41.66
40 793 DC1	4005176413230	235	58.33
40 794 001	4005176327605	235	49.99
40 794 DC1	4005176413247	235	69.99
40 797 001	4005176327636	236	129.16
40 799 001	4005176327971	236	33.33
40 799 DC1	4005176413216	236	46.66
40 800 001	4005176327988	235	99.99
40 800 A01	4005176429644	235	145.83
40 800 AL1	4005176429798	235	158.33
40 800 BE1	4005176430244	235	145.83
40 800 DA1	4005176429347	235	145.83
40 800 DC1	4005176413223	235	137.49
40 800 DL1	4005176430091	235	158.33
40 800 EN1	4005176430312	235	158.33
40 800 GL1	4005176429491	235	145.83
40 800 GN1	4005176429941	235	158.33
40 802 001	4005176328107	234	49.99
40 802 A01	4005176429651	234	75.41
40 802 AL1	4005176429804	234	80.41
40 802 BE1	4005176430251	234	75.41
40 802 DA1	4005176429354	234	75.41
40 802 DL1	4005176430107	234	80.41
40 802 EN1	4005176430329	234	80.41
40 802 GL1	4005176429507	234	75.41
40 802 GN1	4005176429958	234	80.41
40 804 000	4005176347917	229	240.83
40 805 000	4005176347924	228	40.41
40 806 000	4005176347931	228	27.08
40 807 000	4005176347948	229	133.33
40 808 000	4005176347955	230	120.83
40 809 000	4005176347962	230	95.83
40 824 000	4005176332975	947	21.02
40 834 001	4005176335280	571	738.12
40 841 001	4005176335358	570	94.02
40 842 001	4005176335365	571	1,039.75
40 843 000	4005176337109	565	47.91
40 846 001	4005176344091	238	91.66
40 847 001	4005176344107	243	116.66
40 848 000	4005176351082	562	7.41
40 848 SD0	4005176386008	562	11.24
40 855 000	4005176356452	574	57.00
40 857 000	4005176378393	230	95.83
40 865 000	4005176378140	228	32.49
40 899 000	4005176413896	753, 757	38.72
40 911 000	4005176416132	847, 891	11.95
40 919 SD0	4005176450136	571	13.33
40 920 000	4005176470646	564	18.33
40 949 000	4005176477881	847, 891	22.00
40 950 000	4005176478994	847, 891	16.95
40 954 000	4005176496844	111	99.00
40 962 000	4005176529412	562	29.58
40 980 000	4005176586446	574	292.00
40 981 000	4005176586453	574	292.00
40 982 000	4005176586460	574	311.00
40 983 000	4005176586477	574	311.00
40 984 000	4005176586484	575	47.00
41			
41 007 000	4005176281815	910	14.59
41 027 000	4005176576836	222	49.00
41 027 A00	4005176576911	222	74.00
41 027 AL0	4005176576928	222	79.00
41 027 BE0	4005176576850	222	74.00
41 027 DA0	4005176576898	222	74.00
41 027 DC0	4005176576843	222	69.00
41 027 DL0	4005176576904	222	79.00
41 027 EN0	4005176576867	222	79.00
41 027 GL0	4005176576874	222	74.00
41 027 GN0	4005176576881	222	79.00
41 028 000	4005176576942	222	49.00
41 028 A00	4005176577024	222	74.00
41 028 AL0	4005176577031	222	79.00
41 028 BE0	4005176576966	222	74.00
41 028 DA0	4005176577000	222	74.00
41 028 DC0	4005176576959	222	69.00
41 028 DL0	4005176577017	222	79.00
41 028 EN0	4005176576973	222	79.00
41 028 GL0	4005176576980	222	74.00
41 028 GN0	4005176576997	222	79.00
41 029 000	4005176577055	222	24.00
41 035 000	4005176577062	222	55.00
41 035 A00	4005176577147	222	83.00
41 035 AL0	4005176577154	222	88.00
41 035 BE0	4005176577086	222	83.00
41 035 DA0	4005176577123	222	83.00
41 035 DC0	4005176577079	222	77.00
41 035 DL0	4005176577130	222	88.00
41 035 EN0	4005176577093	222	88.00
41 035 GL0	4005176577109	222	83.00
41 035 GN0	4005176577116	222	88.00
41 036 000	4005176577178	222	32.00
41 037 000	4005176577185	223	14.00
41 038 000	4005176577192	223	65.00
41 038 A00	4005176577277	223	97.00
41 038 AL0	4005176577284	223	104.00
41 038 BE0	4005176577215	223	97.00
41 038 DA0	4005176577253	223	97.00
41 038 DC0	4005176577208	223	91.00
41 038 DL0	4005176577260	223	104.00
41 038 EN0	4005176577222	223	104.00
41 038 GL0	4005176577239	223	97.00
41 038 GN0	4005176577246	223	104.00

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
41 039 000	4005176577307	223	18.00
41 039 A00	4005176577383	223	27.00
41 039 AL0	4005176577390	223	29.00
41 039 BE0	4005176577321	223	27.00
41 039 DA0	4005176577369	223	27.00
41 039 DC0	4005176577314	223	25.00
41 039 DL0	4005176577376	223	29.00
41 039 EN0	4005176577338	223	29.00
41 039 GL0	4005176577345	223	27.00
41 039 GN0	4005176577352	223	29.00
41 049 000	4005176577413	223	30.00
41 049 A00	4005176577499	223	44.00
41 049 AL0	4005176577505	223	47.00
41 049 BE0	4005176577437	223	44.00
41 049 DA0	4005176577475	223	44.00
41 049 DC0	4005176577420	223	42.00
41 049 DL0	4005176577482	223	47.00
41 049 EN0	4005176577444	223	47.00
41 049 GL0	4005176577451	223	44.00
41 049 GN0	4005176577468	223	47.00
41 056 000	4005176577529	223	79.00
41 056 A00	4005176577604	223	118.00
41 056 AL0	4005176577611	223	126.00
41 056 BE0	4005176577543	223	118.00
41 056 DA0	4005176577581	223	118.00
41 056 DC0	4005176577536	223	110.00
41 056 DL0	4005176577598	223	126.00
41 056 EN0	4005176577550	223	126.00
41 056 GL0	4005176577567	223	118.00
41 056 GN0	4005176577574	223	126.00
41 057 000	4005176577635	224	92.00
41 058 000	4005176577642	224	102.00
41 058 A00	4005176577727	224	153.00
41 058 AL0	4005176577734	224	163.00
41 058 BE0	4005176577666	224	153.00
41 058 DA0	4005176577703	224	153.00
41 058 DC0	4005176577659	224	143.00
41 058 DL0	4005176577710	224	163.00
41 058 EN0	4005176577673	224	163.00
41 058 GL0	4005176577680	224	153.00
41 058 GN0	4005176577697	224	163.00
41 059 000	4005176577758	224	108.00
41 059 A00	4005176577833	224	162.00
41 059 AL0	4005176577840	224	173.00
41 059 BE0	4005176577772	224	162.00
41 059 DA0	4005176577819	224	162.00
41 059 DC0	4005176577765	224	151.00
41 059 DL0	4005176577826	224	173.00
41 059 EN0	4005176577789	224	173.00
41 059 GL0	4005176577796	224	162.00
41 059 GN0	4005176577802	224	173.00
41 063 000	4005176577864	224	88.00
41 063 A00	4005176577949	224	132.00
41 063 AL0	4005176577956	224	141.00
41 063 BE0	4005176577888	224	132.00
41 063 DA0	4005176577925	224	132.00
41 063 DC0	4005176577871	224	124.00
41 063 DL0	4005176577932	224	141.00
41 063 EN0	4005176577895	224	141.00
41 063 GL0	4005176577901	224	132.00
41 063 GN0	4005176577918	224	141.00
41 064 000	4005176577970	225	61.00
41 064 A00	4005176578052	225	91.00
41 064 AL0	4005176578069	225	97.00
41 064 BE0	4005176577994	225	91.00
41 064 DA0	4005176578038	225	91.00
41 064 DC0	4005176577987	225	85.00
41 064 DL0	4005176578045	225	97.00
41 064 EN0	4005176578007	225	97.00
41 064 GL0	4005176578014	225	91.00
41 064 GN0	4005176578021	225	97.00
41 066 000	4005176578083	225	216.00
41 066 A00	4005176578168	225	323.00
41 066 AL0	4005176578175	225	345.00
41 066 BE0	4005176578106	225	323.00
41 066 DA0	4005176578144	225	323.00
41 066 DC0	4005176578090	225	302.00
41 066 DL0	4005176578151	225	345.00
41 066 EN0	4005176578113	225	345.00
41 066 GL0	4005176578120	225	323.00
41 066 GN0	4005176578137	225	345.00
41 067 000	4005176578199	225	49.00
41 067 A00	4005176578274	225	74.00
41 067 AL0	4005176578281	225	79.00
41 067 BE0	4005176578212	225	74.00
41 067 DA0	4005176578250	225	74.00
41 067 DC0	4005176578205	225	69.00
41 067 DL0	4005176578267	225	79.00
41 067 EN0	4005176578229	225	79.00
41 067 GL0	4005176578236	225	74.00
41 067 GN0	4005176578243	225	79.00
41 068 000	4005176578304	225	40.00
41 068 A00	4005176578380	225	59.00
41 068 AL0	4005176578397	225	63.00
41 068 BE0	4005176578328	225	59.00
41 068 DA0	4005176578366	225	59.00
41 068 DC0	4005176578311	225	55.00
41 068 DL0	4005176578373	225	63.00
41 068 EN0	4005176578335	225	63.00
41 068 GL0	4005176578342	225	59.00
41 068 GN0	4005176578359	225	63.00
41 069 000	4005176578410	226	79.00
41 069 A00	4005176578496	226	118.00
41 069 AL0	4005176578502	226	126.00
41 069 BE0	4005176578434	226	118.00
41 069 DA0	4005176578472	226	118.00
41 069 DC0	4005176578427	226	110.00
41 069 DL0	4005176578489	226	126.00
41 069 EN0	4005176578441	226	126.00
41 069 GL0	4005176578458	226	118.00
41 069 GN0	4005176578465	226	126.00
41 076 000	4005176578526	226	98.00
41 076 A00	4005176578601	226	147.00
41 076 AL0	4005176578618	226	157.00
41 076 BE0	4005176578540	226	147.00
41 076 DA0	4005176578588	226	147.00
41 076 DC0	4005176578533	226	137.00
41 076 DL0	4005176578595	226	157.00
41 076 EN0	4005176578557	226	157.00
41 076 GL0	4005176578564	226	147.00
41 076 GN0	4005176578571	226	157.00
41 077 000	4005176578632	226	147.00
41 077 A00	4005176578700	226	220.00
41 077 AL0	4005176578717	226	235.00
41 077 BE0	4005176578656	226	220.00
41 077 DA0	4005176575587	226	220.00
41 077 DC0	4005176578649	226	206.00
41 077 DL0	4005176578694	226	235.00
41 077 EN0	4005176578663	226	235.00
41 077 GL0	4005176578670	226	220.00
41 077 GN0	4005176578687	226	235.00
41 275 000	4005176280481	911	40.67

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
42			
42 075 000	4005176244919	865	8.34
42 137 000	4005176259524	860	19.94
42 181 000	4005176286872	858	40.93
42 216 000	4005176803185	848	19.94
42 229 000	4005176299223	953	208.83
42 233 000	4005176300653	861, 978	19.94
42 242 000	4005176804977	865	12.59
42 253 000	4005176814532	858	61.91
42 271 00M	4005176820588	859	50.79
42 297 PI0	4005176832048	858	65.28
42 300 000	4005176832079	866	30.43
42 302 000	4005176835360	975	72.41
42 302 SH0	4005176835384	975	61.91
42 303 000	4005176835391	975	72.41
42 303 SH0	4005176835414	975	61.91
42 304 000	4005176835469	975	72.41
42 304 SH0	4005176835483	975	46.17
42 305 000	4005176835490	975	72.41
42 315 000	4005176835643	863, 977	11.54
42 320 000	4005176837487	860	61.91
42 327 000	4005176838705	828, 862	12.49
42 333 000	4005176845888	828, 863	14.59
42 383 000	4005176903281	916	40.93
42 384 000	4005176903298	916	51.42
42 393 000	4005176905872	664, 668	68.26
42 394 000	4005176906084	953	149.00
42 397 000	4005176906855	847	11.54
42 429 000	4005176918520	358	109.52
42 576 SD0	4005176478703	958	16.62
42 577 SD0	4005176478710	958	42.60
42 579 SD0	4005176478734	958	22.04
42 580 SD0	4005176479236	958	10.00
42 713 000	4005176249112	916	90.51
42 717 000	4005176249167	917	191.35
42 740 000	4005176230653	976	366.24
42 764 00M	4005176222092	978	15.64
42 766 000	4005176222115	847	12.59
42 773 000	4005176221583	863	15.84
42 774 000	4005176221590	861	61.91
42 775 000	4005176221606	978	9.44
42 886 000	4005176200670	736, 953	40.93
42 901 000	4005176167027	871	262.35
42 946 000	4005176153655	829, 863	30.17
42 985 000	4005176149771	917	93.40
43			
43 056 000	4005176154393	976	35.84
43 122 000	4005176154836	976	30.43
43 193 000	4005176155192	900	135.37
43 247 000	4005176155499	976	52.31
43 352 000	4005176832413	861	9.44
43 405 000	4005176156489	977	100.06
43 422 000	4005176156595	977	30.43
43 451 000	4005176156830	977	32.32
43 486 000	4005176157158	860	51.42
43 506 000	4005176157356	977	9.44
43 533 000	4005176157615	978	9.44
43 535 000	4005176157639	864, 976	3.15
43 536 000	4005176157646	859	8.24
43 537 000	4005176157653	858	40.93
43 540 000	4005176157691	864, 977	9.44
43 542 000	4005176157714	863	19.94
43 544 000	4005176157738	864, 976	9.44
43 545 000	4005176157745	864	19.94
43 617 000	4005176841163	848, 875	72.41
43 714 000	4005176158742	979	41.24
43 722 000	4005176158810	864, 978	11.54
43 733 000	4005176158926	859	9.44
43 734 000	4005176158933	864	9.44
43 735 000	4005176158940	865	2.41
43 745 000	4005176158995	865, 978	9.44
43 758 00M	4005176159121	859, 979	40.93
43 770 00M	4005176159244	865	9.44
43 813 000	4005176152467	917	178.14
43 818 000	4005176159589	885	12.59
43 897 000	4005176173981	966	71.10
43 907 PI0	4005176177545	858	82.90
43 908 000	4005176160257	861	19.94
43 976 000	4005176164781	865	9.44
43 977 000	4005176164798	876, 895	208.83
43 981 000	4005176153341	917	145.87
43 982 000	4005176153358	917	168.27
43 996 000	4005176160424	870	171.26
43 997 000	4005176160431	870	169.06
45			
45 023 000	4005176006494	970	9.44
45 044 000	4005176006678	971	13.54
45 048 000	4005176006753	954	19.94
45 052 000	4005176006784	970	8.19
45 058 000	4005176006845	936	52.31
45 080 000	4005176007040	928	28.86
45 081 000	4005176007057	929	28.86
45 120 000	4005176007279	704, 956	36.52
45 123 000	4005176052002	929	11.96
45 124 000	4005176007309	928	30.43
45 144 000	4005176007446	928	15.48
45 180 000	4005176007576	928	40.93
45 186 000	4005176007668	929	13.54
45 202 000	4005176052835	337, 930	11.54
45 203 000	4005176052842	337, 930	19.94
45 258 000	4005176054327	928	27.49
45 304 000	4005176055201	963	31.79
45 314 000	4005176099250	730	82.90
45 316 000	4005176099267	730	72.41
45 342 000	4005176129865	924	51.42
45 346 000	4005176104572	924	51.42
45 363 000	4005176112324	965	19.94
45 388 000	4005176212758	32, 42	77.76
45 459 000	4005176056444	511	13.09
45 484 000	4005176135415	956	56.56
45 605 000	4005176250262	929	9.44
45 650 IP0	4005176137228	964	51.42
45 654 000	4005176063534	972	9.44
45 656 XX0	4005176063626	965	19.94
45 704 000	4005176081231	634, 697	40.93
45 869 000	4005176189876	924	30.43
45 882 000	4005176189883	925	40.93
45 883 000	4005176189890	925	40.93
45 885 000	4005176189913	924	103.89
45 888 000	4005176189944	925	72.41
45 899 000	4005176253072	962	19.94
45 900 000	4005176253089	963	40.93
45 914 XE0	4005176842054	456, 511	24.40
45 937 000	4005176279683	974	24.60
45 964 000	4005176279911	924	7.00
45 973 001	4005176442919	502	9.68
45 984 001	4005176992056	33, 43	352.85
46			
46 048 000	4005176008283	914	93.40
46 056 000	4005176008443	954	41.24

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
46 058 000	4005176008467	954	61.91
46 077 000	4005176008672	967	36.88
46 090 000	4005176008719	967	23.72
46 092 000	4005176057755	956	51.42
46 103 000	4005176008801	939	112.49
46 104 000	4005176008856	956	72.41
46 173 IE0	4005176211263	958	72.41
46 174 000	4005176211294	957	61.91
46 191 000	4005176119996	930	135.37
46 242 000	4005176121913	970	14.59
46 243 000	4005176121920	970	15.33
46 246 000	4005176168086	959	114.38
46 246 SD0	4005176198212	959	136.32
46 249 000	4005176185021	969	15.64
46 257 000	4005176146022	726	86.41
46 259 000	4005176146046	726	76.19
46 277 000	4005176131851	733, 915	40.93
46 278 000	4005176131868	733, 915	103.89
46 308 000	4005176131769	915	40.93
46 312 IE0	4005176136085	958	124.88
46 312 KH0	4005176136108	958	122.88
46 312 SD0	4005176265372	958	247.66
46 315 000	4005176136146	961	45.59
46 322 000	4005176136245	956	32.01
46 338 000	4005176160653	961	40.93
46 343 000	4005176189791	930	187.84
46 345 000	4005176226069	969	19.94
46 374 000	4005176169076	914	93.40
46 375 000	4005176169083	915	40.93
46 386 000	4005176169410	914	114.38
46 409 000	4005176177668	914	49.63
46 429 K00	4005176196881	967	20.25
46 436 000	4005176205644	970	13.85
46 558 000	4005176284120	915	16.79
46 575 000	4005176830099	959	72.41
46 575 DC0	4005176845864	959	135.37
46 576 000	4005176830105	959	49.85
46 580 000	4005176831867	914	93.40
46 588 000	4005176832352	914	88.51
46 590 000	4005176832482	960	40.93
46 592 000	4005176833618	959	103.89
46 627 000	4005176855276	930	84.06
46 686 000	4005176883088	733	27.08
46 687 000	4005176883095	733	37.09
46 710 000	4005176889974	959	67.28
46 711 000	4005176890291	944	14.90
46 717 000	4005176890925	562	208.83
46 731 000	4005176899973	959	58.77
46 739 000	4005176900952	969	19.94
46 757 000	4005176907654	960	19.94
46 765 000	4005176911484	944	9.44
46 837 000	4005176931888	941	13.64
46 857 000	4005176937309	960	61.91
46 857 DC0	4005176937316	960	82.90
46 863 000	4005176942334	914	15.64
46 907 000	4005176319815	914	51.42
46 914 000	4005176326424	950	7.24
46 925 000	4005176347528	960	11.54
46 944 001	4005176479977	757	199.00
46 956 000	4005176384622	960	32.53
46 977 00M	4005176423727	758	49.68
46 978 000	4005176423734	758	49.68
46 978 001	4005176479984	758	96.77
46 979 000	4005176423741	759	20.09
47			
47 010 000	4005176009419	918	204.16
47 012 000	4005176009433	919	261.30
47 019 000	4005176009488	919	415.92
47 024 000	4005176009532	920	200.38
47 025 000	4005176009549	919	439.69
47 111 000	4005176009921	919	313.77
47 167 000	4005176010125	921	19.94
47 175 000	4005176803895	292, 298	156.36
47 186 000	4005176803901	921	187.84
47 189 000	4005176010330	950	40.93
47 217 000	4005176241246	918	145.87
47 220 000	4005176241253	918	187.84
47 238 000	4005176139727	955	40.93
47 262 000	4005176118722	922	198.33
47 282 000	4005176061592	918	145.87
47 310 000	4005176079238	918	187.84
47 327 000	4005176121005	935	42.92
47 349 000	4005176141461	918	124.88
47 364 000	4005176171819	922	82.90
47 373 000	4005176010620	951	162.24
47 379 000	4005176203169	918	282.29
47 439 000	4005176811975	920	156.36
47 450 000	4005176076190	918	166.85
47 483 000	4005176815409	921	187.84
47 532 000	4005176206795	920	198.33
47 533 000	4005176207181	704, 727	30.43
47 565 000	4005176214110	919	304.32
47 569 000	4005176214189	713	383.77
47 574 000	4005176217920	919	40.93
47 598 000	4005176229169	920	282.29
47 600 000	4005176228995	920	240.31
47 657 000	4005176262838	918	292.78
47 658 000	4005176262845	918	597.10
47 727 000	4005176884160	362	30.43
47 780 000	4005176836541	690, 710	142.66
47 781 000	4005176836558	710	164.81
47 790 000	4005176841491	334	59.72
47 837 000	4005176918490	359	76.32
47 867 000	4005176923227	359	76.32
47 868 000	4005176923234	359	76.32
47 877 000	4005176923241	359	76.32
47 885 000	4005176924729	921	40.93
47 910 000	4005176938887	359	54.19
47 979 000	4005176316708	709	17.00
47 994 000	4005176364723	709	2.18
48			
48 021 000	4005176881435	973	9.44
48 051 000	4005176890024	469, 482	6.30
48 053 000	4005176890031	404	93.40
48 054 000	4005176890048	404	72.41
48 099 000	4005176908583	964	19.94
48 159 000	4005176919589	941	9.44
48 166 000	4005176923197	974	14.80
48 177 000	4005176924248	965	40.93
48 189 000	4005176928772	940	28.79
48 190 000	4005176928987	940	33.21
48 191 000	4005176928994	940	33.21
48 213 000	4005176937323	953	103.89
48 279 000	4005176354069	963	19.94
48 293 000	4005176358593	957	30.43
48 297 000	4005176361265	915	37.78
48 333 000	4005176377945	963	51.42
48 348 000	4005176408502	360, 369	29.09
48 349 000	4005176409851	369, 404	110.60
48 350 000	4005176409868	369, 404	138.27
48 359 000	4005176442810	916	43.02
48 374 LN0	4005176454424	952	75.00

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
48 384 000	4005176474422	969	13.51
48 416 000	4005176482472	960	27.01
48 416 DC0	4005176482489	960	34.00
48 423 000	4005176484568	963	16.79
49			
49 003 000	4005176413537	335	208.31
49 016 000	4005176452819	983	10.65
49 019 000	4005176452840	984	2.25
49 020 000	4005176452857	983	15.74
49 021 000	4005176452864	983	3.37
49 022 000	4005176452871	983	24.75
49 023 000	4005176452888	983	15.75
49 024 000	4005176454196	984	63.02
49 025 000	4005176454202	983	22.50
49 027 000	4005176454226	984	63.02
49 028 000	4005176442827	921	50.37
49 061 000	4005176472800	983	15.73
49 066 000	4005176472848	983	15.76
49 084 000	4005176487101	922	37.40
49 113 000	4005176571398	780	2,001.81
49 113 SH0	4005176571404	780	2,006.05
49 114 000	4005176571428	781	166.14
49 115 000	4005176571411	780	100.51
49 509 000	4005176373312	984	57.37
49 510 000	4005176373329	984	58.51
49 512 000	4005176373343	983	25.87
49 516 000	4005176373381	983	22.51
49 518 000	4005176373404	983	25.87
49 522 000	4005176421501	796, 984	25.88
49 526 000	4005176421129	983	13.49
49 528 000	4005176472763	984	33.77
49 529 000	4005176472770	984	20.25
49 530 000	4005176472787	984	8.99
49 532 000	4005176474224	796, 806	10.11
49 533 000	4005176478475	809	31.31
49 533 SH0	4005176560033	809	48.00
49 534 000	4005176478482	809	31.31
49 534 SH0	4005176560040	809	48.00
64			
64 374 000	4005176869594	945	16.69
64 451 000	4005176869273	942	9.44
64 508 001	4005176984112	563	34.16
65			
65 655 000	4005176844539	954	19.94
65 807 000	4005176849893	946	41.24
65 807 A00	4005176467721	946	99.00
65 807 AL0	4005176467714	946	73.63
65 807 BE0	4005176467691	946	62.00
65 807 DA0	4005176467752	946	90.00
65 807 DC0	4005176442797	946	100.48
65 807 DL0	4005176467769	946	123.00
65 807 EN0	4005176467707	946	68.00
65 807 GL0	4005176467738	946	90.00
65 807 GN0	4005176467745	946	73.63
65 808 000	4005176860065	947	43.13
66			
66 791 000	4005176866562	848	15.64

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

DISCOVER THE **WORLD OF GROHE**

If you're looking for ideas or solutions for your bathroom and kitchen, the **GROHE Media APP** is where you will find your inspiration. With a new name and a fresh new look, this app puts all the latest content from GROHE – magazines, videos, books and brochures – at your fingertips. This is just a small selection of what the world of GROHE has to offer: the perfect addition to your GROHE home.

GET IT HERE

VISIT US ONLINE AND FOLLOW US ON SOCIAL MEDIA

FACEBOOK grohe.enjoywater | INSTAGRAM grohe_global
TWITTER grohe | YOUTUBE grohe | PINTEREST grohe

GET IT ON Google Play

Download on the App Store

System requirements
iPhone with iOS 11.0 or higher / smart phone with Android 6.0 or higher. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

LIXIL MAKES BETTER HOMES
A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.

Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide.
What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarat wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.

› WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.

lixil.com

LIXIL Link to Good Living



GROHE | American Standard | INAX | TOSTEM | SATO

Visit us:



QUALITY

*"*No.1 *most trusted brand in the sanitary industry" –*
Wirtschaftswoche, 2017

TECHNOLOGY

*"*Top 50 *companies to change the world" –*
Fortune Magazine, 2017

DESIGN

Over 400 design awards *won since 2003*

SUSTAINABILITY

CSR Award winner *of the German Government, 2017*

GROHE Limited
World Business Centre 2
Newall Road
London Heathrow Airport
Hounslow
Middlesex
TW6 2SF
Tel: 0208 283 2840
Fax: 0871 200 3415
E-Mail: info-uk@grohe.com

GB_02/2020 – Copyright by GROHE

Klimaneutral
Druckprodukt
ClimatePartner.com/53446-1911-1001

PART OF LIXIL