

CATALOGUE
2020

GROHE.COM

GROHE
TABLE OF CONTENTS

Our brand			8
Bath fittings	Fittings	Allure Brilliant	14
		Allure	22
		Atrio	33
		Grandera	47
		Lineare	56
		Eurocube Joy	62
		Eurocube	68
		GROHE Plus	76
		Essence	86
		Eurodisc Joy	98
		Eurodisc Cosmopolitan	101
		Concetto	106
		Eurostyle Cosmopolitan	111
		Eurostyle	116
		Eurosmart Cosmopolitan	123
		Eurosmart	130
		Euroeco	135
		BauEdge	137
		BauLoop	140
		BauFlow	143
	Two Handle fittings	Costa L	145
		Costa S	148
	Universal	Universal	150
		Multi purpose mixer	151
	Bath sets	Talentofill	152
	Accessories	Selection	155
		Selection Cube	160
		Essentials	163
		Essentials Cube	170
		BauCosmopolitan	174

GROHE
TABLE OF CONTENTS

		Essentials Authentic	177
Thermostats	Grohtherm	Grohtherm SmartControl	182
		Grohtherm 2 handle trim sets	194
		Grohtherm 3000 Cosmopolitan	200
		Grohtherm 2000	201
		Grohtherm Cube	203
		Grohtherm 800	206
Concealed solutions		GROHE Rapido SmartBox	210
		GROHE Rapido C / stop valves	212
Showers	GROHE Digital	F-digital Deluxe	216
	Shower Systems	Rainshower System SmartControl	222
		Rainshower SmartActive System	228
		Rainshower System	231
		Euphoria SmartControl System	234
		Euphoria System	237
		Tempesta System	244
		Shower system accessories	246
	Head showers	Head showers	249
	Showers	Sena	270
		Rainshower SmartActive	272
		Rainshower	286
		Power&Soul	290
		Movario	295
		Euphoria	296
		Tempesta	309
		Sena trigger sprays	323
		Tempesta-F trigger sprays	324
		Shower hoses	326
		Shower accessories	329
Kitchen faucets	Water systems	GROHE Blue Professional	342
		GROHE Blue Home	347

GROHE
TABLE OF CONTENTS

		GROHE Blue Pure	354
		GROHE Blue accessories	357
		GROHE Red	360
		Waste separation systems	365
	Premium lines	K7	367
		FootControl	368
		Minta / Minta SmartControl / Minta Touch	369
		Zedra / Zedra SmartControl / Zedra Touch	373
		Atrio	375
		Essence	376
		Eurocube	378
	Competence lines	Eurodisc Cosmopolitan	379
		Eurodisc	380
		Concetto	381
		Eurostyle Cosmopolitan	384
		Eurosmart Cosmopolitan	386
		Eurosmart	388
		Euroeco / Euroeco Special	391
		Costa	392
		Bau Lines	394
		Soap dispensers	397
	Kitchen sinks	Stainless Steel Sinks	400
		Composite Sinks	407
Special fittings	Electronic fittings	Eurocube E	416
		Essence E	419
		Bluetooth monitoring	422
		Europlus E	431
		Eurosmart Cosmopolitan E	434
		Euroeco Cosmopolitan E	442
		Bau Cosmopolitan E	446
	Special thermostats	Grohtherm Micro	448

GROHE
TABLE OF CONTENTS

		Grohtherm Special	449
		Grohtherm XL	454
	Single-lever mixer	Euroeco Special	457
		Euroeco Special / SSC	463
	Self-closing fittings	Eurodisc SE	465
		Eurosmart Cosmopolitan T	466
		Euroeco Cosmopolitan T	468
Shower toilet		GROHE Sensia IGS	472
		GROHE Sensia Arena	475
		Manual Bidet Seat	479
Ceramics		Essence	482
		Cube Ceramic	490
		Euro Ceramic	494
		Bau Ceramic	499
		Acrylic shower trays	505
Installation Systems	Rapid SLX	Rapid SLX	510
	Rapid SL	Rapid SL for WC	513
		Rapid SL for urinal	522
		Rapid SL for wash basin and bidet	524
		Rapid SL for the disabled	527
		Rapid SL free-standing installation	530
		Rapid SL fitting supports	532
		Rapid SL accessories	533
	Uniset	Uniset frames and accessories	536
Flushing systems	WC	Flushing cisterns	542
		Accessories for flushing cisterns	544
		WC flush valves	553
		WC electronic	558
	Urinal	Urinal electronic	562
		Urinal flush valves	568
Actuations	WC	Wall plates for WC	574

GROHE
TABLE OF CONTENTS

		GROHE Fresh	580
	Urinal	Wall plates for urinal	581
Connections and Security		Angle Valves	586
		WAS valves	589
		Safety systems	593
		Eurotec valves	595
Spare parts		Cartridges	598
		Thermo elements and thermostatic cartridges	600
		Aquadimmer	601
		Head parts	602
		Extension sets	604
		Unions	605
		Outlets and spouts	607
		Flow straighteners	608
		Waste sets and traps	610
		Connections and non-return valves	611
		Spare parts for electronics	612
		Diverters	613
		Hoses	614
		Spare parts for kitchen faucets	615
		Spare parts for showers	616
		Spare parts for accessories	617
		Special tools	618
		Cleaning and care	619
		Spare parts for sanitary systems	620
		Spare parts for shower toilet	621
		Spare parts for Ceramics	622
Survey of contents			624
Discover the world of GROHE			642
LIXIL makes better homes a reality for everyone, everywhere.			644


PURE FREUDE AN WASSER.


Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.









QUALITY


From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

"No.1 most trusted brand in the sanitary industry" – Wirtschaftswoche, 2017

TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

"Top 50 companies to change the world" – Fortune Magazine, 2017





DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

Over 400 design awards won since 2003

SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

CSR Award winner of the German Government, 2017

GROHE
BATH FITTINGS





CONTENTS

Fittings	Allure Brilliant	14
	Allure	22
	Atrio	33
	Grandera	47
	Lineare	56
	Eurocube Joy	62
	Eurocube	68
	GROHE Plus	76
	Essence	86
	Eurodisc Joy	98
	Eurodisc Cosmopolitan	101
	Concetto	106
	Eurostyle Cosmopolitan	111
	Eurostyle	116
	Eurosmart Cosmopolitan	123
	Eurosmart	130
	Euroeco	135
	BauEdge	137
	BauLoop	140
	BauFlow	143
Two Handle fittings	Costa L	145
	Costa S	148
Universal	Universal	150
	Multi purpose mixer	151
Bath sets	Talentofill	152
Accessories	Selection	155
	Selection Cube	160
	Essentials	163
	Essentials Cube	170
	BauCosmopolitan	174
	Essentials Authentic	177

GROHE
ALLURE BRILLIANT


	Article No.	Colour	Price
	**23 029 000**	**chrome**	**571.00**
	23 029 A00	**hard graphite**	**854.70**
	23 029 AL0	**brushed hard graphite**	**930.70**
	Allure Brilliant **Single-lever basin mixer 1/2“** **M-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.0 l/min. flow limiter **GROHE QuickFix** installation system spout with integrated mousseur pop-up waste set 1 1/4“ flexible connection hoses		
	23 033 000	**chrome**	**579.60**
	23 033 A00	**hard graphite**	**911.00**
	ditto, smooth body		
	**23 109 000**	**chrome**	**713.20**
	23 109 A00	**hard graphite**	**1,313.80**
	23 109 AL0	**brushed hard graphite**	**1,459.80**
	Allure Brilliant **Single-lever basin mixer 1/2“** **L-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.0 l/min. flow limiter **GROHE QuickFix** installation system spout with integrated mousseur pop-up waste set 1 1/4“ flexible connection hoses		
	23 112 000	**chrome**	**672.70**
	ditto, smooth body		
	**23 114 000**	**chrome**	**862.90**
	23 114 AL0	**brushed hard graphite**	**1,496.00**
	Allure Brilliant **Single-lever basin mixer 1/2“** **XL-Size** single hole installation for free-standing basins **GROHE SilkMove** 28 mm ceramic cartridge temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.0 l/min. flow limiter **GROHE QuickFix** installation system spout with integrated mousseur smooth body flexible connection hoses		
	**20 344 000**	**chrome**	**817.50**
	20 344 DC0	**supersteel**	**1,240.00**
	20 344 A00	**hard graphite**	**1,317.80**
	20 344 AL0	**brushed hard graphite**	**1,405.70**
	Allure Brilliant **Three-hole basin mixer 1/2“** **M-Size** ceramic headparts 1/2“, 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.0 l/min. flow limiter spout with integrated mousseur pop-up waste set 1 1/4“ pressure-proof, flexible connection hoses between spout and side valves		

*** price on request**
N = Net = price based on net price

GROHE
ALLURE BRILLIANT

	Article No.	Colour	Price






20 342 000 — **chrome** — **684.90**

Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
low spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses between spout and side valves







20 346 000 — **chrome** — **711.70**

Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
wall mounted
without concealed body
set for final installation for 29 025 002
valves hot/cold with
ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
centre distance 200 mm
projection 161 mm

20 348 000 — **chrome** — **757.10**
ditto, projection 210 mm






29 025 002 — *

Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






19 781 000 — **chrome** — **681.20**

Allure Brilliant
Two-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for 23 200
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
center distance 110 mm
projection 161 mm

19 783 000 — **chrome** — **726.90**
ditto, projection 210 mm






23 200 002 — **254.20**

Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE
ALLURE BRILLIANT

Article No.	Colour	Price






23 117 000 **chrome** **642.10**

Allure Brilliant
Single-lever bidet mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses






24 071 000 **chrome** **383.40**
24 071 DC0 **supersteel** **543.30**
24 071 A00 **hard graphite** **582.20**
24 071 AL0 **brushed hard graphite** **621.20**

Allure Brilliant
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






24 072 000 **chrome** **422.30**
24 072 DC0 **supersteel** **597.60**
24 072 A00 **hard graphite** **640.60**
24 072 AL0 **brushed hard graphite** **682.70**

Allure Brilliant
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






24 099 000 **chrome** **446.90**
24 099 DC0 **supersteel** **625.90**
24 099 A00 **hard graphite** **678.60**
24 099 AL0 **brushed hard graphite** **714.60**

Allure Brilliant
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price


GROHE
ALLURE BRILLIANT

	Article No.	Colour	Price
 	**19 787 001**	**chrome**	**1,611.30**



Allure Brilliant
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with integrated mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

 	**29 037 000**		**818.90**


4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

 	**23 119 000**	**chrome**	**2,537.50**
	23 119 A00	**hard graphite**	**4,051.80**
	23 119 AL0	**brushed hard graphite**	**4,322.00**

Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube+
metal shower hose 1250 mm
protected against backflow

 	**13 301 000**	**chrome**	**1,498.90**
	13 301 DC0	**supersteel**	**2,273.00**
	13 301 A00	**hard graphite**	**2,435.00**
	13 301 AL0	**brushed hard graphite**	**2,598.00**








Allure Brilliant
Bath spout, floor mounted
set for final installation for 45 984
without roughing-in-set
GROHE StarLight chrome finish
spout with integrated mousseur
projection 270 mm

 	**13 319 000**	**chrome**	**700.20**
	13 319 DC0	**supersteel**	**1,105.00**
	13 319 A00	**hard graphite**	**1,184.00**
	13 319 AL0	**brushed hard graphite**	**1,263.00**

Allure Brilliant
Cascade spout for bath and shower
wall mounted
GROHE StarLight chrome finish
projection 180 mm


*** price on request**
N = Net = price based on net price

GROHE
ALLURE BRILLIANT


	Article No.	Colour	Price
 	**13 299 000** **13 299 DC0** **13 299 A00** **13 299 AL0**	**chrome** **supersteel** **hard graphite** **brushed hard graphite**	**300.50** **478.00** **512.00** **546.00**
	Allure Brilliant **Bath spout** wall mounted **GROHE StarLight** chrome finish projection 161 mm spout with integrated mousseur		
 	**19 798 000** **19 798 DC0** **19 798 A00** **19 798 AL0**	**chrome** **supersteel** **hard graphite** **brushed hard graphite**	**257.40** **391.00** **419.00** **446.00**
	Allure Brilliant **5-way diverter** set for final installation for 29 033 000 without concealed body **GROHE StarLight** chrome finish		
 	**29 033 000**		**254.70**
	5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2“ 2 outlets 1/2“ 1 bath outlet 3/4“ installation depth infinitely adjustable 66 - 113 mm DR-brass		
 	**19 796 000**	**chrome**	**184.70**
	Allure Brilliant **Concealed valve exposed part** set for final installation for 29 032 000 (preassembled headpart 1/2“) 35 028 000 **GROHE StarLight** chrome finish		
 	**35 028 000**		**131.60**
	Rapido C **Rough-in box for single volume control** built-in box with removable protection cover waterproof membrame base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass preassembled ceramic headpart 3/4“ connection threads 1/2“ flow rate: 55.0 l/min. at 3 bar installation depth 70 - 95 mm		
 	**27 707 000**	**chrome**	**48.90**
	Allure Brilliant **Shower outlet elbow, 1/2“** male thread protected against backflow material: metal **GROHE StarLight** chrome finish		

*** price on request**
N = Net = price based on net price

GROHE
ALLURE BRILLIANT

	Article No.	Colour	Price
 	**27 706 000**	**chrome**	**31.10**







Allure Brilliant
Wall hand shower holder
not adjustable
material: metal
GROHE StarLight chrome finish

 	**38 732 000**	**chrome**	**65.00**
	38 732 DC0	**supersteel**	**147.60**
	38 732 A00	**hard graphite**	**141.00**
	38 732 AL0	**brushed hard graphite**	**141.00**

Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow




*** price on request**
N = Net = price based on net price

GROHE
ALLURE BRILLIANT

	Article No.	Colour	Price
 	40 494 000 N 40 494 DC0 40 494 A00 40 494 AL0 **Allure Brilliant** **Holder with soap dispenser** material: glass / metal filling quantity 150 ml concealed fastening **GROHE StarLight** chrome finish	**chrome** **supersteel** **hard graphite** **brushed hard graphite**	**351.30** **479.00** **512.00** **553.00**
 	40 493 000 N 40 493 DC0 40 493 A00 40 493 AL0 **Allure Brilliant** **Holder with tumbler** material: glass / metal concealed fastening **GROHE StarLight** chrome finish	**chrome** **supersteel** **hard graphite** **brushed hard graphite**	**227.90** **313.00** **338.00** **363.00**
 	40 503 000 N 40 503 DC0 40 503 A00 40 503 AL0 **Allure Brilliant** **Shelf with tumbler** material: glass / metal concealed fastening **GROHE StarLight** chrome finish	**chrome** **supersteel** **hard graphite** **brushed hard graphite**	**272.00** **371.00** **396.00** **429.00**
 	40 504 000 N 40 504 DC0 40 504 A00 40 504 AL0 **Allure Brilliant** **Shelf with soap dish** **GROHE StarLight** chrome finish	**chrome** **supersteel** **hard graphite** **brushed hard graphite**	**272.00** **379.00** **404.00** **429.00**
 	40 496 000 N 40 496 DC0 40 496 A00 40 496 AL0 **Allure Brilliant** **Towel bar** 2 arms, not pivotable concealed fastening **GROHE StarLight** chrome finish	**chrome** **supersteel** **hard graphite** **brushed hard graphite**	**192.80** **264.00** **280.00** **297.00**
 	40 497 000 N 40 497 DC0 40 497 A00 40 497 AL0 **Allure Brilliant** **Towel rail** 650 mm (drilling length 600 mm) material: metal concealed fastening **GROHE StarLight** chrome finish	**chrome** **supersteel** **hard graphite** **brushed hard graphite**	**219.10** **297.00** **313.00** **338.00**





*** price on request**
N = Net = price based on net price

GROHE
ALLURE BRILLIANT

	Article No.	Colour	Price
 	40 498 000 N 40 498 DC0 40 498 A00 40 498 AL0	chrome supersteel hard graphite brushed hard graphite	93.40 124.00 132.00 140.00
Allure Brilliant **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish			
 	40 499 000 N 40 499 DC0 40 499 A00 40 499 AL0	chrome supersteel hard graphite brushed hard graphite	185.70 255.00 272.00 288.00
Allure Brilliant **Toilet paper holder** without cover material: metal concealed fastening **GROHE StarLight** chrome finish			
 	40 500 000 N 40 500 DC0 40 500 A00 40 500 AL0	chrome supersteel hard graphite brushed hard graphite	301.20 412.00 445.00 470.00
Allure Brilliant **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE StarLight** chrome finish			








* price on request
N = Net = price based on net price

GROHE
ALLURE

	Article No.	Colour	Price
 	**32 757 000** **Allure** **Single-lever basin mixer 1/2"** **M-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses	**chrome**	417.80
	32 759 000 **ditto, smooth body**	**chrome**	488.80
 	**32 146 000** **Allure** **Single-lever basin mixer 1/2"** **L-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses	**chrome**	525.30
	23 076 000 **ditto, without pop-up waste set**	**chrome**	502.90
 	**32 760 000** **Allure** **Single-lever basin mixer 1/2"** **XL-Size** single hole installation for free-standing basins **GROHE SilkMove** 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses projection 104 mm	**chrome**	755.70
 	**23 403 000** **Allure** **Single-lever basin mixer 1/2"** **XL-Size** single hole installation for free-standing basins **GROHE SilkMove** 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** 6.0 l/min. flow limiter **GROHE QuickFix Plus** installation system smooth body flexible connection hoses temperature limiter	**chrome**	658.20







*** price on request**
N = Net = price based on net price

GROHE ALLURE

	Article No.	Colour	Price
 	**32 249 000** **Allure** **Single-lever basin mixer 1/2“** **XL-Size** single hole installation for free-standing basins **GROHE SilkMove** 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** 6.0 l/min. flow limiter rapid installation system mousseur U-spout pop-up waste set 1 1/4“ flexible connection hoses	**chrome**	**805.40**
 	**20 188 000** **Allure** **Three-hole basin mixer 1/2“** **M-Size** ceramic headparts 1/2“, 90° **GROHE StarLight** chrome finish flow limiter 8 l/min. spout with mousseur pressure-proof, flexible connection hoses between spout and side valves pop-up waste set 1 1/4“	**chrome**	**708.70**
 	**20 190 000** **Allure** **Three-hole basin mixer 1/2“** **S-Size** wall mounted without concealed body set for final installation for 32 706 000 valves hot/cold with Carbodur ceramic headparts 1/2“ - 180° **GROHE StarLight** chrome finish flow limiter 8 l/min. spout with mousseur centre distance 200 mm projection 172 mm	**chrome**	**623.70**
	20 192 000 **ditto, projection 220 mm**	**chrome**	**667.40**
 	**32 706 000** **Two-handle basin mixer** **concealed body, 1/2“** for 3-hole wash-basin mixer wall installation without finishing trim set installation depth 30 - 75 mm DR-brass installation device		**228.80**
 	**20 189 000** **Allure** **Three-hole basin mixer 1/2“** **S-Size** wall mounted without concealed body set for final installation for 29 025 002 valves hot/cold with ceramic headparts 1/2“ - 90° **GROHE StarLight** chrome finish flow limiter 8 l/min. spout with mousseur centre distance 200 mm projection 172 mm	**chrome**	**629.70**
	20 193 000 **ditto, projection 220 mm**	**chrome**	**667.40**

* price on request
N = Net = price based on net price

GROHE
ALLURE


	Article No.	Colour	Price
 	**29 025 002**		*
	Two-handle basin mixer **concealed body, 1/2"** for 3-hole wash-basin mixer wall installation without finishing trim set Installation depth 43 - 85 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		
 	**19 309 000**	**chrome**	**663.60**
	Allure **Two-hole basin mixer** **S-Size** wall mounted without concealed body set for final installation for 33 769 000 **GROHE StarLight** chrome finish flow limiter 8 l/min. spout with mousseur center distance 110 mm projection 172 mm		
	19 386 000	**chrome**	**698.60**
	ditto, projection 220 mm		
 	**33 769 000**		**246.00**
	Single-lever mixer 1/2", concealed body for 2-hole basin mixers wall installation without finishing trim set **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device		
 	**32 147 000**	**chrome**	**402.10**
	Allure **Single-lever bidet mixer 1/2"** **M-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge **GROHE StarLight** chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses		
 	**32 846 000**	**chrome**	**777.70**
	Allure **Single-lever shower mixer 1/2"** wall mounted **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE QuickFix** system adjustable flow rate limiter shower front outlet 1/2" with integrated non return-valve flat wall installation with covered unions protected against backflow		

*** price on request**
N = Net = price based on net price

GROHE ALLURE

	Article No.	Colour	Price






32 826 000 **chrome** **935.50**

Allure
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix system
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
flat wall installation with covered unions
protected against backflow






24 069 000 **chrome** **357.70**

Allure
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 070 000 **chrome** **389.50**

Allure
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation





34 706 000 **chrome** **1,458.00**


Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation (29 126 000)
GROHE Rapido SmartBox 35 600 000
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)

*** price on request**
N = Net = price based on net price

GROHE ALLURE

	Article No.	Colour	Price





34 742 000 **chrome** **1,320.20**


Grohtherm SmartControl
Perfect shower set
consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 125 000)
GROHE Rapido SmartBox 35 600 000
Rainshower F-Series 10" head shower set (26 070 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)



25 083 001 **chrome** **1,640.10**

Allure
5-hole bath combination
Carbodur ceramic headparts 1/2", 180°
GROHE StarLight chrome finish
bath spout 8 1/4" without diverter
Sena hand shower 6.6 l/min
shower hose
2000 mm






19 316 000 **chrome** **1,235.80**

Allure
Three-hole single-lever
bath combination
GROHE StarLight chrome finish
trim set for 33 339
without baseframe
consisting of:
single lever mixer operating element
bath inlet with automatic diverter
bath/shower
Sena hand shower (28 034 000)
metal shower hose 2000 mm






33 339 000 **801.00**

Three-hole single-lever
bath combination
baseframe for installation under
tiled surround
without finishing trim set
consisting of:
mounting plate and base frame
GROHE SilkMove 46 mm cartridge
and spout fixing pre-assembled
flexible connection hoses
connection for shower hose
drainage box with
integrated outlet for splash water
protected against backflow











32 754 002 **chrome** **2,278.00**

Allure
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur and stop limiter
projection 300 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
Sena hand shower 6.6 l/min
shower hose 1500 mm
protected against backflow

*** price on request**
N = Net = price based on net price

GROHE ALLURE


	Article No.	Colour	Price
 	**13 218 000** **Allure** **Bath spout, floor mounted** set for final installation for 45 984 without roughing-in-set **GROHE StarLight** chrome finish spout with mousseur projection 300 mm	**chrome**	**1,362.60**
 	**45 984 001** **Rough-in set 1/2"** for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/ spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug gasket fixing material		**445.70**
 	**13 317 000** **Allure** **Cascade spout for bath and shower** wall mounted **GROHE StarLight** chrome finish projection 180 mm	**chrome**	**735.60**
 	**13 264 000** **Allure** **Bath spout 3/4"** wall mounted **GROHE StarLight** chrome finish projection 172 mm mousseur	**chrome**	**261.90**
 	**19 590 000** **Allure** **5-way diverter** set for final installation for 29 033 000 without concealed body bayonet union escutcheon **GROHE StarLight** chrome finish	**chrome**	**190.80**

*** price on request**
N = Net = price based on net price

GROHE
ALLURE

	Article No.	Colour	Price






29 033 000 **254.70**

5-way diverter
concealed body
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth infinitely adjustable
66 - 113 mm
DR-brass






19 334 000 **chrome** **130.30**

Allure
Concealed valve exposed part
set for final installation for
35 028 000
for GROHE concealed valves, 1/2", 3/4", 1"
escutcheon with screwable wall sealing
GROHE StarLight chrome finish






19 384 000 **chrome** **130.30**

Allure
Concealed valve exposed part
with lever handle
set for final installation for 29 032
35 028 000
installation depth infinitely adjustable
43 - 91 mm
metal escutcheon
without concealed body
GROHE StarLight chrome finish

35 028 000 **131.60**
GROHE Rapido C rough-in box for single volume control










27 469 000 **chrome** **1,225.80**

Rainshower F-Series System 254
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
with ball joint rotation angle ± 20°
hand shower Sena (28 341 000)
adjustable in height with gliding element (12 140 000)
metal shower hose 1750 mm
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.





*** price on request**
N = Net = price based on net price

GROHE ALLURE

	Article No.	Colour	Price
 	**26 259 000** **Rainshower F-Series 10" 254 x 254** **Head shower set 422 mm, 1 spray** consisting of: head shower Rainshower F-Series 10" (27 271 000) 1 spray pattern: Rain Rainshower shower arm square 422 mm (26 145 000) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **DropStop** no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater	**chrome**	**479.60**
	26 070 000 **ditto, with GROHE EcoJoy 9.5 l/min flow limiter**	**chrome**	**458.50**
	26 060 000 **ditto, with non-restricted flow**	**chrome**	**433.80**
 	**26 071 000** **Rainshower F-Series 10"** **Head shower set ceiling 142 mm, 1 spray** consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**chrome**	**437.90**
 	**27 251 000** **Rainshower F-Series 5"** **Side shower 1 spray** Normal spray including concealed body 127 x 127 mm flow straightener with ball joint (± 12.5° rotatable) connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **GROHE FlowBalance** flow regulating screw **SpeedClean** anti-lime system	**chrome**	**114.90**
 	**28 034 000** **Sena Stick** **Hand shower 1 spray** Normal spray material: metal **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**chrome**	**145.70**
 	**27 076 000** **Rainshower** **Shower outlet elbow** male thread with square escutcheon protected against backflow **GROHE StarLight** chrome finish	**chrome**	**51.30**







*** price on request**
N = Net = price based on net price

GROHE
ALLURE

	Article No.	Colour	Price
 	**27 075 000**	**chrome**	**32.40**
	Rainshower **Wall hand shower holder** not adjustable with square escutcheon **GROHE StarLight** chrome finish		
 	**19 952 000**	**chrome**	**167.80**
	Talentofill **Inlet-, pop-up and waste-system** set for final installation consisting of: escutcheon supply part waste plug fixing set **in combination with** **Talentofill 28 990/28 991**		
 	**28 912 000**	**chrome**	**238.80**
	Trap 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon **GROHE StarLight** chrome finish		
 	**38 732 000**	**chrome**	**65.00**
	Skate Cosmopolitan **Flush plate** for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow		




*** price on request**
N = Net = price based on net price

GROHE ALLURE

	Article No.	Colour	Price
 	**40 363 000 N** **Allure** **Soap dispenser** material: glass / metal wall mounted filling quantity 160 ml consisting of holder and tank concealed fastening **GROHE StarLight** chrome finish	**chrome**	192.80
 	**40 278 000 N** **Allure** **Holder** for glass or soap dish without glass **GROHE StarLight** chrome finish	**chrome**	87.90
	40 254 000 N **Glass**		29.90
 	**40 278 000 N** **Allure** **Holder** for glass or soap dish without glass **GROHE StarLight** chrome finish	**chrome**	87.90
	40 256 000 N **Soap dish**		42.70
 	**40 339 000 N** **Allure** **Towel ring** material: metal concealed fastening **GROHE StarLight** chrome finish	**chrome**	118.90
 	**40 342 000 N** **Allure** **Towel bar** 2 arms, not pivotable length 426 mm concealed fastening **GROHE StarLight** chrome finish	**chrome**	176.00
 	**40 341 000 N** **Allure** **Towel rail** 640 mm (drilling length 600 mm) material: metal concealed fastening **GROHE StarLight** chrome finish	**chrome**	176.00





* price on request
N = Net = price based on net price

GROHE
ALLURE

	Article No.	Colour	Price
 	**40 284 000 N** **Allure** **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish	**chrome**	**48.90**
 	**40 279 000 N** **Allure** **Toilet paper holder** without cover material: metal concealed fastening **GROHE StarLight** chrome finish	**chrome**	**118.90**
 	**40 340 000 N** **Allure** **Toilet brush set** wall model **GROHE StarLight** chrome finish	**chrome**	**192.80**
	40 207 000 **Spare brush head**		**34.20**
	40 206 000 **Spare brush**	**chrome**	**58.00**
	40 265 000 **Spare glass for brush**		**113.90**






*** price on request**
N = Net = price based on net price

GROHE
ATRIO

	Article No.	Colour	Price
 	**32 043 003**	**chrome**	**369.50**
	32 043 DC3	**supersteel**	**517.20**
	32 043 GL3	**cool sunrise**	**550.00**
	32 043 DA3	**warm sunset**	**550.00**
	32 043 AL3	**brushed hard graphite**	**591.50**
	Atrio **Single-lever basin mixer 1/2“** **M-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.7 l/min laminar mousseur swivel tubular C-spout with mousseur stop limiter Push-open waste set 1 1/4“ flexible connection hoses		
 	**32 042 003**	**chrome**	**426.00**
	32 042 DC3	**supersteel**	**596.40**
	32 042 GL3	**cool sunrise**	**599.60**
	32 042 DA3	**warm sunset**	**634.00**
	32 042 AL3	**brushed hard graphite**	**681.50**
	Atrio **Single-lever basin mixer 1/2“** **L-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.7 l/min laminar mousseur swivel tubular C-spout with mousseur stop limiter Push-open waste set 1 1/4“ flexible connection hoses		
 	**32 647 003**	**chrome**	**596.30**
	32 647 DC3	**supersteel**	**835.00**
	32 647 GL3	**cool sunrise**	**888.00**
	32 647 DA3	**warm sunset**	**888.00**
	32 647 AL3	**brushed hard graphite**	**954.30**
	Atrio **Single-lever basin mixer 1/2“** **XL-Size** single hole installation for free-standing basins **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.7 l/min laminar mousseur swivel tubular C-spout with mousseur stop limiter Push-open waste set 1 1/4“ flexible connection hoses		
 	**19 287 003**	**chrome**	**426.00**
	19 287 DC3	**supersteel**	**596.40**
	19 287 GL3	**cool sunrise**	**634.00**
	19 287 DA3	**warm sunset**	**634.00**
	19 287 AL3	**brushed hard graphite**	**681.50**
	Atrio **Two-hole basin mixer joystick** wall mounted without concealed body set for final installation for 23 429 000 **GROHE FeatherControl** Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.7 l/min laminar mousseur center distance 110 mm projection 185 mm		

*** price on request**
N = Net = price based on net price

GROHE
ATRIO


	Article No.	Colour	Price
 	**19 918 003**	**chrome**	**483.50**
	19 918 DC3	**supersteel**	**676.70**
	19 918 GL3	**cool sunrise**	**679.60**
	19 918 DA3	**warm sunset**	**679.60**
	19 918 AL3	**brushed hard graphite**	**773.00**
	Atrio **Two-hole basin mixer joystick** wall mounted without concealed body set for final installation for 23 429 000 **GROHE FeatherControl** Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.7 l/min laminar mousseur center distance 110 mm projection 221 mm		
 	**23 429 000**		**231.10**
	Joystick mixer 1/2", concealed body for 2-hole basin mixers without finishing trim set **GROHE FeatherControl** Joystick cartridge wall installation installation depth 78,5 - 103,5 mm installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		
 	**32 108 003**	**chrome**	**483.50**
	32 108 DC3	**supersteel**	**676.70**
	32 108 GL3	**cool sunrise**	**719.00**
	32 108 DA3	**warm sunset**	**719.00**
	32 108 AL3	**brushed hard graphite**	**773.00**
	Atrio **Single-lever bidet mixer 1/2"** **M-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish rapid installation system tubular C-spout with ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses		
 	**32 650 003**	**chrome**	**511.20**
	32 650 DC3	**supersteel**	**715.70**
	32 650 GL3	**cool sunrise**	**761.00**
	32 650 DA3	**warm sunset**	**761.00**
	32 650 AL3	**brushed hard graphite**	**817.80**
	Atrio **Single-lever shower mixer 1/2"** wall mounted **GROHE SilkMove** 35 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow		
 	**32 652 003**	**chrome**	**596.30**
	32 652 DC3	**supersteel**	**835.00**
	32 652 GL3	**cool sunrise**	**888.00**
	32 652 DA3	**warm sunset**	**888.00**
	32 652 AL3	**brushed hard graphite**	**954.30**
	Atrio **Single-lever bath mixer 1/2"** wall mounted **GROHE SilkMove** 35 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow		

* price on request
N = Net = price based on net price

GROHE ATRIO

Article No.	Colour	Price






24 065 003	**chrome**	**328.00**
24 065 DC3	**supersteel**	**426.40**
24 065 GL3	**cool sunrise**	**492.00**
24 065 DA3	**warm sunset**	**492.00**
24 065 AL3	**brushed hard graphite**	**524.80**

Atrio
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






24 066 003	**chrome**	**360.80**
24 066 DC3	**supersteel**	**510.50**
24 066 GL3	**cool sunrise**	**547.40**
24 066 DA3	**warm sunset**	**547.40**
24 066 AL3	**brushed hard graphite**	**577.10**

Atrio
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---





24 096 003	**chrome**	**390.50**
24 096 DC3	**supersteel**	**546.30**
24 096 GL3	**cool sunrise**	**585.30**
24 096 DA3	**warm sunset**	**585.30**
24 096 AL3	**brushed hard graphite**	**624.20**

Atrio
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation


---

*** price on request**
N = Net = price based on net price

GROHE
ATRIO

Article No.	Colour	Price
24 134 003	**chrome**	**633.50**
24 134 DC3	**supersteel**	**885.60**
24 134 GL3	**cool sunrise**	**960.40**
24 134 DA3	**warm sunset**	**960.40**
24 134 AL3	**brushed hard graphite**	**1,012.70**






Atrio
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 135 003	**chrome**	**676.50**
24 135 DC3	**supersteel**	**947.10**
24 135 GL3	**cool sunrise**	**1,027.10**
24 135 DA3	**warm sunset**	**1,027.10**
24 135 AL3	**brushed hard graphite**	**1,082.40**






Atrio
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 138 003	**chrome**	**676.50**
24 138 DC3	**supersteel**	**947.10**
24 138 GL3	**cool sunrise**	**1,027.10**
24 138 DA3	**warm sunset**	**1,027.10**
24 138 AL3	**brushed hard graphite**	**1,082.40**





Atrio
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
ATRIO

	Article No.	Colour	Price
	32 653 003	**chrome**	**1,647.50**
	32 653 DC3	**supersteel**	**2,306.40**
	32 653 GL3	**cool sunrise**	**2,451.00**
	32 653 DA3	**warm sunset**	**2,451.00**
	32 653 AL3	**brushed hard graphite**	**2,636.30**






Atrio
Single-lever bath mixer, floor mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 301 mm
integrated non-return valve in the shower outlet 1/2“
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm
protected against backflow

45 984 001 **445.70**






Rough-in set 1/2“
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2“ female connections (hot/cold supplies)
flushing plug
gasket
fixing material


GROHE
ATRIO

	Article No.	Colour	Price
	20 021 003	chrome	284.30
	20 021 DC3	supersteel	397.90
	20 021 GL3	cool sunrise	423.00
	20 021 DA3	warm sunset	423.00
	20 021 AL3	brushed hard graphite	455.20




Atrio
Pillar tap 1/2"
XS-Size
headpart 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
mousseur
flexible connection hoses
with lever handle

	21 022 003	chrome	454.80
	21 022 DC3	supersteel	636.50
	21 022 GL3	cool sunrise	677.00
	21 022 DA3	warm sunset	677.00
	21 022 AL3	brushed hard graphite	727.90




Atrio
One-hole basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with lever handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

	21 019 003	chrome	454.80
	21 019 DC3	supersteel	636.50
	21 019 GL3	cool sunrise	677.00
	21 019 DA3	warm sunset	677.00
	21 019 AL3	brushed hard graphite	727.90



Atrio
One-hole basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.





	21 044 003	chrome	625.10
	21 044 DC3	supersteel	875.10
	21 044 GL3	cool sunrise	930.00
	21 044 DA3	warm sunset	930.00
	21 044 AL3	brushed hard graphite	1,000.50



Atrio
One-hole basin mixer, 1/2"
XL-Size
for free-standing basins
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

*** price on request**
N = Net = price based on net price


GROHE
ATRIO


	Article No.	Colour	Price
 	20 009 003	chrome	568.70
	20 009 DC3	supersteel	796.00
	20 009 GL3	cool sunrise	867.20
	20 009 DA3	warm sunset	846.00
	20 009 AL3	brushed hard graphite	909.20
	Atrio **Three-hole basin mixer 1/2“** **M-Size** ceramic headparts 1/2“, 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.7 l/min laminar mousseur swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4“ flexible connection hoses between spout and side valves with lever handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.		
 	20 008 003	chrome	568.70
	20 008 DC3	supersteel	796.00
	20 008 GL3	cool sunrise	846.00
	20 008 DA3	warm sunset	846.00
	20 008 AL3	brushed hard graphite	909.20
	Atrio **Three-hole basin mixer 1/2“** **M-Size** ceramic headparts 1/2“, 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.7 l/min laminar mousseur swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4“ pressure-proof, flexible connection hoses between spout and side valves with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.		
 	20 169 003	chrome	483.50
	20 169 DC3	supersteel	676.70
	20 169 GL3	cool sunrise	719.00
	20 169 DA3	warm sunset	719.00
	20 169 AL3	brushed hard graphite	773.00
	Atrio **Three-hole basin mixer 1/2“** **S-Size** wall mounted set for final installation for 29 025 002 without concealed body valves hot/cold with ceramic headparts 1/2“ - 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.7 l/min laminar mousseur centre distance 200 mm projection 180 mm with lever handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.		
 	20 164 003	chrome	483.50
	20 164 DC3	supersteel	676.70
	20 164 GL3	cool sunrise	719.00
	20 164 DA3	warm sunset	719.00
	20 164 AL3	brushed hard graphite	773.00
	Atrio **Three-hole basin mixer** wall mounted set for final installation for 29 025 002 without concealed body valves hot/cold with ceramic headparts 1/2“ - 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** 5.7 l/min laminar mousseur centre distance 200 mm projection 180 mm with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.		

*** price on request**
N = Net = price based on net price

GROHE
ATRIO

	Article No.	Colour	Price






29 025 002 *

Two-handle basin mixer
concealed body, 1/2“
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---






24 027 003	**chrome**	**483.50**
24 027 DC3	**supersteel**	**676.70**
24 027 GL3	**cool sunrise**	**719.00**
24 027 DA3	**warm sunset**	**719.00**
24 027 AL3	**brushed hard graphite**	**773.00**

Atrio
Single-hole bidet mixer 1/2“
M-Size
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.






26 003 003	**chrome**	**511.20**
26 003 DC3	**supersteel**	**715.70**
26 003 GL3	**cool sunrise**	**761.00**
26 003 DA3	**warm sunset**	**761.00**
26 003 AL3	**brushed hard graphite**	**817.80**

Atrio
Shower mixer 1/2“
wall mounted
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
shower outlet 1/2“
integrated non-return valves in the shower outlet 1/2“
covered S-unions
protected against backflow
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.






25 010 003	**chrome**	**681.60**
25 010 DC3	**supersteel**	**954.20**
25 010 GL3	**cool sunrise**	**1,015.00**
25 010 DA3	**warm sunset**	**1,015.00**
25 010 AL3	**brushed hard graphite**	**1,090.50**


Atrio
Bath mixer 1/2“
wall mounted
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
tubular spout
with stop limiter
integrated non-return valves in the shower outlet 1/2“
covered S-unions
protected against backflow
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

*** price on request**
N = Net = price based on net price

GROHE ATRIO


	Article No.	Colour	Price
 	**25 044 003** **25 044 DC3** **25 044 AL3**	**chrome** **supersteel** **brushed hard graphite**	**2,130.00** **2,981.90** **3,407.90**

Atrio
Bath mixer 1/2"
floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001
without roughing-in-set
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel tubular spout
with mousseur and stop limiter
projection 301 mm
integrated non-return valve in the shower outlet 1/2"
hand shower Sena Stick (26 465)
with shower holder
Silverflex shower hose 1250 mm (28 362)
protected against backflow
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.


45 984 001 — **445.70**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material


19 088 003	**chrome**	**100.10**
19 088 DC3	**supersteel**	**139.90**
19 088 GL3	**cool sunrise**	**148.00**
19 088 DA3	**warm sunset**	**148.00**
19 088 AL3	**brushed hard graphite**	**159.40**

Atrio
Concealed valve exposed part
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
escutcheon with screwable wall sealing
with lever handle

19 069 003	**chrome**	**100.10**
19 069 DC3	**supersteel**	**139.90**
19 069 GL3	**cool sunrise**	**148.00**
19 069 DA3	**warm sunset**	**148.00**
19 069 AL3	**brushed hard graphite**	**159.40**

Atrio
Concealed valve exposed part
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
escutcheon with screwable wall sealing
with cross handle

35 028 000 — **131.60**


Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4"
connection threads 1/2"
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm

* price on request
N = Net = price based on net price

GROHE
ATRIO

	Article No.	Colour	Price






29 037 002 **837.40**

4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve
caps to cover screw fixations always come in chrome color






13 139 003	**chrome**	**255.60**
13 139 DC3	**supersteel**	**357.80**
13 139 GL3	**cool sunrise**	**390.50**
13 139 DA3	**warm sunset**	**385.40**
13 139 AL3	**brushed hard graphite**	**409.00**

Atrio
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 171 mm





29 118 000	**chrome**	**511.20**
29 118 DC0	**supersteel**	**715.70**
29 118 GL0	**cool sunrise**	**780.00**
29 118 DA0	**warm sunset**	**780.00**
29 118 AL0	**brushed hard graphite**	**817.80**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min


35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
ATRIO

Article No.	Colour	Price






29 119 000	**chrome**	**557.00**
29 119 DC0	**supersteel**	**779.90**
29 119 GL0	**cool sunrise**	**783.10**
29 119 DA0	**warm sunset**	**849.70**
29 119 AL0	**brushed hard graphite**	**890.90**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 121 000	**chrome**	**602.80**
29 121 DC0	**supersteel**	**843.00**
29 121 GL0	**cool sunrise**	**908.20**
29 121 DA0	**warm sunset**	**918.40**
29 121 AL0	**brushed hard graphite**	**964.00**


Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
ATRIO

Article No.	Colour	Price
29 122 000	**chrome**	**367.50**
29 122 DC0	**supersteel**	**515.00**
29 122 GL0	**cool sunrise**	**560.70**
29 122 DA0	**warm sunset**	**560.70**
29 122 AL0	**brushed hard graphite**	**587.80**






Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000/35 601 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation





34 705 000 **chrome** **1,465.40**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation (29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)



14 077 XH0 **chrome/frosted granite** **23.60**


SmartControl
Caps concealed
consisting of:
9 caps with 6 different symbols
fits Grohtherm SmartControl and SmartControl mixer sets for final installation

*** price on request**
N = Net = price based on net price

GROHE
ATRIO

	Article No.	Colour	Price






40 304 003 N	chrome	54.90
40 304 DC3 N	supersteel	77.20
40 304 GL3	cool sunrise	81.00
40 304 DA3	warm sunset	81.00
40 304 AL3 N	brushed hard graphite	88.80

Atrio
Holder
for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3)
material: metal
concealed fastening
GROHE StarLight chrome finish






40 306 003 N	chrome	54.90
40 306 DC3 N	supersteel	77.20
40 306 GL3	cool sunrise	81.00
40 306 DA3	warm sunset	81.00
40 306 AL3 N	brushed hard graphite	88.80

Atrio
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holder:
Atrio (40 304)
GROHE StarLight chrome finish






40 254 003 N — 36.50

Atrio
Glass
material: glass
fits in the following holder:
Atrio (40 304)






40 305 003 N	chrome	54.90
40 305 DC3 N	supersteel	77.20
40 305 GL3	cool sunrise	81.00
40 305 DA3	warm sunset	81.00
40 305 AL3 N	brushed hard graphite	87.90

Atrio
Holder
for Atrio soap dish (40 256 003)
material: metal
concealed fastening
GROHE StarLight chrome finish






40 256 003 N — 41.70

Atrio
Soap dish
material: glass
fits in the following holder:
Atrio (40 305 xx3)











40 307 003 N	chrome	73.90
40 307 DC3 N	supersteel	104.20
40 307 GL3	cool sunrise	107.00
40 307 DA3	warm sunset	107.00
40 307 AL3 N	brushed hard graphite	122.00

Atrio
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

*** price on request**
N = Net = price based on net price

GROHE
ATRIO


	Article No.	Colour	Price
 	**40 308 003 N** **40 308 DC3 N** **40 308 GL3** **40 308 DA3** **40 308 AL3 N** **Atrio** **Towel bar** material: metal 2 arms, not pivotable concealed fastening **GROHE StarLight** chrome finish	**chrome** **supersteel** **cool sunrise** **warm sunset** **brushed hard graphite**	**123.20** **175.40** **181.00** **181.00** **197.90**
 	**40 309 003 N** **40 309 DC3 N** **40 309 GL3** **40 309 DA3** **40 309 AL3 N** **Atrio** **Towel rail** 650 mm (drilling length 600 mm) material: metal concealed fastening **GROHE StarLight** chrome finish	**chrome** **supersteel** **cool sunrise** **warm sunset** **brushed hard graphite**	**118.90** **165.70** **173.00** **173.00** **186.10**
 	**40 312 003 N** **40 312 DC3 N** **40 312 GL3** **40 312 DA3** **40 312 AL3 N** **Atrio** **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish	**chrome** **supersteel** **cool sunrise** **warm sunset** **brushed hard graphite**	**37.80** **53.10** **56.00** **56.00** **61.50**
 	**40 313 003 N** **40 313 DC3 N** **40 313 GL3** **40 313 DA3** **40 313 AL3 N** **Atrio** **Toilet paper holder** material: metal concealed fastening without cover **GROHE StarLight** chrome finish	**chrome** **supersteel** **cool sunrise** **warm sunset** **brushed hard graphite**	**83.60** **118.40** **124.00** **124.00** **137.10**
 	**40 314 003 N** **40 314 DC3 N** **40 314 GL3** **40 314 DA3** **40 314 AL3 N** **Atrio** **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE StarLight** chrome finish **40 791 001 N** **40 791 KS1 N** **Spare brush head**	**chrome** **supersteel** **cool sunrise** **warm sunset** **brushed hard graphite** **white** **velvet black**	**167.20** **236.10** **247.00** **247.00** **263.00** **5.30** **5.30**

*** price on request**
N = Net = price based on net price

GROHE GRANDERA

	Article No.	Colour	Price






23 303 000	**chrome**	**357.60**
23 303 IG0	**chrome/gold**	**452.40**

Grandera
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
flexible connection hoses






23 310 000	**chrome**	**340.60**
23 310 IG0	**chrome/gold**	**459.00**

Grandera
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses






23 321 000	**chrome**	**376.00**

Grandera
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses






21 107 000	**chrome**	**425.90**
21 107 IG0	**chrome/gold**	**541.50**

Grandera
Two-handle basin mixer, 1/2"
L-Size
single hole installation
valves hot/cold with
ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
swivel spout
pop-up waste set 1 1/4"
flexible connection hoses





23 313 000	**chrome**	**459.80**
23 313 IG0	**chrome/gold**	**611.20**


Grandera
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses

*** price on request**
N = Net = price based on net price

GROHE
GRANDERA

	Article No.	Colour	Price






20 417 000	**chrome**	**493.20**
20 417 IG0	**chrome/gold**	**641.80**

Grandera
Three-hole basin mixer 1/2“
S-Size
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves






20 389 000	**chrome**	**557.80**
20 389 IG0	**chrome/gold**	**710.60**

Grandera
Three-hole basin mixer 1/2“
M-Size
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves







20 414 000	**chrome**	**389.70**
20 414 IG0	**chrome/gold**	**532.20**

Grandera
Three-hole basin mixer 1/2“
S-Size
wall mounted
set for final installation for 29 025 002
without concealed body
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 200 mm
projection 177 mm

20 415 000	**chrome**	**451.60**
20 415 IG0	**chrome/gold**	**592.90**

ditto, projection 234 mm






29 025 002		*

Two-handle basin mixer
concealed body, 1/2“
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve





19 929 000	**chrome**	**417.30**
19 929 IG0	**chrome/gold**	**545.60**

Grandera
Two-hole basin mixer
S-Size
wall mounted
set for final installation for 23 319 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
center distance 110 mm
projection 177 mm

19 930 000	**chrome**	**467.80**
19 930 IG0	**chrome/gold**	**575.90**


ditto, projection 234 mm

*** price on request**
N = Net = price based on net price

GROHE GRANDERA

	Article No.	Colour	Price






23 319 000 **223.00**

Grandera
Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device






23 315 000	**chrome**	**398.80**
23 315 IG0	**chrome/gold**	**508.10**

Grandera
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses






23 316 000	**chrome**	**409.00**
23 316 IG0	**chrome/gold**	**535.60**

Grandera
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow






23 317 000	**chrome**	**511.80**
23 317 IG0	**chrome/gold**	**657.50**

Grandera
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
covered S-unions
protected against backflow





24 067 000	**chrome**	**315.70**
24 067 IG0	**chrome/gold**	**379.30**





Grandera
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---

*** price on request**
N = Net = price based on net price

GROHE
GRANDERA


	Article No.	Colour	Price
 	**24 068 000** **24 068 IG0**	**chrome** **chrome/gold**	**347.50** **417.20**
	Grandera **Single-lever mixer with 2-way diverter** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set		
	35 600 000 **GROHE Rapido SmartBox universal rough-in box for concealed installation**		**78.20**
 	**19 936 000** **19 936 IG0**	**chrome** **chrome/gold**	**1,082.90** **1,390.90**
	Grandera **Four-hole single-lever bath combination** **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish consisting of: pre-assembled spout fixing single lever mixer operating element bath spout with mousseur and diverter bath/shower Grandera hand shower 7,6 l metal shower hose 1500 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000		
 	**19 919 000** **19 919 IG0**	**chrome** **chrome/gold**	**1,151.30** **1,511.00**
	Grandera **5-hole bath combination** ceramic headparts 1/2", 90° **GROHE StarLight** chrome finish consisting of: pre-assembled spout fixing single lever mixer operating element bath spout with mousseur and diverter bath/shower Grandera hand shower 7,6 l metal shower hose 1500 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000		
 	**29 037 000**		**818.90**
	4/5-hole bath combination (optional) **baseframe for installation under tiled surround** consisting of: base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color		

*** price on request**
N = Net = price based on net price

GROHE GRANDERA

	Article No.	Colour	Price






23 318 000	**chrome**	**1,638.80**
23 318 IG0	**chrome/gold**	**2,089.30**

Grandera
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984
without roughing-in set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 320 mm
integrated non-return valves in the
shower outlet 1/2"
with shower holder
Grandera hand shower 7,6 l
Silverflex shower hose 1250 mm
protected against backflow






45 984 001 **445.70**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material






13 341 000	**chrome**	**239.20**
13 341 IG0	**chrome/gold**	**303.10**

Grandera
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 177 mm






19 942 000	**chrome**	**145.70**
19 942 IG0	**chrome/gold**	**189.40**

Grandera
5-way diverter
set for final installation for 29 708 000
without concealed body
GROHE StarLight chrome finish











19 944 000	**chrome**	**104.90**
19 944 IG0	**chrome/gold**	**137.70**


Grandera
Volume Control Trim
set for final installation for
35 028 000
29 032 000 (preassembled headpart 1/2")
GROHE StarLight chrome finish

GROHE
GRANDERA


	Article No.	Colour	Price
 	**27 974 000** **27 974 IG0**	**chrome** **chrome/gold**	**434.60** **569.90**
	Grandera 210 **Head shower 1 spray** Rain 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 986 000** **27 986 IG0**	**chrome** **chrome/gold**	**94.10** **132.80**
	Rainshower Grandera **Shower arm 285 mm** projection 286 mm material: metal connection thread 1/2" **GROHE StarLight** chrome finish		
 	**27 978 000** **27 978 IG0**	**chrome** **chrome/gold**	**71.20** **90.00**
	Rainshower Grandera **Shower arm ceiling 142 mm** material: metal connection thread 1/2" **GROHE StarLight** chrome finish		
 	**26 037 001**	**chrome**	**119.00**
	Grandera Stick **Hand shower 1 spray** spray pattern: Rain material: metal GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**26 037 IG0**	**chrome/gold**	**144.10**
	Grandera Stick **Hand shower 1 spray** spray pattern: Rain material: metal **GROHE EcoJoy** 7.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 993 000** **27 993 IG0**	**chrome** **chrome/gold**	**150.70** **195.50**
	Grandera Stick **Wall holder set 1 spray** consisting of: Stick hand shower (26 037 000) wall hand shower holder (27 969) Rotaflex shower hose 1500 mm (28 417 000) **GROHE EcoJoy** 7.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		

*** price on request**
N = Net = price based on net price


GROHE GRANDERA

	Article No.	Colour	Price
 	**26 038 000** **26 038 IG0**	**chrome** **chrome/gold**	**219.50** **299.80**

Grandera Stick
Shower rail set 1 spray
consisting of:
Stick hand shower (26 037 000)
shower rail, 900 mm (27 785)
Rotaflex metal shower hose 1750 mm (28 025 000)
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE StarLight chrome finish
SpeedClean anti-lime system

 	**27 970 000** **27 970 IG0**	**chrome** **chrome/gold**	**123.00** **160.20**







Grandera
Shower outlet elbow, 1/2“
material: metal
male thread
protected against backflow
GROHE StarLight chrome finish

 	**27 969 000** **27 969 IG0**	**chrome** **chrome/gold**	**81.70** **104.60**

Grandera
Wall hand shower holder
material: metal
GROHE StarLight chrome finish




* price on request
N = Net = price based on net price

GROHE
GRANDERA

	Article No.	Colour	Price
 	**40 627 000 N** **40 627 IG0 N** **Grandera** **Holder with ceramic soap dispenser** material: ceramic/metal filling quantity 110 ml **GROHE StarLight** chrome finish	**chrome** **chrome/gold**	**177.70** **227.90**
 	**40 626 000 N** **40 626 IG0 N** **Grandera** **Holder with ceramic tumbler** material: ceramic/metal concealed fastening **GROHE StarLight** chrome finish	**chrome** **chrome/gold**	**136.40** **176.00**
 	**40 628 000 N** **40 628 IG0 N** **Grandera** **Holder with ceramic soap dish** material: ceramic/metal concealed fastening **GROHE StarLight** chrome finish	**chrome** **chrome/gold**	**167.20** **221.30**
 	**40 630 000 N** **40 630 IG0 N** **Grandera** **Towel ring** material: metal concealed fastening **GROHE StarLight** chrome finish	**chrome** **chrome/gold**	**115.50** **149.70**
 	**40 629 000 N** **40 629 IG0 N** **Grandera** **Towel rail** 600 mm **GROHE StarLight** chrome finish	**chrome** **chrome/gold**	**183.90** **245.60**
 	**40 631 000 N** **40 631 IG0 N** **Grandera** **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish	**chrome** **chrome/gold**	**54.60** **70.40**


*** price on request**
N = Net = price based on net price

GROHE
GRANDERA


	Article No.	Colour	Price
 	**40 633 000 N** **40 633 IG0 N**	**chrome** **chrome/gold**	**127.60** **162.90**
	Grandera **Bath grip** material: metal length 385 mm concealed fastening **GROHE StarLight** chrome finish		
 	**40 625 000 N** **40 625 IG0 N**	**chrome** **chrome/gold**	**142.20** **183.90**
	Grandera **Toilet paper holder** without cover material: metal concealed fastening **GROHE StarLight** chrome finish		
 	**40 632 000 N** **40 632 IG0 N**	**chrome** **chrome/gold**	**194.60** **254.30**
	Grandera **Toilet brush set** material: ceramic **GROHE StarLight** chrome finish		

* price on request
N = Net = price based on net price


GROHE
LINEARE

		Article No.	Colour	Price
		32 109 001 32 109 DC1 32 109 AL1	chrome supersteel brushed hard graphite	196.90 290.70 347.00


Lineare
Single-lever basin mixer 1/2“
XS-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

		23 791 001 23 791 DC1 23 791 AL1	chrome supersteel brushed hard graphite	193.10 290.70 347.00


Lineare
Single-lever basin mixer 1/2“
XS-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses

		23 790 001	chrome	193.10

Lineare
Single-lever basin mixer 1/2“
XS-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

		32 114 001 32 114 DC1 32 114 AL1	chrome supersteel brushed hard graphite	209.90 312.70 370.00





Lineare
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

		23 106 001 23 106 DC1 23 106 AL1	chrome supersteel brushed hard graphite	205.90 309.80 370.00


Lineare
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses


*** price on request**
N = Net = price based on net price

GROHE LINEARE

	Article No.	Colour	Price
 	**23 296 001**	**chrome**	**275.50**
	23 296 DC1	**supersteel**	**407.50**
	23 296 AL1	**brushed hard graphite**	**486.00**
	Lineare **Single-lever basin mixer 1/2“** **L-Size** single hole installation metal lever **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system swivel spout with mousseur and stop limiter pop-up waste set 1 1/4“ flexible connection hoses min. recommended pressure 1.0 bar		
 	**23 405 001**	**chrome**	**293.90**
	23 405 DC1	**supersteel**	**437.90**
	23 405 AL1	**brushed hard graphite**	**518.00**
	Lineare **Single-lever basin mixer 1/2“** **XL-Size** single hole installation metal lever for free-standing basins **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar		
 	**20 304 001**	**chrome**	**302.50**
	Lineare **Three-hole basin mixer 1/2“** **M-Size** metal lever ceramic headparts 1/2“, 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix** installation system pop-up waste set 1 1/4“ pressure-proof, flexible connection hoses between spout and side valves min. recommended pressure 1.0 bar union nut 1/2“ x 10.5 mm		
 	**19 409 001**	**chrome**	**237.30**
	19 409 DC1	**supersteel**	**354.10**
	19 409 AL1	**brushed hard graphite**	**422.00**
	Lineare **Two-hole basin mixer** **M-Size** wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE AquaGuide** adjustable mousseur center distance 110 mm projection 149 mm min. recommended pressure 1.0 bar		


GROHE
LINEARE

	Article No.	Colour	Price
	**23 444 001**	**chrome**	**256.80**
	23 444 DC1	**supersteel**	**382.60**
	23 444 AL1	**brushed hard graphite**	**457.00**



Lineare
Two-hole basin mixer
L-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 207 mm
min. recommended pressure 1.0 bar






23 571 000 **237.90**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve


---

	**33 848 001**	**chrome**	**229.60**
	33 848 DC1	**supersteel**	**339.40**
	33 848 AL1	**brushed hard graphite**	**405.00**



Lineare
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar






	**33 865 001**	**chrome**	**251.40**
	33 865 DC1	**supersteel**	**349.20**
	33 865 AL1	**brushed hard graphite**	**416.00**



Lineare
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar





*** price on request**
N = Net = price based on net price

GROHE LINEARE

	Article No.	Colour	Price
 	**34 719 000**	**chrome**	**377.00**
	Grohtherm SmartControl **Thermostatic shower mixer 1/2"** wall mounted **GROHE CoolTouch** no risk of scalding **GROHE StarLight** chrome finish **GROHE SafeStop** at 38°C **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE TurboStat** compact cartridge with wax thermoelement GROHE ProGrip with knurl structure **GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated **GROHE EasyReach** shower tray shower bottom outlet 1/2" built-in non return valves and dirt strainers protected against backflow		
 	**33 849 001** **33 849 DC1** **33 849 AL1**	**chrome** **supersteel** **brushed hard graphite**	**321.70** **445.80** **532.00**
	Lineare **Single-lever bath mixer 1/2"** wall mounted metal lever **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1.0 bar pillar installation optional with pillar unions 12 030 000		
 	**34 718 000**	**chrome**	**414.30**
	Grohtherm SmartControl **Thermostatic bath mixer 1/2"** wall mounted **GROHE CoolTouch** no risk of scalding **GROHE StarLight** chrome finish **GROHE SafeStop** at 38°C **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE TurboStat** compact cartridge with wax thermoelement GROHE ProGrip with knurl structure **GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated **GROHE EasyReach** shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valves and dirt strainers protected against backflow		
 	**24 063 001** **24 063 DC1** **24 063 AL1**	**chrome** **supersteel** **brushed hard graphite**	**197.80** **280.90** **313.00**
	Lineare **Single-lever shower mixer** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set		
	35 600 000 **GROHE Rapido SmartBox universal rough-in box for concealed installation**		**78.20**

*** price on request**
N = Net = price based on net price

GROHE
LINEARE


	Article No.	Colour	Price
 	**24 064 001** **24 064 DC1** **24 064 AL1**	**chrome** **supersteel** **brushed hard graphite**	**218.30** **308.50** **344.00**
	Lineare **Single-lever mixer with 2-way diverter** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set		
	35 600 000 **GROHE Rapido SmartBox universal rough-in box for concealed installation**		**78.20**
 	**24 095 001** **24 095 DC1** **24 095 AL1**	**chrome** **supersteel** **brushed hard graphite**	**257.30** **344.40** **384.00**
	Lineare **Single-lever mixer with 3-way diverter** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever **3-way diverter** flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set		
	35 600 000 **GROHE Rapido SmartBox universal rough-in box for concealed installation**		**78.20**
 	**19 577 001** **19 577 DC1** **19 577 AL1**	**chrome** **supersteel** **brushed hard graphite**	**818.20** **1,208.30** **1,442.00**
	Lineare **Four-hole single-lever bath combination** **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish consisting of: pre-assembled spout fixing single lever mixer operating element bath inlet with mousseur diverter bath/shower hand shower Sena Stick (26 465) metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000		
 	**19 965 001**	**chrome**	**654.80**
	Lineare **Three-hole single-lever bath combination** **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish consisting of: single lever mixer operating element diverter bath/shower without spout hand shower Sena Stick (26 465) metal shower hose 2000 mm flexible connection hoses connection for shower hose for use with 29 037 000 for combination with 28 990 / 28 991		

*** price on request**
N = Net = price based on net price

GROHE LINEARE

	Article No.	Colour	Price






29 037 000 **818.90**

4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






23 792 001	**chrome**	**1,507.00**
23 792 DC1	**supersteel**	**2,246.60**
23 792 AL1	**brushed hard graphite**	**2,680.00**

Lineare
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 271 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm (28 362)
protected against backflow






45 984 001 **445.70**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material






13 383 001	**chrome**	**240.30**
13 383 DC1	**supersteel**	**341.70**

Lineare
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm






34 705 000 **chrome** **1,465.40**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower with 2 sprays,
horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

GROHE
EUROCUBE JOY

	Article No.	Colour	Price






23 654 000 **chrome** **244.70**

Eurocube Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 656 000 **chrome** **229.00**

Eurocube Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses






23 657 000 **chrome** **250.20**

Eurocube Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 658 000 **chrome** **253.90**

Eurocube Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses











23 661 000 **chrome** **332.80**


Eurocube Joy
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses

*** price on request**
N = Net = price based on net price


GROHE
EUROCUBE JOY

	Article No.	Colour	Price
 	**19 997 000** **Eurocube Joy** **Two-hole basin mixer** **M-Size** wall mounted set for final installation for 23 429 000 without concealed body **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min center distance 110 mm projection 170 mm	**chrome**	**267.60**
	19 998 000 **ditto, projection 230 mm**	**chrome**	**277.80**
 	**23 429 000** **Joystick mixer 1/2", concealed body** for 2-hole basin mixers without finishing trim set **GROHE FeatherControl** Joystick cartridge wall installation installation depth 78,5 - 103,5 mm installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		**231.10**
 	**46 901 000** **Extension-set, 25 mm** for 23 429 000 Joystick mixer 1/2", concealed body for 2-hole basin mixers wall installation including disassembly key		**78.50**
 	**23 664 000** **Eurocube Joy** **Single-lever bidet mixer 1/2"** single hole installation metal lever **GROHE FeatherControl** Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** ball-joint mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses	**chrome**	**272.00**
 	**23 665 000** **Eurocube Joy** **Single-lever shower mixer 1/2"** wall mounted metal lever **GROHE FeatherControl** Joystick cartridge **GROHE StarLight** chrome finish shower bottom outlet 1/2" with integrated non return-valve protected against backflow	**chrome**	**291.80**


GROHE
EUROCUBE JOY

	Article No.	Colour	Price
 	**34 488 000**	**chrome**	**364.40**


Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

 	**23 666 000**	**chrome**	**369.70**

Eurocube Joy
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE XL Waterfall
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow

 	**34 497 000**	**chrome**	**463.60**

Grohtherm Cube
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

 	**24 061 000**	**chrome**	**192.70**

Eurocube
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000		**78.20**


GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
EUROCUBE JOY

	Article No.	Colour	Price






24 062 000 **chrome** **210.10**

Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 094 000 **chrome** **248.10**

Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 153 000 **chrome** **499.20**
24 153 DC0 **supersteel** **690.00**
24 153 AL0 **brushed hard graphite** **789.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
EUROCUBE JOY

	Article No.	Colour	Price
	24 154 000	**chrome**	**556.60**
	24 154 DC0	**supersteel**	**770.00**
	24 154 AL0	**brushed hard graphite**	**879.00**






Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**78.20**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 155 000	**chrome**	**556.60**
24 155 DC0	**supersteel**	**770.00**
24 155 AL0	**brushed hard graphite**	**879.00**






Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**78.20**

GROHE Rapido SmartBox universal rough-in box for concealed installation

34 741 000	**chrome**	**1,318.20**






Grohtherm Cube
Perfect shower set with Rainshower Allure 230
consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

*** price on request**
N = Net = price based on net price

GROHE
EUROCUBE JOY

	Article No.	Colour	Price






23 667 001 **chrome** **1,624.10**

Eurocube Joy
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE FeatherControl Joystick cartridge
GROHE StarLight finish
automatic diverter: bath/shower
spout with mousseur
hand shower Euphoria Cube+ 6.6 l/min
Silverflex shower hose 1250 mm (28 362)
projection 298 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
protected against backflow










45 984 001 **445.70**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

GROHE
EUROCUBE


	Article No.	Colour	Price
 	**23 137 000** **Eurocube** **Pillar tap** **XS-Size** single hole installation ceramic headpart 1/2", 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min	**chrome**	**166.10**
 	**23 127 00E** **Eurocube** **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses	**chrome**	**206.90**
	23 127 000 **23 127 DC0** **23 127 AL0** **ditto, with non-restricted flow**	**chrome** **supersteel** **brushed hard graphite**	**221.10** **312.00** **356.00**
 	**23 132 00E** **Eurocube** **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system smooth body flexible connection hoses	**chrome**	**202.40**
	23 132 000 **ditto, with non-restricted flow**	**chrome**	**219.60**
 	**23 390 00E** **Eurocube** **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove ES** 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix Plus** rapid installation system pop-up waste set 1 1/4" flexible connection hoses	**chrome**	**205.20**
	23 392 00E **ditto, smooth body**	**chrome**	**208.30**
 	**23 445 000** **23 445 DC0** **23 445 AL0** **Eurocube** **Single-lever basin mixer 1/2"** **M-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses	**chrome** **supersteel** **brushed hard graphite**	**221.60** **328.00** **375.00**

*** price on request**
N = Net = price based on net price

GROHE EUROCUBE

	Article No.	Colour	Price






23 446 000 **chrome** **227.70**

Eurocube
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses






23 135 00E **chrome** **251.40**

Eurocube
Single-lever basin mixer 1/2“
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses

23 135 000	**chrome**	**249.20**
23 135 DC0	**supersteel**	**374.00**
23 135 AL0	**brushed hard graphite**	**427.00**

ditto, with non-restricted flow






23 406 000	**chrome**	**295.50**
23 406 DC0	**supersteel**	**434.00**
23 406 AL0	**brushed hard graphite**	**496.00**

Eurocube
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses





36 441 000 **chrome** **745.50**

Eurocube E
Infra-red electronic basin mixer 1/2“ with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

*** price on request**
N = Net = price based on net price

GROHE
EUROCUBE


	Article No.	Colour	Price
	**20 351 000**	**chrome**	**309.20**
	20 351 DC0	**supersteel**	**469.00**
	20 351 AL0	**brushed hard graphite**	**536.00**
	Eurocube **Three-hole basin mixer 1/2"** **S-Size** ceramic headparts 1/2", 90° **GROHE StarLight** chrome finish **GROHE QuickFix Plus** installation system spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves		
	**19 895 000**	**chrome**	**268.10**
	19 895 DC0	**supersteel**	**386.00**
	19 895 AL0	**brushed hard graphite**	**442.00**
	Eurocube **Two-hole basin mixer** **S-Size** wall mounted set for final installation for 23 200 without concealed body **GROHE StarLight** chrome finish **GROHE AquaGuide** adjustable mousseur center distance 110 mm projection 171 mm		
	23 447 000	**chrome**	**280.50**
	23 447 DC0	**supersteel**	**415.10**
	23 447 AL0	**brushed hard graphite**	**463.00**
	ditto, projection 231 mm		
	**23 200 002**		**254.20**
	Single-lever mixer 1/2", concealed body for 2-hole basin mixers wall installation without finishing trim set **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		
	**23 138 000**	**chrome**	**223.60**
	23 138 DC0	**supersteel**	**312.00**
	23 138 AL0	**brushed hard graphite**	**356.00**
	Eurocube **Single-lever bidet mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge temperature limiter **GROHE StarLight** chrome finish **GROHE QuickFix Plus** installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses		
	**23 145 000**	**chrome**	**241.30**
	23 145 DC0	**supersteel**	**353.00**
	23 145 AL0	**brushed hard graphite**	**404.00**
	Eurocube **Single-lever shower mixer 1/2"** wall mounted **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow		

*** price on request**
N = Net = price based on net price

GROHE EUROCUBE

	Article No.	Colour	Price






34 488 000	**chrome**	**364.40**

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow






23 140 000	**chrome**	**279.30**
23 140 DC0	**supersteel**	**411.00**
23 140 AL0	**brushed hard graphite**	**470.00**

Eurocube
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
covered S-unions
protected against backflow






34 497 000	**chrome**	**463.60**

Grohtherm Cube
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow





24 061 000	**chrome**	**192.70**
24 061 DC0	**supersteel**	**264.00**
24 061 AL0	**brushed hard graphite**	**301.00**

Eurocube
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	**78.20**


GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
EUROCUBE

Article No.	Colour	Price
24 062 000	**chrome**	**210.10**
24 062 DC0	**supersteel**	**297.30**
24 062 AL0	**brushed hard graphite**	**331.00**






Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	**78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation	

Article No.	Colour	Price
24 094 000	**chrome**	**248.10**
24 094 DC0	**supersteel**	**324.00**
24 094 AL0	**brushed hard graphite**	**371.00**






Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000	**78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation	

Article No.	Colour	Price
24 153 000	**chrome**	**499.20**
24 153 DC0	**supersteel**	**690.00**
24 153 AL0	**brushed hard graphite**	**789.00**






Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000	**78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation	


*** price on request**
N = Net = price based on net price

GROHE EUROCUBE

	Article No.	Colour	Price
 	**24 154 000**	**chrome**	**556.60**
	24 154 DC0	**supersteel**	**770.00**
	24 154 AL0	**brushed hard graphite**	**879.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

 	**24 155 000**	**chrome**	**556.60**
	24 155 DC0	**supersteel**	**770.00**
	24 155 AL0	**brushed hard graphite**	**879.00**

Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

	**34 741 000**	**chrome**	**1,318.20**

Grohtherm Cube
Perfect shower set with Rainshower Allure 230
consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

GROHE
EUROCUBE


	Article No.	Colour	Price
	**19 897 001**	**chrome**	**1,037.30**
	19 897 DC1	**supersteel**	**1,521.00**
	19 897 AL1	**brushed hard graphite**	**1,738.00**



Eurocube
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000




19 966 000	**chrome**	**713.80**



Eurocube
3-hole bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
single lever mixer operating element
diverter bath/shower
without spout
Euphoria Cube hand shower (27 699 000) 9.4 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
for use with 29 037 000
for combination with 28 990 / 28 991




29 037 000	**818.90**



4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color




23 672 001	**chrome**	**1,656.00**
23 672 DC1	**supersteel**	**2,336.00**
23 672 AL1	**brushed hard graphite**	**2,670.00**



Eurocube
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
Euphoria Cube+ Stick hand shower 6.6 l/min (26 467)
Silverflex shower hose 1250 mm (28 362)
projection 298 mm
integrated non-return valve in the shower outlet 1/2"
protected against backflow
with shower holder







45 984 001	**445.70**



Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

*** price on request**
N = Net = price based on net price

GROHE EUROCUBE


	Article No.	Colour	Price
 	**13 303 000** **13 303 DC0** **13 303 AL0**	**chrome** **supersteel** **brushed hard graphite**	**133.80** **184.00** **210.00**
	Eurocube **Bath spout** wall mounted **GROHE StarLight** chrome finish mousseur projection 170 mm		
 	**13 304 000**	**chrome**	**141.30**
	Bath spout wall mounted **GROHE StarLight** chrome finish mousseur automatic diverter: bath/shower with concealed connection piece male thread 1/2" projection 170 mm min. recommended pressure 1.0 bar		
 	**22 012 000** **22 012 DC0** **22 012 AL0**	**chrome** **supersteel** **brushed hard graphite**	**46.40** **71.00** **81.00**
	Eurocube **Angle valve 1/2"** wall connection 1/2" outlet 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon **GROHE StarLight** finish		
 	**40 565 000** **40 565 DC0** **40 565 AL0**	**chrome** **supersteel** **brushed hard graphite**	**75.00** **115.00** **132.00**
	Plug incl. cup for wash basins with overflow for standard pop-up waste set 1¼" **GROHE StarLight** chrome finish		

*** price on request**
N = Net = price based on net price

GROHE
GROHE PLUS

	Article No.	Colour	Price
	23 958 003	chrome	783.10
	23 958 DC3	supersteel	1,070.00
	23 958 AL3	brushed hard graphite	1,222.00






GROHE Plus
Single-lever basin mixer 1/2" with LED display < br/>M-size
colour LED water temperature display
infra-red diverter: mousseur / Eco spray
automatic return to mousseur
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
1.5 V alkaline mono battery, 4 x mono cell
external battery
mains power retrofit possible
available April 2020

	23 959 003	chrome	818.00






GROHE Plus
Single-lever basin mixer 1/2" with LED display
L-Size
colour LED water temperature display
infra-red diverter: mousseur / Eco spray
automatic return to mousseur
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
1.5 V alkaline mono battery, 4 x mono cell
external battery
mains power retrofit possible
available April 2020

	32 612 003	chrome	222.40
	32 612 DC3	supersteel	303.00
	32 612 AL3	brushed hard graphite	346.00






GROHE Plus
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

	33 163 003	chrome	222.40







GROHE Plus
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

*** price on request**
N = Net = price based on net price


GROHE
GROHE PLUS

	Article No.	Colour	Price
 	**23 870 003**	**chrome**	**222.40**


GROHE Plus
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

 	**23 871 003**	**chrome**	**277.80**
	23 871 DC3	**supersteel**	**379.00**
	23 871 AL3	**brushed hard graphite**	**433.00**

GROHE Plus
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4“
flexible connection hoses

 	**23 872 003**	**chrome**	**277.80**

GROHE Plus
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses

 	**23 851 003**	**chrome**	**310.60**
	23 851 DC3	**supersteel**	**424.00**
	23 851 AL3	**brushed hard graphite**	**485.00**


GROHE Plus
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4“
flexible connection hoses

*** price on request**
N = Net = price based on net price

GROHE
GROHE PLUS

	Article No.	Colour	Price






23 873 003 **chrome** **310.60**

GROHE Plus
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses






23 843 003 **chrome** **360.80**
23 843 DC3 **supersteel** **492.00**
23 843 AL3 **brushed hard graphite** **563.00**

GROHE Plus
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock easy retraction and smooth docking
pop-up waste set 1 1/4“
flexible connection hoses






23 844 003 **chrome** **360.80**

GROHE Plus
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock easy retraction and smooth docking
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses









32 618 003 **chrome** **344.40**
32 618 DC3 **supersteel** **470.00**
32 618 AL3 **brushed hard graphite** **537.00**

GROHE Plus
Single-lever basin mixer 1/2“
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses





*** price on request**
N = Net = price based on net price

GROHE
GROHE PLUS

	Article No.	Colour	Price
 	**20 301 003**	**chrome**	**344.40**
	GROHE Plus **Three-hole basin mixer 1/2“** **M-Size** metal lever ceramic headparts 1/2“, 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE AquaGuide** adjustable mousseur rapid installation system pop-up waste set 1 1/4“ **GROHE QuickFix** installation system pressure-proof, flexible connection hoses between spout and side valves union nut 1/2“ x 10.5 mm		
 	**29 303 003** **29 303 DC3** **29 303 AL3**	**chrome** **supersteel** **brushed hard graphite**	**270.60** **370.00** **423.00**
	GROHE Plus **Two-hole basin mixer** **M-Size** wall mounted set for final installation for 23 200 without concealed body metal escutcheon metal lever **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE AquaGuide** adjustable mousseur center distance 110 mm projection 147 mm min. recommended pressure 1.0 bar		
	29 306 003 **ditto, projection 203 mm**	**chrome**	**289.10**
 	**23 200 002**		**254.20**
	Single-lever mixer 1/2“, concealed body for 2-hole basin mixers wall installation without finishing trim set **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		
 	**33 241 003** **33 241 DC3** **33 241 AL3**	**chrome** **supersteel** **brushed hard graphite**	**222.40** **303.00** **346.00**
	GROHE Plus **Single-lever bidet mixer 1/2“** single hole installation metal lever **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4“ flexible connection hoses min. recommended pressure 1.0 bar		





* price on request
N = Net = price based on net price

GROHE
GROHE PLUS

	Article No.	Colour	Price
 	**33 577 003** **33 577 DC3** **33 577 AL3**	**chrome** **supersteel** **brushed hard graphite**	**266.50** **364.00** **416.00**
	GROHE Plus **Single-lever shower mixer 1/2"** wall mounted metal lever **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1.0 bar		
 	**34 719 000**	**chrome**	**377.00**
	Grohtherm SmartControl **Thermostatic shower mixer 1/2"** wall mounted **GROHE CoolTouch** no risk of scalding **GROHE StarLight** chrome finish **GROHE SafeStop** at 38°C **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE TurboStat** compact cartridge with wax thermoelement GROHE ProGrip with knurl structure **GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated **GROHE EasyReach** shower tray shower bottom outlet 1/2" built-in non return valves and dirt strainers protected against backflow		
 	**33 553 003** **33 553 DC3** **33 553 AL3**	**chrome** **supersteel** **brushed hard graphite**	**333.10** **455.00** **519.00**
	GROHE Plus **Single-lever bath mixer 1/2"** wall mounted metal lever **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish automatic diverter: bath/shower laminar mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1.0 bar		
 	**34 718 000**	**chrome**	**414.30**
	Grohtherm SmartControl **Thermostatic bath mixer 1/2"** wall mounted **GROHE CoolTouch** no risk of scalding **GROHE StarLight** chrome finish **GROHE SafeStop** at 38°C **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE TurboStat** compact cartridge with wax thermoelement GROHE ProGrip with knurl structure **GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated **GROHE EasyReach** shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valves and dirt strainers protected against backflow		

*** price on request**
N = Net = price based on net price

GROHE
GROHE PLUS


	Article No.	Colour	Price
 	**33 547 003**	**chrome**	**374.10**
	GROHE Plus **Single-lever bath mixer 1/2"** wall mounted metal lever **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish automatic diverter: bath/shower laminar mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow with shower set consisting of: hand shower Euphoria Cube Stick (27 698 000) wall shower holder (27 693 000) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1.0 bar		
 	**40 954 000**	**chrome**	**119.90**
	GROHE Plus **Tray** suitable for 33 553 003 33 547 003 33 577 003		
 	**24 059 003** **24 059 DC3** **24 059 AL3**	**chrome** **supersteel** **brushed hard graphite**	**211.20** **288.00** **329.00**
	GROHE Plus **Single-lever shower mixer** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set		
	35 600 000 **GROHE Rapido SmartBox universal rough-in box for concealed installation**		**78.20**
 	**24 060 003** **24 060 DC3** **24 060 AL3**	**chrome** **supersteel** **brushed hard graphite**	**222.40** **303.00** **346.00**
	GROHE Plus **Single-lever mixer with 2-way diverter** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set		
	35 600 000 **GROHE Rapido SmartBox universal rough-in box for concealed installation**		**78.20**

*** price on request**
N = Net = price based on net price

GROHE
GROHE PLUS

	Article No.	Colour	Price
	24 093 003	**chrome**	**250.10**
	24 093 DC3	**supersteel**	**341.00**
	24 093 AL3	**brushed hard graphite**	**390.00**






GROHE Plus
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000		**78.20**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 307 003	**chrome**	**914.30**
29 307 DC3	**supersteel**	**1,249.00**
29 307 AL3	**brushed hard graphite**	**1,428.00**






GROHE Plus
Four-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
consisting of:
pre-assembled spout laminar mousseur
single lever mixer operating element
metal lever
diverter bath/shower
hand shower Euphoria Cube 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
min. recommended pressure 1.0 bar

23 845 003	**chrome**	**754.40**






GROHE Plus
Three-hole single-lever
bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
consisting of:
single lever mixer operating element
diverter bath/shower
without spout
Euphoria Cube hand shower 7.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
for combination with 28 990 / 28 991
min. recommended pressure 1.0 bar

29 037 002		**837.40**






4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve
caps to cover screw fixations always come in chrome color

*** price on request**
N = Net = price based on net price

GROHE
GROHE PLUS

	Article No.	Colour	Price
	23 846 003	**chrome**	**1,685.10**
	23 846 DC3	**supersteel**	**2,301.00**
	23 846 AL3	**brushed hard graphite**	**2,630.00**






GROHE Plus
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with laminar mousseur
projection 282 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube 6.6 l/min
Silverflex shower hose 1250 mm (28 362)
protected against backflow
min. recommended pressure 1.0 bar

45 984 001		**445.70**






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

13 404 003	**chrome**	**155.80**
13 404 DC3	**supersteel**	**212.00**
13 404 AL3	**brushed hard graphite**	**243.00**






GROHE Plus
Bath spout
wall mounted
GROHE StarLight chrome finish
laminar mousseur
male thread 1/2"
projection 168 mm

26 507 000	**chrome**	**1,116.10**
26 507 LS0	**moon white**	**1,289.70**
26 507 DC0	**supersteel**	**1,661.00**
26 507 AL0	**brushed hard graphite**	**2,042.80**









Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
GROHE PureRain and Centered Jet spray
hand shower Euphoria 110 Massage, spray plate white
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar







*** price on request**
N = Net = price based on net price

GROHE
GROHE PLUS

	Article No.	Colour	Price
 	**26 508 000**	**chrome**	**1,116.10**
	26 508 LS0	**moon white**	**1,289.70**
	26 508 DC0	**supersteel**	**1,661.00**
	26 508 AL0	**brushed hard graphite**	**2,042.80**
	Euphoria SmartControl System 310 Cube Duo **Shower system with thermostat for wall mounting** consisting of: horizontal 450 mm shower arm upper bracket adjustable for minimal adaption to existing drilling holes exposed SmartControl thermostat allows change between: head shower Rainshower SmartActive 310 Cube GROHE PureRain and Centered Jet spray hand shower Euphoria Cube Stick adjustable in height with gliding element Silverflex shower hose 1750 mm (28 388 000) **GROHE DreamSpray** perfect spray pattern **GROHE CoolTouch** no risk of scalding **GROHE TurboStat** compact cartridge with wax thermoelement **GROHE EcoJoy** technology for less water and perfect flow **GROHE StarLight** chrome finish - GROHE SafeStop at 38°C **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated **GROHE EasyReach** shower tray **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting **suitable for instantaneous heaters from 18 kW/h** minimum flow rate 7 l/min. min. recommended pressure 1.0 bar		
 	**34 705 000**	**chrome**	**1,465.40**
	Grohtherm SmartControl **Perfect shower set with Rainshower SmartActive 310** consisting of: concealed thermostat with 3 valves Grohtherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)		
 	**34 706 000**	**chrome**	**1,458.00**
	Grohtherm SmartControl **Perfect shower set with Rainshower SmartActive 310 Cube** consisting of: concealed thermostat with 3 valves Grohtherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox 35 600 000 Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Silverflex shower hose 1.500 mm (28 364)		
 	**19 952 000**	**chrome**	**167.80**
	19 952 DC0	**supersteel**	**257.30**
	19 952 AL0	**brushed hard graphite**	**285.80**
	Talentofill **Inlet-, pop-up and waste-system** set for final installation consisting of: escutcheon supply part waste plug fixing set **in combination with** **Talentofill 28 990/28 991**		





*** price on request**
N = Net = price based on net price

GROHE
GROHE PLUS

	Article No.	Colour	Price
 	**19 025 000**	**chrome**	**58.60**
	Talento **Waste and overflow set for bath tubes** set for final installation escutcheon waste plug fixing set **in combination with** **Talentofill 28 939/28 943**		
 	**40 564 000** **40 564 DC0** **40 564 AL0**	**chrome** **supersteel** **brushed hard graphite**	**251.00** **376.00** **430.00**
	Bottle trap for **wash basin** **GROHE StarLight** chrome finish brass body		
 	**28 912 000** **28 912 DC0** **28 912 AL0**	**chrome** **supersteel** **brushed hard graphite**	**238.80** **246.20** **277.70**
	Trap 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon **GROHE StarLight** chrome finish		
 	**37 535 000** **37 535 DC0** **37 535 AL0**	**chrome** **supersteel** **brushed hard graphite**	**80.00** **175.30** **175.30**
	Skate Cosmopolitan S **Flush plate** for dual flush or start & stop actuation for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included **small shaft 40 911 000 sold separately**		
 	**37 624 000** **37 624 DC0** **37 624 AL0**	**chrome** **supersteel** **brushed hard graphite**	**97.40** **175.30** **175.30**
	Arena Cosmopolitan S **Flush plate** for dual flush or start & stop actuation for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included **small shaft 40 911 000 sold separately**		






*** price on request**
N = Net = price based on net price

GROHE
ESSENCE

	Article No.	Colour	Price
 	23 589 001	chrome	160.20
	23 589 DC1	supersteel	209.50
	23 589 BE1	polished nickel	239.50
	23 589 EN1	brushed nickel	255.50
	23 589 GL1	cool sunrise	239.50
	23 589 GN1	brushed cool sunrise	258.00
	23 589 DA1	warm sunset	241.80
	23 589 DL1	brushed warm sunset	258.00
	23 589 A01	hard graphite	241.80
	23 589 AL1	brushed hard graphite	255.50
	Essence **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE AquaGuide** adjustable mousseur **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses		
 	23 590 001	chrome	150.80
	23 590 DC1	supersteel	202.80
	23 590 BE1	polished nickel	231.10
	23 590 EN1	brushed nickel	246.60
	23 590 GL1	cool sunrise	231.10
	23 590 GN1	brushed cool sunrise	246.60
	23 590 DA1	warm sunset	231.10
	23 590 DL1	brushed warm sunset	249.10
	23 590 A01	hard graphite	231.10
	23 590 AL1	brushed hard graphite	246.60
	Essence **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE AquaGuide** adjustable mousseur **GROHE QuickFix Plus** installation system smooth body flexible connection hoses		
 	23 591 001	chrome	155.70
	Essence **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove ES** 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE AquaGuide** adjustable mousseur **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses		
 	23 797 001	chrome	174.30
	Essence **Single-lever basin mixer 1/2"** **S-Size** single hole installation metal lever **GROHE SilkMove ES** 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix Plus** installation system smooth body waste set with push-open plug flexible connection hoses		

*** price on request**
N = Net = price based on net price

GROHE ESSENCE


	Article No.	Colour	Price
 	**32 898 001**	**chrome**	**157.10**
	Essence **Single-lever basin mixer 1/2"** **S-Size** single hole installation metal lever **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses		
 	**32 899 001**	**chrome**	**148.40**
	Essence **Single-lever basin mixer 1/2"** **S-Size** single hole installation metal lever **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix Plus** installation system retractable chain flexible connection hoses		
 	**34 294 001**	**chrome**	**150.20**
	Essence **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix Plus** installation system smooth body flexible connection hoses		
 	**23 379 001**	**chrome**	**156.50**
	Essence **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove ES** 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses		
 	**23 462 001**	**chrome**	**185.40**
	23 462 DC1	**supersteel**	**245.40**
	23 462 BE1	**polished nickel**	**279.80**
	23 462 EN1	**brushed nickel**	**301.40**
	23 462 GL1	**cool sunrise**	**282.50**
	23 462 GN1	**brushed cool sunrise**	**301.40**
	23 462 DA1	**warm sunset**	**279.80**
	23 462 DL1	**brushed warm sunset**	**298.50**
	23 462 A01	**hard graphite**	**282.50**
	23 462 AL1	**brushed hard graphite**	**298.50**
	Essence **Single-lever basin mixer 1/2"** **M-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE AquaGuide** adjustable mousseur **GROHE QuickFix Plus** installation system swivel spout with mousseur and stop limiter pop-up waste set 1 1/4" flexible connection hoses		

*** price on request**
N = Net = price based on net price

GROHE
ESSENCE

	Article No.	Colour	Price






23 480 001 **chrome** **179.80**


Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
retractable chain
flexible connection hoses






23 798 001 **chrome** **165.00**

Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
smooth body
waste set with push-open plug
flexible connection hoses
min. recommended pressure 1.0 bar






23 463 001 **chrome** **184.50**

Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses






32 628 001	**chrome**	**203.30**
32 628 DC1	**supersteel**	**266.50**
32 628 BE1	**polished nickel**	**307.10**
32 628 EN1	**brushed nickel**	**327.60**
32 628 GL1	**cool sunrise**	**307.10**
32 628 GN1	**brushed cool sunrise**	**327.60**
32 628 DA1	**warm sunset**	**310.10**
32 628 DL1	**brushed warm sunset**	**327.60**
32 628 A01	**hard graphite**	**310.10**
32 628 AL1	**brushed hard graphite**	**330.80**


Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

*** price on request**
N = Net = price based on net price


GROHE ESSENCE

	Article No.	Colour	Price
 	**23 799 001**	**chrome**	**216.20**

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
smooth body
waste set with push-open plug
flexible connection hoses
min. recommended pressure 1.0 bar

 	**23 541 001**	**chrome**	**204.60**

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses

 	**32 901 001**	**chrome**	**275.90**
	32 901 DC1	**supersteel**	**364.50**
	32 901 BE1	**polished nickel**	**416.20**
	32 901 EN1	**brushed nickel**	**443.80**
	32 901 GL1	**cool sunrise**	**420.10**
	32 901 GN1	**brushed cool sunrise**	**448.20**
	32 901 DA1	**warm sunset**	**416.20**
	32 901 DL1	**brushed warm sunset**	**443.80**
	32 901 A01	**hard graphite**	**416.20**
	32 901 AL1	**brushed hard graphite**	**448.20**


Essence
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus rapid installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses

*** price on request**
N = Net = price based on net price

GROHE
ESSENCE

	Article No.	Colour	Price






36 445 000 **chrome** **599.60**

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






20 296 001 **chrome** **259.20**

Essence
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves





20 299 001 **chrome** **278.50**


Essence
3-hole basin mixer
L-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar
union nut 1/2" x 10.5 mm

*** price on request**
N = Net = price based on net price

GROHE ESSENCE

Article No.	Colour	Price






19 408 001	**chrome**	**203.40**
19 408 DC1	**supersteel**	**269.20**
19 408 BE1	**polished nickel**	**307.10**
19 408 EN1	**brushed nickel**	**327.60**
19 408 GL1	**cool sunrise**	**310.10**
19 408 GN1	**brushed cool sunrise**	**327.60**
19 408 DA1	**warm sunset**	**310.10**
19 408 DL1	**brushed warm sunset**	**327.60**
19 408 A01	**hard graphite**	**307.10**
19 408 AL1	**brushed hard graphite**	**330.80**

Essence
Two-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 183 mm

19 967 001	**chrome**	**235.60**
19 967 DC1	**supersteel**	**303.20**
19 967 BE1	**polished nickel**	**346.10**
19 967 EN1	**brushed nickel**	**369.20**
19 967 GL1	**cool sunrise**	**346.10**
19 967 GN1	**brushed cool sunrise**	**369.20**
19 967 DA1	**warm sunset**	**346.10**
19 967 DL1	**brushed warm sunset**	**369.20**
19 967 A01	**hard graphite**	**346.10**
19 967 AL1	**brushed hard graphite**	**372.90**

ditto, projection 230 mm






23 571 000 **237.90**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve








32 935 001	**chrome**	**158.60**
32 935 DC1	**supersteel**	**209.50**
32 935 BE1	**polished nickel**	**239.50**
32 935 EN1	**brushed nickel**	**255.50**
32 935 GL1	**cool sunrise**	**239.50**
32 935 GN1	**brushed cool sunrise**	**255.50**
32 935 DA1	**warm sunset**	**239.50**
32 935 DL1	**brushed warm sunset**	**255.50**
32 935 A01	**hard graphite**	**239.50**
32 935 AL1	**brushed hard graphite**	**258.00**

Essence
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

GROHE
ESSENCE


	Article No.	Colour	Price
 	**33 636 001**	**chrome**	**175.40**
	33 636 DC1	**supersteel**	**231.80**
	33 636 BE1	**polished nickel**	**264.30**
	33 636 EN1	**brushed nickel**	**282.00**
	33 636 GL1	**cool sunrise**	**264.30**
	33 636 GN1	**brushed cool sunrise**	**282.00**
	33 636 DA1	**warm sunset**	**264.30**
	33 636 DL1	**brushed warm sunset**	**282.00**
	33 636 A01	**hard graphite**	**264.30**
	33 636 AL1	**brushed hard graphite**	**282.00**
	Essence **Single-lever shower mixer 1/2"** wall mounted **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish shower outlet 1/2" integrated non-return valve S-unions protected against backflow		
 	**34 765 000**	**chrome**	**213.00**
	Grohtherm 800 Cosmopolitan **Thermostatic shower mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE MetalGrip** ergonomically shaped metal handles **GROHE SafeStop** at 38°C **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE TurboStat** compact cartridge with wax thermoelement integrated mixed water shut off volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon **GROHE EcoJoy** technology for less water and perfect flow **available May 2020**		
 	**33 624 001**	**chrome**	**221.80**
	33 624 DC1	**supersteel**	**284.40**
	33 624 BE1	**polished nickel**	**324.80**
	33 624 EN1	**brushed nickel**	**346.50**
	33 624 GL1	**cool sunrise**	**324.80**
	33 624 GN1	**brushed cool sunrise**	**346.50**
	33 624 DA1	**warm sunset**	**324.80**
	33 624 DL1	**brushed warm sunset**	**346.50**
	33 624 A01	**hard graphite**	**324.80**
	33 624 AL1	**brushed hard graphite**	**346.50**
	Essence **Single-lever bath mixer 1/2"** wall mounted **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow		

*** price on request**
N = Net = price based on net price

GROHE ESSENCE

	Article No.	Colour	Price






33 628 001	**chrome**	**268.30**

Essence
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
with shower set
hand shower Euphoria Cosmopolitan
Stick (27 400 000) 6.6 l/min
wall shower holder Tempesta Cosmopolitan 100 (27 594 000)
Silverflex shower hose 1.500 mm (28 364)






34 766 000	**chrome**	**278.00**

Grohtherm 800 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy
button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
available May 2020





24 057 001	**chrome**	**173.20**
24 057 DC1	**supersteel**	**242.90**
24 057 BE1	**polished nickel**	**263.40**
24 057 EN1	**brushed nickel**	**276.80**
24 057 GL1	**cool sunrise**	**259.30**
24 057 GN1	**brushed cool sunrise**	**280.90**
24 057 DA1	**warm sunset**	**259.30**
24 057 DL1	**brushed warm sunset**	**280.90**
24 057 A01	**hard graphite**	**263.40**
24 057 AL1	**brushed hard graphite**	**280.90**

Essence
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 600 000	**78.20**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE ESSENCE

Article No.	Colour	Price






24 058 001	**chrome**	**190.70**
24 058 DC1	**supersteel**	**266.50**
24 058 BE1	**polished nickel**	**289.10**
24 058 EN1	**brushed nickel**	**304.40**
24 058 GL1	**cool sunrise**	**286.00**
24 058 GN1	**brushed cool sunrise**	**308.50**
24 058 DA1	**warm sunset**	**286.00**
24 058 DL1	**brushed warm sunset**	**304.40**
24 058 A01	**hard graphite**	**286.00**
24 058 AL1	**brushed hard graphite**	**304.40**

Essence
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 092 001	**chrome**	**228.60**
24 092 DC1	**supersteel**	**301.40**
24 092 BE1	**polished nickel**	**327.00**
24 092 EN1	**brushed nickel**	**348.50**
24 092 GL1	**cool sunrise**	**327.00**
24 092 GN1	**brushed cool sunrise**	**348.50**
24 092 DA1	**warm sunset**	**327.00**
24 092 DL1	**brushed warm sunset**	**348.50**
24 092 A01	**hard graphite**	**327.00**
24 092 AL1	**brushed hard graphite**	**301.40**

Essence
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation





34 705 000 **chrome** **1,465.40**


Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

*** price on request**
N = Net = price based on net price

GROHE ESSENCE

Article No.	Colour	Price
19 578 001	**chrome**	**742.10**
19 578 DC1	**supersteel**	**961.30**
19 578 BE1	**polished nickel**	**1,108.50**
19 578 EN1	**brushed nickel**	**1,182.40**
19 578 GL1	**cool sunrise**	**1,108.50**
19 578 GN1	**brushed cool sunrise**	**1,182.40**
19 578 DA1	**warm sunset**	**1,108.50**
19 578 DL1	**brushed warm sunset**	**1,182.40**
19 578 A01	**hard graphite**	**1,108.50**
19 578 AL1	**brushed hard graphite**	**1,193.80**






Essence
Four-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
for chrome: hand shower 27 806, for other colours: hand shower 26 465
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

---

19 976 001 — **chrome** — **540.80**






Essence
Three-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
consisting of:
single lever mixer operating element
diverter bath/shower
without spout
hand shower 27 400 000
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
for use with 29 037 000
for combination with 28 990 / 28 991

---

29 037 000 — **818.90**






4/5-hole bath combination (optional) baseframe for installation under tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

*** price on request**
N = Net = price based on net price

GROHE
ESSENCE

Article No.	Colour	Price






23 741 001	**chrome**	**2,033.10**
23 741 DC1	**supersteel**	**2,846.00**

Essence
Single-lever free-standing shower system
floor-mounted
set for final installation for
45 984 001
29 038 001
29 086 000
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter:
head shower/hand shower
360° horizontal swivable shower arm
integrated non-return valve in the shower outlet 1/2"
with shower holder
Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)
with ball joint
rotation angle ± 15°
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
for chrome: hand shower 27 806, for other colours: hand shower 26 465
Silverflex shower hose 1750 mm (28 388 000)
protected against backflow
min. recommended pressure 1.0 bar






23 491 001	**chrome**	**1,183.00**
23 491 DC1	**supersteel**	**1,532.70**
23 491 BE1	**polished nickel**	**1,748.70**
23 491 EN1	**brushed nickel**	**1,865.30**
23 491 GL1	**cool sunrise**	**1,748.70**
23 491 GN1	**brushed cool sunrise**	**1,883.20**
23 491 DA1	**warm sunset**	**1,765.50**
23 491 DL1	**brushed warm sunset**	**1,865.30**
23 491 A01	**hard graphite**	**1,748.70**
23 491 AL1	**brushed hard graphite**	**1,883.20**

Essence
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur and stop limiter
projection 277 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
for chrome: hand shower 27 806, for other colours: hand shower 26 465
Silverflex shower hose 1250 mm (28 362)
protected against backflow






45 984 001 **445.70**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

*** price on request**
N = Net = price based on net price

GROHE
ESSENCE





Article No.	Colour	Price
19 952 000	chrome	167.80
19 952 DC0	supersteel	257.30
19 952 BE0	polished nickel	275.70
19 952 EN0	brushed nickel	293.20
19 952 GL0	cool sunrise	275.70
19 952 GN0	brushed cool sunrise	293.20
19 952 DA0	warm sunset	275.70
19 952 DL0	brushed warm sunset	293.20
19 952 A00	hard graphite	275.70
19 952 AL0	brushed hard graphite	285.80


Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991

GROHE
EURODISC JOY

	Article No.	Colour	Price






23 425 000 **chrome** **202.30**
23 425 LS0 **moon white/chrome** **275.40**

Eurodisc Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 427 000 **chrome** **231.30**
23 427 LS0 **moon white/chrome** **295.00**

Eurodisc Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 428 000 **chrome** **328.60**
23 428 LS0 **moon white/chrome** **428.20**

Eurodisc Joy
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses






19 968 000 **chrome** **232.60**
19 968 LS0 **moon white/chrome** **312.20**

Eurodisc Joy
Two-hole basin mixer
M-Size
wall mounted
set for final installation for 23 429 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
center distance 110 mm
projection 171 mm





19 969 000 **chrome** **253.50**
19 969 LS0 **moon white/chrome** **348.50**


Eurodisc Joy
Two-hole basin mixer
L-Size
wall mounted
set for final installation for 23 429 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
center distance 110 mm
projection 226 mm

*** price on request**
N = Net = price based on net price

GROHE
EURODISC JOY

	Article No.	Colour	Price






23 429 000 **231.10**

Joystick mixer 1/2", concealed body
for 2-hole basin mixers
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation depth 78,5 - 103,5 mm
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






46 901 000 **78.50**

Extension-set, 25 mm
for 23 429 000 Joystick mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
including disassembly key






24 036 000 **chrome** **214.70**
24 036 LS0 **moon white/chrome** **297.30**


Eurodisc Joy
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy ball-joint mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 430 000 **chrome** **233.10**
23 430 LS0 **moon white/chrome** **323.30**

Eurodisc Joy
Single-lever shower mixer 1/2"
wall mounted
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow





23 431 000 **chrome** **321.60**
23 431 LS0 **moon white/chrome** **428.20**


Eurodisc Joy
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove Joystick cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow

* price on request
N = Net = price based on net price

GROHE
EURODISC JOY

	Article No.	Colour	Price






24 055 002 **chrome** **164.00**

Eurodisc Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 056 002 **chrome** **180.40**

Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
EURODISC COSMOPOLITAN

	Article No.	Colour	Price






23 051 002 **chrome** **106.00**

Eurodisc Cosmopolitan
Pillar tap
XS-Size
single hole installation
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min






23 049 002 **chrome** **177.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix Plus installation
system with centering support
pop-up waste set 1 1/4"
flexible connection hoses






33 190 20E **chrome** **168.70**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation
system with centering support
pop-up waste set 1 1/4"
flexible connection hoses

33 190 002 **chrome** **175.90**
ditto, with non-restricted flow






32 469 20E **chrome** **174.10**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation
system with centering support
smooth body
flexible connection hoses





23 382 20E **chrome** **160.40**


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation
system with centering support
smooth body
flexible connection hoses

***** price on request
N = Net = price based on net price

GROHE
EURODISC COSMOPOLITAN

	Article No.	Colour	Price






23 448 002 **chrome** **204.60**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 054 003 **chrome** **227.60**


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free
GROHE QuickFix Plus installation system
mousseur
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000






23 432 000 **chrome** **308.60**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses










23 055 002 **chrome** **235.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation
system with centering support
mousseur
pop-up waste set 1 1/4“
flexible connection hoses

*** price on request**
N = Net = price based on net price

GROHE
EURODISC COSMOPOLITAN


	Article No.	Colour	Price
 	**19 573 002**	**chrome**	**223.50**
	Eurodisc Cosmopolitan **Two-hole basin mixer** **M-Size** wall mounted set for final installation for 23 571 000 without concealed body **GROHE StarLight** chrome finish **GROHE AquaGuide** center distance 110 mm projection 170 mm		
	19 974 002 **ditto, projection 225 mm**	**chrome**	**223.50**
 	**23 571 000**		**237.90**
	Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		
 	**33 244 002**	**chrome**	**181.40**
	Eurodisc Cosmopolitan **Single-lever bidet mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter **GROHE StarLight** chrome finish **GROHE QuickFix** Plus installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses		
 	**33 569 002**	**chrome**	**180.40**
	Eurodisc Cosmopolitan **Single-lever shower mixer 1/2"** wall mounted **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow		
 	**34 719 000**	**chrome**	**377.00**
	Grohtherm SmartControl **Thermostatic shower mixer 1/2"** wall mounted **GROHE CoolTouch** no risk of scalding **GROHE StarLight** chrome finish **GROHE SafeStop** at 38°C **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE TurboStat** compact cartridge with wax thermoelement GROHE ProGrip with knurl structure **GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated **GROHE EasyReach** shower tray shower bottom outlet 1/2" built-in non return valves and dirt strainers protected against backflow		

* price on request
N = Net = price based on net price

GROHE
EURODISC COSMOPOLITAN

	Article No.	Colour	Price






33 390 002 **chrome** **230.10**

Eurodisc Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow






34 718 000 **chrome** **414.30**

Grohtherm SmartControl
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valves and dirt strainers
protected against backflow






33 395 002 **chrome** **254.50**

Eurodisc Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
with shower set
hand shower Euphoria 110 Champagne (27 222)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)





24 055 002 **chrome** **164.00**

Eurodisc Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
EURODISC COSMOPOLITAN

	Article No.	Colour	Price






24 056 002 **chrome** **180.40**

Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation






34 705 000 **chrome** **1,465.40**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation (29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)






13 278 002 **chrome** **102.70**

Eurodisc Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 170 mm






13 279 002 **chrome** **126.70**

Eurodisc Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
with concealed connection piece
male thread 1/2"
projection 170 mm

GROHE
CONCETTO

	Article No.	Colour	Price






32 207 001 **chrome** **108.00**

Concetto
Pillar tap
XS-Size
single hole installation
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min






32 204 10E **chrome** **133.90**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses

32 204 001 **chrome** **142.20**
ditto, with non-restricted flow






23 931 001 **chrome** **139.40**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109






23 060 001 **chrome** **172.60**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for open water heater





32 240 10E **chrome** **132.00**


Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body
flexible connection hoses

*** price on request**
N = Net = price based on net price

GROHE CONCETTO

	Article No.	Colour	Price






23 385 10E **chrome** **130.80**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses






23 450 001 **chrome** **156.60**

Concetto
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 932 001 **chrome** **159.90**

Concetto
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar






23 451 001 **chrome** **151.50**

Concetto
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses






23 739 002 **chrome** **247.00**

Concetto
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free
GROHE QuickFix installation system
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
min. recommended pressure 1.0 bar

GROHE
CONCETTO

	Article No.	Colour	Price






32 629 002 **chrome** **209.10**

Concetto
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free
GROHE QuickFix installation system
mousseur
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
min. recommended pressure 1.0 bar






20 216 001 **chrome** **236.00**

Concetto
Three-hole basin mixer 1/2“
L-Size
ceramic headpart 1/2“, 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between middle-body and side valves






19 575 001 **chrome** **209.20**

Concetto
Two-hole basin mixer
S-Size
wall mounted
set for final installation for 23 571 000
without concealed body
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 147 mm






23 571 000 **237.90**

Single-lever mixer 1/2“, universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve





32 208 001 **chrome** **143.70**


Concetto
Single-lever bidet mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses

*** price on request**
N = Net = price based on net price

GROHE CONCETTO

	Article No.	Colour	Price






32 210 001 **chrome** **146.40**

Concetto
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow






34 765 000 **chrome** **213.00**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
available May 2020






32 211 001 **chrome** **180.40**

Concetto
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow






34 766 000 **chrome** **278.00**

Grohtherm 800 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
available May 2020

GROHE CONCETTO

	Article No.	Colour	Price






24 053 001 **chrome** **158.90**

Concetto
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 054 001 **chrome** **174.30**

Concetto
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 037 000 **818.90**

4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






13 280 001 **chrome** **102.30**

Concetto
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 170 mm










13 281 001 **chrome** **118.00**

Concetto
Bath spout with diverter
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"


*** price on request**
N = Net = price based on net price

GROHE
EUROSTYLE COSMOPOLITAN


	Article No.	Colour	Price
 	23 039 002	chrome	95.20
Eurostyle Cosmopolitan **Pillar tap** **XS-Size** single hole installation ceramic headpart 1/2", 90° **GROHE StarLight** chrome finish			
 	23 037 002	chrome	134.90
Eurostyle Cosmopolitan **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE QuickFix** installation system with centering support pop-up waste set 1 1/4" flexible connection hoses			
 	33 552 20E	chrome	130.60
Eurostyle Cosmopolitan **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix** installation system with centering support pop-up waste set 1 1/4" flexible connection hoses			
	33 552 002	chrome	135.00
ditto, with non-restricted flow			
 	33 561 002	chrome	172.40
Eurostyle Cosmopolitan **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter **GROHE StarLight** chrome finish **GROHE QuickFix** installation system with centering support flow straightener pop-up waste set 1 1/4" flexible connection hoses **for open water heater**			
 	32 468 20E	chrome	120.60
Eurostyle Cosmopolitan **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix** installation system with centering support smooth body flexible connection hoses			

*** price on request**
N = Net = price based on net price


GROHE
EUROSTYLE COSMOPOLITAN

	Article No.	Colour	Price
 	**23 373 20E**	**chrome**	**119.50**


Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body
flexible connection hoses

 	**23 043 003**	**chrome**	**192.70**


Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free
GROHE QuickFix installation system
mousseur
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000

 	**20 208 002**	**chrome**	**250.20**

Eurostyle Cosmopolitan
Three-hole basin mixer
S-Size
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between middle-body and side valves

 	**19 571 002**	**chrome**	**216.20**





Eurostyle Cosmopolitan
Two-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 171 mm

 	**23 571 000**		**237.90**

Single-lever mixer 1/2“, universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

*** price on request**
N = Net = price based on net price

GROHE
EUROSTYLE COSMOPOLITAN


	Article No.	Colour	Price
 	**33 565 002**	**chrome**	**130.60**
	Eurostyle Cosmopolitan **Single-lever bidet mixer 1/2“** **S-Size** single hole installation **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter **GROHE StarLight** chrome finish **GROHE QuickFix** installation system with centering support ball-joint mousseur pop-up waste set 1 1/4“ flexible connection hoses		
	33 566 002 **ditto, with retractable chain**	**chrome**	**119.50**
 	**33 590 002**	**chrome**	**130.50**
	Eurostyle Cosmopolitan **Single-lever shower mixer 1/2“** wall mounted **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter shower bottom outlet 1/2“ integrated non-return valve S-unions protected against backflow		
 	**34 765 000**	**chrome**	**213.00**
	Grohtherm 800 Cosmopolitan **Thermostatic shower mixer 1/2“** wall mounted **GROHE StarLight** chrome finish **GROHE MetalGrip** ergonomically shaped metal handles **GROHE SafeStop** at 38°C **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE TurboStat** compact cartridge with wax thermoelement integrated mixed water shut off volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop) ceramic headpart 1/2“, 180° shower bottom outlet 1/2“ built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon **GROHE EcoJoy** technology for less water and perfect flow **available May 2020**		
 	**33 591 002**	**chrome**	**162.70**
	Eurostyle Cosmopolitan **Single-lever bath mixer 1/2“** wall mounted **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2“ S-unions protected against backflow		

*** price on request**
N = Net = price based on net price

GROHE
EUROSTYLE COSMOPOLITAN

	Article No.	Colour	Price






34 766 000 **chrome** **278.00**

Grohtherm 800 Cosmopolitan
Thermostatic bath mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2“, 180°
shower bottom outlet 1/2“
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
available May 2020






24 051 002 **chrome** **157.90**

Eurostyle Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 052 002 **chrome** **173.20**

Eurostyle Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation





23 048 003 **chrome** **829.60**


Eurostyle Cosmopolitan
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
Euphoria Cosmopolitan hand shower 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000

*** price on request**
N = Net = price based on net price

GROHE
EUROSTYLE COSMOPOLITAN

	Article No.	Colour	Price






29 037 000 — 818.90

4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






13 276 002 — chrome — 105.40

Eurostyle Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 170 mm






13 277 002 — chrome — 117.30

Eurostyle Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
with concealed connection piece
male thread 1/2"
projection 170 mm

GROHE
EUROSTYLE

	Article No.	Colour	Price






33 558 003	chrome	115.80
33 558 LS3	moon white/chrome	150.70

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 929 003	chrome	129.20

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses






23 707 003	chrome	116.40
23 707 LS3	moon white/chrome	149.90

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 564 003	chrome	118.90

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses





23 708 003	chrome	119.60


Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

*** price on request**
N = Net = price based on net price

GROHE EUROSTYLE

	Article No.	Colour	Price






23 374 003	chrome	115.80
23 374 LS3	moon white/chrome	150.70

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 709 003	chrome	114.20
23 709 LS3	moon white/chrome	148.40

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 930 003	chrome	135.30

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses






33 561 003	chrome	162.70

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for open water heater










23 710 003	chrome	161.70

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for open water heater

* price on request
N = Net = price based on net price

GROHE
EUROSTYLE


		Article No.	Colour	Price
		**32 468 003**	**chrome**	**106.90**
		Eurostyle **Single-lever basin mixer 1/2"** **S-Size** single hole installation loop metal lever **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body flexible connection hoses		
		**23 715 003**	**chrome**	**108.80**
		Eurostyle **Single-lever basin mixer 1/2"** **S-Size** single hole installation solid metal lever **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body flexible connection hoses		
		**23 567 003**	**chrome**	**111.30**
		Eurostyle **Single-lever basin mixer 1/2"** **S-Size** single hole installation loop metal lever **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE Zero** isolated inner water ways - lead and nickel free **GROHE QuickFix** rapid installation system smooth body flexible connection hoses		
		**23 716 003**	**chrome**	**106.20**
		Eurostyle **Single-lever basin mixer 1/2"** **S-Size** single hole installation solid metal lever **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE Zero** isolated inner water ways - lead and nickel free **GROHE QuickFix** rapid installation system smooth body flexible connection hoses		
		**23 569 003** **23 569 LS3**	**chrome** **moon white/chrome**	**180.00** **234.00**
		Eurostyle **Single-lever basin mixer 1/2"** **L-Size** single hole installation loop metal lever **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses		

*** price on request**
N = Net = price based on net price

GROHE EUROSTYLE

	Article No.	Colour	Price






23 718 003	**chrome**	**179.90**
23 718 LS3	**moon white/chrome**	**236.20**

Eurostyle
Single-lever basin mixer 1/2“
L-Size
single hole installation
solid metal lever
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4“






23 570 003	**chrome**	**226.40**
23 570 LS3	**moon white/chrome**	**294.30**

Eurostyle
Single-lever basin mixer 1/2“
XL-Size
single hole installation
loop metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses






23 719 003	**chrome**	**223.80**
23 719 LS3	**moon white/chrome**	**293.80**

Eurostyle
Single-lever basin mixer 1/2“
XL-Size
single hole installation
solid metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses






19 571 003	**chrome**	**216.50**
19 571 LS3	**moon white/chrome**	**281.30**

Eurostyle
Two-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for 23 571 000
loop metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 203 mm





29 097 003	**chrome**	**215.10**
29 097 LS3	**moon white/chrome**	**292.60**


Eurostyle
Two-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for 23 571 000
solid metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 203 mm

*** price on request**
N = Net = price based on net price

GROHE
EUROSTYLE

	Article No.	Colour	Price






23 571 000 **237.90**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---






33 565 003 **chrome** **114.70**
33 565 LS3 **moon white/chrome** **150.70**

Eurostyle
Single-lever bidet mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses






23 720 003 **chrome** **108.20**
23 720 LS3 **moon white/chrome** **151.40**

Eurostyle
Single-lever bidet mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses






23 722 LS3 **moon white/chrome** **166.10**

Eurostyle
Single-lever shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow





33 591 LS3 **moon white/chrome** **205.40**


Eurostyle
Single-lever bath mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow

*** price on request**
N = Net = price based on net price

GROHE EUROSTYLE

	Article No.	Colour	Price






23 726 LS3	**moon white/chrome**	**205.40**

Eurostyle
Single-lever bath mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow





24 048 003	**chrome**	**145.60**
24 048 LS3	**moon white**	**188.60**


Eurostyle
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	**78.20**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---





24 046 003	**chrome**	**143.50**
24 046 LS3	**moon white**	**179.40**


Eurostyle
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	**78.20**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---





24 049 003	**chrome**	**159.90**
24 049 LS3	**moon white**	**207.10**

Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	**78.20**


GROHE Rapido SmartBox universal rough-in box for concealed installation

---

* price on request
N = Net = price based on net price

GROHE
EUROSTYLE





Article No.	Colour	Price
24 047 003	**chrome**	**157.90**
24 047 LS3	**moon white**	**197.80**

Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	**78.20**


GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
EUROSMART COSMOPOLITAN

	Article No.	Colour	Price






32 825 00E **chrome** **103.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses






32 825 000 **chrome** **102.50**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses






23 925 000 **chrome** **103.50**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
GROHE EcoJoy mousseur 5.7 l/min
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109






23 125 000 **chrome** **167.10**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
optional temperature limiter ref. no. 46 375 000
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 4.0 l/min
GROHE QuickFix installation system
retractable chain
flexible connection hoses
optional temperature limiter
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
recommended pressure 1.0 - 5.0 bar





32 824 000 **chrome** **100.60**


Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur
smooth body
flexible connection hoses

* price on request
N = Net = price based on net price

GROHE
EUROSMART COSMOPOLITAN

	Article No.	Colour	Price






23 376 00E **chrome** **96.20**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body
flexible connection hoses






23 325 000 **chrome** **119.50**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 926 000 **chrome** **118.90**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000






23 327 000 **chrome** **118.40**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses





23 927 000 **chrome** **103.50**


Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

*** price on request**
N = Net = price based on net price

GROHE
EUROSMART COSMOPOLITAN

	Article No.	Colour	Price






23 398 00E — **chrome** — **111.70**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body
flexible connection hoses

23 928 000 — **chrome** — **117.90**
ditto, smooth body with push-open pop-up waste set 1 1/4“






32 830 001 — **chrome** — **157.90**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free
GROHE QuickFix installation system
mousseur
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter ref. no. 46 375 000

23 933 001 — **chrome** — **159.90**
ditto, with push-open pop-up waste set 1 1/4“






23 921 000 — **chrome** — *

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar





20 187 000 — **chrome** — **214.60**


Eurosmart Cosmopolitan
Three-hole basin mixer 1/2“
S-Size
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves

*** price on request**
N = Net = price based on net price

GROHE
EUROSMART COSMOPOLITAN

	Article No.	Colour	Price






19 381 000 **chrome** **186.60**

Eurosmart Cosmopolitan
Two-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 170 mm






23 571 000 **237.90**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






32 839 000 **chrome** **105.10**

Eurosmart Cosmopolitan
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

32 840 000 **chrome** **93.60**
ditto, with retractable chain






32 837 000 **chrome** **100.70**

Eurosmart Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow





18 349 000 **29.70**


Eurosmart Cosmopolitan
Plastic tray
for 32 837 000, 32 838 000

*** price on request**
N = Net = price based on net price

GROHE
EUROSMART COSMOPOLITAN

	Article No.	Colour	Price






34 765 000 **chrome** **213.00**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
available May 2020






32 831 000 **chrome** **127.30**

Eurosmart Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow






34 766 000 **chrome** **278.00**

Grohtherm 800 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow
available May 2020





32 832 000 **chrome** **158.20**


Eurosmart Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
with shower set
Euphoria Cosmopolitan hand shower (27 367)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

*** price on request**
N = Net = price based on net price

GROHE
EUROSMART COSMOPOLITAN

	Article No.	Colour	Price






32 847 000 **chrome** **227.70**

Eurosmart Cosmopolitan
Solid basin mixer, 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
swivel tubular spout
projection 400 mm
S-unions






24 044 000 **chrome** **136.30**

Eurosmart Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






24 045 000 **chrome** **150.70**

Eurosmart Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---





32 880 000 **chrome** **128.30**


Eurosmart Cosmopolitan
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
set for final installation
concealed body
33 962 000
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter

*** price on request**
N = Net = price based on net price

GROHE
EUROSMART COSMOPOLITAN

	Article No.	Colour	Price






32 879 000 **chrome** **140.30**


Eurosmart Cosmopolitan
Single-lever bath mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
set for final installation
concealed body 33 961 000
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
metal lever
metal wall escutcheon
screwed
optional temperature limiter ref. no. 46 308






13 261 000 **chrome** **96.20**

Eurosmart Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 170 mm










13 262 000 **chrome** **100.90**

Eurosmart Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"
projection 170 mm






*** price on request**
N = Net = price based on net price

GROHE
EUROSMART

	Article No.	Colour	Price
 	**33 265 002** **Eurosmart** **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system pop-up waste set 1 1/4" flexible connection hoses	**chrome**	**85.70**
 	**23 922 002** **Eurosmart** **Single-lever basin mixer 1/2"** **S-Size** single hole installation metal lever **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses	**chrome**	**89.20**
 	**23 456 002** **Eurosmart** **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system hybrid pop-up waste set 1 1/4" flexible connection hoses	**chrome**	**88.40**
 	**23 124 002** **Eurosmart** **Single-lever basin mixer 1/2"** **S-Size** single hole installation metal lever **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 4.0 l/min **GROHE QuickFix** rapid installation system retractable chain flexible connection hoses with shower set consisting of hand shower with integrated diverter wall shower holder shower hose	**chrome**	**134.30**
 	**32 467 002** **Eurosmart** **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body flexible connection hoses	**chrome**	**83.80**






*** price on request**
N = Net = price based on net price

GROHE
EUROSMART

	Article No.	Colour	Price
 	32 154 002	chrome	82.00
Eurosmart **Single-lever basin mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove ES** 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body flexible connection hoses			
 	23 322 001	chrome	101.50
Eurosmart **Single-lever basin mixer 1/2"** **M-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
 	23 923 002	chrome	103.50
Eurosmart **Single-lever basin mixer 1/2"** **M-Size** single hole installation metal lever **GROHE SilkMove** 28 mm ceramic cartridge temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			
 	23 324 001	chrome	100.20
Eurosmart **Single-lever basin mixer 1/2"** **M-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body flexible connection hoses			
 	23 924 002	chrome	89.20
Eurosmart **Single-lever basin mixer 1/2"** **S-Size** single hole installation metal lever **GROHE SilkMove ES** 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			
	23 395 10E	chrome	99.90
ditto, smooth body			






* price on request
N = Net = price based on net price

GROHE
EUROSMART

	Article No.	Colour	Price
 	**23 537 002** **Eurosmart** **Single-lever basin mixer 1/2"** **L-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system swivel tubular spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses	**chrome**	**140.10**
	23 743 002 **ditto, with retractable chain**	**chrome**	**139.00**
 	**32 929 002** **Eurosmart** **Single-lever bidet mixer 1/2"** **S-Size** single hole installation **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses	**chrome**	**88.20**
 	**33 555 002** **Eurosmart** **Single-lever shower mixer 1/2"** wall mounted **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow	**chrome**	**91.00**
 	**34 558 000** **Grohtherm 800** **Thermostatic shower mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE SafeStop** at 38°C **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE TurboStat** compact cartridge with wax thermoelement integrated mixed water shut off volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" dirt strainers built-in non return valves protected against backflow S-unions **GROHE EcoJoy** technology for less water and perfect flow	**chrome**	**177.50**
 	**33 300 002** **Eurosmart** **Single-lever bath mixer 1/2"** wall mounted **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow	**chrome**	**109.40**




*** price on request**
N = Net = price based on net price

GROHE EUROSMART

	Article No.	Colour	Price
 	**24 042 002**	**chrome**	**128.10**
	Eurosmart **Single-lever shower mixer** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set		
	35 600 000 **GROHE Rapido SmartBox universal rough-in box for concealed installation**		**78.20**
 	**24 043 002**	**chrome**	**143.50**
	Eurosmart **Single-lever mixer with 2-way diverter** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set		
	35 600 000 **GROHE Rapido SmartBox universal rough-in box for concealed installation**		**78.20**
 	**33 556 002**	**chrome**	**118.40**
	Eurosmart **Single-lever shower mixer 1/2"** wall installation **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE QuickFix** covered fixation consisting of: set for final installation (19 451 002) with concealed body adjustable flow rate limiter metal lever escutcheon- and shaft-sealing metal wall escutcheon optional temperature limiter ref. no. 46 308		
 	**33 305 002**	**chrome**	**134.40**
	Eurosmart **Single-lever bath mixer 1/2"** wall installation **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE QuickFix** covered fixation consisting of: set for final installation (19 450 002) with concealed body adjustable flow rate limiter automatic diverter: bath/shower metal lever metal escutcheon escutcheon- and shaft-sealing optional temperature limiter ref. no. 46 308		
 	**19 970 002**	**chrome**	**50.00**
	Eurosmart **3-port diverter trim** for use with diverter rough-in valve 29 712 000 and 29 706 000 without concealed body **GROHE StarLight** chrome finish		


* price on request
N = Net = price based on net price

GROHE
EUROSMART


	Article No.	Colour	Price
 	29 706 000		282.40
	3-way diverter **concealed body, 1/2"** wall installation DR-brass ceramic discs connection mixed water 1/2" 2 outlets 1/2" installation depth infinitely adjustable 24-60 mm		
 	19 972 002	**chrome**	50.00
	Eurosmart **5-port diverter trim** for use with diverter rough-in valve (29 714 000, 29 708 000) without concealed body **GROHE StarLight** chrome finish		
 	29 708 000		309.70
	5-way diverter **concealed body, 1/2"** wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth infinitely adjustable 24-60 mm DR-brass		

*** price on request**
N = Net = price based on net price


GROHE
EUROECO

	Article No.	Colour	Price
 	**32 734 000**	**chrome**	**74.50**


Euroeco
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
flow limiter 9 l/min.
rapid installation system
mousseur
smooth body
flexible connection hoses
optional temperature limiter ref. no. 46 375 000

 	**32 882 000**	**chrome**	**62.90**


Euroeco
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
flow limiter 9 l/min.
rapid installation system
ball-joint mousseur
retractable chain
flexible connection hoses
optional temperature limiter ref. no. 46 375 000

 	**32 740 000**	**chrome**	**78.80**

Euroeco
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
optional temperature limiter
protected against backflow

 	**32 743 000**	**chrome**	**96.90**

Euroeco
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
optional temperature limiter ref. no. 46 308
protected against backflow

 	**32 742 000**	**chrome**	**104.10**


Euroeco
Single-lever shower mixer
concealed installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
set for final installation (19 378 000)
concealed body (33 964 000)
metal lever
escutcheon- and shaft-sealing
metal wall escutcheons
screwed
optional temperature limiter ref. no. 46 308

*** price on request**
N = Net = price based on net price

GROHE
EUROECO

	Article No.	Colour	Price
	32 747 000	**chrome**	**116.20**






Euroeco
Single-lever bath mixer
concealed installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
set for final installation (19 379 000)
concealed body (33 963)
automatic diverter: bath/shower
metal lever
escutcheon- and shaft-sealing
metal wall escutcheons
optional temperature limiter ref. no. 46 308
screwed

*** price on request**
N = Net = price based on net price

GROHE
BAUEDGE

	Article No.	Colour	Price






20 421 000 — **chrome** — **55.80**

BauEdge
Pillar tap 1/2"
XS-Size
single hole installation
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"






23 328 000 — **chrome** — **83.90**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses






23 330 000 — **chrome** — **73.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses






23 757 000 — **chrome** — **108.40**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 35 mm ceramic cartridge
adjustable flow rate limiter
optional temperature limiter ref. no. 46 375 000
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 4.0 l/min
rapid installation system
retractable chain
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
recommended pressure 1.0 - 5.0 bar





23 758 000 — **chrome** — **94.00**


BauEdge
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

***** price on request
N = Net = price based on net price

GROHE
BAUEDGE

	Article No.	Colour	Price






23 759 000 **chrome** **94.00**

BauEdge
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses






23 760 000 **chrome** **109.50**

BauEdge
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses






23 761 000 **chrome** **127.30**

BauEdge
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses






23 331 000 **chrome** **73.80**

BauEdge
Single-lever bidet mixer 1/2"
single hole installation
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses





23 333 000 **chrome** **81.80**


BauEdge
Single-lever shower mixer 1/2"
wall mounted
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow
optional temperature limiter ref. no. 46 375 000

*** price on request**
N = Net = price based on net price

GROHE BAUEDGE

	Article No.	Colour	Price






34 558 000 **chrome** **177.50**

Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
GROHE EcoJoy technology for less water and perfect flow






23 334 000 **chrome** **101.90**

BauEdge
Single-lever bath mixer 1/2"
wall mounted
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow
optional temperature limiter ref. no. 46 375 000






29 078 000 **chrome** **121.90**

BauEdge
Single-lever shower mixer 1/2"
concealed installation
consisting of:
set for final installation
concealed body (33 964 000)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308










29 079 000 **chrome** **135.60**

BauEdge
Single-lever bath mixer 1/2"
concealed installation
consisting of:
set for final installation
concealed body (33 963)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308

GROHE
BAULOOP


	Article No.	Colour	Price
 	**20 422 000** **BauLoop** **Pillar tap 1/2"** **XS-Size** single hole installation metal lever ceramic headpart 1/2", 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min fixation nut G 1/2"	**chrome**	**57.20**
 	**23 335 000** **BauLoop** **Single-lever basin mixer 1/2"** **S-Size** single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses	**chrome**	**80.00**
	23 803 000 **ditto, with temperature limiter**	**chrome**	**78.80**
 	**23 337 000** **BauLoop** **Single-lever basin mixer 1/2"** **S-Size** single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses	**chrome**	**73.40**
 	**23 762 000** **BauLoop** **Single-lever basin mixer 1/2"** **M-Size** single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses	**chrome**	**90.50**
 	**23 763 000** **BauLoop** **Single-lever basin mixer 1/2"** **L-Size** single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses	**chrome**	**108.40**

*** price on request**
N = Net = price based on net price

GROHE BAULOOP

	Article No.	Colour	Price






23 764 000 **chrome** **127.30**

BauLoop
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses






23 338 000 **chrome** **79.60**

BauLoop
Single-lever bidet mixer 1/2"
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses






23 340 000 **chrome** **76.70**

BauLoop
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter ref. no. 46 308






34 558 000 **chrome** **177.50**

Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
GROHE EcoJoy technology for less water and perfect flow







23 341 000 **chrome** **101.40**

BauLoop
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter ref. no. 46 308






*** price on request**
N = Net = price based on net price

GROHE
BAULOOP

	Article No.	Colour	Price
 	**29 080 000**	**chrome**	**119.50**
	BauLoop **Single-lever shower mixer 1/2"** concealed installation consisting of: set for final installation concealed body (33 964 000) metal lever GROHE Longlife 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter escutcheon- and shaft-sealing optional temperature limiter ref. no. 46 308		
 	**29 081 000**	**chrome**	**133.70**
	BauLoop **Single-lever bath mixer 1/2"** concealed installation consisting of: set for final installation concealed body (33 963) metal lever GROHE Longlife 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter automatic diverter: bath/shower escutcheon- and shaft-sealing optional temperature limiter ref. no. 46 308		

*** price on request**
N = Net = price based on net price

GROHE BAUFLOW


	Article No.	Colour	Price
 	**20 575 000** **BauFlow** **Pillar tap 1/2“** **XS-Size** single hole installation metal lever ceramic headpart 1/2“, 90° **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min fixation nut G 1/2“	**chrome**	**59.80**
 	**23 751 000** **BauFlow** **Single-lever basin mixer 1/2“** **S-Size** single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4“ flexible connection hoses	**chrome**	**77.40**
 	**23 752 000** **BauFlow** **Single-lever basin mixer 1/2“** **S-Size** single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses	**chrome**	**74.10**
 	**23 753 000** **BauFlow** **Single-lever basin mixer 1/2“** **L-Size** single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4“ flexible connection hoses	**chrome**	**110.70**
 	**23 754 000** **BauFlow** **Single-lever bidet mixer 1/2“** single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system with ball joint pop-up waste set 1 1/4“ flexible connection hoses	**chrome**	**79.50**

*** price on request**
N = Net = price based on net price

GROHE
BAUFLOW

	Article No.	Colour	Price






23 755 000 **chrome** **79.30**


BauFlow
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow






34 558 000 **chrome** **177.50**

Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
GROHE EcoJoy technology for less water and perfect flow






23 756 000 **chrome** **99.50**

BauFlow
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow






29 112 000 **chrome** **132.20**

BauFlow
Single-lever shower mixer
concealed installation
consisting of:
set for final installation
concealed body (33 964 000)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
metal wall escutcheon










29 113 000 **chrome** **143.90**

BauFlow
Single-lever bath mixer
concealed installation
consisting of:
set for final installation
concealed body (33 963)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheon

*** price on request**
N = Net = price based on net price

GROHE
COSTA L


		Article No.	Colour	Price
		20 404 001	chrome	42.70
		Costa L **Pillar tap 1/2"** metal handle heat-insulated screwable marking: blue Longlife-headpart cast spout with mousseur **GROHE StarLight** chrome finish		
		20 186 001	chrome	69.40
		Costa L **Pillar tap 1/2"** metal handle heat-insulated screwable marking: blue Longlife-headpart cast spout with mousseur **GROHE StarLight** chrome finish		
		20 393 001	chrome	74.40
		Costa L **Pillar tap 1/2"** metal handle heat-insulated screwable marking: blue Longlife-headpart swivel tubular spout with mousseur **GROHE StarLight** chrome finish		
		21 390 001	chrome	166.30
		Costa L **One-hole basin mixer, 1/2"** metal handles heat-insulated screwable Longlife-headpart cast spout with mousseur pop-up waste set 1 1/4" flexible connection hoses **GROHE StarLight** chrome finish		
		21 375 001	chrome	124.50
		Costa L **One-hole basin mixer, 1/2"** metal handles heat-insulated screwable Longlife-headpart swivel tubular spout with mousseur pop-up waste set 1 1/4" flexible connection hoses **GROHE StarLight** chrome finish		

*** price on request**
N = Net = price based on net price

GROHE
COSTA L

	Article No.	Colour	Price






26 330 001 **chrome** **85.30**

Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower connection 1/2"
S-unions
protected against backflow
GROHE StarLight chrome finish
integrated non-return valve in the shower outlet






25 450 001 **chrome** **117.40**

Costa L
Bath mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
automatic diverter: bath/shower
mousseur
S-unions
integrated non-return valve in the shower outlet
protected against backflow
GROHE StarLight chrome finish






13 540 000 **chrome** **132.80**

Bath spout 3/4"
wall mounted
flow straightener
sliding escutcheon
female thread 3/4"
projection 140 mm
GROHE StarLight chrome finish






30 098 001 **chrome** **37.50**

Costa L
Bibtap 1/2"
wall mounted
metal handle
heat-insulated
screwable
marking: blue
GROHE StarLight finish
mousseur
Longlife-headparts










30 484 001 **chrome** **51.80**







Costa L
Bibtap 1/2"
wall mounted
metal handle
heat-insulated
screwable
marking: blue
GROHE StarLight finish
mousseur
Longlife-headparts
swivel tubular spout
swivel area 360°

*** price on request**
N = Net = price based on net price

GROHE
COSTA L




	Article No.	Colour	Price
 	**19 854 001** **Costa L** **Concealed valve exposed part** for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 10 - 35 mm metal handle heat-insulated marking: blue sliding escutcheon **GROHE StarLight** chrome finish	**chrome**	**18.60**
	19 855 001 **ditto, marking red**	**chrome**	**19.10**
 	**19 808 001** **Costa L** **Concealed valve exposed part** set for final installation for 35 028 000 for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue **GROHE StarLight** chrome finish	**chrome**	**26.10**
	19 809 001 **ditto, marking red**	**chrome**	**25.80**
 	**19 806 001** **Costa L** **Concealed valve exposed part** set for final installation for 35 028 000 for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20 - 200 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue **GROHE StarLight** chrome finish	**chrome**	**43.10**
	19 807 001 **ditto, marking red**	**chrome**	**43.10**
 	**35 028 000** **Rapido C** **Rough-in box for single volume control** built-in box with removable protection cover waterproof membrame base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass preassembled ceramic headpart 3/4" connection threads 1/2" flow rate: 55.0 l/min. at 3 bar installation depth 70 - 95 mm		**131.60**

GROHE
COSTA S





		Article No.	Colour	Price
		20 405 001 **Costa S** **Pillar tap 1/2"** metal handle heat-insulated screwable marking: blue Carbodur headpart cast spout with mousseur union nut 1/2" x 10.5 mm **GROHE StarLight** chrome finish	**chrome**	**56.40**
		20 179 001 **Costa S** **Pillar tap** metal handle heat-insulated screwable **GROHE StarLight** finish ceramic headpart 1/2", 90° flow straightener swivel tubular spout swivel area 360° union nut 1/2" with 10.5 mm drilling	**chrome**	**120.30**
		21 255 001 **Costa S** **One-hole basin mixer, 1/2"** metal handles heat-insulated screwable Carbodur headpart cast spout with mousseur pop-up waste set 1 1/4" flexible connection hoses **GROHE StarLight** chrome finish	**chrome**	**172.30**
		21 257 001 **Costa S** **One-hole basin mixer, 1/2"** heat-insulated metal handles screwable Carbodur headpart swivel tubular spout with mousseur pop-up waste set 1 1/4" flexible connection hoses **GROHE StarLight** chrome finish	**chrome**	**135.70**
		21 338 001 **Costa S** **One-hole basin mixer, 1/2"** metal handles heat-insulated screwable Carbodur headpart swivel tubular spout with mousseur retractable chain flexible connection hoses **GROHE StarLight** chrome finish	**chrome**	**110.80**
		26 317 001 **Costa S** **Shower mixer 1/2"** wall mounted metal handles heat-insulated screwable Carbodur headpart shower connection 1/2" S-unions **GROHE StarLight** chrome finish	**chrome**	**102.70**

*** price on request**
N = Net = price based on net price

GROHE
COSTA S

		Article No.	Colour	Price
		**25 483 001** **Costa S** **Bath mixer 1/2"** wall mounted metal handles heat-insulated screwable Carbodur headpart automatic diverter: bath/shower mousseur S-unions **GROHE StarLight** chrome finish	**chrome**	**145.70**
		**26 792 10A** **Costa S** **Solid basin mixer, 1/2"** wall mounted metal handles heat-insulated screwable Carbodur headpart diverter bath/shower S-unions connection angle 3/4" x 3/4" (12 419) spout 300 mm (13 017) hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) wall shower holder (28 605) **GROHE StarLight** chrome finish	**chrome**	**207.70**
		**26 788 001** **Costa S** **50 mm extension** wall mounted metal handles heat-insulated screwable Carbodur headpart diverter **without connection unions** swivel tubular spout **centre distance 120 mm** **GROHE StarLight** chrome finish	**chrome**	**112.80**

GROHE
UNIVERSAL


	Article No.	Colour	Price
 	**20 201 000** **20 201 AL0** **Universal pillar tap 1/2"** C-spout flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart union nut 1/2" with 10.5 mm drilling **GROHE StarLight** chrome finish projection 113 mm	**chrome** **brushed hard graphite**	**100.30** **173.00**
 	**20 202 000** **Universal pillar tap 1/2"** 7°-spout flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart union nut 1/2" with 10.5 mm drilling **GROHE StarLight** chrome finish projection 114 mm	**chrome**	**114.60**
 	**20 205 000** **Universal wall-mounted tap 1/2"** flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart connection thread 1/2" **GROHE StarLight** chrome finish projection 106 mm	**chrome**	**81.20**
 	**20 203 000** **Universal wall-mounted tap 1/2"** flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart connection thread 1/2" **GROHE StarLight** chrome finish projection 185 mm	**chrome**	**89.40**

*** price on request**
N = Net = price based on net price

GROHE
MULTI PURPOSE MIXER

	Article No.	Colour	Price






32 847 000 **chrome** **227.70**

Eurosmart Cosmopolitan
Solid basin mixer, 1/2“
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
swivel tubular spout
projection 400 mm
S-unions






32 708 00A **chrome** **282.20**

Solid basin mixer, 1/2“
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
swivel tubular spout
projection 400 mm
S-unions
metal wall escutcheons
set constisting of:
hand shower Tempesta 100 II 9.5 l/min (27 597)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2“ x 1/2“ (28 151)





26 792 10A **chrome** **207.70**


Costa S
Solid basin mixer, 1/2“
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
diverter bath/shower
S-unions
connection angle 3/4“ x 3/4“ (12 419)
spout 300 mm (13 017)
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
Relexaflex hose 1500 mm 1/2“ x 1/2“ (28 151)
wall shower holder (28 605)
GROHE StarLight chrome finish

*** price on request**
N = Net = price based on net price

GROHE
TALENTOFILL

Article No.	Colour	Price
19 952 000	chrome	167.80
19 952 DC0	supersteel	257.30
19 952 BE0	polished nickel	275.70
19 952 EN0	brushed nickel	293.20
19 952 GL0	cool sunrise	275.70
19 952 GN0	brushed cool sunrise	293.20
19 952 DA0	warm sunset	275.70
19 952 DL0	brushed warm sunset	293.20
19 952 A00	hard graphite	275.70
19 952 AL0	brushed hard graphite	285.80






Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991






28 990 000 — 170.20

Talentofill
Inlet-, pop-up and waste-system
for normal bath tubs
without finishing trim set
with bottle trap and 45°-outlet-bend
without anti-vacuum device
installation acc. to DIN 1988
only with anti-vacuum device A2 type
or Talentofill connection set (28 995)






28 991 000 — 146.50

Talentofill
Inlet-, pop-up and waste-system
for body formed bath tubs
without finishing trim set
with bottle trap and 45°-outlet-bend
without anti-vacuum device
installation acc. to DIN 1988
only with anti-vacuum device A2 type
or Talentofill connection set (28 995)






28 993 000 — 62.70

Talentofill
Connection set 3/4“
with 1.5 m-flexible connection pipe
without finishing trim set









28 995 000 — 273.30

Talentofill
Connection set 3/4“
with concealed anti-vacuum device
consisting of:
-concealed pipe interrupter (A2 type, DIN 1988, part IV)
- 3.5 m flexible connection pipe (in 2 parts)
without escutcheon (19 954)


*** price on request**
N = Net = price based on net price

GROHE TALENTOFILL

	Article No.	Colour	Price
 	**19 954 000**	**chrome**	**19.40**
	Talentofill **Escutcheon** for connection set 28 995 **GROHE StarLight** chrome finish		
	**28 963 000**		**38.20**
	Inlet part with mousseur suitable to Talentofill 28 990/28 991 production before 03/2007		
	**29 009 000**		**67.00**
	Inlet part with mousseur suitable to Talentofill 28 990/28 991 production after 03/2007		
 	**14 055 000**		**154.50**
	Backflow protection combination (DIN-EN1717) retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers		
 	**19 025 000**	**chrome**	**58.60**
	Talento **Waste and overflow set for bath tubes** set for final installation escutcheon waste plug fixing set **in combination with** **Talentofill 28 939/28 943**		
 	**28 939 000**		**90.00**
	Talento **Pop-up bath waste and overflow** set for normal bath and deep shower trays without finishing trim set bottle trap 45° waste elbow		

* price on request
N = Net = price based on net price






GROHE
TALENTOFILL

	Article No.	Colour	Price
 	**28 943 000**		**96.80**

Talento
Pop-up bath waste and overflow
set for special baths
without finishing trim set
bottle trap 45° waste elbow






*** price on request**
N = Net = price based on net price

GROHE SELECTION

	Article No.	Colour	Price
 	41 027 000	chrome	45.00
	41 027 DC0	supersteel	62.00
	41 027 BE0	polished nickel	67.00
	41 027 EN0	brushed nickel	71.00
	41 027 GL0	cool sunrise	67.00
	41 027 GN0	brushed cool sunrise	71.00
	41 027 DA0	warm sunset	67.00
	41 027 DL0	brushed warm sunset	71.00
	41 027 A00	hard graphite	67.00
	41 027 AL0	brushed hard graphite	71.00
	Selection **Holder** material: metal for Selection soap dispenser (41 028) or Selection glass (41 029 000) concealed fastening **GROHE StarLight** chrome finish		
 	41 028 000	chrome	45.00
	41 028 DC0	supersteel	62.00
	41 028 BE0	polished nickel	67.00
	41 028 EN0	brushed nickel	71.00
	41 028 GL0	cool sunrise	67.00
	41 028 GN0	brushed cool sunrise	71.00
	41 028 DA0	warm sunset	67.00
	41 028 DL0	brushed warm sunset	71.00
	41 028 A00	hard graphite	67.00
	41 028 AL0	brushed hard graphite	71.00
	Selection **Soap dispenser** material: glass / metal filling quantity 120 ml fits in the following holder: 41 027 **GROHE StarLight** chrome finish		
 	41 029 000	chrome	21.00
	Selection **White glass** material: glass fits in the following holder: 41 027		
 	41 035 000	chrome	50.00
	41 035 DC0	supersteel	70.00
	41 035 BE0	polished nickel	75.00
	41 035 EN0	brushed nickel	80.00
	41 035 GL0	cool sunrise	75.00
	41 035 GN0	brushed cool sunrise	80.00
	41 035 DA0	warm sunset	75.00
	41 035 DL0	brushed warm sunset	80.00
	41 035 A00	hard graphite	75.00
	41 035 AL0	brushed hard graphite	80.00
	Selection **Towel ring** material: metal holder for soap dish (41 036) and shower tray (41 037) length 200 mm concealed fastening **GROHE StarLight** chrome finish		
 	41 036 000		29.00
	Selection **Soap dish without holder** material: glass for use with towel ring (41 035)		





* price on request
N = Net = price based on net price

GROHE SELECTION

	Article No.	Colour	Price
 	41 037 000	chrome	12.00
	Selection **Shower tray without holder** material: glass for use with towel ring (41 035)		
 	41 038 000	chrome	59.00
	41 038 DC0	supersteel	83.00
	41 038 BE0	polished nickel	87.00
	41 038 EN0	brushed nickel	95.00
	41 038 GL0	cool sunrise	87.00
	41 038 GN0	brushed cool sunrise	95.00
	41 038 DA0	warm sunset	87.00
	41 038 DL0	brushed warm sunset	95.00
	41 038 A00	hard graphite	87.00
	41 038 AL0	brushed hard graphite	95.00
	Selection **Corner shower tray with holder** material: glass / metal consisting of holder and soap dish concealed fastening **GROHE StarLight** chrome finish		
 	41 039 000	chrome	16.00
	41 039 DC0	supersteel	22.00
	41 039 BE0	polished nickel	24.00
	41 039 EN0	brushed nickel	26.00
	41 039 GL0	cool sunrise	24.00
	41 039 GN0	brushed cool sunrise	26.00
	41 039 DA0	warm sunset	24.00
	41 039 DL0	brushed warm sunset	26.00
	41 039 A00	hard graphite	24.00
	41 039 AL0	brushed hard graphite	26.00
	Selection **Single robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish		
 	41 049 000	chrome	27.00
	41 049 DC0	supersteel	38.00
	41 049 BE0	polished nickel	40.00
	41 049 EN0	brushed nickel	43.00
	41 049 GL0	cool sunrise	40.00
	41 049 GN0	brushed cool sunrise	43.00
	41 049 DA0	warm sunset	40.00
	41 049 DL0	brushed warm sunset	43.00
	41 049 A00	hard graphite	40.00
	41 049 AL0	brushed hard graphite	43.00
	Selection **Double robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish		
 	41 056 000	chrome	71.00
	41 056 DC0	supersteel	99.00
	41 056 BE0	polished nickel	107.00
	41 056 EN0	brushed nickel	116.00
	41 056 GL0	cool sunrise	107.00
	41 056 GN0	brushed cool sunrise	116.00
	41 056 DA0	warm sunset	107.00
	41 056 DL0	brushed warm sunset	116.00
	41 056 A00	hard graphite	107.00
	41 056 AL0	brushed hard graphite	116.00
	Selection **Towel rail** material: metal length 600 mm concealed fastening for use with glass shelf (41 057) **GROHE StarLight** chrome finish		

*** price on request**
N = Net = price based on net price

GROHE SELECTION


	Article No.	Colour	Price
 	**41 057 000**	**chrome**	**83.00**
	Selection **Glass shelf** material: glass durable surface for use with towel rail (41 056)		
 	**41 058 000**	**chrome**	**91.00**
	41 058 DC0	**supersteel**	**128.00**
	41 058 BE0	**polished nickel**	**140.00**
	41 058 EN0	**brushed nickel**	**149.00**
	41 058 GL0	**cool sunrise**	**140.00**
	41 058 GN0	**brushed cool sunrise**	**149.00**
	41 058 DA0	**warm sunset**	**140.00**
	41 058 DL0	**brushed warm sunset**	**149.00**
	41 058 A00	**hard graphite**	**140.00**
	41 058 AL0	**brushed hard graphite**	**149.00**
	Selection **Towel rail** material: metal length 800 mm concealed fastening **GROHE StarLight** chrome finish		
 	**41 059 000**	**chrome**	**99.00**
	41 059 DC0	**supersteel**	**136.00**
	41 059 BE0	**polished nickel**	**149.00**
	41 059 EN0	**brushed nickel**	**157.00**
	41 059 GL0	**cool sunrise**	**149.00**
	41 059 GN0	**brushed cool sunrise**	**157.00**
	41 059 DA0	**warm sunset**	**149.00**
	41 059 DL0	**brushed warm sunset**	**157.00**
	41 059 A00	**hard graphite**	**149.00**
	41 059 AL0	**brushed hard graphite**	**157.00**
	Selection **Towel holder, non pivotable** material: metal depth 411 mm (functional depth 360 mm) two arms concealed fastening **GROHE StarLight** chrome finish		
 	**41 063 000**	**chrome**	**80.00**
	41 063 DC0	**supersteel**	**112.00**
	41 063 BE0	**polished nickel**	**120.00**
	41 063 EN0	**brushed nickel**	**128.00**
	41 063 GL0	**cool sunrise**	**120.00**
	41 063 GN0	**brushed cool sunrise**	**128.00**
	41 063 DA0	**warm sunset**	**120.00**
	41 063 DL0	**brushed warm sunset**	**128.00**
	41 063 A00	**hard graphite**	**120.00**
	41 063 AL0	**brushed hard graphite**	**128.00**
	Selection **Towel holder, pivotable** material: metal depth 441 mm (functional depth 400 mm) two arms concealed fastening **GROHE StarLight** chrome finish		

*** price on request**
N = Net = price based on net price

GROHE SELECTION

Article No.	Colour	Price
41 064 000	**chrome**	**55.00**
41 064 DC0	**supersteel**	**77.00**
41 064 BE0	**polished nickel**	**83.00**
41 064 EN0	**brushed nickel**	**87.00**
41 064 GL0	**cool sunrise**	**83.00**
41 064 GN0	**brushed cool sunrise**	**87.00**
41 064 DA0	**warm sunset**	**83.00**
41 064 DL0	**brushed warm sunset**	**87.00**
41 064 A00	**hard graphite**	**83.00**
41 064 AL0	**brushed hard graphite**	**87.00**






Selection
Grip bar
material: metal
length 336 mm (functional length 300 mm)
concealed fastening
GROHE StarLight chrome finish

Article No.	Colour	Price
41 066 000	**chrome**	**198.00**
41 066 DC0	**supersteel**	**272.00**
41 066 BE0	**polished nickel**	**297.00**
41 066 EN0	**brushed nickel**	**313.00**
41 066 GL0	**cool sunrise**	**297.00**
41 066 GN0	**brushed cool sunrise**	**313.00**
41 066 DA0	**warm sunset**	**297.00**
41 066 DL0	**brushed warm sunset**	**313.00**
41 066 A00	**hard graphite**	**297.00**
41 066 AL0	**brushed hard graphite**	**313.00**






Selection
Multi-towel rack
material: metal
length 596 mm
concealed fastening
GROHE StarLight chrome finish

Article No.	Colour	Price
41 067 000	**chrome**	**45.00**
41 067 DC0	**supersteel**	**62.00**
41 067 BE0	**polished nickel**	**67.00**
41 067 EN0	**brushed nickel**	**71.00**
41 067 GL0	**cool sunrise**	**67.00**
41 067 GN0	**brushed cool sunrise**	**71.00**
41 067 DA0	**warm sunset**	**67.00**
41 067 DL0	**brushed warm sunset**	**71.00**
41 067 A00	**hard graphite**	**67.00**
41 067 AL0	**brushed hard graphite**	**71.00**






Selection
Spare toilet paper holder (2 rolls)
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

Article No.	Colour	Price
41 068 000	**chrome**	**36.00**
41 068 DC0	**supersteel**	**50.00**
41 068 BE0	**polished nickel**	**54.00**
41 068 EN0	**brushed nickel**	**57.00**
41 068 GL0	**cool sunrise**	**54.00**
41 068 GN0	**brushed cool sunrise**	**57.00**
41 068 DA0	**warm sunset**	**54.00**
41 068 DL0	**brushed warm sunset**	**57.00**
41 068 A00	**hard graphite**	**54.00**
41 068 AL0	**brushed hard graphite**	**57.00**








Selection
Toilet paper holder
without cover
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish







*** price on request**
N = Net = price based on net price

GROHE SELECTION

	Article No.	Colour	Price
 	41 069 000	chrome	71.00
	41 069 DC0	supersteel	99.00
	41 069 BE0	polished nickel	107.00
	41 069 EN0	brushed nickel	116.00
	41 069 GL0	cool sunrise	107.00
	41 069 GN0	brushed cool sunrise	116.00
	41 069 DA0	warm sunset	107.00
	41 069 DL0	brushed warm sunset	116.00
	41 069 A00	hard graphite	107.00
	41 069 AL0	brushed hard graphite	116.00
	Selection **Toilet paper holder** with cover material: metal wall mounted concealed fastening **GROHE StarLight** chrome finish		
 	41 076 000	chrome	91.00
	41 076 DC0	supersteel	124.00
	41 076 BE0	polished nickel	132.00
	41 076 EN0	brushed nickel	145.00
	41 076 GL0	cool sunrise	132.00
	41 076 GN0	brushed cool sunrise	145.00
	41 076 DA0	warm sunset	132.00
	41 076 DL0	brushed warm sunset	145.00
	41 076 A00	hard graphite	132.00
	41 076 AL0	brushed hard graphite	145.00
	Selection **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE StarLight** chrome finish		
	40 791 001 N	white	5.30
	40 791 KS1 N	velvet black	5.30
	Spare brush head		
 	41 077 000	chrome	132.00
	41 077 DC0	supersteel	189.00
	41 077 BE0	polished nickel	198.00
	41 077 EN0	brushed nickel	214.00
	41 077 GL0	cool sunrise	198.00
	41 077 GN0	brushed cool sunrise	214.00
	41 077 DA0	warm sunset	198.00
	41 077 DL0	brushed warm sunset	214.00
	41 077 A00	hard graphite	198.00
	41 077 AL0	brushed hard graphite	214.00
	Selection **Shaving mirror** material: glass / metal without lights magnification: x 7 concealed fastening **GROHE StarLight** chrome finish		







*** price on request**
N = Net = price based on net price

GROHE
SELECTION CUBE

	Article No.	Colour	Price
 	**40 865 000 N** **Selection Cube** **Holder** material: metal for Selection Cube glass (40 783 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000) concealed fastening **GROHE StarLight** chrome finish	**chrome**	**37.80**
 	**40 805 000 N** **Selection Cube** **Soap dispenser** material: glass / metal filling quantity 300 ml fits in the following holder: Selection Cube (40 865 000) **GROHE StarLight** finish	**chrome**	**47.60**
 	**40 806 000 N** **Selection Cube** **Soap dish** material: glass fits in the following holder: Selection Cube (40 865 000)		**31.20**
 	**40 783 000 N** **Selection Cube** **Glass** material: glass fits in the following holder: Selection Cube (40 865 000)		**25.00**
 	**40 766 000 N** **Selection Cube** **Towel ring** material: metal concealed fastening **GROHE StarLight** finish	**chrome**	**53.30**
 	**40 768 000 N** **Selection Cube** **Double towel bar** material: metal 2 arms, pivotable 400 mm concealed fastening **GROHE StarLight** finish	**chrome**	**149.70**




*** price on request**
N = Net = price based on net price

GROHE
SELECTION CUBE

	Article No.	Colour	Price
 	**40 767 000 N** **Selection Cube** **Towel rail** 500 mm (functional length 459 mm) material: metal concealed fastening **GROHE StarLight** chrome finish	**chrome**	**101.20**
 	**40 804 000 N** **Selection Cube** **Multi bath towel rack** material: metal 600 mm (functional length 575 mm) concealed fastening **GROHE StarLight** finish	**chrome**	**280.70**
 	**40 782 000 N** **Selection Cube** **Robe hook** material: metal concealed fastening **GROHE StarLight** finish	**chrome**	**28.10**
 	**40 807 000 N** **Selection Cube** **Grip bar/towel bar** material: metal 600 mm (functional length 548 mm) concealed fastening **GROHE StarLight** finish	**chrome**	**158.50**
 	**40 781 000 N** **Selection Cube** **Toilet paper holder** material: metal concealed fastening with cover **GROHE StarLight** finish	**chrome**	**81.40**
 	**40 784 000 N** **Selection Cube** **Spare toilet paper holder** material: metal wall mounted concealed fastening **GROHE StarLight** finish	**chrome**	**37.80**

*** price on request**
N = Net = price based on net price

GROHE
SELECTION CUBE


	Article No.	Colour	Price
 	**40 857 000 N** **Selection Cube** **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE StarLight** finish	**chrome**	**110.00**
	40 870 000 N **Spare brush head**		**10.50**
	40 868 000 N **Spare brush**	**chrome**	**34.70**
	40 867 000 N **Spare glass**		**43.80**
 	**40 809 000 N** **Selection Cube** **Soap wire basket** material: metal for corner installation large **GROHE StarLight** finish	**chrome**	**111.10**
 	**40 808 000 N** **Selection Cube** **Shaving mirror** material: glass / metal wall mounted concealed fastening magnification: x 3 **GROHE StarLight** finish	**chrome**	**136.40**

*** price on request**
N = Net = price based on net price

GROHE ESSENTIALS

Article No.		Colour	Price
40 369 001	N	chrome	21.20
40 369 DC1	N	supersteel	27.60
40 369 BE1	N	polished nickel	29.60
40 369 EN1	N	brushed nickel	29.60
40 369 GL1	N	cool sunrise	29.60
40 369 GN1	N	brushed cool sunrise	29.60
40 369 DA1	N	warm sunset	29.60
40 369 DL1	N	brushed warm sunset	29.60
40 369 A01	N	hard graphite	29.60
40 369 AL1	N	brushed hard graphite	29.60






Essentials
Holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 394 001	N	chrome	17.70
40 394 DC1	N	supersteel	24.90
40 394 BE1	N	polished nickel	26.30
40 394 EN1	N	brushed nickel	28.10
40 394 GL1	N	cool sunrise	26.30
40 394 GN1	N	brushed cool sunrise	28.10
40 394 DA1	N	warm sunset	26.50
40 394 DL1	N	brushed warm sunset	28.10
40 394 A01	N	hard graphite	26.50
40 394 AL1	N	brushed hard graphite	28.30






Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

40 368 001	N		5.80






Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 372 001	N		7.10






Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 448 001	N	chrome	39.40
40 448 DC1	N	supersteel	50.00






Essentials
Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
consisting of:
holder (40 369 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

* price on request
N = Net = price based on net price

GROHE ESSENTIALS

Article No.		Colour	Price
40 444 001	**N**	**chrome**	**27.10**
40 444 DC1	**N**	**supersteel**	**35.20**






Essentials
Soap dish with holder
material: glass / metal
consisting of:
holder (40 369 001)
soap dish (40 368 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 447 001	**N**	**chrome**	**26.20**
40 447 DC1	**N**	**supersteel**	**35.20**






Essentials
Crystal glass with holder
material: glass / metal
consisting of:
holder (40 369 001)
Glass cup (40 372 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 365 001	**N**	**chrome**	**21.20**
40 365 DC1	**N**	**supersteel**	**27.60**
40 365 BE1	**N**	**polished nickel**	**29.60**
40 365 EN1	**N**	**brushed nickel**	**29.60**
40 365 GL1	**N**	**cool sunrise**	**29.60**
40 365 GN1	**N**	**brushed cool sunrise**	**29.60**
40 365 DA1	**N**	**warm sunset**	**29.60**
40 365 DL1	**N**	**brushed warm sunset**	**29.60**
40 365 A01	**N**	**hard graphite**	**29.60**
40 365 AL1	**N**	**brushed hard graphite**	**29.60**






Essentials
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 371 001	**N**	**chrome**	**38.10**
40 371 DC1	**N**	**supersteel**	**53.10**
40 371 BE1	**N**	**polished nickel**	**56.60**
40 371 EN1	**N**	**brushed nickel**	**60.40**
40 371 GL1	**N**	**cool sunrise**	**56.60**
40 371 GN1	**N**	**brushed cool sunrise**	**60.40**
40 371 DA1	**N**	**warm sunset**	**56.60**
40 371 DL1	**N**	**brushed warm sunset**	**60.40**
40 371 A01	**N**	**hard graphite**	**56.60**
40 371 AL1	**N**	**brushed hard graphite**	**60.40**






Essentials
Towel bar
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 688 001	**N**	**chrome**	**31.00**
40 688 DC1	**N**	**supersteel**	**39.80**
40 688 BE1	**N**	**polished nickel**	**43.20**
40 688 EN1	**N**	**brushed nickel**	**43.20**
40 688 GL1	**N**	**cool sunrise**	**43.20**
40 688 GN1	**N**	**brushed cool sunrise**	**43.20**
40 688 DA1	**N**	**warm sunset**	**43.20**
40 688 DL1	**N**	**brushed warm sunset**	**43.20**
40 688 A01	**N**	**hard graphite**	**43.20**
40 688 AL1	**N**	**brushed hard graphite**	**43.20**






Essentials
Towel rail
material: metal
504 mm (functional length 450 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

*** price on request**
N = Net = price based on net price

GROHE ESSENTIALS






Article No.		Colour	Price
40 366 001	N	chrome	33.40
40 366 DC1	N	supersteel	43.70
40 366 BE1	N	polished nickel	47.00
40 366 EN1	N	brushed nickel	47.00
40 366 GL1	N	cool sunrise	47.00
40 366 GN1	N	brushed cool sunrise	47.00
40 366 DA1	N	warm sunset	47.00
40 366 DL1	N	brushed warm sunset	47.00
40 366 A01	N	hard graphite	47.00
40 366 AL1	N	brushed hard graphite	47.00

Essentials
Towel rail
material: metal
654 mm (functional length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






Article No.		Colour	Price
40 386 001	N	chrome	42.30
40 386 DC1	N	supersteel	55.00
40 386 BE1	N	polished nickel	59.20
40 386 EN1	N	brushed nickel	59.20
40 386 GL1	N	cool sunrise	59.20
40 386 GN1	N	brushed cool sunrise	59.20
40 386 DA1	N	warm sunset	59.20
40 386 DL1	N	brushed warm sunset	59.20
40 386 A01	N	hard graphite	59.20
40 386 AL1	N	brushed hard graphite	59.20

Essentials
Towel rail
material: metal
854 mm (functional length 800 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






Article No.		Colour	Price
40 802 001	N	chrome	58.00
40 802 DC1	N	supersteel	81.60
40 802 BE1	N	polished nickel	87.20
40 802 EN1	N	brushed nickel	93.10
40 802 GL1	N	cool sunrise	87.20
40 802 GN1	N	brushed cool sunrise	93.10
40 802 DA1	N	warm sunset	87.20
40 802 DL1	N	brushed warm sunset	93.10
40 802 A01	N	hard graphite	87.20
40 802 AL1	N	brushed hard graphite	93.10

Essentials
Double towel rail
material: metal
654 mm (functional length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)





Article No.		Colour	Price
40 800 001	N	chrome	114.40
40 800 DC1	N	supersteel	161.10
40 800 BE1	N	polished nickel	169.80
40 800 EN1	N	brushed nickel	181.10
40 800 GL1	N	cool sunrise	169.80
40 800 GN1	N	brushed cool sunrise	181.10
40 800 DA1	N	warm sunset	169.80
40 800 DL1	N	brushed warm sunset	181.10
40 800 A01	N	hard graphite	169.80
40 800 AL1	N	brushed hard graphite	181.10


Essentials
Multi bath towel rack
material: metal
604 mm (functional length 550 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

*** price on request**
N = Net = price based on net price

GROHE ESSENTIALS

Article No.		Colour	Price
40 364 001	N	chrome	11.40
40 364 DC1	N	supersteel	15.30
40 364 BE1	N	polished nickel	16.10
40 364 EN1	N	brushed nickel	16.10
40 364 GL1	N	cool sunrise	16.10
40 364 GN1	N	brushed cool sunrise	16.10
40 364 DA1	N	warm sunset	16.10
40 364 DL1	N	brushed warm sunset	16.10
40 364 A01	N	hard graphite	16.10
40 364 AL1	N	brushed hard graphite	16.10






Essentials
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 421 001	N	chrome	33.80
40 421 DC1	N	supersteel	47.40
40 421 BE1	N	polished nickel	50.80
40 421 EN1	N	brushed nickel	54.20
40 421 GL1	N	cool sunrise	50.80
40 421 GN1	N	brushed cool sunrise	54.20
40 421 DA1	N	warm sunset	50.80
40 421 DL1	N	brushed warm sunset	54.20
40 421 A01	N	hard graphite	50.80
40 421 AL1	N	brushed hard graphite	54.20






Essentials
Grip bar
material: metal
349 mm (functional length 295 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 793 001	N	chrome	48.40
40 793 DC1	N	supersteel	67.80






Essentials
Grip bar
material: metal
507 mm (functional length 450 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 794 001	N	chrome	58.00
40 794 DC1	N	supersteel	81.60






Essentials
Grip bar
material: metal
657 mm (functional length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 797 001	N	chrome	149.70






Essentials
Grip bar
material: metal
737 x 997 mm (functional length 680 x 940 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

*** price on request**
N = Net = price based on net price

GROHE ESSENTIALS

Article No.		Colour	Price
40 799 001	N	chrome	38.50
40 799 DC1	N	supersteel	50.00






Essentials
Glass shelf
material: glass / metal
530 mm (functional length 380 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 689 001	N	chrome	25.00
40 689 DC1	N	supersteel	32.60
40 689 BE1	N	polished nickel	35.20
40 689 EN1	N	brushed nickel	35.20
40 689 GL1	N	cool sunrise	35.20
40 689 GN1	N	brushed cool sunrise	35.20
40 689 DA1	N	warm sunset	35.20
40 689 DL1	N	brushed warm sunset	35.20
40 689 A01	N	hard graphite	35.20
40 689 AL1	N	brushed hard graphite	35.20






Essentials
Toilet paper holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 367 001	N	chrome	28.00
40 367 DC1	N	supersteel	36.40
40 367 BE1	N	polished nickel	39.00
40 367 EN1	N	brushed nickel	39.00
40 367 GL1	N	cool sunrise	39.00
40 367 GN1	N	brushed cool sunrise	39.00
40 367 DA1	N	warm sunset	39.00
40 367 DL1	N	brushed warm sunset	39.00
40 367 A01	N	hard graphite	39.00
40 367 AL1	N	brushed hard graphite	39.00






Essentials
Toilet paper holder
material: metal
with cover
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 385 001	N	chrome	21.20
40 385 DC1	N	supersteel	27.60
40 385 BE1	N	polished nickel	29.60
40 385 EN1	N	brushed nickel	29.60
40 385 GL1	N	cool sunrise	29.60
40 385 GN1	N	brushed cool sunrise	29.60
40 385 DA1	N	warm sunset	29.60
40 385 DL1	N	brushed warm sunset	29.60
40 385 A01	N	hard graphite	29.60
40 385 AL1	N	brushed hard graphite	29.60






Essentials
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

GROHE ESSENTIALS

Article No.		Colour	Price
40 374 001	N	chrome	34.70
40 374 DC1	N	supersteel	44.90
40 374 BE1	N	polished nickel	48.30
40 374 EN1	N	brushed nickel	48.30
40 374 GL1	N	cool sunrise	48.30
40 374 GN1	N	brushed cool sunrise	48.30
40 374 DA1	N	warm sunset	48.30
40 374 DL1	N	brushed warm sunset	48.30
40 374 A01	N	hard graphite	48.30
40 374 AL1	N	brushed hard graphite	48.30





Essentials
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 791 001	N	white	5.30
40 791 KS1	N	velvet black	5.30

Spare brush head

40 392 000		chrome	22.10

Spare brush


40 393 000		daVinci satin white	29.60

Spare glass

---

40 663 001	N	chrome	49.10






BauCosmopolitan
Soap wire basket
material: metal
for corner installation
large
suitable for screwing (including screws and dowels)

---

40 664 001	N	chrome	37.20






BauCosmopolitan
Soap wire basket
material: metal
for corner installation
small
suitable for screwing (including screws and dowels)

---

40 407 001	N	chrome	66.50
40 407 DC1	N	supersteel	84.70






Essentials
City restroom accessories set 3-in-1
material: glass / metal
consisting of:
toilet brush set (40 374 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

---

40 775 001	N	chrome	65.60
40 775 DC1	N	supersteel	84.70






Essentials
Guest bathroom accessories set 3-in-1
material: metal
consisting of:
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

*** price on request**
N = Net = price based on net price

GROHE ESSENTIALS

	Article No.	Colour	Price






40 776 001 N	**chrome**	**84.70**
40 776 DC1 N	**supersteel**	**110.10**

Essentials
Master bathroom accessories set 4-in-1
material: metal
consisting of:
towel ring (40 365 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
towel rail, 600 mm (40 366 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 846 001 N	**chrome**	**101.70**

Essentials
Master bathroom accessories set 4-in-1
material: metal
consisting of:
soap dispenser with holder (40 448 001)
crystal glass with holder (40 447 001)
double towel bar (40 371 001), suitable for screwing only (including screws and dowels)
robe hook (40 364 001)
concealed fastening
GROHE StarLight finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)





40 344 001 N	**chrome**	**105.90**

Essentials
Master bathroom accessories set 5-in-1
material: glass / metal
consisting of:
towel ring (40 365 001)
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
paper holder with cover (40 367 001)
soap dish with holder (40 444 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)





40 915 000	**9.20**

Essentials
Glue for bath accessories
contains syringe with with glue and adapter for the wall mounting plate
curing time 24 hours
one pack is required for one wall holder plate, please note for bath towel holders
suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal
not suitable for wallpaper, plaster and coating
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
ESSENTIALS CUBE

	Article No.	Colour	Price






40 508 001 N	**chrome**	**28.10**
40 508 AL1	**brushed hard graphite**	**69.00**

Essentials Cube
Holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish






40 394 001 N	**chrome**	**17.70**
40 394 DC1 N	**supersteel**	**24.90**
40 394 AL1 N	**brushed hard graphite**	**28.30**

Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish






40 368 001 N **5.80**

Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 372 001 N **7.10**

Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 756 001 N **chrome** **46.20**

Essentials Cube
Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
consisting of:
holder (40 508 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish











40 755 001 N **chrome** **34.20**

Essentials Cube
Crystal glass with holder
material: glass / metal
consisting of:
holder (40 508 001)
crystal glass (40 372 001)
concealed fastening
GROHE StarLight chrome finish






*** price on request**
N = Net = price based on net price

GROHE
ESSENTIALS CUBE

	Article No.	Colour	Price
 	**40 754 001 N** **Essentials Cube** **Soap dish with holder** material: glass / metal consisting of: holder (40 508 001) soap dish (40 368 001) concealed fastening **GROHE StarLight** chrome finish	**chrome**	**34.60**
 	**40 510 001 N** **40 510 AL1** **Essentials Cube** **Towel ring** material: metal concealed fastening **GROHE StarLight** chrome finish	**chrome** **brushed hard graphite**	**39.20** **95.00**
 	**40 624 001 N** **40 624 AL1** **Essentials Cube** **Towel bar** material: metal 2 arms, pivotable 439 mm concealed fastening **GROHE StarLight** chrome finish	**chrome** **brushed hard graphite**	**54.50** **133.00**
 	**40 509 001 N** **40 509 AL1** **Essentials Cube** **Towel rail** material: metal 600 mm (functional length 558 mm) concealed fastening **GROHE StarLight** chrome finish	**chrome** **brushed hard graphite**	**43.60** **105.00**
 	**40 512 001 N** **40 512 AL1** **Essentials Cube** **Multi-towel rack** material: metal 600 mm (functional length 558 mm) concealed fastening **GROHE StarLight** chrome finish	**chrome** **brushed hard graphite**	**140.80** **344.00**
 	**40 511 001 N** **40 511 AL1** **Essentials Cube** **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish	**chrome** **brushed hard graphite**	**16.30** **40.00**

*** price on request**
N = Net = price based on net price

GROHE
ESSENTIALS CUBE


	Article No.	Colour	Price
 	**40 514 001 N** **40 514 AL1**	**chrome** **brushed hard graphite**	**58.00** **142.00**
	Essentials Cube **Grip bar** material: metal 392 mm (functional length 340 mm) concealed fastening **GROHE StarLight** chrome finish		
 	**40 507 001 N** **40 507 AL1**	**chrome** **brushed hard graphite**	**32.60** **80.00**
	Essentials Cube **Toilet paper holder** material: metal without cover concealed fastening **GROHE StarLight** chrome finish		
 	**40 623 001 N** **40 623 AL1**	**chrome** **brushed hard graphite**	**27.30** **67.00**
	Essentials Cube **Spare toilet paper holder** material: metal wall mounted concealed fastening **GROHE StarLight** chrome finish		
 	**40 513 001 N** **40 513 AL1**	**chrome** **brushed hard graphite**	**56.90** **137.00**
	Essentials Cube **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE StarLight** chrome finish		
	40 791 001 N **40 791 KS1 N** **Spare brush head**	**white** **velvet black**	**5.30** **5.30**
	40 392 000 **Spare brush**	**chrome**	**22.10**
	40 393 000 **Spare glass**	**daVinci satin white**	**29.60**
 	**40 757 001 N**	**chrome**	**96.80**
	Essentials Cube **City restroom accessories set 3-in-1** material: glass / metal consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening **GROHE StarLight** chrome finish		

*** price on request**
N = Net = price based on net price

GROHE
ESSENTIALS CUBE


	Article No.	Colour	Price






40 777 001 N — **chrome** — **82.70**

Essentials Cube
Guest bathroom accessories set 3-in-1
material: metal
consisting of:
robe hook (40 511 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE StarLight chrome finish






40 778 001 N — **chrome** — **118.90**

Essentials Cube
Master bathroom accessories set 4-in-1
material: metal
consisting of:
robe hook (40 511 001)
towel ring (40 510 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE StarLight chrome finish






40 847 001 N — **chrome** — **136.40**

Essentials Cube
Bathroom accessories set 4-in-1
material: glass / metal
consisting of:
soap dispenser with holder (40 756 001)
crystal glass with holder (40 755 001)
double towel bar (40 624 001)
robe hook (40 511 001)
concealed fastening
GROHE StarLight finish






40 758 001 N — **chrome** — **145.20**

Essentials Cube
Master bathroom accessories set 5-in-1
material: glass / metal
consisting of:
soap dish with holder (40 754 001)
towel rail, 558 mm (40 509 001)
toilet paper holder (40 507 001)
robe hook (40 511 001)
towel ring (40 510 001)
concealed fastening
GROHE StarLight chrome finish

GROHE
BAUCOSMOPOLITAN

	Article No.	Colour	Price






40 585 001 N **chrome** **16.50**

BauCosmopolitan
Holder
material: metal
for crystal glass (40 372 001), soap dish (40 368 001),
or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 394 001 N **chrome** **17.70**

Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish






40 368 001 N **5.80**

Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 372 001 N **7.10**

Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 460 001 N **chrome** **16.50**

BauCosmopolitan
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)










40 459 001 N **chrome** **24.10**

BauCosmopolitan
Towel rail
material: metal
522 mm (functional length 430 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

*** price on request**
N = Net = price based on net price

GROHE
BAUCOSMOPOLITAN


	Article No.	Colour	Price
 	**40 462 001 N** **BauCosmopolitan** **Multi-towel rack** material: metal 564 mm (functional length 510 mm) concealed fastening **GROHE StarLight** chrome finish suitable for screwing (including screws and dowels)	**chrome**	**88.80**
 	**40 461 001 N** **BauCosmopolitan** **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)	**chrome**	**10.10**
 	**40 457 001 N** **BauCosmopolitan** **Paper holder** material: metal without cover concealed fastening **GROHE StarLight** chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)	**chrome**	**20.70**
 	**40 463 001 N** **BauCosmopolitan** **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE StarLight** chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)	**chrome**	**27.10**
	40 791 001 N **40 791 KS1 N** **Spare brush head**	**white** **velvet black**	**5.30** **5.30**
	40 392 000 **Spare brush**	**chrome**	**22.10**
	40 393 000 **Spare glass**	**daVinci satin white**	**29.60**
 	**40 663 001 N** **BauCosmopolitan** **Soap wire basket** material: metal for corner installation large suitable for screwing (including screws and dowels)	**chrome**	**49.10**

* price on request
N = Net = price based on net price

GROHE
BAUCOSMOPOLITAN

	Article No.	Colour	Price





40 664 001 N **chrome** **37.20**

BauCosmopolitan
Soap wire basket
material: metal
for corner installation
small
suitable for screwing (including screws and dowels)




40 915 000 **9.20**


Essentials
Glue for bath accessories
contains syringe with with glue and adapter for the wall mounting plate
curing time 24 hours
one pack is required for one wall holder plate, please note for bath towel holders
suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal
not suitable for wallpaper, plaster and coating
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

*** price on request**
N = Net = price based on net price


GROHE
ESSENTIALS AUTHENTIC

	Article No.	Colour	Price
 	**40 652 001 N** **40 652 EN1 N**	**chrome** **brushed nickel**	**21.10** **34.20**


Essentials Authentic
Holder
material: metal
for crystal glass (40 372 001), soap dish (40 368 001),
or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

 	**40 394 001 N** **40 394 EN1 N**	**chrome** **brushed nickel**	**17.70** **28.10**


Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

 	**40 368 001 N**		**5.80**


Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

 	**40 372 001 N**		**7.10**

Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

 	**40 655 001 N** **40 655 EN1 N**	**chrome** **brushed nickel**	**21.10** **34.20**







Essentials Authentic
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

 	**40 653 001 N** **40 653 EN1 N**	**chrome** **brushed nickel**	**33.80** **54.40**

Essentials Authentic
Towel rail
material: metal
626 mm (functional length 582 mm)
concealed fastening
GROHE StarLight chrome finish


* price on request
N = Net = price based on net price


GROHE
ESSENTIALS AUTHENTIC

	Article No.	Colour	Price
 	**40 654 001 N** **40 654 EN1 N** **Essentials Authentic** **Double towel rail** material: metal 626 mm (functional length 582 mm) concealed fastening **GROHE StarLight** chrome finish	**chrome** **brushed nickel**	**58.00** **93.10**
 	**40 660 001 N** **40 660 EN1 N** **Essentials Authentic** **Multi-towel rack** material: metal 586 mm (functional length 542 mm) concealed fastening **GROHE StarLight** chrome finish	**chrome** **brushed nickel**	**114.40** **181.10**
 	**40 656 001 N** **40 656 EN1 N** **Essentials Authentic** **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish	**chrome** **brushed nickel**	**11.80** **18.70**
 	**40 657 001 N** **40 657 EN1 N** **Essentials Authentic** **Toilet paper holder** material: metal without cover concealed fastening **GROHE StarLight** chrome finish	**chrome** **brushed nickel**	**25.00** **40.20**
 	**40 658 001 N** **40 658 EN1 N** **Essentials Authentic** **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE StarLight** chrome finish **40 791 001 N** **40 791 KS1 N** **Spare brush head** **40 392 000** **Spare brush** **40 393 000** **Spare glass**	**chrome** **brushed nickel** **white** **velvet black** **chrome** **daVinci satin white**	**34.70** **55.90** **5.30** **5.30** **22.10** **29.60**

*** price on request**
N = Net = price based on net price

GROHE
ESSENTIALS AUTHENTIC





Article No.	Colour	Price
40 659 001 N	**chrome**	**38.10**
40 659 EN1 N	**brushed nickel**	**60.70**

Essentials Authentic
Filling basket, small
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHTHERM
THERMOSTATS





CONTENTS

Grohtherm SmartControl	182
Grohtherm 2 handle trim sets	194
Grohtherm 3000 Cosmopolitan	200
Grohtherm 2000	201
Grohtherm Cube	203
Grohtherm 800	206

SAFETY NOTE

Avoiding scalding
For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremly important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.


In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.

GROHE
GROHTHERM SMARTCONTROL

Article No.	Colour	Price
29 123 000	**chrome**	**479.30**
29 123 DC0	**supersteel**	**710.00**
29 123 GN0	**brushed cool sunrise**	**832.30**
29 123 DL0	**brushed warm sunset**	**832.30**
29 123 A00	**hard graphite**	**761.00**
29 123 AL0	**brushed hard graphite**	**832.30**






Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

29 124 000	**chrome**	**521.80**
29 124 DC0	**supersteel**	**774.00**
29 124 GN0	**brushed cool sunrise**	**906.10**
29 124 DL0	**brushed warm sunset**	**906.10**
29 124 A00	**hard graphite**	**829.00**
29 124 AL0	**brushed hard graphite**	**906.10**





Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min


35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM SMARTCONTROL

Article No.	Colour	Price






29 125 000	**chrome**	**626.20**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min

35 600 000		**78.20**

GROHE Rapido SmartBox universal rough-in box for concealed installation





29 126 000	**chrome**	**569.90**
29 126 DC0	**supersteel**	**837.00**
29 126 GN0	**brushed cool sunrise**	**979.90**
29 126 DL0	**brushed warm sunset**	**979.90**
29 126 A00	**hard graphite**	**896.00**
29 126 AL0	**brushed hard graphite**	**979.90**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 600 000		**78.20**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

	Article No.	Colour	Price
	29 127 000	**chrome**	**345.00**
	29 127 DC0	**supersteel**	**511.00**
	29 127 GN0	**brushed cool sunrise**	**598.60**
	29 127 DL0	**brushed warm sunset**	**598.60**
	29 127 A00	**hard graphite**	**547.00**
	29 127 AL0	**brushed hard graphite**	**598.60**






Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000/35 601 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---

29 153 LS0 **moon white** **623.60**






Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---

29 156 LS0 **moon white** **666.70**





Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min


35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM SMARTCONTROL

	Article No.	Colour	Price






29 157 LS0 **moon white** **709.60**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 158 LS0 **moon white** **458.00**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000/35 601 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL






Article No.	Colour	Price
29 118 000	**chrome**	**511.20**
29 118 DC0	**supersteel**	**715.70**
29 118 BE0	**polished nickel**	**780.00**
29 118 EN0	**brushed nickel**	**832.30**
29 118 GL0	**cool sunrise**	**780.00**
29 118 GN0	**brushed cool sunrise**	**832.30**
29 118 DA0	**warm sunset**	**780.00**
29 118 DL0	**brushed warm sunset**	**822.10**
29 118 A00	**hard graphite**	**780.00**
29 118 AL0	**brushed hard graphite**	**817.80**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 119 000	**chrome**	**557.00**
29 119 DC0	**supersteel**	**779.90**
29 119 BE0	**polished nickel**	**849.70**
29 119 EN0	**brushed nickel**	**906.10**
29 119 GL0	**cool sunrise**	**783.10**
29 119 GN0	**brushed cool sunrise**	**906.10**
29 119 DA0	**warm sunset**	**849.70**
29 119 DL0	**brushed warm sunset**	**906.10**
29 119 A00	**hard graphite**	**849.70**
29 119 AL0	**brushed hard graphite**	**890.90**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min


35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM SMARTCONTROL

Article No.	Colour	Price






29 120 000	**chrome**	**668.80**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min

35 600 000		**78.20**

GROHE Rapido SmartBox universal rough-in box for concealed installation





29 121 000	**chrome**	**602.80**
29 121 DC0	**supersteel**	**843.00**
29 121 BE0	**polished nickel**	**918.40**
29 121 EN0	**brushed nickel**	**979.90**
29 121 GL0	**cool sunrise**	**908.20**
29 121 GN0	**brushed cool sunrise**	**968.60**
29 121 DA0	**warm sunset**	**918.40**
29 121 DL0	**brushed warm sunset**	**979.90**
29 121 A00	**hard graphite**	**908.30**
29 121 AL0	**brushed hard graphite**	**964.00**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000		**78.20**


GROHE Rapido SmartBox universal rough-in box for concealed installation

* price on request
N = Net = price based on net price

GROHE
GROHTHERM SMARTCONTROL

Article No.	Colour	Price
29 122 000	**chrome**	**367.50**
29 122 DC0	**supersteel**	**515.00**
29 122 BE0	**polished nickel**	**560.70**
29 122 EN0	**brushed nickel**	**587.80**
29 122 GL0	**cool sunrise**	**560.70**
29 122 GN0	**brushed cool sunrise**	**598.60**
29 122 DA0	**warm sunset**	**560.70**
29 122 DL0	**brushed warm sunset**	**598.60**
29 122 A00	**hard graphite**	**560.70**
29 122 AL0	**brushed hard graphite**	**587.80**






Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000/35 601 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---

29 150 LS0 **moon white** **617.70**






Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---

29 151 LS0 **moon white** **683.20**





Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min


35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM SMARTCONTROL

	Article No.	Colour	Price






29 904 LS0 **moon white** **709.60**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 152 LS0 **moon white** **458.00**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000/35 601 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation





34 742 000 **chrome** **1,320.20**


Grohtherm SmartControl
Perfect shower set
consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 125 000)
GROHE Rapido SmartBox 35 600 000
Rainshower F-Series 10" head shower set (26 070 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)

* price on request
N = Net = price based on net price

GROHE
GROHTHERM SMARTCONTROL

	Article No.	Colour	Price






34 706 000 **chrome** **1,458.00**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox 35 600 000
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)





34 705 000 **chrome** **1,465.40**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)



14 077 XH0 **chrome/frosted granite** **23.60**


SmartControl
Caps concealed
consisting of:
9 caps with 6 different symbols
fits Grohtherm SmartControl and SmartControl
mixer sets for final installation

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM SMARTCONTROL

	Article No.	Colour	Price






34 713 000 **chrome** **787.50**

Grohtherm SmartControl
Combi thermostatic shower mixer
with 3 valves, exposed/concealed
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow

requires concealed body 26 449 000,
to be ordered separately






34 714 000 **chrome** **734.90**

Grohtherm SmartControl
Combi thermostatic shower mixer
with 2 valves, exposed/concealed
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow

requires concealed body 26 449 000,
to be ordered separately






26 449 000 **129.90**

Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
material for wall sealing included
installation device

GROHE
GROHTHERM SMARTCONTROL

	Article No.	Colour	Price






34 719 000 **chrome** **377.00**

Grohtherm SmartControl
Thermostatic shower mixer 1/2“
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2“
built-in non return valves and dirt strainers protected against backflow






34 718 000 **chrome** **414.30**

Grohtherm SmartControl
Thermostatic bath mixer 1/2“
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2“
bath spout with mousseur
built-in non return valves and dirt strainers protected against backflow






34 721 000 **chrome** **488.80**

Grohtherm SmartControl
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set,
900 mm (27 226 001)





34 720 000 **chrome** **483.50**

Grohtherm SmartControl
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set,
600 mm (27 231 001)

*** price on request**
N = Net = price based on net price


GROHE
GROHTHERM SMARTCONTROL

	Article No.	Colour	Price
	**14 079 XH0**	**chrome/frosted granite**	**24.60**
	SmartControl **Caps exposed** consisting of: 3 caps with 3 different symbols fits Euphoria SmartControl shower systems		

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Article No.	Colour	Price






24 078 000 **chrome** **384.40**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 079 000 **chrome** **422.30**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 080 000 **chrome** **428.50**


Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price


GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Article No.	Colour	Price


34 728 000 **chrome** **656.00**

Grohtherm
Perfect shower set with Tempesta 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection
and shower hose to be ordered separately


34 729 000 **chrome** **722.60**

Grohtherm
Perfect shower set with Tempesta 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II (27 597)
shower outlet elbow (28 628)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

34 730 000 **chrome** **1,331.50**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 310
consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan 310 metal head shower (27 477 000)
Rainshower shower arm 422 mm (26 145 000)
Sena hand shower (28 034 000)
Rainshower wall holder (27 075 000)
Rainshower wall elbow connection (27 076 000)
Silverflex shower hose 1250 mm (28 362)


34 734 000 **chrome** **984.00**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
Rainshower shower arm 422 mm (26 146 000)
Euphoria hand shower (27 265)
shower outlet elbow (28 628)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Article No.	Colour	Price






24 075 000 **chrome** **384.40**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 076 000 **chrome** **422.30**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 077 000 **chrome** **428.50**

Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Article No.	Colour	Price






34 726 000 **chrome** **656.00**

Grohtherm
Perfect shower set with Tempesta 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection
and shower hose to be ordered separately






34 727 000 **chrome** **712.40**

Grohtherm
Perfect shower set with Tempesta 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II (27 597)
shower outlet elbow (28 628)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)






34 731 000 **chrome** **1,365.30**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 310
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan 310 metal head shower (27 477 000)
Rainshower shower arm 422 mm (26 146 000)
Sena hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)






34 732 000 **chrome** **1,162.40**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan 210 metal head shower (28 373)
Rainshower shower arm 286 mm (28 576)
Sena hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Article No.	Colour	Price






34 735 000 **chrome** **771.80**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 160
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan head shower 160 mm (27 134)
Rainshower shower arm 286 mm (28 576)
Euphoria hand shower (27 265)
shower outlet elbow (28 628)
Silverflex shower hose 1250 mm (28 362)






24 153 000 **chrome** **499.20**
24 153 DC0 **supersteel** **690.00**
24 153 AL0 **brushed hard graphite** **789.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set






24 154 000 **chrome** **556.60**
24 154 DC0 **supersteel** **770.00**
24 154 AL0 **brushed hard graphite** **879.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set






24 155 000 **chrome** **556.60**
24 155 DC0 **supersteel** **770.00**
24 155 AL0 **brushed hard graphite** **879.00**

Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM 2 HANDLE TRIM SETS


	Article No.	Colour	Price
 	**34 741 000**	**chrome**	**1,318.20**

Grohtherm Cube
Perfect shower set with Rainshower Allure 230
consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 3000 COSMOPOLITAN

	Article No.	Colour	Price






34 274 000 **chrome** **441.30**

Grohtherm 3000 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EcoJoy technology for less water and perfect flow





34 276 000 **chrome** **517.30**

Grohtherm 3000 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
Aquadimmer with multiple function
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EcoJoy technology for less water and perfect flow



47 175 000 **126.10**


GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM 2000

	Article No.	Colour	Price






34 169 001 **chrome** **300.90**

Grohtherm 2000
Thermostatic shower mixer 1/2“
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2“, 180°
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow






34 174 001 **chrome** **379.90**

Grohtherm 2000
Thermostatic bath mixer 1/2“
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
integrated **GROHE EcoButton** (economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2“
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow






34 482 001 **chrome** **485.90**

Grohtherm 2000
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 2000 thermostat shower mixer
(34 169)
Power&Soul Cosmopolitan 130 shower set (27 734 000)





18 608 001 **chrome** **44.30**

Grohtherm 2000
GROHE EasyReach shower tray
metal tray
removable for easy cleaning
GROHE StarLight chrome finish
suitable for Grohtherm 2000
- exposed thermostatic shower mixer with center distance 150 mm
- exposed thermostatic bath mixer with center distance 150 mm

*** price on request**
N = Net = price based on net price


GROHE
GROHTHERM 2000

	Article No.	Colour	Price
	**47 175 000**		**126.10**


GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

*** price on request**
N = Net = price based on net price


GROHE
GROHTHERM CUBE

	Article No.	Colour	Price
 	**34 491 000**	**chrome**	**390.70**

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray (18 700 000)
removable for easy cleaning
da Vinci satin white finish
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

 	**34 488 000**	**chrome**	**364.40**


Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

 	**34 502 000**	**chrome**	**505.20**


Grohtherm Cube
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray (18 700 000)
removable for easy cleaning
da Vinci satin white finish
GROHE EcoJoy technology for less water and perfect flow

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM CUBE

	Article No.	Colour	Price
 	**34 497 000**	**chrome**	**463.60**


Grohtherm Cube
Thermostatic bath mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2“
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

 	**18 700 000**	**daVinci satin white**	**40.50**

Grohtherm Cube
GROHE EasyReach tray
removable for easy cleaning
da Vinci satin white finish
suitable for Grohtherm Cube
- exposed thermostatic shower mixer with center distance 150 mm
- exposed thermostatic bath mixer with center distance 150 mm

	**47 175 000**	**126.10**

GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000
exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings

 	**24 153 000** **24 153 DC0** **24 153 AL0**	**chrome** **supersteel** **brushed hard graphite**	**499.20** **690.00** **789.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000	**78.20**


GROHE Rapido SmartBox universal rough-in box for concealed installation

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM CUBE

Article No.	Colour	Price
24 154 000	**chrome**	**556.60**
24 154 DC0	**supersteel**	**770.00**
24 154 AL0	**brushed hard graphite**	**879.00**






Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000	**78.20**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Article No.	Colour	Price
24 155 000	**chrome**	**556.60**
24 155 DC0	**supersteel**	**770.00**
24 155 AL0	**brushed hard graphite**	**879.00**






Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000	**78.20**

GROHE Rapido SmartBox universal rough-in box for concealed installation


Article No.	Colour	Price
34 741 000	**chrome**	**1,318.20**






Grohtherm Cube
Perfect shower set with Rainshower Allure 230
consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)


GROHE
GROHTHERM 800

	Article No.	Colour	Price
 	**34 558 000**	**chrome**	**177.50**


Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
GROHE EcoJoy technology for less water and perfect flow

 	**34 576 000**	**chrome**	**239.10**

Grohtherm 800
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
adjustable mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

 	**34 566 001**	**chrome**	**241.80**

Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 800 thermostatic shower mixer 1/2" (34 558 000)
Tempesta shower set II, 900 mm (27 646)

 	**34 565 001**	**chrome**	**237.50**

Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 800 thermostatic shower mixer 1/2" (34 558 000)
Tempesta shower rail set II, 600 mm (27 598)

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM 800

	Article No.	Colour	Price
	**47 175 000**		**126.10**

GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
CONCEALED SOLUTIONS






CONTENTS

GROHE Rapido SmartBox 210
GROHE Rapido C / stop valves 212

GROHE
RAPIDO SMARTBOX

	Article No.	Colour	Price






35 600 000 **78.20**

Rapido SmartBox
Universal rough-in box, 1/2"
3 outlets 1/2"
2 inlets below, 1/2"
installation depth 75-105 mm
connection unit in DR brass
pre-mounted flushing plug
stable build-in box and protective cover
fixation options for solid walls and dry cladding
gasket
without set for final installation






14 055 000 **154.50**

Backflow protection combination (DIN-EN1717)
retrofit set for protection against backflow in combination
with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox:
Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats,
single-lever mixers





14 053 00M **48.00**


Service stops
fits Grohtherm SmartControl, SmartControl mixer and Grohtherm 2-handle
thermostatic trim sets in combination with GROHE Rapido SmartBox
packaging unit: 2 pieces



47 790 000 **54.90**

Rapido connection set
fits to Rapido T (35 500), Rapido E (35 501)
and Rapido SmartBox (35 600)
VA approved
2 pcs./unit






14 048 000 **145.10**

Rapido SmartBox
Universal extension set single-lever mixers, 25 mm
25 mm
fits Grohtherm SmartControl and SmartControl Mixer sets
for final installation with up to three functions in combination
with GROHE Rapido SmartBox







14 056 000 **122.00**

Universal extension set single-lever mixers, 25 mm
fits for concealed single-lever mixers in combination
with **GROHE Rapido SmartBox**







*** price on request**
N = Net = price based on net price

GROHE
RAPIDO SMARTBOX

	Article No.	Colour	Price
 	14 057 000		239.90
Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**			
 	14 058 000		154.80
Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**			
	49 003 000	chrome	207.70
GROHE TurboStat cartridge 3/4“ for reversed inlets (hot water right) fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox service solution, does not comply with EN1111			

* price on request
N = Net = price based on net price


GROHE
RAPIDO C / STOP VALVES

	Article No.	Colour	Price
 	**35 028 000**		**131.60**
	Rapido C **Rough-in box for single volume control** built-in box with removable protection cover waterproof membrame base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass preassembled ceramic headpart 3/4“ connection threads 1/2“ flow rate: 55.0 l/min. at 3 bar installation depth 70 - 95 mm		
 	**29 800 000**		**25.00**
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle protection sleeve threaded union 1/2“ DR-brass		
	29 802 000 **ditto, 3/4“, pre-assembled headpart 3/4“, thread union 3/4“**		**38.70**
	29 805 000 **ditto, 1“, pre-assembled headpart 1“, thread union 1“**		**71.60**
 	**29 801 000**		**25.00**
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle, protection sleeve soldered connection Ø 15 mm DR-brass		
	29 803 000 **ditto, soldered connection Ø 18 mm**		**46.60**
	29 804 000 **ditto, soldered connection Ø 22 mm**		**46.60**
 	**29 811 000**		**28.20**
	Concealed valve 1/2“ preassembled ceramic headpart 1/2“ 180° threaded union 1/2“ installation depth adjustable 25 - 80 mm DR-brass		
	29 813 000 **ditto, 3/4“**		**36.70**
 	**45 202 000**		**6.80**
	Extension-set, 80 mm for GROHE concealed valves, 1/2“, 3/4“, 1“		
	45 203 000 **ditto, 200 mm**		**13.30**

*** price on request**
N = Net = price based on net price

GROHE
SHOWERS






CONTENTS

GROHE Digital Shower Systems	F-digital Deluxe	216
	Rainshower System SmartControl	222
	Rainshower SmartActive System	228
	Rainshower System	231
	Euphoria SmartControl System	234
	Euphoria System	237
	Tempesta System	244
	Shower system accessories	246
Head showers	Head showers	249
Showers	Sena	270
	Rainshower SmartActive	272
	Rainshower	286
	Power&Soul	290
	Movario	295
	Euphoria	296
	Tempesta	309
	Sena trigger sprays	323
	Tempesta-F trigger sprays	324
	Shower hoses	326
	Shower accessories	329

GROHE
F-DIGITAL DELUXE

Article No.	Colour	Price





26 373 001 **chrome** **22,572.80**

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm (width) x 762 mm (height) x 145 mm (depth)
material: metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-lime system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish


requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl
3 x Grohtherm SmartControl (29 126 000)
3 x GROHE Rapido SmartBox (35 600 000)
1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++






26 376 001 **chrome** **2,144.40**

Rainshower F-Series 40"
Roughing-in set
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm (width) x 745 mm (height) x 152 mm (depth)
min. installation depth: 167 mm
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.










29 126 000 **chrome** **569.90**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **78.20**
GROHE Rapido SmartBox universal rough-in box for concealed installation


*** price on request**
N = Net = price based on net price

GROHE
F-DIGITAL DELUXE


	Article No.	Colour	Price
 	**26 370 000**	**chrome**	**39.10**
	Euphoria Cube **Shower outlet elbow, 1/2"** with wall shower holder male thread protected against backflow **GROHE StarLight** chrome finish		
 	**27 888 000**	**chrome**	**93.40**
	Euphoria Cube+ Stick **Hand shower 1 spray** Normal spray material: metal **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**28 143 000 N**	**chrome**	**24.20**
	Relexaflex Metal Longlife **Metal shower hose 1500** 1500 mm material: metal **strengthened model** **tensile strength 750 N** pressure resistance up to 16 bar heat resistance 75°C **AntiFold** bendproof **Universal connection** G 1/2" x 1/2" **GROHE StarLight** chrome finish **blister packaging**		
 	**27 865 000**	**chrome**	**4,339.60**
	Rainshower F-Series 20" **Ceiling shower with light, 1 spray** Rain 508 x 508 x 59 mm material: metal full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection power supply for light 12 V DC CE approved **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **requires** rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation. this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ For detailed planning and product information please contact your local GROHE Customer Service.		
 	**29 069 000**		**129.90**
	Rainshower F-Series **Cable connection** for ceiling shower with light (27 865 000) consisting of: 2 cable extensions (5 m each)		

*** price on request**
N = Net = price based on net price


GROHE
F-DIGITAL DELUXE

	Article No.	Colour	Price
 	**36 359 000**	**chrome**	**1,158.40**


Rainshower F-Series
Light set
127 x 127 mm per module
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
consisting of:
- 1 light module with two plug connections
- 1 light module with one plug connection
waterproof & corrosion protected
supply voltage: 12 V DC
CE approved
GROHE StarLight chrome finish
requires rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.

 	**29 072 000**		**226.60**

Rainshower F-Series
Rough-in set light set
for use with double light modules (36 359 000)
consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)

 	**36 360 000**	**chrome**	**1,002.50**

Rainshower F-Series
Sound set
127 x 127 mm per module
full range stereo speaker
consisting of:
2 speakers with plug connections
waterproof & corrosion protected
GROHE StarLight chrome finish
requires rough-in set (29 073 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.

 	**29 073 000**		**228.80**


Rainshower F-Series
Rough-in set sound set
for use with double sound modules (36 360 000)
consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece

*** price on request**
N = Net = price based on net price

GROHE
F-DIGITAL DELUXE

	Article No.	Colour	Price






27 934 000 **chrome** **3,033.40**


GROHE F-digital Deluxe
Steam generator 6.6 kW
with steam outlet and temperature sensor
consisting of:
steam generator
415 x 445 x 130 mm
suitable for steam rooms up to 12.5 m³
supply voltage 400 V 3L+N+PE AC, 50 Hz
water inlet ¾", operating pressure 1 – 5 bar (above pressure reducer)
automatic emptying
water outlet 1/2"
steam temperature: max. 55° C
type of protection IP 23, CE approved
with connecting plug
steam outlet module with indentation for fragranced oil
127 x 127 mm, connection thread 1/2"
temperature sensor module
60 x 60 x 12 mm
GROHE StarLight chrome finish
requires rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.






29 074 000 **358.30**

GROHE F-digital Deluxe
Rough-in set steam generator
for use with steam module (36 362 000 or 27 934 000)
consisting of:
- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m






26 374 000 **1,023.80**

GROHE F-digital Deluxe
Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)
to control LightCurtain of Rainshower F-Series 40"
AquaSymphony ceiling shower
additional light, sound and steam modules
can be connected and controlled
consisting of:
- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40"
AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)
CE approved
optional the base unit box can be placed into extra equipment 36 367 000





36 397 000 **1,301.80**


GROHE F-digital Deluxe
Base unit box 2.0 Bluetooth (BCU V2.0)
for connecting light, sound and steam modules
consisting of:
- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) **or** 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)
CE approved
optional the base unit box can be placed into extra equipment 36 367 000

*** price on request**
N = Net = price based on net price

GROHE
F-DIGITAL DELUXE

	Article No.	Colour	Price






42 429 000 **99.50**

GROHE F-digital Deluxe
Power supply base unit box
power supply for base unit box (26 374 000 or 36 397 000)
total 2 power supplies max (8 devices max.) can be connected to the base unit box
with one power supply 4 devices (light/sound modules) can be driven
- ceiling shower with integrated light (27 865 000): 4 devices
- per light module: 1 device
- per sound module: 1 device

input voltage: 90-240 V AC, 50-60 Hz
output voltage: 12 V DC
CE approved





36 371 000 **581.40**

GROHE F-digital Deluxe
Bluetooth unit BT-01A for Apple and Android devices
with integrated electronic for wireless data communication
combinable with existing 36 365 000 docking station
wall mounted
86 x 73 x 42 mm
connection cable set for data communication and power supply (5 m each)
CE approved
Bluetooth transmitter power supply: 12 V
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
requires Base Unit Box 2.0 Bluetooth (36 397 000) – to be ordered separately
Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary

System requirements
Android
operating system: as of release 2.3.3
pixel density: 160 dpi minimum
display resolution: 320 x 470 pixels per inch

System requirements
Apple
iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**
Apple operating system: as of release iOS 6.0 and above


Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.






36 367 000 **279.60**

GROHE F-digital Deluxe
Rough-in set base unit box
for use with base unit box (26 374 000 or 36 397 000)
550 x 700 x 110 mm
height (100 mm) and depth (50 mm) adjustable
with removable front panel for installation
with adjustable front frame for installation in wall niches
galvanized and powder coated (RAL 9010, pure white) steel plate
with two mounting rails and elbow for power outlets and mounting materials








47 837 000 **70.90**

GROHE F-digital Deluxe
Cable extension steam generator AquaSymphony, 5 m
cable extension up to 10 m

*** price on request**
N = Net = price based on net price

GROHE
F-DIGITAL DELUXE


	Article No.	Colour	Price
 	**47 867 000** **GROHE F-digital Deluxe** **Cable extension light set, 5 m** connection between base unit box (26 374 000 or 36 397 000) and light modules (27 865 000) cable extension up to 10 m		**71.60**
	47 910 000 **Cable extension light set, 1.65 m**		**57.00**
 	**47 868 000** **GROHE F-digital Deluxe** **Cable extension for power supply, 5 m** connection between power supply (42 429 000) and base unit box (26 374 000 or 36 397 000) each power supply needs a separate extension cable cable extension up to 5 m		**70.90**
 	**47 877 000** **GROHE F-digital Deluxe** **Cable extension temperature sensor, 5 m** extension between base unit box (26 374 000 or 36 397 000) and temperature sensor cable extension up to 5 m		**70.90**
	**40 666 000** **Spare part LED set** spare part for 27 865 000 consisting of: 2 lamps connected in series this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+	**chrome**	**1,129.00**
	**48 348 000** **Spray face** for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly key	**chrome**	**37.00**

* price on request
N = Net = price based on net price

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

	Article No.	Colour	Price






26 250 000 **chrome** **1,381.60**

Rainshower System SmartControl Duo 360
Shower system with thermostat for wall mounting
consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
suitable for instantaneous heaters from 18 kW/h
Twistfree to prevent hose from twisting

* to be decided at first installation; factory default setting: GROHE PureRain
In case of a 160 cc thermostat you need to purchase one of the
following wall fixation sets for installation: 125356, 125357





26 250 LS0 **moon white** **1,404.60**

Rainshower System SmartControl Duo 360
Shower system with thermostat for wall mounting
consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree to prevent hose from twisting


* to be decided at first installation; factory default setting: GROHE PureRain
In case of a 160 cc thermostat you need to purchase one of the
following wall fixation sets for installation: 125356, 125357

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Article No.	Colour	Price






26 361 000 **chrome** **1,337.10**

Rainshower System SmartControl Mono 360
Shower system with thermostat for wall mounting
consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
suitable for instantaneous heaters from 18 kW/h
Twistfree to prevent hose from twisting

* to be decided at first installation; factory default setting: GROHE PureRain
In case of a 160 cc thermostat you need to purchase one of the
following wall fixation sets for installation: 125356, 125357





26 361 LS0 **moon white** **1,259.90**

Rainshower System SmartControl Mono 360
Shower system with thermostat for wall mounting
consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
suitable for instantaneous heaters from 18 kW/h
Twistfree to prevent hose from twisting


* to be decided at first installation; factory default setting: GROHE PureRain
In case of a 160 cc thermostat you need to purchase one of the
following wall fixation sets for installation: 125356, 125357

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

	Article No.	Colour	Price








26 443 000 **chrome** **1,404.60**

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed
consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360 with horizontal
450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
Twistfree to prevent hose from twisting
requires rough-in set 26 264 001 and concealed
unit 26 449 000 – all to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain







26 443 LS0 **moon white** **1,404.60**

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed
consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360 with horizontal
450 mm shower arm, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
Twistfree to prevent hose from twisting
requires rough-in set 26 264 001 and concealed
unit 26 449 000 – all to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain


*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Article No.	Colour	Price








26 446 000 **chrome** **1,259.90**

Rainshower System SmartControl Mono 360
Combi shower system with thermostat, exposed/concealed
consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360 with horizontal
450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
Twistfree to prevent hose from twisting
requires rough-in set 26 264 001 and concealed
unit 26 449 000 – all to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain








26 446 LS0 **moon white** **1,259.90**

Rainshower System SmartControl Mono 360
Combi shower system with thermostat, exposed/concealed
consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360 with horizontal
450 mm shower arm, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
Twistfree to prevent hose from twisting
requires rough-in set 26 264 001 and concealed
unit 26 449 000 – all to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain





26 254 000 **chrome** **626.80**


Rainshower Duo 360
Head shower set 450 mm, 2 sprays
consisting of:
head shower Rainshower Duo 360, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

	Article No.	Colour	Price






26 254 LS0 **moon white** **577.50**

Rainshower Duo 360
Head shower set 450 mm, 2 sprays
consisting of:
head shower Rainshower Duo 360, spray plate white
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain

---






26 450 000 **chrome** **498.80**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
consisting of:
head shower Rainshower Mono 360, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain

---






26 450 LS0 **moon white** **498.80**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
consisting of:
head shower Rainshower Mono 360, spray plate white
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain

---






26 264 001 **114.00**

Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information





26 449 000 **129.90**


Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
material for wall sealing included
installation device

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SYSTEM SMARTCONTROL


	Article No.	Colour	Price





48 349 000 **chrome** **101.80**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish



48 350 000 **chrome** **120.30**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting
15 cm longer
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish


Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI



48 348 000 **chrome** **37.00**

Spray face
for SmartControl and head showers with
multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly key






26 385 000 **chrome** **18.00**

Rainshower SmartControl
Compensation disc
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

	Article No.	Colour	Price






26 647 000 **chrome** **989.10**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection with one click
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
available July 2020






26 647 LS0 **moon white** **1,137.80**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection with one click
GROHE StarLight finish
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
available July 2020





26 648 000 **chrome** **989.10**


Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 574)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection with one click
GROHE StarLight chrome finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
available July 2020

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

	Article No.	Colour	Price






26 648 LS0 **moon white** **1,137.80**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 574)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection with one click
GROHE StarLight finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
available July 2020





26 649 000 **chrome** **989.10**


Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 Cube (26 567)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 Cube (26 550)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection with one click
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
available July 2020

26 652 000 **chrome** **989.10**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter
available July 2020

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

	Article No.	Colour	Price






26 657 000 **chrome** **1,110.00**

Rainshower SmartActive 310
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
GROHE QuickFix (upper bracket adjustable
for adaption to existing drilling holes)
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Rainshower SmartActive 130 (26 574)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
available July 2020





27 966 001 **chrome** **1,202.30**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection with one click
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
available July 2020


27 968 001 **chrome** **1,202.30**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter
available July 2020

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SYSTEM

Article No.	Colour	Price






27 174 001 **chrome** **1,257.50**

Rainshower System 400
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 400 head shower (28 778 000)
material: metal
with ball joint rotation angle ± 20°
hand shower Sena Stick (28 034 000)
adjustable in height with gliding element (12 140 000)
shower hose, 1.750 mm
1/2" x 1/2" (28 025)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






27 966 000 **chrome** **1,146.20**

Rainshower System 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint rotation angle ± 15°
hand shower Sena Stick (28 034 000)
adjustable in height with gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






27 968 000 **chrome** **1,143.20**

Rainshower System 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint rotation angle ± 15°
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable in height with gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection with one click
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
RAINSHOWER SYSTEM

	Article No.	Colour	Price






27 469 000 **chrome** **1,225.80**

Rainshower F-Series System 254
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
with ball joint rotation angle ± 20°
hand shower Sena (28 341 000)
adjustable in height with gliding element (12 140 000)
metal shower hose 1750 mm
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






27 032 001 **chrome** **1,133.10**

Rainshower System 210
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
with ball joint rotation angle ± 15°
hand shower Sena Stick (28 034 000)
adjustable in height with gliding element (12 140 000)
metal shower hose 1750 mm (27 178)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.





27 967 000 **chrome** **977.30**


Rainshower System 210
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 head shower (28 368 000)
material: metal
with ball joint rotation angle ± 15°
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable in height with gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection with one click
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SYSTEM

Article No.	Colour	Price






27 641 000 **chrome** **1,106.80**

Rainshower System 210
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Cosmopolitan 210 (28 373 000)
material: metal
with ball joint rotation angle ± 15°
bath inlet
separate diverter for hand shower Sena (28 341 000)
adjustable in height with gliding element (12 140 000)
metal shower hose 1750 mm (27 178)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






27 058 000 **chrome** **766.60**

Rainshower System 210
Shower system with diverter
for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
with ball joint rotation angle ± 15°
Sena hand shower (28 034 000)
adjustable in height with gliding element (12 140 000)
metal shower hose 1750 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
minimum flow rate 7 l/min.

GROHE
EUPHORIA SMARTCONTROL SYSTEM

Article No.	Colour	Price






26 507 000	**chrome**	**1,116.10**
26 507 LS0	**moon white**	**1,289.70**
26 507 DC0	**supersteel**	**1,661.00**
26 507 BE0	**polished nickel**	**1,930.10**
26 507 EN0	**brushed nickel**	**2,042.80**
26 507 GL0	**cool sunrise**	**1,930.10**
26 507 GN0	**brushed cool sunrise**	**2,042.80**
26 507 DA0	**warm sunset**	**1,930.10**
26 507 DL0	**brushed warm sunset**	**2,042.80**
26 507 A00	**hard graphite**	**1,930.10**
26 507 AL0	**brushed hard graphite**	**2,042.80**

Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
GROHE PureRain and Centered Jet spray
hand shower Euphoria 110 Massage, spray plate white
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar





26 508 000	**chrome**	**1,116.10**
26 508 LS0	**moon white**	**1,289.70**
26 508 DC0	**supersteel**	**1,661.00**
26 508 GN0	**brushed cool sunrise**	**2,042.80**
26 508 DL0	**brushed warm sunset**	**2,042.80**
26 508 AL0	**brushed hard graphite**	**2,042.80**


Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
GROHE PureRain and Centered Jet spray
hand shower Euphoria Cube Stick
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA SMARTCONTROL SYSTEM

	Article No.	Colour	Price






26 509 000	**chrome**	**969.10**

Euphoria SmartControl System 260 Mono
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar





26 510 000	**chrome**	**1,127.80**

Euphoria SmartControl System 260 Mono
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath termostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar




14 079 XH0	**chrome/frosted granite**	**24.60**


SmartControl
Caps exposed
consisting of:
3 caps with 3 different symbols
fits Euphoria SmartControl shower systems

*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA SMARTCONTROL SYSTEM

	Article No.	Colour	Price






48 497 000 **chrome** **244.00**

Shower system pipe for retrofitting
material: metal
shower pipe for retrofitting
15 cm longer
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507 and 26 508
GROHE StarLight chrome finish
not suitable for all other shower systems





48 498 000 **chrome** **113.80**


Shower system pipe for retrofitting
material: metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507, 26 508 and 26 509
GROHE StarLight chrome finish
not suitable for all other shower systems

*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA SYSTEM

Article No.	Colour	Price
26 075 000	chrome	832.30
26 075 DC0	supersteel	1,131.60
26 075 BE0	polished nickel	1,377.10
26 075 EN0	brushed nickel	1,463.20
26 075 GL0	cool sunrise	1,377.10
26 075 GN0	brushed cool sunrise	1,477.20
26 075 DA0	warm sunset	1,377.10
26 075 DL0	brushed warm sunset	1,463.20
26 075 A00	hard graphite	1,377.10
26 075 AL0	brushed hard graphite	1,463.20






Euphoria System 310
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 metal head shower (27 477 000)
with ball joint rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)


27 296 002	chrome	551.70






Euphoria System 260
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
optional upgrade: GROHE EasyReach tray (26 362)


GROHE
EUPHORIA SYSTEM

	Article No.	Colour	Price
 	**27 615 001**	**chrome**	**551.70**

Euphoria System 260
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
optional upgrade: GROHE EasyReach tray (26 362)

 	**26 087 000**	**chrome**	**1,222.00**

Euphoria Cube System 230
Shower system with thermostatic mixer for wall mounting
consisting of:
shower arm, projection 400 mm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Allure head shower (27 479 000)
material: metal
spray pattern: Rain
with ball joint rotation angle ± 15°
hand shower Euphoria Cube (27 699)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

 	**26 187 000**	**chrome**	**733.90**


Euphoria System 230
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Allure 230 (27 479 000)
material: metal
spray pattern: Rain
with ball joint rotation angle ± 15°
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)

*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA SYSTEM

	Article No.	Colour	Price






26 363 000 **chrome** **774.20**

Euphoria System 210
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
spray pattern: Rain
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (26 362 LN0)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
min. recommended pressure 1.0 bar






27 964 000 **chrome** **749.50**

Euphoria System 210
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
with ball joint rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)





26 249 000 **chrome** **577.30**


Euphoria System 190
Shower system with thermostat for wall mounting
horizontal swivable 390 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower 190 1 spray (27 370)
Rain
with ball joint
rotation angle ± 15°
hand shower 100 3 sprays: GROHE Rain O², Rain, Massage (27 574)
adjustable in height with gliding element
GROHE EasyReach shower tray
Silverflex shower hose 1750 mm (28 388 000)
9.5 l/min. flow limiter
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
min. recommended pressure 1.0 bar

*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA SYSTEM


	Article No.	Colour	Price






27 932 000 **chrome** **529.20**

Euphoria System 150
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria Cube 150 (27 705 000)
spray pattern: Rain
with ball joint rotation angle ± 12°
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)





27 475 001 **chrome** **690.10**


Euphoria System 260
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA SYSTEM

	Article No.	Colour	Price






26 114 001 **chrome** **676.30**

Euphoria System 260
Shower system with bath thermostat for wall mounting
with short shower rail for installation in showers
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage (27 221 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
distance between thermostat and upper bracket: 1016 mm
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar






27 473 001 **chrome** **496.30**

Euphoria System 260
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

GROHE
EUPHORIA SYSTEM

	Article No.	Colour	Price






23 061 002 **chrome** **524.00**

Euphoria Concetto System 260
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria Cosmopolitan Stick (27 400 000)
spray pattern: Rain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar






23 058 003 **chrome** **727.60**

Euphoria Eurodisc Cosmopolitan System 210
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
with ball joint rotation angle ± 15°
hand shower Euphoria Cosmopolitan Stick (27 400 000)
spray pattern: Rain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






23 147 001 **chrome** **1,009.60**


Euphoria Cube System 230
Shower system with single lever mixer for wall mounting
consisting of:
shower arm, projection 400 mm
exposed single-lever shower mixer with diverter
allows change between:
Rainshower Allure 230 metal head shower (27 479)
with ball joint rotation angle ± 15°
hand shower Euphoria Cube Stick (27 698 000)
spray pattern: Rain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 35 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA SYSTEM

	Article No.	Colour	Price
 	**27 421 002**	**chrome**	**440.90**

Euphoria System 260
Shower system with diverter
for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
change between hand and head shower
by diverter
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow
rate reduction)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

	Article No.	Colour	Price
 	**27 696 000**	**chrome**	**675.10**


Euphoria Cube System 150
Shower system with diverter
for wall mounting
consisting of:
shower arm, projection 400 mm
head shower Euphoria Cube 152 mm x 152 mm
with ball joint rotation angle ± 20°
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

*** price on request**
N = Net = price based on net price

GROHE
TEMPESTA SYSTEM

	Article No.	Colour	Price






27 922 001 **chrome** **496.30**


Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
spray pattern: Rain
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
optional upgrade: GROHE EasyReach tray (26 362)






27 922 000 **chrome** **516.90**

Tempesta Cosmopolitan 160
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower 1 spray (28 232 000)
with ball joint rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)





26 223 001 **chrome** **640.80**


Tempesta Cosmopolitan System 210
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
spray pattern: Rain
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

*** price on request**
N = Net = price based on net price

GROHE
TEMPESTA SYSTEM

	Article No.	Colour	Price






26 224 001 **chrome** **440.90**

Tempesta Cosmopolitan System 210
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Tempesta 210 (26 408)
spray pattern: Rain
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar






26 381 001 **chrome** **258.10**

Tempesta System 210
Flex shower system with diverter for wall mounting
consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower,
head shower or head shower Eco setting
head shower Tempesta 210 (26 408)
2 spray patterns (via diverter):
Rain, SmartRain
chrome plated spray face
with ball joint
rotation angle ± 15°
hand shower Tempesta 100 (27 852)
spray pattern: Rain
adjustable in height with gliding element
distance between diverter and upper bracket: 620 mm
shower hose Relexaflex 1500 mm (28 151)
shower hose Relexaflex 1250 mm (28 150)
flexible installation: connection to faucet / wall union for
water supply with 1/2" thread of the 1250 mm shower hose
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages
caused by shower falling
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
SHOWER SYSTEM ACCESSORIES


	Article No.	Colour	Price





48 349 000 **chrome** **101.80**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish




48 350 000 **chrome** **120.30**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting
15 cm longer
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI






48 497 000 **chrome** **244.00**

Shower system pipe for retrofitting
material: metal
shower pipe for retrofitting
15 cm longer
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507 and 26 508
GROHE StarLight chrome finish
not suitable for all other shower systems






48 498 000 **chrome** **113.80**

Shower system pipe for retrofitting
material: metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507, 26 508 and 26 509
GROHE StarLight chrome finish
not suitable for all other shower systems





48 053 000 **chrome** **72.00**


Shower system pipe for retrofitting
for shower systems with metal or plastic inner water guide
shower pipe for retrofitting
15 cm longer
than original shower system pipe
for bath/shower systems: 30 cm shorter than original pipe
suitable for all Rainshower and Euphoria shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE StarLight chrome finish

*** price on request**
N = Net = price based on net price

GROHE
SHOWER SYSTEM ACCESSORIES

	Article No.	Colour	Price






48 054 000 **chrome** **62.60**

Shower system pipe for retrofitting
for shower systems with metal or plastic inner water guide
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
for bath/shower systems: 60 cm shorter than original pipe
suitable for all Rainshower and Euphoria shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE StarLight chrome finish






14 014 000 **chrome** **50.60**

Rainshower
Shower arm for shower systems
material: metal
projection 340 mm
distance from wall 390 mm
connection thread 1/2"
GROHE StarLight chrome finish
suitable for all GROHE shower systems except SmartControl
suitable for all GROHE shower systems





14 047 000 **chrome** **55.40**


Rainshower
Shower arm for shower systems
material: metal
projection 340 mm
distance from wall 390 mm
connection thread 1/2"
GROHE StarLight chrome finish
suitable for all GROHE shower systems except SmartControl
suitable for GROHE shower systems
with short nippel, see TPI



14 079 XH0 **chrome/frosted granite** **24.60**

SmartControl
Caps exposed
consisting of:
3 caps with 3 different symbols
fits Euphoria SmartControl shower systems






27 180 000 **chrome** **41.30**

Rainshower
Compensation disc
for Rainshower systems 27 174, 27 175, 27 032,
27 058, 27 030, 27 038, 27 089, 27 031
GROHE StarLight chrome finish








26 385 000 **chrome** **18.00**

Rainshower SmartControl
Compensation disc
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable

*** price on request**
N = Net = price based on net price

GROHE
SHOWER SYSTEM ACCESSORIES


	Article No.	Colour	Price
 	**27 617 000**	**chrome**	**119.00**
	Compensation disc for Rainshower F-Series shower systems 27 469 000 und 27 569 000 (cube brackets) **GROHE StarLight** chrome finish		
 	**27 933 000**	**chrome**	**170.40**
	Euphoria Cube **Compensation disc** for Euphoria Cube shower systems (Cube brackets) **GROHE StarLight** chrome finish		
 	**26 362 LN0**	**white**	**34.30**
	GROHE EasyReach tray for Euphoria and Tempesta shower systems with thermostat centre distance 150 mm		

*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price






26 254 000 **chrome** **626.80**

Rainshower Duo 360
Head shower set 450 mm, 2 sprays
consisting of:
head shower Rainshower Duo 360, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain






26 254 LS0 **moon white** **577.50**

Rainshower Duo 360
Head shower set 450 mm, 2 sprays
consisting of:
head shower Rainshower Duo 360, spray plate white
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain






26 450 000 **chrome** **498.80**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
consisting of:
head shower Rainshower Mono 360, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain






26 450 LS0 **moon white** **498.80**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
consisting of:
head shower Rainshower Mono 360, spray plate white
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain






26 264 001 **114.00**

Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information

GROHE
HEAD SHOWERS

Article No.	Colour	Price






26 475 000	**chrome**	**500.50**
26 475 DC0	**supersteel**	**742.00**
26 475 BE0	**polished nickel**	**869.20**
26 475 EN0	**brushed nickel**	**923.50**
26 475 GL0	**cool sunrise**	**869.20**
26 475 GN0	**brushed cool sunrise**	**923.50**
26 475 DA0	**warm sunset**	**869.20**
26 475 DL0	**brushed warm sunset**	**923.50**
26 475 A00	**hard graphite**	**869.20**
26 475 AL0	**brushed hard graphite**	**923.50**

Rainshower SmartActive 310
Head shower set 430 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 -
to be ordered separetely






26 475 LS0	**moon white**	**658.20**

Rainshower SmartActive 310
Head shower set 430 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 -
to be ordered separetely






26 477 000	**chrome**	**500.50**
26 477 BE0	**polished nickel**	**869.20**
26 477 EN0	**brushed nickel**	**923.50**
26 477 GL0	**cool sunrise**	**869.20**
26 477 GN0	**brushed cool sunrise**	**923.50**
26 477 DA0	**warm sunset**	**869.20**
26 477 DL0	**brushed warm sunset**	**923.50**
26 477 A00	**hard graphite**	**869.20**
26 477 AL0	**brushed hard graphite**	**923.50**

Rainshower SmartActive 310
Head shower set ceiling 142 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 -
to be ordered separetely





26 477 LS0	**moon white**	**658.20**


Rainshower SmartActive 310
Head shower set ceiling 142 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 -
to be ordered separetely

*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price
	26 479 000	**chrome**	**532.30**
	26 479 GN0	**brushed cool sunrise**	**972.70**
	26 479 DL0	**brushed warm sunset**	**972.70**
	26 479 AL0	**brushed hard graphite**	**972.70**






Rainshower SmartActive 310 Cube
Head shower set 430 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 -
to be ordered separetely

	26 479 LS0	**moon white**	**684.80**






Rainshower SmartActive 310 Cube
Head shower set 430 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310 Cube, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 -
to be ordered separetely

	26 481 000	**chrome**	**527.20**
	26 481 GN0	**brushed cool sunrise**	**972.70**
	26 481 DL0	**brushed warm sunset**	**972.70**
	26 481 AL0	**brushed hard graphite**	**972.70**






Rainshower SmartActive 310 Cube
Head shower set ceiling 142 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 -
to be ordered separetely


	26 481 LS0	**moon white**	**684.80**





Rainshower SmartActive 310 Cube
Head shower set ceiling 142 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310 Cube, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 -
to be ordered separetely


GROHE
HEAD SHOWERS

	Article No.	Colour	Price
 	**26 484 000**	**chrome**	**110.80**


Rainshower
Universal rough-in box, 1/2"
for head shower set
26 475 / 26 477 / 26 479 / 26 481
2 inlets, 1/2"
installation depth 75-105 mm
connection unit in DR brass
stable build-in box and protective cover
leakproof housing
gasket
integrated flushing plug
GROHE EcoJoy 9.5 l/min flow limiter per each water way
without set for final installation

26 483 000	**chrome**	**110.80**

ditto, with non-restricted flow

 	**26 642 000**	**chrome**	**673.40**

Rainshower SmartConnect 310 Cube
Head shower set 422 mm, 2 sprays
consisting of:
head shower Rainshower SmartConnect 310 Cube (26 643)
spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
default spray type programmable
horizontal 422 mm shower arm (26 146)
with square escutcheon
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar

 	**26 640 000**	**chrome**	**646.80**


Rainshower SmartConnect 310
Head shower set 422 mm, 2 sprays
consisting of:
head shower Rainshower SmartConnect 310 (26 641)
spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
default spray type programmable
horizontal 422 mm shower arm (26 146)
with round escutcheon
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar

*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

Article No.	Colour	Price






26 558 000	**chrome**	**385.40**

Rainshower Mono 310
Head shower set 422 mm, 1 spray
consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
Rainshower shower arm 422 mm (26 146 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 557 000	**chrome**	**385.40**
ditto, with non-restricted flow		






26 560 000	**chrome**	**385.40**

Rainshower Mono 310
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 559 000	**chrome**	**385.40**
ditto, with non-restricted flow		






26 564 000	**chrome**	**413.10**
26 564 GN0	**brushed cool sunrise**	**836.40**
26 564 DL0	**brushed warm sunset**	**836.40**
26 564 AL0	**brushed hard graphite**	**836.40**

Rainshower Mono 310 Cube
Head shower set 422 mm, 1 spray
consisting of:
head shower Rainshower 310
1 spray pattern:
GROHE PureRain
Rainshower shower arm 422 mm (26 145 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 563 000	**chrome**	**413.10**
ditto, with non-restricted flow		





26 566 000	**chrome**	**413.10**
26 566 GN0	**brushed cool sunrise**	**836.40**
26 566 DL0	**brushed warm sunset**	**836.40**
26 566 AL0	**brushed hard graphite**	**836.40**


Rainshower Mono 310 Cube
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower 310
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 565 000	**chrome**	**413.10**
ditto, with non-restricted flow		

GROHE
HEAD SHOWERS

Article No.	Colour	Price






26 256 000	**chrome**	**1,407.40**

Rainshower Cosmopolitan 400
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower Cosmopolitan 400 (28 778 000)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
min. recommended pressure 1.0 bar






26 257 000	**chrome**	**520.60**

Rainshower 310
Head shower set 422 mm, 1 spray
consisting of:
Rainshower Cosmopolitan 310 head shower (27 477 000)
1 spray pattern:
Rain
Rainshower shower arm 422 mm (26 146 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
DropStop no afterdripping from the horizontal shower head after closing the valve
suitable for instantaneous heater
min. recommended pressure 1.0 bar






26 066 000	**chrome**	**496.70**
26 066 DC0	**supersteel**	**701.10**
26 066 BE0	**polished nickel**	**853.60**
26 066 EN0	**brushed nickel**	**907.00**
26 066 GL0	**cool sunrise**	**853.60**
26 066 GN0	**brushed cool sunrise**	**907.00**
26 066 DA0	**warm sunset**	**853.60**
26 066 DL0	**brushed warm sunset**	**907.00**
26 066 A00	**hard graphite**	**853.60**
26 066 AL0	**brushed hard graphite**	**915.70**

Rainshower Cosmopolitan 310
Head shower set 380 mm, 1 spray
consisting of:
head shower Rainshower Cosmopolitan 310 (27 478 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
DropStop no afterdripping from the horizontal shower head after closing the valve

26 056 000	**chrome**	**522.00**

ditto, with non-restricted flow










26 067 000	**chrome**	**511.60**
26 067 DC0	**supersteel**	**694.40**
26 067 BE0	**polished nickel**	**853.60**
26 067 EN0	**brushed nickel**	**907.00**
26 067 GL0	**cool sunrise**	**853.60**
26 067 GN0	**brushed cool sunrise**	**915.70**
26 067 DA0	**warm sunset**	**853.60**
26 067 DL0	**brushed warm sunset**	**907.00**
26 067 A00	**hard graphite**	**861.80**
26 067 AL0	**brushed hard graphite**	**907.00**

Rainshower Cosmopolitan 310
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower Cosmopolitan 310 (27 478 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
DropStop no afterdripping from the horizontal shower head after closing the valve






*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price
 	**26 259 000**	**chrome**	**479.60**
	Rainshower F-Series 10" 254 x 254 **Head shower set 422 mm, 1 spray** consisting of: head shower Rainshower F-Series 10" (27 271 000) 1 spray pattern: Rain Rainshower shower arm square 422 mm (26 145 000) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **DropStop** no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater		
 	**26 070 000**	**chrome**	**458.50**
	Rainshower F-Series 10" 254 x 254 **Head shower set 275 mm, 1 spray** consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray pattern: Rain shower arm Rainshower 275 mm (27 488 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
	26 060 000	**chrome**	**433.80**
	ditto, with non-restricted flow		
 	**26 071 000**	**chrome**	**437.90**
	Rainshower F-Series 10" **Head shower set ceiling 142 mm, 1 spray** consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**26 064 000**	**chrome**	**523.10**
	Rainshower Allure 230 **Head shower set 286 mm, 1 spray** consisting of: head shower Rainshower Allure 230 (27 480 000) material: metal 1 spray pattern: Rain shower arm Rainshower 286 mm (27 709 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
	26 054 000	**chrome**	**511.80**
	ditto, with non-restricted flow		
 	**26 065 000**	**chrome**	**462.60**
	Rainshower Allure 230 **Head shower set ceiling 154 mm, 1 spray** consisting of: head shower Rainshower Allure 230 (27 480 000) material: metal 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		






*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price
 	**26 171 000**	**chrome**	**379.40**
	Rainshower Cosmopolitan 210 **Head shower set 422 mm, 1 spray** consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate chrome (28 368 000) 1 spray pattern: Rain Rainshower shower arm 422 mm, escutcheon chrome (26 146) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **DropStop** no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater starting **at 0.5** bar flow pressure		
 	**26 052 000**	**chrome**	**371.40**
	Rainshower Cosmopolitan 210 **Head shower set 286 mm, 1 spray** consisting of: Rainshower Cosmopolitan 210 metal head shower (28 368 000) 1 spray pattern: Rain shower arm Rainshower 286 mm (28 576 000) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**26 459 000**	**chrome**	**213.00**
	Euphoria 260 **Head shower set 380 mm, 3 sprays** consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 458 000	**chrome**	**213.00**
	ditto, with non-restricted flow		
 	**26 461 000**	**chrome**	**169.30**
	Euphoria 260 **Head shower set ceiling 142 mm, 3 sprays** consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 460 000	**chrome**	**169.30**
	ditto, with non-restricted flow		
 	**26 073 000**	**chrome**	**217.30**
	Euphoria Cube 150 **Head shower set 286 mm, 1 spray** consisting of: head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain shower arm Rainshower 286 mm (27 709 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		

*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS


	Article No.	Colour	Price
 	**26 412 000** **Tempesta 210** **Head shower set 286 mm, 1 spray** consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain shower arm Rainshower 286 mm (28 576 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**154.50**
	26 411 000 **ditto, with non-restricted flow**	**chrome**	**154.50**
 	**26 414 000** **Tempesta 210** **Head shower set ceiling 142 mm, 1 spray** consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**132.20**
	26 413 000 **ditto, with non-restricted flow**	**chrome**	**131.00**
 	**27 870 001** **Tempesta 100** **Head shower set 4 sprays** GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**71.30**
 	**26 088 001** **Tempesta 100** **Head shower set 3 sprays** GROHE Rain O², Rain, Massage ball joint ± 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**65.00**
 	**27 869 001** **Tempesta Cosmopolitan 100** **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**77.70**

*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price
	26 090 001	**chrome**	**72.50**






Tempesta Cosmopolitan 100
Head shower set 3 sprays
GROHE Rain O², Rain, Massage
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

Article No.	Colour	Price





26 373 001 **chrome** **22,572.80**


Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm (width) x 762 mm (height) x 145 mm (depth)
material: metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-lime system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish


requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl
3 x Grohtherm SmartControl (29 126 000)
3 x GROHE Rapido SmartBox (35 600 000)
1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++






26 376 001 **chrome** **2,144.40**

Rainshower F-Series 40"
Roughing-in set
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm (width) x 745 mm (height) x 152 mm (depth)
min. installation depth: 167 mm
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.





27 865 000 **chrome** **4,339.60**


Rainshower F-Series 20"
Ceiling shower with light, 1 spray
Rain
508 x 508 x 59 mm
material: metal
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.

*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price






27 286 000 **chrome** **1,933.80**

Rainshower F-Series 20"
Ceiling shower 1 spray
Rain
508 x 508 mm
material: metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 939 001 **chrome** **2,882.90**

Rainshower F-Series 15"
Ceiling shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 17 mm (height) x 456 mm (depth)
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-lime system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: approx. 20 l/min
2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min

head shower has to be controlled by 4 outlets







27 938 001 **chrome** **2,882.90**

Rainshower F-Series 15"
Head shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 60 mm (height) x 677 mm (depth)
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-lime system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: approx. 20 l/min
2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min
requires rough-in set (26 042 000) – to be ordered separately

head shower has to be controlled by 4 outlets






26 042 000 **200.40**

Rainshower F-Series 15"
Roughing-in set
for use with Rainshower F-Series 15" Multi Spray head shower
max. installation depth: 91 mm
min. wall thickness: not less than 200 mm
minimum screw-in depth of stud bolts: 14 mm
1/2" connections





27 467 000 **chrome** **616.30**


Rainshower F-Series 10" 254 x 254
Ceiling shower 1 spray
Rain
254 x 254 mm
material: metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price






27 285 000 **chrome** **446.70**

Rainshower F-Series 10"
Head shower 1 spray
Rain
254 x 254 mm
material: metal
ball joint ± 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 271 000 **chrome** **642.90**

Rainshower F-Series 10"
Head shower 1 spray
Rain
254 x 254 mm
material: metal
ball joint ± 20° rotatable
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 251 000	**chrome**	**114.90**
27 251 BE0	**polished nickel**	**180.90**
27 251 EN0	**brushed nickel**	**192.20**
27 251 GL0	**cool sunrise**	**180.90**
27 251 GN0	**brushed cool sunrise**	**192.20**
27 251 DA0	**warm sunset**	**180.90**
27 251 DL0	**brushed warm sunset**	**192.20**
27 251 A00	**hard graphite**	**180.90**
27 251 AL0	**brushed hard graphite**	**192.20**

Rainshower F-Series 5"
Side shower 1 spray
Normal spray
including concealed body
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-lime system







27 253 000 **chrome** **167.30**

Rainshower F-Series 5"
Head shower 1 spray
Normal spray
wall mounted
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
connection thread 1/2" with pre-assembled
Teflon sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-lime system













26 643 000 **chrome** **624.20**

Rainshower SmartConnect 310 Cube
Head shower 2 sprays
GROHE PureRain, ActiveRain
default spray type programmable
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar






*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price
 	**26 641 000**	**chrome**	**596.60**
	Rainshower SmartConnect 310 **Head shower 2 sprays** GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle ± 10° connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar		
 	**26 562 000** **26 562 LS0**	**chrome** **moon white**	**316.70** **411.00**
	Rainshower Mono 310 **Head shower 1 spray** GROHE PureRain spray plate chrome ball joint with turning angle ± 10° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 561 000 **26 561 LS0** **ditto, with non-restricted flow**	**chrome** **moon white**	**316.70** **411.00**
 	**26 568 000** **26 568 LS0**	**chrome** **moon white**	**344.40** **446.90**
	Rainshower Mono 310 Cube **Head shower 1 spray** GROHE PureRain spray plate chrome ball joint with turning angle ± 10° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 567 000 **26 567 LS0** **ditto, with non-restricted flow**	**chrome** **moon white**	**344.40** **446.90**
 	**27 470 000**	**chrome**	**458.80**
	Rainshower Veris 300 **Head shower 1 spray** Rain 300 x 150 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		





*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price
 	**27 470 LS0** **Rainshower Veris 300** **Head shower 1 spray** Rain spray plate white 300 x 150 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**moon white/chrome**	**555.20**
 	**27 863 000** **Rainshower Allure 230** **Ceiling shower 1 spray** Rain 230 x 230 mm material: metal connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**chrome**	**663.70**
 	**27 480 000** **Rainshower Allure 230** **Head shower 1 spray** Rain 230 x 230 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system min. recommended pressure 1.0 bar	**chrome**	**477.50**
	27 479 000 **ditto, with non-restricted flow**	**chrome**	**473.60**
 	**28 778 000** **Rainshower Cosmopolitan 400** **Head shower 1 spray** normal (wide) spray **starting at 0.5** bar flow pressure Ø 400 mm material: metal ball joint with turning angle 20° ± 20° connection thread 1/2" **GROHE DreamSpray** perfect flow **GROHE StarLight** chrome finish **SpeedClean** anti-lime system min. recommended pressure 1.0 bar this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497	**chrome**	**639.80**
 	**27 478 000** **Rainshower Cosmopolitan 310** **Head shower 1 spray** Rain Ø 310 mm material: metal ball joint with turning angle 20° ± 20° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system min. recommended pressure 1.0 bar	**chrome**	**471.30**
	27 477 000 **ditto, with non-restricted flow**	**chrome**	**487.50**






***** price on request
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price
 	**28 368 00E** **Rainshower Cosmopolitan 210** **Head shower 1 spray** Rain starting **at 0.5** bar flow pressure Ø 210 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE StarLight** chrome finish **SpeedClean** anti-lime system suitable for instantaneous heater This head shower should only be used in conjunction with shower arm 28 384, 28 497 or 28 576!	**chrome**	319.50
	28 368 000 **ditto, with non-restricted flow**	**chrome**	331.90
 	**28 368 LS0** **Rainshower Cosmopolitan 210** **Head shower 1 spray** Rain spray plate white Ø 210 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" **GROHE DreamSpray** perfect flow **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**moon white/chrome**	393.10
	**26 474 EN0** **Rainshower Rustic 210** **Head shower 1 spray** spray pattern: Rain normal (wide) spray **starting at 0.5** bar flow pressure Ø 210 mm 120 spray nozzles brass ball joint with turning angle 20° ± 20° connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE StarLight** finish **SpeedClean** anti-lime system	**brushed nickel**	647.00
 	**28 369 000** **Rainshower Rustic 210** **Head shower 1 spray** normal (wide) spray **starting at 0.5** bar flow pressure Ø 212 mm material: metal ball joint with turning angle 20° ± 20° connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**chrome**	336.40
 	**27 974 000** **27 974 IG0** **Grandera 210** **Head shower 1 spray** Rain 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**chrome** **chrome/gold**	434.60 569.90




*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price
 	**28 308 000** **Sena 75** **Head shower 1 spray** Normal spray material: metal **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**chrome**	**218.60**
	**26 456 000** **Euphoria 260** **Head shower 3 sprays** Rain, SmartRain, Jet Ø 260 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**128.80**
	26 457 000 **ditto, with 9.5 l/min flow limiter**	**chrome**	**128.80**
	26 455 000 **ditto, with non-restricted flow**	**chrome**	**128.80**
 	**27 492 000** **Euphoria Cosmopolitan 180** **Head shower 1 spray** Rain Ø 180 mm ball joint ± 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system min. recommended pressure 1.0 bar	**chrome**	**141.30**
 	**28 233 000** **Euphoria Cosmopolitan 160** **Head shower 1 spray** Rain ball joint ± 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system suitable for instantaneous heater	**chrome**	**83.00**
 	**27 705 000** **Euphoria Cube 150** **Head shower 1 spray** Rain 152 x 152 mm ball-joint, rotation angle ± 12° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system min. recommended pressure 1.0 bar	**chrome**	**147.80**







*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price
	**26 409 000**	**chrome**	**87.30**
	Tempesta 210 **Head shower 1 spray** Rain Ø 210 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 410 000 **ditto, with 9.5 l/min flow limiter**	**chrome**	**88.20**
	26 408 000 **ditto, with non-restricted flow**	**chrome**	**87.30**
 	**26 044 001**	**chrome**	**59.70**
	Tempesta 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater max. flow rate 1.75 gpm (6.6 l/min) min. recommended pressure 1.0 bar		
	27 606 001 **ditto, with 9.5 l/min flow limiter**	**chrome**	**59.70**
 	**26 050 001**	**chrome**	**46.80**
	Tempesta 100 **Head shower 1 spray** Rain ball joint ± 15° rotatable **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**27 591 001**	**chrome**	**66.00**
	Tempesta Cosmopolitan 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
	**26 051 001**	**chrome**	**52.20**
	Tempesta Cosmopolitan 100 **Head shower 1 spray** Rain ball joint ± 15° rotatable connection thread 1/2" **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		







*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price
 	**26 146 000** **Rainshower** **Shower arm 422 mm** material: metal connection thread 1/2" with round escutcheon, chrome **GROHE StarLight** chrome finish	**chrome**	**80.60**
 	**26 146 LS0** **Rainshower** **Shower arm 422 mm** material: metal connection thread 1/2" with round escutcheon, white suitable for all Rainshower head showers **GROHE StarLight** chrome finish	**moon white/chrome**	**103.40**
 	**28 982 000** **Rainshower** **Shower arm 378 mm** material: metal connection thread 1/2"	**chrome**	**133.90**
 	**28 361 000** **Rainshower** **Shower arm, 380 mm** material: metal connection thread 1/2" suitable for all Rainshower head showers except Rainshower 400 mm **GROHE StarLight** chrome finish	**chrome**	**98.70**
	28 576 000 **ditto, projection 286 mm**	**chrome**	**77.10**
 	**28 384 000** **Rainshower Rustic** **Shower arm 272 mm** material: metal connection thread 1/2" **GROHE StarLight** chrome finish	**chrome**	**177.00**
 	**26 145 000** **Rainshower** **Shower arm 422 mm** material: metal connection thread 1/2" with square escutcheon **GROHE StarLight** chrome finish	**chrome**	**79.70**





*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price
 	**27 488 000** **Rainshower** **Shower arm 275 mm** material: metal connection thread 1/2" with square escutcheon **GROHE StarLight** chrome finish	**chrome**	**75.00**
 	**27 709 000** **Rainshower** **Shower arm 286 mm** material: metal connection thread 1/2" **GROHE StarLight** chrome finish	**chrome**	**102.20**
 	**28 497 000** **Rainshower** **Shower arm ceiling 292 mm** material: metal connection thread 1/2" **GROHE StarLight** chrome finish	**chrome**	**66.30**
	28 724 000 **28 724 LS0** **ditto, length 142 mm**	**chrome** **moon white/chrome**	**65.00** **70.90**
 	**27 484 000** **Rainshower** **Shower arm ceiling 292 mm** material: metal connection thread 1/2" with square escutcheon **GROHE StarLight** chrome finish	**chrome**	**63.70**
	27 485 000 **ditto, length 142 mm**	**chrome**	**55.70**
 	**27 711 000** **Rainshower** **Shower arm ceiling 154 mm** material: metal connection thread 1/2" **GROHE StarLight** chrome finish	**chrome**	**90.00**
 	**27 986 000** **27 986 IG0** **Rainshower Grandera** **Shower arm 285 mm** projection 286 mm material: metal connection thread 1/2" **GROHE StarLight** chrome finish	**chrome** **chrome/gold**	**94.10** **132.80**







*** price on request**
N = Net = price based on net price

GROHE
HEAD SHOWERS

	Article No.	Colour	Price
 	**27 978 000** **27 978 IG0**	**chrome** **chrome/gold**	**71.20** **90.00**
	Rainshower Grandera **Shower arm ceiling 142 mm** material: metal connection thread 1/2" **GROHE StarLight** chrome finish		
 	**27 406 000**	**chrome**	**48.00**
	Relexa **Shower arm 218 mm** connection thread 1/2" **GROHE StarLight** chrome finish		
 	**28 541 000**	**chrome**	**96.80**
	Relexa **Shower arm 147 mm** connection thread 1/2" **GROHE StarLight** chrome finish		
 	**28 429 000**	**chrome**	**44.50**
	Relexa **Shower arm 55 mm** connection thread 1/2" **GROHE StarLight** chrome finish		
	**48 348 000**	**chrome**	**37.00**
	Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly key		


*** price on request**
N = Net = price based on net price

GROHE
SENA

	Article No.	Colour	Price
 	**28 034 000**	**chrome**	**145.70**
	Sena Stick **Hand shower 1 spray** Normal spray material: metal **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**26 465 000**	**chrome**	**150.20**
	26 465 DC0	**supersteel**	**211.00**
	26 465 BE0	**polished nickel**	**208.20**
	26 465 EN0	**brushed nickel**	**258.00**
	26 465 GL0	**cool sunrise**	**210.10**
	26 465 GN0	**brushed cool sunrise**	**223.20**
	26 465 DA0	**warm sunset**	**208.20**
	26 465 DL0	**brushed warm sunset**	**223.20**
	26 465 A00	**hard graphite**	**210.10**
	26 465 AL0	**brushed hard graphite**	**223.20**
	Sena Stick **Hand shower 1 spray** Normal spray material: metal GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**28 348 000**	**chrome**	**168.50**
	Sena **Wall holder set 1 spray** material: metal consisting of: hand shower Sena Stick (28 034 000) wall shower holder (28 690) shower hose (28 151 000) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**28 308 000**	**chrome**	**218.60**
	Sena 75 **Head shower 1 spray** Normal spray material: metal **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**28 690 000**	**chrome**	**117.30**
	Sena **Wall hand shower holder** not adjustable material: metal **GROHE StarLight** chrome finish		

*** price on request**
N = Net = price based on net price

GROHE
SENA


	Article No.	Colour	Price
 	**28 389 000**	**chrome**	**78.60**

Sena
Adapter 1/2" x 1/2"
material: metal
for use with hand shower holder or shower rail
GROHE StarLight chrome finish

GROHE
RAINSHOWER SMARTACTIVE

Article No.	Colour	Price






26 544 000	**chrome**	**83.00**

Rainshower SmartActive 130
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 574 000	**chrome**	**82.00**
26 574 BE0	**polished nickel**	**141.50**
26 574 EN0	**brushed nickel**	**149.70**
26 574 GL0	**cool sunrise**	**141.50**
26 574 GN0	**brushed cool sunrise**	**149.70**
26 574 DA0	**warm sunset**	**141.50**
26 574 DL0	**brushed warm sunset**	**149.70**
26 574 A00	**hard graphite**	**141.50**
26 574 AL0	**brushed hard graphite**	**149.70**

Rainshower SmartActive 130
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 544 LS0	**moon white**	**83.00**

Rainshower SmartActive 130
Hand shower 3 sprays
spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020





26 574 LS0	**moon white**	**82.00**


Rainshower SmartActive 130
Hand shower 3 sprays
spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SMARTACTIVE

Article No.	Colour	Price






26 546 000 **chrome** **175.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 544)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 575 000 **chrome** **176.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 576 LS0 **moon white** **175.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 544)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020

GROHE
RAINSHOWER SMARTACTIVE

	Article No.	Colour	Price






26 577 LS0 **moon white** **176.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 578 000 **chrome** **180.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 544)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020





26 548 000 **chrome** **181.00**


Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SMARTACTIVE

	Article No.	Colour	Price






26 578 LS0 **moon white** **180.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 544)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 579 LS0 **moon white** **181.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 581 000 **chrome** **116.90**

Rainshower SmartActive 130
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020







26 581 LS0 **moon white** **116.90**

Rainshower SmartActive 130
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SMARTACTIVE


	Article No.	Colour	Price
 	**26 580 000** **Rainshower SmartActive 130** **Wall holder set 3 sprays** consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar **available July 2020**	**chrome**	**137.40**
 	**26 580 LS0** **Rainshower SmartActive 130** **Wall holder set 3 sprays** consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar **available July 2020**	**moon white**	**137.40**

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SMARTACTIVE

Article No.	Colour	Price






26 550 000	**chrome**	**83.00**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 582 000	**chrome**	**82.00**
26 582 GN0	**brushed cool sunrise**	**149.70**
26 582 DL0	**brushed warm sunset**	**149.70**
26 582 AL0	**brushed hard graphite**	**149.70**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 582 LS0	**moon white**	**82.00**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 551 LS0	**moon white**	**83.00**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020

GROHE
RAINSHOWER SMARTACTIVE

	Article No.	Colour	Price






26 552 000 **chrome** **82.00**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 583 000 **chrome** **175.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 584 000 **chrome** **176.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020





26 584 LS0 **moon white** **176.00**


Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SMARTACTIVE

	Article No.	Colour	Price






26 585 000 **chrome** **176.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 552)
shower rail 600 mm
with wall holders made of metal
Rotaflex metal shower hose 1750 mm (28 025 000)
GROHE EasyReach tray
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 586 000 **chrome** **180.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 587 000 **chrome** **181.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020

GROHE
RAINSHOWER SMARTACTIVE

	Article No.	Colour	Price






26 586 LS0 **moon white** **180.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 587 LS0 **moon white** **181.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 588 000 **chrome** **137.40**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder, adjustable (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 588 LS0 **moon white** **137.40**


Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder, adjustable (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SMARTACTIVE

	Article No.	Colour	Price
 	**26 589 000**	**chrome**	**116.90**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020


 	**26 589 LS0**	**moon white**	**116.90**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020

GROHE
RAINSHOWER SMARTACTIVE

	Article No.	Colour	Price






26 553 000 **chrome** **104.60**

Rainshower SmartActive 150
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 554 LS0 **moon white** **105.60**

Rainshower SmartActive 150
Hand shower 3 sprays
spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 590 000 **chrome** **105.60**

Rainshower SmartActive 150
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020





26 591 000 **chrome** **208.00**


Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 553)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SMARTACTIVE

	Article No.	Colour	Price






26 592 LS0 **moon white** **209.00**

Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 592 000 **chrome** **209.00**

Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020






26 593 000 **chrome** **214.00**

Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 553)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020

GROHE
RAINSHOWER SMARTACTIVE

	Article No.	Colour	Price






26 594 LS0 **moon white** **215.00**

Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020





26 594 000 **chrome** **215.00**


Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available July 2020

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER SMARTACTIVE

Article No.	Colour	Price






26 602 000	**chrome**	**107.00**

Rainshower SmartActive
Shower rail, 600 mm
with wall holders made of metal
glide element and swivel holder
GROHE QuickFix Plus (adjustable distance between wall shower holders for adaption to existing drillings)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish
available July 2020











26 603 000	**chrome**	**112.00**
26 603 BE0	**polished nickel**	**226.50**
26 603 EN0	**brushed nickel**	**249.10**
26 603 GL0	**cool sunrise**	**226.50**
26 603 GN0	**brushed cool sunrise**	**249.10**
26 603 DA0	**warm sunset**	**226.50**
26 603 DL0	**brushed warm sunset**	**249.10**
26 603 A00	**hard graphite**	**226.50**
26 603 AL0	**brushed hard graphite**	**249.10**

Rainshower SmartActive
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE QuickFix Plus (adjustable distance between wall shower holders for adaption to existing drillings)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish
available July 2020

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER


	Article No.	Colour	Price
 	**28 369 000**	**chrome**	**336.40**
	Rainshower Rustic 210 **Head shower 1 spray** normal (wide) spray **starting at 0.5** bar flow pressure Ø 212 mm material: metal ball joint with turning angle 20° ± 20° connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 276 000** **27 276 LS0**	**chrome** **moon white**	**85.40** **83.60**
	Rainshower Icon 150 **Hand shower 2 sprays** Rain, SmartRain eco function (reduction of flow rate) **GROHE EcoJoy** technology for less water and perfect flow metal elbow adapter for the combination of hand showers with shower hoses **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 443 000**	**red**	**89.40**
	Rainshower Icon 150 **Hand shower 2 sprays** Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses **GROHE EcoJoy** technology for less water and perfect flow **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 444 000**	**orange**	**96.80**
	Rainshower Icon 150 **Hand shower 2 sprays** Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses **GROHE EcoJoy** technology for less water and perfect flow **GROHE CoolTouch** **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 446 000**	**yellow**	**93.80**
	Rainshower Icon 150 **Hand shower 2 sprays** Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses **GROHE EcoJoy** technology for less water and perfect flow **GROHE CoolTouch** **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 447 000**	**pink**	**92.90**
	Rainshower Icon 150 **Hand shower 2 sprays** Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses **GROHE EcoJoy** technology for less water and perfect flow **GROHE CoolTouch** **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		

*** price on request**
N = Net = price based on net price

GROHE
RAINSHOWER

	Article No.	Colour	Price






27 448 000 **purple** **92.90**

Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
eco function (reduction of flow rate)
metal elbow adapter for the combination of
hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 449 000 **blue** **92.90**

Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
eco function (reduction of flow rate)
metal elbow adapter for the combination of
hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system







27 277 001 **chrome** **219.10**

Rainshower Icon 150
Shower rail set 2 sprays
consisting of:
hand shower Icon 150 (27 276 000)
shower rail, 900 mm (28 819 001)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
elbow adapter for the combination of
hand showers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between
brackets for adaption to existing drilling holes
SpeedClean anti-lime system
Twistfree to prevent hose from twisting

GROHE
RAINSHOWER

	Article No.	Colour	Price
 	**27 272 000**	**chrome**	**112.40**



Rainshower Solo 150
Hand shower 2 sprays
Rain, SmartRain
eco function (reduction of flow rate)
elbow adapter for the combination of
hand showers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

 	**27 273 001**	**chrome**	**239.10**

Rainshower Solo 150
Shower rail set 2 sprays
consisting of:
hand shower Solo 150 (27 272 000)
shower rail, 900 mm (28 819 001)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between
brackets for adaption to existing drilling holes
SpeedClean anti-lime system

*** price on request**
N = Net = price based on net price


GROHE
RAINSHOWER

	Article No.	Colour	Price
 	**27 274 000** **Rainshower Eco 120** **Hand shower 2 sprays** Rain, SmartRain eco function (reduction of flow rate) elbow adapter for the combination of hand showers with shower sets **GROHE StarLight** chrome finish **GROHE DreamSpray** perfect spray pattern **SpeedClean** anti-lime system	**chrome**	**113.90**
 	**45 914 XE0** **Compensation disc** for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136	**gray night time**	**13.60**

GROHE
POWER&SOUL

	Article No.	Colour	Price






27 668 000 **chrome** **134.80**

Power&Soul Cosmopolitan 160
Hand shower 4+ sprays
GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 664 000 **chrome** **117.30**

Power&Soul Cosmopolitan 130
Hand shower 4+ sprays
GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 661 000 **chrome** **106.20**

Power&Soul Cosmopolitan 115
Hand shower 2 sprays
GROHE Rain O², Rain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 744 000 **chrome** **210.80**

Power&Soul Cosmopolitan 160
Shower rail set 4+ sprays
consisting of:
hand shower Power&Soul Cosmopolitan 160 (27 668 000
shower rail, 600 mm (27 784 000)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 746 000 **chrome** **224.60**
ditto, 900 mm






27 732 000 **chrome** **203.80**

Power&Soul Cosmopolitan 130
Shower rail set 4+ sprays
consisting of:
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
shower rail, 600 mm (27 784 000)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 734 000 **chrome** **215.30**
ditto, 900 mm







*** price on request**
N = Net = price based on net price

GROHE
POWER&SOUL

	Article No.	Colour	Price
 	**27 741 000**	**chrome**	**164.80**

Power&Soul Cosmopolitan 130
Wall holder set 4+ sprays
consisting of:
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE
POWER&SOUL


	Article No.	Colour	Price
 	**27 675 000**	**chrome**	**116.20**
	Power&Soul 160 **Hand shower 4+ sprays** GROHE Rain O², Rain, Bokoma Spray, Jet **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE One-click showering** spray selection via push of a button **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 673 000**	**chrome**	**95.10**
	Power&Soul 130 **Hand shower 4+ sprays, spray plate night time grey** GROHE Rain O², Rain, Bokoma Spray, Jet **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE One-click showering** spray selection via push of a button **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 673 LS0**	**moon white**	**88.30**
	Power&Soul 130 **Hand shower 4+ sprays, spray plate white** GROHE Rain O², Rain, Bokoma Spray, Jet **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE One-click showering** spray selection via push of a button **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 672 PV0** **27 672 DR0** **27 672 HF0** **27 672 TN0** **27 672 XH0**	**chrome/natural sandstone** **chrome/limestone** **chrome/fired clay** **chrome/misty slate** **chrome/frosted granite**	**104.80** **101.00** **101.00** **101.00** **101.80**
	Power&Soul 130 **Hand shower 4+ sprays** GROHE Rain O², Rain, Bokoma Spray, Jet **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE One-click showering** spray selection via push of a button **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 962 000**	**chrome**	**108.70**
	Power&Soul 130 **Hand shower 4+ sprays** GROHE Rain O², Rain, Bokoma Spray, Jet consisting of: hand shower Power&Soul 130 (27 673 000) travellers kit **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE One-Click Showering** spray selection with one click **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 671 000**	**chrome**	**88.30**
	Power&Soul 115 **Hand shower 2 sprays, spray plate night time grey** GROHE Rain O², Rain **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE One-click showering** spray selection via push of a button **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		

*** price on request**
N = Net = price based on net price

GROHE
POWER&SOUL

	Article No.	Colour	Price






27 671 LS0 **moon white** **78.20**

Power&Soul 115
Hand shower 2 sprays, spray plate white
GROHE Rain O², Rain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system






27 748 000 **chrome** **222.90**

Power&Soul 160
Shower rail set 4+ sprays
consisting of:
hand shower Power&Soul 160 (27 675 000)
shower rail, 600 mm (27 784 000)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 750 000 **chrome** **209.20**
ditto, 900 mm






27 736 000 **chrome** **195.90**

Power&Soul 130
Shower rail set 4+ sprays
consisting of:
hand shower Power&Soul 130 (27 673 000)
shower rail, 600 mm (27 784 000)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 738 000 **chrome** **209.50**
ditto, 900 mm







27 742 000 **chrome** **132.00**

Power&Soul 130
Wall holder set 4+ sprays
consisting of:
hand shower Power&Soul 130 (27 673 000)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar


*** price on request**
N = Net = price based on net price

GROHE
POWER&SOUL

	Article No.	Colour	Price
 	**27 785 000** **Power&Soul** **Shower rail, 900 mm** with wall holders made of metal glide element and swivel holder **GROHE QuickFix Plus** (adjustable distance between wall shower holders for adaption to existing drillings) **GROHE StarLight** chrome finish	**chrome**	113.90
	27 784 000 **ditto, 600 mm**	**chrome**	107.20
 	**45 914 XE0** **Compensation disc** for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136	**gray night time**	13.60






*** price on request**
N = Net = price based on net price

GROHE
MOVARIO

	Article No.	Colour	Price
 	**28 393 000**	**chrome**	**169.60**





Movario 100 Five
Hand shower 5 sprays
Normal, Jet, Rain, Massage, Champagne spray
Rotahead adjustable shower head system
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
minimum flow rate 7.5 l/min.

GROHE
EUPHORIA

	Article No.	Colour	Price
 	**27 222 000**	**chrome**	**60.80**
	Euphoria 110 Champagne **Hand shower 3 sprays** Rain, Champagne spray, SmartRain **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish **SpeedClean** anti-lime system min. recommended pressure 1.0 bar		
 	**26 513 000**	**chrome**	**69.20**
	Euphoria 110 Massage **Hand shower 3 sprays** spray face Ø 110 mm Rain, Massage, SmartRain GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish spray plate white **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**27 239 001**	**chrome**	**69.20**
	Euphoria 110 Massage **Hand shower 3 sprays** spray face Ø 110 mm Rain, Massage, SmartRain **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish spray plate white **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 221 001 **ditto, with non-restricted flow**	**chrome**	**62.80**
 	**27 239 000**	**chrome**	**62.10**
	Euphoria 110 Massage **Hand shower 3 sprays** Rain, Massage, SmartRain **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
	27 221 000 **ditto, with non-restricted flow**	**chrome**	**57.70**
 	**27 238 000**	**chrome**	**45.40**
	Euphoria 110 Duo **Hand shower 2 sprays** Rain, SmartRain **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish **SpeedClean** anti-lime system min. recommended pressure 1.0 bar		
	27 220 000 **ditto, with non-rectricted flow**	**chrome**	**44.90**




*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA

	Article No.	Colour	Price
 	**27 265 00E** **Euphoria 110 Mono** **Hand shower 1 spray** Rain **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**28.80**
	27 265 000 **ditto, with non-restricted flow**	**chrome**	**30.60**
 	**27 232 001** **Euphoria 110 Champagne** **Shower rail set 3 sprays** consisting of: hand shower Champagne (27 222 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) **GROHE EasyReach** tray (27 596) **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **GROHE QuickFix** (upper bracket adjustable for adaption to existing drilling holes) **SpeedClean** anti-lime system **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**111.80**
 	**27 243 001** **Euphoria 110 Massage** **Shower rail set 3 sprays** consisting of: hand shower Massage (27 239 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) **GROHE EasyReach** tray (27 596) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish **GROHE QuickFix** (upper bracket adjustable for adaption to existing drilling holes) **SpeedClean** anti-lime system **Twistfree** to prevent hose from twisting suitable for instantaneous heater	**chrome**	**102.20**
	27 231 001 **ditto, with non-restricted flow**	**chrome**	**113.00**
 	**27 242 001** **Euphoria 110 Duo** **Shower rail set 2 sprays** consisting of: hand shower Euphoria 110 Duo (27 238) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) **GROHE EasyReach** tray (27 596) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish **GROHE QuickFix** (upper bracket adjustable for adaption to existing drilling holes) **SpeedClean** anti-lime system **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**89.20**
	27 230 001 **ditto, with non-restricted flow**	**chrome**	**98.90**

*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA


	Article No.	Colour	Price
 	**27 266 00E** **Euphoria 110 Mono** **Shower rail set 1 spray** consisting of: hand shower Euphoria Mono (27 265 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) **GROHE EasyReach** tray **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **GROHE QuickFix** (upper bracket adjustable for adaption to existing drilling holes) **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**82.60**
	27 266 001 **ditto, with non-restricted flow**	**chrome**	**89.70**
 	**27 227 001** **Euphoria 110 Champagne** **Shower rail set 3 sprays** consisting of: hand shower Champagne (27 222 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) **GROHE EasyReach** tray (27 596) **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish **GROHE QuickFix** (upper bracket adjustable for adaption to existing drilling holes) **SpeedClean** anti-lime system **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**120.60**
 	**27 226 001** **27 226 DC1** **27 226 BE1** **27 226 EN1** **27 226 GL1** **27 226 GN1** **27 226 DA1** **27 226 DL1** **27 226 A01** **27 226 AL1** **Euphoria 110 Massage** **Shower rail set 3 sprays** consisting of: hand shower Massage (27 221 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) **GROHE EasyReach** tray (27 596) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE QuickFix** (upper bracket adjustable for adaption to existing drilling holes) **SpeedClean** anti-lime system **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome** **supersteel** **polished nickel** **brushed nickel** **cool sunrise** **brushed cool sunrise** **warm sunset** **brushed warm sunset** **hard graphite** **brushed hard graphite**	**118.30** **144.30** **175.70** **186.80** **175.70** **186.80** **175.70** **186.80** **175.70** **186.80**

*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA

	Article No.	Colour	Price






27 225 001 **chrome** **102.10**

Euphoria 110 Duo
Shower rail set 2 sprays
consisting of:
hand shower Duo (27 220 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater






27 267 001 **chrome** **95.60**

Euphoria 110 Mono
Shower rail set 1 spray
consisting of:
hand shower Mono (27 265 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 355 000 **chrome** **99.70**

Euphoria 110 Champagne
Wall holder set 3 sprays
consisting of:
hand shower Champagne (27 222 000)
wall shower holder 28 401
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar








27 354 000 **chrome** **57.00**



Euphoria 110 Mono
Wall holder set 1 spray
consisting of:
hand shower Mono (27 265 000)
wall shower holder (27 056)
Silverflex shower hose 1250 mm (28 362)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE
EUPHORIA

	Article No.	Colour	Price
 	**26 459 000** **Euphoria 260** **Head shower set 380 mm, 3 sprays** consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**213.00**
	26 458 000 **ditto, with non-restricted flow**	**chrome**	**213.00**
 	**26 461 000** **Euphoria 260** **Head shower set ceiling 142 mm, 3 sprays** consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**169.30**
	26 460 000 **ditto, with non-restricted flow**	**chrome**	**169.30**
	**26 456 000** **Euphoria 260** **Head shower 3 sprays** Rain, SmartRain, Jet Ø 260 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**128.80**
	26 457 000 **ditto, with 9.5 l/min flow limiter**	**chrome**	**128.80**
	26 455 000 **ditto, with non-restricted flow**	**chrome**	**128.80**
 	**27 499 000** **Euphoria** **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE QuickFix** (upper bracket adjustable for adaption to existing drilling holes) **GROHE StarLight** chrome finish	**chrome**	**46.80**
	27 500 000 **ditto, 900 mm**	**chrome**	**51.00**






*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA

	Article No.	Colour	Price
 	**48 051 000**		**4.60**
	Compensation disc for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524		
 	**27 596 000**		**6.20**
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm		

* price on request
N = Net = price based on net price

GROHE
EUPHORIA


	Article No.	Colour	Price
 	**27 400 000**	**chrome**	**45.30**
	Euphoria Cosmopolitan Stick **Hand shower 1 spray** Normal spray **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE StarLight** chrome finish **SpeedClean** anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 367 000 **ditto, with non-restricted flow**	**chrome**	**47.70**
 	**27 368 000**	**chrome**	**168.70**
	Euphoria Cosmopolitan Stick **Shower rail set 1 spray** consisting of: hand shower 27 400 000 shower rail, 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) soap dish (27 206) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE StarLight** chrome finish **GROHE QuickFix Plus** adjustable distance between brackets for adaption to existing drilling holes **SpeedClean** anti-lime system **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**26 404 000**	**chrome**	**70.30**
	Euphoria Cosmopolitan Stick **Wall holder set 1 spray** with integrated wall union 1/2“ consisting of: hand shower 27 400 000 shower outlet elbow 1/2“ with wall shower holder (28 679) male thread protected against backflow Silverflex shower hose 1.500 mm (28 364) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**27 369 000**	**chrome**	**75.40**
	Euphoria Cosmopolitan Stick **Wall holder set 1 spray** consisting of: hand shower 27 400 000 wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Twistfree** to prevent hose from twisting suitable for instantaneous heater		
 	**27 492 000**	**chrome**	**141.30**
	Euphoria Cosmopolitan 180 **Head shower 1 spray** Rain Ø 180 mm ball joint ± 15° rotatable connection thread 1/2“ **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system min. recommended pressure 1.0 bar		

*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA





	Article No.	Colour	Price
	28 233 000	**chrome**	**83.00**






Euphoria Cosmopolitan 160
Head shower 1 spray
Rain
ball joint ± 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater

GROHE
EUPHORIA





	Article No.	Colour	Price
 	**27 888 000**	**chrome**	**93.40**
	27 888 GN0	**brushed cool sunrise**	**173.20**
	27 888 DL0	**brushed warm sunset**	**173.20**
	27 888 AL0	**brushed hard graphite**	**173.20**
	Euphoria Cube+ Stick **Hand shower 1 spray** Normal spray material: metal **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
	27 884 001	**chrome**	**92.70**
	ditto, with non-restricted flow		
 	**27 891 000**	**chrome**	**247.00**
	Euphoria Cube+ Stick **Shower rail set 1 spray** consisting of: hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**27 890 000**	**chrome**	**253.80**
	Euphoria Cube+ Stick **Shower rail set 1 spray** consisting of: hand shower, metal shower rail 900 mm (27 841) metal shower hose 1750 mm (28 025) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**27 889 000**	**chrome**	**134.70**
	Euphoria Cube+ Stick **Wall holder set 1 spray** consisting of: hand shower, metal (27 888 000) wall shower holder (27 706) metal shower hose 1500 mm (28 417) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**27 706 000**	**chrome**	**31.10**
	Allure Brilliant **Wall hand shower holder** not adjustable material: metal **GROHE StarLight** chrome finish		

*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA







	Article No.	Colour	Price
 	**27 707 000** **Allure Brilliant** **Shower outlet elbow, 1/2“** male thread protected against backflow material: metal **GROHE StarLight** chrome finish	**chrome**	**48.90**

GROHE
EUPHORIA

	Article No.	Colour	Price
 	**27 699 000**	**chrome**	**46.70**
	Euphoria Cube Stick **Hand shower 1 spray** Normal spray **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
	27 698 000 **ditto, with non-restricted flow**	**chrome**	**47.70**
 	**27 936 000**	**chrome**	**198.70**
	Euphoria Cube **Shower set** consisting of: hand shower (27 698 000) shower rail 600 mm (27 892 000) Silverflex shower hose 1750 mm (28 388 000) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**27 700 000**	**chrome**	**206.70**
	Euphoria Cube Stick **Shower rail set 1 spray** consisting of: hand shower (27 698 000) shower rail 900 mm (27 841) Silverflex shower hose 1750 mm (28 388 000) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Twistfree** to prevent hose from twisting min. recommended pressure 1.0 bar		
 	**26 405 000**	**chrome**	**90.70**
	Euphoria Cube Stick **Wall holder set 1 spray** with integrated wall union 1/2“ consisting of: hand shower (27 699 000) shower outlet elbow 1/2“ with wall shower holder (26 370) male thread protected against backflow Silverflex shower hose 1250 mm (28 362) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE StarLight** chrome finish **GROHE DreamSpray** perfect spray pattern **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**27 703 000**	**chrome**	**78.90**
	Euphoria Cube Stick **Wall holder set 1 spray** consisting of: hand shower (27 699 000) wall shower holder (27 693 000) Silverflex shower hose 1250 mm (28 362) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Twistfree** to prevent hose from twisting min. recommended pressure 1.0 bar		
	27 702 000 **ditto, with non-restricted flow**	**chrome**	**81.70**




*** price on request**
N = Net = price based on net price

GROHE
EUPHORIA

	Article No.	Colour	Price
 	**26 073 000** **Euphoria Cube 150** **Head shower set 286 mm, 1 spray** consisting of: head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain shower arm Rainshower 286 mm (27 709 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**chrome**	**217.30**
 	**27 705 000** **Euphoria Cube 150** **Head shower 1 spray** Rain 152 x 152 mm ball-joint, rotation angle ± 12° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system min. recommended pressure 1.0 bar	**chrome**	**147.80**
 	**27 892 000** **Euphoria Cube** **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE StarLight** chrome finish	**chrome**	**185.20**
	27 841 000 **ditto, 900 mm**	**chrome**	**191.40**
 	**27 845 000** **Euphoria Cube** **Compensation disc** for Euphoria Cube shower bars 27 892 000 / 27 841 000 stackable		**2.00**
 	**27 693 000** **Euphoria Cube** **Wall hand shower holder** not adjustable **GROHE StarLight** chrome finish	**chrome**	**24.80**
 	**27 704 000** **Euphoria Cube** **Shower outlet elbow, 1/2"** male thread protected against backflow **GROHE StarLight** chrome finish	**chrome**	**28.70**






* price on request
N = Net = price based on net price

GROHE
EUPHORIA

	Article No.	Colour	Price
 	**26 370 000** **26 370 GN0** **26 370 DL0** **26 370 AL0** **Euphoria Cube** **Shower outlet elbow, 1/2"** with wall shower holder male thread protected against backflow **GROHE StarLight** chrome finish	**chrome** **brushed cool sunrise** **brushed warm sunset** **brushed hard graphite**	**39.10** **72.80** **72.80** **72.80**
 	**27 709 000** **Rainshower** **Shower arm 286 mm** material: metal connection thread 1/2" **GROHE StarLight** chrome finish	**chrome**	**102.20**
 	**27 711 000** **Rainshower** **Shower arm ceiling 154 mm** material: metal connection thread 1/2" **GROHE StarLight** chrome finish	**chrome**	**90.00**

*** price on request**
N = Net = price based on net price

GROHE TEMPESTA


	Article No.	Colour	Price
 	**27 575 002** **Tempesta Cosmopolitan 100** **Hand shower 4 sprays** GROHE Rain O², Rain, Massage, Jet **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**chrome**	**45.10**
	27 573 002 **ditto, with non-restricted flow**	**chrome**	**46.80**
 	**27 574 002** **Tempesta Cosmopolitan 100** **Hand shower 3 sprays** GROHE Rain O², Rain, Massage **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**chrome**	**35.20**
	27 572 002 **ditto, with non-restricted flow**	**chrome**	**35.20**
 	**27 571 20E** **Tempesta Cosmopolitan 100** **Hand shower 2 sprays** Rain, Jet **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**27.70**
	26 046 002 **ditto, with 6.6 l/min flow llimiter**	**chrome**	**27.70**
	27 571 002 **ditto, with non-restricted flow**	**chrome**	**27.70**
 	**26 082 002** **Tempesta Cosmopolitan 100** **Hand shower 1 spray** Rain **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar	**chrome**	**22.30**
 	**27 577 002** **Tempesta Cosmopolitan 100** **Shower rail set 4 sprays** consisting of: hand shower (27 575) shower rail, 600 mm (27 521) Relexaflex hose 1750 mm 1/2“ x 1/2“ (28 154) **GROHE EasyReach** tray (27 596) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**90.30**

*** price on request**
N = Net = price based on net price

GROHE
TEMPESTA

	Article No.	Colour	Price






27 576 002 **chrome** **82.00**

Tempesta Cosmopolitan 100
Shower set 3 sprays
consisting of:
hand shower (27 574)
shower rail, 600 mm
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 929 002 **chrome** **82.00**
ditto, with non-restricted flow






27 928 002 **chrome** **74.50**

Tempesta Cosmopolitan 100
Shower rail set 2 sprays
consisting of:
hand shower (27 571)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar






26 083 002 **chrome** **65.00**

Tempesta Cosmopolitan 100
Shower rail set 1 spray
consisting of:
hand shower (26 082)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar









27 580 002 **chrome** **81.00**

Tempesta Cosmopolitan 100
Shower rail set 4 sprays
consisting of:
hand shower Tempesta Cosmopolitan 100 (27 575)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 787 002 **chrome** **81.00**
ditto, with non-restricted flow







*** price on request**
N = Net = price based on net price

GROHE TEMPESTA

	Article No.	Colour	Price
 	**27 579 002** **Tempesta Cosmopolitan 100** **Shower rail set 3 sprays** consisting of: hand shower (27 574) shower rail, 600 mm (27 521) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**72.50**
	27 786 002 **ditto, with non-restricted flow**	**chrome**	**72.50**
 	**27 578 20E** **Tempesta Cosmopolitan 100** **Shower rail set 2 sprays** consisting of: hand shower Tempesta Cosmopolitan 100 (27 571 20E) shower rail, 600 mm (27 521) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**65.00**
	26 076 002 **ditto, with 6.6 l/min flow limiter**	**chrome**	**65.00**
	27 578 002 **ditto, with non-restricted flow**	**chrome**	**62.50**
 	**27 790 002** **Tempesta Cosmopolitan 100** **Shower rail set 4 sprays** consisting of: hand shower (27 573) shower rail, 900 mm (27 522) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**chrome**	**84.10**
 	**27 789 002** **Tempesta Cosmopolitan 100** **Shower rail set 3 sprays** consisting of: hand shower (27 572) shower rail, 900 mm (27 522) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**chrome**	**78.80**






*** price on request**
N = Net = price based on net price

GROHE TEMPESTA

	Article No.	Colour	Price
 	**27 788 002**	**chrome**	**71.30**
	Tempesta Cosmopolitan 100 **Shower rail set 2 sprays** consisting of: hand shower (27 571) shower rail, 900 mm (27 522) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system		
 	**27 584 002**	**chrome**	**53.30**
	Tempesta Cosmopolitan 100 **Shower set 3 sprays** consisting of: hand shower (27 574) wall shower holder adjustable (27 595) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**27 588 002**	**chrome**	**50.00**
	Tempesta Cosmopolitan 100 **Wall holder set 3 sprays** consisting of: hand shower (27 574) wall shower holder non-adjustable (27 594) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE StarLight** chrome finish **GROHE DreamSpray** perfect spray pattern **SpeedClean** anti-lime system		
 	**26 084 002**	**chrome**	**36.20**
	Tempesta Cosmopolitan 100 **Wall holder set 1 spray** consisting of: hand shower (26 082) wall shower holder non-adjustable (27 594) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) **GROHE StarLight** chrome finish **GROHE DreamSpray** perfect spray pattern **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**27 869 001**	**chrome**	**77.70**
	Tempesta Cosmopolitan 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		


*** price on request**
N = Net = price based on net price

GROHE TEMPESTA

	Article No.	Colour	Price
 	**26 090 001** **Tempesta Cosmopolitan 100** **Head shower set 3 sprays** GROHE Rain O², Rain, Massage ball joint ± 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**72.50**
 	**27 591 001** **Tempesta Cosmopolitan 100** **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system	**chrome**	**66.00**
	**26 051 001** **Tempesta Cosmopolitan 100** **Head shower 1 spray** Rain ball joint ± 15° rotatable connection thread 1/2" **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**52.20**
 	**27 521 000** **Tempesta Cosmopolitan** **Shower rail, 600 mm** with wall brackets, glider and swivel holder **GROHE StarLight** chrome finish	**chrome**	**52.30**
	27 522 000 **ditto, 900 mm**	**chrome**	**53.60**
 	**48 051 000** **Compensation disc** for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524		**4.60**
 	**27 596 000** **GROHE EasyReach tray** acrylic for Tempesta and Euphoria shower rails Ø 22 mm		**6.20**






*** price on request**
N = Net = price based on net price

GROHE
TEMPESTA

	Article No.	Colour	Price
 	**27 594 000** **Tempesta Cosmopolitan** **Wall hand shower holder** not adjustable **GROHE StarLight** chrome finish	**chrome**	**12.60**





*** price on request**
N = Net = price based on net price

GROHE TEMPESTA

	Article No.	Colour	Price
 	**28 421 002** **Tempesta 100** **Hand shower 4 sprays** GROHE Rain O², Rain, Massage, Jet **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **ShockProof** silicone ring prevents damages caused by shower falling	**chrome**	42.60
	28 578 002 **ditto, with non-restricted flow**	**chrome**	43.60
 	**28 419 002** **Tempesta 100** **Hand shower 3 sprays** GROHE Rain O², Rain, Massage **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **ShockProof** silicone ring prevents damages caused by shower falling	**chrome**	30.40
	28 261 002 **ditto, with non-restricted flow**	**chrome**	32.00
 	**27 597 10E** **Tempesta 100** **Hand shower 2 sprays** Rain, Jet **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater	**chrome**	23.70
	26 161 001 **ditto, with 9.5 l/min flow limiter**	**chrome**	25.50
	27 597 001 **ditto, with non-restricted flow**	**chrome**	25.50
 	**27 923 001** **Tempesta 100** **Hand shower 1 spray** Rain **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **ShockProof** silicone ring prevents damages caused by shower falling	**chrome**	18.80
	27 852 001 **ditto, with non-restricted flow**	**chrome**	20.20
 	**28 436 002** **Tempesta 100** **Shower rail set 4 sprays** consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EasyReach** tray (27 596) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	82.00
	28 593 002 **ditto, with non-restricted flow**	**chrome**	82.00

*** price on request**
N = Net = price based on net price

GROHE
TEMPESTA


	Article No.	Colour	Price
 	**27 600 001** **Tempesta 100** **Shower rail set 3 sprays** consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EasyReach** tray (27 596) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**73.80**
	27 927 001 **ditto, with non-restricted flow**	**chrome**	**74.50**
 	**27 926 001** **Tempesta 100** **Shower rail set 2 sprays** consisting of: hand shower Tempesta 100 II (27 597) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EasyReach** tray (27 596) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**68.20**
 	**27 645 001** **Tempesta 100** **Shower rail set 4 sprays** consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**68.60**
	27 795 001 **ditto, with non-restricted flow**	**chrome**	**72.50**
 	**27 644 001** **Tempesta 100** **Shower rail set 3 sprays** consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**66.00**
	27 794 001 **ditto, with non-restricted flow**	**chrome**	**66.00**

*** price on request**
N = Net = price based on net price

GROHE TEMPESTA

	Article No.	Colour	Price






27 598 10E — **chrome** — **56.40**

Tempesta 100
Shower rail set 2 sprays
consisting of:
hand shower Tempesta 100 II 5.7 l/min (27 597)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 598 001 — **chrome** — **59.30**
ditto, with non-restricted flow






27 924 001 — **chrome** — **44.40**

Tempesta 100
Shower rail set 1 spray
consisting of:
hand shower (27 923)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
ShockProof silicone ring prevents damages caused by shower falling

27 853 001 — **chrome** — **49.00**
ditto, with non-restricted flow






28 789 002 — **chrome** — **72.50**

Tempesta 100
Shower rail set 3 sprays
consisting of:
hand shower (28 419)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
ShockProof silicone ring prevents damages caused by shower falling

27 796 001 — **chrome** — **72.50**
ditto, with non-restricted flow





27 646 10E — **chrome** — **66.00**





Tempesta 100
Shower rail set 2 sprays
consisting of:
hand shower Tempesta 100 II (27 597)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater

26 163 001 — **chrome** — **66.60**
ditto, with 9.5 l/min flow limiter

27 646 001 — **chrome** — **63.60**
ditto, with non-restricted flow





* price on request
N = Net = price based on net price

GROHE
TEMPESTA

	Article No.	Colour	Price
 	**27 925 001** **Tempesta 100** **Shower rail set 1 spray** consisting of: hand shower (27 923) shower rail, 900 mm (27 524) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **ShockProof** silicone ring prevents damages caused by shower falling	**chrome**	**53.30**
	27 854 001 **ditto, with non-restricted flow**	**chrome**	**55.40**
 	**27 601 10E** **Tempesta 100** **Wall holder set 2 sprays** consisting of: hand shower Tempesta 100 II (27 597) wall shower holder adjustable (27 595) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**42.60**
 	**27 849 001** **Tempesta 100** **Wall holder set 3 sprays** consisting of: hand shower (28 261) wall shower holder (28 605) not adjustable Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**46.80**
 	**27 803 10E** **Tempesta 100** **Wall holder set 2 sprays** consisting of: hand shower Tempesta 100 II (27 597) wall shower holder (28 605) not adjustable Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**38.30**




*** price on request**
N = Net = price based on net price

GROHE TEMPESTA

	Article No.	Colour	Price
 	**27 798 10E** **Tempesta 100** **Wall holder set 2 sprays** consisting of: hand shower Tempesta 100 II (27 597) wall shower holder (28 605) not adjustable Relexaflex hose 1250 mm 1/2" x 1/2" (28 150) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**37.30**
	26 164 001 **ditto, with 9.5 l/min flow limiter**	**chrome**	**35.90**
	27 799 001 **ditto, with non-restricted flow**	**chrome**	**37.30**
 	**26 406 001** **Tempesta 100** **Wall holder set 2 sprays** with integrated wall union 1/2" consisting of: hand shower Tempesta 100 II (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**53.30**
 	**26 412 000** **Tempesta 210** **Head shower set 286 mm, 1 spray** consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain shower arm Rainshower 286 mm (28 576 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**154.50**
	26 411 000 **ditto, with non-restricted flow**	**chrome**	**154.50**
 	**27 870 001** **Tempesta 100** **Head shower set 4 sprays** GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**71.30**







*** price on request**
N = Net = price based on net price

GROHE TEMPESTA

	Article No.	Colour	Price
 	**26 088 001** **Tempesta 100** **Head shower set 3 sprays** GROHE Rain O², Rain, Massage ball joint ± 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**65.00**
 	**26 414 000** **Tempesta 210** **Head shower set ceiling 142 mm, 1 spray** consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**132.20**
	26 413 000 **ditto, with non-restricted flow**	**chrome**	**131.00**
	**26 409 000** **Tempesta 210** **Head shower 1 spray** Rain Ø 210 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**87.30**
	26 410 000 **ditto, with 9.5 l/min flow limiter**	**chrome**	**88.20**
	26 408 000 **ditto, with non-restricted flow**	**chrome**	**87.30**
 	**26 044 001** **Tempesta 100** **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater max. flow rate 1.75 gpm (6.6 l/min) min. recommended pressure 1.0 bar	**chrome**	**59.70**
	27 606 001 **ditto, with 9.5 l/min flow limiter**	**chrome**	**59.70**




*** price on request**
N = Net = price based on net price

GROHE TEMPESTA

	Article No.	Colour	Price
 	**26 050 001** **Tempesta 100** **Head shower 1 spray** Rain ball joint ± 15° rotatable **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	**chrome**	**46.80**
 	**27 523 000** **Tempesta** **Shower rail, 600 mm** with wall brackets, glider and swivel holder **GROHE StarLight** chrome finish	**chrome**	**46.80**
	27 524 000 **ditto, 900 mm**	**chrome**	**49.30**
 	**48 051 000** **Compensation disc** for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524		**4.60**
 	**27 596 000** **GROHE EasyReach tray** acrylic for Tempesta and Euphoria shower rails Ø 22 mm		**6.20**
 	**27 595 000** **Tempesta** **Wall hand shower holder** adjustable **GROHE StarLight** chrome finish	**chrome**	**19.10**
 	**28 605 000** **Relexa** **Wall hand shower holder** not adjustable **GROHE StarLight** chrome finish	**chrome**	**9.00**




* price on request
N = Net = price based on net price

GROHE TEMPESTA

	Article No.	Colour	Price
 	**27 406 000** **Relexa** **Shower arm 218 mm** connection thread 1/2" **GROHE StarLight** chrome finish	**chrome**	**48.00**
 	**28 541 000** **Relexa** **Shower arm 147 mm** connection thread 1/2" **GROHE StarLight** chrome finish	**chrome**	**96.80**
 	**28 429 000** **Relexa** **Shower arm 55 mm** connection thread 1/2" **GROHE StarLight** chrome finish	**chrome**	**44.50**






*** price on request**
N = Net = price based on net price

GROHE
SENA TRIGGER SPRAYS

	Article No.	Colour	Price
 	**26 328 000** **Sena Trigger Spray 35** **Hand shower 1 spray** with trigger control material: metal **GROHE StarLight** chrome finish **SpeedClean** anti-lime system Please refer to local norms regarding installation.	**chrome**	**68.10**
 	**26 332 000** **Sena Trigger Spray 35** **Wall holder set with self-closing angle valve, 1 spray** consisting of: hand shower with trigger control (26 328) valve with integrated shower holder (26 333) Silverflex Longlife shower hose 1250 mm (26 335) **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Twistfree** to prevent hose from twisting Please refer to local norms regarding installation.	**chrome**	**167.80**
	26 329 000 **ditto, hose 1.000 mm**	**chrome**	**160.60**
 	**26 333 000** **Valve** with wall shower holder escutcheon connection thread 1/2" **GROHE StarLight** chrome finish Please refer to local norms regarding installation.	**chrome**	**80.20**




*** price on request**
N = Net = price based on net price

GROHE
TEMPESTA-F TRIGGER SPRAYS

		Article No.	Colour	Price
		**27 512 001**	**chrome**	**19.40**
		Tempesta-F Trigger Spray 30 **Hand shower 1 spray** with trigger control **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
		**28 020 L01**	**white**	**13.20**
		Tempesta-F Trigger Spray 30 **Hand shower 1 spray** with trigger control **GROHE StarLight** finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
		**26 353 000**	**chrome**	**32.90**
		Tempesta-F Trigger Spray 30 **Wall holder set 1 spray** consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
		27 513 001 **ditto, with 1250 mm hose**	**chrome**	**33.80**
		26 352 000 **ditto, with 1000 mm hose**	**chrome**	**31.20**
		**26 354 000**	**chrome**	**38.80**
		Tempesta-F Trigger Spray 30 **Wall holder set 1 spray** consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) metal shower hose 1250 mm **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
		**27 812 IL1**	**chrome/white**	**27.30**
		Tempesta-F Trigger Spray 30 **Wall holder set 1 spray** consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) Silverflex Longlife shower hose 1250 mm (26 335) **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
		26 355 IL0 **ditto, with 1000 mm hose**	**chrome/white**	**25.60**





*** price on request**
N = Net = price based on net price

GROHE
TEMPESTA-F TRIGGER SPRAYS

	Article No.	Colour	Price
 	**26 356 IL0**	**chrome/white**	**30.20**
	Tempesta-F Trigger Spray 30 **Wall holder set 1 spray** consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) metal shower hose 1250 mm **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
 	**26 357 000**	**chrome**	**76.70**
	Tempesta-F Trigger Spray 30 **Wall holder set with angle valve 1 spray** consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) angle valve 1/2" (22 958) **GROHE StarLight** finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		
	27 514 001 **ditto, with 1250 mm hose**	**chrome**	**66.40**
 	**26 358 000**	**chrome**	**105.30**
	Tempesta-F Trigger Spray 30 **Wall holder set with self-closing angle valve, 1 spray** consisting of: hand shower with trigger control (27 512 001) valve with integrated shower holder (26 333) Silverflex Longlife shower hose 1000 mm (26 334) **GROHE StarLight** chrome finish **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **Twistfree** to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.		



*** price on request**
N = Net = price based on net price

GROHE
SHOWER HOSES

	Article No.	Colour	Price
 	**28 025 000 N** **Rotaflex Metal Longlife** **Metal shower hose Twistfree 1750** 1750 mm material: metal **strengthened model** tensile strength 500 N pressure resistance up to 16 bar heat resistance 75°C **AntiFold** bendproof **Universal connection** G 1/2" x 1/2" rotation cone for **Twistfree**-function **GROHE StarLight** chrome finish **blister packaging**	**chrome**	**28.60**
	28 417 000 N **ditto, 1500 mm**	**chrome**	**26.70**
 	**28 145 000 N** **Relexaflex Metal Longlife** **Metal shower hose 2000** 2000 mm material: metal **strengthened model** **tensile strength 750 N** pressure resistance up to 16 bar heat resistance 75°C **AntiFold** bendproof **Universal connection** G 1/2" x 1/2" **GROHE StarLight** chrome finish **blister packaging**	**chrome**	**29.30**
	28 143 000 N **28 143 LS0 N** **28 143 KS0 N** **ditto, 1500 mm**	**chrome** **moon white** **velvet black**	**24.20** **31.70** **31.70**
	28 142 000 N **ditto, 1250 mm**	**chrome**	**22.00**
 	**28 140 000 N** **Relexaflex Metal** **Metal shower hose 2000** 2000 mm material: metal tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C **AntiFold** bendproof **Universal connection** G 1/2" x 1/2" **GROHE StarLight** chrome finish **blister packaging**	**chrome**	**24.60**
	28 139 000 N **ditto, 1750 mm**	**chrome**	**22.40**
	28 105 000 N **ditto, 1500 mm**	**chrome**	**19.80**
 	**26 346 000 N** **Silverflex Longlife** **Shower hose Twistfree 1500** 1500 mm smooth surface for easy cleaning Longlife **strengthened model** tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C **AntiFold** bendproof **Universal connection** G 1/2" x 1/2" rotation cone for **Twistfree**-function **GROHE StarLight** chrome finish **blister packaging**	**chrome**	**22.40**
	26 335 000 N **ditto, 1.250 mm**	**chrome**	**20.20**
	26 334 000 N **ditto, 1.000 mm**	**chrome**	**18.00**


*** price on request**
N = Net = price based on net price

GROHE
SHOWER HOSES

	Article No.	Colour	Price
 	28 388 000 N	chrome	20.20
	28 388 DC0 N	supersteel	28.10
	28 388 BE0 N	polished nickel	32.50
	28 388 GL0 N	cool sunrise	32.10
	28 388 DA0 N	warm sunset	32.10
	28 388 A00 N	hard graphite	32.10
	Silverflex **Shower hose Twistfree 1750** 1750 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C **AntiFold** bendproof **Universal connection** G 1/2" x 1/2" rotation cone for **Twistfree**-function **blister packaging**		
	28 364 000 N **ditto, 1500 mm**	chrome	17.50
	28 362 000 N	chrome	15.60
	28 362 DC0 N	supersteel	21.00
	28 362 BE0 N	polished nickel	25.20
	28 362 GL0 N	cool sunrise	24.30
	28 362 DA0 N	warm sunset	25.20
	28 362 A00 N	hard graphite	25.20
	ditto, 1250 mm		
 	28 413 001 N	chrome	17.10
	Rotaflex **Shower hose Twistfree 2000** 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C **AntiFold** bendproof **Universal connection** G 1/2" x 1/2" rotation cone for **Twistfree**-function **GROHE StarLight** chrome finish **blister packaging**		
	28 410 001 N **ditto, 1750 mm**	chrome	15.60
	28 409 001 N **ditto, 1500 mm**	chrome	13.60
 	28 155 001 N	chrome	15.60
	Relexaflex **Shower hose 2000** 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C **AntiFold** bendproof **Universal connection** G 1/2" x 1/2" **GROHE StarLight** chrome finish **blister packaging**		
	28 154 001 N **ditto, 1750 mm**	chrome	13.60
	28 151 001 N **ditto, 1500 mm**	chrome	11.40
	28 150 001 N **ditto, 1250 mm**	chrome	9.70







*** price on request**
N = Net = price based on net price

GROHE
SHOWER HOSES

	Article No.	Colour	Price
 	**28 158 000 N** **Metal shower hose** 2000 mm for bath rim, installation under tiled surround and shower sets **GROHE StarLight** chrome finish	**chrome**	**34.30**

*** price on request**
N = Net = price based on net price

GROHE
SHOWER ACCESSORIES

	Article No.	Colour	Price
 	**27 055 000**	**chrome**	**46.00**
	Rainshower **Wall hand shower holder** adjustable **GROHE StarLight** chrome finish		
 	**28 623 000**	**chrome**	**28.40**
	Relexa **Wall hand shower holder** adjustable **GROHE StarLight** chrome finish		
 	**27 595 000**	**chrome**	**19.10**
	Tempesta **Wall hand shower holder** adjustable **GROHE StarLight** chrome finish		
 	**28 690 000**	**chrome**	**117.30**
	Sena **Wall hand shower holder** not adjustable material: metal **GROHE StarLight** chrome finish		
 	**27 056 000**	**chrome**	**28.30**
	Rainshower **Wall hand shower holder** not adjustable without escutcheon **GROHE StarLight** chrome finish		
 	**27 074 000**	**chrome**	**31.90**
	27 074 DC0	**supersteel**	**32.40**
	27 074 LS0	**moon white**	**46.40**
	27 074 BE0	**polished nickel**	**53.10**
	27 074 EN0	**brushed nickel**	**56.40**
	27 074 GL0	**cool sunrise**	**53.10**
	27 074 GN0	**brushed cool sunrise**	**56.90**
	27 074 DA0	**warm sunset**	**53.60**
	27 074 DL0	**brushed warm sunset**	**56.40**
	27 074 A00	**hard graphite**	**53.60**
	27 074 AL0	**brushed hard graphite**	**56.90**
	Rainshower **Wall hand shower holder** not adjustable with round escutcheon **GROHE StarLight** chrome finish		






*** price on request**
N = Net = price based on net price

GROHE
SHOWER ACCESSORIES

	Article No.	Colour	Price
	**27 075 000** **27 075 LS0** **Rainshower** **Wall hand shower holder** not adjustable with square escutcheon **GROHE StarLight** chrome finish	**chrome** **moon white**	**32.40** **41.40**
	**27 706 000** **Allure Brilliant** **Wall hand shower holder** not adjustable material: metal **GROHE StarLight** chrome finish	**chrome**	**31.10**
	**27 693 000** **Euphoria Cube** **Wall hand shower holder** not adjustable **GROHE StarLight** chrome finish	**chrome**	**24.80**
	**28 622 000** **Relexa** **Wall hand shower holder** not adjustable **GROHE StarLight** chrome finish	**chrome**	**12.40**
	**27 594 000** **Tempesta Cosmopolitan** **Wall hand shower holder** not adjustable **GROHE StarLight** chrome finish	**chrome**	**12.60**
	**28 605 000** **Relexa** **Wall hand shower holder** not adjustable **GROHE StarLight** chrome finish	**chrome**	**9.00**






*** price on request**
N = Net = price based on net price

GROHE
SHOWER ACCESSORIES

	Article No.	Colour	Price
 	**27 151 000** **Lead-through for pull-out showers** for bath rim installation and under tiled surround lead-through for shower hose shower hose 1/2" x 3/8", 2000 mm (28 158 000) **The lead-through can be combined with all hand showers!** **GROHE StarLight** chrome finish	**chrome**	**98.00**
 	**27 531 000** **Lead-through for pull-out showers** for bath rim installation and under tiled surround lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000) **The lead-through can be combined with all hand showers!** **GROHE StarLight** chrome finish	**chrome**	**181.00**
 	**27 621 000** **Grohtherm F** **Wall shower union with integrated shower holder** for use with rough-in box 35 034 000 (1/2" connection) / 35 035 (1/2" NPT connection) sold separately shower outlet 1/2" protected against backflow vertical or horizontal installation	**chrome**	**290.40**
 	**35 034 000** **Grohtherm F** **Rough-in box for wall shower union 27 621** built-in box with removable protection cover waterproof membrame base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass 1/2" connections installation depth 70 - 95 mm		**188.80**
 	**27 057 000** **27 057 DC0** **27 057 LS0** **27 057 BE0** **27 057 EN0** **27 057 GL0** **27 057 GN0** **27 057 DA0** **27 057 DL0** **27 057 A00** **27 057 AL0** **Rainshower** **Shower outlet elbow, 1/2"** male thread with round escutcheon protected against backflow **GROHE StarLight** chrome finish	**chrome** **supersteel** **moon white/chrome** **polished nickel** **brushed nickel** **cool sunrise** **brushed cool sunrise** **warm sunset** **brushed warm sunset** **hard graphite** **brushed hard graphite**	**52.00** **70.90** **73.10** **83.50** **88.80** **83.50** **89.60** **83.50** **88.80** **84.40** **89.60**



* price on request
N = Net = price based on net price

GROHE
SHOWER ACCESSORIES

	Article No.	Colour	Price
 	**27 076 000** **27 076 LS0** **Rainshower** **Shower outlet elbow** male thread with square escutcheon protected against backflow **GROHE StarLight** chrome finish	**chrome** **moon white**	**51.30** **65.40**
 	**27 707 000** **Allure Brilliant** **Shower outlet elbow, 1/2"** male thread protected against backflow material: metal **GROHE StarLight** chrome finish	**chrome**	**48.90**
 	**27 704 000** **Euphoria Cube** **Shower outlet elbow, 1/2"** male thread protected against backflow **GROHE StarLight** chrome finish	**chrome**	**28.70**
 	**26 370 000** **26 370 GN0** **26 370 DL0** **26 370 AL0** **Euphoria Cube** **Shower outlet elbow, 1/2"** with wall shower holder male thread protected against backflow **GROHE StarLight** chrome finish	**chrome** **brushed cool sunrise** **brushed warm sunset** **brushed hard graphite**	**39.10** **72.80** **72.80** **72.80**
 	**28 671 000** **Relexa** **Shower outlet elbow, 1/2"** male thread **GROHE StarLight** chrome finish **28 680 000** **ditto, protected against backflow**	**chrome** **chrome**	**30.40** **53.60**
	**28 672 000** **Relexa** **Shower outlet elbow, 1/2"** 1/2" NPT female thread **GROHE StarLight** chrome finish	**chrome**	**28.50**






*** price on request**
N = Net = price based on net price

GROHE
SHOWER ACCESSORIES

	Article No.	Colour	Price
 	**28 626 000** **Relexa** **Shower outlet elbow, 1/2"** shower connection 1/2" male thread **GROHE StarLight** chrome finish with matt chrome cap	**chrome**	**29.60**
	28 678 000 **ditto, protected against backflow**	**chrome**	**59.20**
	28 636 000 **ditto, for IG-combination**	**chrome**	**36.90**
 	**28 628 000** **Relexa** **Shower outlet elbow, 1/2"** with wall shower holder male thread **GROHE StarLight** chrome finish	**chrome**	**33.00**
	28 679 000 **ditto, protected against backflow**	**chrome**	**54.60**







*** price on request**
N = Net = price based on net price

GROHE
SHOWER ACCESSORIES

	Article No.	Colour	Price
 	**26 602 000**	**chrome**	**107.00**
	Rainshower SmartActive **Shower rail, 600 mm** with wall holders made of metal glide element and swivel holder **GROHE QuickFix Plus** (adjustable distance between wall shower holders for adaption to existing drillings) **GROHE TileFix** adjustable depth on upper and lower bracket **GROHE EasyReach** tray **GROHE StarLight** chrome finish **available July 2020**		
	26 603 000	**chrome**	**112.00**
	26 603 BE0	**polished nickel**	**226.50**
	26 603 EN0	**brushed nickel**	**249.10**
	26 603 GL0	**cool sunrise**	**226.50**
	26 603 GN0	**brushed cool sunrise**	**249.10**
	26 603 DA0	**warm sunset**	**226.50**
	26 603 DL0	**brushed warm sunset**	**249.10**
	26 603 A00	**hard graphite**	**226.50**
	26 603 AL0	**brushed hard graphite**	**249.10**
	ditto, 900 mm **available July 2020**		
 	**27 785 000**	**chrome**	**113.90**
	Power&Soul **Shower rail, 900 mm** with wall holders made of metal glide element and swivel holder **GROHE QuickFix Plus** (adjustable distance between wall shower holders for adaption to existing drillings) **GROHE StarLight** chrome finish		
	27 784 000 **ditto, 600 mm**	**chrome**	**107.20**
 	**28 620 000**	**chrome**	**76.60**
	Relexa **Shower rail, 600 mm** Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment by click stop **GROHE StarLight** chrome finish		
 	**28 621 000**	**chrome**	**89.50**
	Relexa **Shower rail, 1000 mm** Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment by click stop **GROHE StarLight** chrome finish		
 	**28 587 000**	**chrome**	**194.80**
	Relexa **Shower rail, 900 mm** with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment by click stop **GROHE StarLight** chrome finish		







*** price on request**
N = Net = price based on net price

GROHE
SHOWER ACCESSORIES

	Article No.	Colour	Price
 	**27 892 000** **Euphoria Cube** **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE StarLight** chrome finish	**chrome**	**185.20**
	27 841 000 **ditto, 900 mm**	**chrome**	**191.40**
 	**27 499 000** **Euphoria** **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE QuickFix** (upper bracket adjustable for adaption to existing drilling holes) **GROHE StarLight** chrome finish	**chrome**	**46.80**
	27 500 000 **ditto, 900 mm**	**chrome**	**51.00**
 	**27 519 000** **Tempesta Rustic** **Shower rail, 600 mm** with wall brackets, glider and swivel holder **GROHE StarLight** chrome finish	**chrome**	**52.50**
	27 520 000 **ditto, 900 mm**	**chrome**	**55.40**
 	**27 521 000** **Tempesta Cosmopolitan** **Shower rail, 600 mm** with wall brackets, glider and swivel holder **GROHE StarLight** chrome finish	**chrome**	**52.30**
	27 522 000 **ditto, 900 mm**	**chrome**	**53.60**
 	**27 523 000** **Tempesta** **Shower rail, 600 mm** with wall brackets, glider and swivel holder **GROHE StarLight** chrome finish	**chrome**	**46.80**
	27 524 000 **ditto, 900 mm**	**chrome**	**49.30**
 	**45 914 XE0** **Compensation disc** for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136	**gray night time**	**13.60**



* price on request
N = Net = price based on net price

GROHE
SHOWER ACCESSORIES







	Article No.	Colour	Price
 	**45 459 000** **Compensation disc** for shower rail 28 620/28 621		**6.80**
 	**48 051 000** **Compensation disc** for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524		**4.60**
 	**27 845 000** **Euphoria Cube** **Compensation disc** for Euphoria Cube shower bars 27 892 000 / 27 841 000 stackable		**2.00**
 	**26 385 000** **Rainshower SmartControl** **Compensation disc** for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable	**chrome**	**18.00**
 	**28 856 000** **Soap dish** acrylic, clear for Relexa shower rails (28 820 and 28 666) **GROHE StarLight** chrome finish		**23.90**
 	**28 631 000** **Relexa** **Soap dish** for shower rail 28 620/28 621 **GROHE StarLight** chrome finish		**24.70**

*** price on request**
N = Net = price based on net price

GROHE
SHOWER ACCESSORIES





	Article No.	Colour	Price
 	**27 206 000** **Soap dish** transparent surface in parts with eroded structure for shower rail Ø 22 or 25 mm		**19.10**
 	**27 596 000** **GROHE EasyReach tray** acrylic for Tempesta and Euphoria shower rails Ø 22 mm		**6.20**

GROHE
SHOWER ACCESSORIES

	Article No.	Colour	Price
 	**27 320 000**	**chrome**	**86.30**
	Riser pipe 1300 mm with compression coupling 3/4“ wall support with compensation piece **GROHE StarLight** chrome finish		
 	**28 708 000**	**chrome**	**85.40**
	Pipe clip for pillar shower, 1/2“ with stone pin, with wooden screws **GROHE StarLight** chrome finish		
 	**28 389 000**	**chrome**	**78.60**
	Sena **Adapter 1/2“ x 1/2“** material: metal for use with hand shower holder or shower rail **GROHE StarLight** chrome finish		
 	**28 812 000**	**black**	**6.80**
	Adapter 1/2“ x 1/2“ black (to combine hand showers of other manufacturers with Relexa shower rails)		
 	**28 813 000**	**white**	**6.80**
	Adapter 1/2“ x 1/2“ white (to combine hand showers of other manufacturers with Relexa shower rails)		
 	**28 635 XX0**	**dark grey**	**5.60**
	Relexa **Coupling piece** as replacement connector for new hand shower and hose each hand shower is equipped with a coupling piece		

*** price on request**
N = Net = price based on net price

GROHE
SHOWER ACCESSORIES

	Article No.	Colour	Price
 	**28 634 XX0** **Relexa** **Quick coupling** for combination with average showers without integrated **Grohclick** with new system only in connection with coupling piece (28 635/28 637)	**dark grey**	**28.80**
 	**28 874 000** **T connection, 1/2"** for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves **GROHE StarLight** chrome finish	**chrome**	**57.00**
 	**28 988 000** **Drain down valve** for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" **GROHE StarLight** chrome finish	**chrome**	**67.20**
 	**28 799 000** **Diverter** **GROHE StarLight** chrome finish	**chrome**	**82.90**

* price on request
N = Net = price based on net price

GROHE
KITCHEN FITTINGS






CONTENTS

Water systems	GROHE Blue Professional	342
	GROHE Blue Home	347
	GROHE Blue Pure	354
	GROHE Blue accessories	357
	GROHE Red	360
	Waste separation systems	365
Premium lines	K7	367
	FootControl	368
	Minta / Minta SmartControl / Minta Touch	369
	Zedra / Zedra SmartControl / Zedra Touch	373
	Atrio	375
	Essence	376
	Eurocube	378
Competence lines	Eurodisc Cosmopolitan	379
	Eurodisc	380
	Concetto	381
	Eurostyle Cosmopolitan	384
	Eurosmart Cosmopolitan	386
	Eurosmart	388
	Euroeco / Euroeco Special	391
	Costa	392
	Bau Lines	394
	Soap dispensers	397
Kitchen sinks	Stainless Steel Sinks	400
	Composite Sinks	407

GROHE
BLUE PROFESSIONAL





Article No.	Colour	Price
31 323 002	**chrome**	**2,676.30**
31 323 DC2	**supersteel**	**3,119.10**

GROHE Blue Professional
C-spout kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

*** price on request**
N = Net = price based on net price

GROHE
BLUE PROFESSIONAL





Article No.	Colour	Price
31 347 003	**chrome**	**2,712.20**
31 347 DC3	**supersteel**	**3,119.10**

GROHE Blue Professional
L-spout kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE
BLUE PROFESSIONAL





Article No.	Colour	Price
31 325 002	**chrome**	**2,989.90**
31 325 DC2	**supersteel**	**3,438.50**

GROHE Blue Professional
C-spout kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

*** price on request**
N = Net = price based on net price

GROHE
BLUE PROFESSIONAL



Article No.	Colour	Price
31 326 002	**chrome**	**2,989.90**
31 326 DC2	**supersteel**	**3,438.50**

GROHE Blue Professional
L-spout kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher


Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE
BLUE PROFESSIONAL



Article No.	Colour	Price
31 302 002	**chrome**	**2,629.10**
31 302 DC2	**supersteel**	**3,022.70**

GROHE Blue Professional
C-spout kit
consisting of:
GROHE Blue Mono faucet with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

*** price on request**
N = Net = price based on net price

GROHE
BLUE HOME



Article No.	Colour	Price
31 455 001	**chrome**	**2,092.00**
31 455 DC1	**supersteel**	**2,405.10**
31 455 DA1	**warm sunset**	**2,510.20**
31 455 DL1	**brushed warm sunset**	**2,614.80**
31 455 A01	**hard graphite**	**2,510.20**
31 455 AL1	**brushed hard graphite**	**2,614.80**

GROHE Blue Home
C-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements
Apple
iPhone with iOS 9.0 or higher

System requirements
Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME



Article No.	Colour	Price
31 541 000	**chrome**	**2,263.10**
31 541 DC0	**supersteel**	**2,602.60**

GROHE Blue Home
C-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements
Apple
iPhone with iOS 9.0 or higher

System requirements
Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

*** price on request**
N = Net = price based on net price

GROHE
BLUE HOME



Article No.	Colour	Price
31 454 001	**chrome**	**2,092.00**
31 454 DC1	**supersteel**	**2,405.10**
31 454 DA1	**warm sunset**	**2,510.20**
31 454 DL1	**brushed warm sunset**	**2,614.80**
31 454 A01	**hard graphite**	**2,510.20**
31 454 AL1	**brushed hard graphite**	**2,614.80**

GROHE Blue Home
L-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE
BLUE HOME



Article No.	Colour	Price
31 539 000	**chrome**	**2,263.10**
31 539 DC0	**supersteel**	**2,602.60**

GROHE Blue Home
L-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements
Apple
iPhone with iOS 9.0 or higher

System requirements
Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

*** price on request**
N = Net = price based on net price

GROHE
BLUE HOME



Article No.	Colour	Price
31 456 001	**chrome**	**2,092.00**
31 456 DC1	**supersteel**	**2,405.10**

GROHE Blue Home
U-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
U-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements
Apple
iPhone with iOS 9.0 or higher

System requirements
Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME





Article No.	Colour	Price
31 543 000	**chrome**	**2,263.10**
31 543 DC0	**supersteel**	**2,602.60**

GROHE Blue Home
U-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
U-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements
Apple
iPhone with iOS 9.0 or higher

System requirements
Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

*** price on request**
N = Net = price based on net price

GROHE
BLUE HOME





Article No.	Colour	Price
31 498 001	**chrome**	**2,018.20**
31 498 DC1	**supersteel**	**2,321.30**
31 498 DA1	**warm sunset**	**2,422.10**
31 498 DL1	**brushed warm sunset**	**2,523.60**
31 498 A01	**hard graphite**	**2,422.10**
31 498 AL1	**brushed hard graphite**	**2,523.60**

GROHE Blue Home
Mono Starter kit
consisting of:
GROHE Blue Home Mono faucet with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE StarLight finish
swivel tubular spout
swivel area 150°
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements
Apple
iPhone with iOS 9.0 or higher

System requirements
Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.


*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

*** price on request**
N = Net = price based on net price


GROHE
BLUE PURE

	Article No.	Colour	Price
 	**30 382 000** **30 382 DC0**	**chrome** **supersteel**	**679.60** **882.50**


GROHE Blue Pure Minta
Starter kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
L-spout
pull-out mousseur
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
swivel tubular spout
swivel area 90°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Capacity 3000 L
filter exchange timer including 2 x AA batteries

 	**30 383 000**	**chrome**	**471.50**

GROHE Blue Pure Eurosmart
Starter kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Capacity 3000 L
filter exchange timer including 2 x AA batteries

 	**30 385 000**	**chrome**	**443.80**

GROHE Blue Pure BauCurve
Starter kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Capacity 3000 L
filter exchange timer including 2 x AA batteries

 	**30 387 000**	**chrome**	**346.50**


GROHE Blue Pure Mono
Starter kit
consisting of:
GROHE Blue Mono faucet with filter function
single hole installation
C-spout
handle for filtered table water
headpart 1/2"
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Capacity 3000 L
filter exchange timer including 2 x AA batteries

*** price on request**
N = Net = price based on net price

GROHE
BLUE PURE

	Article No.	Colour	Price






30 384 000 **chrome** **637.60**

GROHE Blue Pure Eurosmart
Starter kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue Ultrasafe filter for bacteria filtration and premium taste
Capacity 3000 L
flow meter for filter lifetime measurement including 2 x AA batteries






30 386 000 **chrome** **609.90**

GROHE Blue Pure BauCurve
Starter kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue Ultrasafe filter for bacteria filtration and premium taste
Capacity 3000 L
flow meter for filter lifetime measurement including 2 x AA batteries






30 388 000 **chrome** **512.50**

GROHE Blue Pure Mono
Starter kit
consisting of:
GROHE Blue Mono faucet with filter function
single hole installation
C-spout
handle for filtered table water
headpart 1/2"
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
flexible connection hoses
GROHE Blue filter head
GROHE Blue Ultrasafe filter for bacteria filtration and premium taste
Capacity 3000 L
flow meter for filter lifetime measurement including 2 x AA batteries






31 721 000 **chrome** **512.50**
31 721 DC0 **supersteel** **525.00**

GROHE Blue Pure Minta
Single-lever sink mixer with filter function
single hole installation
L-spout
pull-out mousseur
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses

GROHE
BLUE PURE

	Article No.	Colour	Price






31 722 000 **chrome** **292.50**

GROHE Blue Pure Eurosmart
Single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses






31 723 000 **chrome** **283.10**

GROHE Blue Pure BauCurve
Single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses









31 724 000 **chrome** **189.70**

GROHE Blue Pure Mono
Mono faucet with filter function
single hole installation
C-spout
handle for filtered table water
headpart 1/2"
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
flexible connection hoses

*** price on request**
N = Net = price based on net price

GROHE
BLUE ACCESSORIES


	Article No.	Colour	Price
 	**40 848 000 N** **GROHE Blue** **Drinking bottle** Tritan drinking bottle with GROHE Blue decor BPA (Bispenol A) free lid with strap volume 500 ml		**8.90**
 	**40 848 SD0 N** **GROHE Blue** **Thermo drinking bottle** stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml	**stainless steel**	**13.20**
 	**40 405 000 N** **GROHE Blue** **Glass carafe** crystal glass with GROHE Blue decor stainless steel lid dish washer safe volume 1.0 l		**30.80**
 	**40 437 000 N** **GROHE Blue** **Water glasses (6 pieces)** crystal glasses with GROHE Blue decor dish washer safe volume 250 ml		**31.10**
	**46 717 000** **Pressure indicator** for GROHE Blue including adapters for 425 g and 2 kg CO_2 bottles		**158.30**
	**40 962 000** **GROHE Blue** **CO_2 adapter** adapter for GROHE Blue Professional CO_2 pressure reducer for use with 425 g CO_2 bottles for GROHE Blue Professional systems as of January 2019		**119.90**

*** price on request**
N = Net = price based on net price

GROHE
BLUE ACCESSORIES

	Article No.	Colour	Price






40 452 000 N **29.90**

GROHE Blue
Pressure reducing valve
for installation of GROHE Blue Chilled & Sparkling with more than 5 bar water pressure





40 578 000 N **93.00**


GROHE Blue
Pressure reducing valve
for installation of GROHE Blue Chilled & Sparkling with more than 5 bar water pressure
VA approved



40 621 000 N **chrome** **34.00**
40 621 DC0 N **supersteel** **37.90**

GROHE Blue
Shorter mixed water lever
for GROHE Blue and GROHE Red faucets to avoid hitting the lever to the backwall of the kitchen in warm water position
fits to:
- 31 323 001 / DC1
- 31 324 001 / DC1
- all GROHE Red Duo faucets






40 404 001 N **61.60**

GROHE Blue
Filter S-Size
BWT replacement filter for GROHE Blue
Capacity 600 L at 20° dKH
5-phases filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure

40 430 001 N **114.40**
ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high

40 412 001 N **149.70**
ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high





40 547 001 N **79.20**

GROHE Blue
Activated carbon filter
BWT replacement filter for GROHE Blue systems
for regions with water hardness below 9° dKH
Capacity 3000 L
3-phases filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure





40 691 001 N **61.60**


GROHE Blue
Magnesium+ filter
BWT replacement filter for GROHE Blue
for recharge of the water with magnesium
Capacity 400 L at 17° dGH
5-phases filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure

*** price on request**
N = Net = price based on net price

GROHE
BLUE ACCESSORIES

	Article No.	Colour	Price






40 575 001 N **441.60**

GROHE Blue UltraSafe
Filter
exchange filter for GROHE Blue UltraSafe
Capacity 3000 L
2-phase-filter





40 434 001 N **35.20**

GROHE Blue
Cleaning cartridge
for 100% disinfection and cleaning of the GROHE Blue chiller and filter head including sprayhead
for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



40 694 000 N **26.70**

GROHE Blue
Cleaning cartridge adapter
for GROHE Blue BWT Filterhead 64 508 001
for use with GROHE Blue cleaning cartridge 40 434 001, sold separately





40 422 000 N **70.40**

GROHE Blue
Starter kit 425 g CO_2 bottles (4 pieces)
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
for refilling please order 40 687 000
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
RED

	Article No.	Colour	Price
	30 079 001	**chrome**	**1,797.60**
	30 079 DC1	**supersteel**	**2,067.10**



GROHE Red Duo
Faucet and L size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for boiling and hot water
5.5 liter 100° C boiling water
7 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

	30 325 001	**chrome**	**1,797.60**
	30 325 DC1	**supersteel**	**2,067.10**




GROHE Red Duo
Faucet and L size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for boiling and hot water
5.5 liter 100° C boiling water
7 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

*** price on request**
N = Net = price based on net price

GROHE
RED






Article No.	Colour	Price
30 083 001	**chrome**	**1,664.60**
30 083 DC1	**supersteel**	**1,932.20**
30 083 DA1	**warm sunset**	**2,140.20**
30 083 DL1	**brushed warm sunset**	**2,229.40**
30 083 A01	**hard graphite**	**2,140.20**
30 083 AL1	**brushed hard graphite**	**2,229.40**

GROHE Red Duo
Faucet and M size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit





Article No.	Colour	Price
30 327 001	**chrome**	**1,664.60**
30 327 DC1	**supersteel**	**1,932.20**
30 327 DA1	**warm sunset**	**2,140.20**
30 327 DL1	**brushed warm sunset**	**2,229.40**
30 327 A01	**hard graphite**	**2,140.20**
30 327 AL1	**brushed hard graphite**	**2,229.40**


GROHE Red Duo
Faucet and M size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

*** price on request**
N = Net = price based on net price

GROHE
RED

Article No.	Colour	Price






30 080 001 **chrome** **1,664.60**

GROHE Red Mono
Pillar tap and L size boiler
consisting of:
GROHE Red Mono pillar tap
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for boiling and hot water
5.5 liter 100° C boiling water
7 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit





30 085 001	**chrome**	**1,531.50**
30 085 DC1	**supersteel**	**1,887.00**
30 085 DA1	**warm sunset**	**1,969.00**
30 085 DL1	**brushed warm sunset**	**2,051.00**
30 085 A01	**hard graphite**	**1,969.00**
30 085 AL1	**brushed hard graphite**	**2,051.00**


GROHE Red Mono
Pillar tap and M size boiler
consisting of:
GROHE Red Mono pillar tap
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

*** price on request**
N = Net = price based on net price

GROHE
RED

	Article No.	Colour	Price





30 339 001 **chrome** **1,531.50**


GROHE Red Mono
Pillar tap and M size boiler
consisting of:
GROHE Red Mono pillar tap
single hole installation
L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit



40 841 001 **chrome** **225.50**

GROHE Red
External mixing valve for GROHE Red
for thermostatic mixing of mains and boiling water
to generate warm water
adjustable between 35°C and 75°C
hot fill and cold fill installation possible
including 70 cm connection hose, manifold and wall fixation






40 438 001 N **374.80**

GROHE Red
Filter with filter head
for regions with water hardness higher 12° KH
turn before GROHE Red boiler
flexible connection hoses
filter 600 l






40 919 SD0 N **stainless steel** **15.90**

GROHE Red
Thermo drinking bottle
stainless steel bottle with GROHE Red decor
double-walled
lid with strap
with tea strainer
volume 450 ml

*** price on request**
N = Net = price based on net price

GROHE
RED


	Article No.	Colour	Price
	**40 432 000 N** **GROHE Red** **Tea glasses (4 pieces)** heat proof glass with GROHE Red decor dish washer safe volume 250 ml		**25.40**

*** price on request**
N = Net = price based on net price

GROHE
WASTE SEPARATION SYSTEMS

	Article No.	Colour	Price






40 855 000 **54.20**

GROHE Blue
Waste separation system 30 cm - 15 l / 15 l
installation type: floor mounted, behind swinging door
technique: full extension
operation: manual telescopic
separation: double, 2 x 15 l
cabinet width: 30 cm and wider
compatible with GROHE Blue Home and GROHE Red M and L size






40 980 000 **276.80**

GROHE Blue
Waste separation system 60 cm - 29 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: single, 1 x 29 l
cabinet width: 60 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size

---






40 981 000 **276.80**

GROHE Blue
Waste separation system 60 cm - 8 l / 8 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: double, 2 x 8 l
cabinet width: 60 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size

---






40 982 000 **294.20**

GROHE Blue
Waste separation system 90 cm - 11 l / 29 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: double, 1 x 11 l, 1 x 29 l
cabinet width: 90 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size

---





40 983 000 **294.20**

GROHE Blue
Waste separation system 90 cm - 8 l / 8 l / 11 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: triple, 2 x 8 l, 1 x 11 l
cabinet width: 90 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size


---

*** price on request**
N = Net = price based on net price

GROHE
WASTE SEPARATION SYSTEMS

	Article No.	Colour	Price






40 984 000 **44.70**


GROHE Blue
Retrofit kit for extricable metal cover
contents: pull-out rails and anti-slip mat
for use with GROHE Blue waste separation system
40 980, 40 981, 40 982 or 40 983, sold separately

*** price on request**
N = Net = price based on net price

GROHE
K7



	Article No.	Colour	Price
 	**32 950 000** **32 950 DC0**	**chrome** **supersteel**	**730.00** **914.20**

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system

	Article No.	Colour	Price
 	**31 379 000** **31 379 DC0** **31 379 AL0**	**chrome** **supersteel** **brushed hard graphite**	**665.60** **864.50** **1,114.20**

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system

GROHE
FOOTCONTROL

	Article No.	Colour	Price
 	**30 309 000**		**251.90**


FootControl
Retro-fit set
Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatic safety stop after 60 sec. (factory set)
type of protection IP 44
upgrade set for GROHE pull-out kitchen faucets
not suitable for combination with open water heater
(SKUs 32 555 000, 31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0, 31 179 000, 31 132 001

*** price on request**
N = Net = price based on net price

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Article No.	Colour	Price






31 613 000	**chrome**	**429.50**
31 613 DC0	**supersteel**	**558.60**
31 613 DA0	**warm sunset**	**601.70**
31 613 A00	**hard graphite**	**601.70**

Minta SmartControl
Sink mixer with SmartControl
single hole installation
GROHE StarLight chrome finish
pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero isolated inner water ways - lead and nickel free






31 360 001	**chrome**	**580.90**
31 360 DC1	**supersteel**	**754.90**

Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout
single hole installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatic safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system






31 358 002	**chrome**	**661.10**
31 358 DC2	**supersteel**	**859.00**

Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout
single hole installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatic safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system





31 375 000	**chrome**	**230.10**
31 375 DC0	**supersteel**	**318.40**
31 375 DA0	**warm sunset**	**347.50**
31 375 DL0	**brushed warm sunset**	**372.10**
31 375 A00	**hard graphite**	**347.50**
31 375 AL0	**brushed hard graphite**	**372.10**


Minta
Single-lever sink mixer 1/2"
L-spout
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
flexible connection hoses
rapid installation system

* price on request
N = Net = price based on net price

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Article No.	Colour	Price






32 168 000	**chrome**	**273.30**
32 168 DC0	**supersteel**	**337.00**

Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system






30 274 000	**chrome**	**301.90**
30 274 DC0	**supersteel**	**389.90**
30 274 DA0	**warm sunset**	**480.70**
30 274 DL0	**brushed warm sunset**	**515.60**
30 274 A00	**hard graphite**	**480.70**
30 274 AL0	**brushed hard graphite**	**515.60**

Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
flow straightener
pull-out dual spray - switches back and forth
between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout, swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system






32 917 000	**chrome**	**234.50**
32 917 DC0	**supersteel**	**306.50**
32 917 KS0	**velvet black**	**286.20**
32 917 DA0	**warm sunset**	**322.90**
32 917 DL0	**brushed warm sunset**	**345.40**
32 917 A00	**hard graphite**	**322.90**
32 917 AL0	**brushed hard graphite**	**345.40**

Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150° / 360°
flexible connection hoses
rapid installation system
optional temperature limiter ref. no. 46 308





32 918 000	**chrome**	**279.50**
32 918 DC0	**supersteel**	**326.90**

Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

32 918 00E	**chrome**	**254.80**


with GROHE EcoJoy 5.7 l/min. flow limiter

*** price on request**
N = Net = price based on net price

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Article No.	Colour	Price





32 321 002	**chrome**	**288.00**
32 321 DC2	**supersteel**	**374.10**
32 321 DA2	**warm sunset**	**402.80**
32 321 DL2	**brushed warm sunset**	**431.50**
32 321 A02	**hard graphite**	**402.80**
32 321 AL2	**brushed hard graphite**	**431.50**

Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



30 348 001	**chrome**	**303.50**


Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock easy retraction and smooth docking
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
shorter lever (71 mm)
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



30 349 001	**chrome**	**281.00**

Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock easy retraction and smooth docking
pull-out dual spray
diverter: mousseur/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar





32 488 000	**chrome**	**220.30**
32 488 DC0	**supersteel**	**290.50**
32 488 DA0	**warm sunset**	**322.90**
32 488 DL0	**brushed warm sunset**	**345.40**
32 488 A00	**hard graphite**	**322.90**
32 488 AL0	**brushed hard graphite**	**345.40**


Minta
Single-lever sink mixer 1/2"
U-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
selectable swivel area: 0° / 150° / 360°
swivel tubular spout
flexible connection hoses
rapid installation system
optional temperature limiter ref. no. 46 308

*** price on request**
N = Net = price based on net price

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Article No.	Colour	Price






32 067 000	**chrome**	**259.70**

Minta
Single-lever sink mixer 1/2"
U-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system






32 322 002	**chrome**	**288.00**
32 322 DC2	**supersteel**	**374.10**
32 322 DA2	**warm sunset**	**402.80**
32 322 DL2	**brushed warm sunset**	**431.50**
32 322 A02	**hard graphite**	**402.80**
32 322 AL2	**brushed hard graphite**	**431.50**

Minta
Single-lever sink mixer 1/2"
U-spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar





31 558 000	**chrome**	**346.50**

Minta
Single-lever sink mixer 1/2"
L-spout
integrated stop valve
single hole installation
GROHE StarLight chrome finish
pull-out dual spray - switches back and forth
between regular flow and spray
46 mm ceramic cartridge
swivel area 360°
flexible connection hoses
rapid installation system



40 684 000	**chrome**	**71.40**
40 684 DC0	**supersteel**	**103.80**


Minta
Lever
for Minta single lever sink mixer

*** price on request**
N = Net = price based on net price

GROHE
ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

	Article No.	Colour	Price






31 593 002	**chrome**	**617.10**
31 593 DC2	**supersteel**	**802.60**


Zedra SmartControl
Sink mixer with SmartControl
single hole installation
GROHE StarLight chrome finish
pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero isolated inner water ways - lead and nickel free






30 219 002	**chrome**	**775.90**
30 219 DC2	**supersteel**	**1,020.90**

Zedra Touch
Electronic single-lever sink mixer 1/2“
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatic safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses






32 294 002	**chrome**	**443.80**
32 294 DC2	**supersteel**	**577.10**

Zedra
Single-lever sink mixer 1/2“
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero isolated inner water ways - lead and nickel free

GROHE
ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

	Article No.	Colour	Price






32 553 002	**chrome**	**416.20**
32 553 DC2	**supersteel**	**547.40**

Zedra
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero isolated inner water ways - lead and nickel free






30 026 002	**chrome**	**263.40**
30 026 DC2	**supersteel**	**346.50**

Zedra
Pillar tap with filter function
single hole installation
handle for filtered table water
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
swivel tubular spout
swivel area 140°
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero isolated inner water ways - lead and nickel free
requires GROHE filter set including filter head (40 438 001), sold separately
6.6 l/min

*** price on request**
N = Net = price based on net price

GROHE
ATRIO






Article No.	Colour	Price
30 362 000	**chrome**	**579.10**
30 362 DC0	**supersteel**	**753.40**
30 362 AL0	**brushed hard graphite**	**868.70**

Atrio
Two handle sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight chrome finish
ceramic headparts 1/2", 90°
selectable swivel area: 0° / 150° / 360°
flexible connection hoses
rapid installation system
mousseur

GROHE ESSENCE

Article No.	Colour	Price
31 615 000	**chrome**	**518.70**
31 615 DC0	**supersteel**	**674.50**
31 615 BE0	**polished nickel**	**726.70**
31 615 EN0	**brushed nickel**	**778.00**
31 615 GL0	**cool sunrise**	**726.70**
31 615 GN0	**brushed cool sunrise**	**778.00**
31 615 DA0	**warm sunset**	**726.70**
31 615 DL0	**brushed warm sunset**	**778.00**
31 615 A00	**hard graphite**	**726.70**
31 615 AL0	**brushed hard graphite**	**778.00**






Essence SmartControl
Sink mixer with SmartControl
single hole installation
GROHE StarLight chrome finish
pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero isolated inner water ways - lead and nickel free

30 294 000	**chrome**	**497.90**
30 294 DC0	**supersteel**	**607.90**
30 294 BE0	**polished nickel**	**738.00**
30 294 EN0	**brushed nickel**	**790.30**
30 294 GL0	**cool sunrise**	**738.00**
30 294 GN0	**brushed cool sunrise**	**790.30**
30 294 DA0	**warm sunset**	**738.00**
30 294 DL0	**brushed warm sunset**	**790.30**
30 294 A00	**hard graphite**	**738.00**
30 294 AL0	**brushed hard graphite**	**790.30**





Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
flow straightener
with integrated temperature limiter
professional spray
with flexible, hygienic **GROHFlexx kitchen** Santoprene hose
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

30 321 GE0	**green**	**69.80**
30 321 XC0	**dark grey**	**71.00**
30 321 MW0	**chrome/sheer marble**	**70.40**
30 321 HG0	**dark brown**	**69.80**
30 321 DG0	**red**	**69.80**
30 321 DP0	**pink**	**69.80**
30 321 DU0	**purple**	**69.80**
30 321 TY0	**blue**	**69.80**
30 321 YF0	**yellow**	**70.40**
30 321 YR0	**orange**	**69.80**




GROHFlexx kitchen hose spout
hose spout for Essence kitchen faucet
for 30 294 000/30 294 DC0
flexible, hygienic **GROHFlexx kitchen** santoprene hose
including fixing parts

*** price on request**
N = Net = price based on net price

GROHE
ESSENCE






Article No.	Colour	Price
30 269 000	**chrome**	**262.70**
30 269 DC0	**supersteel**	**332.80**
30 269 GL0	**cool sunrise**	**379.90**
30 269 GN0	**brushed cool sunrise**	**407.00**
30 269 DA0	**warm sunset**	**379.90**
30 269 DL0	**brushed warm sunset**	**403.10**
30 269 A00	**hard graphite**	**379.90**
30 269 AL0	**brushed hard graphite**	**407.00**

Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter






Article No.	Colour	Price
30 270 000	**chrome**	**326.00**
30 270 DC0	**supersteel**	**427.70**
30 270 GL0	**cool sunrise**	**499.40**
30 270 GN0	**brushed cool sunrise**	**535.10**
30 270 DA0	**warm sunset**	**499.40**
30 270 DL0	**brushed warm sunset**	**535.10**
30 270 A00	**hard graphite**	**499.40**
30 270 AL0	**brushed hard graphite**	**535.10**

Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
flow straightener
pull-out dual spray - switches back and forth between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
swivel tubular spout swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
integrated temperature limiter

*** price on request**
N = Net = price based on net price

GROHE
EUROCUBE









Article No.	Colour	Price
31 255 000	**chrome**	**258.90**
31 255 DC0	**supersteel**	**317.90**



Eurocube
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
mousseur
swivel cast spout
swivel area 360°
flexible connection hoses
rapid installation system

*** price on request**
N = Net = price based on net price

GROHE
EURODISC COSMOPOLITAN

	Article No.	Colour	Price
 	**31 122 004**	**chrome**	**283.90**
	Eurodisc Cosmopolitan **Single-lever sink mixer 1/2"** high spout single hole installation **GROHE StarLight** chrome finish **GROHE SilkMove** 35 mm ceramic cartridge **GROHE EasyDock** easy retraction and smooth docking **GROHE Zero** isolated inner water ways - lead and nickel free **pull-out mousseur** adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses **GROHE QuickFix** rapid installation system min. recommended pressure 1.0 bar		
 	**33 770 002**	**chrome**	**217.00**
	Eurodisc Cosmopolitan **Single-lever sink mixer 1/2"** medium spout single hole installation **GROHE StarLight** finish **GROHE SilkMove** 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system		
 	**32 257 002**	**chrome**	**290.60**
	Eurodisc Cosmopolitan **Single-lever sink mixer 1/2"** medium spout single hole installation **GROHE StarLight** finish **GROHE SilkMove** 35 mm ceramic cartridge **pull-out dual spray** diverter: mousseur/**SpeedClean** shower jet automatic return to mousseur adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow flexible connection hoses rapid installation system		
 	**33 772 002**	**chrome**	**229.10**
	Eurodisc Cosmopolitan **Single-lever sink mixer 1/2"** wall mounted **GROHE StarLight** finish **GROHE SilkMove** 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area: 0° / 150° projection 211 mm S-unions		

GROHE
EURODISC


		Article No.	Colour	Price
		**33 770 001** **Eurodisc** **Single-lever sink mixer 1/2"** low spout single hole installation **GROHE StarLight** finish **GROHE SilkMove** 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° with stop limiter flexible connection hoses rapid installation system	**chrome**	**204.00**
		**32 257 001** **Eurodisc** **Single-lever sink mixer 1/2"** low spout single hole installation **GROHE StarLight** finish **GROHE SilkMove** 35 mm ceramic cartridge **pull-out dual spray** diverter: mousseur/**SpeedClean** shower jet adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system	**chrome**	**292.30**

*** price on request**
N = Net = price based on net price

GROHE CONCETTO

	Article No.	Colour	Price






31 491 000	**chrome**	**412.70**
31 491 DC0	**supersteel**	**503.30**

Concetto
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
flow straightener
with integrated temperature limiter
professional spray
with flexible, hygienic **GROHFlexx kitchen** Santoprene hose
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system






32 661 003	**chrome**	**211.20**
32 661 DC3	**supersteel**	**271.70**

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150°
flexible connection hoses
GROHE QuickFix rapid installation system






32 663 003	**chrome**	**257.30**
32 663 DC3	**supersteel**	**331.10**

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
GROHE Zero isolated inner water ways - lead and nickel free
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system
min. recommended pressure 1.0 bar






31 483 002	**chrome**	**272.70**
31 483 DC2	**supersteel**	**350.10**

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
GROHE Zero isolated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system

GROHE
CONCETTO

	Article No.	Colour	Price






31 128 001 **chrome** **200.10**
31 128 DC1 **supersteel** **260.70**

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system






31 129 001 **chrome** **239.10**
31 129 DC1 **supersteel** **313.70**

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system






30 273 001 **chrome** **285.00**
30 273 DC1 **supersteel** **344.70**

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow straightener
pull-out dual spray - switches back and forth
between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system






31 210 001 **chrome** **330.60**

Concetto
Single-lever sink mixer 1/2"
for installation in front of window
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses






32 659 001 **chrome** **177.20**

Concetto
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

*** price on request**
N = Net = price based on net price

GROHE
CONCETTO

	Article No.	Colour	Price
	**32 667 001**	**chrome**	**183.20**




Concetto
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 223 mm
S-unions

GROHE
EUROSTYLE COSMOPOLITAN

	Article No.	Colour	Price






31 126 004 **chrome** **234.70**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
GROHE Zero isolated inner water ways - lead and nickel free
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system






30 221 002 **chrome** **139.50**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter






31 124 002 **chrome** **175.40**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system






33 977 002 **chrome** **137.40**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system





33 982 002 **chrome** **176.30**


Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150°
projection 273 mm
S-unions

*** price on request**
N = Net = price based on net price

GROHE
EUROSTYLE COSMOPOLITAN






Article No.	Colour	Price
45 562 000	**chrome**	**69.40**





Adapter
to convert to other spouts with screw coupling G3/4
suitable for several sink mixers, wall mounted
e.g. 33 772 002, 33 982 002
GROHE StarLight finish

GROHE
EUROSMART COSMOPOLITAN


	Article No.	Colour	Price
 	32 843 002 32 843 DC2	chrome supersteel	170.20 220.40
	Eurosmart Cosmopolitan **Single-lever sink mixer 1/2"** high spout single hole installation **GROHE StarLight** chrome finish **GROHE SilkMove** 35 mm ceramic cartridge **GROHE Zero** isolated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area: 0° / 150° flexible connection hoses **GROHE QuickFix** rapid installation system		
	32 843 20E **ditto, with GROHE Ecojoy**	chrome	175.30
 	31 481 001	chrome	253.20
	Eurosmart Cosmopolitan **Single-lever sink mixer 1/2"** high spout single hole installation **GROHE StarLight** chrome finish **GROHE SilkMove** 35 mm ceramic cartridge **GROHE EasyDock** easy retraction and smooth docking **GROHE Zero** isolated inner water ways - lead and nickel free **pull-out dual spray** diverter: laminar spray/**SpeedClean** shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses **GROHE QuickFix** rapid installation system		
 	30 193 000 30 193 DC0	chrome supersteel	119.10 155.40
	Eurosmart Cosmopolitan **Single-lever sink mixer 1/2"** medium spout single hole installation **GROHE StarLight** finish **GROHE SilkMove** 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system		
 	32 842 000	chrome	123.80
	Eurosmart Cosmopolitan **Single-lever sink mixer 1/2"** low spout single hole installation **GROHE StarLight** finish **GROHE SilkMove** 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system		
 	31 161 000	chrome	211.00
	Eurosmart Cosmopolitan **Single-lever sink mixer 1/2"** **integrated stop valve** low spout single hole installation **GROHE StarLight** finish **GROHE SilkMove** 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system		

*** price on request**
N = Net = price based on net price

GROHE
EUROSMART COSMOPOLITAN

	Article No.	Colour	Price







31 170 000 **chrome** **241.20**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2“
for installation in front of window
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
mousseur
swivel tubular spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses


GROHE
EUROSMART

	Article No.	Colour	Price
 	**33 202 002** **33 202 DC2**	**chrome** **supersteel**	**113.90** **148.70**


Eurosmart
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system

 	**33 490 002**	**chrome**	**167.40**

Eurosmart
Single-lever sink mixer 1/2"
integrated stop valve
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 90°
flexible connection hoses
rapid installation system

 	**30 305 000** **30 305 DC0**	**chrome** **supersteel**	**156.20** **202.70**

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
flow straightener
with integrated temperature limiter
pull-out dual spray - switches back and forth
between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
88° swivel radius
GROHE Zero isolated inner water ways - lead and nickel free
flexible connection hoses
rapid installation system
protected against backflow

 	**33 281 002** **33 281 DC2**	**chrome** **supersteel**	**106.90** **143.90**

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system


33 281 20E	**chrome**	**105.80**
ditto, with GROHE EcoJoy 5.7 l/min. flow limiter		

*** price on request**
N = Net = price based on net price

GROHE
EUROSMART

	Article No.	Colour	Price






32 482 002 **chrome** **130.00**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel area 360°
swivel tubular spout
projection 186 mm
integrated temperature limiter
S-unions






32 224 002 **chrome** **130.00**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 277 mm
integrated temperature limiter
S-unions






31 391 002 **chrome** **131.20**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 217 mm
integrated temperature limiter
S-unions






31 509 002 **chrome** **128.60**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 150 mm
integrated temperature limiter
S-unions






31 556 002 **chrome** **177.80**

Eurosmart
Single-lever sink mixer 1/2"
integrated stop valve
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system

* price on request
N = Net = price based on net price

GROHE
EUROSMART




	Article No.	Colour	Price
	**31 557 002**	**chrome**	**177.80**







Eurosmart
Single-lever sink mixer 1/2“
integrated stop valve
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system

*** price on request**
N = Net = price based on net price

GROHE
EUROECO / EUROECO SPECIAL


		Article No.	Colour	Price
		**32 786 000**	**chrome**	**135.90**
		Euroeco Special **Single-lever sink mixer 1/2"** single hole installation **GROHE StarLight** finish **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout selectable swivel area: 0° / 150° / 360° metal lever lever length 120 mm flexible connection hoses rapid installation system		
		**33 912 000**	**chrome**	**330.20**
		Euroeco Special **Single-lever safety sink mixer 1/2"** single hole installation **GROHE StarLight** chrome finish ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout metal lever lever length 120 mm temperature limiter attention: old product		
		**32 787 000**	**chrome**	**135.90**
		Euroeco Special **Single-lever sink mixer 1/2"** single hole installation **GROHE StarLight** finish **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout swivel area 140° metal lever lever length 120 mm flexible connection hoses rapid installation system		

GROHE
COSTA

		Article No.	Colour	Price
		**31 831 001** **Costa L** **Single-hole sink mixer 1/2“** metal handles heat-insulated **GROHE StarLight** finish Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses	**chrome**	**90.80**
		**31 187 001** **Costa L** **Wall sink mixer 1/2“** metal handles heat-insulated **GROHE StarLight** finish Longlife-headparts mousseur swivel tubular spout swivel area 360° projection 200 mm S-unions	**chrome**	**103.40**
		**30 484 001** **Costa L** **Bibtap 1/2“** wall mounted metal handle heat-insulated screwable marking: blue **GROHE StarLight** finish mousseur Longlife-headparts swivel tubular spout swivel area 360°	**chrome**	**51.80**
		**30 098 001** **Costa L** **Bibtap 1/2“** wall mounted metal handle heat-insulated screwable marking: blue **GROHE StarLight** finish mousseur Longlife-headparts	**chrome**	**37.50**
		**20 179 001** **Costa S** **Pillar tap** metal handle heat-insulated screwable **GROHE StarLight** finish ceramic headpart 1/2“, 90° flow straightener swivel tubular spout swivel area 360° union nut 1/2“ with 10.5 mm drilling	**chrome**	**120.30**

*** price on request**
N = Net = price based on net price


GROHE
COSTA

	Article No.	Colour	Price
 	**31 195 001** **Costa S** **Wall sink mixer 1/2"** wall mounted metal handles heat-insulated screwable **GROHE StarLight** finish Carbodur headpart mousseur swivel spout swivel area 360° projection 200 mm **without connection unions**	**chrome**	**110.40**

GROHE
BAU LINES

	Article No.	Colour	Price






31 368 001 **chrome** **113.80**

BauLoop
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1.0 bar
available April 2020






31 367 001 **chrome** **113.80**

BauEdge
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1.0 bar
available April 2020






31 536 001 **chrome** **105.60**

BauCurve
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar
available April 2020






31 538 001 **chrome** **108.70**

GROHE BauFlow
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
available April 2020










31 535 001 **chrome** **105.60**


BauClassic
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar
available April 2020

*** price on request**
N = Net = price based on net price


GROHE
BAU LINES

		Article No.	Colour	Price
		**31 706 000**	**chrome**	**98.00**
		BauLoop **Single-lever sink mixer 1/2"** medium spout single hole installation **GROHE StarLight** chrome finish GROHE Longlife 35 mm ceramic cartridge **GROHE Zero** isolated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses **GROHE QuickFix Plus** ultra fast and simple installation - no tools needed min. recommended pressure 1.0 bar		
		**31 713 000**	**chrome**	**130.00**
		BauLoop **Single-lever sink mixer 1/2"** **integrated stop valve** medium spout single hole installation **GROHE StarLight** chrome finish GROHE Longlife 35 mm ceramic cartridge **GROHE Zero** isolated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses **GROHE QuickFix Plus** ultra fast and simple installation - no tools needed min. recommended pressure 1.0 bar		
		**31 693 000**	**chrome**	**98.00**
		BauEdge **Single-lever sink mixer 1/2"** medium spout single hole installation **GROHE StarLight** chrome finish GROHE Longlife 35 mm ceramic cartridge **GROHE Zero** isolated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses **GROHE QuickFix Plus** ultra fast and simple installation - no tools needed min. recommended pressure 1.0 bar		
		**31 696 000**	**chrome**	**130.00**
		BauEdge **Single-lever sink mixer 1/2"** **integrated stop valve** medium spout single hole installation **GROHE StarLight** chrome finish GROHE Longlife 35 mm ceramic cartridge **GROHE Zero** isolated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses **GROHE QuickFix Plus** ultra fast and simple installation - no tools needed min. recommended pressure 1.0 bar		
		**31 688 000**	**chrome**	**98.00**
		GROHE BauFlow **Single-lever sink mixer 1/2"** medium spout single hole installation **GROHE StarLight** chrome finish GROHE Longlife 35 mm ceramic cartridge **GROHE Zero** isolated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses **GROHE QuickFix Plus** ultra fast and simple installation - no tools needed min. recommended pressure 1.0 bar		

GROHE
BAU LINES

		Article No.	Colour	Price
		31 715 000	chrome	98.00







BauCurve
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1.0 bar

		31 680 000	chrome	87.00

BauEco
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1.0 bar

*** price on request**
N = Net = price based on net price

GROHE
SOAP DISPENSERS


	Article No.	Colour	Price
 	**40 402 000**	**chrome**	**160.00**
	GROHE Switch **Battery powered shut-off valve for dishwashers** consisting of: battery powered wireless remote control electronic valve battery powered controller box type of protection IP 45 flow rate 10 l/min at 1.0 bar max. water inlet temperature 40° C cable length valve to controller 40 cm battery lifetime 2 - 4 years batteries and fixation material included **available March 2020**		
 	**40 535 000**	**chrome**	**59.80**
	40 535 DC0	**supersteel**	**89.70**
	40 535 BE0	**polished nickel**	**66.60**
	40 535 GL0	**cool sunrise**	**66.60**
	40 535 GN0	**brushed cool sunrise**	**70.70**
	40 535 DA0	**warm sunset**	**66.60**
	40 535 DL0	**brushed warm sunset**	**70.70**
	40 535 A00	**hard graphite**	**66.60**
	40 535 AL0	**brushed hard graphite**	**70.70**
	Cosmopolitan soap dispenser for liquid soaps storage bin 500 ml **GROHE StarLight** finish		
 	**40 536 000**	**chrome**	**54.60**
	40 536 DC0	**supersteel**	**74.20**
	Contemporary soap dispenser for liquid soaps storage bin 500 ml **GROHE StarLight** finish		
 	**40 553 000**	**chrome**	**76.10**
	40 553 DC0	**supersteel**	**109.00**
	Ladylux / Zedra soap dispenser for liquid soaps storage bin 500 ml **GROHE StarLight** finish		
 	**40 537 000**	**chrome**	**66.20**
	40 537 ZB0	**antique bronze**	**83.00**
	Authentic soap dispenser for liquid soaps storage bin 500 ml **GROHE StarLight** finish		
 	**36 194 000**	**chrome**	**324.50**
	Soap dispenser **pillar tap with push-button,** for liquid soaps projection 113 mm for tap hole drillings 22 - 30 mm storage bin 1 l. **GROHE StarLight** finish		

* price on request
N = Net = price based on net price

GROHE
SOAP DISPENSERS

	Article No.	Colour	Price






41 073 000 **chrome** **27.40**

Original WAS combination service valve 1/2“
wall mounted
cartridge headpart for closable
copper pipe connection
grease chamber headpart 3/8“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish






41 050 000 **chrome** **59.30**

Original WAS under-basin valve 1/2“
sink installation
adjustable up to 50 mm
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish
for combination with pipe ventilating valve type HB 41 239 000






41 010 000 **chrome** **28.80**

Original WAS connecting valve 1/2“
wall mounted
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish






41 263 000 **chrome** **21.70**

Egaplus service valve 1/2“
wall connection 1/2“
outlet 3/8“
with length compensation
with compression nut Ø 10 mm
ergonomic handle
marking: neutral
metal push-on escutcheon






45 704 000 **chrome** **51.30**

Flexible connection hose
300 mm
3/8“ x 3/8“









45 247 000 **chrome** **19.40**

Nipple
for reset from Costa-outlets into Atlanta-outlets
GROHE StarLight chrome finish

*** price on request**
N = Net = price based on net price

GROHE
SOAP DISPENSERS


		Article No.	Colour	Price
		**13 052 000** **Swivel tube spout** for kitchen wall mixer swivelling mousseur coupling nut M 22 x 1 projection 150 mm DR-brass **GROHE StarLight** chrome finish	**chrome**	**30.80**
		**13 071 000** **Tubular spout** swivelling, without stop mousseur coupling nut 3/4“ projection 140 mm DR-brass **GROHE StarLight** chrome finish	**chrome**	**36.40**
		**13 028 000** **Swivel tube spout** for kitchen wall mixers, 1/2“ tubular spout mousseur projection 200 mm coupling nut 3/4“ DR-brass **GROHE StarLight** finish	**chrome**	**31.90**
		**13 034 000** **Swivel tube spout** for kitchen wall mixers, 1/2“ tubular spout mousseur projection 300 mm coupling nut 3/4“ DR-brass **GROHE StarLight** finish	**chrome**	**42.10**

*** price on request**
N = Net = price based on net price

GROHE
STAINLESS STEEL SINKS

	Article No.	Colour	Price






31 582 SD1 **stainless steel** **1,038.00**

K1000
Stainless steel sink with drainer
model: K1000 80-S 116/52 1.0 rh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
GROHE QuickFix installation system
sink mountable right
cut-out (top mount): 1145 x 505 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set






31 581 SD1 **stainless steel** **1,038.00**

K1000
Stainless steel sink with drainer
model: K1000 80-S 116/52 1.0 lh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
GROHE QuickFix installation system
sink mountable left
cut-out (top mount): 1145 x 505 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set






31 583 SD1 **stainless steel** **700.00**

K800
Stainless steel sink
model: K800 60-S 51.8/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 518 x 510 mm
1 bowl: 462 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 503 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set





31 584 SD1 **stainless steel** **778.00**


K800
Stainless steel sink
model: K800 90-S 84.6/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 846 x 510 mm
1 bowl: 790 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 831 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

*** price on request**
N = Net = price based on net price

GROHE
STAINLESS STEEL SINKS

	Article No.	Colour	Price






31 585 SD1 **stainless steel** **1,038.00**

K800
Stainless steel sink
model: K800 120-S 102.4/51 2.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 462 x 400 x 200 mm
2 bowl: 462 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set






31 586 SD1 **stainless steel** **908.00**

K800
Stainless steel sink
model: K800 120-S 102.4/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 968 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set






31 574 SD1	**stainless steel**	**289.00**
31 574 GN0	**brushed cool sunrise**	**888.60**
31 574 DL0	**brushed warm sunset**	**888.60**
31 574 AL0	**brushed hard graphite**	**888.60**

K700 Undermount
Stainless steel sink
model: K700U 60-S 54.4/44.4 1.0
mounting type: undermount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 540 x 440 mm
1 bowl: 500 x 400 x 195 mm
GROHE QuickFix installation system
cut-out: 500 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket
strainer waste, mounting set





31 575 SD1 **stainless steel** **356.00**


K700 Undermount
Stainless steel sink
model: K700U 80-S 76/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 760 x 450 mm
1 bowl: 500 x 400 x 195 mm
0.5 bowl: 180 x 400 x 200 mm
GROHE QuickFix installation system
sink mountable left
cut-out (undermount): 712 x 402 mm (R16)
cut-out (top mount): 745 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket
strainer waste, mounting set

*** price on request**
N = Net = price based on net price

GROHE
STAINLESS STEEL SINKS

	Article No.	Colour	Price






31 576 SD1 **stainless steel** **330.00**

K700 Undermount
Stainless steel sink
model: K700U 60-S 59.5/45 1.5 rh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 595 x 450 mm
1 bowl: 340 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
GROHE QuickFix installation system
sink mountable right
cut-out (undermount): 547 x 402 mm (R16)
cut-out (top mount): 580 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket
strainer waste, mounting set






31 577 SD1 **stainless steel** **330.00**

K700 Undermount
Stainless steel sink
model: K700U 60-S 59.5/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 595 x 450 mm
1 bowl: 340 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
GROHE QuickFix installation system
sink mountable left
cut-out (undermount): 547 x 402 mm (R16)
cut-out (top mount): 580 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket
strainer waste, mounting set






31 578 SD1 **stainless steel** **260.00**

K700
Stainless steel sink
model: K700 45-S 46.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 464 x 464 mm
1 bowl: 400 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (undermount): 402 x 402 mm (R11)
cut-out (top mount): 449 x 449 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket
strainer waste, mounting set





31 580 SD1 **stainless steel** **338.00**


K700
Stainless steel sink
model: K700 90-S 86.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 864 x 464 mm
1 bowl: 800 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (undermount): 802 x 402 mm (R11)
cut-out (top mount): 849 x 449 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket
strainer waste, mounting set

*** price on request**
N = Net = price based on net price

GROHE
STAINLESS STEEL SINKS

	Article No.	Colour	Price






31 571 SD1 **stainless steel** **230.00**

K500
Stainless steel sink with drainer
model: K500 45-S 86/50 1.0 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 340 x 420 x 170 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out (top mount): 842 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set






31 563 SD1 **stainless steel** **270.00**

K500
Stainless steel sink with drainer
model: K500 60-S 100/50 1.0 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 450 x 400 x 180 mm
GROHE QuickFix rapid installation system
sink mountable left or right
cut-out (top mount): 982 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set






31 572 SD1 **stainless steel** **292.00**

K500
Stainless steel sink with drainer
model: K500 60-S 100/50 1.5 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 340 x 420 x 185 mm
0.5 bowl: 170 x 320 x 125 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out (top mount): 982 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: waste kit, basket
strainer waste, mounting set

GROHE
STAINLESS STEEL SINKS

	Article No.	Colour	Price






31 588 SD1 **stainless steel** **306.00**

K500
Stainless steel sink with drainer
model: K500 80-S 116/50 2.0 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 340 x 420 x 190 mm
2 bowl: 340 x 420 x 190 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out (top mount): 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set






31 573 SD1 **stainless steel** **433.00**

Minta
Kitchen sink and tap bundle
consisting of:
K500 stainless steel sink with drainer (31 571 SD1)
Minta single-lever sink mixer (32 168)
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system






31 569 SD0 **stainless steel** **270.20**

K400+
Stainless steel sink with drainer
model: K400+ 60-S 98.3/51.3 1.5 rev
mounting type: flat edge
material: stainless steel AISI 316 (V4A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 983 x 513 mm
1 bowl: 363 x 400 x 188 mm
0.5 bowl: 150 x 300 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 950 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: waste kit, basket
strainer waste, mounting set





31 566 SD0 **stainless steel** **152.50**


K400
Stainless steel sink with drainer
model: K400 45-S 86/50 1.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 362.5 x 400 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

*** price on request**
N = Net = price based on net price

GROHE
STAINLESS STEEL SINKS

	Article No.	Colour	Price






31 587 SD0 **stainless steel** **219.40**

K400
Stainless steel sink with drainer
model: K400 80-S 116/50 2.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
2 bowl: 362.5 x 400 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set






31 564 SD1 **stainless steel** **216.00**

K200
Stainless steel sink with drainer
model: K200 60-S 96.5/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.6 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 965 x 500 mm
1 bowl: 346 x 396 x 165 mm
0.5 bowl: 180 x 340 x 130 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out (top mount): 941 x 476 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set






31 565 SD1 **stainless steel** **243.00**

Eurosmart
Kitchen sink and tap bundle
consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
Eurosmart single-lever sink mixer (33 281 002)
low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
with integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE QuickFix rapid installation system





31 562 SD1 **stainless steel** **225.00**


Bau
Kitchen sink and tap bundle
consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
Bau Edge single lever sink mixer (31 367 001)
high spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed

*** price on request**
N = Net = price based on net price

GROHE
STAINLESS STEEL SINKS

Article No.	Colour	Price
31 552 SD1	**stainless steel**	**122.00**







K200
Stainless steel sink with drainer
model: K200 45-S 86/50 1.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.6 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 350 x 400 x 160 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out (top mount): 842 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

*** price on request**
N = Net = price based on net price


GROHE
COMPOSITE SINKS

	Article No.	Colour	Price
 	**31 650 AT0** **31 650 AP0**	**granite gray** **granite black**	**194.00** **194.00**


K700
Composite sink
model: K700 50-C 40/50 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 400 x 500 mm
1 bowl: 340 x 370 x 200 mm
GROHE QuickFix installation system
cut-out: 380 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

 	**31 651 AT0** **31 651 AP0**	**granite gray** **granite black**	**236.40** **236.40**

K700
Composite sink
model: K700 60-C 56/51 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 560 x 510 mm
1 bowl: 500 x 360 x 200 mm
GROHE QuickFix installation system
cut-out: 545 x 495 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

 	**31 652 AT0** **31 652 AP0**	**granite gray** **granite black**	**261.80** **261.80**

K700
Composite sink
model: K700 80-C 78/51 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 780 x 510 mm
1 bowl: 720 x 370 x 220 mm
GROHE QuickFix installation system
cut-out: 764 x 494 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set


 	**31 657 AT0** **31 657 AP0**	**granite gray** **granite black**	**261.80** **261.80**

K700
Composite sink
model: K700 90-C 83.8/55.9 2.0
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 838 x 559 mm
1 bowl: 406 x 438 x 241 mm
1 bowl: 316 x 438 x 241 mm
GROHE QuickFix installation system
sink mountable left
cut-out (top mount installation): 818 x 539 mm
cut-out (undermount installation): 757 x 437 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

*** price on request**
N = Net = price based on net price

GROHE
COMPOSITE SINKS





Article No.	Colour	Price
31 658 AT0	**granite gray**	**270.20**
31 658 AP0	**granite black**	**270.20**


K700
Composite sink
model: K700 100-C 90/50 2.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 1000 mm
dimensions: 900 x 500 mm
1 bowl: 465 x 443 x 230 mm
1 bowl: 315 x 443 x 230 mm
GROHE QuickFix installation system
cut-out: 880 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

*** price on request**
N = Net = price based on net price

GROHE
COMPOSITE SINKS

	Article No.	Colour	Price






31 653 AT0	**granite gray**	**168.60**
31 653 AP0	**granite black**	**168.60**

K700 Undermount
Composite sink
model: K700U 50-C 45.7/40.6 1.0
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 457 x 406 mm
1 bowl: 417 x 366 x 203 mm
GROHE QuickFix installation system
cut-out: 417 x 366 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set






31 654 AT0	**granite gray**	**202.40**
31 654 AP0	**granite black**	**202.40**

K700 Undermount
Composite sink
model: K700U 60-C 53.3/45.7 1.0
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 533 x 457 mm
1 bowl: 469 x 393 x 205 mm
GROHE QuickFix installation system
cut-out: 468 x 390 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set






31 655 AT0	**granite gray**	**236.40**
31 655 AP0	**granite black**	**236.40**

K700 Undermount
Composite sink
model: K700U 70-C 61/45.7 1.0
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 700 mm
dimensions: 610 x 460 mm
1 bowl: 544 x 394 x 205 mm
GROHE QuickFix installation system
cut-out: 543 x 393 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set





31 644 AT0	**granite gray**	**261.80**
31 644 AP0	**granite black**	**261.80**


K500
Composite sink with drainer
model: K500 50-C 86/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 347 x 440 x 200 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

*** price on request**
N = Net = price based on net price

GROHE
COMPOSITE SINKS


	Article No.	Colour	Price






31 645 AT0 **granite gray** **278.70**
31 645 AP0 **granite black** **278.70**

K500
Composite sink with drainer
model: K500 60-C 100/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 440 x 200 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set






31 646 AT0 **granite gray** **295.60**
31 646 AP0 **granite black** **295.60**

K500
Composite sink with drainer
model: K500 60-C 100/50 1.5 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 345 x 440 x 200 mm
0.5 bowl: 155 x 295 x 146 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set






31 647 AT0 **granite gray** **329.50**
31 647 AP0 **granite black** **329.50**

K500
Composite sink with drainer
model: K500 80-C 116/50 2.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 330 x 440 x 200 mm
2 bowl: 330 x 440 x 200 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set






31 648 AT0 **granite gray** **253.30**
31 648 AP0 **granite black** **253.30**

K500
Composite sink
model: K500 60-C 55.5/46 1.5 rev
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 555 x 460 mm
1 bowl: 335 x 400 x 200 mm
0.5 bowl: 155 x 400 x 140 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 525 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

*** price on request**
N = Net = price based on net price

GROHE
COMPOSITE SINKS






Article No.	Colour	Price
31 649 AT0	**granite gray**	**304.10**
31 649 AP0	**granite black**	**304.10**

K500
Composite sink
model: K500 90-C 86/50 2.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 860 x 500 mm
1 bowl: 390 x 430 x 200 mm
2 bowl: 380 x 365 x 200 mm
GROHE QuickFix installation system
sink mountable left
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

*** price on request**
N = Net = price based on net price

GROHE
COMPOSITE SINKS


	Article No.	Colour	Price
	**31 639 AT0**	**granite gray**	**194.00**
	31 639 AP0	**granite black**	**194.00**



K400
Composite sink with drainer
model: K400 50-C 78/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 780 x 500 mm
1 bowl: 347 x 440 x 205 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 765 x 485 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

---


	**31 640 AT0**	**granite gray**	**244.80**
	31 640 AP0	**granite black**	**244.80**



K400
Composite sink with drainer
model: K400 50-C 86/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 337 x 420 x 205 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

---


	**31 641 AT0**	**granite gray**	**261.80**
	31 641 AP0	**granite black**	**261.80**



K400
Composite sink with drainer
model: K400 60-C 100/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 420 x 205 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

---



	**31 642 AT0**	**granite gray**	**278.70**
	31 642 AP0	**granite black**	**278.70**



K400
Composite sink with drainer
model: K400 60-C 100/50 1.5 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 335 x 420 x 205 mm
0.5 bowl: 155 x 295 x 146 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

*** price on request**
N = Net = price based on net price

GROHE
COMPOSITE SINKS

	Article No.	Colour	Price
 	**31 643 AT0** **31 643 AP0**	**granite gray** **granite black**	**304.10** **304.10**
	K400 **Composite sink with drainer** model: K400 80-C 116/50 1.5 rev mounting type: standard built-in material: quartz composite **GROHE Whisper** min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 400 x 420 x 205 mm 2 bowl: 295 x 295 x 205 mm **GROHE QuickFix** installation system sink mountable left or right cut-out: 1140 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set		
 	**31 656 AT0** **31 656 AP0**	**granite gray** **granite black**	**160.90** **160.90**
	K200 **Composite sink** model: K200 50-C 51 1.0 mounting type: standard built-in material: quartz composite **GROHE Whisper** min. cabinet size: 500 mm dimensions: Ø 510 mm 1 bowl: Ø 380 x 200 mm **GROHE QuickFix** installation system cut-out: Ø 490 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set		
	**40 986 SD0**	**stainless steel**	**270.20**
	Pop-up waste set round pop-up with push control space saving waste set including strainer plug Ø 35 mm cut-out diameter fits all kitchen sink series		

*** price on request**
N = Net = price based on net price

GROHE
SPECIAL FITTINGS





CONTENTS

Electronic fittings	Eurocube E	416
	Essence E	419
	Bluetooth monitoring	422
	Europlus E	431
	Eurosmart Cosmopolitan E	434
	Euroeco Cosmopolitan E	442
	Bau Cosmopolitan E	446
Special thermostats	Grohtherm Micro	448
	Grohtherm Special	449
	Grohtherm XL	454
Single-lever mixer	Euroeco Special	457
	Euroeco Special / SSC	463
Self-closing fittings	Eurodisc SE	465
	Eurosmart Cosmopolitan T	466
	Euroeco Cosmopolitan T	468

SYSTEM REQUIREMENTS
FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE
EUROCUBE E

	Article No.	Colour	Price






36 440 000 **chrome** **772.10**

Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






36 441 000 **chrome** **745.50**

Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






36 442 000 **chrome** **839.20**

Eurocube E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.7 l/min
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar






36 264 001 **186.30**


Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000

*** price on request**
N = Net = price based on net price

GROHE
EUROCUBE E


	Article No.	Colour	Price
 	**38 748 002**	**chrome**	**514.80**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

 	**36 407 001**	**443.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

 	**36 340 000**	**55.40**
	36 341 000	**112.80**


Power extension cable
length 3.00 m

ditto, length 10 m

	**42 388 000**	**48.90**

Mains adaptor
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
to replace battery

GROHE
EUROCUBE E


	Article No.	Colour	Price
	**42 393 000**		**44.40**
	Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer		
 	**36 338 000**		**94.70**
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		

*** price on request**
N = Net = price based on net price

GROHE
ESSENCE E

	Article No.	Colour	Price






36 444 000 **chrome** **626.20**

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






36 445 000 **chrome** **599.60**

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar





36 446 000 **chrome** **559.10**


Essence E
Infra-red electronic basin tap 1/2" without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

*** price on request**
N = Net = price based on net price

GROHE
ESSENCE E

	Article No.	Colour	Price






36 447 000 **chrome** **793.50**

Essence E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.0 l/min
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar






36 264 001 **186.30**

Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000






38 748 002 **chrome** **514.80**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






36 407 001 **443.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

*** price on request**
N = Net = price based on net price


GROHE
ESSENCE E

	Article No.	Colour	Price
	**42 388 000** **Mains adaptor** with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		**48.90**
 	**36 340 000** **Power extension cable** length 3.00 m **36 341 000** **ditto, length 10 m**		**55.40** **112.80**
	**42 393 000** **Battery housing** including 6 V lithium-battery, type CR-P2 to replace transformer		**44.40**
 	**36 338 000** **Switch-mode power supply** for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		**94.70**

GROHE
BLUETOOTH MONITORING

Article No.	Colour	Price
36 413 000	**chrome**	**765.70**





Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" with mixing device
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
rapid installation system
mixing device with adjustable hot water limiter
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
with integrated solenoid valve
integrated non-return valves and dirt strainers
with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush, thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.


*** Available for free via iTunes app or Google Play store.

*** price on request**
N = Net = price based on net price

GROHE
BLUETOOTH MONITORING

Article No.	Colour	Price
36 409 000	**chrome**	**635.00**





Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2“
without mixing device
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
rapid installation system
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
external solenoid valve
dirt strainer
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
thermal disinfection
auto flush, cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE
BLUETOOTH MONITORING

Article No.	Colour	Price





36 414 000 **chrome** **1,040.50**

Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
GROHE StarLight finish
GROHE CoolTouch
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
swivel cast spout 219 mm
with swivel stop at 130° or fixed
projection 287 mm
laminar mousseur 9 l/min
S-unions, escutcheon covers for S unions
non-return valve, dirt strainers
power connection cable 3.0 m
for use with connection set 39 383 000
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.





39 383 000 **74.00**


Eurosmart Cosmopolitan E
Thermostatic 230 V connection set
fitting support
2 fitting connections 1/2"
power supply connector
wall installation
for use with Eurosmart Cosmopolitan E thermostat 230 V

*** price on request**
N = Net = price based on net price

GROHE
BLUETOOTH MONITORING

Article No.	Colour	Price
36 410 000	**chrome**	**722.00**





Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap without mixing device
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box 36 336 001/36 337 001
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush, thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE
BLUETOOTH MONITORING

Article No.	Colour	Price
36 412 000	**chrome**	**790.00**





Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box 36 339 001
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
projection 172 mm
with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush, thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

*** price on request**
N = Net = price based on net price

GROHE
BLUETOOTH MONITORING





Article No.	Colour	Price
36 415 000	**chrome**	**593.40**

Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic for concealed shower thermostat
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
for concealed installation box
36 416 001
GROHE StarLight chrome finish
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
shut off delay
auto flush, thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE
BLUETOOTH MONITORING

Article No.	Colour	Price





37 503 000 **chrome** **921.00**

Tectron Skate Bluetooth
Infra-red electronic for urinal
for Rapido U 37 338 000
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
GROHE StarLight finish
flow pressure min 0.5 bar
operating pressure max 10 bar

with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush, cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.





37 338 000 **134.30**


GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
shortable inspection shaft incl. protection

*** price on request**
N = Net = price based on net price

GROHE
BLUETOOTH MONITORING

	Article No.	Colour	Price





37 504 000 **chrome** **1,134.00**

Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with additional manual actuation
GROHE StarLight finish
front plate 156 x 197 mm
servo motor

with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.






36 340 000 **55.40**

Power extension cable
length 3.00 m

36 341 000 **112.80**
ditto, length 10 m






36 338 000 **94.70**

Switch-mode power supply
for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE
BLUETOOTH MONITORING

Article No.	Colour	Price
36 407 001		443.00





Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)


3 x 1.5 V DC (AAA) battery supply

*** price on request**
N = Net = price based on net price

GROHE
EUROPLUS E

	Article No.	Colour	Price






36 207 001 **chrome** **518.10**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve, dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 208 001 **chrome** **474.80**
ditto, without mixing device






36 015 001 **chrome** **597.10**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve, dirt strainers
solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 016 001 **chrome** **545.90**
ditto, without mixing device







36 407 001 **443.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

GROHE
EUROPLUS E

	Article No.	Colour	Price
 	**36 340 000**		**55.40**
	Power extension cable length 3.00 m		
	36 341 000 **ditto, length 10 m**		**112.80**
	**42 393 000**		**44.40**
	Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer		
	**42 388 000**		**48.90**
	Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		
 	**36 338 000**		**94.70**
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		
	**36 209 000**	**chrome**	**128.60**
	Hidden mixing device vandal-proof, covered and pre-adjustable mixer suitable for single hole mixers Europlus E and Eurodisc SE consisting of: special mixing device, adjustment by screwdriver metallic cap **GROHE StarLight** chrome finish		
 	**36 133 000**	**chrome**	**22.80**
	Mousseur external thread M 24 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly key theft proof **GROHE StarLight** finish		

*** price on request**
N = Net = price based on net price


GROHE
EUROPLUS E

	Article No.	Colour	Price
	42 177 00M		**17.00**
	Sticker with pictograph self-adhesive for wash basin-single hole mixer wash basin exposed faucets in units of 5		

GROHE
EUROSMART COSMOPOLITAN E

	Article No.	Colour	Price






36 331 001 **chrome** **341.50**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
pop-up waste set 1 1/4“
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K






36 422 000 **chrome** **430.80**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2“ L-Size with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar





36 325 001 **chrome** **390.60**


Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2“ with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

*** price on request**
N = Net = price based on net price

GROHE
EUROSMART COSMOPOLITAN E

	Article No.	Colour	Price






36 421 000 **chrome** **424.00**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






36 439 000 **chrome** **353.00**

Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2"
without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






36 330 001 **chrome** **339.10**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

GROHE
EUROSMART COSMOPOLITAN E

Article No.	Colour	Price







36 386 001 **chrome** **759.40**

Eurosmart Cosmopolitan E
Powerbox
Infra-red electronic basin mixer 1/2" with mixing
device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
including Powerbox self-generating power system
GROHE StarLight finish
GROHE EcoJoy 6.0 l/min mousseur
including all flexible connection hoses
non-return valve
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407







36 454 000 **chrome** **1,019.90**

Eurosmart Cosmopolitan E Special
Infra-red electronic wall basin mixer
with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)
two additional detection modes adjustable (hand-hand or body-body)
GROHE StarLight chrome finish
GROHE CoolTouch
laminar mousseur 9 l/min
non-return valve
dirt strainers
GROHE SafetyPlus
temperature scale handle with internal safety stop between 35°C and 43°C
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
swivel cast spout 219 mm
projection 287 mm
swivel range stop at 130°, lockable
with S-unions and with covers
self-sealing escutcheons
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109


36 455 000 **chrome** **992.20**
ditto, projection 255 mm

*** price on request**
N = Net = price based on net price

GROHE
EUROSMART COSMOPOLITAN E

	Article No.	Colour	Price






36 332 000 **chrome** **816.10**

Eurosmart Cosmopolitan E
Infra-red electronic wall basin mixer
with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)
two additional detection modes adjustable (hand-hand or body-body)
GROHE StarLight chrome finish
GROHE CoolTouch
laminar mousseur 9 l/min
non-return valve, dirt strainers
temperature scale handle with **GROHE SafeStop** at 38°C
swivel cast spout 219 mm
projection 287 mm
swivel range stop at 130°, lockable
self-sealing escutcheons
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109

36 333 000 **chrome** **801.30**
ditto, projection 255 mm






36 334 SD0 **stainless steel** **423.80**

Eurosmart Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE EcoJoy technology for less water and perfect flow
laminar mousseur 9 l/min
stainless steel escutcheon
SuperSteel spout
projection 232 mm
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation for concealed fitting box 36 336 001/36 337 001
CE approved
acoustic group I in accordance with DIN 4109

36 335 SD0 **stainless steel** **408.80**
ditto, projection 172 mm





36 376 000 **chrome** **498.90**


Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing
device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
projection 232 mm
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation for concealed fitting box 36 339 001
CE approved
acoustic group I in accordance with DIN 4109

36 315 000 **chrome** **475.90**
ditto, projection 172 mm

GROHE
EUROSMART COSMOPOLITAN E

Article No.	Colour	Price






36 457 000 **chrome** **942.00**

Eurosmart Cosmopolitan E Special
Infra-red electronic shower mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
ergonomic metal handle
GROHE StarLight chrome finish
GROHE CoolTouch
non-return valve
dirt strainers
GROHE SafetyPlus
temperature scale handle with internal safety stop between 35°C and 43°C
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
shower bottom outlet 1/2" with integrated non return-valve
with S-unions and with covers
self-sealing escutcheons
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109






36 456 000 **chrome** **253.20**

Eurosmart Cosmopolitan E Special
Infra-red electronic for concealed shower thermostat
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for concealed installation box 36 458 000 and 36 459 000
ergonomic metal handle
GROHE StarLight chrome finish
GROHE SafetyPlus
temperature scale handle with internal safety stop between 35°C and 43°C
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109






36 458 000 **757.50**

Eurosmart Cosmopolitan E
Concealed body
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve





36 459 000 **813.90**


Eurosmart Cosmopolitan E
Concealed body
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

*** price on request**
N = Net = price based on net price

GROHE
EUROSMART COSMOPOLITAN E

	Article No.	Colour	Price






47 780 000 **142.80**

Rapido T
Extension-set 27.5 mm
for Rapido T 35 500 000/35 050 000
for concealed installation box 36 458 000 and 36 459 000
for use with central-thermostats and
shower-thermostats with shut-off valve






36 463 000 **chrome** **224.50**

Eurosmart Cosmopolitan E
Infra-red electronic for concealed shower thermostat
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for concealed installation box 36 416 000 and 36 464 000
for hidden thermostatic mixer
GROHE StarLight chrome finish
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109






36 464 000 **673.40**

Eurosmart Cosmopolitan E
Concealed body
for shower
with integrated pre-adjustable thermostatic mixer
suitable for infra-red set 36 463 000
2 stop valves
non-return valves with filters
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






36 407 001 **443.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply





36 340 000 **55.40**



Power extension cable
length 3.00 m

36 341 000 **112.80**
ditto, length 10 m

SPECIAL FITTINGS



* price on request
N = Net = price based on net price

GROHE
EUROSMART COSMOPOLITAN E

	Article No.	Colour	Price
	**42 393 000**		**44.40**
	Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer		
	**42 388 000**		**48.90**
	Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		
 	**36 338 000**		**94.70**
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		
 	**36 276 000**		**106.00**
	Rotation lock vandalism hampering fixing device suitable for single hole mixers Eurosmart Cosmopolitan E/Eurosmart Cosmopolitan T		
 	**36 133 000**	**chrome**	**22.80**
	Mousseur external thread M 24 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly key theft proof **GROHE StarLight** finish		
	**42 408 000**	**chrome**	**21.00**
	Hidden mixing device re-fitting set for vandal-proof, covered and pre-adjustable mixer suitable for single hole mixers Eurosmart Cosmopolitan E metallic cap **GROHE StarLight** chrome finish		

*** price on request**
N = Net = price based on net price


GROHE
EUROSMART COSMOPOLITAN E

	Article No.	Colour	Price
 	**34 487 000**	**chrome**	**149.40**
	Grohtherm Micro **Thermostatic scalding protection** temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread **GROHE TurboStat** thermoelement **GROHE StarLight** chrome finish built-in non return valves dirt strainer without connection set max. pressure differential 5:1		
 	**47 533 000**	**chrome**	**42.10**
	Grohtherm Micro **Connection set** for Grohtherm Micro consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose union nuts **GROHE StarLight** chrome finish		
	42 177 00M		**17.00**
	Sticker with pictograph self-adhesive for wash basin-single hole mixer wash basin exposed faucets in units of 5		

GROHE
EUROECO COSMOPOLITAN E

	Article No.	Colour	Price






36 271 000 **chrome** **274.50**

Euroeco Cosmopolitan E
Infra-red electronic basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
external solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K






36 269 000 **chrome** **299.40**

Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2“
without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
external solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K





36 270 000 **chrome** **293.90**


Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2“
without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainer
external solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved

*** price on request**
N = Net = price based on net price

GROHE
EUROECO COSMOPOLITAN E

	Article No.	Colour	Price






36 272 000 **chrome** **272.50**

Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2“
without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainer
external solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved






36 384 000 **chrome** **602.80**

Euroeco Cosmopolitan E
Powerbox
infra-red electronic basin tap 1/2“ without mixer
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
including Powerbox self-generating power system
GROHE StarLight finish
GROHE EcoJoy 6.0 l/min mousseur
flexible connection hose
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407






36 274 000 **chrome** **317.90**

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
metal body
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved

GROHE
EUROECO COSMOPOLITAN E

	Article No.	Colour	Price






36 273 000 **chrome** **378.50**

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
GROHE EcoJoy mousseur 5.7 l/min
chrome spout
projection 172 mm
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation for concealed fitting box 36 336 001/36 337 001
CE approved
acoustic group I in accordance with DIN 4109






36 407 001 **443.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply





36 340 000 **55.40**

Power extension cable
length 3.00 m

36 341 000 **112.80**
ditto, length 10 m






42 393 000 **44.40**

Battery housing
including 6 V lithium-battery, type CR-P2
to replace transformer

*** price on request**
N = Net = price based on net price

GROHE
EUROECO COSMOPOLITAN E


	Article No.	Colour	Price
	**42 388 000**		**48.90**
	Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		
 	**36 338 000**		**94.70**
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		
 	**36 133 000**	**chrome**	**22.80**
	Mousseur external thread M 24 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly key theft proof **GROHE StarLight** finish		
 	**34 487 000**	**chrome**	**149.40**
	Grohtherm Micro **Thermostatic scalding protection** temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread **GROHE TurboStat** thermoelement **GROHE StarLight** chrome finish built-in non return valves dirt strainer without connection set max. pressure differential 5:1		
 	**45 704 000**	**chrome**	**51.30**
	Flexible connection hose 300 mm 3/8" x 3/8"		
	42 177 00M		**17.00**
	Sticker with pictograph self-adhesive for wash basin-single hole mixer wash basin exposed faucets in units of 5		

*** price on request**
N = Net = price based on net price

GROHE
BAU COSMOPOLITAN E

	Article No.	Colour	Price






36 452 000 **chrome** **227.90**

Bau Cosmopolitan E
Infra-red electronic basin tap 1/2"
without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free
body made of composite polymer
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109






36 453 000 **chrome** **258.80**

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109






36 407 001 **443.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply





*** price on request**
N = Net = price based on net price

GROHE
BAU COSMOPOLITAN E

	Article No.	Colour	Price
 	**36 340 000** **Power extension cable** length 3.00 m		**55.40**
	36 341 000 **ditto, length 10 m**		**112.80**
	**42 393 000** **Battery housing** including 6 V lithium-battery, type CR-P2 to replace transformer		**44.40**
 	**36 338 000** **Switch-mode power supply** for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		**94.70**

* price on request
N = Net = price based on net price

GROHE
GROHTHERM MICRO


	Article No.	Colour	Price
 	**34 487 000**	**chrome**	**149.40**
	Grohtherm Micro **Thermostatic scalding protection** temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread **GROHE TurboStat** thermoelement **GROHE StarLight** chrome finish built-in non return valves dirt strainer without connection set max. pressure differential 5:1		
 	**47 533 000**	**chrome**	**42.10**
	Grohtherm Micro **Connection set** for Grohtherm Micro consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose union nuts **GROHE StarLight** chrome finish		
 	**45 704 000**	**chrome**	**51.30**
	Flexible connection hose 300 mm 3/8" x 3/8"		
 	**45 120 000**	**chrome**	**19.10**
	Connection hose, 300 mm connector set 3/8" for copper pipe Ø 10 mm coupling nut 3/8" 300 mm		

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM SPECIAL


	Article No.	Colour	Price






34 667 000 **chrome** **345.00**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE Quickfix for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus






34 665 000 **chrome** **449.30**


Grohtherm Special
Thermostatic bath mixer 1/2"
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
with S-unions and with covers
GROHE Quickfix for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus






34 681 000 **chrome** **355.20**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafetyPlus










34 671 000 **chrome** **444.90**

Grohtherm Special
Thermostatic bath mixer 1/2"
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafetyPlus

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM SPECIAL


	Article No.	Colour	Price
 	**13 080 000** **Cast swivel spout** length 77 mm **GROHE StarLight** chrome finish	**chrome**	**146.70**
 	**13 137 000** **Cast swivel spout** length 115 mm **GROHE StarLight** chrome finish	**chrome**	**162.80**
 	**13 138 000** **Cast swivel spout** length 175 mm **GROHE StarLight** chrome finish	**chrome**	**206.00**
 	**34 666 000** **Grohtherm Special** **Thermostatic basin mixer 1/2"** wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° **GROHE TurboStat** compact cartridge with wax thermoelement temperature scale handle with internal safety stop between 35°C and 43°C easy thermal disinfection via optional key 47 994 000 integrated mixed water shut off bottom outlet for spouts 13 378 or 13 380 metal temperature safety stop dirt strainers with S-unions and with covers **GROHE Quickfix** for fast exchange of non return valves in connections **100% GROHE CoolTouch** consisting of safety housing + S-unions with CoolTouch escutcheons **GROHE StarLight** chrome finish GROHE SafetyPlus	**chrome**	**398.30**
 	**13 378 000** **Cast swivel spout** length 115 mm swivelling (180 or 90°) and lockable laminar flow straightener 9 l/min **GROHE StarLight** finish	**chrome**	**107.30**
	13 380 000 **ditto, length 175 mm**	**chrome**	**119.50**

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM SPECIAL

	Article No.	Colour	Price






29 094 000 **chrome** **274.50**

Grohtherm Special
Thermostatic shower mixer
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
temperature scale handle with internal safety stop between 35°C and 43°C
integrated mixed water shut off
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus

35 500 000 **256.30**
GROHE Rapido T thermostatic
mixer for concealed installation






29 095 000 **chrome** **280.00**

Grohtherm Special
Thermostatic bath mixer
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
temperature scale handle with internal safety stop between 35°C and 43°C
integrated mixed water shut off
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus

35 500 000 **256.30**
GROHE Rapido T thermostatic
mixer for concealed installation






29 096 000 **chrome** **225.80**

Grohtherm Special
Central thermostatic mixer
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handle
temperature scale handle with internal safety stop between 35°C and 43°C
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus

35 500 000 **256.30**
GROHE Rapido T thermostatic
mixer for concealed installation








35 500 000 **256.30**

GROHE Rapido T
Thermostatic mixer for concealed installation
for use with Grohtherm Special
without finishing trim set
flat installation depth 70 - 95 mm
easy to install, premounted and tested unit
GROHE TurboStat compact cartridge with wax thermoelement
two top outlets 1/2", lockable
high flow rate up to 50 l/min. by use of three outlets
bottom outlet 1/2" can be used only with separate stop valve
safe to install, stable built-in-box and protective cap
fixation options for solid walls and dry cladding
material for wall sealing included
body of DR brass
built-in non return valves and dirt strainers


* price on request
N = Net = price based on net price

GROHE
GROHTHERM SPECIAL


	Article No.	Colour	Price
	**47 979 000** **Non-return valves**		**14.90**
	**47 994 000** **Grohtherm Special** **Temperature unlocking handle** unlocking of temperature handle for thermal disinfection		**7.50**
 	**12 051 000** **S-union, lockable** 1/2" x 3/4" screw socket to cover the union nut and the escutcheon sealing towards wall adjustment range 12.5 mm suitable for 1/2" connections **GROHE StarLight** chrome finish	**chrome**	**61.60**
 	**47 780 000** **Rapido T** **Extension-set 27.5 mm** for Rapido T 35 500 000/35 050 000 for concealed installation box 36 458 000 and 36 459 000 for use with central-thermostats and shower-thermostats with shut-off valve **47 781 000** **ditto, for use with bath-thermostats with aquadimmer**		**142.80** **177.10**
	**29 007 000** **Safety combination (EN 1717)** for Rapido T 35 500 000/35 050 000 re-fitting-set for backflow protection, for use with inlet- pop-up and waste-sets e.g.: Talentofill 28 990 000 or 28 991 000 replaces use of pipe interrupter, threrefore no additional escutcheon necessary		**163.60**
 	**28 874 000** **T connection, 1/2"** for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves **GROHE StarLight** chrome finish	**chrome**	**57.00**

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM SPECIAL






	Article No.	Colour	Price
 	**28 988 000**	**chrome**	**67.20**

Drain down valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish

	Article No.	Colour	Price
 	**12 030 000**	**chrome**	**58.40**






Pillar union 1/2"
angle 3/4" x 1/2"
mounting set 1/2"
projection 47 mm
GROHE StarLight chrome finish

GROHE
GROHTHERM XL

	Article No.	Colour	Price
 	**35 085 000** **Grohtherm XL** **Thermostatic mixer 1“** wall mounted range of use 9 l/min to 140 l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/4“ outlet thread 1 1/2“ changeable top/bottom outlet **without connection unions** **GROHE StarLight** chrome finish	**chrome**	**1,304.70**
 	**35 087 000** **Grohtherm XL** **Thermostatic mixer 1 1/4“** wall mounted range of use 9 l/min to 140 l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/2“ outlet thread 2“ changeable top/bottom outlet **without connection unions** **GROHE StarLight** chrome finish	**chrome**	**1,433.00**
 	**12 411 000** **S-union** nut 1 1/4“ x 1“ male thread **adjustment range 50 mm** screw escutcheon (for Grohtherm XL 1“, 35 085/35 086) **GROHE StarLight** chrome finish	**chrome**	**181.30**
 	**12 417 000** **Straight union** nut 1 1/4“ x 1“ male thread screw escutcheon (for Grohtherm XL 1“, 35 085/35 086) **GROHE StarLight** chrome finish	**chrome**	**141.20**
	12 420 000 **ditto,** **nut, 1 1/2“ x 1 1/4“, male thread** **(for Grohtherm XL 1 1/4“, 35 087/35 088)**	**chrome**	**147.50**
 	**12 424 000** **Straight union** nut 1 1/2“ x 1 1/4“ male thread (for Grohtherm XL 1“, 35 085/35 086) **GROHE StarLight** chrome finish	**chrome**	**128.80**

*** price on request**
N = Net = price based on net price

GROHE
GROHTHERM XL

	Article No.	Colour	Price
 	12 428 000	chrome	160.60
	Elbow union nut 1 1/4" x 1" male thread (for Grohtherm XL 1", 35 085/35 086) **GROHE StarLight** chrome finish		
	12 430 000	chrome	185.50
	Elbow union **nut, 1 1/2" x 1 1/4", male thread** **(for Grohtherm XL 1 1/4", 35 087/35 088)**		
 	12 432 000	chrome	220.90
	Wall union, male 1 1/4" nut 1 1/2" x 1 1/4" male thread projection 125 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) **GROHE StarLight** chrome finish		
 	12 444 000	chrome	264.10
	Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) **GROHE StarLight** chrome finish		
 	12 448 000	chrome	423.50
	Wall union, male 1 1/2" with thermometer nut 2" x 1 1/2" male thread projection 90 mm screw escutcheon **GROHE StarLight** chrome finish		
 	12 436 000	chrome	201.50
	Wall union, male 1 1/4" without thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) **GROHE StarLight** chrome finish		
	47 569 000	chrome	413.30
	Loose key and shield		

SPECIAL FITTINGS

* price on request
N = Net = price based on net price





GROHE
GROHTHERM XL

	Article No.	Colour	Price
	**12 124 000**	**chrome**	**129.90**

Mixed water circulation connection
consisting of:
flexible connection hose
3/4“ x 3/4“, 90° angle
connecting nipple M45 x 1.5 x 3/4“
for connection to existing circulation pipe
double nipple 1“ male thread x 3/4“
for connection to Grohtherm XL
GROHE StarLight chrome finish

*** price on request**
N = Net = price based on net price

GROHE
EUROECO SPECIAL


	Article No.	Colour	Price
 	**32 762 000** **Euroeco Special** **Single-lever basin mixer 1/2"** single hole installation smooth body **GROHE StarLight** chrome finish **GROHE SilkMove** 35 mm ceramic cartridge **GROHE EcoJoy** technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses	**chrome**	**110.40**
	32 763 000 **ditto, with pop-up waste set 1 1/4"**	**chrome**	**105.50**
 	**32 765 000** **Euroeco Special** **Single-lever basin mixer 1/2"** single hole installation smooth body **GROHE StarLight** chrome finish **GROHE SilkMove** 46 mm ceramic cartridge **GROHE EcoJoy** technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses	**chrome**	**229.20**
	32 766 000 **ditto, with pop-up waste set 1 1/4"**	**chrome**	**238.00**
 	**23 294 000** **Euroeco Special** **Single-lever basin mixer 1/2"** single hole installation pop-up waste set 1 1/4" **GROHE StarLight** chrome finish **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 5 l/min. metal lever lever length 160 mm rapid installation system flexible connection hoses	**chrome**	**505.30**
 	**23 293 000** **Euroeco Special** **Single-lever basin mixer 1/2"** single hole installation smooth body high version **GROHE StarLight** chrome finish **GROHE SilkMove** 46 mm ceramic cartridge **GROHE EcoJoy** technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 5 l/min. loop metal lever lever length 160 mm flexible connection hoses rapid installation system	**chrome**	**323.00**

* price on request
N = Net = price based on net price

GROHE
EUROECO SPECIAL

	Article No.	Colour	Price






30 208 000 **chrome** **253.10**

Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
high spout, 302 mm
smooth body
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 5.7 l/min.
swivel tubular spout, swivel area 140°
metal lever, lever length 170 mm
rapid installation system
flexible connection hoses






32 776 000 **chrome** **238.80**

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
cast spout
projection 157 mm
metal lever
lever length 120 mm
S-unions






32 778 000 **chrome** **248.70**

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
cast spout
projection 205 mm
metal lever
lever length 170 mm
S-unions

32 779 000 **chrome** **281.00**
ditto, with lockable S unions, projection 221 mm





32 770 000 **chrome** **237.90**

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 157 mm
metal lever
lever length 120 mm
S-unions


32 768 000 **chrome** **271.10**
ditto, with lockable S unions, projection 174 mm

*** price on request**
N = Net = price based on net price

GROHE
EUROECO SPECIAL

	Article No.	Colour	Price






32 767 000 **chrome** **267.90**

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 197 mm
metal lever
lever length 120 mm
S-unions

32 771 000 **chrome** **298.30**
ditto, with lockable S unions, projection 214 mm






32 773 000 **chrome** **298.20**

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
cast swivel spout, lockable
laminar flow straightener 9 l/min
projection 257 mm
metal lever
lever length 170 mm
S-unions

32 775 000 **chrome** **329.70**
ditto, with lockable S unions, projection 342 mm






32 774 000 **chrome** **308.60**

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 274 mm
metal lever
lever length 170 mm
with lockable S-unions






32 772 000 **chrome** **271.20**

Euroeco Special
Single-lever basin mixer
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable minimum flow rate approx. 2.5 l/min
adjustable temperature limiter
adjustable flow rate limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 222 mm
metal lever
lever length 170 mm
without S-unions
water saving

GROHE
EUROECO SPECIAL

	Article No.	Colour	Price






32 780 000 **chrome** **110.20**

Euroeco Special
Single-lever shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
shower bottom outlet 1/2"
integrated non-return valve
metal lever
lever length 120 mm
S-unions, protected against backflow






32 783 000 **chrome** **218.30**

Euroeco Special
Single-lever bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
metal lever
lever length 120 mm
temperature limiter
S-unions, protected against backflow






32 784 000 **chrome** **126.00**

Euroeco Special
Single-lever shower mixer
set for final installation for without concealed body
GROHE StarLight chrome finish
metal lever, lever length 120 mm
escutcheon- and shaft-sealing
metal escutcheon, screwed
temperature limiter






46 343 000 **225.40**

Extension set
50 mm
for universal single-lever mixer for
concealed installation 1/2"
for use with bath and shower mixer
for use with all trim set designs and surfaces








32 786 000 **chrome** **135.90**




Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
selectable swivel area: 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses
rapid installation system

*** price on request**
N = Net = price based on net price

GROHE
EUROECO SPECIAL






	Article No.	Colour	Price
 	**33 912 000** **Euroeco Special** **Single-lever safety sink mixer 1/2"** single hole installation **GROHE StarLight** chrome finish ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout metal lever lever length 120 mm temperature limiter attention: old product	**chrome**	**330.20**
 	**32 787 000** **Euroeco Special** **Single-lever sink mixer 1/2"** single hole installation **GROHE StarLight** finish **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout swivel area 140° metal lever lever length 120 mm flexible connection hoses rapid installation system	**chrome**	**135.90**
 	**32 847 000** **Eurosmart Cosmopolitan** **Solid basin mixer, 1/2"** wall mounted metal lever **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower swivel tubular spout projection 400 mm S-unions	**chrome**	**227.70**
	**32 870 000** **Euroeco Special** **Lever 115 mm** for Euroeco Special single-lever mixer **GROHE StarLight** chrome finish	**chrome**	**32.00**
	32 871 000 **ditto, length 160 mm**	**chrome**	**42.60**
	**46 259 000** **Lever 120 mm** **GROHE StarLight** chrome finish	**chrome**	**70.60**

GROHE
EUROECO SPECIAL

	Article No.	Colour	Price
	**46 257 000**	**chrome**	**34.30**
	Lever 170 mm **GROHE StarLight** chrome finish		
	**46 688 000**	**chrome**	**27.40**
	Lever 120 mm for Euroeco Special single lever basin mixer metal, 120 mm **GROHE StarLight** chrome finish		
	46 689 000 **length 170 mm**	**chrome**	**26.00**
 	**12 051 000**	**chrome**	**61.60**
	S-union, lockable 1/2" x 3/4" screw socket to cover the union nut and the escutcheon sealing towards wall adjustment range 12.5 mm suitable for 1/2" connections **GROHE StarLight** chrome finish		
 	**34 487 000**	**chrome**	**149.40**
	Grohtherm Micro **Thermostatic scalding protection** temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread **GROHE TurboStat** thermoelement **GROHE StarLight** chrome finish built-in non return valves dirt strainer without connection set max. pressure differential 5:1		
 	**47 533 000**	**chrome**	**42.10**
	Grohtherm Micro **Connection set** for Grohtherm Micro consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose union nuts **GROHE StarLight** chrome finish		

*** price on request**
N = Net = price based on net price



GROHE
EUROECO SPECIAL / SSC

	Article No.	Colour	Price
 	**32 789 000** **Euroeco Special / SSC** **Single-lever safety basin mixer 1/2"** single hole installation smooth body **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses	**chrome**	**208.90**
	32 788 000 **ditto, with pop-up waste set 1 1/4"**	**chrome**	**226.10**
 	**32 790 000** **Euroeco Special / SSC** **Single-lever safety basin mixer 1/2"** single hole installation smooth body **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses	**chrome**	**332.50**
 	**32 823 000** **Euroeco Special** **Single-lever safety basin mixer 1/2"** ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 170 mm metal lever lever length 170 mm **without connection unions**	**chrome**	**358.30**
 	**32 795 000** **Euroeco Special / SSC** **Single-lever safety basin mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter cast spout with flow straightener 9 l/min. projection 204 mm metal lever lever length 170 mm S-unions	**chrome**	**361.60**
 	**32 792 000** **Euroeco Special / SSC** **Single-lever safety basin mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter cast swivel spout, lockable with flow straightener 9 l/min. projection 197 mm metal lever lever length 120 mm S-unions	**chrome**	**384.30**
	32 793 000 **ditto, projection 256 mm**	**chrome**	**400.50**

SPECIAL FITTINGS

*** price on request**
N = Net = price based on net price

GROHE
EUROECO SPECIAL / SSC


	Article No.	Colour	Price
	**46 277 000** **Temperature limiter** for cartridge 46 278 for Euroeco safety mixer batteries		**10.40**
	**46 278 000** **Cartridge** with ceramic sealing system for Euroeco safety mixer batteries		**71.60**
	**46 686 000** **Lever 120 mm** for Euroeco Special single sequential basin mixer metal, 120 mm **GROHE StarLight** chrome finish	**chrome**	**26.20**
	**46 687 000** **Lever 170 mm** for Euroeco Special single sequential basin mixer metal, 170 mm **GROHE StarLight** chrome finish	**chrome**	**44.00**
 	**28 874 000** **T connection, 1/2"** for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves **GROHE StarLight** chrome finish	**chrome**	**57.00**
 	**28 988 000** **Drain down valve** for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" **GROHE StarLight** chrome finish	**chrome**	**67.20**

*** price on request**
N = Net = price based on net price

GROHE
EURODISC SE

	Article No.	Colour	Price






36 233 000 **chrome** **727.90**

Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter
6 V lithium battery, type CR-P2
GROHE StarLight chrome finish
flexible connection hoses
non-return valves with integrated dirt strainers
rapid installation system
start-stop function
electronic control of operating time
safety stop after 180 sec.
functions to activate with tip code
flow time infinitely adjustable from 2-180 sec.
automatic flushing: 5 min after 3 days without use
activation of permanent run for thermal disinfection for 3.5 or 11 min
CE approved
type of protection faucet IP 59K





36 249 000 **chrome** **665.70**

Eurodisc SE
Self-closing basin tap 1/2“ without mixing device
6 V lithium battery, type CR-P2
for cold or premixed water
marking: blue
GROHE StarLight chrome finish
flexible connection hose
dirt strainer
rapid installation system
start-stop function
electronic control of operating time
safety stop after 180 sec.
functions to activate with tip code
flow time infinitely adjustable from 2-180 sec.
automatic flushing: 5 min after 3 days without use
CE approved
type of protection faucet IP 59K



36 209 000 **chrome** **128.60**


Hidden mixing device
vandal-proof, covered and pre-adjustable mixer
suitable for single hole mixers Europlus E and Eurodisc SE
consisting of:
special mixing device, adjustment by screwdriver
metallic cap
GROHE StarLight chrome finish



42 886 000 **21.70**

Battery
6 V lithium battery, type CR-P2










45 704 000 **chrome** **51.30**

Flexible connection hose
300 mm
3/8“ x 3/8“

GROHE
EUROSMART COSMOPOLITAN T

	Article No.	Colour	Price
 	**36 317 000** **36 318 000**	**chrome** **chrome**	**271.00** **293.90**
	Eurosmart Cosmopolitan T **Self-closing basin mixer with mixing device and adjustable temperature limiter** **GROHE StarLight** chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) pressure range 0.5 to 6 bar 2 flexible hoses non-return valve dirt strainers **ditto, with pop-up waste set 1 1/4“**		
 	**36 319 000**	**chrome**	**484.50**
	Eurosmart Cosmopolitan T **Self-closing basin mixer with mixing device and adjustable temperature limiter** wall mounted **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow laminar flow straightener 9 l/min swivel cast spout 200 mm swivel range stop at 130°, lockable 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) pressure range 0.5 to 6 bar S-unions, non-return valve dirt strainers		
 	**36 320 000**	**chrome**	**413.80**
	Eurosmart Cosmopolitan T **Self-closing shower mixer 1/2“ with mixing device and adjustable temperature limiter** wall mounted **GROHE StarLight** chrome finish mixing device with hot water stop-valve hose connection G 1/2“ 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) pressure range 0.5 to 6 bar S-unions, non-return valve dirt strainers		
 	**36 321 000**	**chrome**	**325.60**
	Eurosmart Cosmopolitan T **Self-closing shower mixer 1/2“ with mixing device and adjustable temperature limiter** **GROHE StarLight** chrome finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) pressure range 0.5 to 6 bar dirt strainers set for final installation for concealed fitting box 36 322 001 without concealed body		
 	**36 276 000**		**106.00**
	Rotation lock vandalism hampering fixing device suitable for single hole mixers Eurosmart Cosmopolitan E/Eurosmart Cosmopolitan T		

*** price on request**
N = Net = price based on net price

GROHE
EUROSMART COSMOPOLITAN T


	Article No.	Colour	Price
 	**36 133 000**	**chrome**	**22.80**

Mousseur
external thread
M 24 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
including disassembly key
theft proof
GROHE StarLight finish

GROHE
EUROECO COSMOPOLITAN T

	Article No.	Colour	Price






36 265 000 **chrome** **110.40**

Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)






36 266 000 **chrome** **99.90**

Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
wall mounted
marking: blue/red
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flow limiter 5.7 l/min
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)






36 316 000 **chrome** **39.40**

Euroeco Cosmopolitan T
Extension, 42 mm
for self-closing pillar tap 1/2" (36 266 000)
GROHE StarLight chrome finish






36 268 000 **chrome** **102.20**

Euroeco Cosmopolitan T
Self-closing gate valve 1/2"
for concealed installation
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)





36 267 000 **chrome** **92.80**


Euroeco Cosmopolitan T
Self-closing shower valve 1/2"
exposed installation
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)

*** price on request**
N = Net = price based on net price



GROHE SENSIA
SHOWER TOILETS






CONTENTS

GROHE Sensia IGS	472
GROHE Sensia Arena	475
Manual Bidet Seat	479

GROHE
SENSIA IGS





Article No.	Colour	Price
39 111 SH0	**alpine white**	**4,646.20**
39 111 LP0	**alpine white/alpine white**	**4,904.30**
39 111 LD0	**alpine white/red**	**4,857.60**
39 111 LK0	**alpine white/black**	**4,857.60**

GROHE Sensia IGS
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene decalcification program, unique 70°C hot water cleaning for entire water system, automatic shower cleaning before and after every use
GROHE DreamSpray technology:
separate water way for lady spray
aerated shower spray
oscillating spray (automatic forward and reverse motion of the spray)
pulsating spray for massage
adjustable spray intensity
automatic pre- and post-rinsing of spray nozzle with fresh water
warm water with adjustable temperature
Other functions
warm air dryer with adjustable temperature
odor extraction with filter
Duroplast WC seat and lid with soft close function
push and turn seat control operation
4 programmable user profiles for remote controller
power switch
inside night lighting
hidden water supply and power supply connections


includes:
touchscreen remote control with wall-mounted holder
batteries for remote controller
active carbon filter
fixing and connecting material
flush pipe
installation guide, manual
cable with system plug on device
pressure 0.1 - 1.0 MPa (1 - 10 bar)
nominal voltage 220-240 V AC 1400 W
main frequency 50-60 Hz
type of protection IPX4
complying with EN 1717/13077
CE approved
SH0:
alpine white ceramic, housing, front, seat and lid
LP0:
alpine white ceramic, front, set and lid
matt chrome housing
LD0:
alpine white ceramic, seat and lid
matt chrome housing
red front
LK0:
alpine white ceramic, seat and lid
matt chrome housing
black front

*** price on request**
N = Net = price based on net price

GROHE
SENSIA IGS

	Article No.	Colour	Price





39 596 000 **263.40**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
with flushing cistern GD 2
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)



46 884 000 **198.00**

Care set
for GROHE Sensia IGS shower WC
consisting of:
1 odor filter
descaling agent for 2 applications



46 882 00M **165.00**

Descaling agent
for GROHE Sensia IGS shower WC
for 4 applications
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



46 883 00M **198.00**

Odor filter
for GROHE Sensia IGS shower WC
contains 2 odor filters

GROHE
SENSIA IGS


	Article No.	Colour	Price
	42 459 000	chrome	68.00
	Connection set for Sensia IGS shower WC system		
	40 899 000		43.70
	Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm		
	14 911 LD0 14 911 LK0 14 911 LP0 14 911 SH0	alpine white/red alpine white/black alpine white/alpine white alpine white	171.80 170.60 159.40 89.60
	Panel set for Sensia IGS shower WC system complete set **LD0:** matt chrome housing red front **LK0:** matt chrome housing black front **LP0:** matt chrome housing alpine white front **SH0:** Alpine white housing and front		
	14 912 000		35.20
	Spray for Sensia IGS shower WC system Including cover and disassembling tool		
	14 914 000		13.50
	Splash protection for Sensia IGS shower WC system		

* price on request
N = Net = price based on net price

GROHE
SENSIA ARENA

Article No.	Colour	Price
39 354 SH1	**alpine white**	**3,291.30**





GROHE Sensia Arena
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene GROHE antibacterial glazing SIAA Kokin Japanese standard compliant)
and anti stick coating ceramic appliance with Aquaceramics technology
GROHE power flush: rimless wash down jet WC with **GROHE Triple Vortex** flushing technology
GROHE Skin Clean:
2 dedicated adjustable spray arms (1 for rear spray, 1 for lady spray)
separate water way for lady spray
oscillating spray (automatic forward and reverse motion of the spray)
pulsating spray for massage
adjustable spray intensity
automatic pre- and post-rinsing of spray nozzle with fresh water
integrated instant heater provides unlimited warm water
adjustable temperature


Other functions
warm air dryer with adjustable temperature
odor extraction with filter
PlasmaCluster function - ion technology
descaling function
Duroplast WC seat and lid with automatic opening/close function
infra-red user detection
seat control operation
power switch
inside bowl night light
hidden water supply and power supply connections
remote control
smart phone app for iOS and Android

includes:
noise protection sheet, mounting bases and washers
manual remote controller with wall-mounted holder
active carbon filter for odour absorption
water supply connection set for concealed cistern
nozzle guard
cable with system plug on device
pressure 0.05 - 1 MPa (0.5 - 10 bar)
nominal voltage 220-240 V AC
main frequency 50-60 Hz
type of protection IPX4
complies with EN 1717
CE approved

GROHE
SENSIA ARENA

	Article No.	Colour	Price






39 596 000 **263.40**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
with flushing cistern GD 2
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order
revision shaft 66 791 000 (sold separately)





46 944 001 **224.50**

GROHE Sensia Arena
Installation kit for automatic flush and pre-flush
consisting of:
servo motor for GD 2
actuation rod for flushing valve
cable and blind cap
flexible hose
WC actuation plate not included
CE approved



40 899 000 **43.70**

Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL and Uniset installations
to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm




14 928 000 **29.00**


GROHE Sensia Arena
Spray
for Sensia Arena shower toilet system,
wall hung and floor standing
standard shower

*** price on request**
N = Net = price based on net price

GROHE
SENSIA ARENA

	Article No.	Colour	Price
	14 929 000		29.00
	GROHE Sensia Arena **Spray** for Sensia Arena shower toilet system, wall hung and floor standing lady shower		
	14 936 000		43.00
	GROHE Sensia Arena **Splash protection** for Sensia Arena shower toilet system, wall hung and floor standing		
	46 977 00M		134.00
	GROHE Sensia Arena **Descaler** packaging unit 4 x 80 g bag This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/		
	46 978 000		174.00
	GROHE Sensia Arena **Descaling kit** for 39 354 SH0 80 g bag descaler splash protection bottle adapter		
	46 978 001		202.00
	GROHE Sensia Arena **Descaling kit** for 39 354 SH1 80 g bag descaler bottle adapter hose with clip sticker holder for bottle 1 x spray standard shower (14 928 000) 1 x spray lady shower (14 929 000)		
	46 979 000		67.00
	GROHE Sensia Arena **Descaler bottle** for 39 354 SH0 bottle adapter		

GROHE
SENSIA ARENA

	Article No.	Colour	Price
 	**14 926 002**		**353.00**


GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung
including wall holder
including batteries

*** price on request**
N = Net = price based on net price

GROHE
MANUAL BIDET SEAT

	Article No.	Colour	Price





39 648 SH0 **alpine white** **286.00**

Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“
includes:
mounting plate
filter
pressure 0.1 - 1.0 MPa (1 - 10 bar)
complies with EN 1717



39 651 SH0 **alpine white** **420.30**

Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“

Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware





39 652 SH0 **alpine white** **568.90**

Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“

Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

Grohtherm Micro 34 487 000
small under-basin thermostat
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)





14 074 000 **43.10**

Accessory set shower hose and T piece
for manual bidet seat
consisting of:
T unit 3/8“
flexible connection hose
795 mm
3/8“ x 3/8“

GROHE
CERAMICS






CONTENTS

Essence	482
Cube Ceramic	490
Euro Ceramic	494
Bau Ceramic	499
Acrylic shower trays	505

GROHE
ESSENCE

	Article No.	Colour	Price






39 564 00H **alpine white** **274.70**

Essence
Wash basin 70
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
700 x 485 mm
suitable for half and full pedestal
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
12 pieces per pallet






39 565 00H **alpine white** **256.30**

Essence
Wash basin 60
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
600 x 485 mm
suitable for half and full pedestal
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet






39 566 00H **alpine white** **602.70**

Essence
Vanity basin 100
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
1000 x 460 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
8 pieces per pallet






39 567 00H **alpine white** **432.60**

Essence
Vanity basin 80
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
800 x 460 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
12 pieces per pallet






39 568 00H **alpine white** **296.20**

Essence
Vanity basin 60
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
600 x 460 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet





39 608 00H **alpine white** **576.10**


Essence
Vessel basin 60
Without overflow
600 x 400 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
PureGuard anti scale coating and anti bacterial glazing

*** price on request**
N = Net = price based on net price

GROHE
ESSENCE

	Article No.	Colour	Price






39 609 00H **alpine white** **384.40**

Essence
Vessel basin 45
Without overflow
450 x 450 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
PureGuard anti scale coating and anti bacterial glazing






39 570 000 **alpine white** **159.90**

Essence
Half pedestal
including fixation set
sanitary ware
33 pieces per pallet






39 571 00H **alpine white** **381.30**

Essence
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)
12 pieces per pallet






39 572 00H **alpine white** **426.40**

Essence
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
wash down
rimless
flush volume 3/4.5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)
6 pieces per pallet






39 573 00H **alpine white** **397.70**

Essence
Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
for concealed cistern
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)
8 pieces per pallet

GROHE
ESSENCE

	Article No.	Colour	Price






39 578 000 **alpine white** **239.90**

Essence
Exposed flushing cistern for close coupled combination
side inlet
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware
24 pieces per pallet






39 579 000 **alpine white** **239.90**

Essence
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware
24 pieces per pallet






39 577 000 **alpine white** **159.90**

Essence
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Essence bowls
7 pieces per master carton






39 576 000 **alpine white** **106.60**

Essence
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Essence bowls
7 pieces per master carton






39 574 00H **alpine white** **381.30**

Essence
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet






39 575 00H **alpine white** **397.70**

Essence
Floorstanding bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
8 pieces per pallet

*** price on request**
N = Net = price based on net price


GROHE
ESSENCE

	Article No.	Colour	Price




39 611 000 **alpine white** **6,342.70**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
Without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats




39 612 000 **alpine white** **7,009.00**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
with AntiSlip
Without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats




39 613 00H **alpine white** **7,009.00**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
with EasyClean
Without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats




39 614 00H **alpine white** **7,425.10**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
with EasyClean
with AntiSlip
Without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats



39 617 000 **alpine white** **1,146.00**

Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and
Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats




39 619 000 **alpine white** **1,359.20**

Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
with AntiSlip
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and
Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats

GROHE
ESSENCE

	Article No.	Colour	Price






39 620 00H **alpine white** **1,359.20**


Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
with EasyClean
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats





39 621 00H **alpine white** **1,572.40**


Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
with EasyClean
with AntiSlip
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats



39 622 000 **alpine white** **6,925.90**


Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats





39 623 000 **alpine white** **7,062.30**

Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
with drilled tap hole
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats




39 649 00H **alpine white** **7,369.80**

Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
with EasyClean
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

*** price on request**
N = Net = price based on net price

GROHE
ESSENCE


	Article No.	Colour	Price
 	**39 650 00H**	**alpine white**	**7,515.30**

Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
with EasyClean
with drilled tap hole
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

GROHE
ESSENCE

	Article No.	Colour	Price






49 113 000	**chrome**	1,972.10
49 113 SH0	**alpine white**	2,217.10

Essence
Waste set for free standing bathtubs
dual function of overflow and waste water drainage
concealed overflow
electric pressure sensor unlocks the overflow drainage
mains supply necessary for installation






19 025 000	**chrome**	58.60

Talento
Waste and overflow set for bath tubes
set for final installation
escutcheon
waste plug
fixing set
in combination with
Talentofill 28 939/28 943






19 952 000	**chrome**	167.80

Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991






28 943 000		96.80

Talento
Pop-up bath waste and overflow
set for special baths
without finishing trim set
bottle trap 45° waste elbow





28 991 000		146.50

Talentofill
Inlet-, pop-up and waste-system
for body formed bath tubs
without finishing trim set
with bottle trap and 45°-outlet-bend
without anti-vacuum device
installation acc. to DIN 1988
only with anti-vacuum device A2 type
or Talentofill connection set (28 995)



49 115 000	**chrome**	106.60







Essence
Feet for built-in bathtubs
individual height adjustment of each foot
GROHE QuickFix system

*** price on request**
N = Net = price based on net price

GROHE
ESSENCE

	Article No.	Colour	Price
	49 114 000		173.20
	Essence **Sealing system** **GROHE QuickFix** system waterproof ETAG 022 DIN 18534		

GROHE
CUBE CERAMIC


		Article No.	Colour	Price
		**39 386 00H N**	**alpine white**	**578.70**
		Cube Ceramic **Wash basin 100** wall hung 1 hole punched, 2 holes pre-punched with overflow 1010 x 490 mm sanitary ware **PureGuard** anti scale coating and anti bacterial glazing **10 pieces per pallet**		
		**39 469 00H N**	**alpine white**	**500.30**
		Cube Ceramic **Wash basin 80** wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm sanitary ware **PureGuard** anti scale coating and anti bacterial glazing **10 pieces per pallet**		
		**39 473 00H N**	**alpine white**	**271.30**
		Cube Ceramic **Wash basin 60** wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware **PureGuard** anti scale coating and anti bacterial glazing **16 pieces per pallet**		
		**39 474 00H N**	**alpine white**	**254.70**
		Cube Ceramic **Wash basin 50** wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware **PureGuard** anti scale coating and anti bacterial glazing **18 pieces per pallet**		
		**39 475 00H N**	**alpine white**	**578.70**
		Cube Ceramic **Counter top basin 100** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware **PureGuard** anti scale coating and anti bacterial glazing **10 pieces per pallet**		
		**39 476 00H N**	**alpine white**	**501.20**
		Cube Ceramic **Counter top basin 80** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm including fixation set sanitary ware **PureGuard** anti scale coating and anti bacterial glazing **10 pieces per pallet**		

*** price on request**
N = Net = price based on net price

GROHE
CUBE CERAMIC

	Article No.	Colour	Price






39 477 00H N **alpine white** **271.30**

Cube Ceramic
Counter top basin 60
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet






39 478 00H N **alpine white** **254.70**

Cube Ceramic
Counter top basin 50
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
500 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
18 pieces per pallet






39 481 00H N **alpine white** **243.60**

Cube Ceramic
Vessel basin 50
Without overflow
500 x 470 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
20 pieces per pallet






39 482 00H N **alpine white** **216.00**

Cube Ceramic
Vessel basin 40
Without overflow
400 x 400 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
24 pieces per pallet






39 480 00H N **alpine white** **243.60**

Cube Ceramic
Under-counter wash basin 50
installation from below
with overflow
492 x 370 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
18 pieces per pallet





39 479 00H N **alpine white** **260.20**

Cube Ceramic
Counter basin 60
flat back side glazed
built-in
1 hole punched, 2 holes pre-punched
with overflow
605 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet


CERAMICS

* price on request
N = Net = price based on net price

GROHE
CUBE CERAMIC

	Article No.	Colour	Price






39 483 00H N — **alpine white** — **210.40**

Cube Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
455 x 350 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
22 pieces per pallet






39 245 00H — **alpine white** — **538.90**

Cube Ceramic
Wall hung WC
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 488 000 (soft close)






39 485 00H N — **alpine white** — **503.10**


Cube Ceramic
Floor standing back to wall WC
for concealed cistern
universal trap for horizontal and vertical outlet
back to wall
wash down
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 488 000 (soft close)
8 pieces per pallet





39 484 00H — **alpine white** — **557.00**

Cube Ceramic
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
rimless
flush volume 3/4.5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 488 000 (soft close)
6 pieces per pallet




39 488 000 — **alpine white** — **214.00**

Cube Ceramic
WC seat soft close
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Cube Ceramic bowls

*** price on request**
N = Net = price based on net price







GROHE
CUBE CERAMIC

	Article No.	Colour	Price
	**39 487 00H N**	**alpine white**	**409.80**








Cube Ceramic
Floorstanding bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
8 pieces per pallet

GROHE
EURO CERAMIC

	Article No.	Colour	Price
 	**39 585 00H** **Euro Ceramic** **Vanity basin 100** wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 460 mm suitable for vanity units sanitary ware **PureGuard** anti scale coating and anti bacterial glazing **8 pieces per pallet**	**alpine white**	**461.30**
 	**39 584 00H** **Euro Ceramic** **Vanity basin 80** wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 460 mm suitable for vanity units sanitary ware **PureGuard** anti scale coating and anti bacterial glazing **12 pieces per pallet**	**alpine white**	**357.70**
 	**39 323 000 N** **39 323 00H N** **Euro Ceramic** **Wash basin 65** wall hung 1 hole punched with overflow 650 x 515 mm sanitary ware optional: **PureGuard** anti scale coating and anti bacterial glazing (00H) **18 pieces per pallet**	**alpine white** **alpine white**	**99.30** **149.80**
 	**39 335 000 N** **39 335 00H N** **Euro Ceramic** **Wash basin 60** wall hung 1 hole punched with overflow 600 x 480 mm sanitary ware optional: **PureGuard** anti scale coating and anti bacterial glazing (00H) **18 pieces per pallet**	**alpine white** **alpine white**	**89.60** **139.90**
 	**39 337 000 N** **39 337 00H N** **Euro Ceramic** **Counter top basin 60** 1 hole punched with overflow 600 x 480 mm including fixation set sanitary ware optional: **PureGuard** anti scale coating and anti bacterial glazing (00H) **18 pieces per pallet**	**alpine white** **alpine white**	**98.00** **148.30**
 	**39 336 000 N** **39 336 00H N** **Euro Ceramic** **Wash basin 55** wall hung 1 hole punched with overflow 550 x 450 mm sanitary ware optional: **PureGuard** anti scale coating and anti bacterial glazing (00H) **21 pieces per pallet**	**alpine white** **alpine white**	**83.90** **134.30**

*** price on request**
N = Net = price based on net price

GROHE
EURO CERAMIC

	Article No.	Colour	Price
 	**39 423 000 N** **Universal** **Undercounter wash basin 55** installation from below with overflow 560 x 420 mm sanitary ware including fixation set **18 pieces per pallet**	**alpine white**	**107.60**
 	**39 324 000 N** **39 324 00H N** **Euro Ceramic** **Hand rinse basin 45** wall hung 1 hole punched with overflow 450 x 400 mm sanitary ware optional: **PureGuard** anti scale coating and anti bacterial glazing (00H) **27 pieces per pallet**	**alpine white** **alpine white**	**64.60** **114.90**
 	**39 327 000 N** **39 327 00H N** **Euro Ceramic** **Mini hand rinse basin** wall hung 1 hole punched 370 x 180 mm sanitary ware no pedestals recommended optional: **PureGuard** anti scale coating and anti bacterial glazing (00H) **36 pieces per pallet**	**alpine white** **alpine white**	**81.20** **131.50**
 	**39 328 000 N** **39 328 00H N** **Euro Ceramic** **Wall hung WC** for concealed cistern horizontal outlet GROHE Triple Vortex flushing technology wash down rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: **PureGuard** anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close) **16 pieces per pallet**	**alpine white** **alpine white**	**277.10** **327.40**
 	**39 206 000 N** **39 206 00H N** **Euro Ceramic** **Wall hung compact WC** for concealed cistern horizontal outlet GROHE Triple Vortex flushing technology wash down rimless flush volume 3/5 l 49 cm width including fixation set sanitary ware fully skirted with invisible fixation optional: **PureGuard** anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close) **16 pieces per pallet**	**alpine white** **alpine white**	**251.80** **302.20**


CERAMICS

* price on request
N = Net = price based on net price

GROHE
EURO CERAMIC

	Article No.	Colour	Price






39 538 000 **alpine white** **244.00**

Euro Ceramic
Wall hung WC, basic
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware
compatible with seat and cover 39 330 001 (soft close)
and 39 331 001 (without soft close)
12 pieces per pallet






39 703 000 **alpine white** **353.00**

Euro Ceramic
Wall hung WC set
consisting of:
Euro Ceramic wall hung WC, 3/5 l (39 538 000)
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware

Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
material: Duroplast
including fixation set
8 pieces per pallet
available February 2020






39 462 000 **alpine white** **473.80**
39 462 00H **alpine white** **521.70**

Euro Ceramic
Floor standing 2 piece WC
close coupled
universal trap for horizontal and vertical outlet
GROHE Triple Vortex flushing technology
rimless
flush volume 6/3 l
including cistern with bottom inlet, seat and cover soft close and fixation set
sanitary ware
optional: **PureGuard** anti scale coating
and anti bacterial glazing (00H)






39 330 001 **alpine white** **110.70**

Euro Ceramic
WC seat soft close
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
suitable for all GROHE Euro Ceramic WCs






39 331 001 **alpine white** **75.90**

Euro Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
suitable for all GROHE Euro Ceramic WCs

*** price on request**
N = Net = price based on net price





GROHE
EURO CERAMIC

	Article No.	Colour	Price
	**39 208 000 N**	**alpine white**	**249.90**
	39 208 00H N	**alpine white**	**300.30**









Euro Ceramic
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
16 pieces per pallet

GROHE
EURO CERAMIC

	Article No.	Colour	Price
 	**39 453 000** **WC connection outlet** horizontal 320 mm from wall		**36.00**
 	**39 454 000** **WC connection outlet** horizontal and vertical length adjustable 60 to 105 mm from wall		**66.00**
 	**39 457 000** **WC connection outlet** vertical length adjustable 93.5 to 137 mm from wall		**68.00**
 	**39 551 000** **WC connection outlet** vertical length adjustable 200 to 250 mm from wall		**68.00**
	**49 522 000** **Mounting set** for Euro Ceramic cistern 39 333 000 for back inlet installation		**53.00**

*** price on request**
N = Net = price based on net price

GROHE
BAU CERAMIC


		Article No.	Colour	Price
		**39 420 000 N** **Bau Ceramic** **Wash basin 65** wall hung 1 hole punched with overflow 646 x 468 mm sanitary ware **18 pieces per pallet**	**alpine white**	**68.80**
		**39 421 000 N** **Bau Ceramic** **Wash basin 60** wall hung 1 hole punched with overflow 609 x 442 mm sanitary ware **18 pieces per pallet**	**alpine white**	**59.70**
		**39 440 000 N** **Bau Ceramic** **Wash basin 55** wall hung 1 hole punched with overflow 553 x 386 mm sanitary ware **21 pieces per pallet**	**alpine white**	**58.00**
		**39 422 000 N** **Bau Ceramic** **Counter basin 55** built-in 1 hole punched with overflow 560 x 400 mm sanitary ware **21 pieces per pallet**	**alpine white**	**107.60**
		**39 423 000 N** **Universal** **Undercounter wash basin 55** installation from below with overflow 560 x 420 mm sanitary ware including fixation set **18 pieces per pallet**	**alpine white**	**107.60**
		**39 424 000 N** **Bau Ceramic** **Hand rinse basin 45** wall hung 1 hole punched with overflow 453 x 354 mm sanitary ware **27 pieces per pallet**	**alpine white**	**58.20**

CERAMICS

*** price on request**
N = Net = price based on net price

GROHE
BAU CERAMIC


	Article No.	Colour	Price



39 425 000 N **alpine white** **58.40**

Bau Ceramic
Full pedestal
including fixation set
sanitary ware
30 pieces per pallet






39 427 000 N **alpine white** **110.00**

Bau Ceramic
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)
16 pieces per pallet






39 491 000 N **alpine white** **87.20**

Bau Ceramic
Wall hung WC
for concealed cistern
wash down
open rim
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)
16 pieces per pallet






39 492 000 N **alpine white** **47.00**

Bau Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Bau Ceramic bowls
168 pieces per pallet






39 493 000 N **alpine white** **84.40**

Bau Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Bau Ceramic bowls
168 pieces per pallet





39 433 000 N **alpine white** **186.20**


Bau Ceramic
Wall hung bidet
1 hole punched
with overflow
sanitary ware
16 pieces per pallet

*** price on request**
N = Net = price based on net price

GROHE
BAU CERAMIC

	Article No.	Colour	Price






39 438 000 N **alpine white** **209.50**

Bau Ceramic
Urinal
concealed inlet
flush volume 1 l
including fixation set
sanitary ware
for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately
not compatible with temperature sensor 39 367 000
16 pieces per pallet





39 439 000 N **alpine white** **209.50**

Bau Ceramic
Urinal
top inlet
flush volume 1 l
including fixation set
sanitary ware
for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately
16 pieces per pallet



39 732 000 **35.00**


Urinal trap
horizontal trap Ø 50 mm
flush volume 0.5 - 4 l
middle inlet and outlet 80 mm
for Bau Ceramic urinals 39 438 000 and 39 439 000
material: plastic



39 733 000 **36.00**

Urinal trap
vertical trap
flush volume 2 - 4 l
for Bau Ceramic urinals 39 438 000 and 39 439 000
material: plastic





39 351 000 N **alpine white** **201.90**

Bau Ceramic
Wall hung WC set
WC seat and lid with soft close feature
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
12 pieces per pallet


CERAMICS

*** price on request**
N = Net = price based on net price

GROHE
BAU CERAMIC

	Article No.	Colour	Price






39 496 000 **alpine white** **285.50**

Bau Ceramic
Bundle close-coupled WC
consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 494 000)
side inlet
including flushing set
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet





39 648 SH0 **alpine white** **286.00**

Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“
includes:
mounting plate
filter
pressure 0.1 - 1.0 MPa (1 - 10 bar)
complies with EN 1717



39 651 SH0 **alpine white** **420.30**

Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“

Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

*** price on request**
N = Net = price based on net price


GROHE
BAU CERAMIC

	Article No.	Colour	Price
	**39 652 SH0**	**alpine white**	**568.90**

Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“





Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

Grohtherm Micro 34 487 000
small under-basin thermostat
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)

 	**14 074 000**		**43.10**

Accessory set shower hose and T piece
for manual bidet seat
consisting of:
T unit 3/8“
flexible connection hose
795 mm
3/8“ x 3/8“

GROHE
BAU CERAMIC


	Article No.	Colour	Price
 	**39 453 000** **WC connection outlet** horizontal 320 mm from wall		**36.00**
 	**39 454 000** **WC connection outlet** horizontal and vertical length adjustable 60 to 105 mm from wall		**66.00**
 	**39 457 000** **WC connection outlet** vertical length adjustable 93.5 to 137 mm from wall		**68.00**
 	**39 551 000** **WC connection outlet** vertical length adjustable 200 to 250 mm from wall		**68.00**

*** price on request**
N = Net = price based on net price

GROHE
ACRYLIC SHOWER TRAYS

	Article No.	Colour	Price






39 300 000 **alpine white** **277.40**

Acrylic shower tray 1000 x 1000
dimensions: 1000 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014416
recommended Schedel installation set SD 90083
20 pieces per pallet






39 301 000 **alpine white** **204.90**

Acrylic shower tray 900 x 900
dimensions: 900 x 900 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014408
recommended Schedel installation set SD 90081
20 pieces per pallet






39 302 000 **alpine white** **195.50**

Acrylic shower tray 800 x 800
dimensions: 800 x 800 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014411
recommended Schedel installation set SD 90080
20 pieces per pallet






39 305 000 **alpine white** **345.60**

Acrylic shower tray 800 x 1200
dimensions: 800 x 1200 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150183)
extension set MR SF (# 150194)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014413
recommended Schedel installation set SD 90084
20 pieces per pallet

GROHE
ACRYLIC SHOWER TRAYS

	Article No.	Colour	Price






39 306 000 **alpine white** **225.90**

Acrylic shower tray 800 x 1000
dimensions: 800 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014412
recommended Schedel installation set SD 90082
20 pieces per pallet






39 307 000 **alpine white** **495.90**

Acrylic shower tray 900 x 1400
dimensions: 900 x 1400 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150181)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014415
recommended Schedel installation set SD 90086
20 pieces per pallet






39 308 000 **alpine white** **427.60**

Acrylic shower tray 900 x 1200
dimensions: 900 x 1200 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150183)
extension set MR SF (# 150194)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014414
recommended Schedel installation set SD 90085
20 pieces per pallet






49 533 000 **chrome** **59.90**

Waste set for universal shower tray
Ø 112 mm
Vertical outlet
GROHE StarLight chrome finish
flow rate 1.1 l/s according to DIN EN 274





49 534 000 **chrome** **59.90**


Waste set for universal shower tray
Ø 112 mm
horizontal outlet
GROHE StarLight chrome finish
flow rate 0.7 l/s (42 l/min) according to DIN EN 274

*** price on request**
N = Net = price based on net price



GROHE
INSTALLATION SYSTEMS






CONTENTS

Rapid SLX	Rapid SLX	510
Rapid SL	Rapid SL for WC	513
	Rapid SL for urinal	522
	Rapid SL for wash basin and bidet	524
	Rapid SL for the disabled	527
	Rapid SL free-standing installation	530
	Rapid SL fitting supports	532
	Rapid SL accessories	533
Uniset	Uniset frames and accessories	536

GROHE
RAPID SLX

Article No.	Colour	Price






39 596 000 **263.40**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
with flushing cistern GD 2
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order
revision shaft 66 791 000 (sold separately)





39 597 000 **263.40**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
with flushing cistern GD 2
with integrated socket for shower toilets (power)
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
without outlet pipe
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use


for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves

*** price on request**
N = Net = price based on net price

GROHE
RAPID SLX

Article No.	Colour	Price





39 600 000 **333.10**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
with flushing cistern GD 2
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use

including wall brackets 38 558 00M for on-the-wall installation
including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
including adapter 38 338 000



39 602 000 **370.00**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket with flushing cistern GD 2
with integrated socket for shower toilets (power)
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
without outlet pipe
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
approved for US
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern GD 2, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves

GROHE
RAPID SLX

	Article No.	Colour	Price






39 603 000 **chrome** **392.00**

Rapid SLX
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2
consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL wall brackets (38 558 00M)
including flow manager






39 598 000 **277.80**


Rapid SLX
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2
consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Rapid SL wall brackets (38 558 00M)
WC set for noise protection (37 131 000)
including flow manager

*** price on request**
N = Net = price based on net price

GROHE
RAPID SL FOR WC

	Article No.	Colour	Price
 	39 374 KS0	velvet black	792.50

GROHE glass module
for Rapid SL and Uniset
with flushing cistern GD 2
for connecting shower toilet Sensia Arena
or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome,
flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection
for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
set for noise protection
including accessory for mounting glass plate and WC ceramic


	Article No.	Colour	Price
 	39 374 LS0	moon white	792.50

GROHE glass module
for Rapid SL and Uniset
with flushing cistern GD 2
for connecting shower toilet Sensia Arena
or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome,
flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection
for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
set for noise protection
including accessory for mounting glass plate and WC ceramic

GROHE
RAPID SL FOR WC

	Article No.	Colour	Price






38 528 001 **228.90**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





39 002 000 **334.40**


Rapid SL
Element for WC, 1.13 m installation height, for external odour extraction
with flushing cistern GD 2
with flush pipe for external odour extraction
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
flush pipe with connection for odor extraction 50 mm
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase


for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

*** price on request**
N = Net = price based on net price

GROHE
RAPID SL FOR WC

	Article No.	Colour	Price
 	**38 827 000**	**chrome**	**337.20**

Rapid SL
5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2
consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)


 	**39 501 000**	**chrome**	**279.80**

Rapid SL
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2
consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates

GROHE
RAPID SL FOR WC

	Article No.	Colour	Price






38 536 001 **247.40**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 624 001 **253.80**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
angle valve 1/2“
water inlet with pipe fixation
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical or horizontal use


including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)
including adapter 38 338 000

*** price on request**
N = Net = price based on net price

GROHE
RAPID SL FOR WC

	Article No.	Colour	Price






39 062 000 **453.70**

Rapid SL
Element for WC with leakage box, 1.13 m installation height with flushing cistern GD 2
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
leakage box
collection body with wastewater lead-through and connection for spill, black
leakage / slash water protection

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
angle valve 1/2“
water inlet with pipe fixation
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)
including adapter 38 338 000






38 675 001 **309.70**

Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please order fixing element 38 559 001 (sold separately)

GROHE
RAPID SL FOR WC

	Article No.	Colour	Price






38 994 000 **338.50**

Rapid SL
Element for WC with flushing cistern 80 mm, 1.13 m installation height
element width 0.62 m
for small, narrow bathrooms
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top or back
low noise (group I acc. to German Noise Specification), insulated against condensation
water supply 1/2“ and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)





38 995 000 **379.80**

Rapid SL
Element for WC with flushing cistern 80 mm, variable width
1.13 m installation height, for small, narrow bathrooms
variable element width 0.70 – 1.20 m
for on-the-wall installation
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top
low noise (group I acc. to German Noise Specification), insulated against condensation
water supply 1/2“ and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use


including wall brackets 38 558 00M for on-the-wall installation

*** price on request**
N = Net = price based on net price

GROHE
RAPID SL FOR WC

	Article No.	Colour	Price






38 525 001 **300.10**

Rapid SL
Element for WC, 1.00 m installation height
with flushing cistern 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification), insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl. protection
during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)





38 622 001 **449.00**

Rapid SL
Element for WC, 1.00 m installation height
with flushing cistern 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
inlet and outlet connecting set
depth adjustable
reducer Ø 90/110 mm


flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
angle valve 1/2“
insulated against condensation
water inlet with pipe fixation
shortable inspection shaft incl. protection
during construction phase

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)
including adapter 38 338 000

GROHE
RAPID SL FOR WC

	Article No.	Colour	Price






38 526 000 **330.70**

Rapid SL
Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification), insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl. protection
during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)





38 618 000 **606.00**

Rapid SL
Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
angle valve 1/2“
water inlet with pipe fixation
shortable inspection shaft incl. protection
during construction phase

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)
including adapter 38 338 000






40 899 000 **43.70**

Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL and Uniset installations
to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

*** price on request**
N = Net = price based on net price


GROHE
RAPID SL FOR WC

	Article No.	Colour	Price
 	**42 333 000** **4.5 l adapter for GD2** to reduce the maximum flush volume to 4.5 liters suitable for all elements with flushing cistern GD 2		**19.20**
 	**42 327 000** **PP-outlet bend Ø 90 mm** variable depth adjustment		**13.60**
 	**42 946 000** **Outlet elbow** made of PE Ø 80/100 mm		**23.90**

GROHE
RAPID SL FOR URINAL

	Article No.	Colour	Price






38 786 001 **240.50**

Rapid SL
Element for urinal with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for ceramic
inlet connection and inlet connecting set
water group with stop valve
flow pressure min 0.5 bar, operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
shortable inspection shaft incl. protection during
construction phase for sets for final installation
with dimensions 116 x 144 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 803 001 **312.10**

Rapid SL
Element for urinal with infra-red electronic
with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
inlet connection and inlet connecting set
fixing bolts M8, with fixing device for ceramic
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
shortable inspection shaft incl. protection during
construction phase for sets for final installation
with dimensions 116 x 144 mm
including wall brackets 38 558 00M for on-the-wall installation





39 376 000 **316.30**

Rapid SL
Element for urinal with temperature sensor
with roughing-in set for T sensor
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for ceramic
inlet connection and inlet connecting set
box for concealed installation
including roughing-in box
water group with stop valve and
flush elbow
for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold separately)
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

*** price on request**
N = Net = price based on net price


GROHE
RAPID SL FOR URINAL

	Article No.	Colour	Price
	**42 824 000**		**464.50**
	Pull-off device for urinal for 505.00.200, 508.00.200 and 809.00.200		

GROHE
RAPID SL FOR WASH BASIN AND BIDET

Article No. | Colour | Price






A1	135-280
A2	320-410
B1	80
B2	120-200
B3	280-300
C	585-635

38 554 001 **122.90**

Rapid SL
Element for wash basin, single hole installation
with noise protection
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






A1	135-280
A2	320-410
B1	80
B2	120-200
B3	280-300

39 052 000 **162.30**

Rapid SL
Element for wash basin, single hole installation, height adjustable
with noise protection
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
fixing and connecting traverse, height adjustable
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






A1	135-280
A2	320-410
B	535-585

38 557 001 **108.20**

Rapid SL
Element for wash basin, single hole installation
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)





A1	135-280
A2	320-410
B1	80
B2	120-200
B3	280-300
B4	300
C	525-600
D	1025-1075

38 625 001 **256.70**


Rapid SL
Element for wash basin with concealed trap
for single hole installation or
wall mounted fittings
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
single installation or fitting to a rail
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
2 noise protected fitting connections 1/2"
concealed syphon for concealed wall installation
including cover plate for concealed trap, stainless steel
including adjustable brass outlet bend
chrome plated, height adjustable
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

*** price on request**
N = Net = price based on net price

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Article No.	Colour	Price






38 748 002 **chrome** **514.80**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 546 000 **133.90**

Rapid SL
Element for wash basin, for wall mounted fittings
1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 541 000 **138.50**

Rapid SL
Element for wash basin, single hole installation
1.00 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)





38 544 000 **251.30**


Rapid SL
Element for hospital waste sink
for wall mounted fittings
1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
waterproof plywood
HT-outlet bend Ø 50 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

* price on request
N = Net = price based on net price

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Article No.	Colour	Price






38 553 001 **280.40**


Rapid SL
Element for bidet, 1.13 m installation height
vertical support for ceramics with
small bearing area (< 205 mm)
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
bidet fixing bolts, HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 545 000 **311.60**

Rapid SL
Element for bidet, 1.00 m installation height
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
bidet fixing bolts, HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)





38 543 000 **292.80**


Rapid SL
Element for bidet, 0.82 m installation height
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
bidet fixing bolts, HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

*** price on request**
N = Net = price based on net price

GROHE
RAPID SL FOR THE DISABLED

	Article No.	Colour	Price






38 675 001 **309.70**

Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please
order fixing element 38 559 001 (sold separately)





A	1130	1080
B	280	230
C	960	910
D	1000	950
E	1060	1010
F	460	410


39 140 000 **618.70**

Rapid SL
Element for WC, 1.13 m installation height
with fixing element for back support and support rails
with flushing cistern GD 2
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, 4 wall brackets, fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm, depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)






38 759 SD0 **stainless steel** **861.20**

Radio electronic
for WC
receiver modul 868,4 MHz
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen,
Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
for flushing cistern GD 2, for flushing cistern 6 l
concealed installation, front plate 156 x 197 mm
servo motor
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
adjustable flush volume
adjustable flow time
72 h flushing can be activated
with extension cable, 3.00 m length,
for connecting transformer and
electronic
CE approved

GROHE
RAPID SL FOR THE DISABLED

	Article No.	Colour	Price






38 934 SD0 **stainless steel** **524.00**

WC control for manual remote actuation
for concealed flushing cisterns, 6 - 9 l
for connecting one or more potential-free actuation buttons via cable
suitable for support rails for the disabled with integrated actuation button
from Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
stainless steel wall plate 156 x 197 mm
transformer for external installation
operating voltage 230 V AC, 50/60 Hz, 4.0 VA
servo motor
3 m connecting cable
for the connection of transformer and electronic
3 m connection cable with plug
CE approved
delivery range without actuation button/support rails






39 141 000 **646.00**

Radio electronic
for WC with flushing cistern GD2
receiver modul 868,4 MHz
for wall sender 39 142 000 or radio transmitter 38 758 000
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
servo motor
integrated battery box for 4 x 1.5 V Mono D (LR20)
adjustable flush volume
72 h flushing can be activated
Dual Flush possible (6/3 or 9/4.5 l)
WC actuation plate and batteries are not included
CE approved






39 142 000 **259.00**

Radio transmitter
for WC receiver module 39 141 000, 38 759 SD0
frequency 868.4 MHz
with option for Dual Flush
can be integrated into a standard electricity box
(measurements according to DIN 49073)
CE approved






38 625 001 **256.70**

Rapid SL
Element for wash basin with concealed trap
for single hole installation or
wall mounted fittings
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
single installation or fitting to a rail
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
2 noise protected fitting connections 1/2"
concealed syphon for concealed wall installation
including cover plate for concealed trap, stainless steel
including adjustable brass outlet bend
chrome plated, height adjustable
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 541 000 **138.50**

Rapid SL
Element for wash basin, single hole installation
1.00 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

*** price on request**
N = Net = price based on net price

GROHE
RAPID SL FOR THE DISABLED


	Article No.	Colour	Price
 	38 559 001		185.30

Rapid SL
Fixing element, 1.13 m installation height
to fix support for the disabled in lightweight studded wall partitions or on-the-wall installations
0.31 m wide
powder coated steel frame
waterproof plywood
fixing material
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FREE-STANDING INSTALLATION

	Article No.	Colour	Price






38 584 001 **438.40**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2
for free-standing installation, for on-the-wall
installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
lockable
fixing material
2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 587 000 **515.10**


Rapid SL
Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
for free-standing installation, for on-the-wall
installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
lockable
TÜV approved
fixing material
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl. protection
during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)


*** price on request**
N = Net = price based on net price

GROHE
RAPID SL FREE-STANDING INSTALLATION

	Article No.	Colour	Price
 	**38 581 001**		**513.50**

Rapid SL
Element for bidet, 1.13 m installation height for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
pre-assembled
height adjustable fitting connections
lockable
TÜV approved
fixing material
bidet fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2“
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FITTING SUPPORT

	Article No.	Colour	Price
 	**37 998 000**		**87.00**


Rapid SL
Fitting support for exposed fittings
for **studded walls**
for empty frames
2 noise protected fitting connections 1/2"
fixing material

*** price on request**
N = Net = price based on net price

GROHE
RAPID SL ACCESSORIES

	Article No.	Colour	Price






38 636 001 — **73.00**

Rapid SL
Cladding for wall mounted WC
1.13 m installation height
gypsum fibre boards 1190 x 480 x 12.5 mm
with all cut-outs
self-tapping screws
2 zinc coated support angles with
fixing screws






38 629 000 — **52.00**

Rapid SL
Extension
for floor constructions from 200 up to 350 mm
fixing material
not suitable for project elements






38 733 000 — **28.50**

Rapid SL
Xtra wall brackets, flexible placing
for additional fixation of WC elements
or installation without floor fixing
mounting angles including wall bracket and fixing material
2 pieces






38 562 001 — **96.20**

Rapid SL
Set for corner installation
for WC, bidet, wash basin and urinal
single installation or fitting to a rail
fitting maximum 625 mm from the corner
fixing material for corner installation
2 wall brackets **1.13 m**
135°






38 779 000 — **189.50**

Rapid SL
Accessory
for WC bowls with a bearing area of less than 20 cm
vertical support for ceramics with
small bearing area (< 205 mm)










37 131 000 — **7.50**

Set for noise protection
for WC
sound insulation
2 rubber pipes

* price on request
N = Net = price based on net price

GROHE
RAPID SL ACCESSORIES

	Article No.	Colour	Price
	42 397 000 **Tube**		14.90
	42 766 000 **Distance pipe 3“**		7.80
 	38 338 000 **Connecting box**		23.90
 	40 911 000 **Revision shaft for small flush plates** for combination with Rapid SL and Uniset GD 2 cisterns		15.40
 	40 950 000 **Revision shaft for small flush plates** for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height	**chrome**	19.50
 	43 617 000 **Motor support device** for Rapid SL 38 675 for the disabled as of mid 2008 for installation of infra-red electronic		93.40

*** price on request**
N = Net = price based on net price


GROHE
RAPID SL ACCESSORIES

	Article No.	Colour	Price
	**42 216 000**		**22.00**
	PVC waste bend diameter 90/100 mm		

GROHE
UNISET FRAMES AND ACCESSORIES

	Article No.	Colour	Price






38 643 001 **177.60**

Uniset
Element for WC with EPS housing
with flushing cistern GD 2
sound-insulating EPS module for
masonry-in
830 x 470 x 130 mm
rail adaptors for modular fixing
for single or rail installation
wall rail with fixing accessories for
single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase

preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 642 001 **194.00**

Uniset
Element for WC with EPS housing and support feet
with flushing cistern GD 2
sound-insulating EPS module for
masonry-in
830 x 470 x 130 mm
rail adaptors for modular fixing
wall rail with fixing accessories for
single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm

flushing cistern GD 2, 6 - 9 l, containing following features:
inlet and outlet connecting set
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase


preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

*** price on request**
N = Net = price based on net price

GROHE
UNISET FRAMES AND ACCESSORIES

	Article No.	Colour	Price






39 165 000 **142.00**

Uniset
Element for WC
with flushing cistern GD 2
778 x 440 x 116 mm
for single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
cistern insulated against condensation
1/2“ angle valve with push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical or horizontal use

preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 415 001 **272.00**

Uniset
Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
front or top actuation
sound-insulating EPS module for
masonry-in
rail adaptors for modular fixing
wall rail with fixing accessories for
single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm, depth adjustable
inlet and outlet connecting set


flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection
angle valve 1/2“
shortable inspection shaft incl. protection
during construction phase

preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

GROHE
UNISET FRAMES AND ACCESSORIES

	Article No.	Colour	Price






38 785 000 **207.30**

Uniset
Element for urinal with infra-red electronic
with GROHE Rapido U
for manual actuation or Tectron infra-red electronic 6 V or 230 V
sound-insulating EPS module for masonry-in with closed surface
rail adaptors for modular fixing
for single or series installation
fixing accessories for single installation
height adjustable fitting connections
inlet connection and inlet connecting set
HT-outlet bend Ø 50 mm
threaded bolts M8
fixing material for urinal bowl
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
shortable inspection shaft incl. protection during construction phase for sets for final installation
with dimensions 116 x 144 mm






37 576 000 **166.30**

Uniset
Element for wash basin, single hole installation
sound-insulating EPS module for masonry-in with closed surface
rail adaptors for modular fixing
for single or series installation
fixing accessories for single installation
height adjustabel fitting and outlet connections
wash basin fixing bolts
distance of fixing bolts 280 mm
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 fitting connections 1/2"
fixing material for wash basin
for on-the-wall installation please order support feet 37 304 000 (sold separately)





37 304 000 **42.10**

Uniset
Support feet
matching **Uniset** for **WC and bidet**
made of hot galvanized steel
fixing material
for on-the-wall installations




40 899 000 **43.70**

Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

*** price on request**
N = Net = price based on net price

GROHE
UNISET FRAMES AND ACCESSORIES

	Article No.	Colour	Price
 	**40 911 000**		**15.40**
	Revision shaft for small flush plates for combination with Rapid SL and Uniset GD 2 cisterns		
	40 950 000	**chrome**	**19.50**
	ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height		

GROHE
FLUSHING SYSTEMS






CONTENTS

WC	Flushing cisterns	542
	Accessories for flushing cisterns	544
	WC flush valves	553
	WC electronic	558
Urinal	Urinal electronic	562
	Urinal flush valves	568

GROHE
FLUSHING CISTERNS

	Article No.	Colour	Price






37 355 SH0 **alpine white** **144.40**

Flushing cistern for WC
6 - 9 l adjustable
exposed installation
interruptible flush cycle
servo actuation
low level, made of ABS
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
angle valve 1/2“
copper pipe
mounting template
flush pipe bend
WC inlet connector






38 895 000 **chrome** **210.80**

GD2 set
6 - 9 l adjustable
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
flush pipe insulated against condensation
fixing brackets
inlet and outlet connecting set
fixing device for ceramic
Skate Air wall plate
vertical installation
156 x 197 mm
chrome
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow






38 661 000 **104.60**

Flushing cistern GD 2
6 - 9 l adjustable
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
flush pipe insulated against condensation
fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)





38 987 000 **118.00**


Flushing cistern GD 2
6 - 9 l adjustable
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
flush pipe insulated against condensation
fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow
with inlet pipe and connector
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

*** price on request**
N = Net = price based on net price

GROHE
FLUSHING CISTERNS


	Article No.	Colour	Price






38 422 000 **152.30**

Flushing cistern for WC
6 - 9 l adjustable
concealed installation
0.82 m installation height
dual flush discharge valve, pneumatic
front or top actuation
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
415 x 410 x 360 mm
1/2“ water supply connection
fixing brackets
flush pipe
shortable inspection shaft incl. protection
during construction phase
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow






38 691 000 **186.00**

Eau2
WC flushing cistern 0.82 m
6l / 3l
Dual Flush
low noise filling valve
6 - 9 l adjustable
concealed installation
0.82 m installation height
water supply from left/right or back
connection from left / right or back
non-interruptible flush cycle
front or top single 6 l only flush
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
415 x 410 x 360 mm
with angle stop valve 1/2“ and flush pipe
1/2“ water supply connection
angle valve 1/2“
fixing brackets
flush pipe
without wall plate/actuation
protecting block
min. recommended
static pressure 0.2 bar

air button
front or top actuation
extended hose length for flexibility
when positioning the actuation
sleek and minimal styling allows the button to be fitted in any 360 degree orientation
GROHE EcoJoy technology for less water and perfect flow









38 771 000 **chrome** **40.80**





Pneumatic push button actuation
for dual flush or start & stop actuation
Ø 48 mm
in combination with bath furniture or removable claddings for cistern
inspection
for material thickness from 18 -24 mm
pneumatic hose 600 mm
GROHE StarLight chrome finish

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Article No.	Colour	Price
 	**37 095 000** **Filling valve** 3/8“ universal application **without** adapter for the pipe connection cap, restrictor **) max. shortening 100 mm		31.90
	37 092 000 **ditto, with adaptor**		33.00
 	**43 537 000** **Filling valve** for concealed flushing cisterns 6 l		22.80
 	**37 501 PI0** **Eco-discharge valve** for close-coupled cisterns dual flush discharge valve AV1 push button actuation with Eco-knob for ceramic lid hole Ø 16-50 mm with fixing device for lid fixing set with 100 mm screws and cellular rubber joint 100 mm dia. **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow	**matt chrome/chrome**	66.00
 	**42 297 PI0** **Eco-discharge valve** dual flush discharge valve AV1 push button actuation Ø 40 mm with Eco-knob with fixing device for lid **GROHE EcoJoy** technology for less water and perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia.	**matt chrome/chrome**	61.70
	**42 253 000** **Discharge valve, Dual Flush**		42.10
	**43 907 PI0** **Replace kit set** for close-coupled ceramic cisterns with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes **GROHE StarLight** chrome finish **) max. shortening 100 mm	**matt chrome/chrome**	78.60

*** price on request**
N = Net = price based on net price






GROHE
ACCESSORIES FOR FLUSHING CISTERNS

		Article No.	Colour	Price
		**37 088 PI0** **Servo discharge valve** interruptible flush cycle with short discharge valve housing decide for maintenance opening and complete before installation escutcheon push button for lid holes Ø 16 - 35 mm fixing material **GROHE StarLight** chrome finish	**matt chrome/chrome**	**67.20**
		**37 497 PI0** **Servo discharge valve** interruptible flush cycle for close-coupled ceramic cisterns push button actuation with escutcheon Ø 38 mm fixing set with 100 mm screws and cellular rubber joint 100 mm dia. **GROHE StarLight** chrome finish	**matt chrome/chrome**	**60.00**
		**37 086 PI0** **Servo discharge valve** interruptible flush cycle flush volume 3 l minimum short discharge valve housing push button actuation Ø 40 mm escutcheon fixing set with 100 mm screws and cellular rubber joint 100 mm dia.	**matt chrome/chrome**	**89.00**
		**37 100 SH0** **Flush pipe** 390 x 350 mm	**alpine white**	**35.30**
		**43 536 000** **Valve head**		**3.40**
		**43 733 000** **Membrane** filling valve **43 758 00M** **ditto, 10 pieces per set**		**5.60** **40.90**

FLUSHING SYSTEMS






* price on request
N = Net = price based on net price

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Article No.	Colour	Price
	**42 271 00M** **Nipple** multi-packaging: 10 pieces		**88.00**
 	**37 099 K00** **Flush pipe** for low level flushing cistern behind the wall for remote control two-parts 180 x 70 mm 300 mm extension including protecting plug	**black**	**58.00**
 	**38 735 000** **Retro-fit set** for flushing cistern 6 l concealed installation dual flush discharge valve AV1 including valve seat for 6 l or 3 l angle valve 1/2“ guiding pipe for screws **without wall plate** **GROHE EcoJoy** technology for less water and perfect flow		**55.40**
 	**38 736 000** **Retro-fit set dual flush** for flushing cistern GD 2 **6 - 9 l** adjustable dual flush discharge valve AV1 including valve seat **without wall plate/actuation** **GROHE EcoJoy** technology for less water and perfect flow		**43.70**
 	**42 320 000** **Dual Flush discharge valve AV1** AV1 complete with pipe extension **6 - 9 l** adjustable without valve seat **without actuation**		**27.70**
 	**42 137 000** **Servo discharge valve** non-interruptible flush cycle for concealed bath furniture cistern **without actuation**		**18.20**






*** price on request**
N = Net = price based on net price

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Article No.	Colour	Price
 	43 486 000 **Servo discharge valve** 50 pieces per carton		19.80
 	42 265 000 **Discharge valve, Dual Flush** for flushing cistern 0.82 m pneumatic actuation for 6 l or 3 l including valve seat		200.00
 	42 774 000 **Waste vent pneumatic**		59.20
	42 233 000 **Tube**	chrome	13.60
 	43 908 000 **Flush pipe, concealed** complete for concealed cisterns with polystyrene insulation and protective cover length 280 mm		20.40
 	37 311 K00 **WC inlet and outlet connecting set** for wall hung WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm 150 mm long cover for WC fixing bolts	black	16.60







* price on request
N = Net = price based on net price

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Article No.	Colour	Price
 	**37 489 000** **Extension** for concealed flush pipe length 200 mm		5.70
	43 352 000 **ditto, length 300 mm**		9.00
 	**37 103 SH0** **Inlet set** connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC connector escutcheon	**alpine white**	10.40
 	**37 104 K00** **WC inlet and outlet connecting set** for wall hung WC connecting pipe Ø 45 mm length 200 mm connector waste sleeve Ø 110 mm 150 mm long cover for WC fixing bolts	**black**	33.00
 	**37 105 K00** **Extension** for concealed flush pipe length 300 mm	**black**	13.30
 	**37 115 PI0** **Push button and escutcheon** for servo set for close-coupled ceramic cisterns lid hole Ø 40 mm **GROHE StarLight** chrome finish	**matt chrome/chrome**	8.00
	**37 117 PI0** **Push button and escutcheon** for servo set for close-coupled ceramic cisterns lid hole Ø 16 - 35 mm **GROHE StarLight** chrome finish	**matt chrome/chrome**	19.40



*** price on request**
N = Net = price based on net price

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Article No.	Colour	Price
 	**37 119 000** **Connector** 55 mm for low level flushing cisterns		**3.40**
 	**37 125 000** **Dummy plug and escutcheon cap** for ceramic flushing cisterns lid hole Ø 40 mm **GROHE StarLight** chrome finish	**chrome**	**17.10**
 	**42 327 000** **PP-outlet bend Ø 90 mm** variable depth adjustment		**13.60**
 	**42 333 000** **4.5 l adapter for GD2** to reduce the maximum flush volume to 4.5 liters suitable for all elements with flushing cistern GD 2		**19.20**
 	**42 946 000** **Outlet elbow** made of PE Ø 80/100 mm		**23.90**
 	**37 131 000** **Set for noise protection** for WC sound insulation 2 rubber pipes		**7.50**

* price on request
N = Net = price based on net price

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Article No.	Colour	Price
	**42 773 000** **Valve seat for concealed cisterns, Dual Flush**		**10.40**
	**42 315 000** **Valve seat for GD2**		**8.80**
	**43 542 000** **Valve seat** with o-ring **valve seat** for concealed flushing cisterns 6 - 9 l / 6 l **0.82 m installation height** (from 02.97) **for Variella Compact Ø 41 mm**		**9.00**
	**43 545 000** **Valve seat** with o-ring for concealed flushing cisterns 6 - 9 l / 6 l **0.82 m installation height** (until 02.97) **for Variella Compact Ø 55 mm**		**24.00**
 	**43 535 000** **Push bar 350 mm** for Servo discharge valve 350 mm		**3.40**
	**43 540 000** **Pop-up rod** for Servo discharge valve 451 mm		**3.40**


*** price on request**
N = Net = price based on net price

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Article No.	Colour	Price
	43 544 000 **Outlet piston** for Servo discharge valve		17.00
	43 722 000 **Set of seals**		11.40
	43 734 000 **Lever**		3.40
	43 735 000 **Screw cap**		4.60
	43 745 000 **Seal**		4.60
	43 770 00M **Seal** multi-packaging: 10 pieces		6.80






* price on request
N = Net = price based on net price

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Article No.	Colour	Price
	**43 976 000** **Lever**		**3.40**
	**42 242 000** **Reducer**		**9.00**
	**42 075 000** **Flow restrictor** reduces flow rate for exposed flushing cisterns installation in flush pipe shorten if necessary		**6.60**
 	**42 300 000** **Flow restrictor** reduces flow rate for flushing cistern GD 2 installation in valve seat to eliminate water splashes coming out of the bowl		**12.80**
 	**38 714 000** **Extension set 70 mm** for wall plates/actuations for flushing cistern GD 2, 6 - 9 l with pneumatic discharge valve		**19.40**
	**42 593 000** **Valve seat** including flow manager reduces flow of the flush prevents overspill in rimless toilets easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2		**55.40**







*** price on request**
N = Net = price based on net price

GROHE
WC FLUSH VALVES

	Article No.	Colour	Price
 	**37 347 000** **Rondo A.S.** **Flush valve for WC** ¾“ brass **GROHE StarLight** chrome finish for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment **6 - 9 l** adjustable with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)	**chrome**	**207.40**
 	**37 349 000** **Rondo A.S.** **Flush valve for WC** ¾“ brass **integrated stop valve** **GROHE StarLight** chrome finish for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment **6 - 9 l** adjustable with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)	**chrome**	**240.10**
 	**37 141 000** **DAL-full-automatic flush valve for WC** ¾“ brass **GROHE StarLight** chrome finish for wash-down and wash-out bowls with automatic flow rate flow pressure range from 1.2 - 5.0 bar low noise (group II according to German noise specification)	**chrome**	**101.20**
 	**37 139 000** **DAL-automatic flush valve for WC** 3/4“ brass **GROHE StarLight** chrome finish for wash-down and wash-out bowls with flow rate adjustment	**chrome**	**100.90**
 	**37 132 000** **Fixing device** hidden fixing screws for flush pipes Ø 28 mm for distance to the wall from 15 - 85 mm	**chrome**	**21.70**



* price on request
N = Net = price based on net price

GROHE
WC FLUSH VALVES

	Article No.	Colour	Price
 	**37 133 000** **Inlet adaptor** for corner installation ¾“		**59.30**
 	**37 107 000** **Flush pipe** for WC flush valve Ø 28 x 26 mm **600 x 200 mm** brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector	**chrome**	**66.30**
 	**37 112 000** **Flush pipe** for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass		**89.70**
 	**37 108 000** **Flush pipe** for WC flush valve Ø 28 x 26 mm **1000 x 200 mm** straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector	**chrome**	**59.20**
 	**37 114 000** **Flush pipe extension** Ø 28 x 26 mm 260 mm brass	**chrome**	**25.00**
 	**42 041 000** **Flush pipe set** for WC flush valve Rondo A.S. for **squatting WC** flush pipe 850 mm distributor for the flush pipe flush pipe fixing device	**chrome**	**125.30**

*** price on request**
N = Net = price based on net price


GROHE
WC FLUSH VALVES

	Article No.	Colour	Price
 	**37 135 000** **Connector** 55 mm for flush valve to pedestal WC		**4.70**

GROHE
WC FLUSH VALVES

	Article No.	Colour	Price






37 153 000 **291.50**

Flush valve for WC
concealed installation
¾“
stop valve
6 - 9 l adjustable
flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation
low noise (group I acc. to German Noise Specification)






37 157 000 **256.90**


Flush valve for WC
concealed installation
¾“
stop valve
6 - 14 l adjustable
for low pressure
for wash-down and wash-out bowls
flow pressure range from 0.6 - 3.0 bar
(min. static pressure 1.5 bar)
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation






37 048 000 **455.50**

Flush valve for WC
concealed installation
¾“
with **connection** to solenoid valve
stop valve
6 - 9 l adjustable
flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
2 m connecting cable
box for concealed installation with
flush elbow
concealed flush pipe
without electronic actuation






43 996 000 **195.90**

Flush valve for WC
concealed installation
¾“
retrofit for 677.00.200/677.03.200/680.00.200
without stop valve
without flush pipe










43 997 000 **189.70**

Flush valve for WC
¾“
retrofit for 677.00.500/677.03.500/680.00.500
for low pressure
without stop valve
without flush pipe


reference:
model 677. with stainless steel actuation is to be replaced by ref. 43 997 and 43 179 P00 (plastic actuation).

*** price on request**
N = Net = price based on net price


GROHE
WC FLUSH VALVES

	Article No.	Colour	Price
 	**42 902 000**	**chrome**	**374.50**
	Flush valve for WC concealed installation ¾" **6 - 9 l** adjustable stainless steel wall plate **without stop valve** without flush pipe **to replace** against model **663.04.200 (G1)**		
 	**42 901 000**	**chrome**	**356.50**
	Flush valve for WC ¾" concealed installation **6 - 9 l** adjustable wall plate Classic, 220 x 255 mm **GROHE StarLight** chrome finish **without stop valve** **without flush pipe** **retrofit** for **622.03.200 (G¾)** **623.03.200 (G¾)** **669.03.200 (G¾)** **668.03.200 (G¾)** **670.03.200 (G¾)**		
 	**37 102 SH0**	**alpine white**	**26.20**
	Inlet set connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC connector escutcheon		
 	**37 131 000**		**7.50**
	Set for noise protection for WC sound insulation 2 rubber pipes		


GROHE
WC ELECTRONIC

	Article No.	Colour	Price
 	**38 698 SD1**	**stainless steel**	**574.30**


Tectron Skate
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved

 	**38 699 001**	**chrome**	**579.80**

Tectron Surf
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
GROHE StarLight chrome finish
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved

 	**37 419 000** **37 419 SD0**	**chrome** **stainless steel**	**743.30** **717.10**

Tectron Skate
Infra-red electronic for WC flushing cistern
with additional manual actuation
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
GROHE StarLight finish
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for single flush actuation
for flushing cistern GD 2
servo motor
concealed installation
hidden fixing screws
front plate 156 x 197 mm
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved

 	**38 393 SD1**	**stainless steel**	**574.30**


Tectron Skate
Infra-red electronic for WC flush valve
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
concealed installation
front plate 156 x 197 mm
infra-red control
solenoid valve
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved

*** price on request**
N = Net = price based on net price

GROHE
WC ELECTRONIC

	Article No.	Colour	Price






43 617 000 **93.40**

Motor support device
for Rapid SL 38 675
for the disabled
as of mid 2008
for installation of infra-red electronic






38 759 SD0 **stainless steel** **861.20**

Radio electronic
for WC
receiver modul 868,4 MHz
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
for flushing cistern GD 2, for flushing cistern 6 l
concealed installation, front plate 156 x 197 mm
servo motor
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
adjustable flush volume
adjustable flow time
72 h flushing can be activated
with extension cable, 3.00 m length,
for connecting transformer and
electronic
CE approved






39 141 000 **646.00**

Radio electronic
for WC with flushing cistern GD2
receiver modul 868,4 MHz
for wall sender 39 142 000 or radio transmitter 38 758 000
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
servo motor
integrated battery box for 4 x 1.5 V Mono D (LR20)
adjustable flush volume
72 h flushing can be activated
Dual Flush possible (6/3 or 9/4.5 l)
WC actuation plate and batteries are not included
CE approved






39 142 000 **259.00**

Radio transmitter
for WC receiver module 39 141 000, 38 759 SD0
frequency 868.4 MHz
with option for Dual Flush
can be integrated into a standard electricity box
(measurements according to DIN 49073)
CE approved







38 934 SD0 **stainless steel** **524.00**


WC control for manual remote actuation
for concealed flushing cisterns, 6 - 9 l
for connecting one or more potential-free actuation buttons via cable
suitable for support rails for the disabled with integrated actuation button
from Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
stainless steel wall plate 156 x 197 mm
transformer for external installation
operating voltage 230 V AC, 50/60 Hz, 4.0 VA
servo motor
3 m connecting cable
for the connection of transformer and electronic
3 m connection cable with plug
CE approved
delivery range without actuation button/support rails

GROHE
WC ELECTRONIC


	Article No.	Colour	Price
 	36 340 000 **Power extension cable** length 3.00 m		55.40
 	36 341 000 **Power extension cable** length 10.00 m		112.80

* price on request
N = Net = price based on net price


GROHE
WC ELECTRONIC

	Article No.	Colour	Price
 	**43 977 000**	**chrome**	**234.60**


Pneumatic actuation
GROHE StarLight chrome finish
remote **hand**-actuation for
institutional requirements
push button with escutcheon Ø 100 mm
for walls of 80 - 240 mm thickness
actuation stop
pneumatic hose 1.50 m

	Article No.	Colour	Price
 	**37 059 000**	**chrome**	**194.80**

Pneumatic actuation
GROHE StarLight chrome finish
remote hand actuation
push button actuation with
escutcheon Ø 100 mm
vertical and horizontal installation
wall plate Surf 156 x 197 mm
pneumatic hose 1.50 m

	Article No.	Colour	Price
 	**37 060 000**	**chrome**	**120.70**

Pneumatic actuation
GROHE StarLight chrome finish
push button actuation with
escutcheon Ø 100 mm
pneumatic hose 1.50 m
without wall plate

	Article No.		Price
 	**36 407 001**		**443.00**


Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

GROHE
URINAL ELECTRONIC

	Article No.	Colour	Price






37 421 000 **chrome** **433.30**

Tectron Rondo
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
metal housing
exposed installation
flow pressure min 0.5 bar
operating pressure max 10 bar
with integrated stop valve
flush pipe with rubber connector
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
CE approved






37 426 000 **chrome** **496.10**

Tectron Rondo
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
metal housing
exposed installation
flow pressure min 0.5 bar
operating pressure max 10 bar
G 1/2
with integrated stop valve
flush pipe with rubber connector
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
CE approved






37 427 000 **chrome** **341.20**

Tectron retro-fit unit 1/2“
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
metal housing
exposed installation
for urinal flush valve 37 021 and variants
flow pressure min 0.5 bar
operating pressure max 10 bar
with piston
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
CE approved

*** price on request**
N = Net = price based on net price

GROHE
URINAL ELECTRONIC






Article No.	Colour	Price
37 428 000	**chrome**	**327.00**

Tectron retro-fit unit 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
metal housing
exposed installation
for urinal flush valve 37 339 000 and variants
flow pressure min 0.5 bar
operating pressure max 10 bar
with piston
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
CE approved

GROHE
URINAL ELECTRONIC

	Article No.	Colour	Price






37 336 001	**chrome**	**511.70**

Tectron Surf
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U
CE approved






37 337 001	**chrome**	**511.70**

Tectron Surf
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U or Rapido UMB
CE approved





37 321 001	**chrome**	**491.80**
37 321 SH1	**alpine white**	**511.70**
37 321 SD1	**stainless steel**	**504.40**


Tectron Skate
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U
CE approved

*** price on request**
N = Net = price based on net price

GROHE
URINAL ELECTRONIC

	Article No.	Colour	Price






37 324 001	**chrome**	**519.70**
37 324 SD1	**stainless steel**	**514.70**

Tectron Skate
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U or Rapido UMB
CE approved






37 751 001	**chrome**	**460.00**

Tectron
Retro-fit unit
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
exposed installation
for concealed urinal flush valve 37 017
and DAL 509
metal housing 145 x 90 x 45 mm
solenoid valve with dirt strainer
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
CE approved






37 338 000	**134.30**

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and
masonry-in
shortable inspection shaft incl. protection







38 787 000	**108.20**

GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
installation box with gasket
fixing points for dry cladding and
masonry-in

GROHE
URINAL ELECTRONIC

	Article No.	Colour	Price






38 896 000 **62.60**

Extension-set, 50 mm
for Rapido U or Rapido UMB
shaft extension with fixing material






36 407 001 **443.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply






39 368 000 **625.50**

Temperature sensor for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
can be used with 39 376 000
siphon with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
CE approved





39 367 000 **625.50**


Temperature sensor for urinal
6 V lithium battery, type CR-P2
with water connection set and stop valve
siphon with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
CE approved
only for certain urinal ceramics, check online TPI

*** price on request**
N = Net = price based on net price

GROHE
URINAL ELECTRONIC

Article No.	Colour	Price
39 369 000		**853.00**










Temperature sensor with Bluetooth for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
can be used with 39 376 000
siphon with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
for Apple** and Android devices
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
shut-off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved






Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

GROHE
URINAL FLUSH VALVES

		Article No.	Colour	Price
		**37 339 000** **Rondo** **Flush valve for urinal** 1/2“ brass **integrated stop valve** **GROHE StarLight** chrome finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar	**chrome**	**140.80**
		**37 342 000** **Rondo** **Flush valve for urinal** 1/2“ brass vandal proof by metal actuation knob **integrated stop valve** **GROHE StarLight** chrome finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar	**chrome**	**155.20**
		**37 345 000** **Rondo** **Flush valve for urinal** 1/2“ brass **integrated stop valve** **GROHE StarLight** chrome finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar	**chrome**	**153.90**
		**37 346 000** **Rondo** **Flush valve for urinal** 1/2“ brass **without stop valve** **GROHE StarLight** chrome finish with control cap and flush pipe connection flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar	**chrome**	**99.00**
		**37 396 000** **Press urinal flush valve** 1/2“ brass **GROHE StarLight** chrome finish with wall escutcheon	**chrome**	**117.20**


*** price on request**
N = Net = price based on net price

GROHE
URINAL FLUSH VALVES

	Article No.	Colour	Price
 	**37 044 000** **Inlet connecting set 1/2"** for urinal bowls with inlet from back connector Ø 33.5 - 38 mm		**12.10**
 	**37 035 000** **Urinal flush pipe** Ø 18 mm 200 mm brass chrome plated straight	**chrome**	**11.40**
 	**37 036 000** **Urinal flush pipe** Ø 18 mm 200 mm brass chrome plated offset 10 mm	**chrome**	**21.70**
	37 037 000 **Offset 20 mm**	**chrome**	**22.80**
 	**37 038 000** **Urinal flush pipe** Ø 18 mm 200 mm brass chrome plated offset 30 mm	**chrome**	**25.00**
	37 039 000 **ditto, offset 40 mm**	**chrome**	**27.40**
 	**37 040 000** **Urinal flush pipe** Ø 18 mm 200 mm brass chrome plated offset 50 mm	**chrome**	**29.60**
 	**37 043 000** **Urinal flush pipe** Ø 18 mm 400 mm brass straight	**chrome**	**39.90**






*** price on request**
N = Net = price based on net price

GROHE
URINAL FLUSH VALVES

	Article No.	Colour	Price
 	**37 042 000**	**chrome**	**19.40**
	Flush pipe extension Ø 16 mm 200 mm brass		

*** price on request**
N = Net = price based on net price

GROHE
URINAL FLUSH VALVES

	Article No.	Colour	Price
 	37 338 000		134.30
	GROHE Rapido U roughing-in set for urinal **for manual actuation or Tectron infra-red electronic 6 V or 230 V** water group with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread connecting box for mains supply installation box with gasket fixing points for dry cladding and masonry-in shortable inspection shaft incl. protection		
 	38 787 000		108.20
	GROHE Rapido UMB roughing-in set for urinal **for manual actuation or Tectron infra-red electronic 6 V** water group with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread installation box with gasket fixing points for dry cladding and masonry-in		
 	38 896 000		62.60
	Extension-set, 50 mm **for Rapido U or Rapido UMB** shaft extension with fixing material		
 	43 040 000		22.80
	Converter set for wall plate Surf for manual urinal flush valve concealed installation for installation on model 509. **without wall plate/actuation**		
 	43 310 000	chrome	78.00
	Fixing nut		
	43 818 000	chrome	3.40
	Adapter for urinal with inlet pipe 1/2" **GROHE StarLight** chrome finish		

FLUSHING SYSTEMS

* price on request
N = Net = price based on net price

GROHE
ACTUATIONS






CONTENTS

WC	Wall plates for WC	574
	GROHE Fresh	580
Urinal	Wall plates for urinal	581

GROHE
WALL PLATES FOR WC






Article No.	Colour	Price
37 535 000	chrome	80.00
37 535 P00	matt chrome	80.00
37 535 SH0	alpine white	66.60
37 535 DC0	supersteel	175.30
37 535 BE0	polished nickel	175.30
37 535 EN0	brushed nickel	175.30
37 535 GL0	cool sunrise	175.30
37 535 GN0	brushed cool sunrise	175.30
37 535 DA0	warm sunset	175.30
37 535 DL0	brushed warm sunset	175.30
37 535 A00	hard graphite	175.30
37 535 AL0	brushed hard graphite	175.30

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small shaft 40 911 000 sold separately






Article No.	Colour	Price
37 601 000	chrome	97.40
37 601 P00	matt chrome	97.40
37 601 SH0	alpine white	80.00
37 601 DC0	supersteel	175.30
37 601 BE0	polished nickel	175.30
37 601 EN0	brushed nickel	175.30
37 601 GL0	cool sunrise	175.30
37 601 GN0	brushed cool sunrise	175.30
37 601 DA0	warm sunset	175.30
37 601 DL0	brushed warm sunset	175.30
37 601 A00	hard graphite	175.30
37 601 AL0	brushed hard graphite	175.30

Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small shaft 40 911 000 sold separately










Article No.	Colour	Price
37 624 000	chrome	97.40
37 624 P00	matt chrome	97.40
37 624 SH0	alpine white	80.00
37 624 DC0	supersteel	175.30
37 624 BE0	polished nickel	175.30
37 624 EN0	brushed nickel	175.30
37 624 GL0	cool sunrise	175.30
37 624 GN0	brushed cool sunrise	175.30
37 624 DA0	warm sunset	175.30
37 624 DL0	brushed warm sunset	175.30
37 624 A00	hard graphite	175.30
37 624 AL0	brushed hard graphite	175.30

Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small shaft 40 911 000 sold separately






*** price on request**
N = Net = price based on net price

GROHE
WALL PLATES FOR WC

	Article No.	Colour	Price
 	**40 911 000**		**15.40**
	Revision shaft for small flush plates for combination with Rapid SL and Uniset GD 2 cisterns		
	40 950 000	**chrome**	**19.50**
	ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height		
 	**38 915 KS0** **38 915 LS0**	**velvet black** **moon white**	**905.90** **921.70**
	Veris Light **Flush plate** for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green light colour individually adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable **transformer for external installation** **110 V to 240 V 50/60 Hz broad range power supply**, 9 VA CE approved for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass **GROHE EcoJoy** technology for less water and perfect flow not suitable for GROHE Fresh		
 	**38 809 000**	**chrome**	**566.80**
	Nova Cosmopolitan Light **Flush plate** for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green light colour individually adjustable on/off button timer for individual regulation of illuminating period 3 m connecting cable **transformer for external installation** **operating voltage 230 V AC**, 50/60 Hz, 2.0 VA CE approved for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow		
 	**38 765 000** **38 765 SH0** **38 765 P00**	**chrome** **alpine white** **matt chrome**	**73.70** **58.00** **72.30**
	Nova Cosmopolitan **Flush plate** for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow		
 	**38 845 KS0** **38 845 LS0** **38 845 MF0**	**velvet black** **moon white** **chrome/ daVinci satin**	**252.50** **251.30** **239.60**
	Skate Cosmopolitan **Flush plate** with glass surface for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting-set **GROHE StarLight** finish **GROHE EcoJoy** technology for less water and perfect flow		





*** price on request**
N = Net = price based on net price

GROHE
WALL PLATES FOR WC

	Article No.	Colour	Price
 	**38 916 0A0**	**mirror glass**	**299.70**
	Skate Cosmopolitan **Flush plate** with mirror surface plastic actuation buttons, titanium for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting-set **GROHE EcoJoy** technology for less water and perfect flow		
 	**38 957 000**	**chrome**	**105.30**
	Mounting set for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness for vertical or horizontal use protection plate dismantling tool for wall plate fixing material		
 	**38 821 000**	**chrome**	**229.00**
	Skate Cosmopolitan **Flush plate** for dual flush or start & stop actuation vandal-proof for pneumatic discharge valve AV1 vertical installation 156 x 197 mm made of brass **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow		
 	**38 732 SD0**	**stainless steel**	**162.20**
	Skate Cosmopolitan **Wall plate, stainless steel** for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm plastic fixing frame hidden fixing screws not suitable for GROHE Fresh **GROHE StarLight** finish **GROHE EcoJoy** technology for less water and perfect flow		
	38 776 SD0 **ditto, horizontal installation**	**stainless steel**	**150.20**
 	**38 732 000**	**chrome**	**65.00**
	38 732 DC0	**supersteel**	**147.60**
	38 732 SH0	**alpine white**	**53.30**
	38 732 P00	**matt chrome**	**60.50**
	38 732 BE0	**polished nickel**	**139.60**
	38 732 EN0	**brushed nickel**	**139.60**
	38 732 GL0	**cool sunrise**	**141.00**
	38 732 GN0	**brushed cool sunrise**	**139.60**
	38 732 DA0	**warm sunset**	**141.00**
	38 732 DL0	**brushed warm sunset**	**139.60**
	38 732 A00	**hard graphite**	**141.00**
	38 732 AL0	**brushed hard graphite**	**141.00**
	Skate Cosmopolitan **Flush plate** for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow		
	38 732 BR0 **ditto, with anti-fingerprint surface**	**titanium**	**120.80**







*** price on request**
N = Net = price based on net price

GROHE
WALL PLATES FOR WC

	Article No.	Colour	Price
	**38 844 000**	**chrome**	**74.30**
	38 844 SH0	**alpine white**	**59.20**
	38 844 P00	**matt chrome**	**72.20**
	**Arena Cosmopolitan** **Flush plate** for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm made of ABS **GROHE EcoJoy** technology for less water and perfect flow **GROHE StarLight** chrome finish		
	38 858 000	**chrome**	**71.50**
	38 858 SH0	**alpine white**	**57.50**
	38 858 P00	**matt chrome**	**70.80**
	ditto, horizontal installation		
	**38 505 000**	**chrome**	**46.20**
	38 505 SH0	**alpine white**	**37.90**
	38 505 P00	**matt chrome**	**72.80**
	**Skate Air** **Flush plate** for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow		
	38 506 000	**chrome**	**64.70**
	38 506 SH0	**alpine white**	**65.00**
	38 506 P00	**matt chrome**	**78.60**
	ditto, horizontal installation		
	**38 862 000**	**chrome**	**66.00**
	38 862 SH0	**alpine white**	**54.10**
	38 862 P00	**matt chrome**	**67.80**
	38 862 SD0	**stainless steel**	**131.10**
	**Skate** **Flush plate** for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow		
	**38 861 000**	**chrome**	**73.10**
	**Surf** **Flush plate** for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow		





*** price on request**
N = Net = price based on net price

GROHE
WALL PLATES FOR WC


	Article No.	Colour	Price
 	**38 564 000** **38 564 SH0**	**chrome** **alpine white**	**75.60** **67.50**
	Skate Air **Flush plate** for single flush actuation for pneumatic discharge valve vertical installation 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow		
	38 565 000 **38 565 SH0**	**chrome** **alpine white**	**44.40** **68.30**
	ditto, horizontal installation		
 	**38 573 000** **38 573 SH0** **38 573 P00**	**chrome** **alpine white** **matt chrome**	**59.80** **53.60** **62.60**
	Skate **Flush plate** for single flush actuation for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow		
 	**38 672 SD0**	**stainless steel**	**135.60**
	Skate **Wall plate, stainless steel** for single flush actuation vandal-proof for pneumatic discharge valve vertical installation 156 x 197 mm plastic fixing frame hidden fixing screws **GROHE EcoJoy** technology for less water and perfect flow		
 	**38 574 000**	**chrome**	**61.60**
	Surf **Flush plate** for single flush actuation for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow		
  	**37 059 000**	**chrome**	**194.80**
	Pneumatic actuation **GROHE StarLight** chrome finish remote hand actuation push button actuation with escutcheon Ø 100 mm vertical and horizontal installation wall plate Surf 156 x 197 mm pneumatic hose 1.50 m		
 	**43 977 000**	**chrome**	**234.60**
	Pneumatic actuation **GROHE StarLight** chrome finish remote **hand**-actuation for **institutional requirements** push button with escutcheon Ø 100 mm for walls of 80 - 240 mm thickness actuation stop pneumatic hose 1.50 m		

*** price on request**
N = Net = price based on net price


GROHE
WALL PLATES FOR WC

	Article No.	Colour	Price
 	**37 060 000** **Pneumatic actuation** **GROHE StarLight** chrome finish push button actuation with escutcheon Ø 100 mm pneumatic hose 1.50 m **without wall plate**	**chrome**	**120.70**
 	**38 771 000** **Pneumatic push button actuation** for dual flush or start & stop actuation Ø 48 mm in combination with bath furniture or removable claddings for cistern inspection for material thickness from 18 -24 mm pneumatic hose 600 mm **GROHE StarLight** chrome finish	**chrome**	**40.80**
 	**38 714 000** **Extension set 70 mm** for wall plates/actuations for flushing cistern GD 2, 6 - 9 l with pneumatic discharge valve		**19.40**

GROHE FRESH

	Article No.	Colour	Price
 	**38 805 000**	**chrome**	**136.50**

Skate Cosmopolitan Set Fresh
Flush plate
for dual flush or start & stop actuation
with **GROHE Fresh**
fixing frame with opening function
with box for support of aromatic tabs
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

 	**38 796 000**	**70.60**






GROHE Fresh
Retro-fit set
for GROHE flushing cistern GD 2 with pneumatic
discharge valve and regular inspection shaft
not suitable for Skate Cosmopolitan with
wood or glass or metal surface
fixing frame with opening function
with box for support of aromatic tabs
for chlorine-free tabs only
for all GROHE wall plates 156 x 197 mm

	**38 882 000**	**8.00**

GROHE Fresh
Tabs
2 x 50 g WC tabs
every flush creates foam which cleans the toilet
fragrance ensures long-lasting freshness
protects against re-pollution and maintains long term cleanliness
reduces limescale and ensures radiant purity in the toilet
true feeling of freshness
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



*** price on request**
N = Net = price based on net price

GROHE
WALL PLATES FOR URINAL

	Article No.	Colour	Price
 	**38 846 LS0** **38 846 KS0**	**moon white** **velvet black**	**310.30** **313.20**
	Skate Cosmopolitan **Actuation plate** with glass surface made of security glass manual activation for urinal plastic actuation button, chrome plated **set for final installation for Rapido U or Rapido UMB** fixing frame with mounting-set 116 x 144 mm, mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification)		
 	**38 784 000** **38 784 SH0** **38 784 P00**	**chrome** **alpine white** **matt chrome**	**119.50** **111.70** **118.10**
	Skate Cosmopolitan **Actuation plate** manual activation for urinal **set for final installation for Rapido U or Rapido UMB** 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) **GROHE StarLight** chrome finish		
 	**38 784 SD0**	**stainless steel**	**184.50**
	Skate Cosmopolitan **Wall plate, stainless steel** manual activation for urinal **set for final installation for Rapido U or Rapido UMB** 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) plastic fixing frame hidden fixing screws		
 	**38 804 000** **38 804 SH0**	**chrome** **alpine white**	**119.20** **108.50**
	Nova Cosmopolitan **Actuation plate** manual activation for urinal **set for final installation for Rapido U or Rapido UMB** 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) **GROHE StarLight** chrome finish		
 	**38 857 000** **38 857 SH0** **38 857 P00**	**chrome** **alpine white** **matt chrome**	**121.90** **110.60** **119.20**
	Arena Cosmopolitan **Actuation plate** manual activation for urinal **set for final installation for Rapido U or Rapido UMB** 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) **GROHE StarLight** chrome finish		

*** price on request**
N = Net = price based on net price

GROHE
WALL PLATES FOR URINAL

	Article No.	Colour	Price
 	**38 808 000**	**chrome**	**104.00**
	38 808 SH0	**alpine white**	**94.00**
	38 808 P00	**matt chrome**	**102.70**
	Surf **Actuation plate** manual activation for urinal **set for final installation for Rapido U or Rapido UMB** 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) **GROHE StarLight** chrome finish		
 	**38 595 000**	**chrome**	**37.60**
	38 595 P00	**matt chrome**	**48.90**
	38 595 SH0	**alpine white**	**23.90**
	Skate **Flush plate** 116 x 144 mm with push button actuation **GROHE StarLight** chrome finish		

*** price on request**
N = Net = price based on net price


GROHE

GROHE
CONNECTION AND SECURITY TECHNOLOGY






CONTENTS

Angle Valves	586
WAS valves	589
Safety systems	593
Eurotec valves	595

GROHE
ANGLE VALVES

Article No.	Colour	Price
22 039 000	**chrome**	**8.20**
22 039 DC0	**supersteel**	**12.30**
22 039 BE0	**polished nickel**	**13.30**
22 039 EN0	**brushed nickel**	**14.40**
22 039 GL0	**cool sunrise**	**13.30**
22 039 GN0	**brushed cool sunrise**	**14.40**
22 039 DA0	**warm sunset**	**12.30**
22 039 DL0	**brushed warm sunset**	**14.40**
22 039 A00	**hard graphite**	**13.30**
22 039 AL0	**brushed hard graphite**	**13.30**






Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

---

22 043 000	**chrome**	**7.00**






Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

---

22 037 000	**chrome**	**7.50**
22 037 DC0	**supersteel**	**11.30**
22 037 BE0	**polished nickel**	**11.30**
22 037 EN0	**brushed nickel**	**12.30**
22 037 GL0	**cool sunrise**	**11.30**
22 037 GN0	**brushed cool sunrise**	**12.30**
22 037 DA0	**warm sunset**	**11.30**
22 037 DL0	**brushed warm sunset**	**12.30**
22 037 A00	**hard graphite**	**11.30**
22 037 AL0	**brushed hard graphite**	**12.30**






Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

---

22 041 000	**chrome**	**6.00**












Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

*** price on request**
N = Net = price based on net price

GROHE
ANGLE VALVES






	Article No.	Colour	Price
 	**22 023 000**	**chrome**	**5.70**
	Angle valve 1/2“ self-sealing connection thread wall connection 1/2“ outlet 3/8“ with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm **GROHE StarLight** finish		
 	**22 018 000**	**chrome**	**4.80**
	Angle valve 1/2“ pre-roughened connection thread for easy sealing wall connection 1/2“ outlet 3/8“ with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm **GROHE StarLight** finish		
 	**22 025 00M**	**chrome**	**44.70**
	Angle valve 1/2“ pre-roughened connection thread for easy sealing wall connection 1/2“ outlet 1/2“ water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm **GROHE StarLight** finish sales unit 10 pieces		
 	**22 052 000**	**chrome**	**10.40**
	Angle valve 3/8“ self-sealing connection thread wall connection 3/8“ outlet 3/8“ with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm **GROHE StarLight** finish		
 	**22 053 000**	**chrome**	**8.90**
	Angle valve 3/8“ pre-roughened connection thread for easy sealing wall connection 3/8“ outlet 3/8“ with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm **GROHE StarLight** finish		

GROHE
ANGLE VALVES

	Article No.	Colour	Price
	**41 263 000**	**chrome**	**21.70**
	**Egaplus service valve 1/2"** wall connection 1/2" outlet 3/8" with length compensation with compression nut Ø 10 mm ergonomic handle marking: neutral metal push-on escutcheon		
	**22 012 000** **22 012 DC0** **22 012 AL0**	**chrome** **supersteel** **brushed hard graphite**	**46.40** **71.00** **81.00**
	**Eurocube** **Angle valve 1/2"** wall connection 1/2" outlet 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon **GROHE StarLight** finish		

*** price on request**
N = Net = price based on net price

GROHE
WAS VALVES


	Article No.	Colour	Price
 	**22 036 000** **Original WAS combination service valve 1/2“** self-sealing connection thread wall connection 1/2“ outlet 3/8“ with length compensation with compression nut Ø 10 mm outlet 3/4“ with hose connection grease chamber headpart non-return valve type EB long connecting shaft ergonomic handles marking: neutral metal push-on escutcheon Ø 55 mm **GROHE StarLight** finish for combination with pipe ventilating valve type HB 41 239 000	**chrome**	**23.10**
	22 035 000 **ditto, non self-sealing**	**chrome**	**21.60**
 	**22 034 000** **Original WAS combination service valve 3/8“** self-sealing connection thread wall connection 3/8“ outlet 3/8“ with length compensation with compression nut Ø 10 mm outlet 3/4“ with hose connection grease chamber headpart non-return valve type EB long connecting shaft ergonomic handles marking: neutral metal push-on escutcheon Ø 55 mm **GROHE StarLight** finish for combination with pipe ventilating valve type HB 41 239 000	**chrome**	**24.50**
	22 033 000 **ditto, non self-sealing**	**chrome**	**20.80**
 	**41 073 000** **Original WAS combination service valve 1/2“** wall mounted cartridge headpart for closable copper pipe connection grease chamber headpart 3/8“ for closable hose connection non-return valve type EB protected against backflow **GROHE StarLight** finish	**chrome**	**27.40**
	41 082 000 **ditto, 1/2“, with pipe ventilating valve**	**chrome**	**50.20**
 	**41 070 000** **Original WAS combination service valve 3/8“** wall mounted cartridge headpart for closable copper pipe connection grease chamber headpart 3/8“ for closable hose connection non-return valve type EB protected against backflow **GROHE StarLight** chrome finish for combination with pipe ventilating valve type HB 41 239 000	**chrome**	**29.20**
 	**41 030 000** **Original WAS valve „Eckfix“ 3/8“** installation on service valve axis dimension 60 mm grease chamber headpart 3/8“ for closable hose connection non-return valve type EB protected against backflow **GROHE StarLight** chrome finish for combination with pipe ventilating valve type HB 41 239 000	**chrome**	**34.60**

* price on request
N = Net = price based on net price

GROHE
WAS VALVES

	Article No.	Colour	Price






41 031 000 **chrome** **37.00**

Original WAS valve „Eckfix" 3/8"
installation on service valve
axis dimension 60 mm
grease chamber headpart 3/8" for closable hose connection
non-return valve type EB
spacer
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000






41 033 000 **chrome** **57.20**

Original WAS valve „Eckfix" 3/8"
installation on service valve
axis dimension 60 mm
with safety unit type HD (pipe ventilating valve combined with non-return valve)
grease chamber headpart 3/8" for closable hose connection
protected against backflow
GROHE StarLight chrome finish






41 010 000 **chrome** **28.80**

Original WAS connecting valve 1/2"
wall mounted
grease chamber headpart 1/2" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish

41 015 000 **chrome** **49.50**
ditto, 1/2", with pipe ventilating valve






41 190 000 **chrome** **35.30**

Fitting combination 1/2"
wall mounted
slanted seat model
with safety unit type HD (pipe ventilating valve combined with non-return valve)
grease chamber headpart 1/2" for closable hose connection
protected against backflow
GROHE StarLight chrome finish






41 154 000 **chrome** **49.70**

Fitting combination 1/2"
wall mounted
with safety unit type HD (pipe ventilating valve combined with non-return valve)
grease chamber headpart 1/2" for closable hose connection
protected against backflow
GROHE StarLight chrome finish





41 043 000 **chrome** **64.30**

Original WAS valve „Mixer" 3/4"
wall mounted
for wall mixers 1/2"
right-hand connection
grease chamber headpart 1/2" for closable hose connection
non-return valve type EB
spacer
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000


41 040 000 **chrome** **71.20**
ditto, left hand connection

*** price on request**
N = Net = price based on net price

GROHE
WAS VALVES

	Article No.	Colour	Price






41 110 000 **chrome** **48.90**

Original WAS valve „Electro“ 1/2“
wall mounted
grease chamber headpart 3/8“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000






41 050 000 **chrome** **59.30**

Original WAS under-basin valve 1/2“
sink installation
adjustable up to 50 mm
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish
for combination with pipe ventilating valve type HB 41 239 000






41 130 000 **chrome** **51.90**

Eggemann
Original WAS connection adapter 1/2“
sink installation
adjustable up to 70 mm
coupling nut 3/4“
connecting pipe diameter 12 mm
GROHE StarLight chrome finish






41 133 000 **chrome** **33.00**

Eggemann
Original WAS connecting pipe 3/4“
coupling nut 3/4“
connecting pipe diameter 12 mm
GROHE StarLight chrome finish






41 007 000 **chrome** **16.90**

Eggemann
Original WAS T-piece 3/8“
for service valve
connector set 3/8“
GROHE StarLight chrome finish






41 020 000 **chrome** **78.70**

Original WAS double valve „Simple“ 1/2“
wall mounted
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
female thread 1/2“
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000

*** price on request**
N = Net = price based on net price

GROHE
WAS VALVES







	Article No.	Colour	Price
	**41 022 000**	**chrome**	**75.30**



Original WAS double valve „Simple“ 1/2“
wall mounted
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000

*** price on request**
N = Net = price based on net price

GROHE
SAFETY SYSTEMS

	Article No.	Colour	Price
 	**41 230 000**	**chrome**	**35.30**
	Pipe-ventilating valve 1/2“ with safety unit type HD (pipe ventilating valve combined with non-return valve) vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717		
	41 231 000 **ditto, 3/4“**	**chrome**	**36.70**
 	**41 238 000**	**chrome**	**24.00**
	Pipe-ventilating valve 1/2“ type HB vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717 **GROHE StarLight** chrome finish		
	41 239 000 **ditto, 3/4“**	**chrome**	**22.40**
 	**41 270 000**	**chrome**	**30.90**
	Non-return valve 3/8“ for service valve connector set Ø 10 mm (3/8“) coupling nut 3/8“ safety unit type EB vertical or horizontal installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717 **GROHE StarLight** finish		
 	**41 126 000**	**chrome**	**47.50**
	Original WAS hose-connecting elbow 1/2“ wall mounted pipe ventilating valve type HB protected against backflow **GROHE StarLight** chrome finish		
	41 125 000 **ditto, without pipe ventilating valve**	**chrome**	**25.10**
 	**41 001 000**	**chrome**	**23.90**
	Original WAS hose-burst protection 3/4“ for 1/2“ hoses female thread 3/4“ male thread 3/4“ **GROHE StarLight** chrome finish		
 	**41 275 000**	**chrome**	**53.10**
	Original WAS inclined filter 3/4“ suitable for cold and warm water up to + 80° C transparent cap mesh width 315 µm stainless steel filter insert **GROHE StarLight** chrome finish		




* price on request
N = Net = price based on net price

GROHE
SAFETY SYSTEMS

	Article No.	Colour	Price
	**41 827 000**		**24.00**
	Strainer for original WAS inclined filter transparent cap mesh width 315 µm stainless steel filter insert		

*** price on request**
N = Net = price based on net price

GROHE
EUROTEC VALVES

	Article No.	Colour	Price
 	**41 212 000**	**chrome**	**157.10**
	Eurotec complete outside wall valve 1/2“ frost-proof via automatic draining for each closing operation socket spanner and sanitary handle red brass valve seat non-return valve type EB installation depth > or equal to 260 mm CU connection 15 mm and male thread 1/2“ through bore 26 mm protected against backflow for combination with pipe ventilating valve type HB 41 239 000		
 	**41 208 000**	**chrome**	**183.40**
	Eurotec outside wall valve kit 1/2“ frost-proof via automatic draining for each closing operation socket spanner and sanitary handle red brass valve seat non-return valve type EB installation depth of 170 - 500 mm CU connection 15 mm and male thread 1/2“ rotation lock through bore 35 mm protected against backflow for combination with pipe ventilating valve type HB 41 239 000		
 	**41 206 000**	**chrome**	**194.80**
	Eurotec outside wall valve kit 1/2“ with safety unit type HD (pipe ventilating valve combined with non-return valve) frost-proof via automatic draining for each closing operation socket spanner and sanitary handle red brass valve seat installation depth of 170 - 500 mm CU connection 15 mm and male thread 1/2“ rotation lock through bore 35 mm protected against backflow		

*** price on request**
N = Net = price based on net price

GROHE
SPARE PARTS





CONTENTS

Cartridges	598
Thermo elements and thermostatic cartridges	600
Aquadimmer	601
Head parts	602
Extension sets	604
Unions	605
Outlets and spouts	607
Flow straighteners	608
Waste sets and traps	610
Connections and non-return valves	611
Spare parts for electronics	612
Diverters	613
Hoses	614
Spare parts for kitchen faucets	615
Spare parts for showers	616
Spare parts for accessories	617
Special tools	618
Cleaning and care	619
Spare parts for sanitary systems	620
Spare parts for shower toilet	621
Spare parts for Ceramics	622

GROHE CARTRIDGES

Article No.	Colour	Price



46 580 000 **53.60**

Cartridge
28 mm
GROHE SilkMove
with ceramic sealing system
with temperature limiter
for single lever mixers



46 907 000 **55.00**

Cartridge
29 mm
GROHE SilkMove Joystick cartridge
with ceramic sealing system
with o-ring for cartridge fixation nut
for single lever mixers



46 374 000 **46.60**

Cartridge
35 mm
GROHE SilkMove
with ceramic sealing system
with temperature limiter
adjustable flow rate limiter
for single lever mixers



46 863 000 **19.00**

Cartridge
35 mm
GROHE SilkMove ES
with cold start function
with ceramic sealing system
with temperature limiter
adjustable flow rate limiter
for single lever mixers



46 048 000 **46.60**

Cartridge
46 mm
GROHE SilkMove
with ceramic sealing system
adjustable flow rate limiter
for single lever mixers

46 409 000 **43.30**
ditto, for open water heater



46 558 000 **21.50**

Cartridge
for low pressure
35 mm
GROHE SilkMove
with ceramic sealing system
for single lever mixers



46 278 000 **71.60**

Cartridge
with ceramic sealing system
for Euroeco safety mixer batteries



46 308 000 **19.40**

Temperature limiter
for cartridge 46 048 000
please see possible utilisation in current Technical Product Information and spare part documentation in print/online media



46 375 000 **5.50**

Temperature limiter
for cartridge 46 374 000
please see possible utilisation in current Technical Product Information and spare part documentation in print/online media



46 277 000 **10.40**

Temperature limiter
for cartridge 46 278
for Euroeco safety mixer batteries



48 297 000 **57.40**

Cartridge
for Rainshower system SmartControl
push button
including fixation



46 989 000 **50.20**

Cartridge
for SmartControl mixer
including fastening nut

*** price on request**
N = Net = price based on net price

GROHE CARTRIDGES

	Article No.	Colour	Price
	**48 359 000**		**71.30**
	Cartridge for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000		
	**43 813 000**		**202.60**
	Cartridge for Contromix Surf/Public for self-closing basin and shower mixer 1/2"		

	Article No.	Colour	Price
	**49 088 000**		*
	Spindle for SmartControl concealed push for ON-OFF cartridge 48 359 000 including fitting template multi-packaging: 3 pieces		

* price on request
N = Net = price based on net price

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Article No.	Colour	Price



47 450 000 — 109.40

Thermo-element 1/2“
wax element



47 310 000 — 179.60

Thermo-element 3/4“
wax element



47 349 000 — 133.30

Thermo-element 3/8“
wax element



47 217 000 — 55.80

Thermo-element 1/2“
wax element
with non-rising spindle



47 220 000 — 151.40

Thermo-element 3/4“
wax element
with non-rising spindle



47 010 000 — 218.60

Thermo-element 1/2“
bimetal
for Grohmix thermostats



47 111 000 — 273.30

Thermo-element 1/2“
wax element
for Grohmix thermostats



47 012 000 — 218.60

Thermo-element 1/2“
for Grohmix thermostats



47 019 000 — 422.50

Thermo-element 3/4“
bimetal
for Grohmix thermostats



47 439 000 — 108.20

Thermostatic compact cartridge 1/2“
GROHE TurboStat compact cartridge with wax thermoelement

47 175 000 — 126.10
ditto, for inverted waterways, 1/2“



47 483 000 — 63.70

Thermostatic compact cartridge 3/4“
GROHE TurboStat compact cartridge with wax thermoelement

47 186 000 — 218.60
ditto, for inverted waterways, 3/4“



49 028 000 — 67.10

Thermostatic compact cartridge 3/4“
for Grohtherm SmartControl concealed
GROHE TurboStat compact cartridge with wax thermoelement
including fastening nut

*** price on request**
N = Net = price based on net price

GROHE
AQUADIMMER

	Article No.	Colour	Price
	49 084 000		51.00
	Aquadimmer for thermostatic mixers		
	47 364 000		60.80
	Aquadimmer for thermostatic mixers		
	12 433 000		40.90
	Aquadimmer **for exposed fittings**		

* price on request
N = Net = price based on net price

GROHE
HEAD PARTS

Article No.	Colour	Price	
11 003 000	**chrome**	22.90	**Headpart 3/8“** Trecorn handle marking: blue **GROHE StarLight** chrome finish
11 006 000	**chrome**	23.60	**ditto, marking red**
45 966 000	**chrome**	12.40	**ditto, marking blue, in cartons of 10**
45 967 000	**chrome**	12.70	**ditto, marking red, in cartons of 10**



Article No.	Colour	Price	
11 101 000	**chrome**	29.90	**Headpart 1/2“** Trecorn handle marking: blue **GROHE StarLight** chrome finish
11 102 000	**chrome**	29.90	**ditto, marking red**
45 968 000	**chrome**	27.10	**ditto, marking blue, in cartons of 10**
45 969 000	**chrome**	27.10	**ditto, marking red, in cartons of 10**



Article No.	Colour	Price	
11 104 000	**chrome**	57.10	**Headpart 3/4“** Trecorn handle marking: blue **GROHE StarLight** chrome finish
11 105 000	**chrome**	56.90	**ditto, marking red**



Article No.	Colour	Price	
45 951 000	**chrome**	12.50	**Headpart 1/2“** brilliant handle marking: blue in cartons of 10



Article No.	Colour	Price	
45 956 000	**chrome**	12.70	**Headpart 1/2“** brilliant handle marking: red in cartons of 10



Article No.	Colour	Price	
11 090 000	**chrome**	21.80	**Headpart 1/2“** metal handle heat-insulated screwable marking: blue/red **GROHE StarLight** chrome finish
45 959 000	**chrome**	25.00	**ditto, in cartons of 10**



Article No.	Price	
45 965 000	6.80	**Headpart 3/8“** 20 in a box



Article No.	Price	
45 964 000	6.70	**Headpart 1/2“** 20 in a box



Article No.	Price	
45 346 000	34.20	**Ceramic headpart, 1/2“** with ceramic sealing disks rotation angle 180° stop: right-hand
45 978 000	31.90	**ditto, packaging unit 20**



Article No.	Price	
45 342 000	30.80	**Ceramic headpart, 1/2“** with ceramic sealing disks rotation angle 180° stop: left-hand



Article No.	Price	
45 885 000	52.30	**Ceramic headpart 3/4“** with ceramic sealing disks rotation angle 180° stop: right-hand



Article No.	Price	
45 869 000	31.90	**Concealed headpart 1/2“** with ceramic sealing disks rotation angle 180° stop: right-hand



*** price on request**
N = Net = price based on net price

GROHE
HEAD PARTS

Article No.	Colour	Price



45 882 000 31.00

Ceramic headpart, 1/2"
with ceramic sealing disks
rotation angle 90°
stop: right-hand



45 883 000 31.90

Ceramic headpart, 1/2"
with ceramic sealing disks
rotation angle 90°
stop: left-hand



11 502 000 chrome 38.80

Headpart 1/2"
for concealed valves, 1/2"
Trecorn handle
sliding escutcheon
marking: red
GROHE StarLight chrome finish



11 504 000 chrome 60.50

Headpart 3/4"
for concealed valves, 3/4"
Trecorn handle
sliding escutcheon
marking: blue
GROHE StarLight chrome finish

11 505 000 chrome 60.50
ditto, marking red



11 507 000 chrome 70.40

Headpart 1"
for concealed valves 1"
Trecorn handle
sliding escutcheon
marking: blue
GROHE StarLight chrome finish

11 508 000 chrome 71.20
ditto, marking red



11 541 000 chrome 40.90

Headpart 1/2"
for concealed valves, 1/2"
brilliant handle, heat-insulated
sliding escutcheon
marking: blue
GROHE StarLight chrome finish

11 542 000 chrome 40.90
ditto, marking red

11 544 000 chrome 87.60
ditto, 3/4", marking blue



11 513 000 chrome 81.00

Headpart 1/2"
for concealed valves, 1/2"
Trecorn handle, metal, heat insulated
sliding escutcheon, marking: blue/red
GROHE StarLight chrome finish

11 514 000 chrome 61.60
ditto, for concealed valves, 3/4"



11 515 000 chrome 107.00

Headpart 1"
for concealed valves 1"
Trecorn handle
metal, heat insulated
sliding escutcheon
marking: blue/red
GROHE StarLight chrome finish

11 516 000 chrome 144.60
ditto, for concealed valves, 1 1/4"



11 550 000 chrome 44.20

Headpart 1/2"
for concealed valves, 1/2"
socket spanner, closed cap, sliding escutcheon
GROHE StarLight chrome finish

11 551 000 chrome 52.10
ditto, 3/4"



19 830 000 chrome 31.00

Atlanta
Concealed valve exposed part
set for final installation for
35 028 000
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable
20-80 mm, escutcheon with screwable wall sealing, brilliant handle, marking: blue
GROHE StarLight chrome finish

19 831 000 chrome 31.00
ditto, marking red



19 841 000 chrome 34.20

Atlanta
Concealed valve exposed part
set for final installation for 35 028 000
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable
20 - 200 mm, escutcheon with screwable wall sealing, socket spanner
GROHE StarLight chrome finish

19 840 000 chrome 26.20
ditto, installation depth infinitely adjustable 20-80 mm



19 470 000 chrome 69.60

Grohtherm 3000 Cosmopolitan
Concealed valve exposed part
set for final installation for
35 028 000
GROHE StarLight chrome finish
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable
20-80 mm
metal escutcheon with wall sealing
shut-off handle

* price on request
N = Net = price based on net price

GROHE
EXTENSION SETS

Article No.	Colour	Price



45 202 000 **6.80**

Extension-set, 80 mm
for GROHE concealed valves, 1/2", 3/4", 1"

45 203 000 **13.30**
ditto, 200 mm




46 343 000 **225.40**

Extension set
50 mm
for universal single-lever mixer for concealed installation 1/2"
for use with bath and shower mixer
for use with all trim set designs and surfaces



46 943 000 **467.40**

Extension
25 mm
for single-lever two-hole basin mixer 1/2"
for concealed body 23 200 002, 23 571



46 901 000 **78.50**

Extension-set, 25 mm
for 23 429 000 Joystick mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
including disassembly key



14 048 000 **145.10**

Rapido SmartBox
Universal extension set single-lever mixers, 25 mm
25 mm
fits Grohtherm SmartControl and SmartControl Mixer sets
for final installation with up to three functions in combination
with GROHE Rapido SmartBox



14 056 000 **122.00**

Universal extension set single-lever mixers, 25 mm
fits for concealed single-lever mixers
in combination with **GROHE Rapido SmartBox**



14 057 000 **239.90**

Universal extension set single-lever mixers, 50 mm
fits for concealed single-lever mixers
in combination with **GROHE Rapido SmartBox**



14 058 000 **154.80**

Universal extension set 2-handle thermostats, 25 mm
fits for concealed 2-handle thermostats
in combination with **GROHE Rapido SmartBox**

*** price on request**
N = Net = price based on net price

GROHE UNIONS

Article No.	Colour	Price



12 001 000 **chrome** 17.00
12 001 00M **chrome** 2.50

S-union
1/2" x 3/4"
adjustment range 7.5 mm
screw escutcheon
in dispense of 2 piece at 00M
GROHE StarLight chrome finish



12 050 000 **chrome** 43.30
12 050 00M **chrome** 8.70

S-union
3/8" x 3/4"
adjustment range 17 mm
screw escutcheon
in dispense of 2 piece at 00M
GROHE StarLight chrome finish

12 004 000 **chrome** 31.90
ditto, 1/2" x 1/2", adjustment 10 mm



12 400 000 **chrome** 46.60

S-union, lockable
1/2" x 3/4"
adjustment range 10 mm
sliding escutcheon
GROHE StarLight chrome finish



12 051 000 **chrome** 61.60

S-union, lockable
1/2" x 3/4"
screw socket to cover the union nut and the escutcheon
sealing towards wall
adjustment range 12.5 mm
suitable for 1/2" connections
GROHE StarLight chrome finish



12 005 000 **chrome** 39.90

S-union
male thread, 1/2" x 3/4"
screw escutcheon
adjustment range 30 mm
GROHE StarLight chrome finish

12 465 000 **chrome** 70.60
ditto, 1/2" x 3/4", adjustment 55 mm



12 075 000 **chrome** 13.60

S-union
1/2" x 3/4"
adjustment range 7.5 mm
with sound absorber
screw escutcheon
diameter: 70 mm / depth: 26 mm
GROHE StarLight chrome finish
content: 1 piece



12 411 000 **chrome** 181.30

S-union
nut 1 1/4" x 1" male thread
adjustment range 50 mm
screw escutcheon
(for Grohtherm XL 1", 35 085/35 086)
GROHE StarLight chrome finish



12 662 000 **chrome** 18.20

S-union
1/2" x 3/4"
adjustment range 7.5 mm
with sound absorber
screw escutcheon
diameter: 70 mm / depth: 26 mm
GROHE StarLight chrome finish
content: 1 piece



12 693 000 **chrome** 23.30

S-union
1/2" x 3/4"
adjustment range 7.5 mm
with sound absorber
screw escutcheon
GROHE StarLight chrome finish



12 013 000 **chrome** 31.90

Wall union
male thread 3/4" x 1/2" female
GROHE StarLight chrome finish



12 015 000 **chrome** 35.30

Wall unions
male thread 3/4" x 1/2"
GROHE StarLight chrome finish



12 030 000 **chrome** 58.40

Pillar union 1/2"
angle 3/4" x 1/2"
mounting set 1/2"
projection 47 mm
GROHE StarLight chrome finish

* price on request
N = Net = price based on net price

GROHE UNIONS

	Article No.	Colour	Price
	**12 419 000**	**chrome**	**36.40**
	Elbow union nut 3/4" x 3/4" male thread for thermostat 34 361/34 364 **GROHE StarLight** chrome finish		
	**12 444 000**	**chrome**	**264.10**
	Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) **GROHE StarLight** chrome finish		
	**12 417 000**	**chrome**	**141.20**
	Straight union nut 1 1/4" x 1" male thread screw escutcheon (for Grohtherm XL 1", 35 085/35 086) **GROHE StarLight** chrome finish		

	Article No.	Colour	Price
	**12 407 000**	**chrome**	**113.90**
	Wall union, male 1/2" connection pipe Ø 18 mm connector set 3/4" male thread 1/2" sliding escutcheon **GROHE StarLight** chrome finish		
	**45 058 000**	**chrome**	**64.30**
	Set for wall union 200 mm with compression coupling 3/4" for use with outlet elbow 12 407 ,1/2" **GROHE StarLight** chrome finish		
	**02 210 00M**	**chrome**	**13.30**
	Escutcheon multi-packaging: 2 pieces		

*** price on request**
N = Net = price based on net price

GROHE
OUTLETS AND SPOUTS

	Article No.	Colour	Price
	**13 005 000**	**chrome**	**29.40**
	Swivel tube spout for kitchen wall mixers, 1/2" tubular spout, projection 150 mm mousseur, coupling nut 3/4" DR-brass **GROHE StarLight** chrome finish		
	13 084 000	**chrome**	**28.40**
	ditto, projection 200 mm		
	13 017 000	**chrome**	**51.30**
	ditto, projection 300 mm		
	**13 028 000**	**chrome**	**31.90**
	Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 200 mm coupling nut 3/4" DR-brass **GROHE StarLight** finish		
	13 034 000	**chrome**	**42.10**
	ditto, projection 300 mm		
	**13 072 000**	**chrome**	**27.40**
	Tubular spout swivelling mousseur coupling nut M 22 x 1 projection 140 mm DR-brass **GROHE StarLight** chrome finish		
	**13 070 000**	**chrome**	**29.60**
	Tubular spout **for kitchen pillar mixers, 1/2"** mousseur coupling nut 3/4" projection 185 mm without stop DR-brass **GROHE StarLight** chrome finish		
	13 077 000	**chrome**	**30.80**
	ditto, projection 235 mm		
	**13 462 000**	**chrome**	**239.10**
	Cast swivel spout length 175 mm swivelling laminar flow straightener 9 l/min coupling nut 3/4" **GROHE StarLight** chrome finish		
	**45 247 000**	**chrome**	**19.40**
	Nipple for reset from Costa-outlets into Atlanta-outlets **GROHE StarLight** chrome finish		

	Article No.	Colour	Price
	**13 051 000**	**chrome**	**29.60**
	Tubular spout for kitchen wall mixer, swivelling mousseur, coupling nut M 22 x 1 projection 200 mm DR-brass **GROHE StarLight** chrome finish		
	13 052 000	**chrome**	**30.80**
	ditto, projection 150 mm		
	**13 076 000**	**chrome**	**28.40**
	Tubular spout swivelling with stop mousseur coupling nut 3/4" projection 140 mm DR-brass **GROHE StarLight** chrome finish		
	13 071 000	**chrome**	**36.40**
	ditto, without stop		
	**13 073 000**	**chrome**	**31.90**
	Tubular swivel spout **for kitchen pillar mixers, 1/2"** tubular spout mousseur projection 185 mm DR-brass **GROHE StarLight** chrome finish		
	**13 461 000**	**chrome**	**235.60**
	Cast swivel spout length 115 mm swivelling laminar flow straightener 9 l/min coupling nut 3/4" **GROHE StarLight** chrome finish		
	**13 269 000**	**chrome**	**190.80**
	Cast swivel spout length 117 mm swivelling and lockable laminar flow straightener 9 l/min **GROHE StarLight** chrome finish		
	13 270 000	**chrome**	**216.30**
	ditto, projection 177 mm		

*** price on request**
N = Net = price based on net price

GROHE
FLOW STRAIGHTENERS

Article No.	Colour	Price



48 189 000 **chrome** **17.60**

Water saving set
flow rate 1.0 gpm / 3.8 l/min
includes two supply adapters incl. flow regulator
and one mousseur insert
connection size G 3/8"
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence



48 190 000 **chrome** **17.00**

Water saving set
flow rate 0.5 gpm / 1.9 l/min
includes two supply adapters incl. flow regulator
and one mousseur insert
connection size G 3/8"
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence



48 191 000 **chrome** **17.00**

Water saving set
flow rate 0.35 gpm / 1.35 l/min
includes two supply adapters incl. flow regulator
and one mousseur insert
connection size G 3/8"
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence



13 935 000 **chrome** **13.10**

Mousseur
internal thread
M 22 x 1
5.7 l/min at 3 bar
including metal connection nipple for better exchange-service
SpeedClean anti-lime system
GROHE StarLight finish



48 159 000 **chrome** **17.60**

Mousseur
external thread
M 24 x 1
flow class: PCA
5.7 l/min at 3 bar
SpeedClean anti-lime system



46 837 000 **chrome** **20.00**

Flow straightener
external thread
M 24 x 1
flow class: PCA
5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE StarLight finish



13 960 000 **chrome** **18.20**

Laminar flow straightener
external thread
M 24 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
GROHE StarLight finish



36 133 000 **chrome** **22.80**

Mousseur
external thread
M 24 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
including disassembly key
theft proof
GROHE StarLight finish



13 929 000 **chrome** **9.00**

Mousseur
external thread
M 24 x 1
flow class A
13.5 - 15.0 l/min at 3 bar
GROHE StarLight finish




13 952 000 **chrome** **5.60**

Mousseur
external thread
M 24 x 1
flow class C
30.0 l/min. at 3 bar
GROHE StarLight finish



13 961 000 **chrome** **20.40**

Mousseur
external thread
M 24 x 1
flow class: B
25.2 l/min at 3 bar
GROHE StarLight finish



13 937 000 **12.10**

Mousseur set
consisting of:
mousseur 14.9 l/min at 3 bar
mousseur 7.2 l/min at 3 bar
external thread
including disassembly key

*** price on request**
N = Net = price based on net price

GROHE
FLOW STRAIGHTENERS

	Article No.	Colour	Price
	**13 994 000**		**21.70**
	Mousseur external thread M 18.5 x 1 flow class: A + PCA 15.0 l/min + 5.7 l/min at 3 bar integrated including disassembly key		

	Article No.	Colour	Price
	**13 220 000**		**25.00**
	Mousseur flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly key		

*** price on request**
N = Net = price based on net price

GROHE
WASTE SETS AND TRAPS

Article No.	Colour	Price
28 910 000	chrome	50.10
28 910 L00	white	282.90



Waste set 1 1/4“
for wash basins with overflow
for basin/bidet fittings
complete
GROHE StarLight chrome finish

Article No.	Colour	Price
40 565 000	chrome	75.00
40 565 DC0	supersteel	115.00
40 565 A00	hard graphite	124.00
40 565 AL0	brushed hard graphite	132.00



Plug incl. cup
for wash basins with overflow
for standard pop-up waste set 1¼“
GROHE StarLight chrome finish

Article No.	Colour	Price
65 807 000	chrome	51.80
65 807 BE0	polished nickel	72.80
65 807 GL0	cool sunrise	73.60
65 807 DA0	warm sunset	73.60
65 807 A00	hard graphite	73.60



Waste fitting
with push-open cover
removable cover
closable
GROHE StarLight chrome finish

Article No.	Colour	Price
65 807 DC0	supersteel	177.70
65 807 EN0	brushed nickel	78.50
65 807 GN0	brushed cool sunrise	78.50
65 807 DL0	brushed warm sunset	78.50
65 807 AL0	brushed hard graphite	78.50



Waste fitting
with push-open cover
removable cover
closable
GROHE StarLight finish

Article No.	Colour	Price
40 824 000	chrome	18.30




Waste set with push-open plug
for wash basins with overflow
removable plug
closable

Article No.	Colour	Price
28 920 000	chrome	38.00



Trap 1 1/4“
for basins
with fixed dip tube
wall connection, sliding escutcheon
GROHE StarLight chrome finish

Article No.	Colour	Price
40 564 000	chrome	251.00
40 564 DC0	supersteel	376.00
40 564 A00	hard graphite	403.00
40 564 AL0	brushed hard graphite	430.00



Bottle trap
for **wash basin**
GROHE StarLight chrome finish
brass body

Article No.	Colour	Price
28 912 000	chrome	238.80
28 912 GL0	cool sunrise	246.00
28 912 DA0	warm sunset	246.00
28 912 A00	hard graphite	246.00



Trap 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

Article No.	Colour	Price
28 912 DC0	supersteel	246.20
28 912 EN0	brushed nickel	246.00
28 912 GN0	brushed cool sunrise	246.00
28 912 DL0	brushed warm sunset	246.00
28 912 AL0	brushed hard graphite	277.70



Trap 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight finish

*** price on request**
N = Net = price based on net price

GROHE
CONNECTIONS AND NON-RETURN VALVES

Article No.	Colour	Price
47 189 000	**chrome**	**70.60**



Non-return valve
multi-packaging: 2 pieces
GROHE StarLight chrome finish

Article No.	Colour	Price
14 116 00M		**55.80**



Non-return valve 1/2"
multi-packaging: 2 pieces

*** price on request**
N = Net = price based on net price

GROHE
SPARE PARTS FOR ELECTRONICS

	Article No.	Colour	Price
	**26 646 000**	**chrome**	**234.00**
Remote control for Rainshower SmartConnect showers wireless and water resistant (IP57) to change and combine spray patterns LED indicator for pairing and battery change screw or glue holder to wall including 1 x CR 2032 button cell **GROHE StarLight** finish			
	**42 886 000**		**21.70**
Battery 6 V lithium battery, type CR-P2			
	**42 393 000**		**44.40**
Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer			
	**42 388 000**		**48.90**
Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery			

*** price on request**
N = Net = price based on net price

GROHE
DIVERTERS

	Article No.	Colour	Price
	**46 058 000**	**chrome**	**50.10**
	Diverter for universal single-lever mixer for concealed installation 1/2" bath including diverter knob until 2010 **GROHE StarLight** chrome finish		

	Article No.	Colour	Price
	**48 442 000**	**chrome**	**81.00**
	Diverter for concealed single lever bath mixers including diverter knob **GROHE StarLight** chrome finish		

* price on request
N = Net = price based on net price

GROHE
HOSES

	Article No.	Colour	Price
	**45 120 000**	**chrome**	**19.10**
	Connection hose, 300 mm connector set 3/8“ for copper pipe Ø 10 mm coupling nut 3/8“ 300 mm		

	Article No.	Colour	Price
	**48 293 000**		**34.40**
	Shower hose for sink mixer with pull-out dual spray or mousseur **GROHE EasyDock** easy retraction and smooth docking including weight and knurled nuts G 1/2 approx. 1425 mm M15 x 1 **GROHE StarLight** finish		

*** price on request**
N = Net = price based on net price

GROHE
SPARE PARTS FOR KITCHEN FAUCETS

Article No.	Colour	Price



48 473 000 **chrome** 109.00

Pull out spray
for single lever sink mixer 1/2“
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE StarLight chrome finish



48 474 000 **chrome** 56.00

Pull out spray
for single lever sink mixer 1/2“
pull out spray with 2 spray types
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE StarLight chrome finish



46 710 000 **chrome** 73.00

Pull out spray
GROHE StarLight chrome finish



46 731 000 **chrome** 87.30

Pull out spray
professional spray
regular flow/shower jet
automatic return to mousseur
SpeedClean anti-lime system
GROHE StarLight chrome finish



46 769 000 **chrome** 58.60

Pull out spray
GROHE StarLight chrome finish



46 925 000 **chrome** 18.10
46 925 DC0 **supersteel** 78.80

Pull out spray
for Minta single lever sink mixer with pull out mousseur
GROHE StarLight finish



46 857 000 **chrome** 68.30

Pull out spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
GROHE StarLight chrome finish
SpeedClean anti-lime system



46 858 000 **chrome** 25.00
46 858 DC0 **supersteel** 90.00

Pull out spray
for single lever sink mixer
mousseur jet



46 956 000 **chrome** 45.10
46 956 DC0 **supersteel** 66.00

Pull out spray
laminar spray/shower spray
automatic return to laminar spray
SpeedClean anti-lime system
GROHE StarLight chrome finish
including disassembly key for laminar spray
for Eurosmart 2015 and Start 2015 sink mixers



48 416 000 **chrome** 37.00
48 416 DC0 **supersteel** 48.00

Pull out spray
laminar spray/shower spray
automatic return to laminar spray
SpeedClean anti-lime system
GROHE StarLight chrome finish
including disassembly key

*** price on request**
N = Net = price based on net price

GROHE
SPARE PARTS FOR SHOWERS

Article No.	Colour	Price



28 635 XX0 **dark grey** **5.60**

Relexa
Coupling piece
as replacement
connector for new hand shower and hose
each hand shower is equipped with a coupling piece



28 634 XX0 **dark grey** **28.80**

Relexa
Quick coupling
for combination with average showers without integrated **Grohclick**
with new system
only in connection with coupling piece (28 635/28 637)



28 817 000 **chrome** **11.40**

Adapter 1/2" x 1/4"
female thread 3/4" x 1/2"
male thread
GROHE StarLight chrome finish



45 304 000 **chrome** **39.90**

Elbow for shower mixers
1/2" x 1/2"
GROHE StarLight chrome finish
for bath mixers



12 140 000 **chrome** **191.30**

Glide element
suitable for shower rails with diameter of 22.0 mm
glider with swivel holder
for height adjustability of the handshower
GROHE StarLight chrome finish



45 650 IP0 **chrome/ matt chrome** **54.60**

Glide element
suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm
glider with swivel holder
for height adjustability of the handshower
GROHE StarLight chrome finish



48 099 000 **chrome** **13.90**

Glide element
suitable for shower rails of Tempesta range with diameter of 21.8 mm
glider with swivel holder
for height adjustability of the handshower
GROHE StarLight chrome finish

*** price on request**
N = Net = price based on net price



GROHE
SPARE PARTS FOR ACCESSORIES

	Article No.	Colour	Price
	**40 206 000**	**chrome**	**58.00**
	Spare brush **GROHE StarLight** chrome finish		

	Article No.	Price
	**40 207 000**	**34.20**
	Spare brush	

*** price on request**
N = Net = price based on net price

GROHE
SPECIAL TOOLS

	Article No.	Colour	Price
 	**19 332 000**		**57.00**
	Socket spanner 34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge 32 mm for dis-/assembly of 35 mm cartridge		
	**48 021 000**	**chrome**	**6.80**
	Disassembly tool for mousseurs with housing: M 22 x 1, M 24 x 1, M 28 x 1 for integrated mousseurs: M 16.5 x 1, M 18.5 x 1, M 21.5 x 1, M 24 x 1 sales unit 1 piece		
 	**19 377 000**		**60.30**
	Special spanner 30 mm for dis-/assembly exposed faucets with covered S-unions 34 mm for dis-/assembly of **GROHE TurboStat** thermostatic compact cartridge		

*** price on request**
N = Net = price based on net price

GROHE
CLEANING AND CARE

	Article No.	Colour	Price
	**45 937 000**		**16.60**
	GROHE special grease 25 g sales unit 15 pieces		

	Article No.	Colour	Price
	**48 166 000**		**14.30**
	GROHclean **Detergent for fittings and bathrooms** 500 ml spray bottle based on citric acid in display box sales unit 10 pieces		

* price on request
N = Net = price based on net price

GROHE
SPARE PARTS FOR SANITARY SYSTEMS

	Article No.	Colour	Price
	**37 115 PI0**	**matt chrome/ chrome**	**8.00**
	Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 40 mm **GROHE StarLight** chrome finish		
	**37 117 PI0**	**matt chrome/ chrome**	**19.40**
	Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 16 - 35 mm **GROHE StarLight** chrome finish		
	**43 544 000**		**17.00**
	Outlet piston for Servo discharge valve		
	**43 535 000**		**3.40**
	Push bar 350 mm for Servo discharge valve 350 mm		
	43 540 000		**3.40**
	Pop-up rod for Servo discharge valve 451 mm		
	**42 315 000**		**8.80**
	Valve seat for GD2		
	**42 593 000**		**55.40**
	Valve seat including flow manager reduces flow of the flush prevents overspill in rimless toilets easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2		
	**42 233 000**	**chrome**	**13.60**
	Tube		
	**43 745 000**		**4.60**
	Seal		
	**43 722 000**		**11.40**
	Set of seals		
	**43 758 00M**		**40.90**
	Membrane filling valve multi-packaging: 10 pieces		

*** price on request**
N = Net = price based on net price

GROHE
SPARE PARTS FOR SHOWER TOILET

Article No.	Colour	Price



14 913 000 78.60

WC seat and lid
for Sensia IGS shower WC system
including hinges
without operating unit



14 915 000 164.20

Remote control
for Sensia IGS shower WC system
with wall holder including fixation
including batteries



14 916 000 94.90

Operating unit
for Sensia IGS shower WC system
with adjusting knob including battery



14 917 000 21.00

Connecting pipe
for Sensia IGS shower WC system
flush- and waste pipe



14 924 SH0 alpine white 113.00

GROHE Sensia Arena
WC seat
for Sensia Arena shower toilet system, wall hung
automatic opening/close function
suitable WC lid: 14 925 SH0

14 925 SH0 alpine white 140.40

GROHE Sensia Arena
WC lid
for Sensia Arena shower toilet system, wall hung
automatic opening/close function
suitable WC seat: 14 924 SH0



14 926 002 353.00

GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung
including wall holder
including batteries
available February 2020



14 926 001 361.80

GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung
including wall holder
including batteries



14 930 000 29.00

Nozzle guard
for Sensia Arena shower toilet system,
wall hung and floor standing



14 933 000 29.00

GROHE Sensia Arena
Air filter
for Sensia Arena shower toilet system, wall hung


GROHE
SPARE PARTS FOR CERAMICS

Article No. Colour Price



49 512 000 **43.10**

Mounting set
for counter top basins
39 337 000, 39 337 00H, 39 475 00H
39 476 00H, 39 477 00H, 39 478 00H
for drop in basin 39 422 000, 39 479 00H
for vessel basin 39 481 00H
contains 2 pieces



49 518 000 **8.00**

Mounting set
for undercounter basins
39 423 000, 39 480 00H
contains 4 pieces



49 025 000 **chrome** **27.70**

Mounting set
for half pedestal
39 426 000
39 201 000
39 325 000
contains 2 pieces



49 516 000 **13.00**

Mounting set
for floor standing bidet/WC
39 428 000, 39 429 000, 39 430 000,
39 431 000, 39 432 000, 39 349 000,
39 329 000, 39 329 00H, 39 340 000,
39 340 00H, 39 339 000, 39 339 00H,
39 484 00H, 39 485 00H, 39 487 00H
contains 2 pieces



49 018 000 **9.00**

Buffer set
for seat and lid
for 39 435 000
contains 2 pieces for lid and 4 pieces for seat



49 021 000 **8.20**

Rubber sealing
for close coupled WC and cistern
39 436 000
39 437 000
39 333 000
39 332 000
39 489 000
39 490 000



49 022 000 **chrome** **29.70**

Fixing bolt
for close coupled WC and cistern
39 436 000
39 437 000
39 333 000
39 332 000
39 489 000
39 490 000



49 526 000 **chrome** **54.00**

Dual flush push button
for ceramic cistern
39 436 000
39 437 000
39 333 000
39 332 000



49 023 000 **chrome** **61.00**

Filling valve
for close coupled cistern exposed bottom inlet
39 332 000
39 436 000
universal application



49 020 000 **chrome** **34.90**

Filling valve for Euro Ceramic cistern
for close coupled cistern exposed side inlet
39 333 000
universal application



49 061 000 **chrome** **25.00**

Discharge valve for Bau Ceramic cistern
for close coupled cistern exposed side inlet
39 436 000
39 437 000
Dual Flush
universal application
for ceramic lid hole Ø 50 mm



49 066 000 **chrome** **44.10**

Discharge valve for Euro Ceramic cistern
for close-coupled cisterns
39 332 000
39 333 000
Dual Flush
universal application
for ceramic lid hole Ø 50 mm

*** price on request**
N = Net = price based on net price

GROHE
SPARE PARTS FOR CERAMICS

	Article No.	Colour	Price
	**49 016 000**	**alpine white**	**6.00**
Locking cap for Euro Ceramic close coupled WC 39 338 000 / 39 338 00H			
	**49 510 000**		**71.80**
Fixing set for Euro Ceramic wall hung WC 203 mm 39 328 000, 39 328 00H			
	**49 509 000**		**104.00**
Fixing set for Cube Ceramic wall hung WC 178 mm 39 244 00H			
	**49 529 000**	**chrome**	**54.30**
Fixing set for Bau Ceramic seat and lid 39 493 000 39 492 000 contains 2 pieces			
	**49 522 000**		**53.00**
Mounting set for Euro Ceramic cistern 39 333 000 for back inlet installation			

	Article No.	Colour	Price
	**49 027 000**	**chrome**	**112.00**
Fixing set for Euro Ceramic wall hung bidet 220 mm 39 208 000, 39 208 00H			
	**49 024 000**	**chrome**	**74.80**
Fixing set for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H			
	**49 528 000**	**chrome**	**88.00**
Damper for Bau Ceramic WC seat with soft close left and right 39 493 000 contains 2 pieces			
	**49 530 000**	**white**	**15.40**
Buffer set for Bau Ceramic seat and lid 39 492 000 39 493 000 contains 2 pieces for lid and 4 pieces for seat			

* price on request
N = Net = price based on net price

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
02		
02 210 00M	606	13.30
11		
11 003 000	602	22.90
11 006 000	602	23.60
11 090 000	602	21.80
11 101 000	602	29.90
11 102 000	602	29.90
11 104 000	602	57.10
11 105 000	602	56.90
11 502 000	603	38.80
11 504 000	603	60.50
11 505 000	603	60.50
11 507 000	603	70.40
11 508 000	603	71.20
11 513 000	603	81.00
11 514 000	603	61.60
11 515 000	603	107.00
11 516 000	603	144.60
11 541 000	603	40.90
11 542 000	603	40.90
11 544 000	603	87.60
11 550 000	603	44.20
11 551 000	603	52.10
12		
12 001 000	605	17.00
12 001 00M	605	2.50
12 004 000	605	31.90
12 005 000	605	39.90
12 013 000	605	31.90
12 015 000	605	35.30
12 030 000	453, 605	58.40
12 050 000	605	43.30
12 050 00M	605	8.70
12 051 000	452, 462	61.60
12 075 000	605	13.60
12 124 000	456	129.90
12 140 000	616	191.30
12 400 000	605	46.60
12 407 000	606	113.90
12 409 000		127.50
12 411 000	454, 605	181.30
12 417 000	454, 606	141.20
12 419 000	606	36.40
12 420 000	454	147.50
12 424 000	454	128.80
12 428 000	455	160.60
12 430 000	455	185.50
12 432 000	455	220.90
12 433 000	601	40.90
12 436 000	455	201.50
12 444 000	455, 606	264.10
12 448 000	455	423.50
12 465 000	605	70.60
12 662 000	605	18.20
12 693 000	605	23.30
13		
13 005 000	607	29.40
13 017 000	607	51.30
13 028 000	399, 607	31.90
13 034 000	399, 607	42.10
13 051 000	607	29.60
13 052 000	399, 607	30.80
13 070 000	607	29.60
13 071 000	399, 607	36.40
13 072 000	607	27.40
13 073 000	607	31.90
13 076 000	607	28.40
13 077 000	607	30.80
13 080 000	450	146.70
13 084 000	607	28.40
13 137 000	450	162.80
13 138 000	450	206.00
13 139 003	42	255.60
13 139 AL3	42	409.00
13 139 DA3	42	385.40
13 139 DC3	42	357.80
13 139 GL3	42	390.50
13 218 000	27	1,362.60
13 220 000	609	25.00
13 261 000	129	96.20
13 262 000	129	100.90
13 264 000	27	261.90
13 269 000	607	190.80
13 270 000	607	216.30
13 276 002	115	105.40
13 277 002	115	117.30
13 278 002	105	102.70
13 279 002	105	126.70
13 280 001	110	102.30
13 281 001	110	118.00
13 299 000	18	300.50
13 299 A00	18	512.00
13 299 AL0	18	546.00
13 299 DC0	18	478.00
13 301 000	17	1,498.90
13 301 A00	17	2,435.00
13 301 AL0	17	2,598.00
13 301 DC0	17	2,273.00
13 303 000	75	133.80
13 303 AL0	75	210.00
13 303 DC0	75	184.00
13 304 000	75	141.30
13 317 000	27	735.60
13 319 000	17	700.20
13 319 A00	17	1,184.00
13 319 AL0	17	1,263.00
13 319 DC0	17	1,105.00
13 341 000	51	239.20
13 341 IG0	51	303.10
13 378 000	450	107.30
13 380 000	450	119.50
13 383 001	61	240.30
13 383 DC1	61	341.70
13 404 003	83	155.80
13 404 AL3	83	243.00
13 404 DC3	83	212.00
13 461 000	607	235.60
13 462 000	607	239.10
13 540 000	146	132.80
13 929 000	608	9.00
13 935 000	608	13.10
13 937 000	608	12.10
13 952 000	608	5.60
13 960 000	608	18.20
13 961 000	608	20.40
13 994 000	609	21.70
14		
14 014 000	247	50.60
14 047 000	247	55.40
14 048 000	210, 604	145.10
14 053 00M	210	48.00
14 055 000	153, 210	154.50
14 056 000	210, 604	122.00
14 057 000	211, 604	239.90
14 058 000	211, 604	154.80
14 074 000	479, 503	43.10
14 077 XH0	44, 190	23.60
14 079 XH0	193, 235	24.60
14 116 00M	611	55.80
14 911 LD0	474	171.80
14 911 LK0	474	170.60
14 911 LP0	474	159.40
14 911 SH0	474	89.60
14 912 000	474	35.20
14 913 000	621	78.60
14 914 000	474	13.50
14 915 000	621	164.20
14 916 000	621	94.90
14 917 000	621	21.00
14 924 SH0	621	113.00
14 925 SH0	621	140.40
14 926 001	621	361.80
14 926 002	478, 621	353.00
14 928 000	476	29.00
14 929 000	477	29.00
14 930 000	621	29.00
14 933 000	621	29.00
14 936 000	477	43.00
18		
18 349 000	126	29.70
18 608 001	201	44.30
18 700 000	204	40.50
19		
19 025 000	85, 153	58.60
19 069 003	41	100.10
19 069 AL3	41	159.40
19 069 DA3	41	148.00
19 069 DC3	41	139.90
19 069 EN3		159.40
19 069 GL3	41	148.00
19 088 003	41	100.10
19 088 AL3	41	159.40
19 088 DA3	41	148.00
19 088 DC3	41	139.90
19 088 EN3		159.10
19 088 GL3	41	148.00
19 287 003	33	426.00
19 287 AL3	33	681.50
19 287 DA3	33	634.00
19 287 DC3	33	596.40
19 287 GL3	33	634.00
19 309 000	24	663.60
19 316 000	26	1,235.80
19 332 000	618	57.00
19 334 000	28	130.30
19 377 000	618	60.30
19 381 000	126	186.60
19 384 000	28	130.30
19 386 000	24	698.60
19 408 001	91	203.40
19 408 A01	91	307.10
19 408 AL1	91	330.80
19 408 BE1	91	307.10

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
19 408 DA1	91	310.10
19 408 DC1	91	269.20
19 408 DL1	91	327.60
19 408 EN1	91	327.60
19 408 GL1	91	310.10
19 408 GN1	91	327.60
19 409 001	57	237.30
19 409 AL1	57	422.00
19 409 DC1	57	354.10
19 470 000	603	69.60
19 571 002	112	216.20
19 571 003	119	216.50
19 571 LS3	119	281.30
19 573 002	103	223.50
19 575 001	108	209.20
19 577 001	60	818.20
19 577 AL1	60	1,442.00
19 577 DC1	60	1,208.30
19 578 001	95	742.10
19 578 A01	95	1,108.50
19 578 AL1	95	1,193.80
19 578 BE1	95	1,108.50
19 578 DA1	95	1,108.50
19 578 DC1	95	961.30
19 578 DL1	95	1,182.40
19 578 EN1	95	1,182.40
19 578 GL1	95	1,108.50
19 578 GN1	95	1,182.40
19 590 000	27	190.80
19 781 000	15	681.20
19 783 000	15	726.90
19 787 001	17	1,611.30
19 796 000	18	184.70
19 798 000	18	257.40
19 798 A00	18	419.00
19 798 AL0	18	446.00
19 798 DC0	18	391.00
19 806 001	147	43.10
19 807 001	147	43.10
19 808 001	147	26.10
19 809 001	147	25.80
19 830 000	603	31.00
19 831 000	603	31.00
19 840 000	603	26.20
19 841 000	603	34.20
19 854 001	147	18.60
19 855 001	147	19.10
19 895 000	70	268.10
19 895 AL0	70	442.00
19 895 DC0	70	386.00
19 897 001	74	1,037.30
19 897 AL1	74	1,738.00
19 897 DC1	74	1,521.00
19 918 003	34	483.50
19 918 AL3	34	773.00
19 918 DA3	34	679.60
19 918 DC3	34	676.70
19 918 GL3	34	679.60
19 919 000	50	1,151.30
19 919 IG0	50	1,511.00
19 929 000	48	417.30
19 929 IG0	48	545.60
19 930 000	48	467.80
19 930 IG0	48	575.90
19 936 000	50	1,082.90
19 936 IG0	50	1,390.90
19 942 000	51	145.70
19 942 IG0	51	189.40
19 944 000	51	104.90
19 944 IG0	51	137.70
19 952 000	30, 84	167.80
19 952 A00	97, 152	275.70
19 952 AL0	84, 97	285.80
19 952 BE0	97, 152	275.70
19 952 DA0	97, 152	275.70
19 952 DC0	84, 97	257.30
19 952 DL0	97, 152	293.20
19 952 EN0	97, 152	293.20
19 952 GL0	97, 152	275.70
19 952 GN0	97, 152	293.20
19 954 000	153	19.40
19 965 001	60	654.80
19 966 000	74	713.80
19 967 001	91	235.60
19 967 A01	91	346.10
19 967 AL1	91	372.90
19 967 BE1	91	346.10
19 967 DA1	91	346.10
19 967 DC1	91	303.20
19 967 DL1	91	369.20
19 967 EN1	91	369.20
19 967 GL1	91	346.10
19 967 GN1	91	369.20
19 968 000	98	232.60
19 968 LS0	98	312.20
19 969 000	98	253.50
19 969 LS0	98	348.50
19 970 002	133	50.00
19 972 002	134	50.00
19 974 002	103	223.50
19 976 001	95	540.80
19 997 000	63	267.60
19 998 000	63	277.80
20		
20 008 003	39	568.70
20 008 AL3	39	909.20
20 008 DA3	39	846.00
20 008 DC3	39	796.00
20 008 GL3	39	846.00
20 009 003	39	568.70
20 009 AL3	39	909.20
20 009 DA3	39	846.00
20 009 DC3	39	796.00
20 009 GL3	39	867.20
20 021 003	38	284.30
20 021 AL3	38	455.20
20 021 DA3	38	423.00
20 021 DC3	38	397.90
20 021 GL3	38	423.00
20 164 003	39	483.50
20 164 AL3	39	773.00
20 164 DA3	39	719.00
20 164 DC3	39	676.70
20 164 GL3	39	719.00
20 169 003	39	483.50
20 169 AL3	39	773.00
20 169 DA3	39	719.00
20 169 DC3	39	676.70
20 169 GL3	39	719.00
20 179 001	148, 392	120.30
20 186 001	145	69.40
20 187 000	125	214.60
20 188 000	23	708.70
20 189 000	23	629.70
20 190 000	23	623.70
20 192 000	23	667.40
20 193 000	23	667.40
20 201 000	150	100.30
20 201 AL0	150	173.00
20 202 000	150	114.60
20 203 000	150	89.40
20 205 000	150	81.20
20 208 002	112	250.20
20 216 001	108	236.00
20 296 001	90	259.20
20 299 001	90	278.50
20 301 003	79	344.40
20 304 001	57	302.50
20 342 000	15	684.90
20 344 000	14	817.50
20 344 A00	14	1,317.80
20 344 AL0	14	1,405.70
20 344 DC0	14	1,240.00
20 346 000	15	711.70
20 348 000	15	757.10
20 351 000	70	309.20
20 351 AL0	70	536.00
20 351 DC0	70	469.00
20 389 000	48	557.80
20 389 IG0	48	710.60
20 393 001	145	74.40
20 404 001	145	42.70
20 405 001	148	56.40
20 414 000	48	389.70
20 414 IG0	48	532.20
20 415 000	48	451.60
20 415 IG0	48	592.90
20 417 000	48	493.20
20 417 IG0	48	641.80
20 421 000	137	55.80
20 422 000	140	57.20
20 575 000	143	59.80
21		
21 019 003	38	454.80
21 019 AL3	38	727.90
21 019 DA3	38	677.00
21 019 DC3	38	636.50
21 019 GL3	38	677.00
21 022 003	38	454.80
21 022 AL3	38	727.90
21 022 DA3	38	677.00
21 022 DC3	38	636.50
21 022 GL3	38	677.00
21 044 003	38	625.10
21 044 AL3	38	1,000.50
21 044 DA3	38	930.00
21 044 DC3	38	875.10
21 044 GL3	38	930.00
21 107 000	47	425.90
21 107 IG0	47	541.50
21 255 001	148	172.30
21 257 001	148	135.70
21 338 001	148	110.80
21 375 001	145	124.50
21 390 001	145	166.30
22		
22 012 000	75, 588	46.40
22 012 AL0	75, 588	81.00

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
22 012 DC0	75, 588	71.00
22 018 000	587	4.80
22 023 000	587	5.70
22 025 00M	587	44.70
22 033 000	589	20.80
22 034 000	589	24.50
22 035 000	589	21.60
22 036 000	589	23.10
22 037 000	586	7.50
22 037 A00	586	11.30
22 037 AL0	586	12.30
22 037 BE0	586	11.30
22 037 DA0	586	11.30
22 037 DC0	586	11.30
22 037 DL0	586	12.30
22 037 EN0	586	12.30
22 037 GL0	586	11.30
22 037 GN0	586	12.30
22 039 000	586	8.20
22 039 A00	586	13.30
22 039 AL0	586	13.30
22 039 BE0	586	13.30
22 039 DA0	586	12.30
22 039 DC0	586	12.30
22 039 DL0	586	14.40
22 039 EN0	586	14.40
22 039 GL0	586	13.30
22 039 GN0	586	14.40
22 041 000	586	6.00
22 043 000	586	7.00
22 052 000	587	10.40
22 053 000	587	8.90
23		
23 029 000	14	571.00
23 029 A00	14	854.70
23 029 AL0	14	930.70
23 033 000	14	579.60
23 033 A00	14	911.00
23 037 002	111	134.90
23 039 002	111	95.20
23 043 003	112	192.70
23 048 003	114	829.60
23 049 002	101	177.00
23 051 002	101	106.00
23 054 003	102	227.60
23 055 002	102	235.00
23 058 003	242	727.60
23 060 001	106	172.60
23 061 002	242	524.00
23 076 000	22	502.90
23 106 001	56	205.90
23 106 AL1	56	370.00
23 106 DC1	56	309.80
23 109 000	14	713.20
23 109 A00	14	1,313.80
23 109 AL0	14	1,459.80
23 112 000	14	672.70
23 114 000	14	862.90
23 114 AL0	14	1,496.00
23 117 000	16	642.10
23 119 000	17	2,537.50
23 119 A00	17	4,051.80
23 119 AL0	17	4,322.00
23 124 002	130	134.30
23 125 000	123	167.10
23 127 000	68	221.10
23 127 00E	68	206.90
23 127 AL0	68	356.00
23 127 DC0	68	312.00
23 132 000	68	219.60
23 132 00E	68	202.40
23 135 000	69	249.20
23 135 00E	69	251.40
23 135 AL0	69	427.00
23 135 DC0	69	374.00
23 137 000	68	166.10
23 138 000	70	223.60
23 138 AL0	70	356.00
23 138 DC0	70	312.00
23 140 000	71	279.30
23 140 AL0	71	470.00
23 140 DC0	71	411.00
23 145 000	70	241.30
23 145 AL0	70	404.00
23 145 DC0	70	353.00
23 147 001	242	1,009.60
23 200 002	15, 70	254.20
23 293 000	457	323.00
23 294 000	457	505.30
23 296 001	57	275.50
23 296 AL1	57	486.00
23 296 DC1	57	407.50
23 303 000	47	357.60
23 303 IG0	47	452.40
23 310 000	47	340.60
23 310 IG0	47	459.00
23 313 000	47	459.80
23 313 IG0	47	611.20
23 315 000	49	398.80
23 315 IG0	49	508.10
23 316 000	49	409.00
23 316 IG0	49	535.60
23 317 000	49	511.80
23 317 IG0	49	657.50
23 318 000	51	1,638.80
23 318 IG0	51	2,089.30
23 319 000	49	223.00
23 321 000	47	376.00
23 322 001	131	101.50
23 324 001	131	100.20
23 325 000	124	119.50
23 327 000	124	118.40
23 328 000	137	83.90
23 330 000	137	73.00
23 331 000	138	73.80
23 333 000	138	81.80
23 334 000	139	101.90
23 335 000	140	80.00
23 337 000	140	73.40
23 338 000	141	79.60
23 340 000	141	76.70
23 341 000	141	101.40
23 373 20E	112	119.50
23 374 003	117	115.80
23 374 LS3	117	150.70
23 376 00E	124	96.20
23 379 001	87	156.50
23 382 20E	101	160.40
23 385 10E	107	130.80
23 390 00E	68	205.20
23 392 00E	68	208.30
23 395 10E	131	99.90
23 398 00E	125	111.70
23 403 000	22	658.20
23 405 001	57	293.90
23 405 AL1	57	518.00
23 405 DC1	57	437.90
23 406 000	69	295.50
23 406 AL0	69	496.00
23 406 DC0	69	434.00
23 425 000	98	202.30
23 425 LS0	98	275.40
23 427 000	98	231.30
23 427 LS0	98	295.00
23 428 000	98	328.60
23 428 LS0	98	428.20
23 429 000	34, 63	231.10
23 430 000	99	233.10
23 430 LS0	99	323.30
23 431 000	99	321.60
23 431 LS0	99	428.20
23 432 000	102	308.60
23 444 001	58	256.80
23 444 AL1	58	457.00
23 444 DC1	58	382.60
23 445 000	68	221.60
23 445 AL0	68	375.00
23 445 DC0	68	328.00
23 446 000	69	227.70
23 447 000	70	280.50
23 447 AL0	70	463.00
23 447 DC0	70	415.10
23 448 002	102	204.60
23 450 001	107	156.60
23 451 001	107	151.50
23 456 002	130	88.40
23 462 001	87	185.40
23 462 A01	87	282.50
23 462 AL1	87	298.50
23 462 BE1	87	279.80
23 462 DA1	87	279.80
23 462 DC1	87	245.40
23 462 DL1	87	298.50
23 462 EN1	87	301.40
23 462 GL1	87	282.50
23 462 GN1	87	301.40
23 463 001	88	184.50
23 480 001	88	179.80
23 491 001	96	1,183.00
23 491 A01	96	1,748.70
23 491 AL1	96	1,883.20
23 491 BE1	96	1,748.70
23 491 DA1	96	1,765.50
23 491 DC1	96	1,532.70
23 491 DL1	96	1,865.30
23 491 EN1	96	1,865.30
23 491 GL1	96	1,748.70
23 491 GN1	96	1,883.20
23 537 002	132	140.10
23 541 001	89	204.60
23 564 003	116	118.90
23 567 003	118	111.30
23 569 003	118	180.00
23 569 LS3	118	234.00
23 570 003	119	226.40
23 570 LS3	119	294.30
23 571 000	58, 91	237.90
23 589 001	86	160.20
23 589 A01	86	241.80
23 589 AL1	86	255.50

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
23 589 BE1	86	239.50
23 589 DA1	86	241.80
23 589 DC1	86	209.50
23 589 DL1	86	258.00
23 589 EN1	86	255.50
23 589 GL1	86	239.50
23 589 GN1	86	258.00
23 590 001	86	150.80
23 590 A01	86	231.10
23 590 AL1	86	246.60
23 590 BE1	86	231.10
23 590 DA1	86	231.10
23 590 DC1	86	202.80
23 590 DL1	86	249.10
23 590 EN1	86	246.60
23 590 GL1	86	231.10
23 590 GN1	86	246.60
23 591 001	86	155.70
23 654 000	62	244.70
23 656 000	62	229.00
23 657 000	62	250.20
23 658 000	62	253.90
23 661 000	62	332.80
23 664 000	63	272.00
23 665 000	63	291.80
23 666 000	64	369.70
23 667 001	67	1,624.10
23 672 001	74	1,656.00
23 672 AL1	74	2,670.00
23 672 DC1	74	2,336.00
23 707 003	116	116.40
23 707 LS3	116	149.90
23 708 003	116	119.60
23 709 003	117	114.20
23 709 LS3	117	148.40
23 710 003	117	161.70
23 715 003	118	108.80
23 716 003	118	106.20
23 718 003	119	179.90
23 718 LS3	119	236.20
23 719 003	119	223.80
23 719 LS3	119	293.80
23 720 003	120	108.20
23 720 LS3	120	151.40
23 722 LS3	120	166.10
23 726 LS3	121	205.40
23 739 002	107	247.00
23 741 001	96	2,033.10
23 741 DC1	96	2,846.00
23 743 002	132	139.00
23 751 000	143	77.40
23 752 000	143	74.10
23 753 000	143	110.70
23 754 000	143	79.50
23 755 000	144	79.30
23 756 000	144	99.50
23 757 000	137	108.40
23 758 000	137	94.00
23 759 000	138	94.00
23 760 000	138	109.50
23 761 000	138	127.30
23 762 000	140	90.50
23 763 000	140	108.40
23 764 000	141	127.30
23 790 001	56	193.10
23 791 001	56	193.10
23 791 AL1	56	347.00
23 791 DC1	56	290.70
23 792 001	61	1,507.00
23 792 AL1	61	2,680.00
23 792 DC1	61	2,246.60
23 797 001	86	174.30
23 798 001	88	165.00
23 799 001	89	216.20
23 803 000	140	78.80
23 843 003	78	360.80
23 843 AL3	78	563.00
23 843 DC3	78	492.00
23 844 003	78	360.80
23 845 003	82	754.40
23 846 003	83	1,685.10
23 846 AL3	83	2,630.00
23 846 DC3	83	2,301.00
23 851 003	77	310.60
23 851 AL3	77	485.00
23 851 DC3	77	424.00
23 870 003	77	222.40
23 871 003	77	277.80
23 871 AL3	77	433.00
23 871 DC3	77	379.00
23 872 003	77	277.80
23 873 003	78	310.60
23 921 000	125	*
23 922 002	130	89.20
23 923 002	131	103.50
23 924 002	131	89.20
23 925 000	123	103.50
23 926 000	124	118.90
23 927 000	124	103.50
23 928 000	125	117.90
23 929 003	116	129.20
23 930 003	117	135.30
23 931 001	106	139.40
23 932 001	107	159.90
23 933 001	125	159.90
23 958 003	76	783.10
23 958 AL3	76	1,222.00
23 958 DC3	76	1,070.00
23 959 003	76	818.00
24		
24 027 003	40	483.50
24 027 AL3	40	773.00
24 027 DA3	40	719.00
24 027 DC3	40	676.70
24 027 GL3	40	719.00
24 036 000	99	214.70
24 036 LS0	99	297.30
24 042 002	133	128.10
24 043 002	133	143.50
24 044 000	128	136.30
24 045 000	128	150.70
24 046 003	121	143.50
24 046 LS3	121	179.40
24 047 003	122	157.90
24 047 LS3	122	197.80
24 048 003	121	145.60
24 048 LS3	121	188.60
24 049 003	121	159.90
24 049 LS3	121	207.10
24 051 002	114	157.90
24 052 002	114	173.20
24 053 001	110	158.90
24 054 001	110	174.30
24 055 002	100, 104	164.00
24 056 002	100, 105	180.40
24 057 001	93	173.20
24 057 A01	93	263.40
24 057 AL1	93	280.90
24 057 BE1	93	263.40
24 057 DA1	93	259.30
24 057 DC1	93	242.90
24 057 DL1	93	280.90
24 057 EN1	93	276.80
24 057 GL1	93	259.30
24 057 GN1	93	280.90
24 058 001	94	190.70
24 058 A01	94	286.00
24 058 AL1	94	304.40
24 058 BE1	94	289.10
24 058 DA1	94	286.00
24 058 DC1	94	266.50
24 058 DL1	94	304.40
24 058 EN1	94	304.40
24 058 GL1	94	286.00
24 058 GN1	94	308.50
24 059 003	81	211.20
24 059 AL3	81	329.00
24 059 DC3	81	288.00
24 060 003	81	222.40
24 060 AL3	81	346.00
24 060 DC3	81	303.00
24 061 000	64, 71	192.70
24 061 AL0	71	301.00
24 061 DC0	71	264.00
24 062 000	65, 72	210.10
24 062 AL0	72	331.00
24 062 DC0	72	297.30
24 063 001	59	197.80
24 063 AL1	59	313.00
24 063 DC1	59	280.90
24 064 001	60	218.30
24 064 AL1	60	344.00
24 064 DC1	60	308.50
24 065 003	35	328.00
24 065 AL3	35	524.80
24 065 DA3	35	492.00
24 065 DC3	35	426.40
24 065 GL3	35	492.00
24 066 003	35	360.80
24 066 AL3	35	577.10
24 066 DA3	35	547.40
24 066 DC3	35	510.50
24 066 GL3	35	547.40
24 067 000	49	315.70
24 067 IG0	49	379.30
24 068 000	50	347.50
24 068 IG0	50	417.20
24 069 000	25	357.70
24 070 000	25	389.50
24 071 000	16	383.40
24 071 A00	16	582.20
24 071 AL0	16	621.20
24 071 DC0	16	543.30
24 072 000	16	422.30
24 072 A00	16	640.60
24 072 AL0	16	682.70
24 072 DC0	16	597.60
24 075 000	196	384.40
24 076 000	196	422.30
24 077 000	196	428.50

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
24 078 000	194	384.40
24 079 000	194	422.30
24 080 000	194	428.50
24 092 001	94	228.60
24 092 A01	94	327.00
24 092 AL1	94	301.40
24 092 BE1	94	327.00
24 092 DA1	94	327.00
24 092 DC1	94	301.40
24 092 DL1	94	348.50
24 092 EN1	94	348.50
24 092 GL1	94	327.00
24 092 GN1	94	348.50
24 093 003	82	250.10
24 093 AL3	82	390.00
24 093 DC3	82	341.00
24 094 000	65, 72	248.10
24 094 AL0	72	371.00
24 094 DC0	72	324.00
24 095 001	60	257.30
24 095 AL1	60	384.00
24 095 DC1	60	344.40
24 096 003	35	390.50
24 096 AL3	35	624.20
24 096 DA3	35	585.30
24 096 DC3	35	546.30
24 096 GL3	35	585.30
24 099 000	16	446.90
24 099 A00	16	678.60
24 099 AL0	16	714.60
24 099 DC0	16	625.90
24 134 003	36	633.50
24 134 AL3	36	1,012.70
24 134 DA3	36	960.40
24 134 DC3	36	885.60
24 134 GL3	36	960.40
24 135 003	36	676.50
24 135 AL3	36	1,082.40
24 135 DA3	36	1,027.10
24 135 DC3	36	947.10
24 135 GL3	36	1,027.10
24 138 003	36	676.50
24 138 AL3	36	1,082.40
24 138 DA3	36	1,027.10
24 138 DC3	36	947.10
24 138 GL3	36	1,027.10
24 153 000	65, 72	499.20
24 153 AL0	65, 72	789.00
24 153 DC0	65, 72	690.00
24 154 000	66, 73	556.60
24 154 AL0	66, 73	879.00
24 154 DC0	66, 73	770.00
24 155 000	66, 73	556.60
24 155 AL0	66, 73	879.00
24 155 DC0	66, 73	770.00
25		
25 010 003	40	681.60
25 010 AL3	40	1,090.50
25 010 DA3	40	1,015.00
25 010 DC3	40	954.20
25 010 GL3	40	1,015.00
25 044 003	41	2,130.00
25 044 AL3	41	3,407.90
25 044 DC3	41	2,981.90
25 083 001	26	1,640.10
25 450 001	146	117.40
25 483 001	149	145.70
26		
26 003 003	40	511.20
26 003 AL3	40	817.80
26 003 DA3	40	761.00
26 003 DC3	40	715.70
26 003 GL3	40	761.00
26 037 001	52	119,00
26 037 IG0	52	144.10
26 038 000	53	219.50
26 038 IG0	53	299.80
26 042 000	260	200.40
26 044 001	266, 320	59.70
26 046 002	309	27.70
26 050 001	266, 321	46.80
26 051 001	266, 313	52.20
26 052 000	256	371.40
26 054 000	255	511.80
26 056 000	254	522.00
26 060 000	29, 255	433.80
26 064 000	255	523.10
26 065 000	255	462.60
26 066 000	254	496.70
26 066 A00	254	853.60
26 066 AL0	254	915.70
26 066 BE0	254	853.60
26 066 DA0	254	853.60
26 066 DC0	254	701.10
26 066 DL0	254	907.00
26 066 EN0	254	907.00
26 066 GL0	254	853.60
26 066 GN0	254	907.00
26 067 000	254	511.60
26 067 A00	254	861.80
26 067 AL0	254	907.00
26 067 BE0	254	853.60
26 067 DA0	254	853.60
26 067 DC0	254	694.40
26 067 DL0	254	907.00
26 067 EN0	254	907.00
26 067 GL0	254	853.60
26 067 GN0	254	915.70
26 070 000	29, 255	458.50
26 071 000	29, 255	437.90
26 073 000	256, 307	217.30
26 075 000	237	832.30
26 075 A00	237	1,377.10
26 075 AL0	237	1,463.20
26 075 BE0	237	1,377.10
26 075 DA0	237	1,377.10
26 075 DC0	237	1,131.60
26 075 DL0	237	1,463.20
26 075 EN0	237	1,463.20
26 075 GL0	237	1,377.10
26 075 GN0	237	1,477.20
26 076 002	311	65.00
26 082 002	309	22.30
26 083 002	310	65.00
26 084 002	312	36.20
26 087 000	238	1,222.00
26 088 001	257, 320	65.00
26 090 001	258, 313	72.50
26 114 001	241	676.30
26 145 000	267	79.70
26 146 000	267	80.60
26 146 LS0	267	103.40
26 161 001	315	25.50
26 163 001	317	66.60
26 164 001	319	35.90
26 171 000	256	379.40
26 187 000	238	733.90
26 223 001	244	640.80
26 224 001	245	440.90
26 249 000	239	577.30
26 250 000	222	1,381.60
26 250 LS0	222	1,404.60
26 254 000	225, 249	626.80
26 254 LS0	226, 249	577.50
26 256 000	254	1,407.40
26 257 000	254	520.60
26 259 000	29, 255	479.60
26 264 001	226, 249	114.00
26 317 001	148	102.70
26 328 000	323	68.10
26 329 000	323	160.60
26 330 001	146	85.30
26 332 000	323	167.80
26 333 000	323	80.20
26 334 000	326	18.00
26 335 000	326	20.20
26 346 000	326	22.40
26 352 000	324	31.20
26 353 000	324	32.90
26 354 000	324	38.80
26 355 IL0	324	25.60
26 356 IL0	325	30.20
26 357 000	325	76.70
26 358 000	325	105.30
26 361 000	223	1,337.10
26 361 LS0	223	1,259.90
26 362 LN0	248	34.30
26 363 000	239	774.20
26 370 000	217, 308	39.10
26 370 AL0	308, 332	72.80
26 370 DL0	308, 332	72.80
26 370 GN0	308, 332	72.80
26 373 001	216, 259	22,572.80
26 374 000	219	1,023.80
26 376 001	216, 259	2,144.40
26 381 001	245	258.10
26 385 000	227, 247	18.00
26 404 000	302	70.30
26 405 000	306	90.70
26 406 001	319	53.30
26 408 000	266, 320	87.30
26 409 000	266, 320	87.30
26 410 000	266, 320	88.20
26 411 000	257, 319	154.50
26 412 000	257, 319	154.50
26 413 000	257, 320	131.00
26 414 000	257, 320	132.20
26 443 000	224	1,404.60
26 443 LS0	224	1,404.60
26 446 000	225	1,259.90
26 446 LS0	225	1,259.90
26 449 000	191, 226	129.90
26 450 000	226, 249	498.80
26 450 LS0	226, 249	498.80
26 455 000	265, 300	128.80
26 456 000	265, 300	128.80
26 457 000	265, 300	128.80
26 458 000	256, 300	213.00
26 459 000	256, 300	213.00

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
26 460 000	256, 300	169.30
26 461 000	256, 300	169.30
26 465 000	270	150.20
26 465 A00	270	210.10
26 465 AL0	270	223.20
26 465 BE0	270	208.20
26 465 DA0	270	208.20
26 465 DC0	270	211.00
26 465 DL0	270	223.20
26 465 EN0	270	258.00
26 465 GL0	270	210.10
26 465 GN0	270	223.20
26 474 EN0	264	647.00
26 475 000	250	500.50
26 475 A00	250	869.20
26 475 AL0	250	923.50
26 475 BE0	250	869.20
26 475 DA0	250	869.20
26 475 DC0	250	742.00
26 475 DL0	250	923.50
26 475 EN0	250	923.50
26 475 GL0	250	869.20
26 475 GN0	250	923.50
26 475 LS0	250	658.20
26 477 000	250	500.50
26 477 A00	250	869.20
26 477 AL0	250	923.50
26 477 BE0	250	869.20
26 477 DA0	250	869.20
26 477 DL0	250	923.50
26 477 EN0	250	923.50
26 477 GL0	250	869.20
26 477 GN0	250	923.50
26 477 LS0	250	658.20
26 479 000	251	532.30
26 479 AL0	251	972.70
26 479 DL0	251	972.70
26 479 GN0	251	972.70
26 479 LS0	251	684.80
26 481 000	251	527.20
26 481 AL0	251	972.70
26 481 DL0	251	972.70
26 481 GN0	251	972.70
26 481 LS0	251	684.80
26 483 000	252	110.80
26 484 000	252	110.80
26 507 000	83, 234	1,116.10
26 507 A00	234	1,930.10
26 507 AL0	83, 234	2,042.80
26 507 BE0	234	1,930.10
26 507 DA0	234	1,930.10
26 507 DC0	83, 234	1,661.00
26 507 DL0	234	2,042.80
26 507 EN0	234	2,042.80
26 507 GL0	234	1,930.10
26 507 GN0	234	2,042.80
26 507 LS0	83, 234	1,289.70
26 508 000	84, 234	1,116.10
26 508 AL0	84, 234	2,042.80
26 508 DC0	84, 234	1,661.00
26 508 DL0	234	2,042.80
26 508 GN0	234	2,042.80
26 508 LS0	84, 234	1,289.70
26 509 000	235	969.10
26 510 000	235	1,127.80
26 513 000	296	69.20
26 544 000	272	83.00
26 544 LS0	272	83.00
26 546 000	273	175.00
26 548 000	274	181.00
26 550 000	277	83.00
26 551 LS0	277	83.00
26 552 000	278	82.00
26 553 000	282	104.60
26 554 LS0	282	105.60
26 557 000	253	385.40
26 558 000	253	385.40
26 559 000	253	385.40
26 560 000	253	385.40
26 561 000	262	316.70
26 561 LS0	262	411.00
26 562 000	262	316.70
26 562 LS0	262	411.00
26 563 000	253	413.10
26 564 000	253	413.10
26 564 AL0	253	836.40
26 564 DL0	253	836.40
26 564 GN0	253	836.40
26 565 000	253	413.10
26 566 000	253	413.10
26 566 AL0	253	836.40
26 566 DL0	253	836.40
26 566 GN0	253	836.40
26 567 000	262	344.40
26 567 LS0	262	446.90
26 568 000	262	344.40
26 568 LS0	262	446.90
26 574 000	272	82.00
26 574 A00	272	141.50
26 574 AL0	272	149.70
26 574 BE0	272	141.50
26 574 DA0	272	141.50
26 574 DL0	272	149.70
26 574 EN0	272	149.70
26 574 GL0	272	141.50
26 574 GN0	272	149.70
26 574 LS0	272	82.00
26 575 000	273	176.00
26 576 LS0	273	175.00
26 577 LS0	274	176.00
26 578 000	274	180.00
26 578 LS0	275	180.00
26 579 LS0	275	181.00
26 580 000	276	137.40
26 580 LS0	276	137.40
26 581 000	275	116.90
26 581 LS0	275	116.90
26 582 000	277	82.00
26 582 AL0	277	149.70
26 582 DL0	277	149.70
26 582 GN0	277	149.70
26 582 LS0	277	82.00
26 583 000	278	175.00
26 584 000	278	176.00
26 584 LS0	278	176.00
26 585 000	279	176.00
26 586 000	279	180.00
26 586 LS0	280	180.00
26 587 000	279	181.00
26 587 LS0	280	181.00
26 588 000	280	137.40
26 588 LS0	280	137.40
26 589 000	281	116.90
26 589 LS0	281	116.90
26 590 000	282	105.60
26 591 000	282	208.00
26 592 000	283	209.00
26 592 LS0	283	209.00
26 593 000	283	214.00
26 594 000	284	215.00
26 594 LS0	284	215.00
26 602 000	285, 334	107.00
26 603 000	285, 334	112.00
26 603 A00	285, 334	226.50
26 603 AL0	285, 334	249.10
26 603 BE0	285, 334	226.50
26 603 DA0	285, 334	226.50
26 603 DL0	285, 334	249.10
26 603 EN0	285, 334	249.10
26 603 GL0	285, 334	226.50
26 603 GN0	285, 334	249.10
26 640 000	252	646.80
26 641 000	262	596.60
26 642 000	252	673.40
26 643 000	261	624.20
26 646 000	612	234.00
26 647 000	228	989.10
26 647 LS0	228	1,137.80
26 648 000	228	989.10
26 648 LS0	229	1,137.80
26 649 000	229	989.10
26 652 000	229	989.10
26 657 000	230	1,110.00
26 788 001	149	112.80
26 792 10A	149, 151	207.70

27

Product no.	Page	Price
27 032 001	232	1,133.10
27 055 000	329	46.00
27 056 000	329	28.30
27 057 000	331	52.00
27 057 A00	331	84.40
27 057 AL0	331	89.60
27 057 BE0	331	83.50
27 057 DA0	331	83.50
27 057 DC0	331	70.90
27 057 DL0	331	88.80
27 057 EN0	331	88.80
27 057 GL0	331	83.50
27 057 GN0	331	89.60
27 057 LS0	331	73.10
27 058 000	233	766.60
27 074 000	329	31.90
27 074 A00	329	53.60
27 074 AL0	329	56.90
27 074 BE0	329	53.10
27 074 DA0	329	53.60
27 074 DC0	329	32.40
27 074 DL0	329	56.40
27 074 EN0	329	56.40
27 074 GL0	329	53.10
27 074 GN0	329	56.90
27 074 LS0	329	46.40
27 075 000	30, 330	32.40
27 075 LS0	330	41.40
27 076 000	29, 332	51.30
27 076 LS0	332	65.40
27 151 000	331	98.00
27 174 001	231	1,257.50
27 180 000	247	41.30
27 206 000	337	19.10

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
27 220 000	296	44.90
27 221 000	296	57.70
27 221 001	296	62.80
27 222 000	296	60.80
27 225 001	299	102.10
27 226 001	298	118.30
27 226 A01	298	175.70
27 226 AL1	298	186.80
27 226 BE1	298	175.70
27 226 DA1	298	175.70
27 226 DC1	298	144.30
27 226 DL1	298	186.80
27 226 EN1	298	186.80
27 226 GL1	298	175.70
27 226 GN1	298	186.80
27 227 001	298	120.60
27 230 001	297	98.90
27 231 001	297	113.00
27 232 001	297	111.80
27 238 000	296	45.40
27 239 000	296	62.10
27 239 001	296	69.20
27 242 001	297	89.20
27 243 001	297	102.20
27 251 000	29, 261	114.90
27 251 A00	261	180.90
27 251 AL0	261	192.20
27 251 BE0	261	180.90
27 251 DA0	261	180.90
27 251 DL0	261	192.20
27 251 EN0	261	192.20
27 251 GL0	261	180.90
27 251 GN0	261	192.20
27 253 000	261	167.30
27 265 000	297	30.60
27 265 00E	297	28.80
27 266 001	298	89.70
27 266 00E	298	82.60
27 267 001	299	95.60
27 271 000	261	642.90
27 272 000	288	112.40
27 273 001	288	239.10
27 274 000	289	113.90
27 276 000	286	85.40
27 276 LS0	286	83.60
27 277 001	287	219.10
27 285 000	261	446.70
27 286 000	260	1,933.80
27 296 002	237	551.70
27 320 000	338	86.30
27 354 000	299	57.00
27 355 000	299	99.70
27 367 000	302	47.70
27 368 000	302	168.70
27 369 000	302	75.40
27 400 000	302	45.30
27 406 000	269, 322	48.00
27 421 002	243	440.90
27 443 000	286	89.40
27 444 000	286	96.80
27 446 000	286	93.80
27 447 000	286	92.90
27 448 000	287	92.90
27 449 000	287	92.90
27 467 000	260	616.30
27 469 000	28, 232	1,225.80
27 470 000	262	458.80
27 470 LS0	263	555.20
27 473 001	241	496.30
27 475 001	240	690.10
27 477 000	263	487.50
27 478 000	263	471.30
27 479 000	263	473.60
27 480 000	263	477.50
27 484 000	268	63.70
27 485 000	268	55.70
27 488 000	268	75.00
27 492 000	265, 302	141.30
27 499 000	300, 335	46.80
27 500 000	300, 335	51.00
27 512 001	324	19.40
27 513 001	324	33.80
27 514 001	325	66.40
27 519 000	335	52.50
27 520 000	335	55.40
27 521 000	313, 335	52.30
27 522 000	313, 335	53.60
27 523 000	321, 335	46.80
27 524 000	321, 335	49.30
27 531 000	331	181.00
27 571 002	309	27.70
27 571 20E	309	27.70
27 572 002	309	35.20
27 573 002	309	46.80
27 574 002	309	35.20
27 575 002	309	45.10
27 576 002	310	82.00
27 577 002	309	90.30
27 578 002	311	62.50
27 578 20E	311	65.00
27 579 002	311	72.50
27 580 002	310	81.00
27 584 002	312	53.30
27 588 002	312	50.00
27 591 001	266, 313	66.00
27 594 000	314, 330	12.60
27 595 000	321, 329	19.10
27 596 000	301, 313	6.20
27 597 001	315	25.50
27 597 10E	315	23.70
27 598 001	317	59.30
27 598 10E	317	56.40
27 600 001	316	73.80
27 601 10E	318	42.60
27 606 001	266, 320	59.70
27 615 001	238	551.70
27 617 000	248	119.00
27 621 000	331	290.40
27 641 000	233	1,106.80
27 644 001	316	66.00
27 645 001	316	68.60
27 646 001	317	63.60
27 646 10E	317	66.00
27 661 000	290	106.20
27 664 000	290	117.30
27 668 000	290	134.80
27 671 000	292	88.30
27 671 LS0	293	78.20
27 672 DR0	292	101.00
27 672 HF0	292	101.00
27 672 PV0	292	104.80
27 672 TN0	292	101.00
27 672 XH0	292	101.80
27 673 000	292	95.10
27 673 LS0	292	88.30
27 675 000	292	116.20
27 693 000	307, 330	24.80
27 696 000	243	675.10
27 698 000	306	47.70
27 699 000	306	46.70
27 700 000	306	206.70
27 702 000	306	81.70
27 703 000	306	78.90
27 704 000	307, 332	28.70
27 705 000	265, 307	147.80
27 706 000	19, 304	31.10
27 707 000	18, 305	48.90
27 709 000	268, 308	102.20
27 711 000	268, 308	90.00
27 732 000	290	203.80
27 734 000	290	215.30
27 736 000	293	195.90
27 738 000	293	209.50
27 741 000	291	164.80
27 742 000	293	132.00
27 744 000	290	210.80
27 746 000	290	224.60
27 748 000	293	222.90
27 750 000	293	209.20
27 784 000	294, 334	107.20
27 785 000	294, 334	113.90
27 786 002	311	72.50
27 787 002	310	81.00
27 788 002	312	71.30
27 789 002	311	78.80
27 790 002	311	84.10
27 794 001	316	66.00
27 795 001	316	72.50
27 796 001	317	72.50
27 798 10E	319	37.30
27 799 001	319	37.30
27 803 10E	318	38.30
27 812 IL1	324	27.30
27 841 000	307, 335	191.40
27 845 000	307, 336	2.00
27 849 001	318	46.80
27 852 001	315	20.20
27 853 001	317	49.00
27 854 001	318	55.40
27 863 000	263	663.70
27 865 000	217, 259	4,339.60
27 869 001	257, 312	77.70
27 870 001	257, 319	71.30
27 884 001	304	92.70
27 888 000	217, 304	93.40
27 888 AL0	304	173.20
27 888 DL0	304	173.20
27 888 GN0	304	173.20
27 889 000	304	134.70
27 890 000	304	253.80
27 891 000	304	247.00
27 892 000	307, 335	185.20
27 922 000	244	516.90
27 922 001	244	496.30
27 923 001	315	18.80
27 924 001	317	44.40
27 925 001	318	53.30
27 926 001	316	68.20
27 927 001	316	74.50
27 928 002	310	74.50
27 929 002	310	82.00

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
27 932 000	240	529.20
27 933 000	248	170.40
27 934 000	219	3,033.40
27 936 000	306	198.70
27 938 001	260	2,882.90
27 939 001	260	2,882.90
27 962 000	292	108.70
27 964 000	239	749.50
27 966 000	231	1,146.20
27 966 001	230	1,202.30
27 967 000	232	977.30
27 968 000	231	1,143.20
27 968 001	230	1,202.30
27 969 000	53	81.70
27 969 IG0	53	104.60
27 970 000	53	123.00
27 970 IG0	53	160.20
27 974 000	52, 264	434.60
27 974 IG0	52, 264	569.90
27 978 000	52, 269	71.20
27 978 IG0	52, 269	90.00
27 986 000	52, 268	94.10
27 986 IG0	52, 268	132.80
27 993 000	52	150.70
27 993 IG0	52	195.50
28		
28 020 L01	324	13.20
28 025 000	326	28.60
28 034 000	29, 270	145.70
28 105 000	326	19.80
28 139 000	326	22.40
28 140 000	326	24.60
28 142 000	326	22.00
28 143 000	217, 326	24.20
28 143 KS0	326	31.70
28 143 LS0	326	31.70
28 145 000	326	29.30
28 150 001	327	9.70
28 151 001	327	11.40
28 154 001	327	13.60
28 155 001	327	15.60
28 158 000	328	34.30
28 233 000	265, 303	83.00
28 261 002	315	32.00
28 308 000	265, 270	218.60
28 348 000	270	168.50
28 361 000	267	98.70
28 362 000	327	15.60
28 362 A00	327	25.20
28 362 BE0	327	25.20
28 362 DA0	327	25.20
28 362 DC0	327	21.00
28 362 GL0	327	24.30
28 364 000	327	17.50
28 368 000	264	331.90
28 368 00E	264	319.50
28 368 LS0	264	393.10
28 369 000	264, 286	336.40
28 384 000	267	177.00
28 388 000	327	20.20
28 388 A00	327	32.10
28 388 BE0	327	32.50
28 388 DA0	327	32.10
28 388 DC0	327	28.10
28 388 GL0	327	32.10
28 389 000	271, 338	78.60
28 393 000	295	169.60
28 409 001	327	13.60
28 410 001	327	15.60
28 413 001	327	17.10
28 417 000	326	26.70
28 419 002	315	30.40
28 421 002	315	42.60
28 429 000	269, 322	44.50
28 436 002	315	82.00
28 497 000	268	66.30
28 541 000	269, 322	96.80
28 576 000	267	77.10
28 578 002	315	43.60
28 587 000	334	194.80
28 593 002	315	82.00
28 605 000	321, 330	9.00
28 620 000	334	76.60
28 621 000	334	89.50
28 622 000	330	12.40
28 623 000	329	28.40
28 626 000	333	29.60
28 628 000	333	33.00
28 631 000	336	24.70
28 634 XX0	339, 616	28.80
28 635 XX0	338, 616	5.60
28 636 000	333	36.90
28 671 000	332	30.40
28 672 000	332	28.50
28 678 000	333	59.20
28 679 000	333	54.60
28 680 000	332	53.60
28 690 000	270, 329	117.30
28 708 000	338	85.40
28 724 000	268	65.00
28 724 LS0	268	70.90
28 778 000	263	639.80
28 789 002	317	72.50
28 799 000	339	82.90
28 812 000	338	6.80
28 813 000	338	6.80
28 817 000	616	11.40
28 856 000	336	23.90
28 874 000	339, 452	57.00
28 910 000	610	50.10
28 910 L00	610	282.90
28 912 000	30, 85	238.80
28 912 A00	610	246.00
28 912 AL0	85, 610	277.70
28 912 DA0	610	246.00
28 912 DC0	85, 610	246.20
28 912 DL0	610	246.00
28 912 EN0	610	246.00
28 912 GL0	610	246.00
28 912 GN0	610	246.00
28 920 000	610	38.00
28 939 000	153	90.00
28 943 000	154, 488	96.80
28 963 000	153	38.20
28 982 000	267	133.90
28 988 000	339, 453	67.20
28 990 000	152	170.20
28 991 000	152, 488	146.50
28 993 000	152	62.70
28 995 000	152	273.30
29		
29 007 000	452	163.60
29 009 000	153	67.00
29 025 002	15, 24	*
29 033 000	18, 28	254.70
29 037 000	17, 50	818.90
29 037 002	42, 82	837.40
29 069 000	217	129.90
29 072 000	218	226.60
29 073 000	218	228.80
29 074 000	219	358.30
29 078 000	139	121.90
29 079 000	139	135.60
29 080 000	142	119.50
29 081 000	142	133.70
29 094 000	451	274.50
29 095 000	451	280.00
29 096 000	451	225.80
29 097 003	119	215.10
29 097 LS3	119	292.60
29 112 000	144	132.20
29 113 000	144	143.90
29 118 000	42, 186	511.20
29 118 A00	186	780.00
29 118 AL0	42, 186	817.80
29 118 BE0	186	780.00
29 118 DA0	42, 186	780.00
29 118 DC0	42, 186	715.70
29 118 DL0	186	822.10
29 118 EN0	186	832.30
29 118 GL0	42, 186	780.00
29 118 GN0	186	832.30
29 119 000	43, 186	557.00
29 119 A00	186	849.70
29 119 AL0	43, 186	890.90
29 119 BE0	186	849.70
29 119 DA0	43, 186	849.70
29 119 DC0	43, 186	779.90
29 119 DL0	186	906.10
29 119 EN0	186	906.10
29 119 GL0	43, 186	783.10
29 119 GN0	186	906.10
29 120 000	187	668.80
29 121 000	43, 187	602.80
29 121 A00	187	908.30
29 121 AL0	43, 187	964.00
29 121 BE0	187	918.40
29 121 DA0	43, 187	918.40
29 121 DC0	43, 187	843.00
29 121 DL0	187	979.90
29 121 EN0	187	979.90
29 121 GL0	43, 187	908.20
29 121 GN0	187	968.60
29 122 000	44, 188	367.50
29 122 A00	188	560.70
29 122 AL0	44, 188	587.80
29 122 BE0	188	560.70
29 122 DA0	44, 188	560.70
29 122 DC0	44, 188	515.00
29 122 DL0	188	598.60
29 122 EN0	188	587.80
29 122 GL0	44, 188	560.70
29 122 GN0	188	598.60
29 123 000	182	479.30
29 123 A00	182	761.00
29 123 AL0	182	832.30
29 123 DC0	182	710.00
29 123 DL0	182	832.30
29 123 GN0	182	832.30

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
29 124 000	182	521.80
29 124 A00	182	829.00
29 124 AL0	182	906.10
29 124 DC0	182	774.00
29 124 DL0	182	906.10
29 124 GN0	182	906.10
29 125 000	183	626.20
29 126 000	183, 216	569.90
29 126 A00	183	896.00
29 126 AL0	183	979.90
29 126 DC0	183	837.00
29 126 DL0	183	979.90
29 126 GN0	183	979.90
29 127 000	184	345.00
29 127 A00	184	547.00
29 127 AL0	184	598.60
29 127 DC0	184	511.00
29 127 DL0	184	598.60
29 127 GN0	184	598.60
29 150 LS0	188	617.70
29 151 LS0	188	683.20
29 152 LS0	189	458.00
29 153 LS0	184	623.60
29 156 LS0	184	666.70
29 157 LS0	185	709.60
29 158 LS0	185	458.00
29 303 003	79	270.60
29 303 AL3	79	423.00
29 303 DC3	79	370.00
29 306 003	79	289.10
29 307 003	82	914.30
29 307 AL3	82	1,428.00
29 307 DC3	82	1,249.00
29 706 000	134	282.40
29 707 000		300.60
29 708 000	134	309.70
29 736 000		111.50
29 800 000	212	25.00
29 801 000	212	25.00
29 802 000	212	38.70
29 803 000	212	46.60
29 804 000	212	46.60
29 805 000	212	71.60
29 811 000	212	28.20
29 813 000	212	36.70
29 904 LS0	189	709.60
30		
30 026 002	374	263.40
30 026 DC2	374	346.50
30 079 001	360	1,797.60
30 079 DC1	360	2,067.10
30 080 001	362	1,664.60
30 083 001	361	1,664.60
30 083 A01	361	2,140.20
30 083 AL1	361	2,229.40
30 083 DA1	361	2,140.20
30 083 DC1	361	1,932.20
30 083 DL1	361	2,229.40
30 085 001	362	1,531.50
30 085 A01	362	1,969.00
30 085 AL1	362	2,051.00
30 085 DA1	362	1,969.00
30 085 DC1	362	1,887.00
30 085 DL1	362	2,051.00
30 098 001	146, 392	37.50
30 193 000	386	119.10
30 193 DC0	386	155.40
30 208 000	458	253.10
30 219 002	373	775.90
30 219 DC2	373	1,020.90
30 221 002	384	139.50
30 269 000	377	262.70
30 269 A00	377	379.90
30 269 AL0	377	407.00
30 269 DA0	377	379.90
30 269 DC0	377	332.80
30 269 DL0	377	403.10
30 269 GL0	377	379.90
30 269 GN0	377	407.00
30 270 000	377	326.00
30 270 A00	377	499.40
30 270 AL0	377	535.10
30 270 DA0	377	499.40
30 270 DC0	377	427.70
30 270 DL0	377	535.10
30 270 GL0	377	499.40
30 270 GN0	377	535.10
30 273 001	382	285.00
30 273 DC1	382	344.70
30 274 000	370	301.90
30 274 A00	370	480.70
30 274 AL0	370	515.60
30 274 DA0	370	480.70
30 274 DC0	370	389.90
30 274 DL0	370	515.60
30 294 000	376	497.90
30 294 A00	376	738.00
30 294 AL0	376	790.30
30 294 BE0	376	738.00
30 294 DA0	376	738.00
30 294 DC0	376	607.90
30 294 DL0	376	790.30
30 294 EN0	376	790.30
30 294 GL0	376	738.00
30 294 GN0	376	790.30
30 305 000	388	156.20
30 305 DC0	388	202.70
30 309 000	368	251.90
30 321 DG0	376	69.80
30 321 DP0	376	69.80
30 321 DU0	376	69.80
30 321 GE0	376	69.80
30 321 HG0	376	69.80
30 321 MW0	376	70.40
30 321 TY0	376	69.80
30 321 XC0	376	71.00
30 321 YF0	376	70.40
30 321 YR0	376	69.80
30 325 001	360	1,797.60
30 325 DC1	360	2,067.10
30 327 001	361	1,664.60
30 327 A01	361	2,140.20
30 327 AL1	361	2,229.40
30 327 DA1	361	2,140.20
30 327 DC1	361	1,932.20
30 327 DL1	361	2,229.40
30 339 001	363	1,531.50
30 348 001	371	303.50
30 349 001	371	281.00
30 362 000	375	579.10
30 362 AL0	375	868.70
30 362 DC0	375	753.40
30 382 000	354	679.60
30 382 DC0	354	882.50
30 383 000	354	471.50
30 384 000	355	637.60
30 385 000	354	443.80
30 386 000	355	609.90
30 387 000	354	346.50
30 388 000	355	512.50
30 484 001	146, 392	51.80
31		
31 122 004	379	283.90
31 124 002	384	175.40
31 126 004	384	234.70
31 128 001	382	200.10
31 128 DC1	382	260.70
31 129 001	382	239.10
31 129 DC1	382	313.70
31 161 000	386	211.00
31 170 000	387	241.20
31 187 001	392	103.40
31 195 001	393	110.40
31 210 001	382	330.60
31 255 000	378	258.90
31 255 DC0	378	317.90
31 302 002	346	2,629.10
31 302 DC2	346	3,022.70
31 323 002	342	2,676.30
31 323 DC2	342	3,119.10
31 325 002	344	2,989.90
31 325 DC2	344	3,438.50
31 326 002	345	2,989.90
31 326 DC2	345	3,438.50
31 347 003	343	2,712.20
31 347 DC3	343	3,119.10
31 358 002	369	661.10
31 358 DC2	369	859.00
31 360 001	369	580.90
31 360 DC1	369	754.90
31 367 001	394	113.80
31 368 001	394	113.80
31 375 000	369	230.10
31 375 A00	369	347.50
31 375 AL0	369	372.10
31 375 DA0	369	347.50
31 375 DC0	369	318.40
31 375 DL0	369	372.10
31 379 000	367	665.60
31 379 AL0	367	1,114.20
31 379 DC0	367	864.50
31 391 002	389	131.20
31 454 001	349	2,092.00
31 454 A01	349	2,510.20
31 454 AL1	349	2,614.80
31 454 DA1	349	2,510.20
31 454 DC1	349	2,405.10
31 454 DL1	349	2,614.80
31 455 001	347	2,092.00
31 455 A01	347	2,510.20
31 455 AL1	347	2,614.80
31 455 DA1	347	2,510.20
31 455 DC1	347	2,405.10
31 455 DL1	347	2,614.80
31 456 001	351	2,092.00
31 456 DC1	351	2,405.10
31 481 001	386	253.20
31 483 002	381	272.70
31 483 DC2	381	350.10

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
31 491 000	381	412.70
31 491 DC0	381	503.30
31 498 001	353	2,018.20
31 498 A01	353	2,422.10
31 498 AL1	353	2,523.60
31 498 DA1	353	2,422.10
31 498 DC1	353	2,321.30
31 498 DL1	353	2,523.60
31 509 002	389	128.60
31 535 001	394	105.60
31 536 001	394	105.60
31 538 001	394	108.70
31 539 000	350	2,263.10
31 539 DC0	350	2,602.60
31 541 000	348	2,263.10
31 541 DC0	348	2,602.60
31 543 000	352	2,263.10
31 543 DC0	352	2,602.60
31 552 SD1	406	122.00
31 556 002	389	177.80
31 557 002	390	177.80
31 558 000	372	346.50
31 562 SD1	405	225.00
31 563 SD1	403	270.00
31 564 SD1	405	216.00
31 565 SD1	405	243.00
31 566 SD0	404	152.50
31 569 SD0	404	270.20
31 571 SD1	403	230.00
31 572 SD1	403	292.00
31 573 SD1	404	433.00
31 574 AL0	401	888.60
31 574 DL0	401	888.60
31 574 GN0	401	888.60
31 574 SD1	401	289.00
31 575 SD1	401	356.00
31 576 SD1	402	330.00
31 577 SD1	402	330.00
31 578 SD1	402	260.00
31 580 SD1	402	338.00
31 581 SD1	400	1,038.00
31 582 SD1	400	1,038.00
31 583 SD1	400	700.00
31 584 SD1	400	778.00
31 585 SD1	401	1,038.00
31 586 SD1	401	908.00
31 587 SD0	405	219.40
31 588 SD1	404	306.00
31 593 002	373	617.10
31 593 DC2	373	802.60
31 613 000	369	429.50
31 613 A00	369	601.70
31 613 DA0	369	601.70
31 613 DC0	369	558.60
31 615 000	376	518.70
31 615 A00	376	726.70
31 615 AL0	376	778.00
31 615 BE0	376	726.70
31 615 DA0	376	726.70
31 615 DC0	376	674.50
31 615 DL0	376	778.00
31 615 EN0	376	778.00
31 615 GL0	376	726.70
31 615 GN0	376	778.00
31 639 AP0	412	194.00
31 639 AT0	412	194.00
31 640 AP0	412	244.80
31 640 AT0	412	244.80
31 641 AP0	412	261.80
31 641 AT0	412	261.80
31 642 AP0	412	278.70
31 642 AT0	412	278.70
31 643 AP0	413	304.10
31 643 AT0	413	304.10
31 644 AP0	409	261.80
31 644 AT0	409	261.80
31 645 AP0	410	278.70
31 645 AT0	410	278.70
31 646 AP0	410	295.60
31 646 AT0	410	295.60
31 647 AP0	410	329.50
31 647 AT0	410	329.50
31 648 AP0	410	253.30
31 648 AT0	410	253.30
31 649 AP0	411	304.10
31 649 AT0	411	304.10
31 650 AP0	407	194.00
31 650 AT0	407	194.00
31 651 AP0	407	236.40
31 651 AT0	407	236.40
31 652 AP0	407	261.80
31 652 AT0	407	261.80
31 653 AP0	409	168.60
31 653 AT0	409	168.60
31 654 AP0	409	202.40
31 654 AT0	409	202.40
31 655 AP0	409	236.40
31 655 AT0	409	236.40
31 656 AP0	413	160.90
31 656 AT0	413	160.90
31 657 AP0	407	261.80
31 657 AT0	407	261.80
31 658 AP0	408	270.20
31 658 AT0	408	270.20
31 680 000	396	87.00
31 688 000	395	98.00
31 693 000	395	98.00
31 696 000	395	130.00
31 706 000	395	98.00
31 713 000	395	130.00
31 715 000	396	98.00
31 721 000	355	512.50
31 721 DC0	355	525.00
31 722 000	356	292.50
31 723 000	356	283.10
31 724 000	356	189.70
31 831 001	392	90.80
32		
32 042 003	33	426.00
32 042 AL3	33	681.50
32 042 DA3	33	634.00
32 042 DC3	33	596.40
32 042 GL3	33	599.60
32 043 003	33	369.50
32 043 AL3	33	591.50
32 043 DA3	33	550.00
32 043 DC3	33	517.20
32 043 GL3	33	550.00
32 067 000	372	259.70
32 108 003	34	483.50
32 108 AL3	34	773.00
32 108 DA3	34	719.00
32 108 DC3	34	676.70
32 108 GL3	34	719.00
32 109 001	56	196.90
32 109 AL1	56	347.00
32 109 DC1	56	290.70
32 114 001	56	209.90
32 114 AL1	56	370.00
32 114 DC1	56	312.70
32 146 000	22	525.30
32 147 000	24	402.10
32 154 002	131	82.00
32 168 000	370	273.30
32 168 DC0	370	337.00
32 204 001	106	142.20
32 204 10E	106	133.90
32 207 001	106	108.00
32 208 001	108	143.70
32 210 001	109	146.40
32 211 001	109	180.40
32 224 002	389	130.00
32 240 10E	106	132.00
32 249 000	23	805.40
32 257 001	380	292.30
32 257 002	379	290.60
32 294 002	373	443.80
32 294 DC2	373	577.10
32 321 002	371	288.00
32 321 A02	371	402.80
32 321 AL2	371	431.50
32 321 DA2	371	402.80
32 321 DC2	371	374.10
32 321 DL2	371	431.50
32 322 002	372	288.00
32 322 A02	372	402.80
32 322 AL2	372	431.50
32 322 DA2	372	402.80
32 322 DC2	372	374.10
32 322 DL2	372	431.50
32 467 002	130	83.80
32 468 003	118	106.90
32 468 20E	111	120.60
32 469 20E	101	174.10
32 482 002	389	130.00
32 488 000	371	220.30
32 488 A00	371	322.90
32 488 AL0	371	345.40
32 488 DA0	371	322.90
32 488 DC0	371	290.50
32 488 DL0	371	345.40
32 553 002	374	416.20
32 553 DC2	374	547.40
32 612 003	76	222.40
32 612 AL3	76	346.00
32 612 DC3	76	303.00
32 618 003	78	344.40
32 618 AL3	78	537.00
32 618 DC3	78	470.00
32 628 001	88	203.30
32 628 A01	88	310.10
32 628 AL1	88	330.80
32 628 BE1	88	307.10
32 628 DA1	88	310.10
32 628 DC1	88	266.50
32 628 DL1	88	327.60
32 628 EN1	88	327.60
32 628 GL1	88	307.10
32 628 GN1	88	327.60
32 629 002	108	209.10

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
32 647 003	33	596.30
32 647 AL3	33	954.30
32 647 DA3	33	888.00
32 647 DC3	33	835.00
32 647 GL3	33	888.00
32 650 003	34	511.20
32 650 AL3	34	817.80
32 650 DA3	34	761.00
32 650 DC3	34	715.70
32 650 GL3	34	761.00
32 652 003	34	596.30
32 652 AL3	34	954.30
32 652 DA3	34	888.00
32 652 DC3	34	835.00
32 652 GL3	34	888.00
32 653 003	37	1,647.50
32 653 AL3	37	2,636.30
32 653 DA3	37	2,451.00
32 653 DC3	37	2,306.40
32 653 GL3	37	2,451.00
32 659 001	382	177.20
32 661 003	381	211.20
32 661 DC3	381	271.70
32 663 003	381	257.30
32 663 DC3	381	331.10
32 667 001	383	183.20
32 706 000	23	228.80
32 708 00A	151	282.20
32 734 000	135	74.50
32 740 000	135	78.80
32 742 000	135	104.10
32 743 000	135	96.90
32 747 000	136	116.20
32 754 002	26	2,278.00
32 757 000	22	417.80
32 759 000	22	488.80
32 760 000	22	755.70
32 762 000	457	110.40
32 763 000	457	105.50
32 765 000	457	229.20
32 766 000	457	238.00
32 767 000	459	267.90
32 768 000	458	271.10
32 770 000	458	237.90
32 771 000	459	298.30
32 772 000	459	271.20
32 773 000	459	298.20
32 774 000	459	308.60
32 775 000	459	329.70
32 776 000	458	238.80
32 778 000	458	248.70
32 779 000	458	281.00
32 780 000	460	110.20
32 783 000	460	218.30
32 784 000	460	126.00
32 786 000	391, 460	135.90
32 787 000	391, 461	135.90
32 788 000	463	226.10
32 789 000	463	208.90
32 790 000	463	332.50
32 792 000	463	384.30
32 793 000	463	400.50
32 795 000	463	361.60
32 823 000	463	358.30
32 824 000	123	100.60
32 825 000	123	102.50
32 825 00E	123	103.00
32 826 000	25	935.50
32 830 001	125	157.90
32 831 000	127	127.30
32 832 000	127	158.20
32 837 000	126	100.70
32 839 000	126	105.10
32 840 000	126	93.60
32 842 000	386	123.80
32 843 002	386	170.20
32 843 20E	386	175.30
32 843 DC2	386	220.40
32 846 000	24	777.70
32 847 000	128, 151	227.70
32 870 000	461	32.00
32 871 000	461	42.60
32 879 000	129	140.30
32 880 000	128	128.30
32 882 000	135	62.90
32 898 001	87	157.10
32 899 001	87	148.40
32 901 001	89	275.90
32 901 A01	89	416.20
32 901 AL1	89	448.20
32 901 BE1	89	416.20
32 901 DA1	89	416.20
32 901 DC1	89	364.50
32 901 DL1	89	443.80
32 901 EN1	89	443.80
32 901 GL1	89	420.10
32 901 GN1	89	448.20
32 917 000	370	234.50
32 917 A00	370	322.90
32 917 AL0	370	345.40
32 917 DA0	370	322.90
32 917 DC0	370	306.50
32 917 DL0	370	345.40
32 917 KS0	370	286.20
32 918 000	370	279.50
32 918 00E	370	254.80
32 918 DC0	370	326.90
32 929 002	132	88.20
32 935 001	91	158.60
32 935 A01	91	239.50
32 935 AL1	91	258.00
32 935 BE1	91	239.50
32 935 DA1	91	239.50
32 935 DC1	91	209.50
32 935 DL1	91	255.50
32 935 EN1	91	255.50
32 935 GL1	91	239.50
32 935 GN1	91	255.50
32 950 000	367	730.00
32 950 DC0	367	914.20
33		
33 163 003	76	222.40
33 190 002	101	175.90
33 190 20E	101	168.70
33 202 002	388	113.90
33 202 DC2	388	148.70
33 241 003	79	222.40
33 241 AL3	79	346.00
33 241 DC3	79	303.00
33 244 002	103	181.40
33 265 002	130	85.70
33 281 002	388	106.90
33 281 20E	388	105.80
33 281 DC2	388	143.90
33 300 002	132	109.40
33 305 002	133	134.40
33 339 000	26	801.00
33 390 002	104	230.10
33 395 002	104	254.50
33 490 002	388	167.40
33 547 003	81	374.10
33 552 002	111	135.00
33 552 20E	111	130.60
33 553 003	80	333.10
33 553 AL3	80	519.00
33 553 DC3	80	455.00
33 555 002	132	91.00
33 556 002	133	118.40
33 558 003	116	115.80
33 558 LS3	116	150.70
33 561 002	111	172.40
33 561 003	117	162.70
33 565 002	113	130.60
33 565 003	120	114.70
33 565 LS3	120	150.70
33 566 002	113	119.50
33 569 002	103	180.40
33 577 003	80	266.50
33 577 AL3	80	416.00
33 577 DC3	80	364.00
33 590 002	113	130.50
33 591 002	113	162.70
33 591 LS3	120	205.40
33 624 001	92	221.80
33 624 A01	92	324.80
33 624 AL1	92	346.50
33 624 BE1	92	324.80
33 624 DA1	92	324.80
33 624 DC1	92	284.40
33 624 DL1	92	346.50
33 624 EN1	92	346.50
33 624 GL1	92	324.80
33 624 GN1	92	346.50
33 628 001	93	268.30
33 636 001	92	175.40
33 636 A01	92	264.30
33 636 AL1	92	282.00
33 636 BE1	92	264.30
33 636 DA1	92	264.30
33 636 DC1	92	231.80
33 636 DL1	92	282.00
33 636 EN1	92	282.00
33 636 GL1	92	264.30
33 636 GN1	92	282.00
33 769 000	24	246.00
33 770 001	380	204.00
33 770 002	379	217.00
33 772 002	379	229.10
33 848 001	58	229.60
33 848 AL1	58	405.00
33 848 DC1	58	339.40
33 849 001	59	321.70
33 849 AL1	59	532.00
33 849 DC1	59	445.80
33 865 001	58	251.40
33 865 AL1	58	416.00
33 865 DC1	58	349.20
33 912 000	391, 461	330.20
33 977 002	384	137.40
33 982 002	384	176.30

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
34		
34 169 001	201	300.90
34 174 001	201	379.90
34 274 000	200	441.30
34 276 000	200	517.30
34 294 001	87	150.20
34 482 001	201	485.90
34 487 000	441, 445	149.40
34 488 000	64, 71	364.40
34 491 000	203	390.70
34 497 000	64, 71	463.60
34 502 000	203	505.20
34 558 000	132, 139	177.50
34 565 001	206	237.50
34 566 001	206	241.80
34 576 000	206	239.10
34 665 000	449	449.30
34 666 000	450	398.30
34 667 000	449	345.00
34 671 000	449	444.90
34 681 000	449	355.20
34 705 000	44, 61	1,465.40
34 706 000	25, 84	1,458.00
34 713 000	191	787.50
34 714 000	191	734.90
34 718 000	59, 80	414.30
34 719 000	59, 80	377.00
34 720 000	192	483.50
34 721 000	192	488.80
34 726 000	197	656.00
34 727 000	197	712.40
34 728 000	195	656.00
34 729 000	195	722.60
34 730 000	195	1,331.50
34 731 000	197	1,365.30
34 732 000	197	1,162.40
34 734 000	195	984.00
34 735 000	198	771.80
34 741 000	66, 73	1,318.20
34 742 000	26, 189	1,320.20
34 765 000	92, 109	213.00
34 766 000	93, 109	278.00
34 767 000		208.00
34 768 000		248.00
34 769 000		254.00
34 770 000		272.00
34 776 000		225.00
34 777 000		220.00
34 779 000		293.00
34 780 000		288.00
34 783 000		260.00
34 784 000		264.00
35		
35 028 000	18, 28	131.60
35 034 000	331	188.80
35 085 000	454	1,304.70
35 087 000	454	1,433.00
35 500 000	451	256.30
35 600 000	16, 25	78.20
36		
36 015 001	431	597.10
36 016 001	431	545.90
36 109 000		544.10
36 121 000		618.60
36 122 000		271.90
36 133 000	432, 440	22.80
36 194 000	397	324.50
36 207 001	431	518.10
36 208 001	431	474.80
36 209 000	432, 465	128.60
36 233 000	465	727.90
36 249 000	465	665.70
36 264 001	416, 420	186.30
36 265 000	468	110.40
36 266 000	468	99.90
36 267 000	468	92.80
36 268 000	468	102.20
36 269 000	442	299.40
36 270 000	442	293.90
36 271 000	442	274.50
36 272 000	443	272.50
36 273 000	444	378.50
36 274 000	443	317.90
36 276 000	440, 466	106.00
36 315 000	437	475.90
36 316 000	468	39.40
36 317 000	466	271.00
36 318 000	466	293.90
36 319 000	466	484.50
36 320 000	466	413.80
36 321 000	466	325.60
36 325 001	434	390.60
36 330 001	435	339.10
36 331 001	434	341.50
36 332 000	437	816.10
36 333 000	437	801.30
36 334 SD0	437	423.80
36 335 SD0	437	408.80
36 338 000	418, 421	94.70
36 340 000	417, 421	55.40
36 341 000	417, 421	112.80
36 359 000	218	1,158.40
36 360 000	218	1,002.50
36 362 000		3,151.70
36 367 000	220	279.60
36 371 000	220	581.40
36 376 000	437	498.90
36 384 000	443	602.80
36 386 001	436	759.40
36 397 000	219	1,301.80
36 407 001	417, 420	443.00
36 409 000	423	635.00
36 410 000	425	722.00
36 412 000	426	790.00
36 413 000	422	765.70
36 414 000	424	1,040.50
36 415 000	427	593.40
36 421 000	435	424.00
36 422 000	434	430.80
36 439 000	435	353.00
36 440 000	416	772.10
36 441 000	69, 416	745.50
36 442 000	416	839.20
36 444 000	419	626.20
36 445 000	90, 419	599.60
36 446 000	419	559.10
36 447 000	420	793.50
36 452 000	446	227.90
36 453 000	446	258.80
36 454 000	436	1,019.90
36 455 000	436	992.20
36 456 000	438	253.20
36 457 000	438	942.00
36 458 000	438	757.50
36 459 000	438	813.90
36 463 000	439	224.50
36 464 000	439	673.40
37		
37 035 000	569	11.40
37 036 000	569	21.70
37 037 000	569	22.80
37 038 000	569	25.00
37 039 000	569	27.40
37 040 000	569	29.60
37 042 000	570	19.40
37 043 000	569	39.90
37 044 000	569	12.10
37 048 000	556	455.50
37 059 000	561, 578	194.80
37 060 000	561, 579	120.70
37 063 000		39.90
37 063 SH0		54.60
37 086 PI0	545	89.00
37 088 PI0	545	67.20
37 092 000	544	33.00
37 095 000	544	31.90
37 099 K00	546	58.00
37 100 SH0	545	35.30
37 102 SH0	557	26.20
37 103 SH0	548	10.40
37 104 K00	548	33.00
37 105 K00	548	13.30
37 107 000	554	66.30
37 108 000	554	59.20
37 112 000	554	89.70
37 114 000	554	25.00
37 115 PI0	548, 620	8.00
37 117 PI0	548, 620	19.40
37 119 000	549	3.40
37 125 000	549	17.10
37 131 000	533, 549	7.50
37 132 000	553	21.70
37 133 000	554	59.30
37 135 000	555	4.70
37 139 000	553	100.90
37 141 000	553	101.20
37 153 000	556	291.50
37 157 000	556	256.90
37 304 000	538	42.10
37 311 K00	547	16.60
37 321 001	564	491.80
37 321 SD1	564	504.40
37 321 SH1	564	511.70
37 324 001	565	519.70
37 324 SD1	565	514.70
37 336 001	564	511.70
37 337 001	564	511.70
37 338 000	428, 565	134.30
37 339 000	568	140.80
37 342 000	568	155.20
37 345 000	568	153.90
37 346 000	568	99.00
37 347 000	553	207.40
37 349 000	553	240.10
37 355 SH0	542	144.40
37 396 000	568	117.20
37 419 000	558	743.30

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
37 419 SD0	558	717.10
37 421 000	562	433.30
37 426 000	562	496.10
37 427 000	562	341.20
37 428 000	563	327.00
37 489 000	548	5.70
37 497 PI0	545	60.00
37 501 PI0	544	66.00
37 503 000	428	921.00
37 504 000	429	1,134.00
37 535 000	85, 574	80.00
37 535 A00	574	175.30
37 535 AL0	85, 574	175.30
37 535 BE0	574	175.30
37 535 DA0	574	175.30
37 535 DC0	85, 574	175.30
37 535 DL0	574	175.30
37 535 EN0	574	175.30
37 535 GL0	574	175.30
37 535 GN0	574	175.30
37 535 P00	574	80.00
37 535 SH0	574	66.60
37 547 000		44.10
37 547 P00		61.80
37 547 SH0		52.30
37 576 000	538	166.30
37 601 000	574	97.40
37 601 A00	574	175.30
37 601 AL0	574	175.30
37 601 BE0	574	175.30
37 601 DA0	574	175.30
37 601 DC0	574	175.30
37 601 DL0	574	175.30
37 601 EN0	574	175.30
37 601 GL0	574	175.30
37 601 GN0	574	175.30
37 601 P00	574	97.40
37 601 SH0	574	80.00
37 624 000	85, 574	97.40
37 624 A00	574	175.30
37 624 AL0	85, 574	175.30
37 624 BE0	574	175.30
37 624 DA0	574	175.30
37 624 DC0	85, 574	175.30
37 624 DL0	574	175.30
37 624 EN0	574	175.30
37 624 GL0	574	175.30
37 624 GN0	574	175.30
37 624 P00	574	97.40
37 624 SH0	574	80.00
37 751 001	565	460.00
37 998 000	532	87.00
38		
38 338 000	534	23.90
38 393 SD1	558	574.30
38 415 001	537	272.00
38 422 000	543	152.30
38 445 SD0		107.90
38 505 000	577	46.20
38 505 P00	577	72.80
38 505 SH0	577	37.90
38 506 000	577	64.70
38 506 P00	577	78.60
38 506 SH0	577	65.00
38 525 001	519	300.10
38 526 000	520	330.70
38 528 001	514	228.90
38 536 001	516	247.40
38 541 000	525, 528	138.50
38 543 000	526	292.80
38 544 000	525	251.30
38 545 000	526	311.60
38 546 000	525	133.90
38 553 001	526	280.40
38 554 001	524	122.90
38 557 001	524	108.20
38 559 001	529	185.30
38 562 001	533	96.20
38 564 000	578	75.60
38 564 SH0	578	67.50
38 565 000	578	44.40
38 565 SH0	578	68.30
38 573 000	578	59.80
38 573 P00	578	62.60
38 573 SH0	578	53.60
38 574 000	578	61.60
38 581 001	531	513.50
38 584 001	530	438.40
38 587 000	530	515.10
38 595 000	582	37.60
38 595 P00	582	48.90
38 595 SH0	582	23.90
38 618 000	520	606.00
38 622 001	519	449.00
38 624 001	516	253.80
38 625 001	524, 528	256.70
38 629 000	533	52.00
38 636 001	533	73.00
38 642 001	536	194.00
38 643 001	536	177.60
38 661 000	542	104.60
38 672 SD0	578	135.60
38 675 001	517, 527	309.70
38 691 000	543	186.00
38 698 SD1	558	574.30
38 699 001	558	579.80
38 714 000	552, 579	19.40
38 732 000	19, 30	65.00
38 732 A00	19, 576	141.00
38 732 AL0	19, 576	141.00
38 732 BE0	576	139.60
38 732 BR0	576	120.80
38 732 DA0	576	141.00
38 732 DC0	19, 576	147.60
38 732 DL0	576	139.60
38 732 EN0	576	139.60
38 732 GL0	576	141.00
38 732 GN0	576	139.60
38 732 P00	576	60.50
38 732 SD0	576	162.20
38 732 SH0	576	53.30
38 733 000	533	28.50
38 735 000	546	55.40
38 736 000	546	43.70
38 748 002	417, 420	514.80
38 759 SD0	527, 559	861.20
38 765 000	575	73.70
38 765 P00	575	72.30
38 765 SH0	575	58.00
38 771 000	543, 579	40.80
38 776 SD0	576	150.20
38 779 000	533	189.50
38 784 000	581	119.50
38 784 P00	581	118.10
38 784 SD0	581	184.50
38 784 SH0	581	111.70
38 785 000	538	207.30
38 786 001	522	240.50
38 787 000	565, 571	108.20
38 796 000	580	70.60
38 803 001	522	312.10
38 804 000	581	119.20
38 804 SH0	581	108.50
38 805 000	580	136.50
38 808 000	582	104.00
38 808 P00	582	102.70
38 808 SH0	582	94.00
38 809 000	575	566.80
38 821 000	576	229.00
38 827 000	515	337.20
38 844 000	577	74.30
38 844 P00	577	72.20
38 844 SH0	577	59.20
38 845 KS0	575	252.50
38 845 LS0	575	251.30
38 845 MF0	575	239.60
38 846 KS0	581	313.20
38 846 LS0	581	310.30
38 857 000	581	121.90
38 857 P00	581	119.20
38 857 SH0	581	110.60
38 858 000	577	71.50
38 858 P00	577	70.80
38 858 SH0	577	57.50
38 861 000	577	73.10
38 862 000	577	66.00
38 862 P00	577	67.80
38 862 SD0	577	131.10
38 862 SH0	577	54.10
38 882 000	580	8.00
38 895 000	542	210.80
38 896 000	566, 571	62.60
38 915 KS0	575	905.90
38 915 LS0	575	921.70
38 916 0A0	576	299.70
38 934 SD0	528, 559	524.00
38 957 000	576	105.30
38 987 000	542	118.00
38 994 000	518	338.50
38 995 000	518	379.80
39		
39 002 000	514	334.40
39 052 000	524	162.30
39 062 000	517	453.70
39 111 LD0	472	4,857.60
39 111 LK0	472	4,857.60
39 111 LP0	472	4,904.30
39 111 SH0	472	4,646.20
39 140 000	527	618.70
39 141 000	528, 559	646.00
39 142 000	528, 559	259.00
39 165 000	537	142.00
39 206 000	495	251.80
39 206 00H	495	302.20
39 208 000	497	249.90
39 208 00H	497	300.30
39 245 00H	492	538.90
39 300 000	505	277.40
39 301 000	505	204.90

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
39 302 000	505	195.50
39 305 000	505	345.60
39 306 000	506	225.90
39 307 000	506	495.90
39 308 000	506	427.60
39 323 000	494	99.30
39 323 00H	494	149.80
39 324 000	495	64.60
39 324 00H	495	114.90
39 327 000	495	81.20
39 327 00H	495	131.50
39 328 000	495	277.10
39 328 00H	495	327.40
39 330 001	496	110.70
39 331 001	496	75.90
39 335 000	494	89.60
39 335 00H	494	139.90
39 336 000	494	83.90
39 336 00H	494	134.30
39 337 000	494	98.00
39 337 00H	494	148.30
39 351 000	501	201.90
39 354 SH1	475	3,291.30
39 367 000	566	625.50
39 368 000	566	625.50
39 369 000	567	853.00
39 374 KS0	513	792.50
39 374 LS0	513	792.50
39 376 000	522	316.30
39 383 000	424	74.00
39 386 00H	490	578.70
39 420 000	499	68.80
39 421 000	499	59.70
39 422 000	499	107.60
39 423 000	495, 499	107.60
39 424 000	499	58.20
39 425 000	500	58.40
39 427 000	500	110.00
39 433 000	500	186.20
39 438 000	501	209.50
39 439 000	501	209.50
39 440 000	499	58.00
39 453 000	498, 504	36.00
39 454 000	498, 504	66.00
39 457 000	498, 504	68.00
39 462 000	496	473.80
39 462 00H	496	521.70
39 469 00H	490	500.30
39 473 00H	490	271.30
39 474 00H	490	254.70
39 475 00H	490	578.70
39 476 00H	490	501.20
39 477 00H	491	271.30
39 478 00H	491	254.70
39 479 00H	491	260.20
39 480 00H	491	243.60
39 481 00H	491	243.60
39 482 00H	491	216.00
39 483 00H	492	210.40
39 484 00H	492	557.00
39 485 00H	492	503.10
39 487 00H	493	409.80
39 488 000	492	214.00
39 491 000	500	87.20
39 492 000	500	47.00
39 493 000	500	84.40
39 496 000	502	285.50
39 501 000	515	279.80
39 538 000	496	244.00
39 551 000	498, 504	68.00
39 564 00H	482	274.70
39 565 00H	482	256.30
39 566 00H	482	602.70
39 567 00H	482	432.60
39 568 00H	482	296.20
39 570 000	483	159.90
39 571 00H	483	381.30
39 572 00H	483	426.40
39 573 00H	483	397.70
39 574 00H	484	381.30
39 575 00H	484	397.70
39 576 000	484	106.60
39 577 000	484	159.90
39 578 000	484	239.90
39 579 000	484	239.90
39 584 00H	494	357.70
39 585 00H	494	461.30
39 596 000	473, 476	263.40
39 597 000	510	263.40
39 598 000	512	277.80
39 600 000	511	333.10
39 602 000	511	370.00
39 603 000	512	392.00
39 608 00H	482	576.10
39 609 00H	483	384.40
39 611 000	485	6,342.70
39 612 000	485	7,009.00
39 613 00H	485	7,009.00
39 614 00H	485	7,425.10
39 617 000	485	1,146.00
39 619 000	485	1,359.20
39 620 00H	486	1,359.20
39 621 00H	486	1,572.40
39 622 000	486	6,925.90
39 623 000	486	7,062.30
39 648 SH0	479, 502	286.00
39 649 00H	486	7,369.80
39 650 00H	487	7,515.30
39 651 SH0	479, 502	420.30
39 652 SH0	479, 503	568.90
39 703 000	496	353.00
39 732 000	501	35.00
39 733 000	501	36.00
40		
40 206 000	32, 617	58.00
40 207 000	32, 617	34.20
40 254 000	31	29.90
40 254 003	45	36.50
40 256 000	31	42.70
40 256 003	45	41.70
40 265 000	32	113.90
40 278 000	31	87.90
40 279 000	32	118.90
40 284 000	32	48.90
40 304 003	45	54.90
40 304 AL3	45	88.80
40 304 DA3	45	81.00
40 304 DC3	45	77.20
40 304 GL3	45	81.00
40 305 003	45	54.90
40 305 AL3	45	87.90
40 305 DA3	45	81.00
40 305 DC3	45	77.20
40 305 GL3	45	81.00
40 306 003	45	54.90
40 306 AL3	45	88.80
40 306 DA3	45	81.00
40 306 DC3	45	77.20
40 306 GL3	45	81.00
40 307 003	45	73.90
40 307 AL3	45	122.00
40 307 DA3	45	107.00
40 307 DC3	45	104.20
40 307 GL3	45	107.00
40 308 003	46	123.20
40 308 AL3	46	197.90
40 308 DA3	46	181.00
40 308 DC3	46	175.40
40 308 GL3	46	181.00
40 309 003	46	118.90
40 309 AL3	46	186.10
40 309 DA3	46	173.00
40 309 DC3	46	165.70
40 309 GL3	46	173.00
40 312 003	46	37.80
40 312 AL3	46	61.50
40 312 DA3	46	56.00
40 312 DC3	46	53.10
40 312 GL3	46	56.00
40 313 003	46	83.60
40 313 AL3	46	137.10
40 313 DA3	46	124.00
40 313 DC3	46	118.40
40 313 GL3	46	124.00
40 314 003	46	167.20
40 314 AL3	46	263.00
40 314 DA3	46	247.00
40 314 DC3	46	236.10
40 314 GL3	46	247.00
40 339 000	31	118.90
40 340 000	32	192.80
40 341 000	31	176.00
40 342 000	31	176.00
40 344 001	169	105.90
40 363 000	31	192.80
40 364 001	166	11.40
40 364 A01	166	16.10
40 364 AL1	166	16.10
40 364 BE1	166	16.10
40 364 DA1	166	16.10
40 364 DC1	166	15.30
40 364 DL1	166	16.10
40 364 EN1	166	16.10
40 364 GL1	166	16.10
40 364 GN1	166	16.10
40 365 001	164	21.20
40 365 A01	164	29.60
40 365 AL1	164	29.60
40 365 BE1	164	29.60
40 365 DA1	164	29.60
40 365 DC1	164	27.60
40 365 DL1	164	29.60
40 365 EN1	164	29.60
40 365 GL1	164	29.60
40 365 GN1	164	29.60
40 366 001	165	33.40
40 366 A01	165	47.00
40 366 AL1	165	47.00
40 366 BE1	165	47.00
40 366 DA1	165	47.00

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
40 366 DC1	165	43.70
40 366 DL1	165	47.00
40 366 EN1	165	47.00
40 366 GL1	165	47.00
40 366 GN1	165	47.00
40 367 001	167	28.00
40 367 A01	167	39.00
40 367 AL1	167	39.00
40 367 BE1	167	39.00
40 367 DA1	167	39.00
40 367 DC1	167	36.40
40 367 DL1	167	39.00
40 367 EN1	167	39.00
40 367 GL1	167	39.00
40 367 GN1	167	39.00
40 368 001	163, 170	5.80
40 369 001	163	21.20
40 369 A01	163	29.60
40 369 AL1	163	29.60
40 369 BE1	163	29.60
40 369 DA1	163	29.60
40 369 DC1	163	27.60
40 369 DL1	163	29.60
40 369 EN1	163	29.60
40 369 GL1	163	29.60
40 369 GN1	163	29.60
40 371 001	164	38.10
40 371 A01	164	56.60
40 371 AL1	164	60.40
40 371 BE1	164	56.60
40 371 DA1	164	56.60
40 371 DC1	164	53.10
40 371 DL1	164	60.40
40 371 EN1	164	60.40
40 371 GL1	164	56.60
40 371 GN1	164	60.40
40 372 001	163, 170	7.10
40 374 001	168	34.70
40 374 A01	168	48.30
40 374 AL1	168	48.30
40 374 BE1	168	48.30
40 374 DA1	168	48.30
40 374 DC1	168	44.90
40 374 DL1	168	48.30
40 374 EN1	168	48.30
40 374 GL1	168	48.30
40 374 GN1	168	48.30
40 385 001	167	21.20
40 385 A01	167	29.60
40 385 AL1	167	29.60
40 385 BE1	167	29.60
40 385 DA1	167	29.60
40 385 DC1	167	27.60
40 385 DL1	167	29.60
40 385 EN1	167	29.60
40 385 GL1	167	29.60
40 385 GN1	167	29.60
40 386 001	165	42.30
40 386 A01	165	59.20
40 386 AL1	165	59.20
40 386 BE1	165	59.20
40 386 DA1	165	59.20
40 386 DC1	165	55.00
40 386 DL1	165	59.20
40 386 EN1	165	59.20
40 386 GL1	165	59.20
40 386 GN1	165	59.20
40 392 000	168, 172	22.10
40 393 000	168, 172	29.60
40 394 001	163, 170	17.70
40 394 A01	163	26.50
40 394 AL1	163, 170	28.30
40 394 BE1	163	26.30
40 394 DA1	163	26.50
40 394 DC1	163, 170	24.90
40 394 DL1	163	28.10
40 394 EN1	163, 177	28.10
40 394 GL1	163	26.30
40 394 GN1	163	28.10
40 402 000	397	160.00
40 404 001	358	61.60
40 405 000	357	30.80
40 407 001	168	66.50
40 407 DC1	168	84.70
40 412 001	358	149.70
40 421 001	166	33.80
40 421 A01	166	50.80
40 421 AL1	166	54.20
40 421 BE1	166	50.80
40 421 DA1	166	50.80
40 421 DC1	166	47.40
40 421 DL1	166	54.20
40 421 EN1	166	54.20
40 421 GL1	166	50.80
40 421 GN1	166	54.20
40 422 000	359	70.40
40 430 001	358	114.40
40 432 000	364	25.40
40 434 001	359	35.20
40 437 000	357	31.10
40 438 001	363	374.80
40 444 001	164	27.10
40 444 DC1	164	35.20
40 447 001	164	26.20
40 447 DC1	164	35.20
40 448 001	163	39.40
40 448 DC1	163	50.00
40 452 000	358	29.90
40 457 001	175	20.70
40 459 001	174	24.10
40 460 001	174	16.50
40 461 001	175	10.10
40 462 001	175	88.80
40 463 001	175	27.10
40 493 000	20	227.90
40 493 A00	20	338.00
40 493 AL0	20	363.00
40 493 DC0	20	313.00
40 494 000	20	351.30
40 494 A00	20	512.00
40 494 AL0	20	553.00
40 494 DC0	20	479.00
40 496 000	20	192.80
40 496 A00	20	280.00
40 496 AL0	20	297.00
40 496 DC0	20	264.00
40 497 000	20	219.10
40 497 A00	20	313.00
40 497 AL0	20	338.00
40 497 DC0	20	297.00
40 498 000	21	93.40
40 498 A00	21	132.00
40 498 AL0	21	140.00
40 498 DC0	21	124.00
40 499 000	21	185.70
40 499 A00	21	272.00
40 499 AL0	21	288.00
40 499 DC0	21	255.00
40 500 000	21	301.20
40 500 A00	21	445.00
40 500 AL0	21	470.00
40 500 DC0	21	412.00
40 503 000	20	272.00
40 503 A00	20	396.00
40 503 AL0	20	429.00
40 503 DC0	20	371.00
40 504 000	20	272.00
40 504 A00	20	404.00
40 504 AL0	20	429.00
40 504 DC0	20	379.00
40 507 001	172	32.60
40 507 AL1	172	80.00
40 508 001	170	28.10
40 508 AL1	170	69.00
40 509 001	171	43.60
40 509 AL1	171	105.00
40 510 001	171	39.20
40 510 AL1	171	95.00
40 511 001	171	16.30
40 511 AL1	171	40.00
40 512 001	171	140.80
40 512 AL1	171	344.00
40 513 001	172	56.90
40 513 AL1	172	137.00
40 514 001	172	58.00
40 514 AL1	172	142.00
40 535 000	397	59.80
40 535 A00	397	66.60
40 535 AL0	397	70.70
40 535 BE0	397	66.60
40 535 DA0	397	66.60
40 535 DC0	397	89.70
40 535 DL0	397	70.70
40 535 GL0	397	66.60
40 535 GN0	397	70.70
40 536 000	397	54.60
40 536 DC0	397	74.20
40 537 000	397	66.20
40 537 ZB0	397	83.00
40 547 001	358	79.20
40 553 000	397	76.10
40 553 DC0	397	109.00
40 564 000	85, 610	251.00
40 564 A00	610	403.00
40 564 AL0	85, 610	430.00
40 564 DC0	85, 610	376.00
40 565 000	75, 610	75.00
40 565 A00	610	124.00
40 565 AL0	75, 610	132.00
40 565 DC0	75, 610	115.00
40 575 001	359	441.60
40 578 000	358	93.00
40 585 001	174	16.50
40 621 000	358	34.00
40 621 DC0	358	37.90
40 623 001	172	27.30
40 623 AL1	172	67.00
40 624 001	171	54.50
40 624 AL1	171	133.00
40 625 000	55	142.20
40 625 IG0	55	183.90

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
40 626 000	54	136.40
40 626 IG0	54	176.00
40 627 000	54	177.70
40 627 IG0	54	227.90
40 628 000	54	167.20
40 628 IG0	54	221.30
40 629 000	54	183.90
40 629 IG0	54	245.60
40 630 000	54	115.50
40 630 IG0	54	149.70
40 631 000	54	54.60
40 631 IG0	54	70.40
40 632 000	55	194.60
40 632 IG0	55	254.30
40 633 000	55	127.60
40 633 IG0	55	162.90
40 652 001	177	21.10
40 652 EN1	177	34.20
40 653 001	177	33.80
40 653 EN1	177	54.40
40 654 001	178	58.00
40 654 EN1	178	93.10
40 655 001	177	21.10
40 655 EN1	177	34.20
40 656 001	178	11.80
40 656 EN1	178	18.70
40 657 001	178	25.00
40 657 EN1	178	40.20
40 658 001	178	34.70
40 658 EN1	178	55.90
40 659 001	179	38.10
40 659 EN1	179	60.70
40 660 001	178	114.40
40 660 EN1	178	181.10
40 663 001	168, 175	49.10
40 664 001	168, 176	37.20
40 666 000	221	1,129.00
40 684 000	372	71.40
40 684 DC0	372	103.80
40 688 001	164	31.00
40 688 A01	164	43.20
40 688 AL1	164	43.20
40 688 BE1	164	43.20
40 688 DA1	164	43.20
40 688 DC1	164	39.80
40 688 DL1	164	43.20
40 688 EN1	164	43.20
40 688 GL1	164	43.20
40 688 GN1	164	43.20
40 689 001	167	25.00
40 689 A01	167	35.20
40 689 AL1	167	35.20
40 689 BE1	167	35.20
40 689 DA1	167	35.20
40 689 DC1	167	32.60
40 689 DL1	167	35.20
40 689 EN1	167	35.20
40 689 GL1	167	35.20
40 689 GN1	167	35.20
40 691 001	358	61.60
40 694 000	359	26.70
40 754 001	171	34.60
40 755 001	170	34.20
40 756 001	170	46.20
40 757 001	172	96.80
40 758 001	173	145.20
40 766 000	160	53.30
40 767 000	161	101.20
40 768 000	160	149.70
40 775 001	168	65.60
40 775 DC1	168	84.70
40 776 001	169	84.70
40 776 DC1	169	110.10
40 777 001	173	82.70
40 778 001	173	118.90
40 781 000	161	81.40
40 782 000	161	28.10
40 783 000	160	25.00
40 784 000	161	37.80
40 791 001	46, 159	5.30
40 791 KS1	46, 159	5.30
40 793 001	166	48.40
40 793 DC1	166	67.80
40 794 001	166	58.00
40 794 DC1	166	81.60
40 797 001	166	149.70
40 799 001	167	38.50
40 799 DC1	167	50.00
40 800 001	165	114.40
40 800 A01	165	169.80
40 800 AL1	165	181.10
40 800 BE1	165	169.80
40 800 DA1	165	169.80
40 800 DC1	165	161.10
40 800 DL1	165	181.10
40 800 EN1	165	181.10
40 800 GL1	165	169.80
40 800 GN1	165	181.10
40 802 001	165	58.00
40 802 A01	165	87.20
40 802 AL1	165	93.10
40 802 BE1	165	87.20
40 802 DA1	165	87.20
40 802 DC1	165	81.60
40 802 DL1	165	93.10
40 802 EN1	165	93.10
40 802 GL1	165	87.20
40 802 GN1	165	93.10
40 804 000	161	280.70
40 805 000	160	47.60
40 806 000	160	31.20
40 807 000	161	158.50
40 808 000	162	136.40
40 809 000	162	111.10
40 824 000	610	18.30
40 841 001	363	225.50
40 846 001	169	101.70
40 847 001	173	136.40
40 848 000	357	8.90
40 848 SD0	357	13.20
40 855 000	365	54.20
40 857 000	162	110.00
40 865 000	160	37.80
40 867 000	162	43.80
40 868 000	162	34.70
40 870 000	162	10.50
40 899 000	474, 476	43.70
40 911 000	534, 539	15.40
40 915 000	169, 176	9.20
40 919 SD0	363	15.90
40 950 000	534, 539	19.50
40 954 000	81	119.90
40 962 000	357	119.90
40 980 000	365	276.80
40 981 000	365	276.80
40 982 000	365	294.20
40 983 000	365	294.20
40 984 000	366	44.70
40 986 SD0	413	270.20

41

41 001 000	593	23.90
41 007 000	591	16.90
41 010 000	398, 590	28.80
41 015 000	590	49.50
41 020 000	591	78.70
41 022 000	592	75.30
41 027 000	155	45.00
41 027 A00	155	67.00
41 027 AL0	155	71.00
41 027 BE0	155	67.00
41 027 DA0	155	67.00
41 027 DC0	155	62.00
41 027 DL0	155	71.00
41 027 EN0	155	71.00
41 027 GL0	155	67.00
41 027 GN0	155	71.00
41 028 000	155	45.00
41 028 A00	155	67.00
41 028 AL0	155	71.00
41 028 BE0	155	67.00
41 028 DA0	155	67.00
41 028 DC0	155	62.00
41 028 DL0	155	71.00
41 028 EN0	155	71.00
41 028 GL0	155	67.00
41 028 GN0	155	71.00
41 029 000	155	21.00
41 030 000	589	34.60
41 031 000	590	37.00
41 033 000	590	57.20
41 035 000	155	50.00
41 035 A00	155	75.00
41 035 AL0	155	80.00
41 035 BE0	155	75.00
41 035 DA0	155	75.00
41 035 DC0	155	70.00
41 035 DL0	155	80.00
41 035 EN0	155	80.00
41 035 GL0	155	75.00
41 035 GN0	155	80.00
41 036 000	155	29.00
41 037 000	156	12.00
41 038 000	156	59.00
41 038 A00	156	87.00
41 038 AL0	156	95.00
41 038 BE0	156	87.00
41 038 DA0	156	87.00
41 038 DC0	156	83.00
41 038 DL0	156	95.00
41 038 EN0	156	95.00
41 038 GL0	156	87.00
41 038 GN0	156	95.00
41 039 000	156	16.00
41 039 A00	156	24.00
41 039 AL0	156	26.00
41 039 BE0	156	24.00
41 039 DA0	156	24.00
41 039 DC0	156	22.00
41 039 DL0	156	26.00
41 039 EN0	156	26.00

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
41 039 GL0	156	24.00
41 039 GN0	156	26.00
41 040 000	590	71.20
41 043 000	590	64.30
41 049 000	156	27.00
41 049 A00	156	40.00
41 049 AL0	156	43.00
41 049 BE0	156	40.00
41 049 DA0	156	40.00
41 049 DC0	156	38.00
41 049 DL0	156	43.00
41 049 EN0	156	43.00
41 049 GL0	156	40.00
41 049 GN0	156	43.00
41 050 000	398, 591	59.30
41 056 000	156	71.00
41 056 A00	156	107.00
41 056 AL0	156	116.00
41 056 BE0	156	107.00
41 056 DA0	156	107.00
41 056 DC0	156	99.00
41 056 DL0	156	116.00
41 056 EN0	156	116.00
41 056 GL0	156	107.00
41 056 GN0	156	116.00
41 057 000	157	83.00
41 058 000	157	91.00
41 058 A00	157	140.00
41 058 AL0	157	149.00
41 058 BE0	157	140.00
41 058 DA0	157	140.00
41 058 DC0	157	128.00
41 058 DL0	157	149.00
41 058 EN0	157	149.00
41 058 GL0	157	140.00
41 058 GN0	157	149.00
41 059 000	157	99.00
41 059 A00	157	149.00
41 059 AL0	157	157.00
41 059 BE0	157	149.00
41 059 DA0	157	149.00
41 059 DC0	157	136.00
41 059 DL0	157	157.00
41 059 EN0	157	157.00
41 059 GL0	157	149.00
41 059 GN0	157	157.00
41 063 000	157	80.00
41 063 A00	157	120.00
41 063 AL0	157	128.00
41 063 BE0	157	120.00
41 063 DA0	157	120.00
41 063 DC0	157	112.00
41 063 DL0	157	128.00
41 063 EN0	157	128.00
41 063 GL0	157	120.00
41 063 GN0	157	128.00
41 064 000	158	55.00
41 064 A00	158	83.00
41 064 AL0	158	87.00
41 064 BE0	158	83.00
41 064 DA0	158	83.00
41 064 DC0	158	77.00
41 064 DL0	158	87.00
41 064 EN0	158	87.00
41 064 GL0	158	83.00
41 064 GN0	158	87.00
41 066 000	158	198.00
41 066 A00	158	297.00
41 066 AL0	158	313.00
41 066 BE0	158	297.00
41 066 DA0	158	297.00
41 066 DC0	158	272.00
41 066 DL0	158	313.00
41 066 EN0	158	313.00
41 066 GL0	158	297.00
41 066 GN0	158	313.00
41 067 000	158	45.00
41 067 A00	158	67.00
41 067 AL0	158	71.00
41 067 BE0	158	67.00
41 067 DA0	158	67.00
41 067 DC0	158	62.00
41 067 DL0	158	71.00
41 067 EN0	158	71.00
41 067 GL0	158	67.00
41 067 GN0	158	71.00
41 068 000	158	36.00
41 068 A00	158	54.00
41 068 AL0	158	57.00
41 068 BE0	158	54.00
41 068 DA0	158	54.00
41 068 DC0	158	50.00
41 068 DL0	158	57.00
41 068 EN0	158	57.00
41 068 GL0	158	54.00
41 068 GN0	158	57.00
41 069 000	159	71.00
41 069 A00	159	107.00
41 069 AL0	159	116.00
41 069 BE0	159	107.00
41 069 DA0	159	107.00
41 069 DC0	159	99.00
41 069 DL0	159	116.00
41 069 EN0	159	116.00
41 069 GL0	159	107.00
41 069 GN0	159	116.00
41 070 000	589	29.20
41 073 000	398, 589	27.40
41 076 000	159	91.00
41 076 A00	159	132.00
41 076 AL0	159	145.00
41 076 BE0	159	132.00
41 076 DA0	159	132.00
41 076 DC0	159	124.00
41 076 DL0	159	145.00
41 076 EN0	159	145.00
41 076 GL0	159	132.00
41 076 GN0	159	145.00
41 077 000	159	132.00
41 077 A00	159	198.00
41 077 AL0	159	214.00
41 077 BE0	159	198.00
41 077 DA0	159	198.00
41 077 DC0	159	189.00
41 077 DL0	159	214.00
41 077 EN0	159	214.00
41 077 GL0	159	198.00
41 077 GN0	159	214.00
41 082 000	589	50.20
41 110 000	591	48.90
41 125 000	593	25.10
41 126 000	593	47.50
41 130 000	591	51.90
41 133 000	591	33.00
41 154 000	590	49.70
41 190 000	590	35.30
41 206 000	595	194.80
41 208 000	595	183.40
41 212 000	595	157.10
41 230 000	593	35.30
41 231 000	593	36.70
41 238 000	593	24.00
41 239 000	593	22.40
41 263 000	398, 588	21.70
41 270 000	593	30.90
41 275 000	593	53.10
41 827 000	594	24.00
42		
42 041 000	554	125.30
42 075 000	552	6.60
42 137 000	546	18.20
42 177 00M	433, 441	17.00
42 216 000	535	22.00
42 233 000	547, 620	13.60
42 242 000	552	9.00
42 253 000	544	42.10
42 265 000	547	200.00
42 271 00M	546	88.00
42 297 PI0	544	61.70
42 300 000	552	12.80
42 315 000	550, 620	8.80
42 320 000	546	27.70
42 327 000	521, 549	13.60
42 333 000	521, 549	19.20
42 388 000	417, 421	48.90
42 393 000	418, 421	44.40
42 397 000	534	14.90
42 408 000	440	21.00
42 429 000	220	99.50
42 459 000	474	68.00
42 593 000	552, 620	55.40
42 766 000	534	7.80
42 773 000	550	10.40
42 774 000	547	59.20
42 824 000	523	464.50
42 886 000	465, 612	21.70
42 901 000	557	356.50
42 902 000	557	374.50
42 946 000	521, 549	23.90
43		
43 040 000	571	22.80
43 310 000	571	78.00
43 352 000	548	9.00
43 486 000	547	19.80
43 535 000	550, 620	3.40
43 536 000	545	3.40
43 537 000	544	22.80
43 540 000	550, 620	3.40
43 542 000	550	9.00
43 544 000	551, 620	17.00
43 545 000	550	24.00
43 617 000	534, 559	93.40
43 722 000	551, 620	11.40
43 733 000	545	5.60
43 734 000	551	3.40
43 735 000	551	4.60
43 745 000	551, 620	4.60
43 758 00M	545, 620	40.90
43 770 00M	551	6.80

GROHE
SURVEY OF CONTENTS

Product no.	Page	Price
43 813 000	599	202.60
43 818 000	571	3.40
43 907 PI0	544	78.60
43 908 000	547	20.40
43 959 000		74.00
43 976 000	552	3.40
43 977 000	561, 578	234.60
43 996 000	556	195.90
43 997 000	556	189.70
45		
45 058 000	606	64.30
45 120 000	448, 614	19.10
45 202 000	212, 604	6.80
45 203 000	212, 604	13.30
45 247 000	398, 607	19.40
45 304 000	616	39.90
45 342 000	602	30.80
45 346 000	602	34.20
45 459 000	336	6.80
45 562 000	385	69.40
45 650 IP0	616	54.60
45 704 000	398, 445	51.30
45 869 000	602	31.90
45 882 000	603	31.00
45 883 000	603	31.90
45 885 000	602	52.30
45 914 XE0	289, 294	13.60
45 937 000	619	16.60
45 951 000	602	12.50
45 956 000	602	12.70
45 959 000	602	25.00
45 964 000	602	6.70
45 965 000	602	6.80
45 966 000	602	12.40
45 967 000	602	12.70
45 968 000	602	27.10
45 969 000	602	27.10
45 978 000	602	31.90
45 984 001	27, 37	445.70
46		
46 048 000	598	46.60
46 058 000	613	50.10
46 257 000	462	34.30
46 259 000	461	70.60
46 277 000	464, 598	10.40
46 278 000	464, 598	71.60
46 308 000	598	19.40
46 343 000	460, 604	225.40
46 374 000	598	46.60
46 375 000	598	5.50
46 409 000	598	43.30
46 558 000	598	21.50
46 580 000	598	53.60
46 686 000	464	26.20
46 687 000	464	44.00
46 688 000	462	27.40
46 689 000	462	26.00
46 710 000	615	73.00
46 717 000	357	158.30
46 731 000	615	87.30
46 769 000	615	58.60
46 837 000	608	20.00
46 857 000	615	68.30
46 858 000	615	25,00
46 858 DC0	615	90.00
46 863 000	598	19.00
46 882 00M	473	165.00
46 883 00M	473	198.00
46 884 000	473	198.00
46 901 000	63, 99	78.50
46 907 000	598	55.00
46 925 000	615	18.10
46 925 DC0	615	78.80
46 943 000	604	467.40
46 944 001	476	224.50
46 956 000	615	45.10
46 956 DC0	615	66.00
46 977 00M	477	134.00
46 978 000	477	174.00
46 978 001	477	202.00
46 979 000	477	67.00
46 989 000	598	50.20
47		
47 010 000	600	218.60
47 012 000	600	218.60
47 019 000	600	422.50
47 111 000	600	273.30
47 175 000	200, 202	126.10
47 186 000	600	218.60
47 189 000	611	70.60
47 217 000	600	55.80
47 220 000	600	151.40
47 310 000	600	179.60
47 349 000	600	133.30
47 364 000	601	60.80
47 439 000	600	108.20
47 450 000	600	109.40
47 483 000	600	63.70
47 533 000	441, 448	42.10
47 569 000	455	413.30
47 780 000	439, 452	142.80
47 781 000	452	177.10
47 790 000	210	54.90
47 837 000	220	70.90
47 867 000	221	71.60
47 868 000	221	70.90
47 877 000	221	70.90
47 910 000	221	57.00
47 979 000	452	14.90
47 994 000	452	7.50
48		
48 021 000	618	6.80
48 051 000	301, 313	4.60
48 053 000	246	72.00
48 054 000	247	62.60
48 099 000	616	13.90
48 159 000	608	17.60
48 166 000	619	14.30
48 189 000	608	17.60
48 190 000	608	17.00
48 191 000	608	17.00
48 293 000	614	34.40
48 297 000	598	57.40
48 348 000	221, 227	37.00
48 349 000	227, 246	101.80
48 350 000	227, 246	120.30
48 359 000	599	71.30
48 416 000	615	37.00
48 416 DC0	615	48.00
48 442 000	613	81.00
48 473 000	615	109,00
48 474 000	615	56,00
48 497 000	236, 246	244.00
48 498 000	236, 246	113.80
49		
49 003 000	211	207.70
49 016 000	623	6.00
49 018 000	622	9.00
49 020 000	622	34.90
49 021 000	622	8.20
49 022 000	622	29.70
49 023 000	622	61.00
49 024 000	623	74.80
49 025 000	622	27.70
49 027 000	623	112.00
49 028 000	600	67.10
49 061 000	622	25.00
49 066 000	622	44.10
49 084 000	601	51.00
49 088 000	599	*
49 113 000	488	1,972.10
49 113 SH0	488	2,217.10
49 114 000	489	173.20
49 115 000	488	106.60
49 509 000	623	104.00
49 510 000	623	71.80
49 512 000	622	43.10
49 516 000	622	13.00
49 518 000	622	8.00
49 522 000	498, 623	53.00
49 526 000	622	54.00
49 528 000	623	88.00
49 529 000	623	54.30
49 530 000	623	15.40
49 533 000	506	59.90
49 534 000	506	59.90
65		
65 807 000	610	51.80
65 807 A00	610	73.60
65 807 AL0	610	78.50
65 807 BE0	610	72.80
65 807 DA0	610	73.60
65 807 DC0	610	177.70
65 807 DL0	610	78.50
65 807 EN0	610	78.50
65 807 GL0	610	73.60
65 807 GN0	610	78.50
65 807 KS0		68.70
65 807 LS0		68.70

DISCOVER THE **WORLD OF GROHE**

If you're looking for ideas or solutions for your bathroom and kitchen, the **GROHE Media APP** is where you will find your inspiration. With a new name and a fresh new look for March 2019, this app puts all the latest content from GROHE – magazines, videos, books and brochures – at your fingertips. This is just a small selection of what the world of GROHE has to offer: the perfect addition to your GROHE home.

GET IT HERE



VISIT US ONLINE AND FOLLOW US ON SOCIAL MEDIA

FACEBOOK grohe.enjoywater | INSTAGRAM grohe_global
TWITTER grohe | YOUTUBE grohe | PINTEREST grohe



GET IT ON Google Play

Download on the App Store

System requirements
iPhone with iOS 11.0 or higher / smart phone with Android 6.0 or higher. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

LIXIL MAKES BETTER HOMES
A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.

Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide.
What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarat wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.


› WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.

lixil.com

LIXIL Link to Good Living












GROHE | American Standard | INAX | TOSTEM | SATO

Visit us:



QUALITY

*"*No.1 *most trusted brand in the sanitary industry" –*
Wirtschaftswoche, 2017



TECHNOLOGY

*"*Top 50 *companies to change the world" –*
Fortune Magazine, 2017



DESIGN

Over 400 design awards *won since 2003*



SUSTAINABILITY

CSR Award winner *of the German Government, 2017*

PLEASE CONTACT OUR LOCAL REPRESENTATIVES BELOW:

ESTONIA:
Paavo Sedrik
Tel.: +372 505 1639
paavo.sedrik@grohe.com
www.grohe.ee

LATVIA:
Toms Irbens
Tel.: +371 2 6122223
toms.irbens@grohe.com
www.grohe.lv

LITHUANIA:
Aistė Stankevičienė
Tel.: +370 68773336
aiste.stankeviciene@grohe.com
www.grohe.lt

GROHE AG Eesti filiaal
Tartu mnt 16
10117 Tallinn
Estonia
Tel.: +372 661 6354
grohe@grohe.ee

EST_03/2020 - Copyright by GROHE

Climate neutral
Print product
ClimatePartner.com/53446-1911-1010

PART OF LIXIL