GROHE SPA

CATALOGUE **2023**

PROFESSIONAL GROHE

GROHE
TABLE OF CONTENTS

SPA Bath faucets	Faucets and Ceramics	Allure Brilliant Icon 3D / Atrio Icon 3D	18
		Atrio	19
		Atrio Private Collection	33
		Allure	40
		Allure Brilliant	52
		Grandera	66
		Airio	76
		Glass module and flush plates	77
SPA Showers	Showers and Thermostats	Aquasymphony	80
		F-digital Deluxe	81
		Rainshower Aqua ceiling showers	85
		Rainshower Aqua head showers	88
		Rainshower Aqua body sprays	91
		Rainshower Aqua hand showers	92
		Rainshower Aqua trigger sprays	94
		SPA shower accessories	95
		SPA thermostats	97
Bath fittings	Fittings	Lineare	118
		Eurocube Joy	126
		Eurocube	132
		GROHE Plus	143
		Essence	154
		Eurodisc Joy	169
		Eurodisc Cosmopolitan	172
		Concetto	179
		Eurostyle Cosmopolitan	186
		Eurostyle	191
		Eurosmart Cosmopolitan	200
		Eurosmart 2021	209
		Eurosmart Care	219
		Eurosmart	224

GROHE
TABLE OF CONTENTS

		Euroeco	230
		BauEdge 2021	232
		BauEdge	238
		BauLoop 2021	244
		BauLoop	250
		BauFlow	254
		GROHE SilkMove Energy Saving	257
	Two Handle fittings	Costa L	262
		Costa S	266
	Universal	Universal	268
		Multi purpose mixer	269
	Bath sets	Talentofill	270
	Accessories	Selection	273
		Selection Cube	280
		Essentials	283
		Essentials Cube	291
		BauCosmopolitan	295
		Essentials Authentic	298
Thermostats	Grohtherm	Grohtherm SmartControl	302
		Grohtherm 2 handle trim sets	315
		Grohtherm 2000	322
		Grohtherm Cube	324
		Grohtherm 1000	327
		Grohtherm 1000 Performance	330
		Grohtherm 800 Cosmopolitan	333
		Grohtherm 800	335
		Grohtherm 500	337
Concealed solutions		Rough-in sets	342
		GROHE Rapido SmartBox	345
		GROHE Rapido C / stop valves	347
Showers	Shower Systems	Rainshower System SmartControl	352

GROHE
TABLE OF CONTENTS

		Rainshower SmartActive System	356
		Rainshower System	359
		Euphoria SmartControl System	360
		Euphoria System	364
		Tempesta System	374
		Shower system accessories	382
	Head showers	Head shower sets	385
		Head showers	395
		Accessories for head showers	401
	Showers	Rainshower SmartActive	404
		Rainshower	413
		Relexa	414
		Euphoria	415
		Tempesta	425
		Tempesta-F trigger sprays	441
		Shower hoses	443
		Shower hoses available until 06/2023	446
		Shower accessories	449
Kitchen fittings	Water systems	GROHE Blue Professional	462
		GROHE Blue Home	467
		GROHE Blue Pure	479
		GROHE Blue accessories	484
		GROHE Red	489
		Waste separation systems	494
	Premium lines	K7	495
		FootControl	496
		Minta / Minta SmartControl / Minta Touch	497
		Zedra / Zedra SmartControl / Zedra Touch	502
		Essence	504
		Eurocube	507
	Competence lines	Eurodisc Cosmopolitan	508

GROHE
TABLE OF CONTENTS

		Eurodisc	509
		Concetto	510
		Eurostyle Cosmopolitan	513
		Eurosmart Cosmopolitan	514
		Eurosmart	516
		Euroeco / Euroeco Special	521
		Costa	522
		Bau Lines	524
		Soap dispensers	528
	Kitchen sinks	Stainless Steel Sinks	531
		Composite Sinks	540
Special faucets	Electronic fittings	Eurocube E	550
		Essence E	553
		Bluetooth monitoring	557
		Europlus E	565
		Eurosmart Cosmopolitan E	568
		Euroeco Cosmopolitan E	577
		Bau Cosmopolitan E	581
	Special thermostats	Grohtherm Micro	584
		Grohtherm Special	585
		Grohtherm XL	590
	Single-lever mixer	Eurosmart Care	593
		Euroeco Special	598
		Euroeco Special / SSC	603
	Self-closing faucets	Eurodisc SE	606
		Eurosmart Cosmopolitan T	608
		Euroeco Cosmopolitan T	609
	Accessories Special Fittings	Accessories Special Fittings	610
Shower toilet		GROHE Sensia IGS	614
		GROHE Sensia Arena	617
		Manual Bidet Seat	623

GROHE
TABLE OF CONTENTS

Ceramics		Essence	626
		Cube Ceramic	632
		Euro Ceramic	635
		BauEdge Ceramic	642
		Bau Ceramic	644
		Acrylic shower trays	653
Installation Systems	Rapid SLX	Rapid SLX	658
	Rapid SL	Rapid SL for WC	661
		Rapid SL for urinal	672
		Rapid SL for wash basin and bidet	674
		Rapid SL for the disabled	678
		Rapid SL free-standing installation	681
		Rapid SL fitting supports	683
		Rapid SL accessories	684
	Uniset	Uniset frames and accessories	688
Flushing systems	WC	Flushing cisterns	694
		Accessories for flushing cisterns	696
		WC flush valves	705
		WC electronic	710
	Urinal	Urinal electronic	716
		Urinal flush valves	723
Actuations	WC	Wall plates for WC	728
		GROHE Fresh	737
		Wall plates for WC flush valves	738
	Urinal	Wall plates for urinal	739
Connections and Security		Angle Valves	744
		WAS valves	747
		Safety systems	751
		Eurotec valves	753
Spare parts		Cartridges	756
		Thermo elements and thermostatic cartridges	758

GROHE
TABLE OF CONTENTS

Aquadimmer	760
Head parts	761
Extension sets	763
Unions	764
Outlets and spouts	766
Flow straighteners	768
Waste sets and traps	771
Connections and non-return valves	773
Spare parts for electronics	774
Diverters	775
Hoses	776
Spare parts for kitchen faucets	777
Spare parts for showers	778
Spare parts for accessories	780
Miscellaneous	781
Special tools	782
Cleaning and care	783
Spare parts for sanitary systems	784
Spare parts for shower toilet	785
Spare parts for Ceramics	787
Survey of references	790
Replacement Products	807
Packaging Index	810
LIXIL makes better homes a reality for everyone, everywhere.	822



GROHE SPA

SALUS PER AQUAM
HEALTH THROUGH WATER

Nothing compares to the power of water —
it is cleansing, invigorating and healing.

A true elixir of life, water gives us precious moments of indulgent bliss. By harnessing these positive effects, we can switch off from the noise of the outside world to find peace for body, mind and soul. By immersing ourselves in soothing water rituals, we can inspire the senses to find equilibrium and hidden strength. Guided by the underlying belief that water is the source of vital energy, GROHE has revitalized GROHE SPA as a timeless sub-brand. A decade after GROHE SPA was first launched, our passion for wateris tangible in every detail of every product.

Aimed at architects, designers and specifiers, as well as high-end showrooms, GROHE SPA represents the apex of what we can achieve. We are redefining what is possible to lift innovation, technology and precision to uncharted levels. We curate only the most exclusive, luxurious products to create exquisite places of retreat. Progressive designs are fused with carefully selected colors, materials and finishes. Versatile customization options transform the bathroom into a home spa, impeccably tailored to individual preferences.

GROHE SPA bathes us in blissful new multisensory experiences. Soothing, memorable and distinctive — just like the calming sound of water.

MEETING THREE MACROTRENDS


URBANISATION

EASY TO USE & INTUITIVE –
GENDER NEUTRAL &
INCLUSIVE HOSPITALITY



HEALTH & WELLBEING

CRAFTING WELLNESS –
MINIMALIST DESIGN –
HYGIENE




SUSTAINABILITY

SUSTAINABLE ARCHITECTURE –
USE OF UNIVERSAL COMPONENTS –
MATERIAL REDUCTION



THREE PILLARS AS ENABLERS



EXCLUSIVITY

FOR DEDICATED
DISTRIBUTORS


EXPERIENCE

THE
FIVE SENSES

NEW LUXURY

BESPOKE
SOLUTIONS

GROHE SPA AS OPPORTUNITY FOR GROHE PARTNERS TO INCREASE THEIR ATTRACTIVENESS AND MAXIMIZE THE PERFORMANCE



GROHE SPA WAS CREATED FOR TWO REASONS

01

Support GROHE premium partners with the offer of exclusive products conceived for high-end showrooms and A&D

02

Enable GROHE partners to stand out on the market thanks to unique products that bring to the highest expression GROHE key values of Design, Technology, Quality and Sustainability.

TO MEET THE NEEDS OF VIP ENDCONSUMERS AND A&D
GROHE HAS CONCEIVED TAILOR-MADE PRODUCTS AND SERVICES



GROHE SPA has been conceived to bring to the highest expression the key values of GROHE and LIXIL thanks to the sophistication of SPA designs, cutting-edge new technologies, innovative sustainability concepts and the GROHE high quality promise.

SPA partners implementing the shop-in-shop SPA flagship concept will be supported for launch events, sharing of project specifications and presence on the new SPA website as the where to buy point of sales for the new Sub-brand.

SPA comprises a dedicated portfolio of products that are not sold by GROHE to DIY & e-Com. Such products are clearly identified with SPA logo in the relevant pricebook section.





GROHE
SPA BATH FAUCETS





CONTENTS


Allure Brilliant Icon 3D / Atrio Icon 3D	18
Atrio	19
Atrio Private Collection	33
Allure	40
Allure Brilliant	52
Grandera	66
Airio	76
Glass module and flush plates	77


ALLURE BRILLIANT ICON 3D / ATRIO ICON 3D

Product no. | Colour | RRP (€) incl. VAT

---

new





GROHE SPA


20 635 SD0 | **stainless steel** | **29,780.00**

Allure Brilliant
3-hole wall-mount basin mixer
GROHE Water Saving 5.0 l/min. flow limiter
spout with integrated mousseur
red and blue markings on handles for hot and cold water
valves hot/cold with ceramic headparts
pressure-proof, flexible connection hoses
between spout and side valves
projection 256 mm
technical data
flow pressure min 0.5 bar
recommended pressure 1.0 - 5.0 bar
if static pressure is more than 5 bar fit pressure reducer
avoid major pressure differences between cold and hot water supply
max. temperature hot water inlet: 80°C
recommended temperature hot water inlet (energy saving): 60°C

---

new





GROHE SPA


20 634 SD0 | **stainless steel** | **29,780.00**

Allure Brilliant
3-hole deck-mount basin mixer
GROHE Water Saving 5.0 l/min. flow limiter
spout with integrated mousseur
red and blue markings on handles for hot and cold water
valves hot/cold with ceramic headparts
Push-open waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves
technical data
flow pressure min 0.5 bar
recommended pressure 1.0 - 5.0 bar
if static pressure is more than 5 bar fit pressure reducer
avoid major pressure differences between cold and hot water supply
flow rate at 3 bar flow pressure: approx. 5 l/min
max. temperature hot water inlet: 80°C
recommended temperature hot water inlet (energy saving): 60°C

---

new





GROHE SPA


20 664 SD0 | **stainless steel** | **30,226.00**

Atrio Icon 3D
3-hole deck-mount basin mixer
open spout for pure laminar water flow
red and blue markings on handles for hot and cold water
valves hot/cold with ceramic headparts
Push-open waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves
technical data
flow pressure min 0.5 bar
recommended pressure 1.0 - 5.0 bar
if static pressure is more than 5 bar fit pressure reducer
avoid major pressure differences between cold and hot water supply
flow rate at 3 bar flow pressure: approx. 5 l/min
max. temperature hot water inlet: 80°C
recommended temperature hot water inlet (energy saving): 60°C

---

new





GROHE SPA

20 665 SD0 | **stainless steel** | **30,226.00**


Atrio Icon 3D
3-hole wall-mount basin mixer
open spout for pure laminar water flow
red and blue markings on handles for hot and cold water
valves hot/cold with ceramic headparts
pressure-proof, flexible connection hoses
between spout and side valves
projection 235 mm
technical data
flow pressure min 0.5 bar
recommended pressure 1.0 - 5.0 bar
if static pressure is more than 5 bar fit pressure reducer
avoid major pressure differences between cold and hot water supply
flow rate at 3 bar flow pressure: approx. 5 l/min
max. temperature hot water inlet: 80°C
recommended temperature hot water inlet (energy saving): 60°C

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ATRIO

	Product no.	Colour	RRP (€) incl. VAT
new	24 363 000	**chrome**	450.00
	24 363 DC0	**supersteel**	630.00
	24 363 GL0	**cool sunrise**	675.00
	24 363 DA0	**warm sunset**	675.00
	24 363 AL0	**brushed hard graphite**	720.00






Atrio
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4“
flexible connection hoses

new	24 362 000	**chrome**	519.00
	24 362 DC0	**supersteel**	726.00
	24 362 GL0	**cool sunrise**	778.00
	24 362 DA0	**warm sunset**	778.00
	24 362 AL0	**brushed hard graphite**	830.00






Atrio
Single-lever basin mixer 1/2“
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4“
flexible connection hoses

new	24 365 000	**chrome**	726.00
	24 365 DC0	**supersteel**	1,017.00
	24 365 GL0	**cool sunrise**	1,090.00
	24 365 DA0	**warm sunset**	1,090.00
	24 365 AL0	**brushed hard graphite**	1,162.00






Atrio
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4“
flexible connection hoses

	Product no.	Colour	RRP (€) incl. VAT

new





29 410 000	**chrome**	**519.00**
29 410 DC0	**supersteel**	**726.00**
29 410 GL0	**cool sunrise**	**778.00**
29 410 DA0	**warm sunset**	**778.00**
29 410 AL0	**brushed hard graphite**	**830.00**


Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for 23 429 000
GROHE FeatherControl Joystick cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
center distance 110 mm
projection 185 mm

GROHE SPA

29 406 000	**chrome**	**588.00**
29 406 DC0	**supersteel**	**823.00**
29 406 GL0	**cool sunrise**	**882.00**
29 406 DA0	**warm sunset**	**882.00**
29 406 AL0	**brushed hard graphite**	**941.00**

ditto, projection 221 mm





23 429 000		**315.00**


Joystick mixer 1/2", concealed body
for 2-hole basin mixers
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation depth 78,5 - 103,5 mm
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---

new



GROHE SPA



24 364 000	**chrome**	**588.00**
24 364 DC0	**supersteel**	**823.00**
24 364 GL0	**cool sunrise**	**882.00**
24 364 DA0	**warm sunset**	**882.00**
24 364 AL0	**brushed hard graphite**	**941.00**


Atrio
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
rapid installation system
tubular C-spout with ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

---

new



GROHE SPA



24 366 000	**chrome**	**623.00**
24 366 DC0	**supersteel**	**872.00**
24 366 GL0	**cool sunrise**	**934.00**
24 366 DA0	**warm sunset**	**934.00**
24 366 AL0	**brushed hard graphite**	**996.00**


Atrio
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
covered S-unions
protected against backflow

	Product no.	Colour	RRP (€) incl. VAT

new



GROHE SPA




24 367 000	**chrome**	**726.00**
24 367 DC0	**supersteel**	**1,017.00**
24 367 GL0	**cool sunrise**	**1,090.00**
24 367 DA0	**warm sunset**	**1,090.00**
24 367 AL0	**brushed hard graphite**	**1,162.00**

Atrio
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower bottom outlet 1/2" with integrated non return-valve
covered S-unions
protected against backflow

new



GROHE SPA



24 354 000	**chrome**	**397.00**
24 354 DC0	**supersteel**	**556.00**
24 354 GL0	**cool sunrise**	**595.00**
24 354 AL0	**warm sunset**	**595.00**
24 354 AL0	**brushed hard graphite**	**635.00**

Atrio
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

PROFESSIONAL GROHE


35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

new



GROHE SPA



24 355 000	**chrome**	**437.00**
24 355 DC0	**supersteel**	**611.00**
24 355 GL0	**cool sunrise**	**655.00**
24 355 DA0	**warm sunset**	**655.00**
24 355 AL0	**brushed hard graphite**	**699.00**

Atrio
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

PROFESSIONAL GROHE

35 604 000		**88.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

	Product no.	Colour	RRP (€) incl. VAT

new

GROHE SPA





24 356 000	chrome	467.00
24 356 DC0	supersteel	654.00
24 356 GL0	cool sunrise	700.00
24 356 DA0	warm sunset	700.00
24 356 AL0	brushed hard graphite	747.00

Atrio
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


PROFESSIONAL GROHE

35 604 000 — 88.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

new

GROHE SPA





24 357 000	chrome	767.00
24 357 DC0	supersteel	1,073.00
24 357 GL0	cool sunrise	1,150.00
24 357 DA0	warm sunset	1,150.00
24 357 AL0	brushed hard graphite	1,227.00

Atrio
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


PROFESSIONAL GROHE

35 604 000 — 88.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

new

GROHE SPA





24 358 000	chrome	820.00
24 358 DC0	supersteel	1,148.00
24 358 GL0	cool sunrise	1,230.00
24 358 DA0	warm sunset	1,230.00
24 358 AL0	brushed hard graphite	1,312.00

Atrio
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

PROFESSIONAL GROHE


35 604 000 — 88.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

24 359 000	chrome	820.00
24 359 DC0	supersteel	1,148.00
24 359 GL0	cool sunrise	1,230.00
24 359 DA0	warm sunset	1,230.00
24 359 AL0	brushed hard graphite	1,312.00


Atrio
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

PROFESSIONAL GROHE

35 604 000 — 88.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

new





GROHE SPA


24 368 000	chrome	2,006.00
24 368 DC0	supersteel	2,809.00
24 368 GL0	cool sunrise	3,010.00
24 368 DA0	warm sunset	3,010.00
24 368 AL0	brushed hard graphite	3,210.00

Atrio
Single-lever bath mixer, floor mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine finish
automatic diverter: bath/shower
spout with mousseur
projection 301 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Rainshower Aqua Stick (26 866)
Silverflex shower hose 1250 mm
protected against backflow

45 984 001 — 601.00
Rough-in set 1/2" for floor-mounted mixers/spouts

new





GROHE SPA


20 658 000	chrome	346.00
20 658 DC0	supersteel	484.00
20 658 GL0	cool sunrise	519.00
20 658 DA0	warm sunset	519.00
20 658 AL0	brushed hard graphite	553.00

Atrio
Pillar tap 1/2"
XS-Size
headpart 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
mousseur
with lever handle

	Product no.	Colour	RRP (€) incl. VAT
new	21 145 000	**chrome**	**553.00**
	21 145 DC0	**supersteel**	**775.00**
	21 145 GL0	**cool sunrise**	**830.00**
	21 145 DA0	**warm sunset**	**830.00**
	21 145 AL0	**brushed hard graphite**	**886.00**



GROHE SPA




Atrio
One-hole basin mixer, 1/2“
L-Size
ceramic headparts 1/2“, 90°
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4“
flexible connection hoses
with lever handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

GROHE ATRIO

	Product no.	Colour	RRP (€) incl. VAT
new	21 144 000	chrome	553.00
	21 144 DC0	supersteel	775.00
	21 144 GL0	cool sunrise	830.00
	21 144 DA0	warm sunset	830.00
	21 144 AL0	brushed hard graphite	886.00






GROHE SPA

Atrio
One-hole basin mixer, 1/2“
L-Size
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4“
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

new	21 149 000	chrome	761.00
	21 149 DC0	supersteel	1,065.00
	21 149 GL0	cool sunrise	1,142.00
	21 149 DA0	warm sunset	1,142.00
	21 149 AL0	brushed hard graphite	1,218.00






GROHE SPA

Atrio
One-hole basin mixer, 1/2“
XL-Size
for free-standing basins
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4“
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

new	20 649 000	chrome	692.00
	20 649 DC0	supersteel	969.00
	20 649 GL0	cool sunrise	1,038.00
	20 649 DA0	warm sunset	1,038.00
	20 649 AL0	brushed hard graphite	1,107.00






GROHE SPA

Atrio
Three-hole basin mixer 1/2“
M-Size
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4“
flexible connection hoses between spout and side valves
with lever handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

new	20 643 000	chrome	692.00
	20 643 DC0	supersteel	969.00
	20 643 GL0	cool sunrise	1,038.00
	20 643 DA0	warm sunset	1,038.00
	20 643 AL0	brushed hard graphite	1,107.00






GROHE SPA

Atrio
Three-hole basin mixer 1/2“
M-Size
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

	Product no.	Colour	RRP (€) incl. VAT

new






GROHE SPA

20 662 000	**chrome**	**588.00**
20 662 DC0	**supersteel**	**823.00**
20 662 GL0	**cool sunrise**	**882.00**
20 662 DA0	**warm sunset**	**882.00**
20 662 AL0	**brushed hard graphite**	**941.00**

Atrio
Three-hole basin mixer 1/2“
S-Size
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with lever handles
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.

new






GROHE SPA

20 661 000	**chrome**	**588.00**
20 661 DC0	**supersteel**	**823.00**
20 661 GL0	**cool sunrise**	**882.00**
20 661 DA0	**warm sunset**	**882.00**
20 661 AL0	**brushed hard graphite**	**941.00**

Atrio
Three-hole basin mixer
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with cross handles
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.






29 025 002		**317.00**

Two-handle basin mixer
concealed body, 1/2“
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

new






GROHE SPA

24 353 000	**chrome**	**588.00**
24 353 DC0	**supersteel**	**823.00**
24 353 GL0	**cool sunrise**	**882.00**
24 353 DA0	**warm sunset**	**882.00**
24 353 AL0	**brushed hard graphite**	**941.00**

Atrio
Single-hole bidet mixer 1/2“
M-Size
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine finish
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses
with cross handles
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.

	Product no.	Colour	RRP (€) incl. VAT
new	26 895 000	chrome	623.00
	26 895 DC0	supersteel	872.00
	26 895 GL0	cool sunrise	934.00
	26 895 DA0	warm sunset	934.00
	26 895 AL0	brushed hard graphite	996.00






GROHE SPA

Atrio
Shower mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
shower outlet 1/2"
integrated non-return valves in the
shower outlet 1/2"
covered S-unions
protected against backflow
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

new	25 268 000	chrome	830.00
	25 268 DC0	supersteel	1,162.00
	25 268 GL0	cool sunrise	1,245.00
	25 268 DA0	warm sunset	1,245.00
	25 268 AL0	brushed hard graphite	1,328.00







GROHE SPA

Atrio
Bath mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
tubular spout
with stop limiter
integrated non-return valves in the
shower outlet 1/2"
covered S-unions
protected against backflow
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

new	25 272 000	chrome	2,594.00
	25 272 DC0	supersteel	3,632.00
	25 272 GL0	cool sunrise	3,892.00
	25 272 DA0	warm sunset	3,892.00
	25 272 AL0	brushed hard graphite	4,151.00






GROHE SPA

Atrio
Bath mixer 1/2"
floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001
without roughing-in-set
ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
spout with mousseur
projection 301 mm
integrated non-return valve in the shower outlet 1/2"
hand shower Rainshower Aqua Stick (26 866)
with shower holder
Silverflex shower hose 1250 mm (28 362)
protected against backflow
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

	Product no.	Colour	RRP (€) incl. VAT





45 984 001 — **601.00**


Rough-in set 1/2“
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2“ female connections (hot/cold supplies)
flushing plug
gasket
fixing material

---

new



GROHE SPA



29 397 000	**chrome**	**121.00**
29 397 DC0	**supersteel**	**170.00**
29 397 GL0	**cool sunrise**	**182.00**
29 397 DA0	**warm sunset**	**182.00**
29 397 AL0	**brushed hard graphite**	**194.00**


Atrio
Concealed valve exposed part
for concealed valve 35 028 000 or 29 032 000
GROHE Long-Life Shine durable sparkling sheen
escutcheon with screwable wall sealing
with lever handle

---

new





GROHE SPA



29 396 000	**chrome**	**121.00**
29 396 DC0	**supersteel**	**170.00**
29 396 GL0	**cool sunrise**	**182.00**
29 396 DA0	**warm sunset**	**182.00**
29 396 AL0	**brushed hard graphite**	**194.00**

Atrio
Concealed valve exposed part
for concealed valve 35 028 000 or 29 032 000
GROHE Long-Life Shine durable sparkling sheen
escutcheon with screwable wall sealing
with cross handle





35 028 000 — **174.00**


Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4“
connection threads 1/2“
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm

---

new



GROHE SPA




29 407 000	**chrome**	**1,557.00**
29 407 DC0	**supersteel**	**2,179.00**
29 407 GL0	**cool sunrise**	**2,335.00**
29 407 DA0	**warm sunset**	**2,335.00**
29 407 AL0	**brushed hard graphite**	**2,491.00**

Atrio
5-hole bath combination
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout fixing
with lever handles
bath spout with mousseur and diverter bath/shower
hand shower Rainshower Aqua Stick 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.

	Product no.	Colour	RRP (€) incl. VAT

new






GROHE SPA

29 408 000	**chrome**	**1,557.00**
29 408 DC0	**supersteel**	**2,179.00**
29 408 GL0	**cool sunrise**	**2,335.00**
29 408 DA0	**warm sunset**	**2,335.00**
29 408 AL0	**brushed hard graphite**	**2,491.00**

Atrio
5-hole bath combination
ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout fixing
with cross handles
bath spout with mousseur and diverter bath/shower
hand shower Rainshower Aqua Stick 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.






29 037 002		**1,003.00**

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve
caps to cover screw fixations always come in chrome color

new






GROHE SPA

13 487 000	**chrome**	**311.00**
13 487 DC0	**supersteel**	**436.00**
13 487 GL0	**cool sunrise**	**467.00**
13 487 DA0	**warm sunset**	**467.00**
13 487 AL0	**brushed hard graphite**	**498.00**

Atrio
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
projection 171 mm






37 624 000	**chrome**	**116.00**
37 624 DC0	**supersteel**	**209.00**
37 624 GL0	**cool sunrise**	**209.00**
37 624 DA0	**warm sunset**	**209.00**
37 624 AL0	**brushed hard graphite**	**209.00**

Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)
colours BE and EN available until 31 March 2023

	Product no.	Colour	RRP (€) incl. VAT

new






GROHE SPA

40 884 000	chrome	100.00
40 884 DC0	supersteel	140.00
40 884 GL0	cool sunrise	150.00
40 884 DA0	warm sunset	150.00
40 884 AL0	brushed hard graphite	161.00

Atrio
Holder
fits glass 40 882 000 or soap dispenser 40 886 xx0 (please order separately)
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

new






GROHE SPA

40 886 000	chrome	100.00
40 886 DC0	supersteel	140.00
40 886 GL0	cool sunrise	150.00
40 886 DA0	warm sunset	150.00
40 886 AL0	brushed hard graphite	161.00

Soap dispenser
material: glass / metal
filling quantity 160 ml
fits holder Atrio 40 884 xx0 (please order separately)
GROHE Long-Life Shine durable sparkling sheen

new






GROHE SPA

40 882 000	chrome	66.00

Glass
material: glass
fits holders Allure 40 278 001 and Atrio 40 884 xx0 (please order separately)

new






GROHE SPA

40 885 000	chrome	100.00
40 885 DC0	supersteel	140.00
40 885 GL0	cool sunrise	150.00
40 885 DA0	warm sunset	150.00
40 885 AL0	brushed hard graphite	161.00

Atrio
Holder
fits soap dish 40 883 000 or hair dryer inlet 40 964 001 (please order separately)
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

new






GROHE SPA

40 883 000	chrome	76.00

Soap dish
material: glass
fits holders Allure (40 963 001) and Atrio (40 885 xx0), please order separately





GROHE SPA

40 964 001	black	47.00


Allure
Hair dryer inlet
material: plastic
fits holders Allure (40 963 xx1) and Atrio (40 885 xx0), please order separately

GROHE SPA

GROHE ATRIO


	Product no.	Colour	RRP (€) incl. VAT
new	40 887 000	chrome	135.00
	40 887 DC0	supersteel	189.00
	40 887 GL0	cool sunrise	202.00
	40 887 DA0	warm sunset	202.00
	40 887 AL0	brushed hard graphite	216.00






Atrio
Towel ring
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

new	40 888 000	chrome	225.00
	40 888 DC0	supersteel	315.00
	40 888 GL0	cool sunrise	337.00
	40 888 DA0	warm sunset	337.00
	40 888 AL0	brushed hard graphite	360.00






Atrio
Towel bar
material: metal
2 arms, not pivotable
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

new	40 889 000	chrome	214.00
	40 889 DC0	supersteel	300.00
	40 889 GL0	cool sunrise	322.00
	40 889 DA0	warm sunset	322.00
	40 889 AL0	brushed hard graphite	343.00






Atrio
Towel rail
650 mm (drilling length 600 mm)
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

new	40 890 000	chrome	69.00
	40 890 DC0	supersteel	97.00
	40 890 GL0	cool sunrise	104.00
	40 890 DA0	warm sunset	104.00
	40 890 AL0	brushed hard graphite	111.00






Atrio
Robe hook
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

new	40 891 000	chrome	152.00
	40 891 DC0	supersteel	213.00
	40 891 GL0	cool sunrise	228.00
	40 891 DA0	warm sunset	228.00
	40 891 AL0	brushed hard graphite	244.00






Atrio
Toilet paper holder
material: metal
concealed fastening
without cover
GROHE Long-Life Shine durable sparkling sheen

	Product no.	Colour	RRP (€) incl. VAT

new



GROHE SPA



40 892 000	chrome	303.00
40 892 DC0	supersteel	424.00
40 892 EN0	brushed nickel	484.00
40 892 GL0	cool sunrise	454.00
40 892 DA0	warm sunset	454.00
40 892 AL0	brushed hard graphite	484.00

Atrio
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE Long-Life Shine durable sparkling sheen


40 791 001	white	10.00
40 791 KS1	velvet black	10.00

Spare brush head

new



GROHE SPA



30 609 000	chrome	692.00
30 609 DC0	supersteel	899.00
30 609 AL0	brushed hard graphite	1,037.00

Atrio
Two handle sink mixer 1/2"
C-spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
ceramic headparts 1/2", 90°
selectable swivel area: 0° / 150° / 360°
flexible connection hoses
rapid installation system
mousseur

30 362 000	chrome	692.00
30 362 DC0	supersteel	899.00
30 362 AL0	brushed hard graphite	1,037.00

available until 30 September 2023, will be replaced by 30 609


GROHE SPA

GROHE ATRIO PRIVATE COLLECTION

Product no.	Colour	RRP (€) incl. VAT

new






GROHE SPA

21 138 000	**chrome**	**812.00**
21 138 DC0	**supersteel**	**1,137.00**
21 138 GL0	**cool sunrise**	**1,218.00**
21 138 DA0	**warm sunset**	**1,218.00**
21 138 AL0	**brushed hard graphite**	**1,299.00**

Atrio Private Collection
One-hole basin mixer, 1/2“
L-Size
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4“
flexible connection hoses
knobs with metal inlay
can be combined with 48 456 000 or 48 457 000

new





GROHE SPA

21 142 000	**chrome**	**1,116.00**
21 142 DC0	**supersteel**	**1,563.00**
21 142 GL0	**cool sunrise**	**1,674.00**
21 142 DA0	**warm sunset**	**1,674.00**
21 142 AL0	**brushed hard graphite**	**1,786.00**

Atrio Private Collection
One-hole basin mixer, 1/2“
XL-Size
for free-standing basins
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4“
flexible connection hoses
knobs with metal inlay
can be combined with 48 456 000 or 48 457 000

new



GROHE SPA

48 456 000 **404.00**

Atrio Private Collection
Inlays made from White Attica Caesarstone material
can be combined with Atrio Private Collection:
one-hole basin mixer L-Size 21 138
one-hole basin mixer XL-Size 21 142
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.

new



GROHE SPA


48 457 000 **404.00**

Atrio Private Collection
Inlays made from Vanilla Noir Caesarstone material
can be combined with Atrio Private Collection:
one-hole basin mixer L-Size 21 138
one-hole basin mixer XL-Size 21 142
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.

Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA


20 589 000	**chrome**	**784.00**
20 589 DC0	**supersteel**	**1,098.00**
20 589 GL0	**cool sunrise**	**1,176.00**
20 589 DA0	**warm sunset**	**1,176.00**
20 589 AL0	**brushed hard graphite**	**1,255.00**

Atrio Private Collection
Three-hole basin mixer
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold with
ceramic headparts 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
knobs with metal inlay
can be combined with 48 460 000 or 48 461 000

29 025 002 **317.00**
Rough-in set for 3-hole basin mixer

new





GROHE SPA

20 595 000	**chrome**	**923.00**
20 595 DC0	**supersteel**	**1,292.00**
20 595 GL0	**cool sunrise**	**1,384.00**
20 595 DA0	**warm sunset**	**1,384.00**
20 595 AL0	**brushed hard graphite**	**1,476.00**

Atrio Private Collection
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
knobs with metal inlay
can be combined with 48 460 000 or 48 461 000

new



GROHE SPA

48 460 000 **404.00**

Atrio Private Collection
Inlays made from White Attica Caesarstone material
can be combined with Atrio Private Collection:
three-hole basin mixer M-Size 20 595
three-hole basin mixer wall mounted 20 589
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.

new



GROHE SPA

48 461 000 **404.00**


Atrio Private Collection
Inlays made from Vanilla Noir Caesarstone material
can be combined with Atrio Private Collection:
three-hole basin mixer M-Size 20 595
three-hole basin mixer wall mounted 20 589
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.

GROHE
ATRIO PRIVATE COLLECTION

Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA


25 226 000	**chrome**	**2,076.00**
25 226 DC0	**supersteel**	**2,906.00**
25 226 GL0	**cool sunrise**	**3,114.00**
25 226 DA0	**warm sunset**	**3,114.00**
25 226 AL0	**brushed hard graphite**	**3,321.00**

Atrio Private Collection
5-hole bath combination
ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout fixing
knobs with inlay, can be combined with 48 462 000 or 48 463 000
bath spout with mousseur and diverter bath/shower
hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002

29 037 002 **1,003.00**
baseframe for installation under tiled surround

new





GROHE SPA

25 229 000	**chrome**	**3,460.00**
25 229 DC0	**supersteel**	**4,844.00**
25 229 GL0	**cool sunrise**	**5,189.00**
25 229 DA0	**warm sunset**	**5,189.00**
25 229 AL0	**brushed hard graphite**	**5,535.00**

Atrio Private Collection
Bath mixer 1/2"
floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001
without roughing-in-set
ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
swivel tubular spout
with mousseur and stop limiter
projection 301 mm
integrated non-return valve in the shower outlet 1/2"
hand shower with holder
Silverflex shower hose 1250 mm (28 362)
protected against backflow
knobs with inlay, can be combined with 48 462 000 or 48 463 000

new



GROHE SPA

48 462 000 **404.00**

Atrio Private Collection
Inlays made from White Attica Caesarstone material
can be combined with Atrio Private Collection:
tub filler 25 226
bath mixer 25 229
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.

new



GROHE SPA


48 463 000 **404.00**

Atrio Private Collection
Inlays made from Vanilla Noir Caesarstone material
can be combined with Atrio Private Collection:
tub filler 25 226
bath mixer 25 229
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.

Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

24 396 000	**chrome**	**1,094.00**
24 396 DC0	**supersteel**	**1,531.00**
24 396 GL0	**cool sunrise**	**1,640.00**
24 396 DA0	**warm sunset**	**1,640.00**
24 396 AL0	**brushed hard graphite**	**1,750.00**

Atrio Private Collection
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve with knob
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
knobs with metal inlay
can be combined with 48 466 000 or 48 467 000
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

new



GROHE SPA

48 466 000 **404.00**

Atrio Private Collection
Inlays made from White Attica Caesarstone material
can be combined with Atrio Private Collection:
thermostatic shower mixer 24 396
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.

new



GROHE SPA

48 467 000 **404.00**

Atrio Private Collection
Inlays made from Vanilla Noir Caesarstone material
can be combined with Atrio Private Collection:
thermostatic shower mixer 24 396
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.


GROHE SPA

GROHE
ATRIO PRIVATE COLLECTION

Product no.	Colour	RRP (€) incl. VAT

new






GROHE SPA

21 134 000	**chrome**	812.00
21 134 DC0	**supersteel**	1,137.00
21 134 GL0	**cool sunrise**	1,218.00
21 134 DA0	**warm sunset**	1,218.00
21 134 AL0	**brushed hard graphite**	1,299.00

Atrio Private Collection
One-hole basin mixer, 1/2“
L-Size
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4“
flexible connection hoses
for stick handles
to be combined with stick sets 48 458, 48 459 or 48 646, please order separately

new






GROHE SPA

21 140 000	**chrome**	1,116.00
21 140 DC0	**supersteel**	1,563.00
21 140 GL0	**cool sunrise**	1,674.00
21 140 DA0	**warm sunset**	1,674.00
21 140 AL0	**brushed hard graphite**	1,786.00

Atrio Private Collection
One-hole basin mixer, 1/2“
XL-Size
for free-standing basins
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout
with mousseur and stop limiter
Push-open waste set 1 1/4“
flexible connection hoses
for stick handles
to be combined with stick sets 48 458, 48 459 or 48 646, please order separately

new






GROHE SPA

20 587 000	**chrome**	784.00
20 587 DC0	**supersteel**	1,098.00
20 587 GL0	**cool sunrise**	1,176.00
20 587 DA0	**warm sunset**	1,176.00
20 587 AL0	**brushed hard graphite**	1,255.00

Atrio Private Collection
Three-hole basin mixer
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
for stick handles
to be combined with stick sets 48 458, 48 459 or 48 646, please order separately

new





GROHE SPA

20 593 000	**chrome**	923.00
20 593 DC0	**supersteel**	1,292.00
20 593 GL0	**cool sunrise**	1,384.00
20 593 DA0	**warm sunset**	1,384.00
20 593 AL0	**brushed hard graphite**	1,476.00


Atrio Private Collection
Three-hole basin mixer 1/2“
M-Size
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves
for stick handles
to be combined with stick sets 48 458, 48 459 or 48 646, please order separately

GROHE
ATRIO PRIVATE COLLECTION

Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

25 227 000	**chrome**	**3,460.00**
25 227 DC0	**supersteel**	**4,844.00**
25 227 GL0	**cool sunrise**	**5,189.00**
25 227 DA0	**warm sunset**	**5,189.00**
25 227 AL0	**brushed hard graphite**	**5,535.00**

Atrio Private Collection
Bath mixer 1/2“
floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001
without roughing-in-set
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
swivel tubular spout
with mousseur and stop limiter
projection 301 mm
integrated non-return valve in the shower outlet 1/2“
hand shower with holder
Silverflex shower hose 1250 mm (28 362)
protected against backflow
for stick handles
to be combined with stick sets 48 464, 48 465 or 48 651, please order separately

new



GROHE SPA

48 458 000		**539.00**
48 458 DC0	**supersteel**	**539.00**
48 458 GL0	**cool sunrise**	**539.00**
48 458 DA0	**warm sunset**	**539.00**
48 458 AL0	**brushed hard graphite**	**539.00**

Atrio Private Collection
Sticks made from White Attica Caesarstone material
can be combined with Atrio Private Collection:
one-hole basin mixer L-Size 21 134
one-hole basin mixer XL-Size 21 140
three-hole basin mixers 20 587 and 20 593
bath mixer 25 227
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.

new



GROHE SPA

48 459 000		**539.00**
48 459 DC0	**supersteel**	**539.00**
48 459 GL0	**cool sunrise**	**539.00**
48 459 DA0	**warm sunset**	**539.00**
48 459 AL0	**brushed hard graphite**	**539.00**

Atrio Private Collection
Sticks made from Vanilla Noir Caesarstone material
can be combined with Atrio Private Collection:
one-hole basin mixer L-Size 21 134
one-hole basin mixer XL-Size 21 140
three-hole basin mixers 20 587 and 20 593
bath mixer 25 227
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.

new



GROHE SPA

48 646 000	**chrome**	**539.00**
48 646 DC0	**supersteel**	**539.00**
48 646 GL0	**cool sunrise**	**539.00**
48 646 DA0	**warm sunset**	**539.00**
48 646 AL0	**brushed hard graphite**	**539.00**

Atrio Private Collection
Knurled sticks
can be combined with Atrio Private Collection:
one-hole basin mixer L-Size 21 134
one-hole basin mixer XL-Size 21 140
three-hole basin mixers 20 587 and 20 593
bath mixer 25 227
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE SPA

GROHE ATRIO PRIVATE COLLECTION

Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

25 224 000	**chrome**	**2,076.00**
25 224 DC0	**supersteel**	**2,906.00**
25 224 GL0	**cool sunrise**	**3,114.00**
25 224 DA0	**warm sunset**	**3,114.00**
25 224 AL0	**brushed hard graphite**	**3,321.00**

Atrio Private Collection
5-hole bath combination
ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout fixing
for stick handles
to be combined with stick sets 48 464, 48 465 or 48 651, please order separately
bath spout with mousseur and diverter bath/shower
hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002

new



GROHE SPA

48 464 000		**539.00**
48 464 DC0	**supersteel**	**539.00**
48 464 GL0	**cool sunrise**	**539.00**
48 464 DA0	**warm sunset**	**539.00**
48 464 AL0	**brushed hard graphite**	**539.00**

Atrio Private Collection
Sticks made from White Attica Caesarstone material
can be combined with Atrio Private Collection:
tub filler 25 224
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.

new



GROHE SPA

48 465 000		**539.00**
48 465 DC0	**supersteel**	**539.00**
48 465 GL0	**cool sunrise**	**539.00**
48 465 DA0	**warm sunset**	**539.00**
48 465 AL0	**brushed hard graphite**	**539.00**

Atrio Private Collection
Sticks made from Vanilla Noir Caesarstone material
can be combined with Atrio Private Collection:
tub filler 25 224
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.

new




GROHE SPA

48 651 000	**chrome**	**539.00**
48 651 DC0	**supersteel**	**539.00**
48 651 GL0	**cool sunrise**	**539.00**
48 651 DA0	**warm sunset**	**539.00**
48 651 AL0	**brushed hard graphite**	**539.00**


Atrio Private Collection
Knurled sticks
can be combined with Atrio Private Collection:
tub filler 25 224
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

	Product no.	Colour	RRP (€) incl. VAT
	32 757 001	**chrome**	567.00
	32 757 GN1	**brushed cool sunrise**	907.00
	32 757 DL1	**brushed warm sunset**	907.00
	32 757 A01	**hard graphite**	850.00




Allure
Single-lever basin mixer 1/2“
M-Size
single hole installation
swivelling spout
GROHE SilkMove 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
GROHE FastFixation Plus installation system
GROHE AquaGuide adjustable slim air mousseur
pop-up waste set 1 1/4“
flexible connection hoses
temperature limiter

	32 146 001	**chrome**	630.00
	32 146 GN1	**brushed cool sunrise**	1,008.00
	32 146 DL1	**brushed warm sunset**	1,008.00
	32 146 A01	**hard graphite**	945.00




Allure
Single-lever basin mixer 1/2“
L-Size
single hole installation
swivelling spout
GROHE SilkMove 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
GROHE FastFixation Plus installation system
GROHE AquaGuide adjustable slim air mousseur
pop-up waste set 1 1/4“
flexible connection hoses
temperature limiter

	23 403 001	**chrome**	724.00
	23 403 GN1	**brushed cool sunrise**	1,159.00
	23 403 DL1	**brushed warm sunset**	1,159.00
	23 403 A01	**hard graphite**	1,087.00



Allure
Single-lever basin mixer 1/2“
XL-Size
single hole installation
swivelling spout
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
smooth body
GROHE AquaGuide adjustable slim air mousseur
projection 185 mm
height 377 mm
push-to-open waste set
flexible connection hoses
temperature limiter

	23 856 001	**chrome**	2,205.00
	23 856 GN1	**brushed cool sunrise**	3,528.00
	23 856 DL1	**brushed warm sunset**	3,528.00
	23 856 A01	**hard graphite**	3,307.00




Allure
Single-lever basin mixer floor mounted
single hole installation
for free-standing basins
set for final installation for
45 984 001
GROHE SilkMove 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
smooth body
GROHE AquaGuide adjustable slim air mousseur
projection 185 mm
temperature limiter

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ALLURE

	Product no.	Colour	RRP (€) incl. VAT






45 984 001 — **601.00**

Rough-in set 1/2“
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2“ female connections (hot/cold supplies)
flushing plug
gasket
fixing material






GROHE SPA

20 188 001	**chrome**	1,071.00
20 188 GN1	**brushed cool sunrise**	1,713.00
20 188 DL1	**brushed warm sunset**	1,713.00
20 188 A01	**hard graphite**	1,606.00

Allure
Three-hole basin mixer 1/2“
M-Size
deck mounted
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
GROHE AquaGuide adjustable slim air mousseur
projection 143 mm
pressure-proof, flexible connection hoses
between spout and side valves
pop-up waste set 1 1/4“





GROHE SPA

20 189 002	**chrome**	1,039.00
20 189 GN2	**brushed cool sunrise**	1,663.00
20 189 DL2	**brushed warm sunset**	1,663.00
20 189 A02	**hard graphite**	1,559.00

Allure
Three-hole basin mixer 1/2“
S-Size
wall mounted
without concealed body
set for final installation for 29 025 002
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
Precision Control with haptic click feedback (optional)
GROHE AquaGuide adjustable slim air mousseur
centre distance 200 mm
projection 150 mm

GROHE SPA


20 193 002	**chrome**	1,071.00
20 193 GN2	**brushed cool sunrise**	1,713.00
20 193 DL2	**brushed warm sunset**	1,713.00
20 193 A02	**hard graphite**	1,606.00

ditto, projection 208 mm

29 025 002 — **317.00**
Rough-in set for 3-hole basin mixer

	Product no.	Colour	RRP (€) incl. VAT
GROHE SPA	19 309 002	chrome	1,165.00
	19 309 GN2	brushed cool sunrise	1,865.00
	19 309 DL2	brushed warm sunset	1,865.00
	19 309 A02	hard graphite	1,748.00





Allure
Two-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for 23 429 000
GROHE FeatherControl Joystick cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
GROHE AquaGuide adjustable slim air mousseur
center distance 110 mm
projection 154 mm

GROHE SPA	19 386 002	chrome	1,197.00
	19 386 GN2	brushed cool sunrise	1,915.00
	19 386 DL2	brushed warm sunset	1,915.00
	19 386 A02	hard graphite	1,795.00


ditto, projection 212 mm

23 429 000		315.00

Set for final installation for 2-hole basin mixer

GROHE SPA	24 160 001	chrome	567.00
	24 160 GN1	brushed cool sunrise	907.00
	24 160 DL1	brushed warm sunset	907.00
	24 160 A01	hard graphite	850.00






Allure
Single-lever bidet mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses

GROHE SPA	32 846 001	chrome	693.00
	32 846 GN1	brushed cool sunrise	1,109.00
	32 846 DL1	brushed warm sunset	1,109.00
	32 846 A01	hard graphite	1,039.00






Allure
Single-lever shower mixer 1/2“ exposed
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower front outlet 1/2“
with integrated non return-valve
covered S-unions
protected against backflow

GROHE SPA	32 826 001	chrome	756.00
	32 826 GN1	brushed cool sunrise	1,209.00
	32 826 DL1	brushed warm sunset	1,209.00
	32 826 A01	hard graphite	1,134.00






Allure
Single-lever bath mixer 1/2“ exposed
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
cast spout
mousseur
shower bottom outlet 1/2“ with integrated non return-valve
covered S-unions
protected against backflow

	Product no.	Colour	RRP (€) incl. VAT
GROHE SPA	**18 968 001**	**chrome**	**243.00**
	18 968 GN1	**brushed cool sunrise**	**388.00**
	18 968 DL1	**brushed warm sunset**	**388.00**
	18 968 A01	**hard graphite**	**364.00**






Allure
Shower and bath tray
for installation with 32 846 001 and 32 826 001
easy to click on and remove
material: acrylic glass
width 315 mm
depth 136 mm

GROHE SPA	**19 317 001**	**chrome**	**457.00**
	19 317 GN1	**brushed cool sunrise**	**731.00**
	19 317 DL1	**brushed warm sunset**	**731.00**
	19 317 A01	**hard graphite**	**685.00**






Allure
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

PROFESSIONAL GROHE	**35 604 000**	**GROHE Rapido SmartBox universal rough-in box for concealed installation**	**88.00**

GROHE SPA	**19 315 001**	**chrome**	**520.00**
	19 315 GN1	**brushed cool sunrise**	**832.00**
	19 315 DL1	**brushed warm sunset**	**832.00**
	19 315 A01	**hard graphite**	**780.00**






Allure
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

PROFESSIONAL GROHE	**35 604 000**	**GROHE Rapido SmartBox universal rough-in box for concealed installation**	**88.00**

	Product no.	Colour	RRP (€) incl. VAT

GROHE SPA





29 176 001	**chrome**	**567.00**
29 176 GN1	**brushed cool sunrise**	**907.00**
29 176 DL1	**brushed warm sunset**	**907.00**
29 176 A01	**hard graphite**	**850.00**


Allure
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

PROFESSIONAL GROHE

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE SPA





19 380 002	**chrome**	**598.00**
19 380 GN2	**brushed cool sunrise**	**957.00**
19 380 DL2	**brushed warm sunset**	**957.00**
19 380 A02	**hard graphite**	**898.00**


Allure
Thermostat for concealed installation with one valve
set for final installation for GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

PROFESSIONAL GROHE

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE SPA





29 181 002	**chrome**	**630.00**
29 181 GN2	**brushed cool sunrise**	**1,008.00**
29 181 DL2	**brushed warm sunset**	**1,008.00**
29 181 A02	**hard graphite**	**945.00**


Allure
Thermostat for concealed installation with 2-way diverter head shower/hand shower
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

PROFESSIONAL GROHE

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

	Product no.	Colour	RRP (€) incl. VAT
	19 446 002	chrome	630.00
	19 446 GN2	brushed cool sunrise	1,008.00
	19 446 DL2	brushed warm sunset	1,008.00
	19 446 A02	hard graphite	945.00






Allure
Thermostat for concealed installation with 2-way diverter hand shower/bath filler
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		88.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

25 221 001	chrome	1,742.00
25 221 GN1	brushed cool sunrise	2,787.00
25 221 DL1	brushed warm sunset	2,787.00
25 221 A01	hard graphite	2,612.00






Allure
5-hole bath combination
for installation under tiled surround
ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout fixing
with lever handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
optional baseframes for installation: 29 037 001/29 037 002

19 316 001	chrome	1,742.00
19 316 GN1	brushed cool sunrise	2,787.00
19 316 DL1	brushed warm sunset	2,787.00
19 316 A01	hard graphite	2,612.00






Allure
Four-hole single-lever bath combination
for installation under tiled surround
GROHE Long-Life Shine durable sparkling sheen
single lever mixer operating element
diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
optional baseframes for installation: 29 037 001/29 037 002

29 037 002		1,003.00






4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve
caps to cover screw fixations always come in chrome color

	Product no.	Colour	RRP (€) incl. VAT






GROHE SPA

25 222 001	**chrome**	**2,772.00**
25 222 GN1	**brushed cool sunrise**	**4,435.00**
25 222 DL1	**brushed warm sunset**	**4,435.00**
25 222 A01	**hard graphite**	**4,158.00**

Allure
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
spout with mousseur
projection 263 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
Sena hand shower 6.6 l/min
shower hose 1250 mm
protected against backflow






45 984 001		**601.00**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material






GROHE SPA

13 317 001	**chrome**	**1,764.00**
13 317 GN1	**brushed cool sunrise**	**2,822.00**
13 317 DL1	**brushed warm sunset**	**2,822.00**
13 317 A01	**hard graphite**	**2,646.00**

Allure
Cascade spout for bath and shower
wall mounted
with decorative glass cover plate
GROHE Long-Life Shine durable sparkling sheen
projection 169 mm






GROHE SPA

13 264 001	**chrome**	**394.00**
13 264 GN1	**brushed cool sunrise**	**630.00**
13 264 DL1	**brushed warm sunset**	**630.00**
13 264 A01	**hard graphite**	**591.00**

Allure
Bath spout 3/4"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
projection 167 mm
caché mousseur





GROHE SPA


19 590 001	**chrome**	**268.00**
19 590 GN1	**brushed cool sunrise**	**428.00**
19 590 DL1	**brushed warm sunset**	**428.00**
19 590 A01	**hard graphite**	**402.00**

Allure
3-way diverter 1/2"
set for final installation for 29 033 000
without concealed body
bayonet union escutcheon
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

	Product no.	Colour	RRP (€) incl. VAT






29 033 000 — **339.00**


5-way diverter
concealed body
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth infinitely adjustable
66 - 113 mm
DR-brass






19 334 001	**chrome**	**157.00**
19 334 GN1	**brushed cool sunrise**	**252.00**
19 334 DL1	**brushed warm sunset**	**252.00**
19 334 A01	**hard graphite**	**236.00**

Allure
Concealed valve exposed part
for concealed valve 35 028 000 or 29 032 000
GROHE Long-Life Shine durable sparkling sheen
escutcheon with screwable wall sealing
with lever handle






35 028 000 — **174.00**

Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4"
connection threads 1/2"
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm






26 070 000	**chrome**	**607.00**

Rainshower F-Series 10" 254 x 254
Head shower set 275 mm, 1 spray
consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 286 mm (27 488 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

26 060 000	**chrome**	**607.00**

ditto, with non-restricted flow






26 071 000	**chrome**	**607.00**

Rainshower F-Series 10"
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

Product no.	Colour	RRP (€) incl. VAT






GROHE SPA

26 802 000	**chrome**	160.00
26 802 GN0	**brushed cool sunrise**	272.00
26 802 DL0	**brushed warm sunset**	272.00
26 802 A00	**hard graphite**	256.00

Rainshower Aqua
Body spray cube 2 spray
spray pattern:
PureRain, ActiveJet
including concealed body and compound seal
75 x 75 mm
pivoting range ± 15° rotatable
connection thread 1/2"
throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
min. recommended pressure 1.0 bar
not suitable for instantaneous heater






28 034 000	**chrome**	186.00

Sena Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system






27 076 000	**chrome**	66.00

Rainshower
Shower outlet elbow
male thread
with square escutcheon
protected against backflow
GROHE Long-Life Shine durable sparkling sheen






27 075 000	**chrome**	42.00

Rainshower
Wall hand shower holder
not adjustable
with square escutcheon
GROHE Long-Life Shine durable sparkling sheen






37 535 000	**chrome**	95.00
37 535 GN0	**brushed cool sunrise**	208.00
37 535 DL0	**brushed warm sunset**	208.00
37 535 A00	**hard graphite**	208.00

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

	Product no.	Colour	RRP (€) incl. VAT
	40 278 001	chrome	145.00
	40 278 GN1	brushed cool sunrise	232.00
	40 278 DL1	brushed warm sunset	232.00
	40 278 A01	hard graphite	217.00






Allure
Holder
fits glass 40 882 000 or soap dispenser 40 306 xx3 (please order separately)
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

---

new

	Product no.	Colour	RRP (€) incl. VAT
	40 886 000	chrome	100.00
	40 886 DC0	supersteel	140.00
	40 886 GL0	cool sunrise	150.00
	40 886 DA0	warm sunset	150.00
	40 886 AL0	brushed hard graphite	161.00






Soap dispenser
material: glass / metal
filling quantity 160 ml
fits holder Atrio 40 884 xx0 (please order separately)
GROHE Long-Life Shine durable sparkling sheen

---

new

	Product no.	Colour	RRP (€) incl. VAT
	40 882 000	chrome	66.00






Glass
material: glass
fits holders Allure 40 278 001 and Atrio 40 884 xx0 (please order separately)

	Product no.	Colour	RRP (€) incl. VAT
	40 963 001	chrome	145.00
	40 963 GN1	brushed cool sunrise	232.00
	40 963 DL1	brushed warm sunset	232.00
	40 963 A01	hard graphite	217.00






Allure
Holder
for soap dish 40 883 00 or hair dryer inlet 40 964 001 (please order separately)
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

---

new

	Product no.	Colour	RRP (€) incl. VAT
	40 883 000	chrome	76.00






Soap dish
material: glass
fits holders Allure (40 963 001) and Atrio (40 885 xx0), please order separately

---


	Product no.	Colour	RRP (€) incl. VAT
	40 964 001	black	47.00






Allure
Hair dryer inlet
material: plastic
fits holders Allure (40 963 xx1) and Atrio (40 885 xx0), please order separately

	Product no.	Colour	RRP (€) incl. VAT
	40 284 001	chrome	79.00
	40 284 GN1	brushed cool sunrise	126.00
	40 284 DL1	brushed warm sunset	126.00
	40 284 A01	hard graphite	118.00




Allure
Robe hook
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

	40 342 001	chrome	290.00
	40 342 GN1	brushed cool sunrise	464.00
	40 342 DL1	brushed warm sunset	464.00
	40 342 A01	hard graphite	435.00




Allure
Double towel bar
material: metal
pivotable 90°
length 460 mm
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

	40 341 001	chrome	290.00
	40 341 GN1	brushed cool sunrise	464.00
	40 341 DL1	brushed warm sunset	464.00
	40 341 A01	hard graphite	435.00




Allure
Towel rail
center distance 569 mm
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

	40 339 001	chrome	126.00
	40 339 GN1	brushed cool sunrise	202.00
	40 339 DL1	brushed warm sunset	202.00
	40 339 A01	hard graphite	189.00




Allure
Towel ring
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

	40 955 001	chrome	268.00
	40 955 GN1	brushed cool sunrise	428.00
	40 955 DL1	brushed warm sunset	428.00
	40 955 A01	hard graphite	402.00



Allure
Grab rail
material: metal
concealed fastening
center distance 269 mm
GROHE Long-Life Shine durable sparkling sheen

	40 279 001	chrome	189.00
	40 279 GN1	brushed cool sunrise	302.00
	40 279 DL1	brushed warm sunset	302.00
	40 279 A01	hard graphite	283.00




Allure
Toilet paper holder
without cover
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

	Product no.	Colour	RRP (€) incl. VAT






GROHE SPA

40 956 001	chrome	173.00
40 956 GN1	brushed cool sunrise	277.00
40 956 DL1	brushed warm sunset	277.00
40 956 A01	hard graphite	260.00

Allure
Spare toilet paper holder
without cover
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






GROHE SPA

40 340 001	chrome	315.00
40 340 GN1	brushed cool sunrise	504.00
40 340 DL1	brushed warm sunset	504.00
40 340 A01	hard graphite	472.00

Allure
Toilet brush set
wall mounted
concealed fastening
material: glass / metal
GROHE Long-Life Shine durable sparkling sheen






GROHE SPA

40 965 001	chrome	425.00
40 965 GN1	brushed cool sunrise	680.00
40 965 DL1	brushed warm sunset	680.00
40 965 A01	hard graphite	638.00

Allure
Shelf
wall mounted
material: glass / metal
concealed fastening
width 600 mm
depth 100 mm
GROHE Long-Life Shine durable sparkling sheen






GROHE SPA

40 966 001	chrome	157.00
40 966 GN1	brushed cool sunrise	252.00
40 966 DL1	brushed warm sunset	252.00
40 966 A01	hard graphite	236.00

Allure
Shower basket
wall mounted
material: metal/plastic
with draining function
concealed fastening
width 300 mm
depth 100 mm
height 66 mm
GROHE Long-Life Shine durable sparkling sheen





GROHE SPA


40 967 001	chrome	220.00
40 967 GN1	brushed cool sunrise	353.00
40 967 DL1	brushed warm sunset	353.00
40 967 A01	hard graphite	331.00

Allure
Beauty / shaving mirror
wall mounted
magnification: x 7
material: glass / metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

24 341 000	chrome	734.00
24 341 DC0	supersteel	1,028.00
24 341 AL0	brushed hard graphite	1,174.00

Allure Brilliant
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.0 l/min. flow limiter
GROHE FastFixation installation system
spout with integrated mousseur
pop-up waste set 1 1/4“
flexible connection hoses

GROHE SPA

24 342 000	chrome	734.00
24 342 DC0	supersteel	1,028.00
24 342 AL0	brushed hard graphite	1,174.00

ditto, smooth body

GROHE SPA

24 397 000	chrome	1,092.00
24 397 DC0	supersteel	1,639.00
24 397 AL0	brushed hard graphite	1,748.00

Allure Brilliant Private Collection basin mixer with knurled lever
available June 2023

GROHE SPA

24 398 000	chrome	1,092.00
24 398 DC0	supersteel	1,639.00
24 398 AL0	brushed hard graphite	1,748.00

Allure Brilliant Private Collection basin mixer with white Caesarstone inlay
available June 2023


GROHE SPA

24 399 000	chrome	1,092.00
24 399 DC0	supersteel	1,639.00
24 399 AL0	brushed hard graphite	1,748.00

Allure Brilliant Private Collection basin mixer with black Caesarstone inlay
available June 2023

new





GROHE SPA

24 344 000	chrome	912.00
24 344 DC0	supersteel	1,277.00
24 344 AL0	brushed hard graphite	1,460.00

Allure Brilliant
Single-lever basin mixer 1/2“
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.0 l/min. flow limiter
GROHE FastFixation installation system
spout with integrated mousseur
pop-up waste set 1 1/4“
flexible connection hoses

GROHE SPA

24 345 000	chrome	912.00
24 345 DC0	supersteel	1,277.00
24 345 AL0	brushed hard graphite	1,460.00

ditto, smooth body

GROHE SPA

24 400 000	chrome	1,358.00
24 400 DC0	supersteel	2,037.00
24 400 AL0	brushed hard graphite	2,173.00

Allure Brilliant Private Collection basin mixer with knurled lever
available June 2023

GROHE SPA

24 408 000	chrome	1,751.00
24 408 DC0	supersteel	2,451.00
24 408 AL0	brushed hard graphite	2,802.00

Allure Brilliant Private Collection basin mixer with white Caesarstone inlay
available June 2023

GROHE SPA

24 414 000	chrome	1,751.00
24 414 DC0	supersteel	2,451.00
24 414 AL0	brushed hard graphite	2,802.00


Allure Brilliant Private Collection basin mixer with black Caesarstone inlay
available June 2023

GROHE ALLURE BRILLIANT

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

24 346 000	**chrome**	1,131.00
24 346 DC0	**supersteel**	1,583.00
24 346 AL0	**brushed hard graphite**	1,809.00

Allure Brilliant
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.0 l/min. flow limiter
GROHE FastFixation installation system
spout with integrated mousseur
smooth body
flexible connection hoses

GROHE SPA

24 417 000	**chrome**	1,683.00
24 417 DC0	**supersteel**	2,524.00
24 417 AL0	**brushed hard graphite**	2,693.00

Allure Brilliant Private Collection basin mixer with knurled lever
available June 2023

GROHE SPA

24 418 000	**chrome**	1,683.00
24 418 DC0	**supersteel**	2,524.00
24 418 AL0	**brushed hard graphite**	2,693.00

Allure Brilliant Private Collection basin mixer with white Caesarstone inlay
available June 2023

GROHE SPA

24 419 000	**chrome**	1,683.00
24 419 DC0	**supersteel**	2,524.00
24 419 AL0	**brushed hard graphite**	2,693.00

Allure Brilliant Private Collection basin mixer with black Caesarstone inlay
available June 2023

	Product no.	Colour	RRP (€) incl. VAT

new

GROHE SPA

20 627 000	chrome	1,071.00
20 627 DC0	supersteel	1,500.00
20 627 AL0	brushed hard graphite	1,714.00


Allure Brilliant
Three-hole basin mixer 1/2“
M-Size
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.0 l/min. flow limiter
spout with integrated mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves

GROHE SPA

20 667 000	chrome	1,594.00
20 667 DC0	supersteel	2,391.00
20 667 AL0	brushed hard graphite	2,551.00

Allure Brilliant Private Collection three-hole basin mixer with knurled trapeze handles
available June 2023





GROHE SPA

20 668 000	chrome	3,233.00
20 668 DC0	supersteel	5,118.00
20 668 AL0	brushed hard graphite	5,388.00

Allure Brilliant Private Collection three-hole basin mixer with white Caesarstone trapeze handles
available June 2023

GROHE SPA

20 669 000	chrome	3,233.00
20 669 DC0	supersteel	5,118.00
20 669 AL0	brushed hard graphite	5,388.00

Allure Brilliant Private Collection three-hole basin mixer with black Caesarstone trapeze handles
available June 2023

GROHE SPA

20 670 000	chrome	1,594.00
20 670 DC0	supersteel	2,391.00
20 670 AL0	brushed hard graphite	2,551.00

Allure Brilliant Private Collection three-hole basin mixer with knurled knob handles
available June 2023

GROHE SPA

20 671 000	chrome	3,188.00
20 671 DC0	supersteel	4,783.00
20 671 AL0	brushed hard graphite	5,102.00

Allure Brilliant Private Collection three-hole basin mixer with white Caesarstone knob handles
available June 2023

GROHE SPA

20 672 000	chrome	3,188.00
20 672 DC0	supersteel	4,783.00
20 672 AL0	brushed hard graphite	5,102.00

Allure Brilliant Private Collection three-hole basin mixer with black Caesarstone knob handles
available June 2023


new

GROHE SPA

20 626 000	chrome	897.00
20 626 DC0	supersteel	1,256.00
20 626 AL0	brushed hard graphite	1,436.00

Allure Brilliant
Three-hole basin mixer 1/2“
S-Size
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.0 l/min. flow limiter
low spout with integrated mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves






green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ALLURE BRILLIANT

Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

20 628 000	**chrome**	**932.00**
20 628 DC0	**supersteel**	**1,305.00**
20 628 AL0	**brushed hard graphite**	**1,492.00**

Allure Brilliant
Three-hole basin mixer 1/2“
S-Size
wall mounted
without concealed body
set for final installation for 29 025 002
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.0 l/min. flow limiter
spout with integrated mousseur
centre distance 200 mm
projection 161 mm


GROHE SPA


20 629 000	**chrome**	**992.00**
20 629 DC0	**supersteel**	**1,389.00**
20 629 AL0	**brushed hard graphite**	**1,587.00**

ditto, projection 210 mm

---

29 025 002 **317.00**






Two-handle basin mixer
concealed body, 1/2“
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

new





GROHE SPA


29 402 000	**chrome**	**893.00**
29 402 DC0	**supersteel**	**1,250.00**
29 402 AL0	**brushed hard graphite**	**1,428.00**

Allure Brilliant
Two-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for 23 200
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.0 l/min. flow limiter
spout with integrated mousseur
center distance 110 mm
projection 161 mm

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

29 403 000	**chrome**	**952.00**
29 403 DC0	**supersteel**	**1,333.00**
29 403 AL0	**brushed hard graphite**	**1,523.00**

Allure Brilliant
Two-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for
23 200
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.0 l/min. flow limiter
spout with integrated mousseur
center distance 110 mm
projection 210 mm

GROHE SPA

29 517 000	**chrome**	**1,417.00**
29 517 DC0	**supersteel**	**2,126.00**
29 517 AL0	**brushed hard graphite**	**2,267.00**

Allure Brilliant Private Collection two-hole basin mixer with knurled handle
available June 2023

GROHE SPA

29 519 000	**chrome**	**1,886.00**
29 519 DC0	**supersteel**	**2,424.00**
29 519 AL0	**brushed hard graphite**	**2,694.00**


Allure Brilliant Private Collection two-hole basin mixer with white Caesarstone handle
available June 2023

GROHE SPA

29 521 000	**chrome**	**1,886.00**
29 521 DC0	**supersteel**	**2,424.00**
29 521 AL0	**brushed hard graphite**	**2,694.00**

Allure Brilliant Private Collection two-hole basin mixer with black Caesarstone handle
available June 2023






23 200 002 **304.00**

Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---

new





GROHE SPA

24 347 000	**chrome**	**833.00**
24 347 DC0	**supersteel**	**1,166.00**
24 347 AL0	**brushed hard graphite**	**1,333.00**


Allure Brilliant
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

GROHE ALLURE BRILLIANT

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

24 277 000	**chrome**	**458.00**
24 277 DC0	**supersteel**	**641.00**
24 277 AL0	**brushed hard graphite**	**732.00**

Allure Brilliant
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

PROFESSIONAL GROHE

35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation


new

GROHE SPA

24 279 000	**chrome**	**503.00**
24 279 DC0	**supersteel**	**705.00**
24 279 AL0	**brushed hard graphite**	**805.00**

Allure Brilliant
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set





GROHE SPA

24 425 000	**chrome**	**699.00**
24 425 DC0	**supersteel**	**1,049.00**
24 425 AL0	**brushed hard graphite**	**1,119.00**

Allure Brilliant Private Collection single-lever mixer with 2-way diverter with knurled handle
available June 2023

GROHE SPA

24 426 000	**chrome**	**699.00**
24 426 DC0	**supersteel**	**1,049.00**
24 426 AL0	**brushed hard graphite**	**1,119.00**

Allure Brilliant Private Collection single-lever mixer with 2-way diverter with white Caesarstone handle
available June 2023

GROHE SPA

24 427 000	**chrome**	**699.00**
24 427 DC0	**supersteel**	**1,049.00**
24 427 AL0	**brushed hard graphite**	**1,119.00**

Allure Brilliant Private Collection single-lever mixer with 2-way diverter with black Caesarstone handle
available June 2023

PROFESSIONAL GROHE


35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

24 340 000	**chrome**	**533.00**
24 340 DC0	**supersteel**	**746.00**
24 340 AL0	**brushed hard graphite**	**853.00**


Allure Brilliant
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

PROFESSIONAL GROHE

35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 154 000	**chrome**	**675.00**
24 154 DC0	**supersteel**	**944.00**
24 154 AL0	**brushed hard graphite**	**1,079.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

new

GROHE SPA

24 428 000	**chrome**	**1,071.00**
24 428 DC0	**supersteel**	**1,606.00**
24 428 AL0	**brushed hard graphite**	**1,713.00**

Grohtherm Cube thermostatic shower mixer for 2 outlets with knurled handle
available June 2023

new

GROHE SPA

24 429 000	**chrome**	**1,071.00**
24 429 DC0	**supersteel**	**1,606.00**
24 429 AL0	**brushed hard graphite**	**1,713.00**

Grohtherm Cube thermostatic shower mixer for 2 outlets with white Caesarstone handle
available June 2023

new

GROHE SPA

24 430 000	**chrome**	**1,071.00**
24 430 DC0	**supersteel**	**1,606.00**
24 430 AL0	**brushed hard graphite**	**1,713.00**

Grohtherm Cube thermostatic shower mixer for 2 outlets with black Caesarstone handle
available June 2023

PROFESSIONAL GROHE

35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE SPA

GROHE ALLURE BRILLIANT

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

29 405 000	**chrome**	**1,964.00**
29 405 DC0	**supersteel**	**2,749.00**
29 405 AL0	**brushed hard graphite**	**3,142.00**

Allure Brilliant
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with integrated mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.5 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

GROHE SPA

29 523 000	**chrome**	**2,923.00**
29 523 DC0	**supersteel**	**4,384.00**
29 523 AL0	**brushed hard graphite**	**4,677.00**

Allure Brilliant Private Collection four-hole bath combination with knurled handle
available June 2023

GROHE SPA

29 525 000	**chrome**	**2,923.00**
29 525 DC0	**supersteel**	**4,384.00**
29 525 AL0	**brushed hard graphite**	**4,677.00**


Allure Brilliant Private Collection four-hole bath combination with white Caesarstone handle
available June 2023

GROHE SPA

29 527 000	**chrome**	**2,923.00**
29 527 DC0	**supersteel**	**4,384.00**
29 527 AL0	**brushed hard graphite**	**4,677.00**

Allure Brilliant Private Collection four-hole bath combination with black Caesarstone handle
available June 2023






29 037 000 **1,007.00**

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

24 348 000	**chrome**	**3,293.00**
24 348 DC0	**supersteel**	**4,610.00**
24 348 AL0	**brushed hard graphite**	**5,269.00**

Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube+
metal shower hose 1250 mm
protected against backflow

GROHE SPA

24 348 001	**chrome**	**3,293.00**

ditto, hand shower with 6.5 l/min flow limiter

GROHE SPA

24 422 000	**chrome**	**4,901.00**
24 422 DC0	**supersteel**	**7,351.00**
24 422 AL0	**brushed hard graphite**	**7,841.00**

Allure Brilliant Private Collection floor mounted bath mixer with knurled handle
available June 2023

GROHE SPA

24 423 000	**chrome**	**4,901.00**
24 423 DC0	**supersteel**	**7,351.00**
24 423 AL0	**brushed hard graphite**	**7,841.00**


Allure Brilliant Private Collection floor mounted bath mixer with white Caesarstone handle
available June 2023

GROHE SPA

24 424 000	**chrome**	**4,901.00**
24 424 DC0	**supersteel**	**7,351.00**
24 424 AL0	**brushed hard graphite**	**7,841.00**

Allure Brilliant Private Collection floor mounted bath mixer with black Caesarstone handle
available June 2023






45 984 001 **601.00**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

new





GROHE SPA

13 486 000	**chrome**	**955.00**
13 486 DC0	**supersteel**	**1,336.00**
13 486 AL0	**brushed hard graphite**	**1,527.00**


Allure Brilliant
Cascade spout for bath and shower
wall mounted
GROHE Long-Life Shine durable sparkling sheen
projection 180 mm

GROHE SPA

GROHE ALLURE BRILLIANT

	Product no.	Colour	RRP (€) incl. VAT
new	13 485 000	chrome	413.00
	13 485 DC0	supersteel	578.00
	13 485 AL0	brushed hard graphite	660.00






Allure Brilliant
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
projection 161 mm
spout with integrated mousseur

new	29 399 000	chrome	337.00
	29 399 DC0	supersteel	472.00
	29 399 AL0	brushed hard graphite	540.00






Allure Brilliant
5-way diverter
set for final installation for 29 033 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen

	29 033 000	339.00






5-way diverter
concealed body
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth infinitely adjustable
66 - 113 mm
DR-brass


new	29 398 000	chrome	242.00
	29 398 DC0	supersteel	339.00
	29 398 AL0	brushed hard graphite	387.00






Allure Brilliant
Concealed valve exposed part
set for final installation for 29 032 000 (preassembled headpart 1/2")
35 028 000
GROHE Long-Life Shine durable sparkling sheen

	35 028 000		174.00






Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4"
connection threads 1/2"
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

26 858 000	**chrome**	**701.00**

Rainshower Aqua 230
Head shower set 286 mm, 1 spray
consisting of:
head shower Rainshower Allure 230 (26 877 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 286 mm (27 709 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system


GROHE SPA

26 856 000	**chrome**	**701.00**

ditto, with non-restricted flow

new






GROHE SPA

26 859 000	**chrome**	**642.00**

Rainshower Aqua 230
Head shower set ceiling 154 mm, 1 spray
consisting of:
head shower Rainshower Allure 230 (26 877 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower ceiling 154 mm (27 711 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system





GROHE SPA

26 802 000	**chrome**	**160.00**
26 802 DC0	**supersteel**	**224.00**
26 802 AL0	**brushed hard graphite**	**272.00**

Rainshower Aqua
Body spray cube 2 spray
spray pattern:
PureRain, ActiveJet
including concealed body and compound seal
75 x 75 mm
pivoting range ± 15° rotatable
connection thread 1/2"
throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
min. recommended pressure 1.0 bar
not suitable for instantaneous heater

new






GROHE SPA

26 884 000	**chrome**	**122.00**

Rainshower Aqua Cube Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

new





GROHE SPA

26 850 000	**chrome**	**65.00**
26 850 DC0	**supersteel**	**91.00**
26 850 AL0	**brushed hard graphite**	**111.00**


Allure Brilliant
Shower outlet elbow, 1/2"
male thread
protected against backflow
material: metal
GROHE Long-Life Shine durable sparkling sheen

GROHE ALLURE BRILLIANT

Product no.	Colour	RRP (€) incl. VAT

new






26 847 000	**chrome**	**41.00**
26 847 DC0	**supersteel**	**57.00**
26 847 AL0	**brushed hard graphite**	**69.00**

Allure Brilliant
Wall hand shower holder
not adjustable
material: metal
GROHE Long-Life Shine durable sparkling sheen






40 564 000	**chrome**	**329.00**
40 564 DC0	**supersteel**	**461.00**
40 564 AL0	**brushed hard graphite**	**527.00**

Bottle trap
for **wash basin**
GROHE Long-Life Shine durable sparkling sheen
brass body






40 565 000	**chrome**	**101.00**
40 565 DC0	**supersteel**	**141.00**
40 565 AL0	**brushed hard graphite**	**161.00**

Plug incl. cup
for wash basins with overflow
for standard pop-up waste set 1¼"
for replacement in an existing system
GROHE Long-Life Shine durable sparkling sheen





38 732 000	**chrome**	**75.00**
38 732 DC0	**supersteel**	**178.00**
38 732 AL0	**brushed hard graphite**	**178.00**


Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

GROHE ALLURE BRILLIANT

Product no. | Colour | RRP (€) incl. VAT

new





GROHE SPA


40 894 000 **chrome** **1,204.00**

Allure Brilliant
Holder with soap dispenser
material: glass / metal
filling quantity 150 ml
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

---

new





GROHE SPA


40 893 000 **chrome** **431.00**

Allure Brilliant
Holder with tumbler
material: glass / metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

---

new





GROHE SPA


40 906 000 **chrome** **507.00**

Allure Brilliant
Shelf with tumbler
material: glass / metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

---

new





GROHE SPA


40 907 000 **chrome** **515.00**

Allure Brilliant
Shelf with soap dish
GROHE Long-Life Shine durable sparkling sheen

---

new





GROHE SPA


40 895 000 **chrome** **354.00**

Allure Brilliant
Towel bar
2 arms, not pivotable
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

---

new





GROHE SPA

40 896 000 **chrome** **919.00**

Allure Brilliant
Towel rail
650 mm (drilling length 600 mm)
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE SPA

GROHE ALLURE BRILLIANT

	Product no.	Colour	RRP (€) incl. VAT

new






GROHE SPA

40 897 000 **chrome** **169.00**

Allure Brilliant
Robe hook
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

new






GROHE SPA

40 898 000 **chrome** **344.00**

Allure Brilliant
Toilet paper holder
without cover
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

new





GROHE SPA


40 900 000 **chrome** **564.00**

Allure Brilliant
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

24 369 000	**chrome**	458.00
24 369 IG0	**chrome/gold**	596.00
24 369 DA0	**warm sunset**	687.00

Grandera
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4“
flexible connection hoses


GROHE SPA

24 370 000	**chrome**	458.00
24 370 IG0	**chrome/gold**	596.00

ditto, smooth body

new






GROHE SPA

24 376 000	**chrome**	458.00

Grandera
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses

new






GROHE SPA

20 666 000	**chrome**	550.00
20 666 IG0	**chrome/gold**	715.00

Grandera
Two-handle basin mixer, 1/2“
L-Size
single hole installation
valves hot/cold with
ceramic headparts 1/2“ - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
swivel spout
pop-up waste set 1 1/4“
flexible connection hoses

new





GROHE SPA

24 371 000	**chrome**	607.00
24 371 IG0	**chrome/gold**	789.00

Grandera
Single-lever basin mixer 1/2“
XL-Size
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses


GROHE GRANDERA

	Product no.	Colour	RRP (€) incl. VAT

new



GROHE SPA




20 624 000	**chrome**	**645.00**
20 624 IG0	**chrome/gold**	**839.00**

Grandera
Three-hole basin mixer 1/2"
S-Size
valves hot/cold with
ceramic headparts 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

new



GROHE SPA




20 619 000	**chrome**	**714.00**
20 619 IG0	**chrome/gold**	**928.00**
20 619 DA0	**warm sunset**	**1,071.00**

Grandera
Three-hole basin mixer 1/2"
M-Size
valves hot/cold with
ceramic headparts 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

new



GROHE SPA




20 622 000	**chrome**	**535.00**
20 622 IG0	**chrome/gold**	**695.00**


Grandera
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for 29 025 002
without concealed body
valves hot/cold with
ceramic headparts 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 200 mm
projection 177 mm

GROHE SPA

20 623 000	**chrome**	**592.00**
20 623 IG0	**chrome/gold**	**769.00**

ditto, projection 234 mm






29 025 002		**317.00**

Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

29 416 000	chrome	550.00
29 416 IG0	chrome/gold	715.00
29 416 DA0	warm sunset	825.00


Grandera
Two-hole basin mixer
S-Size
wall mounted
set for final installation for 23 319 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
center distance 110 mm
projection 177 mm

GROHE SPA

29 417 000	chrome	607.00
29 417 IG0	chrome/gold	789.00

ditto, projection 234 mm






23 319 000		298.00

Grandera
Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device

new






GROHE SPA

24 372 000	chrome	515.00
24 372 IG0	chrome/gold	670.00

Grandera
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

new






GROHE SPA

24 373 000	chrome	535.00
24 373 IG0	chrome/gold	695.00

Grandera
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
integrated hand shower holder
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow

new





GROHE SPA

24 374 000	chrome	668.00
24 374 IG0	chrome/gold	869.00

Grandera
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
covered S-unions
protected against backflow


GROHE GRANDERA

	Product no.	Colour	RRP (€) incl. VAT

new

GROHE SPA





24 259 000	**chrome**	**372.00**
24 259 IG0	**chrome/gold**	**447.00**

Grandera
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

PROFESSIONAL GROHE

35 604 000		**88.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

---

new

GROHE SPA





24 260 000	**chrome**	**409.00**
24 260 IG0	**chrome/gold**	**491.00**
24 260 DA0	**warm sunset**	**614.00**

Grandera
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

PROFESSIONAL GROHE

35 604 000		**88.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

---

new

GROHE SPA





29 418 000	**chrome**	**1,413.00**
29 418 IG0	**chrome/gold**	**1,837.00**


Grandera
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7,6 l
metal shower hose 1500 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000

---

new

GROHE SPA






29 415 000	**chrome**	**1,508.00**
29 415 IG0	**chrome/gold**	**1,961.00**

Grandera
5-hole bath combination
ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7,6 l
metal shower hose 1500 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000

	Product no.	Colour	RRP (€) incl. VAT






29 037 000 — **1,007.00**

4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

---

new






24 375 000	**chrome**	**2,142.00**
24 375 IG0	**chrome/gold**	**2,785.00**

Grandera
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984
without roughing-in set
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
spout with mousseur
projection 320 mm
integrated non-return valves in the
shower outlet 1/2"
with shower holder
Grandera hand shower 7,6 l
Silverflex shower hose 1250 mm
protected against backflow






45 984 001 — **601.00**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

---

new






13 484 000	**chrome**	**305.00**
13 484 IG0	**chrome/gold**	**397.00**
13 484 DA0	**warm sunset**	**458.00**

Grandera
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
projection 177 mm

---

new







29 420 000	**chrome**	**137.00**
29 420 IG0	**chrome/gold**	**179.00**
29 420 DA0	**warm sunset**	**206.00**

Grandera
Volume Control Trim
set for final installation for
35 028 000
29 032 000 (preassembled headpart 1/2")
GROHE Long-Life Shine durable sparkling sheen

	Product no.	Colour	RRP (€) incl. VAT






35 028 000 — **174.00**

Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4“
connection threads 1/2“
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm

---

new





GROHE SPA


26 852 000	**chrome**	145.00
26 852 IG0	**chrome/gold**	189.00

Grandera Stick
Hand shower 1 spray
spray pattern: Rain
material: metal
GROHE Water Saving 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

---

new





GROHE SPA


26 901 000	**chrome**	199.00
26 901 IG0	**chrome/gold**	258.00

Grandera Stick
Wall holder set 1 spray
consisting of:
Stick hand shower (26 852 xx0)
wall hand shower holder (26 896 xx0)
Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417 000)
GROHE Water Saving 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

---

new





GROHE SPA


26 853 000	**chrome**	302.00
26 853 IG0	**chrome/gold**	392.00

Grandera Stick
Shower rail set 1 spray
consisting of:
Stick hand shower (26 852 xx0)
shower rail, 900 mm (27 785)
Rotaflex Metal Long-Life TwistStop shower hose 1750 mm (28 025)
GROHE Water Saving 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

---

new





GROHE SPA


26 898 000	**chrome**	573.00
26 898 IG0	**chrome/gold**	745.00
26 898 DA0	**warm sunset**	916.00

Grandera 210
Head shower 1 spray
Rain
221 x 221 mm
material: metal
with ball joint rotation angle ± 15°
connection thread 1/2“
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA


26 899 000 **chrome** **95.00**

Rainshower Grandera
Shower arm ceiling 142 mm
material: metal
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen

---

new






GROHE SPA

26 900 000 **chrome** **130.00**
26 900 IG0 **chrome/gold** **169.00**
26 900 DA0 **warm sunset** **208.00**

Rainshower Grandera
Shower arm 285 mm
projection 286 mm
material: metal
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen






29 802 000 **51.00**

Concealed valve 3/4"
pre-assembled headpart 3/4"
short spindle
protection sleeve
thread union 3/4"
DR-brass






29 811 000 **25.00**

Concealed valve 1/2"
preassembled ceramic headpart 1/2"
180°
threaded union 1/2"
installation depth adjustable
25 - 80 mm
DR-brass

---

new





GROHE SPA


26 897 000 **chrome** **164.00**
26 897 IG0 **chrome/gold** **215.00**
26 897 DA0 **warm sunset** **263.00**

Grandera
Shower outlet elbow, 1/2"
material: metal
male thread
protected against backflow
GROHE Long-Life Shine durable sparkling sheen

---

new






GROHE SPA

26 896 000 **chrome** **110.00**
26 896 IG0 **chrome/gold** **143.00**
26 896 DA0 **warm sunset** **175.00**

Grandera
Wall hand shower holder
material: metal
GROHE Long-Life Shine durable sparkling sheen

	Product no.	Colour	RRP (€) incl. VAT
 	**28 912 000** ★	**chrome**	**213.00**


Trap 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine durable sparkling sheen

	Product no.	Colour	RRP (€) incl. VAT

new



GROHE SPA



40 910 000	chrome	325.00
40 910 IG0	chrome/gold	422.00


Grandera
Holder with ceramic soap dispenser
material: ceramic/metal
filling quantity 110 ml
GROHE Long-Life Shine durable sparkling sheen

---

new



GROHE SPA



40 909 000	chrome	248.00
40 909 IG0	chrome/gold	323.00


Grandera
Holder with ceramic tumbler
material: ceramic/metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

---

new



GROHE SPA



40 923 000	chrome	305.00
40 923 IG0	chrome/gold	397.00


Grandera
Holder with ceramic soap dish
material: ceramic/metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

---

new



GROHE SPA



40 929 000	chrome	210.00
40 929 IG0	chrome/gold	273.00


Grandera
Towel ring
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

---

new



GROHE SPA



40 928 000	chrome	344.00
40 928 IG0	chrome/gold	447.00


Grandera
Towel rail
600 mm
GROHE Long-Life Shine durable sparkling sheen

---

new



GROHE SPA



40 930 000	chrome	99.00
40 930 IG0	chrome/gold	129.00


Grandera
Robe hook
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

GROHE SPA

GROHE GRANDERA

	Product no.	Colour	RRP (€) incl. VAT
new	40 960 000	chrome	233.00
	40 960 IG0	chrome/gold	302.00






GROHE SPA

Grandera
Bath grip
material: metal
length 385 mm
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

new	40 908 000	chrome	260.00
	40 908 IG0	chrome/gold	338.00






GROHE SPA

Grandera
Toilet paper holder
without cover
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

new	40 946 000	chrome	363.00
	40 946 IG0	chrome/gold	472.00





GROHE SPA


Grandera
Toilet brush set
material: ceramic
GROHE Long-Life Shine durable sparkling sheen

	Product no.	Colour	RRP (€) incl. VAT

new



GROHE SPA




39 958 00H **alpine white** **638.00**

Airio
Vessel basin round 45
Without overflow
450 x 450 mm
including fixation set
including non-closable ceramic waste set
ultra-thin edge design
GROHE PureGuard anti-scale coating and anti-bacterial glazing
sanitary ware

new



GROHE SPA



39 966 00H **alpine white** **787.00**

Airio
Vessel basin lozenge 60
Without overflow
600 x 400 mm
including fixation set
including non-closable ceramic waste set
ultra-thin edge design
GROHE PureGuard anti-scale coating and anti-bacterial glazing
sanitary ware

GROHE SPA

GROHE
GLASS MODULE AND FLUSH PLATES


Product no. | Colour | RRP (€) incl. VAT

new

GROHE SPA

39 980 KS0 **velvet black** **1,135.00**






GROHE glass module
for Rapid SL and Uniset
with flushing cistern GD 2
for connecting shower toilet Sensia Arena
or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome,
flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection
for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
set for noise protection
including accessory for mounting glass plate and WC ceramic

new

GROHE SPA

39 980 LS0 **moon white** **1,135.00**






GROHE glass module
for Rapid SL and Uniset
with flushing cistern GD 2
for connecting shower toilet Sensia Arena
or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome,
flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection
for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
set for noise protection
including accessory for mounting glass plate and WC ceramic

new

GROHE SPA

39 972 000 **chrome** **754.00**






Nova Cosmopolitan Light
Flush plate
for dual flush or start & stop actuation
external highlighted outline
with LEDs in blue, red, yellow, green
light colour individually adjustable
on/off button
timer for individual regulation of illuminating period
3 m connecting cable
transformer for external installation
operating voltage 230 V AC, 50/60 Hz, 2.0 VA
CE approved
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

GROHE SPA
SPA SHOWERS AND THERMOSTATS






CONTENTS

Aquasymphony	80
F-digital Deluxe	81
Rainshower Aqua ceiling showers	85
Rainshower Aqua head showers	88
Rainshower Aqua body sprays	91
Rainshower Aqua hand showers	92
Rainshower Aqua trigger sprays	94
SPA shower accessories	95
SPA thermostats	97

Product no.	Colour	RRP (€) incl. VAT

new






26 863 000 **chrome** **28,933.00**

Rainshower Aqua 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm (width) x 762 mm (height) x 145 mm (depth)
material: metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-lime system
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
requires rough-in set (26 865 000), F-digital Deluxe base unit box (26 864 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation.
The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.
recommendation: configuration with Grohtherm SmartControl
3 x Grohtherm SmartControl (29 126 000)
3 x GROHE Rapido SmartBox (35 604 000)
1 x Rainshower Aqua Cube Stick wall holder set 1 spray (26 886 000)
this product contains built-in LED lamps, which cannot
be changed: energy efficiency class: A++

new





26 865 000 **chrome** **2,749.00**

Rainshower Aqua 40"
Rough-in set
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm (width) x 745 mm (height) x 152 mm (depth)
min. installation depth: 167 mm
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.




48 348 000 **chrome** **45.00**

Spray face
for SmartControl and head showers with
multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly key

Product no.	Colour	RRP (€) incl. VAT

new







36 475 000 **chrome** **796.00**

GROHE F-digital Deluxe
Bluetooth unit BT-01A for Apple and Android devices
with integrated electronic for wireless data communication
wall mounted
86 x 73 x 42 mm
connection cable set for data communication and power supply (5 m each)
CE approved
Bluetooth transmitter power supply: 12 V
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
requires Base Unit Box 2.0 (36 476 000) or Base Unit Box 4.0 (26 864 000) – to be ordered separately
Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary
System requirements
Android
operating system: as of release 2.3.3
pixel density: 160 dpi minimum
display resolution: 320 x 470 pixels per inch
System requirements
Apple
iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**
Apple operating system: as of release iOS 6.0 and above
Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/ iTunes or Google Play store.

new







36 476 000 **chrome** **1,410.00**

GROHE F-digital Deluxe
Base unit box 2.0 Bluetooth (BCU V2.0)
for connecting light, sound and steam modules
consisting of:
2 plug connections, each for one pair of sound modules (36 473 000)
2 plug connections, each for one pair of light modules (36 472 000) **or**
1 ceiling shower (27 865 000) with integrated light
2 plug connections for steam module (29 414 000), including 1 connection for steam generator and 1 connection for temperature sensor
2 plug connections for power supply (per power supply max. 4 devices light/ sound)
2 plug connections for Bluetooth unit (supply voltage and data line)
CE approved
optional the base unit box can be placed into extra equipment 36 474 000
component has to be ordered separately

new






26 864 000 **chrome** **1,410.00**

GROHE F-digital Deluxe
Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)
to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower
additional light, sound and steam modules can be connected and controlled
consisting of:
2 plug connections, each for one pair of sound modules (36 473 000)
1 plug connection for one pair of light modules (36 472 000)
1 plug connection LightCurtain for Rainshower Aqua 40" AquaSymphony (26 863 000)
2 plug connections for steam module (29 414 000), including 1 connection for steam generator and 1 connection for temperature sensor
2 plug connections for power supply (per power supply max. 4 devices light/ sound)
2 plug connections for Bluetooth unit (supply voltage and data line)
CE approved
optional the base unit box can be placed into extra equipment 36 474 000

new






36 474 000 **chrome** **372.00**

GROHE F-digital Deluxe
Rough-in set base unit box
for use with base unit box (26 864 000 or 36 476 000)
550 x 700 x 110 mm
height (100 mm) and depth (50 mm) adjustable
with removable front panel for installation
with adjustable front frame for installation in wall niches
galvanized and powder coated (RAL 9010, pure white) steel plate
with two mounting rails and elbow for power outlets
and mounting materials

Product no. | Colour | RRP (€) incl. VAT

new






36 473 000 **chrome** **1,409.00**

Rainshower F-digital Deluxe
Sound set
127 x 127 mm per module
full range stereo speaker
consisting of:
2 speakers with plug connections
waterproof & corrosion protected
GROHE Long-Life Shine durable sparkling sheen
requires rough-in set (29 413 000), F-digital Deluxe base unit box (26 864 000 or 36 476 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.

new






29 413 000 **chrome** **313.00**

Rainshower F-digital Deluxe
Rough-in set sound set
for use with double sound modules (36 473 000)
consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece

new






36 472 000 **chrome** **1,644.00**

Rainshower F-digital Deluxe
Light set
127 x 127 mm per module
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
consisting of:
- 1 light module with two plug connections
- 1 light module with one plug connection
waterproof & corrosion protected
supply voltage: 12 V DC
CE approved
GROHE Long-Life Shine durable sparkling sheen
requires rough-in set (29 412 000), F-digital Deluxe base unit box (26 864 000 or 36 476 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.

new





29 412 000 **chrome** **313.00**


Rainshower F-digital Deluxe
Rough-in set light set
for use with double light modules (36 472 000)
consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)

GROHE F-DIGITAL DELUXE

Product no. | Colour | RRP (€) incl. VAT

new






26 828 000 **5,116.00**

F-digital Deluxe
Steam generator 9.9 kW with steam outlet and temperature sensor
consisting of:
steam generator 3.3 to 9.9 kW
480 x 350 x 159 mm
suitable for steam rooms up to 16 m³
supply voltage 400 V 3L+N+PE AC, 50 Hz
power 9.9 kW
water inlet ¾"
operating pressure 1 - 10 bar (via pressure reducer)
automatic emptying
water outlet 1/2"
steam outlet 1/2"
type of protection IP 23
CE approved
with connection plug
steam outlet module with indentation for fragranced oil
127 x 127 mm
connection thread 1/2"
temperature sensor module
60 x 60 x 12 mm
SpeedClean anti-lime system
GROHE Long-Life Shine durable sparkling sheen
requires rough-in set (29 414 000), F-digital Deluxe base unit box (26 864 000 or 36 476 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation
available May 2023

new






29 414 000 **chrome** **509.00**

GROHE F-digital Deluxe
Rough-in set steam generator
for use with steam module (26 828 000 or 26 829 000)
consisting of:
- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m

new






42 636 000 **chrome** **98.00**

GROHE F-digital Deluxe
Cable extension for power supply, 5 m
connection between power supply (42 633 000 or 42 638 000) and base unit box (26 864 000 or 36 476 000)
each power supply needs a separate extension cable
cable extension up to 5 m

new






42 635 000 **chrome** **98.00**

GROHE F-digital Deluxe
Cable extension light set, 5 m
connection between base unit box (26 864 000 or 36 476 000) and light modules (36 472 000)
cable extension up to 10 m

	Product no.	Colour	RRP (€) incl. VAT

new






GROHE SPA

42 633 000 **chrome** **141.00**

GROHE F-digital Deluxe
Power supply base unit box
power supply for base unit box (26 864 000 or 36 476 000)
each power supply for 2 light/sound modules (36 472 000 or 36 473 000)
total 2 power supplies max (8 devices max.) can be connected to the base unit box
with one power supply 4 devices (light/sound modules) can be driven
per light module: 1 device
per sound module: 1 device
input voltage: 90-240 V AC, 50-60 Hz
output voltage: 12 V DC
CE approved

new






GROHE SPA

42 634 000 **chrome** **98.00**

GROHE F-digital Deluxe
Cable extension steam generator, 5 m
extension between base unit box (26 864 000 or 36 476 000) and steam generator (26 868 000 or 26 869 000)
cable extension up to 10 m

new





GROHE SPA

42 637 000 **chrome** **98.00**

GROHE F-digital Deluxe
Cable extension temperature sensor, 5 m
extension between base unit box (26 864 000 or 36 476 000) and temperature sensor
cable extension up to 5 m


GROHE
RAINSHOWER AQUA CEILING SHOWERS

Product no. | Colour | RRP (€) incl. VAT

---

new





GROHE SPA


26 731 000 | **chrome** | **981.00**

Rainshower Aqua Mono
Ceiling shower 1 spray including rough-in
spray pattern:
GROHE PureRain
including concealed body, mounting material and sealing material for further combinations
334 x 334 mm
spray plate chrome
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
min. recommended pressure 1.0 bar
available June 2023

---

new





GROHE SPA


26 733 000 | **chrome** | **981.00**

Rainshower Aqua Duo
Ceiling shower 2 sprays including rough-in
spray patterns:
GROHE PureRain, ActiveRain
including concealed body, mounting material and sealing material for further combinations
334 x 334 mm
spray plate chrome
connection threads 1/2"
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
min. recommended pressure 1.0 bar
available June 2023

---

new





GROHE SPA


26 734 000 | **chrome** | **360.00**

Rainshower Aqua Cascade
Ceiling shower cover including spray former
1 spray pattern:
GROHE XL Waterfall
334 x 111 mm
spray plate chrome
spray insert white
GROHE Long-Life Shine durable sparkling sheen
min. recommended pressure 3.0 bar
rough-in box26 739 000 to be ordered separately
available June 2023

---

new





GROHE SPA


26 735 000 | **chrome** | **124.00**

Rainshower Aqua Mist
Spray former
spray pattern:
GROHE Drizzle spray
Ø 34 mm
spray insert grey
GROHE Long-Life Shine durable sparkling sheen
min. recommended pressure 1.0 bar
rough-in box 26 739 000 and, according to number of spray formers, cover 26 784 000, 26 785 000 or 26 786 000 have to be ordered separately
available June 2023

---

new





GROHE SPA

26 737 000 | **chrome** | **124.00**

Rainshower Aqua Pure
Spray former
spray pattern:
GROHE Pure XL spray
Ø 34 mm
GROHE Long-Life Shine durable sparkling sheen
min. recommended pressure 2.0 bar
rough-in box 26 739 000 and, according to number of spray formers, cover 26 784 000, 26 785 000 or 26 786 000 have to be ordered separately
available June 2023

GROHE SPA


GROHE
RAINSHOWER AQUA CEILING SHOWERS

Product no. | Colour | RRP (€) incl. VAT

---

new





GROHE SPA


26 784 000 **chrome** **229.00**

Rainshower Aqua #1 hole
Ceiling shower cover
for 1 spray
334 x 111 mm
spray plate chrome
GROHE Long-Life Shine durable sparkling sheen
spray plates 26 735 000 and/or 26 737 000 to be ordered separately as well as rough-in box 26 739 000
available June 2023

---

new





GROHE SPA


26 785 000 **chrome** **229.00**

Rainshower Aqua #2 holes
Ceiling shower cover
for 1 - 2 sprays
334 x 111 mm
spray plate chrome
GROHE Long-Life Shine durable sparkling sheen
spray plates 26 735 000 and/or 26 737 000 to be ordered separately as well as rough-in box 26 739 000
available June 2023

---

new





GROHE SPA


26 786 000 **chrome** **229.00**

Rainshower Aqua #3 holes
Ceiling shower cover
for 2 sprays
334 x 111 mm
spray plate chrome
GROHE Long-Life Shine durable sparkling sheen
spray plates 26 735 000 and/or 26 737 000 to be ordered separately as well as rough-in box 26 739 000
available June 2023

---

new





GROHE SPA


26 739 000 **621.00**

Rainshower Aqua
Small rough-in for ceiling showers
320 x 100 mm
ready for 2 water ways (including 2 x connection threads 1/2“, water guide, mounting material and sealing material for further combinations)
Inner WaterGuide for a longer life
available June 2023

---

new





GROHE SPA

26 873 000 **chrome** **2,447.00**

Rainshower Aqua 20“
Ceiling shower 1 spray
Rain
508 x 508 mm
material: metal
connection thread 1/2“
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

---

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE
RAINSHOWER AQUA CEILING SHOWERS

Product no. | Colour | RRP (€) incl. VAT

---

new






26 888 000 | **chrome** | **3,985.00**

Rainshower Aqua 15“
Ceiling shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 17 mm (height) x 456 mm (depth)
material: metal
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-lime system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: approx. 20 l/min
2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min
head shower has to be controlled by 4 outlets

---

new






26 883 000 | **chrome** | **874.00**

Rainshower Aqua 230
Ceiling shower 1 spray
Rain
230 x 230 mm
material: metal
connection thread 1/2“
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

---

new





26 874 000 | **chrome** | **806.00**

Rainshower Aqua 10“
Ceiling shower 1 spray
Rain
254 x 254 mm
material: metal
connection thread 1/2“
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

GROHE SPA


GROHE
RAINSHOWER AQUA HEAD SHOWERS

Product no.	Colour	RRP (€) incl. VAT

new



GROHE SPA




26 887 000 **chrome** **3,985.00**

Rainshower Aqua 15“
Head shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 60 mm (height) x 677 mm (depth)
material: metal
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-lime system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: approx. 20 l/min
2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min
requires rough-in set (26 042 000) – to be ordered separately
head shower has to be controlled by 4 outlets

new



GROHE SPA




26 855 000 **chrome** **274.00**

Rainshower Aqua 15“
Rough-in set
for use with Rainshower F-Series 15“ Multi Spray head shower
max. installation depth: 91 mm
min. wall thickness: not less than 200 mm
minimum screw-in depth of stud bolts: 14 mm
1/2“ connections

new



GROHE SPA




26 890 000 **chrome** **183.00**

Rainshower Aqua 75
Head shower 1 spray
Normal spray
sprayface: metal
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

new



GROHE SPA




26 862 000 **chrome** **587.00**

Rainshower Aqua 10“
Head shower set 422 mm, 1 spray
consisting of:
head shower Rainshower Aqua 10“ (26 871)
1 spray pattern:
Rain
Rainshower shower arm square 422 mm (26 145 000)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
suitable for instantaneous heater

new



GROHE SPA



26 860 000 **chrome** **607.00**

Rainshower Aqua 10“
Head shower set 286 mm, 1 spray
consisting of:
head shower Rainshower Aqua 10“ (26 872)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 286 mm (27 488 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

GROHE SPA

26 857 000 **chrome** **607.00**
ditto, with non-restricted flow


green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAINSHOWER AQUA HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA


26 861 000 **chrome** 607.00

Rainshower Aqua 10“
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower Aqua 10“ (26 872)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

---

new





GROHE SPA

26 872 000 **chrome** 588.00

Rainshower Aqua 10“
Head shower 1 spray
Rain
254 x 254 mm
material: metal
ball joint ± 20° rotatable
connection thread 1/2“
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system


GROHE SPA

26 871 000 chrome 588.00
ditto, with non-restricted flow

---

new





GROHE SPA

26 858 000 **chrome** 701.00

Rainshower Aqua 230
Head shower set 286 mm, 1 spray
consisting of:
head shower Rainshower Allure 230 (26 877 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 286 mm (27 709 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system


GROHE SPA

26 856 000 chrome 701.00
ditto, with non-restricted flow

---

new





GROHE SPA

26 859 000 **chrome** 642.00

Rainshower Aqua 230
Head shower set ceiling 154 mm, 1 spray
consisting of:
head shower Rainshower Allure 230 (26 877 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower ceiling 154 mm (27 711 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system


GROHE SPA

GROHE
RAINSHOWER AQUA HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

26 868 000 **chrome** 626.00

Rainshower Aqua 230
Head shower 1 spray
Rain
230 x 230 mm
material: metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE Water Saving 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system


GROHE SPA

26 877 000 **chrome** 626.00
ditto, with GROHE Water Saving 9.5 l/min flow imiter

GROHE SPA

26 876 000 **chrome** 626.00
ditto, with non-restricted flow






27 709 000 **chrome** 138.00

Rainshower
Shower arm 286 mm
material: metal
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen





27 711 000 **chrome** 118.00


Rainshower
Shower arm ceiling 154 mm
material: metal
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAINSHOWER AQUA BODY SPRAYS

Product no.	Colour	RRP (€) incl. VAT
26 801 000	**chrome**	**160.00**
26 801 DC0	**supersteel**	**224.00**
26 801 BE0	**polished nickel**	**256.00**
26 801 EN0	**brushed nickel**	**272.00**
26 801 GL0	**cool sunrise**	**256.00**
26 801 GN0	**brushed cool sunrise**	**272.00**
26 801 DA0	**warm sunset**	**256.00**
26 801 DL0	**brushed warm sunset**	**272.00**
26 801 A00	**hard graphite**	**256.00**
26 801 AL0	**brushed hard graphite**	**272.00**






Rainshower Aqua
Body spray round 2 spray
spray pattern:
PureRain, ActiveJet
including concealed body and compound seal
Ø 75 mm
pivoting range ± 15° rotatable
connection thread 1/2"
throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
min. recommended pressure 1.0 bar
not suitable for instantaneous heater

Product no.	Colour	RRP (€) incl. VAT
26 802 000	**chrome**	**160.00**
26 802 DC0	**supersteel**	**224.00**
26 802 GN0	**brushed cool sunrise**	**272.00**
26 802 DL0	**brushed warm sunset**	**272.00**
26 802 A00	**hard graphite**	**256.00**
26 802 AL0	**brushed hard graphite**	**272.00**





Rainshower Aqua
Body spray cube 2 spray
spray pattern:
PureRain, ActiveJet
including concealed body and compound seal
75 x 75 mm
pivoting range ± 15° rotatable
connection thread 1/2"
throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
min. recommended pressure 1.0 bar
not suitable for instantaneous heater


GROHE SPA

GROHE
RAINSHOWER AQUA HAND SHOWERS

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

26 866 000	chrome	186.00
26 866 DC0	supersteel	260.00
26 866 BE0	polished nickel	297.00
26 866 EN0	brushed nickel	316.00
26 866 GL0	cool sunrise	297.00
26 866 GN0	brushed cool sunrise	316.00
26 866 DA0	warm sunset	297.00
26 866 DL0	brushed warm sunset	316.00
26 866 A00	hard graphite	297.00
26 866 AL0	brushed hard graphite	316.00

Rainshower Aqua Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE Water Saving 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

GROHE SPA

26 891 000	chrome	186.00

ditto, with GROHE Water Saving 9.5 l/min flow limiter


GROHE SPA

26 889 000	chrome	186.00

ditto, with non-restricted flow

new






GROHE SPA

26 892 000	chrome	326.00

Rainshower Aqua Stick
Wall holder set 1 spray
material: metal
consisting of:
hand shower Rainshower Aqua Stick (26 889 000)
wall shower holder (26 894 000)
shower hose (28 151 002)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

new






GROHE SPA

26 894 000	chrome	138.00

Rainshower Aqua
Wall hand shower holder
not adjustable
material: metal
GROHE Long-Life Shine durable sparkling sheen

new





GROHE SPA

26 893 000	chrome	47.00

Rainshower Aqua
Adapter 1/2" x 1/2"
material: metal
for use with hand shower holder or shower rail
GROHE Long-Life Shine durable sparkling sheen


green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAINSHOWER AQUA HAND SHOWERS

	Product no.	Colour	RRP (€) incl. VAT

new





GROHE SPA

26 867 000	chrome	122.00

Rainshower Aqua Cube Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE Water Saving 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

GROHE SPA

26 885 000	chrome	122.00
26 885 DC0	supersteel	171.00
26 885 GN0	brushed cool sunrise	207.00
26 885 DL0	brushed warm sunset	207.00
26 885 A00	hard graphite	195.00
26 885 AL0	brushed hard graphite	207.00

ditto, with 9.5 l/min flow limiter


GROHE SPA

26 884 000	chrome	122.00

ditto, with non-restricted flow

new






GROHE SPA

26 886 000	chrome	171.00

Rainshower Aqua Cube Stick
Wall holder set 1 spray
consisting of:
hand shower, metal (26 885 000)
wall shower holder (26 847 000)
metal shower hose 1500 mm (28 417)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

new






GROHE SPA

26 847 000	chrome	41.00
26 847 DC0	supersteel	57.00
26 847 AL0	brushed hard graphite	69.00

Allure Brilliant
Wall hand shower holder
not adjustable
material: metal
GROHE Long-Life Shine durable sparkling sheen

new






GROHE SPA

26 850 000	chrome	65.00
26 850 DC0	supersteel	91.00
26 850 AL0	brushed hard graphite	111.00

Allure Brilliant
Shower outlet elbow, 1/2“
male thread
protected against backflow
material: metal
GROHE Long-Life Shine durable sparkling sheen





28 143 000	chrome	39.00

Relexaflex Metal Long-Life
Metal shower hose 1500
1500 mm
material: metal
GROHE Long-Life
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
Universal connection G 1/2“ x 1/2“
GROHE Long-Life Shine durable sparkling sheen

GROHE SPA


GROHE
RAINSHOWER AQUA TRIGGER SPRAYS

Product no. | Colour | RRP (€) incl. VAT

---

new





GROHE SPA

26 841 000 **chrome** **229.00**

Rainshower Aqua
Wall holder set with self-closing angle valve, 1 spray
consisting of:
hand shower with trigger control (26 839)
valve with integrated shower holder (26 842)
Silverflex Long-Life shower hose 1250 mm (26 335)
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
Please refer to local norms regarding installation.

GROHE SPA


26 840 000 **chrome** **225.00**

ditto, shower hose 1000 mm

---

new





GROHE SPA


26 843 000 **chrome** **229.00**

Rainshower Aqua
Wall holder set with angle valve 1 spray
consisting of:
hand shower with trigger control (26 839)
valve with integrated shower holder (26 842)
Silverflex Long-Life shower hose 1250 mm (26 335)
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
Please refer to local norms regarding installation.

---

new





GROHE SPA


26 839 000 **chrome** **92.00**

Rainshower Aqua
Hand shower 1 spray
with trigger control
material: metal
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Please refer to local norms regarding installation.

---

new





GROHE SPA

26 842 000 **chrome** **111.00**

Rainshower Aqua
Valve
with wall shower holder
escutcheon
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen
Please refer to local norms regarding installation.

---


green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SPA SHOWER ACCESSORIES

Product no.		Colour	RRP (€) incl. VAT

new






26 658 000		chrome	74.00

Rainshower
Shower outlet elbow 1/2" with holder
with round escutcheon
Ø 48 mm
male thread 1/2"
metal body
protected against backflow
GROHE Long-Life Shine durable sparkling sheen

new






26 659 000		chrome	74.00

Rainshower
Shower outlet elbow 1/2" with holder
with square escutcheon
48 x 48 mm
male thread 1/2"
metal body
protected against backflow
GROHE Long-Life Shine durable sparkling sheen






27 074 000	★	chrome	42.00
27 074 DC0	★	supersteel	59.00
27 074 LS0		moon white	55.00
27 074 GL0	★	cool sunrise	68.00
27 074 GN0	★	brushed cool sunrise	72.00
27 074 DA0	★	warm sunset	68.00
27 074 DL0	★	brushed warm sunset	72.00
27 074 A00		hard graphite	68.00
27 074 AL0	★	brushed hard graphite	72.00

Rainshower
Wall hand shower holder
not adjustable
with round escutcheon
GROHE Long-Life Shine durable sparkling sheen






27 057 000	★	chrome	66.00
27 057 DC0	★	supersteel	93.00
27 057 LS0		moon white/chrome	83.00
27 057 GL0	★	cool sunrise	106.00
27 057 GN0	★	brushed cool sunrise	113.00
27 057 DA0	★	warm sunset	106.00
27 057 DL0	★	brushed warm sunset	113.00
27 057 AL0	★	brushed hard graphite	113.00
27 057 A00		hard graphite	106.00

Rainshower
Shower outlet elbow, 1/2"
male thread
with round escutcheon
protected against backflow
GROHE Long-Life Shine durable sparkling sheen






27 075 000		chrome	42.00
27 075 LS0		moon white	55.00

Rainshower
Wall hand shower holder
not adjustable
with square escutcheon
GROHE Long-Life Shine durable sparkling sheen

GROHE
SPA SHOWER ACCESSORIES

Product no.	Colour	RRP (€) incl. VAT






27 076 000	**chrome**	**66.00**
27 076 LS0	**moon white**	**86.00**

Rainshower
Shower outlet elbow
male thread
with square escutcheon
protected against backflow
GROHE Long-Life Shine durable sparkling sheen






26 370 000	**chrome**	**51.00**
26 370 DC0	**supersteel**	**71.00**
26 370 DL0	**brushed warm sunset**	**86.00**
26 370 GN0	**brushed cool sunrise**	**86.00**
26 370 A00	**hard graphite**	**81.00**
26 370 AL0	**brushed hard graphite**	**86.00**

Euphoria Cube
Shower outlet elbow, 1/2"
with wall shower holder
male thread
protected against backflow
GROHE Long-Life Shine durable sparkling sheen

---

new






26 900 000	**chrome**	**130.00**
26 900 IG0	**chrome/gold**	**169.00**
26 900 DA0	**warm sunset**	**208.00**

Rainshower Grandera
Shower arm 285 mm
projection 286 mm
material: metal
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen

---

new






26 899 000	**chrome**	**95.00**

Rainshower Grandera
Shower arm ceiling 142 mm
material: metal
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen

---

new






26 847 000	**chrome**	**41.00**
26 847 DC0	**supersteel**	**57.00**
26 847 AL0	**brushed hard graphite**	**69.00**

Allure Brilliant
Wall hand shower holder
not adjustable
material: metal
GROHE Long-Life Shine durable sparkling sheen

---

new





26 850 000	**chrome**	**65.00**
26 850 DC0	**supersteel**	**91.00**
26 850 AL0	**brushed hard graphite**	**111.00**


Allure Brilliant
Shower outlet elbow, 1/2"
male thread
protected against backflow
material: metal
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE SPA THERMOSTATS

Product no.	Colour	RRP (€) incl. VAT






27 618 000 **chrome** **911.00**

Grohtherm F
Thermostatic trim with integrated 2-way diverter
for bath or shower with more than one outlet
for use with Rapido T rough-in box
35 500 000, sold separately
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
metal handle for temperature control
metal handle for Aquadimmer control with multiple function
- shut off and flow control
- diverter for 2 outlets
rectangular metal wall escutcheon with
hidden fixing and hidden sealings






27 619 000 **chrome** **795.00**

Grohtherm F
Thermostatic trim
for high-flow, multiple outlet custom shower applications
for use with Rapido T rough-in box
35 500 000, sold separately
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
metal handle for temperature control
rectangular metal wall escutcheon with
hidden fixing and hidden sealings






35 500 000 **289.00**

GROHE Rapido T
Thermostatic mixer for concealed installation
for use with Grohtherm Special and Grohtherm F
without finishing trim set
flat installation depth 70 - 95 mm
easy to install, premounted and tested unit
GROHE TurboStat compact cartridge with wax thermoelement
two top outlets 1/2", lockable
high flow rate up to 50 l/min. by use of three outlets
bottom outlet 1/2" can be used only with separate stop valve
safe to install, stable built-in-box and protective cap
fixation options for solid walls and dry cladding
material for wall sealing included
body of DR brass
built-in non return valves and dirt strainers


new






26 879 000 **chrome** **310.00**

Grohtherm F
Single volume control trim
for use with rough-in box 35 028 000 (1/2" connections) /
35 029 000 (1/2" NPT connections)
sold separately
metal handle for volume control
metal wall estcutcheon with hidden fixing and hidden sealing
GROHE Long-Life Shine durable sparkling sheen





35 028 000 **174.00**


Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4"
connection threads 1/2"
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm

GROHE SPA THERMOSTATS

Product no. | Colour | RRP (€) incl. VAT

new






26 880 000 **chrome** **775.00**

Grohtherm F
Triple volume control trim
for use with rough-in box 35 031 000 (1/2" connections) /
35 032 000 (1/2" NPT connections)
sold separately
metal handles for volume control
metal wall estcutcheon with hidden fixing and hidden sealing
vertical or horizontal installation
GROHE Long-Life Shine durable sparkling sheen

new






26 878 000 **chrome** **407.00**

Grohtherm F
Wall shower union with integrated shower holder
shower outlet 1/2"
vertical or horizontal installation
protected against backflow
for use with rough-in box 35 107 000 (1/2" connection) / 35 108 000 (1/2" NPT thread), sold separately

new






35 107 000 **chrome** **274.00**

Grohtherm F
Rough-in box for wall shower union 26 878 000
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
1/2" connections
installation depth 70 - 95 mm





29 123 000	**chrome**	**623.00**
29 123 DC0	**supersteel**	**872.00**
29 123 GN0	**brushed cool sunrise**	**996.00**
29 123 DL0	**brushed warm sunset**	**996.00**
29 123 A00	**hard graphite**	**934.00**
29 123 AL0	**brushed hard graphite**	**996.00**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min


35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE SPA THERMOSTATS

Product no.	Colour	RRP (€) incl. VAT
29 124 000	**chrome**	**678.00**
29 124 DC0	**supersteel**	**949.00**
29 124 GN0	**brushed cool sunrise**	**1,085.00**
29 124 DL0	**brushed warm sunset**	**1,085.00**
29 124 A00	**hard graphite**	**1,017.00**






Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 604 000		**88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 125 000	**chrome**	**814.00**






Grohtherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min

35 604 000		**88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE SPA THERMOSTATS

Product no.	Colour	RRP (€) incl. VAT






29 126 000	**chrome**	**733.00**
29 126 DC0	**supersteel**	**1,027.00**
29 126 GN0	**brushed cool sunrise**	**1,173.00**
29 126 DL0	**brushed warm sunset**	**1,173.00**
29 126 A00	**hard graphite**	**1,100.00**
29 126 AL0	**brushed hard graphite**	**1,173.00**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 604 000	**GROHE Rapido SmartBox universal rough-in box for concealed installation**	**88.00**





29 127 000	**chrome**	**447.00**
29 127 DC0	**supersteel**	**626.00**
29 127 A00	**hard graphite**	**671.00**
29 127 AL0	**brushed hard graphite**	**716.00**
29 127 DL0	**brushed warm sunset**	**716.00**
29 127 GN0	**brushed cool sunrise**	**716.00**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included


35 604 000	**GROHE Rapido SmartBox universal rough-in box for concealed installation**	**88.00**

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE SPA THERMOSTATS

Product no.	Colour	RRP (€) incl. VAT
29 118 000	**chrome**	**623.00**
29 118 DC0	**supersteel**	**872.00**
29 118 GL0	**cool sunrise**	**934.00**
29 118 DA0	**warm sunset**	**934.00**
29 118 AL0	**brushed hard graphite**	**996.00**






Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 604 000	**GROHE Rapido SmartBox universal rough-in box for concealed installation**	**88.00**

Product no.		Colour	RRP (€) incl. VAT
29 119 000	★	**chrome**	**678.00**
29 119 DC0	★	**supersteel**	**949.00**
29 119 GL0	★	**cool sunrise**	**1,017.00**
29 119 DA0	★	**warm sunset**	**1,017.00**
29 119 AL0	★	**brushed hard graphite**	**1,085.00**






Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 604 000	**GROHE Rapido SmartBox universal rough-in box for concealed installation**	**88.00**

Product no.	Colour	RRP (€) incl. VAT






29 120 000	**chrome**	**814.00**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min

35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





29 121 000	★	**chrome**	**733.00**
29 121 DC0	★	**supersteel**	**1,027.00**
29 121 GL0	★	**cool sunrise**	**1,100.00**
29 121 DA0	★	**warm sunset**	**1,100.00**
29 121 AL0	★	**brushed hard graphite**	**1,173.00**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE SPA THERMOSTATS

Product no.	Colour	RRP (€) incl. VAT
29 122 000	**chrome**	**447.00**
29 122 DC0	**supersteel**	**626.00**
29 122 GL0	**cool sunrise**	**671.00**
29 122 DA0	**warm sunset**	**671.00**
29 122 AL0	**brushed hard graphite**	**716.00**





Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation



14 077 XH0	**chrome/frosted granite**	**34.00**

SmartControl
Caps concealed
consisting of:
9 caps with 6 different symbols
fits Grohtherm SmartControl and SmartControl mixer sets for final installation






FOR THE PROS, FROM THE PROS
GROHE PROFESSIONAL

YOUR DAILY SUPPORTER

We know the great number of tasks and challenges the installers face every day. That is why making their work life easier has always been at the heart of our innovation mindset.

TO MEET THE NEEDS OF INSTALLERS, WHOLESALERS, SHOWROOMS AND A&D GROHE HAS CONCEIVED TAILOR-MADE PRODUCTS AND SERVICES



GROHE Professional has been conceived as an answer to nowadays needs of the experts of the sanitaryware world: wholesalers, showrooms, installers and project developers.

They are at the heart of GROHE efforts and require the latest state-of-the-art professional solutions when designing and delivering a new bathroom or kitchen to their end-consumers.

A DIFFERENTIATED PORTFOLIO WITH DEDICATED PRODUCT LINES **CUSTOM-MADE PACKAGING AND SKUS FOR 3-TIER DISTRIBUTION**


- For Products with Professional logo no sales by GROHE to DIY & eCommerce
- Visible USPs on packaging conceived to ease the installers' work
- Dedicated Product lines as Bestsellers to speed up the installation and meet the design needs of A&D and end-users:

  Rapido Smartbox, Eurosmart, Grohtherm, Tempesta, Rapid SL, Bau Ceramic, Eurosmart kitchen and all products marked with Professional logo



HIDDEN CHAMPIONS: GROHE PROFESSIONAL DEDICATED SKUS **TO STAND AHEAD OF COMPETITION**

- Dedicated SKUs with Universal concealed solutions easy to be stocked by the wholesaler for multiple budgets and design options
- Matching colors of faucets and flush plates
- Matching ceramics for toilets and basins to avoid splashing effects
- Vertical or horizontal flush plate installation depending on design needs
- Shower element compatible with Nordics Leakage box for wooden houses
- 3 outlets for multi-function showering just with one concealed box
- Bottom inlets for shower elements speeding up the installation time and avoiding extra piping
- No master plumber required for later installation of flush plates, saving precious time of the installers




GROHE
GROHE

MEET
JONAS
D'HAEGER



29, loves spending time with his family

Based in Lebbeke

Expert in sanitary installations

GROHE partner since 2015


Over 210 jobs completed

MEET
SERVI
GROH

GROHE



Offer a **warranty extension** for professional products to your customers



GROHE PROFESSIONAL CONTRIBUTES TO TACKLE THE LABOR FORCE **SHORTAGE AND OPTIMIZES THE BUSINESS OF INSTALLERS**

- Aims to offer the best installers a better service experience and to enable them to optimize their business
- GROHE + training courses give opportunities to installers to increase technical competences, become GROHE experts and receive a certification
- Access to specific trainings to maximize the operations of installers and their interaction with their customer
- Certified installers also receive extra benefits e.g. allowance to give extended warranty to consumers and leads accessible via GROHE + for future paid installation work
- More visibility of installer´s expertise and certified status thanks to GROHE website with over 1 M clicks per month


GROHE INSTALLER
GROHE
GIVE
PART OF LIXIL
VOCATIONAL TRAINING & EDUCATION



GROHE PROFESSIONAL CONTRIBUTES TO TACKLE **THE LABOR FORCE SHORTAGE & DEVELOPS THE NEXT GENERATIONS**

- With our GIVE Program we are supporting to close the gap of skilled installers
- Introduce GROHE to young and developing plumbing studentsand to collaborate with installers schools across the EMENA region
- To help improve facilities, GROHE sets up a fully functioning training environment with modern equipment, training material and a written examination that will set new industry standards
- Planned to have 100 collaborations by 2025 more visibility of installer´s expertise and certified status thanks to GROHE website with over 1 M clicks per month
- After the training we support the plumbing students with potential work experience or placements with GROHE partners

worldskills
COMPETITION 2022
SPECIAL EDITION

Within the GIVE Program GROHE also supports WorldSkills as Global Partner to demonstrate what impact skilled professionals can have today and for the more sustainable future.

EVERY DROP COUNTS
GROHE'S RESOURCE-EFFICIENT TECHNOLOGIES


GROHE
CLIMATE CARE


Making it easy for our endconsumers to find our sustainable, climate-friendly product solutions.

Products in green or with our Climate Care logo have a sustainable impact like water- or energy-saving.

On our websites, users can also filter for water- and energy-saving solutions.

For more information about sustainability at GROHE, please visit green.grohe.com





1 **GROHE** SENSIA ARENA

2 **GROHE** CERAMICS

3 **GROHE** SILKMOVE ES

4 **GROHE** SENSE AND GROHE SENSE GUARD

5 **GROHE** ECOJOY

6 **GROHE** CRADLE TO CRADLE CERTIFIED® GOLD TEMPESTA SHOWER RAIL SET

7 **GROHE** THERMOSTAT WITH ECOBUTTON

8 **GROHE** TOUCHLESS FAUCETS

9 **GROHE** BLUE

GROHE
BATH FITTINGS






CONTENTS

Fittings	Lineare	118
	Eurocube Joy	126
	Eurocube	132
	GROHE Plus	143
	Essence	154
	Eurodisc Joy	169
	Eurodisc Cosmopolitan	172
	Concetto	179
	Eurostyle Cosmopolitan	186
	Eurostyle	191
	Eurosmart Cosmopolitan	200
	Eurosmart 2021	209
	Eurosmart Care	219
	Eurosmart	224
	Euroeco	230
	BauEdge 2021	232
	BauEdge	238
	BauLoop 2021	244
	BauLoop	250
	BauFlow	254
	GROHE SilkMove Energy Saving	257
Two Handle fittings	Costa L	262
	Costa S	266
Universal	Universal	268
	Multi purpose mixer	269
Bath sets	Talentofill	270
Accessories	Selection	273
	Selection Cube	280
	Essentials	283
	Essentials Cube	291
	BauCosmopolitan	295
	Essentials Authentic	298

GROHE
LINEARE

	Product no.	Colour	RRP (€) incl. VAT






32 109 001	**chrome**	**241.00**
32 109 DC1	**supersteel**	**337.00**
32 109 AL1	**brushed hard graphite**	**385.00**

Lineare
Single-lever basin mixer 1/2“
XS-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 791 001	**chrome**	**241.00**
23 791 DC1	**supersteel**	**337.00**
23 791 AL1	**brushed hard graphite**	**385.00**

Lineare
Single-lever basin mixer 1/2“
XS-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses






32 114 001	**chrome**	**257.00**
32 114 DC1	**supersteel**	**360.00**
32 114 AL1	**brushed hard graphite**	**411.00**

Lineare
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses





23 106 001	**chrome**	**257.00**
23 106 DC1	**supersteel**	**360.00**
23 106 AL1	**brushed hard graphite**	**411.00**


Lineare
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE LINEARE

	Product no.	Colour	RRP (€) incl. VAT






24 190 000	**chrome**	**287.00**

Lineare
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
professional edition






23 296 001	**chrome**	**359.00**
23 296 DC1	**supersteel**	**502.00**
23 296 AL1	**brushed hard graphite**	**574.00**

Lineare
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar






23 405 001	**chrome**	**383.00**
23 405 DC1	**supersteel**	**536.00**
23 405 AL1	**brushed hard graphite**	**612.00**

Lineare
Single-lever basin mixer 1/2“
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar






20 304 001	**chrome**	**401.00**

Lineare
Three-hole basin mixer 1/2“
M-Size
metal lever
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar
union nut 1/2“ x 10.5 mm

GROHE
LINEARE

Product no.	Colour	RRP (€) incl. VAT






19 409 001	**chrome**	**312.00**
19 409 DC1	**supersteel**	**437.00**
19 409 AL1	**brushed hard graphite**	**499.00**

Lineare
Two-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 149 mm
min. recommended pressure 1.0 bar






23 444 001	**chrome**	**337.00**
23 444 DC1	**supersteel**	**472.00**
23 444 AL1	**brushed hard graphite**	**540.00**

Lineare
Two-hole basin mixer
L-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 207 mm
min. recommended pressure 1.0 bar






23 571 000 **304.00**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve





33 848 001	**chrome**	**299.00**
33 848 DC1	**supersteel**	**418.00**
33 848 AL1	**brushed hard graphite**	**478.00**


Lineare
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE LINEARE

	Product no.	Colour	RRP (€) incl. VAT
	33 865 001	chrome	307.00
	33 865 DC1	supersteel	430.00
	33 865 AL1	brushed hard graphite	492.00






Lineare
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar


34 719 000	chrome	458.00






Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valves and dirt strainers
protected against backflow

33 849 001	chrome	393.00
33 849 DC1	supersteel	550.00
33 849 AL1	brushed hard graphite	628.00






Lineare
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar
pillar installation optional with pillar unions 12 030 000

34 718 000	chrome	504.00






Grohtherm SmartControl
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valves and dirt strainers
protected against backflow

GROHE LINEARE

Product no.	Colour	RRP (€) incl. VAT






24 063 001	**chrome**	**231.00**
24 063 DC1	**supersteel**	**323.00**
24 063 AL1	**brushed hard graphite**	**370.00**

Lineare
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 064 001	**chrome**	**254.00**
24 064 DC1	**supersteel**	**356.00**
24 064 AL1	**brushed hard graphite**	**407.00**

Lineare
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 095 001	**chrome**	**283.00**
24 095 DC1	**supersteel**	**397.00**
24 095 AL1	**brushed hard graphite**	**453.00**


Lineare
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE LINEARE

	Product no.	Colour	RRP (€) incl. VAT
	**19 577 001**	**chrome**	**1,065.00**
	19 577 DC1	**supersteel**	**1,491.00**
	19 577 AL1	**brushed hard graphite**	**1,705.00**




Lineare
Four-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

	**19 965 001**	**chrome**	**861.00**




Lineare
Three-hole single-lever
bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
consisting of:
single lever mixer operating element
diverter bath/shower
without spout
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
for use with 29 037 000
for combination with 28 990 / 28 991

	**29 037 000**		**1,007.00**



4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

	**23 792 001**	**chrome**	**1,981.00**
	23 792 DC1	**supersteel**	**2,773.00**
	23 792 AL1	**brushed hard graphite**	**3,170.00**




Lineare
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
spout with mousseur
projection 271 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
shower hose 1250 mm
protected against backflow

GROHE
LINEARE

	Product no.	Colour	RRP (€) incl. VAT






45 984 001 **601.00**

Rough-in set 1/2“
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2“ female connections (hot/cold supplies)
flushing plug
gasket
fixing material






13 383 001	**chrome**	**290.00**
13 383 DC1	**supersteel**	**406.00**
13 383 AL1	**brushed hard graphite**	**465.00**

Lineare
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
male thread 1/2“
projection 170 mm






34 705 000 **chrome** **1,814.00**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays,
horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2“ (27 057 000)
Silverflex shower hose 1.500 mm (28 364)






19 952 000	★	**chrome**	**219.00**
19 952 DC0	★	**supersteel**	**307.00**
19 952 AL0	★	**brushed hard graphite**	**351.00**

Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991






19 025 000 **chrome** **76.00**


Talento
Waste and overflow set for bath tubes
set for final installation
escutcheon
waste plug
fixing set
in combination with
Talentofill 28 939/28 943

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE LINEARE

	Product no.	Colour	RRP (€) incl. VAT
 	**28 912 000** ★	**chrome**	**213.00**
	28 912 DC0 ★	**supersteel**	**298.00**
	28 912 AL0 ★	**brushed hard graphite**	**340.00**

Trap 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine durable sparkling sheen


 	37 601 000	**chrome**	**116.00**
	37 601 DC0	**supersteel**	**209.00**
	37 601 AL0	**brushed hard graphite**	**209.00**

Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

GROHE
EUROCUBE JOY

	Product no.	Colour	RRP (€) incl. VAT






23 654 000 **chrome** 309.00

Eurocube Joy
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 656 000 **chrome** 303.00

Eurocube Joy
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses






23 657 000 **chrome** 325.00

Eurocube Joy
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 658 000 **chrome** 319.00

Eurocube Joy
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses





23 661 000 **chrome** 428.00


Eurocube Joy
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROCUBE JOY

	Product no.	Colour	RRP (€) incl. VAT






19 997 000 **chrome** 350.00

Eurocube Joy
Two-hole basin mixer
M-Size
wall mounted
set for final installation for 23 429 000
without concealed body
GROHE Water Saving SpeedClean mousseur 5.7 l/min
center distance 110 mm
projection 170 mm

19 998 000 **chrome** 368.00
ditto, projection 230 mm






23 429 000 315.00

Joystick mixer 1/2", concealed body
for 2-hole basin mixers
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation depth 78,5 - 103,5 mm
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






46 901 000 116.00

Extension-set, 25 mm
for 23 429 000 Joystick mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
including disassembly key






23 664 000 **chrome** 333.00

Eurocube Joy
Single-lever bidet mixer 1/2"
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE Water Saving ball-joint mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 665 000 **chrome** 381.00

Eurocube Joy
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
shower bottom outlet 1/2" with integrated non return-valve
protected against backflow

GROHE
EUROCUBE JOY

	Product no.	Colour	RRP (€) incl. VAT






34 488 000 **chrome** 470.00

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE Water Saving - Less water, perfect flow






23 666 000 **chrome** 468.00

Eurocube Joy
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE XL Waterfall
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow






34 497 000 **chrome** 616.00

Grohtherm Cube
Thermostatic bath mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE Water Saving - Less water, perfect flow





24 061 000 **chrome** 227.00

Eurocube
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 604 000 88.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROCUBE JOY

	Product no.	Colour	RRP (€) incl. VAT






24 062 000 **chrome** **250.00**

Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 094 000 **chrome** **280.00**

Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 153 000 **chrome** **605.00**
24 153 DC0 **supersteel** **847.00**
24 153 AL0 **brushed hard graphite** **968.00**


Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EUROCUBE JOY

Product no.	Colour	RRP (€) incl. VAT






24 154 000	**chrome**	**675.00**
24 154 DC0	**supersteel**	**944.00**
24 154 AL0	**brushed hard graphite**	**1,079.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000	**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 155 000	**chrome**	**675.00**
24 155 DC0	**supersteel**	**944.00**
24 155 AL0	**brushed hard graphite**	**1,079.00**

Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000	**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation



34 741 000	**chrome**	**1,597.00**


Grohtherm Cube
Perfect shower set with Rainshower Allure 230
consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROCUBE JOY

	Product no.	Colour	RRP (€) incl. VAT






23 667 001 **chrome** **2,009.00**

Eurocube Joy
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE FeatherControl Joystick cartridge
GROHE Long-Life Shine finish
automatic diverter: bath/shower
spout with mousseur
hand shower Euphoria Cube+ 6.6 l/min
Silverflex shower hose 1250 mm (28 362)
projection 298 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
protected against backflow






45 984 001 **601.00**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

GROHE EUROCUBE

	Product no.	Colour	RRP (€) incl. VAT






23 137 000 **chrome** 212.00

Eurocube
Pillar tap
XS-Size
single hole installation
ceramic headpart 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min






23 127 00E **chrome** 269.00

Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 127 DC0 **supersteel** 377.00
23 127 AL0 **brushed hard graphite** 430.00
ditto, with non-restricted flow






23 132 00E **chrome** 262.00

Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses






23 390 00E **chrome** 269.00

Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 392 00E **chrome** 262.00
ditto, smooth body





23 445 000 **chrome** 283.00
23 445 DC0 **supersteel** 397.00
23 445 AL0 **brushed hard graphite** 453.00


Eurocube
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROCUBE

Product no.	Colour	RRP (€) incl. VAT






23 446 000 **chrome** **276.00**

Eurocube
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses






23 135 00E **chrome** **323.00**

Eurocube
Single-lever basin mixer 1/2“
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses

23 135 DC0 **supersteel** **452.00**
23 135 AL0 **brushed hard graphite** **516.00**
ditto, with non-restricted flow






23 406 000 **chrome** **374.00**
23 406 DC0 **supersteel** **524.00**
23 406 AL0 **brushed hard graphite** **599.00**

Eurocube
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses










36 441 000 **chrome** **919.00**
36 441 DC0 **supersteel** **1,195.00**
36 441 AL0 **brushed hard graphite** **1,379.00**

Eurocube E
Infra-red electronic basin mixer 1/2“ with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar


GROHE EUROCUBE

	Product no.	Colour	RRP (€) incl. VAT
 	**20 351 000**	**chrome**	**405.00**
	20 351 DC0	**supersteel**	**567.00**
	20 351 AL0	**brushed hard graphite**	**648.00**
	Eurocube **Three-hole basin mixer 1/2“** **S-Size** ceramic headparts 1/2“, 90° **GROHE Long-Life Shine** durable sparkling sheen **GROHE FastFixation Plus** installation system spout with mousseur pop-up waste set 1 1/4“ pressure-proof, flexible connection hoses between spout and side valves		
 	**19 895 000**	**chrome**	**334.00**
	19 895 DC0	**supersteel**	**467.00**
	19 895 AL0	**brushed hard graphite**	**534.00**
	Eurocube **Two-hole basin mixer** **S-Size** wall mounted set for final installation for 23 200 without concealed body **GROHE Long-Life Shine** durable sparkling sheen **GROHE AquaGuide** adjustable mousseur center distance 110 mm projection 171 mm		
	23 447 000	**chrome**	**350.00**
	23 447 DC0	**supersteel**	**490.00**
	23 447 AL0	**brushed hard graphite**	**560.00**
	ditto, projection 231 mm		
 	**23 200 002**		**304.00**
	Single-lever mixer 1/2“, concealed body for 2-hole basin mixers wall installation without finishing trim set **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		
 	**23 138 000**	**chrome**	**269.00**
	23 138 DC0	**supersteel**	**377.00**
	23 138 AL0	**brushed hard graphite**	**430.00**
	Eurocube **Single-lever bidet mixer 1/2“** **S-Size** single hole installation **GROHE SilkMove** 28 mm ceramic cartridge temperature limiter **GROHE Long-Life Shine** durable sparkling sheen **GROHE FastFixation Plus** installation system ball-joint mousseur pop-up waste set 1 1/4“ flexible connection hoses		
 	**23 145 000**	**chrome**	**305.00**
	23 145 DC0	**supersteel**	**427.00**
	23 145 AL0	**brushed hard graphite**	**488.00**
	Eurocube **Single-lever shower mixer 1/2“** wall mounted **GROHE SilkMove** 46 mm ceramic cartridge **GROHE Long-Life Shine** durable sparkling sheen adjustable flow rate limiter shower bottom outlet 1/2“ with integrated non return-valve covered S-unions protected against backflow		

GROHE EUROCUBE

	Product no.	Colour	RRP (€) incl. VAT






34 488 000 **chrome** **470.00**

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE Water Saving - Less water, perfect flow






23 140 000 **chrome** **355.00**
23 140 DC0 **supersteel** **568.00**
23 140 AL0 **brushed hard graphite** **639.00**

Eurocube
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
covered S-unions
protected against backflow






23 141 000 **chrome** **427.00**

Eurocube
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
covered S-unions
protected against backflow
hand shower (27 698 000)
wall shower holder (27 693 000)
shower hose 1500 mm (28 151 000)






34 497 000 **chrome** **616.00**

Grohtherm Cube
Thermostatic bath mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE Water Saving - Less water, perfect flow

GROHE
EUROCUBE

Product no.	Colour	RRP (€) incl. VAT






24 061 000	**chrome**	**227.00**
24 061 DC0	**supersteel**	**318.00**
24 061 AL0	**brushed hard graphite**	**364.00**

Eurocube
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 — **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






24 062 000	**chrome**	**250.00**
24 062 DC0	**supersteel**	**350.00**
24 062 AL0	**brushed hard graphite**	**400.00**

Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 — **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---





24 094 000	**chrome**	**280.00**
24 094 DC0	**supersteel**	**392.00**
24 094 AL0	**brushed hard graphite**	**448.00**

Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 604 000 — **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROCUBE

Product no.	Colour	RRP (€) incl. VAT





24 153 000	**chrome**	**605.00**
24 153 DC0	**supersteel**	**847.00**
24 153 AL0	**brushed hard graphite**	**968.00**


Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

PROFESSIONAL GROHE

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---





24 154 000	**chrome**	**675.00**
24 154 DC0	**supersteel**	**944.00**
24 154 AL0	**brushed hard graphite**	**1,079.00**


Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

PROFESSIONAL GROHE

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---





24 155 000	**chrome**	**675.00**
24 155 DC0	**supersteel**	**944.00**
24 155 AL0	**brushed hard graphite**	**1,079.00**

Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


PROFESSIONAL GROHE

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EUROCUBE

	Product no.	Colour	RRP (€) incl. VAT






34 741 000 **chrome** **1,597.00**

Grohtherm Cube
Perfect shower set with Rainshower Allure 230
consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)






25 238 000 **chrome** **937.00**


Eurocube
Perfect shower set with Rainshower Mono 310 Cube
consisting of:
Eurocube set for final installation (24 062)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Mono 310 Cube head shower set (26 564)
Euphoria Cube Stick hand shower set (27 702 000)
Euphoria Cube shower outlet elbow (27 704 000)






25 239 000 **chrome** **713.00**

Eurocube
Perfect shower set with Tempesta 250 Cube
consisting of:
Eurocube set for final installation (24 062)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Tempesta 250 Cube head shower set (26 682)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube shower outlet elbow 1/2" with wall shower holder (26 370)
Silverflex shower hose 1.500 mm (28 364)






19 897 001 **chrome** **1,314.00**
19 897 DC1 **supersteel** **1,839.00**
19 897 AL1 **brushed hard graphite** **2,102.00**

Eurocube
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

GROHE EUROCUBE

	Product no.	Colour	RRP (€) incl. VAT






19 966 000 **chrome** **927.00**

Eurocube
3-hole bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
consisting of:
single lever mixer operating element
diverter bath/shower
without spout
Euphoria Cube hand shower (27 699 000) 9.4 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
for use with 29 037 000
for combination with 28 990 / 28 991






29 037 000 **1,007.00**

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






23 672 001 **chrome** **2,018.00**
23 672 DC1 **supersteel** **2,826.00**
23 672 AL1 **brushed hard graphite** **3,229.00**

Eurocube
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
spout with mousseur
Euphoria Cube+ Stick hand shower 6.6 l/min (26 467)
Silverflex shower hose 1250 mm (28 362)
projection 298 mm
integrated non-return valve in the shower outlet 1/2"
protected against backflow
with shower holder






45 984 001 **601.00**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material






13 303 000 **chrome** **161.00**
13 303 DC0 **supersteel** **225.00**
13 303 AL0 **brushed hard graphite** **258.00**

Eurocube
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
projection 170 mm

GROHE EUROCUBE

	Product no.	Colour	RRP (€) incl. VAT






13 304 000 **chrome** **181.00**

Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen mousseur
automatic diverter: bath/shower
with concealed connection piece
male thread 1/2"
projection 170 mm
min. recommended pressure 1.0 bar






19 910 000 **chrome** **68.00**


Eurocube
Volume Control Trim
for GROHE concealed valves, 1/2", 3/4", 1"
without concealed body
metal handle
sliding escutcheon with wall sealing
GROHE Long-Life Shine durable sparkling sheen






29 811 000 **25.00**

Concealed valve 1/2"
preassembled ceramic headpart 1/2"
180°
threaded union 1/2"
installation depth adjustable
25 - 80 mm
DR-brass






35 028 000 **174.00**

Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4"
connection threads 1/2"
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm





29 800 002 **31.00**


Concealed valve 1/2"
pre-assembled headpart 1/2"
short spindle
protection sleeve
threaded union 1/2"
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROCUBE

Product no.	Colour	RRP (€) incl. VAT






29 800 000 — **28.00**

Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle
protection sleeve
threaded union 1/2"
DR-brass

29 802 000 — **51.00**
ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"

29 805 000 — **80.00**
ditto, 1", pre-assembled headpart 1", thread union 1"






29 801 000 — **28.00**

Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle, protection sleeve
soldered connection Ø 15 mm
DR-brass

29 803 000 — **51.00**
ditto, soldered connection Ø 18 mm

29 804 000 — **51.00**
ditto, soldered connection Ø 22 mm






22 012 000 — **chrome** — **62.00**
22 012 DC0 — **supersteel** — **86.00**
22 012 AL0 — **brushed hard graphite** — **99.00**

Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet 3/8"
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon
GROHE Long-Life Shine finish






22 013 000 — **chrome** — **62.00**

Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet 1/2"
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon





19 952 000 ★ — **chrome** — **219.00**
19 952 DC0 ★ — **supersteel** — **307.00**
19 952 AL0 ★ — **brushed hard graphite** — **351.00**


Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991

GROHE EUROCUBE

Product no.	Colour	RRP (€) incl. VAT






19 025 000	**chrome**	**76.00**

Talento
Waste and overflow set for bath tubes
set for final installation
escutcheon
waste plug
fixing set
in combination with
Talentofill 28 939/28 943






40 564 000	**chrome**	**329.00**
40 564 DC0	**supersteel**	**461.00**
40 564 AL0	**brushed hard graphite**	**527.00**

Bottle trap
for **wash basin**
GROHE Long-Life Shine durable sparkling sheen
brass body






37 535 000	**chrome**	**95.00**
37 535 DC0	**supersteel**	**208.00**
37 535 AL0	**brushed hard graphite**	**208.00**

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)





40 565 000	**chrome**	**101.00**


Plug incl. cup
for wash basins with overflow
for standard pop-up waste set 1¼"
for replacement in an existing system
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE PLUS

Product no.	Colour	RRP (€) incl. VAT






23 958 003	chrome	903.00
23 958 DC3	supersteel	1,265.00

GROHE Plus
Single-lever basin mixer 1/2" with LED display < br/>M-size
colour LED water temperature display
infra-red diverter: mousseur / Eco spray
automatic return to mousseur
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
1.5 V alkaline mono battery, 4 x mono cell
external battery






23 959 003	chrome	943.00

GROHE Plus
Single-lever basin mixer 1/2" with LED display
L-Size
colour LED water temperature display
infra-red diverter: mousseur / Eco spray
automatic return to mousseur
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
1.5 V alkaline mono battery, 4 x mono cell
external battery






32 612 003	chrome	256.00
32 612 DC3	supersteel	358.00
32 612 AL3	brushed hard graphite	409.00

GROHE Plus
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






33 163 003	chrome	256.00

GROHE Plus
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

GROHE PLUS

	Product no.	Colour	RRP (€) incl. VAT






23 870 003 **chrome** 256.00

GROHE Plus
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 871 003 **chrome** 320.00
23 871 DC3 **supersteel** 448.00
23 871 AL3 **brushed hard graphite** 511.00

GROHE Plus
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4“
flexible connection hoses






23 872 003 **chrome** 320.00

GROHE Plus
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses






23 851 003 **chrome** 358.00
23 851 DC3 **supersteel** 501.00
23 851 AL3 **brushed hard graphite** 573.00

GROHE Plus
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4“
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE PLUS

	Product no.	Colour	RRP (€) incl. VAT
	23 873 003	**chrome**	**358.00**




GROHE Plus
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

	23 843 003	**chrome**	**416.00**
	23 843 DC3	**supersteel**	**582.00**
	23 843 AL3	**brushed hard graphite**	**665.00**




GROHE Plus
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock easy retraction and smooth docking
pop-up waste set 1 1/4"
flexible connection hoses

	23 844 003	**chrome**	**416.00**



GROHE Plus
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock easy retraction and smooth docking
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

	32 618 003	**chrome**	**396.00**
	32 618 DC3	**supersteel**	**555.00**
	32 618 AL3	**brushed hard graphite**	**634.00**




GROHE Plus
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses

GROHE PLUS

Product no.	Colour	RRP (€) incl. VAT






20 301 003 **chrome** **396.00**

GROHE Plus
Three-hole basin mixer 1/2“
M-Size
metal lever
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pop-up waste set 1 1/4“
GROHE FastFixation installation system
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2“ x 10.5 mm






29 303 003 **chrome** **312.00**
29 303 DC3 **supersteel** **437.00**
29 303 AL3 **brushed hard graphite** **499.00**

GROHE Plus
Two-hole basin mixer
M-Size
wall mounted
set for final installation for
23 200
without concealed body
metal escutcheon
metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 147 mm
min. recommended pressure 1.0 bar

29 306 003 **chrome** **332.00**
ditto, projection 203 mm






23 200 002 **304.00**

Single-lever mixer 1/2“, concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve





33 241 003 **chrome** **256.00**
33 241 DC3 **supersteel** **358.00**
33 241 AL3 **brushed hard graphite** **409.00**


GROHE Plus
Single-lever bidet mixer 1/2“
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE PLUS

	Product no.	Colour	RRP (€) incl. VAT
	33 577 003	chrome	307.00
	33 577 DC3	supersteel	430.00
	33 577 AL3	brushed hard graphite	491.00






GROHE Plus
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar

	34 719 000	chrome	458.00






Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valves and dirt strainers
protected against backflow

	33 553 003	chrome	384.00
	33 553 DC3	supersteel	537.00
	33 553 AL3	brushed hard graphite	614.00






GROHE Plus
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
laminar mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar

	34 718 000	chrome	504.00






Grohtherm SmartControl
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valves and dirt strainers
protected against backflow

GROHE PLUS

	Product no.	Colour	RRP (€) incl. VAT






33 547 003	**chrome**	**432.00**

GROHE Plus
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
laminar mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
with shower set
consisting of:
hand shower Euphoria Cube Stick (27 698 000)
wall shower holder (27 693 000)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.0 bar






40 954 000	**chrome**	**137.00**

GROHE Plus
Tray
suitable for
33 553 003
33 547 003
33 577 003






24 059 003	**chrome**	**243.00**
24 059 DC3	**supersteel**	**340.00**
24 059 AL3	**brushed hard graphite**	**389.00**

GROHE Plus
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 060 003	**chrome**	**256.00**
24 060 DC3	**supersteel**	**358.00**
24 060 AL3	**brushed hard graphite**	**409.00**

GROHE Plus
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000		**88.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE PLUS

Product no.	Colour	RRP (€) incl. VAT






24 093 003	**chrome**	**288.00**
24 093 DC3	**supersteel**	**403.00**
24 093 AL3	**brushed hard graphite**	**460.00**

GROHE Plus
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation






29 307 003	**chrome**	**1,055.00**
29 307 DC3	**supersteel**	**1,477.00**

GROHE Plus
Four-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout laminar mousseur
single lever mixer operating element
metal lever
diverter bath/shower
hand shower Euphoria Cube 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
min. recommended pressure 1.0 bar






23 845 003	**chrome**	**870.00**

GROHE Plus
Three-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
consisting of:
single lever mixer operating element
diverter bath/shower
without spout
Euphoria Cube hand shower 7.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
for combination with 28 990 / 28 991
min. recommended pressure 1.0 bar







29 037 002		**1,003.00**

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve
caps to cover screw fixations always come in chrome color


GROHE PLUS

	Product no.	Colour	RRP (€) incl. VAT
 	**23 846 003** **23 846 DC3** **23 846 AL3**	**chrome** **supersteel** **brushed hard graphite**	**1,944.00** **2,721.00** **3,110.00**

GROHE Plus
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
spout with laminar mousseur
projection 282 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube 6.6 l/min
Silverflex shower hose 1250 mm (28 362)
protected against backflow
min. recommended pressure 1.0 bar

 	**45 984 001**		**601.00**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material


 	**13 404 003** **13 404 DC3** **13 404 AL3**	**chrome** **supersteel** **brushed hard graphite**	**179.00** **251.00** **286.00**

GROHE Plus
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
laminar mousseur
male thread 1/2"
projection 168 mm

GROHE PLUS

Product no.		Colour	RRP (€) incl. VAT
26 507 000	★	**chrome**	**1,359.00**
26 507 LS0		**moon white**	**1,571.00**
26 507 DC0	★	**supersteel**	**2,039.00**
26 507 AL0	★	**brushed hard graphite**	**2,447.00**






Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE Water Saving - Less water, perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 508 000		**chrome**	**1,359.00**
26 508 LS0		**moon white**	**1,571.00**
26 508 DC0		**supersteel**	**2,039.00**
26 508 AL0		**brushed hard graphite**	**2,447.00**






Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE Water Saving - Less water, perfect flow
GROHE Long-Life Shine durable sparkling sheen
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE PLUS

	Product no.	Colour	RRP (€) incl. VAT






34 705 000 **chrome** **1,814.00**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)






34 804 000 **chrome** **1,803.00**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox (35 604)
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417 000)
professional edition






34 706 000 **chrome** **1,803.00**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)






19 952 000 ★ **chrome** **219.00**
19 952 DC0 ★ **supersteel** **307.00**
19 952 AL0 ★ **brushed hard graphite** **351.00**

Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991






19 025 000 **chrome** **76.00**


Talento
Waste and overflow set for bath tubes
set for final installation
escutcheon
waste plug
fixing set
in combination with
Talentofill 28 939/28 943

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE PLUS

Product no.	Colour	RRP (€) incl. VAT






40 564 000	**chrome**	329.00
40 564 DC0	**supersteel**	461.00
40 564 AL0	**brushed hard graphite**	527.00

Bottle trap
for **wash basin**
GROHE Long-Life Shine durable sparkling sheen
brass body






28 912 000 ★	**chrome**	213.00
28 912 DC0 ★	**supersteel**	298.00
28 912 AL0 ★	**brushed hard graphite**	340.00

Trap 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine durable sparkling sheen






37 535 000	**chrome**	95.00
37 535 DC0	**supersteel**	208.00
37 535 AL0	**brushed hard graphite**	208.00

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)







37 624 000	**chrome**	116.00
37 624 DC0	**supersteel**	209.00
37 624 AL0	**brushed hard graphite**	209.00

Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)
colours BE and EN available until 31 March 2023

GROHE ESSENCE


	Product no.		Colour	RRP (€) incl. VAT
 	24 171 001	★	chrome	204.00
	24 171 DC1	★	supersteel	286.00
	24 171 GL1	★	cool sunrise	306.00
	24 171 GN1	★	brushed cool sunrise	327.00
	24 171 DA1	★	warm sunset	306.00
	24 171 DL1	★	brushed warm sunset	327.00
	24 171 A01		hard graphite	306.00
	24 171 AL1	★	brushed hard graphite	327.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition
replaces Essence basin mixer 23 589 xx1


 	24 172 001	★	chrome	198.00
	24 172 DC1	★	supersteel	277.00
	24 172 GL1	★	cool sunrise	296.00
	24 172 GN1	★	brushed cool sunrise	316.00
	24 172 DA1	★	warm sunset	296.00
	24 172 DL1	★	brushed warm sunset	316.00
	24 172 A01		hard graphite	296.00
	24 172 AL1	★	brushed hard graphite	316.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses
professional edition
replaces Essence basin mixer 23 590 xx1

new

 	24 172 KF1		phantom black	277.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

 	24 180 001		chrome	204.00


Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition
replaces Essence basin mixer 23 591 001

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






24 179 001 **chrome** **204.00**

Essence
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
waste set with push-open plug
flexible connection hoses
professional edition
replaces Essence basin mixer 23 797 001






24 189 000 **chrome** **267.00**

Essence
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
professional edition






24 175 001 **chrome** **204.00**

Essence
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition
replaces Essence basin mixer 32 898 001

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






34 813 001 **chrome** **198.00**

Essence
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses
professional edition
replaces Essence basin mixer 34 294 001






24 183 001 **chrome** **204.00**

Essence
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition
replaces Essence basin mixer 23 379 001






24 173 001	★	**chrome**	239.00
24 173 DC1	★	**supersteel**	335.00
24 173 GL1	★	**cool sunrise**	359.00
24 173 GN1	★	**brushed cool sunrise**	382.00
24 173 DA1	★	**warm sunset**	359.00
24 173 DL1	★	**brushed warm sunset**	382.00
24 173 A01		**hard graphite**	359.00
24 173 AL1	★	**brushed hard graphite**	382.00

Essence
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
professional edition
replaces Essence basin mixer 23 462 xx1





23 480 001 **chrome** **232.00**


Essence
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
retractable chain
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






24 181 001 **chrome** 239.00

Essence
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
smooth body
waste set with push-open plug
flexible connection hoses
min. recommended pressure 1.0 bar
professional edition






24 176 001 **chrome** 232.00

Essence
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses
professional edition

new






24 176 KF1 **phantom black** 325.00

Essence
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses
professional edition






24 174 001	★	**chrome**	262.00
24 174 DC1	★	**supersteel**	367.00
24 174 GL1	★	**cool sunrise**	393.00
24 174 GN1	★	**brushed cool sunrise**	420.00
24 174 DA1	★	**warm sunset**	393.00
24 174 DL1	★	**brushed warm sunset**	420.00
24 174 A01		**hard graphite**	393.00
24 174 AL1	★	**brushed hard graphite**	420.00

Essence
Single-lever basin mixer 1/2“
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






24 182 001 **chrome** 262.00

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
smooth body
waste set with push-open plug
flexible connection hoses
min. recommended pressure 1.0 bar
professional edition






24 177 001 **chrome** 256.00

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses
professional edition

new






24 177 KF1 **phantom black** 358.00

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses
professional edition
available May 2023





24 170 001	★	**chrome**	355.00
24 170 DC1	★	**supersteel**	497.00
24 170 GL1	★	**cool sunrise**	533.00
24 170 GN1	★	**brushed cool sunrise**	568.00
24 170 DA1	★	**warm sunset**	533.00
24 170 DL1	★	**brushed warm sunset**	568.00
24 170 A01		**hard graphite**	533.00
24 170 AL1	★	**brushed hard graphite**	568.00

Essence
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus rapid installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses
professional edition


green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT

new






24 170 KF1	**phantom black**	**497.00**

Essence
Single-lever basin mixer 1/2“
XL-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses
available May 2023






36 445 000	**chrome**	**739.00**
36 445 DC0	**supersteel**	**960.00**
36 445 GL0	**cool sunrise**	**1,034.00**
36 445 GN0	**brushed cool sunrise**	**1,108.00**
36 445 DA0	**warm sunset**	**1,034.00**
36 445 DL0	**brushed warm sunset**	**1,108.00**
36 445 A00	**hard graphite**	**1,034.00**
36 445 AL0	**brushed hard graphite**	**1,108.00**

Essence E
Infra-red electronic basin mixer 1/2“ with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






20 296 001	**chrome**	**334.00**

Essence
Three-hole basin mixer 1/2“
M-Size
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves

GROHE ESSENCE

Product no.		Colour	RRP (€) incl. VAT
20 299 001		chrome	367.00






Essence
3-hole basin mixer
L-Size
metal lever
ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses between spout and side valves
min. recommended pressure 1.0 bar
union nut 1/2" x 10.5 mm

29 192 001	★	chrome	262.00
29 192 DC1	★	supersteel	367.00
29 192 GL1	★	cool sunrise	393.00
29 192 GN1	★	brushed cool sunrise	420.00
29 192 DA1	★	warm sunset	393.00
29 192 DL1	★	brushed warm sunset	420.00
29 192 A01		hard graphite	393.00
29 192 AL1	★	brushed hard graphite	420.00






Essence
Two-hole basin mixer
M-Size
wall mounted
set for final installation for 23 571 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 183 mm
professional edition
replaces Essence two-hole basin mixer 19 408 xx1

new

29 192 KF1		phantom black	367.00






Essence
Two-hole basin mixer
M-Size
wall mounted
set for final installation for 23 571 000
without concealed body
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 183 mm
professional edition
available May 2023

29 193 001	★	chrome	295.00
29 193 DC1	★	supersteel	414.00
29 193 GL1	★	cool sunrise	443.00
29 193 GN1	★	brushed cool sunrise	473.00
29 193 DA1	★	warm sunset	443.00
29 193 DL1	★	brushed warm sunset	473.00
29 193 A01		hard graphite	443.00
29 193 AL1	★	brushed hard graphite	473.00






Essence
Two-hole basin mixer
L-Size
wall mounted
set for final installation for 23 571 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 230 mm
professional edition
replaces Essence two-hole basin mixer 19 967 xx1

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ESSENCE

Product no.		Colour	RRP (€) incl. VAT






23 571 000			**304.00**

Single-lever mixer 1/2“, universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






24 178 001	★	**chrome**	**204.00**
24 178 DC1	★	**supersteel**	**286.00**
24 178 GL1	★	**cool sunrise**	**306.00**
24 178 GN1	★	**brushed cool sunrise**	**327.00**
24 178 DA1	★	**warm sunset**	**306.00**
24 178 DL1	★	**brushed warm sunset**	**327.00**
24 178 A01		**hard graphite**	**306.00**
24 178 AL1	★	**brushed hard graphite**	**327.00**

Essence
Single-lever bidet mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses
professional edition
replaces Essence bidet mixer 32 935 xx1






32 934 001	**chrome**	**198.00**

Essence
Single-lever bidet mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus installation system
ball-joint mousseur
retractable chain
flexible connection hoses

new






24 395 KF1	**phantom black**	**286.00**

Essence
Single-lever bidet mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus installation system
ball-joint mousseur
smooth body
flexible connection hoses
available May 2023


GROHE ESSENCE

	Product no.		Colour	RRP (€) incl. VAT
 	25 252 001	★	chrome	226.00
	25 252 DC1	★	supersteel	316.00
	25 252 GL1	★	cool sunrise	339.00
	25 252 GN1	★	brushed cool sunrise	361.00
	25 252 DA1	★	warm sunset	339.00
	25 252 DL1	★	brushed warm sunset	361.00
	25 252 A01		hard graphite	339.00
	25 252 AL1	★	brushed hard graphite	361.00

Essence
Single-lever shower mixer 1/2“
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
shower outlet 1/2“
integrated non-return valve
S-unions
protected against backflow
professional edition
replaces Essence shower mixer 33 636 xx1


---

new


	25 252 KF1		phantom black	316.00

Essence
Single-lever shower mixer 1/2“
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine finish
shower outlet 1/2“
integrated non-return valve
S-unions
protected against backflow
professional edition
available May 2023

	34 765 000		chrome	257.00

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2“
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy
button with individually adjustable economy stop)
ceramic headpart 1/2“, 180°
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow

	25 250 001	★	chrome	277.00
	25 250 DC1	★	supersteel	388.00
	25 250 GL1	★	cool sunrise	416.00
	25 250 GN1	★	brushed cool sunrise	444.00
	25 250 DA1	★	warm sunset	416.00
	25 250 DL1	★	brushed warm sunset	444.00
	25 250 A01		hard graphite	416.00
	25 250 AL1	★	brushed hard graphite	444.00

Essence
Single-lever bath mixer 1/2“
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
mousseur
shower outlet 1/2“
integrated non-return valve
S-unions
protected against backflow
professional edition
replaces Essence bath mixer 33 624 xx1


green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT

new






25 250 KF1 | phantom black | 388.00

Essence
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
available May 2023






25 249 001 | chrome | 332.00

Essence
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
with shower set
Euphoria Cosmopolitan Stick handshower (27 367)
wall shower holder Tempesta Cosmopolitan 100 (27 594 000)
Silverflex shower hose 1.500 mm (28 364)
professional edition
replaces Essence bath mixer 33 628 001






34 766 000 | chrome | 335.00

Grohtherm 800 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow

GROHE ESSENCE

Product no.		Colour	RRP (€) incl. VAT
24 168 001	★	chrome	210.00
24 168 DC1	★	supersteel	293.00
24 168 GL1	★	cool sunrise	314.00
24 168 GN1	★	brushed cool sunrise	335.00
24 168 DA1	★	warm sunset	314.00
24 168 DL1	★	brushed warm sunset	335.00
24 168 A01		hard graphite	314.00
24 168 AL1	★	brushed hard graphite	335.00






Essence
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set
professional edition
replaces Essence shower mixer 24 057 xx1

35 604 000 — 88.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

Product no.		Colour	RRP (€) incl. VAT
24 167 001	★	chrome	231.00
24 167 DC1	★	supersteel	323.00
24 167 GL1	★	cool sunrise	346.00
24 167 GN1	★	brushed cool sunrise	369.00
24 167 DA1	★	warm sunset	346.00
24 167 DL1	★	brushed warm sunset	369.00
24 167 A01		hard graphite	346.00
24 167 AL1	★	brushed hard graphite	369.00






Essence
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set
professional edition
replaces Essence single-lever mixer with 2-way diverter 24 058 xx1

35 604 000 — 88.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

new

Product no.		Colour	RRP (€) incl. VAT
24 167 KF1		phantom black	323.00





Essence
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine finish
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set
available May 2023


35 604 000 — 88.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT
	24 169 001	chrome	261.00
	24 169 DC1	supersteel	365.00
	24 169 GL1	cool sunrise	391.00
	24 169 GN1	brushed cool sunrise	417.00
	24 169 DA1	warm sunset	391.00
	24 169 DL1	brushed warm sunset	417.00
	24 169 A01	hard graphite	391.00
	24 169 AL1	brushed hard graphite	417.00






Essence
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set
professional edition
replaces Essence single-lever mixer with 3-way diverter 24 092 xx1

35 604 000		88.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		






34 705 000	chrome	1,814.00

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation (29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

25 251 001	★	chrome	946.00
25 251 DC1	★	supersteel	1,325.00
25 251 GL1	★	cool sunrise	1,419.00
25 251 GN1	★	brushed cool sunrise	1,514.00
25 251 DA1	★	warm sunset	1,419.00
25 251 DL1	★	brushed warm sunset	1,514.00
25 251 A01		hard graphite	1,419.00
25 251 AL1	★	brushed hard graphite	1,514.00






Essence
Four-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
for chrome: hand shower 27 806, for other colours: hand shower 26 465
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
professional edition
replaces Essence four-hole bath combination 19 578 xx1

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






19 976 001 **chrome** **662.00**

Essence
Three-hole single-lever
bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
consisting of:
single lever mixer operating element
diverter bath/shower
without spout
hand shower 27 400 000
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
for use with 29 037 000
for combination with 28 990 / 28 991






29 037 000 **1,007.00**

4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color





23 741 001 **chrome** 2,801.00
23 741 DC1 **supersteel** 3,922.00


Essence
Single-lever free-standing shower system
floor-mounted
set for final installation for
45 984 001
29 038 001
29 086 000
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
automatic diverter:
head shower/hand shower
360° horizontal swivable shower arm
integrated non-return valve in the shower outlet 1/2"
with shower holder
Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)
with ball joint
rotation angle ± 15°
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
for chrome: hand shower 27 806, for other colours: hand shower 26 465
Silverflex shower hose 1750 mm (28 388)
protected against backflow
min. recommended pressure 1.0 bar

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ESSENCE

Product no.		Colour	RRP (€) incl. VAT
25 248 001	★	chrome	1,494.00
25 248 DC1	★	supersteel	2,092.00
25 248 GL1	★	cool sunrise	2,241.00
25 248 GN1	★	brushed cool sunrise	2,390.00
25 248 DA1	★	warm sunset	2,241.00
25 248 DL1	★	brushed warm sunset	2,390.00
25 248 A01		hard graphite	2,241.00
25 248 AL1	★	brushed hard graphite	2,390.00






Essence
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
swivel spout with mousseur and stop limiter
projection 277 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
for chrome: hand shower 27 806, for other colours: hand shower 26 465
Silverflex shower hose 1250 mm (28 362)
protected against backflow
professional edition
replaces Essence floor mounted bath mixer 23 491 xx1

---

45 984 001	601.00






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

---

13 449 001		chrome	155.00
13 449 DC1		supersteel	217.00
13 449 GL1		cool sunrise	232.00
13 449 GN1		brushed cool sunrise	248.00
13 449 DA1		warm sunset	232.00
13 449 DL1		brushed warm sunset	248.00
13 449 A01		hard graphite	232.00
13 449 AL1		brushed hard graphite	248.00






Essence
Bath spout
wall mounted
mousseur
male thread 1/2"
GROHE Long-Life Shine durable sparkling sheen
projection 221 mm

---

19 952 000	★	chrome	219.00
19 952 DC0	★	supersteel	307.00
19 952 GL0	★	cool sunrise	329.00
19 952 GN0	★	brushed cool sunrise	351.00
19 952 DA0	★	warm sunset	329.00
19 952 DL0	★	brushed warm sunset	351.00
19 952 A00		hard graphite	329.00
19 952 AL0	★	brushed hard graphite	351.00






Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991

GROHE ESSENCE

Product no.	Colour	RRP (€) incl. VAT






19 025 000	**chrome**	**76.00**

Talento
Waste and overflow set for bath tubes
set for final installation
escutcheon
waste plug
fixing set
in combination with
Talentofill 28 939/28 943






28 912 000	★	**chrome**	**213.00**
28 912 DC0	★	**supersteel**	**298.00**
28 912 GL0	★	**cool sunrise**	**319.00**
28 912 GN0	★	**brushed cool sunrise**	**340.00**
28 912 DA0	★	**warm sunset**	**319.00**
28 912 DL0	★	**brushed warm sunset**	**340.00**
28 912 A00		**hard graphite**	**319.00**
28 912 AL0	★	**brushed hard graphite**	**340.00**

Trap 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine durable sparkling sheen

---

new






29 509 KF0	**phantom black**	**298.00**

Trap 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine finish
available May 2023





37 601 000	**chrome**	**116.00**
37 601 DC0	**supersteel**	**209.00**
37 601 GL0	**cool sunrise**	**209.00**
37 601 GN0	**brushed cool sunrise**	**209.00**
37 601 DA0	**warm sunset**	**209.00**
37 601 DL0	**brushed warm sunset**	**209.00**
37 601 A00	**hard graphite**	**209.00**
37 601 AL0	**brushed hard graphite**	**209.00**


Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EURODISC JOY

	Product no.	Colour	RRP (€) incl. VAT






23 425 000 **chrome** 259.00

Eurodisc Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 427 000 **chrome** 274.00

Eurodisc Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 428 000 **chrome** 394.00

Eurodisc Joy
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses






19 968 000 **chrome** 300.00

Eurodisc Joy
Two-hole basin mixer
M-Size
wall mounted
set for final installation for 23 429 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
center distance 110 mm
projection 171 mm
available until 31 march 2023






19 969 000 **chrome** 315.00

Eurodisc Joy
Two-hole basin mixer
L-Size
wall mounted
set for final installation for 23 429 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
center distance 110 mm
projection 226 mm

GROHE
EURODISC JOY

	Product no.	Colour	RRP (€) incl. VAT






23 429 000 **315.00**

Joystick mixer 1/2", concealed body
for 2-hole basin mixers
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation depth 78,5 - 103,5 mm
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






46 901 000 **116.00**

Extension-set, 25 mm
for 23 429 000 Joystick mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
including disassembly key






24 036 000 **chrome** **274.00**

Eurodisc Joy
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE FeatherControl Joystick cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving ball-joint mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 430 000 **chrome** **290.00**

Eurodisc Joy
Single-lever shower mixer 1/2"
wall mounted
GROHE FeatherControl Joystick cartridge
GROHE Long-Life Shine durable sparkling sheen
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow
available until 31 march 2023





23 431 000 **chrome** **394.00**


Eurodisc Joy
Single-lever bath mixer 1/2"
wall mounted
GROHE FeatherControl Joystick cartridge
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
available until 31 march 2023

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EURODISC JOY

	Product no.	Colour	RRP (€) incl. VAT






24 055 002 **chrome** **194.00**

Eurodisc Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 056 002 **chrome** **213.00**


Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EURODISC COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






23 051 002 **chrome** 138.00

Eurodisc Cosmopolitan
Pillar tap
XS-Size
single hole installation
ceramic headpart 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min






23 049 002 **chrome** 217.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses






33 190 20E **chrome** 217.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses






33 178 20E **chrome** 210.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE FastFixation installation system
with centering support
retractable chain
flexible connection hoses





32 469 20E **chrome** 210.00


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EURODISC COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






23 389 20E **chrome** **210.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus rapid installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 384 20E **chrome** **217.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses






23 448 002 **chrome** **247.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 449 002 **chrome** **240.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses

GROHE
EURODISC COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






23 054 003 **chrome** **272.00**


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE FastFixation Plus installation system
mousseur
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000






23 432 000 **chrome** **378.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses






23 055 002 **chrome** **308.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
mousseur
pop-up waste set 1 1/4“
flexible connection hoses





19 573 002 **chrome** **272.00**

Eurodisc Cosmopolitan
Two-hole basin mixer
M-Size
wall mounted
set for final installation for 23 571 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
GROHE AquaGuide
center distance 110 mm
projection 170 mm


19 974 002 **chrome** **289.00**
ditto, projection 225 mm

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EURODISC COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






23 571 000 **304.00**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---






33 244 002 **chrome** **217.00**

Eurodisc Cosmopolitan
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses






33 569 002 **chrome** **217.00**


Eurodisc Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2"
integrated non-return valve
S-unions
protected against backflow






34 719 000 **chrome** **458.00**

Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valves and dirt strainers
protected against backflow






33 390 002 **chrome** **272.00**

Eurodisc Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow

GROHE
EURODISC COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






34 718 000 **chrome** **504.00**

Grohtherm SmartControl
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valves and dirt strainers
protected against backflow






33 395 002 **chrome** **329.00**

Eurodisc Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
with shower set
hand shower Euphoria 110 Champagne (27 222)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)






24 055 002 **chrome** **194.00**

Eurodisc Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 056 002 **chrome** **213.00**

Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EURODISC COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






34 705 000 **chrome** **1,814.00**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)






13 278 002 **chrome** **132.00**

Eurodisc Cosmopolitan
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
projection 170 mm






13 279 002 **chrome** **154.00**

Eurodisc Cosmopolitan
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
automatic diverter: bath/shower
with concealed connection piece
male thread 1/2"
projection 170 mm






19 952 000 ★ **chrome** **219.00**

Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991






19 025 000 **chrome** **76.00**

Talento
Waste and overflow set for bath tubes
set for final installation
escutcheon
waste plug
fixing set
in combination with
Talentofill 28 939/28 943

GROHE
EURODISC COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






37 624 000 **chrome** **116.00**

Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)
colours BE and EN available until 31 March 2023






28 912 000 ★ **chrome** **213.00**

Trap 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine durable sparkling sheen

GROHE CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






32 207 001 **chrome** **136.00**

Concetto
Pillar tap
XS-Size
single hole installation
ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min






32 204 10E **chrome** **172.00**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses

32 204 001 **chrome** **172.00**
ditto, with non-restricted flow






23 931 001 **chrome** **164.00**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109






23 060 001 **chrome** **214.00**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for open water heater






32 206 10E **chrome** **164.00**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
mousseur
retractable chain
flexible connection hoses
acoustic group I in accordance with DIN 4109

GROHE CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






32 240 10E **chrome** **164.00**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body
flexible connection hoses






23 380 10E **chrome** **172.00**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 450 001 **chrome** **196.00**

Concetto
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 932 001 **chrome** **189.00**

Concetto
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar





23 451 001 **chrome** **189.00**


Concetto
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






23 739 002 **chrome** **291.00**

Concetto
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
min. recommended pressure 1.0 bar






32 629 002 **chrome** **247.00**

Concetto
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
mousseur
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
min. recommended pressure 1.0 bar






23 920 001 **chrome** **278.00**

Concetto
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar






20 216 001 **chrome** **297.00**

Concetto
Three-hole basin mixer 1/2"
L-Size
ceramic headpart 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
pressure-proof, flexible connection hoses between middle-body and side valves

GROHE CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






19 575 001 **chrome** **250.00**

Concetto
Two-hole basin mixer
S-Size
wall mounted
set for final installation for 23 571 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 147 mm






23 571 000 **304.00**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






32 208 001 **chrome** **172.00**

Concetto
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses






32 210 001 **chrome** **172.00**

Concetto
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow





34 765 000 **chrome** **257.00**


Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy
button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






32 211 001 **chrome** **214.00**

Concetto
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow






34 766 000 **chrome** **335.00**

Grohtherm 800 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow






32 212 001 **chrome** **264.00**

Concetto
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
with shower set
Euphoria Cosmopolitan hand shower (27 400)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)





24 053 001 **chrome** **186.00**


Concetto
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






24 054 001 **chrome** **205.00**

Concetto
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






19 345 001 **chrome** **197.00**

Concetto
Single-lever shower mixer
set for final installation for 35 501 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
escutcheon- and shaft-sealing
covered fixing






32 213 001 **chrome** **214.00**

Concetto
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
consisting of:
set for final installation
concealed body
33 964 000
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter
min. recommended pressure 1.0 bar





19 346 001 **chrome** **214.00**


Concetto
Single-lever bath mixer
set for final installation for 35 501 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
escutcheon- and shaft-sealing
covered coupling

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






19 576 002 **chrome** **894.00**

Concetto
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
Euphoria Cosmopolitan hand shower 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000






29 037 000 **1,007.00**

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






13 280 001 **chrome** **129.00**

Concetto
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
projection 170 mm






13 281 001 **chrome** **148.00**

Concetto
Bath spout with diverter
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
automatic diverter: bath/shower
male thread 1/2"

GROHE
EUROSTYLE COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






23 039 002 **chrome** **120.00**

Eurostyle Cosmopolitan
Pillar tap
XS-Size
single hole installation
ceramic headpart 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen






23 037 002 **chrome** **164.00**

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses






33 552 20E **chrome** **164.00**

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses






33 561 002 **chrome** **226.00**

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
flow straightener
pop-up waste set 1 1/4“
flexible connection hoses
for open water heater





33 557 20E **chrome** **157.00**


Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE FastFixation installation system
with centering support
SpeedClean mousseur
retractable chain
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSTYLE COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






32 468 20E **chrome** **157.00**

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body
flexible connection hoses






23 374 20E **chrome** **164.00**

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses






23 043 003 **chrome** **229.00**

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
mousseur
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar






20 208 002 **chrome** **328.00**

Eurostyle Cosmopolitan
Three-hole basin mixer
S-Size
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
pressure-proof, flexible connection hoses between middle-body and side valves

GROHE
EUROSTYLE COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






19 571 002 **chrome** **280.00**

Eurostyle Cosmopolitan
Two-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 171 mm






23 571 000 **304.00**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






33 565 002 **chrome** **164.00**

Eurostyle Cosmopolitan
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

33 566 002 **chrome** **157.00**
ditto, with retractable chain





33 590 002 **chrome** **164.00**


Eurostyle Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2"
integrated non-return valve
S-unions
protected against backflow

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSTYLE COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






34 765 000 **chrome** **257.00**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow






33 591 002 **chrome** **200.00**

Eurostyle Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow






34 766 000 **chrome** **335.00**

Grohtherm 800 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow





24 051 002 **chrome** **186.00**


Eurostyle Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EUROSTYLE COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






24 052 002 **chrome** **204.00**

Eurostyle Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






23 048 003 **chrome** **1,011.00**

Eurostyle Cosmopolitan
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
Euphoria Cosmopolitan hand shower 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000






29 037 000 **1,007.00**

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






13 276 002 **chrome** **135.00**

Eurostyle Cosmopolitan
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
projection 170 mm





13 277 002 **chrome** **158.00**


Eurostyle Cosmopolitan
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
automatic diverter: bath/shower
with concealed connection piece
male thread 1/2"
projection 170 mm

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROSTYLE

	Product no.	Colour	RRP (€) incl. VAT






33 558 003	**chrome**	**159.00**
33 558 LS3	**moon white/chrome**	**207.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 929 003	**chrome**	**154.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses






23 707 003	**chrome**	**152.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 564 003	**chrome**	**166.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses

GROHE
EUROSTYLE

	Product no.	Colour	RRP (€) incl. VAT






23 374 003	**chrome**	**159.00**
23 374 LS3	**moon white/chrome**	**207.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 709 003	**chrome**	**152.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
solid metal lever
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 930 003	**chrome**	**161.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses






23 710 003	**chrome**	**215.00**


Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
flow straightener
pop-up waste set 1 1/4“
flexible connection hoses
for open water heater

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE EUROSTYLE

		Product no.	Colour	RRP (€) incl. VAT
		33 557 003	chrome	152.00


Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
retractable chain
flexible connection hoses

		23 713 003	chrome	145.00


Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
retractable chain
flexible connection hoses

		32 468 003	chrome	152.00

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses

		23 715 003	chrome	145.00

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses


		23 569 003	chrome	249.00

Eurostyle
Single-lever basin mixer 1/2“
L-Size
single hole installation
loop metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4“
flexible connection hoses

GROHE EUROSTYLE

	Product no.	Colour	RRP (€) incl. VAT






23 718 003 **chrome** 237.00

Eurostyle
Single-lever basin mixer 1/2“
L-Size
single hole installation
solid metal lever
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4“






23 570 003 **chrome** 308.00
23 570 LS3 **moon white/chrome** 401.00

Eurostyle
Single-lever basin mixer 1/2“
XL-Size
single hole installation
loop metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses






23 719 003 **chrome** 295.00

Eurostyle
Single-lever basin mixer 1/2“
XL-Size
single hole installation
solid metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses






19 571 003 **chrome** 300.00

Eurostyle
Two-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for 23 571 000
loop metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 203 mm





29 097 003 **chrome** 286.00


Eurostyle
Two-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for 23 571 000
solid metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 203 mm

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROSTYLE

Product no.	Colour	RRP (€) incl. VAT






23 571 000 **304.00**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---






33 565 003 **chrome** 159.00
33 565 LS3 **moon white/chrome** 207.00

Eurostyle
Single-lever bidet mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses






23 720 003 **chrome** 152.00

Eurostyle
Single-lever bidet mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses






23 722 003 **chrome** 168.00

Eurostyle
Single-lever shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow






33 591 003 **chrome** 215.00
33 591 LS3 **moon white/chrome** 280.00

Eurostyle
Single-lever bath mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow

GROHE EUROSTYLE

	Product no.	Colour	RRP (€) incl. VAT






23 726 003 **chrome** **206.00**

Eurostyle
Single-lever bath mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow






33 592 30A **chrome** **243.00**

Eurostyle
Single-lever bath mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow
with shower set Tempesta
hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)






23 729 30A **chrome** **233.00**

Eurostyle
Single-lever bath mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
with shower set Tempesta
hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)





24 048 003 **chrome** **173.00**
24 048 LS3 **moon white** **225.00**

Eurostyle
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROSTYLE

	Product no.	Colour	RRP (€) incl. VAT






24 046 003 **chrome** **171.00**

Eurostyle
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






24 049 003 **chrome** **191.00**
24 049 LS3 **moon white** **248.00**

Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






24 047 003 **chrome** **188.00**

Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






19 507 003 **chrome** **179.00**

Eurostyle
Single-lever shower mixer
set for final installation for 35 501 000
without concealed body
loop metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation covered fixation
escutcheon- and shaft-sealing
metal wall escutcheon

GROHE EUROSTYLE

	Product no.	Colour	RRP (€) incl. VAT






29 098 003 **chrome** **172.00**

Eurostyle
Single-lever shower mixer
set for final installation for
35 501 000
without concealed body
solid metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation covered fixation
escutcheon- and shaft-sealing
metal wall escutcheon






33 635 003 **chrome** **206.00**

Eurostyle
Single-lever shower mixer 1/2“
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation covered fixation
consisting of:
set for final installation
(19 507 003)
with concealed body
adjustable flow rate limiter
loop metal lever
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter ref. no. 46 308






23 725 003 **chrome** **195.00**

Eurostyle
Single-lever shower mixer 1/2“
wall installation
consisting of:
set for final installation
(19 507 003)
with concealed body
solid metal lever
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
metal wall escutcheon
escutcheon- and shaft-sealing
GROHE FastFixation covered fixation
optional temperature limiter ref. no. 46 308






19 506 003 **chrome** **196.00**

Eurostyle
Single-lever bath mixer
set for final installation for 35 501 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation covered fixation
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheon





29 099 003 **chrome** **188.00**


Eurostyle
Single-lever bath mixer
set for final installation for
35 501 000
without concealed body
solid metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation covered fixation
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheon

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROSTYLE

	Product no.	Colour	RRP (€) incl. VAT






33 637 003 **chrome** **222.00**

Eurostyle
Single-lever bath mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation covered fixation
consisting of:
set for final installation
(19 506 003)
with concealed body
adjustable flow rate limiter
automatic diverter: bath/shower
loop metal lever
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter ref. no. 46 308






23 730 003 **chrome** **210.00**

Eurostyle
Single-lever bath mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation covered fixation
consisting of:
set for final installation
(19 506 003)
with concealed body
adjustable flow rate limiter
automatic diverter: bath/shower
solid metal lever
optional temperature limiter ref. no. 46 308
metal wall escutcheons

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






32 825 00E **chrome** **124.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses






32 955 000 **chrome** **184.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
flow straightener
pop-up waste set 1 1/4“
flexible connection hoses
for open water heater






23 925 000 **chrome** **118.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
GROHE Water Saving mousseur 5.7 l/min
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109





32 827 00E **chrome** **117.00**


Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
retractable chain
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






23 125 000 **chrome** **174.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
optional temperature limiter ref. no. 46 375 000
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 4.0 l/min
GROHE FastFixation installation system
retractable chain
flexible connection hoses
optional temperature limiter
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
recommended pressure 1.0 - 5.0 bar






32 824 000 **chrome** **117.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
mousseur
smooth body
flexible connection hoses






23 377 00E **chrome** **124.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses






23 378 00E **chrome** **117.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
retractable chain
flexible connection hoses

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






23 376 00E **chrome** **117.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body
flexible connection hoses






23 927 000 **chrome** **119.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses






23 325 000 **chrome** **142.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 926 000 **chrome** **137.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000





23 327 000 **chrome** **136.00**
23 327 KW0 **supermatt black** **190.00**


Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






23 396 00E **chrome** **142.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
temperature limiter
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses






23 928 000 **chrome** **136.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses






23 397 00E **chrome** **136.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
retractable chain
flexible connection hoses






32 830 001 **chrome** **182.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
mousseur
swivel tubular spout
with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter ref. no. 46 375 000

GROHE
EUROSMART COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






23 933 001 **chrome** **184.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
mousseur
swivel tubular spout
with stop limiter
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter ref. no. 46 375 000






23 921 000 **chrome** **227.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar






36 327 001 **chrome** **461.00**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2“ with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K





20 187 000 **chrome** **251.00**


Eurosmart Cosmopolitan
Three-hole basin mixer 1/2“
S-Size
ceramic headparts 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






19 381 000 **chrome** **230.00**

Eurosmart Cosmopolitan
Two-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 170 mm






23 571 000 **304.00**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---






32 839 000 **chrome** **124.00**

Eurosmart Cosmopolitan
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

32 840 000 **chrome** **117.00**
ditto, with retractable chain






32 837 000 **chrome** **124.00**

Eurosmart Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow






32 838 000 **chrome** **124.00**

Eurosmart Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic
cartridge with **Eco-Override-Stop**
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
optional temperature limiter
Qualitel E1C2A2U3 applied for

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






34 765 000 **chrome** **257.00**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow






32 831 000 **chrome** **149.00**

Eurosmart Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow






34 766 000 **chrome** **335.00**

Grohtherm 800 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow





34 767 000 **chrome** **251.00**


Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
built-in non return valves
shower bottom outlet 1/2"
dirt strainers
protected against backflow
without connection unions
GROHE Water Saving - Less water, perfect flow

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






32 832 000 **chrome** **188.00**

Eurosmart Cosmopolitan
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow
with shower set
Euphoria Cosmopolitan hand shower (27 367)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)






32 847 000 **chrome** **280.00**

Eurosmart Cosmopolitan
Solid basin mixer, 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
swivel tubular spout
projection 400 mm
S-unions






24 044 000 **chrome** **157.00**

Eurosmart Cosmopolitan
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 045 000 **chrome** **173.00**


Eurosmart Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






25 219 001 **chrome** **534.00**

Eurosmart Cosmopolitan
Perfect shower set with Tempesta 210
consisting of:
Eurosmart Cosmopolitan set for final installation with automatic diverter bath / shower (24 045)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II 9.5 l/min (27 597)
shower outlet elbow (28 628)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)






13 261 000 **chrome** **109.00**

Eurosmart Cosmopolitan
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
projection 170 mm





13 262 000 **chrome** **128.00**


Eurosmart Cosmopolitan
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
automatic diverter: bath/shower
male thread 1/2"
projection 170 mm

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






23 965 003 **chrome** **106.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
angled version
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
adjustable flow rate limiter
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition






23 968 003 **chrome** **106.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
angled version
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
flexible connection hoses
smooth body with push-open pop-up waste set 1 1/4“
professional edition






23 966 003 **chrome** **99.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
angled version
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Water Saving mousseur 5.7 l/min
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition






23 967 003 **chrome** **99.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
angled version
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
flexible connection hoses
smooth body
professional edition

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






PROFESSIONAL GROHE

23 969 003 **chrome** **106.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
angled version
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
pop-up waste set 1 1/4“
flexible connection hoses
professional edition






PROFESSIONAL GROHE

23 975 003 **chrome** **409.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
2-in-1 hybrid with touchless or manual operation
manual lever operation having priority
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
infra-red electronic
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
non-return valve
dirt strainer
with integrated solenoid valve
external battery
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
additional functions and precise settings by remote control 36 407
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar
CE approved
professional edition





PROFESSIONAL GROHE

33 265 003 **chrome** **106.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
flexible connection hoses
pop-up waste set 1 1/4“
professional edition

PROFESSIONAL GROHE

23 922 003 **chrome** **106.00**
ditto, smooth body with push-open pop-up waste set 1 1/4“

PROFESSIONAL GROHE


32 467 003 **chrome** **99.00**
ditto, smooth body

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






PROFESSIONAL GROHE

23 456 003 **chrome** **101.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
flexible connection hoses
hybrid pop-up waste set 1 1/4“
professional edition






PROFESSIONAL GROHE

33 188 003 **chrome** **99.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition






PROFESSIONAL GROHE

23 124 003 **chrome** **155.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
professional edition





PROFESSIONAL GROHE

32 926 003 **chrome** **106.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
pop-up waste set 1 1/4“
lift rod in lateral position
flexible connection hoses
professional edition

PROFESSIONAL GROHE

23 924 003 **chrome** **106.00**
ditto, smooth body with push-open pop-up waste set 1 1/4“


PROFESSIONAL GROHE

32 154 003 **chrome** **99.00**
ditto, smooth body

GROHE EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






24 192 003 **chrome** 122.00

Eurosmart
Single-lever basin mixer 1/2“
S-Size
Cradle to Cradle Certified Gold
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition






23 974 003 **chrome** 106.00

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE LowFlow mousseur 3.5 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition






23 322 003 **chrome** 122.00

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

23 923 003 **chrome** 122.00
ditto, smooth body with push-open pop-up waste set 1 1/4“

23 324 003 **chrome** 115.00
ditto, smooth body





23 393 30E **chrome** 122.00

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition


23 395 30E **chrome** 115.00
ditto, smooth body

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






23 976 003 **chrome** **259.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
pull out spout
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition






23 537 003 **chrome** **174.00**

Eurosmart
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
swivel tubular spout
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

23 970 003 **chrome** **174.00**
ditto, smooth body with push-open pop-up waste set 1 1/4“






23 372 003 **chrome** **99.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition






23 323 003 **chrome** **115.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Water Saving mousseur 5.7 l/min
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






PROFESSIONAL GROHE

23 394 30E **chrome** **115.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition






PROFESSIONAL GROHE

23 743 003 **chrome** **167.00**

Eurosmart
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
swivel tubular spout
retractable chain
flexible connection hoses
professional edition






PROFESSIONAL GROHE

23 971 003 **chrome** **235.00**

Eurosmart
Single-lever basin mixer 1/2“
XL-Size
for free-standing basins
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition





PROFESSIONAL GROHE

24 164 003 **chrome** **235.00**


Eurosmart
Single-lever basin mixer 1/2“
XL-Size
for free-standing basins
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






29 337 003 **chrome** **214.00**

Eurosmart
Two-hole basin mixer
S-Size
wall mounted
metal lever
without concealed body
set for final installation for
23 571 000
metal escutcheon
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 171 mm
professional edition






29 338 003 **chrome** **234.00**

Eurosmart
Two-hole basin mixer
M-Size
wall mounted
metal lever
without concealed body
set for final installation for
23 571 000
metal escutcheon
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
center distance 110 mm
projection 211 mm
professional edition






23 571 000 **304.00**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






32 929 003 **chrome** **111.00**

Eurosmart
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses
professional edition

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






32 927 003 **chrome** **104.00**

Eurosmart
Single-lever bidet mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
with ball joint
retractable chain
flexible connection hoses
professional edition






32 928 003 **chrome** **111.00**

Eurosmart
Single-lever bidet mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
with ball joint
pop-up waste set 1 1/4“
flexible connection hoses
professional edition






33 555 003 **chrome** **116.00**

Eurosmart
Single-lever shower mixer 1/2“
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
shower bottom outlet 1/2“ with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition





34 558 000 **chrome** **241.00**


Grohtherm 800
Thermostatic shower mixer 1/2“
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2“, 180°
shower bottom outlet 1/2“
dirt strainers
built-in non return valves
protected against backflow
S-unions
GROHE Water Saving - Less water, perfect flow

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






PROFESSIONAL GROHE

33 300 003 **chrome** **136.00**

Eurosmart
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
professional edition





34 567 000 **chrome** **312.00**


Grohtherm 800
Thermostatic bath mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
GROHE Water Saving - Less water, perfect flow

PROFESSIONAL GROHE

33 302 003 **chrome** **175.00**

Eurosmart
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
with shower set
consisting of:
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
professional edition






PROFESSIONAL GROHE

24 042 003 **chrome** **153.00**

Eurosmart
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set
professional edition






PROFESSIONAL GROHE

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT





PROFESSIONAL GROHE

24 043 003 **chrome** **168.00**

Eurosmart
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set
metal lever
professional edition

PROFESSIONAL GROHE


35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---

PROFESSIONAL GROHE

13 448 003 **chrome** **109.00**






Eurosmart
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
male thread 1/2"
projection 171 mm
min. recommended pressure 1.0 bar
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT






23 988 003 **chrome** **155.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
single hole installation
metal lever
lever length 89 mm
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
max. pressure differential 5:1
professional edition






23 989 003 **chrome** **171.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
single hole installation
metal lever
lever length 89 mm
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
max. pressure differential 5:1
professional edition






23 986 003 **chrome** **202.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
loop metal lever
lever length 130 mm
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
built-in non return valves
dirt strainers
Lead and Nickel Free Inner Water Ways
GROHE Water Saving 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT






23 987 003 **chrome** **218.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
loop metal lever
lever length 130 mm
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
built-in non return valves
dirt strainers
Lead and Nickel Free Inner Water Ways
GROHE Water Saving 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition






23 980 003 **chrome** **124.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
lever length 130 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition






23 981 003 **chrome** **140.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
loop metal lever
lever length 130 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition





25 241 003 **chrome** **154.00**


Eurosmart
Single-lever bath mixer 1/2“
wall mounted
loop metal lever
lever length 123 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2“
S-unions
metal wall escutcheons
protected against backflow
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT






25 242 003 **chrome** **134.00**

Eurosmart
Single-lever shower mixer 1/2"
wall mounted
loop metal lever
lever length 115 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition






23 984 003 **chrome** **202.00**

Eurosmart
Single-lever basin mixer 1/2"
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
long metal lever
lever length 147 mm
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition






23 985 003 **chrome** **218.00**

Eurosmart
Single-lever basin mixer 1/2"
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
long metal lever
lever length 147 mm
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition






23 982 003 **chrome** **124.00**

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
long metal lever
lever length 156 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT






23 983 003 **chrome** **140.00**


Eurosmart
Single-lever basin mixer 1/2"
M-Size
single hole installation
long metal lever
lever length 156 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition






25 243 003 **chrome** **154.00**

Eurosmart
Single-lever bath mixer 1/2"
wall mounted
long metal lever
lever length 124 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
professional edition






34 665 000 **chrome** **575.00**

Grohtherm Special
Thermostatic bath mixer 1/2"
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
with S-unions and with covers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
GROHE SafetyPlus





25 244 003 **chrome** **134.00**


Eurosmart
Single-lever shower mixer 1/2"
wall mounted
long metal lever
lever length 120 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART CARE

Product no.	Colour	RRP (€) incl. VAT
34 667 000	**chrome**	**459.00**






Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
GROHE SafetyPlus

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






23 922 002 **chrome** **105.00**

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses






23 456 002 **chrome** **106.00**

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
hybrid pop-up waste set 1 1/4"
flexible connection hoses






33 188 002 **chrome** **104.00**

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
retractable chain
flexible connection hoses






23 124 002 **chrome** **155.00**

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 4.0 l/min
GROHE FastFixation installation system
retractable chain
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose





32 467 002 **chrome** **104.00**


Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






33 161 002 **chrome** **127.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses
DR-brass housing






23 924 002 **chrome** **105.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses






23 322 001 **chrome** **127.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 923 002 **chrome** **121.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses






23 323 001 **chrome** **120.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
retractable chain
flexible connection hoses

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






23 324 001 **chrome** **120.00**

Eurosmart
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses






23 537 002 **chrome** **174.00**

Eurosmart
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
swivel tubular spout
swivel area 360°
pop-up waste set 1 1/4"
flexible connection hoses

23 743 002 **chrome** **167.00**
ditto, with retractable chain






32 929 002 **chrome** **111.00**

Eurosmart
Single-lever bidet mixer 1/2"
S-Size
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses






33 555 002 **chrome** **117.00**

Eurosmart
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow





34 558 000 **chrome** **241.00**


Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
GROHE Water Saving - Less water, perfect flow

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






33 300 002 **chrome** **136.00**

Eurosmart
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow






34 567 000 **chrome** **312.00**

Grohtherm 800
Thermostatic bath mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
GROHE Water Saving - Less water, perfect flow






24 042 002 **chrome** **153.00**

Eurosmart
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---





24 043 002 **chrome** **168.00**


Eurosmart
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






19 451 002 **chrome** **132.00**

Eurosmart
Single-lever shower mixer
set for final installation for 35 501 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation covered fixation
escutcheon- and shaft-sealing
metal wall escutcheon






33 556 002 **chrome** **146.00**

Eurosmart
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation covered fixation
consisting of:
set for final installation (19 451 002)
with concealed body
adjustable flow rate limiter
metal lever
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter ref. no. 46 308






19 450 002 **chrome** **148.00**

Eurosmart
Single-lever bath mixer
set for final installation for 35 501 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation covered fixation
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheon






33 305 002 **chrome** **168.00**

Eurosmart
Single-lever bath mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation covered fixation
consisting of:
set for final installation (19 450 002)
with concealed body
adjustable flow rate limiter
automatic diverter: bath/shower
metal lever
metal escutcheon
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308





19 970 002 **chrome** **64.00**


Eurosmart
3-port diverter trim
for use with diverter rough-in valve 29 712 000 and 29 706 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






19 972 002 **chrome** **64.00**

Eurosmart
5-port diverter trim
for use with diverter rough-in valve (29 714 000, 29 708 000)
without concealed body
GROHE Long-Life Shine durable sparkling sheen

GROHE
EUROECO

	Product no.	Colour	RRP (€) incl. VAT






23 262 000 **chrome** **89.00**

Euroeco
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
flow limiter 9 l/min.
rapid installation system
mousseur
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter ref. no. 46 375 000






32 881 000 **chrome** **82.00**

Euroeco
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
flow limiter 9 l/min.
rapid installation system
mousseur
retractable chain
flexible connection hoses
optional temperature limiter ref. no. 46 375 000






32 734 000 **chrome** **82.00**

Euroeco
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
flow limiter 9 l/min.
rapid installation system
mousseur
smooth body
flexible connection hoses
optional temperature limiter ref. no. 46 375 000






23 263 000 **chrome** **89.00**

Euroeco
Single-lever bidet mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
flow limiter 9 l/min.
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter ref. no. 46 375 000





32 882 000 **chrome** **82.00**


Euroeco
Single-lever bidet mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
flow limiter 9 l/min.
rapid installation system
ball-joint mousseur
retractable chain
flexible connection hoses
optional temperature limiter ref. no. 46 375 000

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUROECO

	Product no.	Colour	RRP (€) incl. VAT






32 740 000 **chrome** **89.00**

Euroeco
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
optional temperature limiter
protected against backflow






32 743 000 **chrome** **112.00**

Euroeco
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
optional temperature limiter ref. no. 46 308
protected against backflow






32 742 000 **chrome** **135.00**

Euroeco
Single-lever shower mixer
concealed installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
consisting of:
set for final installation (19 378 000)
concealed body (33 964 000)
metal lever
escutcheon- and shaft-sealing
metal wall escutcheons
screwed
optional temperature limiter ref. no. 46 308






32 747 000 **chrome** **152.00**

Euroeco
Single-lever bath mixer
concealed installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
consisting of:
set for final installation (19 379 000)
concealed body (33 963)
automatic diverter: bath/shower
metal lever
escutcheon- and shaft-sealing
metal wall escutcheons
optional temperature limiter ref. no. 46 308
screwed






46 191 000 **110.00**

Extension set
25 mm
for universal single-lever mixer for
concealed installation 1/2"
for use with bath and shower mixer
for use with all trim set designs and surfaces

GROHE
BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






PROFESSIONAL GROHE

20 421 001 **chrome** 72.00

BauEdge
Pillar tap 1/2"
XS-Size
single hole installation
ceramic headpart 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
fixation nut G 1/2"
professional edition






PROFESSIONAL GROHE

23 328 001 **chrome** 92.00

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition





PROFESSIONAL GROHE


23 895 001 **chrome** 92.00

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

PROFESSIONAL GROHE

23 330 001 **chrome** 86.00
dito, smooth body





PROFESSIONAL GROHE

23 559 001 **chrome** 92.00


BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






23 899 001 **chrome** **92.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition






23 894 001 **chrome** **92.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition






23 896 001 **chrome** **92.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition






24 193 001 **chrome** **106.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
Cradle to Cradle Certified Gold
single hole installation
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition

GROHE
BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






23 757 001 **chrome** 128.00

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE Long-Life 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
shower hose 1500 mm
professional edition






23 760 001 **chrome** 128.00


BauEdge
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition






23 911 001 **chrome** 128.00

BauEdge
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
swivel tubular spout
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition





23 761 001 **chrome** 150.00


BauEdge
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






36 451 000 **chrome** **289.00**

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59






23 331 001 **chrome** **92.00**

BauEdge
Single-lever bidet mixer 1/2"
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
with ball joint
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition






23 635 001 **chrome** **92.00**

BauEdge
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Long-Life 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition






29 078 001 **chrome** **149.00**

BauEdge
Single-lever shower mixer 1/2"
concealed installation
consisting of:
set for final installation
metal lever
concealed body
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 375 000
professional edition

GROHE
BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






29 040 001 **chrome** **96.00**

BauEdge
Single-lever shower mixer 1/2"
concealed installation
consisting of:
set for final installation
concealed body
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 375 000






24 161 001 **chrome** **151.00**

BauEdge
Single-lever shower mixer 1/2"
metal lever
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
flow performance:
outlet B or C = 30 l/min
without roughing-in-set
professional edition

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






34 793 000 **chrome** **173.00**

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow
professional edition





23 604 001 **chrome** **126.00**


BauEdge
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE Long-Life 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






29 079 001 **chrome** **166.00**

BauEdge
Single-lever bath mixer 1/2"
concealed installation
consisting of:
set for final installation
metal lever
concealed body
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 375 000
professional edition






13 255 001 **chrome** **48.00**

BauCosmopolitan
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
projection 171 mm
male thread 1/2"

GROHE
BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






20 421 000 **chrome** **73.00**

BauEdge
Pillar tap 1/2"
XS-Size
single hole installation
ceramic headpart 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
fixation nut G 1/2"






23 356 000 **chrome** **98.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
metal pop up waste set
flexible connection hoses






23 328 000 **chrome** **94.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

23 802 000 **chrome** **93.00**
ditto, with temperature limiter






23 329 000 **chrome** **87.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
retractable chain
flexible connection hoses





23 330 000 **chrome** **87.00**


BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






32 858 000 **chrome** **90.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
mousseur
smooth body
flexible connection hoses
rapid installation system






23 757 000 **chrome** **129.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Long-Life 35 mm ceramic cartridge
adjustable flow rate limiter
optional temperature limiter ref. no. 46 375 000
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 4.0 l/min
rapid installation system
retractable chain
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
recommended pressure 1.0 - 5.0 bar






23 758 000 **chrome** **113.00**

BauEdge
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses






23 759 000 **chrome** **113.00**

BauEdge
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses






23 760 000 **chrome** **129.00**

BauEdge
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses

GROHE
BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






23 093 000 **chrome** **125.00**

BauEdge
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
swivel tubular spout
mousseur
pop-up waste set 1“
flexible connection hoses
rapid installation system






23 761 000 **chrome** **153.00**

BauEdge
Single-lever basin mixer 1/2“
XL-Size
single hole installation
for free-standing basins
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses






36 451 000 **chrome** **289.00**

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2“
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59





20 474 000 **chrome** **234.00**


BauEdge
Two-hole basin mixer
wall mounted
consisting of:
set for final installation and concealed body
metal lever
GROHE Long-Life 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
mousseur
center distance 110 mm
projection 171 mm

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






20 197 000 **chrome** **121.00**

BauEdge
Three-hole basin mixer 1/2"
metal lever
ceramic headpart 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
spout with mousseur
pop-up waste set 1"
flexible connection hoses






23 331 000 **chrome** **94.00**

BauEdge
Single-lever bidet mixer 1/2"
single hole installation
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

23 332 000 **chrome** **87.00**
ditto, with retractable chain






23 333 000 **chrome** **94.00**

BauEdge
Single-lever shower mixer 1/2"
wall mounted
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow
optional temperature limiter ref. no. 46 375 000






34 793 000 **chrome** **173.00**

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow
professional edition






34 794 000 **chrome** **166.00**

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without unions
GROHE Water Saving - Less water, perfect flow
professional edition

GROHE
BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






23 334 000 **chrome** **117.00**

BauEdge
Single-lever bath mixer 1/2"
wall mounted
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow
optional temperature limiter ref. no. 46 375 000






34 567 000 **chrome** **312.00**

Grohtherm 800
Thermostatic bath mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
GROHE Water Saving - Less water, perfect flow






29 078 000 **chrome** **151.00**

BauEdge
Single-lever shower mixer 1/2"
concealed installation
consisting of:
set for final installation
concealed body (33 964 000)
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308






29 079 000 **chrome** **169.00**

BauEdge
Single-lever bath mixer 1/2"
concealed installation
consisting of:
set for final installation
concealed body (33 963)
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308





29 040 000 **chrome** **108.00**


BauEdge
Single-lever shower mixer
concealed installation
consisting of:
set for final installation
concealed body (32 962 000)
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BAUEDGE

	Product no.	Colour	RRP (€) incl. VAT






29 039 000 **chrome** **132.00**

BauEdge
Single-lever bath mixer
concealed installation
consisting of:
set for final installation
concealed body (32 963 000)
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter






13 390 000 **chrome** **73.00**

BauContemporary
Bath spout with diverter
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
non-return valve
automatic diverter: bath/shower
projection 170 mm
male thread 1/2"

GROHE
BAULOOP

	Product no.	Colour	RRP (€) incl. VAT






20 422 001 **chrome** 72.00

BauLoop
Pillar tap 1/2"
XS-Size
single hole installation
ceramic headpart 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
fixation nut G 1/2"
professional edition






23 335 001 **chrome** 92.00

BauLoop
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition






23 878 001 **chrome** 92.00

BauLoop
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

23 337 001 **chrome** 86.00
ditto, without plastic push open waste set 1 1/4"





22 054 001 **chrome** 92.00


BauLoop
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE BAULOOP

	Product no.	Colour	RRP (€) incl. VAT






23 883 001 **chrome** **92.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition






23 877 001 **chrome** **92.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition






23 879 001 **chrome** **92.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition






23 762 001 **chrome** **111.00**

BauLoop
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE
BAULOOP

	Product no.	Colour	RRP (€) incl. VAT






23 886 001 **chrome** **111.00**

BauLoop
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition

23 917 001 **chrome** **106.00**
ditto, without plastic push open waste set 1 1/4“






23 887 001 **chrome** **111.00**

BauLoop
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition






23 885 001 **chrome** **111.00**

BauLoop
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition





23 763 001 **chrome** **137.00**


BauLoop
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE BAULOOP

	Product no.	Colour	RRP (€) incl. VAT






23 891 001 **chrome** 137.00

BauLoop
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
swivel tubular spout
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition






23 764 001 **chrome** 150.00

BauLoop
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition






23 338 001 **chrome** 92.00

BauLoop
Single-lever bidet mixer 1/2"
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
with ball joint
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition






23 633 001 **chrome** 92.00

BauLoop
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Long-Life 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition

GROHE
BAULOOP

	Product no.	Colour	RRP (€) incl. VAT






29 080 001 **chrome** 149.00

BauLoop
Single-lever shower mixer 1/2"
concealed installation
consisting of:
set for final installation
metal lever
concealed body
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 375 000
professional edition






34 793 000 **chrome** 173.00

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow
professional edition






34 794 000 **chrome** 166.00

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without unions
GROHE Water Saving - Less water, perfect flow
professional edition





23 602 001 **chrome** 126.00


BauLoop
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE Long-Life 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE BAULOOP

	Product no.	Colour	RRP (€) incl. VAT






29 081 001 **chrome** **166.00**

BauLoop
Single-lever bath mixer 1/2"
concealed installation
consisting of:
set for final installation
metal lever
concealed body
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 375 000
professional edition






13 255 001 **chrome** **48.00**

BauCosmopolitan
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
projection 171 mm
male thread 1/2"

GROHE
BAULOOP

	Product no.	Colour	RRP (€) incl. VAT






20 422 000 **chrome** **73.00**

BauLoop
Pillar tap 1/2“
XS-Size
single hole installation
metal lever
ceramic headpart 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
fixation nut G 1/2“






23 335 000 **chrome** **94.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses

23 803 000 **chrome** **93.00**
ditto, with temperature limiter






23 336 000 **chrome** **87.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
retractable chain
flexible connection hoses






23 337 000 **chrome** **87.00**

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses





23 762 000 **chrome** **113.00**


BauLoop
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE BAULOOP

	Product no.	Colour	RRP (€) incl. VAT






23 763 000 **chrome** **129.00**

BauLoop
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses






23 764 000 **chrome** **153.00**

BauLoop
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses






20 289 000 **chrome** **234.00**

BauLoop
Two-hole basin mixer
wall mounted
consisting of:
set for final installation and concealed body
metal lever
GROHE Long-Life 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
mousseur
center distance 110 mm
projection 171 mm






23 338 000 **chrome** **94.00**

BauLoop
Single-lever bidet mixer 1/2"
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses






23 340 000 **chrome** **94.00**

BauLoop
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter ref. no. 46 308

GROHE
BAULOOP

	Product no.	Colour	RRP (€) incl. VAT






34 793 000 **chrome** **173.00**

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow
professional edition






34 794 000 **chrome** **166.00**

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without unions
GROHE Water Saving - Less water, perfect flow
professional edition






23 341 000 **chrome** **117.00**

BauLoop
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter ref. no. 46 308





29 080 000 **chrome** **151.00**


BauLoop
Single-lever shower mixer 1/2"
concealed installation
consisting of:
set for final installation
concealed body (33 964 000)
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE BAULOOP

	Product no.	Colour	RRP (€) incl. VAT






29 042 000 **chrome** **108.00**

BauLoop
Single-lever shower mixer
concealed installation
consisting of:
set for final installation
concealed body (32 962 001)
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308






29 081 000 **chrome** **169.00**

BauLoop
Single-lever bath mixer 1/2"
concealed installation
consisting of:
set for final installation
concealed body (33 963)
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308






29 041 000 **chrome** **132.00**

BauLoop
Single-lever bath mixer
concealed installation
consisting of:
set for final installation
concealed body (32 963 001)
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308






13 390 000 **chrome** **73.00**

BauContemporary
Bath spout with diverter
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
non-return valve
automatic diverter: bath/shower
projection 170 mm
male thread 1/2"

GROHE
BAUFLOW

	Product no.	Colour	RRP (€) incl. VAT






20 575 000 **chrome** **65.00**

BauFlow
Pillar tap 1/2“
XS-Size
single hole installation
metal lever
ceramic headpart 1/2“, 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
fixation nut G 1/2“






23 751 000 **chrome** **91.00**

BauFlow
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses






23 752 000 **chrome** **87.00**

BauFlow
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses






23 753 000 **chrome** **131.00**

BauFlow
Single-lever basin mixer 1/2“
L-Size
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4“
flexible connection hoses





23 754 000 **chrome** **91.00**


BauFlow
Single-lever bidet mixer 1/2“
single hole installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4“
flexible connection hoses

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE BAUFLOW

	Product no.	Colour	RRP (€) incl. VAT






23 755 000 **chrome** **94.00**

BauFlow
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow






23 756 000 **chrome** **113.00**

BauFlow
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow






34 793 000 **chrome** **173.00**

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow
professional edition






34 794 000 **chrome** **166.00**

Grohtherm 500
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without unions
GROHE Water Saving - Less water, perfect flow
professional edition

GROHE
BAUFLOW

	Product no.	Colour	RRP (€) incl. VAT






29 112 000 **chrome** **156.00**

BauFlow
Single-lever shower mixer
concealed installation
consisting of:
set for final installation
concealed body (33 964 000)
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
escutcheon- and shaft-sealing
metal wall escutcheon






29 113 000 **chrome** **175.00**

BauFlow
Single-lever bath mixer
concealed installation
consisting of:
set for final installation
concealed body (33 963)
metal lever
GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheon





13 390 000 **chrome** **73.00**


BauContemporary
Bath spout with diverter
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
non-return valve
automatic diverter: bath/shower
projection 170 mm
male thread 1/2"

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SILKMOVE ENERGY SAVING

	Product no.	Colour	RRP (€) incl. VAT






23 870 003 **chrome** **256.00**

GROHE Plus
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 390 00E **chrome** **269.00**

Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 392 00E **chrome** **262.00**

ditto, smooth body






23 389 20E **chrome** **210.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 384 20E **chrome** **217.00**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses






23 380 10E **chrome** **172.00**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses

GROHE
SILKMOVE ENERGY SAVING

	Product no.	Colour	RRP (€) incl. VAT






23 374 20E **chrome** **164.00**

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses






23 374 003 **chrome** **159.00**
23 374 LS3 **moon white/chrome** **207.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
loop metal lever
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 709 003 **chrome** **152.00**

Eurostyle
Single-lever basin mixer 1/2“
S-Size
single hole installation
solid metal lever
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses





23 377 00E **chrome** **124.00**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
S-Size
single hole installation
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses

23 378 00E **chrome** **117.00**
ditto, with retractable chain


23 376 00E **chrome** **117.00**
ditto, smooth body

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SILKMOVE ENERGY SAVING

	Product no.	Colour	RRP (€) incl. VAT






23 396 00E **chrome** 142.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
M-Size
single hole installation
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
temperature limiter
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4“
flexible connection hoses

23 397 00E **chrome** 136.00
ditto, with retractable chain






23 969 003 **chrome** 106.00

Eurosmart
Single-lever basin mixer 1/2“
S-Size
angled version
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
pop-up waste set 1 1/4“
flexible connection hoses
professional edition






32 926 003 **chrome** 106.00

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
pop-up waste set 1 1/4“
lift rod in lateral position
flexible connection hoses
professional edition

23 924 003 **chrome** 106.00
ditto, smooth body with push-open pop-up waste set 1 1/4“

32 154 003 **chrome** 99.00
ditto, smooth body






24 192 003 **chrome** 122.00

Eurosmart
Single-lever basin mixer 1/2“
S-Size
Cradle to Cradle Certified Gold
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition

GROHE
SILKMOVE ENERGY SAVING

	Product no.	Colour	RRP (€) incl. VAT





PROFESSIONAL GROHE

23 393 30E | **chrome** | **122.00**


Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

PROFESSIONAL GROHE

23 395 30E | **chrome** | **115.00**

ditto, smooth body






PROFESSIONAL GROHE

24 164 003 | **chrome** | **235.00**

Eurosmart
Single-lever basin mixer 1/2“
XL-Size
for free-standing basins
single hole installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition






PROFESSIONAL GROHE

23 974 003 | **chrome** | **106.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE LowFlow mousseur 3.5 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition





PROFESSIONAL GROHE

23 559 001 | **chrome** | **92.00**


BauEdge
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SILKMOVE ENERGY SAVING

	Product no.	Colour	RRP (€) incl. VAT






24 193 001 **chrome** 106.00

BauEdge
Single-lever basin mixer 1/2“
S-Size
Cradle to Cradle Certified Gold
single hole installation
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition






22 054 001 **chrome** 92.00

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition






23 883 001 **chrome** 92.00

BauLoop
Single-lever basin mixer 1/2“
S-Size
single hole installation
metal lever
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4“
flexible connection hoses
professional edition






23 887 001 **chrome** 111.00

BauLoop
Single-lever basin mixer 1/2“
M-Size
single hole installation
metal lever
GROHE Long-Life ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE
COSTA L

	Product no.	Colour	RRP (€) incl. VAT






20 404 001 **chrome** **56.00**

Costa L
Pillar tap 1/2"
metal handle
heat-insulated
screwable
marking: blue
GROHE Long-Life headpart
cast spout with mousseur
GROHE Long-Life Shine durable sparkling sheen






20 186 001 **chrome** **94.00**

Costa L
Pillar tap 1/2"
metal handle
heat-insulated
screwable
marking: blue
GROHE Long-Life headpart
cast spout with mousseur
GROHE Long-Life Shine durable sparkling sheen






20 393 001 **chrome** **96.00**

Costa L
Pillar tap 1/2"
metal handle
heat-insulated
screwable
marking: blue
GROHE Long-Life headpart
swivel tubular spout with mousseur
GROHE Long-Life Shine durable sparkling sheen






21 390 001 **chrome** **229.00**

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
GROHE Long-Life headpart
cast spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE Long-Life Shine durable sparkling sheen





21 375 001 **chrome** **123.00**


Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
GROHE Long-Life headpart
swivel tubular spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
COSTA L

	Product no.	Colour	RRP (€) incl. VAT






26 330 001 **chrome** **112.00**

Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
GROHE Long-Life headpart
shower connection 1/2"
S-unions
protected against backflow
GROHE Long-Life Shine durable sparkling sheen
integrated non-return valve in the shower outlet






26 308 001 **chrome** **85.00**

Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
GROHE Long-Life headpart
shower connection 1/2"
without connection unions
GROHE Long-Life Shine durable sparkling sheen






25 450 001 **chrome** **161.00**

Costa L
Bath mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
GROHE Long-Life headpart
automatic diverter: bath/shower
mousseur
S-unions
integrated non-return valve in the shower outlet
protected against backflow
GROHE Long-Life Shine durable sparkling sheen






13 540 000 **chrome** **121.00**

Bath spout 3/4"
wall mounted
flow straightener
sliding escutcheon
female thread 3/4"
projection 140 mm
GROHE Long-Life Shine durable sparkling sheen






30 098 001 **chrome** **50.00**

Costa L
Bibtap 1/2"
wall mounted
metal handle
heat-insulated
screwable
marking: blue
GROHE Long-Life Shine finish
mousseur
GROHE Long-Life headparts

GROHE
COSTA L

	Product no.	Colour	RRP (€) incl. VAT






30 484 001 **chrome** **69.00**

Costa L
Bibtap 1/2“
wall mounted
metal handle
heat-insulated
screwable
marking: blue
GROHE Long-Life Shine finish
mousseur
GROHE Long-Life headparts
swivel tubular spout
swivel area 360°






19 854 001 **chrome** **24.00**

Costa L
Concealed valve exposed part
for GROHE concealed valves, 1/2“, 3/4“, 1“
installation depth infinitely adjustable
10 - 35 mm
metal handle
heat-insulated
marking: blue
sliding escutcheon
GROHE Long-Life Shine durable sparkling sheen

19 855 001 **chrome** **25.00**
ditto, marking red






19 808 001 **chrome** **34.00**

Costa L
Concealed valve exposed part
set for final installation for
35 028 000
for GROHE concealed valves, 1/2“, 3/4“, 1“
installation depth infinitely adjustable
20-80 mm
escutcheon with wall sealing
screwable
metal handle
heat-insulated
marking: blue
GROHE Long-Life Shine durable sparkling sheen

19 809 001 **chrome** **34.00**
ditto, marking red







19 806 001 **chrome** **56.00**

Costa L
Concealed valve exposed part
set for final installation for
35 028 000
for GROHE concealed valves, 1/2“, 3/4“, 1“
installation depth infinitely adjustable
20 - 200 mm
escutcheon with wall sealing
screwable
metal handle
heat-insulated
marking: blue
GROHE Long-Life Shine durable sparkling sheen

19 807 001 **chrome** **56.00**
ditto, marking red





35 028 000 **174.00**


Rapido C
Rough-in box for single volume control
built-in box with removable protection cover
waterproof membrame base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
preassembled ceramic headpart 3/4“
connection threads 1/2“
flow rate: 55.0 l/min. at 3 bar
installation depth 70 - 95 mm

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
COSTA L

	Product no.	Colour	RRP (€) incl. VAT






29 800 002 **31.00**

Concealed valve 1/2“
pre-assembled headpart 1/2“
short spindle
protection sleeve
threaded union 1/2“
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---






29 800 000 **28.00**

Concealed stop-valve, 1/2“
pre-assembled headpart 1/2“
short spindle
protection sleeve
threaded union 1/2“
DR-brass

29 802 000 **51.00**
ditto, 3/4“, pre-assembled headpart 3/4“, thread union 3/4“

29 805 000 **80.00**
ditto, 1“, pre-assembled headpart 1“, thread union 1“





29 801 000 **28.00**

Concealed stop-valve, 1/2“
pre-assembled headpart 1/2“
short spindle, protection sleeve
soldered connection Ø 15 mm
DR-brass


29 803 000 **51.00**
ditto, soldered connection Ø 18 mm

29 804 000 **51.00**
ditto, soldered connection Ø 22 mm

GROHE
COSTA S

	Product no.	Colour	RRP (€) incl. VAT






20 405 001 **chrome** **75.00**

Costa S
Pillar tap 1/2“
metal handle
heat-insulated
screwable
marking: blue
Carbodur headpart
cast spout with mousseur
union nut 1/2“ x 10.5 mm
GROHE Long-Life Shine durable sparkling sheen






20 179 001 **chrome** **149.00**

Costa S
Pillar tap
metal handle
heat-insulated
screwable
GROHE Long-Life Shine finish
ceramic headpart 1/2“, 90°
flow straightener
swivel tubular spout
swivel area 360°
union nut 1/2“ with 10.5 mm drilling






21 255 001 **chrome** **229.00**

Costa S
One-hole basin mixer, 1/2“
metal handles
heat-insulated
screwable
Carbodur headpart
cast spout with mousseur
pop-up waste set 1 1/4“
flexible connection hoses
GROHE Long-Life Shine durable sparkling sheen






21 257 001 **chrome** **180.00**

Costa S
One-hole basin mixer, 1/2“
heat-insulated
metal handles
screwable
Carbodur headpart
swivel tubular spout with mousseur
pop-up waste set 1 1/4“
flexible connection hoses
GROHE Long-Life Shine durable sparkling sheen





21 338 001 **chrome** **146.00**


Costa S
One-hole basin mixer, 1/2“
metal handles
heat-insulated
screwable
Carbodur headpart
swivel tubular spout with mousseur
retractable chain
flexible connection hoses
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
COSTA S

	Product no.	Colour	RRP (€) incl. VAT






26 317 001 **chrome** **137.00**

Costa S
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
shower connection 1/2"
S-unions
GROHE Long-Life Shine durable sparkling sheen






26 318 001 **chrome** **120.00**

Costa S
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
shower connection 1/2"
without connection unions
GROHE Long-Life Shine durable sparkling sheen






25 483 001 **chrome** **203.00**

Costa S
Bath mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
automatic diverter: bath/shower
mousseur
S-unions
GROHE Long-Life Shine durable sparkling sheen






26 792 10A **chrome** **245.00**

Costa S
Solid basin mixer, 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
diverter bath/shower
S-unions
connection angle 3/4" x 3/4" (12 419)
spout 300 mm (13 017)
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
wall shower holder (28 605)
GROHE Long-Life Shine durable sparkling sheen






26 788 001 **chrome** **157.00**

Costa S
50 mm extension
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
diverter
without connection unions
swivel tubular spout
centre distance 120 mm
GROHE Long-Life Shine durable sparkling sheen

GROHE UNIVERSAL

	Product no.	Colour	RRP (€) incl. VAT






20 201 000	**chrome**	**132.00**
20 201 AL0	**brushed hard graphite**	**211.00**

Universal pillar tap 1/2"
C-spout
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
union nut 1/2"
with 10.5 mm drilling
GROHE Long-Life Shine durable sparkling sheen
projection 113 mm






20 202 000	**chrome**	**151.00**

Universal pillar tap 1/2"
7°-spout
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
union nut 1/2"
with 10.5 mm drilling
GROHE Long-Life Shine durable sparkling sheen
projection 114 mm






20 205 000	**chrome**	**108.00**

Universal wall-mounted tap 1/2"
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen
projection 106 mm





20 203 000	**chrome**	**116.00**


Universal wall-mounted tap 1/2"
flow rate: 6 l/min at 3 bar flow pressure
flow-stop mousseur
ceramic disk headpart
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen
projection 185 mm

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
MULTI PURPOSE MIXER

	Product no.	Colour	RRP (€) incl. VAT






32 847 000 **chrome** **280.00**

Eurosmart Cosmopolitan
Solid basin mixer, 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
swivel tubular spout
projection 400 mm
S-unions






32 708 00A **chrome** **349.00**

Solid basin mixer, 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
swivel tubular spout
projection 400 mm
S-unions
metal wall escutcheons
set constisting of:
hand shower Tempesta 100 II 9.5 l/min (27 597)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)






26 792 10A **chrome** **245.00**

Costa S
Solid basin mixer, 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
diverter bath/shower
S-unions
connection angle 3/4" x 3/4" (12 419)
spout 300 mm (13 017)
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
wall shower holder (28 605)
GROHE Long-Life Shine durable sparkling sheen

GROHE
TALENTOFILL

Product no.		Colour	RRP (€) incl. VAT
19 952 000	★	**chrome**	**219.00**
19 952 DC0	★	**supersteel**	**307.00**
19 952 BE0		**polished nickel**	**329.00**
19 952 EN0		**brushed nickel**	**351.00**
19 952 GL0	★	**cool sunrise**	**329.00**
19 952 GN0	★	**brushed cool sunrise**	**351.00**
19 952 DA0	★	**warm sunset**	**329.00**
19 952 DL0	★	**brushed warm sunset**	**351.00**
19 952 A00		**hard graphite**	**329.00**
19 952 AL0	★	**brushed hard graphite**	**351.00**






Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991






28 990 000 — **240.00**

Talentofill
Inlet-, pop-up and waste-system
for normal bath tubs
without finishing trim set
with bottle trap and 45°-outlet-bend
without anti-vacuum device
installation acc. to DIN 1988
only with anti-vacuum device A2 type
or Talentofill connection set (28 995)






28 991 000 — **333.00**

Talentofill
Inlet-, pop-up and waste-system
for body formed bath tubs
without finishing trim set
with bottle trap and 45°-outlet-bend
without anti-vacuum device
installation acc. to DIN 1988
only with anti-vacuum device A2 type
or Talentofill connection set (28 995)






28 993 000 — **75.00**

Talentofill
Connection set 3/4“
with 1.5 m-flexible connection pipe
without finishing trim set





28 995 000 — **365.00**


Talentofill
Connection set 3/4“
with concealed anti-vacuum device
consisting of:
-concealed pipe interrupter (A2 type, DIN 1988, part IV)
- 3.5 m flexible connection pipe (in 2 parts)
without escutcheon (19 954)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE TALENTOFILL

	Product no.	Colour	RRP (€) incl. VAT





19 954 000 **chrome** 19.00

Talentofill
Escutcheon
for connection set 28 995
GROHE Long-Life Shine durable sparkling sheen



28 963 000 47.00


Inlet part with mousseur
suitable to Talentofill 28 990/28 991 production before 03/2007



29 009 000 91.00

Inlet part with mousseur
suitable to Talentofill 28 990/28 991 production after 03/2007






14 055 000 114.00

Backflow protection combination (DIN-EN1717)
retrofit set for protection against backflow in combination
with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox:
Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats,
single-lever mixers






19 025 000 **chrome** 76.00

Talento
Waste and overflow set for bath tubes
set for final installation
escutcheon
waste plug
fixing set
in combination with
Talentofill 28 939/28 943






28 939 000 136.00

Talento
Pop-up bath waste and overflow
set for normal bath
and deep shower trays
without finishing trim set
bottle trap 45° waste elbow

GROHE
TALENTOFILL

	Product no.	Colour	RRP (€) incl. VAT






28 943 000 **179.00**


Talento
Pop-up bath waste and overflow
set for special baths
without finishing trim set
bottle trap 45° waste elbow

GROHE SELECTION

	Product no.	Colour	RRP (€) incl. VAT
 	41 027 000	chrome	83.00
	41 027 DC0	supersteel	116.00
	41 027 BE0	polished nickel	124.00
	41 027 EN0	brushed nickel	133.00
	41 027 GL0	cool sunrise	124.00
	41 027 GN0	brushed cool sunrise	133.00
	41 027 DA0	warm sunset	124.00
	41 027 DL0	brushed warm sunset	133.00
	41 027 A00	hard graphite	124.00
	41 027 AL0	brushed hard graphite	133.00


Selection
Holder
material: metal
for Selection soap dispenser (41 028 xx0/41 218 KF0) or Selection glass (41 029 000)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

new

41 217 KF0	phantom black	116.00


Selection
Holder
material: metal
for Selection soap dispenser (41 028 xx0/41 218 KF0) or Selection glass (41 029 000)
concealed fastening
GROHE Long-Life Shine finish
available May 2023

41 028 000	chrome	83.00
41 028 DC0	supersteel	116.00
41 028 BE0	polished nickel	124.00
41 028 EN0	brushed nickel	133.00
41 028 GL0	cool sunrise	124.00
41 028 GN0	brushed cool sunrise	133.00
41 028 DA0	warm sunset	124.00
41 028 DL0	brushed warm sunset	133.00
41 028 A00	hard graphite	124.00
41 028 AL0	brushed hard graphite	133.00


Selection
Soap dispenser
material: glass / metal
filling quantity 120 ml
fits in the following holder: 41 027 xx0/41 217 KF0
GROHE Long-Life Shine durable sparkling sheen

new

41 218 KF0	phantom black	116.00

Selection
Soap dispenser
material: glass / metal
filling quantity 120 ml
fits in the following holder: 41 027 xx0/41 217 KF0
GROHE Long-Life Shine finish
available May 2023


41 029 000	chrome	40.00

Selection
White glass
material: glass
fits in the following holder:
41 027

GROHE SELECTION

Product no.	Colour	RRP (€) incl. VAT
41 035 000	**chrome**	**93.00**
41 035 DC0	**supersteel**	**130.00**
41 035 BE0	**polished nickel**	**139.00**
41 035 EN0	**brushed nickel**	**149.00**
41 035 GL0	**cool sunrise**	**139.00**
41 035 GN0	**brushed cool sunrise**	**149.00**
41 035 DA0	**warm sunset**	**139.00**
41 035 DL0	**brushed warm sunset**	**149.00**
41 035 A00	**hard graphite**	**139.00**
41 035 AL0	**brushed hard graphite**	**149.00**






Selection
Towel ring
material: metal
holder for soap dish (41 036) and shower tray (41 037)
length 200 mm
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

---

41 036 000 **53.00**






Selection
Soap dish without holder
material: glass
for use with towel ring (41 035)

---

41 037 000 **23.00**






Selection
Shower tray without holder
material: plastic
for use with towel ring (41 035)

---

41 038 000	**chrome**	**110.00**
41 038 DC0	**supersteel**	**153.00**
41 038 BE0	**polished nickel**	**164.00**
41 038 EN0	**brushed nickel**	**175.00**
41 038 GL0	**cool sunrise**	**164.00**
41 038 GN0	**brushed cool sunrise**	**175.00**
41 038 DA0	**warm sunset**	**164.00**
41 038 DL0	**brushed warm sunset**	**175.00**
41 038 A00	**hard graphite**	**164.00**
41 038 AL0	**brushed hard graphite**	**175.00**






Selection
Corner shower tray with holder
material: metal/plastic
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

---

41 039 000	**chrome**	**30.00**
41 039 DC0	**supersteel**	**42.00**
41 039 BE0	**polished nickel**	**45.00**
41 039 EN0	**brushed nickel**	**48.00**
41 039 GL0	**cool sunrise**	**45.00**
41 039 GN0	**brushed cool sunrise**	**48.00**
41 039 DA0	**warm sunset**	**45.00**
41 039 DL0	**brushed warm sunset**	**48.00**
41 039 A00	**hard graphite**	**45.00**
41 039 AL0	**brushed hard graphite**	**48.00**






Selection
Single robe hook
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE SELECTION


	Product no.	Colour	RRP (€) incl. VAT
new	41 216 KF0	phantom black	42.00





Selection
Single robe hook
material: metal
concealed fastening
GROHE Long-Life Shine finish
available May 2023






41 049 000	chrome	50.00
41 049 DC0	supersteel	70.00
41 049 BE0	polished nickel	75.00
41 049 EN0	brushed nickel	80.00
41 049 GL0	cool sunrise	75.00
41 049 GN0	brushed cool sunrise	80.00
41 049 DA0	warm sunset	75.00
41 049 DL0	brushed warm sunset	80.00
41 049 A00	hard graphite	75.00
41 049 AL0	brushed hard graphite	80.00

Selection
Double robe hook
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






41 056 000	chrome	133.00
41 056 DC0	supersteel	186.00
41 056 BE0	polished nickel	199.00
41 056 EN0	brushed nickel	212.00
41 056 GL0	cool sunrise	199.00
41 056 GN0	brushed cool sunrise	212.00
41 056 DA0	warm sunset	199.00
41 056 DL0	brushed warm sunset	212.00
41 056 A00	hard graphite	199.00
41 056 AL0	brushed hard graphite	212.00

Selection
Towel rail
material: metal
length 600 mm
concealed fastening
for use with glass shelf (41 057)
GROHE Long-Life Shine durable sparkling sheen






41 057 000	chrome	156.00

Selection
Glass shelf
material: glass
for use with towel rail (41 056)






41 058 000	chrome	173.00
41 058 DC0	supersteel	242.00
41 058 BE0	polished nickel	259.00
41 058 EN0	brushed nickel	276.00
41 058 GL0	cool sunrise	259.00
41 058 GN0	brushed cool sunrise	276.00
41 058 DA0	warm sunset	259.00
41 058 DL0	brushed warm sunset	276.00
41 058 A00	hard graphite	259.00
41 058 AL0	brushed hard graphite	276.00

Selection
Towel rail
material: metal
length 800 mm
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

GROHE SELECTION






Product no.	Colour	RRP (€) incl. VAT
41 059 000	chrome	183.00
41 059 DC0	supersteel	256.00
41 059 BE0	polished nickel	274.00
41 059 EN0	brushed nickel	292.00
41 059 GL0	cool sunrise	274.00
41 059 GN0	brushed cool sunrise	292.00
41 059 DA0	warm sunset	274.00
41 059 DL0	brushed warm sunset	292.00
41 059 A00	hard graphite	274.00
41 059 AL0	brushed hard graphite	292.00

Selection
Towel holder, non pivotable
material: metal
depth 411 mm (functional depth 360 mm)
two arms
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






Product no.	Colour	RRP (€) incl. VAT
41 063 000	chrome	149.00
41 063 DC0	supersteel	209.00
41 063 BE0	polished nickel	224.00
41 063 EN0	brushed nickel	239.00
41 063 GL0	cool sunrise	224.00
41 063 GN0	brushed cool sunrise	239.00
41 063 DA0	warm sunset	224.00
41 063 DL0	brushed warm sunset	239.00
41 063 A00	hard graphite	224.00
41 063 AL0	brushed hard graphite	239.00

Selection
Towel holder, pivotable
material: metal
depth 441 mm (functional depth 400 mm)
two arms
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

new






Product no.	Colour	RRP (€) incl. VAT
41 219 KF0	phantom black	209.00

Selection
Towel holder, pivotable
material: metal
depth 441 mm (functional depth 400 mm)
two arms
concealed fastening
GROHE Long-Life Shine finish
available May 2023






Product no.	Colour	RRP (€) incl. VAT
41 064 000	chrome	103.00
41 064 DC0	supersteel	144.00
41 064 BE0	polished nickel	154.00
41 064 EN0	brushed nickel	165.00
41 064 GL0	cool sunrise	154.00
41 064 GN0	brushed cool sunrise	165.00
41 064 DA0	warm sunset	154.00
41 064 DL0	brushed warm sunset	165.00
41 064 A00	hard graphite	154.00
41 064 AL0	brushed hard graphite	165.00

Selection
Grip bar
material: metal
length 336 mm (functional length 300 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

GROHE SELECTION

Product no.	Colour	RRP (€) incl. VAT






41 066 000	chrome	365.00
41 066 DC0	supersteel	511.00
41 066 BE0	polished nickel	548.00
41 066 EN0	brushed nickel	584.00
41 066 GL0	cool sunrise	548.00
41 066 GN0	brushed cool sunrise	584.00
41 066 DA0	warm sunset	548.00
41 066 DL0	brushed warm sunset	584.00
41 066 A00	hard graphite	548.00
41 066 AL0	brushed hard graphite	584.00

Selection
Multi-towel rack
material: metal
length 596 mm
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






41 067 000	chrome	83.00
41 067 DC0	supersteel	116.00
41 067 BE0	polished nickel	124.00
41 067 EN0	brushed nickel	133.00
41 067 GL0	cool sunrise	124.00
41 067 GN0	brushed cool sunrise	133.00
41 067 DA0	warm sunset	124.00
41 067 DL0	brushed warm sunset	133.00
41 067 A00	hard graphite	124.00
41 067 AL0	brushed hard graphite	133.00

Selection
Spare toilet paper holder (2 rolls)
material: metal
wall mounted
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






41 068 000	chrome	66.00
41 068 DC0	supersteel	93.00
41 068 BE0	polished nickel	100.00
41 068 EN0	brushed nickel	106.00
41 068 GL0	cool sunrise	100.00
41 068 GN0	brushed cool sunrise	106.00
41 068 DA0	warm sunset	100.00
41 068 DL0	brushed warm sunset	106.00
41 068 A00	hard graphite	100.00
41 068 AL0	brushed hard graphite	106.00

Selection
Toilet paper holder
without cover
material: metal
wall mounted
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

new






41 220 KF0	phantom black	93.00

Selection
Toilet paper holder
without cover
material: metal
wall mounted
concealed fastening
GROHE Long-Life Shine finish
available May 2023

GROHE SELECTION

Product no.	Colour	RRP (€) incl. VAT
41 069 000	chrome	133.00
41 069 DC0	supersteel	186.00
41 069 BE0	polished nickel	199.00
41 069 EN0	brushed nickel	212.00
41 069 GL0	cool sunrise	199.00
41 069 GN0	brushed cool sunrise	212.00
41 069 DA0	warm sunset	199.00
41 069 DL0	brushed warm sunset	212.00
41 069 A00	hard graphite	199.00
41 069 AL0	brushed hard graphite	212.00






Selection
Toilet paper holder
with cover
material: metal
wall mounted
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

41 076 000 ★	chrome	166.00
41 076 DC0 ★	supersteel	232.00
41 076 BE0	polished nickel	249.00
41 076 EN0	brushed nickel	265.00
41 076 GL0 ★	cool sunrise	249.00
41 076 GN0 ★	brushed cool sunrise	265.00
41 076 DA0 ★	warm sunset	249.00
41 076 DL0 ★	brushed warm sunset	265.00
41 076 A00	hard graphite	249.00
41 076 AL0 ★	brushed hard graphite	265.00





Selection
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

40 951 000	chrome	38.00
40 951 DC0	supersteel	56.00

Spare brush

40 791 001	white	10.00
40 791 KS1	velvet black	10.00

Spare brush head


40 993 000		70.00

Spare glass for brush

new

41 215 KF0	phantom black	232.00






Selection
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE Long-Life Shine finish
available May 2023

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE SELECTION






Product no.		Colour	RRP (€) incl. VAT
41 077 000	★	chrome	249.00
41 077 DC0	★	supersteel	348.00
41 077 BE0		polished nickel	373.00
41 077 EN0		brushed nickel	398.00
41 077 GL0	★	cool sunrise	373.00
41 077 GN0	★	brushed cool sunrise	398.00
41 077 DA0	★	warm sunset	373.00
41 077 DL0	★	brushed warm sunset	398.00
41 077 A00		hard graphite	373.00
41 077 AL0	★	brushed hard graphite	398.00

Selection
Shaving mirror
material: glass / metal
without lights
magnification: x 7
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

GROHE
SELECTION CUBE

	Product no.	Colour	RRP (€) incl. VAT






40 865 000 **chrome** **70.00**

Selection Cube
Holder
material: metal
for Selection Cube glass (40 783 000),
Selection Cube soap dish (40 806 000)
or Selection Cube soap dispenser (40 805 000)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






40 805 000 **chrome** **88.00**

Selection Cube
Soap dispenser
material: glass / metal
filling quantity 300 ml
fits in the following holder:
Selection Cube (40 865 000)
GROHE Long-Life Shine finish






40 806 000 **59.00**

Selection Cube
Soap dish
material: glass
fits in the following holder:
Selection Cube (40 865 000)






40 783 000 **47.00**

Selection Cube
Glass
material: glass
fits in the following holder:
Selection Cube (40 865 000)






40 766 000 **chrome** **99.00**

Selection Cube
Towel ring
material: metal
concealed fastening
GROHE Long-Life Shine finish





40 768 000 **chrome** **281.00**


Selection Cube
Double towel bar
material: metal
2 arms, pivotable
400 mm
concealed fastening
GROHE Long-Life Shine finish

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SELECTION CUBE

	Product no.	Colour	RRP (€) incl. VAT






40 767 000 **chrome** **187.00**

Selection Cube
Towel rail
500 mm (functional length 459 mm)
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






40 804 000 **chrome** **527.00**

Selection Cube
Multi bath towel rack
material: metal
600 mm (functional length 575 mm)
concealed fastening
GROHE Long-Life Shine finish






40 782 000 **chrome** **53.00**

Selection Cube
Robe hook
material: metal
concealed fastening
GROHE Long-Life Shine finish






40 807 000 **chrome** **293.00**

Selection Cube
Grip bar/towel bar
material: metal
600 mm (functional length 548 mm)
concealed fastening
GROHE Long-Life Shine finish






40 781 000 **chrome** **152.00**

Selection Cube
Toilet paper holder
material: metal
concealed fastening
with cover
GROHE Long-Life Shine finish








40 784 000 **chrome** **70.00**

Selection Cube
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE Long-Life Shine finish

GROHE
SELECTION CUBE


	Product no.	Colour	RRP (€) incl. VAT
 	**40 857 000** **Selection Cube** **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE Long-Life Shine** finish	**chrome**	**205.00**
	40 870 000 **Spare brush head**		**17.00**
	40 868 000 **Spare brush**	**chrome**	**58.00**
	40 867 000 **Spare glass**		**88.00**
 	**40 809 000** **Selection Cube** **Soap wire basket** material: metal for corner installation **GROHE Long-Life Shine** finish	**chrome**	**205.00**
 	**40 808 000** **Selection Cube** **Shaving mirror** material: glass / metal wall mounted concealed fastening magnification: x 3 **GROHE Long-Life Shine** finish	**chrome**	**257.00**

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ESSENTIALS

Product no.		Colour	RRP (€) incl. VAT
40 369 001	★	chrome	40.00
40 369 DC1	★	supersteel	56.00
40 369 BE1		polished nickel	60.00
40 369 EN1		brushed nickel	64.00
40 369 GL1	★	cool sunrise	60.00
40 369 GN1	★	brushed cool sunrise	64.00
40 369 DA1	★	warm sunset	60.00
40 369 DL1	★	brushed warm sunset	64.00
40 369 A01		hard graphite	60.00
40 369 AL1	★	brushed hard graphite	64.00






Essentials
Holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 394 001	★	chrome	33.00
40 394 DC1	★	supersteel	46.00
40 394 BE1		polished nickel	49.00
40 394 EN1		brushed nickel	52.00
40 394 GL1	★	cool sunrise	49.00
40 394 GN1	★	brushed cool sunrise	52.00
40 394 DA1	★	warm sunset	49.00
40 394 DL1	★	brushed warm sunset	52.00
40 394 A01		hard graphite	49.00
40 394 AL1	★	brushed hard graphite	52.00






Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE Long-Life Shine durable sparkling sheen

40 368 001			11.00






Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 372 001			13.00






Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

GROHE ESSENTIALS

Product no.		Colour	RRP (€) incl. VAT
40 448 001		chrome	74.00
40 448 DC1		supersteel	103.00
40 448 EN1		brushed nickel	118.00






Essentials
Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
consisting of:
holder (40 369 001)
soap dispenser (40 394 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 444 001		chrome	51.00
40 444 DC1		supersteel	71.00
40 444 EN1		brushed nickel	81.00






Essentials
Soap dish with holder
material: glass / metal
consisting of:
holder (40 369 001)
soap dish (40 368 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 447 001		chrome	49.00
40 447 DC1		supersteel	69.00
40 447 EN1		brushed nickel	79.00






Essentials
Crystal glass with holder
material: glass / metal
consisting of:
holder (40 369 001)
Glass cup (40 372 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 365 001	★	chrome	40.00
40 365 DC1	★	supersteel	56.00
40 365 BE1		polished nickel	60.00
40 365 EN1		brushed nickel	64.00
40 365 GL1	★	cool sunrise	60.00
40 365 GN1	★	brushed cool sunrise	64.00
40 365 DA1	★	warm sunset	60.00
40 365 DL1	★	brushed warm sunset	64.00
40 365 A01		hard graphite	60.00
40 365 AL1	★	brushed hard graphite	64.00






Essentials
Towel ring
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ESSENTIALS






Product no.		Colour	RRP (€) incl. VAT
40 371 001	★	chrome	71.00
40 371 DC1	★	supersteel	99.00
40 371 BE1		polished nickel	106.00
40 371 EN1		brushed nickel	113.00
40 371 GL1	★	cool sunrise	106.00
40 371 GN1	★	brushed cool sunrise	113.00
40 371 DA1	★	warm sunset	106.00
40 371 DL1	★	brushed warm sunset	113.00
40 371 A01		hard graphite	106.00
40 371 AL1	★	brushed hard graphite	113.00

Essentials
Towel bar
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)






Product no.		Colour	RRP (€) incl. VAT
40 688 001		chrome	58.00
40 688 DC1		supersteel	81.00
40 688 BE1		polished nickel	87.00
40 688 EN1		brushed nickel	93.00
40 688 GL1		cool sunrise	87.00
40 688 GN1		brushed cool sunrise	93.00
40 688 DA1		warm sunset	87.00
40 688 DL1		brushed warm sunset	93.00
40 688 A01		hard graphite	87.00
40 688 AL1		brushed hard graphite	93.00

Essentials
Towel rail
material: metal
504 mm (functional length 450 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






Product no.		Colour	RRP (€) incl. VAT
40 366 001	★	chrome	63.00
40 366 DC1	★	supersteel	89.00
40 366 BE1		polished nickel	95.00
40 366 EN1		brushed nickel	101.00
40 366 GL1	★	cool sunrise	95.00
40 366 GN1	★	brushed cool sunrise	101.00
40 366 DA1	★	warm sunset	95.00
40 366 DL1	★	brushed warm sunset	101.00
40 366 A01		hard graphite	95.00
40 366 AL1	★	brushed hard graphite	101.00

Essentials
Towel rail
material: metal
654 mm (functional length 600 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






Product no.		Colour	RRP (€) incl. VAT
40 386 001		chrome	80.00
40 386 DC1		supersteel	111.00
40 386 BE1		polished nickel	119.00
40 386 EN1		brushed nickel	127.00
40 386 GL1		cool sunrise	119.00
40 386 GN1		brushed cool sunrise	127.00
40 386 DA1		warm sunset	119.00
40 386 DL1		brushed warm sunset	127.00
40 386 A01		hard graphite	119.00
40 386 AL1		brushed hard graphite	127.00

Essentials
Towel rail
material: metal
854 mm (functional length 800 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

GROHE ESSENTIALS

Product no.		Colour	RRP (€) incl. VAT
40 802 001	★	chrome	108.00
40 802 DC1	★	supersteel	152.00
40 802 BE1		polished nickel	163.00
40 802 EN1		brushed nickel	174.00
40 802 GL1	★	cool sunrise	163.00
40 802 GN1	★	brushed cool sunrise	174.00
40 802 DA1	★	warm sunset	163.00
40 802 DL1	★	brushed warm sunset	174.00
40 802 A01		hard graphite	163.00
40 802 AL1	★	brushed hard graphite	174.00






Essentials
Double towel rail
material: metal
654 mm (functional length 600 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)

40 800 001		chrome	213.00
40 800 DC1		supersteel	298.00
40 800 BE1		polished nickel	319.00
40 800 EN1		brushed nickel	340.00
40 800 GL1		cool sunrise	319.00
40 800 GN1		brushed cool sunrise	340.00
40 800 DA1		warm sunset	319.00
40 800 DL1		brushed warm sunset	340.00
40 800 A01		hard graphite	319.00
40 800 AL1		brushed hard graphite	340.00






Essentials
Multi bath towel rack
material: metal
604 mm (functional length 550 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)

40 364 001	★	chrome	22.00
40 364 DC1	★	supersteel	30.00
40 364 BE1		polished nickel	33.00
40 364 EN1		brushed nickel	35.00
40 364 GL1	★	cool sunrise	33.00
40 364 GN1	★	brushed cool sunrise	35.00
40 364 DA1	★	warm sunset	33.00
40 364 DL1	★	brushed warm sunset	35.00
40 364 A01		hard graphite	33.00
40 364 AL1	★	brushed hard graphite	35.00






Essentials
Robe hook
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 421 001	★	chrome	63.00
40 421 DC1	★	supersteel	89.00
40 421 BE1		polished nickel	95.00
40 421 EN1		brushed nickel	101.00
40 421 GL1	★	cool sunrise	95.00
40 421 GN1	★	brushed cool sunrise	101.00
40 421 DA1	★	warm sunset	95.00
40 421 DL1	★	brushed warm sunset	101.00
40 421 A01		hard graphite	95.00
40 421 AL1	★	brushed hard graphite	101.00






Essentials
Grip bar
material: metal
349 mm (functional length 295 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ESSENTIALS

Product no.	Colour	RRP (€) incl. VAT






40 793 001	**chrome**	**90.00**
40 793 DC1	**supersteel**	**127.00**

Essentials
Grip bar
material: metal
507 mm (functional length 450 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)






40 794 001	**chrome**	**108.00**
40 794 DC1	**supersteel**	**152.00**

Essentials
Grip bar
material: metal
657 mm (functional length 600 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)






40 797 001	**chrome**	**282.00**

Essentials
Grip bar
material: metal
737 x 997 mm (functional length 680 x 940 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)






40 799 001	**chrome**	**72.00**
40 799 DC1	**supersteel**	**101.00**

Essentials
Glass shelf
material: glass / metal
530 mm (functional length 380 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 689 001	★	**chrome**	**47.00**
40 689 DC1	★	**supersteel**	**66.00**
40 689 BE1		**polished nickel**	**71.00**
40 689 EN1		**brushed nickel**	**75.00**
40 689 GL1	★	**cool sunrise**	**71.00**
40 689 GN1	★	**brushed cool sunrise**	**75.00**
40 689 DA1	★	**warm sunset**	**71.00**
40 689 DL1	★	**brushed warm sunset**	**75.00**
40 689 A01		**hard graphite**	**71.00**
40 689 AL1	★	**brushed hard graphite**	**75.00**

Essentials
Toilet paper holder
material: metal
without cover
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

GROHE ESSENTIALS

Product no.		Colour	RRP (€) incl. VAT
40 367 001	★	chrome	52.00
40 367 DC1	★	supersteel	73.00
40 367 BE1		polished nickel	79.00
40 367 EN1		brushed nickel	84.00
40 367 GL1	★	cool sunrise	79.00
40 367 GN1	★	brushed cool sunrise	84.00
40 367 DA1	★	warm sunset	79.00
40 367 DL1	★	brushed warm sunset	84.00
40 367 A01		hard graphite	79.00
40 367 AL1	★	brushed hard graphite	84.00






Essentials
Toilet paper holder
material: metal
with cover
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 385 001	★	chrome	40.00
40 385 DC1	★	supersteel	56.00
40 385 BE1		polished nickel	60.00
40 385 EN1		brushed nickel	64.00
40 385 GL1	★	cool sunrise	60.00
40 385 GN1	★	brushed cool sunrise	64.00
40 385 DA1	★	warm sunset	60.00
40 385 DL1	★	brushed warm sunset	64.00
40 385 A01		hard graphite	60.00
40 385 AL1	★	brushed hard graphite	64.00






Essentials
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 374 001	★	chrome	65.00
40 374 DC1	★	supersteel	91.00
40 374 BE1		polished nickel	98.00
40 374 EN1		brushed nickel	104.00
40 374 GL1	★	cool sunrise	98.00
40 374 GN1	★	brushed cool sunrise	104.00
40 374 DA1	★	warm sunset	98.00
40 374 DL1	★	brushed warm sunset	104.00
40 374 A01		hard graphite	98.00
40 374 AL1	★	brushed hard graphite	104.00





Essentials
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 791 001	white	10.00
40 791 KS1	velvet black	10.00

Spare brush head

40 392 000	chrome	28.00
40 392 DC0	supersteel	60.00

Spare brush

40 393 000	daVinci satin white	22.00

Spare glass


green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ESSENTIALS

	Product no.	Colour	RRP (€) incl. VAT

new






40 696 000	chrome	128.00

Essentials
Toilet brush set metal
material: metal
wall mounted
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
black brush head
removable inner plastic container






40 663 001	chrome	89.00

BauCosmopolitan
Soap wire basket
material: metal
for corner installation
large
suitable for screwing (including screws and dowels)






40 664 001	chrome	71.00

BauCosmopolitan
Soap wire basket
material: metal
for corner installation
small
suitable for screwing (including screws and dowels)






40 407 001	chrome	125.00
40 407 DC1	supersteel	176.00

Essentials
City restroom accessories set 3-in-1
material: glass / metal
consisting of:
toilet brush set (40 374 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 775 001	chrome	124.00
40 775 DC1	supersteel	173.00
40 775 EN1	brushed nickel	198.00

Essentials
Guest bathroom accessories set 3-in-1
material: metal
consisting of:
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

GROHE ESSENTIALS

	Product no.	Colour	RRP (€) incl. VAT






40 776 001	**chrome**	**160.00**
40 776 DC1	**supersteel**	**223.00**

Essentials
Master bathroom accessories set 4-in-1
material: metal
consisting of:
towel ring (40 365 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
towel rail, 600 mm (40 366 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 846 001	**chrome**	**194.00**

Essentials
Master bathroom accessories set 4-in-1
material: metal
consisting of:
soap dispenser with holder (40 448 001)
crystal glass with holder (40 447 001)
double towel bar (40 371 001), suitable for screwing only (including screws and dowels)
robe hook (40 364 001)
concealed fastening
GROHE Long-Life Shine finish
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)





40 344 001	**chrome**	**202.00**
40 344 DC1	**supersteel**	**282.00**

Essentials
Master bathroom accessories set 5-in-1
material: glass / metal
consisting of:
towel ring (40 365 001)
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
paper holder with cover (40 367 001)
soap dish with holder (40 444 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)
colour DC available until 31 march 2023










40 915 000	**10.00**

Glue for bath accessories
contains syringe with with glue and adapter for the wall mounting plate
curing time 24 hours
one pack is required for one wall holder plate, please note for bath towel holders
suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal
not suitable for wallpaper, plaster and coating
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE
ESSENTIALS CUBE

	Product no.	Colour	RRP (€) incl. VAT
 	**40 508 001** **40 508 DC1** **40 508 AL1**	**chrome** **supersteel** **brushed hard graphite**	**52.00** **73.00** **84.00**
	Essentials Cube **Holder** material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening **GROHE Long-Life Shine** durable sparkling sheen		
 	**40 394 001** ★ **40 394 DC1** ★ **40 394 AL1** ★	**chrome** **supersteel** **brushed hard graphite**	**33.00** **46.00** **52.00**
	Essentials **Soap dispenser** material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369) xx1 Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) **GROHE Long-Life Shine** durable sparkling sheen		
 	**40 368 001**		**11.00**
	Essentials **Soap dish** material: glass fits in the following holders: Essentials (40 369) xx1 Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)		
 	**40 372 001**		**13.00**
	Essentials **Crystal glass** material: glass fits in the following holders: Essentials (40 369) xx1 Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)		
 	**40 756 001**	**chrome**	**85.00**
	Essentials Cube **Soap dispenser with holder** material: glass / metal filling quantity 160 ml consisting of: holder (40 508 001) soap dispenser (40 394 001) concealed fastening **GROHE Long-Life Shine** durable sparkling sheen		
 	**40 755 001**	**chrome**	**63.00**
	Essentials Cube **Crystal glass with holder** material: glass / metal consisting of: holder (40 508 001) crystal glass (40 372 001) concealed fastening **GROHE Long-Life Shine** durable sparkling sheen		

GROHE
ESSENTIALS CUBE

Product no.	Colour	RRP (€) incl. VAT






40 754 001	**chrome**	**64.00**

Essentials Cube
Soap dish with holder
material: glass / metal
consisting of:
holder (40 508 001)
soap dish (40 368 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






40 510 001	**chrome**	**72.00**
40 510 DC1	**supersteel**	**101.00**
40 510 AL1	**brushed hard graphite**	**116.00**

Essentials Cube
Towel ring
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






40 624 001	**chrome**	**102.00**
40 624 DC1	**supersteel**	**142.00**
40 624 AL1	**brushed hard graphite**	**162.00**

Essentials Cube
Towel bar
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






40 509 001	**chrome**	**80.00**
40 509 DC1	**supersteel**	**113.00**
40 509 AL1	**brushed hard graphite**	**129.00**

Essentials Cube
Towel rail
material: metal
600 mm (functional length 558 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






40 512 001	**chrome**	**264.00**
40 512 DC1	**supersteel**	**370.00**
40 512 AL1	**brushed hard graphite**	**422.00**

Essentials Cube
Multi-towel rack
material: metal
600 mm (functional length 558 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen










40 511 001	**chrome**	**30.00**
40 511 DC1	**supersteel**	**43.00**
40 511 AL1	**brushed hard graphite**	**49.00**

Essentials Cube
Robe hook
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE
ESSENTIALS CUBE

	Product no.	Colour	RRP (€) incl. VAT
 	40 514 001	chrome	108.00
	40 514 DC1	supersteel	152.00
	40 514 AL1	brushed hard graphite	174.00
	Essentials Cube **Grip bar** material: metal 392 mm (functional length 340 mm) concealed fastening **GROHE Long-Life Shine** durable sparkling sheen		
 	40 507 001	chrome	61.00
	40 507 DC1	supersteel	85.00
	40 507 AL1	brushed hard graphite	97.00
	Essentials Cube **Toilet paper holder** material: metal without cover concealed fastening **GROHE Long-Life Shine** durable sparkling sheen		
 	40 623 001	chrome	51.00
	40 623 DC1	supersteel	71.00
	40 623 AL1	brushed hard graphite	81.00
	Essentials Cube **Spare toilet paper holder** material: metal wall mounted concealed fastening **GROHE Long-Life Shine** durable sparkling sheen		
 	40 513 001	chrome	105.00
	40 513 DC1	supersteel	147.00
	40 513 AL1	brushed hard graphite	168.00
	Essentials Cube **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE Long-Life Shine** durable sparkling sheen		
	40 791 001	white	10.00
	40 791 KS1	velvet black	10.00
	Spare brush head		
	40 392 000	chrome	28.00
	40 392 DC0	supersteel	60.00
	Spare brush		
	40 393 000	daVinci satin white	22.00
	Spare glass		
 	40 757 001	chrome	177.00
	Essentials Cube **City restroom accessories set 3-in-1** material: glass / metal consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening **GROHE Long-Life Shine** durable sparkling sheen		

GROHE
ESSENTIALS CUBE


	Product no.	Colour	RRP (€) incl. VAT






40 777 001 **chrome** **154.00**

Essentials Cube
Guest bathroom accessories set 3-in-1
material: metal
consisting of:
robe hook (40 511 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






40 778 001 **chrome** **220.00**

Essentials Cube
Master bathroom accessories set 4-in-1
material: metal
consisting of:
robe hook (40 511 001)
towel ring (40 510 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






40 847 001 **chrome** **252.00**

Essentials Cube
Bathroom accessories set 4-in-1
material: glass / metal
consisting of:
soap dispenser with holder (40 756 001)
crystal glass with holder (40 755 001)
double towel bar (40 624 001)
robe hook (40 511 001)
concealed fastening
GROHE Long-Life Shine finish






40 758 001 **chrome** **272.00**

Essentials Cube
Master bathroom accessories set 5-in-1
material: glass / metal
consisting of:
soap dish with holder (40 754 001)
towel rail, 558 mm (40 509 001)
toilet paper holder (40 507 001)
robe hook (40 511 001)
towel ring (40 510 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

GROHE
BAUCOSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






40 585 001 **chrome** **31.00**

BauCosmopolitan
Holder
material: metal
for crystal glass (40 372 001), soap dish (40 368 001),
or soap dispenser (40 394 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 394 001 ★ **chrome** **33.00**

Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE Long-Life Shine durable sparkling sheen






40 368 001 **11.00**

Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 372 001 **13.00**

Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 460 001 **chrome** **31.00**

BauCosmopolitan
Towel ring
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 459 001 **chrome** **45.00**

BauCosmopolitan
Towel rail
material: metal
522 mm (functional length 430 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

GROHE
BAUCOSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






40 462 001 **chrome** **167.00**

BauCosmopolitan
Multi-towel rack
material: metal
564 mm (functional length 510 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)






40 461 001 **chrome** **19.00**

BauCosmopolitan
Robe hook
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)






40 457 001 **chrome** **39.00**

BauCosmopolitan
Paper holder
material: metal
without cover
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)





40 463 001 **chrome** **51.00**


BauCosmopolitan
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE Long-Life Shine durable sparkling sheen
suitable for screwing (including screws and dowels)
or gluing (glue 40 915 000 sold separately)

40 791 001 **white** **10.00**
40 791 KS1 **velvet black** **10.00**
Spare brush head

40 392 000 **chrome** **28.00**
Spare brush

40 393 000 **daVinci satin white** **22.00**
Spare glass





40 663 001 **chrome** **89.00**


BauCosmopolitan
Soap wire basket
material: metal
for corner installation
large
suitable for screwing (including screws and dowels)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BAUCOSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT





40 664 001 **chrome** **71.00**

BauCosmopolitan
Soap wire basket
material: metal
for corner installation
small
suitable for screwing (including screws and dowels)

40 915 000 **10.00**




Glue for bath accessories
contains syringe with with glue and adapter for the wall mounting plate
curing time 24 hours
one pack is required for one wall holder plate, please note for bath towel holders
suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal
not suitable for wallpaper, plaster and coating
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
ESSENTIALS AUTHENTIC

	Product no.	Colour	RRP (€) incl. VAT






40 652 001	**chrome**	**40.00**
40 652 EN1	**brushed nickel**	**64.00**

Essentials Authentic
Holder
material: metal
for crystal glass (40 372 001), soap dish (40 368 001),
or soap dispenser (40 394 001)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






40 394 001 ★	**chrome**	**33.00**
40 394 EN1	**brushed nickel**	**52.00**

Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE Long-Life Shine durable sparkling sheen






40 368 001 **11.00**

Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 372 001 **13.00**

Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369) xx1
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 655 001	**chrome**	**40.00**
40 655 EN1	**brushed nickel**	**64.00**

Essentials Authentic
Towel ring
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






40 653 001	**chrome**	**63.00**
40 653 EN1	**brushed nickel**	**101.00**


Essentials Authentic
Towel rail
material: metal
626 mm (functional length 582 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
ESSENTIALS AUTHENTIC

	Product no.	Colour	RRP (€) incl. VAT






40 654 001	chrome	108.00
40 654 EN1	brushed nickel	174.00

Essentials Authentic
Double towel rail
material: metal
626 mm (functional length 582 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






40 660 001	chrome	213.00
40 660 EN1	brushed nickel	340.00

Essentials Authentic
Multi-towel rack
material: metal
586 mm (functional length 542 mm)
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






40 656 001	chrome	22.00
40 656 EN1	brushed nickel	35.00

Essentials Authentic
Robe hook
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen






40 657 001	chrome	47.00
40 657 EN1	brushed nickel	75.00

Essentials Authentic
Toilet paper holder
material: metal
without cover
concealed fastening
GROHE Long-Life Shine durable sparkling sheen





40 658 001	chrome	65.00
40 658 EN1	brushed nickel	104.00

Essentials Authentic
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

40 791 001	white	10.00
40 791 KS1	velvet black	10.00

Spare brush head


40 392 000	chrome	28.00

Spare brush

40 393 000	daVinci satin white	22.00

Spare glass





40 659 001	chrome	71.00
40 659 EN1	brushed nickel	113.00

Essentials Authentic
Filling basket, small
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

GROHTHERM
THERMOSTATS





CONTENTS

Grohtherm SmartControl	302
Grohtherm 2 handle trim sets	315
Grohtherm 2000	322
Grohtherm Cube	324
Grohtherm 1000	327
Grohtherm 1000 Performance	330
Grohtherm 800 Cosmopolitan	333
Grohtherm 800	335
Grohtherm 500	337

SAFETY NOTE

Avoiding scalding
For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremly important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.


In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






29 123 000	**chrome**	**623.00**
29 123 DC0	**supersteel**	**872.00**
29 123 GN0	**brushed cool sunrise**	**996.00**
29 123 DL0	**brushed warm sunset**	**996.00**
29 123 A00	**hard graphite**	**934.00**
29 123 AL0	**brushed hard graphite**	**996.00**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





29 124 000	**chrome**	**678.00**
29 124 DC0	**supersteel**	**949.00**
29 124 GN0	**brushed cool sunrise**	**1,085.00**
29 124 DL0	**brushed warm sunset**	**1,085.00**
29 124 A00	**hard graphite**	**1,017.00**
29 124 AL0	**brushed hard graphite**	**1,085.00**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 604 000		**88.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






29 125 000	**chrome**	**814.00**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min

35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





29 126 000	**chrome**	**733.00**
29 126 DC0	**supersteel**	**1,027.00**
29 126 GN0	**brushed cool sunrise**	**1,173.00**
29 126 DL0	**brushed warm sunset**	**1,173.00**
29 126 A00	**hard graphite**	**1,100.00**
29 126 AL0	**brushed hard graphite**	**1,173.00**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT
29 127 000	**chrome**	**447.00**
29 127 DC0	**supersteel**	**626.00**
29 127 GN0	**brushed cool sunrise**	**716.00**
29 127 DL0	**brushed warm sunset**	**716.00**
29 127 A00	**hard graphite**	**671.00**
29 127 AL0	**brushed hard graphite**	**716.00**






Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 604 000		**88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 153 LS0	**moon white**	**803.00**





Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min


35 604 000		**88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation		

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






29 156 LS0 **moon white** **858.00**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 157 LS0 **moon white** **913.00**


Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






29 158 LS0	**moon white**	**566.00**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





29 118 000	**chrome**	**623.00**
29 118 DC0	**supersteel**	**872.00**
29 118 GL0	**cool sunrise**	**934.00**
29 118 GN0	**brushed cool sunrise**	**996.00**
29 118 DA0	**warm sunset**	**934.00**
29 118 DL0	**brushed warm sunset**	**996.00**
29 118 A00	**hard graphite**	**934.00**
29 118 AL0	**brushed hard graphite**	**996.00**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 604 000		**88.00**


GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM SMARTCONTROL

Product no.		Colour	RRP (€) incl. VAT
29 119 000	★	chrome	678.00
29 119 DC0	★	supersteel	949.00
29 119 GL0	★	cool sunrise	1,017.00
29 119 GN0	★	brushed cool sunrise	1,085.00
29 119 DA0	★	warm sunset	1,017.00
29 119 DL0	★	brushed warm sunset	1,085.00
29 119 A00		hard graphite	1,017.00
29 119 AL0	★	brushed hard graphite	1,085.00






Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 604 000		88.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

new

29 507 KF0	phantom black	949.00






Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min
available May 2023

35 604 000		88.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE
GROHTHERM SMARTCONTROL

Product no.		Colour	RRP (€) incl. VAT






29 120 000		**chrome**	**814.00**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min

35 604 000			**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





29 121 000	★	**chrome**	**733.00**
29 121 DC0	★	**supersteel**	**1,027.00**
29 121 GL0	★	**cool sunrise**	**1,100.00**
29 121 GN0	★	**brushed cool sunrise**	**1,173.00**
29 121 DA0	★	**warm sunset**	**1,100.00**
29 121 DL0	★	**brushed warm sunset**	**1,173.00**
29 121 A00		**hard graphite**	**1,100.00**
29 121 AL0	★	**brushed hard graphite**	**1,173.00**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 604 000			**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation


green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT

new





29 508 KF0	**phantom black**	**1,027.00**


Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min
available May 2023

35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---





29 122 000	**chrome**	**447.00**
29 122 DC0	**supersteel**	**626.00**
29 122 BE0	**polished nickel**	**671.00**
29 122 EN0	**brushed nickel**	**716.00**
29 122 GL0	**cool sunrise**	**671.00**
29 122 GN0	**brushed cool sunrise**	**716.00**
29 122 DA0	**warm sunset**	**671.00**
29 122 DL0	**brushed warm sunset**	**716.00**
29 122 A00	**hard graphite**	**671.00**
29 122 AL0	**brushed hard graphite**	**716.00**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min


35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






29 150 LS0 **moon white** **803.00**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 151 LS0 **moon white** **858.00**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 904 LS0 **moon white** **913.00**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






29 152 LS0 **moon white** **566.00**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






34 742 000 **chrome** **1,600.00**

Grohtherm SmartControl
Perfect shower set
consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 125 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower F-Series 10" head shower set (26 070 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)






34 804 000 **chrome** **1,803.00**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox (35 604)
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417 000)
professional edition






34 706 000 **chrome** **1,803.00**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)

GROHE
GROHTHERM SMARTCONTROL

	Product no.	Colour	RRP (€) incl. VAT






34 744 000 **chrome** **1,255.00**

Grohtherm SmartControl
Perfect shower set
consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 120 000)
GROHE Rapido SmartBox 35 600/35 604
Euphoria 260 head shower set 3 sprays (26 458 000)
including horizontal shower arm 380 mm
hand shower Euphoria Cosmopolitan Stick (27 400 000)
Silverflex shower hose 1250 mm (28 362)





34 705 000 **chrome** **1,814.00**


Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)



14 077 XH0 **chrome/frosted granite** **34.00**

SmartControl
Caps concealed
consisting of:
9 caps with 6 different symbols
fits Grohtherm SmartControl and SmartControl
mixer sets for final installation






26 449 000 **177.00**

Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
material for wall sealing included
installation device

GROHE
GROHTHERM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






34 719 000 **chrome** **458.00**

Grohtherm SmartControl
Thermostatic shower mixer 1/2“
wall mounted
GROHE CoolTouch no risk of scalding
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2“
built-in non return valves and dirt strainers
protected against backflow






34 718 000 **chrome** **504.00**

Grohtherm SmartControl
Thermostatic bath mixer 1/2“
wall mounted
GROHE CoolTouch no risk of scalding
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2“
bath spout with mousseur
built-in non return valves and dirt strainers
protected against backflow






34 721 000 **chrome** **595.00**

Grohtherm SmartControl
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set,
900 mm (27 226 001)





34 720 000 **chrome** **588.00**

Grohtherm SmartControl
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set,
600 mm (27 231 001)

GROHE
GROHTHERM SMARTCONTROL


	Product no.	Colour	RRP (€) incl. VAT
	**14 079 XH0**	**chrome/frosted granite**	**24.00**

SmartControl
Caps exposed
consisting of:
3 caps with 3 different symbols
fits Euphoria SmartControl shower systems

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Product no.	Colour	RRP (€) incl. VAT






24 078 000 **chrome** **465.00**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 079 000 **chrome** **519.00**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 080 000 **chrome** **519.00**

Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation


GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Product no.	Colour	RRP (€) incl. VAT




34 728 000 **chrome** **794.00**

Grohtherm
Perfect shower set with Tempesta 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox 35 600/35 604
head shower Tempesta 210 9.5 l/min (26 410)
shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection
and shower hose to be ordered separately




34 729 000 **chrome** **875.00**

Grohtherm
Perfect shower set with Tempesta 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox 35 600/35 604
head shower Tempesta 210 9.5 l/min (26 410)
shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II (27 597)
shower outlet elbow (28 628)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)



34 730 000 **chrome** **1,614.00**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 310
consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan 310 metal head shower (27 477 000)
Rainshower shower arm 422 mm (26 145 000)
Sena hand shower (28 034 000)
Rainshower wall holder (27 075 000)
Rainshower wall elbow connection (27 076 000)
Silverflex shower hose 1250 mm (28 362)




34 734 000 **chrome** **1,208.00**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
Rainshower shower arm 422 mm (26 146 000)
Euphoria hand shower (27 265)
shower outlet elbow (28 628)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Product no.	Colour	RRP (€) incl. VAT






24 075 000 **chrome** **465.00**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 076 000 **chrome** **519.00**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 077 000 **chrome** **519.00**


Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **88.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Product no.	Colour	RRP (€) incl. VAT






34 726 000 **chrome** **794.00**

Grohtherm
Perfect shower set with Tempesta 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
head shower Tempesta 210 9.5 l/min (26 410)
shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection
and shower hose to be ordered separately






34 727 000 **chrome** **875.00**

Grohtherm
Perfect shower set with Tempesta 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
head shower Tempesta 210 9.5 l/min (26 410)
shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II (27 597)
shower outlet elbow (28 628)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)






34 731 000 **chrome** **1,614.00**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 310
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan 310 metal head shower (27 477 000)
Rainshower shower arm 422 mm (26 146 000)
Sena hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)





34 732 000 **chrome** **1,408.00**


Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan 210 metal head shower (28 373)
Rainshower shower arm 286 mm (28 576)
Sena hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Product no.	Colour	RRP (€) incl. VAT






34 735 000 **chrome** **935.00**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 160
consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan head shower 160 mm (27 134)
Rainshower shower arm 286 mm (28 576)
Euphoria hand shower (27 265)
shower outlet elbow (28 628)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Product no.	Colour	RRP (€) incl. VAT






24 153 000	**chrome**	**605.00**
24 153 DC0	**supersteel**	**847.00**
24 153 AL0	**brushed hard graphite**	**968.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000	**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation






24 154 000	**chrome**	**675.00**
24 154 DC0	**supersteel**	**944.00**
24 154 AL0	**brushed hard graphite**	**1,079.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000	**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 155 000	**chrome**	**675.00**
24 155 DC0	**supersteel**	**944.00**
24 155 AL0	**brushed hard graphite**	**1,079.00**

Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000	**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Product no.	Colour	RRP (€) incl. VAT




34 741 000 **chrome** **1,597.00**

Grohtherm Cube
Perfect shower set with Rainshower Allure 230
consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 2000

Product no.	Colour	RRP (€) incl. VAT






34 169 001 **chrome** **391.00**

Grohtherm 2000
Thermostatic shower mixer 1/2“
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2“, 180°
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE Water Saving - Less water, perfect flow






34 174 001 **chrome** **488.00**

Grohtherm 2000
Thermostatic bath mixer 1/2“
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
integrated **GROHE EcoButton** (economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2“
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE Water Saving - Less water, perfect flow





34 482 001 **chrome** **646.00**


Grohtherm 2000
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 2000 thermostat shower mixer
(34 169)
Power&Soul Cosmopolitan 130 shower set

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM 2000

	Product no.	Colour	RRP (€) incl. VAT





18 608 001 **chrome** **58.00**

Grohtherm 2000
GROHE EasyReach shower tray
metal tray
removable for easy cleaning
GROHE Long-Life Shine durable sparkling sheen
suitable for Grohtherm 2000
- exposed thermostatic shower mixer with center distance 150 mm
- exposed thermostatic bath mixer with center distance 150 mm




47 175 000 **175.00**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
GROHTHERM CUBE

Product no.	Colour	RRP (€) incl. VAT






34 491 000 **chrome** **520.00**

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray (18 700 000)
removable for easy cleaning
da Vinci satin white finish
GROHE Water Saving - Less water, perfect flow






34 488 000 **chrome** **470.00**

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE Water Saving - Less water, perfect flow





34 502 000 **chrome** **666.00**


Grohtherm Cube
Thermostatic bath mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray (18 700 000)
removable for easy cleaning
da Vinci satin white finish
GROHE Water Saving - Less water, perfect flow

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM CUBE

Product no.	Colour	RRP (€) incl. VAT






34 497 000	**chrome**	**616.00**

Grohtherm Cube
Thermostatic bath mixer 1/2“
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2“
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE Water Saving - Less water, perfect flow





18 700 000	**daVinci satin white**	**53.00**


Grohtherm Cube
GROHE EasyReach tray
removable for easy cleaning
da Vinci satin white finish
suitable for Grohtherm Cube
- exposed thermostatic shower mixer with center distance 150 mm
- exposed thermostatic bath mixer with center distance 150 mm



47 175 000		**175.00**

GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings





24 153 000	**chrome**	**605.00**
24 153 DC0	**supersteel**	**847.00**
24 153 AL0	**brushed hard graphite**	**968.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 604 000		**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM CUBE

Product no.	Colour	RRP (€) incl. VAT






24 154 000	**chrome**	**675.00**
24 154 DC0	**supersteel**	**944.00**
24 154 AL0	**brushed hard graphite**	**1,079.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000	**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 155 000	**chrome**	**675.00**
24 155 DC0	**supersteel**	**944.00**
24 155 AL0	**brushed hard graphite**	**1,079.00**

Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000	**88.00**

GROHE Rapido SmartBox universal rough-in box for concealed installation



34 741 000	**chrome**	**1,597.00**


Grohtherm Cube
Perfect shower set with Rainshower Allure 230
consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM 1000

	Product no.	Colour	RRP (€) incl. VAT






PROFESSIONAL GROHE

34 814 003 **chrome** **298.00**

Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
GROHE Water Saving - Less water, perfect flow
professional edition
replaces Grohtherm 1000 thermostatic shower mixer 34 143 003






PROFESSIONAL GROHE

34 816 003 **chrome** **381.00**

Grohtherm 1000
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
GROHE Water Saving - Less water, perfect flow
professional edition
replaces Grohtherm 1000 thermostatic bath mixer 34 155 003





PROFESSIONAL GROHE


34 823 003 **chrome** **373.00**

Grohtherm 1000
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
built-in non return valves
mousseur
dirt strainers
protected against backflow
without connection unions
GROHE Water Saving - Less water, perfect flow
professional edition

GROHE
GROHTHERM 1000

	Product no.	Colour	RRP (€) incl. VAT






34 824 004 **chrome** **347.00**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2" (34 814)
Tempesta shower set II, 900 mm (27 646)
professional edition






34 820 004 **chrome** **342.00**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2" (34 814)
Tempesta shower rail set II, 600 mm (27 598)
professional edition






34 825 001 **chrome** **345.00**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 818)
Tempesta shower rail set II, 600 mm (27 598)
professional edition





34 819 004 **chrome** **335.00**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 817)
Tempesta shower rail set II, 600 mm (27 598)
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM 1000




Product no.	Colour	RRP (€) incl. VAT
47 175 000		**175.00**

GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
GROHTHERM 1000 PERFORMANCE

	Product no.	Colour	RRP (€) incl. VAT






PROFESSIONAL GROHE

34 827 000 **chrome** **272.00**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow
professional edition

34 776 000 **chrome** **272.00**
replaced by professional version 34 827 000






PROFESSIONAL GROHE

34 828 000 **chrome** **265.00**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without connection unions
GROHE Water Saving - Less water, perfect flow
professional edition





PROFESSIONAL GROHE

34 830 000 **chrome** **354.00**

Grohtherm 1000 Performance
Thermostatic bath mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow
professional edition


34 779 000 **chrome** **354.00**
replaced by professional version 34 830 000

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM 1000 PERFORMANCE

	Product no.	Colour	RRP (€) incl. VAT






PROFESSIONAL GROHE

34 831 000 **chrome** **348.00**

Grohtherm 1000 Performance
Thermostatic bath mixer 1/2“
wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated GROHE EcoButton
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2“
built-in non return valves
mousseur
dirt strainers
protected against backflow
without connection unions
GROHE Water Saving - Less water, perfect flow
professional edition






PROFESSIONAL GROHE

34 834 000 **chrome** **314.00**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2“ (34 827)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
optional **GROHE Water Saving** 5.7 l/min flow limiter included
professional edition

34 783 000 **chrome** **314.00**
replaced by professional version 34 834 000





PROFESSIONAL GROHE

34 835 000 **chrome** **318.00**


Grohtherm 1000 Performance
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2“ (34 827)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
optional **GROHE Water Saving** 5.7 l/min flow limiter included
professional edition

34 784 000 **chrome** **318.00**
replaced by professional version 34 835 000

GROHE
GROHTHERM 1000 PERFORMANCE

	Product no.	Colour	RRP (€) incl. VAT





34 836 000 **chrome** **308.00**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2“ (34 828)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
optional **GROHE Water Saving** 5.7 l/min flow limiter included
professional edition



47 175 000 **175.00**


GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM 800 COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






34 765 000 **chrome** **257.00**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow






34 767 000 **chrome** **251.00**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
built-in non return valves
shower bottom outlet 1/2"
dirt strainers
protected against backflow
without connection unions
GROHE Water Saving - Less water, perfect flow






34 766 000 **chrome** **335.00**

Grohtherm 800 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow

GROHE
GROHTHERM 800 COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






34 768 000 **chrome** **299.00**

Grohtherm 800 Cosmopolitan
Thermostatic shower set 1/2"
consisting of:
Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
optional **GROHE Water Saving** 5.7 l/min flow limiter included





34 769 000 **chrome** **307.00**

Grohtherm 800 Cosmopolitan
Thermostatic shower set 1/2"
consisting of:
Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
optional **GROHE Water Saving** 5.7 l/min flow limiter included




47 175 000 **175.00**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
GROHTHERM 800

	Product no.	Colour	RRP (€) incl. VAT






34 558 000 **chrome** **241.00**

Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
GROHE Water Saving - Less water, perfect flow






34 567 000 **chrome** **312.00**

Grohtherm 800
Thermostatic bath mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
GROHE Water Saving - Less water, perfect flow






34 576 000 **chrome** **318.00**

Grohtherm 800
Thermostatic bath mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
adjustable mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow

GROHE
GROHTHERM 800

	Product no.	Colour	RRP (€) incl. VAT






34 566 001 **chrome** **291.00**

Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 800 thermostatic shower mixer 1/2" (34 558 000)
Tempesta shower set II, 900 mm (27 646)





34 565 001 **chrome** **286.00**

Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 800 thermostatic shower mixer 1/2" (34 558 000)
Tempesta shower rail set II, 600 mm (27 598)




47 175 000 **175.00**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
GROHTHERM 500

	Product no.	Colour	RRP (€) incl. VAT






34 793 000 **chrome** **173.00**

Grohtherm 500
Thermostatic shower mixer 1/2“
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow
professional edition






34 794 000 **chrome** **166.00**

Grohtherm 500
Thermostatic shower mixer 1/2“
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE thermostatic cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
headpart 90°
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
protected against backflow
without unions
GROHE Water Saving - Less water, perfect flow
professional edition






34 796 000 **chrome** **212.00**

Grohtherm 500
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 500 thermostatic shower mixer 1/2“ (34 793)
Tempesta 100 shower rail set 1 spray 620 mm (27 853)

GROHE
GROHTHERM 500

	Product no.	Colour	RRP (€) incl. VAT
	34 797 000	**chrome**	**218.00**





Grohtherm 500
Thermostatic shower mixer 1/2“ with shower set
consisting of:
Grohtherm 500 thermostatic shower mixer 1/2“ (34 793)
Tempesta 100 shower rail set 1 spray 920 mm (27 854)

GROHE
CONCEALED SOLUTIONS






CONTENTS

Rough-in sets	342
GROHE Rapido SmartBox	345
GROHE Rapido C / stop valves	347

GROHE
ROUGH-IN SETS

	Product no.	Colour	RRP (€) incl. VAT






29 037 000 **1,007.00**

4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






29 037 002 **1,003.00**

4/5-hole bath combination (optional)
baseframe for installation under
tiled surround
consisting of:
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve
caps to cover screw fixations always come in chrome color






29 033 000 **339.00**

5-way diverter
concealed body
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth infinitely adjustable
66 - 113 mm
DR-brass





45 984 001 **601.00**


Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
ROUGH-IN SETS

	Product no.	Colour	RRP (€) incl. VAT






23 571 000 **304.00**

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---






23 200 002 **304.00**

Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---






23 429 000 **315.00**

Joystick mixer 1/2", concealed body
for 2-hole basin mixers
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation depth 78,5 - 103,5 mm
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---






23 319 000 **298.00**

Grandera
Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device






46 627 000 **151.00**

Extension
25 mm
for single-lever two-hole basin mixer 1/2"
for concealed body 23 200, 23 319, 32635


GROHE
ROUGH-IN SETS

	Product no.	Colour	RRP (€) incl. VAT
	**46 943 000**		**195.00**
	Extension 25 mm for single-lever two-hole basin mixer 1/2“ for concealed body 23 200 002, 23 571		
 	**46 901 000**		**116.00**
	Extension-set, 25 mm for 23 429 000 Joystick mixer 1/2“, concealed body for 2-hole basin mixers wall installation including disassembly key		

GROHE
RAPIDO SMARTBOX

	Product no.	Colour	RRP (€) incl. VAT






35 604 000 — 88.00

Rapido SmartBox
Universal rough-in box, 1/2"
3 outlets 1/2"
2 inlets below, 1/2"
installation depth 75-105 mm
connection unit in DR brass
pre-mounted flushing plug
stable build-in box and protective cover
fixation options for solid walls and dry cladding
gasket
without set for final installation
professional edition






14 055 000 — 114.00

Backflow protection combination (DIN-EN1717)
retrofit set for protection against backflow in combination
with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox:
Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats,
single-lever mixers






14 053 00M — 45.00

Service stops
fits Grohtherm SmartControl, SmartControl mixer and Grohtherm 2-handle
thermostatic trim sets in combination with GROHE Rapido SmartBox
packaging unit: 2 pieces






14 048 000 — 93.00

Rapido SmartBox
Universal extension set single-lever mixers, 25 mm
fits Grohtherm SmartControl and SmartControl Mixer sets
for final installation with up to three functions in combination
with GROHE Rapido SmartBox






14 056 000 — 105.00

Universal extension set single-lever mixers, 25 mm
fits for concealed single-lever mixers in combination with
GROHE Rapido SmartBox






14 057 000 — 129.00

Universal extension set single-lever mixers, 50 mm
fits for concealed single-lever mixers in combination with
GROHE Rapido SmartBox

GROHE
RAPIDO SMARTBOX







	Product no.	Colour	RRP (€) incl. VAT
 	14 058 000		51.00

Universal extension set 2-handle thermostats, 25 mm
fits for concealed 2-handle thermostats in combination with
GROHE Rapido SmartBox






	49 003 000	chrome	248.00

GROHE TurboStat cartridge 3/4“
for reversed inlets (hot water right)
fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox
service solution, does not comply with EN1111

GROHE
RAPIDO C / STOP VALVES

	Product no.	Colour	RRP (€) incl. VAT
 	**35 028 000**		**174.00**
	Rapido C **Rough-in box for single volume control** built-in box with removable protection cover waterproof membrame base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass preassembled ceramic headpart 3/4“ connection threads 1/2“ flow rate: 55.0 l/min. at 3 bar installation depth 70 - 95 mm		
 	**29 800 002**		**31.00**
	Concealed valve 1/2“ pre-assembled headpart 1/2“ short spindle protection sleeve threaded union 1/2“ DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve		
 	**29 800 000**		**28.00**
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle protection sleeve threaded union 1/2“ DR-brass		
	29 802 000 **ditto, 3/4“, pre-assembled headpart 3/4“, thread union 3/4“**		**51.00**
	29 805 000 **ditto, 1“, pre-assembled headpart 1“, thread union 1“**		**80.00**
 	**29 801 000**		**28.00**
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle, protection sleeve soldered connection Ø 15 mm DR-brass		
	29 803 000 **ditto, soldered connection Ø 18 mm**		**51.00**
	29 804 000 **ditto, soldered connection Ø 22 mm**		**51.00**
 	**45 202 000**		**18.00**
	Extension-set, 80 mm for GROHE concealed valves, 1/2“, 3/4“, 1“		
	45 203 000 **ditto, 200 mm**		**19.00**

GROHE
RAPIDO C / STOP VALVES

	Product no.	Colour	RRP (€) incl. VAT
 	**29 811 000** **Concealed valve 1/2“** preassembled ceramic headpart 1/2“ 180° threaded union 1/2“ installation depth adjustable 25 - 80 mm DR-brass		**25.00**
 	**29 033 000** **5-way diverter** concealed body wall installation with ceramic sealing disks connection cold and hot 1/2“ 2 outlets 1/2“ 1 bath outlet 3/4“ installation depth infinitely adjustable 66 - 113 mm DR-brass		**339.00**
 	**46 627 000** **Extension** 25 mm for single-lever two-hole basin mixer 1/2“ for concealed body 23 200, 23 319, 32635		**151.00**
	**46 943 000** **Extension** 25 mm for single-lever two-hole basin mixer 1/2“ for concealed body 23 200 002, 23 571		**195.00**
 	**46 901 000** **Extension-set, 25 mm** for 23 429 000 Joystick mixer 1/2“, concealed body for 2-hole basin mixers wall installation including disassembly key		**116.00**
 	**14 048 000** **Rapido SmartBox** **Universal extension set single-lever mixers, 25 mm** fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox		**93.00**

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SHOWERS






CONTENTS

Shower Systems	Rainshower System SmartControl	352
	Rainshower SmartActive System	356
	Rainshower System	359
	Euphoria SmartControl System	360
	Euphoria System	364
	Tempesta System	374
	Shower system accessories	382
Head showers	Head shower sets	385
	Head showers	395
	Accessories for head showers	401
Showers	Rainshower SmartActive	404
	Rainshower	413
	Relexa	414
	Euphoria	415
	Tempesta	425
	Tempesta-F trigger sprays	441
	Shower hoses	443
	Shower hoses available until 06/2023	446
	Shower accessories	449

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






26 250 000 **chrome** **1,917.00**

Rainshower System SmartControl Duo 360
Shower system with thermostat for wall mounting
consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Water Saving - Less water, perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
suitable for instantaneous heaters from 18 kW/h
TwistStop to prevent hose from twisting

* to be decided at first installation; factory default setting: GROHE PureRain
In case of a 160 cc thermostat you need to purchase one of the
following wall fixation sets for installation: 125356, 125357

26 250 LS0 **moon white** **1,917.00**
ditto, head shower with white spray plate





26 361 000 **chrome** **1,736.00**

Rainshower System SmartControl Mono 360
Shower system with thermostat for wall mounting
consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Water Saving - Less water, perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
suitable for instantaneous heaters from 18 kW/h
TwistStop to prevent hose from twisting


* to be decided at first installation; factory default setting: GROHE PureRain
In case of a 160 cc thermostat you need to purchase one of the
following wall fixation sets for installation: 125356, 125357

26 361 LS0 **moon white** **1,736.00**
ditto, head shower with white spray plate

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Product no.	Colour	RRP (€) incl. VAT






26 443 000 **chrome** **1,917.00**

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed
consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360 with horizontal
450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Water Saving - Less water, perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
TwistStop to prevent hose from twisting
requires rough-in set 26 264 001 and concealed
unit 26 449 000 – all to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain

26 443 LS0 **moon white** **1,917.00**
ditto, head shower with white spray plate






26 446 000 **chrome** **1,736.00**

Rainshower System SmartControl Mono 360
Combi shower system with thermostat, exposed/concealed
consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360 with horizontal
450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Water Saving - Less water, perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
GROHE EasyReach shower tray **SpeedClean** anti-lime system
TwistStop to prevent hose from twisting
requires rough-in set 26 264 001 and concealed
unit 26 449 000 – all to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain

26 446 LS0 **moon white** **1,736.00**
ditto, head shower with white spray plate





26 254 000 **chrome** **796.00**


Rainshower Duo 360
Head shower set 450 mm, 2 sprays
consisting of:
head shower Rainshower Duo 360, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

	Product no.	Colour	RRP (€) incl. VAT






26 254 LS0 **moon white** **796.00**

Rainshower Duo 360
Head shower set 450 mm, 2 sprays
consisting of:
head shower Rainshower Duo 360, spray plate white
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain






26 450 000 **chrome** **687.00**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
consisting of:
head shower Rainshower Mono 360, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain






26 450 LS0 **moon white** **687.00**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
consisting of:
head shower Rainshower Mono 360, spray plate white
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain






26 264 001 **145.00**

Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information





26 449 000 **177.00**


Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
material for wall sealing included
installation device

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAINSHOWER SYSTEM SMARTCONTROL


	Product no.	Colour	RRP (€) incl. VAT





48 349 000 **chrome** **130.00**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE Long-Life Shine durable sparkling sheen



48 350 000 **chrome** **159.00**


Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting
15 cm longer
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE Long-Life Shine durable sparkling sheen
Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI



48 348 000 **chrome** **45.00**

Spray face
for SmartControl and head showers with
multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly key






26 385 000 **chrome** **19.00**

Rainshower SmartControl
Compensation disc
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Product no.	Colour	RRP (€) incl. VAT






26 647 000 **chrome** **1,185.00**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation upper bracket adjustable
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 647 LS0 **moon white** **1,362.00**
ditto, head shower with white spray plate





26 648 000 **chrome** **1,185.00**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 574)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.


26 648 LS0 **moon white** **1,362.00**
ditto, head shower with white spray plate

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Product no.	Colour	RRP (€) incl. VAT

new






22 119 KF0 **phantom black** **1,659.00**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (22 127 KF0)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine finish
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
available May 2023





26 649 000 **chrome** **1,185.00**


Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 Cube (26 567)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 Cube (26 550)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation upper bracket adjustable
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 652 000 **chrome** **1,185.00**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Product no.	Colour	RRP (€) incl. VAT






26 657 000 **chrome** **1,362.00**

Rainshower SmartActive 310
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Rainshower SmartActive 130 (26 574)
adjustable in height with gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation (upper bracket adjustable
for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.





27 966 001 **chrome** **1,440.00**


Rainshower SmartActive 310
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation upper bracket adjustable
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

27 968 001 **chrome** **1,440.00**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter

GROHE
RAINSHOWER SYSTEM

Product no.	Colour	RRP (€) incl. VAT






27 174 001 **chrome** **1,656.00**

Rainshower System 400
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 400 head shower (28 778 000)
material: metal
with ball joint rotation angle ± 20°
hand shower Sena Stick (28 034 000)
adjustable in height with gliding element (12 140 000)
shower hose, 1.750 mm
1/2" x 1/2" (28 025)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






27 058 000 **chrome** **919.00**

Rainshower System 210
Shower system with diverter
for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
with ball joint rotation angle ± 15°
Sena hand shower (28 034 000)
adjustable in height with gliding element (12 140 000)
metal shower hose 1750 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
minimum flow rate 7 l/min.

GROHE
EUPHORIA SMARTCONTROL SYSTEM

Product no.		Colour	RRP (€) incl. VAT
26 507 000	★	chrome	1,359.00
26 507 LS0		moon white	1,571.00
26 507 DC0	★	supersteel	2,039.00
26 507 GL0	★	cool sunrise	2,311.00
26 507 GN0	★	brushed cool sunrise	2,447.00
26 507 DA0	★	warm sunset	2,311.00
26 507 DL0	★	brushed warm sunset	2,447.00
26 507 A00		hard graphite	2,311.00
26 507 AL0	★	brushed hard graphite	2,447.00






Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE Water Saving - Less water, perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

new

22 120 KF0		phantom black	1,903.00






Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria 110 Massage, spray plate phantom black
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE Water Saving - Less water, perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUPHORIA SMARTCONTROL SYSTEM

Product no.	Colour	RRP (€) incl. VAT






26 508 000	**chrome**	**1,359.00**
26 508 LS0	**moon white**	**1,571.00**
26 508 DC0	**supersteel**	**2,039.00**
26 508 GN0	**brushed cool sunrise**	**2,447.00**
26 508 DL0	**brushed warm sunset**	**2,447.00**
26 508 AL0	**brushed hard graphite**	**2,447.00**

Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE Water Saving - Less water, perfect flow
GROHE Long-Life Shine durable sparkling sheen
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






26 608 000	**chrome**	**1,293.00**

Euphoria SmartControl System 260 Mono
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath termostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Water Saving - Less water, perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
GROHE ProGrip with knurl structure

GROHE
EUPHORIA SMARTCONTROL SYSTEM

Product no.	Colour	RRP (€) incl. VAT






26 509 000 **chrome** **1,180.00**

Euphoria SmartControl System 260 Mono
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE Water Saving - Less water, perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.





26 510 000 **chrome** **1,373.00**

Euphoria SmartControl System 260 Mono
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath termostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE Water Saving - Less water, perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUPHORIA SMARTCONTROL SYSTEM


	Product no.	Colour	RRP (€) incl. VAT



14 079 XH0 **chrome/frosted granite** **24.00**

SmartControl
Caps exposed
consisting of:
3 caps with 3 different symbols
fits Euphoria SmartControl shower systems






48 497 000 **chrome** **292.00**

Shower system pipe for retrofitting
material: metal
15 cm longer
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507 and 26 508
GROHE Long-Life Shine durable sparkling sheen
not suitable for all other shower systems






48 498 000 **chrome** **136.00**

Shower system pipe for retrofitting
material: metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507, 26 508 and 26 509
GROHE Long-Life Shine durable sparkling sheen
not suitable for all other shower systems






48 499 000 **chrome** **153.00**

Shower system pipe for retrofitting
material: metal
shower pipe for retrofitting
15 cm longer
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 509
GROHE Long-Life Shine durable sparkling sheen
not suitable for all other shower systems

GROHE
EUPHORIA SYSTEM

Product no.		Colour	RRP (€) incl. VAT






26 075 001	★	**chrome**	**932.00**

Euphoria System 310
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
spray pattern:
GROHE PureRain
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE MetalGrip ergonomically shaped metal handles
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)
professional edition





26 075 DC0	★	**supersteel**	**1,544.00**
26 075 DA0	★	**warm sunset**	**1,765.00**
26 075 DL0	★	**brushed warm sunset**	**1,875.00**
26 075 GL0	★	**cool sunrise**	**1,765.00**
26 075 GN0	★	**brushed cool sunrise**	**1,875.00**
26 075 A00		**hard graphite**	**1,765.00**
26 075 AL0	★	**brushed hard graphite**	**1,875.00**


Euphoria System 310
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 metal head shower (27 477 000)
with ball joint rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUPHORIA SYSTEM

Product no.	Colour	RRP (€) incl. VAT






26 723 000 **chrome** **932.00**

Euphoria System 310
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
spray pattern:
GROHE PureRain
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE MetalGrip ergonomically shaped metal handles
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)
professional edition






13 450 000 **chrome** **94.00**

Swivel spout with built-in diverter
switches between shower and bath by turning the spout
for retrofitting of shower mixers to bath mixers
matching with:
Grohtherm 800 shower thermostats (150 and 160cc)
Precision Start shower thermostats (150 and 160cc)
Euphoria 260/310 shower systems (160cc), Euphoria 180/210 shower systems (150cc)
Tempesta 250 shower systems (160cc), Tempesta 160/210/250 shower systems (150cc)
Vitalio Joy 260/310 shower systems (160cc), Vitalion Joy 180/210/260 shower systems (150cc)
Vitalio Start 250 shower systems (160cc), Vitalio Start 160/250 shower systems (150cc)

GROHE
EUPHORIA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT






PROFESSIONAL GROHE

27 296 003 **chrome** **719.00**

Euphoria System 260
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE ProGrip with knurl structure
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless flow
rate reduction)
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)
professional edition





PROFESSIONAL GROHE

27 615 002 **chrome** **719.00**


Euphoria System 260
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE ProGrip with knurl structure
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless flow
rate reduction)
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUPHORIA SYSTEM

Product no.	Colour	RRP (€) incl. VAT
13 450 000	**chrome**	**94.00**






Swivel spout with built-in diverter
switches between shower and bath by turning the spout
for retrofitting of shower mixers to bath mixers
matching with:
Grohtherm 800 shower thermostats (150 and 160cc)
Precision Start shower thermostats (150 and 160cc)
Euphoria 260/310 shower systems (160cc), Euphoria 180/210 shower systems (150cc)
Tempesta 250 shower systems (160cc), Tempesta 160/210/250 shower systems (150cc)
Vitalio Joy 260/310 shower systems (160cc), Vitalion Joy 180/210/260 shower systems (150cc)
Vitalio Start 250 shower systems (160cc), Vitalio Start 160/250 shower systems (150cc)

27 475 002	**chrome**	**908.00**






Euphoria System 260
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
professional edition

GROHE
EUPHORIA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT






26 114 002 **chrome** **889.00**

Euphoria System 260
Shower system with bath thermostat for wall mounting
with short shower rail for installation in showers
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage (27 221 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
distance between thermostat and upper bracket: 1016 mm
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
professional edition





27 473 002 **chrome** **652.00**


Euphoria System 260
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Euphoria 260 (26 457)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUPHORIA SYSTEM

Product no.	Colour	RRP (€) incl. VAT






PROFESSIONAL GROHE

23 061 003 **chrome** **689.00**

Euphoria System 260
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria Cosmopolitan Stick (27 400 000)
spray pattern:
Rain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition






26 362 LN1 **white** **43.00**

GROHE EasyReach tray
for Euphoria and Tempesta shower systems with thermostat
centre distance 150 mm






26 087 000 **chrome** **1,624.00**

Euphoria Cube System 230
Shower system with thermostatic mixer for wall mounting
consisting of:
shower arm, projection 400 mm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower head shower (27 479 000)
material: metal
spray pattern: Rain
with ball joint rotation angle ± 15°
hand shower Euphoria Cube (27 699)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
EUPHORIA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT






26 187 000 **chrome** **1,029.00**

Euphoria System 230
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower 230 (27 479 000)
material: metal
spray pattern: Rain
with ball joint rotation angle ± 15°
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)






26 363 000 **chrome** **948.00**

Euphoria System 210
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
spray pattern: Rain
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray (26 362 LN0)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h





27 964 000 **chrome** **919.00**


Euphoria System 210
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
with ball joint rotation angle ± 15°
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUPHORIA SYSTEM


Product no.	Colour	RRP (€) incl. VAT






27 932 000 **chrome** **734.00**

Euphoria System 150
Shower system with thermostatic mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria Cube 150 (27 705 000)
spray pattern: Rain
with ball joint rotation angle ± 12°
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE Water Saving 9.5 l/min flow limiter
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)






27 475 001 **chrome** **883.00**

Euphoria System 260
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE Water Saving 9.5 l/min flow limiter
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless flow
rate reduction)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
EUPHORIA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT






23 058 003 **chrome** **919.00**

Euphoria Eurodisc Cosmopolitan System 210
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
with ball joint rotation angle ± 15°
hand shower Euphoria Cosmopolitan Stick (27 400 000)
spray pattern: Rain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.





23 147 001 **chrome** **1,443.00**


Euphoria Cube System 230
Shower system with single lever mixer for wall mounting
consisting of:
shower arm, projection 400 mm
exposed single-lever shower mixer with diverter
allows change between:
Rainshower 230 metal head shower (27 479)
with ball joint rotation angle ± 15°
hand shower Euphoria Cube Stick (27 698 000)
spray pattern: Rain
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE SilkMove 35 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUPHORIA SYSTEM

Product no.	Colour	RRP (€) incl. VAT






27 421 002 **chrome** **564.00**

Euphoria System 260
Shower system with diverter
for wall mounting
consisting of:
horizontal swivable 450 mm shower arm
change between hand and head shower
by diverter
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless flow
rate reduction)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar







27 696 000 **chrome** **901.00**

Euphoria Cube System 150
Shower system with diverter
for wall mounting
consisting of:
shower arm, projection 400 mm
head shower Euphoria Cube 152 mm x 152 mm
with ball joint rotation angle ± 20°
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
TEMPESTA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT






26 670 000 **chrome** **553.00**

Tempesta Cosmopolitan System 250
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Tempesta 250 (26 666)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE Water Saving 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE Water Saving 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE Water Saving - Less water, perfect flow
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)
professional edition





13 450 000 **chrome** **94.00**


Swivel spout with built-in diverter
switches between shower and bath by turning the spout
for retrofitting of shower mixers to bath mixers
matching with:
Grohtherm 800 shower thermostats (150 and 160cc)
Precision Start shower thermostats (150 and 160cc)
Euphoria 260/310 shower systems (160cc), Euphoria 180/210 shower systems (150cc)
Tempesta 250 shower systems (160cc), Tempesta 160/210/250 shower systems (150cc)
Vitalio Joy 260/310 shower systems (160cc), Vitalion Joy 180/210/260 shower systems (150cc)
Vitalio Start 250 shower systems (160cc), Vitalio Start 160/250 shower systems (150cc)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
TEMPESTA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT






PROFESSIONAL GROHE

26 689 000 **chrome** **553.00**

Tempesta Cosmopolitan System 250 Cube
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE Water Saving 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE Water Saving 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE Water Saving - Less water, perfect flow
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)
professional edition






13 450 000 **chrome** **94.00**

Swivel spout with built-in diverter
switches between shower and bath by turning the spout
for retrofitting of shower mixers to bath mixers
matching with:
Grohtherm 800 shower thermostats (150 and 160cc)
Precision Start shower thermostats (150 and 160cc)
Euphoria 260/310 shower systems (160cc), Euphoria 180/210 shower systems (150cc)
Tempesta 250 shower systems (160cc), Tempesta 160/210/250 shower systems (150cc)
Vitalio Joy 260/310 shower systems (160cc), Vitalion Joy 180/210/260 shower systems (150cc)
Vitalio Start 250 shower systems (160cc), Vitalio Start 160/250 shower systems (150cc)







27 922 000 **chrome** **536.00**

Tempesta Cosmopolitan 160
Shower system with thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower 1 spray (28 232 000)
with ball joint rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: GROHE EasyReach tray (26 362)

GROHE
TEMPESTA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT







PROFESSIONAL GROHE

26 672 000 **chrome** **716.00**

Tempesta Cosmopolitan System 250
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Tempesta 250 (26 666)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE Water Saving 9.5 l/min flow limiter
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE Water Saving 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE Water Saving - Less water, perfect flow
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
professional edition





PROFESSIONAL GROHE


26 691 000 **chrome** **716.00**


Tempesta Cosmopolitan System 250 Cube
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat with Aquadimmer function
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE Water Saving 9.5 l/min flow limiter
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE Water Saving 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE Water Saving - Less water, perfect flow
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
TEMPESTA SYSTEM

Product no.	Colour	RRP (€) incl. VAT






26 223 001 **chrome** **802.00**

Tempesta Cosmopolitan System 210
Shower system with bath thermostat for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
spray pattern: Rain
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






26 673 000 **chrome** **504.00**

Tempesta Cosmopolitan System 250
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Tempesta 250 (26 666)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE Water Saving 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE Water Saving 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE Water Saving - Less water, perfect flow
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition

GROHE
TEMPESTA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT






26 692 000 **chrome** **504.00**

Tempesta Cosmopolitan System 250 Cube
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE Water Saving 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE Water Saving 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE Water Saving - Less water, perfect flow
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition





26 224 001 **chrome** **557.00**


Tempesta Cosmopolitan System 210
Shower system with single lever mixer for wall mounting
consisting of:
horizontal swivable 390 mm shower arm
exposed single-lever shower mixer with diverter
allows change between:
head shower Tempesta 210 (26 408)
spray pattern: Rain
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
TEMPESTA SYSTEM

Product no.	Colour	RRP (€) incl. VAT






26 674 000 **chrome** **667.00**

Tempesta Cosmopolitan System 250
Shower system with single lever bath mixer for wall mounting
with short shower rail for installation in showers
consisting of:
horizontal 355 mm shower arm
exposed single-lever bath mixer with diverter handle
allows change between:
head shower Tempesta 250 (26 666)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE Water Saving 9.5 l/min flow limiter
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 575)
4 spray patterns:
GROHE Rain O², Rain, Massage, Jet
GROHE Water Saving 9.5 l/min flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE Water Saving - Less water, perfect flow
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition






26 693 000 **chrome** **667.00**

Tempesta Cosmopolitan System 250 Cube
Shower system with single lever bath mixer for wall mounting
with short shower rail for installation in showers
consisting of:
horizontal 355 mm shower arm
exposed single-lever bath mixer with diverter handle
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE Water Saving 9.5 l/min flow limiter
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 575)
4 spray patterns:
GROHE Rain O², Rain, Massage, Jet
GROHE Water Saving 9.5 l/min flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)
GROHE Water Saving - Less water, perfect flow
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition

GROHE
TEMPESTA SYSTEM

	Product no.	Colour	RRP (€) incl. VAT






26 675 000 **chrome** **317.00**

Tempesta Cosmopolitan System 250
Flex shower system with diverter for wall mounting
consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower,
head shower or head shower Eco setting
head shower Tempesta 250 (26 666)
2 spray patterns (via diverter):
Rain, SmartRain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE Water Saving 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 575)
4 spray patterns:
GROHE Rain O², Rain, Massage, Jet
GROHE Water Saving 9.5 l/min flow limiter
adjustable in height with gliding element
distance between diverter and upper bracket: 920 mm
Relexaflex shower hose 1500 mm 1/2" x 1/2"
Relexaflex shower hose 500 mm 1/2" x 1/2"
flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 500 mm shower hose
GROHE Water Saving - Less water, perfect flow
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition





26 694 000 **chrome** **317.00**


Tempesta Cosmopolitan System 250 Cube
Flex shower system with diverter for wall mounting
consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower,
head shower or head shower Eco setting
head shower Tempesta 250 Cube (26 685)
2 spray patterns (via diverter):
Rain, SmartRain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE Water Saving 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 575)
4 spray patterns:
GROHE Rain O², Rain, Massage, Jet
GROHE Water Saving 9.5 l/min flow limiter
adjustable in height with gliding element
distance between diverter and upper bracket: 920 mm
Relexaflex shower hose 1500 mm 1/2" x 1/2"
Relexaflex shower hose 500 mm 1/2" x 1/2"
flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 500 mm shower hose
GROHE Water Saving - Less water, perfect flow
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
TEMPESTA SYSTEM

Product no.	Colour	RRP (€) incl. VAT
26 381 001	**chrome**	**307.00**






Tempesta System 210
Flex shower system with diverter for wall mounting
consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower,
head shower or head shower Eco setting
head shower Tempesta 210 (26 408)
2 spray patterns (via diverter):
Rain, SmartRain
chrome plated spray face
with ball joint
rotation angle ± 15°
hand shower Tempesta 100 (27 852)
spray pattern: Rain
adjustable in height with gliding element
distance between diverter and upper bracket: 620 mm
shower hose Relexaflex 1500 mm (28 151)
shower hose Relexaflex 1250 mm (28 150)
flexible installation: connection to faucet / wall union for
water supply with 1/2" thread of the 1250 mm shower hose
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages
caused by shower falling
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
SHOWER SYSTEM ACCESSORIES


	Product no.	Colour	RRP (€) incl. VAT





48 349 000 **chrome** **130.00**


Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE Long-Life Shine durable sparkling sheen



48 350 000 **chrome** **159.00**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting
15 cm longer
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE Long-Life Shine durable sparkling sheen
Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI






48 514 000 **chrome** **66.00**

Shower system pipe for retrofitting
for shower systems with plastic inner water guide
shower pipe for retrofitting
15 cm longer
than original shower system pipe
for bath/shower systems: 30 cm shorter than original pipe
suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE Long-Life Shine durable sparkling sheen






48 515 000 **chrome** **60.00**

Shower system pipe for retrofitting
for shower systems with plastic inner water guide
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
for bath/shower systems: 60 cm shorter than original pipe
suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE Long-Life Shine durable sparkling sheen





48 497 000 **chrome** **292.00**


Shower system pipe for retrofitting
material: metal
15 cm longer
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507 and 26 508
GROHE Long-Life Shine durable sparkling sheen
not suitable for all other shower systems

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SHOWER SYSTEM ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






48 498 000 **chrome** **136.00**

Shower system pipe for retrofitting
material: metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 507, 26 508 and 26 509
GROHE Long-Life Shine durable sparkling sheen
not suitable for all other shower systems






48 499 000 **chrome** **153.00**

Shower system pipe for retrofitting
material: metal
shower pipe for retrofitting
15 cm longer
than original shower system pipe
suitable for Euphoria SmartControl shower systems 26 509
GROHE Long-Life Shine durable sparkling sheen
not suitable for all other shower systems






48 053 000 **chrome** **96.00**

Shower system pipe for retrofitting
for shower systems with metal or plastic inner water guide
shower pipe for retrofitting
15 cm longer
than original shower system pipe
for bath/shower systems: 30 cm shorter than original pipe
suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE Long-Life Shine durable sparkling sheen






48 054 000 **chrome** **86.00**

Shower system pipe for retrofitting
for shower systems with metal or plastic inner water guide
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
for bath/shower systems: 60 cm shorter than original pipe
suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE Long-Life Shine durable sparkling sheen






14 014 000 **chrome** **67.00**

Rainshower
Shower arm for shower systems
material: metal
projection 340 mm
distance from wall 390 mm
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen
suitable for all GROHE shower systems except SmartControl
suitable for all GROHE shower systems

GROHE
SHOWER SYSTEM ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT





14 047 000 **chrome** **67.00**


Rainshower
Shower arm for shower systems
material: metal
projection 340 mm
distance from wall 390 mm
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen
suitable for all GROHE shower systems except SmartControl
suitable for GROHE shower systems
with short nippel, see TPI



14 079 XH0 **chrome/frosted granite** **24.00**

SmartControl
Caps exposed
consisting of:
3 caps with 3 different symbols
fits Euphoria SmartControl shower systems






26 362 LN1 **white** **43.00**

GROHE EasyReach tray
for Euphoria and Tempesta shower systems with thermostat
centre distance 150 mm






27 180 000 **chrome** **55.00**

Rainshower
Compensation disc
for Rainshower systems 27 174, 27 175, 27 032,
27 058, 27 030, 27 038, 27 089, 27 031
GROHE Long-Life Shine durable sparkling sheen






26 385 000 **chrome** **19.00**

Rainshower SmartControl
Compensation disc
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable






27 933 000 **chrome** **118.00**

Euphoria Cube
Compensation disc
for Euphoria Cube shower systems (Cube brackets)
GROHE Long-Life Shine durable sparkling sheen

GROHE
HEAD SHOWER SETS

Product no.	Colour	RRP (€) incl. VAT





26 254 000	**chrome**	**796.00**


Rainshower Duo 360
Head shower set 450 mm, 2 sprays
consisting of:
head shower Rainshower Duo 360, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain

26 254 LS0	**moon white**	**796.00**

ditto, head shower with white spray plate





26 450 000	**chrome**	**687.00**


Rainshower Mono 360
Head shower set 450 mm, 1 spray
consisting of:
head shower Rainshower Mono 360, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided at first installation; factory default setting: GROHE PureRain

26 450 LS0	**moon white**	**687.00**

ditto, head shower with white spray plate






26 264 001		**145.00**

Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information

26 475 000	**chrome**	**650.00**
26 475 DC0	**supersteel**	**910.00**
26 475 GL0	**cool sunrise**	**1,041.00**
26 475 GN0	**brushed cool sunrise**	**1,106.00**
26 475 DA0	**warm sunset**	**1,041.00**
26 475 DL0	**brushed warm sunset**	**1,106.00**
26 475 A00	**hard graphite**	**1,041.00**
26 475 AL0	**brushed hard graphite**	**1,106.00**





Rainshower SmartActive 310
Head shower set 430 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 -
to be ordered separately

26 475 LS0	**moon white**	**854.00**


ditto, head shower with white spray plate

GROHE
HEAD SHOWER SETS

	Product no.	Colour	RRP (€) incl. VAT

new






22 123 KF0	**phantom black**	**910.00**

Rainshower SmartActive 310
Head shower set 430 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately
available May 2023





26 477 000	**chrome**	**650.00**
26 477 GL0	**cool sunrise**	**1,041.00**
26 477 GN0	**brushed cool sunrise**	**1,106.00**
26 477 DA0	**warm sunset**	**1,041.00**
26 477 DL0	**brushed warm sunset**	**1,106.00**
26 477 A00	**hard graphite**	**1,041.00**
26 477 AL0	**brushed hard graphite**	**1,106.00**


Rainshower SmartActive 310
Head shower set ceiling 142 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

26 477 LS0	**moon white**	**854.00**

ditto, head shower with white spray plate

new






22 124 KF0	**phantom black**	**910.00**

Rainshower SmartActive 310
Head shower set ceiling 142 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately
available May 2023





26 479 000	**chrome**	**685.00**
26 479 GN0	**brushed cool sunrise**	**1,164.00**
26 479 DL0	**brushed warm sunset**	**1,164.00**
26 479 A00	**hard graphite**	**1,096.00**
26 479 AL0	**brushed hard graphite**	**1,164.00**

Rainshower SmartActive 310 Cube
Head shower set 430 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

26 479 LS0	**moon white**	**889.00**


ditto, head shower with white spray plate

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
HEAD SHOWER SETS

Product no.	Colour	RRP (€) incl. VAT






26 481 000	**chrome**	**685.00**
26 481 GN0	**brushed cool sunrise**	**1,164.00**
26 481 DL0	**brushed warm sunset**	**1,164.00**
26 481 AL0	**brushed hard graphite**	**1,164.00**

Rainshower SmartActive 310 Cube
Head shower set ceiling 142 mm, 2 sprays
consisting of:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 -
to be ordered separately

26 481 LS0	**moon white**	**889.00**

ditto, head shower with white spray plate






26 484 000		135.00

Rainshower
Universal rough-in box, 1/2"
for head shower set
26 475 / 26 477 / 26 479 / 26 481
2 inlets, 1/2"
installation depth 75-105 mm
connection unit in DR brass
stable build-in box and protective cover
leakproof housing
gasket
integrated flushing plug
GROHE Water Saving 9.5 l/min flow limiter per each water way
without set for final installation

26 483 000		**135.00**

ditto, with non-restricted flow






26 640 000	**chrome**	**774.00**

Rainshower SmartConnect 310
Head shower set 422 mm, 2 sprays
consisting of:
head shower Rainshower SmartConnect 310 (26 641)
spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
default spray type programmable
horizontal 422 mm shower arm (26 146)
with round escutcheon
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar

GROHE
HEAD SHOWER SETS

Product no.	Colour	RRP (€) incl. VAT






26 642 000 **chrome** 806.00

Rainshower SmartConnect 310 Cube
Head shower set 422 mm, 2 sprays
consisting of:
head shower Rainshower SmartConnect 310 Cube (26 643)
spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
default spray type programmable
horizontal 422 mm shower arm (26 146)
with square escutcheon
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar






26 558 000 **chrome** 467.00

Rainshower Mono 310
Head shower set 422 mm, 1 spray
consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
Rainshower shower arm 422 mm (26 146 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 557 000 **chrome** 467.00
ditto, with non-restricted flow

new






22 121 KF0 **phantom black** 654.00

Rainshower Mono 310
Head shower set 422 mm, 1 spray
consisting of:
head shower Rainshower 310, spray plate phantom black
1 spray pattern:
GROHE PureRain
Rainshower shower arm 422 mm
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
available May 2023





26 560 000 **chrome** 467.00

Rainshower Mono 310
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater


26 559 000 **chrome** 467.00
ditto, with non-restricted flow

GROHE
HEAD SHOWER SETS

Product no.	Colour	RRP (€) incl. VAT

new






22 122 KF0	**phantom black**	**654.00**

Rainshower Mono 310
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower 310, spray plate phantom black
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
available May 2023






26 564 000	**chrome**	**500.00**
26 564 GN0	**brushed cool sunrise**	**1,001.00**
26 564 DL0	**brushed warm sunset**	**1,001.00**
26 564 AL0	**brushed hard graphite**	**1,001.00**

Rainshower Mono 310 Cube
Head shower set 422 mm, 1 spray
consisting of:
head shower Rainshower 310
1 spray pattern:
GROHE PureRain
Rainshower shower arm 422 mm (26 145 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 563 000	**chrome**	**500.00**

ditto, with non-restricted flow






26 566 000	**chrome**	**500.00**
26 566 GN0	**brushed cool sunrise**	**1,001.00**
26 566 DL0	**brushed warm sunset**	**1,001.00**
26 566 AL0	**brushed hard graphite**	**1,001.00**

Rainshower Mono 310 Cube
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower 310
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 565 000	**chrome**	**500.00**

ditto, with non-restricted flow






26 256 000	**chrome**	**909.00**

Rainshower Cosmopolitan 400
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower Cosmopolitan 400 (28 778 000)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
suitable for instantaneous heater

GROHE
HEAD SHOWER SETS

Product no.		Colour	RRP (€) incl. VAT






26 257 000		**chrome**	**660.00**

Rainshower 310
Head shower set 422 mm, 1 spray
consisting of:
Rainshower Cosmopolitan 310 head shower (27 477 000)
1 spray pattern:
Rain
Rainshower shower arm 422 mm (26 146 000)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
suitable for instantaneous heater






26 066 000	★	**chrome**	**683.00**
26 066 DC0	★	**supersteel**	**957.00**
26 066 GL0	★	**cool sunrise**	**1,093.00**
26 066 GN0	★	**brushed cool sunrise**	**1,162.00**
26 066 DA0	★	**warm sunset**	**1,093.00**
26 066 DL0	★	**brushed warm sunset**	**1,162.00**
26 066 A00		**hard graphite**	**1,093.00**
26 066 AL0	★	**brushed hard graphite**	**1,162.00**

Rainshower Cosmopolitan 310
Head shower set 380 mm, 1 spray
consisting of:
head shower Rainshower Cosmopolitan 310 (27 478 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 380 mm (28 361 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

26 056 000		**chrome**	**683.00**

ditto, with non-restricted flow






26 067 000	★	**chrome**	**683.00**
26 067 DC0	★	**supersteel**	**957.00**
26 067 GL0	★	**cool sunrise**	**1,093.00**
26 067 GN0	★	**brushed cool sunrise**	**1,162.00**
26 067 DA0	★	**warm sunset**	**1,093.00**
26 067 DL0	★	**brushed warm sunset**	**1,162.00**
26 067 A00		**hard graphite**	**1,093.00**
26 067 AL0	★	**brushed hard graphite**	**1,162.00**

Rainshower Cosmopolitan 310
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower Cosmopolitan 310 (27 478 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system





26 259 000		**chrome**	**587.00**


Rainshower F-Series 10" 254 x 254
Head shower set 422 mm, 1 spray
consisting of:
head shower Rainshower F-Series 10" (27 271 000)
1 spray pattern:
Rain
Rainshower shower arm square 422 mm (26 145 000)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
suitable for instantaneous heater

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
HEAD SHOWER SETS

Product no.	Colour	RRP (€) incl. VAT






26 070 000 **chrome** 607.00

Rainshower F-Series 10" 254 x 254
Head shower set 275 mm, 1 spray
consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 286 mm (27 488 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

26 060 000 **chrome** 607.00
ditto, with non-restricted flow






26 071 000 **chrome** 607.00

Rainshower F-Series 10"
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system






26 171 000 **chrome** 527.00

Rainshower Cosmopolitan 210
Head shower set 422 mm, 1 spray
consisting of:
Rainshower Cosmopolitan 210 metal head shower,
spray plate chrome (28 368 000)
1 spray pattern:
Rain
Rainshower shower arm 422 mm, escutcheon chrome (26 146)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
suitable for instantaneous heater
starting **at 0.5** bar flow pressure






26 052 000 **chrome** 493.00

Rainshower Cosmopolitan 210
Head shower set 286 mm, 1 spray
consisting of:
Rainshower Cosmopolitan 210 metal head shower (28 368 000)
1 spray pattern:
Rain
shower arm Rainshower 286 mm (28 576 000)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system






26 063 000 **chrome** 493.00

Rainshower Cosmopolitan 210
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Rainshower Cosmopolitan 210 (28 373 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

GROHE
HEAD SHOWER SETS

	Product no.	Colour	RRP (€) incl. VAT






26 459 000 **chrome** 276.00

Euphoria 260
Head shower set 380 mm, 3 sprays
consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
shower arm Rainshower 380 mm (28 361 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 458 000 **chrome** 276.00
ditto, with non-restricted flow






26 461 000 **chrome** 220.00

Euphoria 260
Head shower set ceiling 142 mm, 3 sprays
consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 460 000 **chrome** 220.00
ditto, with non-restricted flow






26 073 000 **chrome** 301.00

Euphoria Cube 150
Head shower set 286 mm, 1 spray
consisting of:
head shower Euphoria Cube 150 (27 705 000)
1 spray pattern:
Rain
shower arm Rainshower 286 mm (27 709 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system





26 663 000 **chrome** 259.00

Tempesta 250
Head shower set 380 mm, 1 spray
consisting of:
head shower Tempesta 250 (26 662)
Rain
fully chrome plated surfaces
shower arm 380 mm (28 361)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition


26 668 000 **chrome** 242.00
ditto, but head shower with white rear cover

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
HEAD SHOWER SETS

	Product no.	Colour	RRP (€) incl. VAT





PROFESSIONAL GROHE


26 664 000 **chrome** 209.00

Tempesta 250
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Tempesta 250 (26 662)
Rain
fully chrome plated surfaces
shower arm ceiling 142 mm (28 724)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

PROFESSIONAL GROHE

26 669 000 **chrome** 192.00
ditto, but head shower with white rear cover





PROFESSIONAL GROHE


26 682 000 **chrome** 259.00

Tempesta 250 Cube
Head shower set 380 mm, 1 spray
consisting of:
head shower Tempesta 250 Cube (26 681)
1 spray pattern:
Rain
fully chrome plated surfaces
shower arm 380 mm
with square escutcheon
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

PROFESSIONAL GROHE

26 687 000 **chrome** 242.00
ditto, but head shower with white rear cover





PROFESSIONAL GROHE


26 683 000 **chrome** 209.00

Tempesta 250 Cube
Head shower set ceiling 142 mm, 1 spray
consisting of:
head shower Tempesta 250 Cube (26 681)
1 spray pattern:
Rain
fully chrome plated surfaces
shower arm ceiling 142 mm (27 485)
with square escutcheon
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

PROFESSIONAL GROHE

26 688 000 **chrome** 192.00
ditto, but head shower with white rear cover





26 412 000 **chrome** 200.00


Tempesta 210
Head shower set 286 mm, 1 spray
consisting of:
head shower Tempesta 210 9.5 l/min (26 410)
1 spray pattern:
Rain
shower arm Rainshower 286 mm (28 576 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 411 000 **chrome** 200.00
ditto, with non-restricted flow

GROHE
HEAD SHOWER SETS

	Product no.	Colour	RRP (€) incl. VAT






27 870 001 **chrome** **88.00**

Tempesta 100
Head shower set 4 sprays
GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar






26 088 001 **chrome** **80.00**

Tempesta 100
Head shower set 3 sprays
GROHE Rain O², Rain, Massage
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 869 001 **chrome** **96.00**

Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater





26 090 001 **chrome** **88.00**


Tempesta Cosmopolitan 100
Head shower set 3 sprays
GROHE Rain O², Rain, Massage
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
HEAD SHOWERS

Product no.	Colour	RRP (€) incl. VAT










26 641 000 **chrome** **714.00**

Rainshower SmartConnect 310
Head shower 2 sprays
GROHE PureRain, ActiveRain
default spray type programmable
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar










26 643 000 **chrome** **747.00**

Rainshower SmartConnect 310 Cube
Head shower 2 sprays
GROHE PureRain, ActiveRain
default spray type programmable
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar






26 562 000 **chrome** **383.00**

Rainshower Mono 310
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 562 LS0 **moon white** **498.00**
ditto, head shower with white spray plate





26 561 000 **chrome** **383.00**


Rainshower Mono 310
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 561 LS0 **moon white** **498.00**
ditto, head shower with white spray plate

GROHE
HEAD SHOWERS

Product no.	Colour	RRP (€) incl. VAT






26 568 000 **chrome** **416.00**

Rainshower Mono 310 Cube
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 568 LS0 **moon white** **541.00**
ditto, head shower with white spray plate






26 567 000 **chrome** **416.00**

Rainshower Mono 310 Cube
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 567 LS0 **moon white** **541.00**
ditto, head shower with white spray plate






27 470 000 **chrome** **610.00**

Rainshower Veris 300
Head shower 1 spray
Rain
300 x 150 mm
material: metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system






28 778 000 **chrome** **843.00**

Rainshower Cosmopolitan 400
Head shower 1 spray
normal (wide) spray **starting at 0.5** bar
flow pressure
Ø 400 mm
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE DreamSpray perfect flow
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
this head shower should only be used in conjunction
with shower arm 26 146, 28 982 or 28 497





27 478 000 **chrome** **646.00**

Rainshower Cosmopolitan 310
Head shower 1 spray
Rain
Ø 310 mm
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system


27 477 000 **chrome** **646.00**
ditto, with non-restricted flow

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
HEAD SHOWERS

Product no.	Colour	RRP (€) incl. VAT






28 368 00E	**chrome**	**440.00**

Rainshower Cosmopolitan 210
Head shower 1 spray
Rain
starting **at 0.5** bar flow pressure
Ø 210 mm
material: metal
with ball joint
rotation angle ± 15°
connection thread 1/2"
GROHE Water Saving 5.7 l/min. flow limiter
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
suitable for instantaneous heater
This head shower should only be used in conjunction with shower arm 28 497 or 28 576!

28 368 000	**chrome**	**440.00**
28 368 LS0	**moon white/chrome**	**546.00**

ditto, with non-restricted flow






26 474 EN0	**brushed nickel**	**793.00**

Rainshower Rustic 210
Head shower 1 spray
spray pattern: Rain
normal (wide) spray **starting at 0.5** bar
flow pressure
Ø 210 mm
120 spray nozzles
brass
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE Water Saving 6.6 l/min flow limiter
GROHE Long-Life Shine finish
SpeedClean anti-lime system





26 456 000	**chrome**	**166.00**

Euphoria 260
Head shower 3 sprays
Rain, SmartRain, Jet
Ø 260 mm
ball joint ± 15° rotatable
connection thread 1/2"
GROHE Water Saving 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar


26 457 000	**chrome**	**166.00**

ditto, with 9.5 l/min flow limiter

26 455 000	**chrome**	**166.00**

ditto, with non-restricted flow






27 492 000	**chrome**	**170.00**

Euphoria Cosmopolitan 180
Head shower 1 spray
Rain
Ø 180 mm
ball joint ± 15° rotatable
connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






28 233 000 **chrome** 110.00

Euphoria Cosmopolitan 160
Head shower 1 spray
Rain
ball joint ± 15° rotatable
connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
suitable for instantaneous heater






27 705 000 **chrome** 188.00

Euphoria Cube 150
Head shower 1 spray
Rain
152 x 152 mm
ball-joint, rotation angle ± 12°
connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system






PROFESSIONAL GROHE 26 662 000 **chrome** 157.00

Tempesta 250
Head shower 1 spray
Rain
Ø 250 mm
fully chrome plated surfaces
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

PROFESSIONAL GROHE 26 666 000 **chrome** 141.00
ditto, but with white rear cover










PROFESSIONAL GROHE 26 681 000 **chrome** 157.00

Tempesta 250 Cube
Head shower 1 spray
Rain
250 mm x 250 mm
fully chrome plated surfaces
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition


PROFESSIONAL GROHE 26 685 000 **chrome** 141.00
ditto, but with white rear cover

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT
 	26 409 000	chrome	113.00
	Tempesta 210 **Head shower 1 spray** Rain Ø 210 mm ball joint ± 15° rotatable connection thread 1/2" **GROHE Water Saving** 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater		
	26 410 000	chrome	113.00
	ditto, with 9.5 l/min flow limiter		
	26 408 000	chrome	113.00
	ditto, with non-restricted flow		
 	26 044 001	chrome	73.00
	Tempesta 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" **GROHE Water Saving** 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater max. flow rate 1.75 gpm (6.6 l/min) min. recommended pressure 1.0 bar		
	27 606 001	chrome	73.00
	ditto, with 9.5 l/min flow limiter		
 	26 050 001	chrome	58.00
	Tempesta 100 **Head shower 1 spray** Rain ball joint ± 15° rotatable **GROHE Water Saving** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater		
 	27 591 001	chrome	80.00
	Tempesta Cosmopolitan 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" **GROHE Water Saving** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system		
 	26 051 001	chrome	65.00
	Tempesta Cosmopolitan 100 **Head shower 1 spray** Rain ball joint ± 15° rotatable connection thread 1/2" **GROHE Water Saving** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater		

GROHE
HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT
 	**28 002 000**	**chrome**	**248.00**

Relexa 70
Sports head shower 1 spray
low aerosol emission
heavy, casted model
theft proof
connection thread 1/2"
projection 58 mm
flow limiter 9 l/min. and 12 l/min.
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
suicide-resisting design
pipe union plug-in for wall connection

	Product no.	Colour	RRP (€) incl. VAT
 	**28 948 000**	**chrome**	**292.00**


Relexa Plus 60
Sports head shower 1 spray
heavy, casted model
theft proof
connection thread 1/2"
projection 148 mm
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
ACCESSORIES FOR HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






26 146 000 **chrome** **111.00**

Rainshower
Shower arm 422 mm
material: metal
connection thread 1/2"
with round escutcheon, **GROHE Long-Life Shine** durable sparkling sheen

26 146 LS0 **moon white/chrome** **144.00**
ditto, with white escutcheon






28 982 000 **chrome** **174.00**

Rainshower
Shower arm 372 mm
material: metal
connection thread 1/2"
suitable for all Rainshower head showers
except Rainshower 400 mm






28 361 000 **chrome** **127.00**

Rainshower
Shower arm, 380 mm
material: metal
connection thread 1/2"
suitable for all Rainshower head showers
except Rainshower 400 mm
GROHE Long-Life Shine durable sparkling sheen

28 576 000 **chrome** **100.00**
ditto, projection 286 mm






26 145 000 **chrome** **111.00**

Rainshower
Shower arm 422 mm
material: metal
connection thread 1/2"
with square escutcheon
GROHE Long-Life Shine durable sparkling sheen






27 488 000 **chrome** **100.00**

Rainshower
Shower arm 286 mm
material: metal
connection thread 1/2"
with square escutcheon
GROHE Long-Life Shine durable sparkling sheen






27 709 000 **chrome** **138.00**

Rainshower
Shower arm 286 mm
material: metal
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen

GROHE
ACCESSORIES FOR HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT






28 497 000 **chrome** **88.00**

Rainshower
Shower arm ceiling 292 mm
material: metal
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen

28 724 000 **chrome** **66.00**
28 724 LS0 **moon white/chrome** **98.00**
ditto, length 142 mm






27 484 000 **chrome** **87.00**

Rainshower
Shower arm ceiling 292 mm
material: metal
connection thread 1/2"
with square escutcheon
GROHE Long-Life Shine durable sparkling sheen

27 485 000 **chrome** **74.00**
ditto, length 142 mm






27 711 000 **chrome** **118.00**

Rainshower
Shower arm ceiling 154 mm
material: metal
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen






27 406 000 **chrome** **57.00**

Relexa
Shower arm 218 mm
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen





28 541 000 **chrome** **96.00**


Relexa
Shower arm 147 mm
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
ACCESSORIES FOR HEAD SHOWERS

	Product no.	Colour	RRP (€) incl. VAT





28 429 000	**chrome**	**54.00**

Relexa
Shower arm 55 mm
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen




48 348 000	**chrome**	**45.00**

Spray face
for SmartControl and head showers with multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly key

GROHE
RAINSHOWER SMARTACTIVE

Product no.		Colour	RRP (€) incl. VAT
26 574 000	★	**chrome**	**98.00**
26 574 DC0	★	**supersteel**	**147.00**
26 574 GL0	★	**cool sunrise**	**167.00**
26 574 GN0	★	**brushed cool sunrise**	**177.00**
26 574 DA0	★	**warm sunset**	**167.00**
26 574 DL0	★	**brushed warm sunset**	**177.00**
26 574 A00		**hard graphite**	**167.00**
26 574 AL0	★	**brushed hard graphite**	**177.00**





Rainshower SmartActive 130
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater


26 544 000	**chrome**	**98.00**
ditto, with non-restricted flow		

---

new

22 127 KF0	**phantom black**	**137.00**






Rainshower SmartActive 130
Hand shower 3 sprays
spray plate phantom black
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
available May 2023

---

26 574 LS0	**moon white**	**98.00**





Rainshower SmartActive 130
Hand shower 3 sprays
spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater


26 544 LS0	**moon white**	**98.00**
ditto, with non-restricted flow		

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAINSHOWER SMARTACTIVE

Product no.	Colour	RRP (€) incl. VAT






26 575 000	**chrome**	**210.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater

26 546 000	**chrome**	**209.00**

ditto, with non-restricted flow






26 577 LS0	**moon white**	**210.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
spray plate moon white
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 576 LS0	**moon white**	**209.00**

ditto, with non-restricted flow





26 548 000	**chrome**	**216.00**

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar


26 578 000	**chrome**	**215.00**

ditto, with non-restricted flow

GROHE
RAINSHOWER SMARTACTIVE

Product no.	Colour	RRP (€) incl. VAT






26 579 LS0 **moon white** 216.00

Rainshower SmartActive 130
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
spray plate moon white
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater

26 578 LS0 **moon white** 215.00
ditto, with non-restricted flow






26 581 000 **chrome** 137.00

Rainshower SmartActive 130
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater

26 581 LS0 **moon white** 137.00
ditto, with white spray plate





26 580 000 **chrome** 162.00


Rainshower SmartActive 130
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater

26 580 LS0 **moon white** 162.00
ditto, with white spray plate

GROHE
RAINSHOWER SMARTACTIVE

Product no.	Colour	RRP (€) incl. VAT





26 582 000	**chrome**	**98.00**
26 582 DC0	**supersteel**	**147.00**
26 582 GN0	**brushed cool sunrise**	**177.00**
26 582 DL0	**brushed warm sunset**	**177.00**
26 582 AL0	**brushed hard graphite**	**177.00**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater


26 552 000	**chrome**	**100.00**

ditto, with GROHE EcoJoy 6.8 l/min flow limiter

26 550 000	**chrome**	**98.00**

ditto, with non-restricted flow






26 582 LS0	**moon white**	**98.00**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater

26 551 LS0	**moon white**	**98.00**

ditto, with non-restricted flow





26 584 000	**chrome**	**210.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus adjustable distance between
brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater

26 585 000	**chrome**	**213.00**

ditto, with GROHE EcoJoy 6.8 l/min flow limiter


26 583 000	**chrome**	**209.00**

ditto, with non-restricted flow

GROHE
RAINSHOWER SMARTACTIVE

Product no.	Colour	RRP (€) incl. VAT






26 584 LS0 **moon white** **210.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
spray plate moon white
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater






26 586 000 **chrome** **215.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater

26 587 000 **chrome** **216.00**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter





26 586 LS0 **moon white** **215.00**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
spray plate moon white
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater


26 587 LS0 **moon white** **216.00**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAINSHOWER SMARTACTIVE

	Product no.	Colour	RRP (€) incl. VAT






26 589 000 **chrome** **137.00**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater






26 589 LS0 **moon white** **137.00**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
spray plate moon white
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater






26 588 000 **chrome** **162.00**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater






26 588 LS0 **moon white** **162.00**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
spray plate moon white
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater

GROHE
RAINSHOWER SMARTACTIVE

Product no.	Colour	RRP (€) incl. VAT






26 590 000 **chrome** 123.00

Rainshower SmartActive 150
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater

26 553 000 **chrome** 122.00
ditto, with non-restricted flow






26 554 LS0 **moon white** 123.00

Rainshower SmartActive 150
Hand shower 3 sprays
spray plate moon white
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar






26 592 000 **chrome** 249.00

Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater

26 591 000 **chrome** 248.00
ditto, with non-restricted flow





26 592 LS0 **moon white** 249.00


Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 554)
spray plate moon white
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAINSHOWER SMARTACTIVE

Product no.	Colour	RRP (€) incl. VAT






26 594 000 **chrome** **256.00**

Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater

26 593 000 **chrome** **255.00**
ditto, with non-restricted flow






26 594 LS0 **moon white** **256.00**

Rainshower SmartActive 150
Shower rail set 3 sprays
consisting of:
hand shower Rainshower SmartActive 150 (26 554)
spray plate moon white
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater






26 602 000 **chrome** **127.00**

Rainshower SmartActive
Shower rail, 600 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation Plus (adjustable distance between wall shower holders for adaption to existing drillings)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE Long-Life Shine durable sparkling sheen

GROHE
RAINSHOWER SMARTACTIVE

Product no.		Colour	RRP (€) incl. VAT
26 603 000	★	chrome	133.00
26 603 DC0	★	supersteel	240.00
26 603 BE0		polished nickel	267.00
26 603 EN0		brushed nickel	293.00
26 603 GL0	★	cool sunrise	267.00
26 603 GN0	★	brushed cool sunrise	293.00
26 603 DA0	★	warm sunset	267.00
26 603 DL0	★	brushed warm sunset	293.00
26 603 A00		hard graphite	267.00
26 603 AL0	★	brushed hard graphite	293.00






Rainshower SmartActive
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation Plus (adjustable distance between wall shower holders for adaption to existing drillings)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE Long-Life Shine durable sparkling sheen

new

22 125 KF0		phantom black	187.00







Rainshower SmartActive
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation Plus (adjustable distance between wall shower holders for adaption to existing drillings)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE Long-Life Shine finish
available May 2023

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAINSHOWER

	Product no.	Colour	RRP (€) incl. VAT
 	**27 274 000**	**chrome**	**148.00**

Rainshower Eco 120
Hand shower 2 sprays
Rain, SmartRain
eco function (reduction of flow rate)
elbow adapter for the combination of
hand showers with shower sets
GROHE Long-Life Shine durable sparkling sheen
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system


 	**45 914 XE0**	**gray night time**	**17.00**

Compensation disc
for Relexa / Rainshower shower bars
28 819 / 28 797 / 27 136

GROHE
RELEXA

	Product no.	Colour	RRP (€) incl. VAT






28 002 000 **chrome** **248.00**

Relexa 70
Sports head shower 1 spray
low aerosol emission
heavy, casted model
theft proof
connection thread 1/2"
projection 58 mm
flow limiter 9 l/min. and 12 l/min.
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
suicide-resisting design
pipe union plug-in for wall connection





28 948 000 **chrome** **292.00**


Relexa Plus 60
Sports head shower 1 spray
heavy, casted model
theft proof
connection thread 1/2"
projection 148 mm
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT






27 222 000 **chrome** 80.00

Euphoria 110 Champagne
Hand shower 3 sprays
Rain, Champagne spray, SmartRain
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system






26 513 000 **chrome** 83.00

Euphoria 110 Massage
Hand shower 3 sprays
spray face Ø 110 mm
Rain, Massage, SmartRain
GROHE Water Saving 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE Long-Life Shine durable sparkling sheen
spray plate white
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 239 001 **chrome** 83.00

Euphoria 110 Massage
Hand shower 3 sprays
spray face Ø 110 mm
Rain, Massage, SmartRain
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE Long-Life Shine durable sparkling sheen
spray plate white
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 221 001 **chrome** 76.00
ditto, with non-restricted flow






27 239 000 **chrome** 76.00

Euphoria 110 Massage
Hand shower 3 sprays
Rain, Massage, SmartRain
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

27 221 000 **chrome** 69.00
ditto, with non-restricted flow





27 238 000 **chrome** 59.00


Euphoria 110 Duo
Hand shower 2 sprays
Rain, SmartRain
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
min. recommended pressure 1.0 bar

27 220 000 **chrome** 55.00
ditto, with non-restricted flow

GROHE EUPHORIA

Product no.	Colour	RRP (€) incl. VAT






27 265 00E **chrome** **40.00**

Euphoria 110 Mono
Hand shower 1 spray
Rain
GROHE Water Saving 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 265 000 **chrome** **40.00**
ditto, with non-restricted flow






27 232 001 **chrome** **142.00**

Euphoria 110 Champagne
Shower rail set 3 sprays
consisting of:
hand shower Champagne (27 222 000)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray (27 596)
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 243 001 **chrome** **131.00**

Euphoria 110 Massage
Shower rail set 3 sprays
consisting of:
hand shower Massage (27 239 000)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray (27 596)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heater

27 231 001 **chrome** **131.00**
ditto, with non-restricted flow





27 242 001 **chrome** **125.00**

Euphoria 110 Duo
Shower rail set 2 sprays
consisting of:
hand shower Euphoria 110 Duo (27 238)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray (27 596)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar


27 230 001 **chrome** **125.00**
ditto, with non-restricted flow

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUPHORIA

Product no.	Colour	RRP (€) incl. VAT






27 266 00E	**chrome**	**110.00**

Euphoria 110 Mono
Shower rail set 1 spray
consisting of:
hand shower Euphoria Mono (27 265)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray
GROHE Water Saving 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 266 001	**chrome**	**110.00**

ditto, with non-restricted flow






27 227 001	**chrome**	**152.00**

Euphoria 110 Champagne
Shower rail set 3 sprays
consisting of:
hand shower Champagne (27 222 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 226 001	**chrome**	**141.00**
27 226 AL1	**brushed hard graphite**	**239.00**

Euphoria 110 Massage
Shower rail set 3 sprays
consisting of:
hand shower Massage (27 221 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heater






27 225 001	**chrome**	**134.00**

Euphoria 110 Duo
Shower rail set 2 sprays
consisting of:
hand shower Duo (27 220 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heater

GROHE
EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT






27 267 001 **chrome** **119.00**

Euphoria 110 Mono
Shower rail set 1 spray
consisting of:
hand shower Mono (27 265 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 355 000 **chrome** **133.00**

Euphoria 110 Champagne
Wall holder set 3 sprays
consisting of:
hand shower Champagne (27 222 000)
wall shower holder 28 401
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 354 000 **chrome** **72.00**

Euphoria 110 Mono
Wall holder set 1 spray
consisting of:
hand shower Mono (27 265 000)
wall shower holder (27 056)
Silverflex shower hose 1250 mm (28 362)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar





26 459 000 **chrome** **276.00**

Euphoria 260
Head shower set 380 mm, 3 sprays
consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
shower arm Rainshower 380 mm (28 361 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater


26 458 000 **chrome** **276.00**
ditto, with non-restricted flow

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUPHORIA

Product no.	Colour	RRP (€) incl. VAT






26 461 000	**chrome**	**220.00**

Euphoria 260
Head shower set ceiling 142 mm, 3 sprays
consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 460 000	**chrome**	**220.00**

ditto, with non-restricted flow





26 456 000	**chrome**	**166.00**

Euphoria 260
Head shower 3 sprays
Rain, SmartRain, Jet
Ø 260 mm
ball joint ± 15° rotatable
connection thread 1/2"
GROHE Water Saving 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar


26 457 000	**chrome**	**166.00**

ditto, with 9.5 l/min flow limiter

26 455 000	**chrome**	**166.00**

ditto, with non-restricted flow






27 499 000	**chrome**	**64.00**

Euphoria
Shower rail, 600 mm
with wall holders, glide element and swivel holder
GROHE FastFixation (upper bracket adjustable
for adaption to existing drilling holes)
GROHE Long-Life Shine durable sparkling sheen

27 500 000	**chrome**	**67.00**

ditto, 900 mm






48 051 000	**10.00**

Compensation disc
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524






27 596 000	**8.00**

GROHE EasyReach tray
acrylic
for Tempesta and Euphoria
shower rails Ø 22 mm

GROHE EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT





27 400 000 **chrome** 62.00


Euphoria Cosmopolitan Stick
Hand shower 1 spray
Normal spray
GROHE Water Saving 9.5 l/min flow limiter
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 367 000 **chrome** 62.00
ditto, with non-restricted flow

---

new






22 126 KF0 **phantom black** 87.00

Euphoria Cosmopolitan Stick
Hand shower 1 spray
Normal spray
GROHE Water Saving 9.5 l/min flow limiter
GROHE Long-Life Shine finish
SpeedClean anti-lime system
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available May 2023






27 368 000 **chrome** 223.00

Euphoria Cosmopolitan Stick
Shower rail set 1 spray
consisting of:
hand shower 27 400 000
shower rail, 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388)
soap dish (27 206)
GROHE Water Saving 9.5 l/min flow limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus adjustable distance between brackets for adaption to existing drilling holes
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






26 404 000 **chrome** 96.00

Euphoria Cosmopolitan Stick
Wall holder set 1 spray
with integrated wall union 1/2“
consisting of:
hand shower 27 400 000
shower outlet elbow 1/2“ with
wall shower holder (28 679)
male thread
protected against backflow
Silverflex shower hose 1.500 mm (28 364)
GROHE Water Saving 9.5 l/min flow limiter
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar





27 369 000 **chrome** 98.00


Euphoria Cosmopolitan Stick
Wall holder set 1 spray
consisting of:
hand shower 27 400 000
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE Water Saving 9.5 l/min flow limiter
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
suitable for instantaneous heater

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT






27 492 000 **chrome** 170.00

Euphoria Cosmopolitan 180
Head shower 1 spray
Rain
Ø 180 mm
ball joint ± 15° rotatable
connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system






28 233 000 **chrome** 110.00

Euphoria Cosmopolitan 160
Head shower 1 spray
Rain
ball joint ± 15° rotatable
connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
suitable for instantaneous heater






27 891 000 **chrome** 325.00

Euphoria Cube+ Stick
Shower rail set 1 spray
consisting of:
hand shower, metal (27 888 000)
shower rail 600 mm (27 892 000)
metal shower hose 1750 mm (28 025)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 699 000 **chrome** 63.00

Euphoria Cube Stick
Hand shower 1 spray
Normal spray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

27 698 000 **chrome** 63.00
ditto, with non-restricted flow






27 936 000 **chrome** 264.00

Euphoria Cube
Shower set
consisting of:
hand shower (27 698 000)
shower rail 600 mm (27 892 000)
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar
available until 31 march 2023

GROHE EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT






27 700 000 **chrome** **276.00**

Euphoria Cube Stick
Shower rail set 1 spray
consisting of:
hand shower (27 698 000)
shower rail 900 mm (27 841)
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
min. recommended pressure 1.0 bar






26 405 000 **chrome** **124.00**

Euphoria Cube Stick
Wall holder set 1 spray
with integrated wall union 1/2"
consisting of:
hand shower (27 699 000)
shower outlet elbow 1/2" with
wall shower holder (26 370)
male thread
protected against backflow
Silverflex shower hose 1250 mm (28 362)
GROHE Water Saving 9.5 l/min flow limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 703 000 **chrome** **106.00**

Euphoria Cube Stick
Wall holder set 1 spray
consisting of:
hand shower (27 699 000)
wall shower holder (27 693 000)
Silverflex shower hose 1250 mm (28 362)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
TwistStop to prevent hose from twisting
min. recommended pressure 1.0 bar

27 702 000 **chrome** **106.00**
ditto, with non-restricted flow






26 073 000 **chrome** **301.00**

Euphoria Cube 150
Head shower set 286 mm, 1 spray
consisting of:
head shower Euphoria Cube 150 (27 705 000)
1 spray pattern:
Rain
shower arm Rainshower 286 mm (27 709 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system











27 705 000 **chrome** **188.00**

Euphoria Cube 150
Head shower 1 spray
Rain
152 x 152 mm
ball-joint, rotation angle ± 12°
connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE
EUPHORIA

	Product no.	Colour	RRP (€) incl. VAT
 	27 892 000	chrome	244.00
	Euphoria Cube **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE Long-Life Shine** durable sparkling sheen		
	27 841 000	chrome	256.00
	ditto, 900 mm		
 	27 845 000		13.00
	Euphoria Cube **Compensation disc** for Euphoria Cube shower bars 27 892 000 / 27 841 000 stackable		
 	27 693 000	chrome	33.00
	Euphoria Cube **Wall hand shower holder** not adjustable **GROHE Long-Life Shine** durable sparkling sheen		
 	27 704 000	chrome	38.00
	Euphoria Cube **Shower outlet elbow, 1/2"** male thread protected against backflow **GROHE Long-Life Shine** durable sparkling sheen		
 	26 370 000	chrome	51.00
	26 370 DC0	supersteel	71.00
	26 370 GN0	brushed cool sunrise	86.00
	26 370 DL0	brushed warm sunset	86.00
	26 370 A00	hard graphite	81.00
	26 370 AL0	brushed hard graphite	86.00
	Euphoria Cube **Shower outlet elbow, 1/2"** with wall shower holder male thread protected against backflow **GROHE Long-Life Shine** durable sparkling sheen		
 	27 709 000	chrome	138.00
	Rainshower **Shower arm 286 mm** material: metal connection thread 1/2" **GROHE Long-Life Shine** durable sparkling sheen		

GROHE
EUPHORIA

Product no.	Colour	RRP (€) incl. VAT
27 711 000	**chrome**	**118.00**






Rainshower
Shower arm ceiling 154 mm
material: metal
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






27 575 002 **chrome** 58.00

Tempesta Cosmopolitan 100
Hand shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

27 573 002 **chrome** 58.00
ditto, with non-restricted flow






27 574 002 **chrome** 43.00

Tempesta Cosmopolitan 100
Hand shower 3 sprays
GROHE Rain O², Rain, Massage
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

27 572 002 **chrome** 43.00
ditto, with non-restricted flow






27 571 20E **chrome** 34.00

Tempesta Cosmopolitan 100
Hand shower 2 sprays
Rain, Jet
GROHE Water Saving 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 046 002 **chrome** 34.00
ditto, with 6.6 l/min flow llimiter

27 571 002 **chrome** 34.00
ditto, with non-restricted flow






26 082 002 **chrome** 27.00

Tempesta Cosmopolitan 100
Hand shower 1 spray
Rain
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
universal mounting system, fitting all standard shower hoses
min. recommended pressure 1.0 bar






27 577 002 **chrome** 111.00

Tempesta Cosmopolitan 100
Shower rail set 4 sprays
consisting of:
hand shower (27 575)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






27 576 002 **chrome** **101.00**

Tempesta Cosmopolitan 100
Shower set 3 sprays
consisting of:
hand shower (27 574)
shower rail, 600 mm
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 929 002 **chrome** **101.00**
ditto, with non-restricted flow






27 928 002 **chrome** **89.00**

Tempesta Cosmopolitan 100
Shower rail set 2 sprays
consisting of:
hand shower (27 571)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar






26 083 002 **chrome** **80.00**

Tempesta Cosmopolitan 100
Shower rail set 1 spray
consisting of:
hand shower (26 082)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar





27 580 002 **chrome** **99.00**


Tempesta Cosmopolitan 100
Shower rail set 4 sprays
consisting of:
hand shower Tempesta Cosmopolitan 100 (27 575)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 787 002 **chrome** **99.00**
ditto, with non-restricted flow

GROHE TEMPESTA

Product no.	Colour	RRP (€) incl. VAT






27 579 002 **chrome** 89.00

Tempesta Cosmopolitan 100
Shower rail set 3 sprays
consisting of:
hand shower (27 574)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 786 002 **chrome** 89.00
ditto, with non-restricted flow






27 578 20E **chrome** 77.00

Tempesta Cosmopolitan 100
Shower rail set 2 sprays
consisting of:
hand shower Tempesta Cosmopolitan 100 (27 571 20E)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE Water Saving 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 076 002 **chrome** 77.00
ditto, with 6.6 l/min flow limiter

27 578 002 **chrome** 77.00
ditto, with non-restricted flow






27 790 002 **chrome** 108.00

Tempesta Cosmopolitan 100
Shower rail set 4 sprays
consisting of:
hand shower (27 573)
shower rail, 900 mm (27 522)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system






27 789 002 **chrome** 97.00

Tempesta Cosmopolitan 100
Shower rail set 3 sprays
consisting of:
hand shower (27 572)
shower rail, 900 mm (27 522)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






27 788 002 **chrome** 85.00

Tempesta Cosmopolitan 100
Shower rail set 2 sprays
consisting of:
hand shower (27 571)
shower rail, 900 mm (27 522)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system






27 584 002 **chrome** 66.00

Tempesta Cosmopolitan 100
Shower set 3 sprays
consisting of:
hand shower (27 574)
wall shower holder adjustable (27 595)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 588 002 **chrome** 61.00

Tempesta Cosmopolitan 100
Wall holder set 3 sprays
consisting of:
hand shower (27 574)
wall shower holder non-adjustable (27 594)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE Water Saving 9.5 l/min flow limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system






26 084 002 **chrome** 44.00

Tempesta Cosmopolitan 100
Wall holder set 1 spray
consisting of:
hand shower (26 082)
wall shower holder non-adjustable (27 594)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE Long-Life Shine durable sparkling sheen
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar





27 869 001 **chrome** 96.00


Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






26 090 001 **chrome** **88.00**

Tempesta Cosmopolitan 100
Head shower set 3 sprays
GROHE Rain O², Rain, Massage
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater






27 591 001 **chrome** **80.00**

Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system






26 051 001 **chrome** **65.00**

Tempesta Cosmopolitan 100
Head shower 1 spray
Rain
ball joint ± 15° rotatable
connection thread 1/2"
GROHE Water Saving 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater






27 521 000 **chrome** **65.00**

Tempesta Cosmopolitan
Shower rail, 600 mm
with wall brackets, glider and swivel holder
GROHE Long-Life Shine durable sparkling sheen

27 522 000 **chrome** **69.00**
ditto, 900 mm






48 051 000 **10.00**

Compensation disc
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524






27 596 000 **8.00**

GROHE EasyReach tray
acrylic
for Tempesta and Euphoria
shower rails Ø 22 mm

GROHE
TEMPESTA





Product no.	Colour	RRP (€) incl. VAT
27 594 000	**chrome**	**16.00**





Tempesta Cosmopolitan
Wall hand shower holder
not adjustable
GROHE Long-Life Shine durable sparkling sheen


GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT
 	28 421 002	chrome	52.00
Tempesta 100 **Hand shower 4 sprays** GROHE Rain O², Rain, Massage, Jet **GROHE Water Saving** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **ShockProof** silicone ring prevents damages caused by shower falling			
	28 578 002	chrome	52.00
	ditto, with non-restricted flow		
 	28 419 002	chrome	39.00
Tempesta 100 **Hand shower 3 sprays** GROHE Rain O², Rain, Massage **GROHE Water Saving** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **ShockProof** silicone ring prevents damages caused by shower falling			
	28 261 002	chrome	39.00
	ditto, with non-restricted flow		
 	27 597 10E	chrome	30.00
Tempesta 100 **Hand shower 2 sprays** Rain, Jet Cradle to Cradle Certified Bronze **GROHE Water Saving** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater			
	26 161 001	chrome	30.00
	ditto, with 9.5 l/min flow limiter		
	27 597 001	chrome	30.00
	ditto, with non-restricted flow		
 	27 923 001	chrome	24.00
Tempesta 100 **Hand shower 1 spray** Rain **GROHE Water Saving** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **ShockProof** silicone ring prevents damages caused by shower falling			
	27 852 001	chrome	24.00
	ditto, with non-restricted flow		

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






28 436 002 **chrome** 101.00

Tempesta 100
Shower rail set 4 sprays
consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater

28 593 002 **chrome** 100.00
ditto, with non-restricted flow






27 600 001 **chrome** 92.00

Tempesta 100
Shower rail set 3 sprays
consisting of:
hand shower (28 419)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 927 001 **chrome** 92.00
ditto, with non-restricted flow




27 926 001 **chrome** 81.00



Tempesta 100
Shower rail set 2 sprays
consisting of:
hand shower Tempesta 100 II (27 597)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater









27 645 001 **chrome** 89.00

Tempesta 100
Shower rail set 4 sprays
consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 795 001 **chrome** 89.00
ditto, with non-restricted flow

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT
 	27 644 001	**chrome**	81.00
Tempesta 100 **Shower rail set 3 sprays** consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE Water Saving** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar			
	27 794 001	**chrome**	81.00
	ditto, with non-restricted flow		
 	26 803 000	**chrome**	105.00
Tempesta 100 **Shower rail set 2 sprays** Cradle to Cradle Certified Gold consisting of: hand shower Tempesta 100 II 5.7 l/min shower rail, 600 mm (27 523) metal shower hose 1750 mm 1/2" x 1/2" **GROHE Water Saving** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar			
 	27 598 10E	**chrome**	70.00
Tempesta 100 **Shower rail set 2 sprays** consisting of: hand shower Tempesta 100 II 5.7 l/min (27 597) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE Water Saving** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life **ShockProof** silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar			
	27 598 001	**chrome**	70.00
	ditto, with non-restricted flow		
 	27 924 001	**chrome**	59.00
Tempesta 100 **Shower rail set 1 spray** consisting of: hand shower (27 923) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE Water Saving** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **ShockProof** silicone ring prevents damages caused by shower falling			
	27 853 001	**chrome**	59.00
	ditto, with non-restricted flow		

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






28 789 002 **chrome** 89.00

Tempesta 100
Shower rail set 3 sprays
consisting of:
hand shower (28 419)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
ShockProof silicone ring prevents damages caused by shower falling

27 796 001 **chrome** 89.00
ditto, with non-restricted flow






27 646 10E **chrome** 78.00

Tempesta 100
Shower rail set 2 sprays
consisting of:
hand shower Tempesta 100 II (27 597)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE Water Saving 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater

26 163 001 **chrome** 78.00
ditto, with 9.5 l/min flow limiter

27 646 001 **chrome** 78.00
ditto, with non-restricted flow






27 925 001 **chrome** 66.00

Tempesta 100
Shower rail set 1 spray
consisting of:
hand shower (27 923)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
ShockProof silicone ring prevents damages caused by shower falling

27 854 001 **chrome** 66.00
ditto, with non-restricted flow





27 601 10E **chrome** 50.00


Tempesta 100
Wall holder set 2 sprays
consisting of:
hand shower Tempesta 100 II (27 597)
wall shower holder adjustable (27 595)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE Water Saving 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE TEMPESTA

Product no.	Colour	RRP (€) incl. VAT






27 849 001 **chrome** **58.00**

Tempesta 100
Wall holder set 3 sprays
consisting of:
hand shower (28 261)
wall shower holder (28 605)
not adjustable
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 803 10E **chrome** **46.00**

Tempesta 100
Wall holder set 2 sprays
consisting of:
hand shower Tempesta 100 II (27 597)
wall shower holder (28 605)
not adjustable
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE Water Saving 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar






27 798 10E **chrome** **44.00**

Tempesta 100
Wall holder set 2 sprays
consisting of:
hand shower Tempesta 100 II (27 597)
wall shower holder (28 605)
not adjustable
Relexaflex hose 1250 mm 1/2" x 1/2" (28 150)
GROHE Water Saving 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

26 164 001 **chrome** **44.00**
ditto, with 9.5 l/min flow limiter

27 799 001 **chrome** **44.00**
ditto, with non-restricted flow






26 406 001 **chrome** **63.00**

Tempesta 100
Wall holder set 2 sprays
with integrated wall union 1/2"
consisting of:
hand shower Tempesta 100 II (27 597)
shower outlet elbow 1/2" with
wall shower holder (28 679)
male thread
protected against backflow
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE Water Saving 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT





PROFESSIONAL GROHE


26 663 000 **chrome** 259.00

Tempesta 250
Head shower set 380 mm, 1 spray
consisting of:
head shower Tempesta 250 (26 662)
Rain
fully chrome plated surfaces
shower arm 380 mm (28 361)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

PROFESSIONAL GROHE

26 668 000 **chrome** 242.00
ditto, but head shower with white rear cover





PROFESSIONAL GROHE


26 682 000 **chrome** 259.00

Tempesta 250 Cube
Head shower set 380 mm, 1 spray
consisting of:
head shower Tempesta 250 Cube (26 681)
1 spray pattern:
Rain
fully chrome plated surfaces
shower arm 380 mm
with square escutcheon
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

PROFESSIONAL GROHE

26 687 000 **chrome** 242.00
ditto, but head shower with white rear cover






26 412 000 **chrome** 200.00

Tempesta 210
Head shower set 286 mm, 1 spray
consisting of:
head shower Tempesta 210 9.5 l/min (26 410)
1 spray pattern:
Rain
shower arm Rainshower 286 mm (28 576 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 411 000 **chrome** 200.00
ditto, with non-restricted flow









27 870 001 **chrome** 88.00

Tempesta 100
Head shower set 4 sprays
GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar


GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT
 	**26 088 001**	**chrome**	**80.00**
	Tempesta 100 **Head shower set 3 sprays** GROHE Rain O², Rain, Massage ball joint ± 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	**26 664 000**	**chrome**	**209.00**
	Tempesta 250 **Head shower set ceiling 142 mm, 1 spray** consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm ceiling 142 mm (28 724) **GROHE Water Saving** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater professional edition		
	26 669 000	**chrome**	**192.00**
	ditto, but head shower with white rear cover		
 	**26 683 000**	**chrome**	**209.00**
	Tempesta 250 Cube **Head shower set ceiling 142 mm, 1 spray** consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (27 485) with square escutcheon **GROHE Water Saving** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater professional edition		
	26 688 000	**chrome**	**192.00**
	ditto, but head shower with white rear cover		
 	**26 662 000**	**chrome**	**157.00**
	Tempesta 250 **Head shower 1 spray** Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" **GROHE Water Saving** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE Long-Life Shine** durable sparkling sheen **SpeedClean** anti-lime system **Inner WaterGuide** for a longer life suitable for instantaneous heater professional edition		
	26 666 000	**chrome**	**141.00**
	ditto, but with white rear cover		

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT





PROFESSIONAL GROHE


26 681 000 **chrome** **157.00**

Tempesta 250 Cube
Head shower 1 spray
Rain
250 mm x 250 mm
fully chrome plated surfaces
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

PROFESSIONAL GROHE

26 685 000 **chrome** **141.00**
ditto, but with white rear cover






26 409 000 **chrome** **113.00**

Tempesta 210
Head shower 1 spray
Rain
Ø 210 mm
ball joint ± 15° rotatable
connection thread 1/2"
GROHE Water Saving 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 410 000 **chrome** **113.00**
ditto, with 9.5 l/min flow limiter

26 408 000 **chrome** **113.00**
ditto, with non-restricted flow






26 044 001 **chrome** **73.00**

Tempesta 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
connection thread 1/2"
GROHE Water Saving 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
max. flow rate 1.75 gpm (6.6 l/min)
min. recommended pressure 1.0 bar

27 606 001 **chrome** **73.00**
ditto, with 9.5 l/min flow limiter











26 050 001 **chrome** **58.00**

Tempesta 100
Head shower 1 spray
Rain
ball joint ± 15° rotatable
GROHE Water Saving 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT
 	**27 523 000**	**chrome**	**61.00**
	Tempesta **Shower rail, 600 mm** with wall brackets, glider and swivel holder **GROHE Long-Life Shine** durable sparkling sheen		
	27 524 000	**chrome**	**65.00**
	ditto, 900 mm		
 	**48 051 000**		**10.00**
	Compensation disc for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524		
 	**27 596 000**		**8.00**
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm		
 	**27 595 000**	**chrome**	**25.00**
	Tempesta **Wall hand shower holder** adjustable **GROHE Long-Life Shine** durable sparkling sheen		
 	**28 605 000**	**chrome**	**19.00**
	Relexa **Wall hand shower holder** not adjustable **GROHE Long-Life Shine** durable sparkling sheen		
 	**27 594 000**	**chrome**	**16.00**
	Tempesta Cosmopolitan **Wall hand shower holder** not adjustable **GROHE Long-Life Shine** durable sparkling sheen		

GROHE TEMPESTA

	Product no.	Colour	RRP (€) incl. VAT






27 406 000 **chrome** **57.00**

Relexa
Shower arm 218 mm
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen






28 541 000 **chrome** **96.00**

Relexa
Shower arm 147 mm
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen






28 429 000 **chrome** **54.00**

Relexa
Shower arm 55 mm
connection thread 1/2"
GROHE Long-Life Shine durable sparkling sheen





27 519 000 **chrome** **69.00**


Tempesta Rustic
Shower rail, 600 mm
with wall brackets, glider and swivel holder
GROHE Long-Life Shine durable sparkling sheen
available until 31 march 2023

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
TEMPESTA-F TRIGGER SPRAYS

	Product no.	Colour	RRP (€) incl. VAT






27 512 001 **chrome** **25.00**

Tempesta-F Trigger Spray 30
Hand shower 1 spray
with trigger control
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
Please refer to local norms regarding installation.






28 020 L01 **white** **18.00**

Tempesta-F Trigger Spray 30
Hand shower 1 spray
with trigger control
GROHE Long-Life Shine finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
Please refer to local norms regarding installation.





26 353 000 **chrome** **47.00**


Tempesta-F Trigger Spray 30
Wall holder set 1 spray
consisting of:
hand shower with trigger control (27 512 001)
wall shower holder (28 605)
Silverflex Long-Life shower hose 1500 mm (26 346)
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
Please refer to local norms regarding installation.

27 513 001	★	**chrome**	**45.00**
27 513 GL1	★	**cool sunrise**	**138.00**
27 513 GN1	★	**brushed cool sunrise**	**148.00**
27 513 DA1	★	**warm sunset**	**138.00**
27 513 A01		**hard graphite**	**138.00**
27 513 AL1	★	**brushed hard graphite**	**148.00**

ditto, with 1250 mm hose

26 352 000 **chrome** **42.00**
ditto, with 1000 mm hose






26 354 000 **chrome** **52.00**

Tempesta-F Trigger Spray 30
Wall holder set 1 spray
consisting of:
hand shower with trigger control (27 512 001)
wall shower holder (28 605)
metal shower hose 1250 mm
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Please refer to local norms regarding installation.
Relexaflex Metal Long-Life shower hose 1250 mm





27 812 IL1 **chrome/white** **37.00**


Tempesta-F Trigger Spray 30
Wall holder set 1 spray
consisting of:
hand shower with trigger control (28 020 L01)
wall shower holder (28 605)
Silverflex Long-Life shower hose 1250 mm (26 335)
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
Please refer to local norms regarding installation.

26 355 IL0 **chrome/white** **35.00**
ditto, with 1000 mm hose

GROHE
TEMPESTA-F TRIGGER SPRAYS

	Product no.	Colour	RRP (€) incl. VAT






26 356 IL0 **chrome/white** **42.00**

Tempesta-F Trigger Spray 30
Wall holder set 1 spray
consisting of:
hand shower with trigger control
wall shower holder (28 605)
Relexaflex Metal Long-Life shower hose 1250 mm
GROHE Water Saving 5.7 l/min. flow limiter
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
min. recommended pressure 1.0 bar
Please refer to local norms regarding installation.






26 357 000 **chrome** **94.00**

Tempesta-F Trigger Spray 30
Wall holder set with angle valve 1 spray
consisting of:
hand shower with trigger control (27 512 001)
wall shower holder (28 605)
Silverflex Long-Life shower hose 1500 mm (26 346)
angle valve 1/2" (22 958)
GROHE Long-Life Shine finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
min. recommended pressure 1.0 bar
Please refer to local norms regarding installation.

27 514 001 **chrome** **92.00**
ditto, with 1250 mm hose





26 358 000 **chrome** **145.00**


Tempesta-F Trigger Spray 30
Wall holder set with self-closing angle valve, 1 spray
consisting of:
hand shower with trigger control (27 512 001)
valve with integrated shower holder (26 333)
Silverflex Long-Life shower hose 1000 mm (26 334)
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
Inner WaterGuide for a longer life
TwistStop to prevent hose from twisting
Please refer to local norms regarding installation.

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SHOWER HOSES

	Product no.	Colour	RRP (€) incl. VAT
new	**28 025 001**	**chrome**	**46.00**






Rotaflex Metal Long-Life TwistStop
Metal shower hose 1750
1750 mm
material: metal
AntiFold bendproof
Universal connection G 1/2" x 1/2"
rotation cone for **TwistStop**-function
GROHE ProGrip with knurl structure
cone with silicone tape to prevent
the turning of the hand shower
during the usage
GROHE Long-Life
strengthened model
heat resistance 75°C
pressure resistance up to 16 bar
tensile strength 500 N
GROHE Long-Life Shine durable sparkling sheen

28 417 001	**chrome**	**42.00**
ditto, 1500 mm		

new	**28 145 001**	**chrome**	**47.00**






Relexaflex Metal Long-Life
Metal shower hose 2000
2000 mm
material: metal
AntiFold bendproof
Universal connection G 1/2" x 1/2"
GROHE ProGrip with knurl structure
GROHE Long-Life
strengthened model
heat resistance 75°C
pressure resistance up to 16 bar
tensile strength 750 N
GROHE Long-Life Shine durable sparkling sheen

28 143 001	**chrome**	**39.00**
28 143 LS1	**moon white**	**51.00**
28 143 KS1	**velvet black**	**55.00**
ditto, 1500 mm		
28 142 002	**chrome**	**36.00**
ditto, 1250 mm		

new	**28 140 001**	**chrome**	**40.00**






Relexaflex Metal
Metal shower hose 2000
2000 mm
material: metal
AntiFold bendproof
Universal connection G 1/2" x 1/2"
GROHE ProGrip with knurl structure
heat resistance 70°C
pressure resistance up to 5 bar
tensile strength 500 N
GROHE Long-Life Shine durable sparkling sheen

28 139 001	**chrome**	**36.00**
ditto, 1750 mm		
28 105 001	**chrome**	**32.00**
ditto, 1500 mm		

GROHE
SHOWER HOSES

	Product no.	Colour	RRP (€) incl. VAT
new	**26 346 001**	**chrome**	**36.00**






Silverflex Long-Life TwistStop
Shower hose 1500
1500 mm
smooth surface for easy cleaning
GROHE Long-Life
strengthened model
tensile strength 500 N
pressure resistance up to 12 bar
heat resistance 75°C
AntiFold bendproof
Universal connection G 1/2" x 1/2"
rotation cone for **TwistStop**-function
GROHE ProGrip with knurl structure
GROHE Long-Life Shine durable sparkling sheen

26 335 001		**chrome**	**33.00**
ditto, 1250 mm			
26 334 001		**chrome**	**29.00**
ditto, 1000 mm			

new	**27 137 001**	**chrome**	**36.00**





Silverflex TwistStop
Shower hose 2000
2000 mm
smooth surface for easy cleaning
AntiFold bendproof
Universal connection G 1/2" x 1/2"
rotation cone for **TwistStop**-function
GROHE ProGrip with knurl structure
heat resistance 70°C
pressure resistance up to 5 bar
tensile strength 500 N
GROHE Long-Life Shine durable sparkling sheen

28 388 001	★	**chrome**	**32.00**
28 388 DC1	★	**supersteel**	**45.00**
28 388 BE1		**polished nickel**	**52.00**
28 388 GL1	★	**cool sunrise**	**52.00**
28 388 DA1	★	**warm sunset**	**52.00**
28 388 A01		**hard graphite**	**52.00**
ditto, 1750 mm			
28 364 001		**chrome**	**29.00**
ditto, 1500 mm			
28 362 001	★	**chrome**	**25.00**
28 362 DC1	★	**supersteel**	**35.00**
28 362 BE1		**polished nickel**	**40.00**
28 362 GL1	★	**cool sunrise**	**40.00**
28 362 DA1	★	**warm sunset**	**40.00**
28 362 A01		**hard graphite**	**40.00**
ditto, 1250 mm			

new	**28 388 KF1**	**phantom black**	**45.00**





Silverflex TwistStop
Shower hose 1750
1750 mm
smooth surface for easy cleaning
AntiFold bendproof
Universal connection G 1/2" x 1/2"
rotation cone for **TwistStop**-function
GROHE ProGrip with knurl structure
heat resistance 70°C
pressure resistance up to 5 bar
tensile strength 500 N
GROHE Long-Life Shine finish
available May 2023


28 362 KF1		**phantom black**	**35.00**
ditto, 1250 mm			
available May 2023			

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SHOWER HOSES

	Product no.	Colour	RRP (€) incl. VAT
new	**28 413 002**	**chrome**	**28.00**






Rotaflex TwistStop
Shower hose 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
Universal connection G 1/2" x 1/2"
rotation cone for **TwistStop**-function
GROHE ProGrip with knurl structure
GROHE Long-Life Shine durable sparkling sheen

28 410 002	**chrome**	**25.00**
ditto, 1750 mm		
28 409 002	**chrome**	**22.00**
ditto, 1500 mm		

new	**28 155 002**	**chrome**	**25.00**






Relexaflex
Shower hose 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
Universal connection G 1/2" x 1/2"
GROHE ProGrip with knurl structure
GROHE Long-Life Shine durable sparkling sheen

28 154 002	**chrome**	**22.00**
ditto, 1750 mm		
28 151 002	**chrome**	**19.00**
28 151 L02	**white**	**24.00**
ditto, 1500 mm		
28 150 002	**chrome**	**16.00**
ditto, 1250 mm		
22 115 000	**chrome**	**13.00**
ditto, 500 mm		





new	**28 158 001**	**chrome**	**55.00**





Metal shower hose
2000 mm
for bath rim, installation under tiled surround and shower sets
GROHE Long-Life Shine durable sparkling sheen

GROHE
SHOWER HOSES AVAILABLE UNTIL 06/2023

	Product no.	Colour	RRP (€) incl. VAT
 	**28 025 000**	**chrome**	**46.00**
	Rotaflex Metal Long-Life **Metal shower hose TwistStop 1750** 1750 mm material: metal **GROHE Long-Life** **strengthened model** tensile strength 500 N pressure resistance up to 16 bar heat resistance 75°C **AntiFold** bendproof **Universal connection** G 1/2" x 1/2" rotation cone for **TwistStop**-function **GROHE Long-Life Shine** durable sparkling sheen		
	28 417 000	**chrome**	**42.00**
	28 417 EN0	**brushed nickel**	**72.00**
	ditto, 1500 mm		
 	**28 145 000**	**chrome**	**47.00**
	Relexaflex Metal Long-Life **Metal shower hose 2000** 2000 mm material: metal **GROHE Long-Life** **strengthened model** **tensile strength 750 N** pressure resistance up to 16 bar heat resistance 75°C **AntiFold** bendproof **Universal connection** G 1/2" x 1/2" **GROHE Long-Life Shine** durable sparkling sheen		
	28 143 000	**chrome**	**39.00**
	28 143 LS0	**moon white**	**51.00**
	28 143 KS0	**velvet black**	**51.00**
	ditto, 1500 mm		
	28 142 000	**chrome**	**36.00**
	ditto, 1250 mm		
 	**28 140 000**	**chrome**	**40.00**
	Relexaflex Metal **Metal shower hose 2000** 2000 mm material: metal tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C **AntiFold** bendproof **Universal connection** G 1/2" x 1/2" **GROHE Long-Life Shine** durable sparkling sheen		
	28 139 000	**chrome**	**36.00**
	ditto, 1750 mm		
	28 105 000	**chrome**	**32.00**
	ditto, 1500 mm		
 	**26 346 000**	**chrome**	**36.00**
	Silverflex Long-Life **Shower hose TwistStop 1500** 1500 mm smooth surface for easy cleaning **GROHE Long-Life** **strengthened model** tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C **AntiFold** bendproof **Universal connection** G 1/2" x 1/2" rotation cone for **TwistStop**-function **GROHE Long-Life Shine** durable sparkling sheen		
	26 335 000	**chrome**	**33.00**
	ditto, 1250 mm		
	26 334 000	**chrome**	**29.00**
	ditto, 1000 mm		

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SHOWER HOSES AVAILABLE UNTIL 06/2023

Product no.	Colour	RRP (€) incl. VAT






28 388 000	**chrome**	**32.00**
28 388 DC0	**supersteel**	**45.00**
28 388 GL0	**cool sunrise**	**52.00**
28 388 DA0	**warm sunset**	**52.00**
28 388 A00	**hard graphite**	**52.00**

Silverflex
Shower hose TwistStop 1750
1750 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
Universal connection G 1/2" x 1/2"
rotation cone for **TwistStop**-function

28 364 000	**chrome**	**29.00**
ditto, 1500 mm		

28 362 000	**chrome**	**25.00**
28 362 DC0	**supersteel**	**35.00**
28 362 GL0	**cool sunrise**	**40.00**
28 362 DA0	**warm sunset**	**40.00**
28 362 A00	**hard graphite**	**40.00**
ditto, 1250 mm		






28 413 001	**chrome**	**28.00**

Rotaflex
Shower hose TwistStop 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
Universal connection G 1/2" x 1/2"
rotation cone for **TwistStop**-function
GROHE Long-Life Shine durable sparkling sheen

28 410 001	**chrome**	**25.00**
ditto, 1750 mm		

28 409 001	**chrome**	**22.00**
ditto, 1500 mm		





28 155 001	**chrome**	**25.00**


Relexaflex
Shower hose 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
Universal connection G 1/2" x 1/2"
GROHE Long-Life Shine durable sparkling sheen

28 154 001	**chrome**	**22.00**
ditto, 1750 mm		

28 151 001	**chrome**	**19.00**
ditto, 1500 mm		

28 150 001	**chrome**	**16.00**
ditto, 1250 mm		

GROHE
SHOWER HOSES AVAILABLE UNTIL 06/2023


	Product no.	Colour	RRP (€) incl. VAT
 	**28 158 000**	**chrome**	**55.00**

Metal shower hose
2000 mm
for bath rim, installation under tiled surround and shower sets
GROHE Long-Life Shine durable sparkling sheen

GROHE
SHOWER ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






27 055 000 **chrome** **57.00**

Rainshower
Wall hand shower holder
adjustable
GROHE Long-Life Shine durable sparkling sheen






28 623 000 **chrome** **43.00**

Relexa
Wall hand shower holder
adjustable
GROHE Long-Life Shine durable sparkling sheen






27 595 000 **chrome** **25.00**

Tempesta
Wall hand shower holder
adjustable
GROHE Long-Life Shine durable sparkling sheen






28 690 000 **chrome** **138.00**

Sena
Wall hand shower holder
not adjustable
material: metal
GROHE Long-Life Shine durable sparkling sheen






27 056 000 **chrome** **37.00**

Rainshower
Wall hand shower holder
not adjustable
without escutcheon
GROHE Long-Life Shine durable sparkling sheen

GROHE
SHOWER ACCESSORIES

Product no.		Colour	RRP (€) incl. VAT
27 074 000	★	chrome	42.00
27 074 DC0	★	supersteel	59.00
27 074 LS0		moon white	55.00
27 074 BE0		polished nickel	68.00
27 074 EN0		brushed nickel	72.00
27 074 GL0	★	cool sunrise	68.00
27 074 GN0	★	brushed cool sunrise	72.00
27 074 DA0	★	warm sunset	68.00
27 074 DL0	★	brushed warm sunset	72.00
27 074 A00		hard graphite	68.00
27 074 AL0	★	brushed hard graphite	72.00






Rainshower
Wall hand shower holder
not adjustable
with round escutcheon
GROHE Long-Life Shine durable sparkling sheen

---

new

Product no.		Colour	RRP (€) incl. VAT
22 117 KF0		phantom black	59.00






Rainshower
Wall hand shower holder
not adjustable
with round escutcheon
GROHE Long-Life Shine finish
available May 2023

Product no.		Colour	RRP (€) incl. VAT
27 075 000		chrome	42.00
27 075 LS0		moon white	55.00






Rainshower
Wall hand shower holder
not adjustable
with square escutcheon
GROHE Long-Life Shine durable sparkling sheen

Product no.		Colour	RRP (€) incl. VAT
27 706 000		chrome	41.00






Allure Brilliant
Wall hand shower holder
not adjustable
material: metal
GROHE Long-Life Shine durable sparkling sheen

Product no.		Colour	RRP (€) incl. VAT
27 693 000		chrome	33.00








Euphoria Cube
Wall hand shower holder
not adjustable
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE
SHOWER ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT
 	**28 622 000**	**chrome**	**21.00**
	Relexa **Wall hand shower holder** not adjustable **GROHE Long-Life Shine** durable sparkling sheen		
 	**27 594 000**	**chrome**	**16.00**
	Tempesta Cosmopolitan **Wall hand shower holder** not adjustable **GROHE Long-Life Shine** durable sparkling sheen		
 	**28 605 000**	**chrome**	**19.00**
	Relexa **Wall hand shower holder** not adjustable **GROHE Long-Life Shine** durable sparkling sheen		

GROHE
SHOWER ACCESSORIES


	Product no.	Colour	RRP (€) incl. VAT






27 151 000	**chrome**	**126.00**

Lead-through for pull-out showers
for bath rim installation and under tiled surround
lead-through for shower hose
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The lead-through can be combined with all hand showers!
GROHE Long-Life Shine durable sparkling sheen






27 531 000	**chrome**	**157.00**

Lead-through for pull-out showers
for bath rim installation and under tiled surround
lead-through for shower hose
with square escutcheon
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The lead-through can be combined with all hand showers!
GROHE Long-Life Shine durable sparkling sheen






27 057 000	★	**chrome**	**66.00**
27 057 DC0	★	**supersteel**	**93.00**
27 057 LS0		**moon white/chrome**	**83.00**
27 057 GL0	★	**cool sunrise**	**106.00**
27 057 GN0	★	**brushed cool sunrise**	**113.00**
27 057 DA0	★	**warm sunset**	**106.00**
27 057 DL0	★	**brushed warm sunset**	**113.00**
27 057 A00		**hard graphite**	**106.00**
27 057 AL0	★	**brushed hard graphite**	**113.00**

Rainshower
Shower outlet elbow, 1/2"
male thread
with round escutcheon
protected against backflow
GROHE Long-Life Shine durable sparkling sheen

new






22 118 KF0	**phantom black**	**93.00**

Rainshower
Shower outlet elbow, 1/2"
male thread
with round escutcheon
protected against backflow
GROHE Long-Life Shine finish
available May 2023





27 076 000	**chrome**	**66.00**
27 076 LS0	**moon white**	**86.00**


Rainshower
Shower outlet elbow
male thread
with square escutcheon
protected against backflow
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SHOWER ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






27 707 000 **chrome** **65.00**

Allure Brilliant
Shower outlet elbow, 1/2“
male thread
protected against backflow
material: metal
GROHE Long-Life Shine durable sparkling sheen






27 704 000 **chrome** **38.00**

Euphoria Cube
Shower outlet elbow, 1/2“
male thread
protected against backflow
GROHE Long-Life Shine durable sparkling sheen

new






26 658 000 **chrome** **74.00**

Rainshower
Shower outlet elbow 1/2“ with holder
with round escutcheon
Ø 48 mm
male thread 1/2“
metal body
protected against backflow
GROHE Long-Life Shine durable sparkling sheen

new






26 659 000 **chrome** **74.00**

Rainshower
Shower outlet elbow 1/2“ with holder
with square escutcheon
48 x 48 mm
male thread 1/2“
metal body
protected against backflow
GROHE Long-Life Shine durable sparkling sheen






26 370 000	**chrome**	**51.00**
26 370 DC0	**supersteel**	**71.00**
26 370 GN0	**brushed cool sunrise**	**86.00**
26 370 DL0	**brushed warm sunset**	**86.00**
26 370 A00	**hard graphite**	**81.00**
26 370 AL0	**brushed hard graphite**	**86.00**

Euphoria Cube
Shower outlet elbow, 1/2“
with wall shower holder
male thread
protected against backflow
GROHE Long-Life Shine durable sparkling sheen





28 671 000 **chrome** **39.00**


Relexa
Shower outlet elbow, 1/2“
male thread
GROHE Long-Life Shine durable sparkling sheen

28 680 000 **chrome** **55.00**
ditto, protected against backflow

GROHE
SHOWER ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






28 672 000 **chrome** **45.00**

Relexa
Shower outlet elbow, 1/2"
1/2" NPT female thread
GROHE Long-Life Shine durable sparkling sheen






28 626 000 **chrome** **38.00**

Relexa
Shower outlet elbow, 1/2"
shower connection 1/2"
male thread
GROHE Long-Life Shine durable sparkling sheen
with matt chrome cap

28 636 000 **chrome** **39.00**
ditto, for IG combination






28 628 000 **chrome** **39.00**

Relexa
Shower outlet elbow, 1/2"
with wall shower holder
male thread
GROHE Long-Life Shine durable sparkling sheen

28 679 000 **chrome** **58.00**
ditto, protected against backflow





26 603 000	★	**chrome**	**133.00**
26 603 DC0	★	**supersteel**	**240.00**
26 603 BE0		**polished nickel**	**267.00**
26 603 EN0		**brushed nickel**	**293.00**
26 603 GL0	★	**cool sunrise**	**267.00**
26 603 GN0	★	**brushed cool sunrise**	**293.00**
26 603 DA0	★	**warm sunset**	**267.00**
26 603 DL0	★	**brushed warm sunset**	**293.00**
26 603 A00		**hard graphite**	**267.00**
26 603 AL0	★	**brushed hard graphite**	**293.00**

Rainshower SmartActive
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation Plus (adjustable distance
between wall shower holders for adaption
to existing drillings)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE Long-Life Shine durable sparkling sheen


26 602 000 **chrome** **127.00**
ditto, 600 mm

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SHOWER ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT
new	**22 125 KF0**	**phantom black**	**187.00**






Rainshower SmartActive
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation Plus (adjustable distance between wall shower holders for adaption to existing drillings)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE Long-Life Shine finish
available May 2023

---

28 620 000	**chrome**	**128.00**






Relexa
Shower rail, 600 mm
Ø 28 mm
with wall holders
glide element and swivel holder
angle of inclination adjustable by click stop device
height adjustment by click stop
GROHE Long-Life Shine durable sparkling sheen

---

28 621 000	**chrome**	**131.00**






Relexa
Shower rail, 1000 mm
Ø 28 mm
with wall holders
glide element and swivel holder
angle of inclination adjustable by click stop device
height adjustment by click stop
GROHE Long-Life Shine durable sparkling sheen

---

28 587 000	**chrome**	**230.00**






Relexa
Shower rail, 900 mm
with handle
handle can be mounted right or left handed
with wall brackets (3 pieces)
gliding element with metal sleeve
angle of inclination adjustable by click stop device
height adjustment by click stop
GROHE Long-Life Shine durable sparkling sheen

---

27 892 000	**chrome**	**244.00**











Euphoria Cube
Shower rail, 600 mm
with wall holders, glide element and swivel holder
GROHE Long-Life Shine durable sparkling sheen

27 841 000	**chrome**	**256.00**

ditto, 900 mm

GROHE
SHOWER ACCESSORIES


	Product no.	Colour	RRP (€) incl. VAT
 	**27 499 000** **Euphoria** **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE FastFixation** (upper bracket adjustable for adaption to existing drilling holes) **GROHE Long-Life Shine** durable sparkling sheen	**chrome**	**64.00**
	27 500 000 **ditto, 900 mm**	**chrome**	**67.00**
 	**27 519 000** **Tempesta Rustic** **Shower rail, 600 mm** with wall brackets, glider and swivel holder **GROHE Long-Life Shine** durable sparkling sheen available until 31 march 2023	**chrome**	**69.00**
 	**27 521 000** **Tempesta Cosmopolitan** **Shower rail, 600 mm** with wall brackets, glider and swivel holder **GROHE Long-Life Shine** durable sparkling sheen	**chrome**	**65.00**
	27 522 000 **ditto, 900 mm**	**chrome**	**69.00**
 	**27 523 000** **Tempesta** **Shower rail, 600 mm** with wall brackets, glider and swivel holder **GROHE Long-Life Shine** durable sparkling sheen	**chrome**	**61.00**
	27 524 000 **ditto, 900 mm**	**chrome**	**65.00**
 	**45 914 XE0** **Compensation disc** for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136	**gray night time**	**17.00**
 	**45 459 000** **Compensation disc** for shower rail 28 620/28 621		**12.00**

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SHOWER ACCESSORIES

Product no.	Colour	RRP (€) incl. VAT






48 051 000 **10.00**

Compensation disc
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524






27 845 000 **13.00**

Euphoria Cube
Compensation disc
for Euphoria Cube shower bars 27 892 000 / 27 841 000
stackable






26 385 000 **chrome** **19.00**

Rainshower SmartControl
Compensation disc
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable






28 856 000 **44.00**

Soap dish
acrylic, clear
for Relexa shower rails (28 820 and 28 666)
GROHE Long-Life Shine durable sparkling sheen






28 631 000 **58.00**

Relexa
Soap dish
for shower rail 28 620/28 621
GROHE Long-Life Shine durable sparkling sheen
















27 206 000 **25.00**

Soap dish
transparent
surface in parts with eroded structure
for shower rail Ø 22 or 25 mm

GROHE
SHOWER ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT
 	**27 596 000**		**8.00**
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm		
 	**28 708 000**	**chrome**	**103.00**
	Pipe clip for pillar shower, 1/2" with stone pin, with wooden screws **GROHE Long-Life Shine** durable sparkling sheen		
 	**28 389 000**	**chrome**	**47.00**
	Sena **Adapter 1/2" x 1/2"** material: metal for use with hand shower holder or shower rail **GROHE Long-Life Shine** durable sparkling sheen		
 	**28 812 000**	**black**	**8.00**
	Adapter 1/2" x 1/2" black (to combine hand showers of other manufacturers with Relexa shower rails)		
 	**28 813 000**	**white**	**7.00**
	Adapter 1/2" x 1/2" white (to combine hand showers of other manufacturers with Relexa shower rails)		
 	**28 635 XX0**	**dark grey**	**10.00**
	Relexa **Coupling piece** as replacement connector for new hand shower and hose each hand shower is equipped with a coupling piece		

GROHE
SHOWER ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT
 	**28 634 XX0**	**dark grey**	**36.00**
	Relexa **Quick coupling** for combination with average showers without integrated **Grohclick** with new system only in connection with coupling piece (28 635/28 637)		
 	**28 874 000**	**chrome**	**22.00**
	T connection, 1/2" for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves **GROHE Long-Life Shine** durable sparkling sheen		
 	**28 988 000**	**chrome**	**51.00**
	Drain down valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" **GROHE Long-Life Shine** durable sparkling sheen		
 	**28 799 000**	**chrome**	**83.00**
	Diverter **GROHE Long-Life Shine** durable sparkling sheen		
 	**29 736 000**	**chrome**	**89.00**
	Diverter shower connection 1/2" union nut 1/2" male thread 1/2" male thread 3/4" for mounting on fittings **GROHE Long-Life Shine** durable sparkling sheen		

GROHE
KITCHEN FITTINGS






CONTENTS

Water systems	GROHE Blue Professional	462
	GROHE Blue Home	467
	GROHE Blue Pure	479
	GROHE Blue accessories	484
	GROHE Red	489
	Waste separation systems	494
Premium lines	K7	495
	FootControl	496
	Minta / Minta SmartControl / Minta Touch	497
	Zedra / Zedra SmartControl / Zedra Touch	502
	Essence	504
	Eurocube	507
Competence lines	Eurodisc Cosmopolitan	508
	Eurodisc	509
	Concetto	510
	Eurostyle Cosmopolitan	513
	Eurosmart Cosmopolitan	514
	Eurosmart	516
	Euroeco / Euroeco Special	521
	Costa	522
	Bau Lines	524
	Soap dispensers	528
Kitchen sinks	Stainless Steel Sinks	531
	Composite Sinks	540

GROHE
BLUE PROFESSIONAL






Product no.	Colour	RRP (€) incl. VAT
31 323 002	**chrome**	**3,288.00**
31 323 DC2	**supersteel**	**3,781.00**

GROHE Blue Professional
C-spout kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

GROHE
BLUE PROFESSIONAL





Product no.	Colour	RRP (€) incl. VAT
31 347 003	**chrome**	**3,288.00**
31 347 DC3	**supersteel**	**3,781.00**


GROHE Blue Professional
L-spout kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

GROHE
BLUE PROFESSIONAL

Product no.	Colour	RRP (€) incl. VAT
31 325 002	**chrome**	**3,624.00**
31 325 DC2	**supersteel**	**4,167.00**






GROHE Blue Professional
C-spout kit with pull-out mousseur
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

GROHE
BLUE PROFESSIONAL





Product no.	Colour	RRP (€) incl. VAT
31 326 002	**chrome**	**3,624.00**
31 326 DC2	**supersteel**	**4,167.00**


GROHE Blue Professional
L-spout kit with pull-out mousseur
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

GROHE
BLUE PROFESSIONAL

Product no.	Colour	RRP (€) incl. VAT
31 302 002	**chrome**	**3,187.00**
31 302 DC2	**supersteel**	**3,665.00**





GROHE Blue Professional
C-spout kit with Mono faucet
consisting of:
GROHE Blue Mono faucet with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine durable sparkling sheen
swivel tubular spout
swivel area 150°
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

GROHE
BLUE HOME



Product no.	Colour	RRP (€) incl. VAT
31 455 001	**chrome**	**2,535.00**
31 455 DC1	**supersteel**	**2,915.00**
31 455 DL1	**brushed warm sunset**	**3,169.00**
31 455 AL1	**brushed hard graphite**	**3,169.00**

GROHE Blue Home
C-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME

Product no.	Colour	RRP (€) incl. VAT
31 455 KS1	**velvet black**	**2,915.00**



GROHE Blue Home
C-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle
kitchen edition
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME




Product no.	Colour	RRP (€) incl. VAT
31 541 000	**chrome**	**2,940.00**
31 541 DC0	**supersteel**	**3,381.00**

GROHE Blue Home
C-spout starter kit with pull-out mousseur
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME

Product no.	Colour	RRP (€) incl. VAT
31 541 KS0	**velvet black**	**3,381.00**





GROHE Blue Home
C-spout starter kit with pull-out mousseur
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
kitchen edition

GROHE
BLUE HOME



Product no.	Colour	RRP (€) incl. VAT
31 454 001	**chrome**	**2,535.00**
31 454 DC1	**supersteel**	**2,915.00**
31 454 DL1	**brushed warm sunset**	**3,169.00**
31 454 AL1	**brushed hard graphite**	**3,169.00**

GROHE Blue Home
L-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME

Product no.	Colour	RRP (€) incl. VAT
31 454 KS1	**velvet black**	**2,915.00**



GROHE Blue Home
L-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
kitchen edition

GROHE
BLUE HOME



Product no.	Colour	RRP (€) incl. VAT
31 539 000	**chrome**	**2,940.00**
31 539 DC0	**supersteel**	**3,381.00**

GROHE Blue Home
L-spout starter kit with pull-out mousseur
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME

Product no.	Colour	RRP (€) incl. VAT
31 539 KS0	**velvet black**	**3,381.00**



GROHE Blue Home
L-spout starter kit with pull-out mousseur
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
L-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
kitchen edition

GROHE
BLUE HOME

Product no.	Colour	RRP (€) incl. VAT
31 456 001	**chrome**	**2,535.00**
31 456 DC1	**supersteel**	**2,915.00**




GROHE Blue Home
U-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
U-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME

Product no.	Colour	RRP (€) incl. VAT
31 543 000	**chrome**	**2,940.00**
31 543 DC0	**supersteel**	**3,381.00**






GROHE Blue Home
U-spout starter kit with pull-out mousseur
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
U-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
pull-out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME






Product no.	Colour	RRP (€) incl. VAT
31 498 001	**chrome**	**2,447.00**
31 498 DC1	**supersteel**	**2,814.00**
31 498 DL1	**brushed warm sunset**	**3,058.00**
31 498 AL1	**brushed hard graphite**	**3,058.00**

GROHE Blue Home
C-spout starter kit with Mono faucet
consisting of:
GROHE Blue Home Mono faucet with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and
chilled table water
still, medium, sparkling
GROHE Long-Life Shine finish
swivel tubular spout
swivel area 150°
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE HOME

Product no.	Colour	RRP (€) incl. VAT





40 711 001 **1,190.00**


GROHE Blue Home
Cooler
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
delivers 3 liters of chilled sparkling water per hour
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter
System requirements Apple
iPhone with iOS 12.0 or higher
System requirements Android
smart phone with Android 6.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

GROHE
BLUE PURE

	Product no.	Colour	RRP (€) incl. VAT

new






30 580 000 **chrome** **272.00**

GROHE Blue Pure BauCurve
Filter faucet
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
the faucet must be installed with a filter starter set of your choice

new






30 581 000 **chrome** **558.00**

GROHE Blue Pure BauCurve
Starter kit with S-Size filter
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue S-Size filter for water hardness reduction and premium taste
Capacity 600 L at 20° dKH
flow meter for filter lifetime measurement including 2 x AA batteries

new






30 582 000 **chrome** **679.00**

GROHE Blue Pure BauCurve
Starter kit with Ultrasafe filter
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue Ultrasafe filter retains microplastic > 1 µm, 99.999 % of bacteria and 99,5 % of lead
reduces substances responsible for unpleasant taste and odor, e.g. chlorine
filter capacity 3000 l, the filter must be replaced after 6 months of use
flow meter for filter lifetime measurement including 2 x AA batteries

new





30 583 000 **chrome** **302.00**
30 583 DC0 **supersteel** **347.00**


GROHE Blue Pure Eurosmart
Filter faucet
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
U-spout
separate handle for filtered water
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
the faucet must be installed with a filter starter set of your choice

GROHE
BLUE PURE

	Product no.	Colour	RRP (€) incl. VAT

new






30 584 000 **chrome** **588.00**

GROHE Blue Pure Eurosmart
Starter kit with S-Size filter
consisting of:
GROHE Blue single-lever sink mixer with filter function
U-spout
separate handle for filtered water
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue S-Size filter for water hardness reduction and premium taste
flow meter for filter lifetime measurement including 2 x AA batteries

new






30 586 000 **chrome** **1,697.00**

GROHE Blue Pure Eurosmart
Starter kit with reverse osmosis filter
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
U-spout
separate handle for filtered water
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue reverse osmosis system
reverse osmosis filter membrane for pure and safe water
significant removal of chemicals, hormones and microorganisms
flow rate 1.5 l/min
salt rejection more than 97%
efficiency rate min. 50%
feed water pressure 1.00 - 4.00 bar
standard IEC connector with EU plug, power supply 230V / 50 Hz
no water storage tank required
membrane lifetime one year
connection set

new





30 587 000 **chrome** **2,101.00**

GROHE Blue Pure Eurosmart
Starter kit with reverse osmosis mineralization filter
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
U-spout
separate handle for filtered water
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue reverse osmosis mineralization system
reverse osmosis filter membrane for pure and safe water
significant removal of chemicals, hormones and microorganisms
mineralization filter enriches drinking water with magnesium and silicate for premium taste
flow rate 1.5 l/min
salt rejection more than 97%
efficiency rate min. 50%
feed water pressure 1.00 - 4.00 bar
standard IEC connector with EU plug, power supply 230V / 50 Hz
no water storage tank required
membrane lifetime one year
connection set


green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BLUE PURE

	Product no.	Colour	RRP (€) incl. VAT

new






30 588 000 **chrome** **437.00**

GROHE Blue Pure Minta
Filter faucet
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
L-spout
separate handle for filtered water
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
the faucet must be installed with a filter starter set of your choice

new






30 589 000 **chrome** **724.00**

GROHE Blue Pure Minta
Starter kit with S-Size filter
consisting of:
GROHE Blue single-lever sink mixer with filter function
L-spout
separate handle for filtered water
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue S-Size filter for water hardness reduction and premium taste
flow meter for filter lifetime measurement including 2 x AA batteries

new






30 590 000 **chrome** **498.00**
30 590 DC0 **supersteel** **572.00**

GROHE Blue Pure Minta
Filter faucet with pull-out mousseur
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
L-spout
pull-out mousseur
separate handle for filtered water
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
the faucet must be installed with a filter starter set of your choice

new






30 590 KF0 **phantom black** **572.00**

GROHE Blue Pure Minta
Filter faucet with pull-out mousseur
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
L-spout
pull-out mousseur
separate handle for filtered water
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
the faucet must be installed with a filter starter set of your choice

new





30 591 000 **chrome** **784.00**


GROHE Blue Pure Minta
Starter kit with pull-out faucet
consisting of:
GROHE Blue single-lever sink mixer with filter function
L-spout
pull-out mousseur
separate handle for filtered water
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue S-Size filter for water hardness reduction and premium taste
flow meter for filter lifetime measurement including 2 x AA batteries

GROHE
BLUE PURE

	Product no.	Colour	RRP (€) incl. VAT

new






41 136 000 **256.00**

GROHE Blue
Activated carbon filter starter set
consisting of:
GROHE Blue filter head
GROHE Blue activated carbon filter for soft water areas below 9° dKH
reduces substances responsible for unpleasant taste and odor, e.g. chlorine
capacity 1500 l at 9° dKH
time counter for filter lifetime measurement including 2 x AA batteries
compatible with GROHE Blue Pure single faucets

new






40 438 001 **302.00**

GROHE Blue
S-size filter starter set
consisting of:
GROHE Blue S-Size filter for water hardness reduction and premium taste
Capacity 600 L at 20° dKH
flow meter for filter lifetime measurement including 2 x AA batteries
compatible with GROHE Blue Pure single faucets and GROHE Red water systems

new






40 875 000 **chrome** **362.00**

GROHE Blue
Magnesium + Zinc filter starter set
consisting of:
GROHE Blue filter head
GROHE Blue Magnesium + zinc filter
enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc
reduces substances responsible for unpleasant taste and odor, e.g. chlorine
reduces limescale and heavy metals
Capacity 400 L at 17° dGH
flow meter for filter lifetime measurement including 2 x AA batteries
compatible with GROHE Blue Pure single faucets

new





40 876 000 **chrome** **422.00**

GROHE Blue
Ultrasafe filter starter set
consisting of:
GROHE Blue filter head
GROHE Blue Ultrasafe filter retains microplastic > 1 µm, 99.999 % of bacteria and 99,5 % of lead
reduces substances responsible for unpleasant taste and odor, e.g. chlorine
filter capacity 3000 l, the filter must be replaced after 6 months of use
flow meter for filter lifetime measurement including 2 x AA batteries
compatible with GROHE Blue Pure single faucets

new



40 877 000 **chrome** **1,433.00**

GROHE Blue
Reverse osmosis filter starter set
consisting of:
GROHE Blue reverse osmosis system
reverse osmosis filter membrane for pure and safe water
significant removal of chemicals, hormones and microorganisms
flow rate 1.5 l/min
salt rejection more than 97%
efficiency rate min. 50%
feed water pressure 1.00 - 4.00 bar
standard IEC connector with EU plug, power supply 230V / 50 Hz
no water storage tank required
membrane lifetime one year
connection set
compatible with GROHE Blue Pure single faucets

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BLUE PURE

	Product no.	Colour	RRP (€) incl. VAT

new



40 878 000 **chrome** **1,810.00**

GROHE Blue
Reverse osmosis with mineralization filter starter set
consisting of:
GROHE Blue reverse osmosis mineralization system
reverse osmosis filter membrane for pure and safe water
significant removal of chemicals, hormones and microorganisms
mineralization filter enriches drinking water with magnesium and silicate for premium taste
flow rate 1.5 l/min
salt rejection more than 97%
efficiency rate min. 50%
feed water pressure 1.00 - 4.00 bar
standard IEC connector with EU plug, power supply 230V / 50 Hz
no water storage tank required
membrane lifetime one year
connection set
compatible with GROHE Blue Pure single faucets

new





40 880 001 **337.00**

GROHE Blue
Reverse osmosis membrane
reverse osmosis filter membrane for pure and safe water
significant removal of chemicals, hormones and microorganisms
flow rate 1.5 l/min
salt rejection more than 97 %
efficiency rate min. 50%
feed water pressure 1.00 - 4.00 bar
membrane lifetime one year
compatible with GROHE Blue Pure single faucets

new









40 881 001 **296.00**

GROHE Blue
Mineralization filter
mineralization filter enriches drinking water with magnesium (40 mg/l) and silicate (55 mg/l) for premium taste
feed water pressure 1.00 - 4.00 bar
filter lifetime one year
compatible with GROHE Blue Pure single faucets

GROHE
BLUE ACCESSORIES


	Product no.	Colour	RRP (€) incl. VAT
 	**40 848 SD0**	**stainless steel**	**38.00**
	40 848 GN0	**brushed cool sunrise**	**49.00**
	40 848 DL0	**brushed warm sunset**	**49.00**
	40 848 AL0	**brushed hard graphite**	**49.00**
	GROHE Blue **Thermo drinking bottle** stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml		
 	**40 405 001**		**77.00**
	GROHE Blue **Glass carafe with lid set** crystal glass with GROHE Blue decor stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bispenol A) free dish washer safe volume 1.0 l		
	**40 636 SD0**	**stainless steel**	**34.00**
	GROHE Blue **Lid set** set consists of 2 lids stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bispenol A) free dish washer safe		
 	**40 437 000**		**84.00**
	GROHE Blue **Water glasses (6 pieces)** crystal glasses with GROHE Blue decor dish washer safe volume 250 ml		
 	**40 547 001**		**117.00**
	GROHE Blue **Activated carbon filter** BWT replacement filter for GROHE Blue water systems for soft water areas below 9° dKH Capacity 3000 L reduces substances responsible for unpleasant taste and odor, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure		

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BLUE ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






40 404 001 **125.00**

GROHE Blue
Filter S-Size
BWT replacement filter for GROHE Blue and GROHE Red water systems
Capacity 600 L at 20° dKH
reduces substances responsible for unpleasant taste and odor, e.g. chlorine
reduces limescale and heavy metals
compatible with GROHE Blue Home, GROHE Blue Professional,
GROHE Blue Pure (only with flow meter) and GROHE Red

40 430 001 **234.00**
ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high

40 412 001 **307.00**
ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high






40 691 002 **163.00**

GROHE Blue
Magnesium + Zinc filter
BWT replacement filter for GROHE Blue and GROHE Red water systems
Capacity 400 L at 17° dGH
enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc
reduces substances responsible for unpleasant taste and odor, e.g. chlorine
reduces limescale and heavy metals
compatible with GROHE Blue Home, GROHE Blue Professional,
GROHE Blue Pure (only with flow meter) and GROHE Red






40 575 002 **252.00**

GROHE Blue
UltraSafe filter
BWT replacement filter for GROHE Blue water systems
filter capacity 3000 l, the filter must be replaced after 6 months of use
retains microplastic > 1 µm and 99,999 % of bacteria, removes lead by 99,5 %
reduces substances responsible for unpleasant taste and odor, e.g. chlorine
compatible with GROHE Blue Home, GROHE Blue Professional and
GROHE Blue Pure (only with flow meter)

new






40 880 001 **337.00**

GROHE Blue
Reverse osmosis membrane
reverse osmosis filter membrane for pure and safe water
significant removal of chemicals, hormones and microorganisms
flow rate 1.5 l/min
salt rejection more than 97 %
efficiency rate min. 50%
feed water pressure 1.00 - 4.00 bar
membrane lifetime one year
compatible with GROHE Blue Pure single faucets

new





40 881 001 **296.00**


GROHE Blue
Mineralization filter
mineralization filter enriches drinking water with magnesium (40 mg/l) and silicate (55 mg/l) for premium taste
feed water pressure 1.00 - 4.00 bar
filter lifetime one year
compatible with GROHE Blue Pure single faucets

GROHE
BLUE ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT

new






41 136 000 **256.00**

GROHE Blue
Activated carbon filter starter set
consisting of:
GROHE Blue filter head
GROHE Blue activated carbon filter for soft water areas below 9° dKH
reduces substances responsible for unpleasant taste and odor, e.g. chlorine
capacity 1500 l at 9° dKH
time counter for filter lifetime measurement including 2 x AA batteries
compatible with GROHE Blue Pure single faucets

new






40 438 001 **302.00**

GROHE Blue
S-size filter starter set
consisting of:
GROHE Blue S-Size filter for water hardness reduction and premium taste
Capacity 600 L at 20° dKH
flow meter for filter lifetime measurement including 2 x AA batteries
compatible with GROHE Blue Pure single faucets and GROHE Red water systems

new






40 875 000 **chrome** **362.00**

GROHE Blue
Magnesium + Zinc filter starter set
consisting of:
GROHE Blue filter head
GROHE Blue Magnesium + zinc filter
enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc
reduces substances responsible for unpleasant taste and odor, e.g. chlorine
reduces limescale and heavy metals
Capacity 400 L at 17° dGH
flow meter for filter lifetime measurement including 2 x AA batteries
compatible with GROHE Blue Pure single faucets

new





40 876 000 **chrome** **422.00**

GROHE Blue
Ultrasafe filter starter set
consisting of:
GROHE Blue filter head
GROHE Blue Ultrasafe filter retains microplastic > 1 µm, 99.999 % of bacteria and 99,5 % of lead
reduces substances responsible for unpleasant taste and odor, e.g. chlorine
filter capacity 3000 l, the filter must be replaced after 6 months of use
flow meter for filter lifetime measurement including 2 x AA batteries
compatible with GROHE Blue Pure single faucets

new



40 877 000 **chrome** **1,433.00**

GROHE Blue
Reverse osmosis filter starter set
consisting of:
GROHE Blue reverse osmosis system
reverse osmosis filter membrane for pure and safe water
significant removal of chemicals, hormones and microorganisms
flow rate 1.5 l/min
salt rejection more than 97%
efficiency rate min. 50%
feed water pressure 1.00 - 4.00 bar
standard IEC connector with EU plug, power supply 230V / 50 Hz
no water storage tank required
membrane lifetime one year
connection set
compatible with GROHE Blue Pure single faucets

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BLUE ACCESSORIES

Product no.	Colour	RRP (€) incl. VAT

new



40 878 000 **chrome** **1,810.00**


GROHE Blue
Reverse osmosis with mineralization filter starter set
consisting of:
GROHE Blue reverse osmosis mineralization system
reverse osmosis filter membrane for pure and safe water
significant removal of chemicals, hormones and microorganisms
mineralization filter enriches drinking water with magnesium and silicate for premium taste
flow rate 1.5 l/min
salt rejection more than 97%
efficiency rate min. 50%
feed water pressure 1.00 - 4.00 bar
standard IEC connector with EU plug, power supply 230V / 50 Hz
no water storage tank required
membrane lifetime one year
connection set
compatible with GROHE Blue Pure single faucets



64 508 001 N **91.00**

GROHE Blue
Filter head
only for use in combination with GROHE Blue filters, sold separately





40 434 001 **73.00**

GROHE Blue
Cleaning cartridge
for 100% disinfection and cleaning of the GROHE Blue chiller and filter head including sprayhead
for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



40 694 000 **38.00**

GROHE Blue
Cleaning cartridge adapter
for GROHE Blue BWT Filterhead 64 508 001
for use with GROHE Blue cleaning cartridge 40 434 001, sold separately






40 422 000 **171.00**

GROHE Blue
Starter kit 425 g CO_2 bottles (4 pieces)
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
for refilling please order 40 687 000
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
BLUE ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT





40 423 000 N **242.00**

GROHE Blue
Starter kit 2 kg CO_2 bottle
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 2 kg, up to 350 l sparkling water
integrated residual pressure valve and safety carrier handle
for refilling please order 40 424 000
sales unit 1 piece
not suitable for the GROHE Blue Home cooler
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



46 717 000 **180.00**


Pressure indicator
for GROHE Blue
including adapters for 425 g and 2 kg CO_2 bottles



40 962 000 **62.00**

GROHE Blue
CO_2 adapter
adapter for GROHE Blue Professional CO_2 pressure reducer
for use with 425 g CO_2 bottles
for GROHE Blue Professional systems as of January 2019






40 452 000 **38.00**

GROHE Blue
Pressure reducing valve
for installation of GROHE Blue Chilled & Sparkling with more than 5 bar water pressure





40 578 000 **114.00**

GROHE Blue
Pressure reducing valve
for installation of GROHE Blue Chilled & Sparkling with more than 5 bar water pressure
VA approved



40 843 000 **124.00**


GROHE Blue
Extension set
consisting of:
extension cable 5 m
hose for drinking water, 5 m
tube cutter
adapters and clips
suitable for GROHE Blue Home and GROHE Blue Professional (from January 2019)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RED

Product no.	Colour	RRP (€) incl. VAT






30 079 001	**chrome**	**2,335.00**
30 079 DC1	**supersteel**	**2,685.00**

GROHE Red Duo
Faucet and L size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for boiling and hot water
5.5 liter 100° C boiling water
7 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Blue S-Size filter starter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
flow rate measuring unit






30 325 001	**chrome**	**2,335.00**
30 325 DC1	**supersteel**	**2,685.00**

GROHE Red Duo
Faucet and L size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for boiling and hot water
5.5 liter 100° C boiling water
7 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Blue S-Size filter starter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
flow rate measuring unit

GROHE
RED

Product no.	Colour	RRP (€) incl. VAT






30 083 001	**chrome**	**2,162.00**
30 083 DC1	**supersteel**	**2,486.00**
30 083 DL1	**brushed warm sunset**	**2,703.00**
30 083 AL1	**brushed hard graphite**	**2,703.00**

GROHE Red Duo
Faucet and M size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Blue S-Size filter starter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
flow rate measuring unit





30 083 KS1	**velvet black**	**2,486.00**


GROHE Red Duo
Faucet and M size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Blue S-Size filter starter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
flow rate measuring unit
kitchen edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RED

Product no.	Colour	RRP (€) incl. VAT
30 327 001	**chrome**	**2,162.00**
30 327 DC1	**supersteel**	**2,486.00**
30 327 DL1	**brushed warm sunset**	**2,703.00**
30 327 AL1	**brushed hard graphite**	**2,703.00**






GROHE Red Duo
Faucet and M size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Blue S-Size filter starter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
flow rate measuring unit

30 327 KS1	**velvet black**	**2,486.00**






GROHE Red Duo
Faucet and M size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Blue S-Size filter starter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
flow rate measuring unit
kitchen edition

GROHE
RED

Product no.	Colour	RRP (€) incl. VAT






30 080 001	**chrome**	**2,162.00**

GROHE Red Mono
Pillar tap and L size boiler
consisting of:
GROHE Red Mono pillar tap
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE Long-Life Shine durable sparkling sheen
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for boiling and hot water
5.5 liter 100° C boiling water
7 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Blue S-Size filter starter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
flow rate measuring unit






30 085 001	**chrome**	**1,989.00**
30 085 DC1	**supersteel**	**2,287.00**
30 085 DL1	**brushed warm sunset**	**2,486.00**
30 085 AL1	**brushed hard graphite**	**2,486.00**

GROHE Red Mono
Pillar tap and M size boiler
consisting of:
GROHE Red Mono pillar tap
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE Long-Life Shine durable sparkling sheen
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and
outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Blue S-Size filter starter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
flow rate measuring unit

GROHE
RED

	Product no.	Colour	RRP (€) incl. VAT
	30 339 001	**chrome**	**1,989.00**
	30 339 DC1	**supersteel**	**2,287.00**





GROHE Red Mono
Pillar tap and M size boiler
consisting of:
GROHE Red Mono pillar tap
single hole installation
L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE Long-Life Shine durable sparkling sheen
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Blue S-Size filter starter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
flow rate measuring unit


	40 841 001	**chrome**	**254.00**



GROHE Red
External mixing valve for GROHE Red
for thermostatic mixing of mains and boiling water to generate warm water
adjustable between 35°C and 75°C
hot fill and cold fill installation possible
including 70 cm connection hose, manifold and wall fixation

40 432 000		**72.00**






GROHE Red
Tea glasses (4 pieces)
heat proof glass with GROHE Red decor
dish washer safe
volume 250 ml

KITCHEN FITTINGS

GROHE
WASTE SEPARATION SYSTEMS

	Product no.	Colour	RRP (€) incl. VAT






40 855 000 **103.00**

GROHE Blue
Waste bin recycling separation system
installation type: floor mounted, behind swinging door
technique: full extension
operation: manual telescopic
separation: double, 2 x up to 15 l filling volume
cabinet width: 30 cm and wider
compatible with GROHE Blue Home and GROHE Red M and L size

GROHE
K7

	Product no.	Colour	RRP (€) incl. VAT






32 950 000	**chrome**	**924.00**
32 950 DC0	**supersteel**	**1,201.00**

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system






31 379 000	**chrome**	**889.00**
31 379 DC0	**supersteel**	**1,156.00**

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system

GROHE
FOOTCONTROL

Product no.	Colour	RRP (€) incl. VAT






30 309 000 **316.00**

FootControl
Retro-fit set
Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatic safety stop after 60 sec. (factory set)
type of protection IP 44
upgrade set for GROHE pull-out kitchen faucets (does not fit the SmartControl Kitchen faucets)
not suitable for combination with open water heater (SKUs 32 555 000, 31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0, 31 179 000, 31 132 001

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Product no.	Colour	RRP (€) incl. VAT
	31 360 001	**chrome**	**806.00**
	31 360 DC1	**supersteel**	**1,047.00**






Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout
single hole installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatic safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

31 358 002	**chrome**	**801.00**
31 358 DC2	**supersteel**	**1,041.00**






Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout
single hole installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatic safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system


31 613 000	**chrome**	**507.00**
31 613 DC0	**supersteel**	**659.00**
31 613 A00	**hard graphite**	**710.00**






Minta SmartControl
Sink mixer with SmartControl
single hole installation
GROHE Long-Life Shine durable sparkling sheen
pull-out spray with laminar
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
metal fixation set
Lead and Nickel Free Inner Water Ways


GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Product no.	Colour	RRP (€) incl. VAT
 	**30 274 000**	**chrome**	**411.00**
	30 274 DC0	**supersteel**	**534.00**
	30 274 GN0	**brushed cool sunrise**	**616.00**
	30 274 DA0	**warm sunset**	**575.00**
	30 274 DL0	**brushed warm sunset**	**616.00**
	30 274 A00	**hard graphite**	**575.00**
	30 274 AL0	**brushed hard graphite**	**616.00**

Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
flow straightener
pull-out dual spray - switches back and forth
between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
metal spray
adjustable flow rate limiter
swivel tubular spout, swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

 	**32 321 002**	**chrome**	**344.00**
	32 321 DC2	**supersteel**	**447.00**
	32 321 GN2	**brushed cool sunrise**	**516.00**
	32 321 DA2	**warm sunset**	**482.00**
	32 321 DL2	**brushed warm sunset**	**516.00**
	32 321 A02	**hard graphite**	**482.00**
	32 321 AL2	**brushed hard graphite**	**516.00**

Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
colours DA and A0 available until 31 march 2023


 	**30 348 001**	**chrome**	**344.00**

Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE EasyDock easy retraction and smooth docking
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
shorter lever (71 mm)
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
available until 31 march 2023

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Product no.	Colour	RRP (€) incl. VAT






32 322 002	**chrome**	**344.00**
32 322 DC2	**supersteel**	**447.00**
32 322 DA2	**warm sunset**	**482.00**
32 322 DL2	**brushed warm sunset**	**516.00**
32 322 A02	**hard graphite**	**482.00**
32 322 AL2	**brushed hard graphite**	**516.00**

Minta
Single-lever sink mixer 1/2“
U-spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
colours DA and A0 available until 31 march 2023






32 168 000	**chrome**	**332.00**
32 168 DC0	**supersteel**	**432.00**

Minta
Single-lever sink mixer 1/2“
L-spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system






31 558 000	**chrome**	**415.00**
31 558 GN0	**brushed cool sunrise**	**622.00**
31 558 AL0	**brushed hard graphite**	**622.00**

Minta
Single-lever sink mixer 1/2“
L-spout
integrated stop valve
single hole installation
GROHE Long-Life Shine durable sparkling sheen
pull-out dual spray - switches back and forth
between regular flow and spray
46 mm ceramic cartridge
swivel area 90°
flexible connection hoses
rapid installation system





32 918 000	**chrome**	**335.00**
32 918 DC0	**supersteel**	**435.00**

Minta
Single-lever sink mixer 1/2“
C-spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system


32 918 00E	**chrome**	**335.00**

with GROHE EcoJoy 5.7 l/min. flow limiter

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Product no.	Colour	RRP (€) incl. VAT






32 067 000	**chrome**	**335.00**

Minta
Single-lever sink mixer 1/2"
U-spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system






31 375 000	**chrome**	**297.00**
31 375 DC0	**supersteel**	**386.00**
31 375 GN0	**brushed cool sunrise**	**445.00**
31 375 DA0	**warm sunset**	**415.00**
31 375 DL0	**brushed warm sunset**	**445.00**
31 375 A00	**hard graphite**	**415.00**
31 375 AL0	**brushed hard graphite**	**445.00**

Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
flexible connection hoses
protected against backflow
rapid installation system
colours DA and A0 available until 31 march 2023






32 917 000	**chrome**	**276.00**
32 917 DC0	**supersteel**	**358.00**
32 917 GN0	**brushed cool sunrise**	**414.00**
32 917 DA0	**warm sunset**	**386.00**
32 917 DL0	**brushed warm sunset**	**414.00**
32 917 A00	**hard graphite**	**386.00**
32 917 AL0	**brushed hard graphite**	**414.00**

Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150° / 360°
flexible connection hoses
rapid installation system
optional temperature limiter ref. no. 46 308
colours DA and A0 available until 31 march 2023






32 917 KS0	**velvet black**	**359.00**

Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150° / 360°
flexible connection hoses
connector set 3/8"
rapid installation system
optional temperature limiter ref. no. 46 308

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Product no.	Colour	RRP (€) incl. VAT
 	**32 488 000**	**chrome**	**276.00**
	32 488 DC0	**supersteel**	**358.00**
	32 488 DA0	**warm sunset**	**386.00**
	32 488 DL0	**brushed warm sunset**	**414.00**
	32 488 A00	**hard graphite**	**386.00**
	32 488 AL0	**brushed hard graphite**	**414.00**

Minta
Single-lever sink mixer 1/2“
U-spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
selectable swivel area: 0° / 150° / 360°
swivel tubular spout
flexible connection hoses
rapid installation system
optional temperature limiter ref. no. 46 308
colours DA and A0 available until 31 march 2023


	**40 684 000**	**chrome**	**43.00**
	40 684 DC0	**supersteel**	**69.00**

Minta
Lever
for Minta single lever sink mixer

GROHE
ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

	Product no.	Colour	RRP (€) incl. VAT






30 219 002	**chrome**	**926.00**
30 219 DC2	**supersteel**	**1,204.00**


Zedra Touch
Electronic single-lever sink mixer 1/2"
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatic safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses






31 593 002	**chrome**	**728.00**
31 593 DC2	**supersteel**	**946.00**

Zedra SmartControl
Sink mixer with SmartControl
single hole installation
GROHE Long-Life Shine durable sparkling sheen
pull-out spray with laminar
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
metal fixation set
Lead and Nickel Free Inner Water Ways





32 294 002	**chrome**	**529.00**
32 294 DC2	**supersteel**	**688.00**


Zedra
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set
Lead and Nickel Free Inner Water Ways

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

	Product no.	Colour	RRP (€) incl. VAT






32 553 002	**chrome**	**496.00**
32 553 DC2	**supersteel**	**645.00**

Zedra
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set
Lead and Nickel Free Inner Water Ways






30 026 002	**chrome**	**314.00**
30 026 DC2	**supersteel**	**408.00**

Zedra
Pillar tap with filter function
single hole installation
handle for filtered table water
ceramic headpart 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
swivel tubular spout
swivel area 140°
flexible connection hoses
metal fixation set
Lead and Nickel Free Inner Water Ways
requires GROHE filter set including filter head (40 438 001), sold separately
6.6 l/min
colour DC available until 31 march 2023

GROHE ESSENCE

Product no.	Colour	RRP (€) incl. VAT
31 615 000	**chrome**	**612.00**
31 615 DC0	**supersteel**	**796.00**
31 615 GL0	**cool sunrise**	**857.00**
31 615 GN0	**brushed cool sunrise**	**918.00**
31 615 DA0	**warm sunset**	**857.00**
31 615 DL0	**brushed warm sunset**	**918.00**
31 615 A00	**hard graphite**	**857.00**
31 615 AL0	**brushed hard graphite**	**918.00**






Essence SmartControl
Sink mixer with SmartControl
single hole installation
GROHE Long-Life Shine durable sparkling sheen
pull-out spray with laminar
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
metal fixation set
Lead and Nickel Free Inner Water Ways

new

31 928 KF0	**phantom black**	**857.00**






Essence SmartControl
Sink mixer with SmartControl
single hole installation
GROHE Long-Life Shine finish
pull-out spray with laminar
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
metal fixation set
Lead and Nickel Free Inner Water Ways
professional edition
available May 2023

30 503 000	**chrome**	**638.00**
30 503 DC0	**supersteel**	**830.00**





Essence
Single-lever sink mixer 1/2“
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
flow straightener
with integrated temperature limiter
professional spray
with flexible, hygienic **GROHFlexx kitchen** Santoprene hose
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set
professional edition
replaces Essence sink mixer 30 294 xx0


green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE ESSENCE

Product no.	Colour	RRP (€) incl. VAT

new





30 503 KF0	**phantom black**	**894.00**

Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
flow straightener
with integrated temperature limiter
professional spray
with flexible, hygienic **GROHFlexx kitchen** Santoprene hose
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set
professional edition
available May 2023




30 321 GE0	**green**	**89.00**
30 321 XC0	**dark grey**	**89.00**
30 321 MW0	**chrome/sheer marble**	**89.00**
30 321 HG0	**dark brown**	**89.00**
30 321 DG0	**red**	**89.00**
30 321 DP0	**pink**	**89.00**
30 321 DU0	**purple**	**89.00**
30 321 TY0	**blue**	**89.00**
30 321 YF0	**yellow**	**89.00**
30 321 YR0	**orange**	**89.00**

GROHFlexx kitchen hose spout
hose spout for Essence kitchen faucet
for 30 294 000/30 294 DC0/30 503 xxx
flexible, hygienic **GROHFlexx kitchen** santoprene hose
including fixing parts

PROFESSIONAL GROHE





30 504 000	**chrome**	**452.00**
30 504 DC0	**supersteel**	**588.00**
30 504 GL0	**cool sunrise**	**633.00**
30 504 GN0	**brushed cool sunrise**	**678.00**
30 504 DA0	**warm sunset**	**633.00**
30 504 DL0	**brushed warm sunset**	**678.00**
30 504 A00	**hard graphite**	**633.00**
30 504 AL0	**brushed hard graphite**	**678.00**


Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
flow straightener
pull-out dual spray - switches back and forth between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
metal spray
swivel tubular spout swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set
integrated temperature limiter
professional edition
replaces Essence sink mixer 30 270 xx0

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT

new






30 504 KF0	**phantom black**	**633.00**

Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
flow straightener
pull-out dual spray - switches back and forth between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
metal spray
swivel tubular spout swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set
integrated temperature limiter
professional edition
available May 2023






30 505 000	**chrome**	**344.00**
30 505 DC0	**supersteel**	**447.00**
30 505 GL0	**cool sunrise**	**481.00**
30 505 GN0	**brushed cool sunrise**	**515.00**
30 505 DA0	**warm sunset**	**481.00**
30 505 DL0	**brushed warm sunset**	**515.00**
30 505 A00	**hard graphite**	**481.00**
30 505 AL0	**brushed hard graphite**	**515.00**

Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
GROHE AquaGuide adjustable mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter
professional edition
replaces Essence sink mixer 30 269 xx0

new






30 505 KF0	**phantom black**	**481.00**

Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
GROHE AquaGuide adjustable mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROCUBE

	Product no.	Colour	RRP (€) incl. VAT
	**31 255 000**	**chrome**	**331.00**
	31 255 DC0	**supersteel**	**430.00**




Eurocube
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 28 mm ceramic cartridge
mousseur
swivel cast spout
swivel area 90°
flexible connection hoses
rapid installation system

GROHE
EURODISC COSMOPOLITAN

Product no.	Colour	RRP (€) incl. VAT






32 257 002 **chrome** **355.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system






33 772 002 **chrome** **302.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150°
projection 271 mm
S-unions






32 259 003 **chrome** **286.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150°
mousseur
flexible connection hoses
metal fixation set





33 770 002 **chrome** **286.00**


Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EURODISC

	Product no.	Colour	RRP (€) incl. VAT






32 257 001 **chrome** **344.00**

Eurodisc
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/**SpeedClean** shower jet
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system






33 770 001 **chrome** **271.00**

Eurodisc
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
with stop limiter
flexible connection hoses
rapid installation system

GROHE CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






31 491 000	**chrome**	**522.00**
31 491 DC0	**supersteel**	**679.00**

Concetto
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
flow straightener
with integrated temperature limiter
professional spray
with flexible, hygienic **GROHFlexx kitchen** Santoprene hose
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set






31 483 002	**chrome**	**299.00**
31 483 DC2	**supersteel**	**388.00**

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
Lead and Nickel Free Inner Water Ways
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set






32 663 003	**chrome**	**285.00**
32 663 DC3	**supersteel**	**371.00**

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
Lead and Nickel Free Inner Water Ways
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set





32 661 003	**chrome**	**253.00**
32 661 DC3	**supersteel**	**329.00**


Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150°
flexible connection hoses
metal fixation set

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






30 273 001	**chrome**	**361.00**
30 273 DC1	**supersteel**	**469.00**

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
flow straightener
pull-out dual spray - switches back and forth between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
metal spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system






31 129 001	**chrome**	**317.00**
31 129 DC1	**supersteel**	**412.00**

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system






31 128 001	**chrome**	**260.00**
31 128 DC1	**supersteel**	**338.00**

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system






31 210 001	**chrome**	**430.00**

Concetto
Single-lever sink mixer 1/2"
for installation in front of window
medium spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses

GROHE
CONCETTO

	Product no.	Colour	RRP (€) incl. VAT






32 659 001 **chrome** **231.00**

Concetto
Single-lever sink mixer 1/2“
low spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system






32 667 001 **chrome** **230.00**

Concetto
Single-lever sink mixer 1/2“
wall mounted
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 280 mm
S-unions

GROHE
EUROSTYLE COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






31 126 004 **chrome** **269.00**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
Lead and Nickel Free Inner Water Ways
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set
available until 31 march 2023






30 221 002 **chrome** **181.00**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter






31 124 002 **chrome** **228.00**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system
available until 31 march 2023

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






31 481 001 **chrome** **275.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock easy retraction and smooth docking
Lead and Nickel Free Inner Water Ways
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set






32 843 002 **chrome** **203.00**
32 843 DC2 **supersteel** **264.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150°
flexible connection hoses
metal fixation set

32 843 20E **chrome** **209.00**
ditto, with GROHE Ecojoy






30 193 000 **chrome** **152.00**
30 193 DC0 **supersteel** **197.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system





32 842 000 **chrome** **155.00**


Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART COSMOPOLITAN

	Product no.	Colour	RRP (€) incl. VAT






31 161 000 **chrome** **277.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2“
integrated stop valve
low spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system






31 170 000 **chrome** **307.00**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2“
for installation in front of window
low spout
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
mousseur
swivel tubular spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT
	30 305 001	chrome	203.00
	30 305 DC1	supersteel	264.00






Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
flow straightener
with integrated temperature limiter
pull-out dual spray - switches back and forth
between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 90°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 3/8"
metal fixation set
protected against backflow
professional edition

	30 567 000	chrome	193.00
	30 567 DC0	supersteel	251.00






Eurosmart
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
integrated temperature limiter
mousseur
swivel tubular spout
swivel area 150°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 3/8"
metal fixation set
min. recommended pressure 1.0 bar
professional edition

	30 497 001	chrome	212.00
	30 497 DC1	supersteel	276.00






Eurosmart
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 28 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 90°
flexible connection hoses 3/8"
metal fixation set
min. recommended pressure 1.0 bar
professional edition

	33 202 003	chrome	144.00






Eurosmart
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 3/8"
metal fixation set
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






32 223 003 **chrome** **144.00**

Eurosmart
Single-lever sink mixer 1/2“
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start and Eco-click
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 3/8“
metal fixation set
Qualitel approval
professional edition






31 789 001 **chrome** **158.00**

Eurosmart
Single-lever sink mixer 1/2“
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 90°
flexible connection hoses 3/8“
metal fixation set
professional edition






31 786 001 **chrome** **223.00**

Eurosmart
Single-lever sink mixer 1/2“
integrated stop valve
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 90° / 360°
flexible connection hoses 3/8“
rapid installation system
professional edition






31 787 001 **chrome** **223.00**

Eurosmart
Single-lever sink mixer 1/2“
integrated stop valve
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 90° / 360°
flexible connection hoses 3/8“
rapid installation system
professional edition


GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT
	30 463 000	chrome	144.00
	30 463 DC0	supersteel	187.00




Eurosmart
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 3/8"
metal fixation set
min. recommended pressure 1.0 bar
professional edition

	30 506 000	chrome	158.00




Eurosmart
Single-lever sink mixer 1/2"
low spout
Cradle to Cradle Certified Gold
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE Water Saving 5,7 l/min mousseur with coin slot for tool free replacement
adjustable flow rate limiter
integrated temperature limiter
swivel cast spout
swivel area 140°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system
professional edition

	33 281 003	chrome	137.00
	33 281 DC3	supersteel	179.00



Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
Lead and Nickel Free Inner Water Ways
mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
metal fixation set
professional edition

	33 281 30E	chrome	137.00




Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
Lead and Nickel Free Inner Water Ways
GROHE Water Saving 5,7 l/min mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
metal fixation set
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART

	Product no.	Colour	RRP (€) incl. VAT






30 260 003 **chrome** **137.00**

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
swivel cast spout
swivel area 90°
Lead and Nickel Free Inner Water Ways
mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
metal fixation set
professional edition






31 790 001 **chrome** **151.00**

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove Energy Saving 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
swivel cast spout
swivel area 90°
mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
metal fixation set
professional edition






32 224 003 **chrome** **170.00**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 276 mm
integrated temperature limiter
S-unions
professional edition






31 391 003 **chrome** **170.00**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 216 mm
integrated temperature limiter
S-unions
professional edition






31 509 003 **chrome** **170.00**


Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 149 mm
integrated temperature limiter
S-unions
professional edition

GROHE
EUROSMART


	Product no.	Colour	RRP (€) incl. VAT
 	**32 482 003**	**chrome**	**170.00**

Eurosmart
Single-lever sink mixer 1/2“
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 244 mm
integrated temperature limiter
C-unions
professional edition


GROHE
EUROECO / EUROECO SPECIAL

		Product no.	Colour	RRP (€) incl. VAT
		32 752 000	chrome	129.00


Euroeco
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
metal lever
flexible connection hoses
rapid installation system

		32 750 000	chrome	129.00

Euroeco
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
metal lever
flexible connection hoses
rapid installation system

		32 786 000	chrome	181.00

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
selectable swivel area: 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses
rapid installation system


		32 787 000	chrome	181.00

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
swivel area 140°
metal lever
lever length 120 mm
flexible connection hoses
rapid installation system

GROHE
COSTA

	Product no.	Colour	RRP (€) incl. VAT






20 179 001 **chrome** **149.00**

Costa S
Pillar tap
metal handle
heat-insulated
screwable
GROHE Long-Life Shine finish
ceramic headpart 1/2", 90°
flow straightener
swivel tubular spout
swivel area 360°
union nut 1/2" with 10.5 mm drilling






31 195 001 **chrome** **147.00**

Costa S
Wall sink mixer, 1/2"
wall mounted
metal handles
heat-insulated
screwable
GROHE Long-Life Shine finish
Carbodur headpart
mousseur
swivel spout
swivel area 360°
projection 200 mm
without connection unions






31 831 001 **chrome** **111.00**

Costa L
Single-hole sink mixer 1/2"
metal handles
heat-insulated
GROHE Long-Life Shine finish
GROHE Long-Life headparts
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses






31 187 001 **chrome** **129.00**

Costa L
Wall sink mixer, 1/2"
metal handles
heat-insulated
GROHE Long-Life Shine finish
GROHE Long-Life headparts
mousseur
swivel tubular spout
swivel area 360°
projection 200 mm
S-unions






30 484 001 **chrome** **69.00**

Costa L
Bibtap 1/2"
wall mounted
metal handle
heat-insulated
screwable
marking: blue
GROHE Long-Life Shine finish
mousseur
GROHE Long-Life headparts
swivel tubular spout
swivel area 360°

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
COSTA

	Product no.	Colour	RRP (€) incl. VAT
 	**30 098 001**	**chrome**	**50.00**


Costa L
Bibtap 1/2“
wall mounted
metal handle
heat-insulated
screwable
marking: blue
GROHE Long-Life Shine finish
mousseur
GROHE Long-Life headparts

GROHE
BAU LINES

	Product no.	Colour	RRP (€) incl. VAT

new






30 543 000 **chrome** **180.00**

BauLoop
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 28 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
pull-out mousseur spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses 3/8"
metal fixation set

---

new






30 536 000 **chrome** **180.00**

BauEdge
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 28 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
pull-out mousseur spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses 3/8"
metal fixation set

---

new






30 547 000 **chrome** **180.00**

BauCurve
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 28 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
pull-out mousseur spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses 3/8"
metal fixation set

---

new






30 549 000 **chrome** **180.00**

GROHE BauFlow
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 28 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
pull-out mousseur spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses 3/8"
metal fixation set





31 368 001 **chrome** **124.00**


BauLoop
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 28 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
metal fixation set
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BAU LINES

	Product no.	Colour	RRP (€) incl. VAT






31 368 000 **chrome** **124.00**

BauLoop
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine finish
GROHE Long-Life 28 mm ceramic cartridge
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar






31 367 001 **chrome** **124.00**

BauEdge
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine finish
GROHE Long-Life 28 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
metal fixation set
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

---






31 536 001 **chrome** **124.00**

BauCurve
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 28 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
metal fixation set
min. recommended pressure 1.0 bar
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

---






31 538 001 **chrome** **124.00**

GROHE BauFlow
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 28 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
metal fixation set






31 535 001 **chrome** **124.00**

BauClassic
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 28 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
metal fixation set

GROHE
BAU LINES

	Product no.	Colour	RRP (€) incl. VAT






31 706 000 **chrome** **118.00**

BauLoop
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 35 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
metal fixation set
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed






31 713 000 **chrome** **157.00**

BauLoop
Single-lever sink mixer 1/2"
integrated stop valve
medium spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 35 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
swivel tubular spout
swivel area 90°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
min. recommended pressure 1.0 bar






31 693 000 **chrome** **118.00**

BauEdge
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 35 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
metal fixation set
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed






31 696 000 **chrome** **157.00**

BauEdge
Single-lever sink mixer 1/2"
integrated stop valve
medium spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 35 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
swivel tubular spout
swivel area 90°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus installation system
min. recommended pressure 1.0 bar






31 688 000 **chrome** **118.00**

GROHE BauFlow
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 35 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
metal fixation set

GROHE
BAU LINES

	Product no.	Colour	RRP (€) incl. VAT






31 715 000 **chrome** **118.00**

BauCurve
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 35 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
min. recommended pressure 1.0 bar
metal fixation set






31 680 000 **chrome** **106.00**

BauEco
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 35 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
metal fixation set
min. recommended pressure 1.0 bar
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

GROHE
SOAP DISPENSERS

	Product no.	Colour	RRP (€) incl. VAT






40 402 000	**chrome**	**153.00**

GROHE Switch
Battery powered shut-off valve for dishwashers
consisting of:
battery powered wireless remote control
electronic valve
battery powered controller box
type of protection IP 45
flow rate 10 l/min at 1.0 bar
max. water inlet temperature 40° C
cable length valve to controller 40 cm
battery lifetime 2 - 4 years
batteries and fixation material included






40 535 000	**chrome**	**81.00**
40 535 DC0	**supersteel**	**114.00**
40 535 BE0	**polished nickel**	**122.00**
40 535 GL0	**cool sunrise**	**122.00**
40 535 GN0	**brushed cool sunrise**	**130.00**
40 535 DA0	**warm sunset**	**122.00**
40 535 DL0	**brushed warm sunset**	**130.00**
40 535 A00	**hard graphite**	**122.00**
40 535 AL0	**brushed hard graphite**	**130.00**

Cosmopolitan soap dispenser
for liquid soaps
storage bin 500 ml
GROHE Long-Life Shine finish
colour BE available until 31 March 2023






40 536 000	**chrome**	**73.00**
40 536 DC0	**supersteel**	**102.00**


Contemporary soap dispenser
for liquid soaps
storage bin 500 ml
GROHE Long-Life Shine finish






40 537 000	**chrome**	**89.00**

Authentic soap dispenser
for liquid soaps
storage bin 500 ml
GROHE Long-Life Shine finish
available until 31 march 2023





36 194 000	**chrome**	**185.00**


Soap dispenser
pillar tap with push-button,
for liquid soaps
projection 113 mm
for tap hole drillings 22 - 30 mm
storage bin 1 l.
GROHE Long-Life Shine finish

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SOAP DISPENSERS

	Product no.	Colour	RRP (€) incl. VAT






41 073 000 **chrome** **40.00**

Original WAS combination service valve 1/2“
wall mounted
cartridge headpart for closable
copper pipe connection
grease chamber headpart 3/8“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE Long-Life Shine finish






41 050 000 **chrome** **63.00**

Original WAS under-basin valve 1/2“
sink installation
adjustable up to 50 mm
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE Long-Life Shine finish
for combination with pipe ventilating valve type HB 41 239 000






41 010 000 **chrome** **37.00**

Original WAS connecting valve 1/2“
wall mounted
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE Long-Life Shine finish






41 263 000 **chrome** **10.00**

Egaplus service valve 1/2“
wall connection 1/2“
outlet 3/8“
with length compensation
with compression nut Ø 10 mm
ergonomic handle
marking: neutral
metal push-on escutcheon






45 704 000 **chrome** **47.00**

Flexible connection hose
300 mm
3/8“ x 3/8“







45 247 000 **chrome** **25.00**

Nipple
for reset from Costa-outlets into Atlanta-outlets
GROHE Long-Life Shine durable sparkling sheen


GROHE
SOAP DISPENSERS

	Product no.	Colour	RRP (€) incl. VAT
 	**13 052 000**	**chrome**	**45.00**


Swivel tube spout
for kitchen wall mixer
swivelling
mousseur
coupling nut M 22 x 1
projection 150 mm
DR-brass
GROHE Long-Life Shine durable sparkling sheen

 	**13 071 000**	**chrome**	**45.00**

Tubular spout
swivelling, without stop
mousseur
coupling nut 3/4“
projection 140 mm
DR-brass
GROHE Long-Life Shine durable sparkling sheen

 	**13 028 000**	**chrome**	**40.00**

Swivel tube spout
for kitchen wall mixers, 1/2“
tubular spout
mousseur
projection 200 mm
coupling nut 3/4“
DR-brass
GROHE Long-Life Shine finish

 	**13 034 000**	**chrome**	**66.00**


Swivel tube spout
for kitchen wall mixers, 1/2“
tubular spout
mousseur
projection 300 mm
coupling nut 3/4“
DR-brass
GROHE Long-Life Shine finish

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
STAINLESS STEEL SINKS

	Product no.	Colour	RRP (€) incl. VAT






31 582 SD1 **stainless steel** **1,305.00**

K1000
Stainless steel sink with drainer
model: K1000 80-S 116/52 1.0 rh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1.2 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable right
cut-out (top mount): 1145 x 505 mm (R3)
cut-out (flush mount): 1145 x 505 mm (R3) (top step outer size: -1161 x 521 -R8 deep -3.5 mm)
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10






31 581 SD1 **stainless steel** **1,305.00**

K1000
Stainless steel sink with drainer
model: K1000 80-S 116/52 1.0 lh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1.2 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left
cut-out (top mount): 1145 x 505 mm (R3)
cut-out (flush mount): 1145 x 505 mm (R3) (top step outer size: -1161 x 521 -R8 deep -3.5 mm)
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10






31 583 SD1 **stainless steel** **880.00**

K800
Stainless steel sink
model: K800 60-S 51.8/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 518 x 510 mm
1 bowl: 462 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 503 x 495 mm (R3)
cut-out (flush mount): 503 x 495 mm (R3) (top step outer size: -519 x 511 -R8 deep -3.5 mm)
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8

GROHE
STAINLESS STEEL SINKS

Product no.	Colour	RRP (€) incl. VAT






31 584 SD1 **stainless steel** **978.00**

K800
Stainless steel sink
model: K800 90-S 84.6/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 846 x 510 mm
1 bowl: 790 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 831 x 495 mm (R3)
cut-out (flush mount): 831 x 495 mm (R3) (top step outer size: -847 x 511 -R8 deep -3.5 mm)
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10






31 585 SD1 **stainless steel** **1,305.00**

K800
Stainless steel sink
model: K800 120-S 102.4/51 2.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 462 x 400 x 200 mm
2 bowl: 462 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 1009 x 495 mm (R3)
cut-out (flush mount): 1009 x 495 mm (R3) (top step outer size: -1025 x 511 -R8 deep -3.5 mm)
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12





31 586 SD1 **stainless steel** **1,141.00**


K800
Stainless steel sink
model: K800 120-S 102.4/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 968 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 1009 x 495 mm (R3)
cut-out (flush mount): 1009 x 495 mm (R3) (top step outer size: -1025 x 511 -R8 deep -3.5 mm)
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
STAINLESS STEEL SINKS

Product no.	Colour	RRP (€) incl. VAT






31 574 SD1 **stainless steel** **363.00**

K700U
Stainless steel sink
model: K700U 60-S 54.4/44.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 550 x 450 mm
1 bowl: 500 x 400 x 200 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
cut-out (undermount): 502 x 402 mm (R16)
cut-out (top mount): 535 x 435 mm
cut-out (flush mount): 535 x 435 mm (R3) (top step outer size: -551 x 451 -R8 deep -3.5 mm)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8






31 575 SD1 **stainless steel** **448.00**

K700U
Stainless steel sink
model: K700U 80-S 76/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 760 x 450 mm
1 bowl: 500 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
sink mountable left
cut-out (undermount): 712 x 402 mm (R16)
cut-out (top mount): 745 x 435 mm (R3)
cut-out (flush mount): 745 x 435 mm (R3) (top step outer size: -761 x 451 -R8 deep -3.5 mm)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
amount of fasteners included (undermount): 10






31 576 SD1 **stainless steel** **415.00**

K700U
Stainless steel sink
model: K700U 60-S 59.5/45 1.5 rh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 595 x 450 mm
1 bowl: 340 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
sink mountable right
cut-out (undermount): 547 x 402 mm (R16)
cut-out (top mount): 580 x 435 mm (R3)
cut-out (flush mount): 580 x 435 mm (R3) (top step outer size: -596 x 451 -R8 deep -3.5 mm)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8

GROHE
STAINLESS STEEL SINKS

Product no.	Colour	RRP (€) incl. VAT






31 577 SD1 **stainless steel** **415.00**

K700U
Stainless steel sink
model: K700U 60-S 59.5/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 595 x 450 mm
1 bowl: 340 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
sink mountable left
cut-out (undermount): 547 x 402 mm (R16)
cut-out (top mount): 580 x 435 mm (R3)
cut-out (flush mount): 580 x 435 mm (R3) (top step outer size: -596 x 451 -R8 deep -3.5 mm)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8






31 578 SD1 **stainless steel** **327.00**

K700
Stainless steel sink
model: K700 45-S 46.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 464 x 464 mm
1 bowl: 400 x 400 x 200 mm
outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10
GROHE FastFixation installation system
cut-out (undermount): 402 x 402 mm (R11)
cut-out (top mount): 449 x 449 mm (R3)
cut-out (flush mount): 449 x 449 mm (R3) (top step outer size: -465 x 465 -R8 deep -3.5 mm)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8





31 726 SD0 **stainless steel** **363.00**


K700
Stainless steel sink
model: K700 60-S 55/45 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 550 x 450 mm
1 bowl: 500 x 400 x 200 mm
outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10
GROHE FastFixation installation system
cut-out (undermount): 502 x 402 mm (R11)
cut-out (top mount): 535 x 435 mm
cut-out (flush mount): 535 x 435 mm (R3) (top step outer size: -551 x 451 -R8 deep -3.5 mm)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
STAINLESS STEEL SINKS

	Product no.	Colour	RRP (€) incl. VAT






31 580 SD1 **stainless steel** **425.00**

K700
Stainless steel sink
model: K700 90-S 86.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 864 x 464 mm
1 bowl: 800 x 400 x 200 mm
outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10
GROHE FastFixation installation system
cut-out (undermount): 802 x 402 mm (R11)
cut-out (top mount): 849 x 449 mm (R3)
cut-out (flush mount): 849 x 449 mm (R3) (top step outer size: -865 x 465 -R8 deep -3.5 mm)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8






31 571 SD1 **stainless steel** **278.00**

K500
Stainless steel sink with drainer
model: K500 45-S 86/50 1.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 340 x 420 x 170 mm
outer radius: R6 (top mount), inner bowl radius: R65
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 842 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14






31 563 SD1 **stainless steel** **327.00**

K500
Stainless steel sink with drainer
model: K500 60-S 100/50 1.0 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 550 mm
dimensions: 1000 x 500 mm
1 bowl: 450 x 400 x 180 mm
outer radius: R6 (topmount), inner bowl radius: R75
GROHE FastFixation installation system
sink mountable left or right
cut-out (top-mount): 990 x 490 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16

GROHE
STAINLESS STEEL SINKS

	Product no.	Colour	RRP (€) incl. VAT






31 572 SD1 **stainless steel** **353.00**

K500
Stainless steel sink with drainer
model: K500 60-S 100/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 340 x 420 x 185 mm
0.5 bowl: 170 x 320 x 125 mm
outer radius: R6 (top mount), inner bowl radius: R65
GROHE FastFixation installation system
sink mountable left or right
cut-out (top-mount): 990 x 490 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: waste kit, basket
strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16






31 588 SD1 **stainless steel** **369.00**

K500
Stainless steel sink with drainer
model: K500 80-S 116/50 2.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 340 x 420 x 185 mm
2 bowl: 340 x 420 x 185 mm
outer radius: R6 (topmount), inner bowl radius: R90
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 18





31 573 SD1 **stainless steel** **523.00**


Minta
Kitchen sink and tap bundle
consisting of:
K500 stainless steel sink with drainer (31 571 SD1)
mounting type: top mount
Minta single-lever sink mixer (32 168)
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
pull-out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
outer radius: R6 (flush mount and inset sllim top), inner bowl radius: R65
GROHE FastFixation installation system
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
STAINLESS STEEL SINKS

	Product no.	Colour	RRP (€) incl. VAT






31 564 SD1 **stainless steel** **261.00**

K200
Stainless steel sink with drainer
model: K200 60-S 96.5/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 965 x 500 mm
1 bowl: 346 x 396 x 150 mm
1 bowl: 170 x 320 x 80 mm
outer radius: R10 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 941 x 476 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16






31 565 SD1 **stainless steel** **278.00**

Eurosmart
Kitchen sink and tap bundle
consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
mounting type: top mount
Eurosmart single lever sink mixer (33 281 003)
low spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
with integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
Lead and Nickel Free Inner Water Ways
mousseur with coin slot for tool free replacement
flexible connection hoses
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14






31 562 SD1 **stainless steel** **261.00**

Bau
Kitchen sink and tap bundle
consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
mounting type: top mount
Bau Edge single lever sink mixer (31 367 001)
high spout
single hole installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Long-Life 28 mm ceramic cartridge
Lead and Nickel Free Inner Water Ways
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

GROHE
STAINLESS STEEL SINKS

Product no.	Colour	RRP (€) incl. VAT





31 552 SD1 **stainless steel** **147.00**


K200
Stainless steel sink with drainer
model: K200 45-S 86/50 1.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.6 mm
GROHE Long-Life Shine finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 350 x 400 x 160 mm
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 842 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
STAINLESS STEEL SINKS

	Product no.	Colour	RRP (€) incl. VAT






31 720 SD0 **stainless steel** **160.00**

K200
Stainless steel sink
model: K200 50-S Ø 44 1.0
mounting type: top mount
material: stainless steel AISI 304 (V2A)
GROHE Whisper
min. cabinet size: 500 mm
dimensions: Ø 440 mm
1 bowl: Ø 390 mm
inner bowl radius: Ø 390
GROHE FastFixation installation system
cut-out: Ø 422 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 5






31 719 SD0 **stainless steel** **193.00**

K200
Stainless steel sink
model: K200 60-S 53.3/45.8 1.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 533 x 457 mm
1 bowl: 436 x 360 mm
inner bowl radius: R70
GROHE FastFixation installation system
cut-out: 517 x 442 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 8

GROHE
COMPOSITE SINKS

Product no.	Colour	RRP (€) incl. VAT






31 650 AT0	**granite gray**	**354.00**
31 650 AP0	**granite black**	**354.00**

K700
Composite sink
model: K700 50-C 40/50 1.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 400 x 500 mm
1 bowl: 350 x 375 x 200 mm
outer radius: R6, inner bowl radius: R45
GROHE FastFixation installation system
cut-out: 380 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6
heat resistant up to 180° C






31 651 AP0	**granite black**	**418.00**

K700
Composite sink
model: K700 60-C 56/51 1.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 560 x 510 mm
1 bowl: 500 x 360 x 200 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
cut-out: 545 x 495 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
heat resistant up to 180° C





31 652 AT0	**granite gray**	**467.00**
31 652 AP0	**granite black**	**467.00**


K700
Composite sink
model: K700 80-C 78/51 1.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 780 x 510 mm
1 bowl: 720 x 370 x 220 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
cut-out: 764 x 494 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 9
heat resistant up to 180° C

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
COMPOSITE SINKS

	Product no.	Colour	RRP (€) incl. VAT
	31 657 AT0	**granite gray**	**474.00**
	31 657 AP0	**granite black**	**474.00**






K700
Composite sink
model: K700 90-C 83.8/55.9 2.0
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 838 x 559 mm
1 bowl: 406 x 438 x 241 mm
1 bowl: 316 x 438 x 241 mm
outer radius: R6, inner bowl radius: R15
GROHE FastFixation installation system
sink mountable left
cut-out (top mount installation): 818 x 539 mm
cut-out (undermount installation): 757 x 437 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 9
amount of fasteners included (undermount): 9
heat resistant up to 180° C

	31 658 AT0	**granite gray**	**487.00**
	31 658 AP0	**granite black**	**487.00**






K700
Composite sink
model: K700 100-C 90/50 2.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 1000 mm
dimensions: 900 x 500 mm
1 bowl: 465 x 443 x 230 mm
1 bowl: 315 x 443 x 230 mm
outer radius: R6, inner bowl radius: R8
GROHE FastFixation installation system
sink mountable left or right
cut-out: 880 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

GROHE
COMPOSITE SINKS

	Product no.	Colour	RRP (€) incl. VAT
	31 653 AT0	**granite gray**	**310.00**
	31 653 AP0	**granite black**	**310.00**






K700U
Composite sink
model: K700U 50-C 45.7/40.6 1.0
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 457 x 406 mm
1 bowl: 417 x 366 x 203 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 442 x 391
cut-out (undermount): 417 x 366 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
mounting with silicone (top mount)
optional push to open excenter (40 986 SD0)
amount of fasteners included (undermount): 8
heat resistant up to 180° C

31 654 AT0	**granite gray**	**356.00**
31 654 AP0	**granite black**	**356.00**






K700U
Composite sink
model: K700U 60-C 53.3/45.7 1.0
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 533 x 457 mm
1 bowl: 469 x 393 x 205 mm
outer radius: R7, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 518 x 442 mm
cut-out (undermount): 468 x 390 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6
amount of fasteners included (undermount): 6
heat resistant up to 180° C

31 655 AT0	**granite gray**	**422.00**
31 655 AP0	**granite black**	**422.00**






K700U
Composite sink
model: K700U 70-C 61/45.7 1.0
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 700 mm
dimensions: 610 x 460 mm
1 bowl: 544 x 394 x 205 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 594 x 442 mm
cut-out (undermount): 543 x 393 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6
amount of fasteners included (undermount): 6
heat resistant up to 180° C

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
COMPOSITE SINKS

	Product no.	Colour	RRP (€) incl. VAT
	31 644 AT0	**granite gray**	**471.00**
	31 644 AP0	**granite black**	**471.00**






K500
Composite sink with drainer
model: K500 50-C 86/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 347 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12
GROHE FastFixation installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

31 645 AT0	**granite gray**	**492.00**






K500
Composite sink with drainer
model: K500 60-C 100/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

31 646 AT0	**granite gray**	**523.00**






K500
Composite sink with drainer
model: K500 60-C 100/50 1.5 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 345 x 440 x 200 mm
0.5 bowl: 155 x 295 x 146 mm
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

GROHE
COMPOSITE SINKS

	Product no.	Colour	RRP (€) incl. VAT
	31 647 AT0	**granite gray**	**589.00**
	31 647 AP0	**granite black**	**589.00**






K500
Composite sink with drainer
model: K500 80-C 116/50 2.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 330 x 440 x 200 mm
2 bowl: 330 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12
GROHE FastFixation installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

31 648 AT0	**granite gray**	**451.00**
31 648 AP0	**granite black**	**451.00**






K500
Composite sink
model: K500 60-C 55.5/46 1.5 rev
mounting type: top mount or undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 555 x 460 mm
1 bowl: 335 x 400 x 200 mm
0.5 bowl: 155 x 400 x 140 mm
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 545 x 444 mm
cut-out (undermount): 525 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
mounting with silicone (top mount)
optional push to open excenter (40 986 SD0)
amount of fasteners included (undermount): 8
heat resistant up to 180° C

31 649 AT0	**granite gray**	**549.00**
31 649 AP0	**granite black**	**549.00**






K500
Composite sink
model: K500 90-C 86/50 2.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 860 x 500 mm
1 bowl: 390 x 430 x 200 mm
2 bowl: 380 x 365 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
COMPOSITE SINKS

	Product no.	Colour	RRP (€) incl. VAT
	31 639 AT0	**granite gray**	**350.00**
	31 639 AP0	**granite black**	**350.00**






K400
Composite sink with drainer
model: K400 50-C 78/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 780 x 500 mm
1 bowl: 347 x 440 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 765 x 485 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

31 640 AT0	**granite gray**	**441.00**
31 640 AP0	**granite black**	**441.00**






K400
Composite sink with drainer
model: K400 50-C 86/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 337 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

31 641 AT0	**granite gray**	**474.00**
31 641 AP0	**granite black**	**474.00**






K400
Composite sink with drainer
model: K400 60-C 100/50 1.0 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

GROHE
COMPOSITE SINKS

	Product no.	Colour	RRP (€) incl. VAT
	31 642 AT0	**granite gray**	**507.00**
	31 642 AP0	**granite black**	**507.00**






K400
Composite sink with drainer
model: K400 60-C 100/50 1.5 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 335 x 420 x 205 mm
0.5 bowl: 155 x 295 x 146 mm
outer radius: R6, inner bowl radius: big bowl R10, small bowl R8
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

31 643 AT0	**granite gray**	**539.00**
31 643 AP0	**granite black**	**539.00**






K400
Composite sink with drainer
model: K400 80-C 116/50 1.5 rev
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 400 x 420 x 205 mm
2 bowl: 295 x 295 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

31 656 AT0	**granite gray**	**291.00**
31 656 AP0	**granite black**	**291.00**





K200
Composite sink
model: K200 50-C 51 1.0
mounting type: top mount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: Ø 510 mm
1 bowl: Ø 380 x 200 mm
inner bowl radius: Ø 380
GROHE FastFixation installation system
cut-out: Ø 490 mm
drainer: automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 3
heat resistant up to 180° C

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
COMPOSITE SINKS



Product no.	Colour	RRP (€) incl. VAT
40 986 SD0	**stainless steel**	**57.00**

Pop-up waste set
round pop-up with push control
space saving waste set
including strainer plug
Ø 35 mm cut-out diameter
fits all kitchen sink series

GROHE
SPECIAL FAUCETS





CONTENTS

Electronic fittings	Eurocube E	550
	Essence E	553
	Bluetooth monitoring	557
	Europlus E	565
	Eurosmart Cosmopolitan E	568
	Euroeco Cosmopolitan E	577
	Bau Cosmopolitan E	581
Special thermostats	Grohtherm Micro	584
	Grohtherm Special	585
	Grohtherm XL	590
Single-lever mixer	Eurosmart Care	593
	Euroeco Special	598
	Euroeco Special / SSC	603
Self-closing faucets	Eurodisc SE	606
	Eurosmart Cosmopolitan T	608
	Euroeco Cosmopolitan T	609
Accessories	Accessories Special Fittings	610

SYSTEM REQUIREMENTS
FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE
EUROCUBE E

Product no.	Colour	RRP (€) incl. VAT






36 440 000 **chrome** **952.00**

Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE Long-Life Shine durable sparkling sheen
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






36 441 000 **chrome** **919.00**
36 441 DC0 **supersteel** **1,195.00**
36 441 AL0 **brushed hard graphite** **1,379.00**

Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar





36 442 000 **chrome** **1,034.00**


Eurocube E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.7 l/min
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROCUBE E

	Product no.	Colour	RRP (€) incl. VAT






36 264 001 **230.00**

Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000






38 748 002 **chrome** **680.00**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






36 407 001 **222.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply






36 340 000 **74.00**

Power extension cable
length 3.00 m

36 341 000 **136.00**
ditto, length 10 m


GROHE
EUROCUBE E

	Product no.	Colour	RRP (€) incl. VAT
	42 388 000		85.00
	Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		
	42 393 000		53.00
	Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer		
 	36 338 000		121.00
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		

GROHE
ESSENCE E

Product no.	Colour	RRP (€) incl. VAT






36 444 000	**chrome**	**772.00**

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE Long-Life Shine durable sparkling sheen
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






36 445 000	**chrome**	**739.00**
36 445 DC0	**supersteel**	**960.00**
36 445 GL0	**cool sunrise**	**1,034.00**
36 445 GN0	**brushed cool sunrise**	**1,108.00**
36 445 DA0	**warm sunset**	**1,034.00**
36 445 DL0	**brushed warm sunset**	**1,108.00**
36 445 A00	**hard graphite**	**1,034.00**
36 445 AL0	**brushed hard graphite**	**1,108.00**

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

GROHE
ESSENCE E

	Product no.	Colour	RRP (€) incl. VAT






36 446 000 **chrome** **689.00**

Essence E
Infra-red electronic basin tap 1/2“
without temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar






36 447 000 **chrome** **978.00**

Essence E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.0 l/min
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar






36 264 001 **230.00**

Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000

GROHE
ESSENCE E

	Product no.	Colour	RRP (€) incl. VAT






38 748 002 **chrome** **680.00**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)





36 407 001 **222.00**


Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply



42 388 000 **85.00**

Mains adaptor
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
to replace battery






36 340 000 **74.00**

Power extension cable
length 3.00 m

36 341 000 **136.00**
ditto, length 10 m


GROHE
ESSENCE E

	Product no.	Colour	RRP (€) incl. VAT
	**42 393 000**		**53.00**
	Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer		
 	**36 338 000**		**121.00**
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT
36 409 000	chrome	779.00





Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2“
without temperature control
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
rapid installation system
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
external solenoid valve
dirt strainer
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
thermal disinfection
auto flush, cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT





36 414 000 **chrome** **1,288.00**

Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
GROHE Long-Life Shine finish
GROHE CoolTouch
GROHE Water Saving - Less water, perfect flow
GROHE SafeStop at 38°C
swivel cast spout 219 mm
with swivel stop at 130° or fixed
projection 287 mm
laminar mousseur 9 l/min
S-unions, escutcheon covers for S unions
non-return valve, dirt strainers
power connection cable 3.0 m
for use with connection set 39 383 000
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.






39 383 000 **90.00**

Eurosmart Cosmopolitan E
Thermostatic 230 V connection set
fitting support
2 fitting connections 1/2"
power supply connector
wall installation
for use with Eurosmart Cosmopolitan E thermostat 230 V

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT





36 410 000 **chrome** **893.00**

Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap without mixing device
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box 36 336 001/36 337 001
GROHE Long-Life Shine finish
GROHE Water Saving - Less water, perfect flow
laminar flow straightener 9 l/min
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush, thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.






36 337 001 **160.00**

Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






36 336 001 **426.00**

Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT





36 412 000 **chrome** **1,013.00**

Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box 36 339 001
GROHE Long-Life Shine finish
GROHE Water Saving - Less water, perfect flow
laminar flow straightener 9 l/min
projection 172 mm
with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush, thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved, acoustic group I in accordance with DIN 4109


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.





36 339 001 **293.00**


Eurosmart Cosmopolitan E
Concealed mounting box with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT





36 415 000 **chrome** **848.00**

Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic for concealed shower thermostat
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
for concealed installation box
36 416 001
GROHE Long-Life Shine durable sparkling sheen
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
shut off delay
auto flush, thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.






36 416 001 **832.00**

Eurosmart Cosmopolitan E
Concealed body
for shower
with integrated pre-adjustable thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT






37 503 000 **chrome** **1,130.00**

Tectron Skate Bluetooth
Infra-red electronic for urinal
for Rapido U 37 338 000
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
GROHE Long-Life Shine finish
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush, cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.






37 338 000 **169.00**

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
shortable inspection shaft incl. protection

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT






37 504 000 **chrome** **1,392.00**

Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with additional manual actuation
GROHE Long-Life Shine finish
front plate 156 x 197 mm
servo motor
for use with Rapid SLX please order shaft 66 791 000 (sold separately)
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.






36 340 000 **74.00**

Power extension cable
length 3.00 m

36 341 000 **136.00**
ditto, length 10 m






36 338 000 **121.00**

Switch-mode power supply
for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE
BLUETOOTH MONITORING

Product no.	Colour	RRP (€) incl. VAT
36 407 001		**222.00**






Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

GROHE
EUROPLUS E

Product no.	Colour	RRP (€) incl. VAT






36 207 001 **chrome** **700.00**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
non-return valve, dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 208 001 **chrome** **631.00**
ditto, without mixing device






36 015 001 **chrome** **794.00**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
non-return valve, dirt strainers
solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 016 001 **chrome** **726.00**
ditto, without mixing device






36 407 001 **222.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

GROHE
EUROPLUS E

	Product no.	Colour	RRP (€) incl. VAT





36 340 000 **74.00**

Power extension cable
length 3.00 m

36 341 000 **136.00**
ditto, length 10 m



42 393 000 **53.00**


Battery housing
including 6 V lithium-battery, type CR-P2
to replace transformer



42 388 000 **85.00**

Mains adaptor
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
to replace battery





36 338 000 **121.00**

Switch-mode power supply
for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief



36 209 000 **chrome** **110.00**

Hidden mixing device
vandal-proof, covered and pre-adjustable mixer
suitable for single hole mixers
Europlus E and Eurodisc SE
consisting of:
special mixing device, adjustment by
screwdriver
metallic cap
GROHE Long-Life Shine durable sparkling sheen





36 133 000 **chrome** **24.00**

Mousseur
external thread
M 24 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
including disassembly key
theft proof
GROHE Long-Life Shine finish
male thread

GROHE
EUROPLUS E

	Product no.	Colour	RRP (€) incl. VAT
	**42 177 00M**		**5.00**


Sticker with pictograph
self-adhesive
for wash basin-single hole mixer
wash basin exposed faucets
in units of 5

GROHE
EUROSMART COSMOPOLITAN E

	Product no.	Colour	RRP (€) incl. VAT

new






36 327 002 **chrome** 461.00

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59
replaces 36 327 001

36 331 001 **chrome** 480.00
ditto, with pop-up waste set 1 1/4"

new





36 422 001 **chrome** 582.00


Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59
min. recommended pressure 1.0 bar
replaces 36 422 000

GROHE
EUROSMART COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT

new






36 325 002 **chrome** **491.00**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59
replaces 36 325 001

new






36 421 001 **chrome** **579.00**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59
min. recommended pressure 1.0 bar
replaces 36 421 000

new





36 439 001 **chrome** **432.00**


Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2" without temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59
min. recommended pressure 1.0 bar
replaces 36 439 000

GROHE
EUROSMART COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT

new






36 330 002 **chrome** **461.00**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59
replaces 36 330 001






36 386 001 **chrome** **1,066.00**


Eurosmart Cosmopolitan E
Powerbox
infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
including Powerbox self-generating power system
GROHE Long-Life Shine finish
GROHE Water Saving 6.0 l/min mousseur
including all flexible connection hoses
non-return valve
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407

GROHE
EUROSMART COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT









36 454 000 **chrome** **1,221.00**

Eurosmart Cosmopolitan E Special
Infra-red electronic wall basin mixer
with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone
(hand-body detection mode)
two additional detection modes adjustable (hand-hand or body-body)
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch
laminar mousseur 9 l/min
non-return valve
dirt strainers
GROHE SafetyPlus
temperature scale handle with internal safety stop between 35°C and 43°C
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
swivel cast spout 219 mm
projection 287 mm
swivel range stop at 130°, lockable
with S-unions and with covers
self-sealing escutcheons
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109

36 455 000 **chrome** **1,188.00**
ditto, projection 255 mm








36 332 000 **chrome** **1,085.00**

Eurosmart Cosmopolitan E
Infra-red electronic wall basin mixer
with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone
(hand-body detection mode)
two additional detection modes adjustable (hand-hand or body-body)
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch
laminar mousseur 9 l/min
non-return valve, dirt strainers
temperature scale handle with **GROHE SafeStop** at 38°C
swivel cast spout 219 mm
projection 287 mm
swivel range stop at 130°, lockable
self-sealing escutcheons
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109

36 333 000 **chrome** **1,066.00**
ditto, projection 255 mm





13 378 000 **chrome** **138.00**


Cast swivel spout
length 115 mm
swivelling (180 or 90°) and lockable
laminar flow straightener 9 l/min
GROHE Long-Life Shine finish

13 380 000 **chrome** **152.00**
ditto, length 175 mm

GROHE
EUROSMART COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT






36 334 SD0 **stainless steel** 564.00

Eurosmart Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE Water Saving - Less water, perfect flow
laminar mousseur 9 l/min
stainless steel escutcheon
SuperSteel spout
projection 232 mm
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation for concealed fitting box
36 336 001/36 337 001
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

36 335 SD0 **stainless steel** 544.00
ditto, projection 172 mm






36 337 001 160.00

Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






36 336 001 426.00

Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve





36 376 000 **chrome** 611.00

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE Long-Life Shine finish
GROHE Water Saving - Less water, perfect flow
laminar flow straightener 9 l/min
projection 232 mm
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation for concealed fitting box 36 339 001
CE approved
acoustic group I in accordance with DIN 4109


36 315 000 **chrome** 604.00
ditto, projection 172 mm

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART COSMOPOLITAN E

	Product no.	Colour	RRP (€) incl. VAT







36 339 001 **293.00**

Eurosmart Cosmopolitan E
Concealed mounting box
with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve








36 457 000 **chrome** **1,128.00**

Eurosmart Cosmopolitan E Special
Infra-red electronic shower mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
ergonomic metal handle
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch
non-return valve
dirt strainers
GROHE SafetyPlus
temperature scale handle with internal safety stop between 35°C and 43°C
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
shower bottom outlet 1/2" with integrated non return-valve
with S-unions and with covers
self-sealing escutcheons
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109






36 456 000 **chrome** **302.00**

Eurosmart Cosmopolitan E Special
Infra-red electronic for concealed shower thermostat
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for concealed installation box 36 458 000 and 36 459 000
ergonomic metal handle
GROHE Long-Life Shine durable sparkling sheen
GROHE SafetyPlus
temperature scale handle with internal safety stop between 35°C and 43°C
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109






36 458 000 **907.00**

Eurosmart Cosmopolitan E
Concealed body
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE
EUROSMART COSMOPOLITAN E

	Product no.	Colour	RRP (€) incl. VAT






36 459 000 **974.00**

Eurosmart Cosmopolitan E
Concealed body
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






47 780 000 **190.00**

Extension-set 27.5 mm
for Rapido T 35 500 000/35 050 000
for concealed installation box 36 458 000 and 36 459 000
for use with central-thermostats and
shower-thermostats with shut-off valve






36 463 000 **chrome** **269.00**

Eurosmart Cosmopolitan E
Infra-red electronic for concealed shower thermostat
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for concealed installation box 36 416 000 and 36 464 000
for hidden thermostatic mixer
GROHE Long-Life Shine durable sparkling sheen
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109






36 464 000 **806.00**

Eurosmart Cosmopolitan E
Concealed body
for shower
with integrated pre-adjustable thermostatic mixer
suitable for infra-red set 36 463 000
2 stop valves
non-return valves with filters
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






36 416 001 **832.00**

Eurosmart Cosmopolitan E
Concealed body
for shower
with integrated pre-adjustable thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE
EUROSMART COSMOPOLITAN E

	Product no.	Colour	RRP (€) incl. VAT






36 407 001 **222.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply





36 340 000 **74.00**

Power extension cable
length 3.00 m

36 341 000 **136.00**
ditto, length 10 m



42 393 000 **53.00**


Battery housing
including 6 V lithium-battery, type CR-P2
to replace transformer



42 388 000 **85.00**

Mains adaptor
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
to replace battery






36 338 000 **121.00**

Switch-mode power supply
for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE
EUROSMART COSMOPOLITAN E

	Product no.	Colour	RRP (€) incl. VAT





36 276 000 **141.00**

Rotation lock
vandalism hampering fixing device
suitable for single hole mixers
Eurosmart Cosmopolitan E/Eurosmart Cosmopolitan T





36 133 000 **chrome** **24.00**


Mousseur
external thread
M 24 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
including disassembly key
theft proof
GROHE Long-Life Shine finish
male thread



42 408 000 **chrome** **25.00**


Hidden mixing device
re-fitting set for
vandal-proof, covered and pre-adjustable mixer
suitable for single hole mixers Eurosmart Cosmopolitan E
metallic cap
GROHE Long-Life Shine durable sparkling sheen






34 487 000 **chrome** **181.00**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE Long-Life Shine durable sparkling sheen
built-in non return valves
dirt strainer
without connection set
max. pressure differential 5:1





47 533 000 **chrome** **33.00**

Grohtherm Micro
Connection set
for Grohtherm Micro
consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
union nuts
GROHE Long-Life Shine durable sparkling sheen



42 177 00M **5.00**


Sticker with pictograph
self-adhesive
for wash basin-single hole mixer
wash basin exposed faucets
in units of 5

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROECO COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT






36 271 000 **chrome** **362.00**

Euroeco Cosmopolitan E
Infra-red electronic basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
dirt strainers
external solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K






36 269 000 **chrome** **391.00**

Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2“
without temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
dirt strainers
external solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K






36 272 000 **chrome** **362.00**

Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2“
without temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
dirt strainer
external solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved

GROHE
EUROECO COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT






36 384 000 **chrome** **802.00**

Euroeco Cosmopolitan E
Powerbox
infra-red electronic basin tap 1/2" without mixer
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
including Powerbox self-generating power system
GROHE Long-Life Shine finish
GROHE Water Saving 6.0 l/min mousseur
flexible connection hose
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407






36 274 000 **chrome** **423.00**

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
metal body
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved






36 273 000 **chrome** **503.00**

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE Long-Life Shine finish
GROHE Water Saving - Less water, perfect flow
GROHE Water Saving mousseur 5.7 l/min
chrome spout
projection 172 mm
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation for concealed fitting box 36 336 001/36 337 001
CE approved
acoustic group I in accordance with DIN 4109





36 337 001 **160.00**


Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROECO COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT






36 336 001 **426.00**

Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






36 407 001 **222.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply





36 340 000 **74.00**

Power extension cable
length 3.00 m

36 341 000 **136.00**
ditto, length 10 m



42 393 000 **53.00**

Battery housing
including 6 V lithium-battery, type CR-P2
to replace transformer




42 388 000 **85.00**

Mains adaptor
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
to replace battery

GROHE
EUROECO COSMOPOLITAN E

	Product no.	Colour	RRP (€) incl. VAT






36 338 000 **121.00**

Switch-mode power supply
for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief






36 133 000 **chrome** **24.00**

Mousseur
external thread
M 24 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
including disassembly key
theft proof
GROHE Long-Life Shine finish
male thread






34 487 000 **chrome** **181.00**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE Long-Life Shine durable sparkling sheen
built-in non return valves
dirt strainer
without connection set
max. pressure differential 5:1





45 704 000 **chrome** **47.00**

Flexible connection hose
300 mm
3/8" x 3/8"



42 177 00M **5.00**


Sticker with pictograph
self-adhesive
for wash basin-single hole mixer
wash basin exposed faucets
in units of 5

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BAU COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT






36 451 000 **chrome** **289.00**

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2“
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59






36 452 000 **chrome** **269.00**

Bau Cosmopolitan E
Infra-red electronic basin tap 1/2“
without temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
body made of composite polymer
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59

GROHE
BAU COSMOPOLITAN E

Product no.	Colour	RRP (€) incl. VAT






36 453 000 **chrome** **306.00**

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59






36 407 001 **222.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply





36 340 000 **74.00**

Power extension cable
length 3.00 m

36 341 000 **136.00**
ditto, length 10 m




42 393 000 **53.00**

Battery housing
including 6 V lithium-battery, type CR-P2
to replace transformer

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BAU COSMOPOLITAN E


	Product no.	Colour	RRP (€) incl. VAT
 	**36 338 000**		**121.00**

Switch-mode power supply
for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE
GROHTHERM MICRO

	Product no.	Colour	RRP (€) incl. VAT






34 487 000 **chrome** **181.00**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE Long-Life Shine durable sparkling sheen
built-in non return valves
dirt strainer
without connection set
max. pressure differential 5:1






47 533 000 **chrome** **33.00**

Grohtherm Micro
Connection set
for Grohtherm Micro
consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
union nuts
GROHE Long-Life Shine durable sparkling sheen






45 704 000 **chrome** **47.00**

Flexible connection hose
300 mm
3/8" x 3/8"





45 120 000 **chrome** **32.00**


Connection hose, 300 mm
connector set 3/8"
for copper pipe Ø 10 mm
coupling nut 3/8"
300 mm

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM SPECIAL


Product no.	Colour	RRP (€) incl. VAT






34 667 000 **chrome** **459.00**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
GROHE SafetyPlus






34 665 000 **chrome** **575.00**

Grohtherm Special
Thermostatic bath mixer 1/2"
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
with S-unions and with covers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
GROHE SafetyPlus






34 681 000 **chrome** **454.00**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
dirt strainers
without S-unions and covers
GROHE FastFixation for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE SafetyPlus






13 080 000 **chrome** **241.00**

Cast swivel spout
length 77 mm
GROHE Long-Life Shine durable sparkling sheen

GROHE
GROHTHERM SPECIAL

Product no.	Colour	RRP (€) incl. VAT






13 137 000 **chrome** **234.00**

Cast swivel spout
length 115 mm
GROHE Long-Life Shine durable sparkling sheen






13 138 000 **chrome** **241.00**

Cast swivel spout
length 175 mm
GROHE Long-Life Shine durable sparkling sheen






34 666 000 **chrome** **510.00**

Grohtherm Special
Thermostatic basin mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
bottom outlet for spouts 13 378 or 13 380
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
GROHE SafetyPlus






13 378 000 **chrome** **138.00**

Cast swivel spout
length 115 mm
swivelling (180 or 90°) and lockable
laminar flow straightener 9 l/min
GROHE Long-Life Shine finish

13 380 000 **chrome** **152.00**
ditto, length 175 mm





29 094 000 **chrome** **351.00**

Grohtherm Special
Thermostatic shower mixer
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
temperature scale handle with internal safety stop between 35°C and 43°C
integrated mixed water shut off
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE Long-Life Shine durable sparkling sheen
GROHE SafetyPlus


35 500 000 **289.00**
GROHE Rapido T thermostatic mixer for concealed installation

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM SPECIAL

Product no.	Colour	RRP (€) incl. VAT






29 095 000 **chrome** **358.00**

Grohtherm Special
Thermostatic bath mixer
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
temperature scale handle with internal safety stop between 35°C and 43°C
integrated mixed water shut off
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE Long-Life Shine durable sparkling sheen
GROHE SafetyPlus

35 500 000 **289.00**
GROHE Rapido T thermostatic mixer for concealed installation






29 096 000 **chrome** **289.00**

Grohtherm Special
Central thermostatic mixer
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handle
temperature scale handle with internal safety stop between 35°C and 43°C
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE Long-Life Shine durable sparkling sheen
GROHE SafetyPlus

35 500 000 **289.00**
GROHE Rapido T thermostatic mixer for concealed installation





35 500 000 **289.00**

GROHE Rapido T
Thermostatic mixer for concealed installation
for use with Grohtherm Special and Grohtherm F
without finishing trim set
flat installation depth 70 - 95 mm
easy to install, premounted and tested unit
GROHE TurboStat compact cartridge with wax thermoelement
two top outlets 1/2", lockable
high flow rate up to 50 l/min. by use of three outlets
bottom outlet 1/2" can be used only with separate stop valve
safe to install, stable built-in-box and protective cap
fixation options for solid walls and dry cladding
material for wall sealing included
body of DR brass
built-in non return valves and dirt strainers



47 979 000 **13.00**

Non-return valves
including screws and O-rings for **GROHE FastFixation**
packaging unit: 2 pieces

GROHE
GROHTHERM SPECIAL


Product no.	Colour	RRP (€) incl. VAT



47 994 000 **9.00**

Grohtherm Special
Temperature unlocking handle
unlocking of temperature handle for thermal disinfection






12 051 000 **chrome** **67.00**

S-union, lockable
1/2" x 3/4"
screw socket to cover the union nut and the escutcheon
sealing towards wall
adjustment range 12.5 mm
suitable for 1/2" connections
GROHE Long-Life Shine durable sparkling sheen





47 780 000 **190.00**

Extension-set 27.5 mm
for Rapido T 35 500 000/35 050 000
for concealed installation box 36 458 000 and 36 459 000
for use with central-thermostats and
shower-thermostats with shut-off valve


47 781 000 **221.00**
ditto, for use with bath thermostats with Aquadimmer



29 007 000 **217.00**

Safety combination (EN 1717)
for Rapido T 35 500 000/35 050 000
re-fitting-set for backflow protection,
for use with inlet- pop-up and waste-sets
e.g.: Talentofill 28 990 000 or 28 991 000
replaces use of pipe interrupter,
threrefore no additional escutcheon necessary






28 874 000 **chrome** **22.00**

T connection, 1/2"
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE Long-Life Shine durable sparkling sheen





28 988 000 **chrome** **51.00**


Drain down valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM SPECIAL

Product no.	Colour	RRP (€) incl. VAT
12 030 000	**chrome**	**86.00**






Pillar union 1/2"
angle 3/4" x 1/2"
mounting set 1/2"
projection 47 mm
GROHE Long-Life Shine durable sparkling sheen

GROHE
GROHTHERM XL

	Product no.	Colour	RRP (€) incl. VAT






35 085 000 **chrome** **2,076.00**

Grohtherm XL
Thermostatic mixer 1“
wall mounted
range of use 9 l/min to 140 l/min
wax thermoelement
temperature scale handles with
pre-adjustable safety stop between
33°C and 43°C
arrangement to make the thermal
disinfection easier
built-in non return valves and dirt
strainers as compact service units
connecting thread 1 1/4“
outlet thread 1 1/2“
changeable top/bottom outlet
without connection unions
GROHE Long-Life Shine durable sparkling sheen






35 087 000 **chrome** **2,540.00**

Grohtherm XL
Thermostatic mixer 1 1/4“
wall mounted
range of use 9 l/min to 140 l/min
wax thermoelement
temperature scale handles with
pre-adjustable safety stop between
33°C and 43°C
arrangement to make the thermal
disinfection easier
built-in non return valves and dirt
strainers as compact service units
connecting thread 1 1/2“
outlet thread 2“
changeable top/bottom outlet
without connection unions
GROHE Long-Life Shine durable sparkling sheen






12 411 000 **chrome** **115.00**

S-union
nut 1 1/4“ x 1“ male thread
adjustment range 50 mm
screw escutcheon
(for Grohtherm XL 1“, 35 085/35 086)
GROHE Long-Life Shine durable sparkling sheen






12 417 000 **chrome** **109.00**

Straight union
nut 1 1/4“ x 1“ male thread
screw escutcheon
(for Grohtherm XL 1“, 35 085/35 086)
GROHE Long-Life Shine durable sparkling sheen

12 420 000 **chrome** **77.00**
ditto,
nut, 1 1/2“ x 1 1/4“, male thread
(for Grohtherm XL 1 1/4“, 35 087/35 088)










12 424 000 **chrome** **83.00**

Straight union
nut 1 1/2“ x 1 1/4“ male thread
(for Grohtherm XL 1“, 35 085/35 086)
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
GROHTHERM XL

	Product no.	Colour	RRP (€) incl. VAT
 	**12 428 000**	**chrome**	**147.00**
	Elbow union nut 1 1/4" x 1" male thread (for Grohtherm XL 1", 35 085/35 086) **GROHE Long-Life Shine** durable sparkling sheen		
	12 430 000	**chrome**	**130.00**
	Elbow union **nut, 1 1/2" x 1 1/4", male thread** **(for Grohtherm XL 1 1/4", 35 087/35 088)**		
 	**12 432 000**	**chrome**	**158.00**
	Wall union, male 1 1/4" nut 1 1/2" x 1 1/4" male thread projection 125 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) **GROHE Long-Life Shine** durable sparkling sheen		
 	**12 444 000**	**chrome**	**360.00**
	Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) **GROHE Long-Life Shine** durable sparkling sheen		
 	**12 448 000**	**chrome**	**294.00**
	Wall union, male 1 1/2" with thermometer nut 2" x 1 1/2" male thread projection 90 mm screw escutcheon **GROHE Long-Life Shine** durable sparkling sheen		
 	**12 436 000**	**chrome**	**224.00**
	Wall union, male 1 1/4" without thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) **GROHE Long-Life Shine** durable sparkling sheen		
	**47 569 000**	**chrome**	**405.00**
	Loose key and shield		

GROHE
GROHTHERM XL


	Product no.	Colour	RRP (€) incl. VAT
	**12 124 000**	**chrome**	**141.00**

Mixed water circulation connection
consisting of:
flexible connection hose
3/4“ x 3/4“, 90° angle
connecting nipple M45 x 1.5 x 3/4“
for connection to existing circulation pipe
double nipple 1“ male thread x 3/4“
for connection to Grohtherm XL
GROHE Long-Life Shine durable sparkling sheen

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT






23 988 003 **chrome** **155.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
single hole installation
metal lever
lever length 89 mm
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
max. pressure differential 5:1
professional edition






23 989 003 **chrome** **171.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
single hole installation
metal lever
lever length 89 mm
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
max. pressure differential 5:1
professional edition






23 986 003 **chrome** **202.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
loop metal lever
lever length 130 mm
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
built-in non return valves
dirt strainers
Lead and Nickel Free Inner Water Ways
GROHE Water Saving 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT






23 987 003 **chrome** **218.00**

Eurosmart
Single-lever basin mixer 1/2"
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
loop metal lever
lever length 130 mm
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
built-in non return valves
dirt strainers
Lead and Nickel Free Inner Water Ways
GROHE Water Saving 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition






23 980 003 **chrome** **124.00**

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
lever length 130 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition






23 981 003 **chrome** **140.00**

Eurosmart
Single-lever basin mixer 1/2"
M-Size
single hole installation
loop metal lever
lever length 130 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition






25 241 003 **chrome** **154.00**

Eurosmart
Single-lever bath mixer 1/2"
wall mounted
loop metal lever
lever length 123 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART CARE


	Product no.	Colour	RRP (€) incl. VAT
 	**25 242 003**	**chrome**	**134.00**

Eurosmart
Single-lever shower mixer 1/2"
wall mounted
loop metal lever
lever length 115 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT






23 984 003 **chrome** **202.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
long metal lever
lever length 147 mm
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition






23 985 003 **chrome** **218.00**

Eurosmart
Single-lever basin mixer 1/2“
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
single hole installation
long metal lever
lever length 147 mm
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving 4.2 l/min laminar flow straigthener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition






23 982 003 **chrome** **124.00**

Eurosmart
Single-lever basin mixer 1/2“
S-Size
single hole installation
long metal lever
lever length 156 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition





23 983 003 **chrome** **140.00**


Eurosmart
Single-lever basin mixer 1/2“
M-Size
single hole installation
long metal lever
lever length 156 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROSMART CARE

	Product no.	Colour	RRP (€) incl. VAT






25 243 003 **chrome** **154.00**

Eurosmart
Single-lever bath mixer 1/2"
wall mounted
long metal lever
lever length 124 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
professional edition






25 244 003 **chrome** **134.00**

Eurosmart
Single-lever shower mixer 1/2"
wall mounted
long metal lever
lever length 120 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition






34 667 000 **chrome** **459.00**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge with wax thermoelement
temperature scale handle with internal safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2" with integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE FastFixation for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
GROHE SafetyPlus

GROHE
EUROECO SPECIAL

	Product no.	Colour	RRP (€) incl. VAT






32 763 000 **chrome** 140.00

Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
pop-up waste set 1 1/4"
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE Water Saving - Less water, perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate approx. 2.5 l/min
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses

32 762 000 **chrome** 140.00
ditto, smooth body






32 766 000 **chrome** 317.00

Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
pop-up waste set 1 1/4"
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate approx. 2.5 l/min
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses

32 765 000 **chrome** 304.00
ditto, smooth body






30 208 000 **chrome** 333.00

Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
high spout, 302 mm
smooth body
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE Water Saving - Less water, perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 5.7 l/min.
swivel tubular spout, swivel area 140°
metal lever, lever length 170 mm
rapid installation system
flexible connection hoses





32 776 000 **chrome** 318.00


Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE Water Saving - Less water, perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
cast spout
projection 157 mm
metal lever
lever length 120 mm
S-unions

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROECO SPECIAL

	Product no.	Colour	RRP (€) incl. VAT






32 778 000 **chrome** 331.00

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE Water Saving - Less water, perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
cast spout
projection 205 mm
metal lever
lever length 170 mm
S-unions

32 779 000 **chrome** 374.00
ditto, with lockable S unions, projection 221 mm






32 770 000 **chrome** 313.00

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE Water Saving - Less water, perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 157 mm
metal lever
lever length 120 mm
S-unions

32 768 000 **chrome** 356.00
ditto, with lockable S unions, projection 174 mm






32 767 000 **chrome** 356.00

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE Water Saving - Less water, perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 197 mm
metal lever
lever length 120 mm
S-unions

32 771 000 **chrome** 399.00
ditto, with lockable S unions, projection 214 mm





32 773 000 **chrome** 374.00


Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE Water Saving - Less water, perfect flow
adjustable flow rate limiter
adjustable temperature limiter
cast swivel spout, lockable
laminar flow straightener 9 l/min
projection 257 mm
metal lever
lever length 170 mm
S-unions

32 774 000 **chrome** 417.00
ditto, with lockable S unions, projection 274 mm

GROHE
EUROECO SPECIAL

	Product no.	Colour	RRP (€) incl. VAT






32 775 000 **chrome** **434.00**

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE Water Saving - Less water, perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener
cast swivel spout, lockable
projection 342 mm
metal lever
lever length 170 mm
with lockable S-unions






32 772 000 **chrome** **361.00**

Euroeco Special
Single-lever basin mixer
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE Water Saving - Less water, perfect flow
adjustable minimum flow rate approx. 2.5 l/min
adjustable temperature limiter
adjustable flow rate limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 222 mm
metal lever
lever length 170 mm
without S-unions
water saving






46 191 000 **110.00**

Extension set
25 mm
for universal single-lever mixer for
concealed installation 1/2"
for use with bath and shower mixer
for use with all trim set designs and surfaces

46 343 000 **295.00**





32 786 000 **chrome** **181.00**


Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
selectable swivel area: 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses
rapid installation system

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROECO SPECIAL

	Product no.	Colour	RRP (€) incl. VAT






32 787 000 **chrome** **181.00**

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
swivel area 140°
metal lever
lever length 120 mm
flexible connection hoses
rapid installation system





32 847 000 **chrome** **280.00**

Eurosmart Cosmopolitan
Solid basin mixer, 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
automatic diverter: bath/shower
swivel tubular spout
projection 400 mm
S-unions



46 259 000 **chrome** **27.00**

Lever 120 mm
GROHE Long-Life Shine durable sparkling sheen



46 257 000 **chrome** **90.00**

Lever 170 mm
GROHE Long-Life Shine durable sparkling sheen




46 688 000 **chrome** **53.00**


Lever 120 mm
for Euroeco Special
single lever basin mixer
metal, 120 mm
GROHE Long-Life Shine durable sparkling sheen

46 689 000 **chrome** **36.00**
length 170 mm


GROHE
EUROECO SPECIAL

	Product no.	Colour	RRP (€) incl. VAT
 	**12 051 000**	**chrome**	**67.00**

S-union, lockable
1/2" x 3/4"
screw socket to cover the union nut and the escutcheon
sealing towards wall
adjustment range 12.5 mm
suitable for 1/2" connections
GROHE Long-Life Shine durable sparkling sheen

 	**34 487 000**	**chrome**	**181.00**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE Long-Life Shine durable sparkling sheen
built-in non return valves
dirt strainer
without connection set
max. pressure differential 5:1

 	**47 533 000**	**chrome**	**33.00**


Grohtherm Micro
Connection set
for Grohtherm Micro
consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
union nuts
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROECO SPECIAL / SSC

	Product no.	Colour	RRP (€) incl. VAT






32 788 000 **chrome** 301.00

Euroeco Special
Single-lever safety basin mixer 1/2“
single hole installation
pop-up waste set 1 1/4“
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses

32 789 000 **chrome** 279.00
ditto, smooth body






32 790 000 **chrome** 387.00

Euroeco Special / SSC
Single-lever safety basin mixer 1/2“
single hole installation
smooth body
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses






32 823 000 **chrome** 477.00

Euroeco Special
Single-lever safety basin mixer 1/2“
ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
cast spout with flow straightener 9 l/min.
projection 170 mm
metal lever
lever length 170 mm
without connection unions






32 795 000 **chrome** 481.00

Euroeco Special / SSC
Single-lever safety basin mixer 1/2“
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
cast spout with flow straightener 9 l/min.
projection 204 mm
metal lever
lever length 170 mm
S-unions

GROHE
EUROECO SPECIAL / SSC

	Product no.	Colour	RRP (€) incl. VAT





32 792 000 **chrome** 511.00

Euroeco Special / SSC
Single-lever safety basin mixer 1/2“
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
cast swivel spout, lockable with flow straightener 9 l/min.
projection 197 mm
metal lever
lever length 120 mm
S-unions

32 793 000 **chrome** 533.00
ditto, projection 256 mm



46 277 000 11.00

Temperature limiter
for cartridge 46 278
for Euroeco safety mixer batteries



46 278 000 104.00

Cartridge
with ceramic sealing system
for Euroeco safety mixer batteries



46 686 000 **chrome** 33.00

Lever 120 mm
for Euroeco Special
single sequential basin mixer
metal, 120 mm
GROHE Long-Life Shine durable sparkling sheen




46 687 000 **chrome** 49.00


Lever 170 mm
for Euroeco Special
single sequential basin mixer
metal, 170 mm
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROECO SPECIAL / SSC

	Product no.	Colour	RRP (€) incl. VAT
 	**28 874 000**	**chrome**	**22.00**

T connection, 1/2“
for connection to shower and bath/shower- mixer
union nut 1/2“
2 connections 1/2“ for the shower hose or drain valves
GROHE Long-Life Shine durable sparkling sheen


 	**28 988 000**	**chrome**	**51.00**

Drain down valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2“
GROHE Long-Life Shine durable sparkling sheen

GROHE
EURODISC SE

Product no.	Colour	RRP (€) incl. VAT






36 233 000 **chrome** **694.00**

Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter
6 V lithium battery, type CR-P2
GROHE Long-Life Shine durable sparkling sheen
flexible connection hoses
non-return valves with integrated dirt strainers
rapid installation system
start-stop function
electronic control of operating time
safety stop after 180 sec.
functions to activate with tip code
flow time infinitely adjustable from 2-180 sec.
automatic flushing: 5 min after 3 days
without use
activation of permanent run for thermal disinfection for 3.5 or 11 min
CE approved
type of protection faucet IP 59K





36 249 000 **chrome** **641.00**

Eurodisc SE
Self-closing basin tap 1/2"
without mixing device
6 V lithium battery, type CR-P2
for cold or premixed water
marking: blue
GROHE Long-Life Shine durable sparkling sheen
flexible connection hose
dirt strainer
rapid installation system
start-stop function
electronic control of operating time
safety stop after 180 sec.
functions to activate with tip code
flow time infinitely adjustable from 2-180 sec.
automatic flushing: 5 min after 3 days
without use
CE approved
type of protection faucet IP 59K



36 209 000 **chrome** **110.00**

Hidden mixing device
vandal-proof, covered and pre-adjustable mixer
suitable for single hole mixers
Europlus E and Eurodisc SE
consisting of:
special mixing device, adjustment by screwdriver
metallic cap
GROHE Long-Life Shine durable sparkling sheen




42 886 000 **38.00**

Battery
6 V lithium battery, type CR-P2

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EURODISC SE


	Product no.	Colour	RRP (€) incl. VAT
 	**45 704 000**	**chrome**	**47.00**

Flexible connection hose
300 mm
3/8“ x 3/8“

GROHE
EUROSMART COSMOPOLITAN T

	Product no.	Colour	RRP (€) incl. VAT






36 318 000 **chrome** **376.00**

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device
and adjustable temperature limiter
GROHE Long-Life Shine durable sparkling sheen
pop-up waste set 1 1/4“
3 adjustable flow times: short - medium - long (factory setting: short),
approx. 7, 15, 30 sec (pressure dependent)
pressure range 0.5 to 6 bar
2 flexible hoses
non-return valve
dirt strainers,

36 317 000 **chrome** **344.00**
ditto, without pop-up waste set






36 320 000 **chrome** **543.00**

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2“ with mixing device
and adjustable temperature limiter
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mixing device with hot water stop-valve
hose connection G 1/2“
3 adjustable flow times: short - medium - long (factory setting: medium),
approx. 7, 15, 30 sec (pressure dependent)
pressure range 0.5 to 6 bar
S-unions, non-return valve
dirt strainers






36 321 000 **chrome** **392.00**

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2“ with mixing device
and adjustable temperature limiter
GROHE Long-Life Shine durable sparkling sheen
3 adjustable flow times: short - medium - long (factory setting: medium),
approx. 7, 15, 30 sec (pressure dependent)
pressure range 0.5 to 6 bar
dirt strainers
set for final installation for concealed fitting box 36 322 001
without concealed body





36 322 001 **172.00**

Eurosmart Cosmopolitan T
Concealed mounting box
with mixture
wall installation
suitable for self-closing final installation sets
with adhesive flange for sealing the wall
2 stop valves
housing with mixing device
non-return valve
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve





36 133 000 **chrome** **24.00**


Mousseur
external thread
M 24 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
including disassembly key
theft proof
GROHE Long-Life Shine finish
male thread

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EUROECO COSMOPOLITAN T

	Product no.	Colour	RRP (€) incl. VAT






36 265 000 **chrome** **145.00**

Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
marking: blue/red
GROHE Long-Life Shine durable sparkling sheen
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)






36 266 000 **chrome** **133.00**

Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
wall mounted
marking: blue/red
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flow limiter 5.7 l/min
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)






36 316 000 **chrome** **52.00**

Euroeco Cosmopolitan T
Extension, 42 mm
for self-closing pillar tap 1/2" (36 266 000)
GROHE Long-Life Shine durable sparkling sheen






36 268 000 **chrome** **133.00**

Euroeco Cosmopolitan T
Self-closing gate valve 1/2"
for concealed installation
marking: blue/red
GROHE Long-Life Shine durable sparkling sheen
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)






36 267 000 **chrome** **125.00**

Euroeco Cosmopolitan T
Self-closing shower valve 1/2"
exposed installation
marking: blue/red
GROHE Long-Life Shine durable sparkling sheen
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)

GROHE
ACCESSORIES SPECIAL FITTINGS

	Product no.	Colour	RRP (€) incl. VAT






19 840 000 **chrome** **34.00**

Concealed valve exposed part
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable
20-80 mm
escutcheon with screwable wall sealing
socket spanner
GROHE Long-Life Shine durable sparkling sheen






19 841 000 **chrome** **43.00**

Atlanta
Concealed valve exposed part
set for final installation for
35 028 000
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable
20 - 200 mm
escutcheon with screwable wall sealing
socket spanner
GROHE Long-Life Shine durable sparkling sheen






28 988 000 **chrome** **51.00**

Drain down valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE Long-Life Shine durable sparkling sheen






28 874 000 **chrome** **22.00**

T connection, 1/2"
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE Long-Life Shine durable sparkling sheen






12 409 000 **chrome** **183.00**

Atlanta
Stop valve 1/2", nut 3/4"
for thermostatic mixers
coupling nut 3/4"
connection thread 3/4"
Trecorn-de-Luxe handle
marking: neutral
GROHE Long-Life Shine durable sparkling sheen





29 736 000 **chrome** **89.00**


Diverter
shower connection 1/2"
union nut 1/2"
male thread 1/2"
male thread 3/4"
for mounting on fittings
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
ACCESSORIES SPECIAL FITTINGS

Product no.	Colour	RRP (€) incl. VAT
29 033 000		**339.00**





5-way diverter
concealed body
wall installation
with ceramic sealing disks
connection cold and hot 1/2“
2 outlets 1/2“
1 bath outlet 3/4“
installation depth infinitely adjustable
66 - 113 mm
DR-brass

GROHE SENSIA
SHOWER TOILETS






CONTENTS

GROHE Sensia IGS	614
GROHE Sensia Arena	617
Manual Bidet Seat	623

GROHE
SENSIA IGS

Product no.	Colour	RRP (€) incl. VAT
39 111 SH0	**alpine white**	**6,137.00**





GROHE Sensia IGS
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene decalcification program, unique 70°C hot water cleaning for entire water system, automatic shower cleaning before and after every use
GROHE DreamSpray technology:
separate water way for lady spray
aerated shower spray
oscillating spray (automatic forward and reverse motion of the spray)
pulsating spray for massage
adjustable spray intensity
automatic pre- and post-rinsing of spray nozzle with fresh water
warm water with adjustable temperature
Other functions
warm air dryer with adjustable temperature
odor extraction with filter
Duroplast WC seat and lid with soft close function
push and turn seat control operation
4 programmable user profiles for remote controller
power switch
inside night lighting
hidden water supply and power supply connections


includes:
touchscreen remote control with wall-mounted holder
batteries for remote controller
active carbon filter
fixing and connecting material
flush pipe
installation guide, manual
cable with system plug on device
pressure 0.1 - 1.0 MPa (1 - 10 bar)
nominal voltage 220-240 V AC 1400 W
main frequency 50-60 Hz
type of protection IPX4
complying with EN 1717/13077
CE approved
SH0:
alpine white ceramic, housing, front, seat and lid

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SENSIA IGS

Product no.	Colour	RRP (€) incl. VAT





39 596 000 **326.00**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)



46 884 000 **108.00**

Care set
for GROHE Sensia IGS shower WC
consisting of:
1 odor filter
descaling agent for 2 applications



46 882 00M **71.00**

Descaling agent
for GROHE Sensia IGS shower WC
for 4 applications
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



46 883 00M **132.00**

Odor filter
for GROHE Sensia IGS shower WC
contains 2 odor filters

GROHE
SENSIA IGS

	Product no.	Colour	RRP (€) incl. VAT
	**42 459 000**	**chrome**	**76.00**

Connection set
for Sensia IGS shower WC system

	40 899 000	**53.00**



Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL and Uniset installations
to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

	14 911 LD0	**alpine white/red**	**855.00**
	14 911 LK0	**alpine white/black**	**855.00**
	14 911 LP0	**alpine white**	**855.00**
	**14 911 SH0**	**alpine white**	**446.00**

Panel set
for Sensia IGS shower WC system
complete set
LD0:
matt chrome housing
red front
LK0:
matt chrome housing
black front
LP0:
matt chrome housing
alpine white front
SH0:
Alpine white housing and front

	14 912 000	**175.00**



Spray
for Sensia IGS shower WC system
Including cover and disassembling tool


	14 914 000	**35.00**

Splash protection
for Sensia IGS shower WC system

GROHE
SENSIA ARENA

Product no.	Colour	RRP (€) incl. VAT
39 354 SH1	**alpine white**	**4,087.00**





GROHE Sensia Arena
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene GROHE antibacterial glazing SIAA Kokin Japanese standard compliant)
and anti stick coating ceramic appliance with Aquaceramics technology
GROHE power flush: rimless wash down jet WC with **GROHE Triple Vortex** flushing technology
GROHE Skin Clean:
2 dedicated adjustable spray arms (1 for rear spray, 1 for lady spray)
separate water way for lady spray
oscillating spray (automatic forward and reverse motion of the spray)
pulsating spray for massage
adjustable spray intensity
automatic pre- and post-rinsing of spray nozzle with fresh water
integrated instant heater provides unlimited warm water
adjustable temperature


Other functions
warm air dryer with adjustable temperature
odor extraction with filter
PlasmaCluster function - ion technology
descaling function
Duroplast WC seat and lid with automatic opening/close function
infra-red user detection
seat control operation
power switch
inside bowl night light
hidden water supply and power supply connections
remote control
smart phone app for iOS and Android

includes:
noise protection sheet, mounting bases and washers
manual remote controller with wall-mounted holder
active carbon filter for odour absorption
water supply connection set for concealed cistern
nozzle guard
cable with system plug on device
pressure 0.05 - 1 MPa (0.5 - 10 bar)
nominal voltage 220-240 V AC
main frequency 50-60 Hz
type of protection IPX4
complies with EN 1717
CE approved

GROHE
SENSIA ARENA

Product no.	Colour	RRP (€) incl. VAT





39 596 000 **326.00**


Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

GROHE
SENSIA ARENA

Product no.	Colour	RRP (€) incl. VAT






39 597 000 **326.00**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated socket for shower toilets (power)
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
without outlet pipe
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves






39 598 000 **345.00**

Rapid SLX
3-in-1 set for WC, 1.13 m installation height
flushing cistern GDX, 6 l
consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
wall brackets (38 558 00M)
WC set for noise protection (37 131 000)
including flow manager

GROHE
SENSIA ARENA

Product no.	Colour	RRP (€) incl. VAT






39 600 000 **412.00**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use

including wall brackets 38 558 00M for on-the-wall installation
including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
including adapter 38 338 000





46 944 001 **296.00**

GROHE Sensia Arena
Installation kit for automatic flush and pre-flush
for Rapid SL and Rapid SLX with flushing cistern GD2 in combination with Sensia Arena shower toilet
consisting of:
servo motor for GD 2
actuation rod for flushing valve
cable and blind cap
flexible hose
WC actuation plate not included
CE approved



40 899 000 **53.00**

Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL and Uniset installations
to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

GROHE
SENSIA ARENA

	Product no.	Colour	RRP (€) incl. VAT
	14 928 000		32.00
	GROHE Sensia Arena **Spray** for Sensia Arena shower toilet system, wall hung and floor standing standard shower		
	14 929 000		32.00
	GROHE Sensia Arena **Spray** for Sensia Arena shower toilet system, wall hung and floor standing lady shower		
	14 936 000		48.00
	GROHE Sensia Arena **Splash protection** for Sensia Arena shower toilet system, wall hung and floor standing		
	46 977 00M		59.00
	GROHE Sensia Arena **Descaler** packaging unit 4 x 80 g bag This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/		
	46 978 000		59.00
	GROHE Sensia Arena **Descaling kit** for 39 354 SH0 80 g bag descaler splash protection bottle adapter		
	46 978 001		122.00
	GROHE Sensia Arena **Descaling kit** for 39 354 SH1 80 g bag descaler bottle adapter hose with clip sticker holder for bottle 1 x spray standard shower (14 928 000) 1 x spray lady shower (14 929 000)		

GROHE
SENSIA ARENA


	Product no.	Colour	RRP (€) incl. VAT



46 979 000 **24.00**

GROHE Sensia Arena
Descaler bottle
for 39 354 SH0 and 39 354 SH1
bottle
adapter






14 926 002 **397.00**

GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung
including wall holder






14 992 000 **44.00**

GROHE Sensia Arena
Bracket for Sensia Arena remote control
anti-theft bracket for 14 926 002
including screws

GROHE
MANUAL BIDET SEAT

	Product no.	Colour	RRP (€) incl. VAT






39 648 SH0 **alpine white** **354.00**

Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
includes:
mounting plate
filter
pressure 0.1 - 1.0 MPa (1 - 10 bar)
complies with EN 1717






39 651 SH0 **alpine white** **529.00**

Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware






39 652 SH0 **alpine white** **716.00**

Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
Grohtherm Micro small under-basin thermostat (34 487 000)
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)





14 074 000 **51.00**

Accessory set shower hose and T piece
for manual bidet seat
consisting of:
T unit 3/8"
flexible connection hose
795 mm
3/8" x 3/8"



GROHE




CONTENTS

Essence	626
Cube Ceramic	632
Euro Ceramic	635
BauEdge Ceramic	642
Bau Ceramic	644
Acrylic shower trays	653


GROHE
ESSENCE

		Product no.	Colour	RRP (€) incl. VAT
		39 564 00H	alpine white	365.00


Essence
Wash basin 70
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
700 x 485 mm
suitable for half and full pedestal
sanitary ware
GROHE PureGuard anti-scale coating and anti-bacterial glazing

		39 565 00H	alpine white	340.00


Essence
Wash basin 60
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
600 x 485 mm
suitable for half and full pedestal
sanitary ware
GROHE PureGuard anti-scale coating and anti-bacterial glazing

		39 566 00H	alpine white	801.00


Essence
Vanity basin 100
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
1000 x 460 mm
sanitary ware
GROHE PureGuard anti-scale coating and anti-bacterial glazing

		39 567 00H	alpine white	574.00

Essence
Vanity basin 80
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
800 x 460 mm
sanitary ware
GROHE PureGuard anti-scale coating and anti-bacterial glazing

		39 568 00H	alpine white	393.00

Essence
Vanity basin 60
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
600 x 460 mm
sanitary ware
GROHE PureGuard anti-scale coating and anti-bacterial glazing

		39 608 00H	alpine white	536.00


Essence
Vessel basin 60
Without overflow
600 x 400 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
GROHE PureGuard anti-scale coating and anti-bacterial glazing

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






39 609 00H **alpine white** **434.00**

Essence
Vessel basin 45
Without overflow
450 x 450 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
GROHE PureGuard anti-scale coating and anti-bacterial glazing






39 570 000 **alpine white** **213.00**

Essence
Half pedestal
including fixation set
sanitary ware






39 571 00H **alpine white** **507.00**

Essence
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
GROHE PureGuard anti-scale coating and anti-bacterial glazing
compatible with seat and cover 39 577 000 (soft close)






39 572 00H **alpine white** **567.00**

Essence
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
wash down
rimless
flush volume 3/4.5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
GROHE PureGuard anti-scale coating and anti-bacterial glazing
compatible with seat and cover 39 577 000 (soft close)






39 573 00H **alpine white** **528.00**

Essence
Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
for concealed cistern
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
GROHE PureGuard anti-scale coating and anti-bacterial glazing
compatible with seat and cover 39 577 000 (soft close)

GROHE ESSENCE

	Product no.	Colour	RRP (€) incl. VAT






39 578 000 **alpine white** **319.00**

Essence
Exposed flushing cistern for close coupled combination
side inlet
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware






39 579 000 **alpine white** **319.00**

Essence
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware






39 577 000 **alpine white** **213.00**

Essence
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Essence bowls






39 574 00H **alpine white** **507.00**

Essence
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
GROHE PureGuard anti-scale coating and anti-bacterial glazing

---






39 575 00H **alpine white** **528.00**

Essence
Floorstanding bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
GROHE PureGuard anti-scale coating and anti-bacterial glazing

---




39 611 000 **alpine white** **6,789.00**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
Without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE
ESSENCE

	Product no.	Colour	RRP (€) incl. VAT



39 729 000 **alpine white** **6,789.00**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats




39 617 000 **alpine white** **1,184.00**

Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
water volume 240 l
usable volume 170 l
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats
requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately

---






39 620 00H **alpine white** **1,379.00**

Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
water volume 240 l
usable volume 170 l
with EasyClean
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats
requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately

---




39 622 000 **alpine white** **6,789.00**

Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

GROHE
ESSENCE

Product no.	Colour	RRP (€) incl. VAT






49 113 000	**chrome**	**2,687.00**
49 113 SH0	**alpine white**	**2,687.00**

Essence
Waste set for free standing bathtubs
dual function of overflow and waste water drainage
concealed overflow
electric pressure sensor unlocks the overflow drainage
mains supply necessary for installation






19 025 000	**chrome**	**76.00**

Talento
Waste and overflow set for bath tubes
set for final installation
escutcheon
waste plug
fixing set
in combination with
Talentofill 28 939/28 943






19 952 000 ★	**chrome**	**219.00**

Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon
supply part
waste plug
fixing set

in combination with
Talentofill 28 990/28 991






28 943 000		**179.00**

Talento
Pop-up bath waste and overflow
set for special baths
without finishing trim set
bottle trap 45° waste elbow





28 991 000		**333.00**

Talentofill
Inlet-, pop-up and waste-system
for body formed bath tubs
without finishing trim set
with bottle trap and 45°-outlet-bend
without anti-vacuum device
installation acc. to DIN 1988
only with anti-vacuum device A2 type
or Talentofill connection set (28 995)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
ESSENCE







	Product no.	Colour	RRP (€) incl. VAT
	**49 115 000**	**chrome**	**134.00**

Essence
Feet for built-in bathtubs
individual height adjustment of each foot
GROHE FastFixation installation system







	**49 114 000**	**204.00**

Essence
Sealing system
GROHE FastFixation installation system
1 x sealing fleece 1.80 m
2 x sealing fleece 2.00 m
2 x sealing corners 90°
2 x outside corner
2 x 90° outside corner
including sound insulation and tile separator strip
waterproof ETAG 022 DIN 18534

GROHE
CUBE CERAMIC

		Product no.	Colour	RRP (€) incl. VAT
		**39 386 00H**	**alpine white**	**763.00**
		Cube Ceramic **Wash basin 100** wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm sanitary ware **GROHE PureGuard** anti-scale coating and anti-bacterial glazing		
		**39 469 00H**	**alpine white**	**660.00**
		Cube Ceramic **Wash basin 80** wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm sanitary ware **GROHE PureGuard** anti-scale coating and anti-bacterial glazing		
		**39 473 00H**	**alpine white**	**358.00**
		Cube Ceramic **Wash basin 60** wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware **GROHE PureGuard** anti-scale coating and anti-bacterial glazing		
		**39 474 00H**	**alpine white**	**336.00**
		Cube Ceramic **Wash basin 50** wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware **GROHE PureGuard** anti-scale coating and anti-bacterial glazing		
		**39 475 00H**	**alpine white**	**763.00**
		Cube Ceramic **Counter top basin 100** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware **GROHE PureGuard** anti-scale coating and anti-bacterial glazing		
		**39 476 00H**	**alpine white**	**661.00**
		Cube Ceramic **Counter top basin 80** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm including fixation set sanitary ware **GROHE PureGuard** anti-scale coating and anti-bacterial glazing		


GROHE
CUBE CERAMIC

		Product no.	Colour	RRP (€) incl. VAT
		**39 477 00H**	**alpine white**	**358.00**
		Cube Ceramic **Counter top basin 60** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware **GROHE PureGuard** anti-scale coating and anti-bacterial glazing		
		**39 478 00H**	**alpine white**	**336.00**
		Cube Ceramic **Counter top basin 50** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm including fixation set sanitary ware **GROHE PureGuard** anti-scale coating and anti-bacterial glazing		
		**39 481 00H**	**alpine white**	**321.00**
		Cube Ceramic **Vessel basin 50** Without overflow 500 x 470 mm including fixation set sanitary ware **GROHE PureGuard** anti-scale coating and anti-bacterial glazing		
		**39 482 00H**	**alpine white**	**285.00**
		Cube Ceramic **Vessel basin 40** Without overflow 410 x 410 mm including fixation set sanitary ware **GROHE PureGuard** anti-scale coating and anti-bacterial glazing		
		**39 480 00H**	**alpine white**	**321.00**
		Cube Ceramic **Under-counter wash basin 50** installation from below with overflow 492 x 370 mm including fixation set sanitary ware **GROHE PureGuard** anti-scale coating and anti-bacterial glazing		
		**39 479 00H**	**alpine white**	**343.00**
		Cube Ceramic **Counter basin 60** flat back side glazed built-in 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware **GROHE PureGuard** anti-scale coating and anti-bacterial glazing		

GROHE
CUBE CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 483 00H **alpine white** **277.00**

Cube Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
455 x 350 mm
sanitary ware
GROHE PureGuard anti-scale coating and anti-bacterial glazing






39 245 00H **alpine white** **635.00**

Cube Ceramic
Wall hung WC
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
GROHE PureGuard anti-scale coating and anti-bacterial glazing
compatible with seat and cover 39 488 000 (soft close)






39 484 00H **alpine white** **712.00**


Cube Ceramic
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
rimless
flush volume 3/4.5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
GROHE PureGuard anti-scale coating and anti-bacterial glazing
compatible with seat and cover 39 488 000 (soft close)





39 490 000 **alpine white** **391.00**

Cube Ceramic
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
including fixation set
sanitary ware



39 488 000 **alpine white** **274.00**


Cube Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Cube Ceramic bowls

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EURO CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 585 00H **alpine white** **622.00**

Euro Ceramic
Vanity basin 100
wall hung
1 hole punched, 2 holes pre-punched
with overflow
1000 x 460 mm
suitable for vanity units
sanitary ware
GROHE PureGuard anti-scale coating and anti-bacterial glazing






39 584 00H **alpine white** **482.00**

Euro Ceramic
Vanity basin 80
wall hung
1 hole punched, 2 holes pre-punched
with overflow
800 x 460 mm
suitable for vanity units
sanitary ware
GROHE PureGuard anti-scale coating and anti-bacterial glazing






39 323 000 **alpine white** **134.00**
39 323 00H **alpine white** **202.00**

Euro Ceramic
Wash basin 65
wall hung
1 hole punched
with overflow
650 x 514 mm
sanitary ware
optional: **GROHE PureGuard** anti-scale coating and anti-bacterial glazing (00H)






39 335 000 **alpine white** **121.00**
39 335 00H **alpine white** **189.00**

Euro Ceramic
Wash basin 60
wall hung
1 hole punched
with overflow
595 x 482 mm
sanitary ware
optional: **GROHE PureGuard** anti-scale coating and anti-bacterial glazing (00H)






39 337 000 **alpine white** **148.00**
39 337 00H **alpine white** **200.00**

Euro Ceramic
Counter top basin 60
1 hole punched
with overflow
596 x 483 mm
sanitary ware
optional: **GROHE PureGuard** anti-scale coating and anti-bacterial glazing (00H)






39 336 000 **alpine white** **135.00**
39 336 00H **alpine white** **187.00**

Euro Ceramic
Wash basin 55
wall hung
1 hole punched
with overflow
550 x 450 mm
sanitary ware
optional: **GROHE PureGuard** anti-scale coating and anti-bacterial glazing (00H)

GROHE
EURO CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 423 000 **alpine white** **144.00**

Bau Ceramic
Undercounter wash basin 55
installation from below
with overflow
560 x 420 mm
sanitary ware






39 324 000 **alpine white** **114.00**
39 324 00H **alpine white** **155.00**

Euro Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
450 x 396 mm
sanitary ware
distance between installation holes: 160 mm
optional: **GROHE PureGuard** anti-scale coating and anti-bacterial glazing (00H)






39 327 000 **alpine white** **109.00**
39 327 00H **alpine white** **177.00**

Euro Ceramic
Mini hand rinse basin
wall hung
1 hole punched
370 x 180 mm
sanitary ware
no pedestals recommended
optional: **GROHE PureGuard** anti-scale coating and anti-bacterial glazing (00H)






39 201 000 N **alpine white** **94.00**

Euro Ceramic
Semi pedestal for wash basin
invisible fixation set
sanitary ware
suitable for all GROHE wash basins except
39 324 000, 39 324 00H, 39 327000, 39 327 00H






39 325 000 N **alpine white** **94.00**

Euro Ceramic
Semi pedestal for hand rinse basin
invisible fixation set
sanitary ware
suitable for hand rinse basins 39 324 000/39 324 00H





39 202 000 N **alpine white** **106.00**


Euro Ceramic
Full pedestal for wash basin
invisible fixation set
sanitary ware
suitable for all GROHE wash basins except
39 324 000, 39 324 00H, 39 327000, 39 327 00H

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EURO CERAMIC

	Product no.	Colour	RRP (€) incl. VAT
	39 328 000	**alpine white**	**374.00**
	39 328 00H	**alpine white**	**442.00**






Euro Ceramic
Wall hung WC
for concealed cistern
horizontal outlet
GROHE Triple Vortex flushing technology
wash down
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **GROHE PureGuard** anti-scale coating and anti-bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)

39 554 000	**alpine white**	**532.00**






Euro Ceramic
Wall hung WC set
consisting of:
Euro Ceramic wall hung WC with Triple Vortex (39 328 000)
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware
Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet

39 206 000	**alpine white**	**340.00**
39 206 00H	**alpine white**	**408.00**






Euro Ceramic
Wall hung compact WC
for concealed cistern
horizontal outlet
GROHE Triple Vortex flushing technology
wash down
rimless
flush volume 3/5 l
49 cm width
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **GROHE PureGuard** anti-scale coating and anti-bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)

39 693 000	**alpine white**	**512.00**






Euro Ceramic
Wall hung WC set
consisting of:
Euro Ceramic wall hung compact WC with Triple Vortex (39 206 000)
horizontal outlet
GROHE Triple Vortex flushing technology
rimless
flush volume 3/5 l
sanitary ware
fully skirted with invisible fixation
Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
material: Duroplast
including fixation set

GROHE
EURO CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 538 000 **alpine white** **299.00**

Euro Ceramic
Wall hung WC, basic
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)






39 703 000 **alpine white** **469.00**


Euro Ceramic
Wall hung WC set
consisting of:
Euro Ceramic wall hung WC, 3/5 l (39 538 000)
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware
Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
material: Duroplast
including fixation set






39 338 000 N **alpine white** **291.00**
39 338 00H N **alpine white** **359.00**

Euro Ceramic
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
GROHE Triple Vortex flushing technology
wash down
rimless
flush volume 3/5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
optional: **GROHE PureGuard** anti-scale coating and anti-bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)



39 332 000 N **alpine white** **272.00**

Euro Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set with dual flush
including fixation set
sanitary ware



39 333 000 N **alpine white** **272.00**


Euro Ceramic
Exposed flushing cistern
side or back inlet
for back inlet please order mounting set 49 522 000 (sold separately)
including flushing set with dual flush
including fixation set
sanitary ware

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EURO CERAMIC

	Product no.	Colour	RRP (€) incl. VAT
	39 462 000	**alpine white**	**645.00**
	39 462 00H	**alpine white**	**645.00**






Euro Ceramic
Bundle close-coupled WC
consisting of:
Euro Ceramic WC (39 338 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
Euro Ceramic cistern (39 332 000)
bottom inlet
including flushing set
sanitary ware
Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
including fixation set
material: Duroplast
4 pieces per pallet

	39 339 000 **N**	**alpine white**	**289.00**
	39 339 00H **N**	**alpine white**	**357.00**






Euro Ceramic
Floor standing back to wall WC
horizontal outlet
back to wall
GROHE Triple Vortex flushing technology
wash down
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **GROHE PureGuard** anti-scale coating and anti-bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)

	39 330 001	**alpine white**	**136.00**






Euro Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Euro Ceramic bowls

	39 331 001	**alpine white**	**92.00**






Euro Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
suitable for all GROHE Euro Ceramic WCs


GROHE
EURO CERAMIC

	Product no.	Colour	RRP (€) incl. VAT
	**39 208 000**	**alpine white**	**337.00**
	39 208 00H	**alpine white**	**405.00**



Euro Ceramic
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **GROHE PureGuard** anti-scale coating and anti-bacterial glazing (00H)

	**39 340 000**	**N**	**alpine white**	**297.00**
	39 340 00H	**N**	**alpine white**	**365.00**




Euro Ceramic
Floorstanding bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **GROHE PureGuard** anti-scale coating and anti-bacterial glazing (00H)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EURO CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 453 000 **40.00**

WC connection outlet
horizontal
320 mm from wall






39 454 000 **74.00**

WC connection outlet
horizontal and vertical
length adjustable
60 to 105 mm from wall






39 457 000 **76.00**

WC connection outlet
vertical
length adjustable
93.5 to 137 mm from wall






49 532 000 **13.00**

Escutcheon
for 39 457 000





39 551 000 **182.00**

WC connection outlet
vertical
length adjustable
200 to 250 mm from wall



49 522 000 **83.00**


Mounting set
for Euro Ceramic cistern
39 333 000
for back inlet installation

GROHE
BAUEDGE CERAMIC

	Product no.	Colour	RRP (€) incl. VAT

new






39 808 000 **alpine white** **116.00**

BauEdge Ceramic
Wash basin 60
wall hung
1 hole punched
with overflow
600 x 448 mm
sanitary ware
suitable for half pedestal 39 426 000 and full pedestal 39 425 000
12 pieces per pallet

---

new






39 807 000 **alpine white** **113.00**

BauEdge Ceramic
Wash basin 55
wall hung
1 hole punched
with overflow
550 x 400 mm
sanitary ware
suitable for half pedestal 39 426 000 and full pedestal 39 425 000
21 pieces per pallet

---

new






39 806 000 **alpine white** **109.00**

BauEdge Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
450 x 350 mm
sanitary ware
27 pieces per pallet

---

new






39 809 000 **alpine white** **210.00**

BauEdge Ceramic
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 3/5 l
sanitary ware
compatible with seat and cover 39 813 000

---

new






39 810 000 **alpine white** **248.00**

BauEdge Ceramic
Floor standing WC
back to wall
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 3/5 l
including fixation set
sanitary ware
compatible with seat and cover 39 813 000

---

new





39 811 000 **alpine white** **186.00**

BauEdge Ceramic
Floor standing WC for close coupled combination
wash down
rimless
horizontal outlet
flush volume 3/4.5 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 813 000


green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BAUEDGE CERAMIC

	Product no.	Colour	RRP (€) incl. VAT

new






39 812 000 **alpine white** **142.00**

BauEdge Ceramic
Exposed flushing cistern
side inlet
including flushing set
anti-theft lid (can be fixed with the cistern)
sanitary ware

new






39 861 000 **alpine white** **142.00**

BauEdge Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set
sanitary ware

new











39 813 000 **alpine white** **122.00**

BauEdge Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all BauEdge ceramic bowls

GROHE
BAU CERAMIC


		Product no.	Colour	RRP (€) incl. VAT
		**39 420 000** **Bau Ceramic** **Wash basin 65** wall hung 1 hole punched with overflow 646 x 468 mm sanitary ware	**alpine white**	**92.00**
		**39 421 000** **Bau Ceramic** **Wash basin 60** wall hung 1 hole punched with overflow 609 x 442 mm sanitary ware **12 pieces per pallet**	**alpine white**	**80.00**
		**39 440 000** **Bau Ceramic** **Wash basin 55** wall hung 1 hole punched with overflow 553 x 386 mm sanitary ware	**alpine white**	**78.00**
		**39 422 000** **Bau Ceramic** **Counter basin 55** built-in 1 hole punched with overflow 560 x 400 mm sanitary ware	**alpine white**	**144.00**
		**39 423 000** **Bau Ceramic** **Undercounter wash basin 55** installation from below with overflow 560 x 420 mm sanitary ware	**alpine white**	**144.00**
		**39 424 000** **Bau Ceramic** **Hand rinse basin 45** wall hung 1 hole punched with overflow 453 x 354 mm sanitary ware distance between installation holes: 205 mm	**alpine white**	**78.00**

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BAU CERAMIC


	Product no.	Colour	RRP (€) incl. VAT





39 426 000 N **alpine white** **88.00**


Bau Ceramic
Half pedestal
including fixation set
sanitary ware
suitable for all Bau and BauEdge Ceramic wash basins except 39 424 000 and 39 806 000



39 425 000 **alpine white** **78.00**

Bau Ceramic
Full pedestal
including fixation set
sanitary ware
suitable for all Bau and BauEdge Ceramic wash basins except 39 424 000 and 39 806 000






39 910 000 **alpine white** **216.00**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
universal outlet
flush volume 3/6 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with visible fixation
compatible with seat and cover 39 913 000 (soft close)
compatible with Bau Ceramic cisterns 39 911 000 and 39 912 000
professional edition






39 911 000 **alpine white** **142.00**

Bau Ceramic
Exposed flushing cistern
side inlet
including flushing set with dual flush
including fixation set
sanitary ware
compatible with Bau Ceramic bowl 39 910 000
professional edition
24 pieces on a pallet






39 912 000 **alpine white** **142.00**

Bau Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set
sanitary ware
compatible with Bau Ceramic bowl 39 910 000
professional edition
24 pieces on a pallet

GROHE
BAU CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 913 000 **alpine white** **126.00**

Bau Ceramic
WC seat soft close slim
with lid
slim design
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with Bau Ceramic bowl 39 910 000
professional edition






39 427 000 **alpine white** **147.00**

Bau Ceramic
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)






39 491 000 **alpine white** **117.00**

Bau Ceramic
Wall hung WC
for concealed cistern
wash down
open rim
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)






39 428 000 N **alpine white** **163.00**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
boxed rim
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)





39 349 000 N **alpine white** **181.00**


Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BAU CERAMIC


	Product no.	Colour	RRP (€) incl. VAT






39 429 000 N **alpine white** **181.00**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
vertical outlet, concealed
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)




39 436 000 N **alpine white** **142.00**

Bau Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set
sanitary ware



39 437 000 N **alpine white** **142.00**


Bau Ceramic
Exposed flushing cistern
side inlet
including flushing set
sanitary ware



39 494 000 N **alpine white** **106.00**

Bau Ceramic
Exposed flushing cistern
side inlet
including flushing set
sanitary ware






39 430 000 N **alpine white** **122.00**

Bau Ceramic
Floor standing WC
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)






39 431 000 N **alpine white** **122.00**

Bau Ceramic
Floor standing WC
wash down
rimless
Vertical outlet
flush volume 6/3 l
including fixation set
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)

GROHE
BAU CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 898 000 **alpine white** **122.00**

Bau Ceramic
WC seat soft close slim
with lid
slim design
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with Bau Ceramic bowls 39 427 000, 39 430 000 and 39 431 000






39 492 000 **alpine white** **63.00**

Bau Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Bau Ceramic bowls except 39 910 000






39 493 000 **alpine white** **113.00**

Bau Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
compatible with all Bau Ceramic bowls except 39 910 000






39 433 000 **alpine white** **234.00**

Bau Ceramic
Wall hung bidet
1 hole punched
with overflow
sanitary ware






39 432 000 N **alpine white** **245.00**

Bau Ceramic
Floorstanding bidet
1 hole punched
with overflow
including fixation set
sanitary ware





39 438 000 **alpine white** **280.00**


Bau Ceramic
Urinal
concealed inlet
flush volume 1 l
including fixation set
sanitary ware
for installation please order urinal trap 39 732 000 (horizontal outlet)
or 39 733 000 (vertical outlet), sold separately
not compatible with temperature sensor 39 367 000

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BAU CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 439 000 **alpine white** **280.00**

Bau Ceramic
Urinal
top inlet
flush volume 1 l
including fixation set
sanitary ware
for installation please order urinal trap 39 732 000 (horizontal outlet)
or 39 733 000 (vertical outlet), sold separately






39 732 000 **56.00**

Urinal trap
horizontal trap Ø 50 mm
flush volume 0.5 - 4 l
middle inlet and outlet 80 mm
for Bau Ceramic urinals 39 438 000 and 39 439 000
material: plastic






39 733 000 **56.00**

Urinal trap
vertical trap
flush volume 2 - 4 l
for Bau Ceramic urinals 39 438 000 and 39 439 000
material: plastic






39 351 000 **alpine white** **249.00**

Bau Ceramic
Wall hung WC set
consisting of:
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/6 l
sanitary ware
Bau Ceramic WC seat (39 493 000)
soft close
quick release function
detachable
material: Duroplast
including fixation set






39 347 000 N **alpine white** **401.00**

Bau Ceramic
Bundle close-coupled WC
consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)
wash down
boxed rim
horizontal outlet, concealed
flush volume 6/3 l
including fixation set
sanitary ware
Bau Ceramic exposed flushing cistern (39 437 000)
side inlet
including flushing set
sanitary ware
Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set

GROHE
BAU CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 495 000 **alpine white** **308.00**

Bau Ceramic
Bundle close-coupled WC
consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)
wash down
boxed rim
horizontal outlet, concealed
flush volume 6/3 l
including fixation set
sanitary ware
Bau Ceramic exposed flushing cistern (39 494 000)
side inlet
including flushing set
sanitary ware
Bau Ceramic WC seat (39 492 000)
with lid
quick release function
detachable
material: Duroplast
including fixation set






39 346 000 N **alpine white** **418.00**

Bau Ceramic
Bundle close-coupled WC
Bau Ceramic floor standing toilet with vertical outlet (39 429 000)
wash down
rimless
Vertical outlet
flush volume 6/3 l
including fixation set
sanitary ware
Bau Ceramic exposed flushing cistern (39 437 000)
side inlet
including flushing set
sanitary ware
Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set





39 496 000 **alpine white** **403.00**


Bau Ceramic
Bundle close-coupled WC
consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
Bau Ceramic exposed flushing cistern (39 494 000)
side inlet
including flushing set
sanitary ware
Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
BAU CERAMIC

	Product no.	Colour	RRP (€) incl. VAT






39 648 SH0 **alpine white** **354.00**

Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
includes:
mounting plate
filter
pressure 0.1 - 1.0 MPa (1 - 10 bar)
complies with EN 1717






39 651 SH0 **alpine white** **529.00**

Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware






39 652 SH0 **alpine white** **716.00**

Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
Grohtherm Micro small under-basin thermostat (34 487 000)
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)










14 074 000 **51.00**

Accessory set shower hose and T piece
for manual bidet seat
consisting of:
T unit 3/8"
flexible connection hose
795 mm
3/8" x 3/8"


GROHE
BAU CERAMIC

	Product no.	Colour	RRP (€) incl. VAT
 	**39 453 000** **WC connection outlet** horizontal 320 mm from wall		**40.00**
 	**39 454 000** **WC connection outlet** horizontal and vertical length adjustable 60 to 105 mm from wall		**74.00**
 	**39 457 000** **WC connection outlet** vertical length adjustable 93.5 to 137 mm from wall		**76.00**
 	**49 532 000** **Escutcheon** for 39 457 000		**13.00**
 	**39 551 000** **WC connection outlet** vertical length adjustable 200 to 250 mm from wall		**182.00**

GROHE
ACRYLIC SHOWER TRAYS

	Product no.	Colour	RRP (€) incl. VAT
	39 300 000	**alpine white**	**320.00**






Acrylic shower tray 1000 x 1000
dimensions: 1000 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014416
recommended Schedel installation set SD 90083


	39 301 000	**alpine white**	**237.00**






Acrylic shower tray 900 x 900
dimensions: 900 x 900 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014408
recommended Schedel installation set SD 90081

	39 302 000	**alpine white**	**226.00**






Acrylic shower tray 800 x 800
dimensions: 800 x 800 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014411
recommended Schedel installation set SD 90080

	39 306 000	**alpine white**	**261.00**






Acrylic shower tray 800 x 1000
dimensions: 800 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014412
recommended Schedel installation set SD 90082

GROHE
ACRYLIC SHOWER TRAYS

	Product no.	Colour	RRP (€) incl. VAT
	49 533 000	**chrome**	**66.00**






Waste set for universal shower tray
Ø 112 mm
Vertical outlet
GROHE Long-Life Shine durable sparkling sheen
flow rate 1.1 l/s according to DIN EN 274

	49 534 000	**chrome**	**66.00**





Waste set for universal shower tray
Ø 112 mm
horizontal outlet
GROHE Long-Life Shine durable sparkling sheen
flow rate 0.7 l/s (42 l/min) according to DIN EN 274

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
INSTALLATION SYSTEMS






CONTENTS

Rapid SLX	Rapid SLX	658
Rapid SL	Rapid SL for WC	661
	Rapid SL for urinal	672
	Rapid SL for wash basin and bidet	674
	Rapid SL for the disabled	678
	Rapid SL free-standing installation	681
	Rapid SL fitting supports	683
	Rapid SL accessories	684
Uniset	Uniset frames and accessories	688

GROHE
RAPID SLX

Product no.	Colour	RRP (€) incl. VAT
39 596 000		326.00






Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

GROHE
RAPID SLX

Product no.	Colour	RRP (€) incl. VAT






39 597 000 **326.00**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated socket for shower toilets (power)
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
without outlet pipe
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves





39 600 000 **412.00**

Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern GDX, 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use

including wall brackets 38 558 00M for on-the-wall installation
including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
including adapter 38 338 000

GROHE
RAPID SLX

	Product no.	Colour	RRP (€) incl. VAT






39 603 000 **chrome** **417.00**

Rapid SLX
3-in-1 set for WC, 1.13 m installation height
flushing cistern GDX, 6 l
consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Skate Cosmopolitan S flush plate, chrome (37 535 000)
wall brackets (38 558 00M)
including flow manager





39 598 000 **345.00**

Rapid SLX
3-in-1 set for WC, 1.13 m installation height
flushing cistern GDX, 6 l
consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
wall brackets (38 558 00M)
WC set for noise protection (37 131 000)
including flow manager




39 607 000 **102.00**

Rapid SLX
Accessory
for WC bowls with a bearing area of less than 20 cm
vertical support for ceramics with
small bearing area (< 205 mm)

GROHE
RAPID SL FOR WC

	Product no.	Colour	RRP (€) incl. VAT
	39 374 KS0	**velvet black**	**1,135.00**






GROHE glass module
for Rapid SL and Uniset
with flushing cistern GD 2
for connecting shower toilet Sensia Arena
or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome,
flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection
for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
set for noise protection
including accessory for mounting glass plate and WC ceramic

	39 374 LS0	**moon white**	**1,135.00**






GROHE glass module
for Rapid SL and Uniset
with flushing cistern GD 2
for connecting shower toilet Sensia Arena
or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome,
flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection
for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
set for noise protection
including accessory for mounting glass plate and WC ceramic

GROHE
RAPID SL FOR WC

Product no.	Colour	RRP (€) incl. VAT






38 528 001 **256.00**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





39 002 000 **457.00**

Rapid SL
Element for WC, 1.13 m installation height, for external odour extraction
with flushing cistern GD 2, 6 - 9 l
with flush pipe for external odour extraction
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
flush pipe with connection for odor extraction 50 mm
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE
RAPID SL FOR WC

	Product no.	Colour	RRP (€) incl. VAT






39 687 000 **292.00**

Rapid SL Slim
Element for WC with flushing cistern 88.9 mm, 1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
2 WC fixing bolts
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern SLIM, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl.
protection during construction phase,
for vertical use
for on-the-wall installation please order wall brackets 39 699 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)






38 827 000 **chrome** **425.00**

Rapid SL
5-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)






38 750 001 **chrome** **331.00**

Rapid SL
4-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, chrome, vertical installation (38 505 000)
wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)

GROHE
RAPID SL FOR WC

	Product no.	Colour	RRP (€) incl. VAT






39 501 000 **chrome** **356.00**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates






39 504 000 **chrome** **376.00**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
flushing cistern GD 2, 6 - 9 l
consisting of:
Rapid SL element for WC (38 528 001)
Arena Cosmopolitan S flush plate, chrome (37 624 000)
wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates






38 722 001 **alpine white** **309.00**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, alpine white, vertical installation (38 505 SH0)
wall brackets (38 558 00M)





38 772 001 **chrome** **334.00**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
wall brackets (38 558 00M)


green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAPID SL FOR WC

	Product no.	Colour	RRP (€) incl. VAT

new






39 940 000 **glossy black** **317.00**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
flushing cistern GD 2, 6 - 9 l
consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, glossy black (38 732 KV0)
wall brackets (38 558 00M)






39 750 001 **272.00**

Rapid SL
2-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
consisting of:
Rapid SL element for WC (38 528 001)
wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates

GROHE
RAPID SL FOR WC

	Product no.	Colour	RRP (€) incl. VAT






38 536 001 **272.00**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 539 001 **284.00**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
including WC set for noise protection (37 131 000)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE
RAPID SL FOR WC

Product no.	Colour	RRP (€) incl. VAT






38 624 001 **350.00**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
angle valve 1/2“
water inlet with pipe fixation
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)
including adapter 38 338 000





39 062 001 **597.00**

Rapid SL
Element for WC with leakage box, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
for on-the-wall installations or studded walls
with sealing fleece
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
leakage box
collection body with wastewater lead-through and
connection for spill, black
leakage / slash water protection


flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
angle valve 1/2“
water inlet with pipe fixation
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)
including adapter 38 338 000
including seal for leakage box

GROHE
RAPID SL FOR WC

	Product no.	Colour	RRP (€) incl. VAT






38 675 001 **423.00**

Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please
order fixing element 38 559 001 (sold separately)





39 687 000 **292.00**


Rapid SL Slim
Element for WC with flushing cistern 88.9 mm, 1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
2 WC fixing bolts
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern SLIM, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl.
protection during construction phase,
for vertical use
for on-the-wall installation please order wall brackets 39 699 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAPID SL FOR WC

	Product no.	Colour	RRP (€) incl. VAT






38 994 000 **432.00**

Rapid SL
Element for WC with flushing cistern 80 mm, 1.13 m installation height
element width 0.62 m
for small, narrow bathrooms
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top or back
low noise (group I acc. to German Noise Specification), insulated against condensation
water supply 1/2“ and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)





38 525 001 **414.00**

Rapid SL
Element for WC, 1.00 m installation height
with flushing cistern 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification), insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl. protection
during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

GROHE
RAPID SL FOR WC

Product no.	Colour	RRP (€) incl. VAT






38 526 000 **378.00**

Rapid SL
Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification), insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl. protection
during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)





38 618 000 **396.00**

Rapid SL
Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
angle valve 1/2“
water inlet with pipe fixation
shortable inspection shaft incl. protection
during construction phase

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)
including adapter 38 338 000




40 899 000 **53.00**

Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL and Uniset installations
to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

GROHE
RAPID SL FOR WC

	Product no.	Colour	RRP (€) incl. VAT





38 558 00M **18.00**


Rapid SL
Wall brackets
for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces



39 699 000 **47.00**

Wall brackets for slim cistern
for use with 88.9 mm cistern






42 333 000 **21.00**

4.5 l adapter for GD2
to reduce the maximum flush volume to 3.8 l (big flush) and 1.8 l (small flush)






42 327 000 **20.00**

PP-outlet bend Ø 90 mm
variable depth adjustment
including lip seal DN 90





42 946 000 **17.00**

Outlet elbow
made of PE
Ø 80/100 mm




42 593 000 **38.00**

Valve seat
reduces flow of the flush
easy flow regulation via inspection shaft without removing the valves
suitable for flushing cistern GD 2

GROHE
RAPID SL FOR URINAL

	Product no.	Colour	RRP (€) incl. VAT






38 786 001 **342.00**

Rapid SL
Element for urinal with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for ceramic
inlet connection and inlet connecting set
water group with stop valve
flow pressure min 0.5 bar, operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
shortable inspection shaft incl. protection during
construction phase for sets for final installation
with dimensions 116 x 144 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 803 001 **430.00**

Rapid SL
Element for urinal with infra-red electronic
with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
inlet connection and inlet connecting set
fixing bolts M8, with fixing device for ceramic
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
shortable inspection shaft incl. protection during
construction phase for sets for final installation
with dimensions 116 x 144 mm
including wall brackets 38 558 00M for on-the-wall installation





39 376 000 **405.00**


Rapid SL
Element for urinal with temperature sensor
with roughing-in set for T sensor
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for ceramic
inlet connection and inlet connecting set
box for concealed installation
including roughing-in box
water group with stop valve and
flush elbow
for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold separately)
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAPID SL FOR URINAL

	Product no.	Colour	RRP (€) incl. VAT






38 517 001 **290.00**

Rapid SL
Element for urinal without fitting
1.13 and 1.30 m installation height
for manual / electronic actuation
for exposed fittings
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for ceramic
inlet connection and inlet connecting set
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 558 00M **18.00**

Rapid SL
Wall brackets
for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Product no.	Colour	RRP (€) incl. VAT






38 581 001 **544.00**

Rapid SL
Element for bidet, 1.13 m installation height
for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
pre-assembled
height adjustable fitting connections
lockable
TÜV approved
fixing material
bidet fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 554 001 **159.00**

Rapid SL
Element for wash basin, single hole installation with noise protection
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






39 052 000 **224.00**

Rapid SL
Element for wash basin, single hole installation, height adjustable with noise protection
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
fixing and connecting traverse, height adjustable
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 557 001 **149.00**

Rapid SL
Element for wash basin, single hole installation
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Product no.	Colour	RRP (€) incl. VAT






38 625 001 **351.00**

Rapid SL
Element for wash basin with concealed trap
for single hole installation or
wall mounted fittings
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
single installation or fitting to a rail
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
2 noise protected fitting connections 1/2"
concealed syphon for concealed wall installation
including cover plate for concealed trap, stainless steel
including adjustable brass outlet bend
chrome plated, height adjustable
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 748 002 **chrome** **680.00**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 546 000 **188.00**

Rapid SL
Element for wash basin, for wall mounted fittings
1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Product no.	Colour	RRP (€) incl. VAT






38 541 000 **191.00**


Rapid SL
Element for wash basin, single hole installation
1.00 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 544 000 **346.00**


Rapid SL
Element for hospital waste sink
for wall mounted fittings
1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
waterproof plywood
HT-outlet bend Ø 50 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 553 001 **341.00**

Rapid SL
Element for bidet, 1.13 m installation height
vertical support for ceramics with
small bearing area (< 205 mm)
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
bidet fixing bolts, HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 545 000 **409.00**


Rapid SL
Element for bidet, 1.00 m installation height
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
bidet fixing bolts, HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Product no.	Colour	RRP (€) incl. VAT






38 543 000 **395.00**

Rapid SL
Element for bidet, 0.82 m installation height
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material, TÜV approved
bidet fixing bolts, HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 558 00M **18.00**

Rapid SL
Wall brackets
for on-the-wall installations
for fixing the elements at the brick-wall or in front of the studded wall
steady vertical adjustment from 130 - 230 mm
cladding for single or series installation
fixing material
2 pieces

GROHE
RAPID SL FOR THE DISABLED

	Product no.	Colour	RRP (€) incl. VAT






38 675 001 **423.00**

Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
fixing material, TÜV approved
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please
order fixing element 38 559 001 (sold separately)





A	1080	1130
B	230	280
C	910	960
D	950	1000
E	1010	1060


39 140 000 **853.00**

Rapid SL
Element for WC, 1.13 m installation height
with fixing element for back support and support rails
with flushing cistern GD 2, 6 - 9 l
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
2 WC fixing bolts, 4 wall brackets, fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm, depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 759 SD0 **stainless steel** **1,145.00**


Radio electronic
for WC
receiver modul 868,4 MHz
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
for flushing cistern GD 2, for flushing cistern 6 l
concealed installation, front plate 156 x 197 mm
servo motor
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
adjustable flush volume
adjustable flow time
72 h flushing can be activated
with extension cable, 3.00 m length,
for connecting transformer and
electronic
CE approved

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAPID SL FOR THE DISABLED

	Product no.	Colour	RRP (€) incl. VAT






38 934 SD0 **stainless steel** **697.00**

WC control for manual remote actuation
for concealed flushing cisterns, 6 - 9 l
for connecting one or more potential-free actuation buttons via cable
suitable for support rails for the disabled with integrated actuation button from Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
stainless steel wall plate 156 x 197 mm
transformer for external installation
operating voltage 230 V AC, 50/60 Hz, 4.0 VA
servo motor
3 m connecting cable
for the connection of transformer and electronic
3 m connection cable with plug
CE approved
delivery range without actuation button/support rails






39 141 000 **793.00**

Radio electronic
for WC with flushing cistern GD2
receiver modul 868,4 MHz
for wall sender 39 142 000 or radio transmitter 38 758 000
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
servo motor
integrated battery box for 4 x 1.5 V Mono D (LR20)
adjustable flush volume
72 h flushing can be activated
Dual Flush possible (6/3 or 9/4.5 l)
WC actuation plate and batteries are not included
CE approved






38 625 001 **351.00**

Rapid SL
Element for wash basin with concealed trap
for single hole installation or
wall mounted fittings
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
single installation or fitting to a rail
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
2 noise protected fitting connections 1/2"
concealed syphon for concealed wall installation
including cover plate for concealed trap, stainless steel
including adjustable brass outlet bend
chrome plated, height adjustable
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 541 000 **191.00**

Rapid SL
Element for wash basin, single hole installation
1.00 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material, TÜV approved
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FOR THE DISABLED

Product no.	Colour	RRP (€) incl. VAT





38 559 001 **243.00**


Rapid SL
Fixing element, 1.13 m installation height
to fix support for the disabled in lightweight studded wall partitions or on-the-wall installations
0.31 m wide
powder coated steel frame
waterproof plywood
fixing material
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAPID SL FREE-STANDING INSTALLATION

	Product no.	Colour	RRP (€) incl. VAT






38 584 001 **345.00**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2, 6 - 9 l
for free-standing installation, for on-the-wall
installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
lockable
fixing material
2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 587 000 **479.00**


Rapid SL
Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
for free-standing installation, for on-the-wall
installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
lockable
TÜV approved
fixing material
2 WC fixing bolts, fixing device for ceramic
distance of fixing bolts 180/230 mm
90° rotatable PVC outlet bend 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
shortable inspection shaft incl. protection
during construction phase
including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

GROHE
RAPID SL FREE-STANDING INSTALLATION

	Product no.	Colour	RRP (€) incl. VAT






38 581 001 **544.00**

Rapid SL
Element for bidet, 1.13 m installation height
for free-standing installation, for on-the-wall
installations or studded walls
powder coated steel frame, self-supporting
pre-assembled
height adjustable fitting connections
lockable
TÜV approved
fixing material
bidet fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 558 00M **18.00**

Rapid SL
Wall brackets
for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAPID SL FITTING SUPPORTS


	Product no.	Colour	RRP (€) incl. VAT
 	**37 998 000**		**120.00**

Rapid SL
Fitting support for exposed fittings
for **studded walls**
for empty frames
2 noise protected fitting connections 1/2“
fixing material

GROHE
RAPID SL ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






38 636 001 **117.00**

Rapid SL
Cladding for wall mounted WC
1.13 m installation height
gypsum fibre boards 1180 x 480 x 12.5 mm
with all cut-outs
self-tapping screws
2 zinc coated support angles with
fixing screws





38 558 00M **18.00**


Rapid SL
Wall brackets
for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces



39 699 000 **47.00**

Wall brackets for slim cistern
for use with 88.9 mm cistern






38 629 000 **71.00**

Rapid SL
Extension
for floor constructions from 200 up to 350 mm
fixing material
not suitable for project elements






38 733 000 **39.00**

Rapid SL
Xtra wall brackets, flexible placing
for additional fixation of WC elements
or installation without floor fixing
mounting angles including wall bracket and fixing material
2 pieces








38 562 001 **131.00**





Rapid SL
Set for corner installation
for WC, bidet, wash basin and urinal
single installation or fitting to a rail
fitting maximum 625 mm from the corner
fixing material for corner installation
2 wall brackets **1.13 m**
135°

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAPID SL ACCESSORIES


	Product no.	Colour	RRP (€) incl. VAT
 	38 779 000		103.00
	Rapid SL **Accessory** for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)		
	39 607 000		102.00
	Rapid SLX **Accessory** for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)		
 	37 131 000		7.00
	Set for noise protection for WC sound insulation 2 rubber pipes		
	42 397 000		11.00
	Tube		
	42 766 000		21.00
	Distance pipe 3“		
 	38 338 000		15.00
	Connecting box Scandinavian adapter		

GROHE
RAPID SL ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT
 	**40 911 000**		**19.00**
	Revision shaft for small flush plates for combination with Rapid SL and Uniset with GD 2 cistern		
 	**40 950 000**	**chrome**	**24.00**
	Revision shaft for small flush plates for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height		
 	**40 949 000**	**chrome**	**31.00**
	Revision shaft for small flush plates for combination with 80 mm cistern		
	**66 791 000**		**13.00**
	Inspection shaft for combination with Rapid SLX cisterns		
 	**43 617 000**		**94.00**
	Motor support device for Rapid SL 38 675 for the disabled as of mid 2008 for installation of infra-red electronic		
	**42 216 000**		**60.00**
	PVC waste bend diameter 90/100 mm		

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
RAPID SL ACCESSORIES


	Product no.	Colour	RRP (€) incl. VAT
	39 860 000		82.00

Upgrade kit for cisterns (Scandinavian DZR standard)
water connection inside the cistern
consisting of:
wall fixations for frame base (2 pieces)
pipe-in-pipe connector (NT VVS 129)
flexible hose

GROHE
UNISET FRAMES AND ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






39 683 000 **152.00**

Uniset Slim
Element for WC with flushing cistern 88.9 mm
module for masonry-in
793 x 426 x 130 mm
2 WC fixing bolts
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern SLIM, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
low noise (group I acc. to German Noise Specification)
insulated against condensation
shortable inspection shaft incl.
protection during construction phase,
for vertical use
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)





38 643 001 **227.00**

Uniset
Element for WC with EPS housing
with flushing cistern GD 2, 6 - 9 l
sound-insulating EPS module for
masonry-in
830 x 480 x 130 mm
rail adaptors for modular fixing
for single or rail installation
wall rail with fixing accessories for
single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase

preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE
UNISET FRAMES AND ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






38 642 001 **238.00**

Uniset
Element for WC with EPS housing and support feet
with flushing cistern GD 2, 6 - 9 l
sound-insulating EPS module for
masonry-in
830 x 470 x 130 mm
rail adaptors for modular fixing
wall rail with fixing accessories for
single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase

preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





39 165 000 **174.00**

Uniset
Element for WC
with flushing cistern GD 2, 6 - 9 l
778 x 440 x 116 mm
for single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern GD 2, 6 - 9 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
cistern insulated against condensation
1/2“ angle valve with push fit flexible hose union
no tools required for the installation of the inspection
shaft incl. protection during construction phase
for vertical or horizontal use

preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE
UNISET FRAMES AND ACCESSORIES

Product no.	Colour	RRP (€) incl. VAT






39 683 000 **152.00**

Uniset Slim
Element for WC with flushing cistern 88.9 mm
module for masonry-in
793 x 426 x 130 mm
2 WC fixing bolts
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern SLIM, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from top
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
low noise (group I acc. to German Noise Specification)
insulated against condensation
shortable inspection shaft incl.
protection during construction phase,
for vertical use
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)





38 415 001 **362.00**

Uniset
Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l
front or top actuation
sound-insulating EPS module for
masonry-in
rail adaptors for modular fixing
wall rail with fixing accessories for
single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm, depth adjustable
inlet and outlet connecting set


flushing cistern 6 - 9 l containing the following features:
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection
angle valve 1/2“
shortable inspection shaft incl. protection
during construction phase

preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

GROHE
UNISET FRAMES AND ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT






38 785 000 **281.00**

Uniset
Element for urinal with infra-red electronic
with GROHE Rapido U
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
sound-insulating EPS module for
masonry-in with closed surface
rail adaptors for modular fixing
for single or series installation
fixing accessories for single installation
height adjustable fitting connections
inlet connection and inlet connecting set
HT-outlet bend Ø 50 mm
threaded bolts M8
fixing material for urinal bowl
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2“ outer thread
connecting box for mains supply 230 V
installation box with gasket
shortable inspection shaft incl. protection during
construction phase for sets for final installation
with dimensions 116 x 144 mm





37 304 000 **47.00**


Uniset
Support feet
matching **Uniset** for **WC and bidet**
made of hot galvanized steel
fixing material
for on-the-wall installations



40 899 000 **53.00**

Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL and Uniset installations
to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm





40 911 000 **19.00**

Revision shaft for small flush plates
for combination with Rapid SL and Uniset with GD 2 cistern

40 950 000 **chrome** **24.00**
ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height

40 949 000 **chrome** **31.00**
ditto, for combination with 80 mm cistern

GROHE
FLUSHING SYSTEMS






CONTENTS

WC	Flushing cisterns	694
	Accessories for flushing cisterns	696
	WC flush valves	705
	WC electronic	710
Urinal	Urinal electronic	716
	Urinal flush valves	723

GROHE
FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT






37 355 SH0 **alpine white** **164.00**

Flushing cistern for WC
6 - 9 l adjustable
exposed installation
interruptible flush cycle
servo actuation
low level, made of ABS
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
angle valve 1/2“
copper pipe
mounting template
flush pipe bend
WC inlet connector






38 661 000 **145.00**

Flushing cistern GD 2
6 - 9 l adjustable
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
flush pipe insulated against condensation
fixing brackets
without wall plate/actuation
GROHE Water Saving - Less water, perfect flow
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)






38 987 000 **145.00**

Flushing cistern GD 2
6 - 9 l adjustable
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
flush pipe insulated against condensation
fixing brackets
without wall plate/actuation
GROHE Water Saving - Less water, perfect flow
with inlet pipe and connector
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)





39 682 000 **114.00**


Solo Slim
Flushing cistern for WC 88.9 mm
without flush pipe insulation
cistern volume 6 l
angle valve 1/2“
GROHE Water Saving - Less water, perfect flow
shortable inspection shaft incl. protection during construction phase,
for vertical use
for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)
flushing cistern SLIM, 3 - 6 l, containing following features:
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from top
optional flow manager please order separately
for on-the-wall installation please order wall brackets 39 699 000 (sold separately)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
FLUSHING CISTERNS


	Product no.	Colour	RRP (€) incl. VAT






38 422 000 — **203.00**

Flushing cistern for WC
6 - 9 l adjustable
concealed installation
0.82 m installation height
dual flush discharge valve, pneumatic
front or top actuation
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
415 x 410 x 360 mm
1/2“ water supply connection
fixing brackets
flush pipe
shortable inspection shaft incl. protection
during construction phase
without wall plate/actuation
GROHE Water Saving - Less water, perfect flow






38 691 000 — **228.00**

Eau2
WC flushing cistern 0.82 m
6l / 3l
Dual Flush
low noise filling valve
6 - 9 l adjustable
concealed installation
0.82 m installation height
water supply from left/right or back
connection from left / right or back
non-interruptible flush cycle
front or top single 6 l only flush
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
415 x 410 x 360 mm
with angle stop valve 1/2“ and flush pipe
1/2“ water supply connection
angle valve 1/2“
fixing brackets
flush pipe
without wall plate/actuation
protecting block
min. recommended
static pressure 0.2 bar

air button
front or top actuation
extended hose length for flexibility
when positioning the actuation
sleek and minimal styling allows the button to be fitted in any 360 degree orientation
GROHE Water Saving - Less water, perfect flow








38 771 000 — **chrome** — **54.00**

Pneumatic push button actuation
for dual flush or start & stop actuation
Ø 48 mm
in combination with bath furniture or removable claddings for cistern
inspection
for material thickness from 18 -24 mm
pneumatic hose 600 mm
GROHE Long-Life Shine durable sparkling sheen


GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT
 	**37 095 000**		**45.00**
	Filling valve 3/8“ universal application **without** adapter for the pipe connection cap, restrictor **) max. shortening 100 mm		
	37 092 000 **ditto, with adapter**		**55.00**
 	**43 537 000**		**31.00**
	Filling valve for concealed flushing cisterns 6 l		
 	42 297 PI0	**matt chrome/chrome**	**82.00**
	Eco-discharge valve dual flush discharge valve AV1 push button actuation Ø 40 mm with Eco-knob with fixing device for lid **GROHE Water Saving** - Less water, perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia.		
	**42 253 000**		**100.00**
	Dual Flush discharge valve AV1 pneumatic discharge valve offering 2 modes of operation: dual flush or start/stop including plug seat		
	**43 907 PI0**	**matt chrome/chrome**	**124.00**
	Replace kit set for close-coupled ceramic cisterns with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes **GROHE Long-Life Shine** durable sparkling sheen **) max. shortening 100 mm		

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT






37 088 PI0 **matt chrome/chrome** **73.00**

Servo discharge valve
interruptible flush cycle
with short discharge valve housing
decide for maintenance opening
and complete before installation
escutcheon
push button for lid holes Ø 16 - 35 mm
fixing material
GROHE Long-Life Shine durable sparkling sheen






37 497 PI0 **matt chrome/chrome** **73.00**

Servo discharge valve
interruptible flush cycle
for close-coupled ceramic cisterns
push button actuation with
escutcheon Ø 38 mm
fixing set with 100 mm screws and
cellular rubber joint 100 mm dia.
GROHE Long-Life Shine durable sparkling sheen






37 086 PI0 **matt chrome/chrome** **100.00**

Servo discharge valve
interruptible flush cycle
flush volume 3 l minimum
short discharge valve housing
push button actuation Ø 40 mm
escutcheon
fixing set with 100 mm screws and
cellular rubber joint 100 mm dia.





37 100 SH0 **alpine white** **29.00**

Flush pipe
390 x 350 mm



43 536 000 **9.00**

Valve head




43 733 000 **5.00**

Membrane
filling valve

43 758 00M **36.00**
ditto, 10 pieces per set

GROHE
ACCESSORIES FOR FLUSHING CISTERNS


	Product no.	Colour	RRP (€) incl. VAT



42 271 00M **71.00**

Nipple
multi-packaging: 10 pieces






38 735 000 **73.00**

Retro-fit set
for flushing cistern 6 l
concealed installation
dual flush discharge valve AV1
including valve seat
for 6 l or 3 l
angle valve 1/2“
guiding pipe for screws
without wall plate
GROHE Water Saving - Less water, perfect flow






38 736 000 **55.00**

Retro-fit set dual flush
for flushing cistern GD 2
6 - 9 l adjustable
dual flush discharge valve AV1
including valve seat
without wall plate/actuation
GROHE Water Saving - Less water, perfect flow






42 320 000 **54.00**

Dual Flush discharge valve AV1
AV1 complete with pipe extension
6 - 9 l adjustable
without valve seat
without actuation






42 137 000 **28.00**

Servo discharge valve
non-interruptible flush cycle
without actuation





43 486 000 **76.00**


Servo discharge valve
interruptible flush cycle
without valve seat

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT






42 265 000 **205.00**

Discharge valve, Dual Flush
for flushing cistern 0.82 m
pneumatic actuation
for 6 l or 3 l
including valve seat





42 774 000 **89.00**


Discharge valve, Dual Flush
for pneumatic actuation



42 233 000 **chrome** **19.00**

Tube






43 908 000 **34.00**

Flush pipe, concealed
complete for concealed cisterns
with polystyrene insulation and protective cover
length 280 mm






37 311 K00 **black** **53.00**

WC inlet and outlet connecting set
for wall hung WC
connecting pipe Ø 45 mm
waste sleeve Ø 90 mm
150 mm long
cover for WC fixing bolts





37 489 000 **7.00**


Extension
for concealed flush pipe
length 200 mm

43 352 000 **7.00**
ditto, length 300 mm

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT






37 103 SH0 **alpine white** **11.00**

Inlet set
connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC
connector
escutcheon






37 104 K00 **black** **19.00**

WC inlet and outlet connecting set
for wall hung WC
connecting pipe Ø 45 mm
length 200 mm
connector
waste sleeve Ø 110 mm
150 mm long
cover for WC fixing bolts






37 105 K00 **black** **29.00**

Extension
for concealed flush pipe
length 300 mm





37 115 PI0 **matt chrome/chrome** **20.00**


Push button and escutcheon
for servo set
for close-coupled ceramic cisterns
lid hole Ø 40 mm
GROHE Long-Life Shine durable sparkling sheen



37 117 PI0 **matt chrome/chrome** **20.00**

Push button and escutcheon
for servo set
for close-coupled ceramic cisterns
lid hole Ø 16 - 35 mm
GROHE Long-Life Shine durable sparkling sheen





37 119 000 **5.00**


Connector
55 mm
for low level flushing cisterns

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT






37 125 000 **chrome** **12.00**

Dummy plug and escutcheon cap
for ceramic flushing cisterns
lid hole Ø 40 mm
GROHE Long-Life Shine durable sparkling sheen






42 327 000 **20.00**

PP-outlet bend Ø 90 mm
variable depth adjustment
including lip seal DN 90






42 333 000 **21.00**

4.5 l adapter for GD2
to reduce the maximum flush volume to 3.8 l (big flush) and 1.8 l (small flush)






42 946 000 **17.00**

Outlet elbow
made of PE
Ø 80/100 mm





37 131 000 **7.00**



Set for noise protection
for WC
sound insulation
2 rubber pipes



42 773 000 **26.00**

Valve seat for concealed cisterns, Dual Flush

GROHE
ACCESSORIES FOR FLUSHING CISTERNS



	Product no.	Colour	RRP (€) incl. VAT
	**42 315 000**		**17.00**
	Valve seat for GD2		
	**43 542 000**		**19.00**
	Valve seat with o-ring **valve seat** for concealed flushing cisterns 6 - 9 l / 6 l **0.82 m installation height** (from 02.97) **for Variella Compact Ø 41 mm**		
	**43 545 000**		**26.00**
	Valve seat with o-ring for concealed flushing cisterns 6 - 9 l / 6 l **0.82 m installation height** (until 02.97) **for Variella Compact Ø 55 mm**		
 	**43 535 000**		**5.00**
	Push bar 350 mm for Servo discharge valve 350 mm		
	**43 540 000**		**10.00**
	Pop-up rod for Servo discharge valve 451 mm		
	**43 544 000**		**19.00**
	Outlet piston for Servo discharge valve		

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT
	43 722 000 **Set of seals**		21.00
	43 734 000 **Lever**		11.00
	43 735 000 **Screw cap**		23.00
	43 745 000 **Seal**		17.00
	43 770 00M **Seal** multi-packaging: 10 pieces		11.00
	43 976 000 **Lever**		11.00


GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Product no.	Colour	RRP (€) incl. VAT
	**42 242 000**		**6.00**
	Reducer		
	**42 075 000**		**9.00**
	Flow restrictor reduces flow rate for exposed flushing cisterns installation in flush pipe shorten if necessary		
 	**42 300 000**		**15.00**
	Flow restrictor reduces flow rate		
 	**38 714 000**		**29.00**
	Extension set 70 mm for wall plates/actuations for flushing cistern GD 2, 6 - 9 l with pneumatic discharge valve		
	**42 593 000**		**38.00**
	Valve seat reduces flow of the flush easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2		
 	**40 911 000**		**19.00**
	Revision shaft for small flush plates for combination with Rapid SL and Uniset with GD 2 cistern		
	40 950 000	**chrome**	**24.00**
	ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height		
	40 949 000	**chrome**	**31.00**
	ditto, for combination with 80 mm cistern		

GROHE
WC FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT






37 347 000 **chrome** **259.00**

Rondo A.S.
Flush valve for WC
¾"
brass
GROHE Long-Life Shine durable sparkling sheen
for wash-down and wash-out bowls
control cap and connection to
plastic flush pipe
with flow rate adjustment
6 - 9 l adjustable
with escutcheon
flow pressure min 1.2 bar
operating pressure max 5 bar
low noise (group I acc. to German Noise Specification)






37 349 000 **chrome** **299.00**

Rondo A.S.
Flush valve for WC
¾"
brass
integrated stop valve
GROHE Long-Life Shine durable sparkling sheen
for wash-down and wash-out bowls
control cap and connection to
plastic flush pipe
with flow rate adjustment
6 - 9 l adjustable
with escutcheon
flow pressure min 1.2 bar
operating pressure max 5 bar
low noise (group I acc. to German Noise Specification)






37 141 000 **chrome** **133.00**

DAL-full-automatic flush valve for WC
¾"
brass
GROHE Long-Life Shine durable sparkling sheen
for wash-down and wash-out bowls
with automatic flow rate
flow pressure range from 1.2 - 5.0 bar
low noise (group II according to
German noise specification)






37 139 000 **chrome** **118.00**

DAL-automatic flush valve for WC
3/4"
brass
GROHE Long-Life Shine durable sparkling sheen
for wash-down and wash-out bowls
with flow rate adjustment






37 132 000 **chrome** **39.00**

Fixing device
hidden fixing screws
for flush pipes Ø 28 mm
for distance to the wall from 15 - 85 mm

GROHE
WC FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT






37 133 000 **81.00**

Inlet adaptor
for corner installation
¾"






37 107 000 **chrome** **79.00**

Flush pipe
for WC flush valve
Ø 28 x 26 mm
600 x 200 mm
brass
flush pipe fixing device
for distance to the wall from 15 - 85 mm
connector






37 112 000 **139.00**

Flush pipe
for flush valves
Ø 28 x 26 mm
adjustable, 500 - 750 mm
brass






37 108 000 **chrome** **91.00**

Flush pipe
for WC flush valve
Ø 28 x 26 mm
1000 x 200 mm
straight
brass
without flush pipe fixing device
for distance to the wall from 15 - 85 mm
connector






37 114 000 **chrome** **46.00**


Flush pipe extension
Ø 28 x 26 mm
260 mm
brass

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
WC FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT
 	**42 041 000**	**chrome**	**246.00**

Flush pipe set
for WC flush valve Rondo A.S.
for **squatting WC**
flush pipe 850 mm
distributor for the flush pipe
flush pipe fixing device


 	**37 135 000**		**9.00**

Connector
55 mm
for flush valve to pedestal WC

GROHE
WC FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT






37 153 000 — **282.00**

Flush valve for WC
concealed installation
¾"
stop valve
6 - 9 l adjustable
flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation
low noise (group I acc. to German Noise Specification)






37 157 000 — **315.00**


Flush valve for WC
concealed installation
¾"
stop valve
6 - 14 l adjustable
for low pressure
for wash-down and wash-out bowls
flow pressure range from 0.6 - 3.0 bar
(min. static pressure 1.5 bar)
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation






37 048 000 — **292.00**

Flush valve for WC
concealed installation
¾"
with **connection** to solenoid valve
stop valve
6 - 9 l adjustable
flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
2 m connecting cable
box for concealed installation with
flush elbow
concealed flush pipe
without electronic actuation






43 996 000 — **226.00**

Flush valve for WC
concealed installation
¾"
retrofit for 677.00.200/677.03.200/680.00.200
without stop valve
without flush pipe





43 997 000 — **283.00**


Flush valve for WC
¾"
retrofit for 677.00.500/677.03.500/680.00.500
for low pressure
without stop valve
without flush pipe
reference:
model 677. with stainless steel actuation is to be replaced by ref. 43 997 and 43 179 P00 (plastic actuation).

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
WC FLUSH VALVES


	Product no.	Colour	RRP (€) incl. VAT






42 902 000 **chrome** **398.00**

Flush valve for WC
concealed installation
¾"
6 - 9 l adjustable
stainless steel wall plate
without stop valve
without flush pipe
to replace against model **663.04.200 (G1)**






42 901 000 **chrome** **382.00**

Flush valve for WC
¾"
concealed installation
6 - 9 l adjustable
wall plate Classic, 220 x 255 mm
GROHE Long-Life Shine durable sparkling sheen
without stop valve
without flush pipe
retrofit for
622.03.200 (G¾)
623.03.200 (G¾)
669.03.200 (G¾)
668.03.200 (G¾)
670.03.200 (G¾)






37 102 SH0 **alpine white** **24.00**

Inlet set
connecting pipe from flush pipe of
concealed flush valve 6 to 9l and
concealed flushing cistern to
pedestal WC
connector
escutcheon






37 131 000 **7.00**

Set for noise protection
for WC
sound insulation
2 rubber pipes

GROHE
WC ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT






38 698 SD1	**stainless steel**	**764.00**

Tectron Skate
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved
for use with Rapid SLX please order shaft 66 791 000 (sold separately)






38 699 001	**chrome**	**764.00**

Tectron Surf
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
GROHE Long-Life Shine durable sparkling sheen
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved
for use with Rapid SLX please order shaft 66 791 000 (sold separately)






37 419 000	**chrome**	**1,027.00**
37 419 SD0	**stainless steel**	**1,027.00**

Tectron Skate
Infra-red electronic for WC flushing cistern
with additional manual actuation
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
GROHE Long-Life Shine finish
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for single flush actuation
for flushing cistern GD 2
servo motor
concealed installation
hidden fixing screws
front plate 156 x 197 mm
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

GROHE
WC ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT






37 504 000 **chrome** **1,392.00**

Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with additional manual actuation
GROHE Long-Life Shine finish
front plate 156 x 197 mm
servo motor
for use with Rapid SLX please order shaft 66 791 000 (sold separately)
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.






38 393 SD1 **stainless steel** **764.00**

Tectron Skate
Infra-red electronic for WC flush valve
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
concealed installation
front plate 156 x 197 mm
infra-red control
solenoid valve
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved
for use with concealed WC flush valve 37 048 000 and 38 519 001

GROHE
WC ELECTRONIC

	Product no.	Colour	RRP (€) incl. VAT






PROFESSIONAL GROHE

39 881 000 **chrome** **446.00**
39 881 SH0 **alpine white** **428.00**

Tectron Bau E
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
GROHE Long-Life Shine durable sparkling sheen
with transformer 42 470 000 100-230 V AC 50-60 Hz, 6.75 V 4 W DC
for new installations and retrofit to all GD2 cisterns
servo motor
concealed installation
front plate 156 x 197 mm
hidden anti-theft device
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved






PROFESSIONAL GROHE

39 881 KF0 **phantom black** **527.00**

Tectron Bau E
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
GROHE Long-Life Shine finish
with transformer 42 470 000 100-230 V AC 50-60 Hz, 6.75 V 4 W DC
for new installations and retrofit to all GD2 cisterns
servo motor
concealed installation
front plate 156 x 197 mm
hidden anti-theft device
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved





PROFESSIONAL GROHE

39 882 000 **chrome** **351.00**
39 882 SH0 **alpine white** **333.00**


Tectron Bau E
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
GROHE Long-Life Shine durable sparkling sheen
6 V lithium battery, type CR-P2
for new installations and retrofit to all GD2 cisterns
servo motor
concealed installation
front plate 156 x 197 mm
hidden anti-theft device
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
WC ELECTRONIC

	Product no.	Colour	RRP (€) incl. VAT






39 882 KF0 **phantom black** **431.00**

Tectron Bau E
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
GROHE Long-Life Shine finish
6 V lithium battery, type CR-P2
for new installations and retrofit to all GD2 cisterns
servo motor
concealed installation
front plate 156 x 197 mm
hidden anti-theft device
infra-red control
7 pre-set programs:
auto flush
cleaning mode
additional functions and precise settings by remote control 36 407
pre-flush on/off
adjustable flush (3 - 9 l) by hand and remote
CE approved






43 617 000 **94.00**

Motor support device
for Rapid SL 38 675
for the disabled
as of mid 2008
for installation of infra-red electronic






38 759 SD0 **stainless steel** **1,145.00**

Radio electronic
for WC
receiver modul 868,4 MHz
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
for flushing cistern GD 2, for flushing cistern 6 l
concealed installation, front plate 156 x 197 mm
servo motor
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
adjustable flush volume
adjustable flow time
72 h flushing can be activated
with extension cable, 3.00 m length,
for connecting transformer and
electronic
CE approved






39 141 000 **793.00**

Radio electronic
for WC with flushing cistern GD2
receiver modul 868,4 MHz
for wall sender 39 142 000 or radio transmitter 38 758 000
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
servo motor
integrated battery box for 4 x 1.5 V Mono D (LR20)
adjustable flush volume
72 h flushing can be activated
Dual Flush possible (6/3 or 9/4.5 l)
WC actuation plate and batteries are not included
CE approved

GROHE
WC ELECTRONIC

	Product no.	Colour	RRP (€) incl. VAT






38 934 SD0 **stainless steel** **697.00**

WC control for manual remote actuation
for concealed flushing cisterns, 6 - 9 l
for connecting one or more potential-free actuation buttons via cable
suitable for support rails for the disabled with integrated actuation button
from Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
stainless steel wall plate 156 x 197 mm
transformer for external installation
operating voltage 230 V AC, 50/60 Hz, 4.0 VA
servo motor
3 m connecting cable
for the connection of transformer and electronic
3 m connection cable with plug
CE approved
delivery range without actuation button/support rails






36 340 000 **74.00**

Power extension cable
length 3.00 m






36 341 000 **136.00**

Power extension cable
length 10.00 m








37 059 000 **chrome** **259.00**

Surf
Pneumatic actuation
GROHE Long-Life Shine durable sparkling sheen
remote hand actuation
push button actuation with
escutcheon Ø 100 mm
vertical and horizontal installation
wall plate Surf 156 x 197 mm
pneumatic hose 1.50 m





37 060 000 **chrome** **105.00**


Pneumatic actuation
GROHE Long-Life Shine durable sparkling sheen
push button actuation with
escutcheon Ø 100 mm
pneumatic hose 1.50 m
without wall plate

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
WC ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT
36 407 001		**222.00**






Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

GROHE
URINAL ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT






37 421 000 **chrome** **594.00**

Tectron Rondo
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine finish
metal housing
exposed installation
flow pressure min 0.5 bar
operating pressure max 10 bar
with integrated stop valve
flush pipe with rubber connector
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
CE approved






37 426 000 **chrome** **594.00**

Tectron Rondo
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
metal housing
exposed installation
flow pressure min 0.5 bar
operating pressure max 10 bar
G 1/2
with integrated stop valve
flush pipe with rubber connector
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
CE approved






37 427 000 **chrome** **454.00**

Tectron retro-fit unit 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine finish
metal housing
exposed installation
for urinal flush valve 37 021 and variants
flow pressure min 0.5 bar
operating pressure max 10 bar
with piston
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
CE approved

GROHE
URINAL ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT
37 428 000	**chrome**	**435.00**






Tectron retro-fit unit 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine finish
metal housing
exposed installation
for urinal flush valve 37 339 000 and variants
flow pressure min 0.5 bar
operating pressure max 10 bar
with piston
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
CE approved

GROHE
URINAL ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT






37 336 001 **chrome** **681.00**

Tectron Surf
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE Long-Life Shine finish
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U
CE approved






37 337 001 **chrome** **681.00**

Tectron Surf
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine finish
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U or Rapido UMB
CE approved





37 321 001	**chrome**	**681.00**
37 321 SH1	**alpine white**	**681.00**
37 321 SD1	**stainless steel**	**681.00**


Tectron Skate
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE Long-Life Shine finish
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U
CE approved

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
URINAL ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT






37 324 001	**chrome**	**681.00**
37 324 SD1	**stainless steel**	**681.00**

Tectron Skate
Infra-red electronic for urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine finish
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U or Rapido UMB
CE approved





37 503 000	**chrome**	**1,130.00**


Tectron Skate Bluetooth
Infra-red electronic for urinal
for Rapido U 37 338 000
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
GROHE Long-Life Shine finish
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush, cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

GROHE
URINAL ELECTRONIC

	Product no.	Colour	RRP (€) incl. VAT






37 751 001 **chrome** **609.00**

Tectron
Retro-fit unit
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE Long-Life Shine finish
exposed installation
for concealed urinal flush valve 37 017
and DAL 509
metal housing 145 x 90 x 45 mm
solenoid valve with dirt strainer
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings by remote control 36 407
adjustable flow time by hand or remote
CE approved






37 338 000 **169.00**

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2“ outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and
masonry-in
shortable inspection shaft incl. protection





38 787 000 **139.00**


GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2“ outer thread
installation box with gasket
fixing points for dry cladding and
masonry-in

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
URINAL ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT






36 407 001 **222.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply






39 368 000 **885.00**

Temperature sensor for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
can be used with 39 376 000
siphon with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
CE approved






39 367 000 **885.00**

Temperature sensor for urinal
6 V lithium battery, type CR-P2
with water connection set and stop valve
siphon with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
CE approved
only for certain urinal ceramics, check online TPI

GROHE
URINAL ELECTRONIC

Product no.	Colour	RRP (€) incl. VAT
39 369 000		**1,177.00**






Temperature sensor with Bluetooth for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
can be used with 39 376 000
siphon with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
for Apple** and Android devices
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
shut-off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.

GROHE
URINAL FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT






37 339 000 **chrome** **166.00**

Rondo
Flush valve for urinal
1/2“
brass
integrated stop valve
GROHE Long-Life Shine durable sparkling sheen
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar






37 342 000 **chrome** **199.00**

Rondo
Flush valve for urinal
1/2“
brass
vandal proof by metal actuation knob
integrated stop valve
GROHE Long-Life Shine durable sparkling sheen
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar






37 345 000 **chrome** **186.00**

Rondo
Flush valve for urinal
1/2“
brass
integrated stop valve
GROHE Long-Life Shine durable sparkling sheen
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar






37 346 000 **chrome** **136.00**

Rondo
Flush valve for urinal
1/2“
brass
without stop valve
GROHE Long-Life Shine durable sparkling sheen
with control cap and flush pipe connection
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar










37 396 000 **chrome** **142.00**

Press urinal flush valve
1/2“
brass
GROHE Long-Life Shine durable sparkling sheen
with wall escutcheon

GROHE
URINAL FLUSH VALVES


	Product no.	Colour	RRP (€) incl. VAT
 	**37 044 000** **Inlet connecting set 1/2"** for urinal bowls with inlet from back connector Ø 33.5 - 38 mm		**33.00**
 	**37 035 000** **Urinal flush pipe** Ø 18 mm 200 mm brass chrome plated straight	**chrome**	**20.00**
 	**37 037 000** **Urinal flush pipe** Ø 18 mm 200 mm brass chrome plated offset 20 mm	**chrome**	**40.00**
	37 038 000 **ditto, offset 30 mm**	**chrome**	**43.00**
 	**37 039 000** **Urinal flush pipe** Ø 18 mm 200 mm brass chrome plated offset 40 mm	**chrome**	**50.00**
	37 040 000 **ditto, offset 50 mm**	**chrome**	**56.00**
 	**37 043 000** **Urinal flush pipe** Ø 18 mm 400 mm brass straight	**chrome**	**58.00**
 	**37 042 000** **Flush pipe extension** Ø 16 mm 200 mm brass	**chrome**	**34.00**

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
URINAL FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT






37 338 000 **169.00**

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and
masonry-in
shortable inspection shaft incl. protection





38 787 000 **139.00**

GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
installation box with gasket
fixing points for dry cladding and
masonry-in





43 040 000 **18.00**

Converter set
for wall plate Surf
for manual urinal flush valve
concealed installation
for installation on model 509.
without wall plate/actuation

---

43 310 000 **chrome** **33.00**





Fixing nut

---

43 818 000 **chrome** **18.00**



Adapter for urinal
with inlet pipe
1/2"
GROHE Long-Life Shine durable sparkling sheen

GROHE
ACTUATIONS






CONTENTS

WC	Wall plates for WC	728
	GROHE Fresh	737
	Wall plates for WC flush valves	738
Urinal	Wall plates for urinal	739

GROHE
WALL PLATES FOR WC






Product no.	Colour	RRP (€) incl. VAT
37 535 000	**chrome**	**95.00**
37 535 P00	**matt chrome**	**95.00**
37 535 SH0	**alpine white**	**78.00**
37 535 DC0	**supersteel**	**208.00**
37 535 BE0	**polished nickel**	**208.00**
37 535 EN0	**brushed nickel**	**208.00**
37 535 GL0	**cool sunrise**	**208.00**
37 535 GN0	**brushed cool sunrise**	**208.00**
37 535 DA0	**warm sunset**	**208.00**
37 535 DL0	**brushed warm sunset**	**208.00**
37 535 A00	**hard graphite**	**208.00**
37 535 AL0	**brushed hard graphite**	**208.00**

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)






37 601 000	**chrome**	**116.00**
37 601 P00	**matt chrome**	**116.00**
37 601 SH0	**alpine white**	**95.00**
37 601 DC0	**supersteel**	**209.00**
37 601 BE0	**polished nickel**	**209.00**
37 601 EN0	**brushed nickel**	**209.00**
37 601 GL0	**cool sunrise**	**209.00**
37 601 GN0	**brushed cool sunrise**	**209.00**
37 601 DA0	**warm sunset**	**209.00**
37 601 DL0	**brushed warm sunset**	**209.00**
37 601 A00	**hard graphite**	**209.00**
37 601 AL0	**brushed hard graphite**	**209.00**

Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

GROHE
WALL PLATES FOR WC

Product no.	Colour	RRP (€) incl. VAT
37 624 000	**chrome**	**116.00**
37 624 P00	**matt chrome**	**116.00**
37 624 SH0	**alpine white**	**95.00**
37 624 DC0	**supersteel**	**209.00**
37 624 BE0	**polished nickel**	**209.00**
37 624 EN0	**brushed nickel**	**209.00**
37 624 GL0	**cool sunrise**	**209.00**
37 624 GN0	**brushed cool sunrise**	**209.00**
37 624 DA0	**warm sunset**	**209.00**
37 624 DL0	**brushed warm sunset**	**209.00**
37 624 A00	**hard graphite**	**209.00**
37 624 AL0	**brushed hard graphite**	**209.00**






Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)
colours BE and EN available until 31 March 2023

37 973 000	**chrome**	**116.00**
37 973 DC0	**supersteel**	**209.00**
37 973 SH0	**alpine white**	**95.00**
37 973 P00	**matt chrome**	**116.00**






Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
horizontal installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)

37 965 000	**chrome**	**78.00**






Skate Air S
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

40 911 000		**19.00**






Revision shaft for small flush plates
for combination with Rapid SL and Uniset with GD 2 cistern

40 950 000	**chrome**	**24.00**
ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height		
40 949 000	**chrome**	**31.00**
ditto, for combination with 80 mm cistern		

GROHE
WALL PLATES FOR WC

Product no.	Colour	RRP (€) incl. VAT






38 915 KS0	**velvet black**	**1,176.00**
38 915 LS0	**moon white**	**1,176.00**

Veris Light
Flush plate
for dual flush or start & stop actuation
for SoftTouch flushing activation
external highlighted outline
with LEDs in blue, red, yellow, green
light colour individually adjustable
on/off timer for individual regulation of illuminating period
3 m connecting cable
transformer for external installation
110 V to 240 V 50/60 Hz broad range power supply, 9 VA
CE approved
for GD 2 cisterns with pneumatic discharge valve AV1
200 x 200 mm
made of security glass
GROHE Water Saving - Less water, perfect flow
not suitable for GROHE Fresh






38 809 000	**chrome**	**754.00**

Nova Cosmopolitan Light
Flush plate
for dual flush or start & stop actuation
external highlighted outline
with LEDs in blue, red, yellow, green
light colour individually adjustable
on/off button
timer for individual regulation of illuminating period
3 m connecting cable
transformer for external installation
operating voltage 230 V AC, 50/60 Hz, 2.0 VA
CE approved
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)






38 765 000	**chrome**	**93.00**
38 765 SH0	**alpine white**	**75.00**
38 765 P00	**matt chrome**	**93.00**

Nova Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

new





38 765 KV0	**glossy black**	**80.00**


Nova Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine finish
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
WALL PLATES FOR WC

	Product no.	Colour	RRP (€) incl. VAT






38 845 LS0	**moon white**	324.00
38 845 KS0	**velvet black**	324.00
38 845 MF0	**chrome/ daVinci satin**	324.00

Skate Cosmopolitan
Flush plate
with glass surface
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of security glass
mounting-set
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)






38 916 0A0	**mirror glass**	395.00

Skate Cosmopolitan
Flush plate
with mirror surface
plastic actuation buttons, titanium
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of security glass
mounting-set
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)






38 957 000	**chrome**	140.00

Mounting set
for wall-aligned installation of Skate Cosmopolitan
with glass surface
for GD 2 and flushing cistern 80 mm
plastic mounting frame, chrome plated
minimum 8 mm tile thickness
for vertical or horizontal use
protection plate
dismantling tool for wall plate
fixing material






38 821 000	**chrome**	307.00

Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
vandal-proof
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of brass
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)





38 732 SD0	**stainless steel**	198.00

Skate Cosmopolitan
Wall plate, stainless steel
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
plastic fixing frame
hidden fixing screws
not suitable for GROHE Fresh
GROHE Long-Life Shine finish
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)


38 776 SD0	**stainless steel**	202.00

ditto, horizontal installation

GROHE
WALL PLATES FOR WC

Product no.	Colour	RRP (€) incl. VAT





38 732 000	**chrome**	**75.00**
38 732 DC0	**supersteel**	**178.00**
38 732 SH0	**alpine white**	**61.00**
38 732 P00	**matt chrome**	**75.00**
38 732 BE0	**polished nickel**	**178.00**
38 732 EN0	**brushed nickel**	**178.00**
38 732 GL0	**cool sunrise**	**178.00**
38 732 GN0	**brushed cool sunrise**	**178.00**
38 732 DA0	**warm sunset**	**178.00**
38 732 DL0	**brushed warm sunset**	**178.00**
38 732 A00	**hard graphite**	**178.00**
38 732 AL0	**brushed hard graphite**	**178.00**

Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)


38 732 BR0	**titanium**	**153.00**

ditto, with anti-fingerprint surface

---

new






38 732 KF0	**phantom black**	**153.00**

Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine finish
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

---

new






38 732 KV0	**glossy black**	**64.00**

Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine finish
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)





38 844 000	**chrome**	**93.00**
38 844 SH0	**alpine white**	**75.00**
38 844 P00	**matt chrome**	**93.00**

Arena Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of ABS
GROHE Water Saving - Less water, perfect flow
GROHE Long-Life Shine durable sparkling sheen
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 858 000	**chrome**	**93.00**
38 858 P00	**matt chrome**	**93.00**
38 858 SH0	**alpine white**	**75.00**

ditto, horizontal installation


green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
WALL PLATES FOR WC

	Product no.	Colour	RRP (€) incl. VAT

new






38 844 KV0	**glossy black**	**80.00**

Arena Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine finish
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)





38 505 000	**chrome**	**61.00**
38 505 SH0	**alpine white**	**49.00**
38 505 P00	**matt chrome**	**61.00**


Skate Air
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 506 000	**chrome**	**61.00**
38 506 SH0	**alpine white**	**49.00**
38 506 P00	**matt chrome**	**82.00**

ditto, horizontal installation

new






38 505 KF0	**phantom black**	**125.00**

Skate Air
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve
vertical installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine finish
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

new






38 505 KV0	**glossy black**	**53.00**

Skate Air
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine finish
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)






38 862 000	**chrome**	**90.00**
38 862 SH0	**alpine white**	**72.00**
38 862 P00	**matt chrome**	**90.00**

Skate
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

GROHE
WALL PLATES FOR WC

	Product no.	Colour	RRP (€) incl. VAT






38 862 SD0 **stainless steel** **213.00**

Skate
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
material: stainless steel
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)





38 861 000 **chrome** **92.00**


Surf
Flush plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
WALL PLATES FOR WC

Product no.	Colour	RRP (€) incl. VAT






38 564 000	**chrome**	**59.00**
38 564 SH0	**alpine white**	**47.00**

Skate Air
Flush plate
for single flush actuation
for pneumatic discharge valve
vertical installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow

38 565 000	**chrome**	**59.00**
38 565 SH0	**alpine white**	**38.00**

ditto, horizontal installation






38 573 000	**chrome**	**76.00**
38 573 SH0	**alpine white**	**33.00**

Skate
Flush plate
for single flush actuation
for pneumatic discharge valve
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow






38 672 SD0	**stainless steel**	**142.00**

Skate
Wall plate, stainless steel
for single flush actuation
vandal-proof
for pneumatic discharge valve
vertical installation
156 x 197 mm
plastic fixing frame
hidden fixing screws
GROHE Water Saving - Less water, perfect flow






38 574 000	**chrome**	**78.00**

Surf
Flush plate
for single flush actuation
for pneumatic discharge valve
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow








37 059 000	**chrome**	**259.00**

Surf
Pneumatic actuation
GROHE Long-Life Shine durable sparkling sheen
remote hand actuation
push button actuation with
escutcheon Ø 100 mm
vertical and horizontal installation
wall plate Surf 156 x 197 mm
pneumatic hose 1.50 m

GROHE
WALL PLATES FOR WC

	Product no.	Colour	RRP (€) incl. VAT






37 060 000 **chrome** **105.00**

Pneumatic actuation
GROHE Long-Life Shine durable sparkling sheen
push button actuation with
escutcheon Ø 100 mm
pneumatic hose 1.50 m
without wall plate






38 771 000 **chrome** **54.00**

Pneumatic push button actuation
for dual flush or start & stop actuation
Ø 48 mm
in combination with bath furniture or
removable claddings for cistern
inspection
for material thickness from 18 -24 mm
pneumatic hose 600 mm
GROHE Long-Life Shine durable sparkling sheen





38 714 000 **29.00**


Extension set 70 mm
for wall plates/actuations for flushing
cistern GD 2, 6 - 9 l
with pneumatic discharge valve

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE FRESH


	Product no.	Colour	RRP (€) incl. VAT






38 805 000 **chrome** **177.00**

Skate Cosmopolitan Set Fresh
Flush plate
for dual flush or start & stop actuation
with **GROHE Fresh**
fixing frame with opening function
with box for support of aromatic tabs
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
for combination with Rapid SL and Uniset with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)





38 796 000 **91.00**

GROHE Fresh
Retro-fit set
for GROHE flushing cistern GD 2 with pneumatic
discharge valve and regular inspection shaft
not suitable for Skate Cosmopolitan with
wood or glass or metal surface
fixing frame with opening function
with box for support of aromatic tabs
for chlorine-free tabs only
for all GROHE wall plates 156 x 197 mm




38 882 000 **8.00**

GROHE Fresh
Tabs
2 x 50 g WC tabs
every flush creates foam which cleans the toilet
fragrance ensures long-lasting freshness
protects against re-pollution and maintains long term cleanliness
reduces limescale and ensures radiant purity in the toilet
true feeling of freshness
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE
WALL PLATES FOR WC FLUSH VALVES

	Product no.	Colour	RRP (€) incl. VAT






37 547 000	**chrome**	**92.00**
37 547 P00	**matt chrome**	**92.00**
37 547 SH0	**alpine white**	**72.00**

Skate
Flush plate
vertical installation
156 x 197 mm
manual activation
push button actuation
made of ABS
GROHE Long-Life Shine durable sparkling sheen






38 445 SD0	**stainless steel**	**149.00**

Skate
Wall plate, stainless steel
vertical installation
156 x 197 mm
push button actuation
plastic fixing frame
hidden fixing screws





37 063 000	**chrome**	**76.00**
37 063 SH0	**alpine white**	**77.00**


Surf
Flush plate
156 x 197 mm
push button actuation
made of ABS
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
WALL PLATES FOR URINAL

	Product no.	Colour	RRP (€) incl. VAT
	38 846 LS0	**moon white**	**413.00**
	38 846 KS0	**velvet black**	**413.00**






Skate Cosmopolitan
Actuation plate
with glass surface
made of security glass
manual activation for urinal
plastic actuation button, chrome plated
set for final installation for Rapido U or Rapido UMB
fixing frame with mounting-set
116 x 144 mm, mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)

38 784 000	**chrome**	**157.00**
38 784 SH0	**alpine white**	**144.00**
38 784 P00	**matt chrome**	**157.00**






Skate Cosmopolitan
Actuation plate
manual activation for urinal
set for final installation for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)
GROHE Long-Life Shine durable sparkling sheen

38 784 SD0	**stainless steel**	**232.00**






Skate Cosmopolitan
Wall plate, stainless steel
manual activation for urinal
set for final installation for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)
plastic fixing frame
hidden fixing screws

38 804 000	**chrome**	**157.00**
38 804 SH0	**alpine white**	**144.00**






Nova Cosmopolitan
Actuation plate
manual activation for urinal
set for final installation for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)
GROHE Long-Life Shine durable sparkling sheen

GROHE
WALL PLATES FOR URINAL

	Product no.	Colour	RRP (€) incl. VAT
	38 857 000	**chrome**	**157.00**
	38 857 SH0	**alpine white**	**144.00**
	38 857 P00	**matt chrome**	**157.00**






Arena Cosmopolitan
Actuation plate
manual activation for urinal
set for final installation for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)
GROHE Long-Life Shine durable sparkling sheen

	38 808 000	**chrome**	**137.00**
	38 808 SH0	**alpine white**	**124.00**
	38 808 P00	**matt chrome**	**137.00**





Surf
Actuation plate
manual activation for urinal
set for final installation for Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 l adjustable
low noise (group II according to
German noise specification)
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
CONNECTION AND SECURITY TECHNOLOGY






CONTENTS

Angle Valves	744
WAS valves	747
Safety systems	751
Eurotec valves	753

GROHE
ANGLE VALVES

Product no.	Colour	RRP (€) incl. VAT






22 039 000 **chrome** **10.00**

Angle valve 1/2“
self-sealing connection thread
wall connection 1/2“
outlet 3/8“
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE Long-Life Shine finish






22 043 000 **chrome** **10.00**

Angle valve 1/2“
self-sealing connection thread
wall connection 1/2“
outlet 1/2“
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE Long-Life Shine finish






22 037 000	**chrome**	**9.00**
22 037 DC0	**supersteel**	**56.00**
22 037 BE0	**polished nickel**	**57.00**
22 037 EN0	**brushed nickel**	**58.00**
22 037 GL0	**cool sunrise**	**57.00**
22 037 GN0	**brushed cool sunrise**	**58.00**
22 037 DA0	**warm sunset**	**57.00**
22 037 DL0	**brushed warm sunset**	**58.00**
22 037 A00	**hard graphite**	**57.00**
22 037 AL0	**brushed hard graphite**	**58.00**

Angle valve 1/2“
pre-roughened connection thread for easy sealing
wall connection 1/2“
outlet 3/8“
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE Long-Life Shine finish

---

new










22 074 KF0 **phantom black** **62.00**




Angle valve 1/2“
pre-roughened connection thread for easy sealing
wall connection 1/2“
outlet 3/8“
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE Long-Life Shine finish
available May 2023

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request





GROHE
ANGLE VALVES

	Product no.	Colour	RRP (€) incl. VAT
 	22 041 001 ★	chrome	*
Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm **GROHE Long-Life Shine** finish			
 	22 023 000	chrome	8.00
Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm **GROHE Long-Life Shine** finish			
 	22 018 000	chrome	7.00
Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm **GROHE Long-Life Shine** finish			
 	22 052 000	chrome	14.00
Angle valve 3/8" self-sealing connection thread wall connection 3/8" outlet 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm **GROHE Long-Life Shine** finish			
 	22 053 000	chrome	12.00
Angle valve 3/8" pre-roughened connection thread for easy sealing wall connection 3/8" outlet 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm **GROHE Long-Life Shine** finish			

GROHE
ANGLE VALVES

	Product no.	Colour	RRP (€) incl. VAT
 	**41 263 000**	**chrome**	**10.00**
	Egaplus service valve 1/2" wall connection 1/2" outlet 3/8" with length compensation with compression nut Ø 10 mm ergonomic handle marking: neutral metal push-on escutcheon		
 	**22 012 000** **22 012 DC0** **22 012 AL0**	**chrome** **supersteel** **brushed hard graphite**	**62.00** **86.00** **99.00**
	Eurocube **Angle valve 1/2"** wall connection 1/2" outlet 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon **GROHE Long-Life Shine** finish		
 	**22 013 000**	**chrome**	**62.00**
	Eurocube **Angle valve 1/2"** wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon		


GROHE
WAS VALVES

	Product no.	Colour	RRP (€) incl. VAT
 	**22 036 000**	**chrome**	**34.00**
	Original WAS combination service valve 1/2“ self-sealing connection thread wall connection 1/2“ outlet 3/8“ with length compensation with compression nut Ø 10 mm outlet 3/4“ with hose connection grease chamber headpart non-return valve type EB long connecting shaft ergonomic handles marking: neutral metal push-on escutcheon Ø 55 mm **GROHE Long-Life Shine** finish for combination with pipe ventilating valve type HB 41 239 000		
	22 035 000 **ditto, non self-sealing**	**chrome**	**29.00**
 	**22 034 000**	**chrome**	**34.00**
	Original WAS combination service valve 3/8“ self-sealing connection thread wall connection 3/8“ outlet 3/8“ with length compensation with compression nut Ø 10 mm outlet 3/4“ with hose connection grease chamber headpart non-return valve type EB long connecting shaft ergonomic handles marking: neutral metal push-on escutcheon Ø 55 mm **GROHE Long-Life Shine** finish for combination with pipe ventilating valve type HB 41 239 000		
	22 033 000 **ditto, non self-sealing**	**chrome**	**29.00**
 	**41 073 000**	**chrome**	**40.00**
	Original WAS combination service valve 1/2“ wall mounted cartridge headpart for closable copper pipe connection grease chamber headpart 3/8“ for closable hose connection non-return valve type EB protected against backflow **GROHE Long-Life Shine** finish		
	41 082 000 **ditto, 1/2“, with pipe ventilating valve**	**chrome**	**55.00**
 	**41 070 000**	**chrome**	**32.00**
	Original WAS combination service valve 3/8“ wall mounted cartridge headpart for closable copper pipe connection grease chamber headpart 3/8“ for closable hose connection non-return valve type EB protected against backflow **GROHE Long-Life Shine** durable sparkling sheen for combination with pipe ventilating valve type HB 41 239 000		

GROHE
WAS VALVES

	Product no.	Colour	RRP (€) incl. VAT






41 030 000 **chrome** **41.00**

Original WAS valve „Eckfix" 3/8"
installation on service valve
axis dimension 60 mm
grease chamber headpart 3/8" for closable hose connection
non-return valve type EB
protected against backflow
GROHE Long-Life Shine durable sparkling sheen
for combination with pipe ventilating valve type HB 41 239 000






41 031 000 **chrome** **43.00**

Original WAS valve „Eckfix" 3/8"
installation on service valve
axis dimension 60 mm
grease chamber headpart 3/8" for closable hose connection
non-return valve type EB
spacer
protected against backflow
GROHE Long-Life Shine durable sparkling sheen
for combination with pipe ventilating valve type HB 41 239 000






41 033 000 **chrome** **51.00**

Original WAS valve „Eckfix" 3/8"
installation on service valve
axis dimension 60 mm
with safety unit type HD (pipe ventilating valve combined with non-return valve)
grease chamber headpart 3/8" for closable hose connection
protected against backflow
GROHE Long-Life Shine durable sparkling sheen






41 010 000 **chrome** **37.00**

Original WAS connecting valve 1/2"
wall mounted
grease chamber headpart 1/2" for closable hose connection
non-return valve type EB
protected against backflow
GROHE Long-Life Shine finish

41 015 000 **chrome** **39.00**
ditto, 1/2", with pipe ventilating valve






41 190 000 **chrome** **41.00**

Fitting combination 1/2"
wall mounted
slanted seat model
with safety unit type HD (pipe ventilating valve combined with non-return valve)
grease chamber headpart 1/2" for closable hose connection
protected against backflow
GROHE Long-Life Shine durable sparkling sheen





41 154 000 **chrome** **50.00**


Fitting combination 1/2"
wall mounted
with safety unit type HD (pipe ventilating valve combined with non-return valve)
grease chamber headpart 1/2" for closable hose connection
protected against backflow
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
WAS VALVES

	Product no.	Colour	RRP (€) incl. VAT






41 043 000 **chrome** **60.00**

Original WAS valve „Mixer“ 3/4“
wall mounted
for wall mixers 1/2“
right-hand connection
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
spacer
protected against backflow
GROHE Long-Life Shine durable sparkling sheen
for combination with pipe ventilating valve type HB 41 239 000

41 040 000 **chrome** **60.00**
ditto, left hand connection






41 050 000 **chrome** **63.00**

Original WAS under-basin valve 1/2“
sink installation
adjustable up to 50 mm
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE Long-Life Shine finish
for combination with pipe ventilating valve type HB 41 239 000






41 130 000 **chrome** **69.00**

Eggemann
Original WAS connection adapter 1/2“
sink installation
adjustable up to 70 mm
coupling nut 3/4“
connecting pipe diameter 12 mm
GROHE Long-Life Shine durable sparkling sheen






41 133 000 **chrome** **37.00**

Eggemann
Original WAS connecting pipe 3/4“
coupling nut 3/4“
connecting pipe diameter 12 mm
GROHE Long-Life Shine durable sparkling sheen






41 007 000 **chrome** **24.00**

Eggemann
Original WAS T-piece 3/8“
for service valve
connector set 3/8“
GROHE Long-Life Shine durable sparkling sheen






41 020 000 **chrome** **72.00**

Original WAS double valve „Simple“ 1/2“
wall mounted
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
female thread 1/2“
protected against backflow
GROHE Long-Life Shine durable sparkling sheen
for combination with pipe ventilating valve type HB 41 239 000

GROHE
WAS VALVES

Product no.	Colour	RRP (€) incl. VAT
41 022 000	**chrome**	**66.00**











Original WAS double valve „Simple“ 1/2“
wall mounted
grease chamber headpart 1/2“ for closable hose connection
non-return valve type EB
protected against backflow
GROHE Long-Life Shine durable sparkling sheen
for combination with pipe ventilating valve type HB 41 239 000

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SAFETY SYSTEMS


	Product no.	Colour	RRP (€) incl. VAT
 	**41 230 000**	**chrome**	**51.00**
	Pipe-ventilating valve 1/2“ with safety unit type HD (pipe ventilating valve combined with non-return valve) vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717		
	41 231 000 **ditto, 3/4“**	**chrome**	**58.00**
 	**41 238 000**	**chrome**	**20.00**
	Pipe-ventilating valve 1/2“ type HB vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717 **GROHE Long-Life Shine** durable sparkling sheen		
	41 239 000 **ditto, 3/4“**	**chrome**	**23.00**
 	**41 270 000**	**chrome**	**42.00**
	Non-return valve 3/8“ for service valve connector set Ø 10 mm (3/8“) coupling nut 3/8“ safety unit type EB vertical or horizontal installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717 **GROHE Long-Life Shine** finish		
 	**41 126 000**	**chrome**	**54.00**
	Original WAS hose-connecting elbow 1/2“ wall mounted pipe ventilating valve type HB protected against backflow **GROHE Long-Life Shine** durable sparkling sheen		
	41 125 000 **ditto, without pipe ventilating valve**	**chrome**	**26.00**
 	**41 001 000**	**chrome**	**22.00**
	Original WAS hose-burst protection 3/4“ for 1/2“ hoses female thread 3/4“ male thread 3/4“ **GROHE Long-Life Shine** durable sparkling sheen		
 	**41 275 000**	**chrome**	**57.00**
	Original WAS inclined filter 3/4“ suitable for cold and warm water up to + 80° C transparent cap mesh width 315 µm stainless steel filter insert **GROHE Long-Life Shine** durable sparkling sheen		

GROHE
SAFETY SYSTEMS


	Product no.	Colour	RRP (€) incl. VAT
	**41 827 000**		**19.00**

Strainer
for original WAS inclined filter
transparent cap
mesh width 315 µm
stainless steel filter insert


GROHE
EUROTEC VALVES

	Product no.	Colour	RRP (€) incl. VAT
 	**41 212 000**	**chrome**	**151.00**

Eurotec complete outside wall valve 1/2“
frost-proof via automatic draining for each closing operation
socket spanner and sanitary handle
red brass valve seat
non-return valve type EB
installation depth > or equal to 260 mm
CU connection 15 mm and male
thread 1/2“
through bore 26 mm
protected against backflow
for combination with pipe ventilating valve type HB 41 239 000

 	**41 208 000**	**chrome**	**172.00**

Eurotec outside wall valve kit 1/2“
frost-proof via automatic draining for each closing operation
socket spanner and sanitary handle
red brass valve seat
non-return valve type EB
installation depth of 170 - 500 mm
CU connection 15 mm and male
thread 1/2“
rotation lock
through bore 35 mm
protected against backflow
for combination with pipe ventilating valve type HB 41 239 000

 	**41 206 000**	**chrome**	**193.00**

Eurotec outside wall valve kit 1/2“
with safety unit type HD (pipe ventilating valve combined with non-return valve)
frost-proof via automatic draining for each closing operation
socket spanner and sanitary handle
red brass valve seat
installation depth of 170 - 500 mm
CU connection 15 mm and male
thread 1/2“
rotation lock
through bore 35 mm
protected against backflow

GROHE
SPARE PARTS





CONTENTS

Cartridges	756
Thermo elements and thermostatic cartridges	758
Aquadimmer	760
Head parts	761
Extension sets	763
Unions	764
Outlets and spouts	766
Flow straighteners	768
Waste sets and traps	771
Connections and non-return valves	773
Spare parts for electronics	774
Diverters	775
Hoses	776
Spare parts for kitchen faucets	777
Spare parts for showers	778
Spare parts for accessories	780
Miscellaneous	781
Special tools	782
Cleaning and care	783
Spare parts for sanitary systems	784
Spare parts for shower toilet	785
Spare parts for Ceramics	787

GROHE CARTRIDGES

Product no.	Colour	RRP (€) incl. VAT



46 580 000 — 72.00

Cartridge
28 mm
GROHE SilkMove
with ceramic sealing system
with temperature limiter
for single lever mixers



46 963 000 — 39.00

Cartridge
28 mm
GROHE SilkMove
with ceramic sealing system
with temperature limiter
for single lever sink mixer



46 907 000 — 67.00

Cartridge
29 mm
GROHE SilkMove Joystick cartridge
with ceramic sealing system
with o-ring for cartridge fixation nut
for single lever mixers



46 374 000 — 63.00

Cartridge
35 mm
GROHE SilkMove
with ceramic sealing system
with temperature limiter
adjustable flow rate limiter
for single lever mixers



46 863 000 — 66.00

Cartridge
35 mm
GROHE SilkMove Energy Saving
with cold start function
with ceramic sealing system
with temperature limiter
adjustable flow rate limiter
for single lever mixers



48 518 000 — 19.00

Cartridge
28 mm
GROHE SilkMove
with temperature limiter
with ceramic sealing system
for single lever mixers



46 048 000 — 62.00

Cartridge
46 mm
GROHE SilkMove
with ceramic sealing system
adjustable flow rate limiter
for single lever mixers

46 409 000 — 67.00
ditto, for open water heater



46 558 000 — 54.00

Cartridge
for low pressure
35 mm
GROHE SilkMove
with ceramic sealing system
for single lever mixers



46 589 000 — 63.00

Cartridge
35 mm
with **Eco-Override-Stop**
GROHE SilkMove
with ceramic sealing system
with temperature limiter
adjustable flow rate limiter



46 278 000 — 104.00

Cartridge
with ceramic sealing system
for Euroeco safety mixer batteries



46 308 000 — 13.00

Temperature limiter
for cartridge 46 048 000
please see possible utilisation in current Technical Product Information and spare part documentation in print/online media



46 375 000 — 12.00

Temperature limiter
for cartridge 46 374 000
please see possible utilisation in current Technical Product Information and spare part documentation in print/online media

GROHE CARTRIDGES

	Product no.	Colour	RRP (€) incl. VAT
	46 277 000		11.00
	Temperature limiter for cartridge 46 278 for Euroeco safety mixer batteries		
	46 989 000		53.00
	Cartridge for SmartControl mixer including fastening nut		
	49 088 000		10.00
	Spindle for SmartControl concealed push for ON-OFF cartridge 48 359 000 including fitting template multi-packaging: 3 pieces		

	Product no.	Colour	RRP (€) incl. VAT
	48 297 000		18.00
	Cartridge for Rainshower system SmartControl push button including fixation		
	48 359 000		65.00
	Cartridge for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000		
	43 813 000		273.00
	Cartridge for Contromix Surf/Public for self-closing basin and shower mixer 1/2"		

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Product no.	Colour	RRP (€) incl. VAT
	**47 450 000**		**125.00**
	Thermo-element 1/2“ wax element		
	**47 310 000**		**244.00**
	Thermo-element 3/4“ wax element		
	**47 349 000**		**144.00**
	Thermo-element 3/8“ wax element		
	**47 217 000**		**66.00**
	Thermo-element 1/2“ wax element with non-rising spindle		
	**47 220 000**		**217.00**
	Thermo-element 3/4“ wax element with non-rising spindle		
	**47 010 000**		**262.00**
	Thermo-element 1/2“ bimetal for Grohmix thermostats		
	**47 111 000**		**308.00**
	Thermo-element 1/2“ wax element for Grohmix thermostats		
	**47 012 000**		**299.00**
	Thermo-element 1/2“ for Grohmix thermostats		
	**47 019 000**		**478.00**
	Thermo-element 3/4“ bimetal for Grohmix thermostats		
	**47 439 000**		**121.00**
	Thermostatic compact cartridge 1/2“ **GROHE TurboStat** compact cartridge with wax thermoelement		
	47 175 000 **ditto, for inverted waterways, 1/2“**		**175.00**
	**47 483 000**		**177.00**
	Thermostatic compact cartridge 3/4“ **GROHE TurboStat** compact cartridge with wax thermoelement		
	47 186 000 **ditto, for inverted waterways, 3/4“**		**287.00**
	**49 028 000**		**63.00**
	Thermostatic compact cartridge 3/4“ for Grohtherm SmartControl concealed **GROHE TurboStat** compact cartridge with wax thermoelement including fastening nut		

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Product no.	Colour	RRP (€) incl. VAT
	49 175 000		48.00

Thermostatic compact cartridge 1/2“
GROHE TurboStat compact cartridge with wax thermoelement

GROHE
AQUADIMMER

	Product no.	Colour	RRP (€) incl. VAT
	**49 084 000**		**64.00**
	Aquadimmer for thermostatic mixers		
	**47 364 000**		**114.00**
	Aquadimmer for thermostatic mixers		
	**12 433 000**		**103.00**
	Aquadimmer **for exposed fittings**		

GROHE
HEAD PARTS

Product no.	Colour	RRP (€) incl. VAT



11 003 000 **chrome** 30.00

Headpart 3/8“
Trecorn handle, marking: blue
GROHE Long-Life Shine durable sparkling sheen

11 006 000 **chrome** 31.00
ditto, marking red

45 966 000 **chrome** 24.00
ditto, marking blue, in cartons of 10

45 967 000 **chrome** 25.00
ditto, marking red, in cartons of 10



11 101 000 **chrome** 29.00

Headpart 1/2“
Trecorn handle, marking: blue
GROHE Long-Life Shine durable sparkling sheen

11 102 000 **chrome** 30.00
ditto, marking red

45 968 000 **chrome** 24.00
ditto, marking blue, in cartons of 10

45 969 000 **chrome** 25.00
ditto, marking red, in cartons of 10



11 104 000 **chrome** 84.00

Headpart 3/4“
Trecorn handle
marking: blue
GROHE Long-Life Shine durable sparkling sheen

11 105 000 **chrome** 84.00
ditto, marking red



45 951 000 **chrome** 24.00

Headpart 1/2“
brilliant handle
marking: blue
in cartons of 10

45 956 000 **chrome** 24.00
ditto, marking red



11 090 000 **chrome** 33.00

Headpart 1/2“
metal handle, heat-insulated, screwable
marking: blue/red
GROHE Long-Life Shine durable sparkling sheen

45 959 000 **chrome** 26.00
ditto, in cartons of 10



45 965 000 9.00

Headpart 3/8“
20 in a box



07 146 000 14.00

Headpart 1/2“
short spindle, 1/2“

45 964 000 10.00
ditto, packaging unit 20



45 346 000 40.00

Ceramic headpart, 1/2“
with ceramic sealing disks
rotation angle 180°
stop: right-hand

45 978 000 34.00
ditto, packaging unit 20



45 342 000 41.00

Ceramic headpart, 1/2“
with ceramic sealing disks
rotation angle 180°
stop: left-hand



45 885 000 66.00

Ceramic headpart 3/4“
with ceramic sealing disks
rotation angle 180°
stop: right-hand



45 869 000 42.00

Concealed headpart 1/2“
with ceramic sealing disks
rotation angle 180°
stop: right-hand



45 882 000 40.00

Ceramic headpart, 1/2“
with ceramic sealing disks
rotation angle 90°
stop: right-hand

GROHE
HEAD PARTS

Product no.	Colour	RRP (€) incl. VAT



45 883 000 — **46.00**

Ceramic headpart, 1/2"
with ceramic sealing disks
rotation angle 90°
stop: left-hand



11 502 000 **chrome** — **56.00**

Headpart 1/2"
for concealed valves, 1/2"
Trecorn handle
sliding escutcheon
marking: red
GROHE Long-Life Shine durable sparkling sheen



11 504 000 **chrome** — **83.00**

Headpart 3/4"
for concealed valves, 3/4"
Trecorn handle
sliding escutcheon
marking: blue
GROHE Long-Life Shine durable sparkling sheen

11 505 000 **chrome** — **83.00**
ditto, marking red



11 507 000 **chrome** — **104.00**

Headpart 1"
for concealed valves 1"
Trecorn handle
sliding escutcheon
marking: blue
GROHE Long-Life Shine durable sparkling sheen

11 508 000 **chrome** — **105.00**
ditto, marking red



11 541 000 **chrome** — **95.00**

Headpart 1/2"
for concealed valves, 1/2", brilliant handle, heat-insulated, sliding escutcheon, marking: blue, **GROHE Long-Life Shine** durable sparkling sheen

11 542 000 **chrome** — **94.00**
ditto, marking red

11 544 000 **chrome** — **138.00**
ditto, 3/4", marking blue



11 513 000 **chrome** — **53.00**

Headpart 1/2"
for concealed valves, 1/2"
Trecorn handle, sliding escutcheon, marking: blue/red, **GROHE Long-Life Shine** durable sparkling sheen

11 514 000 **chrome** — **67.00**
ditto, for concealed valves, 3/4"



11 515 000 **chrome** — **101.00**

Headpart 1"
for concealed valves 1"
Trecorn handle, metal, heat insulated
sliding escutcheon, marking: blue/red
GROHE Long-Life Shine durable sparkling sheen

11 516 000 **chrome** — **172.00**
ditto, for concealed valves, 1 1/4"



11 550 000 **chrome** — **69.00**

Headpart 1/2"
for concealed valves, 1/2"
socket spanner, closed cap, sliding escutcheon
GROHE Long-Life Shine durable sparkling sheen

11 551 000 **chrome** — **86.00**
ditto, 3/4"



49 174 000 — **22.00**

Headpart 1/2"
for thermostatic mixers
radial sealing headpart
dwell angle 90°



19 830 000 **chrome** — **37.00**

Atlanta
Concealed valve exposed part
set for final installation for 35 028 000
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable 20-80 mm, escutcheon with screwable wall sealing, brilliant handle, marking: blue
GROHE Long-Life Shine durable sparkling sheen

19 831 000 **chrome** — **37.00**
ditto, marking red



19 841 000 **chrome** — **43.00**

Atlanta
Concealed valve exposed part
set for final installation for 35 028 000
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable 20 - 200 mm, escutcheon with screwable wall sealing, socket spanner, **GROHE Long-Life Shine** durable sparkling sheen

19 840 000 **chrome** — **34.00**
ditto, installation depth infinitely adjustable 20-80 mm



19 470 000 **chrome** — **87.00**

Grohtherm 3000 Cosmopolitan
Concealed valve exposed part
set for final installation for 35 028 000
GROHE Long-Life Shine durable sparkling sheen
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable 20-80 mm
metal escutcheon with wall sealing
shut-off handle

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
EXTENSION SETS

Product no.	Colour	RRP (€) incl. VAT



45 202 000 — **18.00**

Extension-set, 80 mm
for GROHE concealed valves, 1/2", 3/4", 1"

45 203 000 — **19.00**
ditto, 200 mm



46 191 000 — **110.00**

Extension set
25 mm
for universal single-lever mixer for concealed installation 1/2"
for use with bath and shower mixer
for use with all trim set designs and surfaces



46 343 000 — **295.00**

Extension set
50 mm
for universal single-lever mixer for concealed installation 1/2"
for use with bath and shower mixer
for use with all trim set designs and surfaces




46 627 000 — **151.00**

Extension
25 mm
for single-lever two-hole basin mixer 1/2"
for concealed body 23 200, 23 319, 32635



46 943 000 — **195.00**

Extension
25 mm
for single-lever two-hole basin mixer 1/2"
for concealed body 23 200 002, 23 571



46 901 000 — **116.00**

Extension-set, 25 mm
for 23 429 000 Joystick mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
including disassembly key



14 048 000 — **93.00**

Rapido SmartBox
Universal extension set single-lever mixers, 25 mm
fits Grohtherm SmartControl and SmartControl Mixer sets
for final installation with up to three functions in combination with GROHE Rapido SmartBox



14 056 000 — **105.00**

Universal extension set single-lever mixers, 25 mm
fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**



14 057 000 — **129.00**

Universal extension set single-lever mixers, 50 mm
fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**



14 058 000 — **51.00**

Universal extension set 2-handle thermostats, 25 mm
fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**

GROHE UNIONS

Product no.	Colour	RRP (€) incl. VAT



12 001 00M **chrome** **24.00**
12 001 000 **chrome** **21.00**

S-union
1/2" x 3/4"
adjustment range 7.5 mm
screw escutcheon
in dispense of 2 piece at 00M
GROHE Long-Life Shine durable sparkling sheen



12 400 000 **chrome** **73.00**

S-union, lockable
sliding escutcheon
1/2" x 3/4"
adjustment range 10 mm
GROHE Long-Life Shine durable sparkling sheen



12 005 000 **chrome** **75.00**

S-union
male thread, 1/2" x 3/4"
adjustment range 30 mm
screw escutcheon
GROHE Long-Life Shine durable sparkling sheen

12 465 000 **chrome** **98.00**
ditto, 1/2" x 3/4", adjustment 55 mm



12 411 000 **chrome** **115.00**

S-union
nut 1 1/4" x 1" male thread
adjustment range 50 mm
screw escutcheon
(for Grohtherm XL 1", 35 085/35 086)
GROHE Long-Life Shine durable sparkling sheen



12 693 000 **chrome** **35.00**

S-union
1/2" x 3/4"
adjustment range 7.5 mm
with sound absorber
screw escutcheon
GROHE Long-Life Shine durable sparkling sheen



12 015 000 **chrome** **50.00**

Wall unions
male thread 3/4" x 1/2"
GROHE Long-Life Shine durable sparkling sheen



12 050 000 **chrome** **23.00**

S-union
3/8" x 3/4", **adjustment range 17 mm**
screw escutcheon, in dispense of 2 piece at 00M, **GROHE Long-Life Shine** durable sparkling sheen

12 050 00M **chrome** **57.00**
ditto, 3/8" x 3/4", adjustment range 17 mm, packaging unit 2

12 004 000 **chrome** **31.00**
ditto, 1/2" x 1/2", adjustment 10 mm



12 051 000 **chrome** **67.00**

S-union, lockable
1/2" x 3/4"
screw socket to cover the union nut and the escutcheon
sealing towards wall
adjustment range 12.5 mm
suitable for 1/2" connections
GROHE Long-Life Shine durable sparkling sheen



12 075 000 **chrome** **31.00**

S-union
1/2" x 3/4"
adjustment range 7.5 mm
with sound absorber
screw escutcheon
diameter: 70 mm / depth: 26 mm
GROHE Long-Life Shine durable sparkling sheen
content: 1 piece



12 662 000 **chrome** **29.00**

S-union
1/2" x 3/4"
adjustment range 7.5 mm
with sound absorber
screw escutcheon
diameter: 70 mm / depth: 26 mm
GROHE Long-Life Shine durable sparkling sheen
content: 1 piece



12 013 000 **chrome** **43.00**

Wall union
male thread 3/4" x 1/2" female
GROHE Long-Life Shine durable sparkling sheen



12 030 000 **chrome** **86.00**

Pillar union 1/2"
angle 3/4" x 1/2"
mounting set 1/2"
projection 47 mm
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE UNIONS

	Product no.	Colour	RRP (€) incl. VAT
	**12 419 000**	**chrome**	**42.00**
	Elbow union nut 3/4" x 3/4" male thread for thermostat 34 361/34 364 **GROHE Long-Life Shine** durable sparkling sheen		
	**12 444 000**	**chrome**	**360.00**
	Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) **GROHE Long-Life Shine** durable sparkling sheen		
	**12 417 000**	**chrome**	**109.00**
	Straight union nut 1 1/4" x 1" male thread screw escutcheon (for Grohtherm XL 1", 35 085/35 086) **GROHE Long-Life Shine** durable sparkling sheen		

	Product no.	Colour	RRP (€) incl. VAT
	**12 407 000**	**chrome**	**186.00**
	Wall union, male 1/2" connection pipe Ø 18 mm connector set 3/4" male thread 1/2" sliding escutcheon **GROHE Long-Life Shine** durable sparkling sheen		
	**45 058 000**	**chrome**	**44.00**
	Set for wall union 200 mm with compression coupling 3/4" for use with outlet elbow 12 407 ,1/2" **GROHE Long-Life Shine** durable sparkling sheen		
	**02 210 00M**	**chrome**	**18.00**
	Escutcheon multi-packaging: 2 pieces		

GROHE
OUTLETS AND SPOUTS

Product no.	Colour	RRP (€) incl. VAT



13 005 000 **chrome** **42.00**

Swivel tube spout
for kitchen wall mixers, 1/2“
tubular spout, projection 150 mm
mousseur, coupling nut 3/4“
DR-brass, **GROHE Long-Life Shine** durable sparkling sheen

13 084 000 **chrome** **42.00**
ditto, projection 200 mm

13 017 000 **chrome** **52.00**
ditto, projection 300 mm



13 028 000 **chrome** **40.00**

Swivel tube spout
for kitchen wall mixers, 1/2“
tubular spout
mousseur
projection 200 mm
coupling nut 3/4“
DR-brass
GROHE Long-Life Shine finish

13 034 000 **chrome** **66.00**
ditto, projection 300 mm



13 072 000 **chrome** **30.00**

Tubular spout
swivelling
mousseur
coupling nut M 22 x 1
projection 140 mm
DR-brass
GROHE Long-Life Shine durable sparkling sheen



13 070 000 **chrome** **42.00**

Tubular spout
for kitchen pillar mixers, 1/2“
mousseur, coupling nut 3/4“
projection 185 mm, without stop
DR-brass, **GROHE Long-Life Shine** durable sparkling sheen

13 077 000 **chrome** **50.00**
ditto, projection 235 mm



13 462 000 **chrome** **141.00**

Cast swivel spout
length 175 mm
swivelling
laminar flow straightener 9 l/min
coupling nut 3/4“
GROHE Long-Life Shine durable sparkling sheen



13 051 000 **chrome** **43.00**

Tubular spout
for kitchen wall mixer, swivelling
mousseur, coupling nut M 22 x 1
projection 200 mm
DR-brass
GROHE Long-Life Shine durable sparkling sheen

13 052 000 **chrome** **45.00**
ditto, projection 150 mm



13 076 000 **chrome** **43.00**

Tubular spout
swivelling with stop
mousseur
coupling nut 3/4“
projection 140 mm
DR-brass
GROHE Long-Life Shine durable sparkling sheen

13 071 000 **chrome** **45.00**
ditto, without stop



13 073 000 **chrome** **41.00**

Tubular swivel spout
for kitchen pillar mixers, 1/2“
tubular spout
mousseur
projection 185 mm
DR-brass
GROHE Long-Life Shine durable sparkling sheen



13 461 000 **chrome** **110.00**

Cast swivel spout
length 115 mm
swivelling
laminar flow straightener 9 l/min
coupling nut 3/4“
GROHE Long-Life Shine durable sparkling sheen



13 269 000 **chrome** **131.00**

Cast swivel spout
length 117 mm
swivelling and lockable
laminar flow straightener 9 l/min
GROHE Long-Life Shine durable sparkling sheen

13 270 000 **chrome** **143.00**
ditto, projection 177 mm

GROHE
OUTLETS AND SPOUTS

Product no.	Colour	RRP (€) incl. VAT
48 638 000	chrome	113.00
48 638 DC0	supersteel	151.00
48 638 GN0	brushed cool sunrise	179.00
48 638 DA0	warm sunset	166.00
48 638 DL0	brushed warm sunset	181.00
48 638 A00	hard graphite	163.00
48 638 AL0	brushed hard graphite	179.00

Spout
projection 180 mm
mousseur
GROHE Long-Life Shine durable sparkling sheen

Product no.	Colour	RRP (€) incl. VAT
48 639 000	chrome	94.00
48 639 DC0	supersteel	125.00
48 639 GN0	brushed cool sunrise	152.00
48 639 DA0	warm sunset	147.00
48 639 DL0	brushed warm sunset	155.00
48 639 A00	hard graphite	145.00
48 639 AL0	brushed hard graphite	152.00

Spout
projection 230 mm
mousseur
GROHE Long-Life Shine durable sparkling sheen

Product no.	Colour	RRP (€) incl. VAT
45 247 000	chrome	25.00



Nipple
for reset from Costa-outlets into Atlanta-outlets
GROHE Long-Life Shine durable sparkling sheen

GROHE
FLOW STRAIGHTENERS

Product no.	Colour	RRP (€) incl. VAT



48 189 000 **chrome** 23.00

Water saving set
flow rate 1.0 gpm / 3.8 l/min
includes two supply adapters incl. flow regulator
and one mousseur insert
connection size G 3/8"
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence, Eurosmart, BauEdge, BauLoop



48 190 000 **chrome** 23.00

Water saving set
flow rate 0.5 gpm / 1.9 l/min
includes two supply adapters incl. flow regulator
and one mousseur insert
connection size G 3/8"
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence, Eurosmart, BauEdge, BauLoop



48 191 000 **chrome** 23.00

Water saving set
flow rate 0.35 gpm / 1.35 l/min
includes two supply adapters incl. flow regulator
and one mousseur insert
connection size G 3/8"
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence, Eurosmart, BauEdge, BauLoop



13 935 000 **chrome** 18.00

Mousseur
internal thread
M 22 x 1
5.7 l/min at 3 bar
including metal connection nipple for better exchange-service
SpeedClean anti-lime system
GROHE Long-Life Shine finish
female thread



48 417 000 **chrome** 7.00

Mousseur
internal thread
M 22 x 1
6.6 l/min
GROHE Long-Life Shine durable sparkling sheen
female thread



48 159 000 **chrome** 9.00
48 159 DC0 **supersteel** 22.00
48 159 AL0 **brushed hard graphite** 50.00

Mousseur
external thread
M 24 x 1
flow class: PCA
5.7 l/min at 3 bar
SpeedClean anti-lime system
male thread



46 837 000 **chrome** 28.00

Flow straightener
external thread
M 24 x 1
flow class: PCA
5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE Long-Life Shine finish
male thread



13 960 000 **chrome** 24.00

Laminar flow straightener
external thread
M 24 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
GROHE Long-Life Shine finish
male thread



36 133 000 **chrome** 24.00

Mousseur
external thread
M 24 x 1
flow class Z
7.5 - 9.0 l/min at 3 bar
including disassembly key
theft proof
GROHE Long-Life Shine finish
male thread



64 451 000 **chrome** 11.00
64 451 DC0 **supersteel** 68.00
64 451 AL0 **brushed hard graphite** 69.00

Flow straightener
external thread
M 24 x 1, flow class A
13.5 - 15.0 l/min at 3 bar
GROHE AquaGuide adjustable mousseur
GROHE Long-Life Shine finish
male thread



13 929 000 **chrome** 18.00
13 929 G00 **gold** 125.00
13 929 L00 **white** 38.00
13 929 AL0 **brushed hard graphite** 64.00

Mousseur
external thread
M 24 x 1, flow class A
13.5 - 15.0 l/min at 3 bar
GROHE Long-Life Shine finish
male thread



13 952 000 **chrome** 14.00
13 952 AL0 **brushed hard graphite** 64.00

Mousseur
external thread
M 24 x 1
flow class C
30.0 l/min. at 3 bar
GROHE Long-Life Shine finish
male thread

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
FLOW STRAIGHTENERS

Product no.	Colour	RRP (€) incl. VAT



13 961 000 **chrome** **5.00**

Mousseur
external thread
M 24 x 1
flow class: B
25.2 l/min at 3 bar
GROHE Long-Life Shine finish
male thread



46 765 000 **28.00**

Mousseur
external thread
M 16.5 x 1
5.7 l/min at 3 bar
integrated
including disassembly key
male thread



13 937 000 **26.00**

Mousseur set
consisting of:
mousseur 14.9 l/min at 3 bar
mousseur 6,6 l/min at 3 bar
external thread
including disassembly key
male thread



13 994 000 **17.00**

Mousseur
external thread
M 18.5 x 1
flow class: A + PCA
15.0 l/min + 5.7 l/min at 3 bar
integrated
including disassembly key
male thread



48 376 000 **10.00**

Laminar flow straightener
external thread
M 21.5 x 1
flow class: PCA
5.7 l/min
integrated
including disassembly key
male thread



48 270 000 **18.00**

Spray plate
external thread
M 21.5 x 1
flow class: PCA
6.6 l/min
integrated
including disassembly key
GROHE AquaGuide adjustable mousseur



48 449 000 **21.00**

Mousseur
external thread
M 24 x 1
5.7 l/min
integrated
including disassembly key
GROHE AquaGuide adjustable mousseur
SpeedClean anti-lime system
male thread



48 522 000 **13.00**

Laminar flow straightener
external thread
M 24 x 1
8.0 l/min
integrated
including disassembly key
male thread



13 926 000 **18.00**

Mousseur
external thread
M 24 x 1
flow class C
27.0 l/min at 3 bar
integrated
including disassembly key
male thread



13 925 000 **chrome** **69.00**

Ball-joint aerator
internal thread
M 22 x 1
flow class A
13.5 - 15.0 l/min at 3 bar
GROHE Long-Life Shine finish
female thread



13 915 000 **chrome** **52.00**

Ball-joint aerator
external thread
M 24 x 1
flow class A
13.5 - 15.0 l/min at 3 bar
GROHE Long-Life Shine finish
male thread



13 220 000 **36.00**

Mousseur
flow class Z
7.5 - 9.0 l/min at 3 bar
including disassembly key

GROHE
FLOW STRAIGHTENERS

Product no.	Colour	RRP (€) incl. VAT
46 895 000	**chrome**	**29.00**
46 895 DC0	**supersteel**	**49.00**
46 895 AL0	**brushed hard graphite**	**46.00**



Mousseur
internal thread, M 22 x 1
15.0 l/min at 0.2 bar
dual flow straightener GROHE Blue
for Minta Mono
GROHE Long-Life Shine finish
female thread

Product no.	Colour	RRP (€) incl. VAT
48 196 000	**chrome**	**47.00**
48 196 DC0	**supersteel**	**63.00**



Mousseur
internal thread
M 22 x 1
19.0 l/min
dual flow straightener GROHE Blue
for K7
GROHE Long-Life Shine finish
female thread

Product no.	Colour	RRP (€) incl. VAT
48 194 000	**chrome**	**49.00**
48 194 DC0	**supersteel**	**54.00**
48 194 AL0	**brushed hard graphite**	**78.00**
48 194 KS0	**velvet black**	**68.00**



Mousseur
internal thread, M 22 x 1, 19.0 l/min
dual flow straightener GROHE Blue
for Minta
GROHE Long-Life Shine finish
female thread

Product no.	Colour	RRP (€) incl. VAT
48 194 KF0	**phantom black**	*



Mousseur
female thread
19.0 l/min
dual flow straightener GROHE Blue
M 22 x 1
for Minta
GROHE Long-Life Shine finish

Product no.	Colour	RRP (€) incl. VAT
64 374 000	**chrome**	**34.00**
64 374 DC0	**supersteel**	**60.00**



Mousseur
external thread
M 28 x 1
19.0 l/min at 3 bar
dual flow straightener GROHE Blue
GROHE Long-Life Shine finish
male thread

Product no.	Colour	RRP (€) incl. VAT
48 343 000	**chrome**	**39.00**
48 343 DC0	**supersteel**	**51.00**
48 343 AL0	**brushed hard graphite**	**63.00**
48 343 KS0	**velvet black**	**55.00**



Flow control
internal threadm M 26 x 1m 19.0 l/min at 3 bar, for GROHE Blue Home single-lever sink mixer with filter function and C- or U-spout
GROHE Long-Life Shine durable sparkling sheen, female thread

Product no.	Colour	RRP (€) incl. VAT
48 379 000	**chrome**	**43.00**
48 379 DC0	**supersteel**	**68.00**
48 379 KS0	**velvet black**	**60.00**



Mousseur
external thread
M 24 x 1
19.0 l/min at 3 bar
dual flow straightener GROHE Blue
GROHE Long-Life Shine durable sparkling sheen
male thread

Product no.	Colour	RRP (€) incl. VAT
13 999 000	**chrome**	**28.00**
13 999 DC0	**supersteel**	**73.00**
13 999 AL0	**brushed hard graphite**	**44.00**
13 999 KS0	**velvet black**	**39.00**



Mousseur
internal thread, M 22 x 1
7.5 - 9.0 l/min at 3 bar
hot water flow straightener for GROHE Red
GROHE Long-Life Shine finish
female thread

Product no.	Colour	RRP (€) incl. VAT
48 370 000	**chrome**	**57.00**
48 370 DC0	**supersteel**	**70.00**
48 370 AL0	**brushed hard graphite**	**91.00**
48 370 KS0	**velvet black**	**80.00**



Flow control
internal thread
M 26 x 1
7.5 - 9.0 l/min at 3 bar
for GROHE Red single lever sink mixer
GROHE Long-Life Shine durable sparkling sheen
female thread

Product no.	Colour	RRP (€) incl. VAT
13 263 000	**chrome**	**11.00**
13 263 DC0	**supersteel**	**29.00**



Mousseur
external thread
M 28 x 1
7.5 - 9.0 l/min at 3 bar
hot water flow straightener for GROHE Red
GROHE Long-Life Shine finish
male thread

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
WASTE SETS AND TRAPS

Product no.	Colour	RRP (€) incl. VAT



28 910 000	chrome	60.00
28 910 DC0	supersteel	92.00
28 910 L00	white	303.00
28 910 AL0	brushed hard graphite	96.00

Waste set 1 1/4"
for wash basins with overflow
for basin/bidet fittings
complete
GROHE Long-Life Shine durable sparkling sheen



65 807 000	★	chrome	59.00
65 807 DC0	★	supersteel	82.00
65 807 LS0		moon white	111.00
65 807 BE0		polished nickel	88.00
65 807 EN0		brushed nickel	94.00
65 807 GL0	★	cool sunrise	88.00
65 807 GN0	★	brushed cool sunrise	94.00
65 807 DA0	★	warm sunset	88.00
65 807 DL0	★	brushed warm sunset	94.00
65 807 A00		hard graphite	88.00
65 807 AL0	★	brushed hard graphite	94.00

Waste set with push-open plug
with push-open cover, for wash basins with overflow, removable cover, closable
GROHE Long-Life Shine durable sparkling sheen



40 824 000	chrome	24.00

Waste set with push-open plug
for wash basins with overflow
removable plug
closable



07 341 000	chrome	29.00

Eccentric rod
for waste set 1 1/4"
length 350 mm
GROHE Long-Life Shine durable sparkling sheen



28 946 000	chrome	45.00

P-trap 1 1/4"
for bidet
wall connection
sliding escutcheon
wall support 250 - 265 mm
GROHE Long-Life Shine durable sparkling sheen

Product no.	Colour	RRP (€) incl. VAT



40 565 000	chrome	101.00
40 565 DC0	supersteel	141.00
40 565 AL0	brushed hard graphite	161.00

Plug incl. cup
for wash basins with overflow
for standard pop-up waste set 1¼"
for replacement in an existing system
GROHE Long-Life Shine durable sparkling sheen

new



29 510 KF0	phantom black	82.00

Waste set with push-open plug
with push-open cover
for wash basins with overflow
removable cover
closable
GROHE Long-Life Shine finish
available May 2023



65 808 000	chrome	63.00

Waste vent 1 1/4"
for wash basins without overflow
removable cover
non-closable
GROHE Long-Life Shine durable sparkling sheen



07 182 000	chrome	20.00

Plug
for waste set 1 1/4"
GROHE Long-Life Shine durable sparkling sheen



28 961 000	chrome	40.00


Trap
for bidet
sliding escutcheon
wall connection
GROHE Long-Life Shine durable sparkling sheen



28 920 000	chrome	52.00

Trap 1 1/4"
for basins
with fixed dip tube
wall connection, sliding escutcheon
GROHE Long-Life Shine durable sparkling sheen

GROHE
WASTE SETS AND TRAPS



Product no.	Colour	RRP (€) incl. VAT
40 564 000	chrome	329.00
40 564 DC0	supersteel	461.00
40 564 A00	hard graphite	494.00
40 564 AL0	brushed hard graphite	527.00

Bottle trap
for **wash basin**
GROHE Long-Life Shine durable sparkling sheen
brass body

new



Product no.	Colour	RRP (€) incl. VAT
29 509 KF0	phantom black	298.00

Trap 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine finish
available May 2023



Product no.		Colour	RRP (€) incl. VAT
28 912 000	★	chrome	213.00
28 912 DC0	★	supersteel	298.00
28 912 EN0		brushed nickel	340.00
28 912 GL0	★	cool sunrise	319.00
28 912 GN0	★	brushed cool sunrise	340.00
28 912 DA0	★	warm sunset	319.00
28 912 DL0	★	brushed warm sunset	340.00
28 912 A00		hard graphite	319.00
28 912 AL0	★	brushed hard graphite	340.00

Trap 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine durable sparkling sheen

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
CONNECTIONS AND NON-RETURN VALVES

	Product no.	Colour	RRP (€) incl. VAT
	**47 189 000**	**chrome**	**44.00**

Non-return valve
multi-packaging: 2 pieces
GROHE Long-Life Shine durable sparkling sheen

	Product no.	Colour	RRP (€) incl. VAT
	**14 116 00M**		**68.00**

Non-return valve 1/2“
multi-packaging: 2 pieces

GROHE
SPARE PARTS FOR ELECTRONICS

	Product no.	Colour	RRP (€) incl. VAT
	**26 646 000**	**chrome**	**284.00**

Wireless remote control
for Rainshower SmartConnect showers
wireless and water resistant (IP57)
to change and combine spray patterns
LED indicator for pairing and battery change
screw or glue holder to wall
including 1 x CR 2032 button cell
GROHE Long-Life Shine finish

	Product no.	Colour	RRP (€) incl. VAT
	**42 886 000**		**38.00**

Battery
6 V lithium battery, type CR-P2

	Product no.	Colour	RRP (€) incl. VAT
	**42 393 000**		**53.00**

Battery housing
including 6 V lithium-battery, type CR-P2
to replace transformer

	Product no.	Colour	RRP (€) incl. VAT
	**42 388 000**		**85.00**

Mains adaptor
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
to replace battery

GROHE DIVERTERS

Product no.	Colour	RRP (€) incl. VAT



08 915 000	**chrome**	**75.00**

Diverter
for single-lever and thermostatic bath mixer 1/2", wall mounted
automatic diverter: bath/shower



65 655 000	**chrome**	**25.00**
65 655 DC0	**supersteel**	**85.00**
65 655 AL0	**brushed hard graphite**	**88.00**

Diverter
for single-lever and thermostatic bath mixer 1/2", wall mounted
automatic diverter: bath/shower
GROHE Long-Life Shine durable sparkling sheen



48 407 000	**chrome**	**19.00**
48 407 DC0	**supersteel**	**49.00**

Diverter
for bath mixers 1/2", wall and floor mounted
automatic diverter: bath/shower
mechanical parts
GROHE Long-Life Shine durable sparkling sheen



46 947 000	**chrome**	**68.00**
46 947 DC0	**supersteel**	**76.00**
46 947 AL0	**brushed hard graphite**	**108.00**

Diverter
for Eurocube Joy and Lineare New single-lever bath mixer wall mounted
mechanical parts
GROHE Long-Life Shine durable sparkling sheen



46 058 000	**chrome**	**58.00**

Diverter
for universal single-lever mixer for concealed installation 1/2" bath
including diverter knob
until 2010
GROHE Long-Life Shine durable sparkling sheen



46 920 000	**chrome**	**59.00**
46 920 DC0	**supersteel**	**95.00**
46 920 AL0	**brushed hard graphite**	**99.00**

Diverter
for Essence New single lever bath mixer wall mounted
including diverter knob
GROHE Long-Life Shine durable sparkling sheen



48 405 000	**chrome**	**88.00**
48 405 DC0	**supersteel**	**164.00**
48 405 AL0	**brushed hard graphite**	**140.00**

Diverter
for single-lever bath mixer 1/2", wall and floor mounted
automatic diverter: bath/shower
including diverter knob
GROHE Long-Life Shine durable sparkling sheen



48 442 000	**chrome**	**88.00**

Diverter
for concealed single lever bath mixers
including diverter knob
GROHE Long-Life Shine durable sparkling sheen



48 444 000	**chrome**	**137.00**
48 444 DC0	**supersteel**	**141.00**
48 444 AL0	**brushed hard graphite**	**187.00**

Diverter
for concealed single lever bath mixers 25 mm
including diverter knob
GROHE Long-Life Shine durable sparkling sheen



48 445 000	**chrome**	**177.00**
48 445 DC0	**supersteel**	**176.00**
48 445 AL0	**brushed hard graphite**	**187.00**

Diverter
for concealed single lever bath mixers 50 mm
including diverter knob
GROHE Long-Life Shine durable sparkling sheen

GROHE HOSES

	Product no.	Colour	RRP (€) incl. VAT
	**48 488 000**		**59.00**
	Shower hose for sink mixers with SmartControl **GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position approx. 1425 mm M12 x 1 **GROHE Long-Life Shine** finish		
	**45 120 000**	**chrome**	**32.00**
	Connection hose, 300 mm connector set 3/8" for copper pipe Ø 10 mm coupling nut 3/8" 300 mm		

	Product no.	Colour	RRP (€) incl. VAT
	**48 472 000**		**65.00**
	Shower hose for sink mixer with pull-out dual spray or mousseur **GROHE EasyDock** easy retraction and smooth docking including weight approx. 1425 mm M15 x 1		
	**48 293 000**		**45.00**
	Shower hose for sink mixer with pull-out dual spray or mousseur **GROHE EasyDock** easy retraction and smooth docking including weight and knurled nuts G 1/2 approx. 1425 mm M15 x 1 **GROHE Long-Life Shine** finish		

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request

GROHE
SPARE PARTS FOR KITCHEN FAUCETS

Product no.	Colour	RRP (€) incl. VAT



48 487 000	**chrome**	**134.00**
48 487 DC0	**supersteel**	**263.00**
48 487 BE0	**polished nickel**	**257.00**
48 487 EN0	**brushed nickel**	**267.00**
48 487 GL0	**cool sunrise**	**337.00**
48 487 GN0	**br. cool sunrise**	**389.00**
48 487 DA0	**warm sunset**	**307.00**
48 487 DL0	**br. warm sunset**	**359.00**
48 487 A00	**hard graphite**	**306.00**
48 487 AL0	**br. hard graphite**	**357.00**

Pull out spray
for sink mixers with SmartControl, pull-out spray with laminar, **GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position, **GROHE SmartControl** push for ON-OFF, **GROHE Long-Life Shine** durable sparkling sheen



48 474 000 **chrome** **64.00**

Pull out spray
for single lever sink mixer 1/2"
pull out spray with 2 spray types
diverter: laminar spray/**SpeedClean** shower jet, automatic return to laminar spray
adjustable flow rate limiter, **GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position, **GROHE Long-Life Shine** durable sparkling sheen



46 731 000 **chrome** **84.00**

Pull out spray
professional spray
regular flow/shower jet
automatic return to mousseur
SpeedClean anti-lime system
GROHE Long-Life Shine durable sparkling sheen



46 925 000	**chrome**	**27.00**
46 925 DC0	**supersteel**	**85.00**

Pull out spray
for Minta single lever sink mixer with pull out mousseur
GROHE Long-Life Shine finish



46 858 000 **chrome** **38.00**
46 858 DC0 **supersteel** **116.00**

Pull out spray
for single lever sink mixer



48 416 000	**chrome**	**44.00**
48 416 DC0	**supersteel**	**59.00**

Pull out spray
laminar spray/shower spray
automatic return to laminar spray
SpeedClean anti-lime system
GROHE Long-Life Shine durable sparkling sheen
including disassembly key

Product no.	Colour	RRP (€) incl. VAT



48 473 000 **chrome** **126.00**

Pull out spray
for single lever sink mixer 1/2"
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow, automatic return to laminar spray
adjustable flow rate limiter
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE Long-Life Shine durable sparkling sheen



46 710 000 **chrome** **102.00**

Pull out spray
GROHE Long-Life Shine durable sparkling sheen



46 769 000 **chrome** **57.00**

Pull out spray
GROHE Long-Life Shine durable sparkling sheen



46 857 000 **chrome** **84.00**

Pull out spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-lime system
suitable for 32 321 000, 32 322 000, 31 481 000, 31 483 000



46 956 000 **chrome** **66.00**
46 956 DC0 **supersteel** **79.00**

Pull out spray
laminar spray/shower spray
automatic return to laminar spray
SpeedClean anti-lime system
GROHE Long-Life Shine durable sparkling sheen, including disassembly key for laminar spray, for Eurosmart 2015 and Start 2015 sink mixers



05 334 000 **4.00**

Support plate

GROHE
SPARE PARTS FOR SHOWERS

Product no.	Colour	RRP (€) incl. VAT



28 635 XX0	dark grey	10.00

Relexa
Coupling piece
as replacement
connector for new hand shower and hose
each hand shower is equipped with a coupling piece



28 634 XX0	dark grey	36.00

Relexa
Quick coupling
for combination with average showers without integrated **Grohclick**
with new system
only in connection with coupling piece (28 635/28 637)




28 817 000	chrome	14.00

Adapter 1/2" x 1/4"
female thread 3/4" x 1/2"
male thread
GROHE Long-Life Shine durable sparkling sheen



45 304 000	chrome	44.00

Elbow for shower mixers
1/2" x 1/2"
GROHE Long-Life Shine durable sparkling sheen
for bath mixers



48 279 000	chrome	35.00
48 279 GN0	brushed cool sunrise	*
48 279 DA0	warm sunset	*
48 279 DL0	br. warm sunset	*
48 279 A00	hard graphite	*
48 279 AL0	br. hard graphite	90.00

Shower bar holder
for shower systems with thermostat for wall mounting, including fixation set
GROHE Long-Life Shine durable sparkling sheen



48 423 000		17.00

Shower bar holder
for shower systems with thermostat for wall mounting
including fixation set
GROHE Long-Life Shine durable sparkling sheen



48 425 000	chrome	46.00
48 425 DC0	supersteel	108.00
48 425 AL0	brushed hard graphite	73.00

Shower bar holder
suitable for shower rails Rainshower SmartActive
metal, including fixation set
GROHE Long-Life Shine durable sparkling sheen



12 140 000	chrome	55.00
12 140 DC0	supersteel	131.00
12 140 AL0	brushed hard graphite	130.00

Glide element
suitable for shower rails with diameter of 22.0 mm, glider with swivel holder
for height adjustability of the handshower
GROHE Long-Life Shine durable sparkling sheen



12 140 KF0	phantom black	128.00

Glide element
glider with swivel holder
GROHE Long-Life Shine finish
suitable for shower rails with diameter of 22.0 mm
for height adjustability of the handshower



45 650 IP0	chrome/ matt chrome	67.00

Glide element
suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm
glider with swivel holder
for height adjustability of the handshower
GROHE Long-Life Shine durable sparkling sheen



48 099 000	chrome	18.00
48 099 DC0	supersteel	44.00
48 099 AL0	brushed hard graphite	29.00

Glide element
suitable for shower rails of Tempesta range with diameter of 21.8 mm
glider with swivel holder
for height adjustability of the handshower
GROHE Long-Life Shine durable sparkling sheen



48 424 GL0	cool sunrise	*
48 424 GN0	brushed cool sunrise	*
48 424 DA0	warm sunset	*
48 424 DL0	brushed warm sunset	*
48 424 A00	hard graphite	*

Glide element
suitable for shower rails Rainshower SmartActive with diameter 22 mm
glider with swivel holder
for height adjustability of the handshower
GROHE Long-Life Shine finish

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | * price on request


GROHE
SPARE PARTS FOR SHOWERS

Product no.	Colour	RRP (€) incl. VAT
48 426 000		**23.00**



Soap dish
suitable for shower rails Rainshower SmartActive with diameter 22 mm

Product no.	Colour	RRP (€) incl. VAT
48 177 000	**chrome**	**55.00**
48 177 DC0	**supersteel**	**172.00**
48 177 AL0	**brushed hard graphite**	**186.00**



Glide element
suitable for shower rails range with diameter 24.7 mm
glider with swivel holder
for height adjustability of the handshower
GROHE Long-Life Shine durable sparkling sheen

Product no.	Colour	RRP (€) incl. VAT
08 864 000	**chrome**	**28.00**
08 864 DC0	**supersteel**	**37.00**



Cone nut
for three-, four- and five-hole single-lever bath combinations
to connect hand shower with shower hose
GROHE Long-Life Shine durable sparkling sheen

GROHE
SPARE PARTS FOR ACCESSORIES

	Product no.	Colour	RRP (€) incl. VAT
	40 206 000	chrome	90.00
	Spare brush **GROHE Long-Life Shine** durable sparkling sheen		
	40 635 000		99.00
	Soap dish		
	40 952 000		20.00
	Spare glass		

	Product no.	Colour	RRP (€) incl. VAT
	40 207 000		17.00
	Spare brush head		
	40 951 000 40 951 DC0	chrome supersteel	38.00 56.00
	Spare brush **GROHE Long-Life Shine** durable sparkling sheen		
	40 993 000		70.00
	Spare glass for brush for Selection toilet brush set material: glass		

GROHE
MISCELLANEOUS

Product no.	Colour	RRP (€) incl. VAT
46 249 000	**chrome**	**13.00**



Shank mounting kit

Product no.	Colour	RRP (€) incl. VAT
46 345 000		**21.00**



Shank mounting kit

Product no.	Colour	RRP (€) incl. VAT
46 645 000		**12.00**



Shank mounting kit
with sliding nut and retaining washers
including seals

Product no.	Colour	RRP (€) incl. VAT
48 384 000		**16.00**



Shank fastening assembly
with fastening nut M33 x 1.5
including screws and seals

GROHE
SPECIAL TOOLS

	Product no.	Colour	RRP (€) incl. VAT
	**19 332 000**		**39.00**
	Socket spanner 34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge 32 mm for dis-/assembly of 35 mm cartridge		
	**48 021 000**	**chrome**	**11.00**
	Disassembly tool for mousseurs with housing: M 22 x 1, M 24 x 1, M 28 x 1 for integrated mousseurs: M 16.5 x 1, M 18.5 x 1, M 21.5 x 1, M 24 x 1 sales unit 10 pieces		

	Product no.	Colour	RRP (€) incl. VAT
	**43 959 000**		**93.00**
	Socket spanner for Contromix Surf/Public		
	**19 377 000**		**57.00**
	Special spanner 30 mm for dis-/assembly exposed faucets with covered S-unions 34 mm for dis-/assembly of **GROHE TurboStat** thermostatic compact cartridge		

GROHE
CLEANING AND CARE

	Product no.	Colour	RRP (€) incl. VAT
	**45 937 000**		**31.00**
	GROHE special grease 25 g sales unit 15 pieces		

	Product no.	Colour	RRP (€) incl. VAT
	**48 166 000**		**23.00**
	GROHclean **Detergent for fittings and bathrooms** 500 ml spray bottle based on citric acid in display box sales unit 10 pieces		

GROHE
SPARE PARTS FOR SANITARY SYSTEMS

Product no.	Colour	RRP (€) incl. VAT



37 115 PI0 **matt chrome/ chrome** **20.00**

Push button and escutcheon
for servo set
for close-coupled ceramic cisterns
lid hole Ø 40 mm
GROHE Long-Life Shine durable sparkling sheen



37 117 PI0 **matt chrome/ chrome** **20.00**

Push button and escutcheon
for servo set
for close-coupled ceramic cisterns
lid hole Ø 16 - 35 mm
GROHE Long-Life Shine durable sparkling sheen



43 544 000 **19.00**

Outlet piston
for Servo discharge valve



43 535 000 **5.00**

Push bar 350 mm
for Servo discharge valve
350 mm

43 540 000 **10.00**

Pop-up rod
for Servo discharge valve
451 mm



42 315 000 **17.00**

Valve seat for GD2



42 593 000 **38.00**

Valve seat
reduces flow of the flush
easy flow regulation via inspection shaft
without removing the valves
suitable for flushing cistern GD 2



42 233 000 **chrome** **19.00**

Tube



42 607 000 **52.00**

Angle valve 1/2“
DR-brass
including connecting hose
for flushing cistern 88.9 mm



43 745 000 **17.00**

Seal



43 722 000 **21.00**

Set of seals



43 758 00M **36.00**

Membrane
filling valve
multi-packaging: 10 pieces

GROHE
SPARE PARTS FOR SHOWER TOILET

Product no.	Colour	RRP (€) incl. VAT



14 913 000 332.00

WC seat and lid
for Sensia IGS shower WC system
including hinges
without operating unit



14 915 000 486.00

Remote control
for Sensia IGS shower WC system
with wall holder including fixation
including batteries



14 916 000 417.00

Operating unit
for Sensia IGS shower WC system
with adjusting knob including battery



14 917 000 117.00

Connecting pipe
for Sensia IGS shower WC system
flush- and waste pipe



14 924 SH0 alpine white 127.00

GROHE Sensia Arena
WC seat
for Sensia Arena shower toilet system, wall hung
automatic opening/close function
suitable WC lid: 14 925 SH0

14 925 SH0 alpine white 143.00

GROHE Sensia Arena
WC lid
for Sensia Arena shower toilet system, wall hung
automatic opening/close function
suitable WC seat: 14 924 SH0



14 926 002 397.00

GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung
including wall holder



14 926 001 397.00

GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung
including wall holder



14 930 000 32.00

Nozzle guard
for Sensia Arena shower toilet system,
wall hung and floor standing



14 937 000 alpine white 1,269.00

GROHE Sensia Arena
WC-ceramic
for Sensia Arena shower toilet system, wall hung



14 969 000 32.00

GROHE Sensia Arena
Fixing member rear
for Sensia Arena shower toilet system, wall hung



14 971 000 32.00

GROHE Sensia Arena
Hose clip
for Sensia Arena shower toilet system, wall hung

GROHE
SPARE PARTS FOR SHOWER TOILET

	Product no.	Colour	RRP (€) incl. VAT
	14 974 000		95.00
	GROHE Sensia Arena **Connection hose assembly** for Sensia Arena shower toilet system, wall hung		
	14 976 000	alpine white	1,582.00
	GROHE Sensia Arena **E-bidet unit** for 39 354 SH1 for Sensia Arena shower toilet system, wall hung exchange set		

	Product no.	Colour	RRP (€) incl. VAT
	14 933 000		32.00
	GROHE Sensia Arena **Air filter** for Sensia Arena shower toilet system, wall hung		

GROHE
SPARE PARTS FOR CERAMICS

Product no.	Colour	RRP (€) incl. VAT



49 512 000 **50.00**

Mounting set
for counter top basins
39 337 000, 39 337 00H, 39 475 00H
39 476 00H, 39 477 00H, 39 478 00H
for drop in basin 39 422 000, 39 479 00H
for vessel basin 39 481 00H
contains 2 pieces



49 518 000 **46.00**

Mounting set
for undercounter basins
39 423 000, 39 480 00H
contains 4 pieces



49 025 000 **chrome** **31.00**

Mounting set
for half pedestal
39 426 000
39 201 000
39 325 000
contains 2 pieces



49 516 000 **30.00**

Mounting set
for floor standing bidet/WC
39 428 000, 39 429 000, 39 430 000,
39 431 000, 39 432 000, 39 349 000,
39 329 000, 39 329 00H, 39 340 000,
39 340 00H, 39 339 000, 39 339 00H,
39 484 00H, 39 485 00H, 39 487 00H
contains 2 pieces



49 022 000 **chrome** **34.00**

Fixing bolt
for close coupled WC and cistern
39 436 000
39 437 000
39 333 000
39 332 000
39 489 000
39 490 000



49 027 000 **chrome** **88.00**

Fixing set
for Euro Ceramic wall hung bidet
220 mm
39 208 000, 39 208 00H



49 510 000 **81.00**

Fixing set
for Euro Ceramic wall hung WC
203 mm
39 328 000, 39 328 00H



49 024 000 **chrome** **88.00**

Fixing set
for Euro Ceramic compact wall hung WC
203 mm
39 206 000, 39 206 00H




49 509 000 **80.00**

Fixing set
for Cube Ceramic wall hung WC
178 mm
39 244 00H



49 529 000 **chrome** **27.00**

Fixing set
for Bau Ceramic seat and lid
39 493 000
39 492 000
contains 2 pieces



49 614 000 **chrome** **59.00**

Fixation set for seat and cover
for WC seats 39 923 000



49 522 000 **83.00**

Mounting set
for Euro Ceramic cistern
39 333 000
for back inlet installation

GROHE
SPARE PARTS FOR CERAMICS

Product no.	Colour	RRP (€) incl. VAT



49 120 000 **chrome** **21.00**

Fixation set for seat and cover
for WC seats 39 577 000 and 39 898 000



49 023 000 **chrome** **18.00**

Filling valve
for exposed close coupled cistern bottom inlet
39 332 000
39 436 000
universal application



49 020 000 **chrome** **36.00**

Filling valve for Euro Ceramic cistern
for close coupled cistern exposed side inlet
39 333 000
universal application



49 540 000 **44.00**

Filling valve
for exposed close coupled cistern bottom inlet
39 490 000
39 579 000
for exposed flushing cisterns



49 527 000 **31.00**

Filling valve
for close coupled cistern exposed side inlet
39 494 000
39 531 000
universal application



37 095 000 **45.00**

Filling valve
3/8"
universal application
without adapter for the pipe connection
cap, restrictor
**) max. shortening 100 mm



49 061 000 **chrome** **25.00**

Discharge valve for Bau Ceramic cistern
for close coupled cistern exposed side inlet
39 436 000
39 437 000
Dual Flush
universal application
for ceramic lid hole Ø 50 mm



49 066 000 **chrome** **46.00**

Discharge valve for Euro Ceramic cistern
for close-coupled cisterns
39 332 000
39 333 000
Dual Flush
universal application
for ceramic lid hole Ø 50 mm



49 065 000 **chrome** **26.00**

Discharge valve for Bau Ceramic cistern
for close coupled cistern exposed side inlet
39 494 000
Dual Flush
universal application
for ceramic lid hole Ø 50 mm



49 539 000 **94.00**

Discharge valve
for close-coupled cisterns
for exposed flushing cisterns
39 579 000
39 490 000
39 578 000
39 489 000



49 018 000 **white** **10.00**

Buffer set
for seat and lid
for 39 435 000
contains 2 pieces for lid and 4 pieces for seat



49 528 000 **white** **47.00**

Damper
for Bau Ceramic WC seat with soft close
left and right
39 493 000
contains 2 pieces

GROHE
SPARE PARTS FOR CERAMICS

Product no.	Colour	RRP (€) incl. VAT



49 530 000 **white** **16.00**

Buffer set
for Bau Ceramic seat and lid
39 492 000
39 493 000
contains 2 pieces for lid and 4 pieces for seat



49 119 000 **white** **36.00**

Damper
damper for soft close function
left and right
Ø 16 mm
for WC seat 39 577 000



49 535 000 **white** **36.00**

Damper for Cube and Euro Ceramic seat and cover
damper for soft close function
left and right
Ø 20 mm
for use with 39 330 001, 39 331 001, 39 488 000



49 016 000 **alpine white** **12.00**

Locking cap
for Euro Ceramic close coupled WC
39 338 000 / 39 338 00H



49 019 000 **alpine white** **10.00**

Locking cap
for exposed ceramic cistern, side inlet
39 437 000
39 333 000



49 541 000 **alpine white** **51.00**

Plug
for Cube Ceramic close-coupled WC
39 484 00H



49 542 SH0 **alpine white** **161.00**

Essence
Drain cap for wash basins
for vessel basins 39 609 00H and 39 608 00H



49 526 000 **chrome** **15.00**

Dual flush push button
for ceramic cistern
39 436 000
39 437 000
39 333 000
39 332 000



49 538 000 **chrome** **32.00**

Dual flush push button
for ceramic flushing cisterns
39 578 000
39 490 000
39 579 000
39 489 000



49 021 000 **10.00**

Rubber sealing
for close coupled WC and cistern
39 436 000
39 437 000
39 333 000
39 332 000
39 489 000
39 490 000

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
02		
02 210 00M	765	18.00
05		
05 334 000	777	4.00
07		
07 146 000	761	14.00
07 182 000	771	20.00
07 341 000	771	29.00
08		
08 864 000	779	28.00
08 864 DC0	779	37.00
08 915 000	775	75.00
11		
11 003 000	761	30.00
11 006 000	761	31.00
11 090 000	761	33.00
11 101 000	761	29.00
11 102 000	761	30.00
11 104 000	761	84.00
11 105 000	761	84.00
11 502 000	762	56.00
11 504 000	762	83.00
11 505 000	762	83.00
11 507 000	762	104.00
11 508 000	762	105.00
11 513 000	762	53.00
11 514 000	762	67.00
11 515 000	762	101.00
11 516 000	762	172.00
11 541 000	762	95.00
11 542 000	762	94.00
11 544 000	762	138.00
11 550 000	762	69.00
11 551 000	762	86.00
12		
12 001 000	764	21.00
12 001 00M	764	24.00
12 004 000	764	31.00
12 005 000	764	75.00
12 013 000	764	43.00
12 015 000	764	50.00
12 030 000	589, 764	86.00
12 050 000	764	23.00
12 050 00M	764	57.00
12 051 000	588, 602	67.00
12 075 000	764	31.00
12 124 000	592	141.00
12 140 000	778	55.00
12 140 AL0	778	130.00
12 140 DC0	778	131.00
12 140 KF0	778	128.00
12 400 000	764	73.00
12 407 000	765	186.00
12 409 000	610	183.00
12 411 000	590, 764	115.00
12 417 000	590, 765	109.00
12 419 000	765	42.00
12 420 000	590	77.00
12 424 000	590	83.00
12 428 000	591	147.00
12 430 000	591	130.00
12 432 000	591	158.00
12 433 000	760	103.00
12 436 000	591	224.00
12 444 000	591, 765	360.00
12 448 000	591	294.00
12 465 000	764	98.00
12 662 000	764	29.00
12 693 000	764	35.00
13		
13 005 000	766	42.00
13 017 000	766	52.00
13 028 000	530, 766	40.00
13 034 000	530, 766	66.00
13 051 000	766	43.00
13 052 000	530, 766	45.00
13 070 000	766	42.00
13 071 000	530, 766	45.00
13 072 000	766	30.00
13 073 000	766	41.00
13 076 000	766	43.00
13 077 000	766	50.00
13 080 000	585	241.00
13 084 000	766	42.00
13 137 000	586	234.00
13 138 000	586	241.00
13 220 000	769	36.00
13 255 001	237, 249	48.00
13 261 000	208	109.00
13 262 000	208	128.00
13 263 000	770	11.00
13 263 DC0	770	29.00
13 264 001	46	394.00
13 264 A01	46	591.00
13 264 DL1	46	630.00
13 264 GN1	46	630.00
13 269 000	766	131.00
13 270 000	766	143.00
13 276 002	190	135.00
13 277 002	190	158.00
13 278 002	177	132.00
13 279 002	177	154.00
13 280 001	185	129.00
13 281 001	185	148.00
13 303 000	139	161.00
13 303 AL0	139	258.00
13 303 DC0	139	225.00
13 304 000	140	181.00
13 317 001	46	1,764.00
13 317 A01	46	2,646.00
13 317 DL1	46	2,822.00
13 317 GN1	46	2,822.00
13 378 000	571, 586	138.00
13 380 000	571, 586	152.00
13 383 001	124	290.00
13 383 AL1	124	465.00
13 383 DC1	124	406.00
13 390 000	243, 253	73.00
13 404 003	150	179.00
13 404 AL3	150	286.00
13 404 DC3	150	251.00
13 448 003	218	109.00
13 449 001	167	155.00
13 449 A01	167	232.00
13 449 AL1	167	248.00
13 449 DA1	167	232.00
13 449 DC1	167	217.00
13 449 DL1	167	248.00
13 449 GL1	167	232.00
13 449 GN1	167	248.00
13 450 000	365, 365	94.00
13 461 000	766	110.00
13 462 000	766	141.00
13 484 000	70	305.00
13 484 DA0	70	458.00
13 484 IG0	70	397.00
13 485 000	61	413.00
13 485 AL0	61	660.00
13 485 DC0	61	578.00
13 486 000	60	955.00
13 486 AL0	60	1,527.00
13 486 DC0	60	1,336.00
13 487 000	29	311.00
13 487 AL0	29	498.00
13 487 DA0	29	467.00
13 487 DC0	29	436.00
13 487 GL0	29	467.00
13 540 000	263	121.00
13 915 000	769	52.00
13 925 000	769	69.00
13 926 000	769	18.00
13 929 000	768	18.00
13 929 AL0	768	64.00
13 929 G00	768	125.00
13 929 L00	768	38.00
13 935 000	768	18.00
13 937 000	769	26.00
13 952 000	768	14.00
13 952 AL0	768	64.00
13 960 000	768	24.00
13 961 000	769	5.00
13 994 000	769	17.00
13 999 000	770	28.00
13 999 AL0	770	44.00
13 999 DC0	770	73.00
13 999 KS0	770	39.00
14		
14 014 000	383	67.00
14 047 000	384	67.00
14 048 000	345, 348	93.00
14 053 00M	345	45.00
14 055 000	271, 345	114.00
14 056 000	345, 763	105.00
14 057 000	345, 763	129.00
14 058 000	346, 763	51.00
14 074 000	623, 651	51.00
14 077 XH0	103, 312	34.00
14 079 XH0	314, 363	24.00
14 116 00M	773	68.00
14 911 LD0	616	855.00
14 911 LK0	616	855.00
14 911 LP0	616	855.00
14 911 SH0	616	446.00
14 912 000	616	175.00
14 913 000	785	332.00
14 914 000	616	35.00
14 915 000	785	486.00
14 916 000	785	417.00
14 917 000	785	117.00
14 924 SH0	785	127.00
14 925 SH0	785	143.00
14 926 001	785	397.00
14 926 002	622, 785	397.00
14 928 000	621	32.00
14 929 000	621	32.00
14 930 000	785	32.00
14 933 000	786	32.00
14 936 000	621	48.00
14 937 000	785	1,269.00
14 969 000	785	32.00
14 971 000	785	32.00
14 974 000	786	95.00
14 976 000	786	1,582.00
14 992 000	622	44.00
18		
18 608 001	322	58.00
18 700 000	325	53.00
18 968 001	43	243.00
18 968 A01	43	364.00
18 968 DL1	43	388.00
18 968 GN1	43	388.00
19		
19 025 000	124, 142	76.00
19 309 002	42	1,165.00
19 309 A02	42	1,748.00
19 309 DL2	42	1,865.00
19 309 GN2	42	1,865.00
19 315 001	43	520.00
19 315 A01	43	780.00
19 315 DL1	43	832.00
19 315 GN1	43	832.00
19 316 001	45	1,742.00
19 316 A01	45	2,612.00
19 316 DL1	45	2,787.00
19 316 GN1	45	2,787.00
19 317 001	43	457.00
19 317 A01	43	685.00
19 317 DL1	43	731.00
19 317 GN1	43	731.00
19 332 000	782	39.00
19 334 001	47	157.00
19 334 A01	47	236.00
19 334 DL1	47	252.00
19 334 GN1	47	252.00
19 345 001	184	197.00
19 346 001	184	214.00
19 377 000	782	57.00
19 380 002	44	598.00
19 380 A02	44	898.00
19 380 DL2	44	957.00
19 380 GN2	44	957.00
19 381 000	205	230.00
19 386 002	42	1,197.00
19 386 A02	42	1,795.00
19 386 DL2	42	1,915.00
19 386 GN2	42	1,915.00
19 409 001	120	312.00
19 409 AL1	120	499.00
19 409 DC1	120	437.00
19 446 002	45	630.00
19 446 A02	45	945.00
19 446 DL2	45	1,008.00
19 446 GN2	45	1,008.00
19 450 002	228	148.00
19 451 002	228	132.00
19 470 000	762	87.00
19 506 003	198	196.00
19 507 003	197	179.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
19 571 002	188	280.00
19 571 003	194	300.00
19 573 002	174	272.00
19 575 001	182	250.00
19 576 002	185	894.00
19 577 001	123	1,065.00
19 577 AL1	123	1,705.00
19 577 DC1	123	1,491.00
19 590 001	46	268.00
19 590 A01	46	402.00
19 590 DL1	46	428.00
19 590 GN1	46	428.00
19 806 001	264	56.00
19 807 001	264	56.00
19 808 001	264	34.00
19 809 001	264	34.00
19 830 000	762	37.00
19 831 000	762	37.00
19 840 000	610, 762	34.00
19 841 000	610, 762	43.00
19 854 001	264	24.00
19 855 001	264	25.00
19 895 000	134	334.00
19 895 AL0	134	534.00
19 895 DC0	134	467.00
19 897 001	138	1,314.00
19 897 AL1	138	2,102.00
19 897 DC1	138	1,839.00
19 910 000	140	68.00
19 952 000	124, 141	219.00
19 952 A00	167, 270	329.00
19 952 AL0	124, 141	351.00
19 952 BE0	270	329.00
19 952 DA0	167, 270	329.00
19 952 DC0	124, 141	307.00
19 952 DL0	167, 270	351.00
19 952 EN0	270	351.00
19 952 GL0	167, 270	329.00
19 952 GN0	167, 270	351.00
19 954 000	271	19.00
19 965 001	123	861.00
19 966 000	139	927.00
19 968 000	169	300.00
19 969 000	169	315.00
19 970 002	228	64.00
19 972 002	229	64.00
19 974 002	174	289.00
19 976 001	166	662.00
19 997 000	127	350.00
19 998 000	127	368.00
20		
20 179 001	266, 522	149.00
20 186 001	262	94.00
20 187 000	204	251.00
20 188 001	41	1,071.00
20 188 A01	41	1,606.00
20 188 DL1	41	1,713.00
20 188 GN1	41	1,713.00
20 189 002	41	1,039.00
20 189 A02	41	1,559.00
20 189 DL2	41	1,663.00
20 189 GN2	41	1,663.00
20 193 002	41	1,071.00
20 193 A02	41	1,606.00
20 193 DL2	41	1,713.00
20 193 GN2	41	1,713.00
20 197 000	241	121.00
20 201 000	268	132.00
20 201 AL0	268	211.00
20 202 000	268	151.00
20 203 000	268	116.00
20 205 000	268	108.00
20 208 002	187	328.00
20 216 001	181	297.00
20 289 000	251	234.00
20 296 001	159	334.00
20 299 001	160	367.00
20 301 003	146	396.00
20 304 001	119	401.00
20 351 000	134	405.00
20 351 AL0	134	648.00
20 351 DC0	134	567.00
20 393 001	262	96.00
20 404 001	262	56.00
20 405 001	266	75.00
20 421 000	238	73.00
20 421 001	232	72.00
20 422 000	250	73.00
20 422 001	244	72.00
20 474 000	240	234.00
20 575 000	254	65.00
20 587 000	37	784.00
20 587 AL0	37	1,255.00
20 587 DA0	37	1,176.00
20 587 DC0	37	1,098.00
20 587 GL0	37	1,176.00
20 589 000	34	784.00
20 589 AL0	34	1,255.00
20 589 DA0	34	1,176.00
20 589 DC0	34	1,098.00
20 589 GL0	34	1,176.00
20 593 000	37	923.00
20 593 AL0	37	1,476.00
20 593 DA0	37	1,384.00
20 593 DC0	37	1,292.00
20 593 GL0	37	1,384.00
20 595 000	34	923.00
20 595 AL0	34	1,476.00
20 595 DA0	34	1,384.00
20 595 DC0	34	1,292.00
20 595 GL0	34	1,384.00
20 619 000	67	714.00
20 619 DA0	67	1,071.00
20 619 IG0	67	928.00
20 622 000	67	535.00
20 622 IG0	67	695.00
20 623 000	67	592.00
20 623 IG0	67	769.00
20 624 000	67	645.00
20 624 IG0	67	839.00
20 626 000	54	897.00
20 626 AL0	54	1,436.00
20 626 DC0	54	1,256.00
20 627 000	54	1,071.00
20 627 AL0	54	1,714.00
20 627 DC0	54	1,500.00
20 628 000	55	932.00
20 628 AL0	55	1,492.00
20 628 DC0	55	1,305.00
20 629 000	55	992.00
20 629 AL0	55	1,587.00
20 629 DC0	55	1,389.00
20 634 SD0	18	29,780.00
20 635 SD0	18	29,780.00
20 643 000	25	692.00
20 643 AL0	25	1,107.00
20 643 DA0	25	1,038.00
20 643 DC0	25	969.00
20 643 GL0	25	1,038.00
20 649 000	25	692.00
20 649 AL0	25	1,107.00
20 649 DA0	25	1,038.00
20 649 DC0	25	969.00
20 649 GL0	25	1,038.00
20 658 000	23	346.00
20 658 AL0	23	553.00
20 658 DA0	23	519.00
20 658 DC0	23	484.00
20 658 GL0	23	519.00
20 661 000	26	588.00
20 661 AL0	26	941.00
20 661 DA0	26	882.00
20 661 DC0	26	823.00
20 661 GL0	26	882.00
20 662 000	26	588.00
20 662 AL0	26	941.00
20 662 DA0	26	882.00
20 662 DC0	26	823.00
20 662 GL0	26	882.00
20 664 SD0	18	30,226.00
20 665 SD0	18	30,226.00
20 666 000	66	550.00
20 666 IG0	66	715.00
20 667 000	54	1,594.00
20 667 AL0	54	2,551.00
20 667 DC0	54	2,391.00
20 668 000	54	3,233.00
20 668 AL0	54	5,388.00
20 668 DC0	54	5,118.00
20 669 000	54	3,233.00
20 669 AL0	54	5,388.00
20 669 DC0	54	5,118.00
20 670 000	54	1,594.00
20 670 AL0	54	2,551.00
20 670 DC0	54	2,391.00
20 671 000	54	3,188.00
20 671 AL0	54	5,102.00
20 671 DC0	54	4,783.00
20 672 000	54	3,188.00
20 672 AL0	54	5,102.00
20 672 DC0	54	4,783.00
21		
21 134 000	37	812.00
21 134 AL0	37	1,299.00
21 134 DA0	37	1,218.00
21 134 DC0	37	1,137.00
21 134 GL0	37	1,218.00
21 138 000	33	812.00
21 138 AL0	33	1,299.00
21 138 DA0	33	1,218.00
21 138 DC0	33	1,137.00
21 138 GL0	33	1,218.00
21 140 000	37	1,116.00
21 140 AL0	37	1,786.00
21 140 DA0	37	1,674.00
21 140 DC0	37	1,563.00
21 140 GL0	37	1,674.00
21 142 000	33	1,116.00
21 142 AL0	33	1,786.00
21 142 DA0	33	1,674.00
21 142 DC0	33	1,563.00
21 142 GL0	33	1,674.00
21 144 000	25	553.00
21 144 AL0	25	886.00
21 144 DA0	25	830.00
21 144 DC0	25	775.00
21 144 GL0	25	830.00
21 145 000	24	553.00
21 145 AL0	24	886.00
21 145 DA0	24	830.00
21 145 DC0	24	775.00
21 145 GL0	24	830.00
21 149 000	25	761.00
21 149 AL0	25	1,218.00
21 149 DA0	25	1,142.00
21 149 DC0	25	1,065.00
21 149 GL0	25	1,142.00
21 255 001	266	229.00
21 257 001	266	180.00
21 338 001	266	146.00
21 375 001	262	123.00
21 390 001	262	229.00
22		
22 012 000	141, 746	62.00
22 012 AL0	141, 746	99.00
22 012 DC0	141, 746	86.00
22 013 000	141, 746	62.00
22 018 000	745	7.00
22 023 000	745	8.00
22 033 000	747	29.00
22 034 000	747	34.00
22 035 000	747	29.00
22 036 000	747	34.00
22 037 000	744	9.00
22 037 A00	744	57.00
22 037 AL0	744	58.00
22 037 BE0	744	57.00
22 037 DA0	744	57.00
22 037 DC0	744	56.00
22 037 DL0	744	58.00
22 037 EN0	744	58.00
22 037 GL0	744	57.00
22 037 GN0	744	58.00
22 039 000	744	10.00
22 041 001	745	*
22 043 000	744	10.00
22 052 000	745	14.00
22 053 000	745	12.00
22 054 001	244, 261	92.00
22 074 KF0	744	62.00
22 115 000	445	13.00
22 117 KF0	450	59.00
22 118 KF0	452	93.00
22 119 KF0	357	1,659.00
22 120 KF0	360	1,903.00
22 121 KF0	388	654.00
22 122 KF0	389	654.00
22 123 KF0	386	910.00
22 124 KF0	386	910.00
22 125 KF0	412, 455	187.00
22 126 KF0	420	87.00
22 127 KF0	404	137.00
23		
23 037 002	186	164.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
23 039 002	186	120.00
23 043 003	187	229.00
23 048 003	190	1,011.00
23 049 002	172	217.00
23 051 002	172	138.00
23 054 003	174	272.00
23 055 002	174	308.00
23 058 003	372	919.00
23 060 001	179	214.00
23 061 003	369	689.00
23 093 000	240	125.00
23 106 001	118	257.00
23 106 AL1	118	411.00
23 106 DC1	118	360.00
23 124 002	224	155.00
23 124 003	211	155.00
23 125 000	201	174.00
23 127 00E	132	269.00
23 127 AL0	132	430.00
23 127 DC0	132	377.00
23 132 00E	132	262.00
23 135 00E	133	323.00
23 135 AL0	133	516.00
23 135 DC0	133	452.00
23 137 000	132	212.00
23 138 000	134	269.00
23 138 AL0	134	430.00
23 138 DC0	134	377.00
23 140 000	135	355.00
23 140 AL0	135	639.00
23 140 DC0	135	568.00
23 141 000	135	427.00
23 145 000	134	305.00
23 145 AL0	134	488.00
23 145 DC0	134	427.00
23 147 001	372	1,443.00
23 200 002	56, 134	304.00
23 262 000	230	89.00
23 263 000	230	89.00
23 296 001	119	359.00
23 296 AL1	119	574.00
23 296 DC1	119	502.00
23 319 000	68, 343	298.00
23 322 001	225	127.00
23 322 003	212	122.00
23 323 001	225	120.00
23 323 003	213	115.00
23 324 001	226	120.00
23 324 003	212	115.00
23 325 000	202	142.00
23 327 000	202	136.00
23 327 KW0	202	190.00
23 328 000	238	94.00
23 328 001	232	92.00
23 329 000	238	87.00
23 330 000	238	87.00
23 330 001	232	86.00
23 331 000	241	94.00
23 331 001	235	92.00
23 332 000	241	87.00
23 333 000	241	94.00
23 334 000	242	117.00
23 335 000	250	94.00
23 335 001	244	92.00
23 336 000	250	87.00
23 337 000	250	87.00
23 337 001	244	86.00
23 338 000	251	94.00
23 338 001	247	92.00
23 340 000	251	94.00
23 341 000	252	117.00
23 356 000	238	98.00
23 372 003	213	99.00
23 374 003	192, 258	159.00
23 374 20E	187, 258	164.00
23 374 LS3	192, 258	207.00
23 376 00E	202, 258	117.00
23 377 00E	201, 258	124.00
23 378 00E	201, 258	117.00
23 380 10E	180, 257	172.00
23 384 20E	173, 257	217.00
23 389 20E	173, 257	210.00
23 390 00E	132, 257	269.00
23 392 00E	132, 257	262.00
23 393 30E	212, 260	122.00
23 394 30E	214	115.00
23 395 30E	212, 260	115.00
23 396 00E	203, 259	142.00
23 397 00E	203, 259	136.00
23 403 001	40	724.00
23 403 A01	40	1,087.00
23 403 DL1	40	1,159.00
23 403 GN1	40	1,159.00
23 405 001	119	383.00
23 405 AL1	119	612.00
23 405 DC1	119	536.00
23 406 000	133	374.00
23 406 AL0	133	599.00
23 406 DC0	133	524.00
23 425 000	169	259.00
23 427 000	169	274.00
23 428 000	169	394.00
23 429 000	20, 42	315.00
23 430 000	170	290.00
23 431 000	170	394.00
23 432 000	174	378.00
23 444 001	120	337.00
23 444 AL1	120	540.00
23 444 DC1	120	472.00
23 445 000	132	283.00
23 445 AL0	132	453.00
23 445 DC0	132	397.00
23 446 000	133	276.00
23 447 000	134	350.00
23 447 AL0	134	560.00
23 447 DC0	134	490.00
23 448 002	173	247.00
23 449 002	173	240.00
23 450 001	180	196.00
23 451 001	180	189.00
23 456 002	224	106.00
23 456 003	211	101.00
23 480 001	156	232.00
23 537 002	226	174.00
23 537 003	213	174.00
23 559 001	232, 260	92.00
23 564 003	191	166.00
23 569 003	193	249.00
23 570 003	194	308.00
23 570 LS3	194	401.00
23 571 000	120, 161	304.00
23 602 001	248	126.00
23 604 001	237	126.00
23 633 001	247	92.00
23 635 001	235	92.00
23 654 000	126	309.00
23 656 000	126	303.00
23 657 000	126	325.00
23 658 000	126	319.00
23 661 000	126	428.00
23 664 000	127	333.00
23 665 000	127	381.00
23 666 000	128	468.00
23 667 001	131	2,009.00
23 672 001	139	2,018.00
23 672 AL1	139	3,229.00
23 672 DC1	139	2,826.00
23 707 003	191	152.00
23 709 003	192, 258	152.00
23 710 003	192	215.00
23 713 003	193	145.00
23 715 003	193	145.00
23 718 003	194	237.00
23 719 003	194	295.00
23 720 003	195	152.00
23 722 003	195	168.00
23 725 003	198	195.00
23 726 003	196	206.00
23 729 30A	196	233.00
23 730 003	199	210.00
23 739 002	181	291.00
23 741 001	166	2,801.00
23 741 DC1	166	3,922.00
23 743 002	226	167.00
23 743 003	214	167.00
23 751 000	254	91.00
23 752 000	254	87.00
23 753 000	254	131.00
23 754 000	254	91.00
23 755 000	255	94.00
23 756 000	255	113.00
23 757 000	239	129.00
23 757 001	234	128.00
23 758 000	239	113.00
23 759 000	239	113.00
23 760 000	239	129.00
23 760 001	234	128.00
23 761 000	240	153.00
23 761 001	234	150.00
23 762 000	250	113.00
23 762 001	245	111.00
23 763 000	251	129.00
23 763 001	246	137.00
23 764 000	251	153.00
23 764 001	247	150.00
23 791 001	118	241.00
23 791 AL1	118	385.00
23 791 DC1	118	337.00
23 792 001	123	1,981.00
23 792 AL1	123	3,170.00
23 792 DC1	123	2,773.00
23 802 000	238	93.00
23 803 000	250	93.00
23 843 003	145	416.00
23 843 AL3	145	665.00
23 843 DC3	145	582.00
23 844 003	145	416.00
23 845 003	149	870.00
23 846 003	150	1,944.00
23 846 AL3	150	3,110.00
23 846 DC3	150	2,721.00
23 851 003	144	358.00
23 851 AL3	144	573.00
23 851 DC3	144	501.00
23 856 001	40	2,205.00
23 856 A01	40	3,307.00
23 856 DL1	40	3,528.00
23 856 GN1	40	3,528.00
23 870 003	144, 257	256.00
23 871 003	144	320.00
23 871 AL3	144	511.00
23 871 DC3	144	448.00
23 872 003	144	320.00
23 873 003	145	358.00
23 877 001	245	92.00
23 878 001	244	92.00
23 879 001	245	92.00
23 883 001	245, 261	92.00
23 885 001	246	111.00
23 886 001	246	111.00
23 887 001	246, 261	111.00
23 891 001	247	137.00
23 894 001	233	92.00
23 895 001	232	92.00
23 896 001	233	92.00
23 899 001	233	92.00
23 911 001	234	128.00
23 917 001	246	106.00
23 920 001	181	278.00
23 921 000	204	227.00
23 922 002	224	105.00
23 922 003	210	106.00
23 923 002	225	121.00
23 923 003	212	122.00
23 924 002	225	105.00
23 924 003	211, 259	106.00
23 925 000	200	118.00
23 926 000	202	137.00
23 927 000	202	119.00
23 928 000	203	136.00
23 929 003	191	154.00
23 930 003	192	161.00
23 931 001	179	164.00
23 932 001	180	189.00
23 933 001	204	184.00
23 958 003	143	903.00
23 958 DC3	143	1,265.00
23 959 003	143	943.00
23 965 003	209	106.00
23 966 003	209	99.00
23 967 003	209	99.00
23 968 003	209	106.00
23 969 003	210, 259	106.00
23 970 003	213	174.00
23 971 003	214	235.00
23 974 003	212, 260	106.00
23 975 003	210	409.00
23 976 003	213	259.00
23 980 003	220, 594	124.00
23 981 003	220, 594	140.00
23 982 003	221, 596	124.00
23 983 003	222, 596	140.00
23 984 003	221, 596	202.00
23 985 003	221, 596	218.00
23 986 003	219, 593	202.00
23 987 003	220, 594	218.00
23 988 003	219, 593	155.00
23 989 003	219, 593	171.00

* price on request

GROHE
SURVEY OF REFERENCES

24

Product no.	Page	RRP (€) incl. VAT
24 036 000	170	274.00
24 042 002	227	153.00
24 042 003	217	153.00
24 043 002	227	168.00
24 043 003	218	168.00
24 044 000	207	157.00
24 045 000	207	173.00
24 046 003	197	171.00
24 047 003	197	188.00
24 048 003	196	173.00
24 048 LS3	196	225.00
24 049 003	197	191.00
24 049 LS3	197	248.00
24 051 002	189	186.00
24 052 002	190	204.00
24 053 001	183	186.00
24 054 001	184	205.00
24 055 002	171, 176	194.00
24 056 002	171, 176	213.00
24 059 003	148	243.00
24 059 AL3	148	389.00
24 059 DC3	148	340.00
24 060 003	148	256.00
24 060 AL3	148	409.00
24 060 DC3	148	358.00
24 061 000	128, 136	227.00
24 061 AL0	136	364.00
24 061 DC0	136	318.00
24 062 000	129, 136	250.00
24 062 AL0	136	400.00
24 062 DC0	136	350.00
24 063 001	122	231.00
24 063 AL1	122	370.00
24 063 DC1	122	323.00
24 064 001	122	254.00
24 064 AL1	122	407.00
24 064 DC1	122	356.00
24 075 000	317	465.00
24 076 000	317	519.00
24 077 000	317	519.00
24 078 000	315	465.00
24 079 000	315	519.00
24 080 000	315	519.00
24 093 003	149	288.00
24 093 AL3	149	460.00
24 093 DC3	149	403.00
24 094 000	129, 136	280.00
24 094 AL0	136	448.00
24 094 DC0	136	392.00
24 095 001	122	283.00
24 095 AL1	122	453.00
24 095 DC1	122	397.00
24 153 000	129, 137	605.00
24 153 AL0	129, 137	968.00
24 153 DC0	129, 137	847.00
24 154 000	58, 130	675.00
24 154 AL0	58, 130	1,079.00
24 154 DC0	58, 130	944.00
24 155 000	130, 137	675.00
24 155 AL0	130, 137	1,079.00
24 155 DC0	130, 137	944.00
24 160 001	42	567.00
24 160 A01	42	850.00
24 160 DL1	42	907.00
24 160 GN1	42	907.00
24 161 001	236	151.00
24 164 003	214, 260	235.00
24 167 001	164	231.00
24 167 A01	164	346.00
24 167 AL1	164	369.00
24 167 DA1	164	346.00
24 167 DC1	164	323.00
24 167 DL1	164	369.00
24 167 GL1	164	346.00
24 167 GN1	164	369.00
24 167 KF1	164	323.00
24 168 001	164	210.00
24 168 A01	164	314.00
24 168 AL1	164	335.00
24 168 DA1	164	314.00
24 168 DC1	164	293.00
24 168 DL1	164	335.00
24 168 GL1	164	314.00
24 168 GN1	164	335.00
24 169 001	165	261.00
24 169 A01	165	391.00
24 169 AL1	165	417.00
24 169 DA1	165	391.00
24 169 DC1	165	365.00
24 169 DL1	165	417.00
24 169 GL1	165	391.00
24 169 GN1	165	417.00
24 170 001	158	355.00
24 170 A01	158	533.00
24 170 AL1	158	568.00
24 170 DA1	158	533.00
24 170 DC1	158	497.00
24 170 DL1	158	568.00
24 170 GL1	158	533.00
24 170 GN1	158	568.00
24 170 KF1	159	497.00
24 171 001	154	204.00
24 171 A01	154	306.00
24 171 AL1	154	327.00
24 171 DA1	154	306.00
24 171 DC1	154	286.00
24 171 DL1	154	327.00
24 171 GL1	154	306.00
24 171 GN1	154	327.00
24 172 001	154	198.00
24 172 A01	154	296.00
24 172 AL1	154	316.00
24 172 DA1	154	296.00
24 172 DC1	154	277.00
24 172 DL1	154	316.00
24 172 GL1	154	296.00
24 172 GN1	154	316.00
24 172 KF1	154	277.00
24 173 001	156	239.00
24 173 A01	156	359.00
24 173 AL1	156	382.00
24 173 DA1	156	359.00
24 173 DC1	156	335.00
24 173 DL1	156	382.00
24 173 GL1	156	359.00
24 173 GN1	156	382.00
24 174 001	157	262.00
24 174 A01	157	393.00
24 174 AL1	157	420.00
24 174 DA1	157	393.00
24 174 DC1	157	367.00
24 174 DL1	157	420.00
24 174 GL1	157	393.00
24 174 GN1	157	420.00
24 175 001	155	204.00
24 176 001	157	232.00
24 176 KF1	157	325.00
24 177 001	158	256.00
24 177 KF1	158	358.00
24 178 001	161	204.00
24 178 A01	161	306.00
24 178 AL1	161	327.00
24 178 DA1	161	306.00
24 178 DC1	161	286.00
24 178 DL1	161	327.00
24 178 GL1	161	306.00
24 178 GN1	161	327.00
24 179 001	155	204.00
24 180 001	154	204.00
24 181 001	157	239.00
24 182 001	158	262.00
24 183 001	156	204.00
24 189 000	155	267.00
24 190 000	119	287.00
24 192 003	212, 259	122.00
24 193 001	233, 261	106.00
24 259 000	69	372.00
24 259 IG0	69	447.00
24 260 000	69	409.00
24 260 DA0	69	614.00
24 260 IG0	69	491.00
24 277 000	57	458.00
24 277 AL0	57	732.00
24 277 DC0	57	641.00
24 279 000	57	503.00
24 279 AL0	57	805.00
24 279 DC0	57	705.00
24 340 000	58	533.00
24 340 AL0	58	853.00
24 340 DC0	58	746.00
24 341 000	52	734.00
24 341 AL0	52	1,174.00
24 341 DC0	52	1,028.00
24 342 000	52	734.00
24 342 AL0	52	1,174.00
24 342 DC0	52	1,028.00
24 344 000	52	912.00
24 344 AL0	52	1,460.00
24 344 DC0	52	1,277.00
24 345 000	52	912.00
24 345 AL0	52	1,460.00
24 345 DC0	52	1,277.00
24 346 000	53	1,131.00
24 346 AL0	53	1,809.00
24 346 DC0	53	1,583.00
24 347 000	56	833.00
24 347 AL0	56	1,333.00
24 347 DC0	56	1,166.00
24 348 000	60	3,293.00
24 348 001	60	3,293.00
24 348 AL0	60	5,269.00
24 348 DC0	60	4,610.00
24 353 AL0	26	941.00
24 353 DA0	26	882.00
24 353 DC0	26	823.00
24 353 GL0	26	882.00
24 354 000	21	397.00
24 354 AL0	21	635.00
24 354 DA0	21	595.00
24 354 DC0	21	556.00
24 354 GL0	21	595.00
24 355 000	21	437.00
24 355 AL0	21	699.00
24 355 DA0	21	655.00
24 355 DC0	21	611.00
24 355 GL0	21	655.00
24 356 000	22	467.00
24 356 AL0	22	747.00
24 356 DA0	22	700.00
24 356 DC0	22	654.00
24 356 GL0	22	700.00
24 357 000	22	767.00
24 357 AL0	22	1,227.00
24 358 000	22	820.00
24 358 AL0	22	1,312.00
24 358 DA0	22	1,230.00
24 358 DC0	22	1,148.00
24 358 GL0	22	1,230.00
24 359 000	23	820.00
24 359 AL0	23	1,312.00
24 359 DA0	23	1,230.00
24 359 DC0	23	1,148.00
24 359 GL0	23	1,230.00
24 362 AL0	19	830.00
24 362 DA0	19	778.00
24 362 DC0	19	726.00
24 362 GL0	19	778.00
24 363 000	19	450.00
24 363 AL0	19	720.00
24 363 DA0	19	675.00
24 363 DC0	19	630.00
24 363 GL0	19	675.00
24 364 000	20	588.00
24 364 AL0	20	941.00
24 364 DA0	20	882.00
24 364 DC0	20	823.00
24 364 GL0	20	882.00
24 365 AL0	19	1,162.00
24 365 DA0	19	1,090.00
24 365 DC0	19	1,017.00
24 365 GL0	19	1,090.00
24 366 000	20	623.00
24 366 AL0	20	996.00
24 367 000	21	726.00
24 367 AL0	21	1,162.00
24 367 DA0	21	1,090.00
24 367 DC0	21	1,017.00
24 367 GL0	21	1,090.00
24 368 AL0	23	3,210.00
24 368 DA0	23	3,010.00
24 368 DC0	23	2,809.00
24 368 GL0	23	3,010.00
24 369 000	66	458.00
24 369 DA0	66	687.00
24 369 IG0	66	596.00
24 370 000	66	458.00
24 370 IG0	66	596.00
24 371 000	66	607.00
24 371 IG0	66	789.00
24 372 000	68	515.00
24 372 IG0	68	670.00
24 373 000	68	535.00
24 373 IG0	68	695.00
24 374 000	68	668.00
24 374 IG0	68	869.00
24 375 000	70	2,142.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
24 375 IG0	70	2,785.00
24 376 000	66	458.00
24 395 KF1	161	286.00
24 396 000	36	1,094.00
24 396 AL0	36	1,750.00
24 396 DA0	36	1,640.00
24 396 DC0	36	1,531.00
24 396 GL0	36	1,640.00
24 397 000	52	1,092.00
24 397 AL0	52	1,748.00
24 397 DC0	52	1,639.00
24 398 000	52	1,092.00
24 398 AL0	52	1,748.00
24 398 DC0	52	1,639.00
24 399 000	52	1,092.00
24 399 AL0	52	1,748.00
24 399 DC0	52	1,639.00
24 400 000	52	1,358.00
24 400 AL0	52	2,173.00
24 400 DC0	52	2,037.00
24 408 000	52	1,751.00
24 408 AL0	52	2,802.00
24 408 DC0	52	2,451.00
24 414 000	52	1,751.00
24 414 AL0	52	2,802.00
24 414 DC0	52	2,451.00
24 417 000	53	1,683.00
24 417 AL0	53	2,693.00
24 417 DC0	53	2,524.00
24 418 000	53	1,683.00
24 418 AL0	53	2,693.00
24 418 DC0	53	2,524.00
24 419 000	53	1,683.00
24 419 AL0	53	2,693.00
24 419 DC0	53	2,524.00
24 422 000	60	4,901.00
24 422 AL0	60	7,841.00
24 422 DC0	60	7,351.00
24 423 000	60	4,901.00
24 423 AL0	60	7,841.00
24 423 DC0	60	7,351.00
24 424 000	60	4,901.00
24 424 AL0	60	7,841.00
24 424 DC0	60	7,351.00
24 425 000	57	699.00
24 425 AL0	57	1,119.00
24 425 DC0	57	1,049.00
24 426 000	57	699.00
24 426 AL0	57	1,119.00
24 426 DC0	57	1,049.00
24 427 000	57	699.00
24 427 AL0	57	1,119.00
24 427 DC0	57	1,049.00
24 428 000	58	1,071.00
24 428 AL0	58	1,713.00
24 428 DC0	58	1,606.00
24 429 000	58	1,071.00
24 429 AL0	58	1,713.00
24 429 DC0	58	1,606.00
24 430 000	58	1,071.00
24 430 AL0	58	1,713.00
24 430 DC0	58	1,606.00
25		
25 219 001	208	534.00
25 221 001	45	1,742.00
25 221 A01	45	2,612.00
25 221 DL1	45	2,787.00
25 221 GN1	45	2,787.00
25 222 001	46	2,772.00
25 222 A01	46	4,158.00
25 222 DL1	46	4,435.00
25 222 GN1	46	4,435.00
25 224 000	39	2,076.00
25 224 AL0	39	3,321.00
25 224 DA0	39	3,114.00
25 224 DC0	39	2,906.00
25 224 GL0	39	3,114.00
25 226 000	35	2,076.00
25 226 AL0	35	3,321.00
25 226 DA0	35	3,114.00
25 226 DC0	35	2,906.00
25 226 GL0	35	3,114.00
25 227 000	38	3,460.00
25 227 AL0	38	5,535.00
25 227 DA0	38	5,189.00
25 227 DC0	38	4,844.00
25 227 GL0	38	5,189.00
25 229 000	35	3,460.00
25 229 AL0	35	5,535.00
25 229 DA0	35	5,189.00
25 229 DC0	35	4,844.00
25 229 GL0	35	5,189.00
25 238 000	138	937.00
25 239 000	138	713.00
25 241 003	220, 594	154.00
25 242 003	221, 595	134.00
25 243 003	222, 597	154.00
25 244 003	222, 597	134.00
25 248 001	167	1,494.00
25 248 A01	167	2,241.00
25 248 AL1	167	2,390.00
25 248 DA1	167	2,241.00
25 248 DC1	167	2,092.00
25 248 DL1	167	2,390.00
25 248 GL1	167	2,241.00
25 248 GN1	167	2,390.00
25 249 001	163	332.00
25 250 001	162	277.00
25 250 A01	162	416.00
25 250 AL1	162	444.00
25 250 DA1	162	416.00
25 250 DC1	162	388.00
25 250 DL1	162	444.00
25 250 GL1	162	416.00
25 250 GN1	162	444.00
25 250 KF1	163	388.00
25 251 001	165	946.00
25 251 A01	165	1,419.00
25 251 AL1	165	1,514.00
25 251 DA1	165	1,419.00
25 251 DC1	165	1,325.00
25 251 DL1	165	1,514.00
25 251 GL1	165	1,419.00
25 251 GN1	165	1,514.00
25 252 001	162	226.00
25 252 A01	162	339.00
25 252 AL1	162	361.00
25 252 DA1	162	339.00
25 252 DC1	162	316.00
25 252 DL1	162	361.00
25 252 GL1	162	339.00
25 252 GN1	162	361.00
25 252 KF1	162	316.00
25 268 000	27	830.00
25 268 AL0	27	1,328.00
25 268 DA0	27	1,245.00
25 268 DC0	27	1,162.00
25 268 GL0	27	1,245.00
25 272 000	27	2,594.00
25 272 AL0	27	4,151.00
25 272 DA0	27	3,892.00
25 272 DC0	27	3,632.00
25 272 GL0	27	3,892.00
25 450 001	263	161.00
25 483 001	267	203.00
26		
26 044 001	399, 438	73.00
26 046 002	425	34.00
26 050 001	399, 438	58.00
26 051 001	399, 429	65.00
26 052 000	391	493.00
26 056 000	390	683.00
26 060 000	47, 391	607.00
26 063 000	391	493.00
26 066 000	390	683.00
26 066 A00	390	1,093.00
26 066 AL0	390	1,162.00
26 066 DA0	390	1,093.00
26 066 DC0	390	957.00
26 066 DL0	390	1,162.00
26 066 GL0	390	1,093.00
26 066 GN0	390	1,162.00
26 067 000	390	683.00
26 067 A00	390	1,093.00
26 067 AL0	390	1,162.00
26 067 DA0	390	1,093.00
26 067 DC0	390	957.00
26 067 DL0	390	1,162.00
26 067 GL0	390	1,093.00
26 067 GN0	390	1,162.00
26 070 000	47, 391	607.00
26 071 000	47, 391	607.00
26 073 000	392, 422	301.00
26 075 001	364	932.00
26 075 A00	364	1,765.00
26 075 AL0	364	1,875.00
26 075 DA0	364	1,765.00
26 075 DC0	364	1,544.00
26 075 DL0	364	1,875.00
26 075 GL0	364	1,765.00
26 075 GN0	364	1,875.00
26 076 002	427	77.00
26 082 002	425	27.00
26 083 002	426	80.00
26 084 002	428	44.00
26 087 000	369	1,624.00
26 088 001	394, 437	80.00
26 090 001	394, 429	88.00
26 114 002	368	889.00
26 145 000	401	111.00
26 146 000	401	111.00
26 146 LS0	401	144.00
26 161 001	431	30.00
26 163 001	434	78.00
26 164 001	435	44.00
26 171 000	391	527.00
26 187 000	370	1,029.00
26 223 001	377	802.00
26 224 001	378	557.00
26 250 000	352	1,917.00
26 250 LS0	352	1,917.00
26 254 000	353, 385	796.00
26 254 LS0	354, 385	796.00
26 256 000	389	909.00
26 257 000	390	660.00
26 259 000	390	587.00
26 264 001	354, 385	145.00
26 308 001	263	85.00
26 317 001	267	137.00
26 318 001	267	120.00
26 330 001	263	112.00
26 334 000	446	29.00
26 334 001	444	29.00
26 335 000	446	33.00
26 335 001	444	33.00
26 346 000	446	36.00
26 346 001	444	36.00
26 352 000	441	42.00
26 353 000	441	47.00
26 354 000	441	52.00
26 355 IL0	441	35.00
26 356 IL0	442	42.00
26 357 000	442	94.00
26 358 000	442	145.00
26 361 000	352	1,736.00
26 361 LS0	352	1,736.00
26 362 LN1	369, 384	43.00
26 363 000	370	948.00
26 370 000	96, 423	51.00
26 370 A00	96, 423	81.00
26 370 AL0	96, 423	86.00
26 370 DC0	96, 423	71.00
26 370 DL0	96, 423	86.00
26 370 GN0	96, 423	86.00
26 381 001	381	307.00
26 385 000	355, 384	19.00
26 404 000	420	96.00
26 405 000	422	124.00
26 406 001	435	63.00
26 408 000	399, 438	113.00
26 409 000	399, 438	113.00
26 410 000	399, 438	113.00
26 411 000	393, 436	200.00
26 412 000	393, 436	200.00
26 443 000	353	1,917.00
26 443 LS0	353	1,917.00
26 446 000	353	1,736.00
26 446 LS0	353	1,736.00
26 449 000	312, 354	177.00
26 450 000	354, 385	687.00
26 450 LS0	354, 385	687.00
26 455 000	397, 419	166.00
26 456 000	397, 419	166.00
26 457 000	397, 419	166.00
26 458 000	392, 418	276.00
26 459 000	392, 418	276.00
26 460 000	392, 419	220.00
26 461 000	392, 419	220.00
26 474 EN0	397	793.00
26 475 000	385	650.00
26 475 A00	385	1,041.00
26 475 AL0	385	1,106.00
26 475 DA0	385	1,041.00
26 475 DC0	385	910.00
26 475 DL0	385	1,106.00
26 475 GL0	385	1,041.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
26 475 GN0	385	1,106.00
26 475 LS0	385	854.00
26 477 000	386	650.00
26 477 A00	386	1,041.00
26 477 AL0	386	1,106.00
26 477 DA0	386	1,041.00
26 477 DL0	386	1,106.00
26 477 GL0	386	1,041.00
26 477 GN0	386	1,106.00
26 477 LS0	386	854.00
26 479 000	386	685.00
26 479 A00	386	1,096.00
26 479 AL0	386	1,164.00
26 479 DL0	386	1,164.00
26 479 GN0	386	1,164.00
26 479 LS0	386	889.00
26 481 000	387	685.00
26 481 AL0	387	1,164.00
26 481 DL0	387	1,164.00
26 481 GN0	387	1,164.00
26 481 LS0	387	889.00
26 483 000	387	135.00
26 484 000	387	135.00
26 507 000	151, 360	1,359.00
26 507 A00	360	2,311.00
26 507 AL0	151, 360	2,447.00
26 507 DA0	360	2,311.00
26 507 DC0	151, 360	2,039.00
26 507 DL0	360	2,447.00
26 507 GL0	360	2,311.00
26 507 GN0	360	2,447.00
26 507 LS0	151, 360	1,571.00
26 508 000	151, 361	1,359.00
26 508 AL0	151, 361	2,447.00
26 508 DC0	151, 361	2,039.00
26 508 DL0	361	2,447.00
26 508 GN0	361	2,447.00
26 508 LS0	151, 361	1,571.00
26 509 000	362	1,180.00
26 510 000	362	1,373.00
26 513 000	415	83.00
26 544 000	404	98.00
26 544 LS0	404	98.00
26 546 000	405	209.00
26 548 000	405	216.00
26 550 000	407	98.00
26 551 LS0	407	98.00
26 552 000	407	100.00
26 553 000	410	122.00
26 554 LS0	410	123.00
26 557 000	388	467.00
26 558 000	388	467.00
26 559 000	388	467.00
26 560 000	388	467.00
26 561 000	395	383.00
26 561 LS0	395	498.00
26 562 000	395	383.00
26 562 LS0	395	498.00
26 563 000	389	500.00
26 564 000	389	500.00
26 564 AL0	389	1,001.00
26 564 DL0	389	1,001.00
26 564 GN0	389	1,001.00
26 565 000	389	500.00
26 566 000	389	500.00
26 566 AL0	389	1,001.00
26 566 DL0	389	1,001.00
26 566 GN0	389	1,001.00
26 567 000	396	416.00
26 567 LS0	396	541.00
26 568 000	396	416.00
26 568 LS0	396	541.00
26 574 000	404	98.00
26 574 A00	404	167.00
26 574 AL0	404	177.00
26 574 DA0	404	167.00
26 574 DC0	404	147.00
26 574 DL0	404	177.00
26 574 GL0	404	167.00
26 574 GN0	404	177.00
26 574 LS0	404	98.00
26 575 000	405	210.00
26 576 LS0	405	209.00
26 577 LS0	405	210.00
26 578 000	405	215.00
26 578 LS0	406	215.00
26 579 LS0	406	216.00
26 580 000	406	162.00
26 580 LS0	406	162.00
26 581 000	406	137.00
26 581 LS0	406	137.00
26 582 000	407	98.00
26 582 AL0	407	177.00
26 582 DC0	407	147.00
26 582 DL0	407	177.00
26 582 GN0	407	177.00
26 582 LS0	407	98.00
26 583 000	407	209.00
26 584 000	407	210.00
26 584 LS0	408	210.00
26 585 000	407	213.00
26 586 000	408	215.00
26 586 LS0	408	215.00
26 587 000	408	216.00
26 587 LS0	408	216.00
26 588 000	409	162.00
26 588 LS0	409	162.00
26 589 000	409	137.00
26 589 LS0	409	137.00
26 590 000	410	123.00
26 591 000	410	248.00
26 592 000	410	249.00
26 592 LS0	410	249.00
26 593 000	411	255.00
26 594 000	411	256.00
26 594 LS0	411	256.00
26 602 000	411, 454	127.00
26 603 000	412, 454	133.00
26 603 A00	412, 454	267.00
26 603 AL0	412, 454	293.00
26 603 BE0	412, 454	267.00
26 603 DA0	412, 454	267.00
26 603 DC0	412, 454	240.00
26 603 DL0	412, 454	293.00
26 603 EN0	412, 454	293.00
26 603 GL0	412, 454	267.00
26 603 GN0	412, 454	293.00
26 608 000	361	1,293.00
26 640 000	387	774.00
26 641 000	395	714.00
26 642 000	388	806.00
26 643 000	395	747.00
26 646 000	774	284.00
26 647 000	356	1,185.00
26 647 LS0	356	1,362.00
26 648 000	356	1,185.00
26 648 LS0	356	1,362.00
26 649 000	357	1,185.00
26 652 000	357	1,185.00
26 657 000	358	1,362.00
26 658 000	95, 453	74.00
26 659 000	95, 453	74.00
26 662 000	398, 437	157.00
26 663 000	392, 436	259.00
26 664 000	393, 437	209.00
26 666 000	398, 437	141.00
26 668 000	392, 436	242.00
26 669 000	393, 437	192.00
26 670 000	374	553.00
26 672 000	376	716.00
26 673 000	377	504.00
26 674 000	379	667.00
26 675 000	380	317.00
26 681 000	398, 438	157.00
26 682 000	393, 436	259.00
26 683 000	393, 437	209.00
26 685 000	398, 438	141.00
26 687 000	393, 436	242.00
26 688 000	393, 437	192.00
26 689 000	375	553.00
26 691 000	376	716.00
26 692 000	378	504.00
26 693 000	379	667.00
26 694 000	380	317.00
26 723 000	365	932.00
26 731 000	85	981.00
26 733 000	85	981.00
26 734 000	85	360.00
26 735 000	85	124.00
26 737 000	85	124.00
26 739 000	86	621.00
26 784 000	86	229.00
26 785 000	86	229.00
26 786 000	86	229.00
26 788 001	267	157.00
26 792 10A	267, 269	245.00
26 801 000	91	160.00
26 801 A00	91	256.00
26 801 AL0	91	272.00
26 801 BE0	91	256.00
26 801 DA0	91	256.00
26 801 DC0	91	224.00
26 801 DL0	91	272.00
26 801 EN0	91	272.00
26 801 GL0	91	256.00
26 801 GN0	91	272.00
26 802 000	48, 62	160.00
26 802 A00	48, 91	256.00
26 802 AL0	62, 91	272.00
26 802 DC0	62, 91	224.00
26 802 DL0	48, 91	272.00
26 802 GN0	48, 91	272.00
26 803 000	433	105.00
26 828 000	83	5,116.00
26 839 000	94	92.00
26 840 000	94	225.00
26 841 000	94	229.00
26 842 000	94	111.00
26 843 000	94	229.00
26 847 000	63, 93	41.00
26 847 AL0	63, 93	69.00
26 847 DC0	63, 93	57.00
26 850 000	62, 93	65.00
26 850 AL0	62, 93	111.00
26 850 DC0	62, 93	91.00
26 852 000	71	145.00
26 852 IG0	71	189.00
26 853 000	71	302.00
26 853 IG0	71	392.00
26 855 000	88	274.00
26 856 000	62, 89	701.00
26 857 000	88	607.00
26 858 000	62, 89	701.00
26 859 000	62, 89	642.00
26 860 000	88	607.00
26 861 000	89	607.00
26 862 000	88	587.00
26 863 000	80	28,933.00
26 864 000	81	1,410.00
26 865 000	80	2,749.00
26 866 000	92	186.00
26 866 A00	92	297.00
26 866 AL0	92	316.00
26 866 BE0	92	297.00
26 866 DA0	92	297.00
26 866 DC0	92	260.00
26 866 DL0	92	316.00
26 866 EN0	92	316.00
26 866 GL0	92	297.00
26 866 GN0	92	316.00
26 867 000	93	122.00
26 868 000	90	626.00
26 871 000	89	588.00
26 872 000	89	588.00
26 873 000	86	2,447.00
26 874 000	87	806.00
26 876 000	90	626.00
26 877 000	90	626.00
26 878 000	98	407.00
26 879 000	97	310.00
26 880 000	98	775.00
26 883 000	87	874.00
26 884 000	62, 93	122.00
26 885 000	93	122.00
26 885 A00	93	195.00
26 885 AL0	93	207.00
26 885 DC0	93	171.00
26 885 DL0	93	207.00
26 885 GN0	93	207.00
26 886 000	93	171.00
26 887 000	88	3,985.00
26 888 000	87	3,985.00
26 889 000	92	186.00
26 890 000	88	183.00
26 891 000	92	186.00
26 892 000	92	326.00
26 893 000	92	47.00
26 894 000	92	138.00
26 895 000	27	623.00
26 895 AL0	27	996.00
26 895 DA0	27	934.00
26 895 DC0	27	872.00
26 895 GL0	27	934.00
26 896 000	72	110.00
26 896 DA0	72	175.00
26 896 IG0	72	143.00
26 897 000	72	164.00
26 897 DA0	72	263.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
26 897 IG0	72	215.00
26 898 000	71	573.00
26 898 DA0	71	916.00
26 898 IG0	71	745.00
26 899 000	72, 96	95.00
26 900 000	72, 96	130.00
26 900 DA0	72, 96	208.00
26 900 IG0	72, 96	169.00
26 901 000	71	199.00
26 901 IG0	71	258.00
27		
27 055 000	449	57.00
27 056 000	449	37.00
27 057 000	95, 452	66.00
27 057 A00	95, 452	106.00
27 057 AL0	95, 452	113.00
27 057 DA0	95, 452	106.00
27 057 DC0	95, 452	93.00
27 057 DL0	95, 452	113.00
27 057 GL0	95, 452	106.00
27 057 GN0	95, 452	113.00
27 057 LS0	95, 452	83.00
27 058 000	359	919.00
27 074 000	95, 450	42.00
27 074 A00	95, 450	68.00
27 074 AL0	95, 450	72.00
27 074 BE0	450	68.00
27 074 DA0	95, 450	68.00
27 074 DC0	95, 450	59.00
27 074 DL0	95, 450	72.00
27 074 EN0	450	72.00
27 074 GL0	95, 450	68.00
27 074 GN0	95, 450	72.00
27 074 LS0	95, 450	55.00
27 075 000	48, 95	42.00
27 075 LS0	95, 450	55.00
27 076 000	48, 96	66.00
27 076 LS0	96, 452	86.00
27 137 001	444	36.00
27 151 000	452	126.00
27 174 001	359	1,656.00
27 180 000	384	55.00
27 206 000	457	25.00
27 220 000	415	55.00
27 221 000	415	69.00
27 221 001	415	76.00
27 222 000	415	80.00
27 225 001	417	134.00
27 226 001	417	141.00
27 226 AL1	417	239.00
27 227 001	417	152.00
27 230 001	416	125.00
27 231 001	416	131.00
27 232 001	416	142.00
27 238 000	415	59.00
27 239 000	415	76.00
27 239 001	415	83.00
27 242 001	416	125.00
27 243 001	416	131.00
27 265 000	416	40.00
27 265 00E	416	40.00
27 266 001	417	110.00
27 266 00E	417	110.00
27 267 001	418	119.00
27 274 000	413	148.00
27 296 003	366	719.00
27 354 000	418	72.00
27 355 000	418	133.00
27 367 000	420	62.00
27 368 000	420	223.00
27 369 000	420	98.00
27 400 000	420	62.00
27 406 000	402, 440	57.00
27 421 002	373	564.00
27 470 000	396	610.00
27 473 002	368	652.00
27 475 001	371	883.00
27 475 002	367	908.00
27 477 000	396	646.00
27 478 000	396	646.00
27 484 000	402	87.00
27 485 000	402	74.00
27 488 000	401	100.00
27 492 000	397, 421	170.00
27 499 000	419, 456	64.00
27 500 000	419, 456	67.00
27 512 001	441	25.00
27 513 001	441	45.00
27 513 A01	441	138.00
27 513 AL1	441	148.00
27 513 DA1	441	138.00
27 513 GL1	441	138.00
27 513 GN1	441	148.00
27 514 001	442	92.00
27 519 000	440, 456	69.00
27 521 000	429, 456	65.00
27 522 000	429, 456	69.00
27 523 000	439, 456	61.00
27 524 000	439, 456	65.00
27 531 000	452	157.00
27 571 002	425	34.00
27 571 20E	425	34.00
27 572 002	425	43.00
27 573 002	425	58.00
27 574 002	425	43.00
27 575 002	425	58.00
27 576 002	426	101.00
27 577 002	425	111.00
27 578 002	427	77.00
27 578 20E	427	77.00
27 579 002	427	89.00
27 580 002	426	99.00
27 584 002	428	66.00
27 588 002	428	61.00
27 591 001	399, 429	80.00
27 594 000	430, 430	16.00
27 595 000	439, 449	25.00
27 596 000	419, 429	8.00
27 597 001	431	30.00
27 597 10E	431	30.00
27 598 001	433	70.00
27 598 10E	433	70.00
27 600 001	432	92.00
27 601 10E	434	50.00
27 606 001	399, 438	73.00
27 615 002	366	719.00
27 618 000	97	911.00
27 619 000	97	795.00
27 644 001	433	81.00
27 645 001	432	89.00
27 646 001	434	78.00
27 646 10E	434	78.00
27 693 000	423, 450	33.00
27 696 000	373	901.00
27 698 000	421	63.00
27 699 000	421	63.00
27 700 000	422	276.00
27 702 000	422	106.00
27 703 000	422	106.00
27 704 000	423, 453	38.00
27 705 000	398, 422	188.00
27 706 000	450	41.00
27 707 000	453	65.00
27 709 000	90, 401	138.00
27 711 000	90, 402	118.00
27 786 002	427	89.00
27 787 002	426	99.00
27 788 002	428	85.00
27 789 002	427	97.00
27 790 002	427	108.00
27 794 001	433	81.00
27 795 001	432	89.00
27 796 001	434	89.00
27 798 10E	435	44.00
27 799 001	435	44.00
27 803 10E	435	46.00
27 812 IL1	441	37.00
27 841 000	423, 455	256.00
27 845 000	423, 457	13.00
27 849 001	435	58.00
27 852 001	431	24.00
27 853 001	433	59.00
27 854 001	434	66.00
27 869 001	394, 428	96.00
27 870 001	394, 436	88.00
27 891 000	421	325.00
27 892 000	423, 455	244.00
27 922 000	375	536.00
27 923 001	431	24.00
27 924 001	433	59.00
27 925 001	434	66.00
27 926 001	432	81.00
27 927 001	432	92.00
27 928 002	426	89.00
27 929 002	426	101.00
27 932 000	371	734.00
27 933 000	384	118.00
27 936 000	421	264.00
27 964 000	370	919.00
27 966 001	358	1,440.00
27 968 001	358	1,440.00
28		
28 002 000	400, 414	248.00
28 020 L01	441	18.00
28 025 000	446	46.00
28 025 001	443	46.00
28 034 000	48	186.00
28 105 000	446	32.00
28 105 001	443	32.00
28 139 000	446	36.00
28 139 001	443	36.00
28 140 000	446	40.00
28 140 001	443	40.00
28 142 000	446	36.00
28 142 002	443	36.00
28 143 000	93, 446	39.00
28 143 001	443	39.00
28 143 KS0	446	51.00
28 143 KS1	443	55.00
28 143 LS0	446	51.00
28 143 LS1	443	51.00
28 145 000	446	47.00
28 145 001	443	47.00
28 150 001	447	16.00
28 150 002	445	16.00
28 151 001	447	19.00
28 151 002	445	19.00
28 151 L02	445	24.00
28 154 001	447	22.00
28 154 002	445	22.00
28 155 001	447	25.00
28 155 002	445	25.00
28 158 000	448	55.00
28 158 001	445	55.00
28 233 000	398, 421	110.00
28 261 002	431	39.00
28 361 000	401	127.00
28 362 000	447	25.00
28 362 001	444	25.00
28 362 A00	447	40.00
28 362 A01	444	40.00
28 362 BE1	444	40.00
28 362 DA0	447	40.00
28 362 DA1	444	40.00
28 362 DC0	447	35.00
28 362 DC1	444	35.00
28 362 GL0	447	40.00
28 362 GL1	444	40.00
28 362 KF1	444	35.00
28 364 000	447	29.00
28 364 001	444	29.00
28 368 000	397	440.00
28 368 00E	397	440.00
28 368 LS0	397	546.00
28 388 000	447	32.00
28 388 001	444	32.00
28 388 A00	447	52.00
28 388 A01	444	52.00
28 388 BE1	444	52.00
28 388 DA0	447	52.00
28 388 DA1	444	52.00
28 388 DC0	447	45.00
28 388 DC1	444	45.00
28 388 GL0	447	52.00
28 388 GL1	444	52.00
28 388 KF1	444	45.00
28 389 000	458	47.00
28 409 001	447	22.00
28 409 002	445	22.00
28 410 001	447	25.00
28 410 002	445	25.00
28 413 001	447	28.00
28 413 002	445	28.00
28 417 000	446	42.00
28 417 001	443	42.00
28 417 EN0	446	72.00
28 419 002	431	39.00
28 421 002	431	52.00
28 429 000	403, 440	54.00
28 436 002	432	101.00
28 497 000	402	88.00
28 541 000	402, 440	96.00
28 576 000	401	100.00
28 578 002	431	52.00
28 587 000	455	230.00
28 593 002	432	100.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
28 605 000	439, 451	19.00
28 620 000	455	128.00
28 621 000	455	131.00
28 622 000	451	21.00
28 623 000	449	43.00
28 626 000	454	38.00
28 628 000	454	39.00
28 631 000	457	58.00
28 634 XX0	459, 778	36.00
28 635 XX0	458, 778	10.00
28 636 000	454	39.00
28 671 000	453	39.00
28 672 000	454	45.00
28 679 000	454	58.00
28 680 000	453	55.00
28 690 000	449	138.00
28 708 000	458	103.00
28 724 000	402	66.00
28 724 LS0	402	98.00
28 778 000	396	843.00
28 789 002	434	89.00
28 799 000	459	83.00
28 812 000	458	8.00
28 813 000	458	7.00
28 817 000	778	14.00
28 856 000	457	44.00
28 874 000	459, 588	22.00
28 910 000	771	60.00
28 910 AL0	771	96.00
28 910 DC0	771	92.00
28 910 L00	771	303.00
28 912 000	73, 125	213.00
28 912 A00	168, 772	319.00
28 912 AL0	125, 153	340.00
28 912 DA0	168, 772	319.00
28 912 DC0	125, 153	298.00
28 912 DL0	168, 772	340.00
28 912 EN0	772	340.00
28 912 GL0	168, 772	319.00
28 912 GN0	168, 772	340.00
28 920 000	771	52.00
28 939 000	271	136.00
28 943 000	272, 630	179.00
28 946 000	771	45.00
28 948 000	400, 414	292.00
28 961 000	771	40.00
28 963 000	271	47.00
28 982 000	401	174.00
28 988 000	459, 588	51.00
28 990 000	270	240.00
28 991 000	270, 630	333.00
28 993 000	270	75.00
28 995 000	270	365.00
29		
29 007 000	588	217.00
29 009 000	271	91.00
29 025 002	26, 34	317.00
29 033 000	47, 61	339.00
29 037 000	59, 70	1,007.00
29 037 002	29, 35	1,003.00
29 039 000	243	132.00
29 040 000	242	108.00
29 040 001	236	96.00
29 041 000	253	132.00
29 042 000	253	108.00
29 078 000	242	151.00
29 078 001	235	149.00
29 079 000	242	169.00
29 079 001	237	166.00
29 080 000	252	151.00
29 080 001	248	149.00
29 081 000	253	169.00
29 081 001	249	166.00
29 094 000	586	351.00
29 095 000	587	358.00
29 096 000	587	289.00
29 097 003	194	286.00
29 098 003	198	172.00
29 099 003	198	188.00
29 112 000	256	156.00
29 113 000	256	175.00
29 118 000	101, 306	623.00
29 118 A00	306	934.00
29 118 AL0	101, 306	996.00
29 118 DA0	101, 306	934.00
29 118 DC0	101, 306	872.00
29 118 DL0	306	996.00
29 118 GL0	101, 306	934.00
29 118 GN0	306	996.00
29 119 000	101, 307	678.00
29 119 A00	307	1,017.00
29 119 AL0	101, 307	1,085.00
29 119 DA0	101, 307	1,017.00
29 119 DC0	101, 307	949.00
29 119 DL0	307	1,085.00
29 119 GL0	101, 307	1,017.00
29 119 GN0	307	1,085.00
29 120 000	102, 308	814.00
29 121 000	102, 308	733.00
29 121 A00	308	1,100.00
29 121 AL0	102, 308	1,173.00
29 121 DA0	102, 308	1,100.00
29 121 DC0	102, 308	1,027.00
29 121 DL0	308	1,173.00
29 121 GL0	102, 308	1,100.00
29 121 GN0	308	1,173.00
29 122 000	103, 309	447.00
29 122 A00	309	671.00
29 122 AL0	103, 309	716.00
29 122 BE0	309	671.00
29 122 DA0	103, 309	671.00
29 122 DC0	103, 309	626.00
29 122 DL0	309	716.00
29 122 EN0	309	716.00
29 122 GL0	103, 309	671.00
29 122 GN0	309	716.00
29 123 000	98, 302	623.00
29 123 A00	98, 302	934.00
29 123 AL0	98, 302	996.00
29 123 DC0	98, 302	872.00
29 123 DL0	98, 302	996.00
29 123 GN0	98, 302	996.00
29 124 000	99, 302	678.00
29 124 A00	99, 302	1,017.00
29 124 AL0	302	1,085.00
29 124 DC0	99, 302	949.00
29 124 DL0	99, 302	1,085.00
29 124 GN0	99, 302	1,085.00
29 125 000	99, 303	814.00
29 126 000	100, 303	733.00
29 126 A00	100, 303	1,100.00
29 126 AL0	100, 303	1,173.00
29 126 DC0	100, 303	1,027.00
29 126 DL0	100, 303	1,173.00
29 126 GN0	100, 303	1,173.00
29 127 000	100, 304	447.00
29 127 A00	100, 304	671.00
29 127 AL0	100, 304	716.00
29 127 DC0	100, 304	626.00
29 127 DL0	100, 304	716.00
29 127 GN0	100, 304	716.00
29 150 LS0	310	803.00
29 151 LS0	310	858.00
29 152 LS0	311	566.00
29 153 LS0	304	803.00
29 156 LS0	305	858.00
29 157 LS0	305	913.00
29 158 LS0	306	566.00
29 176 001	44	567.00
29 176 A01	44	850.00
29 176 DL1	44	907.00
29 176 GN1	44	907.00
29 181 002	44	630.00
29 181 A02	44	945.00
29 181 DL2	44	1,008.00
29 181 GN2	44	1,008.00
29 192 001	160	262.00
29 192 A01	160	393.00
29 192 AL1	160	420.00
29 192 DA1	160	393.00
29 192 DC1	160	367.00
29 192 DL1	160	420.00
29 192 GL1	160	393.00
29 192 GN1	160	420.00
29 192 KF1	160	367.00
29 193 001	160	295.00
29 193 A01	160	443.00
29 193 AL1	160	473.00
29 193 DA1	160	443.00
29 193 DC1	160	414.00
29 193 DL1	160	473.00
29 193 GL1	160	443.00
29 193 GN1	160	473.00
29 303 003	146	312.00
29 303 AL3	146	499.00
29 303 DC3	146	437.00
29 306 003	146	332.00
29 307 003	149	1,055.00
29 307 DC3	149	1,477.00
29 337 003	215	214.00
29 338 003	215	234.00
29 396 000	28	121.00
29 396 AL0	28	194.00
29 396 DA0	28	182.00
29 396 DC0	28	170.00
29 396 GL0	28	182.00
29 397 000	28	121.00
29 397 AL0	28	194.00
29 397 DA0	28	182.00
29 397 DC0	28	170.00
29 397 GL0	28	182.00
29 398 000	61	242.00
29 398 AL0	61	387.00
29 398 DC0	61	339.00
29 399 000	61	337.00
29 399 AL0	61	540.00
29 399 DC0	61	472.00
29 402 000	55	893.00
29 402 AL0	55	1,428.00
29 402 DC0	55	1,250.00
29 403 000	56	952.00
29 403 AL0	56	1,523.00
29 403 DC0	56	1,333.00
29 405 000	59	1,964.00
29 405 AL0	59	3,142.00
29 405 DC0	59	2,749.00
29 406 000	20	588.00
29 406 AL0	20	941.00
29 406 DA0	20	882.00
29 406 DC0	20	823.00
29 406 GL0	20	882.00
29 407 000	28	1,557.00
29 407 AL0	28	2,491.00
29 407 DA0	28	2,335.00
29 407 DC0	28	2,179.00
29 407 GL0	28	2,335.00
29 408 000	29	1,557.00
29 408 AL0	29	2,491.00
29 408 DA0	29	2,335.00
29 408 DC0	29	2,179.00
29 408 GL0	29	2,335.00
29 410 000	20	519.00
29 410 AL0	20	830.00
29 410 DA0	20	778.00
29 410 DC0	20	726.00
29 410 GL0	20	778.00
29 412 000	82	313.00
29 413 000	82	313.00
29 414 000	83	509.00
29 415 000	69	1,508.00
29 415 IG0	69	1,961.00
29 416 000	68	550.00
29 416 DA0	68	825.00
29 416 IG0	68	715.00
29 417 000	68	607.00
29 417 IG0	68	789.00
29 418 000	69	1,413.00
29 418 IG0	69	1,837.00
29 420 000	70	137.00
29 420 DA0	70	206.00
29 420 IG0	70	179.00
29 507 KF0	307	949.00
29 508 KF0	309	1,027.00
29 509 KF0	168, 772	298.00
29 510 KF0	771	82.00
29 517 000	56	1,417.00
29 517 AL0	56	2,267.00
29 517 DC0	56	2,126.00
29 519 000	56	1,886.00
29 519 AL0	56	2,694.00
29 519 DC0	56	2,424.00
29 521 000	56	1,886.00
29 521 AL0	56	2,694.00
29 521 DC0	56	2,424.00
29 523 000	59	2,923.00
29 523 AL0	59	4,677.00
29 523 DC0	59	4,384.00
29 525 000	59	2,923.00
29 525 AL0	59	4,677.00
29 525 DC0	59	4,384.00
29 527 000	59	2,923.00
29 527 AL0	59	4,677.00
29 527 DC0	59	4,384.00
29 736 000	459, 610	89.00
29 800 000	141, 265	28.00
29 800 002	140, 265	31.00
29 801 000	141, 265	28.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
29 802 000	72, 141	51.00
29 803 000	141, 265	51.00
29 804 000	141, 265	51.00
29 805 000	141, 265	80.00
29 811 000	72, 140	25.00
29 904 LS0	310	913.00
30		
30 026 002	503	314.00
30 026 DC2	503	408.00
30 079 001	489	2,335.00
30 079 DC1	489	2,685.00
30 080 001	492	2,162.00
30 083 001	490	2,162.00
30 083 AL1	490	2,703.00
30 083 DC1	490	2,486.00
30 083 DL1	490	2,703.00
30 083 KS1	490	2,486.00
30 085 001	492	1,989.00
30 085 AL1	492	2,486.00
30 085 DC1	492	2,287.00
30 085 DL1	492	2,486.00
30 098 001	263, 523	50.00
30 193 000	514	152.00
30 193 DC0	514	197.00
30 208 000	598	333.00
30 219 002	502	926.00
30 219 DC2	502	1,204.00
30 221 002	513	181.00
30 260 003	519	137.00
30 273 001	511	361.00
30 273 DC1	511	469.00
30 274 000	498	411.00
30 274 A00	498	575.00
30 274 AL0	498	616.00
30 274 DA0	498	575.00
30 274 DC0	498	534.00
30 274 DL0	498	616.00
30 274 GN0	498	616.00
30 305 001	516	203.00
30 305 DC1	516	264.00
30 309 000	496	316.00
30 321 DG0	505	89.00
30 321 DP0	505	89.00
30 321 DU0	505	89.00
30 321 GE0	505	89.00
30 321 HG0	505	89.00
30 321 MW0	505	89.00
30 321 TY0	505	89.00
30 321 XC0	505	89.00
30 321 YF0	505	89.00
30 321 YR0	505	89.00
30 325 001	489	2,335.00
30 325 DC1	489	2,685.00
30 327 001	491	2,162.00
30 327 AL1	491	2,703.00
30 327 DC1	491	2,486.00
30 327 DL1	491	2,703.00
30 327 KS1	491	2,486.00
30 339 001	493	1,989.00
30 339 DC1	493	2,287.00
30 348 001	498	344.00
30 362 000	32	692.00
30 362 AL0	32	1,037.00
30 362 DC0	32	899.00
30 463 000	518	144.00
30 463 DC0	518	187.00
30 484 001	264, 522	69.00
30 497 001	516	212.00
30 497 DC1	516	276.00
30 503 000	504	638.00
30 503 DC0	504	830.00
30 503 KF0	505	894.00
30 504 000	505	452.00
30 504 A00	505	633.00
30 504 AL0	505	678.00
30 504 DA0	505	633.00
30 504 DC0	505	588.00
30 504 DL0	505	678.00
30 504 GL0	505	633.00
30 504 GN0	505	678.00
30 504 KF0	506	633.00
30 505 000	506	344.00
30 505 A00	506	481.00
30 505 AL0	506	515.00
30 505 DA0	506	481.00
30 505 DC0	506	447.00
30 505 DL0	506	515.00
30 505 GL0	506	481.00
30 505 GN0	506	515.00
30 505 KF0	506	481.00
30 506 000	518	158.00
30 536 000	524	180.00
30 543 000	524	180.00
30 547 000	524	180.00
30 549 000	524	180.00
30 567 000	516	193.00
30 567 DC0	516	251.00
30 580 000	479	272.00
30 581 000	479	558.00
30 582 000	479	679.00
30 583 000	479	302.00
30 583 DC0	479	347.00
30 584 000	480	588.00
30 586 000	480	1,697.00
30 587 000	480	2,101.00
30 588 000	481	437.00
30 589 000	481	724.00
30 590 000	481	498.00
30 590 DC0	481	572.00
30 590 KF0	481	572.00
30 591 000	481	784.00
30 609 000	32	692.00
30 609 AL0	32	1,037.00
30 609 DC0	32	899.00
31		
31 124 002	513	228.00
31 126 004	513	269.00
31 128 001	511	260.00
31 128 DC1	511	338.00
31 129 001	511	317.00
31 129 DC1	511	412.00
31 161 000	515	277.00
31 170 000	515	307.00
31 187 001	522	129.00
31 195 001	522	147.00
31 210 001	511	430.00
31 255 000	507	331.00
31 255 DC0	507	430.00
31 302 002	466	3,187.00
31 302 DC2	466	3,665.00
31 323 002	462	3,288.00
31 323 DC2	462	3,781.00
31 325 002	464	3,624.00
31 325 DC2	464	4,167.00
31 326 002	465	3,624.00
31 326 DC2	465	4,167.00
31 347 003	463	3,288.00
31 347 DC3	463	3,781.00
31 358 002	497	801.00
31 358 DC2	497	1,041.00
31 360 001	497	806.00
31 360 DC1	497	1,047.00
31 367 001	525	124.00
31 368 000	525	124.00
31 368 001	524	124.00
31 375 000	500	297.00
31 375 A00	500	415.00
31 375 AL0	500	445.00
31 375 DA0	500	415.00
31 375 DC0	500	386.00
31 375 DL0	500	445.00
31 375 GN0	500	445.00
31 379 000	495	889.00
31 379 DC0	495	1,156.00
31 391 003	519	170.00
31 454 001	471	2,535.00
31 454 AL1	471	3,169.00
31 454 DC1	471	2,915.00
31 454 DL1	471	3,169.00
31 454 KS1	472	2,915.00
31 455 001	467	2,535.00
31 455 AL1	467	3,169.00
31 455 DC1	467	2,915.00
31 455 DL1	467	3,169.00
31 455 KS1	468	2,915.00
31 456 001	475	2,535.00
31 456 DC1	475	2,915.00
31 481 001	514	275.00
31 483 002	510	299.00
31 483 DC2	510	388.00
31 491 000	510	522.00
31 491 DC0	510	679.00
31 498 001	477	2,447.00
31 498 AL1	477	3,058.00
31 498 DC1	477	2,814.00
31 498 DL1	477	3,058.00
31 509 003	519	170.00
31 535 001	525	124.00
31 536 001	525	124.00
31 538 001	525	124.00
31 539 000	473	2,940.00
31 539 DC0	473	3,381.00
31 539 KS0	474	3,381.00
31 541 000	469	2,940.00
31 541 DC0	469	3,381.00
31 541 KS0	470	3,381.00
31 543 000	476	2,940.00
31 543 DC0	476	3,381.00
31 552 SD1	538	147.00
31 558 000	499	415.00
31 558 AL0	499	622.00
31 558 GN0	499	622.00
31 562 SD1	537	261.00
31 563 SD1	535	327.00
31 564 SD1	537	261.00
31 565 SD1	537	278.00
31 571 SD1	535	278.00
31 572 SD1	536	353.00
31 573 SD1	536	523.00
31 574 SD1	533	363.00
31 575 SD1	533	448.00
31 576 SD1	533	415.00
31 577 SD1	534	415.00
31 578 SD1	534	327.00
31 580 SD1	535	425.00
31 581 SD1	531	1,305.00
31 582 SD1	531	1,305.00
31 583 SD1	531	880.00
31 584 SD1	532	978.00
31 585 SD1	532	1,305.00
31 586 SD1	532	1,141.00
31 588 SD1	536	369.00
31 593 002	502	728.00
31 593 DC2	502	946.00
31 613 000	497	507.00
31 613 A00	497	710.00
31 613 DC0	497	659.00
31 615 000	504	612.00
31 615 A00	504	857.00
31 615 AL0	504	918.00
31 615 DA0	504	857.00
31 615 DC0	504	796.00
31 615 DL0	504	918.00
31 615 GL0	504	857.00
31 615 GN0	504	918.00
31 639 AP0	545	350.00
31 639 AT0	545	350.00
31 640 AP0	545	441.00
31 640 AT0	545	441.00
31 641 AP0	545	474.00
31 641 AT0	545	474.00
31 642 AP0	546	507.00
31 642 AT0	546	507.00
31 643 AP0	546	539.00
31 643 AT0	546	539.00
31 644 AP0	543	471.00
31 644 AT0	543	471.00
31 645 AT0	543	492.00
31 646 AT0	543	523.00
31 647 AP0	544	589.00
31 647 AT0	544	589.00
31 648 AP0	544	451.00
31 648 AT0	544	451.00
31 649 AP0	544	549.00
31 649 AT0	544	549.00
31 650 AP0	540	354.00
31 650 AT0	540	354.00
31 651 AP0	540	418.00
31 652 AP0	540	467.00
31 652 AT0	540	467.00
31 653 AP0	542	310.00
31 653 AT0	542	310.00
31 654 AP0	542	356.00
31 654 AT0	542	356.00
31 655 AP0	542	422.00
31 655 AT0	542	422.00
31 656 AP0	546	291.00
31 656 AT0	546	291.00
31 657 AP0	541	474.00
31 657 AT0	541	474.00
31 658 AP0	541	487.00
31 658 AT0	541	487.00
31 680 000	527	106.00
31 688 000	526	118.00
31 693 000	526	118.00
31 696 000	526	157.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
31 706 000	526	118.00
31 713 000	526	157.00
31 715 000	527	118.00
31 719 SD0	539	193.00
31 720 SD0	539	160.00
31 726 SD0	534	363.00
31 786 001	517	223.00
31 787 001	517	223.00
31 789 001	517	158.00
31 790 001	519	151.00
31 831 001	522	111.00
31 928 KF0	504	857.00
32		
32 067 000	500	335.00
32 109 001	118	241.00
32 109 AL1	118	385.00
32 109 DC1	118	337.00
32 114 001	118	257.00
32 114 AL1	118	411.00
32 114 DC1	118	360.00
32 146 001	40	630.00
32 146 A01	40	945.00
32 146 DL1	40	1,008.00
32 146 GN1	40	1,008.00
32 154 003	211, 259	99.00
32 168 000	499	332.00
32 168 DC0	499	432.00
32 204 001	179	172.00
32 204 10E	179	172.00
32 206 10E	179	164.00
32 207 001	179	136.00
32 208 001	182	172.00
32 210 001	182	172.00
32 211 001	183	214.00
32 212 001	183	264.00
32 213 001	184	214.00
32 223 003	517	144.00
32 224 003	519	170.00
32 240 10E	180	164.00
32 257 001	509	344.00
32 257 002	508	355.00
32 259 003	508	286.00
32 294 002	502	529.00
32 294 DC2	502	688.00
32 321 002	498	344.00
32 321 A02	498	482.00
32 321 AL2	498	516.00
32 321 DA2	498	482.00
32 321 DC2	498	447.00
32 321 DL2	498	516.00
32 321 GN2	498	516.00
32 322 002	499	344.00
32 322 A02	499	482.00
32 322 AL2	499	516.00
32 322 DA2	499	482.00
32 322 DC2	499	447.00
32 322 DL2	499	516.00
32 467 002	224	104.00
32 467 003	210	99.00
32 468 003	193	152.00
32 468 20E	187	157.00
32 469 20E	172	210.00
32 482 003	520	170.00
32 488 000	501	276.00
32 488 A00	501	386.00
32 488 AL0	501	414.00
32 488 DA0	501	386.00
32 488 DC0	501	358.00
32 488 DL0	501	414.00
32 553 002	503	496.00
32 553 DC2	503	645.00
32 612 003	143	256.00
32 612 AL3	143	409.00
32 612 DC3	143	358.00
32 618 003	145	396.00
32 618 AL3	145	634.00
32 618 DC3	145	555.00
32 629 002	181	247.00
32 659 001	512	231.00
32 661 003	510	253.00
32 661 DC3	510	329.00
32 663 003	510	285.00
32 663 DC3	510	371.00
32 667 001	512	230.00
32 708 00A	269	349.00
32 734 000	230	82.00
32 740 000	231	89.00
32 742 000	231	135.00
32 743 000	231	112.00
32 747 000	231	152.00
32 750 000	521	129.00
32 752 000	521	129.00
32 757 001	40	567.00
32 757 A01	40	850.00
32 757 DL1	40	907.00
32 757 GN1	40	907.00
32 762 000	598	140.00
32 763 000	598	140.00
32 765 000	598	304.00
32 766 000	598	317.00
32 767 000	599	356.00
32 768 000	599	356.00
32 770 000	599	313.00
32 771 000	599	399.00
32 772 000	600	361.00
32 773 000	599	374.00
32 774 000	599	417.00
32 775 000	600	434.00
32 776 000	598	318.00
32 778 000	599	331.00
32 779 000	599	374.00
32 786 000	521, 600	181.00
32 787 000	521, 601	181.00
32 788 000	603	301.00
32 789 000	603	279.00
32 790 000	603	387.00
32 792 000	604	511.00
32 793 000	604	533.00
32 795 000	603	481.00
32 823 000	603	477.00
32 824 000	201	117.00
32 825 00E	200	124.00
32 826 001	42	756.00
32 826 A01	42	1,134.00
32 826 DL1	42	1,209.00
32 826 GN1	42	1,209.00
32 827 00E	200	117.00
32 830 001	203	182.00
32 831 000	206	149.00
32 832 000	207	188.00
32 837 000	205	124.00
32 838 000	205	124.00
32 839 000	205	124.00
32 840 000	205	117.00
32 842 000	514	155.00
32 843 002	514	203.00
32 843 20E	514	209.00
32 843 DC2	514	264.00
32 846 001	42	693.00
32 846 A01	42	1,039.00
32 846 DL1	42	1,109.00
32 846 GN1	42	1,109.00
32 847 000	207, 269	280.00
32 858 000	239	90.00
32 881 000	230	82.00
32 882 000	230	82.00
32 899 001	155	198.00
32 917 000	500	276.00
32 917 A00	500	386.00
32 917 AL0	500	414.00
32 917 DA0	500	386.00
32 917 DC0	500	358.00
32 917 DL0	500	414.00
32 917 GN0	500	414.00
32 917 KS0	500	359.00
32 918 000	499	335.00
32 918 00E	499	335.00
32 918 DC0	499	435.00
32 926 003	211, 259	106.00
32 927 003	216	104.00
32 928 003	216	111.00
32 929 002	226	111.00
32 929 003	215	111.00
32 934 001	161	198.00
32 950 000	495	924.00
32 950 DC0	495	1,201.00
32 955 000	200	184.00
33		
33 161 002	225	127.00
33 163 003	143	256.00
33 178 20E	172	210.00
33 188 002	224	104.00
33 188 003	211	99.00
33 190 20E	172	217.00
33 202 003	516	144.00
33 241 003	146	256.00
33 241 AL3	146	409.00
33 241 DC3	146	358.00
33 244 002	175	217.00
33 265 003	210	106.00
33 281 003	518	137.00
33 281 30E	518	137.00
33 281 DC3	518	179.00
33 300 002	227	136.00
33 300 003	217	136.00
33 302 003	217	175.00
33 305 002	228	168.00
33 390 002	175	272.00
33 395 002	176	329.00
33 547 003	148	432.00
33 552 20E	186	164.00
33 553 003	147	384.00
33 553 AL3	147	614.00
33 553 DC3	147	537.00
33 555 002	226	117.00
33 555 003	216	116.00
33 556 002	228	146.00
33 557 003	193	152.00
33 557 20E	186	157.00
33 558 003	191	159.00
33 558 LS3	191	207.00
33 561 002	186	226.00
33 565 002	188	164.00
33 565 003	195	159.00
33 565 LS3	195	207.00
33 566 002	188	157.00
33 569 002	175	217.00
33 577 003	147	307.00
33 577 AL3	147	491.00
33 577 DC3	147	430.00
33 590 002	188	164.00
33 591 002	189	200.00
33 591 003	195	215.00
33 591 LS3	195	280.00
33 592 30A	196	243.00
33 635 003	198	206.00
33 637 003	199	222.00
33 770 001	509	271.00
33 770 002	508	286.00
33 772 002	508	302.00
33 848 001	120	299.00
33 848 AL1	120	478.00
33 848 DC1	120	418.00
33 849 001	121	393.00
33 849 AL1	121	628.00
33 849 DC1	121	550.00
33 865 001	121	307.00
33 865 AL1	121	492.00
33 865 DC1	121	430.00
34		
34 169 001	322	391.00
34 174 001	322	488.00
34 482 001	322	646.00
34 487 000	576, 580	181.00
34 488 000	128, 135	470.00
34 491 000	324	520.00
34 497 000	128, 135	616.00
34 502 000	324	666.00
34 558 000	216, 226	241.00
34 565 001	336	286.00
34 566 001	336	291.00
34 567 000	217, 227	312.00
34 576 000	335	318.00
34 665 000	222, 585	575.00
34 666 000	586	510.00
34 667 000	223, 585	459.00
34 681 000	585	454.00
34 705 000	124, 152	1,814.00
34 706 000	152, 311	1,803.00
34 718 000	121, 147	504.00
34 719 000	121, 147	458.00
34 720 000	313	588.00
34 721 000	313	595.00
34 726 000	318	794.00
34 727 000	318	875.00
34 728 000	316	794.00
34 729 000	316	875.00
34 730 000	316	1,614.00
34 731 000	318	1,614.00
34 732 000	318	1,408.00
34 734 000	316	1,208.00
34 735 000	319	935.00
34 741 000	130, 138	1,597.00
34 742 000	311	1,600.00
34 744 000	312	1,255.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
34 765 000	162, 182	257.00
34 766 000	163, 183	335.00
34 767 000	206, 333	251.00
34 768 000	334	299.00
34 769 000	334	307.00
34 776 000	330	272.00
34 779 000	330	354.00
34 783 000	331	314.00
34 784 000	331	318.00
34 793 000	236, 241	173.00
34 794 000	236, 241	166.00
34 796 000	337	212.00
34 797 000	338	218.00
34 804 000	152, 311	1,803.00
34 813 001	156	198.00
34 814 003	327	298.00
34 816 003	327	381.00
34 819 004	328	335.00
34 820 004	328	342.00
34 823 003	327	373.00
34 824 004	328	347.00
34 825 001	328	345.00
34 827 000	330	272.00
34 828 000	330	265.00
34 830 000	330	354.00
34 831 000	331	348.00
34 834 000	331	314.00
34 835 000	331	318.00
34 836 000	332	308.00
35		
35 028 000	28, 47	174.00
35 085 000	590	2,076.00
35 087 000	590	2,540.00
35 107 000	98	274.00
35 500 000	97, 586	289.00
35 604 000	21, 21	88.00
36		
36 015 001	565	794.00
36 016 001	565	726.00
36 133 000	566, 576	24.00
36 194 000	528	185.00
36 207 001	565	700.00
36 208 001	565	631.00
36 209 000	566, 606	110.00
36 233 000	606	694.00
36 249 000	606	641.00
36 264 001	551, 554	230.00
36 265 000	609	145.00
36 266 000	609	133.00
36 267 000	609	125.00
36 268 000	609	133.00
36 269 000	577	391.00
36 271 000	577	362.00
36 272 000	577	362.00
36 273 000	578	503.00
36 274 000	578	423.00
36 276 000	576	141.00
36 315 000	572	604.00
36 316 000	609	52.00
36 317 000	608	344.00
36 318 000	608	376.00
36 320 000	608	543.00
36 321 000	608	392.00
36 322 001	608	172.00
36 325 002	569	491.00
36 327 001	204	461.00
36 327 002	568	461.00
36 330 002	570	461.00
36 331 001	568	480.00
36 332 000	571	1,085.00
36 333 000	571	1,066.00
36 334 SD0	572	564.00
36 335 SD0	572	544.00
36 336 001	559, 572	426.00
36 337 001	559, 572	160.00
36 338 000	552, 556	121.00
36 339 001	560, 573	293.00
36 340 000	551, 555	74.00
36 341 000	551, 555	136.00
36 376 000	572	611.00
36 384 000	578	802.00
36 386 001	570	1,066.00
36 407 001	551, 555	222.00
36 409 000	557	779.00
36 410 000	559	893.00
36 412 000	560	1,013.00
36 414 000	558	1,288.00
36 415 000	561	848.00
36 416 001	561, 574	832.00
36 421 001	569	579.00
36 422 001	568	582.00
36 439 001	569	432.00
36 440 000	550	952.00
36 441 000	133, 550	919.00
36 441 AL0	133, 550	1,379.00
36 441 DC0	133, 550	1,195.00
36 442 000	550	1,034.00
36 444 000	553	772.00
36 445 000	159, 553	739.00
36 445 A00	159, 553	1,034.00
36 445 AL0	159, 553	1,108.00
36 445 DA0	159, 553	1,034.00
36 445 DC0	159, 553	960.00
36 445 DL0	159, 553	1,108.00
36 445 GL0	159, 553	1,034.00
36 445 GN0	159, 553	1,108.00
36 446 000	554	689.00
36 447 000	554	978.00
36 451 000	235, 240	289.00
36 452 000	581	269.00
36 453 000	582	306.00
36 454 000	571	1,221.00
36 455 000	571	1,188.00
36 456 000	573	302.00
36 457 000	573	1,128.00
36 458 000	573	907.00
36 459 000	574	974.00
36 463 000	574	269.00
36 464 000	574	806.00
36 472 000	82	1,644.00
36 473 000	82	1,409.00
36 474 000	81	372.00
36 475 000	81	796.00
36 476 000	81	1,410.00
37		
37 035 000	724	20.00
37 037 000	724	40.00
37 038 000	724	43.00
37 039 000	724	50.00
37 040 000	724	56.00
37 042 000	724	34.00
37 043 000	724	58.00
37 044 000	724	33.00
37 048 000	708	292.00
37 059 000	714, 735	259.00
37 060 000	714, 736	105.00
37 063 000	738	76.00
37 063 SH0	738	77.00
37 086 PI0	697	100.00
37 088 PI0	697	73.00
37 092 000	696	55.00
37 095 000	696, 788	45.00
37 100 SH0	697	29.00
37 102 SH0	709	24.00
37 103 SH0	700	11.00
37 104 K00	700	19.00
37 105 K00	700	29.00
37 107 000	706	79.00
37 108 000	706	91.00
37 112 000	706	139.00
37 114 000	706	46.00
37 115 PI0	700, 784	20.00
37 117 PI0	700, 784	20.00
37 119 000	700	5.00
37 125 000	701	12.00
37 131 000	685, 701	7.00
37 132 000	705	39.00
37 133 000	706	81.00
37 135 000	707	9.00
37 139 000	705	118.00
37 141 000	705	133.00
37 153 000	708	282.00
37 157 000	708	315.00
37 304 000	691	47.00
37 311 K00	699	53.00
37 321 001	718	681.00
37 321 SD1	718	681.00
37 321 SH1	718	681.00
37 324 001	719	681.00
37 324 SD1	719	681.00
37 336 001	718	681.00
37 337 001	718	681.00
37 338 000	562, 720	169.00
37 339 000	723	166.00
37 342 000	723	199.00
37 345 000	723	186.00
37 346 000	723	136.00
37 347 000	705	259.00
37 349 000	705	299.00
37 355 SH0	694	164.00
37 396 000	723	142.00
37 419 000	710	1,027.00
37 419 SD0	710	1,027.00
37 421 000	716	594.00
37 426 000	716	594.00
37 427 000	716	454.00
37 428 000	717	435.00
37 489 000	699	7.00
37 497 PI0	697	73.00
37 503 000	562, 719	1,130.00
37 504 000	563, 711	1,392.00
37 535 000	48, 142	95.00
37 535 A00	48, 728	208.00
37 535 AL0	142, 153	208.00
37 535 BE0	728	208.00
37 535 DA0	728	208.00
37 535 DC0	142, 153	208.00
37 535 DL0	48, 728	208.00
37 535 EN0	728	208.00
37 535 GL0	728	208.00
37 535 GN0	48, 728	208.00
37 535 P00	728	95.00
37 535 SH0	728	78.00
37 547 000	738	92.00
37 547 P00	738	92.00
37 547 SH0	738	72.00
37 601 000	125, 168	116.00
37 601 A00	168, 728	209.00
37 601 AL0	125, 168	209.00
37 601 BE0	728	209.00
37 601 DA0	168, 728	209.00
37 601 DC0	125, 168	209.00
37 601 DL0	168, 728	209.00
37 601 EN0	728	209.00
37 601 GL0	168, 728	209.00
37 601 GN0	168, 728	209.00
37 601 P00	728	116.00
37 601 SH0	728	95.00
37 624 000	29, 153	116.00
37 624 A00	729	209.00
37 624 AL0	29, 153	209.00
37 624 BE0	729	209.00
37 624 DA0	29, 729	209.00
37 624 DC0	29, 153	209.00
37 624 DL0	729	209.00
37 624 EN0	729	209.00
37 624 GL0	29, 729	209.00
37 624 GN0	729	209.00
37 624 P00	729	116.00
37 624 SH0	729	95.00
37 751 001	720	609.00
37 965 000	729	78.00
37 973 000	729	116.00
37 973 DC0	729	209.00
37 973 P00	729	116.00
37 973 SH0	729	95.00
37 998 000	683	120.00
38		
38 338 000	685	15.00
38 393 SD1	711	764.00
38 415 001	690	362.00
38 422 000	695	203.00
38 445 SD0	738	149.00
38 505 000	733	61.00
38 505 KF0	733	125.00
38 505 KV0	733	53.00
38 505 P00	733	61.00
38 505 SH0	733	49.00
38 506 000	733	61.00
38 506 P00	733	82.00
38 506 SH0	733	49.00
38 517 001	673	290.00
38 525 001	669	414.00
38 526 000	670	378.00
38 528 001	662	256.00
38 536 001	666	272.00
38 539 001	666	284.00
38 541 000	676, 679	191.00
38 543 000	677	395.00
38 544 000	676	346.00
38 545 000	676	409.00
38 546 000	675	188.00
38 553 001	676	341.00
38 554 001	674	159.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
38 557 001	674	149.00
38 558 00M	671, 673	18.00
38 559 001	680	243.00
38 562 001	684	131.00
38 564 000	735	59.00
38 564 SH0	735	47.00
38 565 000	735	59.00
38 565 SH0	735	38.00
38 573 000	735	76.00
38 573 SH0	735	33.00
38 574 000	735	78.00
38 581 001	674, 682	544.00
38 584 001	681	345.00
38 587 000	681	479.00
38 618 000	670	396.00
38 624 001	667	350.00
38 625 001	675, 679	351.00
38 629 000	684	71.00
38 636 001	684	117.00
38 642 001	689	238.00
38 643 001	688	227.00
38 661 000	694	145.00
38 672 SD0	735	142.00
38 675 001	668, 678	423.00
38 691 000	695	228.00
38 698 SD1	710	764.00
38 699 001	710	764.00
38 714 000	704, 736	29.00
38 722 001	664	309.00
38 732 000	63, 732	75.00
38 732 A00	732	178.00
38 732 AL0	63, 732	178.00
38 732 BE0	732	178.00
38 732 BR0	732	153.00
38 732 DA0	732	178.00
38 732 DC0	63, 732	178.00
38 732 DL0	732	178.00
38 732 EN0	732	178.00
38 732 GL0	732	178.00
38 732 GN0	732	178.00
38 732 KF0	732	153.00
38 732 KV0	732	64.00
38 732 P00	732	75.00
38 732 SD0	731	198.00
38 732 SH0	732	61.00
38 733 000	684	39.00
38 735 000	698	73.00
38 736 000	698	55.00
38 748 002	551, 555	680.00
38 750 001	663	331.00
38 759 SD0	678, 713	1,145.00
38 765 000	730	93.00
38 765 KV0	730	80.00
38 765 P00	730	93.00
38 765 SH0	730	75.00
38 771 000	695, 736	54.00
38 772 001	664	334.00
38 776 SD0	731	202.00
38 779 000	685	103.00
38 784 000	739	157.00
38 784 P00	739	157.00
38 784 SD0	739	232.00
38 784 SH0	739	144.00
38 785 000	691	281.00
38 786 001	672	342.00
38 787 000	720, 725	139.00
38 796 000	737	91.00
38 803 001	672	430.00
38 804 000	739	157.00
38 804 SH0	739	144.00
38 805 000	737	177.00
38 808 000	740	137.00
38 808 P00	740	137.00
38 808 SH0	740	124.00
38 809 000	730	754.00
38 821 000	731	307.00
38 827 000	663	425.00
38 844 000	732	93.00
38 844 KV0	733	80.00
38 844 P00	732	93.00
38 844 SH0	732	75.00
38 845 KS0	731	324.00
38 845 LS0	731	324.00
38 845 MF0	731	324.00
38 846 KS0	739	413.00
38 846 LS0	739	413.00
38 857 000	740	157.00
38 857 P00	740	157.00
38 857 SH0	740	144.00
38 858 000	732	93.00
38 858 P00	732	93.00
38 858 SH0	732	75.00
38 861 000	734	92.00
38 862 000	733	90.00
38 862 P00	733	90.00
38 862 SD0	734	213.00
38 862 SH0	733	72.00
38 882 000	737	8.00
38 915 KS0	730	1,176.00
38 915 LS0	730	1,176.00
38 916 0A0	731	395.00
38 934 SD0	679, 714	697.00
38 957 000	731	140.00
38 987 000	694	145.00
38 994 000	669	432.00

39

Product no.	Page	RRP (€) incl. VAT
39 002 000	662	457.00
39 052 000	674	224.00
39 062 001	667	597.00
39 111 SH0	614	6,137.00
39 140 000	678	853.00
39 141 000	679, 713	793.00
39 165 000	689	174.00
39 201 000	636	94.00
39 202 000	636	106.00
39 206 000	637	340.00
39 206 00H	637	408.00
39 208 000	640	337.00
39 208 00H	640	405.00
39 245 00H	634	635.00
39 300 000	653	320.00
39 301 000	653	237.00
39 302 000	653	226.00
39 306 000	653	261.00
39 323 000	635	134.00
39 323 00H	635	202.00
39 324 000	636	114.00
39 324 00H	636	155.00
39 325 000	636	94.00
39 327 000	636	109.00
39 327 00H	636	177.00
39 328 000	637	374.00
39 328 00H	637	442.00
39 330 001	639	136.00
39 331 001	639	92.00
39 332 000	638	272.00
39 333 000	638	272.00
39 335 000	635	121.00
39 335 00H	635	189.00
39 336 000	635	135.00
39 336 00H	635	187.00
39 337 000	635	148.00
39 337 00H	635	200.00
39 338 000	638	291.00
39 338 00H	638	359.00
39 339 000	639	289.00
39 339 00H	639	357.00
39 340 000	640	297.00
39 340 00H	640	365.00
39 346 000	650	418.00
39 347 000	649	401.00
39 349 000	646	181.00
39 351 000	649	249.00
39 354 SH1	617	4,087.00
39 367 000	721	885.00
39 368 000	721	885.00
39 369 000	722	1,177.00
39 374 KS0	661	1,135.00
39 374 LS0	661	1,135.00
39 376 000	672	405.00
39 383 000	558	90.00
39 386 00H	632	763.00
39 420 000	644	92.00
39 421 000	644	80.00
39 422 000	644	144.00
39 423 000	636, 644	144.00
39 424 000	644	78.00
39 425 000	645	78.00
39 426 000	645	88.00
39 427 000	646	147.00
39 428 000	646	163.00
39 429 000	647	181.00
39 430 000	647	122.00
39 431 000	647	122.00
39 432 000	648	245.00
39 433 000	648	234.00
39 436 000	647	142.00
39 437 000	647	142.00
39 438 000	648	280.00
39 439 000	649	280.00
39 440 000	644	78.00
39 453 000	641, 652	40.00
39 454 000	641, 652	74.00
39 457 000	641, 652	76.00
39 462 000	639	645.00
39 462 00H	639	645.00
39 469 00H	632	660.00
39 473 00H	632	358.00
39 474 00H	632	336.00
39 475 00H	632	763.00
39 476 00H	632	661.00
39 477 00H	633	358.00
39 478 00H	633	336.00
39 479 00H	633	343.00
39 480 00H	633	321.00
39 481 00H	633	321.00
39 482 00H	633	285.00
39 483 00H	634	277.00
39 484 00H	634	712.00
39 488 000	634	274.00
39 490 000	634	391.00
39 491 000	646	117.00
39 492 000	648	63.00
39 493 000	648	113.00
39 494 000	647	106.00
39 495 000	650	308.00
39 496 000	650	403.00
39 501 000	664	356.00
39 504 000	664	376.00
39 538 000	638	299.00
39 551 000	641, 652	182.00
39 554 000	637	532.00
39 564 00H	626	365.00
39 565 00H	626	340.00
39 566 00H	626	801.00
39 567 00H	626	574.00
39 568 00H	626	393.00
39 570 000	627	213.00
39 571 00H	627	507.00
39 572 00H	627	567.00
39 573 00H	627	528.00
39 574 00H	628	507.00
39 575 00H	628	528.00
39 577 000	628	213.00
39 578 000	628	319.00
39 579 000	628	319.00
39 584 00H	635	482.00
39 585 00H	635	622.00
39 596 000	615, 618	326.00
39 597 000	619, 659	326.00
39 598 000	619, 660	345.00
39 600 000	620, 659	412.00
39 603 000	660	417.00
39 607 000	660, 685	102.00
39 608 00H	626	536.00
39 609 00H	627	434.00
39 611 000	628	6,789.00
39 617 000	629	1,184.00
39 620 00H	629	1,379.00
39 622 000	629	6,789.00
39 648 SH0	623, 651	354.00
39 651 SH0	623, 651	529.00
39 652 SH0	623, 651	716.00
39 682 000	694	114.00
39 683 000	688, 688	152.00
39 687 000	663, 663	292.00
39 693 000	637	512.00
39 699 000	671, 684	47.00
39 703 000	638	469.00
39 729 000	629	6,789.00
39 732 000	649	56.00
39 733 000	649	56.00
39 750 001	665	272.00
39 806 000	642	109.00
39 807 000	642	113.00
39 808 000	642	116.00
39 809 000	642	210.00
39 810 000	642	248.00
39 811 000	642	186.00
39 812 000	643	142.00
39 813 000	643	122.00
39 860 000	687	82.00
39 861 000	643	142.00
39 881 000	712	446.00
39 881 KF0	712	527.00
39 881 SH0	712	428.00
39 882 000	712	351.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
39 882 KF0	713	431.00
39 882 SH0	712	333.00
39 898 000	648	122.00
39 910 000	645	216.00
39 911 000	645	142.00
39 912 000	645	142.00
39 913 000	646	126.00
39 940 000	665	317.00
39 958 00H	76	638.00
39 966 00H	76	787.00
39 972 000	77	754.00
39 980 KS0	77	1,135.00
39 980 LS0	77	1,135.00
40		
40 206 000	780	90.00
40 207 000	780	17.00
40 278 001	49	145.00
40 278 A01	49	217.00
40 278 DL1	49	232.00
40 278 GN1	49	232.00
40 279 001	50	189.00
40 279 A01	50	283.00
40 279 DL1	50	302.00
40 279 GN1	50	302.00
40 284 001	50	79.00
40 284 A01	50	118.00
40 284 DL1	50	126.00
40 284 GN1	50	126.00
40 339 001	50	126.00
40 339 A01	50	189.00
40 339 DL1	50	202.00
40 339 GN1	50	202.00
40 340 001	51	315.00
40 340 A01	51	472.00
40 340 DL1	51	504.00
40 340 GN1	51	504.00
40 341 001	50	290.00
40 341 A01	50	435.00
40 341 DL1	50	464.00
40 341 GN1	50	464.00
40 342 001	50	290.00
40 342 A01	50	435.00
40 342 DL1	50	464.00
40 342 GN1	50	464.00
40 344 001	290	202.00
40 344 DC1	290	282.00
40 364 001	286	22.00
40 364 A01	286	33.00
40 364 AL1	286	35.00
40 364 BE1	286	33.00
40 364 DA1	286	33.00
40 364 DC1	286	30.00
40 364 DL1	286	35.00
40 364 EN1	286	35.00
40 364 GL1	286	33.00
40 364 GN1	286	35.00
40 365 001	284	40.00
40 365 A01	284	60.00
40 365 AL1	284	64.00
40 365 BE1	284	60.00
40 365 DA1	284	60.00
40 365 DC1	284	56.00
40 365 DL1	284	64.00
40 365 EN1	284	64.00
40 365 GL1	284	60.00
40 365 GN1	284	64.00
40 366 001	285	63.00
40 366 A01	285	95.00
40 366 AL1	285	101.00
40 366 BE1	285	95.00
40 366 DA1	285	95.00
40 366 DC1	285	89.00
40 366 DL1	285	101.00
40 366 EN1	285	101.00
40 366 GL1	285	95.00
40 366 GN1	285	101.00
40 367 001	288	52.00
40 367 A01	288	79.00
40 367 AL1	288	84.00
40 367 BE1	288	79.00
40 367 DA1	288	79.00
40 367 DC1	288	73.00
40 367 DL1	288	84.00
40 367 EN1	288	84.00
40 367 GL1	288	79.00
40 367 GN1	288	84.00
40 368 001	283, 291	11.00
40 369 001	283	40.00
40 369 A01	283	60.00
40 369 AL1	283	64.00
40 369 BE1	283	60.00
40 369 DA1	283	60.00
40 369 DC1	283	56.00
40 369 DL1	283	64.00
40 369 EN1	283	64.00
40 369 GL1	283	60.00
40 369 GN1	283	64.00
40 371 001	285	71.00
40 371 A01	285	106.00
40 371 AL1	285	113.00
40 371 BE1	285	106.00
40 371 DA1	285	106.00
40 371 DC1	285	99.00
40 371 DL1	285	113.00
40 371 EN1	285	113.00
40 371 GL1	285	106.00
40 371 GN1	285	113.00
40 372 001	283, 291	13.00
40 374 001	288	65.00
40 374 A01	288	98.00
40 374 AL1	288	104.00
40 374 BE1	288	98.00
40 374 DA1	288	98.00
40 374 DC1	288	91.00
40 374 DL1	288	104.00
40 374 EN1	288	104.00
40 374 GL1	288	98.00
40 374 GN1	288	104.00
40 385 001	288	40.00
40 385 A01	288	60.00
40 385 AL1	288	64.00
40 385 BE1	288	60.00
40 385 DA1	288	60.00
40 385 DC1	288	56.00
40 385 DL1	288	64.00
40 385 EN1	288	64.00
40 385 GL1	288	60.00
40 385 GN1	288	64.00
40 386 001	285	80.00
40 386 A01	285	119.00
40 386 AL1	285	127.00
40 386 BE1	285	119.00
40 386 DA1	285	119.00
40 386 DC1	285	111.00
40 386 DL1	285	127.00
40 386 EN1	285	127.00
40 386 GL1	285	119.00
40 386 GN1	285	127.00
40 392 000	288, 293	28.00
40 392 DC0	288, 293	60.00
40 393 000	288, 293	22.00
40 394 001	283, 291	33.00
40 394 A01	283	49.00
40 394 AL1	283, 291	52.00
40 394 BE1	283	49.00
40 394 DA1	283	49.00
40 394 DC1	283, 291	46.00
40 394 DL1	283	52.00
40 394 EN1	283, 298	52.00
40 394 GL1	283	49.00
40 394 GN1	283	52.00
40 402 000	528	153.00
40 404 001	485	125.00
40 405 001	484	77.00
40 407 001	289	125.00
40 407 DC1	289	176.00
40 412 001	485	307.00
40 421 001	286	63.00
40 421 A01	286	95.00
40 421 AL1	286	101.00
40 421 BE1	286	95.00
40 421 DA1	286	95.00
40 421 DC1	286	89.00
40 421 DL1	286	101.00
40 421 EN1	286	101.00
40 421 GL1	286	95.00
40 421 GN1	286	101.00
40 422 000	487	171.00
40 423 000	488	242.00
40 430 001	485	234.00
40 432 000	493	72.00
40 434 001	487	73.00
40 437 000	484	84.00
40 438 001	482, 486	302.00
40 444 001	284	51.00
40 444 DC1	284	71.00
40 444 EN1	284	81.00
40 447 001	284	49.00
40 447 DC1	284	69.00
40 447 EN1	284	79.00
40 448 001	284	74.00
40 448 DC1	284	103.00
40 448 EN1	284	118.00
40 452 000	488	38.00
40 457 001	296	39.00
40 459 001	295	45.00
40 460 001	295	31.00
40 461 001	296	19.00
40 462 001	296	167.00
40 463 001	296	51.00
40 507 001	293	61.00
40 507 AL1	293	97.00
40 507 DC1	293	85.00
40 508 001	291	52.00
40 508 AL1	291	84.00
40 508 DC1	291	73.00
40 509 001	292	80.00
40 509 AL1	292	129.00
40 509 DC1	292	113.00
40 510 001	292	72.00
40 510 AL1	292	116.00
40 510 DC1	292	101.00
40 511 001	292	30.00
40 511 AL1	292	49.00
40 511 DC1	292	43.00
40 512 001	292	264.00
40 512 AL1	292	422.00
40 512 DC1	292	370.00
40 513 001	293	105.00
40 513 AL1	293	168.00
40 513 DC1	293	147.00
40 514 001	293	108.00
40 514 AL1	293	174.00
40 514 DC1	293	152.00
40 535 000	528	81.00
40 535 A00	528	122.00
40 535 AL0	528	130.00
40 535 BE0	528	122.00
40 535 DA0	528	122.00
40 535 DC0	528	114.00
40 535 DL0	528	130.00
40 535 GL0	528	122.00
40 535 GN0	528	130.00
40 536 000	528	73.00
40 536 DC0	528	102.00
40 537 000	528	89.00
40 547 001	484	117.00
40 564 000	63, 142	329.00
40 564 A00	772	494.00
40 564 AL0	63, 142	527.00
40 564 DC0	63, 142	461.00
40 565 000	63, 142	101.00
40 565 AL0	63, 771	161.00
40 565 DC0	63, 771	141.00
40 575 002	485	252.00
40 578 000	488	114.00
40 585 001	295	31.00
40 623 001	293	51.00
40 623 AL1	293	81.00
40 623 DC1	293	71.00
40 624 001	292	102.00
40 624 AL1	292	162.00
40 624 DC1	292	142.00
40 635 000	780	99.00
40 636 SD0	484	34.00
40 652 001	298	40.00
40 652 EN1	298	64.00
40 653 001	298	63.00
40 653 EN1	298	101.00
40 654 001	299	108.00
40 654 EN1	299	174.00
40 655 001	298	40.00
40 655 EN1	298	64.00
40 656 001	299	22.00
40 656 EN1	299	35.00
40 657 001	299	47.00
40 657 EN1	299	75.00
40 658 001	299	65.00
40 658 EN1	299	104.00
40 659 001	299	71.00
40 659 EN1	299	113.00
40 660 001	299	213.00
40 660 EN1	299	340.00
40 663 001	289, 296	89.00
40 664 001	289, 297	71.00
40 684 000	501	43.00
40 684 DC0	501	69.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
40 688 001	285	58.00
40 688 A01	285	87.00
40 688 AL1	285	93.00
40 688 BE1	285	87.00
40 688 DA1	285	87.00
40 688 DC1	285	81.00
40 688 DL1	285	93.00
40 688 EN1	285	93.00
40 688 GL1	285	87.00
40 688 GN1	285	93.00
40 689 001	287	47.00
40 689 A01	287	71.00
40 689 AL1	287	75.00
40 689 BE1	287	71.00
40 689 DA1	287	71.00
40 689 DC1	287	66.00
40 689 DL1	287	75.00
40 689 EN1	287	75.00
40 689 GL1	287	71.00
40 689 GN1	287	75.00
40 691 002	485	163.00
40 694 000	487	38.00
40 696 000	289	128.00
40 711 001	478	1,190.00
40 754 001	292	64.00
40 755 001	291	63.00
40 756 001	291	85.00
40 757 001	293	177.00
40 758 001	294	272.00
40 766 000	280	99.00
40 767 000	281	187.00
40 768 000	280	281.00
40 775 001	289	124.00
40 775 DC1	289	173.00
40 775 EN1	289	198.00
40 776 001	290	160.00
40 776 DC1	290	223.00
40 777 001	294	154.00
40 778 001	294	220.00
40 781 000	281	152.00
40 782 000	281	53.00
40 783 000	280	47.00
40 784 000	281	70.00
40 791 001	32, 278	10.00
40 791 KS1	32, 278	10.00
40 793 001	287	90.00
40 793 DC1	287	127.00
40 794 001	287	108.00
40 794 DC1	287	152.00
40 797 001	287	282.00
40 799 001	287	72.00
40 799 DC1	287	101.00
40 800 001	286	213.00
40 800 A01	286	319.00
40 800 AL1	286	340.00
40 800 BE1	286	319.00
40 800 DA1	286	319.00
40 800 DC1	286	298.00
40 800 DL1	286	340.00
40 800 EN1	286	340.00
40 800 GL1	286	319.00
40 800 GN1	286	340.00
40 802 001	286	108.00
40 802 A01	286	163.00
40 802 AL1	286	174.00
40 802 BE1	286	163.00
40 802 DA1	286	163.00
40 802 DC1	286	152.00
40 802 DL1	286	174.00
40 802 EN1	286	174.00
40 802 GL1	286	163.00
40 802 GN1	286	174.00
40 804 000	281	527.00
40 805 000	280	88.00
40 806 000	280	59.00
40 807 000	281	293.00
40 808 000	282	257.00
40 809 000	282	205.00
40 824 000	771	24.00
40 841 001	493	254.00
40 843 000	488	124.00
40 846 001	290	194.00
40 847 001	294	252.00
40 848 AL0	484	49.00
40 848 DL0	484	49.00
40 848 GN0	484	49.00
40 848 SD0	484	38.00
40 855 000	494	103.00
40 857 000	282	205.00
40 865 000	280	70.00
40 867 000	282	88.00
40 868 000	282	58.00
40 870 000	282	17.00
40 875 000	482, 486	362.00
40 876 000	482, 486	422.00
40 877 000	482, 486	1,433.00
40 878 000	483, 487	1,810.00
40 880 001	483, 485	337.00
40 881 001	483, 485	296.00
40 882 000	30, 49	66.00
40 883 000	30, 49	76.00
40 884 000	30	100.00
40 884 AL0	30	161.00
40 884 DA0	30	150.00
40 884 DC0	30	140.00
40 884 GL0	30	150.00
40 885 000	30	100.00
40 885 AL0	30	161.00
40 885 DA0	30	150.00
40 885 DC0	30	140.00
40 885 GL0	30	150.00
40 886 000	30, 49	100.00
40 886 AL0	30, 49	161.00
40 886 DA0	30, 49	150.00
40 886 DC0	30, 49	140.00
40 886 GL0	30, 49	150.00
40 887 000	31	135.00
40 887 AL0	31	216.00
40 887 DA0	31	202.00
40 887 DC0	31	189.00
40 887 GL0	31	202.00
40 888 000	31	225.00
40 888 AL0	31	360.00
40 888 DA0	31	337.00
40 888 DC0	31	315.00
40 888 GL0	31	337.00
40 889 000	31	214.00
40 889 AL0	31	343.00
40 889 DA0	31	322.00
40 889 DC0	31	300.00
40 889 GL0	31	322.00
40 890 000	31	69.00
40 890 AL0	31	111.00
40 890 DA0	31	104.00
40 890 DC0	31	97.00
40 890 GL0	31	104.00
40 891 000	31	152.00
40 891 AL0	31	244.00
40 891 DA0	31	228.00
40 891 DC0	31	213.00
40 891 GL0	31	228.00
40 892 000	32	303.00
40 892 AL0	32	484.00
40 892 DA0	32	454.00
40 892 DC0	32	424.00
40 892 EN0	32	484.00
40 892 GL0	32	454.00
40 893 000	64	431.00
40 894 000	64	1,204.00
40 895 000	64	354.00
40 896 000	64	919.00
40 897 000	65	169.00
40 898 000	65	344.00
40 899 000	616, 620	53.00
40 900 000	65	564.00
40 906 000	64	507.00
40 907 000	64	515.00
40 908 000	75	260.00
40 908 IG0	75	338.00
40 909 000	74	248.00
40 909 IG0	74	323.00
40 910 000	74	325.00
40 910 IG0	74	422.00
40 911 000	686, 691	19.00
40 915 000	290, 297	10.00
40 923 000	74	305.00
40 923 IG0	74	397.00
40 928 000	74	344.00
40 928 IG0	74	447.00
40 929 000	74	210.00
40 929 IG0	74	273.00
40 930 000	74	99.00
40 930 IG0	74	129.00
40 946 000	75	363.00
40 946 IG0	75	472.00
40 949 000	686, 691	31.00
40 950 000	686, 691	24.00
40 951 000	278, 780	38.00
40 951 DC0	278, 780	56.00
40 952 000	780	20.00
40 954 000	148	137.00
40 955 001	50	268.00
40 955 A01	50	402.00
40 955 DL1	50	428.00
40 955 GN1	50	428.00
40 956 001	51	173.00
40 956 A01	51	260.00
40 956 DL1	51	277.00
40 956 GN1	51	277.00
40 960 000	75	233.00
40 960 IG0	75	302.00
40 962 000	488	62.00
40 963 001	49	145.00
40 963 A01	49	217.00
40 963 DL1	49	232.00
40 963 GN1	49	232.00
40 964 001	30, 49	47.00
40 965 001	51	425.00
40 965 A01	51	638.00
40 965 DL1	51	680.00
40 965 GN1	51	680.00
40 966 001	51	157.00
40 966 A01	51	236.00
40 966 DL1	51	252.00
40 966 GN1	51	252.00
40 967 001	51	220.00
40 967 A01	51	331.00
40 967 DL1	51	353.00
40 967 GN1	51	353.00
40 986 SD0	547	57.00
40 993 000	278, 780	70.00

41

Product no.	Page	RRP (€) incl. VAT
41 001 000	751	22.00
41 007 000	749	24.00
41 010 000	529, 748	37.00
41 015 000	748	39.00
41 020 000	749	72.00
41 022 000	750	66.00
41 027 000	273	83.00
41 027 A00	273	124.00
41 027 AL0	273	133.00
41 027 BE0	273	124.00
41 027 DA0	273	124.00
41 027 DC0	273	116.00
41 027 DL0	273	133.00
41 027 EN0	273	133.00
41 027 GL0	273	124.00
41 027 GN0	273	133.00
41 028 000	273	83.00
41 028 A00	273	124.00
41 028 AL0	273	133.00
41 028 BE0	273	124.00
41 028 DA0	273	124.00
41 028 DC0	273	116.00
41 028 DL0	273	133.00
41 028 EN0	273	133.00
41 028 GL0	273	124.00
41 028 GN0	273	133.00
41 029 000	273	40.00
41 030 000	748	41.00
41 031 000	748	43.00
41 033 000	748	51.00
41 035 000	274	93.00
41 035 A00	274	139.00
41 035 AL0	274	149.00
41 035 BE0	274	139.00
41 035 DA0	274	139.00
41 035 DC0	274	130.00
41 035 DL0	274	149.00
41 035 EN0	274	149.00
41 035 GL0	274	139.00
41 035 GN0	274	149.00
41 036 000	274	53.00
41 037 000	274	23.00
41 038 000	274	110.00
41 038 A00	274	164.00
41 038 AL0	274	175.00
41 038 BE0	274	164.00
41 038 DA0	274	164.00
41 038 DC0	274	153.00
41 038 DL0	274	175.00
41 038 EN0	274	175.00
41 038 GL0	274	164.00
41 038 GN0	274	175.00
41 039 000	274	30.00
41 039 A00	274	45.00
41 039 AL0	274	48.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
41 039 BE0	274	45.00
41 039 DA0	274	45.00
41 039 DC0	274	42.00
41 039 DL0	274	48.00
41 039 EN0	274	48.00
41 039 GL0	274	45.00
41 039 GN0	274	48.00
41 040 000	749	60.00
41 043 000	749	60.00
41 049 000	275	50.00
41 049 A00	275	75.00
41 049 AL0	275	80.00
41 049 BE0	275	75.00
41 049 DA0	275	75.00
41 049 DC0	275	70.00
41 049 DL0	275	80.00
41 049 EN0	275	80.00
41 049 GL0	275	75.00
41 049 GN0	275	80.00
41 050 000	529, 749	63.00
41 056 000	275	133.00
41 056 A00	275	199.00
41 056 AL0	275	212.00
41 056 BE0	275	199.00
41 056 DA0	275	199.00
41 056 DC0	275	186.00
41 056 DL0	275	212.00
41 056 EN0	275	212.00
41 056 GL0	275	199.00
41 056 GN0	275	212.00
41 057 000	275	156.00
41 058 000	275	173.00
41 058 A00	275	259.00
41 058 AL0	275	276.00
41 058 BE0	275	259.00
41 058 DA0	275	259.00
41 058 DC0	275	242.00
41 058 DL0	275	276.00
41 058 EN0	275	276.00
41 058 GL0	275	259.00
41 058 GN0	275	276.00
41 059 000	276	183.00
41 059 A00	276	274.00
41 059 AL0	276	292.00
41 059 BE0	276	274.00
41 059 DA0	276	274.00
41 059 DC0	276	256.00
41 059 DL0	276	292.00
41 059 EN0	276	292.00
41 059 GL0	276	274.00
41 059 GN0	276	292.00
41 063 000	276	149.00
41 063 A00	276	224.00
41 063 AL0	276	239.00
41 063 BE0	276	224.00
41 063 DA0	276	224.00
41 063 DC0	276	209.00
41 063 DL0	276	239.00
41 063 EN0	276	239.00
41 063 GL0	276	224.00
41 063 GN0	276	239.00
41 064 000	276	103.00
41 064 A00	276	154.00
41 064 AL0	276	165.00
41 064 BE0	276	154.00
41 064 DA0	276	154.00
41 064 DC0	276	144.00
41 064 DL0	276	165.00
41 064 EN0	276	165.00
41 064 GL0	276	154.00
41 064 GN0	276	165.00
41 066 000	277	365.00
41 066 A00	277	548.00
41 066 AL0	277	584.00
41 066 BE0	277	548.00
41 066 DA0	277	548.00
41 066 DC0	277	511.00
41 066 DL0	277	584.00
41 066 EN0	277	584.00
41 066 GL0	277	548.00
41 066 GN0	277	584.00
41 067 000	277	83.00
41 067 A00	277	124.00
41 067 AL0	277	133.00
41 067 BE0	277	124.00
41 067 DA0	277	124.00
41 067 DC0	277	116.00
41 067 DL0	277	133.00
41 067 EN0	277	133.00
41 067 GL0	277	124.00
41 067 GN0	277	133.00
41 068 000	277	66.00
41 068 A00	277	100.00
41 068 AL0	277	106.00
41 068 BE0	277	100.00
41 068 DA0	277	100.00
41 068 DC0	277	93.00
41 068 DL0	277	106.00
41 068 EN0	277	106.00
41 068 GL0	277	100.00
41 068 GN0	277	106.00
41 069 000	278	133.00
41 069 A00	278	199.00
41 069 AL0	278	212.00
41 069 BE0	278	199.00
41 069 DA0	278	199.00
41 069 DC0	278	186.00
41 069 DL0	278	212.00
41 069 EN0	278	212.00
41 069 GL0	278	199.00
41 069 GN0	278	212.00
41 070 000	747	32.00
41 073 000	529, 747	40.00
41 076 000	278	166.00
41 076 A00	278	249.00
41 076 AL0	278	265.00
41 076 BE0	278	249.00
41 076 DA0	278	249.00
41 076 DC0	278	232.00
41 076 DL0	278	265.00
41 076 EN0	278	265.00
41 076 GL0	278	249.00
41 076 GN0	278	265.00
41 077 000	279	249.00
41 077 A00	279	373.00
41 077 AL0	279	398.00
41 077 BE0	279	373.00
41 077 DA0	279	373.00
41 077 DC0	279	348.00
41 077 DL0	279	398.00
41 077 EN0	279	398.00
41 077 GL0	279	373.00
41 077 GN0	279	398.00
41 082 000	747	55.00
41 125 000	751	26.00
41 126 000	751	54.00
41 130 000	749	69.00
41 133 000	749	37.00
41 136 000	482, 486	256.00
41 154 000	748	50.00
41 190 000	748	41.00
41 206 000	753	193.00
41 208 000	753	172.00
41 212 000	753	151.00
41 215 KF0	278	232.00
41 216 KF0	275	42.00
41 217 KF0	273	116.00
41 218 KF0	273	116.00
41 219 KF0	276	209.00
41 220 KF0	277	93.00
41 230 000	751	51.00
41 231 000	751	58.00
41 238 000	751	20.00
41 239 000	751	23.00
41 263 000	529, 746	10.00
41 270 000	751	42.00
41 275 000	751	57.00
41 827 000	752	19.00
42		
42 041 000	707	246.00
42 075 000	704	9.00
42 137 000	698	28.00
42 177 00M	567, 576	5.00
42 216 000	686	60.00
42 233 000	699, 784	19.00
42 242 000	704	6.00
42 253 000	696	100.00
42 265 000	699	205.00
42 271 00M	698	71.00
42 297 PI0	696	82.00
42 300 000	704	15.00
42 315 000	702, 784	17.00
42 320 000	698	54.00
42 327 000	671, 701	20.00
42 333 000	671, 701	21.00
42 388 000	552, 555	85.00
42 393 000	552, 556	53.00
42 397 000	685	11.00
42 408 000	576	25.00
42 459 000	616	76.00
42 593 000	671, 704	38.00
42 607 000	784	52.00
42 633 000	84	141.00
42 634 000	84	98.00
42 635 000	83	98.00
42 636 000	83	98.00
42 637 000	84	98.00
42 766 000	685	21.00
42 773 000	701	26.00
42 774 000	699	89.00
42 886 000	606, 774	38.00
42 901 000	709	382.00
42 902 000	709	398.00
42 946 000	671, 701	17.00
43		
43 040 000	725	18.00
43 310 000	725	33.00
43 352 000	699	7.00
43 486 000	698	76.00
43 535 000	702, 784	5.00
43 536 000	697	9.00
43 537 000	696	31.00
43 540 000	702, 784	10.00
43 542 000	702	19.00
43 544 000	702, 784	19.00
43 545 000	702	26.00
43 617 000	686, 713	94.00
43 722 000	703, 784	21.00
43 733 000	697	5.00
43 734 000	703	11.00
43 735 000	703	23.00
43 745 000	703, 784	17.00
43 758 00M	697, 784	36.00
43 770 00M	703	11.00
43 813 000	757	273.00
43 818 000	725	18.00
43 907 PI0	696	124.00
43 908 000	699	34.00
43 959 000	782	93.00
43 976 000	703	11.00
43 996 000	708	226.00
43 997 000	708	283.00
45		
45 058 000	765	44.00
45 120 000	584, 776	32.00
45 202 000	347, 763	18.00
45 203 000	347, 763	19.00
45 247 000	529, 767	25.00
45 304 000	778	44.00
45 342 000	761	41.00
45 346 000	761	40.00
45 459 000	456	12.00
45 650 IP0	778	67.00
45 704 000	529, 580	47.00
45 869 000	761	42.00
45 882 000	761	40.00
45 883 000	762	46.00
45 885 000	761	66.00
45 914 XE0	413, 456	17.00
45 937 000	783	31.00
45 951 000	761	24.00
45 956 000	761	24.00
45 959 000	761	26.00
45 964 000	761	10.00
45 965 000	761	9.00
45 966 000	761	24.00
45 967 000	761	25.00
45 968 000	761	24.00
45 969 000	761	25.00
45 978 000	761	34.00
45 984 001	23, 28	601.00
46		
46 048 000	756	62.00
46 058 000	775	58.00
46 191 000	231, 600	110.00
46 249 000	781	13.00
46 257 000	601	90.00
46 259 000	601	27.00
46 277 000	604, 757	11.00
46 278 000	604, 756	104.00
46 308 000	756	13.00
46 343 000	600, 763	295.00
46 345 000	781	21.00
46 374 000	756	63.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
46 375 000	756	12.00
46 409 000	756	67.00
46 558 000	756	54.00
46 580 000	756	72.00
46 589 000	756	63.00
46 627 000	343, 348	151.00
46 645 000	781	12.00
46 686 000	604	33.00
46 687 000	604	49.00
46 688 000	601	53.00
46 689 000	601	36.00
46 710 000	777	102.00
46 717 000	488	180.00
46 731 000	777	84.00
46 765 000	769	28.00
46 769 000	777	57.00
46 837 000	768	28.00
46 857 000	777	84.00
46 858 000	777	38.00
46 858 DC0	777	116.00
46 863 000	756	66.00
46 882 00M	615	71.00
46 883 00M	615	132.00
46 884 000	615	108.00
46 895 000	770	29.00
46 895 AL0	770	46.00
46 895 DC0	770	49.00
46 901 000	127, 170	116.00
46 907 000	756	67.00
46 920 000	775	59.00
46 920 AL0	775	99.00
46 920 DC0	775	95.00
46 925 000	777	27.00
46 925 DC0	777	85.00
46 943 000	344, 348	195.00
46 944 001	620	296.00
46 947 000	775	68.00
46 947 AL0	775	108.00
46 947 DC0	775	76.00
46 956 000	777	66.00
46 956 DC0	777	79.00
46 963 000	756	39.00
46 977 00M	621	59.00
46 978 000	621	59.00
46 978 001	621	122.00
46 979 000	622	24.00
46 989 000	757	53.00
47		
47 010 000	758	262.00
47 012 000	758	299.00
47 019 000	758	478.00
47 111 000	758	308.00
47 175 000	323, 325	175.00
47 186 000	758	287.00
47 189 000	773	44.00
47 217 000	758	66.00
47 220 000	758	217.00
47 310 000	758	244.00
47 349 000	758	144.00
47 364 000	760	114.00
47 439 000	758	121.00
47 450 000	758	125.00
47 483 000	758	177.00
47 533 000	576, 584	33.00
47 569 000	591	405.00
47 780 000	574, 588	190.00
47 781 000	588	221.00
47 979 000	587	13.00
47 994 000	588	9.00
48		
48 021 000	782	11.00
48 051 000	419, 429	10.00
48 053 000	383	96.00
48 054 000	383	86.00
48 099 000	778	18.00
48 099 AL0	778	29.00
48 099 DC0	778	44.00
48 159 000	768	9.00
48 159 AL0	768	50.00
48 159 DC0	768	22.00
48 166 000	783	23.00
48 177 000	779	55.00
48 177 AL0	779	186.00
48 177 DC0	779	172.00
48 189 000	768	23.00
48 190 000	768	23.00
48 191 000	768	23.00
48 194 000	770	49.00
48 194 AL0	770	78.00
48 194 DC0	770	54.00
48 194 KF0	770	*
48 194 KS0	770	68.00
48 196 000	770	47.00
48 196 DC0	770	63.00
48 270 000	769	18.00
48 279 000	778	35.00
48 279 A00	778	*
48 279 AL0	778	90.00
48 279 DA0	778	*
48 279 DL0	778	*
48 279 GN0	778	*
48 293 000	776	45.00
48 297 000	757	18.00
48 343 000	770	39.00
48 343 AL0	770	63.00
48 343 DC0	770	51.00
48 343 KS0	770	55.00
48 348 000	80, 355	45.00
48 349 000	355, 382	130.00
48 350 000	355, 382	159.00
48 359 000	757	65.00
48 370 000	770	57.00
48 370 AL0	770	91.00
48 370 DC0	770	70.00
48 370 KS0	770	80.00
48 376 000	769	10.00
48 379 000	770	43.00
48 379 DC0	770	68.00
48 379 KS0	770	60.00
48 384 000	781	16.00
48 405 000	775	88.00
48 405 AL0	775	140.00
48 405 DC0	775	164.00
48 407 000	775	19.00
48 407 DC0	775	49.00
48 416 000	777	44.00
48 416 DC0	777	59.00
48 417 000	768	7.00
48 423 000	778	17.00
48 424 A00	778	*
48 424 DA0	778	*
48 424 DL0	778	*
48 424 GL0	778	*
48 424 GN0	778	*
48 425 000	778	46.00
48 425 AL0	778	73.00
48 425 DC0	778	108.00
48 426 000	779	23.00
48 442 000	775	88.00
48 444 000	775	137.00
48 444 AL0	775	187.00
48 444 DC0	775	141.00
48 445 000	775	177.00
48 445 AL0	775	187.00
48 445 DC0	775	176.00
48 449 000	769	21.00
48 456 000	33	404.00
48 457 000	33	404.00
48 458 000	38	539.00
48 458 AL0	38	539.00
48 458 DA0	38	539.00
48 458 DC0	38	539.00
48 458 GL0	38	539.00
48 459 000	38	539.00
48 459 AL0	38	539.00
48 459 DA0	38	539.00
48 459 DC0	38	539.00
48 459 GL0	38	539.00
48 460 000	34	404.00
48 461 000	34	404.00
48 462 000	35	404.00
48 463 000	35	404.00
48 464 000	39	539.00
48 464 AL0	39	539.00
48 464 DA0	39	539.00
48 464 DC0	39	539.00
48 464 GL0	39	539.00
48 465 000	39	539.00
48 465 AL0	39	539.00
48 465 DA0	39	539.00
48 465 DC0	39	539.00
48 465 GL0	39	539.00
48 466 000	36	404.00
48 467 000	36	404.00
48 472 000	776	65.00
48 473 000	777	126.00
48 474 000	777	64.00
48 487 000	777	134.00
48 487 A00	777	306.00
48 487 AL0	777	357.00
48 487 BE0	777	257.00
48 487 DA0	777	307.00
48 487 DC0	777	263.00
48 487 DL0	777	359.00
48 487 EN0	777	267.00
48 487 GL0	777	337.00
48 487 GN0	777	389.00
48 488 000	776	59.00
48 497 000	363, 382	292.00
48 498 000	363, 383	136.00
48 499 000	363, 383	153.00
48 514 000	382	66.00
48 515 000	382	60.00
48 518 000	756	19.00
48 522 000	769	13.00
48 638 000	766	113.00
48 638 A00	766	163.00
48 638 AL0	766	179.00
48 638 DA0	766	166.00
48 638 DC0	766	151.00
48 638 DL0	766	181.00
48 638 GN0	766	179.00
48 639 000	766	94.00
48 639 A00	766	145.00
48 639 AL0	766	152.00
48 639 DA0	766	147.00
48 639 DC0	766	125.00
48 639 DL0	766	155.00
48 639 GN0	766	152.00
48 646 000	38	539.00
48 646 AL0	38	539.00
48 646 DA0	38	539.00
48 646 DC0	38	539.00
48 646 GL0	38	539.00
48 651 000	39	539.00
48 651 AL0	39	539.00
48 651 DA0	39	539.00
48 651 DC0	39	539.00
48 651 GL0	39	539.00
49		
49 003 000	346	248.00
49 016 000	789	12.00
49 018 000	788	10.00
49 019 000	789	10.00
49 020 000	788	36.00
49 021 000	789	10.00
49 022 000	787	34.00
49 023 000	788	18.00
49 024 000	787	88.00
49 025 000	787	31.00
49 027 000	787	88.00
49 028 000	758	63.00
49 061 000	788	25.00
49 065 000	788	26.00
49 066 000	788	46.00
49 084 000	760	64.00
49 088 000	757	10.00
49 113 000	630	2,687.00
49 113 SH0	630	2,687.00
49 114 000	631	204.00
49 115 000	631	134.00
49 119 000	789	36.00
49 120 000	788	21.00
49 174 000	762	22.00
49 175 000	759	48.00
49 509 000	787	80.00
49 510 000	787	81.00
49 512 000	787	50.00
49 516 000	787	30.00
49 518 000	787	46.00
49 522 000	641, 787	83.00
49 526 000	789	15.00
49 527 000	788	31.00
49 528 000	788	47.00
49 529 000	787	27.00
49 530 000	789	16.00
49 532 000	641, 652	13.00
49 533 000	654	66.00
49 534 000	654	66.00
49 535 000	789	36.00
49 538 000	789	32.00
49 539 000	788	94.00
49 540 000	788	44.00
49 541 000	789	51.00
49 542 SH0	789	161.00

* price on request

GROHE
SURVEY OF REFERENCES

Product no.	Page	RRP (€) incl. VAT
49 614 000	787	59.00
64		
64 374 000	770	34.00
64 374 DC0	770	60.00
64 451 000	768	11.00
64 451 AL0	768	69.00
64 451 DC0	768	68.00
64 508 001	487	91.00
65		
65 655 000	775	25.00
65 655 AL0	775	88.00
65 655 DC0	775	85.00
65 807 000	771	59.00
65 807 A00	771	88.00
65 807 AL0	771	94.00
65 807 BE0	771	88.00
65 807 DA0	771	88.00
65 807 DC0	771	82.00
65 807 DL0	771	94.00
65 807 EN0	771	94.00
65 807 GL0	771	88.00
65 807 GN0	771	94.00
65 807 LS0	771	111.00
65 808 000	771	63.00
66		
66 791 000	686	13.00

* price on request

GROHE
REPLACEMENT PRODUCTS

New Professional / SPA exclusive SKU	Old SKU
13	
13 264 001	13 264 000
13 317 001	13 317 000
13 450 000	34 570 000
13 484 000	13 341 000
13 484 DA0	13 341 DA0
13 484 IG0	13 341 IG0
13 485 000	13 299 000
13 485 AL0	13 299 AL0
13 485 DC0	13 299 DC0
13 486 000	13 319 000
13 486 AL0	13 319 AL0
13 486 DC0	13 319 DC0
13 487 000	13 139 003
13 487 AL0	13 139 AL3
13 487 DA0	13 139 DA3
13 487 DC0	13 139 DC3
13 487 GL0	13 139 GL3
19	
19 309 002	19 309 000
19 315 001	24 070 000
19 316 001	19 316 000
19 317 001	24 069 000
19 334 001	19 334 000
19 386 002	19 386 000
19 590 001	19 590 000
20	
20 188 001	20 188 000
20 189 002	20 189 000
20 193 002	20 193 000
20 619 000	20 389 000
20 619 DA0	20 389 DA0
20 619 IG0	20 389 IG0
20 622 000	20 414 000
20 622 IG0	20 414 IG0
20 623 000	20 415 000
20 623 IG0	20 415 IG0
20 624 000	20 417 000
20 624 IG0	20 417 IG0
20 626 000	20 342 000
20 626 AL0	20 342 AL0
20 626 DC0	20 342 DC0
20 627 000	20 344 000
20 627 AL0	20 344 AL0
20 627 DC0	20 344 DC0
20 628 000	20 346 000
20 628 AL0	20 346 AL0
20 628 DC0	20 346 DC0
20 629 000	20 348 000
20 629 AL0	20 348 AL0
20 629 DC0	20 348 DC0
20 634 SD0	20 603 SD0
20 635 SD0	20 608 SD0
20 643 000	20 008 003
20 643 AL0	20 008 AL3
20 643 DA0	20 008 DA3
20 643 DC0	20 008 DC3
20 643 GL0	20 008 GL3
20 649 000	20 009 003
20 649 AL0	20 009 AL3
20 649 DA0	20 009 DA3
20 649 DC0	20 009 DC3
20 649 GL0	20 009 GL3
20 658 000	20 021 003
20 658 AL0	20 021 AL3
20 658 DA0	20 021 DA3
20 658 DC0	20 021 DC3
20 658 GL0	20 021 GL3
20 661 000	20 164 003
20 661 AL0	20 164 AL3
20 661 DA0	20 164 DA3
20 661 DC0	20 164 DC3
20 661 GL0	20 164 GL3
20 662 000	20 169 003
20 662 AL0	20 169 AL3
20 662 DA0	20 169 DA3
20 662 DC0	20 169 DC3
20 662 GL0	20 169 GL3
20 664 SD0	20 609 SD0
20 665 SD0	20 614 SD0
20 666 000	21 107 000
20 666 IG0	21 107 IG0
21	
21 144 000	21 019 003
21 144 AL0	21 019 AL3
21 144 DA0	21 019 DA3
21 144 DC0	21 019 DC3
21 144 GL0	21 019 GL3
21 145 000	21 022 003
21 145 AL0	21 022 AL3
21 145 DA0	21 022 DA3
21 145 DC0	21 022 DC3
21 145 GL0	21 022 GL3
21 149 000	21 044 003
21 149 AL0	21 044 AL3
21 149 DA0	21 044 DA3
21 149 DC0	21 044 DC3
21 149 GL0	21 044 GL3
23	
23 061 003	23 061 002
23 127 00E	23 127 000
23 132 00E	23 132 000
23 135 00E	23 135 000
23 374 LS3	23 709 LS3
23 403 001	23 403 000
23 570 LS3	23 719 LS3
23 707 003	23 708 003
23 710 003	33 561 003
23 715 003	23 716 003
23 980 003	23 293 000
23 980 003	23 294 000
23 980 003	32 870 000
23 981 003	32 871 000
24	
24 048 LS3	24 046 LS3
24 049 LS3	24 047 LS3
24 160 001	32 147 000
24 167 001	24 058 001
24 167 A01	24 058 A01
24 167 AL1	24 058 AL1
24 167 DA1	24 058 DA1
24 167 DC1	24 058 DC1
24 167 DL1	24 058 DL1
24 167 GL1	24 058 GL1
24 167 GN1	24 058 GN1
24 168 001	24 057 001
24 168 A01	24 057 A01
24 168 AL1	24 057 AL1
24 168 DA1	24 057 DA1
24 168 DC1	24 057 DC1
24 168 DL1	24 057 DL1
24 168 GL1	24 057 GL1
24 168 GN1	24 057 GN1
24 169 001	24 092 001
24 169 A01	24 092 A01
24 169 AL1	24 092 AL1
24 169 DA1	24 092 DA1
24 169 DC1	24 092 DC1
24 169 DL1	24 092 DL1
24 169 GL1	24 092 GL1
24 169 GN1	24 092 GN1
24 170 001	32 901 001
24 170 A01	32 901 A01
24 170 AL1	32 901 AL1
24 170 DA1	32 901 DA1
24 170 DC1	32 901 DC1
24 170 DL1	32 901 DL1
24 170 GL1	32 901 GL1
24 170 GN1	32 901 GN1
24 171 001	23 589 001
24 171 A01	23 589 A01
24 171 AL1	23 589 AL1
24 171 DA1	23 589 DA1
24 171 DC1	23 589 DC1
24 171 DL1	23 589 DL1
24 171 GL1	23 589 GL1
24 171 GN1	23 589 GN1
24 172 001	23 590 001
24 172 A01	23 590 A01
24 172 AL1	23 590 AL1
24 172 DA1	23 590 DA1
24 172 DC1	23 590 DC1
24 172 DL1	23 590 DL1
24 172 GL1	23 590 GL1
24 172 GN1	23 590 GN1
24 173 001	23 462 001
24 173 A01	23 462 A01
24 173 AL1	23 462 AL1
24 173 DA1	23 462 DA1
24 173 DC1	23 462 DC1
24 173 DL1	23 462 DL1
24 173 GL1	23 462 GL1
24 173 GN1	23 462 GN1
24 174 001	32 628 001
24 174 A01	32 628 A01
24 174 AL1	32 628 AL1
24 174 DA1	32 628 DA1
24 174 DC1	32 628 DC1
24 174 DL1	32 628 DL1
24 174 GL1	32 628 GL1
24 174 GN1	32 628 GN1
24 175 001	32 898 001
24 176 001	23 463 001
24 177 001	23 541 001
24 178 001	32 935 001
24 178 A01	32 935 A01
24 178 AL1	32 935 AL1
24 178 DA1	32 935 DA1
24 178 DC1	32 935 DC1
24 178 DL1	32 935 DL1
24 178 GL1	32 935 GL1
24 178 GN1	32 935 GN1
24 179 001	23 797 001
24 180 001	23 591 001
24 181 001	23 798 001
24 182 001	23 799 001
24 183 001	23 379 001
24 259 000	24 067 000
24 259 IG0	24 067 IG0
24 260 000	24 068 000
24 260 DA0	24 068 DA0
24 260 IG0	24 068 IG0
24 277 000	24 071 000
24 277 AL0	24 071 AL0
24 277 DC0	24 071 DC0
24 279 000	24 072 000
24 279 AL0	24 072 AL0
24 279 DC0	24 072 DC0
24 340 000	24 099 000
24 340 AL0	24 099 AL0
24 340 DC0	24 099 DC0
24 341 000	23 029 000
24 341 AL0	23 029 AL0
24 341 DC0	23 029 DC0
24 342 000	23 033 000
24 342 AL0	23 033 AL0
24 342 DC0	23 033 DC0
24 344 000	23 109 000
24 344 AL0	23 109 AL0
24 344 DC0	23 109 DC0
24 345 000	23 112 000
24 345 AL0	23 112 AL0
24 345 DC0	23 112 DC0
24 346 000	23 114 000
24 346 AL0	23 114 AL0
24 346 DC0	23 114 DC0
24 347 000	23 117 000
24 347 AL0	23 117 AL0
24 347 DC0	23 117 DC0
24 348 000	23 119 000
24 348 001	23 119 001
24 348 AL0	23 119 AL0
24 348 DC0	23 119 DC0
24 353 AL0	24 027 AL3
24 353 DA0	24 027 DA3
24 353 DC0	24 027 DC3
24 353 GL0	24 027 GL3
24 354 000	24 065 003
24 354 AL0	24 065 AL3
24 354 DA0	24 065 DA3
24 354 DC0	24 065 DC3
24 354 GL0	24 065 GL3
24 355 000	24 066 003
24 355 AL0	24 066 AL3
24 355 DA0	24 066 DA3
24 355 DC0	24 066 DC3
24 355 GL0	24 066 GL3
24 356 000	24 096 003
24 356 AL0	24 096 AL3
24 356 DA0	24 096 DA3
24 356 DC0	24 096 DC3
24 356 GL0	24 096 GL3
24 357 000	24 134 003
24 357 AL0	24 134 AL3
24 358 000	24 135 003
24 358 AL0	24 135 AL3
24 358 DA0	24 135 DA3
24 358 DC0	24 135 DC3
24 358 GL0	24 135 GL3
24 359 000	24 138 003
24 359 AL0	24 138 AL3
24 359 DA0	24 138 DA3
24 359 DC0	24 138 DC3
24 359 GL0	24 138 GL3
24 362 AL0	32 042 AL3
24 362 DA0	32 042 DA3
24 362 DC0	32 042 DC3
24 362 GL0	32 042 GL3
24 363 000	32 043 003
24 363 AL0	32 043 AL3

GROHE
REPLACEMENT PRODUCTS

New Professional / SPA exclusive SKU	Old SKU
24 363 DA0	32 043 DA3
24 363 DC0	32 043 DC3
24 363 GL0	32 043 GL3
24 364 000	32 108 003
24 364 AL0	32 108 AL3
24 364 DA0	32 108 DA3
24 364 DC0	32 108 DC3
24 364 GL0	32 108 GL3
24 365 AL0	32 647 AL3
24 365 DA0	32 647 DA3
24 365 DC0	32 647 DC3
24 365 GL0	32 647 GL3
24 366 000	32 650 003
24 366 AL0	32 650 AL3
24 367 000	32 652 003
24 367 AL0	32 652 AL3
24 367 DA0	32 652 DA3
24 367 DC0	32 652 DC3
24 367 GL0	32 652 GL3
24 368 AL0	32 653 AL3
24 368 DA0	32 653 DA3
24 368 DC0	32 653 DC3
24 368 GL0	32 653 GL3
24 369 000	23 303 000
24 369 DA0	23 303 DA0
24 369 IG0	23 303 IG0
24 370 000	23 310 000
24 370 IG0	23 310 IG0
24 371 000	23 313 000
24 371 IG0	23 313 IG0
24 372 000	23 315 000
24 372 IG0	23 315 IG0
24 373 000	23 316 000
24 373 IG0	23 316 IG0
24 374 000	23 317 000
24 374 IG0	23 317 IG0
24 375 000	23 318 000
24 375 IG0	23 318 IG0
25	
25 222 001	32 754 002
25 241 003	32 783 000
25 242 003	32 780 000
25 248 001	23 491 001
25 248 A01	23 491 A01
25 248 AL1	23 491 AL1
25 248 DA1	23 491 DA1
25 248 DC1	23 491 DC1
25 248 DL1	23 491 DL1
25 248 GL1	23 491 GL1
25 248 GN1	23 491 GN1
25 249 001	33 628 001
25 250 001	33 624 001
25 250 A01	33 624 A01
25 250 AL1	33 624 AL1
25 250 DA1	33 624 DA1
25 250 DC1	33 624 DC1
25 250 DL1	33 624 DL1
25 250 GL1	33 624 GL1
25 250 GN1	33 624 GN1
25 251 001	19 578 001
25 251 A01	19 578 A01
25 251 AL1	19 578 AL1
25 251 DA1	19 578 DA1
25 251 DC1	19 578 DC1
25 251 DL1	19 578 DL1
25 251 GL1	19 578 GL1
25 251 GN1	19 578 GN1
25 252 001	33 636 001
25 252 A01	33 636 A01
25 252 AL1	33 636 AL1
25 252 DA1	33 636 DA1
25 252 DC1	33 636 DC1
25 252 DL1	33 636 DL1
25 252 GL1	33 636 GL1
25 252 GN1	33 636 GN1
25 268 000	25 010 003
25 268 AL0	25 010 AL3
25 268 DA0	25 010 DA3
25 268 DC0	25 010 DC3
25 268 GL0	25 010 GL3
25 272 000	25 044 003
25 272 AL0	25 044 AL3
25 272 DA0	25 044 DA3
25 272 DC0	25 044 DC3
25 272 GL0	25 044 GL3
26	
26 075 001	26 075 000
26 114 002	26 114 001
26 334 001	26 334 000
26 335 001	26 335 000
26 346 001	26 346 000
26 362 LN1	26 362 LN0
26 370 A00	27 693 A00
26 801 BE0	27 251 BE0
26 801 DA0	27 251 DA0
26 801 EN0	27 251 EN0
26 801 GL0	27 251 GL0
26 839 000	26 328 000
26 840 000	26 329 000
26 841 000	26 332 000
26 842 000	26 333 000
26 843 000	26 714 000
26 847 000	27 706 000
26 847 AL0	27 706 AL0
26 847 DC0	27 706 DC0
26 850 000	27 707 000
26 850 AL0	27 707 AL0
26 850 DC0	27 707 DC0
26 852 000	26 037 001
26 852 IG0	26 037 IG0
26 853 000	26 038 000
26 853 IG0	26 038 IG0
26 855 000	26 042 000
26 856 000	26 054 000
26 857 000	26 060 000
26 858 000	26 064 000
26 859 000	26 065 000
26 860 000	26 070 000
26 861 000	26 071 000
26 862 000	26 259 000
26 863 000	26 373 001
26 864 000	26 374 000
26 865 000	26 376 001
26 866 000	26 465 000
26 866 A00	26 465 A00
26 866 AL0	26 465 AL0
26 866 BE0	26 465 BE0
26 866 DA0	26 465 DA0
26 866 DC0	26 465 DC0
26 866 DL0	26 465 DL0
26 866 EN0	26 465 EN0
26 866 GL0	26 465 GL0
26 866 GN0	26 465 GN0
26 867 000	26 467 000
26 868 000	26 469 000
26 871 000	27 271 000
26 872 000	27 285 000
26 873 000	27 286 000
26 874 000	27 467 000
26 876 000	27 479 000
26 877 000	27 480 000
26 878 000	27 621 000
26 879 000	27 623 000
26 880 000	27 625 000
26 883 000	27 863 000
26 884 000	27 884 001
26 885 000	27 888 000
26 885 A00	27 888 A00
26 885 AL0	27 888 AL0
26 885 DC0	27 888 DC0
26 885 DL0	27 888 DL0
26 885 GN0	27 888 GN0
26 886 000	27 889 000
26 887 000	27 938 001
26 888 000	27 939 001
26 889 000	28 034 000
26 890 000	28 308 000
26 891 000	28 341 000
26 892 000	28 348 000
26 893 000	28 389 000
26 894 000	28 690 000
26 895 000	26 003 003
26 895 AL0	26 003 AL3
26 895 DA0	26 003 DA3
26 895 DC0	26 003 DC3
26 895 GL0	26 003 GL3
26 896 000	27 969 000
26 896 DA0	27 969 DA0
26 896 IG0	27 969 IG0
26 897 000	27 970 000
26 897 DA0	27 970 DA0
26 897 IG0	27 970 IG0
26 898 000	27 974 000
26 898 DA0	27 974 DA0
26 898 IG0	27 974 IG0
26 899 000	27 978 000
26 900 000	27 986 000
26 900 DA0	27 986 DA0
26 900 IG0	27 986 IG0
26 901 000	27 993 000
26 901 IG0	27 993 IG0
27	
27 137 001	27 137 000
27 296 003	27 296 002
27 473 002	27 473 001
27 615 002	27 615 001
28	
28 025 001	28 025 000
28 105 001	28 105 000
28 139 001	28 139 000
28 140 001	28 140 000
28 142 002	28 142 000
28 143 001	28 143 000
28 143 KS1	28 143 KS0
28 143 LS1	28 143 LS0
28 145 001	28 145 000
28 150 002	28 150 001
28 151 002	28 151 001
28 151 L02	28 151 L01
28 154 002	28 154 001
28 155 002	28 155 001
28 158 001	28 158 000
28 362 001	28 362 000
28 362 A01	28 362 A00
28 362 BE1	28 362 BE0
28 362 DA1	28 362 DA0
28 362 DC1	28 362 DC0
28 362 GL1	28 362 GL0
28 364 001	28 364 000
28 388 001	28 388 000
28 388 A01	28 388 A00
28 388 BE1	28 388 BE0
28 388 DA1	28 388 DA0
28 388 DC1	28 388 DC0
28 388 GL1	28 388 GL0
28 409 002	28 409 001
28 410 002	28 410 001
28 413 002	28 413 001
28 417 001	28 417 000
28 680 000	28 678 000
29	
29 025 002	29 025 000
29 192 001	19 408 001
29 192 A01	19 408 A01
29 192 AL1	19 408 AL1
29 192 DA1	19 408 DA1
29 192 DC1	19 408 DC1
29 192 DL1	19 408 DL1
29 192 GL1	19 408 GL1
29 192 GN1	19 408 GN1
29 193 001	19 967 001
29 193 A01	19 967 A01
29 193 AL1	19 967 AL1
29 193 DA1	19 967 DA1
29 193 DC1	19 967 DC1
29 193 DL1	19 967 DL1
29 193 GL1	19 967 GL1
29 193 GN1	19 967 GN1
29 396 000	19 069 003
29 396 AL0	19 069 AL3
29 396 DA0	19 069 DA3
29 396 DC0	19 069 DC3
29 396 GL0	19 069 GL3
29 397 000	19 088 003
29 397 AL0	19 088 AL3
29 397 DA0	19 088 DA3
29 397 DC0	19 088 DC3
29 397 GL0	19 088 GL3
29 398 000	19 796 000
29 398 AL0	19 796 AL0
29 398 DC0	19 796 DC0
29 399 000	19 798 000
29 399 AL0	19 798 AL0
29 399 DC0	19 798 DC0
29 402 000	19 781 000
29 402 AL0	19 781 AL0
29 402 DC0	19 781 DC0
29 403 000	19 783 000
29 403 AL0	19 783 AL0
29 403 DC0	19 783 DC0
29 405 000	19 787 001
29 405 AL0	19 787 AL1
29 405 DC0	19 787 DC1
29 406 000	19 918 003
29 406 AL0	19 918 AL3
29 406 DA0	19 918 DA3
29 406 DC0	19 918 DC3
29 406 GL0	19 918 GL3
29 407 000	19 922 003
29 407 AL0	19 922 AL3
29 407 DA0	19 922 DA3

GROHE
REPLACEMENT PRODUCTS

New Professional / SPA exclusive SKU	Old SKU
29 407 DC0	19 922 DC3
29 407 GL0	19 922 GL3
29 408 000	19 923 003
29 408 AL0	19 923 AL3
29 408 DA0	19 923 DA3
29 408 DC0	19 923 DC3
29 408 GL0	19 923 GL3
29 410 000	19 287 003
29 410 AL0	19 287 AL3
29 410 DA0	19 287 DA3
29 410 DC0	19 287 DC3
29 410 GL0	19 287 GL3
29 412 000	29 072 000
29 413 000	29 073 000
29 414 000	29 074 000
29 415 000	19 919 000
29 415 IG0	19 919 IG0
29 416 000	19 929 000
29 416 DA0	19 929 DA0
29 416 IG0	19 929 IG0
29 417 000	19 930 000
29 417 IG0	19 930 IG0
29 418 000	19 936 000
29 418 IG0	19 936 IG0
29 420 000	19 944 000
29 420 DA0	19 944 DA0
29 420 IG0	19 944 IG0
30	
30 026 002	30 026 DC2
30 193 000	31 124 002
30 580 000	33 251 000
30 581 000	31 303 000
30 582 000	30 382 000
30 583 000	30 499 000
30 583 DC0	30 382 DC0
30 584 000	30 383 000
30 586 000	30 385 000
30 587 000	30 386 000
30 588 000	30 387 000
30 589 000	31 721 000
30 590 000	31 721 DC0
30 590 DC0	31 722 000
30 590 KF0	31 723 000
30 591 000	30 393 000
30 609 000	30 362 000
30 609 AL0	30 362 AL0
30 609 DC0	30 362 DC0
31	
31 170 000	31 159 002
31 391 003	33 772 002
31 481 001	31 126 004
31 481 001	31 482 003
32	
32 146 001	32 146 000
32 468 003	23 567 003
32 757 001	32 757 000
32 825 00E	32 825 000
32 826 001	32 826 000
32 843 002	33 975 004
32 843 002	33 975 40D
32 846 001	32 846 000
33	
33 190 20E	33 190 002
33 202 003	33 202 002
33 281 DC3	33 281 DC2
33 552 20E	33 552 002
33 558 LS3	23 707 LS3
33 565 LS3	23 720 LS3
33 591 LS3	23 726 LS3
34	
34 813 001	34 294 001
34 814 003	34 143 003
34 816 003	34 155 003
34 819 004	34 152 004
34 820 004	34 151 004
34 823 003	34 156 003
34 825 001	34 557 001
34 827 000	34 776 000
34 828 000	34 777 000
34 830 000	34 779 000
34 831 000	34 780 000
34 834 000	34 783 000
34 835 000	34 784 000
34 836 000	34 785 000
35	
35 107 000	35 034 000
35 604 000	35 600 000
36	
36 472 000	36 359 000
36 473 000	36 360 000
36 474 000	36 367 000
36 475 000	36 371 000
36 476 000	36 397 000
39	
39 062 001	39 062 000
39 577 000	39 576 000
39 972 000	38 809 000
39 980 KS0	39 374 KS0
39 980 LS0	39 374 LS0
40	
40 279 001	40 279 000
40 284 001	40 284 000
40 339 001	40 339 000
40 340 001	40 340 000
40 341 001	40 341 000
40 342 001	40 342 000
40 364 DC1	40 344 DC1
40 365 DC1	40 344 DC1
40 366 DC1	40 344 DC1
40 882 000	40 254 003
40 883 000	40 256 003
40 884 000	40 304 003
40 884 AL0	40 304 AL3
40 884 DA0	40 304 DA3
40 884 DC0	40 304 DC3
40 884 GL0	40 304 GL3
40 885 000	40 305 003
40 885 AL0	40 305 AL3
40 885 DA0	40 305 DA3
40 885 DC0	40 305 DC3
40 885 GL0	40 305 GL3
40 886 000	40 306 003
40 886 AL0	40 306 AL3
40 886 DA0	40 306 DA3
40 886 DC0	40 306 DC3
40 886 GL0	40 306 GL3
40 887 000	40 307 003
40 887 AL0	40 307 AL3
40 887 DA0	40 307 DA3
40 887 DC0	40 307 DC3
40 887 GL0	40 307 GL3
40 888 000	40 308 003
40 888 AL0	40 308 AL3
40 888 DA0	40 308 DA3
40 888 DC0	40 308 DC3
40 888 GL0	40 308 GL3
40 889 000	40 309 003
40 889 AL0	40 309 AL3
40 889 DA0	40 309 DA3
40 889 DC0	40 309 DC3
40 889 GL0	40 309 GL3
40 890 000	40 312 003
40 890 AL0	40 312 AL3
40 890 DA0	40 312 DA3
40 890 DC0	40 312 DC3
40 890 GL0	40 312 GL3
40 891 000	40 313 003
40 891 AL0	40 313 AL3
40 891 DA0	40 313 DA3
40 891 DC0	40 313 DC3
40 891 GL0	40 313 GL3
40 892 000	40 314 003
40 892 AL0	40 314 AL3
40 892 DA0	40 314 DA3
40 892 DC0	40 314 DC3
40 892 EN0	40 314 EN3
40 892 GL0	40 314 GL3
40 893 000	40 493 000
40 894 000	40 494 000
40 895 000	40 496 000
40 896 000	40 497 000
40 897 000	40 498 000
40 898 000	40 499 000
40 900 000	40 500 000
40 906 000	40 503 000
40 907 000	40 504 000
40 908 000	40 625 000
40 908 IG0	40 625 IG0
40 909 000	40 626 000
40 909 IG0	40 626 IG0
40 910 000	40 627 000
40 910 IG0	40 627 IG0
40 923 000	40 628 000
40 923 IG0	40 628 IG0
40 928 000	40 629 000
40 928 IG0	40 629 IG0
40 929 000	40 630 000
40 929 IG0	40 630 IG0
40 930 000	40 631 000
40 930 IG0	40 631 IG0
40 946 000	40 632 000
40 946 IG0	40 632 IG0
40 960 000	40 633 000
40 960 IG0	40 633 IG0
40 963 001	40 278 000
42	
42 633 000	42 429 000
42 634 000	47 837 000
42 635 000	47 867 000
42 636 000	47 868 000
42 637 000	47 877 000

GROHE
PACKAGING INDEX

Product no.	Carton	Pallet
02		
02 210 00M		1725
05		
05 334 000		1960
07		
07 146 000		1485
07 182 000		465
07 341 000		521
08		
08 864 000		3920
08 864 DC0		1960
08 915 000		1960
11		
11 003 000		2548
11 006 000		2548
11 090 000		2100
11 101 000		2548
11 102 000		2548
11 104 000		560
11 105 000		2100
11 502 000		1000
11 504 000	40	640
11 505 000		847
11 507 000		847
11 508 000		847
11 513 000		560
11 514 000		480
11 515 000		560
11 516 000		616
11 541 000		1000
11 542 000		1000
11 544 000		560
11 550 000		800
11 551 000		860
12		
12 001 000		920
12 001 00M		1020
12 004 000		1960
12 005 000		1260
12 013 000		1260
12 015 000		1600
12 030 000		500
12 050 000		1960
12 050 00M		1960
12 051 000		720
12 075 000		1960
12 124 000		120
12 140 000		1000
12 140 AL0		1000
12 140 DC0		1000
12 400 000		1500
12 407 000		560
12 409 000		1960
12 411 000		560
12 417 000		1120
12 419 000		1485
12 420 000		1000
12 424 000		1960
12 428 000		1725
12 430 000		560
12 432 000		500
12 433 000		1960
12 436 000		800
12 444 000		560
12 448 000		560
12 465 000		1008
12 662 000		960
12 693 000		1120
13		
13 005 000		340
13 017 000		200
13 028 000		320
13 034 000		252
13 051 000		340
13 052 000		340
13 070 000		200
13 071 000		380
13 072 000		340
13 073 000		200
13 076 000		340
13 077 000		160
13 080 000		900
13 084 000		320
13 137 000		320
13 138 000		500
13 220 000		3100
13 255 001	26	312
13 261 000	26	312
13 262 000	26	312
13 263 000		3920
13 263 DC0		3920
13 264 001		80
13 264 A01		72
13 264 DL1		72
13 264 GN1		72
13 269 000		248
13 270 000		156
13 276 002	26	312
13 277 002	26	312
13 278 002		324
13 279 002		320
13 280 001	26	312
13 281 001	26	312
13 303 000	26	312
13 303 AL0		338
13 303 DC0		338
13 304 000	26	312
13 317 001		60
13 317 A01		60
13 317 DL1		60
13 317 GN1		60
13 378 000	45	720
13 380 000	36	576
13 383 001		250
13 383 AL1		320
13 383 DC1		250
13 390 000	14	224
13 404 003		250
13 404 AL3		250
13 404 DC3		250
13 448 003	12	144
13 449 001		144
13 449 A01		144
13 449 AL1		144
13 449 DA1		144
13 449 DC1		144
13 449 DL1		144
13 449 GL1		144
13 449 GN1		144
13 450 000	18	576
13 461 000		180
13 462 000		450
13 484 000		250
13 484 DA0		250
13 484 IG0		250
13 485 000		80
13 485 AL0		80
13 485 DC0		80
13 487 000		390
13 487 AL0		250
13 487 DA0		390
13 487 DC0		250
13 487 GL0		250
13 540 000		644
13 915 000		1960
13 925 000		1960
13 926 000		2720
13 929 000		1725
13 929 AL0		1960
13 929 G00		1960
13 929 L00	750	31500
13 935 000		3920
13 937 000		2720
13 952 000		1485
13 952 AL0		297
13 960 000		960
13 961 000		3920
13 994 000		3920
13 999 000		3920
13 999 AL0		3920
13 999 DC0		3920
13 999 KS0		3920
14		
14 014 000		146
14 047 000		120
14 048 000		280
14 053 00M		1960
14 055 000		1960
14 056 000		1120
14 057 000		1120
14 058 000		2160
14 074 000		19
14 077 XH0		1600
14 079 XH0		1600
14 116 00M		1000
14 911 LD0		20
14 911 LK0		20
14 911 LP0		20
14 911 SH0		20
14 913 000		30
14 914 000		80
14 917 000		50
14 924 SH0	8	18
14 925 SH0	8	18
14 926 001		500
14 926 002	30	120
14 928 000	140	1200
14 929 000	140	1200
14 930 000	90	720
14 933 000	140	2240
14 936 000	8	100
14 937 000		4
14 969 000		300
14 971 000		2240
14 974 000		32
14 976 000		6
14 992 000	34	272
18		
18 608 001		384
18 700 000	34	272
18 968 001		112
18 968 A01	7	140
18 968 DL1	7	140
18 968 GN1	7	140
19		
19 025 000		792
19 309 002		80
19 309 A02		72
19 309 DL2		72
19 309 GN2		72
19 315 001		72
19 315 A01		72
19 315 DL1		72
19 315 GN1		72
19 316 001		28
19 316 A01		28
19 316 DL1		28
19 316 GN1		28
19 317 001		72
19 317 A01		72
19 317 DL1		72
19 317 GN1		72
19 332 000		336
19 334 001		600
19 334 A01		600
19 334 DL1		600
19 334 GN1		600
19 345 001	12	144
19 346 001	12	144
19 377 000		220
19 380 002		72
19 380 A02		72
19 380 DL2		72
19 380 GN2		72
19 381 000		80
19 386 002		80
19 386 A02		72
19 386 DL2		72
19 386 GN2		72
19 409 001		80
19 409 AL1		80
19 409 DC1		80
19 446 002		72
19 446 A02		72
19 446 DL2		72
19 446 GN2		72
19 450 002	12	144
19 451 002	12	144
19 470 000		600
19 506 003	12	144
19 507 003	12	144
19 571 002	10	120
19 571 003	10	120
19 573 002		80
19 575 001	10	120
19 576 002		24
19 577 001		28
19 577 AL1		28
19 577 DC1		28
19 590 001		250
19 590 A01		250
19 590 DL1		250
19 590 GN1		250
19 806 001		795
19 807 001		795
19 808 001		1155
19 809 001		1155
19 830 000		1155
19 831 000		1155
19 840 000		1155
19 841 000		795
19 854 001		1188
19 855 001		1188
19 895 000	10	120
19 895 AL0		80
19 895 DC0		80
19 897 001		28
19 897 AL1		28
19 897 DC1		28
19 910 000	70	1120
19 952 000		512
19 952 A00		512
19 952 AL0		512
19 952 BE0		512
19 952 DA0		512
19 952 DC0		512
19 952 DL0		512
19 952 EN0		512
19 952 GL0		512
19 952 GN0		512
19 954 000		1725
19 965 001		28
19 966 000		28
19 968 000		80
19 969 000		80
19 970 002	75	900
19 972 002	75	900
19 974 002		80
19 976 001		28
19 997 000		80
19 998 000		80
20		
20 179 001		193
20 186 001	24	384
20 187 000		66
20 188 001		66
20 188 A01		66
20 188 DL1		66
20 188 GN1		66
20 189 002		80
20 189 A02		72
20 189 DL2		72
20 189 GN2		72
20 193 002		80
20 193 A02		72
20 193 DL2		72
20 193 GN2		72
20 197 000	9	144
20 201 000	12	144
20 201 AL0	14	224
20 202 000	14	224
20 203 000	16	432
20 205 000	36	576
20 208 002	9	54
20 216 001	9	54
20 289 000	6	96
20 296 001		88
20 299 001		88
20 301 003		100
20 304 001		100
20 351 000	9	54
20 351 AL0		60

GROHE
PACKAGING INDEX

Product no.	Carton	Pallet
20 351 DC0		60
20 393 001	16	256
20 404 001	32	512
20 405 001	32	512
20 421 000	24	288
20 421 001	24	288
20 422 000	24	288
20 422 001	24	288
20 474 000	6	96
20 575 000	24	288
20 619 000		45
20 619 DA0		45
20 619 IG0		45
20 622 000		45
20 622 IG0		45
20 623 000		45
20 623 IG0		45
20 624 000		45
20 624 IG0		45
20 626 000		45
20 626 AL0		45
20 626 DC0		45
20 627 000		45
20 627 AL0		45
20 627 DC0		45
20 628 000		80
20 628 AL0		80
20 628 DC0		80
20 629 000		80
20 629 AL0		80
20 629 DC0		80
20 634 SD0		14
20 635 SD0		14
20 643 000		60
20 643 AL0		60
20 643 DA0		60
20 643 DC0		60
20 643 GL0		60
20 649 000		60
20 649 AL0		60
20 649 DA0		60
20 649 DC0		60
20 649 GL0		60
20 658 000		290
20 658 AL0		290
20 658 DA0		290
20 658 DC0		290
20 658 GL0		290
20 661 000		120
20 661 AL0		120
20 661 DA0		120
20 661 DC0		120
20 661 GL0		120
20 662 000		120
20 662 AL0		120
20 662 DA0		120
20 662 DC0		120
20 662 GL0		120
20 664 SD0		14
20 665 SD0		14
20 666 000		60
20 666 IG0		60

21

Product no.	Carton	Pallet
21 144 000		48
21 144 AL0		48
21 144 DA0		48
21 144 DC0		48
21 144 GL0		48
21 145 000		48
21 145 AL0		48
21 145 DA0		48
21 145 DC0		48
21 145 GL0		48
21 149 000		48
21 149 AL0		48
21 149 DA0		48
21 149 DC0		48
21 149 GL0		48
21 255 001		64
21 257 001		143
21 338 001		143
21 375 001		140
21 390 001		64

22

Product no.	Carton	Pallet
22 012 000	64	1024
22 012 AL0	64	1024
22 012 DC0	64	1024
22 013 000	64	1024
22 018 000	200	3200
22 023 000	200	3200
22 033 000	72	1152
22 034 000	72	1152
22 035 000	72	1152
22 036 000	72	1152
22 037 000	144	2304
22 037 A00	144	2304
22 037 AL0	144	2304
22 037 BE0	144	2304
22 037 DA0	144	2304
22 037 DC0	144	2304
22 037 DL0	144	2304
22 037 EN0	144	2304
22 037 GL0	144	2304
22 037 GN0	144	2304
22 039 000	144	2304
22 041 001		2304
22 043 000	144	2304
22 052 000	144	2304
22 053 000	144	2304
22 054 001	16	192
22 115 000		300

23

Product no.	Carton	Pallet
23 037 002	16	192
23 039 002	24	288
23 043 003		67
23 048 003		28
23 049 002		160
23 051 002		290
23 054 003		74
23 055 002		100
23 058 003		10
23 060 001	10	120
23 061 003		14
23 093 000	8	96
23 106 001		108
23 106 AL1	8	96
23 106 DC1		120
23 124 002	5	60
23 124 003	5	60
23 125 000	5	60
23 127 00E		200
23 127 AL0		150
23 127 DC0		150
23 132 00E		200
23 135 00E		60
23 135 AL0		60
23 135 DC0		42
23 137 000		290
23 138 000		200
23 138 AL0		200
23 138 DC0	32	200
23 140 000		92
23 140 AL0		92
23 140 DC0		92
23 141 000		60
23 145 000		95
23 145 AL0		95
23 145 DC0		72
23 147 001		10
23 200 002		120
23 262 000	16	192
23 263 000	16	192
23 296 001		60
23 296 AL1		60
23 296 DC1		60
23 319 000		175
23 322 001	16	192
23 322 003	11	132
23 323 001	16	192
23 323 003	11	132
23 324 001	16	192
23 324 003	8	128
23 325 000	12	144
23 327 000	12	96
23 327 KW0	11	132
23 328 000	16	192
23 328 001	16	192
23 329 000	16	192
23 330 000	16	192
23 330 001	16	192
23 331 000	16	192
23 331 001	16	192
23 332 000	16	192
23 333 000	12	144
23 334 000	6	96
23 335 000	16	192
23 335 001	16	192
23 336 000	16	192
23 337 000	16	192
23 337 001	16	192
23 338 000	16	192
23 338 001	16	192
23 340 000	12	144
23 341 000	6	96
23 356 000	16	192
23 372 003	11	132
23 374 003	16	192
23 374 20E	16	192
23 374 LS3	16	192
23 376 00E	16	192
23 377 00E	16	192
23 378 00E	16	192
23 380 10E	16	192
23 384 20E		164
23 389 20E		164
23 390 00E		200
23 392 00E		200
23 393 30E	11	132
23 394 30E	11	132
23 395 30E	11	132
23 396 00E	12	96
23 397 00E	12	96
23 403 001		20
23 403 A01		20
23 403 DL1		20
23 403 GN1		20
23 405 001		60
23 405 AL1		64
23 405 DC1		64
23 406 000		60
23 406 AL0		64
23 406 DC0		64
23 425 000		100
23 427 000		100
23 428 000		60
23 429 000		92
23 430 000		138
23 431 000		60
23 432 000		60
23 444 001		80
23 444 AL1		80
23 444 DC1		80
23 445 000		128
23 445 AL0		148
23 445 DC0		128
23 446 000		128
23 447 000		128
23 447 AL0		128
23 447 DC0		128
23 448 002		128
23 449 002		128
23 450 001	12	96
23 451 001	12	96
23 456 002	16	192
23 456 003	8	128
23 480 001		96
23 537 002		112
23 537 003		112
23 559 001	16	192
23 564 003	16	192
23 569 003		112
23 570 003	4	48
23 570 LS3	4	48
23 571 000		92
23 602 001	6	96
23 604 001	6	96
23 633 001	12	144
23 635 001	12	144
23 654 000		100
23 656 000		100
23 657 000		100
23 658 000		100
23 661 000		60
23 664 000		100
23 665 000		144
23 666 000		60
23 667 001		20
23 672 001		20
23 672 AL1		21
23 672 DC1		21
23 707 003	16	192
23 709 003	16	192
23 710 003	10	120
23 713 003	16	192
23 715 003	16	192
23 718 003		112
23 719 003	4	48
23 720 003	16	192
23 722 003	12	96
23 725 003		60
23 726 003	6	72
23 729 30A	9	54
23 730 003		60
23 739 002		74
23 741 001		10
23 741 DC1		10
23 743 002		112
23 743 003		112
23 751 000	16	192
23 752 000	16	192
23 753 000		112
23 754 000	16	192
23 755 000	12	144
23 756 000	6	96
23 757 000	5	60
23 757 001	5	60
23 758 000	9	108
23 759 000	9	108
23 760 000		112
23 760 001		112
23 761 000	12	72
23 761 001	16	192
23 762 000		108
23 762 001	16	192
23 763 000		112
23 763 001		112
23 764 000	12	72
23 764 001	16	192
23 791 001		110
23 791 AL1		111
23 791 DC1		111
23 792 001		9
23 792 AL1		9
23 792 DC1		9
23 802 000	16	192
23 803 000	16	192
23 843 003		39
23 843 AL3		39
23 843 DC3		39
23 844 003		39
23 845 003		28
23 846 003		9
23 846 AL3		9
23 846 DC3		9
23 851 003		42
23 851 AL3		42
23 851 DC3		42
23 856 001		20
23 856 A01		20
23 856 DL1		20
23 856 GN1		20
23 870 003		128
23 871 003		42
23 871 AL3		42
23 871 DC3		42
23 872 003		42
23 873 003		42
23 877 001	16	192
23 878 001	16	192
23 879 001	16	192
23 883 001	16	192
23 885 001	16	192
23 886 001	16	192
23 887 001	16	192
23 891 001		112
23 894 001	16	192
23 895 001	16	192
23 896 001	16	192
23 899 001	16	192
23 911 001		112
23 917 001	16	192
23 920 001	4	48

GROHE
PACKAGING INDEX

Product no.	Carton	Pallet
23 921 000	4	48
23 922 002	16	192
23 922 003	11	132
23 923 002	16	192
23 923 003	11	132
23 924 002	16	192
23 924 003	11	132
23 925 000	16	192
23 926 000	12	96
23 927 000	16	192
23 928 000	12	96
23 929 003	16	192
23 930 003	16	192
23 931 001	16	192
23 932 001	12	96
23 933 001		67
23 958 003		39
23 958 DC3		39
23 959 003		39
23 965 003	11	132
23 966 003	8	128
23 967 003	11	132
23 968 003	11	132
23 969 003	8	128
23 970 003		112
23 971 003	4	48
23 974 003	8	128
23 975 003		39
23 976 003	8	128
23 980 003	8	128
23 981 003	8	128
23 982 003	4	48
23 983 003	4	48
23 984 003		72
23 985 003		72
23 986 003		72
23 987 003		72
23 988 003		72
23 989 003		72

24

Product no.	Carton	Pallet
24 036 000		100
24 042 002		72
24 042 003		72
24 043 002		72
24 043 003	12	72
24 044 000		72
24 045 000		72
24 046 003		72
24 047 003		72
24 048 003		72
24 048 LS3		72
24 049 003		72
24 049 LS3		72
24 051 002		72
24 052 002		72
24 053 001		72
24 054 001		72
24 055 002		72
24 056 002		72
24 059 003		72
24 059 AL3		72
24 059 DC3		72
24 060 003		72
24 060 AL3		72
24 060 DC3		72
24 061 000		72
24 061 AL0		72
24 061 DC0		72
24 062 000		72
24 062 AL0		72
24 062 DC0		72
24 063 001		72
24 063 AL1		72
24 063 DC1		72
24 064 001		72
24 064 AL1		72
24 064 DC1		72
24 075 000		72
24 076 000		72
24 077 000		72
24 078 000		72
24 079 000		72
24 080 000		72
24 093 003		72
24 093 AL3		72
24 093 DC3		72
24 094 000		72
24 094 AL0		72
24 094 DC0		72
24 095 001		72
24 095 AL1		72
24 095 DC1		72
24 153 000		72
24 153 AL0		72
24 153 DC0		72
24 154 000		72
24 154 AL0		72
24 154 DC0		72
24 155 000		72
24 155 AL0		72
24 155 DC0		72
24 160 001		39
24 160 A01		39
24 160 DL1		39
24 160 GN1		39
24 161 001		72
24 164 003	4	48
24 167 001		72
24 167 A01		72
24 167 AL1		72
24 167 DA1		72
24 167 DC1		72
24 167 DL1		72
24 167 GL1		72
24 167 GN1		72
24 167 KF1		72
24 168 001		72
24 168 A01		72
24 168 AL1		72
24 168 DA1		72
24 168 DC1		72
24 168 DL1		72
24 168 GL1		72
24 168 GN1		72
24 169 001		72
24 169 A01		72
24 169 AL1		72
24 169 DA1		72
24 169 DC1		72
24 169 DL1		72
24 169 GL1		72
24 169 GN1		72
24 170 001		66
24 170 A01		66
24 170 AL1		66
24 170 DA1		66
24 170 DC1		66
24 170 DL1		66
24 170 GL1		66
24 170 GN1		66
24 170 KF1		66
24 171 001		164
24 171 A01		164
24 171 AL1		164
24 171 DA1		164
24 171 DC1		164
24 171 DL1		164
24 171 GL1		164
24 171 GN1		164
24 172 001		164
24 172 A01		164
24 172 AL1		164
24 172 DA1		164
24 172 DC1		164
24 172 DL1		164
24 172 GL1		164
24 172 GN1		164
24 172 KF1		164
24 173 001		96
24 173 A01		96
24 173 AL1		96
24 173 DA1		96
24 173 DC1		96
24 173 DL1		96
24 173 GL1		96
24 173 GN1		96
24 174 001		96
24 174 A01		96
24 174 AL1		96
24 174 DA1		96
24 174 DC1		96
24 174 DL1		96
24 174 GL1		96
24 174 GN1		96
24 175 001	14	168
24 176 001		96
24 176 KF1		96
24 177 001		96
24 177 KF1		96
24 178 001	16	192
24 178 A01	16	192
24 178 AL1	16	192
24 178 DA1	16	192
24 178 DC1	16	192
24 178 DL1	16	192
24 178 GL1	16	192
24 178 GN1	16	192
24 179 001	8	96
24 180 001		176
24 181 001	8	48
24 182 001	8	48
24 183 001	14	168
24 189 000		77
24 190 000		77
24 192 003	8	128
24 193 001	8	128
24 259 000		72
24 259 IG0		72
24 260 000		72
24 260 DA0		72
24 260 IG0		72
24 277 000		72
24 277 AL0		72
24 277 DC0		72
24 279 000		72
24 279 AL0		72
24 279 DC0		72
24 340 000		72
24 340 AL0		72
24 340 DC0		72
24 341 000		100
24 341 AL0		100
24 341 DC0		100
24 342 000		128
24 342 AL0		128
24 342 DC0		128
24 344 000		24
24 344 AL0		24
24 344 DC0		24
24 345 000		24
24 345 AL0		24
24 345 DC0		24
24 346 000		45
24 346 AL0		45
24 346 DC0		45
24 347 000		128
24 347 AL0		128
24 347 DC0		128
24 348 000		8
24 348 001		8
24 348 AL0		8
24 348 DC0		8
24 353 AL0		20
24 353 DA0		20
24 353 DC0		20
24 353 GL0		20
24 354 000		72
24 354 AL0		72
24 354 DA0		72
24 354 DC0		72
24 354 GL0		72
24 355 000		72
24 355 AL0		72
24 355 DA0		72
24 355 DC0		72
24 355 GL0		72
24 356 000		72
24 356 AL0		72
24 356 DA0		72
24 356 DC0		72
24 356 GL0		72
24 357 000		72
24 357 AL0		72
24 358 000		72
24 358 AL0		72
24 358 DA0		72
24 358 DC0		72
24 358 GL0		72
24 359 000		72
24 359 AL0		72
24 359 DA0		72
24 359 DC0		72
24 359 GL0		72
24 362 AL0		42
24 362 DA0		48
24 362 DC0		48
24 362 GL0		48
24 363 000		48
24 363 AL0		42
24 363 DA0		48
24 363 DC0		48
24 363 GL0		48
24 364 000		20
24 364 AL0		20
24 364 DA0		20
24 364 DC0		20
24 364 GL0		20
24 365 AL0		42
24 365 DA0		48
24 365 DC0		42
24 365 GL0		48
24 366 000		40
24 366 AL0		40
24 367 000		40
24 367 AL0		40
24 367 DA0		40
24 367 DC0		40
24 367 GL0		40
24 368 AL0		8
24 368 DA0		8
24 368 DC0		8
24 368 GL0		8
24 369 000		100
24 369 DA0		100
24 369 IG0		100
24 370 000		100
24 370 IG0		100
24 371 000		45
24 371 IG0		45
24 372 000		100
24 372 IG0		100
24 373 000		49
24 373 IG0		49
24 374 000		49
24 374 IG0		49
24 375 000		8
24 375 IG0		8
24 376 000		100
24 395 KF1	16	192

25

Product no.	Carton	Pallet
25 219 001		12
25 221 001		28
25 221 A01		28
25 221 DL1		28
25 221 GN1		28
25 222 001		9
25 222 A01		9
25 222 DL1		9
25 222 GN1		9
25 227 000		8
25 238 000		8
25 239 000		12
25 241 003	6	96
25 242 003	6	96
25 243 003	6	96
25 244 003	6	96
25 248 001		9
25 248 A01		9
25 248 AL1		9
25 248 DA1		9
25 248 DC1		9
25 248 DL1		9
25 248 GL1		9
25 248 GN1		9
25 249 001		56
25 250 001		66
25 250 A01		66
25 250 AL1		66
25 250 DA1		66
25 250 DC1		66
25 250 DL1		66
25 250 GL1		66
25 250 GN1		66

GROHE
PACKAGING INDEX

Product no.	Carton	Pallet
25 250 KF1		66
25 251 001		28
25 251 A01		28
25 251 AL1		28
25 251 DA1		28
25 251 DC1		28
25 251 DL1		28
25 251 GL1		28
25 251 GN1		28
25 252 001		66
25 252 A01		66
25 252 AL1		66
25 252 DA1		66
25 252 DC1		66
25 252 DL1		66
25 252 GL1		66
25 252 GN1		66
25 252 KF1		66
25 268 000		40
25 268 AL0		40
25 268 DA0		40
25 268 DC0		40
25 268 GL0		40
25 272 000		8
25 272 AL0		8
25 272 DA0		8
25 272 DC0		8
25 272 GL0		8
25 450 001		193
25 483 001		193

26

Product no.	Carton	Pallet
26 044 001		637
26 046 002		480
26 050 001		637
26 051 001		637
26 052 000		84
26 056 000		42
26 060 000		62
26 063 000		84
26 066 000		42
26 066 A00		42
26 066 AL0		42
26 066 DA0		42
26 066 DC0		42
26 066 DL0		42
26 066 GL0		42
26 066 GN0		42
26 067 000		42
26 067 A00		42
26 067 AL0		42
26 067 DA0		42
26 067 DC0		42
26 067 DL0		42
26 067 GL0		42
26 067 GN0		42
26 070 000		62
26 071 000		62
26 073 000		60
26 075 001		10
26 075 A00	1	10
26 075 AL0	1	10
26 075 DA0	1	10
26 075 DC0	1	10
26 075 DL0	1	10
26 075 GL0	1	10
26 075 GN0	1	10
26 076 002		100
26 082 002		480
26 083 002		100
26 084 002		132
26 087 000		16
26 088 001		350
26 090 001		350
26 114 002		14
26 145 000		136
26 146 000		136
26 146 LS0		133
26 161 001		480
26 163 001		50
26 164 001		132
26 171 000		28
26 187 000		16
26 223 001		25
26 224 001		10
26 250 000		10
26 250 LS0		10
26 254 000		12
26 254 LS0		12
26 256 000		26
26 257 000		42
26 259 000		42
26 264 001		120
26 308 001		382
26 317 001		382
26 318 001		382
26 330 001		382
26 334 000		300
26 334 001		300
26 335 000		300
26 335 001		300
26 346 000		300
26 346 001		300
26 352 000	40	240
26 353 000	40	240
26 354 000	40	240
26 355 IL0	40	240
26 356 IL0	40	240
26 357 000	20	120
26 358 000		132
26 361 000		10
26 361 LS0		10
26 362 LN1		480
26 363 000		16
26 370 000	75	900
26 370 A00	75	900
26 370 AL0	75	900
26 370 DC0	75	900
26 370 DL0	75	900
26 370 GN0	75	900
26 381 001		28
26 385 000		1960
26 404 000		132
26 405 000		132
26 406 001		132
26 408 000		93
26 409 000		93
26 410 000		93
26 411 000		93
26 412 000		93
26 443 000		6
26 443 LS0		6
26 446 000		6
26 446 LS0		6
26 449 000		100
26 450 000		12
26 450 LS0		12
26 455 000		52
26 456 000		52
26 457 000		52
26 458 000		52
26 459 000		52
26 460 000		52
26 461 000		52
26 474 EN0	4	120
26 475 000		20
26 475 A00		20
26 475 AL0		20
26 475 DA0		20
26 475 DC0		20
26 475 DL0		20
26 475 GL0		20
26 475 GN0		20
26 475 LS0		20
26 477 000		20
26 477 A00		20
26 477 AL0		20
26 477 DA0		20
26 477 DL0		20
26 477 GL0		20
26 477 GN0		20
26 477 LS0		20
26 479 000		20
26 479 A00		20
26 479 AL0		20
26 479 DL0		20
26 479 GN0		20
26 479 LS0	1	12
26 481 000		20
26 481 AL0		20
26 481 DL0		20
26 481 GN0		20
26 481 LS0	1	12
26 483 000		310
26 484 000		292
26 507 000		10
26 507 A00		10
26 507 AL0		10
26 507 DA0		10
26 507 DC0		10
26 507 DL0		10
26 507 GL0		10
26 507 GN0		10
26 507 LS0		10
26 508 000		10
26 508 AL0		10
26 508 DC0		10
26 508 DL0		10
26 508 GN0		10
26 508 LS0		10
26 509 000		10
26 510 000		16
26 513 000		375
26 544 000		408
26 544 LS0		408
26 546 000		64
26 548 000		44
26 550 000		408
26 551 LS0		408
26 552 000		408
26 553 000		332
26 554 LS0		332
26 557 000		45
26 558 000		45
26 559 000		45
26 560 000		45
26 561 000		45
26 561 LS0		44
26 562 000		45
26 562 LS0		45
26 563 000		45
26 564 000		45
26 564 AL0		45
26 564 DL0		45
26 564 GN0		45
26 565 000		45
26 566 000		45
26 566 AL0		10
26 566 DL0		10
26 566 GN0		10
26 567 000		45
26 567 LS0		45
26 568 000		45
26 568 LS0		43
26 574 000		408
26 574 A00		408
26 574 AL0		408
26 574 DA0		408
26 574 DC0		408
26 574 DL0		408
26 574 GL0		408
26 574 GN0		408
26 574 LS0		408
26 575 000		64
26 576 LS0		64
26 577 LS0		64
26 578 000		44
26 578 LS0		44
26 579 LS0		44
26 580 000		132
26 580 LS0		132
26 581 000		132
26 581 LS0		132
26 582 000		408
26 582 AL0		408
26 582 DC0		408
26 582 DL0		408
26 582 GN0		408
26 582 LS0		408
26 583 000		64
26 584 000		64
26 584 LS0		64
26 585 000		64
26 586 000		44
26 586 LS0		44
26 587 000		44
26 587 LS0		44
26 588 000		132
26 588 LS0		132
26 589 000		132
26 589 LS0		132
26 590 000		332
26 591 000		64
26 592 000		64
26 592 LS0		64
26 593 000		44
26 594 000		44
26 594 LS0		44
26 602 000		182
26 603 000		119
26 603 A00		80
26 603 AL0		80
26 603 BE0		80
26 603 DA0		80
26 603 DC0		80
26 603 DL0		80
26 603 EN0		80
26 603 GL0		80
26 603 GN0		80
26 608 000		10
26 640 000		45
26 641 000		45
26 642 000		45
26 643 000		45
26 646 000		960
26 647 000		10
26 647 LS0		10
26 648 000		10
26 648 LS0	1	10
26 649 000		10
26 652 000		10
26 657 000		16
26 658 000		1000
26 659 000		1000
26 662 000		66
26 663 000		66
26 664 000		66
26 666 000		66
26 668 000		66
26 669 000		66
26 670 000		16
26 672 000		27
26 673 000		10
26 674 000	2	8
26 675 000		16
26 681 000		66
26 682 000		66
26 683 000		66
26 685 000		66
26 687 000		66
26 688 000		66
26 689 000		16
26 691 000		27
26 692 000		10
26 693 000	2	8
26 694 000		16
26 723 000		10
26 731 000		24
26 733 000		24
26 735 000		720
26 737 000		720
26 784 000		800
26 785 000		800
26 786 000		800
26 788 001		193
26 792 10A		62
26 801 000	12	192
26 801 A00	12	192
26 801 AL0	12	192
26 801 BE0	12	192
26 801 DA0	12	192
26 801 DC0	12	192
26 801 DL0	12	192
26 801 EN0	12	192
26 801 GL0	12	192
26 801 GN0	12	192
26 802 000	12	192
26 802 A00	12	192
26 802 AL0	12	192
26 802 DC0	12	192
26 802 DL0	12	192
26 802 GN0	12	192
26 803 000		100
26 839 000		576
26 840 000		168

GROHE
PACKAGING INDEX

Product no.	Carton	Pallet
26 841 000	10	120
26 842 000		1280
26 843 000	10	120
26 847 000	80	1280
26 847 AL0	80	1280
26 847 DC0	80	1280
26 850 000	80	1280
26 850 AL0	80	1280
26 850 DC0	80	1280
26 863 000		1
26 865 000		5
26 866 000		864
26 866 A00		864
26 867 000		864
26 878 000		165
26 879 000		840
26 880 000		297
26 895 000		40
26 895 AL0		40
26 895 DA0		40
26 895 DC0		40
26 895 GL0		40
26 896 000		800
26 896 DA0		800
26 896 IG0		800
26 897 000		342
26 897 DA0		342
26 897 IG0		342

27

Product no.	Carton	Pallet
27 055 000	152	1824
27 056 000		1960
27 057 000		1400
27 057 A00		180
27 057 AL0		180
27 057 DA0		180
27 057 DC0		180
27 057 DL0		1400
27 057 GL0		180
27 057 GN0		180
27 057 LS0		1400
27 058 000		16
27 074 000		1400
27 074 A00		180
27 074 AL0		180
27 074 BE0		1120
27 074 DA0		180
27 074 DC0		180
27 074 DL0		180
27 074 EN0		180
27 074 GL0		180
27 074 GN0		180
27 074 LS0		1400
27 075 000		300
27 075 LS0		1400
27 076 000		1400
27 076 LS0		1400
27 137 001		300
27 151 000		300
27 174 001	1	4
27 180 000		1485
27 206 000		520
27 220 000		375
27 221 000		375
27 221 001		375
27 222 000		375
27 225 001		50
27 226 001		50
27 226 AL1		50
27 227 001		50
27 230 001		100
27 231 001		100
27 232 001		100
27 238 000		375
27 239 000		375
27 239 001		375
27 242 001		100
27 243 001		100
27 265 000		375
27 265 00E		375
27 266 001		100
27 266 00E		100
27 267 001		50
27 274 000		160
27 296 003		14
27 354 000		132
27 355 000		132
27 367 000		1080
27 368 000		50
27 369 000		159
27 400 000		486
27 406 000		231
27 421 002		14
27 470 000		62
27 473 002		14
27 475 001		23
27 475 002		23
27 477 000		60
27 478 000		60
27 484 000		240
27 485 000		275
27 488 000		279
27 492 000		93
27 499 000		156
27 500 000		102
27 512 001	150	900
27 513 001	40	240
27 513 A01		162
27 513 AL1		162
27 513 DA1		162
27 513 GL1		162
27 513 GN1		162
27 514 001	20	120
27 519 000		165
27 521 000		175
27 522 000		108
27 523 000		175
27 524 000		108
27 531 000		183
27 571 002		480
27 571 20E		480
27 572 002		480
27 573 002		480
27 574 002		480
27 575 002		480
27 576 002		100
27 577 002		100
27 578 002		100
27 578 20E		100
27 579 002		100
27 580 002		100
27 584 002		132
27 588 002		132
27 591 001		637
27 594 000		1960
27 595 000		1000
27 596 000		380
27 597 001		480
27 597 10E		480
27 598 001		100
27 598 10E		100
27 600 001		100
27 601 10E		132
27 606 001		637
27 615 002		14
27 618 000		100
27 619 000		120
27 644 001		100
27 645 001		100
27 646 001		50
27 646 10E		50
27 693 000	80	1280
27 696 000		16
27 698 000		900
27 699 000		900
27 700 000		38
27 702 000		156
27 703 000		156
27 704 000	80	1280
27 705 000		189
27 706 000	80	1280
27 707 000	80	1280
27 709 000		300
27 711 000	25	450
27 786 002		100
27 787 002		100
27 788 002		50
27 789 002		50
27 790 002		50
27 794 001		100
27 795 001		100
27 796 001		50
27 798 10E		132
27 799 001		132
27 803 10E		132
27 812 IL1	40	240
27 841 000		90
27 845 000	245	60025
27 849 001		132
27 852 001		480
27 853 001		100
27 854 001		50
27 869 001		350
27 870 001		350
27 891 000		58
27 892 000		135
27 922 000		16
27 923 001		480
27 924 001		100
27 925 001		50
27 926 001		100
27 927 001		100
27 928 002		100
27 929 002		100
27 932 000		16
27 933 000		1960
27 936 000		58
27 964 000		16
27 966 001		10
27 968 001		10

28

Product no.	Carton	Pallet
28 002 000		1100
28 020 L01	150	900
28 025 000		300
28 025 001		300
28 034 000		900
28 105 000		300
28 105 001		300
28 139 000		300
28 139 001		300
28 140 000		300
28 140 001		300
28 142 000		216
28 142 002		300
28 143 000		300
28 143 001		300
28 143 KS0		315
28 143 KS1		300
28 143 LS0		315
28 143 LS1		300
28 145 000		300
28 145 001		300
28 150 001		300
28 150 002		300
28 151 001		300
28 151 002		300
28 151 L02		300
28 154 001		300
28 154 002		300
28 155 001		300
28 155 002		300
28 158 000		216
28 158 001		300
28 233 000		93
28 261 002		480
28 361 000		150
28 362 000		300
28 362 001		300
28 362 A00		315
28 362 A01		300
28 362 BE1		300
28 362 DA0		315
28 362 DA1		300
28 362 DC0		216
28 362 DC1		300
28 362 GL0		315
28 362 GL1		300
28 364 000		300
28 364 001		300
28 368 000		93
28 368 00E		93
28 368 LS0		84
28 388 000		300
28 388 001		300
28 388 A00		315
28 388 A01		300
28 388 BE1		300
28 388 DA0		315
28 388 DA1		300
28 388 DC0		216
28 388 DC1		300
28 388 GL0		315
28 388 GL1		300
28 389 000		4900
28 409 001		300
28 409 002		300
28 410 001		300
28 410 002		300
28 413 001		300
28 413 002		300
28 417 000		300
28 417 001		300
28 417 EN0		150
28 419 002		480
28 421 002		480
28 429 000		2400
28 436 002		100
28 497 000		250
28 541 000		227
28 576 000		279
28 578 002		480
28 587 000		50
28 593 002		100
28 605 000		700
28 620 000		157
28 621 000		98
28 622 000		700
28 623 000		1000
28 626 000		1000
28 628 000		1000
28 631 000		660
28 634 XX0		624
28 635 XX0		1440
28 636 000		465
28 671 000		930
28 672 000		510
28 679 000		1000
28 680 000		1000
28 690 000		1000
28 708 000		800
28 724 000		660
28 724 LS0		560
28 778 000		26
28 789 002		50
28 799 000		1960
28 812 000		960
28 813 000		1485
28 817 000		1485
28 856 000		660
28 874 000		3920
28 910 000		175
28 910 AL0		330
28 910 DC0		192
28 910 L00		192
28 912 000		192
28 912 A00		160
28 912 AL0		160
28 912 DA0		160
28 912 DC0		160
28 912 DL0		160
28 912 EN0		192
28 912 GL0		160
28 912 GN0		160
28 920 000		369
28 939 000		80
28 943 000		60
28 946 000		300
28 948 000		360
28 961 000		283
28 963 000		1960
28 982 000		136
28 988 000		4500
28 990 000		72
28 991 000		66
28 993 000		62
28 995 000		14

29

Product no.	Carton	Pallet
29 007 000	80	3360
29 009 000		1400
29 025 002		168
29 033 000		407
29 037 000		8
29 037 002		8

GROHE
PACKAGING INDEX

Product no.	Carton	Pallet
29 039 000		92
29 040 000		92
29 040 001		144
29 041 000		92
29 042 000		92
29 078 000		60
29 078 001		60
29 079 000		60
29 079 001		60
29 080 000		60
29 080 001		60
29 081 000		60
29 081 001		60
29 094 000		140
29 095 000		140
29 096 000		183
29 097 003	10	120
29 098 003	12	144
29 099 003	12	144
29 112 000		60
29 113 000		60
29 118 000		72
29 118 A00		72
29 118 AL0		72
29 118 DA0		72
29 118 DC0		72
29 118 DL0		72
29 118 GL0		72
29 118 GN0		72
29 119 000		72
29 119 A00		72
29 119 AL0		72
29 119 DA0		72
29 119 DC0		72
29 119 DL0		72
29 119 GL0		72
29 119 GN0		72
29 120 000		72
29 121 000		72
29 121 A00		72
29 121 AL0		72
29 121 DA0		72
29 121 DC0		72
29 121 DL0		72
29 121 GL0		72
29 121 GN0		72
29 122 000		72
29 122 A00		72
29 122 AL0		72
29 122 BE0		72
29 122 DA0		72
29 122 DC0		72
29 122 DL0		72
29 122 EN0		60
29 122 GL0		72
29 122 GN0		72
29 123 000		72
29 123 A00		72
29 123 AL0		72
29 123 DC0		72
29 123 DL0		72
29 123 GN0		72
29 124 000		72
29 124 A00		72
29 124 AL0		72
29 124 DC0		72
29 124 DL0		72
29 124 GN0		72
29 125 000		72
29 126 000		72
29 126 A00		72
29 126 AL0		72
29 126 DC0		72
29 126 DL0		72
29 126 GN0		72
29 127 000		72
29 127 A00		72
29 127 AL0		72
29 127 DC0		72
29 127 DL0		72
29 127 GN0		72
29 150 LS0		72
29 151 LS0		72
29 152 LS0		72
29 153 LS0		72
29 156 LS0		72
29 157 LS0		72
29 158 LS0		72
29 176 001		72
29 176 A01		72
29 176 DL1		72
29 176 GN1		72
29 181 002		72
29 181 A02		72
29 181 DL2		72
29 181 GN2		72
29 192 001		228
29 192 A01		228
29 192 AL1		228
29 192 DA1		228
29 192 DC1		228
29 192 DL1		228
29 192 GL1		228
29 192 GN1		228
29 192 KF1		228
29 193 001		148
29 193 A01		148
29 193 AL1		148
29 193 DA1		148
29 193 DC1		148
29 193 DL1		148
29 193 GL1		148
29 193 GN1		148
29 303 003		80
29 303 AL3		80
29 303 DC3		80
29 306 003		80
29 307 003		28
29 307 DC3		28
29 337 003	10	120
29 338 003	10	120
29 396 000		240
29 396 AL0		240
29 396 DA0		240
29 396 DC0		240
29 396 GL0		240
29 397 000		240
29 397 AL0		240
29 397 DA0		240
29 397 DC0		240
29 397 GL0		576
29 398 000		480
29 398 AL0		480
29 398 DC0		480
29 399 000		576
29 399 AL0		576
29 399 DC0		576
29 402 000		80
29 402 AL0		80
29 402 DC0		80
29 403 000		80
29 403 AL0		80
29 403 DC0		80
29 405 000		28
29 405 AL0		28
29 405 DC0		28
29 406 000		120
29 406 AL0		120
29 406 DA0		120
29 406 DC0		120
29 406 GL0		120
29 407 000		28
29 407 AL0		28
29 407 DA0		28
29 407 DC0		28
29 407 GL0		28
29 408 000		28
29 408 AL0		28
29 408 DA0		28
29 408 DC0		28
29 408 GL0		28
29 410 000		120
29 410 AL0		120
29 410 DA0		120
29 410 DC0		120
29 410 GL0		120
29 415 000		28
29 415 IG0		28
29 416 000		80
29 416 DA0		80
29 416 IG0		80
29 417 000		80
29 417 IG0		80
29 418 000		28
29 418 IG0		28
29 420 000		396
29 420 DA0		396
29 420 IG0		396
29 507 KF0		72
29 508 KF0		72
29 736 000		1232
29 800 000		1165
29 800 002		1036
29 801 000		1165
29 802 000		1165
29 803 000		875
29 804 000		875
29 805 000		693
29 811 000		1165
29 904 LS0		72

30

Product no.	Carton	Pallet
30 026 002		94
30 026 DC2		94
30 079 001	1	8
30 079 DC1	1	4
30 080 001	1	4
30 083 001	1	4
30 083 AL1	1	8
30 083 DC1	1	8
30 083 DL1	1	8
30 083 KS1	1	4
30 085 001	1	8
30 085 AL1	1	8
30 085 DC1	1	8
30 085 DL1	1	8
30 098 001		780
30 193 000		108
30 193 DC0		108
30 208 000		52
30 219 002		39
30 219 DC2		39
30 221 002		96
30 260 003		158
30 273 001		52
30 273 DC1		52
30 274 000		72
30 274 A00		72
30 274 AL0		72
30 274 DA0		72
30 274 DC0		72
30 274 DL0		72
30 274 GN0		72
30 305 001		108
30 305 DC1		108
30 309 000		74
30 321 DG0		100
30 321 DP0		39
30 321 DU0		100
30 321 GE0		100
30 321 HG0		100
30 321 MW0		100
30 321 TY0		100
30 321 XC0		100
30 321 YF0		100
30 321 YR0		100
30 325 001	1	4
30 325 DC1	1	4
30 327 001	1	4
30 327 AL1	1	4
30 327 DC1	1	4
30 327 DL1	1	4
30 327 KS1	1	4
30 339 001	1	4
30 339 DC1	1	4
30 348 001		66
30 362 000		48
30 362 AL0		48
30 362 DC0		48
30 463 000		80
30 463 DC0		80
30 484 001		338
30 497 001		56
30 497 DC1		56
30 503 000		40
30 503 DC0		40
30 503 KF0		40
30 504 000	8	48
30 504 A00	8	48
30 504 AL0	8	48
30 504 DA0	8	48
30 504 DC0	8	48
30 504 DL0	8	48
30 504 GL0	8	48
30 504 GN0	8	48
30 504 KF0	8	48
30 505 000	8	48
30 505 A00	8	48
30 505 AL0	8	48
30 505 DA0	8	48
30 505 DC0	8	48
30 505 DL0	8	48
30 505 GL0	8	48
30 505 GN0	8	48
30 505 KF0	8	48
30 506 000		108
30 536 000		93
30 543 000		93
30 547 000		93
30 549 000		93
30 567 000		60
30 567 DC0		60
30 580 000	4	32
30 581 000		17
30 582 000		17
30 583 000	4	32
30 583 DC0		32
30 584 000		17
30 586 000		9
30 587 000		7
30 588 000	4	32
30 589 000		17
30 590 000		32
30 590 DC0		32
30 590 KF0		32
30 591 000		19
30 609 000		48
30 609 AL0		48
30 609 DC0		48

31

Product no.	Carton	Pallet
31 124 002		108
31 126 004		72
31 128 001		108
31 128 DC1		108
31 129 001		52
31 129 DC1		52
31 161 000		68
31 170 000		108
31 187 001		228
31 195 001		228
31 210 001		52
31 255 000		30
31 255 DC0	4	24
31 302 002	1	4
31 302 DC2	1	4
31 323 002	1	4
31 323 DC2	1	4
31 325 002	1	4
31 325 DC2	1	4
31 326 002	1	4
31 326 DC2	1	4
31 347 003	1	4
31 347 DC3	1	4
31 358 002		44
31 358 DC2		44
31 360 001		44
31 360 DC1		44
31 367 001		93
31 368 000		93
31 368 001		93
31 375 000	8	64
31 375 A00	8	64
31 375 AL0	8	64
31 375 DA0	8	64
31 375 DC0		72
31 375 DL0	8	64
31 375 GN0	8	64
31 379 000		17
31 379 DC0		17
31 391 003	9	54
31 454 001	1	4
31 454 AL1	1	4
31 454 DC1	1	4
31 454 DL1	1	4

GROHE
PACKAGING INDEX

Product no.	Carton	Pallet
31 454 KS1	1	4
31 455 001		4
31 455 AL1	1	4
31 455 DC1	1	4
31 455 DL1	1	4
31 455 KS1		4
31 456 001		4
31 456 DC1		4
31 481 001		72
31 483 002		72
31 483 DC2		66
31 491 000		40
31 491 DC0		40
31 498 001		4
31 498 AL1	1	4
31 498 DC1		4
31 498 DL1	1	4
31 509 003	9	54
31 535 001		93
31 536 001		93
31 538 001		93
31 539 000		4
31 539 DC0	1	4
31 539 KS0		4
31 541 000		4
31 541 DC0		4
31 541 KS0		1
31 543 000		4
31 543 DC0		4
31 552 SD1		7
31 558 000	8	64
31 558 AL0	8	64
31 558 GN0	8	64
31 562 SD1		7
31 563 SD1		7
31 564 SD1		7
31 565 SD1		7
31 571 SD1		7
31 572 SD1		7
31 573 SD1		7
31 574 SD1		8
31 575 SD1		10
31 576 SD1		8
31 577 SD1		8
31 578 SD1		8
31 580 SD1		4
31 581 SD1		4
31 582 SD1		4
31 583 SD1		6
31 584 SD1		4
31 585 SD1		4
31 586 SD1		4
31 588 SD1		7
31 593 002		60
31 593 DC2		60
31 613 000		60
31 613 A00		60
31 613 DC0		60
31 615 000		60
31 615 A00		60
31 615 AL0		60
31 615 DA0		60
31 615 DC0		60
31 615 DL0		60
31 615 GL0		60
31 615 GN0		60
31 639 AP0		3
31 639 AT0		4
31 640 AP0		3
31 640 AT0		3
31 641 AP0		3
31 641 AT0		3
31 642 AP0		3
31 642 AT0		4
31 643 AP0		3
31 643 AT0		3
31 644 AP0		3
31 644 AT0		3
31 645 AT0		4
31 646 AT0		3
31 647 AP0		3
31 647 AT0		3
31 648 AP0		5
31 648 AT0		5
31 649 AP0		3
31 649 AT0		4
31 650 AP0		6
31 650 AT0		6
31 651 AP0		5
31 652 AP0		3
31 652 AT0		3
31 653 AP0		6
31 653 AT0		6
31 654 AP0		6
31 654 AT0		6
31 655 AP0		5
31 655 AT0		5
31 656 AP0		5
31 656 AT0		8
31 657 AP0		3
31 657 AT0		4
31 658 AP0		3
31 658 AT0		4
31 680 000	11	88
31 688 000	11	88
31 693 000	11	88
31 696 000	6	48
31 706 000	11	88
31 713 000	6	48
31 715 000	11	88
31 719 SD0		10
31 720 SD0		18
31 726 SD0		8
31 786 001		96
31 787 001		96
31 789 001		60
31 790 001		158
31 831 001		143
31 928 KF0		60

32

Product no.	Carton	Pallet
32 067 000		72
32 109 001		160
32 109 AL1		160
32 109 DC1		148
32 114 001		128
32 114 AL1		144
32 114 DC1		144
32 146 001		39
32 146 A01		39
32 146 DL1		39
32 146 GN1		39
32 154 003	11	132
32 168 000	8	64
32 168 DC0		72
32 204 001	16	192
32 204 10E	16	192
32 206 10E	16	192
32 207 001	24	288
32 208 001	16	192
32 210 001	12	144
32 211 001	6	72
32 212 001	9	54
32 213 001		60
32 223 003		60
32 224 003	9	54
32 240 10E	16	192
32 257 001		73
32 257 002	11	66
32 259 003		60
32 294 002		39
32 294 DC2		39
32 321 002		66
32 321 A02		66
32 321 AL2		66
32 321 DA2		66
32 321 DC2		66
32 321 DL2		66
32 321 GN2	8	64
32 322 002		66
32 322 A02		66
32 322 AL2		66
32 322 DA2		66
32 322 DC2		66
32 322 DL2		66
32 467 002	16	192
32 467 003	11	132
32 468 003	16	192
32 468 20E	16	192
32 469 20E		176
32 482 003	9	54
32 488 000	8	64
32 488 A00		64
32 488 AL0	8	64
32 488 DA0	8	64
32 488 DC0		72
32 488 DL0		72
32 553 002		39
32 553 DC2		39
32 612 003		128
32 612 AL3		148
32 612 DC3		148
32 618 003		20
32 618 AL3		20
32 618 DC3		20
32 629 002		67
32 659 001		108
32 661 003		60
32 661 DC3		60
32 663 003		66
32 663 DC3		66
32 667 001		60
32 708 00A		50
32 734 000	16	192
32 740 000	12	144
32 742 000		60
32 743 000	6	96
32 747 000		60
32 750 000		108
32 752 000		96
32 757 001		39
32 757 A01		39
32 757 DL1		39
32 757 GN1		39
32 762 000	16	192
32 763 000	16	192
32 765 000		128
32 766 000		128
32 767 000		92
32 768 000		92
32 770 000		92
32 771 000		92
32 772 000		63
32 773 000		63
32 774 000		92
32 775 000		60
32 776 000		92
32 778 000		92
32 779 000		92
32 786 000		96
32 787 000		108
32 788 000		128
32 789 000		128
32 790 000		128
32 792 000		40
32 793 000		60
32 795 000		69
32 823 000		63
32 824 000	16	192
32 825 00E	16	192
32 826 001		51
32 826 A01		51
32 826 DL1		51
32 826 GN1		51
32 827 00E	16	192
32 830 001		67
32 831 000	6	96
32 832 000		60
32 837 000	6	96
32 838 000	6	96
32 839 000	16	192
32 840 000	16	192
32 842 000		108
32 843 002		60
32 843 20E		60
32 843 DC2		60
32 846 001		51
32 846 A01		51
32 846 DL1		51
32 846 GN1		51
32 847 000		50
32 858 000	16	192
32 881 000	16	192
32 882 000	16	192
32 899 001	14	168
32 917 000	8	64
32 917 A00	8	64
32 917 AL0	8	64
32 917 DA0	8	64
32 917 DC0		72
32 917 DL0	8	64
32 917 GN0		74
32 917 KS0	8	64
32 918 000	8	64
32 918 00E		72
32 918 DC0		72
32 926 003	11	132
32 927 003	8	128
32 928 003	8	128
32 929 002	16	192
32 929 003	8	128
32 934 001	16	192
32 950 000		17
32 950 DC0		17
32 955 000	10	120

33

Product no.	Carton	Pallet
33 161 002	16	192
33 163 003		128
33 178 20E		150
33 188 002	16	192
33 188 003	8	128
33 190 20E		160
33 202 003		60
33 241 003		39
33 241 AL3		39
33 241 DC3		39
33 244 002		200
33 265 003	11	132
33 281 003		158
33 281 30E		158
33 281 DC3		158
33 300 002	6	96
33 300 003	6	96
33 302 003	9	54
33 305 002		60
33 390 002		92
33 395 002		48
33 547 003		56
33 552 20E	16	192
33 553 003		66
33 553 AL3		66
33 553 DC3		66
33 555 002	12	144
33 555 003	12	144
33 556 002		60
33 557 003	16	192
33 557 20E	16	192
33 558 003	16	192
33 558 LS3	16	192
33 561 002	10	120
33 565 002	10	120
33 565 003	16	192
33 565 LS3	16	192
33 566 002	10	120
33 569 002		115
33 577 003		49
33 577 AL3		49
33 577 DC3		49
33 590 002	6	96
33 591 002	6	96
33 591 003	6	72
33 591 LS3	6	96
33 592 30A		60
33 635 003		60
33 637 003		60
33 770 001	11	66
33 770 002	4	48
33 772 002		115
33 848 001		200
33 848 AL1		150
33 848 DC1		150
33 849 001		92
33 849 AL1		72
33 849 DC1		72
33 865 001		115
33 865 AL1		96
33 865 DC1		115

34

Product no.	Carton	Pallet
34 169 001		96
34 174 001		80
34 482 001		16
34 487 000		888

GROHE
PACKAGING INDEX

Product no.	Carton	Pallet
34 488 000		115
34 491 000		60
34 497 000		80
34 502 000		48
34 558 000	8	128
34 565 001	8	32
34 566 001	8	32
34 567 000	5	80
34 576 000		92
34 665 000		80
34 666 000		88
34 667 000		115
34 681 000		115
34 705 000		8
34 706 000		8
34 718 000		58
34 719 000		58
34 720 000		10
34 721 000		10
34 726 000		12
34 727 000		12
34 728 000		12
34 729 000		12
34 730 000		12
34 731 000		12
34 732 000		12
34 734 000		12
34 735 000		12
34 741 000		8
34 742 000		12
34 744 000		12
34 765 000		162
34 766 000		92
34 767 000		180
34 768 000		24
34 769 000		16
34 776 000	8	128
34 779 000	8	96
34 783 000	6	24
34 784 000	4	16
34 793 000	10	120
34 794 000	10	120
34 796 000	8	32
34 797 000	8	32
34 804 000		8
34 813 001		198
34 814 003	8	128
34 816 003	8	96
34 819 004	6	24
34 820 004	6	24
34 823 003	8	96
34 824 004	4	16
34 825 001	6	24
34 827 000	8	128
34 828 000	8	128
34 830 000	8	96
34 831 000	8	96
34 834 000	6	24
34 835 000	4	16
34 836 000	6	24

35

Product no.	Carton	Pallet
35 028 000		387
35 085 000		36
35 087 000		36
35 107 000		396
35 500 000		60

36

Product no.	Carton	Pallet
35 604 000		96
36 015 001		84
36 016 001		128
36 194 000		270
36 207 001		84
36 208 001		128
36 209 000		3920
36 233 000		72
36 249 000		56
36 264 001		60
36 265 000	24	270
36 266 000	26	270
36 267 000	33	528
36 268 000	33	270
36 269 000		200
36 271 000		200
36 272 000		200
36 273 000		156
36 274 000		128
36 276 000		360
36 315 000		156
36 316 000	30	960
36 317 000	16	192
36 318 000	16	192
36 320 000	14	112
36 321 000	12	144
36 322 001		60
36 325 002		157
36 327 001		160
36 327 002		157
36 330 002		157
36 331 001		160
36 332 000		35
36 333 000		37
36 334 SD0		156
36 335 SD0		156
36 336 001		60
36 337 001		60
36 338 000		624
36 339 001		60
36 340 000		264
36 341 000		264
36 376 000		156
36 384 000		51
36 386 001		51
36 407 001		140
36 409 000		200
36 410 000		156
36 412 000		156
36 414 000		39
36 415 000		156
36 416 001		64
36 421 001		157
36 422 001		157
36 439 001		157
36 440 000		60
36 441 000		60
36 441 AL0		60
36 441 DC0		60
36 442 000		126
36 444 000		60
36 445 000		60
36 445 A00		60
36 445 AL0		60
36 445 DA0		60
36 445 DC0		60
36 445 DL0		60
36 445 GL0		60
36 445 GN0		60
36 446 000		60
36 447 000		72
36 451 000		157
36 452 000		157
36 453 000		157
36 454 000		35
36 455 000		39
36 456 000		144
36 457 000		39
36 458 000		64
36 459 000		64
36 463 000		144
36 464 000		64

37

Product no.	Carton	Pallet
37 035 000		150
37 038 000		150
37 039 000		150
37 040 000		150
37 042 000		150
37 044 000	140	2240
37 048 000		48
37 059 000		100
37 060 000		216
37 063 000		430
37 063 SH0		626
37 086 PI0		200
37 088 PI0		200
37 092 000		252
37 095 000		252
37 100 SH0		200
37 102 SH0		200
37 103 SH0	40	360
37 104 K00		240
37 105 K00		600
37 107 000		400
37 108 000		150
37 112 000		50
37 115 PI0		200
37 117 PI0		150
37 119 000	200	
37 131 000	50	1200
37 132 000	100	1200
37 135 000		150
37 139 000	50	600
37 141 000	50	1200
37 153 000		48
37 157 000		48
37 304 000		160
37 311 K00		200
37 321 001		144
37 321 SD1		144
37 321 SH1		144
37 324 001		144
37 324 SD1		120
37 336 001		126
37 337 001		144
37 338 000		115
37 339 000	27	324
37 342 000	27	480
37 345 000	30	360
37 346 000	27	324
37 347 000	9	162
37 349 000	10	162
37 355 SH0		40
37 396 000	24	288
37 419 000		66
37 419 SD0		66
37 421 000		270
37 426 000		126
37 427 000		270
37 428 000		270
37 489 000		600
37 497 PI0		140
37 503 000		126
37 504 000		45
37 535 000		240
37 535 A00		240
37 535 AL0		240
37 535 BE0		240
37 535 DA0		240
37 535 DC0		240
37 535 DL0		240
37 535 EN0		240
37 535 GL0		240
37 535 GN0		240
37 535 P00		240
37 535 SH0		240
37 547 000		430
37 547 P00		450
37 547 SH0		430
37 601 000		240
37 601 A00		240
37 601 AL0		240
37 601 BE0		240
37 601 DA0		240
37 601 DC0		240
37 601 DL0		240
37 601 EN0		240
37 601 GL0		240
37 601 GN0		240
37 601 P00		240
37 601 SH0		240
37 624 000		240
37 624 A00		240
37 624 AL0		240
37 624 BE0		240
37 624 DA0		240
37 624 DC0		240
37 624 DL0		240
37 624 EN0		240
37 624 GL0		240
37 624 GN0		240
37 624 P00		240
37 624 SH0		240
37 751 001		270
37 965 000		240
37 973 000		240
37 973 DC0		240
37 973 P00		240
37 973 SH0		240
37 998 000		60

38

Product no.	Carton	Pallet
38 338 000		800
38 393 SD1		84
38 415 001		12
38 422 000		35
38 445 SD0		430
38 505 000		240
38 505 KF0		240
38 505 KV0		240
38 505 P00		240
38 505 SH0		240
38 506 000		240
38 506 P00		240
38 506 SH0		240
38 517 001		12
38 525 001		10
38 526 000		12
38 528 001		11
38 536 001		11
38 539 001		11
38 541 000		12
38 543 000		12
38 544 000		11
38 545 000		11
38 546 000		11
38 553 001		11
38 554 001		12
38 557 001		12
38 558 00M	20	700
38 559 001		25
38 562 001		72
38 564 000		140
38 564 SH0		140
38 565 000		200
38 565 SH0		140
38 573 000		240
38 573 SH0		240
38 574 000		240
38 581 001		8
38 584 001		8
38 587 000		12
38 618 000		12
38 624 001		11
38 625 001		8
38 629 000		50
38 636 001		35
38 642 001		13
38 643 001		13
38 661 000		20
38 672 SD0		240
38 675 001		8
38 691 000		35
38 698 SD1		96
38 699 001		50
38 722 001		11
38 732 000		240
38 732 A00		240
38 732 AL0		240
38 732 BE0		240
38 732 BR0		240
38 732 DA0		240
38 732 DC0		240
38 732 DL0		240
38 732 EN0		240
38 732 GL0		240
38 732 GN0		240
38 732 KF0		240
38 732 P00		240
38 732 SD0		240
38 732 SH0		240
38 733 000	25	400
38 735 000		200
38 736 000		220
38 748 002		11
38 750 001		11
38 759 SD0		96
38 765 000		240
38 765 KV0		240
38 765 P00		240
38 765 SH0		240
38 771 000		500
38 772 001		11

GROHE
PACKAGING INDEX

Product no.	Carton	Pallet
38 776 SD0		240
38 779 000		200
38 784 000		40
38 784 P00		40
38 784 SD0		40
38 785 000		12
38 786 001		11
38 787 000		120
38 796 000		100
38 803 001		11
38 804 000		40
38 805 000		100
38 808 000		800
38 808 P00		40
38 808 SH0		500
38 809 000		200
38 821 000		200
38 827 000		11
38 844 000		240
38 844 KV0		200
38 844 P00		240
38 844 SH0		240
38 845 KS0		140
38 845 LS0		140
38 845 MF0		200
38 846 KS0		200
38 846 LS0		200
38 857 000		40
38 857 P00		40
38 857 SH0		40
38 858 000		240
38 858 P00		240
38 858 SH0		240
38 861 000		240
38 862 000		240
38 862 P00		200
38 862 SD0		200
38 862 SH0		240
38 882 000	28	2240
38 915 KS0		100
38 915 LS0		100
38 916 0A0		180
38 934 SD0		60
38 957 000	10	400
38 987 000		20
38 994 000		11

39

Product no.	Carton	Pallet
39 002 000		11
39 052 000		12
39 062 001		8
39 111 SH0		4
39 140 000		5
39 141 000		69
39 165 000		13
39 201 000		30
39 202 000		20
39 206 000		12
39 206 00H		12
39 208 000		12
39 208 00H		12
39 245 00H		12
39 300 000		20
39 301 000		20
39 302 000		20
39 306 000		20
39 323 000		12
39 323 00H		12
39 324 000		27
39 324 00H		27
39 325 000		30
39 327 000		36
39 327 00H		36
39 328 000		12
39 328 00H		12
39 330 001	7	84
39 331 001	7	84
39 332 000		24
39 333 000		18
39 335 000		12
39 335 00H		12
39 336 000		14
39 336 00H		14
39 337 000		18
39 337 00H		12
39 338 000		6
39 338 00H		6
39 339 000		12
39 339 00H		12
39 340 000		12
39 340 00H		12
39 346 000		4
39 347 000		4
39 349 000		9
39 351 000		12
39 354 SH1		2
39 367 000		36
39 368 000		105
39 369 000		50
39 374 KS0		5
39 374 LS0		5
39 376 000		11
39 383 000	10	50
39 386 00H		10
39 420 000		18
39 421 000		12
39 422 000		21
39 423 000		18
39 424 000		27
39 425 000		30
39 426 000		30
39 427 000		12
39 428 000		9
39 429 000		9
39 430 000		12
39 431 000		12
39 432 000		12
39 433 000		12
39 436 000		60
39 437 000		24
39 438 000		12
39 439 000		12
39 440 000		21
39 453 000		80
39 454 000		48
39 457 000		200
39 462 000		4
39 462 00H		4
39 469 00H		10
39 473 00H		16
39 474 00H		18
39 475 00H		10
39 476 00H		10
39 477 00H		16
39 478 00H		18
39 479 00H		16
39 480 00H		18
39 481 00H		20
39 482 00H		24
39 483 00H		22
39 484 00H		6
39 488 000	7	84
39 490 000		24
39 491 000		12
39 492 000	7	84
39 493 000	7	84
39 494 000		24
39 495 000		4
39 496 000		4
39 501 000		11
39 504 000		11
39 538 000		12
39 551 000		42
39 554 000		6
39 564 00H		12
39 565 00H		16
39 566 00H		8
39 567 00H		12
39 568 00H		16
39 570 000		33
39 571 00H		12
39 572 00H		6
39 573 00H		8
39 574 00H		16
39 575 00H		8
39 577 000	7	84
39 578 000		24
39 579 000		24
39 584 00H		12
39 585 00H		8
39 596 000		8
39 597 000		8
39 598 000		8
39 600 000		8
39 603 000		8
39 608 00H		22
39 609 00H		30
39 611 000		1
39 617 000		12
39 620 00H		12
39 622 000		1
39 648 SH0		32
39 651 SH0		4
39 652 SH0		4
39 682 000		22
39 683 000		16
39 687 000		11
39 693 000		6
39 699 000	18	720
39 703 000		8
39 729 000		1
39 732 000		200
39 733 000		180
39 750 001		11
39 806 000		45
39 807 000		35
39 808 000		24
39 809 000		12
39 810 000		18
39 811 000		6
39 812 000		51
39 813 000	7	168
39 860 000		240
39 861 000		54
39 881 000		60
39 881 KF0		55
39 881 SH0		60
39 882 000		60
39 882 KF0		60
39 882 SH0		60
39 898 000	7	126
39 910 000		16
39 911 000		60
39 912 000		60
39 913 000		72
39 940 000		11
39 958 00H		27
39 966 00H		26
39 980 KS0		5
39 980 LS0		5

40

Product no.	Carton	Pallet
40 206 000		82
40 207 000		512
40 278 001	42	504
40 278 A01	42	504
40 278 DL1	42	504
40 278 GN1	42	504
40 279 001	28	336
40 279 A01	28	336
40 279 DL1	28	336
40 279 GN1	28	336
40 284 001	56	896
40 284 A01	56	896
40 284 DL1	56	896
40 284 GN1	56	896
40 339 001	27	162
40 339 A01	27	162
40 339 DL1	27	162
40 339 GN1	27	162
40 340 001	5	30
40 340 A01	5	30
40 340 DL1	5	30
40 340 GN1	5	30
40 341 001	20	160
40 341 A01	20	160
40 341 DL1	20	160
40 341 GN1	20	160
40 342 001	20	160
40 342 A01	20	160
40 342 DL1	20	160
40 342 GN1	20	160
40 344 001	10	40
40 344 DC1	10	40
40 364 001	70	1120
40 364 A01	70	1120
40 364 AL1	70	1120
40 364 BE1	70	1120
40 364 DA1	70	1120
40 364 DC1	70	1120
40 364 DL1	70	1120
40 364 EN1	70	1120
40 364 GL1	70	1120
40 364 GN1	70	1120
40 365 001	18	216
40 365 A01	18	216
40 365 AL1	18	216
40 365 BE1	18	216
40 365 DA1	18	216
40 365 DC1	18	216
40 365 DL1	18	216
40 365 EN1	18	216
40 365 GL1	18	216
40 365 GN1	18	216
40 366 001	24	192
40 366 A01	24	192
40 366 AL1	24	192
40 366 BE1	24	192
40 366 DA1	24	192
40 366 DC1	24	192
40 366 DL1	24	192
40 366 EN1	24	192
40 366 GL1	24	192
40 366 GN1	24	192
40 367 001	24	384
40 367 A01	24	384
40 367 AL1	24	384
40 367 BE1	24	384
40 367 DA1	24	384
40 367 DC1	24	384
40 367 DL1	24	384
40 367 EN1	24	384
40 367 GL1	24	384
40 367 GN1	24	384
40 368 001	60	720
40 369 001	50	800
40 369 A01	50	800
40 369 AL1	50	800
40 369 BE1	50	800
40 369 DA1	50	800
40 369 DC1	50	800
40 369 DL1	50	800
40 369 EN1	50	800
40 369 GL1	50	800
40 369 GN1	50	800
40 371 001	20	240
40 371 A01	20	240
40 371 AL1	20	240
40 371 BE1	20	240
40 371 DA1	20	240
40 371 DC1	20	240
40 371 DL1	20	240
40 371 EN1	20	240
40 371 GL1	20	240
40 371 GN1	20	240
40 372 001	75	900
40 374 001	7	56
40 374 A01	7	56
40 374 AL1	7	56
40 374 BE1	7	56
40 374 DA1	7	56
40 374 DC1	7	56
40 374 DL1	7	56
40 374 EN1	7	56
40 374 GL1	7	56
40 374 GN1	7	56
40 385 001	24	288
40 385 A01	24	288
40 385 AL1	24	288
40 385 BE1	24	288
40 385 DA1	24	288
40 385 DC1	24	288
40 385 DL1	24	288
40 385 EN1	24	288
40 385 GL1	24	288
40 385 GN1	24	288
40 386 001	25	100
40 386 A01	25	100
40 386 AL1	25	100
40 386 BE1	25	100
40 386 DA1	25	100
40 386 DC1	25	100
40 386 DL1	25	100
40 386 EN1	25	100
40 386 GL1	25	100

GROHE
PACKAGING INDEX

Product no.	Carton	Pallet
40 386 GN1	25	100
40 392 000		280
40 392 DC0	25	300
40 393 000		320
40 394 001	21	336
40 394 A01	21	336
40 394 AL1	21	336
40 394 BE1	21	336
40 394 DA1	21	336
40 394 DC1	21	336
40 394 DL1	21	336
40 394 EN1	21	336
40 394 GL1	21	336
40 394 GN1	21	336
40 402 000	24	432
40 404 001		296
40 405 001		140
40 407 001	6	48
40 407 DC1	6	48
40 412 001		147
40 421 001	24	288
40 421 A01	24	288
40 421 AL1	24	288
40 421 BE1	24	288
40 421 DA1	24	288
40 421 DC1	24	288
40 421 DL1	24	288
40 421 EN1	24	288
40 421 GL1	24	288
40 421 GN1	24	288
40 422 000		162
40 423 000		100
40 430 001		200
40 432 000		32
40 434 001		480
40 437 000		60
40 438 001		120
40 444 001	24	288
40 444 DC1	24	288
40 444 EN1	24	288
40 447 001	32	384
40 447 DC1	32	384
40 447 EN1	32	384
40 448 001	18	288
40 448 DC1	18	288
40 448 EN1	18	288
40 452 000		1100
40 457 001	40	480
40 459 001	20	240
40 460 001	28	168
40 461 001	70	1120
40 462 001	6	24
40 463 001	7	56
40 507 001	40	480
40 507 AL1		320
40 507 DC1		320
40 508 001	57	912
40 508 AL1		960
40 508 DC1		960
40 509 001	21	168
40 509 AL1		54
40 509 DC1		54
40 510 001	34	272
40 510 AL1		272
40 510 DC1		272
40 511 001	70	1120
40 511 AL1	70	1120
40 511 DC1	70	1120
40 512 001	7	28
40 512 AL1		28
40 512 DC1		28
40 513 001	7	56
40 513 AL1	6	36
40 513 DC1	6	36
40 514 001	15	180
40 514 AL1		240
40 514 DC1		240
40 535 000	18	216
40 535 A00	18	216
40 535 AL0	18	216
40 535 BE0	18	216
40 535 DA0	18	216
40 535 DC0	18	216
40 535 DL0	18	216
40 535 GL0	18	216
40 535 GN0	18	216
40 536 000	18	216
40 536 DC0	18	216
40 537 000	18	216
40 547 001		296
40 564 000		192
40 564 A00		144
40 564 AL0		144
40 564 DC0		144
40 565 000		1120
40 565 AL0	20	480
40 565 DC0	20	480
40 575 002		296
40 578 000		1000
40 585 001	72	864
40 623 001	60	960
40 623 AL1		960
40 623 DC1		960
40 624 001	21	252
40 624 AL1		240
40 624 DC1		252
40 635 000	15	240
40 636 SD0	120	1440
40 652 001	90	720
40 652 EN1	90	720
40 653 001	24	144
40 653 EN1	24	144
40 654 001	20	80
40 654 EN1	20	80
40 655 001	24	144
40 655 EN1	24	144
40 656 001	70	1120
40 656 EN1	70	1120
40 657 001	30	480
40 657 EN1	30	480
40 658 001	7	56
40 658 EN1	7	56
40 659 001	60	480
40 659 EN1	60	480
40 660 001	6	24
40 660 EN1	6	24
40 663 001	24	144
40 664 001	24	288
40 684 000		1725
40 684 DC0		1725
40 688 001	20	240
40 688 A01	20	240
40 688 AL1	20	240
40 688 BE1	20	240
40 688 DA1	20	240
40 688 DC1	20	240
40 688 DL1	20	240
40 688 EN1	20	240
40 688 GL1	20	240
40 688 GN1	20	240
40 689 001	24	384
40 689 A01	24	384
40 689 AL1	24	384
40 689 BE1	24	384
40 689 DA1	24	384
40 689 DC1	24	384
40 689 DL1	24	384
40 689 EN1	24	384
40 689 GL1	24	384
40 689 GN1	24	384
40 691 002		224
40 694 000	120	1440
40 696 000	14	112
40 711 001		4
40 754 001	24	288
40 755 001	32	384
40 756 001	18	288
40 757 001	6	48
40 758 001	7	42
40 766 000	24	576
40 767 000		256
40 768 000	16	192
40 775 001	10	40
40 775 DC1	10	40
40 775 EN1	10	40
40 776 001	10	40
40 776 DC1	10	40
40 777 001	7	42
40 778 001	7	42
40 781 000		240
40 782 000		240
40 783 000	30	360
40 784 000		200
40 791 001	125	1000
40 791 KS1	125	1000
40 793 001	15	120
40 793 DC1	15	120
40 794 001	15	90
40 794 DC1	15	90
40 797 001	5	10
40 799 001	10	80
40 799 DC1	10	80
40 800 001	6	24
40 800 A01	6	24
40 800 AL1	6	24
40 800 BE1	6	24
40 800 DA1	6	24
40 800 DC1	6	24
40 800 DL1	6	24
40 800 EN1	6	24
40 800 GL1	6	24
40 800 GN1	6	24
40 802 001	15	120
40 802 A01	15	120
40 802 AL1	15	120
40 802 BE1	15	120
40 802 DA1	15	120
40 802 DC1	15	120
40 802 DL1	15	120
40 802 EN1	15	120
40 802 GL1	15	120
40 802 GN1	15	120
40 804 000	6	36
40 805 000	36	324
40 806 000	40	960
40 807 000	8	224
40 808 000		120
40 809 000	12	240
40 824 000		1000
40 841 001		200
40 843 000		189
40 846 001	8	64
40 847 001	8	64
40 848 AL0	28	336
40 848 DL0	28	336
40 848 GN0	28	336
40 848 SD0	28	336
40 855 000		8
40 857 000	10	40
40 865 000	30	378
40 867 000	12	144
40 868 000	35	210
40 870 000	60	900
40 876 000		100
40 877 000		17
40 878 000		13
40 880 001		102
40 881 001		102
40 882 000	80	960
40 883 000	60	720
40 884 000	50	800
40 884 AL0	50	800
40 884 DA0	50	800
40 884 DC0	50	800
40 884 GL0	50	800
40 885 000	40	480
40 885 AL0	40	480
40 885 DA0	40	480
40 885 DC0	40	480
40 885 GL0	40	480
40 886 000	30	480
40 886 AL0	30	480
40 886 DA0	30	480
40 886 DC0	30	480
40 886 GL0	30	480
40 887 000	34	204
40 887 AL0	34	204
40 887 DA0	34	204
40 887 DC0	34	204
40 887 GL0	34	204
40 888 000	28	224
40 888 AL0	28	224
40 888 DA0	28	224
40 888 DC0	28	224
40 888 GL0	28	224
40 889 000	42	168
40 889 AL0	42	168
40 889 DA0	42	168
40 889 DC0	42	168
40 889 GL0	42	168
40 890 000	70	1120
40 890 AL0	70	1120
40 890 DA0	70	1120
40 890 DC0	70	1120
40 890 GL0	70	1120
40 891 000	40	480
40 891 AL0	40	480
40 891 DA0	40	480
40 891 DC0	40	480
40 891 GL0	40	480
40 892 000	7	56
40 892 AL0	7	56
40 892 DA0	7	56
40 892 DC0	7	56
40 892 EN0	7	56
40 892 GL0	7	56
40 893 000		256
40 895 000		96
40 896 000		90
40 897 000		600
40 899 000		48
40 900 000	1	12
40 906 000		72
40 908 000	36	432
40 908 IG0	36	432
40 909 000	16	256
40 909 IG0	16	256
40 910 000	12	192
40 910 IG0	12	192
40 911 000		168
40 915 000	375	3000
40 923 000	16	256
40 923 IG0	16	256
40 928 000	15	120
40 928 IG0	15	120
40 929 000	20	320
40 929 IG0	22	320
40 930 000	72	1440
40 930 IG0	72	1440
40 946 000	18	72
40 946 IG0	18	72
40 949 000		60
40 950 000		190
40 951 000		120
40 951 DC0		120
40 952 000		180
40 954 000		400
40 955 001	14	224
40 955 A01	14	224
40 955 DL1	14	224
40 955 GN1	14	224
40 956 001	8	128
40 956 A01	8	128
40 956 DL1	8	128
40 956 GN1	8	128
40 960 000	16	256
40 960 IG0	16	256
40 962 000	30	1200
40 963 001	20	320
40 963 A01	20	320
40 963 DL1	20	320
40 963 GN1	20	320
40 964 001	72	1152
40 965 001	8	64
40 965 A01	8	64
40 965 DL1	8	64
40 965 GN1	8	64
40 966 001	10	120
40 966 A01	10	120
40 966 DL1	10	120
40 966 GN1	10	120
40 967 001	6	72
40 967 A01	6	72
40 967 DL1	6	72
40 967 GN1	6	72
40 986 SD0	18	60
40 993 000	15	180

41

41 001 000		2160
41 007 000	45	1200
41 010 000		100
41 015 000		1000
41 020 000		540
41 022 000		576

GROHE
PACKAGING INDEX

Product no.	Carton	Pallet
41 027 000	70	1120
41 027 A00	70	1120
41 027 AL0	70	1120
41 027 BE0	70	1120
41 027 DA0	70	1120
41 027 DC0	70	1120
41 027 DL0	70	1120
41 027 EN0	70	1120
41 027 GL0	70	1120
41 027 GN0	70	1120
41 028 000	24	288
41 028 A00	24	288
41 028 AL0	24	288
41 028 BE0	24	288
41 028 DA0	24	288
41 028 DC0	24	288
41 028 DL0	24	288
41 028 EN0	24	288
41 028 GL0	24	288
41 028 GN0	24	288
41 029 000	80	960
41 030 000		960
41 031 000	20	1000
41 033 000	20	800
41 035 000	24	384
41 035 A00	24	384
41 035 AL0	24	384
41 035 BE0	24	384
41 035 DA0	24	384
41 035 DC0	24	384
41 035 DL0	24	384
41 035 EN0	24	384
41 035 GL0	24	384
41 035 GN0	24	384
41 036 000	18	288
41 037 000	30	360
41 038 000	12	144
41 038 A00	12	144
41 038 AL0	12	144
41 038 BE0	12	144
41 038 DA0	12	144
41 038 DC0	12	144
41 038 DL0	12	144
41 038 EN0	12	144
41 038 GL0	12	144
41 038 GN0	12	144
41 039 000	70	1120
41 039 A00	70	1120
41 039 AL0	70	1120
41 039 BE0	70	1120
41 039 DA0	70	1120
41 039 DC0	70	1120
41 039 DL0	70	1120
41 039 EN0	70	1120
41 039 GL0	70	1120
41 039 GN0	70	1120
41 040 000		800
41 043 000		640
41 049 000	70	1120
41 049 A00	70	1120
41 049 AL0	70	1120
41 049 BE0	70	1120
41 049 DA0	70	1120
41 049 DC0	70	1120
41 049 DL0	70	1120
41 049 EN0	70	1120
41 049 GL0	70	1120
41 049 GN0	70	1120
41 050 000		120
41 056 000	15	120
41 056 A00	15	120
41 056 AL0	15	120
41 056 BE0	15	120
41 056 DA0	15	120
41 056 DC0	15	120
41 056 DL0	15	120
41 056 EN0	15	120
41 056 GL0	15	120
41 056 GN0	15	120
41 057 000		200
41 058 000	18	72
41 058 A00	18	72
41 058 AL0	18	72
41 058 BE0	18	72
41 058 DA0	18	72
41 058 DC0	18	72
41 058 DL0	18	72
41 058 EN0	18	72
41 058 GL0	18	72
41 058 GN0	18	72
41 059 000	21	252
41 059 A00	21	252
41 059 AL0	21	252
41 059 BE0	21	252
41 059 DA0	21	252
41 059 DC0	21	252
41 059 DL0	21	252
41 059 EN0	21	252
41 059 GL0	21	252
41 059 GN0	21	252
41 063 000	20	240
41 063 A00	20	240
41 063 AL0	20	240
41 063 BE0	20	240
41 063 DA0	20	240
41 063 DC0	20	240
41 063 DL0	20	240
41 063 EN0	20	240
41 063 GL0	20	240
41 063 GN0	20	240
41 064 000	8	128
41 064 A00	8	128
41 064 AL0	8	128
41 064 BE0	8	128
41 064 DA0	8	128
41 064 DC0	8	128
41 064 DL0	8	128
41 064 EN0	8	128
41 064 GL0	8	128
41 064 GN0	8	128
41 066 000	3	18
41 066 A00	3	18
41 066 AL0	3	18
41 066 BE0	3	18
41 066 DA0	3	18
41 066 DC0	3	18
41 066 DL0	3	18
41 066 EN0	3	18
41 066 GL0	3	18
41 066 GN0	3	18
41 067 000	24	384
41 067 A00	24	384
41 067 AL0	24	384
41 067 BE0	24	384
41 067 DA0	24	384
41 067 DC0	24	384
41 067 DL0	24	384
41 067 EN0	24	384
41 067 GL0	24	384
41 067 GN0	24	384
41 068 000	36	576
41 068 A00	36	576
41 068 AL0	36	576
41 068 BE0	36	576
41 068 DA0	36	576
41 068 DC0	36	576
41 068 DL0	36	576
41 068 EN0	36	576
41 068 GL0	36	576
41 068 GN0	36	576
41 069 000	36	576
41 069 A00	36	576
41 069 AL0	36	576
41 069 BE0	36	576
41 069 DA0	36	576
41 069 DC0	36	576
41 069 DL0	36	576
41 069 EN0	36	576
41 069 GL0	36	576
41 069 GN0	36	576
41 070 000	20	1000
41 073 000		1000
41 076 000	8	48
41 076 A00	8	48
41 076 AL0	8	48
41 076 BE0	8	48
41 076 DA0	8	48
41 076 DC0	8	48
41 076 DL0	8	48
41 076 EN0	8	48
41 076 GL0	8	48
41 076 GN0	8	48
41 077 000	12	72
41 077 A00	12	72
41 077 AL0	12	72
41 077 BE0	12	72
41 077 DA0	12	72
41 077 DC0	12	72
41 077 DL0	12	72
41 077 EN0	12	72
41 077 GL0	12	72
41 077 GN0	12	72
41 082 000		480
41 125 000	100	300
41 126 000		1960
41 130 000	20	400
41 133 000	50	100
41 154 000		400
41 190 000		960
41 206 000		120
41 208 000		167
41 212 000		160
41 215 KF0		48
41 216 KF0	70	1120
41 217 KF0	70	1120
41 218 KF0	24	288
41 219 KF0	20	240
41 220 KF0	36	576
41 230 000	50	450
41 231 000	50	400
41 238 000		2160
41 239 000	50	400
41 263 000		1960
41 270 000	50	300
41 275 000	20	1000
41 827 000		2160

42

Product no.	Carton	Pallet
42 041 000		120
42 137 000		200
42 177 00M		800
42 216 000		160
42 233 000		800
42 242 000		600
42 253 000		200
42 265 000		200
42 297 PI0		128
42 315 000		1000
42 320 000		200
42 327 000		150
42 333 000		600
42 388 000		1155
42 393 000		1400
42 397 000		300
42 408 000		3920
42 459 000		105
42 593 000		300
42 766 000		320
42 773 000		600
42 774 000		200
42 886 000		183
42 901 000		72
42 902 000		100
42 946 000		200

43

Product no.	Carton	Pallet
43 352 000		300
43 486 000	50	300
43 537 000		500
43 542 000		300
43 544 000		1400
43 545 000		200
43 733 000		250
43 745 000		1000
43 758 00M		150
43 818 000		200
43 907 PI0	20	120
43 908 000		210
43 959 000		250
43 976 000		150
43 996 000		220
43 997 000		120

45

Product no.	Carton	Pallet
45 058 000		560
45 120 000		800
45 202 000		200
45 203 000		742
45 247 000		4900
45 304 000		1485
45 342 000		1485
45 346 000		1485
45 459 000		1725
45 650 IP0		1000
45 704 000		560
45 869 000		510
45 882 000		3600
45 883 000		3920
45 885 000		2100
45 914 XE0		400
45 937 000		6720
45 951 000		1540
45 956 000		1540
45 959 000		1540
45 964 000		4800
45 965 000		6400
45 966 000		2970
45 967 000		2970
45 968 000		2970
45 969 000		2970
45 978 000		6000
45 984 001		60

46

Product no.	Carton	Pallet
46 048 000		2100
46 058 000		1088
46 191 000		1344
46 249 000		1960
46 257 000		630
46 259 000		800
46 277 000		3920
46 278 000		1960
46 308 000		4900
46 343 000		1725
46 345 000		1280
46 374 000		1960
46 375 000		6300
46 409 000		1960
46 558 000		1960
46 580 000		1960
46 589 000		960
46 627 000		1400
46 645 000		1960
46 686 000		700
46 687 000		560
46 688 000		560
46 689 000		100
46 710 000	25	800
46 717 000		560
46 731 000		560
46 765 000	30	960
46 769 000		1200
46 837 000	30	960
46 857 000		784
46 858 000		1000
46 858 DC0		1020
46 863 000	30	960
46 882 00M		300
46 895 000		3920
46 895 AL0		1000
46 895 DC0		3920
46 901 000		576
46 907 000		1960
46 920 000		1960
46 920 AL0		1960
46 920 DC0		1960
46 925 000		1400
46 925 DC0		1400
46 943 000	50	300
46 944 001		270
46 947 000		1960
46 947 AL0		1960
46 947 DC0		1960
46 956 000		224
46 956 DC0		400
46 963 000		1000
46 977 00M		44
46 978 000		80
46 978 001		18
46 979 000		72
46 989 000		1960

47

Product no.	Carton	Pallet
47 010 000		1000

GROHE
PACKAGING INDEX

Product no.	Carton	Pallet
47 012 000		1000
47 019 000		192
47 111 000		800
47 175 000		700
47 186 000		700
47 189 000		1960
47 217 000		720
47 220 000		800
47 310 000		1000
47 349 000		1960
47 364 000		1960
47 439 000		1120
47 450 000		2000
47 483 000		560
47 533 000		432
47 569 000		1400
47 780 000		1400
47 781 000		1400
47 979 000		3920
47 994 000	75	1350
48		
48 021 000	150	3000
48 051 000		3920
48 053 000		170
48 054 000		45
48 099 000		880
48 099 AL0		1100
48 099 DC0		1000
48 159 000		1250
48 159 AL0		4480
48 159 DC0	33	1056
48 166 000		260
48 177 000		1000
48 177 AL0		1000
48 177 DC0		1100
48 189 000	50	1600
48 190 000	50	1600
48 191 000	50	1600
48 194 000		1960
48 194 AL0		1960
48 194 DC0		1960
48 194 KF0		1960
48 194 KS0		1960
48 196 000		3920
48 196 DC0		3920
48 270 000		1500
48 279 000		1824
48 279 AL0		1400
48 293 000		300
48 297 000		1960
48 343 000		3920
48 343 AL0		1000
48 343 DC0		3920
48 343 KS0		1000
48 348 000		1960
48 349 000		50
48 350 000	1	18
48 359 000		600
48 370 000		3920
48 370 AL0		1000
48 370 DC0		3920
48 370 KS0		3920
48 376 000		3920
48 379 000		3920
48 379 DC0		1000
48 379 KS0		1000
48 384 000		980
48 405 000		1960
48 405 DC0		1960
48 407 000		1960
48 407 DC0		1960
48 416 000		1400
48 416 DC0		1400
48 417 000		3920
48 423 000		1260
48 425 AL0		800
48 425 DC0		800
48 442 000		560
48 444 000		560
48 444 AL0		560
48 444 DC0		560
48 445 000		560
48 445 AL0		560
48 445 DC0		560
48 449 000		1960
48 472 000		200
48 473 000		200
48 474 000		200
48 487 000		200
48 487 A00		200
48 487 AL0		200
48 487 BE0		200
48 487 DA0		200
48 487 DC0		200
48 487 DL0		200
48 487 EN0		200
48 487 GL0		200
48 487 GN0		200
48 488 000		176
48 497 000		18
48 498 000	1	180
48 499 000	1	180
48 514 000	1	180
48 515 000		45
48 518 000	30	960
48 522 000		3920
48 638 000		280
48 638 A00		280
48 638 AL0		280
48 638 DA0		280
48 638 DC0		280
48 638 DL0		280
48 638 GN0		280
48 639 000		280
48 639 A00		280
48 639 AL0		280
48 639 DA0		280
48 639 DC0		280
48 639 DL0		280
48 639 GN0		280
49		
49 003 000		1200
49 016 000		3600
49 018 000		10800
49 019 000		100
49 020 000		630
49 021 000		200
49 022 000		3520
49 023 000		100
49 024 000		200
49 025 000		3200
49 027 000		100
49 028 000		1400
49 061 000	15	120
49 065 000	15	120
49 066 000		100
49 084 000		2100
49 088 000		1960
49 113 000		80
49 113 SH0		80
49 114 000		105
49 115 000		150
49 119 000		204
49 120 000		204
49 174 000		700
49 175 000		700
49 509 000		1000
49 510 000		3200
49 512 000		4800
49 516 000		2000
49 518 000		1800
49 522 000	24	432
49 526 000		864
49 527 000		480
49 532 000		1050
49 533 000		109
49 534 000	24	109
49 538 000		1056
49 539 000		140
49 540 000		128
49 614 000	1	
64		
64 374 000		1000
64 374 DC0		1000
64 451 000	124	3968
64 508 001	24	480
65		
65 655 000		720
65 655 DC0		3840
65 807 000		480
65 807 A00		1280
65 807 AL0		1280
65 807 BE0		1280
65 807 DA0		1280
65 807 DC0		1280
65 807 DL0		1280
65 807 EN0		1280
65 807 GL0		1280
65 807 GN0		1280
65 807 LS0		720
65 808 000		320
66		
66 791 000		120

LIXIL MAKES BETTER HOMES
A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.

Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide. What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarat wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.


› WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.

lixil.com

LIXIL Link to Good Living











GROHE | American Standard | INAX | TOSTEM | SATO

Visit us:

PLEASE CONTACT OUR LOCAL REPRESENTATIVES BELOW:

ESTONIA:
Paavo Sedrik
Tel.: +372 505 1639
paavo.sedrik@grohe.com
www.grohe.ee

LATVIA:
Toms Irbens
Tel.: +371 2 6122223
toms.irbens@grohe.com
www.grohe.lv

LITHUANIA:
Aistė Stankevičienė
Tel.: +370 68773336
aiste.stankeviciene@grohe.com
www.grohe.lt

GROHE AG Eesti filiaal
Tartu mnt 16
10117 Tallinn
Estonia
Tel.: +372 661 6354
grohe@grohe.ee

EST_03/2023 - Copyright by GROHE

PART OF LIXIL