Pure Frende an Wasser THE FUTURE OF WATER ENJOYMENT GROHE NOVELTIES 2025 Discover our latest cutting-edge product highlights that bring quality, technology, design and sustainability to the next level.

CONTENT

04



GROHE MATTE BLACK




GROHE CUBEO

18



GROHE RAPIDO SHOWER FRAME

42



GROHE TEMPESTA

46



GROHE EUROECO

52



GROHE SENSIA PRO





1 | 26 689 2431 | Tempesta System 250 Cube shower system | with thermostat for wall mounting | 2 | 102 257 2430 | Essentials | Soap dispenser with holder | 33 265 2433 | Eurosmart | Basin mixer | S-Size | pop-up waste set | 3 | 26 164 2433 | Tempesta 110 | Wall holder set 2 sprays (Rain, Jet) | 33 300 2433 | Eurosmart | Single-lever bath mixer exposed | 4 | 102 465 2430 | Essentials | Toilet paper holder | 102 468 2430 | Essentials | Toilet brush set







PRODUCT OVERVIEW I GROHE EUROSMART







32 926 2433 I Basin mixer I S-Size I with pop-up waste set I SilkMove ES Cold Start



32 467 2433 | Basin mixer | S-Size | with smooth body
32 467 243L I for UK
23 922 2433 I with push-open popup waste set



grohe.com

23 922 2433 | Basin mixer | S-Size | with push-open pop-up waste set



23 968 2433 | Basin mixer | S-Size



23 124 2433 | Basin mixer | S-Size | with shower set



23 322 2433 | Basin mixer | M-Size | with pop-up waste set 23 324 2433 I smooth body



23 393 243E | Basin mixer | M-Size | with pop-up waste set | SilkMove ES Cold Start



29 338 2433 | Two-hole basin mixer | M-Size | wall mounted | projection 211 mm



23 975 2433 | Single-lever basin mixer | M-Size | 2-in-1 hybrid with touchless or manual operation



32 929 2433 | Bidet mixer | with pop-up waste set



23 971 2433 | Basin mixer | XL-Size | 33 300 2433 | Single-lever bath for free-standing basins I smooth body



mixer exposed 32 158 2433 I for France



33 555 2433 I Single-lever shower mixer **32 172 2433** I for France



19 450 2433 I Single-lever mixer I with 2-way diverter

PRODUCT OVERVIEW I MATTE BLACK PRODUCT OVERVIEW I MATTE BLACK grohe.com



102 464 2430 | Waste set push-



33 412 2433 | Eurosmart | Singlelever bath mixer I for France



25 098 2433 | Eurosmart | Twohandle bath filler



102 342 2430 I Angle valve



13 448 2433 | Eurosmart | Bath spout I projection 171 mm



19 952 2430 | Talentofill | Inlet-, pop-up and waste-system



28 628 2431 | New Tempesta | Wall union with holder



27 595 2431 | New Tempesta | Wall hand shower holder I adjustable



102 530 2431 I New Tempesta-F Trigger Spray 30 I Wall holder set I



34 793 2430 I Grohtherm 500 I Thermostatic shower mixer I wall mounted

34 795 2430 I for France



34 803 2430 | Grohtherm 500 | Thermostatic shower mixer I wall mounted I 160cc



102 203 2430 | Grohtherm 800 | Thermostatic bath mixer I wall mounted **102 205 243** I for France



102 206 2430 I Grohtherm 800 I Thermostatic bath mixer I wall mounted



102 202 2430 | Grohtherm 800 | Thermostatic shower mixer I wall mounted

102 204 2430 I for France



102 207 2430 | Grohtherm 800 | Thermostatic shower mixer I wall

34 843 2430 | 160cc



34 816 2433 I Grohtherm 1000 I Thermostatic bath mixer I wall mounted



34 814 2433 | Grohtherm 1000 | Thermostatic shower mixer I wall mounted



102 210 2430 | Grohtherm | Thermostatic bath tub mixer for 2 outlets with integrated shut-off/ diverter valve



102 212 2430 | Grohtherm | Thermostatic mixer for 1 outlet with shut-off valve



102 208 2430 | Grohtherm | Thermostatic shower mixer for 2 outlets with integrated shut-off/ diverter valve



102 211 2430 | Grohtherm | Thermostatic bath tub mixer for 2 outlets with integrated shut-off/ diverter valve



102 215 2430 | Grohtherm | Thermostatic mixer for 1 outlet with shut-off valve



102 209 2430 | Grohtherm | Thermostatic shower mixer for 2 outlets with integrated shut-off/ diverter valve

PRODUCT OVERVIEW I **GROHE TEMPESTA**



26 161 2433 | Hand shower | 2 sprays (Rain, Jet) 26 912 2433 | max. flow rate (at 3 bar) 6.1 |/min. 28 422 2434 | for UK



26 406 2433 | Wall holder se 2 sprays (Rain, Jet)



26 164 2433 I Wall holder set I 2 sprays (Rain, Jet)



26 669 2430 I Head shower set ceiling I 142 mm I 1 spray



102 218 2430 | Head shower set | 286 mm | 1 spray



26 668 2430 | Head shower set | 380 mm | 1 spray



26 163 2433 I Shower rail set I 2 sprays I 900 mm



26 162 2433 | Shower rail set | 2 sprays (Rain, Jet) | 600 mm **26 915 2433** | max. flow rate (at 3 bar) 6.1 |/min.



27 523 2431 | Shower rail | 600 mm 27 524 2431 | 900 mm



26 980 2431 I Flex shower system I with diverter for wall mounting



26 670 2431 | Shower system I with thermostat for wall mounting 26 671 2431 | for France



26 818 2431 I Shower system I with thermostat for wall mounting I 160 cc



26 833 2431 | Shower system | with thermostat for wall mounting 26 671 2431 | Flex shower system | with bath thermostat for wall mounting

PRODUCT OVERVIEW I **GROHE TEMPESTA CUBE** grohe.com





26 688 2430 | Head shower set ceiling | 142 mm | 1 spray

26 687 2430 | Head shower set | 380 mm | 1 spray



26 746 2433 | Hand shower | 2 sprays (Rain, Jet) 26 902 2433 | max. flow rate (at 3 bar) 6.1 |/min. 26 130 2434 | for UK





mounting

15

PRODUCT OVERVIEW I **GROHE EUROSMART KITCHEN** grohe.com



FAST – EASY – SAFE GROHE RAPIDO SHOWER FRAME

As the demand for concealed shower systems rises, time becomes increasingly scarce for installers – not least due to the shortage of skilled labor. With its game-changing innovation, the GROHE Rapido Shower Frame, GROHE now offers a solution that saves up to three hours of working time* and complexity.



^{*} Compared to the average installation time of a GROHE concealed shower system.

FITS EVERY CONSTRUCTION SITE



On-the-wall installation with wall brackets sold separately (103 999 9990) 112 – 172 mm (installation depth to front of frame)




Stud wall installation
> 67 mm (installation depth to front side of frame)

ONE SOLUTION, MULTIPLE BENEFITS

FAST

- Installation in just three steps
- Pre-assembled components and mixed water pipes
- Universal rough-in GROHE Rapido SmartBox already installed
- Flexible height adjustability of head shower





- Less planning effort and simplified installation
- Available as mono or duo version for an one- or a two-spray head shower combined with a hand shower
- Fit for on-the-wall installations or stud walls thanks to the slim installation depth
- One-stop-shop thanks to matching shower sets



- Flawless installation and connections
- Mixed water pipes are insulated
- All connections sealed and leak-tested ex factory
- 10 years of warranty









 $\textbf{103 993 9990} \ \mathsf{I} \ \mathsf{GROHE} \ \mathsf{Rapido} \ \mathsf{Shower} \ \mathsf{Frame} \ \mathsf{I} \ \mathsf{Element} \ \mathsf{for} \ \mathsf{mono} \ \mathsf{concealed} \ \mathsf{shower} \ \mathsf{installation} \ \mathsf{I}$ for shower installations with one hand shower and a Mono head shower

Compatible with

Grohtherm bundles on right side

- or
 GROHE SmartBox trim set range (2 function single-lever mixers, thermostats, SmartControl)
 GROHE shower arms for one water outlet (Mono head showers)
 GROHE wall unions & hand showers



103 999 9990 | Wall brackets | for against-thewall installations I for fixing the elements at the brick-wall or in front of the studded wall I adjustment 85 – 145 mm I 4 pieces




103 996 0000 I Grohtherm I Concealed shower system with Tempesta 250



103 995 0000 | Grohtherm | Concealed shower system with Tempesta 250 Cube





Compatible with

Grohtherm SmartControl bundles on right side

- Or

 GROHE SmartBox trim set range (3 function single-lever mixers & SmartControl)
 GROHE Rainshower 310 SmartActive head showers (Duo head showers)
 GROHE wall unions & hand showers



103 999 9990 | Wall brackets | for against-thewall installations I for fixing the elements at the brick-wall or in front of the studded wall I adjustment 85 – 145 mm I 4 pieces



103 997 0000 I Grohtherm SmartControl I Concealed shower system with Rainshower SmartActive 310



103 998 0000 | Grohtherm SmartControl | Concealed shower system with Rainshower SmartActive 310 Cube



GROHE CUBEOBUILT TO LAST

Enjoy the reliability of the integrated GROHE SilkMove cartridge, which ensures smooth and precise control of water flow and temperature for years of maintenance-free use. Plus, it's available with energy-saving cold start technology for extra efficiency.










1 | 101 694 2430 | Cubeo | Single-lever basin mixer | S-Size | 102 415 SH00 | Euro Ceramic | Wash basin 60 cm | 102 257 2430 | Essentials | Soap dispenser | 102 460 2430 | Essentials | Robe hook | 2 | 101 814 2430 | Cubeo | Single-lever bath mixer | wall mounted | 101 825 2430 | Cubeo | Single-lever shower mixer with Tempesta Cube 110 shower rail set | 39 300 000 | Acrylic shower tray | 1000 x 1000 mm | 39 617 000 | Essence | Bathtub



PRODUCT OVERVIEW I **GROHE CUBEO**












1 | 101 729 0000 | Cubeo | Single-lever basin mixer | XL-Size | 102 434 SH00 | Euro Ceramic | Vessel basin 60 cm | 2 | 105 336 0000 | Cubeo | Concealed shower system with Tempesta 250 | 27 588 003 | Tempesta Cube 110 | Wall holder set | 101 814 0000 | Cubeo | Bath mixer exposed with Tempesta Cube 110 hand shower | 101 778 0000 | Cubeo | Single-lever mixer | 27 588 003 | Tempesta Cube 110 | Wall holder set | 26 687 000 | Tempesta 250 Cube | Head shower set 380 mm | 27 057 000 | Rainshower | Shower outlet elbow | 3 | 102 487 SH00 | Euro Ceramic | Bidet | 102 485 SH00 | Euro Ceramic | Toilet | 102 501 SH00 | Euro Ceramic | Seat | 38 732 000 | Skate Cosmopolitan | Flush plate | 40 367 001 | Essentials | Toilet paper holder




PRODUCT OVERVIEW I **GROHE CUBEO**



GROHE TEMPESTAENHANCED DESIGN COMBINED WITH ADDITIONAL FEATURES

Relaxing, cleansing or invigorating – showers can be many things and with the new GROHE Tempesta 110 hand shower, you can have it all. Equipped with SmartSwitch, an easy-to-use functionality, activated with just the fingertip, you can enjoy up to three different sprays depending on your mood.










Jet for **CLEANING**.



Massage for **INVIGORATION**.



PRODUCT OVERVIEW I **GROHE TEMPESTA**









1 | 32 743 001 | EuroEco | Single-lever bath mixer | 2 | 32 740 001 | EuroEco | Single-lever shower mixer | 3 | 24 265 001 | EuroEco | Single-lever basin mixer | M-Size | 4 | 24 272 001 | EuroEco | Single-lever basin mixer | L-Size



PRODUCT OVERVIEW I **GROHE EUROECO**







36 508 SH0 | Sensia Pro shower toilet wall hung

PERSONAL HYGIENE



TWIN SHOWER ARMS

Extend cleaning area

MASSAGE SPRAY

Massage-effect spray

ANTI-BACTERIAL SPRAY

In 99.9 % anti-bacterial material



REAR SPRAY

Adjustable spray for gentle rear



LADY SHOWER

Dedicated spray arm for gentle, cleansing of feminine intimate area





CLEANING FUNCTION FOR SPRAY ARMS





RETRACTABLE SPRAY ARMS

Spray arms retract behind anti-bacterial shield



EXCHANGEABLE SPRAY

Complete replacement option

ULTIMATE PERFORMANCE



GROHE TRIPLE VORTEX FLUSH

Powerful triple flush



AQUACERAMIC

HYPERCLEAN

Dirt-and limescale-resistant



Bacteria-resistant surface



PERSONAL COMFORT



AUTOMATIC SEAT OPEN & CLOSE

Sensor-operated seat and lid

Select and control functions

REMOTE CONTROL

ADJUSTABLE WATER TEMPERATURE



AIR DRYER

Fast, gentle drying



NIGHT LIGHT Automatic illumination



ADJUSTABLE SHOWER ARM

Set ideal spray position



ADJUSTABLE SPRAY PRESSURE

Set ideal spray pressure

USER PROFILE MEMORY Store and customise preferences



Follow us



Grohe AG Feldmühleplatz 15 D – 40545 Düsseldorf Germany