

*Pure Freude
an Wasser*

GROHE
≡

SPECIFIERS' CATALOGUE 2024

GROHE & GROHE SPA

PRICES VALID FROM 1ST JANUARY 2024



GROHE SPA

GROHE

TABLE OF CONTENTS

SPA Bath Taps	Taps and Ceramics	Allure Brilliant Icon 3D / Atrio Icon 3D	20
		Atrio	21
		Atrio Private Collection	36
		Allure	45
		Allure Brilliant	58
		Allure Brilliant Private Collection	67
		Grandera	76
		Airio	86
		Glass module and flush plates	87
		SPA accessories	88
		Rough-in sets	91
SPA Showers	Showers and Thermostats	Aquasymphony	96
		F-digital Deluxe	97
		Rainshower Aqua ceiling showers	100
		Rainshower Aqua head showers	101
		Rainshower Aqua body sprays	104
		Rainshower Aqua hand showers	105
		Rainshower Aqua trigger sprays	107
		SPA shower accessories	108
		SPA thermostats	110
Bath Taps	Single Lever Mixers	Lineare	132
		Eurocube Joy	140
		Eurocube	146
		GROHE Plus	157
		Europlus	169
		Essence	170
		Eurodisc Joy	183
		Eurodisc Cosmopolitan	185
		Concetto	191
		Eurostyle Cosmopolitan	200
		Eurostyle	207

GROHE

TABLE OF CONTENTS

		Eurosmart Cosmopolitan	217
		Eurosmart	228
		Eurosmart Care	241
		BauEdge	246
		BauLoop	253
		BauFlow	259
	Two Handle fittings	Costa L	261
	Universal	Universal	265
		Rough-in sets	266
		Multi purpose mixer	268
	Bath Sets	Talento / Talentofill	269
	Accessories	Selection	271
		Selection Cube	276
		Essentials	279
		Essentials Cube	288
		BauCosmopolitan	292
		Essentials Authentic	295
Thermostats	Grohtherm	Grohtherm SmartControl	313
		Grohtherm 2 handle trim sets	326
		Grohtherm 2000	334
		Grohtherm Cube	339
		Grohtherm 1000 Cosmopolitan	343
		Grohtherm 1000	345
		Grohtherm 1000 Performance	349
		Grohtherm 800 Cosmopolitan	353
		Grohtherm 800	356
		Grohtherm 500	358
		Thermostats (phase out)	360
Concealed Solutions		Rough-in sets	372
		GROHE Rapido SmartBox	374
		GROHE Rapido	376

GROHE

TABLE OF CONTENTS

		GROHE Rapido C / stop valves	377
Showers	GROHE Digital	F-digital Controllers	390
	Shower Systems	Rainshower System SmartControl	391
		Rainshower SmartActive System	395
		Rainshower System	398
		Euphoria SmartControl System	399
		Euphoria Shower System	402
		Tempesta System 250	411
		Shower System Accessories	424
	Head and side showers	Head shower sets	426
		Head Showers	435
		Accessories for head showers	443
		Side showers	446
	Showers	Rainshower SmartActive	447
		Rainshower	454
		Relexa	455
		Euphoria	457
		Tempesta	466
		Tempesta Cube	474
		Tempesta-F Trigger Sprays	479
		Shower Hoses	481
		Shower Accessories	485
	Phase out showers	Tempesta System available until 10/2024	495
		Tempesta available until 10/2024	498
Kitchen Fittings	Water Systems	GROHE Blue Professional	523
		GROHE Blue Pure	529
		GROHE Blue Accessories	532
		GROHE Red	537
	Premium Lines	K7	540
		Foot Control	541
		Zedra / Zedra SmartControl / Zedra Touch	542

GROHE

TABLE OF CONTENTS

		Essence	544
		Minta / Minta SmartControl / Minta Touch	547
		Eurocube	551
	Competence Lines	Eurodisc Cosmopolitan	552
		Eurodisc	553
		Concetto	554
		Eurostyle Cosmopolitan	557
		Eurosmart Cosmopolitan	558
		Eurosmart	561
		Euroeco / Euroeco Special	564
		Costa	565
		Bau Lines	567
		Soap dispensers	570
	Kitchen sinks	Stainless steel sinks	571
		Composite sinks	578
Commercial Fittings	Electronic Fittings	Eurocube E	592
		Essence E	595
		Bluetooth monitoring	598
		Europlus E	606
		Eurosmart Cosmopolitan E	608
		Eurosmart	615
		Euroeco Cosmopolitan E	616
		Bau Cosmopolitan E	619
	Special Thermostats	Grohtherm Micro	621
		Grohtherm Special	622
		Grohtherm XL	626
	Single-Lever Mixers	Eurosmart Care	627
		Vertica Eurostyle Cosmopolitan	634
		Commercial Showers	635
		Euroeco Special	637
		Euroeco Single Sequential	641

GROHE

TABLE OF CONTENTS

		Hospita	643
	Self-Closing Taps	Eurodisc SE	644
		Eurosmart Cosmopolitan T	645
		Euroeco Cosmopolitan T	646
	Accessories Special Fittings	Rough-in sets	647
Shower Toilet		GROHE Sensia Pro	656
		GROHE Sensia Arena	659
		Manual bidet seat	661
Ceramics		Essence	670
		Cube Ceramic	675
		Euro Ceramic	678
		BauEdge Ceramic	684
		Bau Ceramic	686
		Acrylic shower trays	694
Installation Systems	Rapid SLX	Rapid SLX	698
	Rapid SL	Rapid SL for WC	700
		Rapid SL for Urinal	711
		Rapid SL for Wash Basin and Bidet	713
		Rapid SL for the Disabled	716
		Rapid SL Fitting Supports	718
		Rapid SL Accessories	719
Flushing Systems	WC	Flushing Cisterns	724
		Accessories for Flushing Cisterns	727
		WC Flush Valves	734
		Electronic Actuators for WC	736
	Urinal	Electronic Actuators for Urinal	740
		Urinal Flush Valves	745
Actuations	WC	Flush Plates for WC	750
		GROHE Fresh	758
		Flush Plates for WC Flush Valves	759
	Urinal	Flush Plates for Urinal	760

GROHE

TABLE OF CONTENTS

Connection and Security Technology	Angle Valves	764
	WAS valves	767
	Safety Systems	768
Spare Parts and Accessories	Cartridges	772
	Thermo elements and thermostatic cartridges	774
	Aquadimmer	777
	Head parts	778
	Spare parts for two-handle taps	781
	Extension sets	782
	Unions	783
	Outlets and spouts	784
	Flow straighteners	785
	Waste sets and traps	787
	Connections and non-return valves	789
	Spare parts for electronics	790
	Diverter	791
	Hoses	792
	Spare parts for kitchen taps	793
	Spare parts for showers	794
	Miscellaneous	796
	Special tools	797
	Cleaning and care	798
	Spare parts for sanitary systems	799
	Spare parts for shower toilet	802
	Spare parts for Ceramics	803
Survey of Contents		804

IDENTIFY YOUR WATER SYSTEM

By identifying the plumbing system in your home, you can select the product that is best suited to your water pressure. The majority of GROHE's products can be used with most systems and we have a number of products that are suited to low Pressure. Water pressure is measured in bar. Please refer to the diagrams to help identify your water system.

GRAVITY FED SYSTEMS

Measure from the base of the cold water tank to the exact position of where the water is coming out from in a vertical measurement (if it's a shower it will be to where the shower head is or if it's a tap to where the spout of the tap finishes). For each metre in vertical distance you will have 0.1 bar in pressure. So if you select a kitchen tap that requires 0.5 bar pressure then you will need 5 metres in vertical distance, if you select a basin tap that requires 0.2 bar then you will require 2 metres as you will see in the below drawing.




Fig 1

FOR EXAMPLE WATER PRESSURE CAN BE CALCULATED AS FOLLOWS:

Upstairs bathroom shower	1 m = 0.1 bar pressure
Upstairs bathroom basin taps	2 m = 0.2 bar pressure
Kitchen Tap	5 m = 0.5 bar pressure




Fig 2

GRAVITY FED (LOW PRESSURE) SYSTEMS

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- NO shower pump

How does it work?

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by distance from the bottom of cold water tank to the top of highest outlet (Fig 2)

BOOSTED GRAVITY FED WATER SYSTEM


Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- An additional booster pump

How does it work?

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by a separately installed pump (1–3 bar/dynamic) (Fig 3)

Fig 3



MAINS HIGH PRESSURE WATER SYSTEM


Your home has:

- An unvented cylinder with an expansion vessel (usually located in a garage or service cupboard)
- NO cold water tank in the loft
- NO shower pump

How does it work?

- 1 - Cold water delivered at mains pressure (min 1.5 bar & 20 l/min.)
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - An expansion vessel replaces the storage tank in loft to deal with expansion
- 4 - The water pressure is determined by mains pressure (Fig 4)

Fig 4



COMBINATION BOILER WATER SYSTEM


Your home has:

- A combination boiler for hot water on demand (usually located in the kitchen)
- NO storage tanks
- NO shower pump

How does it work?

- 1 - Cold water delivered at mains pressure (min 1.0 bar to boiler & cold supply)
- 2 - Water is heated as it travels through the combination boiler providing hot water on demand
- 3 - The pressure is dictated by the incoming mains and the flow of water is determined by the power of the selected boiler (Fig 5)

Fig 5



GROHE GUARANTEE

GROHE products are designed to be both visionary and innovative with quality always guaranteed. Purchasing GROHE products means your investment is perfectly balanced in terms of quality, technology and design with sustainable production.

THE 5 YEAR MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE Manufacturer's 5-year Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



THE 2 YEARS PLUS MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE 2 years plus Manufacturer's Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



GROHE HELPDESK YOUR RELIABLE CONTACT



We'd love to help you – offering a friendly and helpful service
No matter what issues or questions you may have, you can find the right contact person for you.

Order management
(Ordering and Delivery Service)

Tel. 0208 283 2840
orders-uk@grohe.com

Opening Times:
Monday – Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

Customer Service
(Warranty, Technical, General Enquiries)

Tel. 0208 283 2840
info-uk@grohe.com

Opening Times:
Monday – Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

Projects
(Quotations, Architects, Developers)

Tel. 0208 283 2840
projects-uk@grohe.com

Opening Times:
Monday – Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

This pricelist replaces all previous editions. General conditions of sale and delivery apply.
We reserve the right to make changes to specifications, dimensions and design.

While we strive to provide accurate product and pricing information, errors may occur.
In the event of a pricing error, we reserve the right to correct it. Prices are exclusive of VAT

CERTIFICATES



The Water Regulations Advisory Scheme (WRAS) assesses water fitting products to ensure that they do not waste, misuse, unduly consume or contaminate the water supply, in order to show compliance with Regulation 4 of the requirements of the Water Supply (Water Fittings) Regulations 1999. GROHE have over 600 products that have been approved by WRAS and a further selection that are in the process of being approved. The WRAS Approved product logo is shown on our website against each approved product. Please visit www.grohe.co.uk for our up-to-date listing.





SPECIFIERS' CATALOGUE **2024** EDITION FOR PROFESSIONALS





GROHE SPA

**SALUS PER AQUAM
HEALTH THROUGH WATER**

Nothing compares to the power of water –
it is cleansing, invigorating and healing.

A true elixir of life, water gives us precious moments of indulgent bliss. By harnessing these positive effects, we can switch off from the noise of the outside world to find peace for body, mind and soul. By immersing ourselves in soothing water rituals, we can inspire the senses to find equilibrium and hidden strength. Guided by the underlying belief that water is the source of vital energy, GROHE has revitalized GROHE SPA as a timeless sub-brand. A decade after GROHE SPA was first launched, our passion for water is tangible in every detail of every product.

Aimed at architects, designers and specifiers, as well as high-end showrooms, GROHE SPA represents the apex of what we can achieve. We are redefining what is possible to lift innovation, technology and precision to uncharted levels. We curate only the most exclusive, luxurious products to create exquisite places of retreat. Progressive designs are fused with carefully selected colours, materials and finishes. Versatile customization options transform the bathroom into a home spa, impeccably tailored to individual preferences.

GROHE SPA bathes us in blissful new multisensory experiences. Soothing, memorable and distinctive – just like the calming sound of water.





GROHE SPA BATH TAPS






CONTENTS


Allure Brilliant Icon 3D / Atrio Icon 3D	20
Atrio	21
Atrio Private Collection	36
Allure	45
Allure Brilliant	58
Allure Brilliant Private Collection	67
Grandera	76
Airio	86
Glass module and flush plates	87
SPA accessories	88
Rough-in sets	91

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




24 363 000	Chrome	4005176762215	399.04
24 363 DC0	supersteel	4005176760914	558.65
24 363 GL0	cool sunrise	4005176760921	598.56
24 363 GN0	brushed cool sunrise	4005176952289	638.46
24 363 DA0	warm sunset	4005176760907	598.56
24 363 DL0	brushed warm sunset	4005176952272	638.46
24 363 AL0	brushed hard graphite	4005176760891	638.46

Aerio
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
swivel tubular C-spout with mousseur
stop limiter
adjustable swivel area 0° / 150° / 360°
Push-open waste set 1 1/4"
flexible connection hoses







24 362 000	Chrome	4005176760846	460.42
24 362 DC0	supersteel	4005176760877	644.60
24 362 GL0	cool sunrise	4005176760884	690.64
24 362 GN0	brushed cool sunrise	4005176952265	736.69
24 362 DA0	warm sunset	4005176760860	690.64
24 362 DL0	brushed warm sunset	4005176952258	736.69
24 362 AL0	brushed hard graphite	4005176760853	736.69

Aerio
Single-lever basin mixer 1/2"
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
swivel tubular C-spout with mousseur
stop limiter
adjustable swivel area 0° / 150° / 360°
Push-open waste set 1 1/4"
flexible connection hoses




24 365 000	Chrome	4005176760976	644.60
24 365 DC0	supersteel	4005176761003	902.43
24 365 GL0	cool sunrise	4005176761010	966.89
24 365 GN0	brushed cool sunrise	4005176952326	1,031.35
24 365 DA0	warm sunset	4005176760990	966.89
24 365 DL0	brushed warm sunset	4005176952319	1,031.35
24 365 AL0	brushed hard graphite	4005176760983	1,031.35

Aerio
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
swivel tubular C-spout with mousseur
stop limiter
adjustable swivel area 0° / 150° / 360°
Push-open waste set 1 1/4"
flexible connection hoses


	Ref. No.	Colour	EAN	Retail Guide Price (£)
				
	29 410 000	Chrome	4005176762680	460.42
	29 410 DC0	supersteel	4005176763427	644.60
	29 410 GL0	cool sunrise	4005176763434	690.64
	29 410 GN0	brushed cool sunrise	4005176952562	736.69
	29 410 DA0	warm sunset	4005176763410	690.64
	29 410 DL0	brushed warm sunset	4005176952555	736.69
	29 410 AL0	brushed hard graphite	4005176763403	736.69
Atrio Two-hole basin mixer joystick wall mounted without concealed body set for final installation for 23 429 000 GROHE FeatherControl Joystick cartridge GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min centre distance 110 mm projection 185 mm				
				
	29 406 000	Chrome	4005176762727	521.82
	29 406 DC0	supersteel	4005176762758	730.55
	29 406 GL0	cool sunrise	4005176762765	782.73
	29 406 GN0	brushed cool sunrise	4005176952500	834.91
	29 406 DA0	warm sunset	4005176762741	782.73
	29 406 DL0	brushed warm sunset	4005176952494	834.91
	29 406 AL0	brushed hard graphite	4005176762734	834.91
ditto, projection 221 mm				
23 429 000			4005176993695	279.16
Rough-in for Joystick 2-hole basin mixers				
				
	24 364 000	Chrome	4005176762222	521.82
	24 364 DC0	supersteel	4005176760952	730.55
	24 364 GL0	cool sunrise	4005176760969	782.73
	24 364 GN0	brushed cool sunrise	4005176952302	834.91
	24 364 DA0	warm sunset	4005176760945	782.73
	24 364 DL0	brushed warm sunset	4005176952296	834.91
	24 364 AL0	brushed hard graphite	4005176760938	834.91
Atrio Bidet mixer 1/2" monobloc installation 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish rapid installation system tubular C-spout with ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses				
				
	24 366 000	Chrome	4005176762239	552.51
	24 366 DC0	supersteel	4005176761041	773.52
	24 366 GL0	cool sunrise	4005176761058	828.77
	24 366 GN0	brushed cool sunrise	4005176952340	884.02
	24 366 DA0	warm sunset	4005176761034	828.77
	24 366 DL0	brushed warm sunset	4005176952333	884.02
	24 366 AL0	brushed hard graphite	4005176761027	884.02
Atrio Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow				

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



24 367 000	Chrome	4005176762246	644.60
24 367 DC0	supersteel	4005176761089	902.43
24 367 GL0	cool sunrise	4005176761096	966.89
24 367 GN0	brushed cool sunrise	4005176952364	1,031.35
24 367 DA0	warm sunset	4005176761072	966.89
24 367 DL0	brushed warm sunset	4005176952357	1,031.35
24 367 AL0	brushed hard graphite	4005176761065	1,031.35

Aerio
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life finish
adjustable flow rate limiter
automatic diverter: bath/shower
cast spout
mousseur
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow




24 354 000	Chrome	4005176762062	352.25
24 354 DC0	supersteel	4005176761591	493.15
24 354 GL0	cool sunrise	4005176761607	528.38
24 354 GN0	brushed cool sunrise	4005176952142	563.60
24 354 DA0	warm sunset	4005176761584	528.38
24 354 DL0	brushed warm sunset	4005176952135	563.60
24 354 AL0	brushed hard graphite	4005176761577	563.60

Aerio
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set



35 604 000	4005176698774	78.23
------------	---------------	-------

GROHE Rapido SmartBox universal rough-in box for concealed installation



24 355 000	Chrome	4005176762079	387.48
24 355 DC0	supersteel	4005176761638	542.46
24 355 GL0	cool sunrise	4005176761645	581.22
24 355 GN0	brushed cool sunrise	4005176952166	619.96
24 355 DA0	warm sunset	4005176761621	581.22
24 355 DL0	brushed warm sunset	4005176952159	619.96
24 355 AL0	brushed hard graphite	4005176761614	619.96


Aerio
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



35 604 000	4005176698774	78.23
------------	---------------	-------

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



24 356 000	Chrome	4005176762086	414.29
24 356 DC0	supersteel	4005176761164	580.01
24 356 GL0	cool sunrise	4005176761171	621.44
24 356 GN0	brushed cool sunrise	4005176952180	662.88
24 356 DA0	warm sunset	4005176761669	621.44
24 356 DL0	brushed warm sunset	4005176952173	662.88
24 356 AL0	brushed hard graphite	4005176761652	662.88

Atrio

Single-lever mixer with 3-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE SilkMove 46 mm ceramic cartridge

GROHE Long-Life finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

3-way diverter

flow performance:

outlet A = 27 l/min,


outlet B = 27 l/min,

outlet C = 27 l/min

without roughing-in-set



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 357 000	Chrome	4005176762093	680.35
24 357 DC0	supersteel	4005176761201	952.51
24 357 GL0	cool sunrise	4005176761218	1,020.55
24 357 GN0	brushed cool sunrise	4005176952203	1,088.57
24 357 DA0	warm sunset	4005176761195	1,020.55
24 357 DL0	brushed warm sunset	4005176952197	1,088.57
24 357 AL0	brushed hard graphite	4005176761188	1,088.57

Atrio

Thermostatic mixer for 1 outlet with shut off valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge with wax thermoelement

GROHE Long-Life finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

ceramic stop valve, 120°

metal handles

flow performance:

outlet B = 27 l/min



outlet C = 30 l/min

without roughing-in-set



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



24 358 000	Chrome	4005176762109	727.75
24 358 DC0	supersteel	4005176761362	1,018.84
24 358 GL0	cool sunrise	4005176761379	1,091.62
24 358 GN0	brushed cool sunrise	4005176952227	1,164.39
24 358 DA0	warm sunset	4005176761355	1,091.62
24 358 DL0	brushed warm sunset	4005176952210	1,164.39
24 358 AL0	brushed hard graphite	4005176761348	1,164.39

Atrio

Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge with wax thermoelement

GROHE Long-Life finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

metal handles

flow performance:

outlet B = 27 l/min



outlet C = 30 l/min

without roughing-in-set



35 604 000	4005176698774	78.23
------------	---------------	-------

GROHE Rapido SmartBox universal rough-in box for concealed installation



24 359 000	Chrome	4005176762116	727.75
24 359 DC0	supersteel	4005176761409	1,018.84
24 359 GL0	cool sunrise	4005176761416	1,091.62
24 359 GN0	brushed cool sunrise	4005176952241	1,164.39
24 359 DA0	warm sunset	4005176761393	1,091.62
24 359 DL0	brushed warm sunset	4005176952234	1,164.39
24 359 AL0	brushed hard graphite	4005176761386	1,164.39

Atrio

Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge with wax thermoelement

GROHE Long-Life finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed hand shower and bath filler symbol

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min


without roughing-in-set



35 604 000	4005176698774	78.23
------------	---------------	-------

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




24 368 000	Chrome	4005176761102	1,780.31
24 368 DC0	supersteel	4005176761133	2,492.45
24 368 EN0	brushed nickel	4005176761140	2,848.51
24 368 GL0	cool sunrise	4005176761157	2,670.48
24 368 DA0	warm sunset	4005176761126	2,670.48
24 368 DL0	brushed warm sunset	4005176952371	2,848.51
24 368 AL0	brushed hard graphite	4005176761119	2,848.51

Aerio
Single-lever bath mixer, floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life finish
automatic diverter: bath/shower
spout with mousseur
projection 301 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Rainshower Aqua Stick (26 866)
Silverflex shower hose 1250 mm
protected against backflow


45 984 001	Chrome	4005176992056	533.56
------------	--------	---------------	--------

Rough-in set 1/2" for floor-mounted mixers/spouts



20 658 000	Chrome	4005176763007	306.95
20 658 DC0	supersteel	4005176763038	429.73
20 658 GL0	cool sunrise	4005176763045	460.42
20 658 GN0	brushed cool sunrise	4005176951800	491.13
20 658 DA0	warm sunset	4005176763021	460.42
20 658 DL0	brushed warm sunset	4005176951794	491.13
20 658 AL0	brushed hard graphite	4005176763014	491.13

Aerio
Basin tap 1/2"
headpart 1/2" - 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
rapid installation system
mousseur
fixed spout
with lever handle



21 145 000	Chrome	4005176763311	491.13
21 145 DC0	supersteel	4005176763359	687.57
21 145 GL0	cool sunrise	4005176763366	736.69
21 145 GN0	brushed cool sunrise	4005176952081	785.79
21 145 DA0	warm sunset	4005176763342	736.69
21 145 DL0	brushed warm sunset	4005176952074	785.79
21 145 AL0	brushed hard graphite	4005176763335	785.79


Aerio
Basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
rapid installation system
swivel tubular spout with mousseur and stop limiter
adjustable swivel area 0° / 150° / 360°
Push-open waste set 1 1/4"
flexible connection hoses
with lever handles
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.



GROHE SPA

GROHE
ATRIO


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



21 144 000	Chrome	4005176763267	491.13
21 144 DC0	supersteel	4005176763298	687.57
21 144 GL0	cool sunrise	4005176763304	736.69
21 144 GN0	brushed cool sunrise	4005176952067	785.79
21 144 DA0	warm sunset	4005176763281	736.69
21 144 DL0	brushed warm sunset	4005176952050	785.79
21 144 AL0	brushed hard graphite	4005176763274	785.79

Aerio
Basin mixer, 1/2"
L-Size


ceramic headparts 1/2", 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
rapid installation system
swivel tubular spout with mousseur and stop limiter
adjustable swivel area 0° / 150° / 360°
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.



21 149 000	Chrome	4005176762017	675.29
21 149 DC0	supersteel	4005176761249	945.41
21 149 GL0	cool sunrise	4005176761256	1,012.94
21 149 GN0	brushed cool sunrise	4005176952104	1,080.47
21 149 DA0	warm sunset	4005176761232	1,012.94
21 149 DL0	brushed warm sunset	4005176952098	1,080.47
21 149 AL0	brushed hard graphite	4005176761225	1,080.47

Aerio
Basin mixer, 1/2"
XL-Size

for free-standing basins
ceramic headparts 1/2", 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
rapid installation system
swivel tubular spout with mousseur and stop limiter
adjustable swivel area 0° / 150° / 360°
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.




20 649 000	Chrome	4005176762949	613.91
20 649 DC0	supersteel	4005176762987	859.46
20 649 GL0	cool sunrise	4005176762994	920.86
20 649 GN0	brushed cool sunrise	4005176951787	982.24
20 649 DA0	warm sunset	4005176762970	920.86
20 649 DL0	brushed warm sunset	4005176951770	982.24
20 649 AL0	brushed hard graphite	4005176762963	982.24

Aerio
Three-hole basin mixer 1/2"
L-Size


ceramic headparts 1/2", 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
swivel tubular spout with mousseur and stop limiter
adjustable swivel area 0° / 150° / 360°
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves
with lever handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



20 643 000	Chrome	4005176762871	613.91
20 643 DC0	supersteel	4005176762925	859.46
20 643 GL0	cool sunrise	4005176762932	920.86
20 643 GN0	brushed cool sunrise	4005176951763	982.24
20 643 DA0	warm sunset	4005176762918	920.86
20 643 DL0	brushed warm sunset	4005176951756	982.24
20 643 AL0	brushed hard graphite	4005176762901	982.24

Atrio
Three-hole basin mixer 1/2"
L-Size
 ceramic headparts 1/2" - 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 swivel tubular spout with mousseur and stop limiter
 adjustable swivel area 0° / 150° / 360°
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 with cross handles
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.




20 662 000	Chrome	4005176763168	521.82
20 662 DC0	supersteel	4005176763205	730.55
20 662 GL0	cool sunrise	4005176763212	782.73
20 662 GN0	brushed cool sunrise	4005176952043	834.91
20 662 DA0	warm sunset	4005176763199	782.73
20 662 DL0	brushed warm sunset	4005176952036	834.91
20 662 AL0	brushed hard graphite	4005176763182	834.91

Atrio
Three-hole basin mixer 1/2"
M-Size
 wall mounted
 set for final installation for
 29 025 002
without concealed body
 valves hot/cold
 with headparts 1/2" - 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 centre distance 200 mm
 projection 180 mm
 with lever handles
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.

29 025 002	4005176519895	281.62
------------	---------------	--------

Rough-in set for 3-hole basin mixer



20 661 000	Chrome	4005176763090	521.82
20 661 DC0	supersteel	4005176763137	730.55
20 661 EN0	brushed nickel	4005176763144	834.91
20 661 GL0	cool sunrise	4005176763151	782.73
20 661 GN0	brushed cool sunrise	4005176952029	834.91
20 661 DA0	warm sunset	4005176763120	782.73
20 661 DL0	brushed warm sunset	4005176952012	834.91
20 661 AL0	brushed hard graphite	4005176763113	834.91



Atrio
3-hole basin mixer
M-Size
 wall mounted
 set for final installation for
 29 025 002
without concealed body
 valves hot/cold
 with headparts 1/2" - 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 centre distance 200 mm
 projection 180 mm
 with cross handles
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.

29 025 002	4005176519895	281.62
------------	---------------	--------

Rough-in set for 3-hole basin mixer

	Ref. No.	Colour	EAN	Retail Guide Price (£)
				
	24 353 000	Chrome	4005176761300	521.82
	24 353 DC0	supersteel	4005176761331	730.55
	24 353 GL0	cool sunrise	4005176761560	782.73
	24 353 GN0	brushed cool sunrise	4005176952128	834.91
	24 353 DA0	warm sunset	4005176761324	782.73
	24 353 DL0	brushed warm sunset	4005176952111	834.91
	24 353 AL0	brushed hard graphite	4005176761317	834.91
Atrio Bidet mixer 1/2" ceramic headparts 1/2", 90° GROHE Long-Life finish rapid installation system ball-joint mousseur bow spout pop-up waste set 1 1/4" flexible connection hoses with cross handles Two different sets of caps included. One set with „H" and „C" marking, one set without marking.				
				
	26 895 000	Chrome	4005176762185	552.51
	26 895 DC0	supersteel	4005176760792	773.52
	26 895 GL0	cool sunrise	4005176760808	828.77
	26 895 GN0	brushed cool sunrise	4005176952449	884.02
	26 895 DA0	warm sunset	4005176760785	828.77
	26 895 DL0	brushed warm sunset	4005176952432	884.02
	26 895 AL0	brushed hard graphite	4005176760778	884.02
Atrio Shower mixer 1/2" wall mounted ceramic headparts 1/2", 90° shower outlet 1/2" integrated non-return valves in the shower outlet 1/2" covered S-unions protected against backflow with cross handles Two different sets of caps included. One set with „H" and „C" marking, one set without marking.				
				
	25 268 000	Chrome	088754140470	736.69
	25 268 DC0	supersteel	4005176761461	1,031.35
	25 268 GL0	cool sunrise	4005176761478	1,105.02
	25 268 GN0	brushed cool sunrise	4005176952401	1,178.69
	25 268 DA0	warm sunset	4005176761454	1,105.02
	25 268 DL0	brushed warm sunset	4005176952395	1,178.69
	25 268 AL0	brushed hard graphite	4005176761447	1,178.69
Atrio Bath / shower mixer 1/2" wall mounted ceramic headparts 1/2", 90° GROHE Long-Life finish automatic diverter: bath/shower tubular spout with stop restriction mousseur covered S-unions protected against backflow without shower set with cross handles Two different sets of caps included. One set with „H" and „C" marking, one set without marking.				

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




25 272 000	Chrome	4005176762154	2,302.13
25 272 DC0	supersteel	4005176761508	3,222.99
25 272 EN0	brushed nickel	4005176761515	3,683.42
25 272 GL0	cool sunrise	4005176761522	3,453.20
25 272 GN0	brushed cool sunrise	4005176952425	3,683.42
25 272 DA0	warm sunset	4005176761492	3,453.20
25 272 DL0	brushed warm sunset	4005176952418	3,683.42
25 272 AL0	brushed hard graphite	4005176761485	3,683.42

Aerio
Bath / shower mixer 1/2"
 floor-mounted installation
 with high pillar unions (765 mm)
 set for final installation for
 45 984 001
 ceramic headparts 1/2", 90°
GROHE Long-Life finish
 automatic diverter: bath/shower
 spout with mousseur
 projection 301 mm
 integrated non-return valve
 in the shower outlet 1/2"
 hand shower Rainshower Aqua Stick (26 866)
 with shower holder
 Silverflex shower hose 1250 mm (28 362)
 protected against backflow, with cross handles
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.

45 984 001	Chrome	4005176992056	533.56
------------	--------	---------------	--------

Rough-in set 1/2" for floor-mounted mixers/spouts




29 397 000	Chrome	4005176754111	107.44
29 397 DC0	supersteel	4005176754142	150.41
29 397 GL0	cool sunrise	4005176754159	161.15
29 397 GN0	brushed cool sunrise	4005176952487	171.90
29 397 DA0	warm sunset	4005176754135	161.15
29 397 DL0	brushed warm sunset	4005176952470	171.90
29 397 AL0	brushed hard graphite	4005176754128	171.90

Aerio
Concealed stop-valve trim
 for concealed valve 35 028 000 or 29 032 000
GROHE Long-Life finish
 installation depth adjustable
 20-80 mm
 escutcheon with screwable wall sealing
 with lever handle

35 028 000		4005176908316	154.78
------------	--	---------------	--------

GROHE Rapido C rough-in box for single volume control






29 396 000	Chrome	4005176754067	107.44
29 396 DC0	supersteel	4005176754098	150.41
29 396 GL0	cool sunrise	4005176754104	161.15
29 396 GN0	brushed cool sunrise	4005176952463	171.90
29 396 DA0	warm sunset	4005176754081	161.15
29 396 DL0	brushed warm sunset	4005176952456	171.90
29 396 AL0	brushed hard graphite	4005176754074	171.90

Aerio
Concealed stop-valve trim
 for concealed valve 35 028 000 or 29 032 000
GROHE Long-Life finish
 installation depth adjustable
 20-80 mm
 escutcheon with screwable wall sealing
 with cross handle

35 028 000		4005176908316	154.78
------------	--	---------------	--------

GROHE Rapido C rough-in box for single volume control

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 407 000	Chrome	4005176762772	1,381.28
	29 407 DC0	supersteel	4005176762802	1,933.80
	29 407 GL0	cool sunrise	4005176762819	2,071.93
	29 407 GN0	brushed cool sunrise	4005176952524	2,210.05
	29 407 DL0	brushed warm sunset	4005176952517	2,210.05
	29 407 DA0	warm sunset	4005176762796	2,071.93
	29 407 AL0	brushed hard graphite	4005176762789	2,210.05
	Atrio 5-hole bath/shower combination ceramic headparts 1/2", 90° GROHE Long-Life finish Consisting of: pre-assembled spout fixing with lever handles bath spout with mousseur and diverter bath/shower hand shower Rainshower Aqua Stick 6.6 l/min shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.			
	29 037 002		4005176519918	890.16
	Baseframe for installation under tiled surround			
 	29 408 000	Chrome	4005176762826	1,381.28
	29 408 DC0	supersteel	4005176762857	1,933.80
	29 408 GL0	cool sunrise	4005176762864	2,071.93
	29 408 GN0	brushed cool sunrise	4005176952548	2,210.05
	29 408 DA0	warm sunset	4005176762840	2,071.93
	29 408 DL0	brushed warm sunset	4005176952531	2,210.05
	29 408 AL0	brushed hard graphite	4005176762833	2,210.05
	Atrio 5-hole bath/shower combination ceramic headparts 1/2", 90° GROHE Long-Life finish Consisting of: pre-assembled spout fixing with cross handles bath spout with mousseur and diverter bath/shower hand shower Rainshower Aqua Stick 6.6 l/min shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.			
	29 037 002		4005176519918	890.16
	Baseframe for installation under tiled surround			
 	13 487 000	Chrome	4005176761683	276.26
	13 487 DC0	supersteel	4005176761720	386.75
	13 487 GL0	cool sunrise	4005176761737	414.38
	13 487 GN0	brushed cool sunrise	4005176951664	442.01
	13 487 DA0	warm sunset	4005176761713	414.38
	13 487 DL0	brushed warm sunset	4005176951657	442.01
	13 487 AL0	brushed hard graphite	4005176761706	442.01
	Atrio Bath spout wall mounted GROHE Long-Life finish mousseur projection 171 mm			




GROHE SPA

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	---------------------------

37 624 000	Chrome	4005176416095	102.82
37 624 DC0	supersteel	4005176416125	185.09
37 624 GL0	cool sunrise	4005176529054	185.07
37 624 DA0	warm sunset	4005176529061	185.07
37 624 AL0	brushed hard graphite	4005176529115	185.07



Arena Cosmopolitan S

Flush plate

for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m

for vertical installation

130 x 172 mm
made of ABS

GROHE Long-Life finish


GROHE Water Saving - Less water, perfect flow

flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000
(sold separately)


for use with Rapid SL and Uniset 0.82 m installation height
please order shaft 40 950 000 (sold separately)

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	---------------------------




40 884 000	Chrome	4005176754326	89.01
40 884 DC0	supersteel	4005176752926	124.62
40 884 EN0	brushed nickel	4005176752933	142.43
40 884 GL0	cool sunrise	4005176752940	133.53
40 884 GN0	brushed cool sunrise	4005176950261	142.43
40 884 DA0	warm sunset	4005176752919	133.53
40 884 DL0	brushed warm sunset	4005176950254	142.43
40 884 AL0	brushed hard graphite	4005176752902	142.43

Aerio
Glass/soap dish holder
 fits glass 40 882 000 or soap dispenser 40 886 xx0 (please order separately)
 material: metal
 concealed fastening
GROHE Long-Life finish




40 886 000	Chrome	4005176754012	89.01
40 886 DC0	supersteel	4005176754531	124.62
40 886 EN0	brushed nickel	4005176754548	142.43
40 886 GL0	cool sunrise	4005176754555	133.53
40 886 GN0	brushed cool sunrise	4005176952708	142.43
40 886 DA0	warm sunset	4005176754524	133.53
40 886 DL0	brushed warm sunset	4005176952692	142.43
40 886 A00	hard graphite	4005176954344	133.53
40 886 AL0	brushed hard graphite	4005176754517	142.43

Soap dispenser
 material: glass / metal
 filling quantity 160 ml
 fits holder Aerio 40 884 xx0 (please order separately)
GROHE Long-Life finish




40 882 000	Chrome	4005176754494	58.32
------------	--------	---------------	-------

Glass
 material: glass
 fits holders Allure 40 278 001 and Aerio 40 884 xx0 (please order separately)




40 885 000	Chrome	4005176752957	89.01
40 885 DC0	supersteel	4005176753985	124.62
40 885 EN0	brushed nickel	4005176753992	142.43
40 885 GL0	cool sunrise	4005176754005	133.53
40 885 GN0	brushed cool sunrise	4005176952685	142.43
40 885 DA0	warm sunset	4005176753978	133.53
40 885 DL0	brushed warm sunset	4005176950278	142.43
40 885 AL0	brushed hard graphite	4005176753961	142.43

Aerio
Glass/soap dish holder
 fits soap dish 40 883 000 or hair dryer inlet 40 964 001 (please order separately)
 material: metal
 concealed fastening
GROHE Long-Life finish




40 883 000	Chrome	4005176755262	67.53
------------	--------	---------------	-------



Soap dish
 material: glass
 fits holders Allure (40 963 001) and Aerio (40 885 xx0), please order separately




40 964 001	chrome/frosted granite	4005176531019	41.92
Allure			
Hair dryer inlet			
material: plastic			
fits holders Allure (40 963 xx1) and Atrio (40 885 xx0), please order separately			




40 887 000	Chrome	4005176754562	119.72
40 887 DC0	supersteel	4005176754593	167.60
40 887 EN0	brushed nickel	4005176754609	191.54
40 887 GL0	cool sunrise	4005176754616	179.56
40 887 DA0	warm sunset	4005176754586	179.56
40 887 DL0	brushed warm sunset	4005176952715	191.54
40 887 AL0	brushed hard graphite	4005176754579	191.54
Atrio			
Towel ring			
material: metal			
concealed fastening			
GROHE Long-Life finish			



40 888 000	Chrome	4005176754623	199.52
40 888 DC0	supersteel	4005176754654	279.33
40 888 EN0	brushed nickel	4005176754661	319.23
40 888 GL0	cool sunrise	4005176754678	299.28
40 888 GN0	brushed cool sunrise	4005176952746	319.23
40 888 DA0	warm sunset	4005176754647	299.28
40 888 DL0	brushed warm sunset	4005176952739	319.23
40 888 AL0	brushed hard graphite	4005176754630	319.23
Atrio			
Towel bar			
material: metal			
2 arms, not pivotable			
length 489 mm			
concealed fastening			
GROHE Long-Life finish			



40 889 000	Chrome	4005176754685	190.31
40 889 DC0	supersteel	4005176754715	266.43
40 889 EN0	brushed nickel	4005176754722	304.50
40 889 GL0	cool sunrise	4005176754739	285.46
40 889 DA0	warm sunset	4005176754708	285.46
40 889 DL0	brushed warm sunset	4005176952753	304.50
40 889 AL0	brushed hard graphite	4005176754692	304.50
Atrio			
Towel rail			
650 mm (drilling length 600 mm)			
material: metal			
concealed fastening			
GROHE Long-Life finish			



40 890 000	Chrome	4005176754746	61.38
40 890 DC0	supersteel	4005176754777	85.95
40 890 EN0	brushed nickel	4005176754784	98.23
40 890 GL0	cool sunrise	4005176754791	92.09
40 890 DA0	warm sunset	4005176754760	92.09
40 890 DL0	brushed warm sunset	4005176952777	98.23
40 890 AL0	brushed hard graphite	4005176754753	98.23
Atrio			
Robe hook			
material: metal			
concealed fastening			
GROHE Long-Life finish			




GROHE SPA

GROHE
ATRIO


SPA BATH
TAPS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



40 891 000	Chrome	4005176754807	135.06
40 891 DC0	supersteel	4005176754838	189.08
40 891 EN0	brushed nickel	4005176755088	216.09
40 891 GL0	cool sunrise	4005176755095	202.59
40 891 DA0	warm sunset	4005176754821	202.59
40 891 DL0	brushed warm sunset	4005176952791	216.09
40 891 AL0	brushed hard graphite	4005176754814	216.09

Aerio
Toilet roll holder
material: metal
concealed fastening
without cover
GROHE Long-Life finish




40 892 000	Chrome	4005176755101	268.59
40 892 DC0	supersteel	4005176755132	376.01
40 892 EN0	brushed nickel	4005176755149	429.73
40 892 GL0	cool sunrise	4005176755156	402.88
40 892 GN0	brushed cool sunrise	4005176952821	429.73
40 892 DA0	warm sunset	4005176755125	402.88
40 892 DL0	brushed warm sunset	4005176952814	429.73
40 892 AL0	brushed hard graphite	4005176755118	429.73

Aerio
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE Long-Life finish


40 791 001	white	4005176323409	8.65
40 791 KS1	velvet black	4005176336379	8.65

Spare Brush Head



30 609 000	Chrome	4005176762208	613.64
30 609 DC0	supersteel	4005176760839	797.73
30 609 GN0	brushed cool sunrise	4005176952586	920.46
30 609 AL0	brushed hard graphite	4005176760822	920.46
30 609 DL0	brushed warm sunset	4005176952579	920.46

Aerio
Two handle sink mixer 1/2" L-size
C-spout
monobloc installation
GROHE Long-Life finish
ceramic headparts 1/2", 90°
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system
mousseur



21 138 000	Chrome	4005176499081	720.40
21 138 DC0	supersteel	4005176510557	1,008.55
21 138 GL0	cool sunrise	4005176510496	1,080.60
21 138 GN0	brushed cool sunrise	4005176510472	1,152.64
21 138 DA0	warm sunset	4005176510571	1,080.60
21 138 DL0	brushed warm sunset	4005176510533	1,152.64
21 138 AL0	brushed hard graphite	4005176510618	1,152.65

Aerio Private Collection

Basin mixer, 1/2"

L-Size

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

rapid installation system

swivel tubular spout with mousseur and stop limiter


adjustable swivel area 0° / 150° / 360°

Push-open waste set 1 1/4"

flexible connection hoses

knobs with metal inlay

can be combined with 48 456 000 or 48 457 000



21 142 000	Chrome	4005176510052	990.55
21 142 DC0	supersteel	4005176509957	1,386.75
21 142 GL0	cool sunrise	4005176509896	1,485.82
21 142 GN0	brushed cool sunrise	4005176509872	1,584.88
21 142 DA0	warm sunset	4005176509971	1,485.82
21 142 DL0	brushed warm sunset	4005176509933	1,584.88
21 142 AL0	brushed hard graphite	4005176510014	1,584.85

Aerio Private Collection

Basin mixer, 1/2"

XL-Size

for free-standing basins

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

rapid installation system

swivel tubular spout with mousseur and stop limiter

adjustable swivel area 0° / 150° / 360°

Push-open waste set 1 1/4"

flexible connection hoses

knobs with metal inlay

can be combined with 48 456 000 or 48 457 000



48 456 000

4005176520778

358.55

Aerio Private Collection

Inlays made from White Attica Caesarstone material

can be combined with Aerio Private Collection:

one-hole basin mixer L-Size 21 138

one-hole basin mixer XL-Size 21 142

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



48 457 000

4005176520785

358.55

Aerio Private Collection


Inlays made from Vanilla Noir Caesarstone material

can be combined with Aerio Private Collection:

one-hole basin mixer L-Size 21 138

one-hole basin mixer XL-Size 21 142

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



20 589 000	Chrome	4005176511691	695.85
20 589 DC0	supersteel	4005176511592	974.17
20 589 GL0	cool sunrise	4005176503306	1,043.75
20 589 GN0	brushed cool sunrise	4005176511530	1,113.34
20 589 DA0	warm sunset	4005176511615	1,043.75
20 589 DL0	brushed warm sunset	4005176511578	1,113.34
20 589 AL0	brushed hard graphite	4005176511653	1,113.32


Atrio Private Collection 3-hole basin mixer

M-Size

wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
centre distance 200 mm
projection 180 mm
knobs with metal inlay
can be combined with 48 460 000 or 48 461 000

29 025 002		4005176519895	281.62
------------	--	---------------	--------

Rough-in set for 3-hole basin mixer




20 595 000	Chrome	4005176511233	818.64
20 595 DC0	supersteel	4005176511158	1,146.09
20 595 GL0	cool sunrise	4005176511110	1,227.96
20 595 GN0	brushed cool sunrise	4005176511097	1,309.82
20 595 DA0	warm sunset	4005176511172	1,227.96
20 595 DL0	brushed warm sunset	4005176499234	1,309.82
20 595 AL0	brushed hard graphite	4005176511219	1,309.82

Atrio Private Collection Three-hole basin mixer 1/2"

L-Size

ceramic headparts 1/2" - 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
swivel tubular spout with mousseur and stop limiter
adjustable swivel area 0° / 150° / 360°
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
knobs with metal inlay
can be combined with 48 460 000 or 48 461 000



25 229 000	Chrome	4005176507977	3,069.88
25 229 DC0	supersteel	4005176507878	4,297.84
25 229 GL0	cool sunrise	4005176507816	4,604.79
25 229 GN0	brushed cool sunrise	4005176507793	4,911.81
25 229 DA0	warm sunset	4005176507892	4,604.79
25 229 DL0	brushed warm sunset	4005176507854	4,911.81
25 229 AL0	brushed hard graphite	4005176507939	4,911.77


Atrio Private Collection Bath / shower mixer 1/2"

floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001
without roughing-in-set
ceramic headparts 1/2" - 90°
GROHE Long-Life finish
automatic diverter: bath/shower
projection 301 mm
integrated non-return valve
in the shower outlet 1/2"
hand shower with holder
Silverflex shower hose 1250 mm (28 362)
protected against backflow
knobs with inlay, can be combined with 48 460 000 or 48 461 000

45 984 001	Chrome	4005176992056	533.56
------------	--------	---------------	--------

Rough-in set 1/2" for floor-mounted mixers/spouts

	 GROHE SPA	48 460 000	4005176523816	358.55
	Atrio Private Collection Inlays made from White Attica Caesarstone material can be combined with Atrio Private Collection: three-hole basin mixer M-Size 20 595 three-hole basin mixer wall mounted 20 589 bath mixer 25 229 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.			
	 GROHE SPA	48 461 000	4005176523823	358.55
	Atrio Private Collection Inlays made from Vanilla Noir Caesarstone material can be combined with Atrio Private Collection: three-hole basin mixer M-Size 20 595 three-hole basin mixer wall mounted 20 589 bath mixer 25 229 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.			



25 226 000	Chrome	4005176508554	1,841.93
25 226 DC0	supersteel	4005176508455	2,578.70
25 226 GL0	cool sunrise	4005176508394	2,762.89
25 226 GN0	brushed cool sunrise	4005176508370	2,947.09
25 226 DA0	warm sunset	4005176508479	2,762.89
25 226 DL0	brushed warm sunset	4005176508431	2,947.09
25 226 AL0	brushed hard graphite	4005176508516	2,947.09

Atrio Private Collection 5-hole bath/shower combination

ceramic headparts 1/2", 90°

GROHE Long-Life finish

Consisting of:

pre-assembled spout fixing

knobs with inlay, can be combined with 48 462 000 or 48 463 000

bath spout with mousseur and diverter bath/shower

hand shower 6.6 l/min

shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow

can be used with 29 037 002

29 037 002	4005176519918	890.16
Baseframe for installation under tiled surround		



48 462 000	4005176523830	358.55
------------	---------------	--------

Atrio Private Collection

Inlays made from White Attica Caesarstone material

can be combined with Atrio Private Collection:

tub filler 25 226

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



48 463 000	4005176523847	358.55
------------	---------------	--------


Atrio Private Collection

Inlays made from Vanilla Noir Caesarstone material

can be combined with Atrio Private Collection:

tub filler 25 226

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



24 396 000	Chrome	4005176786204	970.44
24 396 DC0	supersteel	4005176786211	1,358.61
24 396 GL0	cool sunrise	4005176786228	1,455.67
24 396 GN0	brushed cool sunrise	4005176951824	1,552.71
24 396 DA0	warm sunset	4005176786235	1,455.67
24 396 DL0	brushed warm sunset	4005176951817	1,552.71
24 396 AL0	brushed hard graphite	4005176786242	1,552.70

Atrio Private Collection
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve with knob

set for final installation for
GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life finish

wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

knobs with metal inlay

can be combined with 48 466 000 or 48 467 000

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set



35 604 000	4005176698774	78.23
------------	---------------	-------

GROHE Rapido SmartBox universal rough-in box for concealed installation



48 466 000	4005176523878	358.55
------------	---------------	--------

Atrio Private Collection

Inlays made from White Attica Caesarstone material

can be combined with Atrio Private Collection:

thermostatic shower mixer 24 396

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



48 467 000	4005176523885	358.55
------------	---------------	--------


Atrio Private Collection

Inlays made from Vanilla Noir Caesarstone material

can be combined with Atrio Private Collection:

thermostatic shower mixer 24 396

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



21 134 000	Chrome	4005176499067	720.40
21 134 DC0	supersteel	4005176510915	1,008.55
21 134 GL0	cool sunrise	4005176510854	1,080.60
21 134 GN0	brushed cool sunrise	4005176510830	1,152.64
21 134 DA0	warm sunset	4005176510939	1,080.60
21 134 DL0	brushed warm sunset	4005176510892	1,152.64
21 134 AL0	brushed hard graphite	4005176510977	1,152.65

Aerio Private Collection

Basin mixer, 1/2"

L-Size

ceramic headparts 1/2" - 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

rapid installation system

swivel tubular spout with mousseur and stop limiter


adjustable swivel area 0° / 150° / 360°

Push-open waste set 1 1/4"

flexible connection hoses

for stick handles

to be combined with stick sets 48 458, 48 459 or 48 646, please order separately



21 140 000	Chrome	4005176510458	990.55
21 140 DC0	supersteel	4005176510359	1,386.75
21 140 GL0	cool sunrise	4005176510298	1,485.82
21 140 GN0	brushed cool sunrise	4005176510274	1,584.88
21 140 DA0	warm sunset	4005176510373	1,485.82
21 140 DL0	brushed warm sunset	4005176510335	1,584.88
21 140 AL0	brushed hard graphite	4005176510410	1,584.85

Aerio Private Collection

Basin mixer, 1/2"

XL-Size

for free-standing basins

ceramic headparts 1/2" - 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

rapid installation system

swivel tubular spout with mousseur and stop limiter


adjustable swivel area 0° / 150° / 360°

Push-open waste set 1 1/4"

flexible connection hoses

for stick handles

to be combined with stick sets 48 458, 48 459 or 48 646, please order separately



20 587 000	Chrome	4005176512070	695.85
20 587 DC0	supersteel	4005176511974	974.17
20 587 GL0	cool sunrise	4005176511936	1,043.75
20 587 GN0	brushed cool sunrise	4005176511912	1,113.34
20 587 DA0	warm sunset	4005176511998	1,043.75
20 587 DL0	brushed warm sunset	4005176511950	1,113.34
20 587 AL0	brushed hard graphite	4005176512032	1,113.32

Aerio Private Collection

3-hole basin mixer

M-Size

wall mounted

set for final installation for

29 025 002

without concealed body

valves hot/cold

with headparts 1/2" - 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

centre distance 200 mm


projection 180 mm

for stick handles

to be combined with stick sets 48 458, 48 459 or 48 646, please order separately

29 025 002	4005176519895	281.62
------------	---------------	--------

Rough-in set for 3-hole basin mixer



20 593 000	Chrome	4005176511516	818.64
20 593 DC0	supersteel	4005176511455	1,146.09
20 593 GL0	cool sunrise	4005176511417	1,227.96
20 593 GN0	brushed cool sunrise	4005176511394	1,309.82
20 593 DA0	warm sunset	4005176511479	1,227.96
20 593 DL0	brushed warm sunset	4005176499210	1,309.82
20 593 AL0	brushed hard graphite	4005176499272	1,309.82

Atrio Private Collection Three-hole basin mixer 1/2"

L-Size

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

swivel tubular spout with mousseur and stop limiter

adjustable swivel area 0° / 150° / 360°


pop-up waste set 1 1/4"

pressure-proof, flexible connection hoses

between spout and side valves

for stick handles

to be combined with stick sets 48 458, 48 459 or 48 646, please order separately



25 227 000	Chrome	4005176508356	3,069.88
25 227 DC0	supersteel	4005176508257	4,297.84
25 227 GL0	cool sunrise	4005176508196	4,604.79
25 227 GN0	brushed cool sunrise	4005176508172	4,911.81
25 227 DA0	warm sunset	4005176508271	4,604.79
25 227 DL0	brushed warm sunset	4005176508233	4,911.81
25 227 AL0	brushed hard graphite	4005176508318	4,911.77

Atrio Private Collection Bath / shower mixer 1/2"

floor-mounted installation

with high pillar unions (765 mm)

set for final installation for

45 984 001

without roughing-in-set

ceramic headparts 1/2", 90°

GROHE Long-Life finish

automatic diverter: bath/shower

projection 301 mm

integrated non-return valve

in the shower outlet 1/2"

hand shower with holder

Silverflex shower hose 1250 mm (28 362)

protected against backflow

for stick handles

to be combined with stick sets 48 646, 48 458 or 48 459, please order separately

45 984 001	Chrome	4005176992056	533.56
------------	--------	---------------	--------

Rough-in set 1/2" for floor-mounted mixers/spouts



48 458 000	Chrome	4005176523793	478.07
48 458 DC0	supersteel	4005176787249	478.07
48 458 GL0	cool sunrise	4005176787256	478.07
48 458 GN0	brushed cool sunrise	4005176951848	669.30
48 458 DA0	warm sunset	4005176788468	478.07
48 458 DL0	brushed warm sunset	4005176951831	669.30
48 458 AL0	brushed hard graphite	4005176788475	478.07

Atrio Private Collection

Sticks made from White Attica Caesarstone material

can be combined with Atrio Private Collection:

one-hole basin mixer L-Size 21 134

one-hole basin mixer XL-Size 21 140

three-hole basin mixers 20 587 and 20 593

bath mixer 25 227

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



GROHE SPA

GROHE

ATRIO PRIVATE COLLECTION

Ref. No. Colour EAN Retail Guide
Price (£)



48 459 000	Chrome	4005176523809	478.07
48 459 DC0	supersteel	4005176788482	478.07
48 459 GL0	cool sunrise	4005176788499	478.07
48 459 GN0	brushed cool sunrise	4005176951862	669.30
48 459 DA0	warm sunset	4005176788505	478.07
48 459 DL0	brushed warm sunset	4005176951855	669.30
48 459 AL0	brushed hard graphite	4005176788512	478.07



Atrio Private Collection

Sticks made from Vanilla Noir Caesarstone material

can be combined with Atrio Private Collection:

one-hole basin mixer L-Size 21 134

one-hole basin mixer XL-Size 21 140

three-hole basin mixers 20 587 and 20 593

bath mixer 25 227

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



48 646 GN0	brushed cool sunrise	4005176951923	669.30
48 646 DL0	brushed warm sunset	4005176951916	669.30



Atrio Private Collection

Knurled sticks

can be combined with Atrio Private Collection:

one-hole basin mixer L-Size 21 134


one-hole basin mixer XL-Size 21 140

three-hole basin mixers 20 587 and 20 593

bath mixer 25 227

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.



25 224 000	Chrome	4005176508950	1,841.93
25 224 DC0	supersteel	4005176508851	2,578.70
25 224 GL0	cool sunrise	4005176508790	2,762.89
25 224 GN0	brushed cool sunrise	4005176508776	2,947.09
25 224 DA0	warm sunset	4005176508875	2,762.89
25 224 DL0	brushed warm sunset	4005176508837	2,947.09
25 224 AL0	brushed hard graphite	4005176508912	2,947.09

Atrio Private Collection
5-hole bath/shower combination
 ceramic headparts 1/2", 90°
GROHE Long-Life finish
 Consisting of:
 pre-assembled spout fixing
 bath spout with mousseur and diverter bath/shower
 hand shower 6.6 l/min
 shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for stick handles
 to be combined with stick sets 48 464, 48 465 or 48 651, please order separately
 can be used with 29 037 002

29 037 002	4005176519918	890.16
------------	---------------	--------

Baseframe for installation under tiled surround



48 464 000	Chrome	4005176523854	478.07
48 464 DC0	supersteel	4005176788529	478.07
48 464 GL0	cool sunrise	4005176788536	478.07
48 464 GN0	brushed cool sunrise	4005176951886	669.30
48 464 DA0	warm sunset	4005176788543	478.07
48 464 DL0	brushed warm sunset	4005176951879	669.30
48 464 AL0	brushed hard graphite	4005176788550	478.07

Atrio Private Collection
Sticks made from White Attica Caesarstone material
 can be combined with Atrio Private Collection:
 tub filler 25 224
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.
 Caesarstone is a quartz composite material. Structures and textures on the
 surface may vary and are unique.



48 465 000	Chrome	4005176523861	478.07
48 465 DC0	supersteel	4005176788567	478.07
48 465 GL0	cool sunrise	4005176788574	478.07
48 465 GN0	brushed cool sunrise	4005176951909	669.30
48 465 DA0	warm sunset	4005176788581	478.07
48 465 DL0	brushed warm sunset	4005176951893	669.30
48 465 AL0	brushed hard graphite	4005176788598	478.07


Atrio Private Collection
Sticks made from Vanilla Noir Caesarstone material
 can be combined with Atrio Private Collection:
 tub filler 25 224
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.
 Caesarstone is a quartz composite material. Structures and textures on the
 surface may vary and are unique.



48 651 GN0	brushed cool sunrise	4005176951947	669.30
48 651 DL0	brushed warm sunset	4005176951930	669.30


Atrio Private Collection
Knurled sticks
 can be combined with Atrio Private Collection:
 tub filler 25 224
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




32 757 001	Chrome	4005176498589	503.07
32 757 DC1	supersteel	4005176954306	704.29
32 757 GL1	cool sunrise	4005176499319	754.59
32 757 GN1	brushed cool sunrise	4005176499326	804.90
32 757 DA1	warm sunset	4005176499333	754.59
32 757 DL1	brushed warm sunset	4005176499340	804.90
32 757 AL1	brushed hard graphite	4005176499364	804.90

Allure
Basin mixer 1/2"
M-Size
monobloc installation
swivelling spout
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation Plus installation system
GROHE AquaGuide adjustable slim air mousseur
pop-up waste set 1 1/4"
flexible connection hoses
temperature limiter



32 146 001	Chrome	4005176499388	558.95
32 146 DC1	supersteel	4005176954290	782.54
32 146 GL1	cool sunrise	4005176499418	838.43
32 146 GN1	brushed cool sunrise	4005176499425	894.33
32 146 DA1	warm sunset	4005176499432	838.43
32 146 DL1	brushed warm sunset	4005176499449	894.33
32 146 AL1	brushed hard graphite	4005176499463	894.33


Allure
Single-lever basin mixer 1/2"
L-Size
monobloc installation
swivelling spout
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation Plus installation system
GROHE AquaGuide adjustable slim air mousseur
pop-up waste set 1 1/4"
flexible connection hoses
temperature limiter



23 403 001	Chrome	4005176499487	642.80
23 403 DC1	supersteel	4005176954221	899.92
23 403 GL1	cool sunrise	4005176499517	964.20
23 403 GN1	brushed cool sunrise	4005176499524	1,028.47
23 403 DA1	warm sunset	4005176499531	964.20
23 403 DL1	brushed warm sunset	4005176499548	1,028.47
23 403 AL1	brushed hard graphite	4005176499562	1,028.47

Allure
Basin mixer 1/2"
XL-Size
monobloc installation
swivelling spout
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE Long-Life finish
maximum flow rate (at 3 bar): 5 l/min
GROHE Water Saving - Less water, perfect flow
smooth body with push-open pop-up waste set 1 1/4"
GROHE AquaGuide adjustable slim air mousseur
projection 185 mm
height 377 mm
push-to-open waste set
flexible connection hoses
temperature limiter

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 856 001	Chrome	4005176499586	1,956.35
23 856 DC1	supersteel	4005176954238	2,738.90
23 856 GL1	cool sunrise	4005176499616	2,934.53
23 856 GN1	brushed cool sunrise	4005176499623	3,130.16
23 856 DA1	warm sunset	4005176499630	2,934.53
23 856 DL1	brushed warm sunset	4005176499647	3,130.16
23 856 AL1	brushed hard graphite	4005176499661	3,130.16

Allure
Single-lever basin mixer floor mounted
monobloc installation
for free-standing basins
set for final installation for
45 984 001
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
smooth body with push-open pop-up waste set 1 1/4"
GROHE AquaGuide adjustable slim air mousseur
projection 185 mm
temperature limiter


45 984 001	Chrome	4005176992056	533.56
------------	--------	---------------	--------

Rough-in set 1/2" for floor-mounted mixers/spouts



20 188 001	Chrome	4005176499685	950.23
20 188 DC1	supersteel	4005176954191	1,330.32
20 188 GL1	cool sunrise	4005176499715	1,425.34
20 188 GN1	brushed cool sunrise	4005176499722	1,520.36
20 188 DA1	warm sunset	4005176499739	1,425.34
20 188 DL1	brushed warm sunset	4005176499746	1,520.36
20 188 AL1	brushed hard graphite	4005176499760	1,520.36

Allure
Three-hole basin mixer 1/2"
M-Size
deck mounted
ceramic headparts 1/2", 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE AquaGuide adjustable slim air mousseur
projection 143 mm
pressure-proof, flexible connection hoses
between spout and side valves
pop-up waste set 1 1/4"



20 189 002	Chrome	4005176499784	922.28
20 189 DC2	supersteel	4005176954207	1,291.19
20 189 GL2	cool sunrise	4005176499814	1,383.42
20 189 GN2	brushed cool sunrise	4005176499821	1,475.64
20 189 DA2	warm sunset	4005176499838	1,383.42
20 189 DL2	brushed warm sunset	4005176499845	1,475.64
20 189 AL2	brushed hard graphite	4005176499869	1,475.64

Allure
Three-hole basin mixer 1/2"
S-Size
wall mounted, with lever handles
without concealed body
set for final installation for 29 025 002
valves hot/cold
with headparts 1/2" - 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
Precision Control with haptic click feedback (optional)
GROHE AquaGuide adjustable slim air mousseur
projection 150 mm


20 193 002	Chrome	4005176499883	950.23
20 193 DC2	supersteel	4005176954214	1,330.32
20 193 GL2	cool sunrise	4005176499913	1,425.34
20 193 GN2	brushed cool sunrise	4005176499920	1,520.36
20 193 DA2	warm sunset	4005176499937	1,425.34
20 193 DL2	brushed warm sunset	4005176499944	1,520.36
20 193 AL2	brushed hard graphite	4005176499968	1,520.36


projection 208 mm


29 025 002		4005176519895	281.62
------------	--	---------------	--------

Rough-in set for 3-hole basin mixer


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 309 002	Chrome	4005176499982	1,034.08
	19 309 DC2	supersteel	4005176954108	1,447.70
	19 309 GL2	cool sunrise	4005176514197	1,551.11
	19 309 GN2	brushed cool sunrise	4005176514173	1,654.51
	19 309 DA2	warm sunset	4005176514241	1,551.11
	19 309 DL2	brushed warm sunset	4005176514227	1,654.51
	19 309 AL2	brushed hard graphite	4005176514289	1,654.51
	19 386 002	Chrome	4005176512995	1,062.02
	19 386 DC2	supersteel	4005176954160	1,486.83
	19 386 GL2	cool sunrise	4005176512834	1,593.03
	19 386 GN2	brushed cool sunrise	4005176512810	1,699.23
	19 386 DA2	warm sunset	4005176512896	1,593.03
	19 386 DL2	brushed warm sunset	4005176512872	1,699.23
	19 386 AL2	brushed hard graphite	4005176512957	1,699.23
	23 429 000		4005176993695	279.16
	Rough-in for Joystick 2-hole basin mixers			
	24 160 001	Chrome	4005176596230	503.07
	24 160 DC1	supersteel	4005176954245	704.30
	24 160 GL1	cool sunrise	4005176596261	754.61
	24 160 GN1	brushed cool sunrise	4005176596278	804.91
	24 160 DA1	warm sunset	4005176596285	754.61
	24 160 DL1	brushed warm sunset	4005176598692	804.91
	24 160 AL1	brushed hard graphite	4005176598715	804.91
	32 846 001	Chrome	4005176506895	614.85
	32 846 DC1	supersteel	4005176954320	860.80
	32 846 GL1	cool sunrise	4005176506758	922.28
	32 846 GN1	brushed cool sunrise	4005176506734	983.76
	32 846 DA1	warm sunset	4005176506819	922.28
	32 846 DL1	brushed warm sunset	4005176506796	983.76
	32 846 AL1	brushed hard graphite	4005176506857	983.76
	Allure			
	2-hole basin mixer			
	S-Size			
	wall mounted			
	without concealed body			
	set for final installation for			
	23 429 000			
	GROHE FeatherControl Joystick cartridge			
	GROHE Long-Life finish			
	GROHE Water Saving - Less water, perfect flow			
	maximum flow rate (at 3 bar): 5 l/min			
	GROHE AquaGuide adjustable slim air mousseur			
	centre distance 110 mm			
	projection 154 mm			
	Allure			
	Bidet mixer 1/2"			
	monobloc installation			
	28 mm ceramic cartridge			
	with GROHE SilkMove			
	GROHE Long-Life finish			
	ball-joint mousseur			
	pop-up waste set 1 1/4"			
	flexible connection hoses			
	Allure			
	Single-lever shower mixer 1/2" exposed			
	wall mounted			
	GROHE SilkMove 35 mm ceramic cartridge			
	GROHE Long-Life finish			
	adjustable flow rate limiter			
	shower bottom outlet 1/2" with			
	integrated non return-valve			
	covered S-unions			
	protected against backflow			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 32 826 001	Chrome	4005176507076	670.74
	32 826 DC1	supersteel	4005176954313	939.04
	32 826 GL1	cool sunrise	4005176506932	1,006.12
	32 826 GN1	brushed cool sunrise	4005176506918	1,073.20
	32 826 DA1	warm sunset	4005176500930	1,006.12
	32 826 DL1	brushed warm sunset	4005176506970	1,073.20
	32 826 AL1	brushed hard graphite	4005176507038	1,073.20
	 Allure Single-lever bath mixer 1/2" exposed wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower cast spout mousseur shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow			

	 18 968 001	Chrome	4005176514586	215.20
	 Allure Shower and bath tray for installation with 32 846 001 and 32 826 001 easy to click on and remove material: acrylic glass width 315 mm depth 136 mm			

	 19 317 001	Chrome	4005176513756	405.24
	19 317 DC1	supersteel	4005176954139	567.34
	19 317 GL1	cool sunrise	4005176513596	607.87
	19 317 GN1	brushed cool sunrise	4005176513572	648.39
	19 317 DA1	warm sunset	4005176513657	607.87
	19 317 DL1	brushed warm sunset	4005176513633	648.39
	19 317 AL1	brushed hard graphite	4005176513718	648.39
	 Allure Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set			
		35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



GROHE SPA	19 315 001	Chrome	4005176514159	461.14
	19 315 DC1	supersteel	4005176954115	645.60
	19 315 GL1	cool sunrise	4005176513992	691.70
	19 315 GN1	brushed cool sunrise	4005176513978	737.82
	19 315 DA1	warm sunset	4005176514050	691.70
	19 315 DL1	brushed warm sunset	4005176514036	737.82
	19 315 AL1	brushed hard graphite	4005176514111	737.82

Allure**Single-lever mixer with 2-way diverter**

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE SilkMove 46 mm ceramic cartridge**GROHE Long-Life** finishwall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever


automatic 2-way diverter

flow performance:

outlet B = 27 l/min, outlet C = 27 l/min

without roughing-in-set

35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		



GROHE SPA	29 176 001	Chrome	4005176507779	503.07
	29 176 DC1	supersteel	4005176954276	704.29
	29 176 GL1	cool sunrise	4005176507632	754.59
	29 176 GN1	brushed cool sunrise	4005176507618	804.90
	29 176 DA1	warm sunset	4005176500534	754.59
	29 176 DL1	brushed warm sunset	4005176507670	804.90
	29 176 AL1	brushed hard graphite	4005176507731	804.90

Allure**Single-lever mixer with 3-way diverter**

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE SilkMove 46 mm ceramic cartridge**GROHE Long-Life** finishwall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

3-way diverter

flow performance:

outlet A = 27 l/min,

outlet B = 27 l/min,

outlet C = 27 l/min

without roughing-in-set

35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

19 380 002	Chrome	4005176513190	531.01
19 380 DC2	supersteel	4005176954153	743.41
19 380 GL2	cool sunrise	4005176513039	796.51
19 380 GN2	brushed cool sunrise	4005176513015	849.61
19 380 DA2	warm sunset	4005176513091	796.51
19 380 DL2	brushed warm sunset	4005176513077	849.61
19 380 AL2	brushed hard graphite	4005176513152	849.61

Allure

Thermostat for concealed installation with one valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge with wax thermoelement

GROHE Long-Life finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

ceramic stop valve, 120°


metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 181 002	Chrome	4005176558993	558.95
29 181 DC2	supersteel	4005176954283	782.54
29 181 GL2	cool sunrise	4005176559020	838.43
29 181 GN2	brushed cool sunrise	4005176559037	894.33
29 181 DA2	warm sunset	4005176559044	838.43
29 181 DL2	brushed warm sunset	4005176559051	894.33
29 181 AL2	brushed hard graphite	4005176559075	894.33

Allure

Thermostat for concealed installation with 2-way diverter head shower/hand shower

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge with wax thermoelement

GROHE Long-Life finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included


GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min


without roughing-in-set



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

19 446 002	Chrome	4005176512797	558.95
19 446 DC2	supersteel	4005176954177	782.54
19 446 GL2	cool sunrise	4005176512636	838.43
19 446 GN2	brushed cool sunrise	4005176512612	894.33
19 446 DA2	warm sunset	4005176512698	838.43
19 446 DL2	brushed warm sunset	4005176512674	894.33
19 446 AL2	brushed hard graphite	4005176512759	894.33



Allure

Thermostat for concealed installation with 2-way diverter hand shower/bath filler

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge with wax thermoelement

GROHE Long-Life finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed hand shower and bath filler symbol

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		



25 221 001	Chrome	4005176509438	1,545.41
25 221 DC1	supersteel	4005176954252	2,163.57
25 221 GL1	cool sunrise	4005176509278	2,318.11
25 221 GN1	brushed cool sunrise	4005176509254	2,472.66
25 221 DA1	warm sunset	4005176509339	2,318.11
25 221 DL1	brushed warm sunset	4005176509315	2,472.66
25 221 AL1	brushed hard graphite	4005176509391	2,472.66

Allure

5-hole bath/shower combination

for installation under tiled surround

ceramic headparts 1/2", 90°

GROHE Long-Life finish

Consisting of:

pre-assembled spout fixing

with lever handles

bath spout with mousseur and diverter bath/shower

Rainshower Aqua hand shower 6.6 l/min


shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow





optional baseframes for installation: 29 037 001/29 037 002



29 037 001	4005176455490	890.16
Baseframe for installation under tiled surround		

29 037 002	4005176519918	890.16
Baseframe for installation under tiled surround		





	Ref. No.	Colour	EAN	Retail Guide Price (£)
  	19 316 001	Chrome	4005176513954	1,545.41
	19 316 DC1	supersteel	4005176954122	2,163.57
	19 316 GL1	cool sunrise	4005176513794	2,318.11
	19 316 GN1	brushed cool sunrise	4005176513770	2,472.66
	19 316 DA1	warm sunset	4005176513855	2,318.11
	19 316 DL1	brushed warm sunset	4005176513831	2,472.66
	19 316 AL1	brushed hard graphite	4005176513916	2,472.66
	Allure 4-hole single-lever bath combination for installation under tiled surround GROHE Long-Life finish single lever mixer operating element diverter bath/shower Rainshower Aqua hand shower 6.6 l/min shower hose 2000 mm optional baseframes for installation: 29 037 001/29 037 002			
	29 037 001		4005176455490	890.16
	Baseframe for installation under tiled surround			
  	25 222 001	Chrome	4005176509230	2,459.41
	25 222 DC1	supersteel	4005176954269	3,443.17
	25 222 GL1	cool sunrise	4005176509070	3,689.11
	25 222 GN1	brushed cool sunrise	4005176509056	3,935.06
	25 222 DA1	warm sunset	4005176509131	3,689.11
	25 222 DL1	brushed warm sunset	4005176509117	3,935.06
	25 222 AL1	brushed hard graphite	4005176509193	3,935.06
	Allure Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life finish automatic diverter: bath/shower spout with mousseur projection 263 mm integrated non-return valve in the shower outlet 1/2" with shower holder Rainshower Aqua hand shower 6.6 l/min shower hose 1250 mm protected against backflow			
	45 984 001	Chrome	4005176992056	533.56
	Rough-in set 1/2" for floor-mounted mixers/spouts			
  	13 317 001	Chrome	4005176514869	1,565.07
	13 317 DC1	supersteel	4005176954092	2,191.11
	13 317 GL1	cool sunrise	4005176514708	2,347.62
	13 317 GN1	brushed cool sunrise	4005176514685	2,504.13
	13 317 DA1	warm sunset	4005176514760	2,347.62
	13 317 DL1	brushed warm sunset	4005176514746	2,504.13
	13 317 AL1	brushed hard graphite	4005176514821	2,504.13
	Allure Cascade spout for bath and shower wall mounted with decorative glass cover plate GROHE Long-Life finish projection 169 mm			
	13 264 001	Chrome	4005176515149	349.34
	13 264 DC1	supersteel	4005176954085	489.09
  	13 264 GL1	cool sunrise	4005176514982	524.03
	13 264 DA1	warm sunset	4005176515040	524.03
	13 264 AL1	brushed hard graphite	4005176515101	558.95
	Allure Bath spout 3/4" wall mounted GROHE Long-Life finish projection 167 mm caché mousseur			




GROHE SPA

GROHE ALLURE

SPA BATH
TAPS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
  	19 590 001	Chrome	4005176512599	237.55
	19 590 DC1	supersteel	4005176954184	332.58
	19 590 GL1	cool sunrise	4005176512438	356.34
	19 590 GN1	brushed cool sunrise	4005176512414	380.09
	19 590 DA1	warm sunset	4005176512490	356.34
	19 590 DL1	brushed warm sunset	4005176512476	380.09
	19 590 AL1	brushed hard graphite	4005176512551	380.09
	Allure 3-way diverter set for final installation for 29 033 000 without concealed body bayonet union escutcheon installation depth adjustable 66 - 113 mm only for use with concealed body GROHE Long-Life finish			
	29 033 000		4005176845338	300.64
	Concealed body for 5-way diverter			
 	19 334 001	Chrome	4005176513558	139.75
	19 334 DC1	supersteel	4005176954146	195.63
	19 334 GL1	cool sunrise	4005176513398	209.61
	19 334 GN1	brushed cool sunrise	4005176513374	223.58
	19 334 DA1	warm sunset	4005176513459	209.61
	19 334 DL1	brushed warm sunset	4005176513435	223.58
	19 334 AL1	brushed hard graphite	4005176513510	223.58
	Allure Concealed stop-valve trim for concealed valve 35 028 000 or 29 032 000 GROHE Long-Life finish installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with lever handle			
	35 028 000		4005176908316	154.78
	GROHE Rapido C rough-in box for single volume control			
	29 032 000		4005176845277	36.65
	Concealed valve, pre-assembled head part 1/2"			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



40 278 001	Chrome	4005176531545	128.55
40 278 DC1	supersteel	4005176953569	179.98
40 278 GL1	cool sunrise	4005176531576	192.84
40 278 GN1	brushed cool sunrise	4005176531583	205.69
40 278 DA1	warm sunset	4005176531590	192.84
40 278 DL1	brushed warm sunset	4005176531606	205.69
40 278 AL1	brushed hard graphite	4005176531620	205.69

Allure


Glass/soap dish holder

fits glass 40 882 000 or soap dispenser 40 886 xx0 (please order separately)

material: metal

concealed fastening

GROHE Long-Life finish



40 886 000	Chrome	4005176754012	89.01
40 886 DC0	supersteel	4005176754531	124.62
40 886 EN0	brushed nickel	4005176754548	142.43
40 886 GL0	cool sunrise	4005176754555	133.53
40 886 GN0	brushed cool sunrise	4005176952708	142.43
40 886 DA0	warm sunset	4005176754524	133.53
40 886 DL0	brushed warm sunset	4005176952692	142.43
40 886 A00	hard graphite	4005176954344	133.53
40 886 AL0	brushed hard graphite	4005176754517	142.43


Soap dispenser

material: glass / metal

filling quantity 160 ml


fits holder Atrio 40 884 xx0 (please order separately)

GROHE Long-Life finish



40 882 000	Chrome	4005176754494	58.32
------------	--------	---------------	-------

Glass
material: glass
fits holders Allure 40 278 001 and Atrio 40 884 xx0 (please order separately)



40 963 001	Chrome	4005176530913	128.55
40 963 DC1	supersteel	4005176952852	179.98
40 963 GL1	cool sunrise	4005176530944	192.84
40 963 GN1	brushed cool sunrise	4005176530951	205.69
40 963 DA1	warm sunset	4005176530968	192.84
40 963 DL1	brushed warm sunset	4005176530975	205.69
40 963 AL1	brushed hard graphite	4005176530999	205.69

Allure


Glass/soap dish holder

for soap dish 40 883 00 or hair dryer inlet 40 964 001 (please order separately)

material: metal






concealed fastening






GROHE Long-Life finish



40 883 000	Chrome	4005176755262	67.53
------------	--------	---------------	-------

Soap dish
material: glass
fits holders Allure (40 963 001) and Atrio (40 885 xx0), please order separately

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 964 001	chrome/frosted granite	4005176531019	41.92
	Allure Hair dryer inlet material: plastic fits holders Allure (40 963 xx1) and Atrio (40 885 xx0), please order separately			
 				
 	40 284 001	Chrome	4005176531941	69.87
	40 284 DC1	supersteel	4005176953583	97.82
	40 284 GL1	cool sunrise	4005176531972	104.81
	40 284 GN1	brushed cool sunrise	4005176531989	111.79
	40 284 DA1	warm sunset	4005176531996	104.81
	40 284 DL1	brushed warm sunset	4005176532009	111.79
	40 284 AL1	brushed hard graphite	4005176532023	111.79
	Allure Robe hook material: metal concealed fastening GROHE Long-Life finish			
 	40 342 001	Chrome	4005176531644	257.12
	40 342 DC1	supersteel	4005176953620	359.97
	40 342 GL1	cool sunrise	4005176531675	385.68
	40 342 GN1	brushed cool sunrise	4005176531682	411.40
	40 342 DA1	warm sunset	4005176531699	385.68
	40 342 DL1	brushed warm sunset	4005176531705	411.40
	40 342 AL1	brushed hard graphite	4005176531729	411.40
	Allure Double towel bar material: metal pivotable 90° length 460 mm concealed fastening GROHE Long-Life finish			
 	40 341 001	Chrome	4005176531743	257.12
	40 341 DC1	supersteel	4005176953613	359.97
	40 341 GL1	cool sunrise	4005176531774	385.68
	40 341 GN1	brushed cool sunrise	4005176531781	411.40
	40 341 DA1	warm sunset	4005176531798	385.68
	40 341 DL1	brushed warm sunset	4005176531804	411.40
	40 341 AL1	brushed hard graphite	4005176531828	411.40
	Allure Towel rail center distance 569 mm material: metal concealed fastening GROHE Long-Life finish			
 	40 339 001	Chrome	4005176531026	111.79
	40 339 DC1	supersteel	4005176953590	156.51
	40 339 GL1	cool sunrise	4005176531057	167.69
	40 339 GN1	brushed cool sunrise	4005176531064	178.87
	40 339 DA1	warm sunset	4005176531071	167.69
	40 339 DL1	brushed warm sunset	4005176531088	178.87
	40 339 AL1	brushed hard graphite	4005176531101	178.87
	Allure Towel ring material: metal concealed fastening GROHE Long-Life finish			


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 955 001	Chrome	4005176531842	237.55
	40 955 DC1	supersteel	4005176952838	332.58
	40 955 GL1	cool sunrise	4005176531873	356.34
	40 955 GN1	brushed cool sunrise	4005176531880	380.09
	40 955 DA1	warm sunset	4005176531897	356.34
	40 955 DL1	brushed warm sunset	4005176531903	380.09
	40 955 AL1	brushed hard graphite	4005176531927	380.09
	Allure Grab rail material: metal concealed fastening center distance 269 mm GROHE Long-Life finish			
	40 279 001	Chrome	4005176532047	167.69
	40 279 DC1	supersteel	4005176953576	234.77
	40 279 GL1	cool sunrise	4005176532078	251.53
	40 279 GN1	brushed cool sunrise	4005176532085	268.30
	40 279 DA1	warm sunset	4005176532092	251.53
	40 279 DL1	brushed warm sunset	4005176532108	268.30
	40 279 AL1	brushed hard graphite	4005176532122	268.30
	Allure Toilet roll holder without cover material: metal concealed fastening GROHE Long-Life finish			
	40 956 001	Chrome	4005176532146	153.71
	40 956 DC1	supersteel	4005176952845	215.20
	40 956 GL1	cool sunrise	4005176532177	230.57
	40 956 GN1	brushed cool sunrise	4005176532184	245.94
	40 956 DA1	warm sunset	4005176532191	230.57
	40 956 DL1	brushed warm sunset	4005176532207	245.94
	40 956 AL1	brushed hard graphite	4005176532221	245.94
	Allure Spare toilet paper holder without cover material: metal concealed fastening GROHE Long-Life finish			
	40 340 001	Chrome	4005176532245	279.48
	40 340 DC1	supersteel	4005176953606	391.27
	40 340 GL1	cool sunrise	4005176532276	419.22
	40 340 GN1	brushed cool sunrise	4005176532283	447.17
	40 340 DA1	warm sunset	4005176532290	419.22
	40 340 DL1	brushed warm sunset	4005176532306	447.17
	40 340 AL1	brushed hard graphite	4005176532320	447.17
	Allure Toilet brush set wall mounted concealed fastening material: glass / metal GROHE Long-Life finish			
	40 965 001	Chrome	4005176531125	377.30
	40 965 DC1	supersteel	4005176952869	528.21
	40 965 GL1	cool sunrise	4005176531156	565.95
	40 965 GN1	brushed cool sunrise	4005176531163	603.68
	40 965 DA1	warm sunset	4005176531170	565.95
	40 965 DL1	brushed warm sunset	4005176531187	603.68
	40 965 AL1	brushed hard graphite	4005176531200	603.68
	Allure Shelf wall mounted material: glass / metal concealed fastening width 600 mm depth 100 mm GROHE Long-Life finish			



GROHE SPA


GROHE
ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



40 966 001	Chrome	4005176531224	139.75
40 966 GN1	brushed cool sunrise	4005176531262	223.58
40 966 DL1	brushed warm sunset	4005176531286	223.58


Allure
Shower basket
 wall mounted
 material: metal/plastic
 with draining function
 concealed fastening
 width 300 mm
 depth 100 mm
 height 66 mm
GROHE Long-Life finish



40 967 001	Chrome	4005176531323	195.63
40 967 DC1	supersteel	4005176952883	273.89
40 967 GL1	cool sunrise	4005176531354	293.46
40 967 GN1	brushed cool sunrise	4005176531361	313.01
40 967 DA1	warm sunset	4005176531378	293.46
40 967 DL1	brushed warm sunset	4005176531385	313.01
40 967 AL1	brushed hard graphite	4005176531408	313.01

Allure
Beauty / shaving mirror
 wall mounted
 magnification: x 7
 material: glass / metal
 concealed fastening
GROHE Long-Life finish

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




24 341 000	Chrome	4005176759659	651.27
24 341 DC0	supersteel	4005176759680	911.78
24 341 AL0	brushed hard graphite	4005176759673	1,042.03

Allure Brilliant
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses

24 342 000	Chrome	4005176759697	651.27
24 342 DC0	supersteel	4005176759710	911.78
24 342 AL0	brushed hard graphite	4005176759703	1,042.03

ditto, smooth body




24 344 000	Chrome	4005176759734	809.68
24 344 DC0	supersteel	4005176759758	1,133.57
24 344 AL0	brushed hard graphite	4005176759741	1,295.50

Allure Brilliant
Single-lever basin mixer 1/2"
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses


24 345 000	Chrome	4005176759765	809.68
24 345 DC0	supersteel	4005176759789	1,133.57
24 345 AL0	brushed hard graphite	4005176759772	1,295.50

ditto, smooth body



24 346 000	Chrome	4005176759796	1,003.31
24 346 DC0	supersteel	4005176759826	1,404.63
24 346 AL0	brushed hard graphite	4005176759819	1,605.30


Allure Brilliant
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
spout with integrated mousseur
smooth body
flexible connection hoses



20 627 000	Chrome	4005176760167	950.51
20 627 DC0	supersteel	4005176760198	1,330.71
20 627 AL0	brushed hard graphite	4005176760181	1,520.81



Allure Brilliant
Three-hole basin mixer 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



20 626 000	Chrome	4005176760136	796.23
20 626 DC0	supersteel	4005176760150	1,114.74
20 626 AL0	brushed hard graphite	4005176760143	1,273.99

Allure Brilliant
Three-hole basin mixer 1/2"
M-Size
 ceramic headparts 1/2", 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 low spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves




20 628 000	Chrome	4005176760204	827.29
20 628 DC0	supersteel	4005176760235	1,158.21
20 628 AL0	brushed hard graphite	4005176760228	1,323.67

Allure Brilliant
Three-hole basin mixer 1/2"
M-Size
 wall mounted
without concealed body
 set for final installation for
 29 025 002
 valves hot/cold
 with headparts 1/2" - 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 projection 161 mm

20 629 000	Chrome	4005176760242	880.10
20 629 DC0	supersteel	4005176759628	1,232.14
20 629 AL0	brushed hard graphite	4005176759611	1,408.15

29 025 002		4005176519895	281.62
------------	--	---------------	--------

Rough-in set for 3-hole basin mixer



29 402 000	Chrome	4005176760037	792.09
29 402 DC0	supersteel	4005176760051	1,108.93
29 402 AL0	brushed hard graphite	4005176760044	1,267.34

Allure Brilliant
2-hole basin mixer
M-Size
 wall mounted
without concealed body
 set for final installation for
 23 200 000
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 centre distance 110 mm
 projection 161 mm


23 200 000		4005176908354	269.80
------------	--	---------------	--------

Rough-in for single-lever mixer, wall mount

23 200 002		4005176519901	269.71
------------	--	---------------	--------

Rough-in for single-lever mixer, wall mount


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



29 403 000	Chrome	4005176760068	844.90
29 403 DC0	supersteel	4005176760082	1,182.86
29 403 AL0	brushed hard graphite	4005176760075	1,351.83


Allure Brilliant
2-hole basin mixer
L-Size
 wall mounted
without concealed body
 set for final installation for
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 centre distance 110 mm
 projection 210 mm
 min. recommended pressure 0.2 bar

23 200 000		4005176908354	269.80
Rough-in for single-lever mixer, wall mount			
23 200 002		4005176519901	269.71
Rough-in for single-lever mixer, wall mount			



24 347 000	Chrome	4005176759833	739.28
24 347 DC0	supersteel	4005176759864	1,035.00
24 347 AL0	brushed hard graphite	4005176759857	1,182.86

Allure Brilliant
Bidet mixer 1/2"
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 temperature limiter
GROHE Long-Life finish
GROHE FastFixation installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses




24 277 000	Chrome	4005176759918	406.06
24 277 DC0	supersteel	4005176759932	568.49
24 277 AL0	brushed hard graphite	4005176759925	649.69

Allure Brilliant
Single-lever shower mixer trim
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set



35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation			




24 279 000	Chrome	4005176759949	446.67
24 279 DC0	supersteel	4005176759963	625.34
24 279 AL0	brushed hard graphite	4005176759956	714.66

Allure Brilliant
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	---------------------------



GROHE SPA


24 340 000	Chrome	4005176759970	473.08
24 340 DC0	supersteel	4005176759994	662.33
24 340 AL0	brushed hard graphite	4005176759987	756.94

Allure Brilliant
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		

24 154 000	Chrome	4005176481185	598.56
24 154 DC0	supersteel	4005176574238	837.98
24 154 AL0	brushed hard graphite	4005176585920	957.69




Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life finish
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		


29 405 000	Chrome	4005176760105	1,742.60
29 405 DC0	supersteel	4005176760129	2,439.63
29 405 AL0	brushed hard graphite	4005176760112	2,788.16



Allure Brilliant
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with integrated mousseur
 diverter bath/shower
 hand shower Rainshower Aqua Cube Stick 6.5 l/min
 metal shower hose 2000 mm (always chrome for any colour of the set)
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000

29 037 000	4005176865749	893.31
Baseframe for installation under tiled surround		

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




	24 348 000	Chrome	4005176759871	2,921.93
	24 348 DC0	supersteel	4005176759901	4,090.70
	24 348 AL0	brushed hard graphite	4005176759895	4,675.09

Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Rainshower Aqua Cube Stick
metal shower hose 1250 mm
protected against backflow

	24 348 001	Chrome	4005176770616	2,921.93
	ditto, hand shower with 6.5 l/min flow limiter			


	45 984 001	Chrome	4005176992056	533.56
	Rough-in set 1/2" for floor-mounted mixers/spouts			

	29 086 000		4005176935497	392.54
	Rough-in set 1/2" for floor-mounted mixers/spouts			




	13 486 000	Chrome	4005176756634	847.06
	13 486 DC0	supersteel	4005176756658	1,185.89
	13 486 AL0	brushed hard graphite	4005176756641	1,355.30

Allure Brilliant
Cascade spout for bath and shower
wall mounted
GROHE Long-Life finish
projection 180 mm



	13 485 000	Chrome	4005176756603	366.12
	13 485 DC0	supersteel	4005176756627	512.57
	13 485 AL0	brushed hard graphite	4005176756610	585.79

Allure Brilliant
Bath spout
wall mounted
GROHE Long-Life finish
projection 161 mm
spout with integrated mousseur




	29 399 000	Chrome	4005176754197	299.23
	29 399 DC0	supersteel	4005176754210	418.93
	29 399 AL0	brushed hard graphite	4005176754203	478.78

Allure Brilliant
5-way diverter
set for final installation for 29 033 000
without concealed body
GROHE Long-Life finish
installation depth adjustable
66 - 113 mm

	29 033 000		4005176845338	300.64
	Concealed body for 5-way diverter			

Ref. No. Colour EAN Retail Guide
Price (£)




Allure Brilliant

Concealed stop-valve trim

set for final installation for
29 032 000 (preassembled headpart 1/2")
29 068 000 (preassembled ceramic headpart 1/2" -
not to be used as shut-off)
35 028 000
GROHE Long-Life finish
installation depth adjustable
43 - 91 mm

29 032 000 4005176845277 36.65
Concealed valve, pre-assembled head part 1/2"

35 028 000 4005176908316 154.78
GROHE Rapido C rough-in box for single volume control



26 858 000 Chrome 4005176759079 621.59


Rainshower Aqua 230

Head shower set 286 mm, 1 spray

Consisting of:
head shower Rainshower Aqua 230 (26 877 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (27 709 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life finish
SpeedClean anti-limescale system



26 856 000 Chrome 4005176759031 621.59
ditto, with non-restricted flow




26 859 000 Chrome 4005176758836 569.50

Rainshower Aqua 230

Head shower set ceiling 154 mm, 1 spray

Consisting of:
head shower Rainshower Aqua 230 (26 877 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower ceiling 154 mm (27 711 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life finish
SpeedClean anti-limescale system
















26 802 000 Chrome 4005176722776 142.18
26 802 DC0 supersteel 4005176722899 199.04
26 802 AL0 brushed hard graphite 4005176722905 241.70




Rainshower Aqua


Body spray cube 2 spray

spray pattern:
PureRain, ActiveJet
including concealed body and compound seal
75 x 75 mm
pivoting range ± 15° rotatable
connection thread 1/2"
throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life finish
SpeedClean anti-limescale system
min. recommended pressure 0.2 bar
not suitable for instantaneous heater

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 884 000	Chrome	4005176759307	108.25
	 Rainshower Aqua Cube Stick Hand shower 1 spray Normal spray material: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses min. recommended pressure 0.2 bar			
	26 850 000	Chrome	4005176754456	57.73
	26 850 DC0	supersteel	4005176754470	80.82
	26 850 AL0	brushed hard graphite	4005176754463	98.15
 Allure Brilliant Shower outlet elbow, 1/2" male connection thread 1/2" protected against backflow material: metal GROHE Long-Life finish				
	26 847 000	Chrome	4005176755057	36.07
	26 847 DC0	supersteel	4005176755071	50.50
	26 847 AL0	brushed hard graphite	4005176755064	61.32
 Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE Long-Life finish				
	40 564 000	Chrome	4005176912740	110.58
	40 564 DC0	supersteel	4005176491795	154.81
	40 564 AL0	brushed hard graphite	4005176491788	176.93
 Bottle trap for wash basin GROHE Long-Life finish brass body				
	40 565 000	Chrome	4005176912757	89.42
	40 565 DC0	supersteel	4005176491702	125.19
	40 565 AL0	brushed hard graphite	4005176491696	143.07
 Waste set with push-open plug for wash basins with overflow for replacement in an existing system GROHE Long-Life finish				
	38 732 000	Chrome	4005176836114	66.17
	38 732 DC0	supersteel	4005176431371	157.98
	38 732 AL0	brushed hard graphite	4005176339127	157.98
 Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)				


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 894 000	Chrome	4005176755170	1,068.41
	GROHE SPA Allure Brilliant Holder with soap dispenser material: glass / metal filling quantity 150 ml concealed fastening GROHE Long-Life finish			
	40 893 000	Chrome	4005176755163	382.34
	GROHE SPA Allure Brilliant Holder with tumbler material: glass / metal concealed fastening GROHE Long-Life finish			
	40 906 000	Chrome	4005176754388	450.22
	GROHE SPA Allure Brilliant Shelf with tumbler material: glass / metal concealed fastening GROHE Long-Life finish			
	40 907 000	Chrome	4005176754395	457.37
	GROHE SPA Allure Brilliant Shelf with soap dish GROHE Long-Life finish			
	40 895 000	Chrome	4005176754333	314.44
	GROHE SPA Allure Brilliant Towel bar 2 arms, not pivotable length 431 mm concealed fastening GROHE Long-Life finish			
	40 896 000	Chrome	4005176754340	815.09
	GROHE SPA Allure Brilliant Towel rail 650 mm (drilling length 600 mm) material: metal concealed fastening GROHE Long-Life finish			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
  	40 897 000	Chrome	4005176754357	150.07
	Allure Brilliant Robe hook material: metal concealed fastening GROHE Long-Life finish			
  	40 898 000	Chrome	4005176754364	305.19
	Allure Brilliant Toilet roll holder without cover material: metal concealed fastening GROHE Long-Life finish			
  	40 900 000	Chrome	4005176754371	500.25
	Allure Brilliant Toilet brush set material: glass / metal wall mounted concealed fastening GROHE Long-Life finish			




24 397 000	Chrome	4005176795541	969.30
24 397 DC0	supersteel	4005176795558	1,453.94
24 397 AL0	brushed hard graphite	4005176795565	1,550.87

Allure Brilliant Private Collection
Basin mixer 1/2"
M-Size
 knurled lever
 monobloc installation
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses




24 398 000	Chrome	4005176795572	969.30
24 398 DC0	supersteel	4005176795589	1,453.94
24 398 AL0	brushed hard graphite	4005176795596	1,550.87

Allure Brilliant Private Collection
Basin mixer 1/2"
M-Size
 lever with white Caesarstone inlay
 monobloc installation
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses




24 399 000	Chrome	4005176794933	969.30
24 399 DC0	supersteel	4005176794940	1,453.94
24 399 AL0	brushed hard graphite	4005176794957	1,550.87

Allure Brilliant Private Collection
Basin mixer 1/2"
M-Size
 lever with black Caesarstone inlay
 monobloc installation
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses




24 400 000	Chrome	4005176794964	1,205.04
24 400 DC0	supersteel	4005176794971	1,807.57
24 400 AL0	brushed hard graphite	4005176795428	1,928.07

Allure Brilliant Private Collection
Single-lever basin mixer 1/2"
L-Size
 knurled lever
 monobloc installation
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses




24 408 000	Chrome	4005176795435	1,553.73
24 408 DC0	supersteel	4005176795442	2,175.22
24 408 AL0	brushed hard graphite	4005176795459	2,485.97

Allure Brilliant Private Collection
Single-lever basin mixer 1/2"
L-Size
 spout with White Attica Caesarstone inlay
 monobloc installation
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses




24 414 000	Chrome	4005176795466	1,553.73
24 414 DC0	supersteel	4005176794056	2,175.22
24 414 AL0	brushed hard graphite	4005176794865	2,485.97

Allure Brilliant Private Collection
Single-lever basin mixer 1/2"
L-Size
 spout with Vanilla Noir Caesarstone inlay
 monobloc installation
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses




24 417 000	Chrome	4005176794872	1,493.22
24 417 DC0	supersteel	4005176794896	2,239.84
24 417 AL0	brushed hard graphite	4005176794902	2,389.16

Allure Brilliant Private Collection
Basin mixer 1/2"
XL-Size
 knurled lever
 monobloc installation
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
 spout with integrated mousseur
 smooth body
 flexible connection hoses




24 418 000	Chrome	4005176794919	1,493.22
24 418 DC0	supersteel	4005176794926	2,239.84
24 418 AL0	brushed hard graphite	4005176795473	2,389.16

Allure Brilliant Private Collection
Basin mixer 1/2"
XL-Size
 lever with white Caesarstone inlay
 monobloc installation
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
 spout with integrated mousseur
 smooth body
 flexible connection hoses




24 419 000	Chrome	4005176795480	1,493.22
24 419 DC0	supersteel	4005176795497	2,239.84
24 419 AL0	brushed hard graphite	4005176795503	2,389.16

Allure Brilliant Private Collection
Basin mixer 1/2"
XL-Size
 lever with black Caesarstone inlay
 monobloc installation
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
 spout with integrated mousseur
 smooth body
 flexible connection hoses




20 667 000	Chrome	4005176795510	1,414.64
20 667 DC0	supersteel	4005176795527	2,121.95
20 667 AL0	brushed hard graphite	4005176795534	2,263.40

Allure Brilliant Private Collection
Three-hole basin mixer 1/2"
L-Size
 knurled trapeze handles
 ceramic headparts 1/2", 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves




20 668 000	Chrome	4005176795008	2,868.42
20 668 DC0	supersteel	4005176795015	4,541.68
20 668 AL0	brushed hard graphite	4005176795022	4,780.71

Allure Brilliant Private Collection
Three-hole basin mixer 1/2"
L-Size
 white Caesarstone trapeze handles
 spout with White Attica Caesarstone inlay
 ceramic headparts 1/2", 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves




20 669 000	Chrome	4005176795039	2,868.42
20 669 DC0	supersteel	4005176795046	4,541.68
20 669 AL0	brushed hard graphite	4005176795053	4,780.71

Allure Brilliant Private Collection
Three-hole basin mixer 1/2"
L-Size
 black Caesarstone trapeze handles
 spout with Vanilla Noir Caesarstone inlay
 ceramic headparts 1/2", 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves




20 670 000	Chrome	4005176791680	1,414.64
20 670 DC0	supersteel	4005176791697	2,121.95
20 670 AL0	brushed hard graphite	4005176791703	2,263.40

Allure Brilliant Private Collection
Three-hole basin mixer 1/2"
L-Size
 knurled knob handles
 ceramic headparts 1/2", 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves




20 671 000	Chrome	4005176791710	2,829.26
20 671 DC0	supersteel	4005176791727	4,243.90
20 671 AL0	brushed hard graphite	4005176791734	4,526.82

Allure Brilliant Private Collection
Three-hole basin mixer 1/2"
L-Size
 white Caesarstone knob handles
 spout with White Attica Caesarstone inlay
 ceramic headparts 1/2", 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves



20 672 000	Chrome	4005176791741	2,829.26
20 672 DC0	supersteel	4005176791758	4,243.90
20 672 AL0	brushed hard graphite	4005176791963	4,526.82

Allure Brilliant Private Collection
Three-hole basin mixer 1/2"
L-Size
 black Caesarstone knob handles
 spout with Vanilla Noir Caesarstone inlay
 ceramic headparts 1/2", 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves



29 517 000	Chrome	4005176795060	1,257.44
29 517 DC0	supersteel	4005176795077	1,886.16
29 517 AL0	brushed hard graphite	4005176795084	2,011.91




Allure Brilliant Private Collection
2-hole basin mixer
M-Size
 knurled handle
 wall mounted
without concealed body
 set for final installation for
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 centre distance 110 mm
 projection 210 mm
 min. recommended pressure 0.2 bar


23 200 000		4005176908354	269.80
------------	--	---------------	--------

Rough-in for single-lever mixer, wall mount

23 200 002		4005176519901	269.71
------------	--	---------------	--------

Rough-in for single-lever mixer, wall mount

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 519 000	Chrome	4005176795091	1,673.25
	29 519 DC0	supersteel	4005176794988	2,151.31
	29 519 AL0	brushed hard graphite	4005176794995	2,390.35
	Allure Brilliant Private Collection 2-hole basin mixer M-Size white Caesarstone handle spout with White Attica Caesarstone inlay wall mounted without concealed body set for final installation for GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min spout with integrated mousseur centre distance 110 mm projection 210 mm min. recommended pressure 0.2 bar			
 	23 200 000		4005176908354	269.80
	Rough-in for single-lever mixer, wall mount			
	23 200 002		4005176519901	269.71
	Rough-in for single-lever mixer, wall mount			
	29 521 000	Chrome	4005176795602	1,673.25
	29 521 DC0	supersteel	4005176795619	2,151.31
	29 521 AL0	brushed hard graphite	4005176795626	2,390.35
	Allure Brilliant Private Collection 2-hole basin mixer M-Size black Caesarstone handle spout with Vanilla Noir Caesarstone inlay wall mounted without concealed body set for final installation for GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min spout with integrated mousseur centre distance 110 mm projection 210 mm min. recommended pressure 0.2 bar			
 	23 200 000		4005176908354	269.80
	Rough-in for single-lever mixer, wall mount			
	23 200 002		4005176519901	269.71
	Rough-in for single-lever mixer, wall mount			
	24 425 000	Chrome	4005176795220	620.42
	24 425 DC0	supersteel	4005176795237	930.64
	24 425 AL0	brushed hard graphite	4005176795244	992.68
	Allure Brilliant Private Collection Single-lever mixer with 2-way diverter knurled handle set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
 	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
				




24 426 000	Chrome	4005176795251	620.42
24 426 DC0	supersteel	4005176795268	930.64
24 426 AL0	brushed hard graphite	4005176795275	992.68

Allure Brilliant Private Collection
Single-lever mixer with 2-way diverter
 white Caesarstone handle
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		




24 427 000	Chrome	4005176795282	620.42
24 427 DC0	supersteel	4005176795299	930.64
24 427 AL0	brushed hard graphite	4005176795305	992.68

Allure Brilliant Private Collection
Single-lever mixer with 2-way diverter
 black Caesarstone handle
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		




24 428 000	Chrome	4005176795343	950.22
24 428 DC0	supersteel	4005176795350	1,425.32
24 428 AL0	brushed hard graphite	4005176795367	1,520.34

Allure Brilliant
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
 knurled handle
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Long-Life finish
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set




35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		



29 525 000 29 525 DC0 29 525 AL0	Chrome	4005176795107	2,593.52
	supersteel	4005176795114	3,890.27
	brushed hard graphite	4005176795121	4,149.63

Allure Brilliant Private Collection
4-hole single-lever bath combination
 white Caesarstone handle
 spout with White Attica Caesarstone inlay
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with integrated mousseur
 diverter bath/shower
 hand shower Rainshower Aqua Cube Stick
 metal shower hose 2000 mm (always chrome for any colour of the set)
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000


29 037 000	4005176865749	893.31
Baseframe for installation under tiled surround		



29 527 000 29 527 DC0 29 527 AL0	Chrome	4005176795138	2,593.52
	supersteel	4005176795145	3,890.27
	brushed hard graphite	4005176795152	4,149.63

Allure Brilliant Private Collection
4-hole single-lever bath combination
 black Caesarstone handle
 spout with Vanilla Noir Caesarstone inlay
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with integrated mousseur
 diverter bath/shower
 hand shower Rainshower Aqua Cube Stick
 metal shower hose 2000 mm (always chrome for any colour of the set)
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000

29 037 000	4005176865749	893.31
Baseframe for installation under tiled surround		



24 422 000 24 422 DC0 24 422 AL0	Chrome	4005176795169	4,348.73
	supersteel	4005176795176	6,523.08
	brushed hard graphite	4005176795183	6,957.97

Allure Brilliant Private Collection
Single-lever bath mixer 1/2", floor mounted
 knurled handle
 set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
 automatic diverter: bath/shower
 spout with integrated mousseur
 projection 270 mm
 integrated non-return valve
 in the shower outlet 1/2"
 with shower holder
 hand shower Rainshower Aqua Cube Stick
 metal shower hose 1250 mm
 protected against backflow

45 984 001	Chrome	4005176992056	533.56
Rough-in set 1/2" for floor-mounted mixers/spouts			

29 086 000	4005176935497	392.54
Rough-in set 1/2" for floor-mounted mixers/spouts		



24 423 000	Chrome	4005176795312	4,348.73
24 423 DC0	supersteel	4005176795329	6,523.08
24 423 AL0	brushed hard graphite	4005176795336	6,957.97

Allure Brilliant Private Collection Single-lever bath mixer 1/2", floor mounted

white Caesarstone handle
spout with White Attica Caesarstone inlay
set for final installation for 45 984 001

without roughing-in-set

GROHE SilkMove 46 mm ceramic cartridge

GROHE Long-Life finish

automatic diverter: bath/shower

spout with integrated mousseur

projection 270 mm

integrated non-return valve


in the shower outlet 1/2"

with shower holder

hand shower Rainshower Aqua Cube Stick

metal shower hose 1250 mm

protected against backflow



45 984 001	Chrome	4005176992056	533.56
Rough-in set 1/2" for floor-mounted mixers/spouts			

29 086 000		4005176935497	392.54
Rough-in set 1/2" for floor-mounted mixers/spouts			



24 424 000	Chrome	4005176795190	4,348.73
24 424 DC0	supersteel	4005176795206	6,523.08
24 424 AL0	brushed hard graphite	4005176795213	6,957.97

Allure Brilliant Private Collection Single-lever bath mixer 1/2", floor mounted

black Caesarstone handle

spout with Vanilla Noir Caesarstone inlay

set for final installation for 45 984 001

without roughing-in-set

GROHE SilkMove 46 mm ceramic cartridge

GROHE Long-Life finish

automatic diverter: bath/shower

spout with integrated mousseur

projection 270 mm

integrated non-return valve


in the shower outlet 1/2"

with shower holder

hand shower Rainshower Aqua Cube Stick


metal shower hose 1250 mm

protected against backflow



45 984 001	Chrome	4005176992056	533.56
Rough-in set 1/2" for floor-mounted mixers/spouts			


29 086 000		4005176935497	392.54
Rough-in set 1/2" for floor-mounted mixers/spouts			



24 369 000	Chrome	4005176758089	406.60
24 369 IGO	chrome/gold	4005176758119	528.58
24 369 DAO	warm sunset	4005176758102	609.90


Grandera
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur
pop-up waste set 1 1/4"
flexible connection hoses

24 370 000	Chrome	4005176758133	406.60
24 370 IGO	chrome/gold	4005176758157	528.58
ditto, smooth body			




20 666 000	Chrome	4005176761546	487.92
20 666 IGO	chrome/gold	4005176761553	634.28

Grandera
Two-handle basin mixer, 1/2"
L-Size
monobloc installation
valves hot/cold
with headparts 1/2" - 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE AquaGuide adjustable mousseur
swivel spout
pop-up waste set 1 1/4"
flexible connection hoses







24 371 000	Chrome	4005176758164	538.73
24 371 IGO	chrome/gold	4005176758171	700.36





Grandera
Basin mixer 1/2"
XL-Size
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur
smooth body
flexible connection hoses




20 624 000	Chrome	4005176758034	572.63
20 624 IGO	chrome/gold	4005176758058	744.41

Grandera
Three-hole basin mixer 1/2"
M-Size
valves hot/cold
with headparts 1/2" - 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE AquaGuide adjustable mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

	Ref. No.	Colour	EAN	Retail Guide Price (£)		
	 20 619 000	Chrome	4005176757921	633.62		
	20 619 IGO	chrome/gold	4005176757952	823.70		
	20 619 DAO	warm sunset	4005176757945	950.42		
	 Grandera Three-hole basin mixer 1/2" L-Size valves hot/cold with headparts 1/2" - 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves					
	 20 622 000	Chrome	4005176757976	474.36		
	20 622 IGO	chrome/gold	4005176757990	616.67		
	 Grandera Three-hole basin mixer 1/2" M-Size wall mounted set for final installation for 29 025 002 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur centre distance 200 mm projection 177 mm					
	 20 623 000				Chrome	4005176758010
20 623 IGO				chrome/gold	4005176758027	682.72
ditto, projection 234 mm						
29 025 002					4005176519895	281.62
Rough-in set for 3-hole basin mixer						
	 29 416 000	Chrome	4005176757778	487.92		
	29 416 IGO	chrome/gold	4005176757792	634.28		
	29 416 DAO	warm sunset	4005176757785	731.88		
	 Grandera 2-hole basin mixer M-Size wall mounted set for final installation for 23 319 000 without concealed body GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 177 mm					
 29 417 000				Chrome	4005176757815	538.73
29 417 IGO				chrome/gold	4005176757822	700.36
ditto, projection 234 mm						
23 319 000					4005176931192	264.83
Rough-in set for 2 hole basin mixers, wall installation						
	 24 372 000	Chrome	4005176758195	457.41		
	24 372 IGO	chrome/gold	4005176758218	594.63		
	 Grandera Bidet mixer 1/2" monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE FastFixation installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses					

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	 24 373 000	Chrome	4005176758232	474.36
	24 373 IGO	chrome/gold	4005176758256	616.67
Grandera Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter integrated hand shower holder shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow				
 	 24 374 000	Chrome	4005176758263	592.96
	24 374 IGO	chrome/gold	4005176758287	770.84
Grandera Single-lever bath/shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter integrated hand shower holder automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow				
 	 24 259 000	Chrome	4005176758348	330.30
	24 259 IGO	chrome/gold	4005176758355	396.37
Grandera Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set				
		35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				
 	 24 260 000	Chrome	4005176758362	363.33
	24 260 IGO	chrome/gold	4005176758386	436.00
	24 260 DA0	warm sunset	4005176758379	545.00
	Grandera Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
		35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 418 000	Chrome	4005176757839	1,253.67
	29 418 IG0	chrome/gold	4005176757853	1,629.76



Grandera
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
 Consisting of:
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with mousseur and diverter bath/shower
 Grandera hand shower 7.6 l/min
 metal shower hose
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 000

29 037 000	4005176865749	893.31
Baseframe for installation under tiled surround		


	29 415 000	Chrome	4005176757693	1,338.37
	29 415 IG0	chrome/gold	4005176757754	1,739.88



Grandera
5-hole bath/shower combination
 ceramic headparts 1/2", 90°
GROHE Long-Life finish
 Consisting of:
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with mousseur and diverter bath/shower
 Grandera hand shower 7.6 l/min
 metal shower hose
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 000

29 037 000	4005176865749	893.31
Baseframe for installation under tiled surround		


	24 375 000	Chrome	4005176758300	1,900.82
	24 375 IG0	chrome/gold	4005176758317	2,471.07







Grandera
Single-lever bath mixer 1/2", floor mounted
 set for final installation for
 45 984 001
without roughing-in set
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
 automatic diverter: bath/shower
 spout with mousseur
 projection 320 mm
 integrated non-return valves in the
 shower outlet 1/2"
 with shower holder
 Grandera hand shower 7.6 l/min
 Silverflex shower hose 1250 mm
 protected against backflow






45 984 001	Chrome	4005176992056	533.56
Rough-in set 1/2" for floor-mounted mixers/spouts			

	13 484 000	Chrome	4005176757716	271.06
	13 484 IG0	chrome/gold	4005176757747	352.38
	13 484 DA0	warm sunset	4005176757730	406.58



Grandera
Bath spout
 wall mounted
GROHE Long-Life finish
 mousseur
 projection 177 mm

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 420 000	Chrome	4005176757891	121.98
	29 420 IGO	chrome/gold	4005176757914	158.56
	29 420 DAO	warm sunset	4005176757907	182.97
	Grandera Volume Control Trim set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") GROHE Long-Life finish installation depth adjustable 43 - 91 mm			
		29 032 000	4005176845277	36.65
	Concealed valve, pre-assembled head part 1/2"			
	35 028 000		4005176908316	154.78
	GROHE Rapido C rough-in box for single volume control			
	26 852 000	Chrome	4005176758492	128.75
	26 852 IGO	chrome/gold	4005176758515	167.36
		Grandera Stick Hand shower 1 spray Rain spray pattern material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses		
	26 901 000	Chrome	4005176757518	176.18
	26 901 IGO	chrome/gold	4005176757501	229.03
		Grandera Stick Wall holder set 1 spray Consisting of: Stick hand shower (26 852 xx0) wall hand shower holder (26 896 xx0) Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417) GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish SpeedClean anti-limescale system		
	26 901 00F	Chrome	4005176757525	176.18
	Grandera Stick Wall holder set 1 spray Consisting of: Stick hand shower wall hand shower holder (26 896 xx0) Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417) GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish SpeedClean anti-limescale system			
				

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		 26 853 000	Chrome	4005176758522	267.64
		26 853 IGO	chrome/gold	4005176758539	347.94
Grandera Stick Shower rail set 1 spray Consisting of: Stick hand shower (26 852 xx0) shower rail 900 mm (27 785) Rotaflex Metal Long-Life TwistStop shower hose 1750 mm (28 025) GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE Long-Life finish SpeedClean anti-limescale system suitable for instantaneous heater					
		 26 854 000	Chrome	4005176758546	508.21
		26 854 EN0	brushed nickel	4005176758553	863.97
Rainshower Grandera 210 Head shower 1 spray Rain material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system					
		 26 898 000	Chrome	4005176758560	508.21
		26 898 IGO	chrome/gold	4005176758584	660.64
		26 898 DA0	warm sunset	4005176758577	813.13
Grandera 210 Head shower 1 spray 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system					
		 26 899 000	Chrome	4005176758607	84.69
Rainshower Grandera Shower arm ceiling 142 mm material: metal length 142 mm connection thread 1/2" Grandera escutcheon GROHE Long-Life finish					
		 26 900 000	Chrome	4005176758614	115.18
		26 900 IGO	chrome/gold	4005176758638	149.74
		26 900 DA0	warm sunset	4005176758621	184.28
Rainshower Grandera Shower arm 286 mm projection 286 mm material: metal connection thread 1/2" Grandera escutcheon GROHE Long-Life finish					


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 032 000		4005176845277	36.65
	Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass			
	29 802 000	Chrome	4005176504853	45.54
	Concealed stop valve 3/4" pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass			
	29 811 000		4005176062711	22.34
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
	26 854 000	Chrome	4005176758546	508.21
	26 854 EN0	brushed nickel	4005176758553	863.97
	Rainshower Grandera 210 Head shower 1 spray Rain material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system			
	26 897 000	Chrome	4005176758447	145.86
	26 897 IG0	chrome/gold	4005176758461	191.00
	26 897 DA0	warm sunset	4005176758454	233.37
	Grandera Shower outlet elbow, 1/2" material: metal male thread protected against backflow GROHE Long-Life finish			
	26 896 000	Chrome	4005176758416	97.24
	26 896 IG0	chrome/gold	4005176758430	126.77
	26 896 DA0	warm sunset	4005176758423	155.58
	Grandera Wall hand Shower holder material: metal GROHE Long-Life finish			









GROHE SPA

GROHE
GRANDERA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	---------------------------






28 912 000	★ Chrome	4005176266751	100.53
Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life finish			

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		40 910 000	Chrome	4005176754845	288.00
		40 910 IG0	chrome/gold	4005176754852	374.42
Grandera holder with ceramic soap dispenser material: ceramic/metal filling quantity 110 ml GROHE Long-Life finish					
		40 909 000	Chrome	4005176754432	220.25
		40 909 IG0	chrome/gold	4005176754449	286.30
Grandera holder with ceramic tumbler material: ceramic/metal concealed fastening GROHE Long-Life finish					
		40 923 000	Chrome	4005176754869	271.06
		40 923 IG0	chrome/gold	4005176754876	352.38
Grandera soap dish with holder material: ceramic/metal concealed fastening GROHE Long-Life finish					
		40 929 000	Chrome	4005176754913	186.35
		40 929 IG0	chrome/gold	4005176754937	242.25
		40 929 EN0	brushed nickel	4005176754920	298.16
Grandera Towel ring Ø 205 mm material: metal concealed fastening GROHE Long-Life finish					
		40 928 000	Chrome	4005176754883	304.95
		40 928 IG0	chrome/gold	4005176754906	396.42
		40 928 EN0	brushed nickel	4005176754890	487.92
Grandera Towel rail 600 mm GROHE Long-Life finish					
		40 930 000	Chrome	4005176754944	88.09
		40 930 IG0	chrome/gold	4005176754968	114.52
Grandera Robe hook material: metal concealed fastening GROHE Long-Life finish					



GROHE SPA

GROHE
GRANDERA


	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		40 960 000	Chrome	4005176754999	206.68
		40 960 IG0	chrome/gold	4005176755019	267.67
		40 960 EN0	brushed nickel	4005176755002	330.70
	 Grandera Bath grip material: metal length 385 mm concealed fastening GROHE Long-Life finish				
		40 908 000	Chrome	4005176754401	230.40
		40 908 IG0	chrome/gold	4005176754425	299.52
		40 908 EN0	brushed nickel	4005176754418	368.63
	 Grandera Toilet roll holder without cover material: metal concealed fastening GROHE Long-Life finish				
		40 946 000	Chrome	4005176754975	321.90
		40 946 IG0	chrome/gold	4005176754982	418.46
	 Grandera Toilet brush set material: ceramic GROHE Long-Life finish				




GROHE SPA

GROHE GLASS MODULE






Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	---------------------------




39 980 KS0	velvet black	4005176770647	1,006.80
Glass Cover Skate Cosmopolitan for Rapid SL 1.13 m with flushing cistern GD 2 for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls two-piece glass cover made of tempered safety glass (8 mm) upper part removable for maintenance flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover HPL mounting plate with hole pattern for all connections mounting plate with concealed water connection for shower toilet Sensia Arena mounting plate with with quality edges in silver finish Set for noise protection including accessory for mounting glass plate and WC ceramic			



39 980 LS0	moon white	4005176754487	1,006.80
Glass Cover Skate Cosmopolitan for Rapid SL 1.13 m with flushing cistern GD 2 for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls two-piece glass cover made of tempered safety glass (8 mm) upper part removable for maintenance flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover HPL mounting plate with hole pattern for all connections mounting plate with concealed water connection for shower toilet Sensia Arena mounting plate with with quality edges in silver finish Set for noise protection including accessory for mounting glass plate and WC ceramic			


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	65 807 000	★ Chrome	4005176849893	52.18
	65 807 LS0	moon white	4005176849916	98.93
	65 807 DC0	★ supersteel	4005176442797	73.05
	65 807 GL0	★ cool sunrise	4005176467738	78.27
	65 807 GN0	★ brushed cool sunrise	4005176467745	83.49
	65 807 DA0	★ warm sunset	4005176467752	78.27
	65 807 DL0	★ brushed warm sunset	4005176467769	83.49
	65 807 AL0	★ brushed hard graphite	4005176467714	83.49
	65 807 KS0	velvet black	4005176849909	88.59
Waste set with push-open plug with push-open cover for wash basins with overflow removable cover closable GROHE Long-Life finish				
 	28 912 000	★ Chrome	4005176266751	100.53
	28 912 DC0	★ supersteel	4005176467905	140.74
	28 912 GN0	★ brushed cool sunrise	4005176467875	160.85
	28 912 DL0	★ brushed warm sunset	4005176467899	160.85
	28 912 AL0	★ brushed hard graphite	4005176467844	160.85
Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life finish				
 	40 564 000	Chrome	4005176912740	110.58
	40 564 DC0	supersteel	4005176491795	154.81
	40 564 A00	hard graphite	4005176491849	165.87
	40 564 AL0	brushed hard graphite	4005176491788	176.93
Bottle trap for wash basin GROHE Long-Life finish brass body				
 	40 565 000	Chrome	4005176912757	89.42
	40 565 DC0	supersteel	4005176491702	125.19
	40 565 A00	hard graphite	4005176491757	134.13
	40 565 AL0	brushed hard graphite	4005176491696	143.07
Waste set with push-open plug for wash basins with overflow for replacement in an existing system GROHE Long-Life finish				
 	22 037 000	Chrome	4005176305535	7.80
	Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life finish			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	---------------------------




22 012 000	Chrome	4005176906343	54.65
22 012 DC0	supersteel	4005176525742	76.51
22 012 AL0	brushed hard graphite	4005176585944	87.45

Eurocube
Angle valve 1/2"
 wall connection 1/2"
 outlet thread 3/8"
 cartridge headpart
 metal handle
 marking: neutral
 metal push-on escutcheon




19 952 000	★ Chrome	4005176174230	64.56
19 952 DC0	★ supersteel	4005176467776	272.63
19 952 GL0	★ cool sunrise	4005176352423	292.10
19 952 GN0	★ brushed cool sunrise	4005176468117	311.58
19 952 DA0	★ warm sunset	4005176351945	292.10
19 952 DL0	★ brushed warm sunset	4005176468124	311.58
19 952 AL0	★ brushed hard graphite	4005176353376	311.58
19 952 KF0	★ phantom black	4005176677816	272.63

Talentofill
Inlet-, pop-up and waste-system
 set for final installation
 escutcheon
 supply part
 waste plug
 fixing set
 in combination with Talentofill
 28 990 000/28 991 000



28 990 000	Chrome	4005176174025	171.33
------------	--------	---------------	--------


Talentofill
Inlet-, pop-up and waste-system
 for normal baths
 without finishing trim set
 with bottle trap and 45°-outlet-bend



38 765 000	Chrome	4005176846830	82.61
38 765 SH0	alpine white	4005176846854	66.59
38 765 P00	matt chrome	4005176846847	82.61
38 765 KV0	glossy black	4005176737855	71.37
38 765 KF0	phantom black	4005176951978	169.33

Nova Cosmopolitan
Flush plate
 for dual flush or start & stop actuation
 for pneumatic drop valve AV1
 for vertical and horizontal installation
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 for combination with Rapid SL 1.13 m with GD 2 cistern
 for use with Rapid SLX please order shaft 66 791 000 (sold separately)

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



37 601 000	Chrome	4005176416057	102.82
37 601 SH0	alpine white	4005176416071	84.67
37 601 DC0	supersteel	4005176416088	185.07
37 601 P00	matt chrome	4005176416064	102.82
37 601 GL0	cool sunrise	4005176524271	185.07
37 601 GN0	brushed cool sunrise	4005176529016	185.07
37 601 DA0	warm sunset	4005176524288	185.07
37 601 DL0	brushed warm sunset	4005176529023	185.07
37 601 AL0	brushed hard graphite	4005176529030	185.07
37 601 KF0	phantom black	4005176677670	210.78

Nova Cosmopolitan S

Flush plate

for dual flush or start & stop actuation

for pneumatic drop valve AV1

compatible with Rapid SL/GD2 1.13 m

for vertical installation

130 x 172 mm

made of ABS

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

flush plate with magnetic holder and fixing brackets included







compatible with Rapid SLX








for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000

(sold separately)


for use with Rapid SL and Uniset 0.82 m installation height

please order shaft 40 950 000 (sold separately)

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 429 000		4005176993695	279.16
Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve				
 	23 200 002		4005176519901	269.71
Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve				
 	23 319 000		4005176931192	264.83
Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device				
 	29 025 002		4005176519895	281.62
Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve				
 	35 604 000		4005176698774	78.23
Rapido SmartBox Universal rough-in box, 1/2" 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixing options for solid walls and dry cladding gasket without set for final installation professional edition				
 	45 984 001	Chrome	4005176992056	533.56
Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 037 002		4005176519918	890.16
4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water allows for waterproofing of wall construction surrounding the concealed body caps to cover screw fixations always come in chrome color				
 	29 037 000		4005176865749	893.31
4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color				
 	35 028 000		4005176908316	154.78
GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm				
 	29 032 000		4005176845277	36.65
Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass				
 	29 802 000	Chrome	4005176504853	45.54
Concealed stop valve 3/4" pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass				
 	29 033 000		4005176845338	300.64
5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass				


GROHE SPA
SPA SHOWERS






CONTENTS

Aquasymphony	96
F-digital Deluxe	97
Rainshower Aqua ceiling showers	100
Rainshower Aqua head showers	101
Rainshower Aqua body sprays	104
Rainshower Aqua hand showers	105
Rainshower Aqua trigger sprays	107
SPA shower accessories	108
SPA thermostats	110

		 26 863 000	Chrome	4005176758874	25,673.42
		Rainshower Aqua 40" AquaSymphony Ceiling shower 6+ sprays with light 1016 mm x 762 mm x 145 mm material: metal minimum flow rate 25 l/min min. recommended pressure 3.0 bar 1 x AquaCurtain 1 x Pure XL spray 1 x 2 mist spray 2 x GROHE PureRain spray 400 x 190 mm 2 x XL Waterfall (separately controlled) 1 x 4 Bokoma Spray with adjustment angle 20° and combinations full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection power supply for light 12 V DC CE approved SpeedClean anti-limescale system GROHE DreamSpray perfect spray pattern GROHE Long-Life finish requires rough-in set (26 865 000), F-digital Deluxe base unit box (26 864 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation. The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start. recommendation: configuration with Grohtherm SmartControl 3 x Grohtherm SmartControl (29 126 000) 3 x GROHE Rapido SmartBox (35 604 000) 1 x Rainshower Aqua Cube Stick wall holder set 1 spray (26 886 000) this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++			

		26 865 000		4005176758898	2,438.97
		Rainshower Aqua 40" Rough-in set for use with Rainshower Aqua 40" AquaSymphony ceiling shower 1000 mm x 745 mm x 152 mm min. installation depth: 167 mm Waterways: Brass 1/2" connections The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.			

36 475 000	Chrome	4005176758751	706.02
------------	--------	---------------	--------

F-digital Deluxe

Bluetooth unit BT-01A for Apple and Android devices

with integrated electronic for wireless data communication
wall mounted

86 x 73 x 42 mm

Features:

- reset switch
- status indication (LED)
- stand alone/maximum configuration
- one-to-one connection
- with safety cut-off mechanism (1 user)
- safety shutdown in case of connection loss
- connection cable set for data communication and power supply (5 m each)

CE approved

Bluetooth transmitter power supply: 12 V

Bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

requires Base Unit Box 2.0 (36 476 000) or Base Unit Box 4.0 (26 864 000) – to be ordered separately

Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary

System requirements

Android

operating system: as of release 2.3.3

pixel density: 160 dpi minimum


display resolution: 320 x 470 pixels per inch

System requirements

Apple

Apple operating system: as of release iOS 6.0 and above

Mobile devices and GROHE SPA F-digital deluxe App are not included in delivery



36 476 000	Chrome	4005176758768	1,251.58
------------	--------	---------------	----------

F-digital Deluxe

Base unit box 2.0 Bluetooth (BCU V2.0)

for connecting light, sound and steam modules

Consisting of:

- 2 plug connections, each for one pair of sound modules (36 473 000)
- 2 plug connections, each for one pair of light modules (36 472)
- 2 plug connections for steam module (29 414 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)


2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved

must be accessible for service

optional the base unit box can be placed into extra equipment 36 474 000

component to be ordered separately



26 864 000	Chrome	4005176758881	1,251.58
------------	--------	---------------	----------

F-digital Deluxe

Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)

to control LightCurtain of Rainshower Aqua 40" AquaSymphony ceiling shower

additional light, sound and steam modules can be connected and controlled

Consisting of:

- 2 plug connections, each for one pair of sound modules (36 473 000)
- 1 plug connection for one pair of light modules (36 472 000)
- 1 plug connection LightCurtain for Rainshower Aqua 40" AquaSymphony (26 863 000)
- 2 plug connections for steam module (29 414 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)


2 plug connections for Bluetooth unit (supply voltage and data line)


CE approved

must be accessible for service

optional the base unit box can be placed into extra equipment 36 474 000


component to be ordered separately






36 474 000	Chrome	4005176758744	329.91
------------	--------	---------------	--------

F-digital Deluxe
Rough-in set base unit box
 for use with base unit box (26 864 000 or 36 476 000)
 550 x 700 x 110 mm
 height (100 mm) and depth (50 mm) adjustable
 with adjustable front frame for installation in wall niches
 with adjustable front frame for installation in wall niches
 galvanized and powder coated (RAL 9010, pure white) steel plate
 1 mm thick steel plate
 with two mounting rails and elbow for power outlets
 and mounting materials




42 633 000	Chrome	4005176758775	125.03
------------	--------	---------------	--------

F-digital Deluxe
Power supply base unit box
 power supply for base unit box (26 864 000 or 36 476 000)
 each power supply for 2 light/sound modules (36 472 000 or 36 473 000)
 total 2 power supplies max (8 devices max.) can be connected to the base unit box
 with one power supply 4 devices (light/sound modules) can be driven
 per light module: 1 device
 per sound module: 1 device
 input voltage: 90-240 V AC, 50-60Hz
 output voltage: 12 V DC
 CE and CCC approved




36 473 000	Chrome	4005176758737	1,250.13
------------	--------	---------------	----------

F-digital Deluxe
Sound set
 127 x 127 mm per module
 full range stereo speaker
 Consisting of:
 2 speakers with plug connections
 waterproof & corrosion protected
GROHE Long-Life finish
requires rough-in set (29 413 000), F-digital Deluxe base unit box (26 864 000 or 36 476 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation
 For detailed planning and product information please contact your local GROHE Customer Service.









29 413 000	Chrome	4005176758683	277.82
------------	--------	---------------	--------





F-digital Deluxe
Rough-in set sound set
 for use with double sound modules (36 473 000)
 Consisting of:
 - 2 rough-in sets (115 x 115 x 62-87 mm)
 - 2 cable extensions (5 m each)
 - 1 Y-piece





36 472 000	Chrome	4005176758720	1,458.51
------------	--------	---------------	----------


F-digital Deluxe
Light set
 127 x 127 mm per module
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 Consisting of:
 - 1 light module with two plug connections
 - 1 light module with one plug connection
 waterproof & corrosion protected
 supply voltage: 12 V DC
 CE approved
GROHE Long-Life finish
requires rough-in set (29 412 000), F-digital Deluxe base unit box (26 864 000 or 36 476 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation
 this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
 For detailed planning and product information please contact your local GROHE Customer Service.


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 412 000	Chrome	4005176758676	277.82
	F-digital Deluxe Rough-in set light set for use with double light modules (36 472 000) Consisting of: - 2 rough-in sets (115 x 115 x 62-87 mm) - 2 cable extensions (5 m each)			
 	29 414 000	Chrome	4005176758690	451.44
	F-digital Deluxe Rough-in set steam generator for use with steam module (26 828 000 or 26 829 000) Consisting of: - 1 rough-in box for steam outlet (115 x 115 x 49-77 mm) - 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm) - 1 cable extension temperature sensor, 5 m - 1 cable extension steam generator, 5 m			
 	42 634 000	Chrome	4005176758782	86.80
	F-digital Deluxe Cable extension (4-pin) steam generator and LED light of Aquasymphony, 5 m extension between base unit box (26 864 000 or 36 476 000) and steam generator (26 828 000 or 26 829 000) cable extension up to 10 m			
 	42 635 000	Chrome	4005176758799	86.80
	F-digital Deluxe Cable extension (5-pin) light set, 5 m connection between base unit box (26 864 000 or 36 476 000) and light modules (36 472 000) each light module needs a separate extension cable cable extension up to 10 m			
 	42 636 000	Chrome	4005176758805	86.80
	F-digital Deluxe Cable extension (2-pin) for power supply and speaker, 5 m connection between base unit box (26 864 or 36 476) and power supply (42 633 or 42 638) or sound rough-in (29 413) each power supply/sound rough-in needs a separate extension cable cable extension up to 5 m			
 	42 637 000	Chrome	4005176758812	86.80
	F-digital Deluxe Cable extension temperature sensor, 5 m extension between base unit box (26 864 000 or 36 476 000) and temperature sensor cable extension up to 10 m			


		26 873 000 Chrome Rainshower Aqua 20" Ceiling shower 1 spray Rain 508 x 508 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system	4005176759178 2,171.26
		26 888 000 Chrome Rainshower Aqua 15" Ceiling shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 17 mm (height) x 456 mm (depth) material: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min head shower has to be controlled by 4 outlets	4005176759390 3,535.90
		26 883 000 Chrome Rainshower Aqua 230 Ceiling shower 1 spray Rain 230 x 230 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system	4005176759291 775.72
		26 874 000 Chrome Rainshower Aqua 10" Ceiling shower 1 spray Rain 254 x 254 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system	4005176759192 715.29

		26 887 000	Chrome	4005176759383	3,535.90	
		GROHE SPA				
		Rainshower Aqua 15" Head shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 60 mm (height) x 677 mm (depth) material: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min requires rough-in set (26 855 000) - to be ordered separately head shower has to be controlled by 4 outlets				


		26 855 000 Chrome	4005176759024	243.09
Rainshower Aqua 15" Rough-in set for use with Rainshower Aqua 15" multi spray head shower 295 mm (width) x 121 mm (height) x 181 mm (depth) Max. installation depth: 91 mm Min. wall thickness: not less than 200 mm Minimum screw-in depth of stud bolts: 14 mm Full metal construction Waterways: Brass 1/2" connections				

			26 890 000	Chrome	4005176759420	161.97
		Rainshower Aqua 75 Head shower 1 spray Normal spray sprayface: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system				


			26 862 000	Chrome	4005176758867	520.46
		GROHE SPA	Rainshower Aqua 10"			
		Head shower set 422 mm, 1 spray	Consisting of:			
			head shower Rainshower Aqua 10" (26 871)			
			1 spray pattern:			
			Rain			
			shower arm Rainshower square 422 mm (26 145)			
			GROHE DreamSpray perfect spray pattern			
			GROHE Long-Life finish			
			SpeedClean anti-limescale system			
			suitable for instantaneous heater			

		 GROHE SPA	26 860 000	Chrome	4005176758843	538.69
		Rainshower Aqua 10" Head shower set 286 mm, 1 spray Consisting of: head shower Rainshower Aqua 10" (26 872) material: metal 1 spray pattern: Rain				
		Shower arm Rainshower 286 mm (27 488) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system				


		26 857 000	Chrome	4005176759055	538.69
		ditto, with non-restricted flow			




26 861 000	Chrome	4005176758850	538.69
Rainshower Aqua 10" Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower Aqua 10" (26 872) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system			




26 872 000	Chrome	4005176759161	521.98
Rainshower Aqua 10" Head shower 1 spray Rain 254 x 254 mm material: metal Ball joint +/- 20° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system			




26 871 000	Chrome	4005176759147	521.98
ditto, with non-restricted flow			
26 858 000	Chrome	4005176759079	621.59
Rainshower Aqua 230 Head shower set 286 mm, 1 spray Consisting of: head shower Rainshower Aqua 230 (26 877 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system			



26 856 000	Chrome	4005176759031	621.59
ditto, with non-restricted flow			
26 877 00D	Chrome	4005176759239	555.67
Rainshower Aqua 230 Head shower 1 spray Rain 230 x 230 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 0.2 bar			



26 859 000	Chrome	4005176758836	569.50
Rainshower Aqua 230 Head shower set ceiling 154 mm, 1 spray Consisting of: head shower Rainshower Aqua 230 (26 877 000) material: metal 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system			



26 877 000 **Chrome**

Rainshower Aqua 230
Head shower 1 spray
 Rain
 230 x 230 mm
 material: metal
 ball joint with turning angle $\pm 15^\circ$
 connection thread 1/2"
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life finish
SpeedClean anti-limescale system
 suitable for instantaneous heater

4005176759222 555.67



26 868 000 **Chrome**

ditto, with GROHE Water Saving 6.6 l/min flow limiter


4005176759116 555.65



26 876 000 **Chrome**

ditto, with non-restricted flow


4005176759215 555.67



27 709 000 **Chrome**

4005176909092 122.69


Rainshower
Shower arm 286 mm
 material: metal
 connection thread 1/2"
 with square escutcheon and rectangular arm
 suitable for square Rainshower Allure and Euphoria Cube head shower
GROHE Long-Life finish



27 711 000 **Chrome**


4005176909115 104.65

Rainshower
Shower arm ceiling 154 mm
 material: metal
 connection thread 1/2"
GROHE Long-Life finish









	26 801 000	Chrome	4005176722769	142.18
	26 801 DC0	supersteel	4005176722837	199.04
	26 801 BE0	polished nickel	4005176722813	227.48
	26 801 EN0	brushed nickel	4005176722783	241.70
	26 801 GL0	cool sunrise	4005176722790	227.48
	26 801 GN0	brushed cool sunrise	4005176722820	241.70
	26 801 DA0	warm sunset	4005176722851	227.48
	26 801 DL0	brushed warm sunset	4005176722868	241.70
	26 801 A00	hard graphite	4005176722806	227.48
	26 801 AL0	brushed hard graphite	4005176722844	241.70



Rainshower Aqua
Body spray round 2 spray
 spray pattern:
 PureRain, ActiveJet
 including concealed body and compound seal
 Ø 75 mm
 pivoting range ± 15° rotatable
 connection thread 1/2"
 throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life finish
SpeedClean anti-limescale system
 min. recommended pressure 0.2 bar
not suitable for instantaneous heater




	26 802 000	Chrome	4005176722776	142.18
	26 802 DC0	supersteel	4005176722899	199.04
	26 802 GN0	brushed cool sunrise	4005176722882	241.70
	26 802 DL0	brushed warm sunset	4005176722912	241.70
	26 802 A00	hard graphite	4005176722875	227.48
	26 802 AL0	brushed hard graphite	4005176722905	241.70


Rainshower Aqua
Body spray cube 2 spray
 spray pattern:
 PureRain, ActiveJet
 including concealed body and compound seal
 75 x 75 mm
 pivoting range ± 15° rotatable
 connection thread 1/2"
 throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life finish
SpeedClean anti-limescale system
 min. recommended pressure 0.2 bar
not suitable for instantaneous heater

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 		26 866 000	Chrome	4005176758904	164.86
		26 866 DC0	supersteel	4005176758959	230.81
		26 866 BE0	polished nickel	4005176758935	263.78
		26 866 EN0	brushed nickel	4005176758973	280.27
		26 866 GL0	cool sunrise	4005176758980	263.78
		26 866 GN0	brushed cool sunrise	4005176758997	280.27
		26 866 DA0	warm sunset	4005176758942	263.78
		26 866 DL0	brushed warm sunset	4005176758966	280.27
		26 866 A00	hard graphite	4005176758911	263.78
		26 866 AL0	brushed hard graphite	4005176758928	280.27
		Rainshower Aqua Stick Hand shower 1 spray Normal spray material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
 		26 889 000	Chrome	4005176759406	164.86
		ditto, with non-restricted flow			
 		26 889 00D	Chrome	4005176759413	164.86
		Rainshower Aqua Stick Hand shower 1 spray Normal spray material: metal GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 0.2 bar			
 		26 892 000	Chrome	4005176759451	289.01
		Rainshower Aqua Stick Wall holder set 1 spray material: metal hand shower Rainshower Aqua Stick (26 889 000) wall shower holder (26 894 000) shower hose (28 151 002) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 		26 894 000	Chrome	4005176758652	122.73
		Rainshower Aqua Wall hand Shower holder non-adjustable material: metal GROHE Long-Life finish			
 		26 893 000	Chrome	4005176758645	41.40
		Rainshower Aqua Adapter 1/2" x 1/2" material: metal for use with hand shower holder or shower rail GROHE Long-Life finish			


	Ref. No.	Colour	EAN	Retail Guide Price (£)
		26 885 000 Chrome	4005176759314	108.25
		26 885 DC0 supersteel	4005176759345	151.54
		26 885 GL0 cool sunrise	4005176950179	173.20
		26 885 DA0 warm sunset	4005176950162	173.20
		26 885 DL0 brushed warm sunset	4005176759352	184.02
		26 885 A00 hard graphite	4005176759321	173.20
		26 885 AL0 brushed hard graphite	4005176759338	184.02
		26 867 000 Chrome	4005176759000	108.24
		ditto, with GROHE Water Saving 9.5 l/min flow limiter		
		26 884 000 Chrome	4005176759307	108.25
		ditto, with non-restricted flow		
		26 886 000 Chrome	4005176759376	151.54
		Rainshower Aqua Cube Stick Wall holder set 1 spray hand shower, metal (26 885 000) wall shower holder (26 847 000) metal shower hose 1500 mm (28 417) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting		
				
		26 847 000 Chrome	4005176755057	36.07
		26 847 DC0 supersteel	4005176755071	50.50
		26 847 AL0 brushed hard graphite	4005176755064	61.32
		Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE Long-Life finish		
		26 850 000 Chrome	4005176754456	57.73
		26 850 DC0 supersteel	4005176754470	80.82
		26 850 AL0 brushed hard graphite	4005176754463	98.15
		Allure Brilliant Shower outlet elbow, 1/2" male connection thread 1/2" protected against backflow material: metal GROHE Long-Life finish		
				




26 841 000	Chrome	4005176754241	202.94
Rainshower Aqua			
Wall holder set with self-closing angle valve, 1 spray			
Consisting of:			
hand shower with trigger control (26 839)			
valve with integrated shower holder (26 842)			
Silverflex Long-Life shower hose 1250 mm (26 335)			
GROHE Long-Life finish			
SpeedClean anti-limescale system			
TwistStop preventing the hose from twisting			
Min. recommended pressure 0.5 bar			
Please refer to local norms regarding installation.			



26 843 000	Chrome	4005176754265	202.94
Rainshower Aqua			
Wall holder set with angle valve 1 spray			
Consisting of:			
hand shower with trigger control (26 839)			
valve with integrated shower holder (26 842)			
Silverflex Long-Life shower hose 1250 mm (26 335)			
GROHE Long-Life finish			
SpeedClean anti-limescale system			
TwistStop preventing the hose from twisting			
Please refer to local norms regarding installation.			




26 839 000	Chrome	4005176754227	81.83
Rainshower Aqua			
Hand shower 1 spray			
with trigger control			
material: metal			
GROHE Long-Life finish			
SpeedClean anti-limescale system			
Universal Mounting System. Fits all standard shower hoses			
Min. recommended pressure 0.5 bar			
Please refer to local norms regarding installation.			




26 842 000	Chrome	4005176754258	98.20
Rainshower Aqua			
Valve			
with wall shower holder			
escutcheon			
connection thread 1/2"			
GROHE Long-Life finish			
Please refer to local norms regarding installation.			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




26 658 DC0	supersteel	4005176950032	91.87
26 658 GL0	cool sunrise	4005176950056	104.99
26 658 GN0	brushed cool sunrise	4005176950063	111.55
26 658 DA0	warm sunset	4005176950025	104.99
26 658 DL0	brushed warm sunset	4005176950049	111.55
26 658 A00	hard graphite	4005176950001	104.99
26 658 AL0	brushed hard graphite	4005176950018	111.55

Rainshower
Shower outlet elbow 1/2" with holder
with round escutcheon
Ø 48 mm
male connection thread 1/2"
metal body
protected against backflow
GROHE Long-Life finish




26 659 DC0	supersteel	4005176950100	91.87
26 659 GL0	cool sunrise	4005176950124	104.99
26 659 GN0	brushed cool sunrise	4005176950131	111.55
26 659 DA0	warm sunset	4005176950094	104.99
26 659 DL0	brushed warm sunset	4005176950117	111.55
26 659 A00	hard graphite	4005176950070	104.99
26 659 AL0	brushed hard graphite	4005176950087	111.55

Rainshower
Shower outlet elbow 1/2" with holder
with square escutcheon
48 x 48 mm
male connection thread 1/2"
metal body
protected against backflow
GROHE Long-Life finish




26 370 000	Chrome	4005176341380	44.93
26 370 GL0	cool sunrise	4005176556876	71.89
26 370 DA0	warm sunset	4005176556845	71.89

Euphoria Cube
Shower outlet elbow, 1/2"
with wall shower holder
male connection thread 1/2"
protected against backflow
GROHE Long-Life finish




27 074 000	★ Chrome	4005176833083	37.58
27 074 DC0	★ supersteel	4005176374487	52.61
27 074 LS0	moon white	4005176873591	48.72
27 074 GL0	★ cool sunrise	4005176338984	60.12
27 074 GN0	★ brushed cool sunrise	4005176427084	63.88
27 074 DA0	★ warm sunset	4005176338977	60.12
27 074 DL0	★ brushed warm sunset	4005176427091	63.88
27 074 A00	hard graphite	4005176338991	60.12
27 074 AL0	★ brushed hard graphite	4005176339004	63.88

Rainshower
Wall hand Shower holder
non-adjustable
with round escutcheon
GROHE Long-Life finish




27 057 000	★ Chrome	4005176830457	58.73
27 057 DC0	★ supersteel	4005176371196	82.21
27 057 GL0	★ cool sunrise	4005176338946	93.97
27 057 GN0	★ brushed cool sunrise	4005176426933	99.83
27 057 DA0	★ warm sunset	4005176338939	93.97
27 057 DL0	★ brushed warm sunset	4005176426940	99.83
27 057 AL0	★ brushed hard graphite	4005176338960	99.83
27 057 A00	hard graphite	4005176338953	93.97

Rainshower
Shower outlet elbow, 1/2"
male connection thread 1/2"
with round escutcheon
protected against backflow
GROHE Long-Life finish




27 075 000	Chrome	4005176833090	37.58
27 075 DC0	supersteel	4067393030546	52.61
27 075 GL0	cool sunrise	4067393030560	60.12
27 075 GN0	brushed cool sunrise	4067393030577	63.88
27 075 DA0	warm sunset	4067393030539	60.12
27 075 DL0	brushed warm sunset	4067393030553	63.88
27 075 A00	hard graphite	4067393030515	60.12
27 075 AL0	brushed hard graphite	4067393030522	63.88

Rainshower
Wall hand Shower holder
 non-adjustable
 with square escutcheon
GROHE Long-Life finish




27 076 000	Chrome	4005176833106	58.73
27 076 DC0	supersteel	4005176950216	82.21
27 076 GL0	cool sunrise	4005176950230	93.97
27 076 GN0	brushed cool sunrise	4005176954016	99.83
27 076 DA0	warm sunset	4005176950209	93.97
27 076 DL0	brushed warm sunset	4005176950223	99.83
27 076 A00	hard graphite	4005176950186	93.97
27 076 AL0	brushed hard graphite	4005176950193	99.83

Rainshower
Shower outlet elbow
 male connection thread 1/2"
 with square escutcheon
 protected against backflow
GROHE Long-Life finish




26 900 000	Chrome	4005176758614	115.18
26 900 IG0	chrome/gold	4005176758638	149.74
26 900 DA0	warm sunset	4005176758621	184.28

Rainshower Grandera
Shower arm 286 mm
 projection 286 mm
 material: metal
 connection thread 1/2"
 Grandera escutcheon
GROHE Long-Life finish




26 899 000	Chrome	4005176758607	84.69
------------	--------	---------------	-------

Rainshower Grandera
Shower arm ceiling 142 mm
 material: metal
 length 142 mm
 connection thread 1/2"
 Grandera escutcheon
GROHE Long-Life finish




26 847 000	Chrome	4005176755057	36.07
26 847 DC0	supersteel	4005176755071	50.50
26 847 AL0	brushed hard graphite	4005176755064	61.32

Allure Brilliant
Wall hand Shower holder
 non-adjustable
 material: metal
GROHE Long-Life finish





26 850 000	Chrome	4005176754456	57.73
26 850 DC0	supersteel	4005176754470	80.82
26 850 AL0	brushed hard graphite	4005176754463	98.15


Allure Brilliant
Shower outlet elbow, 1/2"
 male connection thread 1/2"
 protected against backflow
 material: metal
GROHE Long-Life finish




26 879 000	Chrome	4005176759253	275.12
Grohtherm F			
Single volume control trim			
for use with rough-in box 35 028 000 (1/2" connections)			
sold separately			
metal handle for volume control			
metal wall escutcheon with hidden fixing and hidden sealing			
GROHE Long-Life finish			




35 028 000		4005176908316	154.78
GROHE Rapido C			
Rough-in for single volume control			
for grid installation of Grohtherm Custom Shower system			
built-in box with removable protection cover			
waterproof membrane base for wall sealing			
for masonry and drywall installation			
fixing points for front and back wall			
body of DR brass			
pre-assembled ceramic headpart 3/4"			
connection threads 1/2"			
installation depth 70 - 95 mm			



26 880 000	Chrome	4005176759260	687.82
Grohtherm F			
Triple volume control trim			
for use with rough-in box 35 031 000 (1/2" connections)			
sold separately			
metal handles for volume control			
metal wall escutcheon with hidden fixing and hidden sealing			
vertical and horizontal installation			
GROHE Long-Life finish			





26 878 000	Chrome	4005176759246	360.77
Grohtherm F			
Wall shower union with integrated shower holder			
shower outlet 1/2"			
vertical and horizontal installation			
protected against backflow			
for use with rough-in box 35 107 000 (1/2" connection) / 35 108 000 (1/2" NPT thread), sold separately			
hand shower and shower hose sold separately			



35 107 000	Chrome	4005176758706	243.09
Grohtherm F			
Rough-in box for wall shower union 26 878 000			
for grid installation of Grohtherm Custom Shower system			
built-in box with removable protection cover			
waterproof membrane base for wall sealing			
flushing plug			
for masonry and drywall installation			
fixing points for front and back wall			
body of DR brass			
1/2" connections			
installation depth 70 - 95 mm			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

29 123 000	Chrome	4005176413292	552.51
29 123 GN0	brushed cool sunrise	4005176558122	884.02
29 123 DL0	brushed warm sunset	4005176558092	884.02
29 123 A00	hard graphite	4005176558054	828.77
29 123 AL0	brushed hard graphite	4005176558061	884.02



Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

without roughing-in-set

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 124 000	Chrome	4005176413308	601.63
29 124 DC0	supersteel	4005176526329	842.27
29 124 GL0	cool sunrise	4005176558191	902.43
29 124 GN0	brushed cool sunrise	4005176558207	962.61
29 124 DA0	warm sunset	4005176558160	902.43
29 124 DL0	brushed warm sunset	4005176558177	962.61
29 124 A00	hard graphite	4005176558139	902.43
29 124 AL0	brushed hard graphite	4005176558146	962.61

Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously



without roughing-in-set

flow performance:


outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		



29 125 000	Chrome	4005176413315	721.95
------------	--------	---------------	--------

Grotherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2" **without roughing-in-set**
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min
 outlet B + hand shower = 27 l/min




35 604 000		4005176698774	78.23
------------	--	---------------	-------

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 126 000	Chrome	4005176413322	650.74
29 126 DC0	supersteel	4005176526343	911.03
29 126 GL0	cool sunrise	4005176558351	976.11
29 126 GN0	brushed cool sunrise	4005176558368	1,041.18
29 126 DA0	warm sunset	4005176558320	976.11
29 126 DL0	brushed warm sunset	4005176558337	1,041.18
29 126 A00	hard graphite	4005176558290	976.11
29 126 AL0	brushed hard graphite	4005176558306	1,041.18

Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min



35 604 000		4005176698774	78.23
------------	--	---------------	-------

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 127 000	Chrome	4005176413339	397.08
29 127 DC0	supersteel	4005176526350	555.90
29 127 GN0	brushed cool sunrise	4005176558443	635.32
29 127 DL0	brushed warm sunset	4005176558412	635.32
29 127 A00	hard graphite	4005176558375	595.60
29 127 AL0	brushed hard graphite	4005176558382	635.32

Grotherm SmartControl

Triple volume control trim

set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols

GROHE ProGrip with knurl structure

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:



outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min

optional flow reducer for CALGreen compliance included



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 118 000	Chrome	4005176412240	552.51
29 118 DC0	supersteel	4005176455032	773.52
29 118 GL0	cool sunrise	4005176492976	828.77
29 118 DA0	warm sunset	4005176492990	828.77
29 118 DL0	brushed warm sunset	4005176493003	884.02
29 118 A00	hard graphite	4005176493010	828.77
29 118 AL0	brushed hard graphite	4005176455049	884.02

Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve


and dirt strainers

without roughing-in-set

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

29 119 000	★ Chrome	4005176412257	601.63
29 119 DC0	★ supersteel	4005176455056	842.27
29 119 GL0	★ cool sunrise	4005176493041	902.43
29 119 DA0	★ warm sunset	4005176493065	902.43
29 119 DL0	★ brushed warm sunset	4005176493072	962.61
29 119 A00	hard graphite	4005176493089	902.43
29 119 AL0	★ brushed hard graphite	4005176455063	962.61

Grohtherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously


without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min



35 604 000

4005176698774

78.23

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 120 000	Chrome	4005176412264	721.95
------------	--------	---------------	--------

Grohtherm SmartControl

Thermostat for concealed installation with

2 valves and integrated shower holder

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

integrated shower union with shower outlet 1/2"


without roughing-in-set

flow performance:

outlet B = 24 l/min

hand shower = 12 l/min

outlet B + hand shower = 27 l/min



35 604 000

4005176698774

78.23

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

29 121 000	★ Chrome	4005176412271	650.74
29 121 DC0	★ supersteel	4005176455094	911.03
29 121 GL0	★ cool sunrise	4005176493188	976.11
29 121 DA0	★ warm sunset	4005176493201	976.11
29 121 DL0	★ brushed warm sunset	4005176493218	1,041.18
29 121 A00	hard graphite	4005176493225	976.11
29 121 AL0	★ brushed hard graphite	4005176455100	1,041.18

Grotherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:


outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min

outlet A + B + C = 36 l/min



35 604 000

4005176698774

78.23

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 122 000	Chrome	4005176412288	397.08
29 122 DC0	supersteel	4005176455117	555.90
29 122 GL0	cool sunrise	4005176515194	595.60
29 122 DA0	warm sunset	4005176515217	595.60
29 122 DL0	brushed warm sunset	4005176515224	635.32
29 122 A00	hard graphite	4005176515231	595.60
29 122 AL0	brushed hard graphite	4005176455124	635.32

Grotherm SmartControl

Triple volume control trim

set for final installation for

GROHE Rapido SmartBox 35 600/35 604/35 601

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

10 mm thin profile escutcheon

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols

GROHE ProGrip with knurl structure

multiple outlets can be run simultaneously

without roughing-in-set


flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min



35 604 000

4005176698774

78.23

GROHE Rapido SmartBox universal rough-in box for concealed installation



FOR THE PROS, FROM THE PROS GROHE PROFESSIONAL

YOUR DAILY SUPPORTER

We know the great number of tasks and challenges the installers face every day. That is why making their work life easier has always been at the heart of our innovation mindset.

PROFESSIONAL

GROHE



A DIFFERENTIATED PORTFOLIO
WITH DEDICATED PRODUCT LINES
**CUSTOM-MADE PACKAGING AND
SKUS FOR 3-TIER DISTRIBUTION**

- For Products with Professional logo no sales by GROHE to DIY & eCommerce
- Visible USP's to ease the installer's work
- Dedicated product lines to help speed up installation and meet the design needs of A&D and end-users:

Rapido Smartbox, Eurosmart, Grohtherm, Tempesta, Rapid SL, BauEdge ceramic, Eurosmart kitchen, Essence, Euphoria and all products marked with Professional logo



HIDDEN CHAMPIONS: GROHE PROFESSIONAL DEDICATED SKUS **TO STAND AHEAD OF COMPETITION**

- Dedicated SKU's with universal concealed solutions that are easy to stock by the wholesaler and with multiple budgets and design options in mind
- Matching colours of taps and flush plates
- Matching ceramics for toilets and basins
- Vertical or horizontal flush plate installation depending on design needs
- 3 outlets for multi-function showering with just one concealed box
- Bottom inlets for shower elements speeding up the installation time and avoiding extra piping







GROHE PROFESSIONAL CONTRIBUTES TO TACKLE **THE LABOUR FORCE SHORTAGE & DEVELOP THE NEXT GENERATION**

- With our GIVE Program we are supporting to close the gap of skilled installers
- Introduce GROHE to young and developing plumbing students and to collaborate with installer schools across the EMENA region
- To help improve facilities, GROHE sets up a fully functioning training environment with modern equipment, training material and a written examination that will set new industry standards
- Planned to have 100 collaborations by 2025 with more visibility of installer's expertise and certified status thanks to GROHE website with over 1 M clicks per month
- After the training we support the plumbing students with potential work experience or placements with GROHE partners



COMPETITION 2022
SPECIAL EDITION

Within the GIVE Program GROHE also supports WorldSkills as Global Partner to demonstrate what impact skilled professionals can have today and for the more sustainable future.

EVERY DROP COUNTS

GROHE'S RESOURCE-EFFICIENT TECHNOLOGIES

1 **GROHE**
SENSIA ARENA


2 **GROHE**
CERAMICS


3 **GROHE**
SILKMOVE ES

4 **GROHE**
SENSE AND
GROHE SENSE GUARD

5 **GROHE**
ECOJOY

For more information about sustainability
at GROHE, please visit green.grohe.com





6

GROHE CRADLE TO
CRADLE CERTIFIED®
GOLD TEMPESTA
SHOWER RAIL SET

7

GROHE THERMOSTAT
WITH ECOBUTTON

8

GROHE TOUCHLESS
TAPS

9

GROHE
BLUE



GROHE
BATH TAPS





CONTENTS

Single Lever Mixers	Lineare	132
	Eurocube Joy	140
	Eurocube	146
	GROHE Plus	157
	Europlus	169
	Essence	170
	Eurodisc Joy	183
	Eurodisc Cosmopolitan	185
	Concetto	191
	Eurostyle Cosmopolitan	200
	Eurostyle	207
	Eurosmart Cosmopolitan	217
	Eurosmart	228
	Eurosmart Care	241
	BauEdge	246
	BauLoop	253
	BauFlow	259
Two Handle fittings	Costa L	261
Universal	Universal	265
	Rough-in sets	266
	Multi purpose mixer	268
Bath Sets	Talento / Talentofill	269
Accessories	Selection	271
	Selection Cube	276
	Essentials	279
	Essentials Cube	288
	BauCosmopolitan	292
	Essentials Authentic	295

GROHE PLUS

ACCURACY THAT GOES BEYOND DESIGN

Imagine a bathroom that offers not just sleek, cutting-edge, bold design design, but also confidence and control. Where you can tell water temperature at a glance and switch water flow with just a swipe of your hand. A room where nothing is left to chance, where form delivers function in a sleek, tactile package. With the new GROHE Plus you can make it a reality.

This innovative range puts control and convenience in your hands, delivering accurate temperature information at a glance. The GROHE Plus range includes some taps with a temperature display, so you know the water will always be just the right temperature. GROHE Plus also offers a new level of ergonomic comfort and practical function too, presented in a silhouette of architectural strength and elegance, with surfaces so sleek they invite interaction.



23 959 003

L-Size
Basin mixer
with LED water temperature display
and two sprays
with smooth body
with push-open waste set

DESIGN OPTIONS FOR EVERY CONCEPT

THE PERFECT FINISH

Whether your bathroom is a space of timeless elegance or slick minimalist styling, the GROHE Plus is a perfect fit. The Plus range features a broad selection of sizes, with models from compact basin mixers to wall-mounted taps and show-stopping floor-standing bath filler. GROHE Plus taps are also available in three durable, desirable finishes. Choose between the dazzling chrome finish or the more architectural SuperSteel or Brushed Hard Graphite, according to your taste.

23 871 DC3

Basin mixer M-Size with pop-up waste set



32 612 003

Basin mixer S-Size with pop-up waste set



33 547 003 + 40 954 000

Shower mixer with shower set + tray

CO-ORDINATED BATHROOM IN GROHE COLOURS

When it comes to perfect bathroom design, the ultimate guide should be the own personal style. GROHE has developed GROHE Colours as an enabler to put vision into reality.

The combination of outstanding design lines and exclusive colours gives the ultimate freedom of choice to perfectly express individuality. Whether tone-on-tone colour scheme, a harmony of contrasting colours, the shining golden beauty of Cool Sunrise or the intriguing elegance of Brushed Hard Graphite – GROHE Colours are the perfect choice. A carefully selected range of 10 colours and finishes offering countless options to complement every interior design.

There is more to it than just the obvious beauty. GROHE Colours come with GROHE PVD quality. This outstanding finish ensures both maximum colour brilliance as well as unparalleled material resistance.

GROHE Colours are not driven by fashion. They open new dimensions to express personal style in bathroom design. Taps, showers and accessories are all perfectly aligned in a preferred colour with GROHE quality to stay perfect in finish and function for years to come.







PRODUCT RANGE	COLOUR OPTIONS									
	CHROME	SUPERSTEEL	POLISHED NICKEL	BRUSHED NICKEL	COOL SUNRISE	BRUSHED COOL SUNRISE	WARM SUNSET	BRUSHED WARM SUNSET	HARD GRAPHITE	BRUSHED HARD GRAPHITE
GRANDERA										
ALLURE BRILLIANT										
ATRIO										
ESSENCE										
EUROCUBE										
LINEARE										
GROHE PLUS										

GROHE


BATHROOM COMBINATIONS

		THERMOSTATS									SHOWER SYSTEMS						HEAD SHOWERS						
		DESIGN THERMOSTATS	GROHTHERM SMARTCONTROL	GROHTHERM 2-HANDLE TRIM SETS	GROHTHERM CUBE	GROHTHERM 3000	GROHTHERM 2000	GROHTHERM 1000 PERFORMANCE	GROHTHERM 1000	GROHTHERM 800 COSMOPOLITAN	GROHTHERM 800	RAINSHOWER SYSTEM SMARTCONTROL	RAINSHOWER SYSTEM	EUPHORIA SMARTCONTROL SYSTEM	EUPHORIA SYSTEM CUBE	EUPHORIA SYSTEM	TEMPESTA SYSTEM	DESIGN HEAD SHOWERS	AQUASYMPHONY / RAINSHOWER F-SERIES	RAINSHOWER 360	RAINSHOWER 310	EUPHORIA 260	TEMPESTA 210
ALLURE BRILLIANT			●		●							●	●	●	●			●	●		●		
ALLURE			●			●						●	●	●				●	●		●		
ATRIO		●	●			●						●	●	●				●	●	●	●		
GRANDERA													●	●				●	●		●		
LINEARE			●	●		●						●	●	●		●			●	●	●	●	
EUROCUBE			●	●	●									●	●				●		●		
GROHE PLUS			●	●		●						●	●	●		●			●	●	●	●	
ESSENCE			●	●		●						●	●	●					●		●		
EURODISC COSMOPOLITAN			●	●			●					●		●		●					●	●	
CONCETTO				●				●		●						●						●	
EUROSTYLE COSMOPOLITAN				●				●		●						●						●	
EUROSTYLE				●				●	●							●						●	
EUROSMART COSMOPOLITAN				●				●		●							●						●
EUROSMART				●				●	●								●						●
BAUEDGE											●						●						●
BAULOOP											●						●						●
BAUFLOW											●						●						●

HAND SHOWERS							CERAMIC				ACCESSORIES					ACTUATIONS			
DESIGN HAND SHOWERS	SENA	RAINSHOWER SMARTACTIVE	POWER & SOUL	EUPHORIA CUBE	EUPHORIA	TEMPESTA	CUBE CERAMIC	ESSENCE	EURO CERMAIC	BAU CERAMIC	DESIGN ACCESSORIES	SELECTION CUBE	ESSENTIALS CUBE	ESSENTIALS	BAU COSMOPOLITAN	SKATE COSMOPOLITAN	NOVA COSMOPOLITAN	ARENA COSMOPOLITAN	SKATE AIR
•				•			•				•	•	•			•			
•	•						•				•	•				•			
	•							•			•						•		
•											•								
	•	•	•		•		•	•				•		•			•		
				•			•					•	•			•			
	•			•			•	•					•	•		•	•	•	
		•	•		•			•						•			•		
		•	•		•									•			•		
					•				•					•			•		
					•				•					•					•
						•			•					•			•		
						•			•	•					•				•
						•													•
						•													•
						•													•
						•													•
						•													•


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 109 001	Chrome	4005176408373	213.63
	32 109 DC1	supersteel	4005176412691	299.10
	32 109 AL1	brushed hard graphite	4005176586118	341.82
	 Lineare Basin mixer 1/2" XS-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 791 001	Chrome	4005176409097	213.63
	23 791 DC1	supersteel	4005176412707	299.10
	23 791 AL1	brushed hard graphite	4005176586125	341.82
	 Lineare Basin mixer 1/2" XS-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			
	23 790 001	Chrome	4005176408380	213.63
	 Lineare Basin mixer 1/2" XS-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	32 114 001	Chrome	4005176409103	227.88
	32 114 DC1	supersteel	4005176412714	319.03
	 Lineare Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			

GROHE LINEARE




Ref. No.	Colour	EAN	Retail Guide Price (£)
23 106 001	Chrome	4005176409110	227.88
23 106 DC1	supersteel	4005176412721	319.03
23 106 AL1	brushed hard graphite	4005176586149	364.61

Lineare
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
SpeedClean mousseur
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses




23 296 001	Chrome	4005176409127	318.23
23 296 DC1	supersteel	4005176412738	445.52

Lineare
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
SpeedClean mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses




23 405 001	Chrome	4005176409134	339.45
23 405 DC1	supersteel	4005176412745	475.23
23 405 AL1	brushed hard graphite	4005176586163	543.12

Lineare
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
SpeedClean mousseur
GROHE FastFixation Plus rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar







20 304 001	Chrome	4005176409141	356.12
------------	--------	---------------	--------

Lineare
Three-hole basin mixer 1/2"
M-Size
metal lever
ceramic headparts 1/2", 90°
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 409 001	Chrome	4005176409158	276.72
	19 409 DC1	supersteel	4005176412752	387.40
	19 409 AL1	brushed hard graphite	4005176586170	442.73
	Lineare 2-hole basin mixer M-Size wall mounted set for final installation for 23 571 000 / 32 635 000 without concealed body metal escutcheon metal lever GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 149 mm			
	23 571 000		4005176334276	269.58
	Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers			
	23 444 001	Chrome	4005176411977	299.44
	23 444 DC1	supersteel	4005176412769	419.22
	23 444 AL1	brushed hard graphite	4005176586187	479.11
	Lineare 2-hole basin mixer L-Size wall mounted set for final installation for 23 571 000 / 32 635 000 without concealed body metal escutcheon metal lever GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 207 mm			
	23 571 000		4005176334276	269.58
	Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers			
	33 848 001	Chrome	4005176409172	265.20
	33 848 DC1	supersteel	4005176412776	371.28
	Lineare Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation Plus installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
	33 865 001	Chrome	4005176409202	272.77
	33 865 DC1	supersteel	4005176412790	381.88
	33 865 AL1	brushed hard graphite	4005176586217	436.44
	Lineare Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow			

GROHE LINEARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 719 000	Chrome	4005176457654	406.72
	Grotherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow			
	33 849 001	Chrome	4005176409189	348.54
	33 849 DC1	supersteel	4005176412783	487.96
	33 849 AL1	brushed hard graphite	4005176586200	557.67
Lineare Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow pillar installation optional with pillar unions 12 030 000				
	34 718 000	Chrome	4005176457647	446.92
	Grotherm SmartControl Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valve and dirt strainers protected against backflow			
	33 850 001	Chrome	4005176409196	409.16
	Lineare Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow with shower set Consisting of: metal stick hand shower wall shower holder Tempesta 100 Cosmopolitan (27 594 000) Silverflex shower hose 1.500 mm (28 364)			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 063 001	Chrome	4005176465703	204.97
	24 063 DC1	supersteel	4005176465727	286.96
	24 063 AL1	brushed hard graphite	4005176586248	327.95
	Lineare Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set			
				
		35 604 000	4005176698774	78.23
		GROHE Rapido SmartBox universal rough-in box for concealed installation		
	24 064 001	Chrome	4005176465710	225.47
	24 064 DC1	supersteel	4005176465734	315.65
	24 064 AL1	brushed hard graphite	4005176586255	360.74
	Lineare Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
				
		35 604 000	4005176698774	78.23
		GROHE Rapido SmartBox universal rough-in box for concealed installation		
	24 095 001	Chrome	4005176480645	251.31
	24 095 DC1	supersteel	4005176480652	351.83
	24 095 AL1	brushed hard graphite	4005176586262	402.09
	Lineare Single-lever mixer with 3-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
				
		35 604 000	4005176698774	78.23
		GROHE Rapido SmartBox universal rough-in box for concealed installation		
	25 113 000	Chrome	4005176881862	332.00
	Lineare Two-handed Bath/Shower mixer 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" automatic diverter: bath/shower integrated non-return valves in the shower outlet 1/2" recommended pressure 0.2-5.0 bar GROHE Long-Life finish			
				

GROHE LINEARE






	Ref. No.	Colour	EAN	Retail Guide Price (£)
	25 104 000	Chrome	4005176881794	292.15
	Lineare Two-handed Bath filler 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" recommended pressure 0.2-5.0 bar GROHE Long-Life finish			
	19 577 001	Chrome	4005176409233	945.30
	19 577 DC1	supersteel	4005176412820	1,323.43
	19 577 EN1	brushed nickel	4005176413018	1,512.49
	19 577 AL1	brushed hard graphite	4005176586224	1,512.49
	Lineare 4-hole single-lever bath combination GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish pre-assembled spout fixing single lever mixer operating element metal lever bath inlet with mousseur diverter bath/shower metal stick hand shower metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000			
	29 037 000		4005176865749	893.31
Baseframe for installation under tiled surround				
	19 965 001	Chrome	4005176409240	763.77
	Lineare 3-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life finish single lever mixer operating element diverter bath/shower metal stick hand shower metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 for combination with 28 990 / 28 991			
	29 037 000		4005176865749	893.31
	Baseframe for installation under tiled surround			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 792 001	Chrome	4005176409257	1,757.87
	23 792 DC1	supersteel	4005176412837	2,461.01
	23 792 EN1	brushed nickel	4005176413001	2,812.57
	23 792 AL1	brushed hard graphite	4005176586231	2,812.57
	Lineare Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower spout with mousseur projection 271 mm integrated non-return valve in the shower outlet 1/2" with shower holder metal stick hand shower shower hose 1250 mm protected against backflow			
	45 984 001	Chrome	4005176992056	533.56
	Rough-in set 1/2" for floor-mounted mixers/spouts			
	29 086 000		4005176935497	392.54
	Rough-in set 1/2" for floor-mounted mixers/spouts			
	13 383 001	Chrome	4005176418167	257.62
	13 383 DC1	supersteel	4005176418174	360.67
	Lineare Bath spout wall mounted GROHE Long-Life finish mousseur male thread 1/2" projection 170 mm			
	34 863 000	Chrome	4005176789922	1,523.64
	34 863 DC0	supersteel	4005176790782	2,133.10
	34 863 AL0	brushed hard graphite	4005176790799	2,437.83
	Grotherm SmartControl Concealed shower system with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves (29 121) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower SmartActive 310 head shower set 2 sprays (26 475) including horizontal shower arm 430 mm and head shower rough-in (26 483) Rainshower SmartActive 130 hand shower 3 sprays shower outlet elbow 1/2" with holder (26 658) Silverflex shower hose 1500 mm 1/2" x 1/2" optional flow regulator 9.5 l/min included for hand shower			
	34 705 000	Chrome	4005176413285	1,609.19
	Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: Grotherm SmartControl set for final installation concealed thermostat with 3 valves (29 121) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick hand shower 1 spray (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)			

GROHE LINEARE





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 952 000 ★	Chrome	4005176174230	64.56
	19 952 DC0 ★	supersteel	4005176467776	272.63
	19 952 AL0 ★	brushed hard graphite	4005176353376	311.58
	Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set in combination with Talentofill 28 990 000/28 991 000			
	19 025 000	Chrome	4005176209154	67.88
	Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE Long-Life finish			
	28 912 000 ★	Chrome	4005176266751	100.53
	28 912 DC0 ★	supersteel	4005176467905	140.74
	28 912 AL0 ★	brushed hard graphite	4005176467844	160.85
	Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life finish			
	37 601 000	Chrome	4005176416057	102.82
	37 601 DC0	supersteel	4005176416088	185.07
	37 601 AL0	brushed hard graphite	4005176529030	185.07
	Nova Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)			

GROHE EUROCUBE JOY




		Ref. No.	Colour	EAN	Retail Guide Price (£)
		23 654 000	Chrome	4005176342080	274.39
		Eurocube Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 656 000	Chrome	4005176342103	268.84
		Eurocube Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system smooth body flexible connection hoses			
		23 657 000	Chrome	4005176342110	288.25
		Eurocube Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 658 000	Chrome	4005176342127	282.70
		Eurocube Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system smooth body flexible connection hoses			
		23 661 000	Chrome	4005176342158	379.81
		Eurocube Joy Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system smooth body flexible connection hoses			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 997 000	Chrome	4005176342189	310.48
	Eurocube Joy 2-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min centre distance 110 mm projection 170 mm			
	19 998 000	Chrome	4005176342196	326.95
	ditto , projection 230 mm			
	23 429 000		4005176993695	279.16
	Rough-in for Joystick 2-hole basin mixers			
	23 664 000	Chrome	4005176342202	295.76
	Eurocube Joy Bidet mixer 1/2" monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min ball-joint mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 665 000	Chrome	4005176342219	338.22
	Eurocube Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge shower bottom outlet 1/2" with integrated non return-valve protected against backflow			
	34 488 000	Chrome	4005176940620	416.83
	Grohtherm Cube Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions GROHE Water Saving - Less water, perfect flow			


GROHE EUROCUBE JOY


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 666 000	Chrome	4005176342226	415.62
Eurocube Joy Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE XL Waterfall integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow				
 	34 497 000	Chrome	4005176940675	546.32
Grontherm Cube Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions GROHE Water Saving - Less water, perfect flow				
 	24 061 000	Chrome	4005176465680	201.71
Eurocube Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set				
	35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				
 	24 062 000	Chrome	4005176465697	221.88
Eurocube Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set				
	35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				


GROHE EUROCUBE JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 094 000	Chrome	4005176480638	248.30
	Eurocube Single-lever mixer with 3-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
		35 604 000	4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 153 000	Chrome	4005176481178	536.95
	24 153 DC0	supersteel	4005176574221	751.73
	24 153 AL0	brushed hard graphite	4005176585913	859.13
	Grohtherm Cube Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
		35 604 000	4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 154 000	Chrome	4005176481185	598.56
	24 154 DC0	supersteel	4005176574238	837.98
	24 154 AL0	brushed hard graphite	4005176585920	957.69
	Grohtherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
		35 604 000	4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			


GROHE EUROCUBE JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	Chrome	4005176481192	598.56
24 155 DC0	supersteel	4005176574245	837.98
24 155 AL0	brushed hard graphite	4005176585937	957.69
Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
			
			
35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation			





34 868 000	Chrome	4005176791574	1,204.72
Grotherm Cube Concealed shower system with Rainshower Mono 310 Cube Consisting of: concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 154) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower Mono 310 Cube head shower set (26 563) including horizontal shower arm 422 mm (26 145) Euphoria Cube Stick hand shower 1 spray (27 698) shower outlet elbow 1/2" with holder (26 659) Silverflex shower hose 1.500 mm (28 364) optional flow regulator 9.5 l/min included for hand shower and head shower			
			

25 289 000	Chrome	4005176791659	603.32
Eurocube Concealed shower system with Tempesta 250 Cube Consisting of: concealed single-lever mixer with 2-way diverter (24 062) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Tempesta 250 Cube head shower set 9.5 l/min (26 687) including horizontal shower arm 380 mm Euphoria Cube Stick hand shower 1 spray (27 698) shower outlet elbow 1/2" with wall shower holder (26 370) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409) optional flow regulator 9.5 l/min included for hand shower			
			





GROHE EUROCUBE JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 667 001	Chrome	4005176429019	1,782.82
	Eurocube Joy Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE FeatherControl Joystick cartridge GROHE Long-Life finish automatic diverter: bath/shower spout with mousseur hand shower Euphoria Cube+ 6.6 l/min Silverflex shower hose 1250 mm (28 362) projection 298 mm integrated non-return valve in the shower outlet 1/2" with shower holder protected against backflow			
	29 086 000		4005176935497	392.54
	Rough-in set 1/2" for floor-mounted mixers/spouts			
	45 984 001	Chrome	4005176992056	533.56
	Rough-in set 1/2" for floor-mounted mixers/spouts			

GROHE EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 137 000	Chrome	4005176901096	187.72
Eurocube Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur union nut 1/2" x 10.5 mm				
 	23 127 00E	Chrome	4005176901591	238.65
Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses				
 	23 132 00E	Chrome	4005176906725	232.29
Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system smooth body flexible connection hoses				
 	23 390 00E	Chrome	4005176938436	238.65
Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation Plus rapid installation system pop-up waste set 1 1/4" flexible connection hoses				
	23 392 00E	Chrome	4005176938450	232.29
Ditto, smooth body				





GROHE EUROCUBE




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 445 000	Chrome	4005176998706	251.45
	23 445 DC0	supersteel	4005176524974	352.04
	23 445 AL0	brushed hard graphite	4005176584657	402.32
	 Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 446 000	Chrome	4005176998720	245.26
	 Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system smooth body flexible connection hoses			
	23 135 00E	Chrome	4005176906732	286.39
	 Eurocube Single-lever basin mixer 1/2" L-Size monobloc installation, metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses			
	23 406 000	Chrome	4005176941658	332.17
	23 406 DC0	supersteel	4005176524998	465.04
	23 406 AL0	brushed hard graphite	4005176584671	531.48
	 Eurocube Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses			

GROHE EUROCUBE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 441 000	Chrome	4005176415630	815.69
	36 441 DC0	supersteel	4005176686818	1,060.39
	36 441 AL0	brushed hard graphite	4005176686825	1,223.53
Eurocube E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min laminar spray regulator flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K				
	20 351 000	Chrome	4005176901041	359.56
	20 351 DC0	supersteel	4005176525001	503.38
Eurocube Three-hole basin mixer 1/2" S-Size metal lever ceramic headparts 1/2", 90° GROHE Long-Life finish GROHE FastFixation Plus installation system spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm				
	19 895 000	Chrome	4005176901072	295.94
	19 895 AL0	brushed hard graphite	4005176585494	473.51
	Eurocube 2-hole basin mixer S-Size wall mounted set for final installation for 23 200 000 without concealed body metal escutcheon metal lever GROHE Long-Life finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm			
	23 447 000	Chrome	4005176998737	310.46
	Ditto, projection 231 mm			
	23 200 002		4005176519901	269.71
	Rough-in for single-lever mixer, wall mount			
	23 200 000		4005176908354	269.80
	Rough-in for single-lever mixer, wall mount			

GROHE EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 138 000	Chrome	4005176901133	238.65
	 Eurocube Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation Plus installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
	23 145 000	Chrome	4005176901270	270.48
	23 145 DC0	supersteel	4005176525049	378.68
	23 145 AL0	brushed hard graphite	4005176585524	432.78
	 Eurocube Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow			
	34 488 000	Chrome	4005176940620	416.83
	 Grohtherm Cube Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions GROHE Water Saving - Less water, perfect flow			
	23 140 000	Chrome	4005176901157	315.01
	23 140 DC0	supersteel	4005176525056	504.01
	23 140 AL0	brushed hard graphite	4005176585531	567.01
	 Eurocube Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter (46 375 000)			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 141 000	Chrome	4005176901164	378.65
	Eurocube Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter (46 375 000) Hand shower (27 698 000) wall shower holder (27 693 000) shower hose 1500 mm (28 151 000)			
	34 497 000	Chrome	4005176940675	546.32
	Grohtherm Cube Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions GROHE Water Saving - Less water, perfect flow			
	24 061 000	Chrome	4005176465680	201.71
	24 061 AL0	brushed hard graphite	4005176585586	322.73
Eurocube Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set				
	35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				

GROHE EUROCUBE



Ref. No.	Colour	EAN	Retail Guide Price (£)
24 062 000	Chrome	4005176465697	221.88
24 062 DC0	supersteel	4005176553905	310.63
24 062 AL0	brushed hard graphite	4005176585579	355.01

Eurocube

Single-lever mixer with 2-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE SilkMove 46 mm ceramic cartridge

wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

automatic 2-way diverter


flow performance:

outlet B = 27 l/min, outlet C = 27 l/min

without roughing-in-set



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 094 000	Chrome	4005176480638	248.30
24 094 DC0	supersteel	4005176574047	347.62
24 094 AL0	brushed hard graphite	4005176585593	397.29

Eurocube

Single-lever mixer with 3-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE SilkMove 46 mm ceramic cartridge

wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

3-way diverter

flow performance:

outlet A = 27 l/min,


outlet B = 27 l/min,

outlet C = 27 l/min

without roughing-in-set



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 153 000	Chrome	4005176481178	536.95
24 153 DC0	supersteel	4005176574221	751.73
24 153 AL0	brushed hard graphite	4005176585913	859.13

Grohtherm Cube

Thermostatic mixer for 1 outlet with shut off valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge with wax thermoelement

GROHE Long-Life finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

ceramic stop valve, 120°

flow performance:

outlet B = 27 l/min





outlet C = 30 l/min






without roughing-in-set



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE EUROCUBE








	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	25 289 000	Chrome	4005176791659	603.32
Eurocube Concealed shower system with Tempesta 250 Cube Consisting of: concealed single-lever mixer with 2-way diverter (24 062) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Tempesta 250 Cube head shower set 9.5 l/min (26 687) including horizontal shower arm 380 mm Euphoria Cube Stick hand shower 1 spray (27 698) shower outlet elbow 1/2" with wall shower holder (26 370) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409) optional flow regulator 9.5 l/min included for hand shower				
 	25 137 000	Chrome	4005176906770	474.27
Eurocube Two-handed Bath/Shower mixer 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE Long-Life finish recommended pressure 0.2 - 5.0 bar				
 	25 136 000	Chrome	4005176906763	426.84
Eurocube Two-handed Bath filler 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" GROHE Long-Life finish recommended pressure 0.2 - 5.0 bar				
 	19 897 001 19 897 DC1 19 897 AL1	Chrome supersteel brushed hard graphite	4005176429101 4005176525087 4005176585548	1,165.67 1,631.94 1,865.08
Eurocube 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish pre-assembled spout fixing single lever mixer operating element metal lever bath inlet with mousseur diverter bath/shower hand shower Euphoria Cube+ 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000				
	29 037 000		4005176865749	893.31
Baseframe for installation under tiled surround				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 966 000	Chrome	4005176986864	822.65
	Eurocube 3-hole bath combination trim set GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish Consisting of: single lever mixer operating element diverter bath/shower without spout Euphoria Cube hand shower (27 699 000) 9.4 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 for combination with 28 990 / 28 991			
	29 037 000		4005176865749	893.31
	Baseframe for installation under tiled surround			
	23 672 001	Chrome	4005176429002	1,790.94
	23 672 DC1	supersteel	4005176525094	2,507.32
	23 672 AL1	brushed hard graphite	4005176585555	2,865.50
	Eurocube Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 29 038 001 29 086 000 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower spout with mousseur Euphoria Cube+ Stick hand shower 6.6 l/min (26 467) Silverflex shower hose 1250 mm (28 362) projection 298 mm integrated non-return valve in the shower outlet 1/2" protected against backflow with shower holder			
	45 984 001	Chrome	4005176992056	533.56
	Rough-in set 1/2" for floor-mounted mixers/spouts			
	29 086 000		4005176935497	392.54
Rough-in set 1/2" for floor-mounted mixers/spouts				
	13 303 000	Chrome	4005176906350	142.90
	13 303 DC0	supersteel	4005176525100	200.06
	13 303 AL0	brushed hard graphite	4005176585562	228.65
	Eurocube Bath spout wall mounted GROHE Long-Life finish mousseur male thread 1/2" projection 170 mm			
	13 304 000	Chrome	4005176906367	160.79
	Eurocube Bath spout wall mounted GROHE Long-Life finish mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm			
				
				


154

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 910 000	Chrome	4005176987014	60.75
	Eurocube Volume Control Trim for concealed valves, 1/2", 3/4" without concealed body installation depth adjustable 16 - 38 mm metal handle Sliding escutcheon with wall sealing GROHE Long-Life finish			
	35 028 000		4005176908316	154.78
	GROHE Rapido C rough-in box for single volume control			
 	29 811 000		4005176062711	22.34
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
 	29 800 000	Chrome	4005176504839	24.60
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
	29 802 000	Chrome	4005176504853	45.54
	ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"			
 	29 805 000	Chrome	4005176504884	71.15
	ditto, 1", pre-assembled headpart 1", thread union 1"			
	29 801 000		4005176504846	24.60
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
 	29 804 000		4005176504877	45.54
	ditto, soldered connection Ø 22 mm			
 	22 012 000	Chrome	4005176906343	54.65
	22 012 DC0	supersteel	4005176525742	76.51
	22 012 AL0	brushed hard graphite	4005176585944	87.45
	Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon			
 	22 013 000	Chrome	4005176909689	54.65
	Eurocube Angle valve 1/2" wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon			

GROHE EUROCUBE




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 535 000	Chrome	4005176416019	84.67
	37 535 DC0	supersteel	4005176416040	184.97
	37 535 AL0	brushed hard graphite	4005176431357	184.97
	Skate Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS			
	GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)			




GROHE PLUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 958 003	Chrome	4005176605642	801.62
	GROHE Plus Single-lever basin mixer 1/2" with LED display M-size colour LED water temperature display infra-red diverter: mousseur / Eco spray automatic return to mousseur monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses 1.5 V alkaline mono battery, 4 x mono cell external battery			
	23 959 003	Chrome	4005176605659	836.83
	GROHE Plus Single-lever basin mixer 1/2" with LED display L-Size colour LED water temperature display infra-red diverter: mousseur / Eco spray automatic return to mousseur monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses 1.5 V alkaline mono battery, 4 x mono cell external battery			
	32 612 003	Chrome	4005176529696	226.94
	32 612 DC3	supersteel	4005176574054	317.72
	32 612 AL3	brushed hard graphite	4005176585609	363.10
	GROHE Plus Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			




		Ref. No.	Colour	EAN	Retail Guide Price (£)
		33 163 003	Chrome	4005176529702	226.94
		GROHE Plus Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			
		23 870 003	Chrome	4005176529719	226.94
		GROHE Plus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 871 003	Chrome	4005176529726	283.67
		23 871 DC3	supersteel	4005176574061	397.14
		23 871 AL3	brushed hard graphite	4005176585616	453.87
GROHE Plus Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° pop-up waste set 1 1/4" flexible connection hoses					
		23 872 003	Chrome	4005176529733	283.67
		GROHE Plus Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			

GROHE PLUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 851 003	Chrome	4005176496523	317.72
	23 851 DC3	supersteel	4005176574078	444.80
	23 851 AL3	brushed hard graphite	4005176585623	508.34
	GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° pop-up waste set 1 1/4" flexible connection hoses			
	23 873 003	Chrome	4005176529986	317.72
	GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			
	23 843 003	Chrome	4005176496547	368.77
	23 843 DC3	supersteel	4005176574085	516.28
	GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE AquaGuide adjustable mousseur rapid installation system pull out spout GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pop-up waste set 1 1/4" flexible connection hoses			





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 844 003	Chrome	4005176496554	368.77
	GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE AquaGuide adjustable mousseur rapid installation system pull out spout GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			
	32 618 003 32 618 DC3 32 618 AL3	Chrome supersteel brushed hard graphite	4005176529740 4005176574092 4005176585647	351.75 492.45 562.81
	GROHE Plus Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE AquaGuide adjustable mousseur rapid installation system smooth body flexible connection hoses			
	20 301 003	Chrome	4005176529757	351.75
	GROHE Plus Three-hole basin mixer 1/2" M-Size metal lever ceramic headparts 1/2", 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE AquaGuide adjustable mousseur rapid installation system pop-up waste set 1 1/4" GROHE FastFixation installation system pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm			

GROHE PLUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 303 003	Chrome	4005176529764	276.86
	29 303 DC3	supersteel	4005176574108	387.61
	29 303 AL3	brushed hard graphite	4005176585654	442.98
	GROHE Plus 2-hole basin mixer M-Size wall mounted set for final installation for 23 200 000 without concealed body metal escutcheon metal lever GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 147 mm min. recommended pressure 0.2 bar			
	29 306 003	Chrome	4005176529771	295.02
	ditto, projection 203 mm			
	23 200 002		4005176519901	269.71
	Rough-in for single-lever mixer, wall mount			
	33 241 003	Chrome	4005176529849	226.94
	33 241 DC3	supersteel	4005176574184	317.72
	33 241 AL3	brushed hard graphite	4005176585739	363.10
	GROHE Plus Bidet mixer 1/2" monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar			
	33 577 003	Chrome	4005176529801	272.32
	33 577 DC3	supersteel	4005176574139	381.26
	33 577 AL3	brushed hard graphite	4005176585685	435.71
	GROHE Plus Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 0.2 bar			
				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 719 000	Chrome	4005176457654	406.72
	Grotherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow			
	33 553 003	Chrome	4005176529795	340.40
	33 553 DC3	supersteel	4005176574122	476.57
	33 553 AL3	brushed hard graphite	4005176585678	544.65
	GROHE Plus Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower laminar mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 0.2 bar			
	34 718 000	Chrome	4005176457647	446.92
	Grotherm SmartControl Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valve and dirt strainers protected against backflow			
	33 547 003	Chrome	4005176529818	382.95
	GROHE Plus Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower laminar mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow with shower set Consisting of: hand shower Euphoria Cube Stick (27 698 000) wall shower holder (27 693 000) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 0.2 bar			

GROHE PLUS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 954 000	Chrome	4005176496844	121.98
	GROHE Plus Tray suitable for 33 553 003 33 547 003 33 577 003			
 	24 059 003	Chrome	4005176529832	215.59
	24 059 DC3	supersteel	4005176574153	301.83
	24 059 AL3	brushed hard graphite	4005176585708	344.94
	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	24 060 003	Chrome	4005176529825	226.94
	24 060 DC3	supersteel	4005176574146	317.72
	24 060 AL3	brushed hard graphite	4005176585692	363.10
	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	24 093 003	Chrome	4005176530050	255.31
	24 093 DC3	supersteel	4005176574214	357.43
	24 093 AL3	brushed hard graphite	4005176585760	408.49
	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 863 000	Chrome	4005176789922	1,523.64
	34 863 DC0	supersteel	4005176790782	2,133.10
	34 863 AL0	brushed hard graphite	4005176790799	2,437.83
	Grotherm SmartControl Concealed shower system with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves (29 121) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower SmartActive 310 head shower set 2 sprays (26 475) including horizontal shower arm 430 mm and head shower rough-in (26 483) Rainshower SmartActive 130 hand shower 3 sprays shower outlet elbow 1/2" with holder (26 658) Silverflex shower hose 1500 mm 1/2" x 1/2" optional flow regulator 9.5 l/min included for hand shower			
	34 864 000	Chrome	4005176789939	1,523.64
	34 864 DC0	supersteel	4005176791857	2,133.10
	34 864 AL0	brushed hard graphite	4005176790843	2,437.83
	Grotherm SmartControl Concealed shower system with Rainshower SmartActive 310 Cube Consisting of: concealed thermostat with 3 valves (29 126) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower SmartActive 310 Cube head shower set 2 sprays (26 479) including horizontal shower arm 430 mm and head shower rough-in (26 483) Rainshower SmartActive 130 Cube hand shower 3 sprays shower outlet elbow 1/2" with holder (26 659) Silverflex shower hose 1500 mm 1/2" x 1/2" optional flow regulator 9.5 l/min included for hand shower			
	25 132 003	Chrome	4005176529870	332.00
	GROHE Plus Two-handed Bath filler 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" recommended pressure 0.2 - 5.0 bar GROHE Long-Life finish			
	25 133 003	Chrome	4005176529887	358.55
	GROHE Plus Two-handed Bath/Shower mixer 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" recommended pressure 0.2 - 5.0 bar GROHE Long-Life finish			

GROHE PLUS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 307 003	Chrome	4005176529993	936.11
	29 307 DC3	supersteel	4005176574160	1,310.56
	29 307 AL3	brushed hard graphite	4005176585715	1,497.79
	GROHE Plus 4-hole single-lever bath combination GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish Consisting of: pre-assembled spout laminar mousseur single lever mixer operating element metal lever diverter bath/shower hand shower Euphoria Cube 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002 min. recommended pressure 0.2 bar			
	29 037 002		4005176519918	890.16
	Baseframe for installation under tiled surround			
	23 845 003	Chrome	4005176496677	771.59
	GROHE Plus 3-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish Consisting of: single lever mixer operating element diverter bath/shower without spout Euphoria Cube hand shower 7.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002 for combination with 28 990 / 28 991 min. recommended pressure 0.2 bar			
	29 037 002		4005176519918	890.16
	Baseframe for installation under tiled surround			
	23 846 003	Chrome	4005176496684	1,724.71
	23 846 DC3	supersteel	4005176574177	2,414.60
	23 846 AL3	brushed hard graphite	4005176585722	2,759.55
	GROHE Plus Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower spout with laminar mousseur projection 282 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Euphoria Cube 6.6 l/min Silverflex shower hose 1250 mm (28 362) protected against backflow min. recommended pressure 0.2 bar			
	45 984 001	Chrome	4005176992056	533.56
	Rough-in set 1/2" for floor-mounted mixers/spouts			
	29 086 000		4005176935497	392.54
	Rough-in set 1/2" for floor-mounted mixers/spouts			

Ref. No.	Colour	EAN	Retail Guide Price (£)
13 404 003	Chrome	4005176529788	158.85
13 404 DC3	supersteel	4005176574115	222.39




GROHE Plus
Bath spout
wall mounted
GROHE Long-Life finish
laminar mousser
male thread 1/2"
projection 168 mm

26 507 000	★ Chrome	4005176457586	1,085.69
26 507 LS0	moon white	4005176457609	1,254.21
26 507 DC0	supersteel	4005176526374	1,628.54
26 507 AL0	brushed hard graphite	4005176557422	1,954.23









Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE Water Saving - Less water, perfect flow
GROHE SafeStop safety button at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.


26 508 000	Chrome	4005176457593	1,085.69
26 508 LS0	moon white	4005176457616	1,254.21
26 508 DC0	supersteel	4005176526367	1,628.54
26 508 AL0	brushed hard graphite	4005176557507	1,954.23




Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE Water Saving - Less water, perfect flow
GROHE Long-Life finish
GROHE SafeStop safety button at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 705 000	Chrome	4005176413285	1,609.19
	Grohtherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: Grohtherm SmartControl set for final installation concealed thermostat with 3 valves (29 121) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick hand shower 1 spray (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)			
	19 952 000 ★ 19 952 DC0 ★ 19 952 AL0 ★	Chrome supersteel brushed hard graphite	4005176174230 4005176467776 4005176353376	64.56 272.63 311.58
	Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set in combination with Talentofill 28 990 000/28 991 000			
	19 025 000	Chrome	4005176209154	67.88
	Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE Long-Life finish			
	40 564 000 40 564 DC0 40 564 AL0	Chrome supersteel brushed hard graphite	4005176912740 4005176491795 4005176491788	110.58 154.81 176.93
	Bottle trap for wash basin GROHE Long-Life finish brass body			
	28 912 000 ★ 28 912 DC0 ★ 28 912 AL0 ★	Chrome supersteel brushed hard graphite	4005176266751 4005176467905 4005176467844	100.53 140.74 160.85
	Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life finish			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 535 000	Chrome	4005176416019	84.67
	37 535 DC0	supersteel	4005176416040	184.97
	37 535 AL0	brushed hard graphite	4005176431357	184.97
	Skate Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS			
	GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)			


	37 624 000	Chrome	4005176416095	102.82
	37 624 DC0	supersteel	4005176416125	185.09
	37 624 AL0	brushed hard graphite	4005176529115	185.07
	Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS			
	GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)			

Ref. No.	Colour	EAN	Retail Guide Price (£)
33 155 002	Chrome	4005176865947	315.81




Europlus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE Long-Life finish
rapid installation system
pull out spout with mousseur
integrated non-return valve
pop-up waste set 1 1/4"
flexible connection hoses

GROHE ESSENCE




Ref. No.	Colour	EAN	Retail Guide Price (£)
24 171 001	Chrome	4005176698309	181.18
24 171 DC1	supersteel	4005176711466	253.65
24 171 GL1	cool sunrise	4005176711497	271.77
24 171 GN1	brushed cool sunrise	4005176712036	289.89
24 171 DA1	warm sunset	4005176711459	271.77
24 171 DL1	brushed warm sunset	4005176711473	289.89
24 171 A01	hard graphite	4005176711428	271.77
24 171 AL1	brushed hard graphite	4005176711435	289.89

Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 23 589 xx1



24 172 001	Chrome	4005176698316	175.29
24 172 DC1	supersteel	4005176712081	245.41
24 172 GL1	cool sunrise	4005176712111	262.93
24 172 GN1	brushed cool sunrise	4005176712128	280.46
24 172 DA1	warm sunset	4005176712074	262.93
24 172 DL1	brushed warm sunset	4005176712098	280.46
24 172 A01	hard graphite	4005176712043	262.93
24 172 AL1	brushed hard graphite	4005176712050	280.46
24 172 KF1	phantom black	4005176782398	245.41

Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 smooth body
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 23 590 xx1




24 180 001	Chrome	4005176698446	181.18
------------	--------	---------------	--------


Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 23 591 001

GROHE ESSENCE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
				
				
				
				




Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation Plus installation system
 smooth body
 waste set with push-open plug
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 23 797 001




Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 32 898 001



Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation Plus installation system
 smooth body
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 34 294 001




Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 23 379 001




Ref. No.	Colour	EAN	Retail Guide Price (£)
24 173 001	Chrome	4005176698323	212.11
24 173 DC1	supersteel	4005176711282	296.95
24 173 GL1	cool sunrise	4005176711312	318.16
24 173 GN1	brushed cool sunrise	4005176711329	339.39
24 173 DA1	warm sunset	4005176711275	318.16
24 173 DL1	brushed warm sunset	4005176711299	339.39
24 173 A01	hard graphite	4005176712005	318.16
24 173 AL1	brushed hard graphite	4005176712012	339.39

Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
adjustable swivel area 0° / 150° / 360°
pop-up waste set 1 1/4"
flexible connection hoses
professional edition
replaces Essence basin mixer 23 462 xx1



24 176 001	Chrome	4005176698378	206.22
24 176 KF1	phantom black	4005176782367	288.71


Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
adjustable swivel area 0° / 150° / 360°
smooth body
flexible connection hoses
professional edition
replaces Essence basin mixer 23 463 001



24 174 001	Chrome	4005176698330	232.74
24 174 DC1 ★	supersteel	4005176711565	325.83
24 174 GL1 ★	cool sunrise	4005176711596	349.11
24 174 GN1 ★	brushed cool sunrise	4005176711602	372.38
24 174 DA1 ★	warm sunset	4005176711558	349.11
24 174 DL1 ★	brushed warm sunset	4005176711572	372.38
24 174 A01	hard graphite	4005176711527	349.11
24 174 AL1	brushed hard graphite	4005176711534	372.38


Essence
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
adjustable swivel area 0° / 150° / 360°
pop-up waste set 1 1/4"
flexible connection hoses
professional edition
replaces Essence basin mixer 32 628 xx1

GROHE ESSENCE



Ref. No.	Colour	EAN	Retail Guide Price (£)
24 177 001	Chrome	4005176698408	226.84
24 177 KF1	phantom black	4005176782350	317.59


Essence
Single-lever basin mixer 1/2"
L-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 swivel spout with mousseur
 and stop limiter
 adjustable swivel area 0° / 150° / 360°
 smooth body
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 23 541 001



24 170 001	Chrome	4005176698293	315.22
24 170 DC1	supersteel	4005176711657	441.31
24 170 GL1	cool sunrise	4005176711688	472.83
24 170 GN1	brushed cool sunrise	4005176711695	504.36
24 170 DA1	warm sunset	4005176711640	472.83
24 170 DL1	brushed warm sunset	4005176711664	504.36
24 170 A01	hard graphite	4005176711619	472.83
24 170 AL1	brushed hard graphite	4005176711626	504.36
24 170 KF1	phantom black	4005176782374	441.31

Essence
Basin mixer 1/2"
XL-Size
 monobloc installation
 metal lever
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 6.5 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus rapid installation system
 swivel spout with mousseur
 and stop limiter
 adjustable swivel area 0° / 90° / 360°
 smooth body
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 32 901 xx1

GROHE ESSENCE



Ref. No.	Colour	EAN	Retail Guide Price (£)
29 192 001	Chrome	4005176698279	232.74
29 192 DC1	supersteel	4005176711770	325.83
29 192 GL1	cool sunrise	4005176711800	349.11
29 192 GN1	brushed cool sunrise	4005176711817	372.38
29 192 DA1	warm sunset	4005176711763	349.11
29 192 DL1	brushed warm sunset	4005176711787	372.38
29 192 A01	hard graphite	4005176711732	349.11
29 192 AL1	brushed hard graphite	4005176711749	372.38
29 192 KF1	phantom black	4005176782411	325.83

Essence

2-hole basin mixer

M-Size

wall mounted

set for final installation for

23 571 000 / 32 635 000

without concealed body

metal escutcheon

metal lever

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

GROHE AquaGuide adjustable mousseur


centre distance 110 mm

projection 183 mm

professional edition

replaces Essence two-hole basin mixer 19 408 xx1

23 571 000	4005176334276	269.58
Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers		



29 193 001	Chrome	4005176698286	262.20
29 193 DC1	supersteel	4005176711954	367.07
29 193 GL1	cool sunrise	4005176711985	393.29
29 193 GN1	brushed cool sunrise	4005176711992	419.51
29 193 DA1	warm sunset	4005176711947	393.29
29 193 DL1	brushed warm sunset	4005176711961	419.51
29 193 A01	hard graphite	4005176711916	393.29
29 193 AL1	brushed hard graphite	4005176711923	419.51
29 193 KF1	phantom black	4067393019886	367.07

Essence

2-hole basin mixer

L-Size

wall mounted

set for final installation for

23 571 000 / 32 635 000

without concealed body

metal escutcheon

metal lever

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

GROHE AquaGuide adjustable mousseur

centre distance 110 mm




projection 230 mm

professional edition

replaces Essence two-hole basin mixer 19 967 xx1





23 571 000	4005176334276	269.58
Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers		


GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 178 001 ★	Chrome	4005176698415	181.18
	24 178 DC1 ★	supersteel	4005176712395	253.65
	24 178 GL1 ★	cool sunrise	4005176712425	271.77
	24 178 GN1 ★	brushed cool sunrise	4005176712432	289.89
	24 178 DA1 ★	warm sunset	4005176712388	271.77
	24 178 DL1 ★	brushed warm sunset	4005176712401	289.89
	24 178 A01	hard graphite	4005176711701	271.77
	24 178 AL1 ★	brushed hard graphite	4005176711718	289.89
	 Essence Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation Plus installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses professional edition replaces Essence bidet mixer 32 935 xx1			
	24 395 KF1	phantom black	4005176782428	253.65
	 Essence Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation Plus installation system ball-joint mousseur smooth body flexible connection hoses			
	25 252 001	Chrome	4005176698385	200.33
	25 252 DC1	supersteel	4005176711220	280.46
	25 252 GL1	cool sunrise	4005176711251	300.49
	25 252 GN1	brushed cool sunrise	4005176711268	320.53
	25 252 DA1	warm sunset	4005176711213	300.49
	25 252 DL1	brushed warm sunset	4005176711237	320.53
	25 252 A01	hard graphite	4005176711183	300.49
	25 252 AL1	brushed hard graphite	4005176711190	320.53
	25 252 KF1	phantom black	4005176782381	280.46
	 Essence Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish shower outlet 1/2" integrated non-return valve S-unions protected against backflow professional edition replaces Essence shower mixer 33 636 xx1			


GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 765 000	Chrome	4005176612022	194.20
	Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow			
	25 250 001	Chrome	4005176698354	246.00
	25 250 DC1	supersteel	4005176712487	344.39
	25 250 GL1	cool sunrise	4005176711169	368.99
	25 250 GN1	brushed cool sunrise	4005176711176	393.59
	25 250 DA1	warm sunset	4005176712470	368.99
	25 250 DL1	brushed warm sunset	4005176712494	393.59
	25 250 A01	hard graphite	4005176712449	368.99
	25 250 AL1	brushed hard graphite	4005176712456	393.59
	25 250 KF1	phantom black	4005176782404	344.39
	Essence Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow professional edition replaces Essence bath mixer 33 624 xx1			
	25 249 001	Chrome	4005176698262	294.60
	Essence Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow with shower set Consisting of: Euphoria Cosmopolitan Stick hand shower 1 spray (27 367) wall shower holder Tempesta 100 Cosmopolitan (27 594 000) Silverflex shower hose 1.500 mm (28 364) professional edition replaces Essence bath mixer 33 628 001			


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 766 000	Chrome	4005176612039	253.02
	Grohtherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow			
 	24 168 001	Chrome	4005176698453	185.95
	24 168 DC1	supersteel	4005176712173	260.34
 	24 168 GL1	cool sunrise	4005176712203	278.94
	24 168 GN1	brushed cool sunrise	4005176712210	297.53
	24 168 DA1	warm sunset	4005176712166	278.94
	24 168 DL1	brushed warm sunset	4005176712180	297.53
	24 168 A01	hard graphite	4005176712135	278.94
	24 168 AL1	brushed hard graphite	4005176712142	297.53
	24 168 KF1	phantom black	4067393019855	260.34
	Essence Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox (35 604) GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set professional edition replaces Essence shower mixer 24 057 xx1			
	35 604 000		4005176698774	78.23
	 GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	24 167 001	Chrome	4005176698422	204.56
	24 167 DC1	supersteel	4005176712265	286.38
	24 167 GL1	cool sunrise	4005176712296	306.83
	24 167 GN1	brushed cool sunrise	4005176712302	327.29
	24 167 DA1	warm sunset	4005176712258	306.83
	24 167 DL1	brushed warm sunset	4005176712272	327.29
	24 167 A01	hard graphite	4005176712227	306.83
	24 167 AL1	brushed hard graphite	4005176712234	327.29
	24 167 KF1	phantom black	4005176782343	286.38
	Essence Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox (35 604) GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set professional edition replaces Essence single-lever mixer with 2-way diverter 24 058 xx1			



replaces Essence single-lever mixer with 3-way diverter 24 092 xx1




optional flow regulator 9.5 l/min included for hand shower and head shower

A collection of various plumbing fixtures including faucets, showerheads, and valves. The items are arranged in a grid-like fashion against a white background. There are two blue and silver faucets, two chrome faucets, a chrome showerhead, a chrome shower arm, a chrome shower valve, and a chrome shower head.

optional flow regulator 9.5 l/min included for hand shower

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 705 000	Chrome	4005176413285	1,609.19
	Grohtherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: Grohtherm SmartControl set for final installation concealed thermostat with 3 valves (29 121) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick hand shower 1 spray (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)			
	25 251 001	Chrome	4005176698361	839.61
	25 251 DC1	supersteel	4005176711862	1,175.47
	25 251 GL1	cool sunrise	4005176711893	1,259.43
	25 251 DA1	warm sunset	4005176711855	1,259.43
	25 251 DL1	brushed warm sunset	4005176711114	1,343.39
	25 251 A01	hard graphite	4005176711824	1,259.43
	25 251 AL1	brushed hard graphite	4005176711831	1,343.39
	25 251 KF1	phantom black	4067393019879	1,175.47
	Essence 4-hole single-lever bath combination GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish pre-assembled spout fixing single lever mixer operating element metal lever bath inlet with mousseur diverter bath/shower Stick hand shower metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 professional edition replaces Essence four-hole bath combination 19 578 xx1			
	29 037 000		4005176865749	893.31
	Baseframe for installation under tiled surround			
	19 976 001	Chrome	4005176307218	587.73
	Essence 3-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life finish single lever mixer operating element diverter bath/shower hand shower 27 400 000 metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 for combination with 28 990 / 28 991			
	29 037 000		4005176865749	893.31
	Baseframe for installation under tiled surround			
	19 976 001	Chrome	4005176307218	587.73

GROHE ESSENCE



Ref. No.	Colour	EAN	Retail Guide Price (£)
23 741 001	Chrome	4005176371509	2,485.53
23 741 DC1	supersteel	4005176371516	3,479.75

Essence

Single-lever free-standing shower system

floor-mounted

set for final installation for

45 984 001

29 038 001

29 086 000

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE Long-Life finish

automatic diverter

head shower/hand shower

360° horizontal swivable shower arm

integrated non-return valve

in the shower outlet 1/2"

with shower holder

Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)

with ball joint

rotation angle ± 15°

GROHE DreamSpray perfect spray pattern


SpeedClean anti-limescale system

metal stick hand shower

Silverflex shower hose 1750 mm (28 388 000)

protected against backflow

45 984 001	Chrome	4005176992056	533.56
Rough-in set 1/2" for floor-mounted mixers/spouts			



25 248 001	Chrome	4005176698255	1,325.72
25 248 DC1	supersteel	4005176711374	1,855.99
25 248 GL1	cool sunrise	4005176711404	1,988.57
25 248 GN1	brushed cool sunrise	4005176711411	2,121.13
25 248 DA1	warm sunset	4005176711367	1,988.57
25 248 DL1	brushed warm sunset	4005176711381	2,121.13
25 248 A01	hard graphite	4005176711336	1,988.57
25 248 AL1	brushed hard graphite	4005176711343	2,121.13
25 248 KF1	phantom black	4067393019862	1,855.99

Essence

Single-lever bath mixer 1/2", floor mounted

set for final installation for

45 984 001

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE Long-Life finish

automatic diverter: bath/shower

swivel spout with mousseur

and stop limiter

adjustable swivel area 0° / 150° / 360°

projection 277 mm

integrated non-return valve

in the shower outlet 1/2"

with shower holder

metal stick hand shower

Silverflex shower hose 1250 mm (28 362)


protected against backflow

professional edition





replaces Essence floor mounted bath mixer 23 491 xx1

45 984 001	Chrome	4005176992056	533.56
Rough-in set 1/2" for floor-mounted mixers/spouts			




29 086 000		4005176935497	392.54
Rough-in set 1/2" for floor-mounted mixers/spouts			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 601 000	Chrome	4005176416057	102.82
	37 601 DC0	supersteel	4005176416088	185.07
	37 601 GL0	cool sunrise	4005176524271	185.07
	37 601 GN0	brushed cool sunrise	4005176529016	185.07
	37 601 DA0	warm sunset	4005176524288	185.07
	37 601 DL0	brushed warm sunset	4005176529023	185.07
	37 601 A00	hard graphite	4005176528996	185.07
	37 601 AL0	brushed hard graphite	4005176529030	185.07
	37 601 KF0	phantom black	4005176677670	210.78
	Nova Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)			
				

GROHE EURODISC JOY





	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		23 425 000	Chrome	4005176993596	229.47
Eurodisc Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses					
		23 427 000	Chrome	4005176993619	243.46
Eurodisc Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses					
		23 428 000	Chrome	4005176993633	349.82
Eurodisc Joy Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE Long-Life finish GROHE FastFixation Plus installation system smooth body flexible connection hoses					
		19 969 000	Chrome	4005176993671	279.85
Eurodisc Joy 2-hole basin mixer L-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min centre distance 110 mm projection 226 mm					
		23 429 000		4005176993695	279.16
Rough-in for Joystick 2-hole basin mixers					

GROHE EURODISC JOY





	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		24 036 000	Chrome	4005176993701	243.46
Eurodisc Joy Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min ball-joint mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses					
		24 055 002	Chrome	4005176465420	171.77
Eurodisc Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set					
		35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation					
		24 056 002	Chrome	4005176465437	188.94
Eurodisc Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set					
		35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation					

GROHE


EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 051 002	Chrome	4005176887567	122.14
	 Eurodisc Cosmopolitan Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur union nut 1/2" x 10.5 mm			
	23 049 002	Chrome	4005176887536	192.86
	 Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE Long-Life finish GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses			
	33 190 20E	Chrome	4005176887482	192.86
	 Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses			
	33 183 002	Chrome	4005176887499	192.86
	 Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109			

GROHE EURODISC COSMOPOLITAN






	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 469 20E	Chrome	4005176908835	186.43
	Eurodisc Cosmopolitan Basin mixer 1/2" S-Size metal lever monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109			
	23 384 20E	Chrome	4005176936722	192.86
	Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses			
	23 382 20E	Chrome	4005176936708	186.43
Ditto, with GROHE SilkMove ES				
	23 448 002	Chrome	4005176998744	219.50
	Eurodisc Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 449 002	Chrome	4005176998768	213.24
	Eurodisc Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses			

GROHE EURODISC COSMOPOLITAN






	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 054 003	Chrome	4005176472596	241.03
	Eurodisc Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life finish GROHE FastFixation Plus installation system mousseur swivel tubular spout with stop limiter adjustable swivel area 0° / 150° / 360° pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)			
	23 432 000	Chrome	4005176993763	335.54
	Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation Plus installation system smooth body flexible connection hoses optional temperature limiter (46 375 000)			
	23 055 002	Chrome	4005176887680	273.19
	Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			
	19 573 002	Chrome	4005176887659	241.08
	Eurodisc Cosmopolitan 2-hole basin mixer M-Size wall mounted set for final installation for 23 571 000 / 32 635 000 without concealed body metal escutcheon metal lever GROHE Long-Life finish GROHE AquaGuide NEW centre distance 110 mm projection 170 mm			
	19 974 002	Chrome	4005176305948	256.82
	ditto, projection 225 mm			
	23 571 000		4005176334276	269.58
	Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers			

GROHE







EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 244 002	Chrome	4005176888779	192.86
	Eurodisc Cosmopolitan Bidet mixer 1/2" S-Size metal lever monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			
	33 569 002	Chrome	4005176887734	192.86
	Eurodisc Cosmopolitan Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000)			
	34 719 000	Chrome	4005176457654	406.72
	Grohtherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow			
	33 390 002	Chrome	4005176887796	241.08
	Eurodisc Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)			





GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 718 000	Chrome	4005176457647	446.92
	Grotherm SmartControl Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valve and dirt strainers protected against backflow			
	33 395 002	Chrome	4005176887802	292.36
	Eurodisc Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) noise classification 1 in accordance with DIN4109 with shower set Consisting of: hand shower euphoria 110 Champagne (27 222) wall shower holder (27 056) shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)			
	24 055 002	Chrome	4005176465420	171.77
	Eurodisc Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set			
	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 056 002	Chrome	4005176465437	188.94
	Eurodisc Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			





GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 863 000	Chrome	4005176789922	1,523.64
Grotherm SmartControl Concealed shower system with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves (29 121) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower SmartActive 310 head shower set 2 sprays (26 475) including horizontal shower arm 430 mm and head shower rough-in (26 483) Rainshower SmartActive 130 hand shower 3 sprays shower outlet elbow 1/2" with holder (26 658) Silverflex shower hose 1500 mm 1/2" x 1/2" optional flow regulator 9.5 l/min included for hand shower				
 	34 705 000	Chrome	4005176413285	1,609.19
Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: Grotherm SmartControl set for final installation concealed thermostat with 3 valves (29 121) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick hand shower 1 spray (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)				
 	13 278 002	Chrome	4005176887871	116.97
Eurodisc Cosmopolitan Bath spout wall mounted GROHE Long-Life finish mousseur male thread 1/2" projection 170 mm				
 	13 279 DC2 13 279 GN2 13 279 DA2 13 279 DL2	supersteel brushed cool sunrise warm sunset brushed warm sunset	4067393033134 4067393033158 4067393033127 4067393033141	price on req. price on req. price on req. price on req.
Eurodisc Cosmopolitan Bath spout wall mounted GROHE Long-Life finish mousseur automatic diverter: bath/shower with concealed connection piece male thread 1/2" projection 170 mm				
 	37 624 000	Chrome	4005176416095	102.82
Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)				





GROHE CONCETTO





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 207 001	Chrome	4005176888878	120.51
	 Concetto Pillar tap XS-Size monobloc installation metal lever ceramic headparts 1/2", 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur union nut 1/2" x 10.5 mm noise classification 1 in accordance with DIN4109			
	32 204 10E	Chrome	4005176887345	152.21
	 Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses			
	23 931 001	Chrome	4005176584015	145.94
	 Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar noise classification 1 in accordance with DIN4109			
	23 060 001	Chrome	4005176888021	190.28
	 Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life finish GROHE FastFixation installation system with centering support flow straightener pop-up waste set 1 1/4" flexible connection hoses for use with displacement water heater optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109			

GROHE CONCETTO





	Ref. No.	Colour	EAN	Retail Guide Price (£)
		32 202 10L Chrome	4005176903960	126.78
	Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life finish GROHE FastFixation installation system mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 0.2 bar			
		32 240 10E Chrome	4005176906794	145.87
	Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation installation system with centering support smooth body flexible connection hoses			
		32 240 10L Chrome	4005176903977	152.21
	Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life finish GROHE FastFixation installation system mousseur smooth body flexible connection hoses min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)			
		23 380 10E Chrome	4005176938245	152.21
	Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 385 10E Chrome Ditto, with GROHE SilkMove ES	4005176938269	145.87

GROHE CONCETTO




	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		23 450 001	Chrome	4005176998775	173.75
Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses					
		23 932 001	Chrome	4005176584022	167.40
Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar					
		23 451 001	Chrome	4005176998799	167.32
Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation installation system smooth body flexible connection hoses					
		23 739 002	Chrome	4005176472602	257.92
Concetto Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system swivel tubular spout with stop limiter adjustable swivel area 0° / 150° / 360° pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 0.2 bar					

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 629 002	Chrome	4005176472619	218.75
	Concetto Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 0.2 bar			
	23 920 001	Chrome	4005176583421	246.60
	Concetto Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur rapid installation system smooth body flexible connection hoses min. recommended pressure 0.2 bar			
	20 216 001	Chrome	4005176888373	263.22
	Concetto Three-hole basin mixer 1/2" L-Size ceramic headpart GROHE Long-Life finish GROHE FastFixation installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses pressure-proof, flexible connection hoses between middle-body and side valves			
	19 575 001	Chrome	4005176888366	222.00
	Concetto 2-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 / 32 635 000 without concealed body metal escutcheon GROHE Long-Life finish centre distance 110 mm projection 147 mm			
	23 571 000		4005176334276	269.58
	Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers			





GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 208 001	Chrome	4005176888908	152.21
	Concetto Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE FastFixation installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
 	32 210 001	Chrome	4005176888939	152.21
	Concetto Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve, S-unions protected against backflow optional temperature limiter (46 308 000) noise classification 1 in accordance with DIN4109			
 	34 765 000	Chrome	4005176612022	194.20
	Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow			
 	32 211 001	Chrome	40051768889028	190.28
	Concetto Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)			






GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 766 000	Chrome	4005176612039	253.02
	Grohtherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow			
	32 212 001	Chrome	4005176889035	234.69
	Concetto Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set Consisting of: Euphoria Cosmopolitan hand shower (27 400) wall shower holder (27 056) shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)			
	32 700 001	Chrome	4005176887994	190.28
	Concetto Single-lever bath/shower mixer 1/2" wall mounted metal lever 46 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove GROHE Long-Life finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) noise classification 1 in accordance with DIN4109			



GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 053 001	Chrome	4005176465406	165.37
	Concetto Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set			
	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 054 001	Chrome	4005176465413	181.90
	Concetto Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	19 345 001	Chrome	4005176888953	174.45
	Concetto Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE Long-Life finish escutcheon- and shaft-sealing wall escutcheon covered fixing			
	32 213 001	Chrome	4005176888960	190.28
	Concetto Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish Consisting of: set for final installation concealed body 33 964 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter min. recommended pressure 0.2 bar			
				





GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 346 001	Chrome	4005176889080	190.28
Concetto Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body metal lever GROHE Long-Life finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered coupling				
 	32 214 001	Chrome	4005176889097	206.14
Concetto Single-lever bath/shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish Consisting of: set for final installation concealed body 33 963 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter min. recommended pressure 0.2 bar				
 	25 102 000	Chrome	4005176881671	201.29
Concetto Two-handed Bath filler 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" GROHE Long-Life finish recommended pressure 0.2-5.0 bar				
 	25 109 000	Chrome	4005176881848	226.46
Concetto Two-handed Bath/Shower mixer 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE Long-Life finish				
 	19 576 002	Chrome	4005176429088	792.84
Concetto 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish pre-assembled spout fixing single lever mixer operating element bath inlet with mousseur diverter bath/shower Euphoria Cosmopolitan hand shower 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000				
	29 037 000		4005176865749	893.31
Baseframe for installation under tiled surround				





GROHE
CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	13 280 001	Chrome	4005176888687	114.17
Concetto Bath spout wall mounted GROHE Long-Life finish mousseur male thread 1/2"				
 	13 281 001	Chrome	4005176888694	131.62
Concetto Bath spout with diverter wall mounted GROHE Long-Life finish mousseur automatic diverter: bath/shower male thread 1/2"				





GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 039 002	Chrome	4005176886881	106.67
Eurostyle Cosmopolitan Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE Long-Life finish mousseur				
 	23 037 002	Chrome	4005176886355	145.44
Eurostyle Cosmopolitan Basin mixer 1/2\" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE Long-Life finish GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4\" flexible connection hoses				
 	23 387 20E	Chrome	4005176938382	145.44
Eurostyle Cosmopolitan Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system pop-up waste set 1 1/4\" flexible connection hoses				
 	33 552 20E	Chrome	4005176886300	145.44
Eurostyle Cosmopolitan Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation installation system with centering support pop-up waste set 1 1/4\" flexible connection hoses noise classification 1 in accordance with DIN4109				





GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 561 002	Chrome	4005176886379	200.37
	 Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE FastFixation installation system with centering support flow straightener pop-up waste set 1 1/4" flexible connection hoses for use with displacement water heater optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109			
	32 468 20E	Chrome	4005176906886	138.98
	 Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109			
	32 468 20L	Chrome	4005176917097	138.88
	 Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE FastFixation installation system with centering support mousseur, smooth body flexible connection hoses for low pressure min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)			
	23 374 20E	Chrome	4005176936678	145.44
	 Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar			
	23 373 20E	Chrome	4005176936661	138.98
	Ditto, with GROHE SilkMove ES			

GROHE EUROSTYLE COSMOPOLITAN




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 043 003	Chrome	4005176472732	203.52
	Eurostyle Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar			
	20 208 002	Chrome	4005176886980	290.88
	Eurostyle Cosmopolitan 3-hole basin mixer S-Size metal lever ceramic headparts 1/2", 90° GROHE Long-Life finish GROHE FastFixation installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses pressure-proof, flexible connection hoses between middle-body and side valves			
	19 571 002	Chrome	4005176886973	248.88
	Eurostyle Cosmopolitan 2-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 / 32 635 000 without concealed body metal escutcheon metal lever GROHE Long-Life finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm			
	23 571 000		4005176334276	269.58
	Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers			
	33 565 002	Chrome	4005176887000	145.44
	Eurostyle Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			

GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	33 590 002	Chrome	4005176887048	145.44
Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000)				
 	32 229 002	Chrome	4005176887055	145.44
Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow optional temperature limiter ref. no. 08 791 noise classification 1 in accordance with DIN4109				
 	34 765 000	Chrome	4005176612022	194.20
Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow				
 	33 614 002	Chrome	4005176887208	265.06
Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" monobloc installation metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow optional temperature limiter (46 308 000)				

GROHE

EUROSTYLE COSMOPOLITAN





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 591 002	Chrome	4005176887123	177.77
	Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)			
	34 766 000	Chrome	4005176612039	253.02
	Grohtherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow			
	25 275 002	Chrome	4005176766510	226.98
	Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta 110 (27 597) maximum flow rate (at 3 bar): 13.5 l/min GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option wall shower holder Tempesta, non-adjustable (28 605) shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)			

GROHE EUROSTYLE COSMOPOLITAN





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 592 20A	Chrome	4005176454288	220.72
	Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set hand shower Tempesta Cosmopolitan 100, 2 sprays (27 571) wall shower holder (27 056) shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)			
	24 051 002	Chrome	4005176465383	164.72
	Eurostyle Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set			
	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 052 002	Chrome	4005176465390	181.18
	Eurostyle Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	19 507 002	Chrome	4005176887079	169.67
	Eurostyle Cosmopolitan Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE Long-Life finish escutcheon- and shaft-sealing wall escutcheon covered fixing			





GROHE

EUROSTYLE COSMOPOLITAN





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 506 002	Chrome	4005176887185	185.85
Eurostyle Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body metal lever GROHE Long-Life finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing				
 	23 048 003	Chrome	4005176429132	897.00
Eurostyle Cosmopolitan 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish pre-assembled spout fixing, single lever mixer operating element bath inlet with mousseur diverter bath/shower Euphoria Cosmopolitan hand shower 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000				
	29 037 000		4005176865749	893.31
Baseframe for installation under tiled surround				
 	13 276 002	Chrome	4005176887246	119.88
Eurostyle Cosmopolitan Bath spout wall mounted GROHE Long-Life finish mousseur male thread 1/2" projection 170 mm				
 	23 302 000	Chrome	4005176923876	366.62
Eurostyle Cosmopolitan Vertica-OHM-Bath Mixer, 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter lockable automatic diverter: bath/shower lockable spout integrated non-return valve in the shower outlet 1/2" elbow union 45° metal wall escutcheons optional temperature limiter (46 375 000) protected against backflow noise classification 1 in accordance with DIN4109				





GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 558 003	Chrome	4005176334139	141.20
	33 558 LS3	moon white	4005176335686	183.56
	Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 929 003	Chrome	4005176583995	136.40
	Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			
	23 707 003	Chrome	4005176364778	134.79
	Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 564 003	Chrome	4005176334146	147.08
	Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses			





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 374 003	Chrome	4005176334153	141.20
	23 374 LS3	moon white	4005176334450	183.56
				
Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses				
	23 709 003	Chrome	4005176365003	134.79
				
Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses				
	23 930 003	Chrome	4005176584008	142.89
				
Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses				
	33 557 003	Chrome	4005176334184	134.79
				
Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system retractable chain flexible connection hoses				




GROHE EUROSTYLE

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		32 468 003	Chrome	4005176334207	134.79
		Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses			
		23 715 003	Chrome	4005176365065	128.37
		Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses			
		23 569 003	Chrome	4005176334238	220.63
		Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation loop metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses			
		23 718 003	Chrome	4005176365096	210.20
		Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation solid metal lever with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4"			




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 570 003	Chrome	4005176334245	273.59
	23 570 LS3	moon white	4005176334474	355.65
				
Eurostyle Basin mixer 1/2" XL-Size monobloc installation loop metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses				
	23 719 003	Chrome	4005176365119	261.55
				
Eurostyle Basin mixer 1/2" XL-Size monobloc installation solid metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses				
	19 571 003	Chrome	4005176334269	266.31
				
Eurostyle 2-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 / 32 635 000 metal escutcheon loop metal lever GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm				
23 571 000 4005176334276 269.58 Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers				
	29 097 003	Chrome	4005176365133	253.52
				
Eurostyle 2-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 / 32 635 000 metal escutcheon solid metal lever GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm				
23 571 000 4005176334276 269.58 Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers				





GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 565 003	Chrome	4005176334283	141.20
	33 565 LS3	moon white	4005176334504	183.56
	Eurostyle Bidet mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses			
	23 720 003	Chrome	4005176365157	134.79
	Eurostyle Bidet mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses			
	33 590 003	Chrome	4005176334306	155.33
	33 590 LS3	moon white	4005176334511	201.92
	Eurostyle Single-lever shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow			
	23 722 003	Chrome	4005176365188	149.23
	Eurostyle Single-lever shower mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow			






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 814 003	Chrome	4005176695728	224.83
	Grohtherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition replaces Grohtherm 1000 thermostatic shower mixer 34 143 003			
 	33 591 003	Chrome	4005176334351	191.21
	33 591 LS3	moon white	4005176334535	248.57
 	Eurostyle Single-lever bath/shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow			
	23 726 003	Chrome	4005176365256	182.93




GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)		
			34 816 003	Chrome	4005176695742	287.13
			Grohtherm 1000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition replaces Grohtherm 1000 thermostatic bath mixer 34 155 003			
			25 286 003	Chrome	4005176766794	225.35
			Eurostyle Single-lever bath/shower mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons with shower set 1 spray (Rain) Consisting of: hand shower Tempesta 110 (27 923) maximum flow rate (at 3 bar): 8.7 l/min wall shower holder Tempesta, non-adjustable (28 605) shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)			
			33 592 30A	Chrome	4005176456497	215.25
			Eurostyle Single-lever bath/shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow with shower set Tempesta Consisting of: hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161) wall shower holder (28 605) shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)			





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 048 003	Chrome	4005176465345	153.78
	24 048 LS3	moon white	4005176465352	199.91
				
Eurostyle Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set				
				
	35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				
	24 046 003	Chrome	4005176465307	151.99
				
Eurostyle Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set				
				
	35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				
	24 049 003	Chrome	4005176465369	169.15
	24 049 LS3	moon white	4005176465376	219.91
				
Eurostyle Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set				
				
	35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				
	24 047 003	Chrome	4005176465321	167.19
				
Eurostyle Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set				
				
	35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				

GROHE EUROSTYLE





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 507 003	Chrome	4005176334337	158.85
Eurostyle Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body loop metal lever GROHE Long-Life finish GROHE FastFixation covered fixing escutcheon- and shaft-sealing metal wall escutcheon				
 	29 098 003	Chrome	4005176365225	152.43
Eurostyle Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body solid metal lever GROHE Long-Life finish GROHE FastFixation covered fixing escutcheon- and shaft-sealing metal wall escutcheon				
 	33 635 003	Chrome	4005176334344	182.39
Eurostyle Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish GROHE FastFixation covered fixing Consisting of: compatible with (19 507 003) with concealed body adjustable flow rate limiter loop metal lever escutcheon- and shaft-sealing metal wall escutcheon optional temperature limiter (46 308 000)				
 	23 725 003	Chrome	4005176365249	173.29
Eurostyle Single-lever shower mixer 1/2" wall installation Consisting of: compatible with (19 507 003) with concealed body solid metal lever GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life finish metal wall escutcheon escutcheon- and shaft-sealing GROHE FastFixation covered fixing optional temperature limiter (46 308 000)				
 	19 506 003	Chrome	4005176334399	173.57
Eurostyle Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body GROHE Long-Life finish GROHE FastFixation covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 099 003	Chrome	4005176365300	166.87
	Eurostyle Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body solid metal lever GROHE Long-Life finish GROHE FastFixation covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing			
	33 637 003	Chrome	4005176334405	197.09
	Eurostyle Single-lever bath/shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish GROHE FastFixation covered fixing Consisting of: compatible with (19 506 003) with concealed body adjustable flow rate limiter automatic diverter: bath/shower loop metal lever escutcheon- and shaft-sealing metal wall escutcheon optional temperature limiter (46 308 000)			
	23 730 003	Chrome	4005176365324	186.14
	Eurostyle Single-lever bath/shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish GROHE FastFixation covered fixing Consisting of: compatible with (19 506 003) with concealed body adjustable flow rate limiter automatic diverter: bath/shower solid metal lever optional temperature limiter (46 308 000) metal wall escutcheons			





GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 825 00E	Chrome	4005176874628	110.00
	 Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation, metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar			
	32 955 000	Chrome	4005176880117	162.99
	 Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE FastFixation installation system with centering support flow straightener pop-up waste set 1 1/4" flexible connection hoses for use with displacement water heater optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109			
	23 925 000	Chrome	4005176583353	105.12
	 Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE FastFixation installation system with centering support GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109			
	32 825 00L	Chrome	4005176917028	108.09
	 Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000)			





GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 827 00E	Chrome	4005176906565	103.89
	Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min SpeedClean mousseur GROHE FastFixation installation system with centering support retractable chain flexible connection hoses noise classification 1 in accordance with DIN4109			
	32 824 000	Chrome	4005176874604	103.89
	Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish GROHE FastFixation installation system with centering support mousseur smooth body flexible connection hoses optional temperature limiter (46 375 000)			
	32 824 00L	Chrome	4005176917035	97.44
	Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life finish adjustable minimum flow rate 2.5 l/min GROHE FastFixation installation system with centering support mousseur smooth body flexible connection hoses for low pressure recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000)			
	23 377 00E	Chrome	4005176936630	110.00
	Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar			

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 378 00E	Chrome	4005176936647	103.89
	 Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system with centering support retractable chain flexible connection hoses			
	23 376 00E	Chrome	4005176936623	104.13
	 Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system with centering support smooth body flexible connection hoses			
	23 927 000	Chrome	4005176583377	105.38
	 Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			
	23 325 000	Chrome	4005176933974	126.13
	 Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			




GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 926 000	Chrome	4005176583360	121.72
	Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)			
	23 327 000 23 327 KW0	Chrome supermatt black	4005176934094 4005176565205	120.27 168.39
	Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses optional temperature limiter (46 375 000)			
	23 396 00E	Chrome	4005176938504	126.13
	Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life finish temperature limiter GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar			
	23 928 000	Chrome	4005176583384	120.27
	Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 830 001	Chrome	4005176472749	161.28
	Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			
	23 933 001	Chrome	4005176584039	163.23
	Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system mousseur swivel tubular spout with stop limiter smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			
	23 921 000	Chrome	4005176583438	201.41
	Eurosmart Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur rapid installation system smooth body flexible connection hoses min. recommended pressure 0.2 bar			

GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 327 002	Chrome	4005176695599	409.18
	Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59 replaces 36 327 001			
				
	20 187 000	Chrome	4005176874680	222.50
	Eurosmart Cosmopolitan Three-hole basin mixer 1/2" S-Size metal lever ceramic headparts 1/2", 90° GROHE Long-Life finish GROHE FastFixation installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut with 10.5-mm drilling			
				
	19 381 000	Chrome	4005176874673	204.31
	Eurosmart Cosmopolitan 2-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 / 32 635 000 without concealed body metal escutcheon metal lever GROHE Long-Life finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 170 mm			
				
	23 571 000		4005176334276	269.58
	Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers			





GROHE

EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 839 000	Chrome	4005176874802	110.00
	Eurosmart Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			
	32 840 000	Chrome	4005176874819	103.89
	ditto, with retractable chain			
	32 837 000	Chrome	4005176874772	110.00
	Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter (46 308 000) protected against backflow			
	34 765 000	Chrome	4005176612022	194.20
	Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow			
	32 836 000	Chrome	4005176874758	143.72
	Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" monobloc installation metal lever 46 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove GROHE Long-Life finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow optional temperature limiter (46 308 000)			

GROHE





EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 831 000	Chrome	4005176874703	132.00
Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)				
 	34 766 000	Chrome	4005176612039	253.02
Grohtherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow				
 	34 767 000	Chrome	4005176612046	189.27
Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° built-in non return valves shower bottom outlet 1/2" dirt strainers protected against backflow without connection unions for wall mounting GROHE Water Saving - Less water, perfect flow				
 	32 833 000	Chrome	4005176874727	132.00
Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted metal lever 46 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove GROHE Long-Life finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 08 791				

GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 832 000	Chrome	4005176874710	167.20
	Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set Euphoria Cosmopolitan hand shower (27 367) wall shower holder (27 056) shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)			
	25 128 000	Chrome	4005176905209	190.54
	Eurosmart Cosmopolitan Two-handed Bath filler 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" GROHE Long-Life finish min. recommended pressure 0.2 bar			
	25 129 000	Chrome	4005176905216	217.76
	Eurosmart Cosmopolitan Two-handed Bath/Shower mixer 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE Long-Life finish min. recommended pressure 0.2 bar			
	24 044 000	Chrome	4005176465185	139.56
	Eurosmart Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set			
		35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				





GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 045 000	Chrome	4005176465291	153.53
	Eurosmart Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
				
		35 604 000	4005176698774	78.23
		GROHE Rapido SmartBox universal rough-in box for concealed installation		
	25 288 000	Chrome	4005176791642	511.05
	Eurosmart Concealed shower system with Tempesta 250 Consisting of: concealed single-lever mixer with 2-way diverter (24 043) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Tempesta 250 head shower set 9.5 l/min (26 668) including horizontal shower arm 380 mm Tempesta 110 hand shower 2 sprays (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409) optional flow regulator 9.5 l/min included for hand shower			
				
	25 219 001	Chrome	4005176466373	473.93
	Eurosmart Cosmopolitan Perfect shower set with Tempesta 210 Consisting of: Eurosmart Cosmopolitan set for final installation with automatic diverter bath / shower (24 045) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II 9.5 l/min (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)			
				
	19 383 000	Chrome	4005176874765	124.65
	Eurosmart Cosmopolitan Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE Long-Life finish escutcheon- and shaft-sealing wall escutcheon covered fixing			
				





GROHE




EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 880 000	Chrome	4005176877360	132.00
	Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish Consisting of: set for final installation concealed body 33 962 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter			
	19 382 000	Chrome	4005176874697	139.31
	Eurosmart Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body metal lever GROHE Long-Life finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing			
	32 879 000	Chrome	4005176877353	146.66
	Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish Consisting of: set for final installation concealed body 33 961 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower metal lever metal wall escutcheon screwed optional temperature limiter (46 308 000)			
	13 261 000	Chrome	4005176877384	97.03
	Eurosmart Cosmopolitan Bath spout wall mounted GROHE Long-Life finish mousseur male thread 1/2" projection 170 mm			
	13 262 000	Chrome	4005176877391	113.20
	Eurosmart Cosmopolitan Bath spout wall mounted GROHE Long-Life finish mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm			




	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		33 265 002	Chrome	4005176861543	79.28
Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses					
		23 322 001	Chrome	4005176934506	90.60
Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses					
		33 555 002	Chrome	4005176862304	83.28
Eurosmart Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow					
		33 300 002	Chrome	4005176862182	97.56
Eurosmart Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow					




GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		23 965 003	Chrome	4005176611544	94.29
	 Eurosmart Basin mixer 1/2" S-Size angled version metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter adjustable flow rate limiter monobloc installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses professional edition				
		23 968 003	Chrome	4005176611575	94.29
	 Eurosmart Basin mixer 1/2" S-Size angled version monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system flexible connection hoses smooth body with push-open pop-up waste set 1 1/4" professional edition				
		23 967 003	Chrome	4005176611568	88.20
	 Eurosmart Basin mixer 1/2" S-Size angled version monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system flexible connection hoses smooth body professional edition				
		23 969 003	Chrome	4005176613180	94.29
	 Eurosmart Basin mixer 1/2" S-Size angled version monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways pop-up waste set 1 1/4" flexible connection hoses professional edition				




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 33 265 003	Chrome	4005176613197	94.29
	 Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system flexible connection hoses pop-up waste set 1 1/4" professional edition			
	 23 922 003	Chrome	4005176613227	94.29
	 32 467 003	Chrome	4005176613210	88.20
	ditto, smooth body			
	 33 265 30L	Chrome	4005176644269	94.29
	 Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses mousseur for low pressure min. recommended pressure 0.2 bar professional edition			
	 23 456 003	Chrome	4005176613272	89.93
	 Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter adjustable flow rate limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system flexible connection hoses hybrid pop-up waste set 1 1/4" professional edition			





GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 33 188 003	Chrome	4005176613203	88.20
	 Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system retractable chain flexible connection hoses professional edition			
	32 467 30L	Chrome	4005176644276	88.20
	32 467 243L	matte black	4067393017271	114.65
 Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter mousseur GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system smooth body flexible connection hoses min. recommended pressure 0.2 bar for low pressure professional edition				
	 32 926 003	Chrome	4005176613234	94.29
	 Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system pop-up waste set 1 1/4" lift rod in lateral position flexible connection hoses professional edition			
	 23 924 003	Chrome	4005176613265	94.29
	ditto, smooth body with push-open pop-up waste set 1 1/4"			
	 32 154 003	Chrome	4005176613258	88.20
	ditto, smooth body			





	Ref. No.	Colour	EAN	Retail Guide Price (£)
		24 192 003 Chrome	4005176723964	108.43
Eurosmart Basin mixer 1/2" S-Size Cradle to Cradle Certified Gold monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses professional edition				
		 23 974 003 Chrome	4005176644252	94.29
Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 3.5 l/min GROHE LowFlow mousseur Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system smooth body flexible connection hoses professional edition				
		 23 372 003 Chrome	4005176613241	88.20
Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system retractable chain flexible connection hoses professional edition				





GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 23 975 003	Chrome	4005176644153	362.65
	Eurosmart Basin mixer 1/2" M-Size monobloc installation 2-in-1 hybrid with touchless or manual operation manual lever operation having priority metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter infra-red electronic with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) non-return valve dirt strainer with integrated solenoid valve external battery multistage battery status display 7 pre-set programs auto flush cleaning mode additional functions and precise settings by remote control 36 407 GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways rapid installation system smooth body flexible connection hoses min. recommended pressure 0.2 bar CE approved professional edition			
				
	 23 322 003	Chrome	4005176613302	107.92
	Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses professional edition			
				
	 23 923 003	Chrome	4005176613333	107.92
	ditto, smooth body with push-open pop-up waste set 1 1/4"			
	 23 324 003	Chrome	4005176613326	101.83
	ditto, smooth body			
	 23 393 30E	Chrome	4005176613340	107.92
	Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses professional edition			
				
	 23 395 30E	Chrome	4005176613357	101.83
	ditto, smooth body			




	Ref. No.	Colour	EAN	Retail Guide Price (£)
		23 976 003 Chrome	4005176644160	229.78
Eurosmart Basin mixer 1/2" M-Size pull out spout monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition				
		23 323 003 Chrome	4005176613319	101.83
Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system retractable chain flexible connection hoses professional edition				
		23 394 30E Chrome	4005176613364	101.83
Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system retractable chain flexible connection hoses professional edition				
		23 537 003 Chrome	4005176613395	154.63
Eurosmart Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system swivel tubular spout pop-up waste set 1 1/4" flexible connection hoses professional edition				
		23 970 003 Chrome	4005176613418	154.63
ditto, smooth body with push-open pop-up waste set 1 1/4"				





GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 23 743 003	Chrome	4005176613401	148.54
	 Eurosmart Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system swivel tubular spout retractable chain flexible connection hoses professional edition			
	 23 971 003	Chrome	4005176613425	208.89
	 Eurosmart Basin mixer 1/2" XL-Size for free-standing basins monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation installation system smooth body flexible connection hoses professional edition			
	 29 337 003	Chrome	4005176613432	190.32
	 Eurosmart 2-hole basin mixer S-Size wall mounted metal lever without concealed body set for final installation for 23 571 000 / 32 635 000 metal escutcheon GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm professional edition			
	23 571 000		4005176334276	269.58
	Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers			
	 29 338 003	Chrome	4005176613449	207.44
	 Eurosmart 2-hole basin mixer M-Size wall mounted metal lever without concealed body set for final installation for 23 571 000 / 32 635 000 metal escutcheon GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 211 mm professional edition			
	23 571 000		4005176334276	269.58
	Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers			






	Ref. No.	Colour	EAN	Retail Guide Price (£)
		32 929 003 Eurosmart Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses professional edition	4005176613623	98.35
		33 555 003 Eurosmart Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition	4005176613562	103.28
		34 558 000 Grohtherm 800 Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" dirt strainers built-in non return valves protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow	4005176310089	181.48
	102202 243 0 ditto, Professional exclusive	matte black	4067393018827	235.92
		33 300 003 Eurosmart Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition	4005176613456	120.98



GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 567 000	Chrome	4005176310157	235.66
	Grohtherm 800 Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow			
	102203 243 0	matte black ditto, Professional exclusive	4067393018834	306.36
 	25 276 003	Chrome	4005176766527	155.21
	Eurosmart Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow with shower set 1 spray (Rain) Consisting of: hand shower Tempesta 110 (27 923) maximum flow rate (at 3 bar): 8.7 l/min GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option wall shower holder Tempesta, non-adjustable (28 605) shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)			
 	33 302 003	Chrome	4005176613470	155.22
	Eurosmart Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow with shower set Consisting of: hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923) wall shower holder (28 605) shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151) professional edition			




	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	33 303 003	Chrome	4005176613524	172.04
Eurosmart Single-lever bath/shower mixer 1/2" deck mounted metal lever 35 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve in the shower outlet 1/2" pillar unions protected against backflow professional edition				
 	25 098 003 25 098 2433	Chrome matte black	4005176644290 4067393016205	176.93 294.19
Eurosmart Two-handled Bath filler 1/2" deck mounted metal lever Ceramic valves 3/4", 90° GROHE Long-Life finish Min. recommended pressure 0.5 bar professional edition				
 	25 105 003	Chrome	4005176644306	204.15
Eurosmart Two-handled Bath/Shower mixer 1/2" deck mounted metal lever Ceramic valves 3/4", 90° automatic diverter, lockable: bath/shower integrated non-return valve GROHE Long-Life finish Min. recommended pressure 0.5 bar professional edition				
 	24 042 003	Chrome	4005176613616	135.77
Eurosmart Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set professional edition				
	35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				

GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 043 003	Chrome	4005176613548	149.41
	Eurosmart Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set metal lever professional edition			
 	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	25 288 000	Chrome	4005176791642	511.05
	Eurosmart Concealed shower system with Tempesta 250 Consisting of: concealed single-lever mixer with 2-way diverter (24 043) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Tempesta 250 head shower set 9.5 l/min (26 668) including horizontal shower arm 380 mm Tempesta 110 hand shower 2 sprays (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409) optional flow regulator 9.5 l/min included for hand shower			
 	33 964 000	Chrome	4005176128394	57.82
	33 963 000	Chrome	4005176128387	73.53
 	33 556 003	Chrome	4005176613609	129.97
	Eurosmart Single-lever shower mixer 1/2" wall installation metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish GROHE FastFixation escutcheon with covered fixation Consisting of: set for final installation (19 451 003) with concealed body adjustable flow rate limiter escutcheon- and shaft-sealing metal wall escutcheon optional temperature limiter (46 308 000) professional edition			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		33 305 003 Chrome	4005176613531	148.83
	Eurosmart Single-lever bath/shower mixer 1/2" wall installation metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish GROHE FastFixation escutcheon with covered fixation Consisting of: set for final installation (19 450 003) with concealed body adjustable flow rate limiter automatic diverter: bath/shower metal escutcheon escutcheon- and shaft-sealing optional temperature limiter (46 308 000) professional edition			
		13 448 003 Chrome	4005176613555	96.32
	Eurosmart Bath spout wall mounted GROHE Long-Life finish mousseur male thread 1/2" projection 171 mm min. recommended pressure 0.2 bar professional edition			




GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		Chrome	4005176644351	137.81
	Eurosmart Basin mixer 1/2" S-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection not possible monobloc installation metal lever lever length 89 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses max. pressure differential 5:1 professional edition			
				
		Chrome	4005176644368	151.45
	Eurosmart Basin mixer 1/2" M-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection not possible monobloc installation metal lever lever length 89 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses max. pressure differential 5:1 professional edition			
				
		Chrome	4005176643859	179.59
	Eurosmart Basin mixer 1/2" S-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation loop metal lever lever length 130 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter built-in non return valves dirt strainers Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition			
				





GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)		
			23 987 003	Chrome	4005176644344	193.23
	Eurosmart Basin mixer 1/2" M-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation loop metal lever lever length 130 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter built-in non return valves dirt strainers Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition					
			23 980 003	Chrome	4005176644207	110.25
	Eurosmart Basin mixer 1/2" S-Size monobloc installation loop metal lever lever length 130 mm GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min adjustable flow rate limiter with temperature limiter GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition					
			23 981 003	Chrome	4005176644214	123.89
	Eurosmart Basin mixer 1/2" M-Size monobloc installation loop metal lever lever length 130 mm GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min adjustable flow rate limiter with temperature limiter GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition					
			25 241 003	Chrome	4005176644221	136.94
	Eurosmart Single-lever bath/shower mixer 1/2" wall mounted loop metal lever lever length 123 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition					



GROHE EUROSMART CARE





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	25 242 003	Chrome	4005176644238	119.24
	 Eurosmart Single-lever shower mixer 1/2" wall mounted loop metal lever lever length 115 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition			
	23 984 003	Chrome	4005176643835	179.59
	 Eurosmart Basin mixer 1/2" S-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation long metal lever lever length 147 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition			
	23 985 003	Chrome	4005176643842	193.23
	 Eurosmart Basin mixer 1/2" M-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation long metal lever lever length 147 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition			





GROHE EUROSMART CARE





	Ref. No.	Colour	EAN	Retail Guide Price (£)
			23 982 003 Eurosmart Basin mixer 1/2" S-Size monobloc installation long metal lever lever length 156 mm GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min adjustable flow rate limiter with temperature limiter GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition	Chrome 4005176644245 110.25
			23 983 003 Eurosmart Basin mixer 1/2" M-Size monobloc installation long metal lever lever length 156 mm GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min adjustable flow rate limiter with temperature limiter GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition	Chrome 4005176644313 123.89
			25 243 003 Eurosmart Single-lever bath/shower mixer 1/2" wall mounted long metal lever lever length 124 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition	Chrome 4005176644320 136.94
			34 665 000 Grohtherm Special Thermostatic bath/shower mixer 1/2" wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life finish	Chrome 4005176351556 510.26

GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	25 244 003	Chrome	4005176644337	119.24
				
Eurosmart Single-lever shower mixer 1/2" wall mounted long metal lever lever length 120 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition				
	34 667 000	Chrome	4005176351570	407.57
				
Grohtherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life finish				





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 421 001	Chrome	4005176556173	63.84
BauEdge Pillar tap 1/2" XS-Size monobloc installation ceramic headpart GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min fixation nut G 1/2" professional edition				
 	20 421 10M	Chrome	4005176556180	112.62
BauEdge Basin tap 1/2" monobloc installation metal lever ceramic headpart GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min fixation nut G 1/2" min. recommended pressure 0.2 bar 2 pieces				
 	23 328 001	Chrome	4005176556241	81.90
BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition				
 	23 895 001	Chrome	4005176554902	81.90
BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition				
	23 330 001	Chrome	4005176556302	76.34
ditto, smooth body				





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 559 001	Chrome	4005176556326	81.90
	 BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition			
	23 899 001	Chrome	4005176555022	81.90
	 BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition			
	23 894 001	Chrome	4005176554896	81.90
	 BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 3.5 l/min Lead and Nickel Free Inner Water Ways GROHE LowFlow mousseur rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition			
	23 896 001	Chrome	4005176554919	81.90
	 BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 3.5 l/min Lead and Nickel Free Inner Water Ways GROHE LowFlow mousseur rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition			

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		23 972 001	Chrome	4005176634451	79.78
BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish mousseur for low pressure Lead and Nickel Free Inner Water Ways rapid installation system flexible connection hoses crimp unions included					
		24 193 001	Chrome	4005176723971	94.18
BauEdge Basin mixer 1/2" S-Size Cradle to Cradle Certified Gold monobloc installation GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system smooth body flexible connection hoses professional edition					
		23 757 001	Chrome	4005176556340	113.14
BauEdge Basin mixer 1/2" S-Size monobloc installation GROHE Long-Life 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system smooth body flexible connection hoses with shower set consisting of hand shower with integrated diverter wall shower holder shower hose shower hose 1500 mm professional edition					
		23 760 001	Chrome	4005176556418	113.14
BauEdge Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses professional edition					





248

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | Suitable for High Pressure only, unless otherwise stated






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 911 001	Chrome	4005176555237	113.14
BauEdge Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system swivel tubular spout smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition				
 	23 761 001	Chrome	4005176556449	133.46
BauEdge Basin mixer 1/2" XL-Size for free-standing basins monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system smooth body flexible connection hoses professional edition				
 	36 451 000	Chrome	4005176473678	256.29
Bau Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways body made of composite polymer flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59				
 	20 474 001	Chrome	4005176556463	186.30
BauEdge 2-hole basin mixer wall mounted Consisting of: set for final installation and concealed body GROHE Long-Life 35 mm ceramic cartridge optional temperature limiter (46 375 000) GROHE Long-Life finish centre distance 110 mm projection 177 mm				





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 331 001	Chrome	4005176556494	81.90
	BauEdge Bidet mixer 1/2" monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min with ball joint rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition			
	23 635 001	Chrome	4005176556524	81.90
	BauEdge Single-lever shower mixer 1/2" wall mounted metal lever GROHE Long-Life 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve protected against backflow S-unions metal wall escutcheon professional edition			
	29 078 001	Chrome	4005176556555	132.13
	BauEdge Single-lever shower mixer 1/2" concealed installation Consisting of: set for final installation metal lever concealed body GROHE Long-Life 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter escutcheon- and shaft-sealing optional temperature limiter (46 375 000) professional edition			
	34 793 000	Chrome	4005176632433	153.29
	Grohtherm 500 Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE thermostatic cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton headpart 90° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 604 001	Chrome	4005176556593	111.41
	BauEdge Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE Long-Life 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve protected against backflow S-unions metal wall escutcheon professional edition			
	25 246 001	Chrome	4005176674228	269.56
	BauEdge Two-handed Bath/Shower mixer 1/2" deck mounted Ceramic valves 3/4", 90° automatic diverter, lockable: bath/shower integrated non-return valve GROHE Long-Life finish Min. recommended pressure 0.5 bar with shower set Tempesta Cosmopolitan hand shower (26 130) Tempesta shower holder (27 595) Relexaflex shower hose 1500 mm (28 161)			
	29 079 001	Chrome	4005176556692	147.67
	BauEdge Single-lever bath/shower mixer 1/2" concealed installation Consisting of: set for final installation metal lever concealed body GROHE Long-Life 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower escutcheon- and shaft-sealing optional temperature limiter (46 375 000) professional edition			
	25 290 000	Chrome	4005176791666	508.98
	BauEdge Concealed shower system with Tempesta 250 Consisting of: concealed single-lever mixer with 2-way diverter (24 162) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Tempesta 250 head shower set 9.5 l/min (26 668) including horizontal shower arm 380 mm Tempesta 110 hand shower 2 sprays (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409) optional flow regulator 9.5 l/min included for hand shower			




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	25 291 000	Chrome	4005176791673	538.07
	BauEdge Concealed shower system with Tempesta 250 Consisting of: concealed single-lever mixer with 2-way diverter (24 162) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Tempesta 250 head shower set 9.5 l/min (26 668) including horizontal shower arm 380 mm Tempesta 110 hand shower 2 sprays (27 597) wall shower holder (28 605) bath spout with diverter (13 390) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409) optional flow regulator 9.5 l/min included for hand shower			
	25 216 001	Chrome	4005176556654	163.32
	BauEdge Two-handed Bath filler 1/2" deck mounted metal lever Ceramic valves 3/4", 90° GROHE Long-Life finish Min. recommended pressure 0.5 bar			
	25 217 001	Chrome	4005176556661	190.54
	BauEdge Two-handed Bath/Shower mixer 1/2" deck mounted Ceramic valves 3/4", 90° automatic diverter, lockable: bath/shower integrated non-return valve GROHE Long-Life finish Min. recommended pressure 0.5 bar			
	13 255 001	Chrome	4005176556722	42.19
	BauCosmopolitan Bath spout wall mounted GROHE Long-Life finish mousseur projection 171 mm male thread 1/2"			






GROHE BAULOOP

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		20 422 001	Chrome	4005176529504	63.84
		BauLoop Pillar tap 1/2" XS-Size monobloc installation ceramic headpart GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min fixation nut G 1/2" professional edition			
		23 335 001	Chrome	4005176529566	81.90
		BauLoop Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition			
		23 878 001	Chrome	4005176554032	81.90
		BauLoop Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition			
		23 337 001	Chrome	4005176555725	76.34
		ditto, without plastic push open waste set 1 1/4"			
		22 054 001	Chrome	4005176554162	81.90
		BauLoop Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition			





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 883 001	Chrome	4005176554179	81.90
	BauLoop Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition			
	23 877 001	Chrome	4005176554025	81.90
	BauLoop Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 3.5 l/min GROHE LowFlow mousseur rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition			
	23 879 001	Chrome	4005176554049	81.90
	BauLoop Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 3.5 l/min Lead and Nickel Free Inner Water Ways GROHE LowFlow mousseur rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition			
	23 762 001	Chrome	4005176555763	98.64
	BauLoop Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition			

GROHE BAULOOP




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 886 001	Chrome	4005176554247	98.64
	BauLoop Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition			
	23 917 001	Chrome	4005176555787	94.29
	ditto, without plastic push open waste set 1 1/4"			
	23 887 001	Chrome	4005176554254	98.64
	BauLoop Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition			
	23 885 001	Chrome	4005176554216	98.64
	BauLoop Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 3.5 l/min Lead and Nickel Free Inner Water Ways GROHE LowFlow mousseur rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition			
	23 763 001	Chrome	4005176555800	121.85
	BauLoop Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses professional edition			
				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		23 891 001 BauLoop Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system swivel tubular spout smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition	4005176554322	121.85
		23 764 001 BauLoop Basin mixer 1/2" XL-Size for free-standing basins metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system smooth body flexible connection hoses professional edition	4005176555848	133.46
		23 338 001 BauLoop Bidet mixer 1/2" monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life finish GROHE Water Saving mousseur 5.7 l/min with ball joint rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition maximum flow rate (at 3 bar): 5 l/min GROHE Water Saving - Less water, perfect flow	4005176555893	81.90
		23 633 001 BauLoop Single-lever shower mixer 1/2" wall mounted metal lever GROHE Long-Life 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve protected against backflow S-unions metal wall escutcheon professional edition	4005176555923	81.90






GROHE BAULOOP




	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 080 001	Chrome	4005176555961	132.13
BauLoop Single-lever shower mixer 1/2" concealed installation Consisting of: set for final installation metal lever concealed body GROHE Long-Life 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter escutcheon- and shaft-sealing optional temperature limiter (46 375 000) professional edition				
 	34 793 000	Chrome	4005176632433	153.29
Grotherm 500 Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE thermostatic cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton headpart 90° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition				
 	23 602 001	Chrome	4005176556029	111.41
BauLoop Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE Long-Life 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve protected against backflow S-unions metal wall escutcheon professional edition				
 	29 081 001	Chrome	4005176556081	147.67
BauLoop Single-lever bath/shower mixer 1/2" concealed installation Consisting of: set for final installation metal lever concealed body GROHE Long-Life 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower escutcheon- and shaft-sealing optional temperature limiter (46 375 000) professional edition				

GROHE BAULOOP






	Ref. No.	Colour	EAN	Retail Guide Price (£)
		25 231 001 Chrome	4005176554599	194.38
BauLoop Two-handed Bath filler 1/2" deck mounted Ceramic valves 3/4", 90° GROHE Long-Life finish				
		25 232 001 Chrome	4005176554605	240.80
BauLoop Two-handed Bath/Shower mixer 1/2" deck mounted metal lever Ceramic valves 3/4", 90° automatic diverter, lockable: bath/shower integrated non-return valve GROHE Long-Life finish Min. recommended pressure 0.5 bar				
		13 255 001 Chrome	4005176556722	42.19
BauCosmopolitan Bath spout wall mounted GROHE Long-Life finish mousseur projection 171 mm male thread 1/2"				

GROHE BAUFLOW






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 575 000	Chrome	4005176388422	58.10
BauFlow Pillar tap 1/2" XS-Size monobloc installation metal lever ceramic headpart GROHE Long-Life finish GROHE Water Saving mousseur 5.7 l/min fixation nut G 1/2"				
 	23 751 000	Chrome	4005176388149	80.69
BauFlow Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life finish GROHE Water Saving mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses				
 	23 752 000	Chrome	4005176388156	77.45
BauFlow Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life finish GROHE Water Saving mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses				
 	23 753 000	Chrome	4005176388163	116.55
BauFlow Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life finish GROHE Water Saving mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses				
 	23 754 000	Chrome	4005176388170	80.69
BauFlow Bidet mixer 1/2" monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life finish GROHE Water Saving mousseur 5.7 l/min rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses				

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		23 755 000	Chrome	4005176388187	83.03
BauFlow Single-lever shower mixer 1/2" wall mounted metal lever GROHE Long-Life 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow					
		23 756 000	Chrome	4005176388392	100.05
BauFlow Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE Long-Life 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow					
		34 793 000	Chrome	4005176632433	153.29
 Grohtherm 500 Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE thermostatic cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton headpart 90° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition					






GROHE COSTA L

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 404 001	Chrome	4005176842986	44.16
Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE Long-Life finish				
 	20 186 001	Chrome	4005176874437	73.77
Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE Long-Life finish				
 	20 393 001	Chrome	4005176842993	76.11
Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life headpart swivel tubular spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE Long-Life finish				
 	21 390 001	Chrome	4005176843006	180.40
Costa L Basin mixer, 1/2" metal handles heat-insulated screwable GROHE Long-Life headpart cast spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE Long-Life finish				
 	21 375 001	Chrome	4005176843037	96.71
Costa L Basin mixer, 1/2" metal handles heat-insulated screwable GROHE Long-Life headpart swivel tubular spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE Long-Life finish				


GROHE COSTA L

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		26 330 001	Chrome	4005176843112	88.20
		Costa L Shower mixer 1/2" wall mounted metal handles heat-insulated screwable GROHE Long-Life headpart shower connection 1/2" S-unions GROHE Long-Life finish			
		26 308 001	Chrome	4005176843129	66.66
		Costa L Shower mixer 1/2" wall mounted metal handles heat-insulated screwable GROHE Long-Life headpart shower connection 1/2" without connection unions for wall mounting GROHE Long-Life finish			
		25 450 001	Chrome	4005176843372	126.75
		Costa L Bath / shower mixer 1/2" wall mounted metal handles heat-insulated screwable GROHE Long-Life headpart automatic diverter: bath/shower mousseur S-unions GROHE Long-Life finish			
		25 452 001	Chrome	4005176843075	133.30
		Costa L Bath / shower mixer 1/2" wall mounted metal handles heat-insulated screwable GROHE Long-Life headpart shower top outlet 3/4" automatic diverter: bath/shower mousseur S-unions GROHE Long-Life finish			
		25 460 10A	Chrome	4005176456541	154.14
		Costa L Bath / shower mixer 1/2" wall mounted metal handles heat-insulated screwable GROHE Long-Life headpart automatic diverter: bath/shower mousseur S-unions with shower set Consisting of: hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923) wall shower holder (28 605) shower hose Relaxaflex 1500 mm 1/2" x 1/2" (28 151) GROHE Long-Life finish			




GROHE COSTA L

		Ref. No.	Colour	EAN	Retail Guide Price (£)
 		13 540 000	Chrome	4005176005411	107.51
		Bath spout 3/4" wall mounted flow straightener female thread 3/4" projection 140 mm GROHE Long-Life finish			
 		30 098 001	Chrome	4005176843266	44.25
		Costa L Bibtap 1/2" wall mounted metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life finish mousseur GROHE Long-Life headparts			
 		30 008 001	Chrome	4005176843242	37.16
		Costa L Stop cock wall mounted heat-insulated metal handle screwable marking: blue (cold) GROHE Long-Life headpart GROHE Long-Life finish pipe-ventilating valve			
 		19 808 001	Chrome	4005176843204	26.72
		Costa L Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue (cold) GROHE Long-Life finish			
		19 809 001	Chrome	4005176853876	26.72
		ditto, marking red			
  		35 028 000		4005176908316	154.78
		GROHE Rapido C rough-in box for single volume control			
		29 800 000	Chrome	4005176504839	24.60
		Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
		29 802 000	Chrome	4005176504853	45.54
		ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"			
		29 805 000	Chrome	4005176504884	71.15
		ditto, 1", pre-assembled headpart 1", thread union 1"			






GROHE COSTA L

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 801 000		4005176504846	24.60
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000		4005176504877	45.54
	ditto, soldered connection Ø 22 mm			






GROHE UNIVERSAL

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		20 201 000	Chrome	4005176883354	117.19
		Universal pillar tap 1/2" C-spout flow-stop mousseur ceramic disk headpart union nut 1/2" with 10.5 mm drilling GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min projection 113 mm			
		20 205 000	Chrome	4005176883682	95.69
		Universal wall-mounted tap DN15 flow-stop mousseur ceramic disk headpart connection thread 1/2" GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min projection 106 mm			
		20 203 000	Chrome	4005176883378	103.37
		Universal wall-mounted tap DN15 flow-stop mousseur ceramic disk headpart connection thread 1/2" GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min projection 185 mm			


GROHE ROUGH-IN SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 571 000		4005176334276	269.58
Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve				
 	23 429 000		4005176993695	279.16
Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve				
 	23 200 002		4005176519901	269.71
Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve				
 	35 604 000		4005176698774	78.23
Rapido SmartBox Universal rough-in box, 1/2" 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixing options for solid walls and dry cladding gasket without set for final installation professional edition				
 	45 984 001	Chrome	4005176992056	533.56
Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material				






GROHE ROUGH-IN SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 037 000		4005176865749	893.31
4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color				
 	35 028 000		4005176908316	154.78
GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm				
 	29 800 000	Chrome	4005176504839	24.60
Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass				
 	29 802 000	Chrome	4005176504853	45.54
Concealed stop valve 3/4" pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass				






GROHE MULTI PURPOSE MIXER

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	25 279 000	Chrome	4005176766565	342.81
	 Eurosmart Solid basin mixer, 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower swivel tubular spout projection 400 mm S-unions metal wall escutcheons with shower set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta 110 (26 161) maximum flow rate (at 3 bar): 8.5 l/min GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option wall shower holder Tempesta, non-adjustable (28 605) shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)			






GROHE TALENTO / TALENTOFILL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 952 000 ★	Chrome	4005176174230	64.56
	19 952 DC0 ★	supersteel	4005176467776	272.63
	19 952 BE0	polished nickel	4005176468094	292.10
	19 952 EN0	brushed nickel	4005176468100	311.58
	19 952 GL0 ★	cool sunrise	4005176352423	292.10
	19 952 GN0 ★	brushed cool sunrise	4005176468117	311.58
	19 952 DA0 ★	warm sunset	4005176351945	292.10
	19 952 DL0 ★	brushed warm sunset	4005176468124	311.58
	19 952 A00	hard graphite	4005176352874	292.10
	19 952 AL0 ★	brushed hard graphite	4005176353376	311.58
	19 952 KF0	phantom black	4005176677816	272.63
	Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set in combination with Talentofill 28 990 000/28 991 000			
 	28 990 000	Chrome	4005176174025	171.33
Talentofill Inlet-, pop-up and waste-system for normal baths without finishing trim set with bottle trap and 45°-outlet-bend				
 	28 991 000	Chrome	4005176174032	200.37
Talentofill Inlet-, pop-up and waste-system for baths with waste up to 370 mm reach without finishing trim set				
 	28 993 000		4005176174056	66.85
Talentofill Connection set 3/4" with 1.5 m-flexible connection pipe without finishing trim set				
 	28 995 000		4005176175725	324.32
Talentofill Connection set 3/4" with concealed anti-vacuum device Consisting of: -concealed-pipe-interrupter ref.-no. 28 994 (A2 type, DIN 1988, part IV) - 3.5 m-flexible connection pipe (in 2 parts) without escutcheon (19 954)				






GROHE TALENTO / TALENTOFILL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 954 000	Chrome	4005176175732	16.58
Talentofill Escutcheon for connection set 28 995 GROHE Long-Life finish				
 	14 055 000		4005176413520	101.15
Backflow protection combination (DIN-EN1717) retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers				
 	19 025 000	Chrome	4005176209154	67.88
Talent Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE Long-Life finish				
 	28 939 000	Chrome	4005176209161	120.51
Talent Pop-up bath waste and overflow set for normal bath and deep shower trays with bowden cable without finishing trim set bottle trap 45° waste elbow				
 	28 943 000		4005176209178	158.56
Talent Pop-up bath waste and overflow with bowden cable without finishing trim set bottle trap 45° waste elbow				






GROHE SELECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	41 027 000	Chrome	4005176576836	73.61
	41 027 DC0	supersteel	4005176576843	103.07
	41 027 GL0	cool sunrise	4005176576874	110.43
	41 027 GN0	brushed cool sunrise	4005176576881	117.78
	41 027 DA0	warm sunset	4005176576898	110.43
	41 027 DL0	brushed warm sunset	4005176576904	117.78
	41 027 A00	hard graphite	4005176576911	110.43
	41 027 AL0	brushed hard graphite	4005176576928	117.78
	Selection Glass/soap dish holder material: metal for Selection soap dispenser (41 028 xx0/41 218 KF0) or Selection glass (41 029 000) concealed fastening GROHE Long-Life finish			
	41 217 KF0	phantom black	4005176782459	103.07
	ditto, Professional exclusive			
 	41 028 000	Chrome	4005176576942	73.61
	41 028 DC0	supersteel	4005176576959	103.07
	41 028 GL0	cool sunrise	4005176576980	110.43
	41 028 GN0	brushed cool sunrise	4005176576997	117.78
	41 028 DA0	warm sunset	4005176577000	110.43
	41 028 DL0	brushed warm sunset	4005176577017	117.78
	41 028 A00	hard graphite	4005176577024	110.43
	41 028 AL0	brushed hard graphite	4005176577031	117.78
	Selection Soap dispenser material: glass / metal filling quantity 120 ml fits in the following holder: 41 027 xx0/41 217 KF0 GROHE Long-Life finish			
	41 218 KF0	phantom black	4005176782466	103.07
	ditto, Professional exclusive			
 	41 029 000	Chrome	4005176577055	35.33
	Selection White glass material: glass fits in the following holder: 41 027 xx0/41 217 KF0			
 	41 035 000	Chrome	4005176577062	82.45
	41 035 DC0	supersteel	4005176577079	115.43
	41 035 GL0	cool sunrise	4005176577109	123.68
	41 035 GN0	brushed cool sunrise	4005176577116	131.92
	41 035 DA0	warm sunset	4005176577123	123.68
	41 035 DL0	brushed warm sunset	4005176577130	131.92
	41 035 A00	hard graphite	4005176577147	123.68
	41 035 AL0	brushed hard graphite	4005176577154	131.92
	Selection Towel ring/holder material: metal holder for soap dish (41 036) and shower tray (41 037) length 200 mm concealed fastening GROHE Long-Life finish			
 	41 036 000	glass clear	4005176577178	47.12
	Selection Soap dish without holder material: glass for use with towel ring (41 035)			





GROHE SELECTION

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		41 037 000		4005176577185	20.62
		Selection Shower tray without holder material: plastic for use with towel ring (41 035)			
		41 038 000	Chrome	4005176577192	97.18
		41 038 DC0	supersteel	4005176577208	136.05
		41 038 GL0	cool sunrise	4005176577239	145.77
		41 038 GN0	brushed cool sunrise	4005176577246	155.49
		41 038 DA0	warm sunset	4005176577253	145.77
		41 038 DL0	brushed warm sunset	4005176577260	155.49
		41 038 A00	hard graphite	4005176577277	145.77
		41 038 AL0	brushed hard graphite	4005176577284	155.49
		Selection Corner shower tray with holder material: metal/plastic concealed fastening GROHE Long-Life finish			
		41 039 000	Chrome	4005176577307	26.50
		41 039 DC0	supersteel	4005176577314	37.11
		41 039 GL0	cool sunrise	4005176577345	39.75
		41 039 GN0	brushed cool sunrise	4005176577352	42.41
		41 039 DA0	warm sunset	4005176577369	39.75
		41 039 DL0	brushed warm sunset	4005176577376	42.41
		41 039 A00	hard graphite	4005176577383	39.75
		41 039 AL0	brushed hard graphite	4005176577390	42.41
		Selection Single robe hook material: metal concealed fastening GROHE Long-Life finish			
		41 216 KF0	phantom black	4005176782442	37.11
		ditto, Professional exclusive			
		41 049 000	Chrome	4005176577413	44.17
		41 049 DC0	supersteel	4005176577420	61.84
		41 049 GL0	cool sunrise	4005176577451	66.26
		41 049 GN0	brushed cool sunrise	4005176577468	70.67
		41 049 DA0	warm sunset	4005176577475	66.26
		41 049 DL0	brushed warm sunset	4005176577482	70.67
		41 049 A00	hard graphite	4005176577499	66.26
		41 049 AL0	brushed hard graphite	4005176577505	70.67
		Selection Double robe hook material: metal concealed fastening GROHE Long-Life finish			
		41 056 000	Chrome	4005176577529	117.78
		41 056 DC0	supersteel	4005176577536	164.90
		41 056 GL0	cool sunrise	4005176577567	176.68
		41 056 GN0	brushed cool sunrise	4005176577574	188.47
		41 056 DA0	warm sunset	4005176577581	176.68
		41 056 DL0	brushed warm sunset	4005176577598	188.47
		41 056 A00	hard graphite	4005176577604	176.68
		41 056 AL0	brushed hard graphite	4005176577611	188.47
		Selection Towel rail material: metal length 600 mm concealed fastening for use with glass shelf (41 057) GROHE Long-Life finish			


GROHE SELECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	41 057 000	Chrome	4005176577635	138.40
	Selection Glass shelf material: glass for use with towel rail (41 056)			
 	41 058 000	Chrome	4005176577642	153.13
	41 058 DC0	supersteel	4005176577659	214.38
	41 058 GL0	cool sunrise	4005176577680	229.69
	41 058 GN0	brushed cool sunrise	4005176577697	245.01
	41 058 DA0	warm sunset	4005176577703	229.69
	41 058 DL0	brushed warm sunset	4005176577710	245.01
	41 058 A00	hard graphite	4005176577727	229.69
	41 058 AL0	brushed hard graphite	4005176577734	245.01
	Selection Towel rail material: metal length 800 mm concealed fastening GROHE Long-Life finish			
 	41 059 000	Chrome	4005176577758	161.97
	41 059 DC0	supersteel	4005176577765	226.75
	41 059 GL0	cool sunrise	4005176577796	242.95
	41 059 GN0	brushed cool sunrise	4005176577802	259.13
	41 059 DA0	warm sunset	4005176577819	242.95
	41 059 DL0	brushed warm sunset	4005176577826	259.13
	41 059 A00	hard graphite	4005176577833	242.95
	41 059 AL0	brushed hard graphite	4005176577840	259.13
	Selection Towel holder, non pivotable material: metal depth 411 mm (functional depth 360 mm) two arms concealed fastening GROHE Long-Life finish			
 	41 063 000	Chrome	4005176577864	132.51
	41 063 DC0	supersteel	4005176577871	185.52
	41 063 GL0	cool sunrise	4005176577901	198.78
	41 063 GN0	brushed cool sunrise	4005176577918	212.02
	41 063 DA0	warm sunset	4005176577925	198.78
	41 063 DL0	brushed warm sunset	4005176577932	212.02
	41 063 A00	hard graphite	4005176577949	198.78
	41 063 AL0	brushed hard graphite	4005176577956	212.02
	Selection Towel holder, pivotable material: metal depth 441 mm (functional depth 400 mm) two arms concealed fastening GROHE Long-Life finish			
	41 219 KF0	phantom black	4005176782473	185.52
	ditto, Professional exclusive			
 	41 064 000	Chrome	4005176577970	91.29
	41 064 DC0	supersteel	4005176577987	127.80
	41 064 GL0	cool sunrise	4005176578014	136.93
	41 064 GN0	brushed cool sunrise	4005176578021	146.06
	41 064 DA0	warm sunset	4005176578038	136.93
	41 064 DL0	brushed warm sunset	4005176578045	146.06
	41 064 A00	hard graphite	4005176578052	136.93
	41 064 AL0	brushed hard graphite	4005176578069	146.06
	Selection Grip bar material: metal length 336 mm (functional length 300 mm) concealed fastening GROHE Long-Life finish			

GROHE SELECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	41 066 000	Chrome	4005176578083	323.92
	41 066 DC0	supersteel	4005176578090	453.49
	41 066 GL0	cool sunrise	4005176578120	485.89
	41 066 GN0	brushed cool sunrise	4005176578137	518.28
	41 066 DA0	warm sunset	4005176578144	485.89
	41 066 DL0	brushed warm sunset	4005176578151	518.28
	41 066 A00	hard graphite	4005176578168	485.89
	41 066 AL0	brushed hard graphite	4005176578175	518.28
	Selection Multi-towel rack material: metal length 596 mm concealed fastening GROHE Long-Life finish			
	41 067 000	Chrome	4005176578199	73.61
	41 067 DC0	supersteel	4005176578205	103.07
	41 067 GL0	cool sunrise	4005176578236	110.43
	41 067 GN0	brushed cool sunrise	4005176578243	117.78
	41 067 DA0	warm sunset	4005176578250	110.43
	41 067 DL0	brushed warm sunset	4005176578267	117.78
	41 067 A00	hard graphite	4005176578274	110.43
	41 067 AL0	brushed hard graphite	4005176578281	117.78
	Selection Spare toilet paper holder (2 rolls) material: metal wall mounted concealed fastening GROHE Long-Life finish			
	41 068 000	Chrome	4005176578304	58.90
	41 068 DC0	supersteel	4005176578311	82.45
	41 068 GL0	cool sunrise	4005176578342	88.34
	41 068 GN0	brushed cool sunrise	4005176578359	94.23
	41 068 DA0	warm sunset	4005176578366	88.34
	41 068 DL0	brushed warm sunset	4005176578373	94.23
	41 068 A00	hard graphite	4005176578380	88.34
	41 068 AL0	brushed hard graphite	4005176578397	94.23
	Selection Toilet roll holder without cover material: metal wall mounted concealed fastening GROHE Long-Life finish			
	41 220 KF0	phantom black	4005176782480	82.45
	ditto, Professional exclusive			
	41 069 000	Chrome	4005176578410	117.78
	41 069 DC0	supersteel	4005176578427	164.90
	41 069 GL0	cool sunrise	4005176578458	176.68
	41 069 GN0	brushed cool sunrise	4005176578465	188.47
	41 069 DA0	warm sunset	4005176578472	176.68
	41 069 DL0	brushed warm sunset	4005176578489	188.47
	41 069 A00	hard graphite	4005176578496	176.68
	41 069 AL0	brushed hard graphite	4005176578502	188.47
	Selection Toilet roll holder with cover material: metal wall mounted concealed fastening GROHE Long-Life finish			

GROHE SELECTION



Ref. No.	Colour	EAN	Retail Guide Price (£)
41 076 000 ★	Chrome	4005176578526	147.24
41 076 DC0 ★	supersteel	4005176578533	206.14
41 076 GL0 ★	cool sunrise	4005176578564	220.85
41 076 GN0 ★	brushed cool sunrise	4005176578571	235.58
41 076 DA0 ★	warm sunset	4005176578588	220.85
41 076 DL0 ★	brushed warm sunset	4005176578595	235.58
41 076 A00	hard graphite	4005176578601	220.85
41 076 AL0 ★	brushed hard graphite	4005176578618	235.58

Selection

Toilet brush set

material: glass / metal


wall mounted

concealed fastening

GROHE Long-Life finish

41 215 KF0	phantom black	4005176782435	206.14
ditto	Professional exclusive		

40 791 001	white	4005176323409	8.65
40 791 KS1	velvet black	4005176336379	8.65
Spare Brush Head			



41 077 000 ★	Chrome	4005176578632	220.85
41 077 DC0 ★	supersteel	4005176578649	309.20
41 077 GL0 ★	cool sunrise	4005176578670	331.29
41 077 GN0 ★	brushed cool sunrise	4005176578687	353.37
41 077 DA0 ★	warm sunset	4005176575587	331.29
41 077 DL0 ★	brushed warm sunset	4005176578694	353.37
41 077 A00	hard graphite	4005176578700	331.29
41 077 AL0 ★	brushed hard graphite	4005176578717	353.37

Selection

Shaving mirror

material: glass / metal







without lights

magnification: x 7







concealed fastening

GROHE Long-Life finish


GROHE SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 865 000	Chrome	4005176378140	62.29
	Selection Cube Glass/soap dish holder material: metal for Selection Cube glass (40 783 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000) concealed fastening GROHE Long-Life finish			
	102275 KF0 0	phantom black ditto, Professional exclusive	4067393019541	87.21
 	40 805 000	Chrome	4005176347924	77.87
	Selection Cube Soap dispenser material: glass / metal filling quantity 300 ml fits in the following holder: Selection Cube (40 865 000/102 275 KF00) GROHE Long-Life finish			
	102278 KF0 0	phantom black ditto, Professional exclusive	4067393019572	109.01
 	40 806 000	Glass Matt	4005176347931	51.92
	Selection Cube Soap dish material: glass fits in the following holder: Selection Cube (40 865 000/102 275 KF00)			
 	40 783 000	Chrome	4005176347894	41.53
	Selection Cube Glass material: glass fits in the following holder: Selection Cube (40 865 000/102 275 KF00)			
 	40 766 000	Chrome	4005176347849	88.25
	Selection Cube Towel ring material: metal concealed fastening GROHE Long-Life finish			
 	40 768 000	Chrome	4005176347863	249.18
	Selection Cube Double towel bar material: metal 2 arms, pivotable 400 mm concealed fastening GROHE Long-Life finish			
	102280 KF0 0	phantom black ditto, Professional exclusive	4067393019596	348.86





GROHE SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 767 000	Chrome	4005176347856	166.12
Selection Cube Towel rail 500 mm (functional length 459 mm) material: metal concealed fastening GROHE Long-Life finish				
 	40 804 000	Chrome	4005176347917	467.22
Selection Cube Multi bath towel rack material: metal 600 mm (functional length 575 mm) concealed fastening GROHE Long-Life finish				
 	40 782 000	Chrome	4005176347887	46.72
Selection Cube Robe hook material: metal concealed fastening GROHE Long-Life finish				
	102273 KF0 0	phantom black ditto, Professional exclusive	4067393019527	65.41
 	40 807 000	Chrome	4005176347948	259.57
Selection Cube Grip bar/towel bar material: metal 600 mm (functional length 548 mm) concealed fastening GROHE Long-Life finish				
 	40 781 000	Chrome	4005176347870	134.97
Selection Cube Toilet roll holder material: metal concealed fastening with cover GROHE Long-Life finish				
	102272 KF0 0	phantom black ditto, Professional exclusive	4067393019510	188.97
 	40 784 000	Chrome	4005176347900	62.29
Selection Cube Spare toilet paper holder material: metal wall mounted concealed fastening GROHE Long-Life finish				




GROHE SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 857 000	Chrome	4005176378393	181.69
	Selection Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE Long-Life finish			
	102277 KF0 0	phantom black ditto, Professional exclusive	4067393019565	254.37
	40 809 000	Chrome	4005176347962	181.69
	Selection Cube Soap wire basket material: metal for corner installation GROHE Long-Life finish			
	40 808 000	Chrome	4005176347955	228.42
	Selection Cube Shaving mirror material: glass / metal wall mounted concealed fastening magnification: x 3 GROHE Long-Life finish			


GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 369 001 ★	Chrome	4005176326196	35.29
	40 369 DC1 ★	supersteel	4005176412462	49.42
	40 369 BE1	polished nickel	4005176430176	52.96
	40 369 EN1	brushed nickel	4005176326202	56.48
	40 369 GL1 ★	cool sunrise	4005176429422	52.96
	40 369 GN1 ★	brushed cool sunrise	4005176429873	56.48
	40 369 DA1 ★	warm sunset	4005176428975	52.96
	40 369 DL1 ★	brushed warm sunset	4005176430022	56.48
	40 369 A01	hard graphite	4005176429576	52.96
	40 369 AL1 ★	brushed hard graphite	4005176429729	56.48
	Essentials Glass/soap dish holder material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
 	40 394 001 ★	Chrome	4005176326233	28.88
	40 394 DC1 ★	supersteel	4005176421532	40.44
	40 394 BE1	polished nickel	4005176430183	43.33
	40 394 EN1	brushed nickel	4005176412646	46.21
	40 394 GL1 ★	cool sunrise	4005176429439	43.33
	40 394 GN1 ★	brushed cool sunrise	4005176429880	46.21
	40 394 DA1 ★	warm sunset	4005176428982	43.33
	40 394 DL1 ★	brushed warm sunset	4005176430039	46.21
	40 394 A01	hard graphite	4005176429583	43.33
	40 394 AL1 ★	brushed hard graphite	4005176429736	46.21
	Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE Long-Life finish			
	102470 243 0	matte black ditto, Professional exclusive	4067393021919	37.54
 	40 368 001	glass clear	4005176326219	9.63
	Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 372 001	Chrome	4005176326226	11.64
	Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			

GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 448 001	Chrome	4005176328343	65.45
	40 448 DC1	supersteel	4005176413155	91.62
	40 448 EN1	brushed nickel	4005176335525	104.71
	Essentials Soap dispenser with holder material: glass / metal filling quantity 160 ml Consisting of: holder (40 369 001) soap dispenser (40 394 001) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
	102257 243 0	matte black	4067393019794	85.08
	ditto, Professional exclusive			
 	40 444 001	Chrome	4005176328336	44.93
	40 444 DC1	supersteel	4005176413148	62.90
	40 444 EN1	brushed nickel	4005176335501	71.89
	Essentials Soap dish with holder material: glass / metal Consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
 	40 447 001	Chrome	4005176328701	43.74
	40 447 DC1	supersteel	4005176413162	61.23
	40 447 EN1	brushed nickel	4005176335518	69.97
	Essentials Crystal glass with holder material: glass / metal Consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
	102256 243 0	matte black	4067393019787	56.85
	ditto, Professional exclusive			

GROHE ESSENTIALS



Ref. No.	Colour	EAN	Retail Guide Price (£)
40 365 001	Chrome	4005176326240	35.29
40 365 DC1	supersteel	4005176412431	49.42
40 365 BE1	polished nickel	4005176430121	52.96
40 365 EN1	brushed nickel	4005176326257	56.48
40 365 GL1	cool sunrise	4005176429378	52.96
40 365 GN1	brushed cool sunrise	4005176429828	56.48
40 365 DA1	warm sunset	4005176428920	52.96
40 365 DL1	brushed warm sunset	4005176429972	56.48
40 365 A01	hard graphite	4005176429521	52.96
40 365 AL1	brushed hard graphite	4005176429675	56.48

Essentials

Towel ring

material: metal

concealed fastening


GROHE Long-Life finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

holding force: max. 5 kg

the specified holding capacity is valid for static (slowly applied) load and intended use only

102461 243 0	matte black	4067393021735	45.89
ditto, Professional exclusive			



40 371 001	★ Chrome	4005176326318	62.58
40 371 DC1	★ supersteel	4005176412479	87.61
40 371 BE1	polished nickel	4005176430138	93.86
40 371 EN1	brushed nickel	4005176430268	100.12
40 371 GL1	★ cool sunrise	4005176429385	93.86
40 371 GN1	★ brushed cool sunrise	4005176429835	100.12
40 371 DA1	★ warm sunset	4005176428937	93.86
40 371 DL1	★ brushed warm sunset	4005176429989	100.12
40 371 A01	hard graphite	4005176429538	93.86
40 371 AL1	★ brushed hard graphite	4005176429682	100.12

Essentials

Towel bar

material: metal


2 arms, pivotable

439 mm

concealed fastening

GROHE Long-Life finish

suitable for screwing (including screws and dowels)



40 688 001	Chrome	4005176326288	51.35
40 688 DC1	supersteel	4005176413124	71.89
40 688 BE1	polished nickel	4005176430145	77.02
40 688 EN1	brushed nickel	4005176326295	82.16
40 688 GL1	cool sunrise	4005176429392	77.02
40 688 GN1	brushed cool sunrise	4005176429842	82.16
40 688 DA1	warm sunset	4005176428944	77.02
40 688 DL1	brushed warm sunset	4005176429996	82.16
40 688 A01	hard graphite	4005176429545	77.02
40 688 AL1	brushed hard graphite	4005176429699	82.16

Essentials

Towel rail

material: metal

504 mm (useable length 450 mm)

concealed fastening




GROHE Long-Life finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)





holding force: max. 10 kg

the specified holding capacity is valid for static (slowly applied) load and intended use only





GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 366 001 ★	Chrome	4005176326264	56.16
	40 366 DC1 ★	supersteel	4005176412448	78.62
	40 366 BE1	polished nickel	4005176430152	84.24
	40 366 EN1	brushed nickel	4005176326271	89.85
	40 366 GL1 ★	cool sunrise	4005176429408	84.24
	40 366 GN1 ★	brushed cool sunrise	4005176429859	89.85
	40 366 DA1 ★	warm sunset	4005176428951	84.24
	40 366 DL1 ★	brushed warm sunset	4005176430008	89.85
	40 366 A01	hard graphite	4005176429552	84.24
	40 366 AL1 ★	brushed hard graphite	4005176429705	89.85
	Essentials Towel rail material: metal 654 mm (useable length 600 mm) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 10 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
	102251 243 0	matte black	4067393019749	73.01
	ditto, Professional exclusive			
 	40 386 001	Chrome	4005176326301	70.60
	40 386 BE1	polished nickel	4005176430169	105.90
	40 386 EN1	brushed nickel	4005176430275	112.96
	40 386 GL1	cool sunrise	4005176429415	105.90
	40 386 GN1	brushed cool sunrise	4005176429866	112.96
	40 386 DA1	warm sunset	4005176428968	105.90
	40 386 DL1	brushed warm sunset	4005176430015	112.96
	40 386 A01	hard graphite	4005176429569	105.90
	40 386 AL1	brushed hard graphite	4005176429712	112.96
	Essentials Towel rail material: metal 854 mm (useable length 800 mm) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 10 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
 	40 802 001 ★	Chrome	4005176328107	96.27
	40 802 BE1	polished nickel	4005176430251	144.41
	40 802 EN1	brushed nickel	4005176430329	154.04
	40 802 GL1 ★	cool sunrise	4005176429507	144.41
	40 802 GN1 ★	brushed cool sunrise	4005176429958	154.04
	40 802 DA1 ★	warm sunset	4005176429354	144.41
	40 802 DL1 ★	brushed warm sunset	4005176430107	154.04
	40 802 A01	hard graphite	4005176429651	144.41
	40 802 AL1 ★	brushed hard graphite	4005176429804	154.04
	Essentials Double towel rail material: metal 654 mm (useable length 600 mm) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels)			
	102473 243 0	matte black	4067393021940	125.16
	ditto, Professional exclusive			


GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 800 001	Chrome	4005176327988	188.79
	40 800 DC1	supersteel	4005176413223	264.32
	40 800 BE1	polished nickel	4005176430244	283.20
	40 800 EN1	brushed nickel	4005176430312	302.07
	40 800 GL1	cool sunrise	4005176429491	283.20
	40 800 GN1	brushed cool sunrise	4005176429941	302.07
	40 800 DA1	warm sunset	4005176429347	283.20
	40 800 DL1	brushed warm sunset	4005176430091	302.07
	40 800 A01	hard graphite	4005176429644	283.20
	40 800 AL1	brushed hard graphite	4005176429798	302.07
	Essentials Multi bath towel rack material: metal 604 mm (useable length 550 mm) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels)			
 	40 364 001	Chrome	4005176326332	19.32
	40 364 DC1	supersteel	4005176412424	27.05
	40 364 BE1	polished nickel	4005176430114	28.98
	40 364 EN1	brushed nickel	4005176326349	30.92
	40 364 GL1	cool sunrise	4005176429361	28.98
	40 364 GN1	brushed cool sunrise	4005176429811	30.92
	40 364 DA1	warm sunset	4005176428913	28.98
	40 364 DL1	brushed warm sunset	4005176429965	30.92
	40 364 A01	hard graphite	4005176429514	28.98
	40 364 AL1	brushed hard graphite	4005176429668	30.92
	Essentials Robe hook material: metal concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
	102460 243 0	matte black	4067393021728	25.12
	ditto, Professional exclusive			
 	40 421 001 ★	Chrome	4005176326325	56.16
	40 421 DC1 ★	supersteel	4005176413117	78.62
	40 421 BE1	polished nickel	4005176430237	84.24
	40 421 EN1	brushed nickel	4005176430305	89.85
	40 421 GL1 ★	cool sunrise	4005176429484	84.24
	40 421 GN1 ★	brushed cool sunrise	4005176429934	89.85
	40 421 DA1 ★	warm sunset	4005176429330	84.24
	40 421 DL1 ★	brushed warm sunset	4005176430084	89.85
	40 421 A01	hard graphite	4005176429637	84.24
	40 421 AL1 ★	brushed hard graphite	4005176429781	89.85
	Essentials Grip bar material: metal 349 mm (useable length 295 mm) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels)			
	102471 243 0	matte black	4067393021926	73.01
	ditto, Professional exclusive			
 	40 793 001	Chrome	4005176327599	80.23
	40 793 DC1	supersteel	4005176413230	112.33
	Essentials Grip bar material: metal 507 mm (useable length 450 mm) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels)			

GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 794 001	Chrome	4005176327605	96.27
	40 794 DC1	supersteel	4005176413247	134.79
	Essentials Grip bar material: metal 657 mm (useable length 600 mm) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels)			
 	40 797 001	Chrome	4005176327636	250.31
	Essentials Grip bar material: metal 737 x 997 mm (useable length 680 x 940 mm) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels)			
 	40 799 001	Chrome	4005176327971	64.19
	40 799 DC1	supersteel	4005176413216	89.85
	Essentials Glass shelf material: glass / metal 530 mm (useable length 380 mm) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
 	40 689 001	★ Chrome	4005176326363	41.72
	40 689 DC1	★ supersteel	4005176413131	58.41
	40 689 BE1	polished nickel	4005176430213	62.58
	40 689 EN1	brushed nickel	4005176326370	66.75
	40 689 GL1	★ cool sunrise	4005176429460	62.58
	40 689 GN1	★ brushed cool sunrise	4005176429910	66.75
	40 689 DA1	★ warm sunset	4005176429316	62.58
	40 689 DL1	★ brushed warm sunset	4005176430060	66.75
	40 689 A01	hard graphite	4005176429613	62.58
	40 689 AL1	★ brushed hard graphite	4005176429767	66.75
	Essentials Toilet roll holder material: metal without cover concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
	102472 243 0	matte black	4067393021933	54.23
	ditto, Professional exclusive			

GROHE ESSENTIALS



Ref. No.	Colour	EAN	Retail Guide Price (£)
40 367 001 ★	Chrome	4005176326387	46.54
40 367 DC1 ★	supersteel	4005176412455	65.15
40 367 BE1	polished nickel	4005176430220	69.80
40 367 EN1	brushed nickel	4005176326394	74.46
40 367 GL1 ★	cool sunrise	4005176429477	69.80
40 367 GN1 ★	brushed cool sunrise	4005176429927	74.46
40 367 DA1 ★	warm sunset	4005176429323	69.80
40 367 DL1 ★	brushed warm sunset	4005176430077	74.46
40 367 A01	hard graphite	4005176429620	69.80
40 367 AL1 ★	brushed hard graphite	4005176429774	74.46

Essentials

Toilet roll holder

material: metal

with cover

concealed fastening


GROHE Long-Life finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

holding force: max. 5 kg

the specified holding capacity is valid for static (slowly applied) load and intended use only

102465 243 0	matte black	4067393021766	60.49
ditto, Professional exclusive			



40 385 001 ★	Chrome	4005176326356	35.29
40 385 DC1 ★	supersteel	4005176413094	49.42
40 385 BE1	polished nickel	4005176430206	52.96
40 385 EN1	brushed nickel	4005176430299	56.48
40 385 GL1 ★	cool sunrise	4005176429453	52.96
40 385 GN1 ★	brushed cool sunrise	4005176429903	56.48
40 385 DA1 ★	warm sunset	4005176429309	52.96
40 385 DL1 ★	brushed warm sunset	4005176430053	56.48
40 385 A01	hard graphite	4005176429606	52.96
40 385 AL1 ★	brushed hard graphite	4005176429750	56.48

Essentials

Spare toilet paper holder

material: metal

wall mounted

concealed fastening


GROHE Long-Life finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

holding force: max. 5 kg

the specified holding capacity is valid for static (slowly applied) load and intended use only

102469 243 0	matte black	4067393021902	45.89
ditto, Professional exclusive			



40 374 001 ★	Chrome	4005176326400	57.77
40 374 DC1 ★	supersteel	4005176412486	80.87
40 374 BE1	polished nickel	4005176430190	86.65
40 374 EN1	brushed nickel	4005176430282	92.42
40 374 GL1 ★	cool sunrise	4005176429446	86.65
40 374 GN1 ★	brushed cool sunrise	4005176429897	92.42
40 374 DA1 ★	warm sunset	4005176429293	86.65
40 374 DL1 ★	brushed warm sunset	4005176430046	92.42
40 374 A01	hard graphite	4005176429590	86.65
40 374 AL1 ★	brushed hard graphite	4005176429743	92.42

Essentials

Toilet brush set

material: glass / metal

wall mounted

concealed fastening

GROHE Long-Life finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)






holding force: max. 5 kg

the specified holding capacity is valid for static (slowly applied) load and intended use only




102468 243 0	matte black	4067393021797	75.10
ditto, Professional exclusive			

40 791 001	white	4005176323409	8.65
40 791 KS1	velvet black	4005176336379	8.65
Spare Brush Head			

GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 696 GL0	cool sunrise	4005176953668	170.78
	40 696 DC0	supersteel	4005176953651	159.39
	40 696 DA0	warm sunset	4005176953644	170.78
	40 696 AL0	brushed hard graphite	4005176953637	182.17
	Essentials Toilet brush set metal material: metal wall mounted concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) black brush head removable inner plastic container			
				
	40 663 001	Chrome	4005176327834	78.65
	BauCosmopolitan Soap wire basket material: metal for corner installation large suitable for screwing (including screws and dowels)			
				
	40 664 001	Chrome	4005176327841	62.92
	BauCosmopolitan Soap wire basket material: metal for corner installation small suitable for screwing (including screws and dowels)			
				
	40 407 001	Chrome	4005176328350	111.26
	40 407 DC1	supersteel	4005176413179	155.76
	Essentials 3-in-1 WC set material: glass / metal Consisting of: toilet brush set (40 374 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 775 001	Chrome	4005176328626	109.82
	40 775 DC1	supersteel	4005176413186	153.75
	40 775 EN1	brushed nickel	4005176324765	175.71
	Essentials 3-in-1 Guest bathroom accessories set material: metal Consisting of: towel rail, 600 mm (40 366 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			







GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 776 001	Chrome	4005176328633	141.59
Essentials 4-in-1 Master bathroom accessories set material: metal Consisting of: towel ring (40 365 001) robe hook (40 364 001) toilet paper holder (40 367 001) towel rail, 600 mm (40 366 001) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
 	40 846 001	Chrome	4005176344091	172.02
Essentials 4-in-1 Master bathroom accessories set material: metal Consisting of: soap dispenser with holder (40 448 001) crystal glass with holder (40 447 001) double towel bar (40 371 001), suitable for screwing only (including screws and dowels) robe hook (40 364 001) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
 	40 344 001	Chrome	4005176323461	179.02
Essentials Master bathroom accessories set 5-in-1 material: glass / metal Consisting of: towel ring (40 365 001) towel rail, 600 mm (40 366 001) robe hook (40 364 001) paper holder with cover (40 367 001) soap dish with holder (40 444 001) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
	40 915 000		4005176429262	8.97
Glue for bath accessories contains syringe with with glue and adapter for the wall mounting plate curing time 24 hours one pack is required for one wall holder plate, please note for bath towel holders suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal not suitable for wallpaper, plaster and coating This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/				






GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 508 001	Chrome	4005176324413	46.56
	40 508 DC1	supersteel	4005176636554	65.20
	40 508 AL1	brushed hard graphite	4005176636653	74.51
	Essentials Cube Glass/soap dish holder material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE Long-Life finish			
	40 394 001 ★	Chrome	4005176326233	28.88
	40 394 DC1 ★	supersteel	4005176421532	40.44
	40 394 AL1 ★	brushed hard graphite	4005176429736	46.21
	Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE Long-Life finish			
	40 368 001	glass clear	4005176326219	9.63
	Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 372 001	Chrome	4005176326226	11.64
	Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 756 001	Chrome	4005176328381	75.44
	Essentials Cube Soap dispenser with holder material: glass / metal filling quantity 160 ml Consisting of: holder (40 508 001) soap dispenser (40 394 001) concealed fastening GROHE Long-Life finish			
	40 755 001	Chrome	4005176328374	56.19
	Essentials Cube Crystal glass with holder material: glass / metal Consisting of: holder (40 508 001) crystal glass (40 372 001) concealed fastening GROHE Long-Life finish			




GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 754 001	Chrome	4005176328367	56.68
	Essentials Cube Soap dish with holder material: glass / metal Consisting of: holder (40 508 001) soap dish (40 368 001) concealed fastening GROHE Long-Life finish			
 	40 510 001	Chrome	4005176324420	64.19
	40 510 DC1	supersteel	4005176636172	89.85
	40 510 AL1	brushed hard graphite	4005176636578	102.69
Essentials Cube Towel ring material: metal concealed fastening GROHE Long-Life finish				
 	40 624 001	Chrome	4005176324444	90.12
	40 624 DC1	supersteel	4005176636486	126.16
	40 624 AL1	brushed hard graphite	4005176636585	144.18
Essentials Cube Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE Long-Life finish				
 	40 509 001	Chrome	4005176324437	71.31
	40 509 DC1	supersteel	4005176636493	99.83
Essentials Cube Towel rail material: metal 600 mm (useable length 558 mm) concealed fastening GROHE Long-Life finish				
 	40 512 001	Chrome	4005176324451	234.27
	40 512 AL1	brushed hard graphite	4005176636608	374.83
Essentials Cube Multi-towel rack material: metal 600 mm (useable length 558 mm) concealed fastening GROHE Long-Life finish				
 	40 511 001	Chrome	4005176324475	27.05
	40 511 DC1	supersteel	4005176636516	37.87
	40 511 AL1	brushed hard graphite	4005176636615	43.29
Essentials Cube Robe hook material: metal concealed fastening GROHE Long-Life finish				







GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 514 001	Chrome	4005176324468	96.27
	40 514 DC1	supersteel	4005176636523	134.79
	40 514 AL1	brushed hard graphite	4005176636622	154.04
	Essentials Cube Grip bar material: metal 392 mm (useable length 340 mm) concealed fastening GROHE Long-Life finish			
 	40 507 001	Chrome	4005176324598	53.92
	40 507 DC1	supersteel	4005176636530	75.48
	40 507 AL1	brushed hard graphite	4005176636639	86.26
Essentials Cube Toilet roll holder material: metal without cover concealed fastening GROHE Long-Life finish				
 	40 623 001	Chrome	4005176324482	45.05
	40 623 DC1	supersteel	4005176636547	63.08
	40 623 AL1	brushed hard graphite	4005176636646	72.09
Essentials Cube Spare toilet paper holder material: metal wall mounted concealed fastening GROHE Long-Life finish				
 	40 513 001	Chrome	4005176324604	93.19
	40 513 DC1	supersteel	4005176636165	130.47
	40 513 AL1	brushed hard graphite	4005176636561	149.11
	Essentials Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE Long-Life finish			
	40 791 001	white	4005176323409	8.65
	40 791 KS1	velvet black	4005176336379	8.65
Spare Brush Head				
 	40 757 001	Chrome	4005176328497	156.73
	Essentials Cube 3-in-1 WC set material: glass / metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening GROHE Long-Life finish			






GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 777 001	Chrome	4005176328640	137.06
	Essentials Cube 3-in-1 Guest bathroom accessories set material: metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE Long-Life finish			
	40 778 001	Chrome	4005176328657	194.83
	Essentials Cube 4-in-1 Master bathroom accessories set material: metal Consisting of: robe hook (40 511 001) towel ring (40 510 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE Long-Life finish			
	40 758 001	Chrome	4005176328503	241.72
	Essentials Cube Master bathroom accessories set 5-in-1 material: glass / metal Consisting of: soap dish with holder (40 754 001) towel rail, 558 mm (40 509 001) toilet paper holder (40 507 001) robe hook (40 511 001) towel ring (40 510 001) concealed fastening GROHE Long-Life finish			


GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 585 001	Chrome	4005176327797	27.68
BauCosmopolitan Glass/soap dish holder material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
 	40 394 001 ★	Chrome	4005176326233	28.88
Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE Long-Life finish				
 	40 368 001	glass clear	4005176326219	9.63
Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)				
 	40 372 001	Chrome	4005176326226	11.64
Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)				
 	40 460 001	Chrome	4005176327803	27.68
BauCosmopolitan Towel ring material: metal concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only				
 	40 459 001	Chrome	4005176327810	40.28
BauCosmopolitan Towel rail material: metal 522 mm (useable length 430 mm) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 10 kg the specified holding capacity is valid for static (slowly applied) load and intended use only				







GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 462 001	Chrome	4005176327827	148.00
	BauCosmopolitan Multi-towel rack material: metal 564 mm (useable length 510 mm) concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels)			
 	40 461 001	Chrome	4005176327858	16.99
	BauCosmopolitan Robe hook material: metal concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
 	40 457 001	Chrome	4005176327865	34.93
	BauCosmopolitan Toilet Roll Holder material: metal without cover concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
 	40 463 001	Chrome	4005176327872	45.30
	BauCosmopolitan Toilet brush set material: glass / metal wall mounted concealed fastening GROHE Long-Life finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
	40 791 001	white	4005176323409	8.65
	40 791 KS1	velvet black	4005176336379	8.65
	Spare Brush Head			
 	40 663 001	Chrome	4005176327834	78.65
	BauCosmopolitan Soap wire basket material: metal for corner installation large suitable for screwing (including screws and dowels)			







GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 664 001	Chrome	4005176327841	62.92
BauCosmopolitan Soap wire basket material: metal for corner installation small suitable for screwing (including screws and dowels)				
	40 915 000		4005176429262	8.97
Glue for bath accessories contains syringe with with glue and adapter for the wall mounting plate curing time 24 hours one pack is required for one wall holder plate, please note for bath towel holders suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal not suitable for wallpaper, plaster and coating This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/				

GROHE ESSENTIALS AUTHENTIC



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 652 001	Chrome	4005176324321	35.29
Essentials Authentic Glass/soap dish holder material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening GROHE Long-Life finish				
 	40 394 001 ★ 40 394 EN1	Chrome brushed nickel	4005176326233 4005176412646	28.88 46.21
Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE Long-Life finish				
 	40 368 001	glass clear	4005176326219	9.63
Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)				
 	40 372 001	Chrome	4005176326226	11.64
Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)				
 	40 655 001	Chrome	4005176324338	35.29
Essentials Authentic Towel ring material: metal concealed fastening GROHE Long-Life finish				
 	40 653 001	Chrome	4005176324345	56.16
Essentials Authentic Towel rail material: metal 626 mm (useable length 582 mm) concealed fastening GROHE Long-Life finish				

GROHE ESSENTIALS AUTHENTIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 654 001	Chrome	4005176324352	96.27
Essentials Authentic Double towel rail material: metal 626 mm (useable length 582 mm) concealed fastening GROHE Long-Life finish				
 	40 660 001	Chrome	4005176324369	188.81
Essentials Authentic Multi-towel rack material: metal 586 mm (useable length 542 mm) concealed fastening GROHE Long-Life finish				
 	40 656 001	Chrome	4005176324383	19.32
Essentials Authentic Robe hook material: metal concealed fastening GROHE Long-Life finish				
 	40 657 001	Chrome	4005176324390	41.72
Essentials Authentic Toilet roll holder material: metal without cover concealed fastening GROHE Long-Life finish				
 	40 658 001	Chrome	4005176324406	57.77
Essentials Authentic Toilet brush set material: glass / metal wall mounted concealed fastening GROHE Long-Life finish				
	40 791 001	white	4005176323409	8.65
	40 791 KS1	velvet black	4005176336379	8.65
Spare Brush Head				

GROHE ESSENTIALS AUTHENTIC

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 659 001	Chrome	4005176324376	62.92



**Essentials Authentic
Corner Basket, small**
material: metal
concealed fastening
GROHE Long-Life finish

GROHTHERM THERMOSTATS





CONTENTS

Grohtherm SmartControl	313
Grohtherm 2 handle trim sets	326
Grohtherm 2000	334
Grohtherm Cube	339
Grohtherm 1000 Cosmopolitan	343
Grohtherm 1000	345
Grohtherm 1000 Performance	349
Grohtherm 800 Cosmopolitan	353
Grohtherm 800	356
Grohtherm 500	358
Thermostats (phase out)	360

SAFETY NOTE

Avoiding scalding

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.


Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.



ALWAYS THE RIGHT TEMPERATURE, FOR ULTIMATE CONVENIENCE AND SAFETY.

GROHE TurboStat technology lies at the heart of our Grohtherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.


Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.



Exceptionally swift reaction to water-pressure fluctuations.

without
GROHE TurboStat

with
GROHE TurboStat



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.



GROHE COOLTOUCH




THERMOSTATS

SAFETY FIRST WITH 100 % GROHE COOLTOUCH.


GROHE’s CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface – so it’s never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.




Safety surround = 100% GROHE CoolTouch No risk of scalding



Safety housing with water cooling



Thermal image
without GROHE CoolTouch



Thermal image
with GROHE CoolTouch

THE NOT-SO-HIDDEN BENEFITS: GROHE SMARTCONTROL CONCEALED

Space – we’d all like to have more of it, especially in the shower area where it is often in short supply. So when you have the luxury of planning your shower from scratch, GROHE SmartControl Concealed is a wonderful option. With its concealed installation and exceedingly slim design, GROHE SmartControl Concealed offers more space under the shower and an uncluttered, clean look.


Of course, GROHE SmartControl Concealed also offers the many features shared by GROHE SmartControl Exposed and the GROHE Combi shower system: from precise and intuitive volume and temperature control to your choice of shower sprays at the touch of a button.



NEW GROHE TWO-HANDLE THERMOSTATS: ROUND, SQUARE OR CUBE?

Our new thermostats with conventional operation are anything but conventional. We have designed them to be as user-friendly and intuitive as possible. Turn on the hand shower by rotating the upper control button slightly to the left. To switch over to the head shower, turn the control button towards the right. Also available as 1-function model to operate a single shower. The exceedingly narrow plates, with a height of just 10 mm and the slim design of the controls, ensure that the overall outreach is a mere 43 mm. Offering the choice between round, square and cube shapes, our thermostats appeal not only to lovers of geometry. Representing the perfect balance between form and function, our two-handle thermostats provide a beautiful centrepiece for every shower.

All Grohtherm Concealed thermostats are made to fit our new universal solution: the GROHE Rapido SmartBox system.



THE BEST OF BOTH WORLDS: **GROHE SMARTCONTROL COMBI** SHOWER SYSTEM

Flexibility best describes the reason for choosing the GROHE SmartControl Combi shower system, which offers a range of different installation options and possible combinations. This means for example, that you are free to position the thermostat either vertically under the shower head or, if you choose, away from the central axis – or even on one of the side walls of the shower. Flexibility also extends to the way you can combine the thermostat with other GROHE head, hand or body showers, creating your own personal shower experience. You also have the option of turning your bath into a shower – by combining the SmartControl thermostat with a bathtub inlet and a hand shower.



DISCOVER THE NEW STANDARD IN EXPOSED THERMOSTATS: **GROHTHERM SMARTCONTROL EXPOSED**

We are proud to present our Grohtherm SmartControl: a major new development in exposed thermostats. Available as separate units, Grohtherm SmartControl exposed thermostats combine the design of GROHE and the comfort of SmartControl. We've given it a compact shape to offer more space under the shower and its EasyReach tray makes plenty of room on top for shower accessories. A forward-facing thermostat button makes operation from the front more convenient. And like all GROHE thermostats, Grohtherm SmartControl comes equipped with TurboStat for precise temperature control and 100 % CoolTouch to keep thermostat surfaces at a safe temperature and avoid scalding.




GROHThERM 3000 COSMOPOLITAN

MINIMALIST & 100 % GROHE COOLTOUCH.

Grohtherm 3000 Cosmopolitan thermostats are based on an aesthetic philosophy based on simple cylinders in perfect proportions, creating balance and harmony enhanced by GROHE StarLight chrome, a deep luxurious finish.

While GROHE TurboStat maintains your perfect water temperature, GROHE CoolTouch eliminates the risk of scalding from hot chrome surfaces, while the EcoButton enables you to reduce your water consumption up to 50 %.



GROHTHERM 2000

100 % GROHE COOLTOUCH, ADVANCED ERGONOMICS & EASYREACH TRAY.

The elegant design of Grohtherm 2000 ensures it will complement any bathroom design. Experience the beauty of the XL Waterfall from our exposed bath/shower thermostat. Enjoy the convenience of the GROHE EasyReach shower tray, with easy-to-clean integrated storage for your shampoo or soap.

Featuring 100 % GROHE CoolTouch, the solid metal housing of Grohtherm 2000 remains cool and safe at all times. With GROHE TurboStat you will always enjoy your perfect water temperature, independent of any fluctuations in water pressure. Grohtherm 2000 thermostats are available with and without the metal made GROHE EasyReach storage.



GROHE TurboStat
For a perfect water temperature at all times.

GROHE EasyReach
Easily accessible storage by optional shelf. Easy to clean.

GROHE Aqua Paddle
Beautiful ergonomics for ease of use and precise water control.

GROHE XL Waterfall
Wide bath spout with XL-Size silent water flow.

GROHE AquaDimmer Eco
The water-saving system for bath and shower.

100 % GROHE CoolTouch
No scalding from hot surfaces; the child-friendly solution.

GROHTHERM CUBE

100 % CUBE.


For years, GROHE has been synonymous with thermostats for the bathroom, with over 30 million sold worldwide. With the launch of this pure Cubist thermostat range, GROHE offers innovative design combined with the highest quality standards. From its Cubist design and its water-saving options to the smart EasyReach soap tray – Grohtherm Cube thermostats and shower systems offer full enjoyment to the last detail, perfectly matching several GROHE cubic tap and shower designs.



GROHTHERM 1000

ULTIMATE COMFORT WITH GROHE COOLTOUCH.

Enjoy taking a refreshing shower more than ever before. The Grohtherm 1000 with contemporary design offers a GROHE CoolTouch compact body, ergonomically shaped metal handles, GROHE TurboStat technology and water-saving eco functions.



GROHOTHERM 1000 PERFORMANCE

COOLTOUCH THERMOSTAT WITH PROGRIP.

Transform your shower into a smart comfort zone. GROHE TurboStat provides you with a constant water temperature without the hot or cold surprises during your shower. The smart designed ProGrip gives you precise control on waterflow and temperature and thanks to the internal cooling channel of GROHE CoolTouch, the complete shower body never exceeds your showering temperature.



GROHOTHERM 800 COSMOPOLITAN

MINIMALISTIC DESIGN WITH ERGONOMIC METAL HANDLE.

Offering quality, technology and design at a competitive price, Grohtherm 800 Cosmopolitan is our most compact thermostat. Crafted from a series of perfect cylinders, its slender design is the preferred choice for modern, architectural-style spaces.



GROHTHERM 800

SAFE AND ERGONOMIC.

Experience the benefits of a thermostatically controlled shower at an attractive price. Finished in sparkling GROHE StarLight chrome, Grohtherm 800 benefits from GROHE TurboStat technology, ensuring luxurious showering at a constant temperature. The SafeStop button, set at 38 °C, prevents children from turning up the temperature, while the EcoButton allows you to reduce water usage.



GROHE TurboStat
For a perfect water temperature at all times.



EasyLogic
Improved intuitive graphics on body

SafeStop
Temperature stop protects against scalding.

Eco Button
Saving up to 50 % water

GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 123 000	Chrome	4005176413292	552.51
29 123 GN0	brushed cool sunrise	4005176558122	884.02
29 123 DL0	brushed warm sunset	4005176558092	884.02
29 123 A00	hard graphite	4005176558054	828.77
29 123 AL0	brushed hard graphite	4005176558061	884.02



Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

without roughing-in-set

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min



35 604 000

4005176698774

78.23

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 124 000	Chrome	4005176413308	601.63
29 124 DC0	supersteel	4005176526329	842.27
29 124 GL0	cool sunrise	4005176558191	902.43
29 124 GN0	brushed cool sunrise	4005176558207	962.61
29 124 DA0	warm sunset	4005176558160	902.43
29 124 DL0	brushed warm sunset	4005176558177	962.61
29 124 A00	hard graphite	4005176558139	902.43
29 124 AL0	brushed hard graphite	4005176558146	962.61

Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously



without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min



102166 KF0 0 phantom black
ditto, Professional exclusive

4067393018773

842.27



35 604 000

4005176698774


78.23

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE

GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



29 125 000	Chrome	4005176413315	721.95
------------	--------	---------------	--------


Grotherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2" **without roughing-in-set**
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min
 outlet B + hand shower = 27 l/min



35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation			

29 126 000	Chrome	4005176413322	650.74
29 126 DC0	supersteel	4005176526343	911.03
29 126 GL0	cool sunrise	4005176558351	976.11
29 126 GN0	brushed cool sunrise	4005176558368	1,041.18
29 126 DA0	warm sunset	4005176558320	976.11
29 126 DL0	brushed warm sunset	4005176558337	1,041.18
29 126 A00	hard graphite	4005176558290	976.11
29 126 AL0	brushed hard graphite	4005176558306	1,041.18

Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min



102167 KF0 0	phantom black	4067393018780	911.03
ditto, Professional exclusive			




35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation			

GROHE

GROHTHERM SMARTCONTROL

THERMOSTATS

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 127 000	Chrome	4005176413339	397.08
29 127 DC0	supersteel	4005176526350	555.90
29 127 GN0	brushed cool sunrise	4005176558443	635.32
29 127 DL0	brushed warm sunset	4005176558412	635.32
29 127 A00	hard graphite	4005176558375	595.60
29 127 AL0	brushed hard graphite	4005176558382	635.32



Grotherm SmartControl Triple volume control trim

set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min

optional flow reducer for CALGreen compliance included





35 604 000

4005176698774

78.23

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 153 LS0	moon white	4005176413582	712.13
------------	------------	---------------	--------



Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min



35 604 000



4005176698774

78.23

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE


GROHTHERM SMARTCONTROL


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 156 LS0	moon white	4005176413599	761.24
	Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE Long-Life finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min outlet B+C = 29 l/min			
	35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				
 	29 157 LS0	moon white	4005176413605	810.36
	Grotherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE Long-Life finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min outlet A + B = 33 l/min outlet A + B + C = 36 l/min			
	35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				

GROHE

GROHTHERM SMARTCONTROL

THERMOSTATS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 158 LS0	moon white	4005176413612	502.42
	Grotherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600/35 604/35 601 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE Long-Life finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE ProGrip with knurl structure multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included			
	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			

 	29 118 000	Chrome	4005176412240	552.51
	29 118 DC0	supersteel	4005176455032	773.52
	29 118 GL0	cool sunrise	4005176492976	828.77
	29 118 GN0	brushed cool sunrise	4005176492983	884.02
	29 118 DA0	warm sunset	4005176492990	828.77
	29 118 DL0	brushed warm sunset	4005176493003	884.02
	29 118 A00	hard graphite	4005176493010	828.77
	29 118 AL0	brushed hard graphite	4005176455049	884.02
	Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE Long-Life finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min			
	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			

GROHE

GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 119 000 ★	Chrome	4005176412257	601.63
29 119 DC0 ★	supersteel	4005176455056	842.27
29 119 GL0 ★	cool sunrise	4005176493041	902.43
29 119 GN0 ★	brushed cool sunrise	4005176493058	962.61
29 119 DA0 ★	warm sunset	4005176493065	902.43
29 119 DL0 ★	brushed warm sunset	4005176493072	962.61
29 119 A00	hard graphite	4005176493089	902.43
29 119 AL0 ★	brushed hard graphite	4005176455063	962.61



Grohtherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet B = 24 l/min


outlet C = 26 l/min

outlet B+C = 29 l/min

29 507 KF0	phantom black	4005176782534	842.27
ditto, Professional exclusive			



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		



29 120 000	Chrome	4005176412264	721.95
------------	--------	---------------	--------

Grohtherm SmartControl

Thermostat for concealed installation with 2 valves and integrated shower holder

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

integrated shower union with shower outlet 1/2"

without roughing-in-set

flow performance:

outlet B = 24 l/min

hand shower = 12 l/min


outlet B + hand shower = 27 l/min



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 121 000 ★	Chrome	4005176412271	650.74
29 121 DC0 ★	supersteel	4005176455094	911.03
29 121 GL0 ★	cool sunrise	4005176493188	976.11
29 121 GN0 ★	brushed cool sunrise	4005176493195	1,041.18
29 121 DA0 ★	warm sunset	4005176493201	976.11
29 121 DL0 ★	brushed warm sunset	4005176493218	1,041.18
29 121 A00	hard graphite	4005176493225	976.11
29 121 AL0 ★	brushed hard graphite	4005176455100	1,041.18



Grohtherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers
multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min


outlet A + B + C = 36 l/min

29 508 KF0	phantom black	4005176782541	911.03
ditto, Professional exclusive			



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 122 000	Chrome	4005176412288	397.08
29 122 DC0	supersteel	4005176455117	555.90
29 122 BE0	polished nickel	4005176493232	595.60
29 122 EN0	brushed nickel	4005176413728	635.32
29 122 GL0	cool sunrise	4005176515194	595.60
29 122 GN0	brushed cool sunrise	4005176515200	635.32
29 122 DA0	warm sunset	4005176515217	595.60
29 122 DL0	brushed warm sunset	4005176515224	635.32
29 122 A00	hard graphite	4005176515231	595.60
29 122 AL0	brushed hard graphite	4005176455124	635.32



Grohtherm SmartControl

Triple volume control trim

set for final installation for

GROHE Rapido SmartBox 35 600/35 604/35 601

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

10 mm thin profile escutcheon

GROHE Long-Life finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE ProGrip with knurl structure

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min



outlet D+E+A = 65 l/min



35 604 000	4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE




GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 150 LS0	moon white	4005176413544	712.13
	Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE Long-Life finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min			
	35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				
	29 151 LS0	moon white	4005176413551	761.24
	Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE Long-Life finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min outlet B+C = 29 l/min			
	35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				

GROHE

GROHTHERM SMARTCONTROL

THERMOSTATS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 904 LS0	moon white	4005176413568	810.36
	Grotherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE Long-Life finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min outlet A + B = 33 l/min outlet A + B + C = 36 l/min			
	 35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				
 	29 152 LS0	moon white	4005176413575	502.42
	Grotherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600/35 604/35 601 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE Long-Life finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE ProGrip with knurl structure multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included			
	 35 604 000		4005176698774	78.23
GROHE Rapido SmartBox universal rough-in box for concealed installation				
 	34 865 000	Chrome	4005176789946	1,260.89
	Grotherm SmartControl Concealed shower system with Rainshower Mono 310 Cube Consisting of: concealed thermostat with 2 valves and integrated shower holder (29 125) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower Mono 310 Cube head shower set (26 563) including horizontal shower arm 422 mm (26 145) hand shower Rainshower SmartActive 130 Cube (26 550) Silverflex shower hose 1.500 mm (28 364) optional flow regulator 9.5 l/min included for hand shower and head shower			

GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 864 000	Chrome	4005176789939	1,523.64
	34 864 DC0	supersteel	4005176791857	2,133.10
	34 864 GL0	cool sunrise	4005176791772	2,285.46
	34 864 GN0	brushed cool sunrise	4005176791789	2,437.83
	34 864 DA0	warm sunset	4005176790850	2,285.46
	34 864 DL0	brushed warm sunset	4005176791765	2,437.83
	34 864 AL0	brushed hard graphite	4005176790843	2,437.83
Grohtherm SmartControl Concealed shower system with Rainshower SmartActive 310 Cube Consisting of: concealed thermostat with 3 valves (29 126) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower SmartActive 310 Cube head shower set 2 sprays (26 479) including horizontal shower arm 430 mm and head shower rough-in (26 483) Rainshower SmartActive 130 Cube hand shower 3 sprays shower outlet elbow 1/2" with holder (26 659) Silverflex shower hose 1500 mm 1/2" x 1/2" optional flow regulator 9.5 l/min included for hand shower				
	34 867 000	Chrome	4005176791567	1,070.33
	Grohtherm SmartControl Concealed shower system with Euphoria 260 Consisting of: concealed thermostat with 2 valves and integrated shower holder (29 120) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Euphoria 260 head shower set 3 sprays (26 458) including horizontal shower arm 380 mm (28 361) Euphoria Cosmopolitan Stick hand shower 1 spray (27 367) Silverflex shower hose 1.500 mm (28 364) optional flow regulator 9.5 l/min included for hand shower and head shower			
	34 866 000	Chrome	4005176789953	1,260.89
	Grohtherm SmartControl Concealed shower system with Rainshower Mono 310 Consisting of: concealed thermostat with 2 valves and integrated shower holder (29 120) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower Mono 310 head shower set (26 557) including horizontal shower arm 422 mm (26 146) hand shower Rainshower SmartActive 130 (26 544) Silverflex shower hose 1.500 mm (28 364) optional flow regulator 9.5 l/min included for hand shower and head shower			
	34 863 000	Chrome	4005176789922	1,523.64
	34 863 DC0	supersteel	4005176790782	2,133.10
	34 863 GL0	cool sunrise	4005176790829	2,285.46
	34 863 GN0	brushed cool sunrise	4005176790836	2,437.83
	34 863 DA0	warm sunset	4005176790805	2,285.46
	34 863 DL0	brushed warm sunset	4005176790812	2,437.83
	34 863 AL0	brushed hard graphite	4005176790799	2,437.83
Grohtherm SmartControl Concealed shower system with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves (29 121) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower SmartActive 310 head shower set 2 sprays (26 475) including horizontal shower arm 430 mm and head shower rough-in (26 483) Rainshower SmartActive 130 hand shower 3 sprays shower outlet elbow 1/2" with holder (26 658) Silverflex shower hose 1500 mm 1/2" x 1/2" optional flow regulator 9.5 l/min included for hand shower				




GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 705 000	Chrome	4005176413285	1,609.19
Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: Grotherm SmartControl set for final installation concealed thermostat with 3 valves (29 121) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick hand shower 1 spray (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)				





GROHE

GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 719 000	Chrome	4005176457654	406.72
	Grohtherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow			
	102169 KF0 0	phantom black ditto, Professional exclusive	4067393018902	569.40
	34 718 000	Chrome	4005176457647	446.92
	Grohtherm SmartControl Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valve and dirt strainers protected against backflow			
	102168 KF0 0	phantom black ditto, Professional exclusive	4067393018797	625.69
	34 721 000	Chrome	4005176457678	528.29
	Grohtherm SmartControl Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm SmartControl thermostatic shower mixer (34 719 000) Euphoria 110 Massage shower set, 900 mm (27 226 001)			
				

GROHE



GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 720 000	Chrome	4005176457661	521.61
Grohtherm SmartControl Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm SmartControl thermostatic shower mixer (34 719 000) Euphoria 110 Massage shower set, 600 mm (27 231 001)				
 	26 449 000		4005176409790	157.31
Concealed body for exposed/concealed variants wall mounted 2 outlets 1/2" installation depth 75-105 mm flushing plug wall sealing installation device				
	47 175 000	Chrome	4005176803895	155.01
GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings				

THERMOSTATS


GROHE


GROHTHERM 2 HANDLE TRIM SETS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 078 000	Chrome	4005176466038	413.04
	Grotherm Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
	102215 243 0	matte black	4067393019053	536.95
	ditto, Professional exclusive			
	  35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	24 079 000	Chrome	4005176466045	460.42
	Grotherm Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
	102209 243 0	matte black	4067393018896	598.56
	ditto, Professional exclusive			
	  35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			


GROHE

GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 080 000	Chrome	4005176466052	460.42
	Grotherm Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
		102211 243 0	matte black	4067393019015
	ditto, Professional exclusive			
	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			




	34 870 000	Chrome	4005176791598	1,045.02
	Grotherm Concealed shower system with Rainshower Mono 310 Cube Consisting of: concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower Mono 310 Cube head shower set (26 563) including horizontal shower arm 422 mm (26 145) Euphoria Cube Stick hand shower 1 spray (27 698) shower outlet elbow 1/2" with holder (26 659) Silverflex shower hose 1.500 mm (28 364) optional flow regulator 9.5 l/min included for hand shower and head shower			
				

	34 871 000	Chrome	4005176791604	806.50
	Grotherm Concealed shower system with Tempesta 250 Cube Consisting of: concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Tempesta 250 Cube head shower set 9.5 l/min (26 687) including horizontal shower arm 380 mm Tempesta 110 Cube hand shower 2 sprays (27 571) shower outlet elbow 1/2" with wall shower holder (26 370) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409) optional flow regulator 9.5 l/min included for hand shower			
				

	34 728 000	Chrome	4005176466069	704.80
	Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox 35 600/35 604 head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately			
				



GROHE

GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		34 729 000	Chrome	4005176466076	703.99
Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox 35 600/35 604 head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)					
		34 730 000	Chrome	4005176466342	1,432.21
Grotherm Perfect shower set with Rainshower Cosmopolitan 310 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox 35 600/35 604 metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rainshower shower arm 422 mm (26 145 000) hand shower (28 034 000) Rainshower wall holder (27 075 000) Rainshower wall elbow connection (27 076 000) Silverflex shower hose 1250 mm (28 362)					
		34 734 000	Chrome	4005176466403	1,072.16
Grotherm Perfect shower set with Rainshower Cosmopolitan 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox 35 600/35 604 metal head shower Rainshower Cosmopolitan 210 (28 368 000) shower arm Rainshower 422 mm (26 146 000) Euphoria Hand shower (27 265) Shower outlet elbow (28 628 000) Silverflex shower hose 1250 mm (28 362)					





GROHE

GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 075 000	Chrome	4005176465987	413.04
	Grotherm Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
	102212 243 0	matte black	4067393019022	536.95
	 35 604 000 4005176698774 78.23 GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	24 076 000	Chrome	4005176465994	460.42
	Grotherm Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
	102208 243 0	matte black	4067393018889	598.56
	 35 604 000 4005176698774 78.23 GROHE Rapido SmartBox universal rough-in box for concealed installation			




GROHE

GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 077 000	Chrome	4005176466007	460.42
	Grotherm Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
	102210 243 0	matte black	4067393019008	598.56
	ditto, Professional exclusive			
	35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	34 869 000	Chrome	4005176791581	1,045.02
	Grotherm Concealed shower system with Rainshower Mono 310 Consisting of: concealed thermostatic shower mixer for 2 outlets with integrated shut off/ diverter valve (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower Mono 310 head shower set (26 557) including horizontal shower arm 422 mm (26 146) Euphoria Cosmopolitan Stick hand shower 1 spray (27 367) shower outlet elbow 1/2" with holder (26 658) Silverflex shower hose 1.500 mm (28 364) optional flow regulator 9.5 l/min included for hand shower and head shower			
 	34 872 000	Chrome	4005176791611	806.50
	Grotherm Concealed shower system with Tempesta 250 Consisting of: concealed thermostatic shower mixer for 2 outlets with integrated shut off/ diverter valve (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Tempesta 250 head shower set 9.5 l/min (26 668) including horizontal shower arm 380 mm Tempesta 110 hand shower 2 sprays (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409) optional flow regulator 9.5 l/min included for hand shower			
 	34 726 000	Chrome	4005176466014	704.80
	Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox 35 600/35 604 head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately			




GROHE

GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 727 000	Chrome	4005176466021	703.99
Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox 35 600/35 604 head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)				
 	34 732 000	Chrome	4005176466366	1,249.59
Grotherm Perfect shower set with Rainshower Cosmopolitan 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox 35 600/35 604 Rainshower Cosmopolitan 210 metal head shower (28 373) Rainshower shower arm 286 mm (28 576) hand shower (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1250 mm (28 362)				
 	34 735 000	Chrome	4005176466410	829.94
Grotherm Perfect shower set with Rainshower Cosmopolitan 160 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox 35 600/35 604 Rainshower Cosmopolitan Headshower 160 mm (27 134) Rainshower shower arm 286 mm (28 576) Euphoria Hand shower (27 265) Shower outlet elbow (28 628 000) Silverflex shower hose 1250 mm (28 362)				

GROHE


GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 153 000	Chrome	4005176481178	536.95
	24 153 DC0	supersteel	4005176574221	751.73
	24 153 AL0	brushed hard graphite	4005176585913	859.13
	Grotherm Cube Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
	35 604 000		4005176698774	78.23
	 GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	24 154 000	Chrome	4005176481185	598.56
	24 154 DC0	supersteel	4005176574238	837.98
	24 154 AL0	brushed hard graphite	4005176585920	957.69
	Grotherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
	35 604 000		4005176698774	78.23
	 GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	24 155 000	Chrome	4005176481192	598.56
	24 155 DC0	supersteel	4005176574245	837.98
	24 155 AL0	brushed hard graphite	4005176585937	957.69
	Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
	35 604 000		4005176698774	78.23
	 GROHE Rapido SmartBox universal rough-in box for concealed installation			

GROHE

GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 868 000	Chrome	4005176791574	1,204.72






Grohtherm Cube
Concealed shower system with Rainshower Mono 310 Cube
Consisting of:
concealed thermostatic shower mixer for 2 outlets with integrated shut off/
diverter valve (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)
Rainshower Mono 310 Cube head shower set (26 563) including horizontal
shower arm 422 mm (26 145)
Euphoria Cube Stick hand shower 1 spray (27 698)
shower outlet elbow 1/2" with holder (26 659)
Silverflex shower hose 1.500 mm (28 364)
optional flow regulator 9.5 l/min included for hand shower and head shower

THERMOSTATS




GROHE

GROHTHERM 2000

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 469 001	Chrome	4005176926396	332.94
	Grotherm 2000 Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life finish GROHE Aqua Paddle ergonomically shaped handles temperature scale handle with GROHE SafeStop safety stop at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included integrated mixed water shut off GROHE TurboStat compact cartridge with wax thermoelement volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing GROHE EasyReach shower tray removable for easy cleaning GROHE Water Saving - Less water, perfect flow			
				
	34 463 001	Chrome	4005176926419	343.03
	Grotherm 2000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop Plus integrated temperature limiter at max 50°C integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" integrated flow limiter 14 l/min in the shower outlet built-in non return valves dirt strainers protected against backflow covered S-unions GROHE EasyReach shower tray removable for easy cleaning chrome GROHE Water Saving - Less water, perfect flow			
				
	34 169 001	Chrome	4005176926518	294.85
	Grotherm 2000 Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) GROHE Water Saving - Less water, perfect flow			
				



GROHE

GROHTHERM 2000

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 446 001	Chrome	4005176926402	304.90
	Grohtherm 2000 Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) GROHE Water Saving - Less water, perfect flow integrated flow limiter 14 l/min in the shower outlet			
	34 170 001	Chrome	4005176926471	283.95
	Grohtherm 2000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting chrome plated union nuts GROHE Water Saving - Less water, perfect flow			
	34 464 001	Chrome	4005176926433	406.45
	Grohtherm 2000 Thermostatic bath/shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing GROHE EasyReach shower tray removable for easy cleaning GROHE Water Saving - Less water, perfect flow			

GROHE


GROHTHERM 2000

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 174 001	Chrome	4005176926426	368.34
	Grohtherm 2000 Thermostatic bath/shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) GROHE Water Saving - Less water, perfect flow			
 	34 466 001	Chrome	4005176926440	378.43
	Grohtherm 2000 Thermostatic bath/shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control shower bottom outlet 1/2" - diverter: bath/shower GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) integrated flow limiter 14 l/min in the shower outlet GROHE Water Saving - Less water, perfect flow			


GROHE

GROHTHERM 2000


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 484 001	Chrome	4005176932519	367.53
	Grohtherm 2000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow integrated flow limiter 14 l/min in the shower outlet GROHE Water Saving - Less water, perfect flow			



	34 176 001	Chrome	4005176926488	509.92
	Grohtherm 2000 Thermostatic bath/shower mixer 1/2" deck mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE Aqua Paddle ergonomically shaped handles GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - flow control - diverter: bath/shower - integrated (economy button with economy stop for shower) shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow pillar unions with covered fixing GROHE Water Saving - Less water, perfect flow			





	34 281 001	Chrome	4005176926501	481.87
	Grohtherm 2000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm 2000 thermostat shower mixer (34 469) Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)			



GROHE




GROHTHERM 2000

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 195 001	Chrome	4005176926631	368.34
	Grohtherm 2000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm 2000 thermostat shower mixer (34 469) Euphoria 110 Massage shower set, 600 mm (27 231 001)			
 	18 608 001	Chrome	4005176985140	51.89
	Grohtherm 2000 GROHE EasyReach shower tray metal tray removable for easy cleaning GROHE Long-Life finish suitable for Grohtherm 2000 - exposed thermostatic shower mixer with centre distance 150 mm - exposed thermostatic bath mixer with centre distance 150 mm			
	47 175 000	Chrome	4005176803895	155.01
	GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings			

GROHE




GROHTHERM CUBE

THERMOSTATS

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 491 000	Chrome	4005176940644	461.04
 Grohtherm Cube Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions GROHE EasyReach shower tray (18 700 000) removable for easy cleaning Da Vinci satin white finish GROHE Water Saving - Less water, perfect flow			
34 488 000	Chrome	4005176940620	416.83
 Grohtherm Cube Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions GROHE Water Saving - Less water, perfect flow			
34 509 000	Chrome	4005176941801	429.47
 Grohtherm Cube Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) shower bottom outlet 1/2" ceramic headpart 1/2", 180° built-in non return valves dirt strainers protected against backflow covered S-unions integrated flow limiter 14 l/min in the shower outlet GROHE Water Saving - Less water, perfect flow			

GROHE




GROHTHERM CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 502 000	Chrome	4005176940798	590.53
Grohtherm Cube Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions GROHE EasyReach shower tray (18 700 000) removable for easy cleaning Da Vinci satin white finish GROHE Water Saving - Less water, perfect flow				
 	34 497 000	Chrome	4005176940675	546.32
Grohtherm Cube Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions GROHE Water Saving - Less water, perfect flow				
 	34 508 000	Chrome	4005176941795	558.95
Grohtherm Cube Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions GROHE Water Saving - Less water, perfect flow				

GROHE


GROHTHERM CUBE


THERMOSTATS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	18 700 000	daVinci satin white	4005176940811	47.38
	Grotherm Cube GROHE EasyReach tray for Grotherm Cube removable for easy cleaning Da Vinci satin white finish suitable for Grotherm Cube - exposed thermostatic shower mixer with centre distance 150 mm - exposed thermostatic bath mixer with centre distance 150 mm			
	47 175 000	Chrome	4005176803895	155.01
	GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and Grotherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings			
 	24 153 000	Chrome	4005176481178	536.95
	24 153 DC0	supersteel	4005176574221	751.73
	24 153 AL0	brushed hard graphite	4005176585913	859.13
	Grotherm Cube Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
	 35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	24 154 000	Chrome	4005176481185	598.56
	24 154 DC0	supersteel	4005176574238	837.98
	24 154 AL0	brushed hard graphite	4005176585920	957.69
	Grotherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
	 35 604 000		4005176698774	78.23
	GROHE Rapido SmartBox universal rough-in box for concealed installation			

GROHE





GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	Chrome	4005176481192	598.56
24 155 DC0	supersteel	4005176574245	837.98
24 155 AL0	brushed hard graphite	4005176585937	957.69
  Grohtherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
 35 604 000 4005176698774 78.23 GROHE Rapido SmartBox universal rough-in box for concealed installation			

 	34 868 000 4005176791574 1,204.72 Grohtherm Cube Concealed shower system with Rainshower Mono 310 Cube Consisting of: concealed thermostatic shower mixer for 2 outlets with integrated shut off/ diverter valve (24 154) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower Mono 310 Cube head shower set (26 563) including horizontal shower arm 422 mm (26 145) Euphoria Cube Stick hand shower 1 spray (27 698) shower outlet elbow 1/2" with holder (26 659) Silverflex shower hose 1.500 mm (28 364) optional flow regulator 9.5 l/min included for hand shower and head shower
--	---

GROHE

GROHTHERM 1000 COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 430 000	Chrome	4005176917981	300.67
Grohtherm 1000 Cosmopolitan Thermostat shower mixer 3/4" GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1				
 	34 437 000	Chrome	4005176918025	313.03
Grohtherm 1000 Cosmopolitan Thermostatic shower mixer 3/4" with shower set Consisting of: Grohtherm 1000 Cosmopolitan M thermostatic shower mixer 3/4" (34 430 000) Euphoria Mono shower set (27 256 001) with GROHE DreamSpray recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1 Euphoria Shower set (27 256 001)				
 	34 448 000	Chrome	4005176919183	411.46
Grohtherm 1000 Cosmopolitan Thermostatic bath/shower mixer 3/4" GROHE Long-Life finish chromed scale rings GROHE SafeStop Plus , removable max. temperature stop at 46° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower shower bottom outlet 1/2" built-in non return valve dirt strainers protected against backflow without connection unions for wall mounting recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1				
 	34 519 000	Chrome	4005176998515	411.46
Grohtherm 1000 Cosmopolitan Thermostatic bath/shower mixer 1/2" GROHE Long-Life finish chromed scale rings GROHE SafeStop Plus , removable max. temperature stop at 46° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower shower bottom outlet 1/2" built-in non return valve dirt strainers protected against backflow without connection unions for wall mounting recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1				

GROHE


GROHTHERM 1000 COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 175 000	Chrome	4005176803895	155.01
	GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings			


GROHE

GROHTHERM 1000

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 814 003	Chrome	4005176695728	224.83
34 814 2433	matte black	4067393030232	292.29
Grohtherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition replaces Grohtherm 1000 thermostatic shower mixer 34 143 003			



	34 818 003	Chrome	4005176695766	228.88
Grohtherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions protected against backflow metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition				





	34 817 003	Chrome	4005176695759	219.41
Grohtherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting GROHE Water Saving - Less water, perfect flow professional edition				



GROHE


GROHTHERM 1000


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 816 003	Chrome	4005176695742	287.13
	34 816 2433	matte black	4067393030249	373.26
Grohtherm 1000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition replaces Grohtherm 1000 thermostatic bath mixer 34 155 003				
				


				
				
Grohtherm 1000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE TurboStat C3 compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition				


GROHE

GROHTHERM 1000

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		34 823 003 Chrome	4005176698613	281.70
Grohtherm 1000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" built-in non return valves mousseur dirt strainers protected against backflow without connection unions for wall mounting GROHE Water Saving - Less water, perfect flow professional edition				



		34 824 005 Chrome	4005176766367	261.63
Grohtherm 1000 Thermostatic shower mixer 1/2" with shower rail set 2 sprays (Rain, Jet) Consisting of: Grohtherm 1000 thermostatic shower mixer 1/2" (34 814) Tempesta Cube shower rail set, 900 mm (26 908) professional edition				

		34 820 005 Chrome	4005176766343	248.31
Grohtherm 1000 Thermostatic shower mixer 1/2" with shower rail set 2 sprays (Rain, Jet) Consisting of: Grohtherm 1000 thermostatic shower mixer 1/2" (34 814) Tempesta Cube shower rail set, 600 mm (26 748) professional edition				

		34 825 002 Chrome	4005176766350	252.37
Grohtherm 1000 Thermostatic shower mixer 1/2" with shower rail set 2 sprays (Rain, Jet) Consisting of: Grohtherm 1000 thermostatic shower mixer 1/2" (34 818) Tempesta Cube shower rail set, 600 mm (26 748) professional edition				

GROHE


GROHTHERM 1000

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		34 819 005	Chrome	4005176766329	252.37
		Grohtherm 1000 Thermostatic shower mixer 1/2" with shower rail set 2 sprays (Rain, Jet) Consisting of: Grohtherm 1000 thermostatic shower mixer 1/2" (34 817) without unions Tempesta Cube shower rail set, 600 mm (26 748) professional edition			
		34 822 005	Chrome	4005176766336	248.31
		Grohtherm 1000 Thermostatic shower mixer 1/2" with shower rail set 2 sprays (Rain, Jet) Consisting of: Grohtherm 1000 thermostatic shower mixer 1/2" (34 815) with centre distance 120 mm Tempesta Cube shower rail set, 600 mm (26 748) professional edition			
		47 175 000	Chrome	4005176803895	155.01
		GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings			


GROHE

GROHTHERM 1000 PERFORMANCE


Ref. No.	Colour	EAN	Retail Guide Price (£)
34 827 000	Chrome	4005176698651	205.01
34 827 KF0	phantom black	4067393018964	287.01



Grohtherm 1000 Performance
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow
professional edition




Grohtherm 1000 Performance
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow
professional edition





Grohtherm 1000 Performance
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
built-in non return valves
mousseur
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE Water Saving - Less water, perfect flow
professional edition

GROHE





GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
			34 832 000 Chrome	4005176698705 209.19
Grotherm 1000 Performance Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions protected against backflow metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition				

			34 833 000 Chrome	4005176698712 271.27
Grotherm 1000 Performance Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition				

			34 834 001 Chrome	4005176766381 236.62
Grotherm 1000 Performance Thermostatic shower mixer 1/2" with shower rail set 2 sprays (Rain, Jet) Consisting of: Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 827) Tempesta shower rail set, 600 mm (26 162) professional edition				

GROHE GROHTHERM 1000 PERFORMANCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 835 001	Chrome	4005176766428	240.13
			
34 836 001	Chrome	4005176766398	231.93
			
34 837 001	Chrome	4005176766404	231.93
			
34 838 001	Chrome	4005176766411	231.93
			




GROHE

GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 175 000	Chrome	4005176803895	155.01
	GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings			


GROHE


GROHTHERM 800 COSMOPOLITAN


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 765 000	Chrome	4005176612022	194.20
Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow				
 	34 767 000	Chrome	4005176612046	189.27
Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° built-in non return valves shower bottom outlet 1/2" dirt strainers protected against backflow without connection unions for wall mounting GROHE Water Saving - Less water, perfect flow				
 	34 771 000	Chrome	4005176612886	198.39
Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow				

GROHE

GROHTHERM 800 COSMOPOLITAN



Ref. No.	Colour	EAN	Retail Guide Price (£)
34 766 000	Chrome	4005176612039	253.02
  Grohtherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow			

34 770 000	Chrome	4005176612077	248.09
  Grohtherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting GROHE Water Saving - Less water, perfect flow			

34 772 000	Chrome	4005176612893	257.21
  Grohtherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow			

GROHE




GROHTHERM 800 COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 768 001	Chrome	4005176766435	225.61
Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" with shower rail set 2 sprays (Rain, Jet) Consisting of: Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765) Tempesta shower rail set, 600 mm (26 162) professional edition				
 	34 769 001	Chrome	4005176766442	231.18
Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" with shower rail set 2 sprays (Rain, Jet) Consisting of: Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765) Tempesta shower rail set, 900 mm (26 163) professional edition				
	47 175 000	Chrome	4005176803895	155.01
GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings				

THERMOSTATS




GROHE

GROHTHERM 800

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 558 000	Chrome	4005176310089	181.48
	Grohtherm 800 Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" dirt strainers built-in non return valves protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow			
	102202 243 0	matte black ditto, Professional exclusive	4067393018827	235.92
 	34 562 000	Chrome	4005176310102	185.55
	Grohtherm 800 Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow			
 	34 567 000	Chrome	4005176310157	235.66
	Grohtherm 800 Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow			
	102203 243 0	matte black ditto, Professional exclusive	4067393018834	306.36

GROHE

GROHTHERM 800

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 569 000	Chrome	4005176310171	239.72
	Grohtherm 800 Thermostatic bath mixer 1/2", 160cc wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow			
	34 566 002	Chrome	4005176766466	219.33
	Grohtherm 800 Thermostatic shower mixer 1/2" with shower rail set 2 sprays (Rain, Jet) Consisting of: Grohtherm 800 thermostatic shower mixer 1/2" (34 558) Tempesta shower rail set, 900 mm (26 163) professional edition			
	34 565 002	Chrome	4005176766459	215.37
	Grohtherm 800 Thermostatic shower mixer 1/2" with shower rail set 2 sprays (Rain, Jet) Consisting of: Grohtherm 800 thermostatic shower mixer 1/2" (34 558) Tempesta shower rail set, 600 mm (26 162) professional edition			
	47 175 000	Chrome	4005176803895	155.01
	GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings			

GROHE



GROHTHERM 500

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 793 000	Chrome	4005176632433	153.29
34 793 2430	matte black	4067393015901	199.28
 Grohtherm 500 Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE thermostatic cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton headpart 90° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition			

34 796 001	Chrome	4005176766473	187.98
 Grohtherm 500 Thermostatic shower mixer 1/2" with shower rail set 1 spray (Rain) Consisting of: Grohtherm 500 thermostatic shower mixer 1/2" (34 793) Tempesta shower rail set, 600 mm (27 924) professional edition			

34 797 001	Chrome	4005176766503	193.28
 Grohtherm 500 Thermostatic shower mixer 1/2" with shower rail set 1 spray (Rain) Consisting of: Grohtherm 500 thermostatic shower mixer 1/2" (34 793) Tempesta shower rail set, 900 mm (27 925) professional edition			


GROHE GROHTHERM 500

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 806 001	Chrome	4005176766497	192.31
	Grohtherm 500 Thermostatic shower mixer 1/2" with shower rail set for low pressure 1 spray (Rain) Consisting of: Grohtherm 500 thermostatic shower mixer 1/2" (34 793) Tempesta shower rail set, 600 mm (26 759) min. recommended pressure 0.5 bar to comply with EN1111 professional edition			
	34 808 001	Chrome	4005176766480	192.71
	Grohtherm 500 Thermostatic shower mixer 1/2" with shower rail set 1 spray (Rain) Consisting of: Grohtherm 500 thermostatic shower mixer 1/2" (34 795) Tempesta shower rail set, 600 mm (27 924) professional edition			

THERMOSTATS

GROHE THERMOSTATS (PHASE OUT)

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 835 000	Chrome	4005176698736	240.15



Grohtherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 827)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
optional **GROHE Water Saving** 5.7 l/min flow limiter included
professional edition

GROHE
CONCEALED SOLUTIONS






CONTENTS

Rough-in sets	372
GROHE Rapido SmartBox	374
GROHE Rapido	376
GROHE Rapido C / stop valves	377

MASTERPIECE OF **TECHNOLOGY**

GROHE RAPIDO SMARTBOX SYSTEM

With its universal solutions, our GROHE Rapido SmartBox System is the answer for everything. Never before has a rough-in from GROHE offered so many different options and so much flexibility and freedom. A wide selection of suitable trim sets and showers ensures that the style chosen for the bathroom extends seamlessly into the shower area. And seen from a practical angle, the slim, streamlined design makes cleaning faster and more convenient. GROHE SmartControl Concealed promises perfect shower control and is remarkable for its exceedingly flat design and clean, uncluttered look. Our two-handle thermostats are compact and space-saving, blending precise performance with a sleek, minimalistic appearance. Or take our single-lever mixers: a choice of models offering control of one, two or three functions and a range of stylish designs.





GROHE SMARTCONTROL

- Control up to three shower functions for a better shower experience
- Intuitive operation and perfect control of water volume through SmartControl
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower



TWO-HANDLE THERMOSTATS

- New trim range in round, square and cube style
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower
- 1-function and 2-function models available with GROHE AquaDimmer



SINGLE-LEVER MIXERS

- New trims in coordinated design for all GROHE bath lines
- 1-, 2- and 3-function models
- Slim wall plates with GROHE QuickFix system and slim diverters



GROHE RAPIDO SMARTBOX




OVERVIEW SINGLE-LEVER MIXER TRIM SETS

	1 function	2 functions	3 functions
Allure Brilliant	 24 071 000	 24 072 000	 24 099 000
Allure	 24 069 000	 24 070 000	
Atrio	 24 065 003	 24 066 003	 24 096 003
Grandera	 24 067 000	 24 068 000	
Lineare	 24 063 001	 24 064 001	 24 095 001
Eurocube	 24 061 000	 24 062 000	 24 094 000
GROHE Plus	 24 059 003	 24 060 003	 24 093 003

	1 function	2 functions	3 functions
Essence	 24 057 001	 24 058 001	 24 092 001
Eurodisc Cosmopolitan	 24 055 002	 24 056 002	
Concetto	 24 053 001	 24 054 001	
Eurostyle Cosmopolitan	 24 051 002	 24 052 002	
Eurostyle	 24 046 003	 24 047 003	
	 24 048 003	 24 049 003	
Eurosmart Cosmopolitan	 24 044 000	 24 045 000	
Eurosmart	 24 042 002	 24 043 002	

GROHE RAPIDO SMARTBOX

OVERVIEW TWO-HANDLE THERMOSTAT TRIM SETS

	1 function	2 functions shower/shower	2 functions bathtub/shower
Atrio	 24 134 003	 24 135 003	 24 138 003
Grohtherm Cube	 24 153 000	 24 154 000	 24 155 000
Grohtherm (square)	 24 078 000	 24 079 000	 24 080 000
Grohtherm (round)	 24 075 000	 24 076 000	 24 077 000

GROHE RAPIDO SMARTBOX

OVERVIEW SMARTCONTROL TRIM SETS

	1 function	2 functions		3 functions	4 functions
Grohtherm SmartControl round	 29 118 000	 29 119 000	 29 120 000	 29 121 000	 29 118 000 + 29 122 000
Grohtherm SmartControl square	 29 123 000	 29 124 000	 29 125 000	 29 126 000	 29 123 000 + 29 127 000
Grohtherm SmartControl glass round	 29 150 LS0	 29 151 LS0	 29 904 LS0	 29 150 LS0 + 29 152 LS0	
Grohtherm SmartControl glass square	 29 153 LS0	 29 156 LS0	 29 157 LS0	 29 153 LS0 + 29 158 LS0	
SmartControl Mixer round	 29 144 000	 29 145 000	 29 146 000		
SmartControl Mixer square	 29 147 000	 29 148 000	 29 149 000		

GROHE RAPIDO C / CONCEALED VALVES





OVERVIEW

	Rapido C stop-valve with pre-assembled ceramic headpart	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart
	35 028	29 800 / 29 802 / 29 805	29 801 / 29 803 / 29 804 / 29 806	29 811 / 29 813
Allure	 19 334 000	 19 334 000	 19 334 000	 19 334 000
Allure*	 19 384 000			
Allure Brilliant*	 19 796 000			
Atlanta	 19 841 000	 19 841 000	 19 841 000	 19 841 000
Atrio	 19 088 003	 19 088 003	 19 088 003	 19 088 003
	 19 069 003	 19 069 003	 19 069 003	 19 069 003







* Concealed valve 29 032 000 with longlife headpart can also be used

	Rapido C stop-valve with pre-assembled ceramic headpart	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart
	35 028	29 800 / 29 802 / 29 805	29 801 / 29 803 / 29 804 / 29 806	29 811 / 29 813
Brilliant				
	19 830 000 / 19 831 000	19 830 000 / 19 831 000	19 830 000 / 19 831 000	19 830 000 / 19 831 000
Costa				
	19 808 001 19 809 001	19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001
Eurocube				
	19 910 000	19 910 000	19 910 000	19 910 000
Grandera				
	19 944 000			
Grohtherm 3000 Cosmopolitan				
	19 470 000	19 470 000	19 470 000	19 470 000






GROHE ROUGH-IN SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		29 037 000 4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color	4005176865749	893.31
		29 037 002 4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve caps to cover screw fixations always come in chrome color	4005176519918	890.16
		29 033 000 5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass	4005176845338	300.64
		45 984 001 Chrome Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material	4005176992056	533.56


GROHE ROUGH-IN SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 571 000		4005176334276	269.58
Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve				
 	23 200 002		4005176519901	269.71
Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve				
 	23 429 000		4005176993695	279.16
Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve				
 	23 319 000		4005176931192	264.83
Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device				
 	29 025 002		4005176519895	281.62
Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve				





GROHE RAPIDO SMARTBOX

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	35 604 000		4005176698774	78.23
Rapido SmartBox Universal rough-in box, 1/2" 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixing options for solid walls and dry cladding gasket without set for final installation professional edition				
 	14 055 000		4005176413520	101.15
Backflow protection combination (DIN-EN1717) retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers				
 	14 053 00M	Chrome	4005176413513	39.92
Service stops fits Grohtherm SmartControl, SmartControl mixer and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox packaging unit: 2 pieces				
	47 790 000		4005176841491	64.86
Rapido connection set fits to Rapido T (35 050), Rapido E (35 501) and Rapido SmartBox (35 600/35 604) VA approved 2 pcs./unit				
 	14 048 000	Chrome	4005176413483	82.52
Rapido SmartBox Universal extension set single-lever mixers, 25 mm fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox				
 	14 056 000		4005176466298	93.15
Universal extension set single-lever mixers, 25 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox				








GROHE RAPIDO SMARTBOX

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	14 057 000		4005176466304	114.46
Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox				
	14 058 000	Chrome	4005176466311	45.25
Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with GROHE Rapido SmartBox				
	49 003 000	Chrome	4005176413537	219.66
GROHE TurboStat cartridge 3/4" for reversed inlets (hot water right) fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox service solution, does not comply with EN1111				

CONCEALED
SOLUTIONS







	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 961 000	Chrome	4005176119972	87.76
Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing fastening loops				
	33 962 000	Chrome	4005176119989	72.05
Single-lever mixer 1/2", concealed body for shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing fastening loops				
	33 963 000	Chrome	4005176128387	73.53
Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing				
	33 964 000	Chrome	4005176128394	57.82
Single-lever mixer 1/2", concealed body for shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing				

GROHE RAPIDO C / STOP VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	35 028 000		4005176908316	154.78
GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm				
 	29 800 000	Chrome	4005176504839	24.60
Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass				
	29 802 000	Chrome	4005176504853	45.54
ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"				
	29 805 000	Chrome	4005176504884	71.15
ditto, 1", pre-assembled headpart 1", thread union 1"				
 	29 801 000		4005176504846	24.60
Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass				
	29 804 000		4005176504877	45.54
ditto, soldered connection Ø 22 mm				
 	29 032 000		4005176845277	36.65
Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass				
 	19 830 000	Chrome	4005176030697	32.78
Atlanta Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing brilliant handle marking: blue (cold) GROHE Long-Life finish				


CONCEALED
SOLUTIONS

GROHE RAPIDO C / STOP VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 831 000	Chrome	4005176030703	32.78
Atlanta Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing brilliant handle marking: red (hot) GROHE Long-Life finish				
 	19 841 000	Chrome	4005176030765	38.28
Atlanta Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20 - 200 mm escutcheon with screwable wall sealing socket spanner GROHE Long-Life finish				
 	19 840 000	Chrome	4005176030758	30.17
Atlanta Concealed stop-valve trim for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing socket spanner GROHE Long-Life finish				
 	19 470 000	Chrome	4005176848018	77.44
Grohtherm 3000 Cosmopolitan Concealed stop-valve trim set for final installation for 35 028 000 GROHE Long-Life finish installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve				
 	29 811 000		4005176062711	22.34
Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass				
 	29 033 000		4005176845338	300.64
5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass				

GROHE RAPIDO C / STOP VALVES

Ref. No.	Colour	EAN	Retail Guide Price (£)
14 048 000	Chrome	4005176413483	82.52



Rapido SmartBox
Universal extension set single-lever mixers, 25 mm
fits Grohtherm SmartControl and SmartControl Mixer sets
for final installation with up to three functions in combination
with GROHE Rapido SmartBox

CONCEALED
SOLUTIONS

GROHE
SHOWERS





CONTENTS

GROHE Digital	F-digital Controllers	390
Shower Systems	Rainshower System SmartControl	391
	Rainshower SmartActive System	395
	Rainshower System	398
	Euphoria SmartControl System	399
	Euphoria Shower System	402
	Tempesta System 250	411
	Shower System Accessories	424
Head and side showers	Head Shower Sets	426
	Head Showers	435
	Accessories for Head Showers	443
	Side Showers	445
Showers	Rainshower SmartActive	447
	Rainshower	454
	Relaxa	455
	Euphoria	457
	Tempesta	466
	Tempesta Cube	474
	Tempesta-F Trigger Sprays	479
	Shower Hoses	481
	Shower Accessories	485
Phase out showers	Tempesta System available until 10/2024	495
	Tempesta available until 10/2024	498

GROHE SHOWERS

INNOVATIVE SPRAY TECHNOLOGY

GROHE's DreamSpray technology is at the heart of every GROHE shower. Boasting the finest quality materials and engineering, it incorporates innovation that helps you to enjoy an unparalleled showering experience.

The advanced shower engine inside the shower heads delivers the ultimate in precise and consistent water distribution to each individual nozzle. Whatever spray pattern you choose, for whatever your mood, you can be assured of sheer joy under the shower.

GETTING THE BEST SHOWER EXPERIENCE WITH JUST ONE SHOWER

While some types of shower gently caress the skin like summer rain, others give an invigorating massage. The new GROHE Rainshower 310 SmartActive showers combine the best of both worlds for a thoroughly satisfying shower every time.

DOUBLE THE PLEASURE

GROHE Rainshower 310 SmartActive showers use a special spray face to double the pleasure of showering. Oval water outlets arranged in a star-shaped pattern at the center of the spray face generate the vigorous GROHE ActiveRain. They are surrounded by an arrangement of nozzles producing the much more gentle PureRain spray. This means users can choose between a concentrated jet to loosen up tense muscles or rinse shampoo out of their hair and a rain shower softly enveloping their body. The shower can be energizing and invigorating or soothing and relaxing – or it can combine the two modes into a deeply satisfying shower session. To simplify switching between the different shower functions and combining them, GROHE offers the new SmartControl Concealed units, featuring intuitive push-and-turn button technology.

Discover all our other spray patterns here:





DRIZZLE SPRAYS

Revitalizing cool water mist acts like a fresh sea breeze.



WATERFALL XL SPRAYS

An extra wide spout creates the sensual pleasure of a waterfall in your own bathroom.



AQUACURTAIN

A wrap-around curtain of pure water invites you to dive into a different world.



PURE SPRAY

The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.



NORMAL SPRAY

A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.



JET SPRAY

A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.



RAIN SPRAY

Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.



ACTIVERAIN SPRAY

Innovative Spray to loosen up tense muscles or rinse shampoo out of your hair.



GROHE PURERAIN SPRAY

The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.



MASSAGE SPRAY

A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.



SMARTRAIN SPRAY

All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.



CHAMPAGNE SPRAY

Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.



GROHE RAIN O² SPRAY

A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.



DELUXE CHAMPAGNE SPRAY

An extra-rich spray bursting with soft water droplets.



GROHE BOKOMA SPRAY

Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.



GROHE TRIOMASSAGE SPRAY

The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.

GROHE RAINSHOWER SMARTACTIVE SPREAD HAPPINESS – DESIGNED TO MAKE YOU SMILE

LIFE IS FUN. AND SO IS SHOWERING.

Start or end your day with a great shower experience, one that leaves you refreshed, relaxed and smiling. The new premium Rainshower SmartActive hand shower offers three great spray patterns. It comes in a choice of sleek, minimalist shapes in round and square and two sizes – 130 mm and 150 mm – and with either a chrome-plated or white moulded spray face as well as a host of colour options.

Every aspect of the **GROHE Rainshower SmartActive** is designed to make you smile. From its fresh design to the colourful range and the one-touch switching between the three spray modes.



RIGHT IS JUST ONE CLICK AWAY.

The GROHE SmartTip controller on the back of the shower head lets you switch between spray patterns with just one click.



GROHE Rain
A soft and refreshing shower.



GROHE ActiveMassage
A moving spray reducing stress and tension.



GROHE Jet
The power shower after sports.



EUPHORIA SMARTCONTROL

YOUR TURN – YOUR SHOWER

We've put a lot of thought into our new GROHE Euphoria SmartControl shower system: the result is a range of features that make the Euphoria more convenient and more enjoyable to use. The shower arm has a swivel function that allows you to rotate the showerhead through 180° to achieve the perfect angle. And the fully adjustable shower holder allows the hand shower to be positioned individually at the ideal height.

We have made the sleek Grohtherm SmartControl body smaller and more compact to offer more space in the shower. And because we want you to enjoy your shower as quickly as possible, we came up with the GROHE QuickFix. This allows the position of the upper bracket to be altered during installation of the shower rail. The advantage: the upper bracket can be installed easily and quickly by utilising existing drilled holes.


Shower arm with swivel function



Fully adjustable shower glider:
lower, raise, tilt






Compact body



QuickFix shower
rail







GROHE RAINSHOWER SMARTCONTROL 3D SHOWERING – PUSH, TURN, SHOWER

Rainshower SmartControl – choose the spray, control the volume, save the settings. All with one control. Showering has just become an even more fluid experience. GROHE's unique SmartControl push-and-turn button technology takes the idea of comfortable showering to a new level and requires very little effort. The spray jet type can be directly selected by pressing the push button, meaning adjusting the jet disc is no longer necessary. In addition, personalised jet strength settings can be selected and saved for the desired spray jet type just by turning the button. Everything in one button = an innovative all-in-one solution.

What is more, GROHE SmartControl allows you to combine the different spray jet types in just a few steps. Try GROHE PureRain + TrioMassage, for example. Prefer to switch to hand shower? Not a problem! All it takes to activate it is pressing the push button. In short, just three buttons are enough to offer you a vast array of showering options. The new user-friendliness of GROHE SmartControl makes using water even more efficient and utterly convenient.


Additional features include: GROHE TurboStat technology, which ensures that the chosen temperature is reached and maintained within fractions of a second; the SafeStop button, which prevents the water temperature from being turned up beyond 38 degrees; GROHE CoolTouch, which keeps the outer surface of the thermostat at a temperature that is safe to touch; the GROHE Rainshower 360 XXL head shower; and last but not least an elegant organic design. Thanks to the clearly labelled EasyLogic design operating the thermostat becomes child's play and the EasyReach tray provides enough space for all your shower utensils.








GROHE



F-DIGITAL CONTROLLERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 309 000	Chrome	4005176894794	283.96
	F-digital Digital Controller Remote Controller for bath or shower additional multifunctional operating unit - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring GROHE Long-Life finish energy efficiency class illumination of control unit: not applicable			

 	36 078 000	Chrome	4005176856532	113.59
	Plug power supply 110-240 V operating voltage 6V cable length 400 mm			

GROHE RAINSHOWER SYSTEM SMARTCONTROL






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 250 000	Chrome	4005176316999	1,700.86
	Rainshower System SmartControl Duo 360 Shower system with thermostat for wall mounting Consisting of: horizontal 500 mm shower arm exposed SmartControl thermostat allows change between: head shower Rainshower Duo 360, spray plate chrome GROHE PureRain/GROHE Rain O ² spray* and TrioMassage hand shower Power&Soul 115, spray plate white (27 671) hand shower wall holder (27 055) Silverflex shower hose 1750 mm (28 388 000) min. recommended pressure 1.5 bar GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE Water Saving - Less water, perfect flow GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heaters from 18 kW/h TwistStop preventing the hose from twisting * to be decided during initial installation; factory default setting: GROHE PureRain			
 	26 250 LS0	moon white	4005176317002	1,700.86
	ditto, head shower with white spray plate			

 	26 361 000	Chrome	4005176347580	1,540.40
	Rainshower System SmartControl Mono 360 Shower system with thermostat for wall mounting Consisting of: horizontal 500 mm shower arm exposed SmartControl thermostat allows change between: head shower Rainshower Mono 360, spray plate chrome GROHE PureRain/GROHE Rain O ² spray* Power&Soul 130 hand shower, spray plate white (27 673) hand shower wall holder (27 055) Silverflex shower hose 1750 mm (28 388 000) min. recommended pressure 1.5 bar GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE Water Saving - Less water, perfect flow GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heaters from 18 kW/h TwistStop preventing the hose from twisting * to be decided during initial installation; factory default setting: GROHE PureRain			
 	26 361 LS0	moon white	4005176409707	1,540.40
	ditto, head shower with white spray plate			

GROHE RAINSHOWER SYSTEM SMARTCONTROL



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 443 000	Chrome	4005176409875	1,700.86
	Rainshower System SmartControl Duo 360 Combi shower system with thermostat, exposed/concealed Consisting of: exposed/concealed SmartControl thermostat allows change between: head shower Rainshower Duo 360 with horizontal 450 mm shower arm, spray plate chrome GROHE PureRain/GROHE Rain O² spray* and TrioMassage hand shower Power&Soul 115, spray plate white (27 671) hand shower wall holder (27 055) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1.5 bar GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE Water Saving - Less water, perfect flow GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting requires rough-in set 26 264and concealed unit 26 449 – all to be ordered separately * to be decided during initial installation; factory default setting: GROHE PureRain			
	26 443 LS0	moon white	4005176409882	1,700.86
	ditto, head shower with white spray plate			
	26 446 000	Chrome	4005176409905	1,540.40
	Rainshower System SmartControl Mono 360 Combi shower system with thermostat, exposed/concealed Consisting of: exposed/concealed SmartControl thermostat allows change between: head shower Rainshower Mono 360 with horizontal 450 mm shower arm, spray plate chrome GROHE PureRain/GROHE Rain O² spray* Power&Soul 130 hand shower, spray plate white (27 673) hand shower wall holder (27 055) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1.5 bar GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE Water Saving - Less water, perfect flow GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting requires rough-in set 26 264and concealed unit 26 449 – all to be ordered separately * to be decided during initial installation; factory default setting: GROHE PureRain			
	26 446 LS0	moon white	4005176409912	1,540.40
	ditto, head shower with white spray plate			

GROHE RAINSHOWER SYSTEM SMARTCONTROL


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 254 000	Chrome	4005176317026	706.02
	Rainshower Duo 360 Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower Duo 360, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 – to be ordered separately * to be decided during initial installation; factory default setting: GROHE PureRain			
	26 254 LS0	moon white	4005176409806	706.02
	ditto, head shower with white spray plate			
 	26 450 000	Chrome	4005176409813	609.74
	Rainshower Mono 360 Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower Mono 360, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O ² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 – to be ordered separately * to be decided during initial installation; factory default setting: GROHE PureRain			
	26 450 LS0	moon white	4005176409820	609.74
	ditto, head shower with white spray plate			
 	26 264 001		4005176417108	128.37
	Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information			
 	26 449 000		4005176409790	157.31
	Concealed body for exposed/concealed variants wall mounted 2 outlets 1/2" installation depth 75-105 mm flushing plug wall sealing installation device			
 	48 349 000	Chrome	4005176409851	115.54
	Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE Long-Life finish			


GROHE

RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	48 350 000	Chrome	4005176409868	141.20
	Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE Long-Life finish Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI			
 	26 385 000	Chrome	4005176375057	17.06
	Rainshower SmartControl Spacer for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable			


GROHE RAINSHOWER SMARTACTIVE SYSTEM


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 648 000	Chrome	4005176533020	946.16
	Rainshower SmartActive 310 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Rainshower Mono 310 with ball joint rotation angle $\pm 15^\circ$ hand shower Rainshower SmartActive 130 adjustable height via gliding element including performance grip Silverflex shower hose 1750 mm GROHE Water Saving 9.5 l/min flow limiter GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE CoolTouch prevents scalding on hot surfaces GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life finish GROHE FastFixation upper bracket adjustable SpeedClean anti-limescale system suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.			
				
	22 119 KF0	phantom black	4005176782510	1,324.61
	ditto, Professional exclusive			
	26 647 000	Chrome	4005176533013	946.16
	ditto, with non-restricted flow			

	26 648 LSO	moon white	4005176533068	1,088.08
	Rainshower SmartActive 310 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Rainshower Mono 310 with ball joint rotation angle $\pm 15^\circ$ hand shower Rainshower SmartActive 130 adjustable height via gliding element including performance grip Silverflex shower hose 1750 mm GROHE Water Saving 9.5 l/min flow limiter GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE CoolTouch prevents scalding on hot surfaces GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life finish GROHE FastFixation upper bracket adjustable SpeedClean anti-limescale system suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.			
				
	26 647 LSO	moon white	4005176533051	1,088.08
	ditto, with non-restricted flow			

GROHE


RAINSHOWER SMARTACTIVE SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 652 000	Chrome	4005176533044	946.16
	Rainshower SmartActive 310 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Rainshower Mono 310 Cube with ball joint rotation angle $\pm 15^\circ$ hand shower Rainshower SmartActive 130 Cube adjustable height via gliding element including performance grip Silverflex shower hose 1750 mm GROHE Water Saving 9.5 l/min flow limiter GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE CoolTouch prevents scalding on hot surfaces GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life finish GROHE FastFixation upper bracket adjustable SpeedClean anti-limescale system suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.			
				
	26 837 GL0	cool sunrise	4005176950155	1,513.85
	26 837 DA0	warm sunset	4005176950148	1,513.85
	ditto, DR-brass, Professional exclusive			
	26 649 000	Chrome	4005176533037	946.16
	ditto, with non-restricted flow			

	26 657 000	Chrome	4005176533075	1,088.08
	Rainshower SmartActive 310 Shower system with bath thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Rainshower Mono 310 with ball joint rotation angle $\pm 15^\circ$ bath inlet separate diverter for hand shower hand shower Rainshower SmartActive 130 adjustable height via gliding element including performance grip Silverflex shower hose 1750 mm GROHE Water Saving 9.5 l/min flow limiter GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE CoolTouch prevents scalding on hot surfaces GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life finish GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.			
				


GROHE


RAINSHOWER SMARTACTIVE SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 968 001	Chrome	4005176533006	1,150.26
	Rainshower SmartActive 310 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Rainshower Cosmopolitan 310 material: metal with ball joint rotation angle ± 15° hand shower Rainshower SmartActive 130 adjustable height via gliding element Silverflex shower hose 1750 mm GROHE Water Saving 9.5 l/min flow limiter GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE CoolTouch prevents scalding on hot surfaces GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life finish GROHE FastFixation upper bracket adjustable SpeedClean anti-limescale system suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.			
	27 966 001	Chrome	4005176532993	1,150.26
	ditto, with non-restricted flow			


SHOWERS

GROHE RAINSHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 174 001	Chrome	4005176877162	1,322.77
 			
Rainshower System 400 Shower system with thermostat for wall mounting horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: Rainshower Cosmopolitan 400 head shower material: metal with ball joint rotation angle $\pm 20^\circ$ metal stick hand shower adjustable height via gliding element metal shower hose 1750 mm GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			

27 058 000	Chrome	4005176830464	815.06
 			
Rainshower System 210 Shower system with diverter for wall mounting horizontal swivable 450 mm projection shower arm change between hand and head shower by using the diverter Rainshower Cosmopolitan 210 metal head shower with ball joint rotation angle $\pm 15^\circ$ metal stick hand shower adjustable height via gliding element connection to water supply with 1/2"-thread of the 800 mm shower hose to faucet / wall union GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			


GROHE EUPHORIA SMARTCONTROL SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 507 000 ★	Chrome	4005176457586	1,085.69
	26 507 LS0	moon white	4005176457609	1,254.21
	26 507 DC0 ★	supersteel	4005176526374	1,628.54
	26 507 GL0 ★	cool sunrise	4005176557477	1,845.67
	26 507 GN0 ★	brushed cool sunrise	4005176557484	1,954.23
	26 507 DA0 ★	warm sunset	4005176557446	1,845.67
	26 507 DL0 ★	brushed warm sunset	4005176557453	1,954.23
	26 507 A00	hard graphite	4005176557415	1,845.67
	26 507 AL0 ★	brushed hard graphite	4005176557422	1,954.23
	Euphoria SmartControl System 310 Duo Shower system with thermostat for wall mounting Consisting of: horizontal 450 mm shower arm upper bracket adjustable for minimal adaption to existing drilling holes exposed SmartControl thermostat allows change between: head shower Rainshower SmartActive 310 2 spray patterns: GROHE PureRain, ActiveRain hand shower Euphoria 110 Massage, spray plate white (27 221 001) 3 spray patterns: Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE Water Saving - Less water, perfect flow GROHE SafeStop safety button at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.			
	22 120 KF0	phantom black	4005176782527	1,519.96
ditto, Professional exclusive				

SHOWERS


GROHE EUPHORIA SMARTCONTROL SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 508 000	Chrome	4005176457593	1,085.69
	26 508 LS0	moon white	4005176457616	1,254.21
	26 508 DC0	supersteel	4005176526367	1,628.54
	26 508 GL0	cool sunrise	4005176557552	1,737.10
	26 508 GN0	brushed cool sunrise	4005176557569	1,954.23
	26 508 DA0	warm sunset	4005176557521	1,737.10
	26 508 DL0	brushed warm sunset	4005176557538	1,954.23
	26 508 A00	hard graphite	4005176557491	1,845.67
	26 508 AL0	brushed hard graphite	4005176557507	1,954.23




Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE Water Saving - Less water, perfect flow
GROHE Long-Life finish
GROHE SafeStop safety button at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.


	26 608 000	Chrome	4005176518577	1,032.60
	Euphoria SmartControl System 260 Mono			
	Shower system with bath thermostat for wall mounting			
	Consisting of:			
	horizontal swivable 450 mm projection shower arm			
	upper bracket adjustable for minimal adaption to existing drilling holes			
	exposed SmartControl bath thermostat			
	allows change between:			
	head shower Euphoria 260 (26 455)			




Euphoria SmartControl System 260 Mono
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermoelement
GROHE Water Saving - Less water, perfect flow
GROHE SafeStop safety button at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
GROHE ProGrip with knurl structure


GROHE EUPHORIA SMARTCONTROL SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 509 000	Chrome	4005176457623	942.04
	Euphoria SmartControl System 260 Mono Shower system with thermostat for wall mounting Consisting of: horizontal 450 mm shower arm upper bracket adjustable for minimal adaption to existing drilling holes exposed SmartControl thermostat allows change between: head shower Euphoria 260 (26 455) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage, spray plate white (27 221 001) 3 spray patterns: Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE Water Saving - Less water, perfect flow GROHE SafeStop safety button at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.			

	26 510 000	Chrome	4005176457630	1,096.74
	Euphoria SmartControl System 260 Mono Shower system with bath thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm upper bracket adjustable for minimal adaption to existing drilling holes exposed SmartControl bath thermostat allows change between: head shower Euphoria 260 (26 455) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle $\pm 15^\circ$ bath inlet hand shower Euphoria 110 Massage, spray plate white (27 221 001) 3 spray patterns: Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE Water Saving - Less water, perfect flow GROHE SafeStop safety button at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.			

GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 075 001	★ Chrome	4005176648014	661.48
Euphoria System 310 Shower system with thermostatic mixer for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Rainshower Mono 310 (26 561) spray pattern: GROHE PureRain with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 221 000) 3 spray patterns: Rain, Massage, SmartRain adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE CoolTouch prevents scalding on hot surfaces GROHE MetalGrip ergonomically shaped metal handles GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE SprayDimmer (Stepless flow rate reduction) GROHE FastFixation upper bracket adjustable Inner WaterGuide for a longer life SpeedClean anti-limescale system TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362) professional edition				

 	26 075 DC0	★ supersteel	4005176371219	1,096.18
	26 075 GL0	★ cool sunrise	4005176425332	1,252.77
	26 075 GN0	★ brushed cool sunrise	4005176425349	1,331.08
	26 075 DA0	★ warm sunset	4005176425356	1,252.77
	26 075 DL0	★ brushed warm sunset	4005176425363	1,331.08
	26 075 A00	★ hard graphite	4005176425387	1,252.77
	26 075 AL0	★ brushed hard graphite	4005176425370	1,331.08
Euphoria System 310 Shower system with thermostatic mixer for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 221 000) 3 spray patterns: Rain, Massage, SmartRain adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE MetalGrip ergonomically shaped metal handles GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE SprayDimmer (Stepless flow rate reduction) Inner WaterGuide for a longer life SpeedClean anti-limescale system TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362)				


GROHE EUPHORIA SHOWER SYSTEM


	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		26 723 000	Chrome	4005176648021	661.48
	Euphoria System 310 Shower system with thermostatic mixer for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Rainshower Mono 310 (26 562) spray pattern: GROHE PureRain with ball joint rotation angle ± 15° hand shower Euphoria 110 Massage (27 239 000) 3 spray patterns: Rain, Massage, SmartRain adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE CoolTouch prevents scalding on hot surfaces GROHE MetalGrip ergonomically shaped metal handles GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE SprayDimmer (Stepless flow rate reduction) GROHE Water Saving 9.5 l/min flow limiter GROHE FastFixation upper bracket adjustable Inner WaterGuide for a longer life SpeedClean anti-limescale system TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362) professional edition				
		27 296 003	Chrome	4005176647963	574.44
	Euphoria System 260 Shower system with thermostatic mixer for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Euphoria 260 (26 455) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle ± 15° hand shower Euphoria 110 Massage (27 221 000) 3 spray patterns: Rain, Massage, SmartRain adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE CoolTouch prevents scalding on hot surfaces GROHE ProGrip with knurl structure GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE SprayDimmer (Stepless flow rate reduction) GROHE FastFixation upper bracket adjustable Inner WaterGuide for a longer life SpeedClean anti-limescale system TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362) professional edition				

green SKU: energy and water saving | ★ priority track with shorter lead time | Errors and omissions excepted | Suitable for High Pressure only, unless otherwise stated


403


GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 615 002	Chrome	4005176647970	574.44
	27 615 KF2	phantom black	4067393030218	804.23
Euphoria System 260 Shower system with thermostatic mixer for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 239 000) 3 spray patterns: Rain, Massage, SmartRain adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE CoolTouch prevents scalding on hot surfaces GROHE ProGrip with knurl structure GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE SprayDimmer (Stepless flow rate reduction) GROHE Water Saving 9.5 l/min flow limiter GROHE FastFixation upper bracket adjustable Inner WaterGuide for a longer life SpeedClean anti-limescale system TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362) professional edition				
				


			27 475 002	Chrome	4005176647840	724.85
		Euphoria System 260 Shower system with bath thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle $\pm 15^\circ$ bath inlet separate diverter for hand shower hand shower Euphoria 110 Massage (27 239 000) 3 spray patterns: Rain, Massage, SmartRain adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE SprayDimmer (Stepless flow rate reduction) GROHE Water Saving 9.5 l/min flow limiter GROHE FastFixation upper bracket adjustable Inner WaterGuide for a longer life SpeedClean anti-limescale system TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. professional edition				


GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 087 000	Chrome	4005176940828	1,296.83
	Euphoria Cube System 230 Shower system with thermostatic mixer for wall mounting shower arm projection 400 mm exposed thermostatic shower with Aquadimmer function allows change between: Rainshower head shower (27 479 000) material: metal Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria Cube (27 699) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE Water Saving - Less water, perfect flow GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system TwistStop preventing the hose from twisting minimum flow rate 7 l/min.			



	26 187 000	Chrome	4005176310744	821.94
	Euphoria System 230 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower 230 (27 479 000) material: metal Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria Cube Stick (27 698 000) adjustable height via gliding element (12 140 000) Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting GROHE MetalGrip ergonomically shaped metal handles suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362)			

GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 964 000	Chrome	4005176929595	733.56
	Euphoria System 210 Shower system with thermostat for wall mounting horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: metal head shower Rainshower Cosmopolitan 210 (28 368 000) Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 221 000) 3 spray patterns: Rain, Massage, SmartRain adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE MetalGrip ergonomically shaped metal handles GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362)			



	26 383 000	Chrome	4005176369025	733.56
	Euphoria System 210 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm GROHE MetalGrip ergonomically shaped metal handles exposed thermostatic shower with Aquadimmer function allows change between: Rainshower Cosmopolitan 210 metal head shower Rain spray pattern GROHE Water Saving 12 l/min flow limiter with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage GROHE Water Saving 9.5 l/min flow limiter adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) minimum flow rate 7 l/min. GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE TurboStat compact cartridge with wax thermoelement SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h optional upgrade: GROHE EasyReach tray (26 362)			


GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 296 001	Chrome	4005176896293	520.44
	Euphoria System 180 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Euphoria Cosmopolitan 180 (27 491 000), Rain spray pattern with ball joint, rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 221 000) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362)			
	27 932 000	Chrome	4005176924231	586.25
	Euphoria System 150 Shower system with thermostatic mixer for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Euphoria Cube 150 (27 705 000) Rain spray pattern with ball joint rotation angle $\pm 12^\circ$ hand shower Euphoria Cube Stick (27 698 000) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE Water Saving 9.5 l/min flow limiter GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362)			


SHOWERS


GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 475 001	Chrome	4005176417863	705.09
Euphoria System 260 Shower system with bath thermostat for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle ± 15° bath inlet separate diverter for hand shower hand shower Euphoria 110 Massage (27 239 000) 3 spray patterns: Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE Water Saving 9.5 l/min flow limiter GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE SprayDimmer (Stepless flow rate reduction) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.				
				


	26 243 000	Chrome	4005176316326	586.25
Euphoria Shower System Shower system with bath thermostat for wall mounting with short shower rail for installation in showers Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function separate diverter for hand shower gliding element Silverflex shower hose 1750 mm (28 388 000) distance between thermostat and upper bracket: 1016 mm GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE Long-Life finish Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.				
				


GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 058 003	Chrome	4005176313790	733.56
Euphoria Eurodisc Cosmopolitan System 210 Shower system with single lever for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed single-lever shower mixer with diverter allows change between: metal head shower Rainshower Cosmopolitan 210 (28 368 000) Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria Cosmopolitan Stick (27 400) Rain spray pattern adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE SilkMove 46 mm ceramic cartridge GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.				
				


	23 147 001	Chrome	4005176313271	1,152.41
Euphoria Cube System 230 Shower system with single lever for wall mounting Consisting of: shower arm projection 400 mm exposed single-lever shower mixer with diverter allows change between: Rainshower 230 metal head shower (27 479) Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria Cube Stick (27 698 000) Rain spray pattern adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE SilkMove 35 mm ceramic cartridge GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.				
				


GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 421 002	Chrome	4005176417924	500.27
	Euphoria System 260 Shower system with diverter for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm change between hand and head shower by using the diverter head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 239 000) 3 spray patterns: Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) Silverflex shower hose 800 mm connection to water supply with 1/2"-thread of the 800 mm shower hose to faucet / wall union GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE SprayDimmer (Stepless flow rate reduction) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 0.2 bar			


	27 696 000	Chrome	4005176907074	799.09
	Euphoria Cube System 150 Shower system with diverter for wall mounting Consisting of: shower arm projection 400 mm change between hand and head shower by using the diverter head shower Euphoria Cube 152 mm x 152 mm Rain spray pattern with ball joint rotation angle $\pm 20^\circ$ hand shower Euphoria Cube Stick (27 698 000) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) Silverflex shower hose 800 mm connection to water supply with 1/2"-thread of the 800 mm shower hose to faucet / wall union GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.			


GROHE TEMPESTA SYSTEM 250

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 670 001	Chrome	4005176766879	465.77
	Tempesta System 250 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Tempesta 250 (26 666) spray pattern: Rain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ hand shower Tempesta 110 (27 597) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 8.5 l/min GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 7.3 l/min GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362) professional edition			
	26 670 2431	matte black	4067393015970	605.50
	ditto, head shower with black rear cover			


	26 671 001	Chrome	4005176766886	493.34
	Tempesta System 250 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm upper bracket adjustable for minimal adaption to existing drilling holes exposed thermostatic shower with Aquadimmer function allows change between: head shower Tempesta 250 (26 666) spray pattern: Rain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ hand shower Tempesta 110 (26 161) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 8.5 l/min GROHE Water Saving - Less water, perfect flow GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 50°C included GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362) professional edition			
				


GROHE TEMPESTA SYSTEM 250

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 833 001	Chrome	4005176766893	465.77
Tempesta System 250 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Tempesta 250 (26 666) spray pattern: Rain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ hand shower Tempesta 110 (27 597) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 8.5 l/min GROHE Water Saving - Less water, perfect flow GROHE TurboStat compact cartridge with wax thermostatic element GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362) DR-brass professional edition				
				



		26 818 001 Chrome 4005176766909 420.54 Tempesta System 250 Shower system with thermostat 160 cc for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function centre distance 160 mm allows change between: head shower Tempesta 250 (26 666) spray pattern: Rain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ hand shower Tempesta 110 (27 597) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaFlexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 8.5 l/min GROHE Water Saving - Less water, perfect flow GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE FastFixation upper bracket, +40 / -100 mm height adjustable and up to 36 mm depth adjustable ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. integrated flow elements for improved performance with higher pressure differences between hot and cold water supply professional edition
---	---	--



GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 811 001	Chrome	4005176766985	345.58
			
			
Tempesta System 210 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Tempesta 210 (26 410) spray plate white spray pattern: Rain with ball joint rotation angle $\pm 15^\circ$ hand shower Tempesta 110 (27 923) spray pattern: Rain adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 7.9 l/min GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362)			


26 699 001	Chrome	4005176766992	354.13
			
			
Tempesta System 210 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Tempesta 210 (26 410) spray plate white spray pattern: Rain with ball joint rotation angle $\pm 15^\circ$ hand shower Tempesta 110 (27 923) spray pattern: Rain adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 8.7 l/min GROHE Water Saving - Less water, perfect flow GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362)			


GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 302 002	Chrome	4005176767005	354.13
			
			
Tempesta System 210 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Tempesta 210 (26 408) spray pattern: Rain with ball joint rotation angle $\pm 15^\circ$ hand shower Tempesta 110 (28 422) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 17.3 l/min GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362)			


26 672 001	Chrome	4005176766916	603.57
			
			
Tempesta System 250 Shower system with bath thermostat for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Tempesta 250 (26 666) spray pattern: Rain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ bath inlet separate diverter for hand shower hand shower Tempesta 110 (27 597) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 20 l/min GROHE Water Saving - Less water, perfect flow GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. professional edition			


GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 978 001	Chrome	4005176766923	592.24
			
			
Tempesta System 250 Shower system with bath thermostat for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Tempesta 250 (26 666) spray pattern: Rain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ bath inlet separate diverter for hand shower hand shower Tempesta 110 (27 597) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 8 l/min GROHE Water Saving - Less water, perfect flow GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. professional edition			


26 673 001	Chrome	4005176766930	424.43
			
			
Tempesta System 250 Shower system with single lever for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed single-lever shower mixer with diverter allows change between: head shower Tempesta 250 (26 666) spray pattern: Rain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ hand shower Tempesta 110 (27 597) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 7.3 l/min GROHE Water Saving - Less water, perfect flow GROHE SilkMove 46 mm ceramic cartridge GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 0.2 bar professional edition			


GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 674 001	Chrome	4005176766947	562.24
  Tempesta System 250 Shower system with single lever bath mixer for wall mounting with short shower rail for installation in showers Consisting of: horizontal 355 mm shower arm exposed single-lever bath mixer with diverter handle allows change between: head shower Tempesta 250 (26 666) spray pattern: Rain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ bath inlet separate diverter for hand shower hand shower Tempesta 110 (28 419) 3 spray patterns: Rain, Jet, Massage adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 8.7 l/min GROHE Water Saving - Less water, perfect flow GROHE SilkMove 46 mm ceramic cartridge GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 0.2 bar professional edition			


26 305 002	Chrome	4005176767043	479.63
  Tempesta System 200 Shower system with single lever bath mixer for wall mounting with short shower rail for installation in showers Consisting of: horizontal 355 mm shower arm exposed single-lever shower mixer with diverter allows change between: head shower Tempesta Cosmopolitan 200 (27 541) spray pattern: Rain with ball joint rotation angle $\pm 20^\circ$ bath inlet separate diverter for hand shower hand shower Tempesta 110 (28 261) 3 spray patterns: Rain, Jet, Massage adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) distance between single-lever mixer and upper bracket: 1011 mm maximum flow rate (at 3 bar): 13.5 l/min GROHE SilkMove 46 mm ceramic cartridge GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 0.2 bar			


GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 675 001	Chrome	4005176766954	281.41
  Tempesta System 250 Flex shower system with diverter for wall mounting Consisting of: horizontal 390 mm shower arm, adjustable before installation change by diverter between hand shower, head shower or head shower Eco setting head shower Tempesta 250 (26 666) 2 spray patterns (via diverter): Rain, SmartRain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ hand shower Tempesta 110 (28 419) 3 spray patterns: Rain, Jet, Massage adjustable height via gliding element distance between diverter and upper bracket: 920 mm shower hose Relexaflex 1500 mm (28 151) Relexaflex shower hose 500 mm (22 115) flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 500 mm shower hose maximum flow rate (at 3 bar): 7.9 l/min GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 0.2 bar professional edition			

26 979 001	Chrome	4005176766961	281.41
  Tempesta System 250 Flex shower system with diverter for wall mounting Consisting of: horizontal 390 mm shower arm, adjustable before installation change by diverter between hand shower, head shower or head shower Eco setting head shower Tempesta 250 (26 666) 2 spray patterns (via diverter): Rain, SmartRain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ hand shower Tempesta 110 (26 912) 2 spray patterns: Rain, Jet adjustable height via gliding element distance between diverter and upper bracket: 920 mm shower hose Relexaflex 1500 mm (28 151) Relexaflex shower hose 500 mm (22 115) flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 500 mm shower hose maximum flow rate (at 3 bar): 7.5 l/min GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 0.2 bar professional edition			

GROHE TEMPESTA SYSTEM 250


Ref. No.	Colour	EAN	Retail Guide Price (£)
26 980 001	Chrome	4005176766978	272.78
			
			
Tempesta System 250 Flex shower system with diverter for wall mounting Consisting of: horizontal 390 mm shower arm, adjustable before installation change by diverter between hand shower, head shower or head shower Eco setting head shower Tempesta 250 (26 666) 2 spray patterns (via diverter): Rain, SmartRain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ hand shower Tempesta 110 (28 419) 3 spray patterns: Rain, Jet, Massage adjustable height via gliding element distance between diverter and upper bracket: 620 mm shower hose Relexaflex 1500 mm (28 151) shower hose Relexaflex 1250 mm (28 150) flexible installation: connection to tap / wall union for water supply with 1/2" thread of the 1250 mm shower hose maximum flow rate (at 3 bar): 7.9 l/min GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 0.2 bar professional edition			

26 452 002	Chrome	4005176767067	265.38
			
			
Tempesta System 200 Flex shower system with diverter for wall mounting Consisting of: horizontal 390 mm shower arm, adjustable before installation change by diverter between hand shower, head shower or head shower Eco setting head shower Tempesta Cosmopolitan 200 (27 541) 2 spray patterns (via diverter): Rain, SmartRain with ball joint rotation angle $\pm 15^\circ$ hand shower Tempesta 110 (28 261) 3 spray patterns: Rain, Jet, Massage adjustable height via gliding element distance between diverter and upper bracket: 920 mm shower hose Relexaflex 1500 mm (28 151) Relexaflex shower hose 500 mm (22 115) flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 500 mm shower hose maximum flow rate (at 3 bar): 9.5 l/min GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7 l/min.			

GROHE TEMPESTA SYSTEM 250


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

27 389 003	Chrome	4005176767081	247.50
------------	--------	---------------	--------



Tempesta System 200
Flex shower system with diverter for wall mounting
Consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower or head shower Eco setting
head shower Tempesta Cosmopolitan 200 (27 541)
spray pattern:
Rain
with ball joint
rotation angle $\pm 15^\circ$
hand shower Tempesta 110 (28 261)
3 spray patterns:
Rain, Jet, Massage
adjustable height via gliding element
distance between diverter and upper bracket: 620 mm
shower hose Relexaflex 1500 mm (28 151)
shower hose Relexaflex 1250 mm (28 150)
flexible installation: connection to tap / wall union for water supply with 1/2" thread of the 1250 mm shower hose
maximum flow rate (at 3 bar): 9.5 l/min
GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option
GROHE DreamSpray perfect spray pattern
ShockProof silicone ring prevents damage caused by a shower falling
GROHE Long-Life finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7 l/min.


26 689 001	Chrome	4005176766176	465.77
------------	--------	---------------	--------





Tempesta System 250 Cube
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle $\pm 10^\circ$
hand shower Tempesta Cube 110 (27 571)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)
maximum flow rate (at 3 bar): 7.3 l/min
GROHE Water Saving - Less water, perfect flow
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option
GROHE DreamSpray perfect spray pattern
ShockProof silicone ring prevents damage caused by a shower falling
GROHE Long-Life finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

GROHE TEMPESTA SYSTEM 250


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 690 001	Chrome	4005176766183	493.34
	Tempesta System 250 Cube Shower system with thermostat for wall mounting NF, C3 Consisting of: horizontal swivable 390 mm projection shower arm upper bracket adjustable for minimal adaption to existing drilling holes exposed thermostatic shower with Aquadimmer function allows change between: head shower Tempesta 250 Cube (26 685) spray pattern: Rain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ hand shower Tempesta Cube 110 (26 746) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 8.5 l/min GROHE Water Saving - Less water, perfect flow GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 50°C included GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362) professional edition			




	26 691 001	Chrome	4005176766206	603.57
	Tempesta System 250 Cube Shower system with bath thermostat for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Tempesta 250 Cube (26 685) spray pattern: Rain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ bath inlet separate diverter for hand shower hand shower Tempesta Cube 110 (27 571) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 20 l/min GROHE Water Saving - Less water, perfect flow GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. professional edition			





GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 975 001	Chrome	4005176766213	592.24
 Tempesta System 250 Cube Shower system with bath thermostat for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Tempesta 250 Cube (26 685) spray pattern: Rain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ bath inlet separate diverter for hand shower hand shower Tempesta Cube 110 (27 571) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 8 l/min GROHE Water Saving - Less water, perfect flow GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. professional edition			


26 692 001	Chrome	4005176766220	424.43
 Tempesta System 250 Cube Shower system with single lever for wall mounting Consisting of: horizontal swivable 390 mm shower arm (14 047) exposed single-lever shower mixer with diverter allows change between: head shower Tempesta 250 Cube (26 685) spray pattern: Rain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ hand shower Tempesta Cube 110 (27 571) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 7.3 l/min GROHE Water Saving - Less water, perfect flow GROHE SilkMove 46 mm ceramic cartridge GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 0.2 bar professional edition			


GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 693 001	Chrome	4005176766237	562.24
			
			
Tempesta System 250 Cube Shower system with single lever bath mixer for wall mounting with short shower rail for installation in showers Consisting of: horizontal 355 mm shower arm exposed single-lever bath mixer with diverter handle allows change between: head shower Tempesta 250 Cube (26 685) spray pattern: Rain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ bath inlet separate diverter for hand shower hand shower Tempesta Cube 110 (27 574) 3 spray patterns: Rain, Jet, Massage adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) maximum flow rate (at 3 bar): 8.7 l/min GROHE Water Saving - Less water, perfect flow GROHE SilkMove 46 mm ceramic cartridge GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 0.2 bar professional edition			






26 694 001	Chrome	4005176766244	281.41
			
			
Tempesta System 250 Cube Flex shower system with diverter for wall mounting diverter Consisting of: horizontal 390 mm shower arm, adjustable before installation change by diverter between hand shower, head shower or head shower Eco setting head shower Tempesta 250 Cube (26 685) 2 spray patterns (via diverter): Rain, SmartRain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ hand shower Tempesta Cube 110 (27 574) 3 spray patterns: Rain, Jet, Massage adjustable height via gliding element distance between diverter and upper bracket: 920 mm shower hose Relexaflex 1500 mm (28 151) Relexaflex shower hose 500 mm (22 115) flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 500 mm shower hose maximum flow rate (at 3 bar): 8.7 l/min GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 0.2 bar professional edition			

GROHE TEMPESTA SYSTEM 250



Ref. No.	Colour	EAN	Retail Guide Price (£)
26 976 001	Chrome	4005176766251	281.41
 Tempesta System 250 Cube Flex shower system with diverter for wall mounting Consisting of: horizontal 390 mm shower arm, adjustable before installation change by diverter between hand shower, head shower or head shower Eco setting head shower Tempesta 250 Cube (26 685) 2 spray patterns (via diverter): Rain, SmartRain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ hand shower Tempesta Cube 110 (26 902) 2 spray patterns: Rain, Jet adjustable height via gliding element distance between diverter and upper bracket: 920 mm shower hose Relexaflex 1500 mm (28 151) shower hose Relexaflex 1250 mm (28 150) flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 500 mm shower hose maximum flow rate (at 3 bar): 7.5 l/min GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish ShockProof silicone ring prevents damage caused by a shower falling SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 0.2 bar professional edition			

26 977 001	Chrome	4005176766862	272.78
 Tempesta System 250 Cube Flex shower system with diverter for wall mounting Consisting of: horizontal 390 mm shower arm, adjustable before installation change by diverter between hand shower, head shower or head shower Eco setting head shower Tempesta 250 Cube (26 685) 2 spray patterns (via diverter): Rain, SmartRain head shower with white rear cover with ball joint rotation angle $\pm 10^\circ$ hand shower Tempesta Cube 110 (27 574) 3 spray patterns: Rain, Jet, Massage adjustable height via gliding element distance between diverter and upper bracket: 620 mm shower hose Relexaflex 1500 mm (28 151) shower hose Relexaflex 1250 mm (28 150) flexible installation: connection to tap / wall union for water supply with 1/2" thread of the 1250 mm shower hose maximum flow rate (at 3 bar): 7.9 l/min GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern ShockProof silicone ring prevents damage caused by a shower falling GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 0.2 bar professional edition			

GROHE SHOWER SYSTEM ACCESSORIES













		Ref. No.	Colour	EAN	Retail Guide Price (£)
		48 349 000	Chrome	4005176409851	115.54
Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE Long-Life finish					
		48 350 000	Chrome	4005176409868	141.20
Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE Long-Life finish Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI					
		48 053 000	Chrome	4005176890031	84.90
Shower system pipe for retrofitting for shower systems with metal or plastic inner water guide shower pipe for retrofitting 15 cm longer than original shower system pipe for bath/shower systems: 30 cm shorter than original pipe suitable for all Rainshower, Euphoria and Tempesta shower systems as of 2014 except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter GROHE Long-Life finish					
		48 054 000	Chrome	4005176890048	76.56
Shower system pipe for retrofitting for shower systems with metal or plastic inner water guide shower pipe for retrofitting - 15 cm shorter than original shower system pipe for bath/shower systems: 60 cm shorter than original pipe suitable for all Rainshower, Euphoria and Tempesta shower systems as of 2014 except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter GROHE Long-Life finish					
		14 014 000	Chrome	4005176929274	59.66
Rainshower Shower arm for shower systems material: metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE Long-Life finish suitable for all GROHE shower systems except SmartControl suitable for all GROHE shower systems					

GROHE SHOWER SYSTEM ACCESSORIES



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 180 000	Chrome	4005176839306	48.39
Rainshower Spacer for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031 GROHE Long-Life finish stackable				
 	26 385 000	Chrome	4005176375057	17.06
Rainshower SmartControl Spacer for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable				
	47 175 000	Chrome	4005176803895	155.01
GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings				

SHOWERS




GROHE HEAD SHOWER SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 254 000	Chrome	4005176317026	706.02
	Rainshower Duo 360 Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower Duo 360, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 – to be ordered separately * to be decided during initial installation; factory default setting: GROHE PureRain			
 	26 254 LS0	moon white	4005176409806	706.02
	ditto, head shower with white spray plate			
 	26 450 000	Chrome	4005176409813	609.74
	Rainshower Mono 360 Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower Mono 360, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O ² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 – to be ordered separately * to be decided during initial installation; factory default setting: GROHE PureRain			
 	26 450 LS0	moon white	4005176409820	609.74
	ditto, head shower with white spray plate			
 	26 264 001		4005176417108	128.37
Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information				
 	26 475 000	Chrome	4005176423758	577.07
	26 475 DC0	supersteel	4005176526237	807.90
 	26 475 GL0	cool sunrise	4005176557156	923.31
	26 475 GN0	brushed cool sunrise	4005176557163	981.02
 	26 475 DA0	warm sunset	4005176557125	923.31
	26 475 DL0	brushed warm sunset	4005176557132	981.02
 	26 475 A00	hard graphite	4005176557095	923.31
	26 475 AL0	brushed hard graphite	4005176557101	981.02
 	Rainshower SmartActive 310 Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 or 26 484 - to be ordered separately			
	22 123 KF0	phantom black	4005176782572	807.90
 	ditto, Professional exclusive			
	26 475 LS0	moon white	4005176425899	758.18
 	ditto, head shower with white spray plate			





GROHE HEAD SHOWER SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 477 000	Chrome	4005176423772	577.07
	26 477 DC0	supersteel	4005176526244	807.90
	26 477 GL0	cool sunrise	4005176557231	923.31
	26 477 GN0	brushed cool sunrise	4005176557248	981.02
	26 477 DA0	warm sunset	4005176557200	923.31
	26 477 DL0	brushed warm sunset	4005176557217	981.02
	26 477 A00	hard graphite	4005176557170	923.31
	26 477 AL0	brushed hard graphite	4005176557187	981.02
	Rainshower SmartActive 310 Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 or 26 484 - to be ordered separately			
	22 124 KF0	phantom black	4005176782589	807.90
	ditto, Professional exclusive			
	26 477 LS0	moon white	4005176425912	758.18
	ditto, head shower with white spray plate			
	26 479 000	Chrome	4005176425196	607.77
	26 479 DC0	supersteel	4005176526251	850.87
	26 479 GL0	cool sunrise	4005176557316	972.42
	26 479 GN0	brushed cool sunrise	4005176557323	1,033.20
	26 479 DA0	warm sunset	4005176557286	972.42
	26 479 DL0	brushed warm sunset	4005176557293	1,033.20
	26 479 A00	hard graphite	4005176557255	972.42
	26 479 AL0	brushed hard graphite	4005176557262	1,033.20
	Rainshower SmartActive 310 Cube Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 Cube 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 or 26 484 - to be ordered separately			
	26 479 LS0	moon white	4005176425936	788.87
	ditto, head shower with white spray plate			
	26 481 000	Chrome	4005176425219	607.77
	26 481 DC0	supersteel	4005176526268	850.87
	26 481 GL0	cool sunrise	4005176557392	972.42
	26 481 GN0	brushed cool sunrise	4005176557408	1,033.20
	26 481 DA0	warm sunset	4005176557361	972.42
	26 481 DL0	brushed warm sunset	4005176557378	1,033.20
	26 481 A00	hard graphite	4005176557330	972.42
	26 481 AL0	brushed hard graphite	4005176557347	1,033.20
	Rainshower SmartActive 310 Cube Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 Cube 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 or 26 484 - to be ordered separately			
	26 481 LS0	moon white	4005176425950	788.87
	ditto, head shower with white spray plate			





GROHE HEAD SHOWER SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 484 000		4005176425110	119.72
	Rainshower Universal rough-in box, 1/2" 2 inlets, 1/2" installation depth 75-105 mm connection unit in DR brass stable build-in box and protective cover leakproof housing gasket integrated flushing plug GROHE Water Saving 9.5 l/min flow limiter per each water way without set for final installation			
	26 483 000		4005176425103	119.72
	ditto, with non-restricted flow			
 	26 640 000	Chrome	4005176530203	687.02
	Rainshower SmartConnect 310 Head shower set 422 mm, 2 sprays Consisting of: head shower Rainshower SmartConnect 310 (26 641) spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain default spray type programmable horizontal 422 mm shower arm (26 146) with round escutcheon with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar			
 	26 642 000	Chrome	4005176530227	714.99
	Rainshower SmartConnect 310 Cube Head shower set 422 mm, 2 sprays Consisting of: head shower Rainshower SmartConnect 310 Cube (26 643) spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain default spray type programmable horizontal 422 mm shower arm (26 146) with square escutcheon with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar			






GROHE HEAD SHOWER SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 558 000	Chrome	4005176481727	414.24
	26 558 DC0	supersteel	4005176526299	579.93
	26 558 GL0	cool sunrise	4005176557637	662.77
	26 558 GN0	brushed cool sunrise	4005176557644	704.20
	26 558 DA0	warm sunset	4005176557606	662.77
	26 558 DL0	brushed warm sunset	4005176557613	704.20
	26 558 A00	hard graphite	4005176557576	662.77
	26 558 AL0	brushed hard graphite	4005176557583	704.20
	Rainshower Mono 310 Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain shower arm Rainshower 422 mm (26 146 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	22 121 KF0	phantom black	4005176782558	579.93
	ditto, Professional exclusive			
 	26 557 000	Chrome	4005176481710	414.24
	ditto, with non-restricted flow			
	26 560 000	Chrome	4005176481741	414.24
	26 560 DC0	supersteel	4005176526305	579.93
	26 560 GL0	cool sunrise	4005176557712	662.77
	26 560 GN0	brushed cool sunrise	4005176557729	704.20
	26 560 DA0	warm sunset	4005176557682	662.77
	26 560 DL0	brushed warm sunset	4005176557699	704.20
	26 560 A00	hard graphite	4005176557651	662.77
	26 560 AL0	brushed hard graphite	4005176557668	704.20
 	Rainshower Mono 310 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	22 122 KF0	phantom black	4005176782565	579.93
	ditto, Professional exclusive			
	26 559 000	Chrome	4005176481734	414.24
	ditto, with non-restricted flow			
	26 564 000	Chrome	4005176481789	444.04
	26 564 GL0	cool sunrise	4005176557798	710.46
	26 564 GN0	brushed cool sunrise	4005176557804	888.07
	26 564 DA0	warm sunset	4005176557767	710.46
	26 564 DL0	brushed warm sunset	4005176557774	888.07
 	26 564 A00	hard graphite	4005176557736	843.66
	26 564 AL0	brushed hard graphite	4005176557743	888.07
	Rainshower Mono 310 Cube Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower 310 1 spray pattern: GROHE PureRain Rainshower shower arm 422 mm (26 145 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 563 000	Chrome	4005176481772	444.04
	ditto, with non-restricted flow			





GROHE HEAD SHOWER SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 566 000	Chrome	4005176482106	444.04
	26 566 DC0	supersteel	4005176526282	754.86
	26 566 GL0	cool sunrise	4005176557873	710.46
	26 566 GN0	brushed cool sunrise	4005176557880	888.07
	26 566 DA0	warm sunset	4005176557842	710.46
	26 566 DL0	brushed warm sunset	4005176557859	888.07
	26 566 A00	hard graphite	4005176557811	843.66
	26 566 AL0	brushed hard graphite	4005176557828	888.07
	Rainshower Mono 310 Cube Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower 310 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 565 000	Chrome	4005176482090	444.04
	ditto, with non-restricted flow			
 	26 256 000	Chrome	4005176318597	806.67
	Rainshower Cosmopolitan 400 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower Cosmopolitan 400 (28 778) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system suitable for instantaneous heater			
 	26 257 000	Chrome	4005176317927	585.94
	Rainshower 310 Head shower set 422 mm, 1 spray Consisting of: Rainshower Cosmopolitan 310 head shower (27 477 000) 1 spray pattern: Rain shower arm Rainshower 422 mm (26 146 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system suitable for instantaneous heater			
 	26 066 000	★ Chrome	4005176937200	606.44
	26 066 DC0	★ supersteel	4005176371172	849.02
	26 066 GL0	★ cool sunrise	4005176427183	970.30
	26 066 GN0	★ brushed cool sunrise	4005176427190	1,030.95
	26 066 DA0	★ warm sunset	4005176427206	970.30
	26 066 DL0	★ brushed warm sunset	4005176427213	1,030.95
	26 066 A00	★ hard graphite	4005176427237	970.30
	26 066 AL0	★ brushed hard graphite	4005176427220	1,030.95
	Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain shower arm Rainshower 380 mm (28 361 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system			
	26 056 000	Chrome	4005176937101	606.44
	ditto, with non-restricted flow			





GROHE HEAD SHOWER SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 067 000 ★	Chrome	4005176937217	606.44
	26 067 DC0 ★	supersteel	4005176371189	849.02
	26 067 GL0 ★	cool sunrise	4005176427268	970.30
	26 067 GN0 ★	brushed cool sunrise	4005176427275	1,030.95
	26 067 DA0 ★	warm sunset	4005176427282	970.30
	26 067 DL0 ★	brushed warm sunset	4005176427299	1,030.95
	26 067 A00	hard graphite	4005176427312	970.30
	26 067 AL0 ★	brushed hard graphite	4005176427305	1,030.95
	Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system			
 	26 171 000	Chrome	4005176997310	467.44
	Rainshower Cosmopolitan 210 Head shower set 422 mm, 1 spray Consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate chrome (28 368 000) 1 spray pattern: Rain Rainshower shower arm 422 mm, escutcheon chrome (26 146) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system suitable for instantaneous heater starting at 0.5 bar flow pressure			
 	26 062 000	Chrome	4005176937163	437.05
	Rainshower Cosmopolitan 210 Head shower set 286 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system starting at 0.5 bar flow pressure			
 	26 052 000	Chrome	4005176937064	437.05
	ditto, with non-restricted flow			
 	26 063 000	Chrome	4005176937170	437.05
	Rainshower Cosmopolitan 210 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system starting at 0.5 bar flow pressure			


GROHE HEAD SHOWER SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 459 000	Chrome	4005176416965	244.97
	Euphoria 260 Head shower set 380 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 458 000	Chrome	4005176416958	244.97
	ditto, with non-restricted flow			
 	26 461 000	Chrome	4005176416989	194.79
	Euphoria 260 Head shower set ceiling 142 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 460 000	Chrome	4005176416972	194.79
	ditto, with non-restricted flow			
 	26 073 000	Chrome	4005176937279	267.39
	Euphoria Cube 150 Head shower set 286 mm, 1 spray head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	26 663 000	Chrome	4005176580505	229.40
	Tempesta 250 Head shower set 380 mm, 1 spray Consisting of: head shower Tempesta 250 (26 662) 1 spray pattern: Rain fully chrome plated surfaces shower arm 380 mm (28 361) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition			
	26 668 000	Chrome	4005176580550	214.90
	ditto, but head shower with white rear cover			



GROHE HEAD SHOWER SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 668 2430	matte black	4067393015758	279.36
	Tempesta 250 Head shower set 380 mm, 1 spray Consisting of: head shower Tempesta 250 1 spray pattern: Rain shower arm 380 mm GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition			
 	26 664 000	Chrome	4005176580512	185.20
	Tempesta 250 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 250 (26 662) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (28 724) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition			
	26 669 000	Chrome	4005176580567	170.70
	ditto, but head shower with white rear cover			
	26 669 2430	matte black	4067393015765	221.91
	ditto, head shower with black rear cover			
 	26 682 000	Chrome	4005176580697	229.40
	Tempesta 250 Cube Head shower set 380 mm, 1 spray Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm 380 mm with square escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition			
	26 687 000	Chrome	4005176580741	214.90
	ditto, but head shower with white rear cover			
 	26 683 000	Chrome	4005176580703	185.20
	Tempesta 250 Cube Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (27 485) with square escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition			
	26 688 000	Chrome	4005176580758	170.70
	ditto, but head shower with white rear cover			





GROHE HEAD SHOWER SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 412 000	Chrome	4005176390173	177.84
	102218 243 0	matte black	4067393019084	231.19
	Tempesta 210 Head shower set 286 mm, 1 spray Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 267 001	Chrome	4005176444197	63.55
	Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure			
	27 869 001	Chrome	4005176444005	84.98
	Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 090 001	Chrome	4005176443992	78.43
	Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O², Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			





GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 641 000	Chrome	4005176530210	633.12
	Rainshower SmartConnect 310 Head shower 2 sprays with remote control GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar			
 	26 643 000	Chrome	4005176530234	662.58
	Rainshower SmartConnect 310 Cube Head shower 2 sprays with remote control GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar			
 	26 569 000	Chrome	4005176482175	339.73
	26 569 EN0	brushed nickel	4005176482182	577.55
	Rainshower Mono 310 Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 0.2 bar			
	26 562 000	Chrome	4005176481765	339.73
 	ditto, with GROHE EcoJoy 9.5 l/min flow limiter			
	26 561 000	Chrome	4005176481758	339.73
	ditto, with non-restricted flow			
	26 561 LS0	moon white	4005176482137	441.66
	Rainshower Mono 310 Head shower 1 spray GROHE PureRain spray plate moon white ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			






GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 570 000	Chrome	4005176482199	369.53
	26 570 EN0	brushed nickel	4005176482205	628.20
 	Rainshower Mono 310 Cube Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 568 000	Chrome	4005176482120	369.53
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter			
	26 567 000	Chrome	4005176482113	369.53
	ditto, with non-restricted flow			
 	26 568 LS0	moon white	4005176482168	480.40
	Rainshower Mono 310 Cube Head shower 1 spray GROHE PureRain spray plate moon white ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 567 LS0	moon white	4005176482151	480.40
	ditto, with non-restricted flow			
 	27 470 000	Chrome	4005176882531	541.32
	Rainshower Veris 300 Head shower 1 spray Rain 300 x 150 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system			
 	28 778 000	Chrome	4005176820526	747.74
	Rainshower Cosmopolitan 400 Head shower 1 spray diameter 400 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE Long-Life finish SpeedClean anti-limescale system this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497			







GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 472 000	Chrome	4005176424908	573.38
	Rainshower Cosmopolitan 310 Head shower 1 spray Rain Ø 310 mm material: metal ball joint with turning angle 20° ± 20° connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system suitable for instantaneous heater			
	27 478 000	Chrome	4005176883293	573.38
	ditto, with GROHE Water Saving 9.5 l/min flow limiter			
	27 477 000	Chrome	4005176883286	573.38
	ditto, with non-restricted flow			
 	28 368 00E	Chrome	4005176867385	390.42
	Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure Ø 210 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE Water Saving 5.7 l/min. flow limiter GROHE Long-Life finish SpeedClean anti-limescale system			
	28 373 000	Chrome	4005176267277	390.42
	ditto, with GROHE Water Saving 9.5 l/min flow limiter			
	28 368 000	Chrome	4005176267253	390.42
	ditto, with non-restricted flow			
	28 368 LS0	moon white	4005176997242	484.13
	ditto, with non-restricted flow, head shower with white spray face			
 	27 135 000	Chrome	4005176836077	147.42
	27 135 EN0	brushed nickel	4005176836084	250.63
	Rainshower Cosmopolitan 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle 15° ± 15° GROHE Water Saving 9.5 l/min flow limiter SpeedClean anti-limescale system suitable for instantaneous heater Min. recommended pressure 0.5 bar The head shower is suitable for minimum flow rate of 7.5 l/min and a maximum of 9.5 l/min (ASME A112.18.1M). Minimum pressure > 1 bar, maximum 6 bar (ASME A112.18.1M). recommended for use with Rainshower shower arms			
 	27 134 000	Chrome	4005176836060	144.73
	Rainshower Cosmopolitan 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system			

GROHE HEAD SHOWERS






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 062 000	Chrome	4005176831669	234.27
	Relexa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.			
 	26 457 000	Chrome	4005176416934	147.56
	Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 455 000	Chrome	4005176416903	147.56
	ditto, with non-restricted flow			
 	27 492 000	Chrome	4005176885556	151.25
	Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system			
 	28 233 000	Chrome	4005176868016	97.43
	Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system suitable for instantaneous heater			
 	27 237 000	Chrome	4005176854286	84.02
	Euphoria 110 Mono Head shower 1 spray Rain connection thread 1/2" bellows GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system suitable for instantaneous heater			

GROHE HEAD SHOWERS

		Ref. No.	Colour	EAN	Retail Guide Price (£)
 		26 468 000	Chrome	4005176423963	166.44
		Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 		27 705 000	Chrome	4005176907166	166.43
		Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 		26 662 000	Chrome	4005176580499	139.26
		Tempesta 250 Head shower 1 spray Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition			
 		26 666 000	Chrome	4005176580536	124.75
		ditto, but with white rear cover			
 		26 681 000	Chrome	4005176580680	139.26
		Tempesta 250 Cube Head shower 1 spray Rain 250 mm x 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition			
 		26 685 000	Chrome	4005176580727	124.75
		ditto, but with white rear cover			


SHOWERS

GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 409 000	Chrome	4005176390128	100.44
	Tempesta 210 Head shower 1 spray Rain Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 410 000	Chrome	4005176390142	100.44
	ditto, with 9.5 l/min flow limiter			
	26 408 000	Chrome	4005176390111	100.44
	ditto, with non-restricted flow			
 	27 606 001	Chrome	4005176444180	64.87
	Tempesta 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	26 050 001	Chrome	4005176444166	51.04
	Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
 	27 591 001	Chrome	4005176443985	71.35
	Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	26 051 001	Chrome	4005176443954	57.29
	Tempesta Cosmopolitan 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			

GROHE HEAD SHOWERS





Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------








27 541 001	Chrome	4005176451676	93.06
Tempesta Cosmopolitan 200			
Head shower 1 spray			
Rain spray pattern			
Ball joint +/- 20° rotatable			
connection thread 1/2"			
suitable for instantaneous heater			

SHOWERS

GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 404 000	Chrome	4005176601736	15.52
Relexa Basic 85 Head shower 1 spray Rain brass tin plate 50 mm high connection thread 1/2"				
 	28 094 000	Chrome	4005176601132	42.63
Relexa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE Long-Life finish adjustable flow rate without shower arm				
 	28 002 000	Chrome	4005176858796	220.32
Relexa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection				
 	28 948 000	Chrome	4005176209871	259.13
Relexa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE Long-Life finish SpeedClean anti-limescale system				





GROHE ACCESSORIES FOR HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 146 000	Chrome	4005176986017	98.20
Rainshower Shower arm 422 mm material: metal connection thread 1/2" with round escutcheon, can be used for all Rainshower head showers GROHE Long-Life finish				
	28 982 000	Chrome	4005176829987	154.68
ditto, projection 372 mm				
 	28 361 000	Chrome	4005176295157	113.06
Rainshower Shower arm, 380 mm material: metal connection thread 1/2" can be used for all Rainshower head showers except Rainshower 400 mm GROHE Long-Life finish				
	28 576 000	Chrome	4005176274022	88.92
Ditto, projection 286 mm				
 	26 145 000	Chrome	4005176986000	98.20
Rainshower Shower arm 422 mm material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers GROHE Long-Life finish				
 	27 488 000	Chrome	4005176885525	88.92
Rainshower Shower arm 286 mm material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower 400 mm GROHE Long-Life finish				
 	27 709 000	Chrome	4005176909092	122.69
Rainshower Shower arm 286 mm material: metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE Long-Life finish				

SHOWERS


GROHE

ACCESSORIES FOR HEAD SHOWERS

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		28 497 000	Chrome	4005176270338	78.49
		Rainshower Shower ceiling arm 292 mm material: metal connection thread 1/2" with round escutcheon can be used for all Rainshower head showers GROHE Long-Life finish			
		28 724 000	Chrome	4005176812644	58.93
		ditto, length 142 mm			
		27 484 000	Chrome	4005176885488	77.31
		Rainshower Shower ceiling arm 292 mm material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers GROHE Long-Life finish			
		27 485 000	Chrome	4005176885495	65.72
		ditto, 142 mm length			
		27 711 000	Chrome	4005176909115	104.65
Rainshower Shower arm ceiling 154 mm material: metal connection thread 1/2" GROHE Long-Life finish					
		27 406 000	Chrome	4005176600166	50.79
		Relexa Shower arm 218 mm connection thread 1/2" projection 218 mm escutcheon GROHE Long-Life finish			
		28 541 000	Chrome	4005176040528	85.40
		Relexa Shower arm 147 mm connection thread 1/2" escutcheon GROHE Long-Life finish			

GROHE ACCESSORIES FOR HEAD SHOWERS




Ref. No.	Colour	EAN	Retail Guide Price (£)
28 429 000	Chrome	4005176601910	48.23






Relexa
Shower arm 55 mm
connection thread 1/2"
GROHE Long-Life finish

SHOWERS

GROHE SIDE SHOWERS





		Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 067 000 Chrome 4005176832123 156.96 Relaxa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life				
 	28 198 000 Chrome 4005176038686 136.63 Relaxa 50 Side shower 1 spray Normal spray ball-joint GROHE Long-Life finish SpeedClean anti-limescale system pre-adjustment for the flow rate pre-adjustable flow rate from 5-11 l/min. minimum flow rate 4.5 l/min				
 	28 286 000 Chrome 4005176198526 117.14 Relaxa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE Long-Life finish SpeedClean anti-limescale system				

GROHE RAINSHOWER SMARTACTIVE





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 574 000 ★	Chrome	4005176485916	87.04
	26 574 DC0 ★	supersteel	4005176526459	130.55
	26 574 GL0 ★	cool sunrise	4005176558511	147.96
	26 574 GN0 ★	brushed cool sunrise	4005176558528	156.67
	26 574 DA0 ★	warm sunset	4005176558481	147.96
	26 574 DL0 ★	brushed warm sunset	4005176558498	156.67
	26 574 A00	hard graphite	4005176558450	147.96
	26 574 AL0 ★	brushed hard graphite	4005176558467	156.67
	Rainshower SmartActive 130 Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater			
	22 127 KF0	phantom black ditto, Professional exclusive	4005176782633	121.85
 	26 544 000	Chrome ditto, with non-restricted flow	4005176478888	86.61
	26 574 LS0	moon white	4005176485923	87.04
 	26 574 LS0	moon white	4005176485923	87.04
	Rainshower SmartActive 130 Hand shower 3 sprays spray plate moon white GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater			
	26 575 000	Chrome	4005176485947	185.97
	Rainshower SmartActive 130 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater			
	26 546 000	Chrome ditto, with non-restricted flow	4005176479816	185.39

SHOWERS





GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 578 000	Chrome	4005176485985	190.85
Rainshower SmartActive 130 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 544) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater				
 	26 579 LSO	moon white	4005176486203	191.42
Rainshower SmartActive 130 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) spray plate moon white shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater				
	26 578 LSO	moon white	4005176486197	190.85
ditto, with non-restricted flow				
 	26 581 000	Chrome	4005176486234	121.85
Rainshower SmartActive 130 Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater				
	26 581 LSO	moon white	4005176486241	121.85
ditto, with white spray plate				
 	26 580 000	Chrome	4005176486210	143.61
Rainshower SmartActive 130 Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater				
	26 580 LSO	moon white	4005176486227	143.61
ditto, with white spray plate				





GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 582 000	Chrome	4005176486258	87.04
	26 582 DC0	supersteel	4005176526466	130.55
	26 582 GL0	cool sunrise	4005176558597	139.26
	26 582 GN0	brushed cool sunrise	4005176558603	156.67
	26 582 DA0	warm sunset	4005176558566	139.26
	26 582 DL0	brushed warm sunset	4005176558573	156.67
	26 582 A00	hard graphite	4005176558535	147.96
	26 582 AL0	brushed hard graphite	4005176558542	156.67
Rainshower SmartActive 130 Cube Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater				
 	26 552 000	Chrome	4005176486272	88.34
	ditto, with GROHE EcoJoy 6.8 l/min flow limiter			
 	26 550 000	Chrome	4005176479854	86.61
	ditto, with non-restricted flow			
 	26 582 LS0	moon white	4005176486265	87.04
	Rainshower SmartActive 130 Cube Hand shower 3 sprays spray plate moon white GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater			
	26 584 000	Chrome	4005176486296	185.97
	Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater			
	26 585 000	Chrome	4005176486319	188.76
	ditto, with GROHE EcoJoy 6.8 l/min flow limiter			
	26 583 000	Chrome	4005176486289	185.39
	ditto, with non-restricted flow			

GROHE RAINSHOWER SMARTACTIVE






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 584 LS0	moon white	4005176486302	185.97
Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) spray plate moon white shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater				
 	26 586 000	Chrome	4005176486333	190.85
Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater				
	26 587 000	Chrome	4005176486340	191.42
ditto, with GROHE EcoJoy 9.5 l/min flow limiter				
 	26 586 LS0	moon white	4005176486357	190.85
Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) spray plate moon white shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater				
	26 587 LS0	moon white	4005176486364	191.42
ditto, with GROHE EcoJoy 9.5 l/min flow limiter				
 	26 589 000	Chrome	4005176486395	121.85
Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater				

GROHE RAINSHOWER SMARTACTIVE





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 589 LSO	moon white	4005176486401	121.85
	Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) spray plate moon white wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater			
 	26 588 000	Chrome	4005176486371	143.61
	Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater			
 	26 588 LSO	moon white	4005176486388	143.61
	Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) spray plate moon white wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater			
 	26 590 000	Chrome	4005176486418	109.53
	Rainshower SmartActive 150 Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater male connection thread 1/2"			
	26 553 000	Chrome	4005176479885	108.62
	ditto, with non-restricted flow			

SHOWERS



GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 592 000	Chrome	4005176486449	220.84
	Rainshower SmartActive 150 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 150 (26 590) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater			
 	26 591 000	Chrome	4005176486425	220.26
	ditto, with non-restricted flow			
 	26 592 LSO	moon white	4005176486432	220.84
	Rainshower SmartActive 150 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 150 (26 554) spray plate moon white shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater			
 	26 594 000	Chrome	4005176486470	227.05
	Rainshower SmartActive 150 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 150 (26 590) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater			
 	26 593 000	Chrome	4005176486456	226.47
	ditto, with non-restricted flow			






GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 594 LS0	moon white	4005176486463	227.05
	Rainshower SmartActive 150 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 150 (26 554) spray plate moon white shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater			
 	26 602 000	Chrome	4005176486531	112.56
	Rainshower SmartActive Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life finish			
 	26 603 000 ★	Chrome	4005176486548	118.38
	26 603 BE0	polished nickel	4005176558719	236.74
 	26 603 EN0	brushed nickel	4005176558740	260.42
	26 603 GL0 ★	cool sunrise	4005176558757	236.74
	26 603 GN0 ★	brushed cool sunrise	4005176558764	260.42
	26 603 DA0 ★	warm sunset	4005176558726	236.74
	26 603 DL0 ★	brushed warm sunset	4005176558733	260.42
	26 603 A00	hard graphite	4005176558696	236.74
	26 603 AL0 ★	brushed hard graphite	4005176558702	260.42
	Rainshower SmartActive Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life finish			
	22 125 KF0	phantom black	4005176782619	165.72
	ditto, Professional exclusive			





GROHE RAINSHOWER





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 274 000	Chrome	4005176861383	131.45
Rainshower Eco 120 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) Elbow adapter for the combination of handshowers with shower sets GROHE Long-Life finish GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses				
 	45 914 XE0	gray night time	4005176842054	15.10
Spacer for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136 not stackable				






GROHE
RELEXA







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 796 000	Chrome	4005176824296	149.94
Relaxa 100 Five Hand shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.				
 	28 964 001	Chrome	4005176877254	262.38
Relaxa 100 Five Shower rail set 5 sprays Consisting of: Hand shower Relaxa Five (28 796 000) shower rail, 600 mm (28 797) with wall holders made of metal RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting				
 	27 062 000	Chrome	4005176831669	234.27
Relaxa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.				
 	27 067 000	Chrome	4005176832123	156.96
Relaxa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life				
 	28 404 000	Chrome	4005176601736	15.52
Relaxa Basic 85 Head shower 1 spray Rain brass tin plate 50 mm high connection thread 1/2"				





GROHE
RELEXA






		Ref. No.	Colour	EAN	Retail Guide Price (£)
		28 094 000	Chrome	4005176601132	42.63
Relexa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE Long-Life finish adjustable flow rate without shower arm					
		28 002 000	Chrome	4005176858796	220.32
Relexa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection					
		28 948 000	Chrome	4005176209871	259.13
Relexa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE Long-Life finish SpeedClean anti-limescale system					
		28 286 000	Chrome	4005176198526	117.14
Relexa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE Long-Life finish SpeedClean anti-limescale system					

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 222 000	Chrome	4005176854132	70.58
Euphoria 110 Champagne Hand shower 3 sprays Rain, Champagne spray, SmartRain GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater				
 	26 513 000	Chrome	4005176457722	73.97
Euphoria 110 Massage Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life finish spray plate white SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 0.2 bar				
 	27 239 001	Chrome	4005176457715	73.97
Euphoria 110 Massage Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life finish spray plate white SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 0.2 bar				
	27 221 001	Chrome	4005176457708	67.53
ditto, with non-restricted flow				
 	27 239 000	Chrome	4005176854323	67.68
Euphoria 110 Massage Hand shower 3 sprays Rain, Massage, SmartRain GROHE Water Saving 9.5 l/min flow limiter GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses				
	27 221 000	Chrome	4005176854125	60.94
ditto, with non-restricted flow				






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 238 000	Chrome	4005176854293	52.11
	Euphoria 110 Duo Hand shower 2 sprays Rain, SmartRain GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 0.2 bar			
 	27 220 000	Chrome	4005176854118	48.75
	ditto, with non-restricted flow			
 	27 265 00E	Chrome	4005176885693	35.29
	Euphoria 110 Mono Hand shower 1 spray Rain GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 0.2 bar			
 	27 265 000	Chrome	4005176856983	35.29
	ditto, with non-restricted flow			
 	27 224 000	Chrome	4005176854156	35.29
	Euphoria 110 Mono Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 0.2 bar			
 	27 232 001	Chrome	4005176899560	126.06
	Euphoria 110 Champagne Shower rail set 3 sprays Consisting of: hand shower Champagne (27 222) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE SprayDimmer (Stepless flow rate reduction) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 0.2 bar			






		Ref. No.	Colour	EAN	Retail Guide Price (£)
		27 243 001	Chrome	4005176899799	116.43
		Euphoria 110 Massage Shower rail set 3 sprays hand shower Massage (27 239 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life finish GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater			
		27 231 001	Chrome	4005176899553	116.43
		ditto, with non-restricted flow			
		27 242 001	Chrome	4005176899782	110.91
		Euphoria 110 Duo Shower rail set 2 sprays Consisting of: hand shower Euphoria 110 Duo (27 238) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life finish GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 0.2 bar			
		27 230 001	Chrome	4005176899546	110.91
		ditto, with non-restricted flow			
		27 266 00E	Chrome	4005176890710	97.49
		Euphoria 110 Mono Shower rail set 1 spray Consisting of: hand shower Euphoria Mono (27 265 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 0.2 bar			
		27 266 001	Chrome	4005176899812	97.49
		ditto, with non-restricted flow			




	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 227 001	Chrome	4005176899522	134.43
Euphoria 110 Champagne Shower rail set 3 sprays Consisting of: hand shower Champagne (27 222) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life finish GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 0.2 bar				
 	27 226 001	Chrome	4005176899515	124.81
Euphoria 110 Massage Shower rail set 3 sprays Consisting of: hand shower Massage (27 221 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE SprayDimmer (Stepless flow rate reduction) GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater				
 	27 225 001	Chrome	4005176899508	119.32
Euphoria 110 Duo Shower rail set 2 sprays hand shower Duo (27 220 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life finish GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater				
 	27 267 001	Chrome	4005176899829	105.87
Euphoria 110 Mono Shower rail set 1 spray Consisting of: Handshower mono (27 265 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 0.2 bar				





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 355 000	Chrome	4005176874451	117.65
	Euphoria 110 Champagne Wall holder set 3 sprays Wall shower holder 28 401 Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 0.2 bar			
 	27 354 000	Chrome	4005176874444	63.86
	Euphoria 110 Mono Wall holder set 1 spray wall shower holder (27 056) Silverflex shower hose 1250 mm (28 362) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 0.2 bar			
 	27 499 000	Chrome	4005176886041	56.52
	Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE FastFixation (upper bracket adjustable to adapt to existing holes) GROHE Long-Life finish			
	27 500 000	Chrome	4005176886058	59.62
	ditto, 900 mm			
 	26 459 000	Chrome	4005176416965	244.97
	Euphoria 260 Head shower set 380 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 458 000	Chrome	4005176416958	244.97
	ditto, with non-restricted flow			
 	26 461 000	Chrome	4005176416989	194.79
	Euphoria 260 Head shower set ceiling 142 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 460 000	Chrome	4005176416972	194.79
	ditto, with non-restricted flow			

GROHE EUPHORIA





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 457 000	Chrome	4005176416934	147.56
	26 455 000	Chrome	4005176416903	147.56
				
Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater				
	27 237 000	Chrome	4005176854286	84.02
				
Euphoria 110 Mono Head shower 1 spray Rain connection thread 1/2" bellows GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system suitable for instantaneous heater				
	27 499 000	Chrome	4005176886041	56.52
				
Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE FastFixation (upper bracket adjustable to adapt to existing holes) GROHE Long-Life finish				
	27 500 000	Chrome	4005176886058	59.62
ditto, 900 mm				
	48 051 000	Chrome	4005176890024	9.10
				
Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500 stackable				
	27 596 000		4005176895944	7.29
				
GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 400 000	Chrome	4005176877292	55.30
	Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 0.2 bar			
	22 126 KF0	phantom black ditto, Professional exclusive	4005176782626	77.41
	27 367 000	Chrome ditto, with non-restricted flow	4005176875939	55.30
 	27 368 000	Chrome	4005176875946	198.01
	Euphoria Cosmopolitan Stick Shower rail set 1 spray Consisting of: hand shower 27 400 000 shower rail, 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) soap dish (27 206) GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 0.2 bar			
 	27 369 000	Chrome	4005176875953	76.49
	Euphoria Cosmopolitan Stick Wall holder set 1 spray hand shower 27 400 000 wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater Min. recommended pressure 0.5 bar			
 	27 492 000	Chrome	4005176885556	151.25
	Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system			
 	28 233 000	Chrome	4005176868016	97.43
	Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system suitable for instantaneous heater			




		Ref. No.	Colour	EAN	Retail Guide Price (£)
		27 891 000	Chrome	4005176921209	288.63
Euphoria Cube+ Stick Shower rail set 1 spray hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting					
		27 699 000	Chrome	4005176907104	55.49
Euphoria Cube Stick Hand shower 1 spray Normal spray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses					
		27 698 000	Chrome	4005176907098	55.49
ditto, with non-restricted flow					
		27 700 000	Chrome	4005176907111	245.34
Euphoria Cube Stick Shower rail set 1 spray Hand shower (27 698 000) shower rail 900 mm (27 841) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting min. recommended pressure 0.2 bar					
		26 405 000	Chrome	4005176385162	109.75
Euphoria Cube Stick Wall holder set 1 spray with integrated wall union 1/2" Consisting of: Handshower (27 699 000) shower outlet elbow 1/2" with wall shower holder (26 370) male thread protected against backflow Silverflex shower hose 1250 mm (28 362) GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life finish GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 0.2 bar					

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		27 703 000	Chrome	4005176907142	93.80
Euphoria Cube Stick Wall holder set 1 spray Handshower (27 699 000) wall shower holder (27 693 000) Silverflex shower hose 1250 mm (28 362) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting min. recommended pressure 0.2 bar					
		27 702 000	Chrome	4005176907135	93.80
ditto, with non-restricted flow					
		26 073 000	Chrome	4005176937279	267.39
Euphoria Cube 150 Head shower set 286 mm, 1 spray head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life					
		27 705 000	Chrome	4005176907166	166.43
Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life					
		27 841 000	Chrome	4005176916670	227.31
Euphoria Cube Shower rail, 900 mm with wall holders, glide element and swivel holder GROHE Long-Life finish					

GROHE TEMPESTA







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 419 003	Chrome	4005176681042	34.91
	Tempesta 110 Hand shower 3 sprays Rain, Jet, Massage GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses maximum flow rate (at 3 bar): 7.4 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
	26 914 003	Chrome	4005176768378	34.90
	ditto, maximum flow rate (at 3 bar): 6.4 l/min			
 	28 261 003	Chrome	4005176680533	34.91
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			
	27 597 30E	Chrome	4005176681011	26.35
	Tempesta 110 Hand shower 2 sprays Rain, Jet GROHE Water Saving Plus - extra efficient water usage, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses maximum flow rate (at 3 bar): 5.6 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
 	26 161 003	Chrome	4005176680649	26.35
	ditto, maximum flow rate (at 3 bar): 6.1 l/min			
	27 597 003	Chrome	4005176680656	26.35
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			
 	28 422 004	Chrome	4005176680663	29.04
	Tempesta 110 Hand shower 2 sprays Rain, Jet GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses maximum flow rate (at 3 bar): 17.3 l/min for low pressure Min. recommended pressure 0.1 bar professional edition			

GROHE TEMPESTA




	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 923 003	Chrome	4005176768323	20.86
	Tempesta 110 Hand shower 1 spray Rain GROHE Water Saving - Less water, perfect flow GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses maximum flow rate (at 3 bar): 7.6 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
	27 852 003	Chrome	4005176680991	20.86
	ditto, maximum flow rate (at 3 bar): 16.6 l/min			
 	28 214 004	Chrome	4005176681004	23.53
	Tempesta 110 Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses maximum flow rate (at 3 bar): 29.3 l/min for low pressure Min. recommended pressure 0.1 bar professional edition			
 	27 600 003	Chrome	4005176680755	78.98
	Tempesta 110 Shower rail set 3 sprays (Rain, Jet, Massage) Consisting of: hand shower Tempesta 110 (28 419) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (26 770) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
	26 918 003	Chrome	4005176768484	81.25
	ditto, maximum flow rate (at 3 bar): 7.4 l/min and metal shower hose			
	26 917 003	Chrome	4005176768477	78.98
	ditto, maximum flow rate (at 3 bar): 6.4 l/min and metal shower hose			
	27 927 003	Chrome	4005176680762	81.24
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			

SHOWERS

GROHE TEMPESTA





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 638 003	Chrome	4005176768460	71.55
	Tempesta 110 Shower rail set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta 110 (26 161) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (26 770) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min professional edition			
	27 926 003	Chrome	4005176680748	71.55
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			
	27 644 003	Chrome	4005176680526	71.51
	Tempesta 110 Shower rail set 3 sprays (Rain, Jet, Massage) Consisting of: hand shower Tempesta 110 (28 419) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
	27 794 003	Chrome	4005176680700	71.51
	ditto, maximum flow rate (at 3 bar): 6.4 l/min			
	27 598 30E	Chrome	4005176680632	62.13
	Tempesta 110 Shower rail set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta 110 (27 597) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving Plus - extra efficient water usage, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 5.6 l/min professional edition			
	26 915 003	Chrome	4005176768422	62.12
	ditto, maximum flow rate (at 3 bar): 6.1 l/min			
	26 162 003	Chrome	4005176680489	62.13
	ditto, maximum flow rate (at 3 bar): 7.4 l/min			
	27 598 003	Chrome	4005176680496	62.13
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			

GROHE TEMPESTA







		Ref. No.	Colour	EAN	Retail Guide Price (£)
		28 438 004	Chrome	4005176680502	64.80
		Tempesta 110 Shower rail set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta 110 (28 422) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 17.3 l/min for low pressure Min. recommended pressure 0.1 bar professional edition			
		27 924 003	Chrome	4005176768392	54.70
		Tempesta 110 Shower rail set 1 spray (Rain) Consisting of: hand shower Tempesta 110 (27 923) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving - Less water, perfect flow GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.6 l/min professional edition			
		26 759 004	Chrome	4005176680625	59.95
		Tempesta 110 Shower rail set 1 spray (Rain) Consisting of: hand shower Tempesta 110 (28 214) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 29.3 l/min for low pressure Min. recommended pressure 0.1 bar professional edition			

SHOWERS

GROHE TEMPESTA





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 771 003	Chrome	4005176680373	78.99
	Tempesta 110 Shower rail set 3 sprays (Rain, Jet, Massage) Consisting of: hand shower Tempesta 110 (28 419) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
	27 796 003	Chrome	4005176680380	78.99
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			
	27 853 003	Chrome	4005176680557	54.69
	ditto, maximum flow rate (at 3 bar): 16.6 l/min			
	27 646 30E	Chrome	4005176680359	69.42
	Tempesta 110 Shower rail set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta 110 (27 597) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving Plus - extra efficient water usage, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 5.6 l/min professional edition			
	26 163 003	Chrome	4005176768507	69.42
	ditto, maximum flow rate (at 3 bar): 7.4 l/min			
	27 646 003	Chrome	4005176680366	69.42
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			
	27 925 003	Chrome	4005176768491	58.45
	Tempesta 110 Shower rail set 1 spray (Rain) Consisting of: hand shower Tempesta 110 (27 923) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving - Less water, perfect flow GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.6 l/min professional edition			
	27 854 003	Chrome	4005176680342	58.45
	ditto, maximum flow rate (at 3 bar): 16.6 l/min			

GROHE TEMPESTA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 601 30E	Chrome	4005176680397	44.43
	Tempesta 110 Wall holder set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta 110 (27 597) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving Plus - extra efficient water usage, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 5.6 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
 	27 601 003	Chrome	4005176680403	46.56
	ditto, maximum flow rate (at 3 bar): 7.4 l/min			
 	26 920 003	Chrome	4005176767470	44.51
	Tempesta 110 Wall holder set 3 sprays (Rain, Jet, Massage) Consisting of: hand shower Tempesta 110 (28 419) wall shower holder Tempesta, non-adjustable (28 605) shower hose Relaxaflex 1500 mm 1/2" x 1/2" (28 151) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
 	27 803 30E	Chrome	4005176677267	40.70
	ditto, maximum flow rate (at 3 bar): 5.6 l/min			
 	26 639 003	Chrome	4005176680304	47.41
	Tempesta 110 Wall holder set 3 sprays (Rain, Jet, Massage) Consisting of: hand shower Tempesta 110 (28 419) wall shower holder Tempesta, non-adjustable (28 605) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
 	27 849 003	Chrome	4005176680311	51.29
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			

SHOWERS

GROHE TEMPESTA








	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 919 003	Chrome	4005176767463	40.71
	Tempesta 110 Wall holder set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta 110 (26 912) wall shower holder Tempesta, non-adjustable (28 605) shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 6.1 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
	27 799 30E	Chrome	4005176680427	38.87
	Tempesta 110 Wall holder set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta 110 (27 597) wall shower holder Tempesta, non-adjustable (28 605) Relexaflex hose 1250 mm 1/2" x 1/2" (28 150) GROHE Water Saving Plus - extra efficient water usage, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 5.6 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
 	26 164 003	Chrome	4005176767487	38.87
	ditto, maximum flow rate (at 3 bar): 7.4 l/min			
 	27 799 003	Chrome	4005176677250	38.87
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			
 	26 921 003	Chrome	4005176767494	46.92
	Tempesta 110 Wall holder set 2 sprays (Rain, Jet) with integrated wall union 1/2" Consisting of: hand shower Tempesta 110 (26 912) shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 6.1 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 406 003	Chrome	4005176680793	56.23
			
			
Tempesta 110 Wall holder set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta 110 (26 161) shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			

SHOWERS






GROHE TEMPESTA CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 574 003	Chrome	4005176744389	34.91
	Tempesta Cube 110 Hand shower 3 sprays Rain, Jet, Massage GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses maximum flow rate (at 3 bar): 7.4 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
 	27 572 003	Chrome	4005176744372	34.91
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			
 	27 571 30E	Chrome	4005176680847	26.35
	Tempesta Cube 110 Hand shower 2 sprays Rain, Jet GROHE Water Saving Plus - extra efficient water usage, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish ShockProof silicone ring prevents damage caused by a shower falling SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection Universal Mounting System. Fits all standard shower hoses maximum flow rate (at 3 bar): 5.6 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
 	26 902 003	Chrome	4005176767395	26.34
	ditto, maximum flow rate (at 3 bar): 6.1 l/min			
 	26 746 003	Chrome	4005176680892	26.35
	ditto, maximum flow rate (at 3 bar): 7.4 l/min			
 	27 571 003	Chrome	4005176680908	26.35
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			
 	26 130 004	Chrome	4005176680915	29.04
	Tempesta Cube 110 Hand shower 2 sprays Rain, Jet GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses maximum flow rate (at 3 bar): 17.3 l/min for low pressure Min. recommended pressure 0.1 bar professional edition			





GROHE TEMPESTA CUBE

SHOWERS

GROHE TEMPESTA CUBE





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 904 003	Chrome	4005176767449	68.63
	Tempesta Cube 110 Shower rail set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta Cube 110 (26 746) shower rail, 600 mm (27 523) metal shower hose Relexaflex 1750 mm 1/2" x 1/2" (28 139) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min professional edition			
 	26 905 003	Chrome	4005176767456	68.63
	ditto, maximum flow rate (at 3 bar): 6.1 l/min			
 	26 749 004	Chrome	4005176681301	67.99
	Tempesta Cube 110 Shower rail set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta Cube 110 (26 130) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 17.3 l/min for low pressure Min. recommended pressure 0.1 bar professional edition			
 	26 909 003	Chrome	4005176768279	78.99
	Tempesta Cube 110 Shower rail set 3 sprays (Rain, Jet, Massage) Consisting of: hand shower Tempesta Cube 110 (27 574) shower rail, 900 mm (27 524) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min professional edition			
 	27 789 003	Chrome	4005176768286	78.99
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			

GROHE TEMPESTA CUBE

		Ref. No.	Colour	EAN	Retail Guide Price (£)
 		26 908 003	Chrome	4005176768262	69.42
		Tempesta Cube 110 Shower rail set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta Cube 110 (26 746) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min professional edition			
 		27 788 003	Chrome	4005176680564	69.42
		ditto, maximum flow rate (at 3 bar): 13.5 l/min			
 		27 584 003	Chrome	4005176768293	52.99
		Tempesta Cube 110 Wall holder set 3 sprays (Rain, Jet, Massage) Consisting of: hand shower Tempesta Cube 110 (27 574) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
 		27 588 003	Chrome	4005176768309	49.26
		Tempesta Cube 110 Wall holder set 3 sprays (Rain, Jet, Massage) Consisting of: hand shower Tempesta Cube 110 (27 574) wall shower holder Tempesta, non-adjustable (28 605) shower hose Relaxaflex 1500 mm 1/2" x 1/2" (28 151) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			






SHOWERS

GROHE TEMPESTA CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 910 003	Chrome	4005176768316	56.23
	Tempesta Cube 110 Wall holder set 3 sprays (Rain, Jet, Massage) with integrated wall union 1/2" Consisting of: hand shower Tempesta Cube 110 (27 574) shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151) GROHE Water Saving - Less water, perfect flow GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min min. recommended pressure 0.2 bar suitable for instantaneous heater professional edition			
 	27 523 001	Chrome	4005176680809	49.97
	Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder)			
 	27 524 001	Chrome	4005176681035	52.48
	Tempesta Shower rail, 900 mm with wall brackets, glider and swivel holder GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder)			
 	26 971 001	Chrome	4005176768187	74.71
	Tempesta Shower rail, 1150 mm with wall brackets, glider and swivel holder GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder)			







GROHE

TEMPESTA-F TRIGGER SPRAYS




	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 512 001	Chrome	4005176333804	22.46
Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses Please refer to local norms regarding installation.				
 	28 020 L01	white	4005176333828	16.04
Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses Please refer to local norms regarding installation.				
 	26 353 000	Chrome	4005176333866	41.72
Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Long-Life shower hose 1500 mm (26 346) GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting Please refer to local norms regarding installation.				
27 513 001 ★ Chrome 4005176333842 40.12 27 513 DC1 supersteel 4067393033356 107.57 27 513 DL1 brushed warm sunset 4067393029045 130.92 ditto, with 1250 mm hose				
26 352 000 Chrome 4005176333835 37.71 ditto, with 1000 mm hose				
 	102530 243 1	matte black	4067393022121	73.88
Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control wall shower holder Silverflex Long-Life shower hose 1250 mm GROHE Water Saving 5.7 l/min. flow limiter GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting Please refer to local norms regarding installation.				
 	26 354 000	Chrome	4005176333873	46.54
Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) metal shower hose 1250 mm GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Please refer to local norms regarding installation.				

GROHE

TEMPESTA-F TRIGGER SPRAYS









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 812 IL1	chrome/white	4005176333897	32.89
	Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) Silverflex Long-Life shower hose 1250 mm (26 335) GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting Please refer to local norms regarding installation.			
 	26 355 IL0	chrome/white	4005176333880	31.28
	ditto, with 1000 mm hose			
 	26 356 IL0	chrome/white	4005176333903	36.91
	Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control wall shower holder (28 605) Relaxaflex Metal Long-Life shower hose 1250 mm GROHE Water Saving 5.7 l/min. flow limiter GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 0.2 bar Please refer to local norms regarding installation.			
 	26 357 000	Chrome	4005176333927	83.44
	Tempesta-F Trigger Spray 30 Wall holder set with angle valve 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Long-Life shower hose 1500 mm (26 346) angle valve 1/2" (22 958) GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting min. recommended pressure 0.2 bar Please refer to local norms regarding installation.			
 	27 514 001	Chrome	4005176333910	81.83
	ditto, with 1250 mm hose			
 	26 358 000	Chrome	4005176333941	128.37
	Tempesta-F Trigger Spray 30 Wall holder set with self-closing angle valve, 1 spray Consisting of: hand shower with trigger control (27 512 001) valve with integrated shower holder (26 333 000) Silverflex Long-Life shower hose 1000 mm (26 334) GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting Please refer to local norms regarding installation.			

GROHE SHOWER HOSES







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	 28 025 001	Chrome	4005176933387	40.90
	Rotaflex Metal Long-Life Metal hose 1750 mm material: metal Rotation cone for TwistStop function GROHE Long-Life strengthened model pressure resistance up to 16 bar tensile strength 500 N heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure Cone with silicone tape to prevent turning of hand shower during usage GROHE Long-Life finish			
	 28 417 001	Chrome ditto, 1500 mm	4005176933363	37.70
 	 28 145 001	Chrome	4005176933356	41.29
	Relexaflex Metal Long-Life Metal hose 2000 mm material: metal GROHE Long-Life strengthened model pressure resistance up to 16 bar tensile strength 750 N heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure GROHE Long-Life finish			
	 28 143 001	Chrome	4005176933349	34.93
	 28 143 LS1	moon white	4005176935084	45.43
	 28 143 KS1	velvet black	4005176934179	48.89
	ditto, 1500 mm			
	 28 142 002	Chrome ditto, 1250 mm	4005176933332	31.74
 	 28 140 001	Chrome	4005176933325	35.06
	Relexaflex Metal Long-Life Metal hose 2000 mm material: metal pressure resistance up to 5 bar tensile strength 500 N heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure GROHE Long-Life finish			
	 28 139 001	Chrome ditto, 1750 mm	4005176933318	31.86
	 28 105 001	Chrome ditto, 1500 mm	4005176933301	28.68

SHOWERS

GROHE SHOWER HOSES

		Ref. No.	Colour	EAN	Retail Guide Price (£)
 		26 346 001	Chrome	4005176775314	32.09
		Silverflex Long-Life Shower hose 1500 mm smooth surface for easy cleaning Rotation cone for TwistStop function GROHE Long-Life strengthened model pressure resistance up to 12 bar tensile strength 500 N heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure GROHE Long-Life finish			
		26 335 001	Chrome	4005176775321	28.92
		ditto, 1250 mm			
 		26 334 001	Chrome	4005176775338	25.71
		ditto, 1000 mm			
		27 137 001	Chrome	4005176933295	31.88
		Silverflex Shower hose 2000 mm smooth surface for easy cleaning Rotation cone for TwistStop function pressure resistance up to 5 bar tensile strength 500 N heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure GROHE Long-Life finish			
 		28 388 001	★ Chrome	4005176933288	28.69
		28 388 DC1	★ supersteel	4005176775420	40.17
		28 388 BE1	polished nickel	4005176775390	45.91
		28 388 GL1	★ cool sunrise	4005176775413	45.91
 		28 388 DA1	★ warm sunset	4005176775406	45.91
		28 388 A01	hard graphite	4005176775383	45.91
		28 388 KF1	phantom black	4005176782602	40.17
		ditto, 1750 mm			
 		28 364 001	Chrome	4005176933271	25.51
		ditto, 1500 mm			
		28 362 001	★ Chrome	4005176933264	22.34
		28 362 DC1	★ supersteel	4005176775475	31.27
 		28 362 BE1	polished nickel	4005176775444	35.74
		28 362 GL1	★ cool sunrise	4005176775468	35.74
		28 362 DA1	★ warm sunset	4005176775451	35.74
		28 362 A01	hard graphite	4005176775437	35.74
 		28 362 KF1	phantom black	4005176782596	31.27
		ditto, 1250 mm			
 		28 161 002	Chrome	4005176775482	26.66
		Silverflex Shower hose 2000 mm smooth surface for easy cleaning Rotation cone for TwistStop function for low pressure pressure resistance up to 5 bar tensile strength 500 N heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure GROHE Long-Life finish			

GROHE SHOWER HOSES






		Ref. No.	Colour	EAN	Retail Guide Price (£)
 		28 413 002	Chrome	4005176605512	24.80
		Rotaflex Shower hose 2000 mm smooth surface for easy cleaning Rotation cone for TwistStop function pressure resistance up to 5 bar tensile strength 500 N heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure GROHE Long-Life finish			
		28 410 002	Chrome	4005176605529	22.04
		ditto, 1750 mm			
 		28 155 002	Chrome	4005176605567	22.05
		Relexaflex Shower hose 2000 mm smooth surface for easy cleaning pressure resistance up to 5 bar tensile strength 500 N heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure GROHE Long-Life finish			
		28 154 002	Chrome	4005176605574	19.29
		ditto, 1750 mm			
 		28 151 002	Chrome	4005176605581	16.53
		28 151 L02	white	4005176775512	21.49
		ditto, 1500 mm			
		28 150 002	Chrome	4005176605598	13.77
		ditto, 1250 mm			
 		22 115 000	Chrome	4005176775529	11.95
		ditto, 500 mm			
 		28 158 001	Chrome	4005176775543	49.12
		Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets GROHE Long-Life finish			
 		28 146 000	Chrome	4005176121753	49.30
		Metal hose 2000 mm M 15 x M 15 GROHE Long-Life finish			

SHOWERS

GROHE SHOWER HOSES







	Ref. No.	Colour	EAN	Retail Guide Price (£)
	45 973 001	Chrome	4005176442919	15.70
	Relexaflex Shower hose 1500 mm smooth surface for easy cleaning pressure resistance up to 5 bar tensile strength 500 N heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure GROHE Long-Life finish minimum order quantity 10 pieces			

GROHE SHOWER ACCESSORIES






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 603 000 ★	Chrome	4005176486548	118.38
	26 603 BE0	polished nickel	4005176558719	236.74
	26 603 EN0	brushed nickel	4005176558740	260.42
	26 603 GL0 ★	cool sunrise	4005176558757	236.74
	26 603 GN0 ★	brushed cool sunrise	4005176558764	260.42
	26 603 DA0 ★	warm sunset	4005176558726	236.74
	26 603 DL0 ★	brushed warm sunset	4005176558733	260.42
	26 603 A00	hard graphite	4005176558696	236.74
	26 603 AL0 ★	brushed hard graphite	4005176558702	260.42
	Rainshower SmartActive Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life finish			
	22 125 KF0	phantom black	4005176782619	165.72
	ditto, Professional exclusive			
	26 602 000	Chrome	4005176486531	112.56
	ditto, 600 mm			
 	28 620 000	Chrome	4005176041259	113.85
	Relexa Shower rail, 600 mm Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life finish			
 	28 621 000	Chrome	4005176041273	116.02
	Relexa Shower rail, 1000 mm Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life finish			
 	27 892 000	Chrome	4005176921216	216.46
	Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE Long-Life finish			
	27 841 000	Chrome	4005176916670	227.31
	ditto, 900 mm			
 	27 499 000	Chrome	4005176886041	56.52
	Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE FastFixation (upper bracket adjustable to adapt to existing holes) GROHE Long-Life finish			
	27 500 000	Chrome	4005176886058	59.62
	ditto, 900 mm			

SHOWERS







GROHE SHOWER ACCESSORIES

		Ref. No.	Colour	EAN	Retail Guide Price (£)
 		27 521 000	Chrome	4005176886508	57.54
		Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE Long-Life finish			
		27 522 000	Chrome	4005176886515	61.42
		ditto, 900 mm			
 		27 523 001	Chrome	4005176680809	49.97
		Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder)			
 		27 524 001	Chrome	4005176681035	52.48
		Tempesta Shower rail, 900 mm with wall brackets, glider and swivel holder GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder)			
 		26 971 001	Chrome	4005176768187	74.71
		Tempesta Shower rail, 1150 mm with wall brackets, glider and swivel holder GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder)			
 		27 055 000	Chrome	4005176830433	50.29
		Rainshower Wall hand Shower holder adjustable GROHE Long-Life finish			
 		28 401 000	Chrome	4005176264474	62.84
		Movario Wall hand Shower holder adjustable GROHE Long-Life finish			






GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 595 001	Chrome	4005176681097	21.92
Tempesta Wall hand Shower holder adjustable GROHE Long-Life finish professional edition				
 	28 623 000	Chrome	4005176031595	37.81
Relexa Wall hand Shower holder adjustable GROHE Long-Life finish				
 	27 056 000	Chrome	4005176830440	32.89
Rainshower Wall hand Shower holder non-adjustable without escutcheon GROHE Long-Life finish				
 	27 074 000 ★ 27 074 DC0 ★ 27 074 LS0 27 074 BE0 27 074 EN0 27 074 GL0 ★ 27 074 GN0 ★ 27 074 DA0 ★ 27 074 DL0 ★ 27 074 A00 27 074 AL0 ★	Chrome supersteel moon white polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	4005176833083 4005176374487 4005176873591 4005176834325 4005176834301 4005176338984 4005176427084 4005176338977 4005176427091 4005176338991 4005176339004	37.58 52.61 48.72 60.12 63.88 60.12 63.88 60.12 63.88 60.12 63.88
Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE Long-Life finish				
	22 117 KF0	phantom black ditto, Professional exclusive	4005176782497	52.61
 	28 671 001	Chrome	4005176681110	34.37
Tempesta Flush pipe 300 mm shower outler elbow 1/2" male thread GROHE Long-Life finish professional edition				
	28 680 001	Chrome ditto, protected against backflow	4005176681332	49.18

GROHE SHOWER ACCESSORIES






		Ref. No.	Colour	EAN	Retail Guide Price (£)
		28 626 000	Chrome	4005176041358	34.15
		Relaxa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE Long-Life finish with matt chrome cap			
		28 636 000	Chrome	4005176078606	34.61
		ditto, for IG-combination			
		27 075 000	Chrome	4005176833090	37.58
		27 075 DC0	supersteel	4067393030546	52.61
		27 075 DA0	warm sunset	4067393030539	60.12
		27 075 DL0	brushed warm sunset	4067393030553	63.88
		27 075 GL0	cool sunrise	4067393030560	60.12
		27 075 GN0	brushed cool sunrise	4067393030577	63.88
		27 075 A00	hard graphite	4067393030515	60.12
		27 075 AL0	brushed hard graphite	4067393030522	63.88
		Rainshower Wall hand Shower holder non-adjustable with square escutcheon GROHE Long-Life finish			
		27 693 000	Chrome	4005176907043	28.88
		Euphoria Cube Wall hand Shower holder non-adjustable GROHE Long-Life finish			
		28 403 000	Chrome	4005176264511	30.81
		Movario Wall hand Shower holder non-adjustable GROHE Long-Life finish			
		28 622 000	Chrome	4005176041297	18.58
		Relaxa Wall hand Shower holder non-adjustable GROHE Long-Life finish			
		27 594 000	Chrome	4005176895920	14.64
		Tempesta Cosmopolitan Wall hand Shower holder non-adjustable GROHE Long-Life finish			

GROHE SHOWER ACCESSORIES







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 605 000	Chrome	4005176041105	17.08
Relexa Wall hand Shower holder non-adjustable GROHE Long-Life finish				
 	28 605 001	Chrome	4005176767586	17.07
Tempesta Wall hand Shower holder non-adjustable GROHE Long-Life finish professional edition				
 	27 151 000	Chrome	4005176837012	111.64
Pull-out shower for bath rim installation and under tiled surround Lead-through for shower hose shower hose 1/2" x 3/8", 2000 mm (28 158 000) The pull-out shower assembly can be combined with all hand showers GROHE Long-Life finish				
 	27 531 000	Chrome	4005176889486	139.68
Pull-out shower for bath rim installation and under tiled surround Lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000) The pull-out shower assembly can be combined with all hand showers GROHE Long-Life finish				

SHOWERS

GROHE SHOWER ACCESSORIES







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 057 000 ★	Chrome	4005176830457	58.73
	27 057 DC0 ★	supersteel	4005176371196	82.21
	27 057 GL0 ★	cool sunrise	4005176338946	93.97
	27 057 GN0 ★	brushed cool sunrise	4005176426933	99.83
	27 057 DA0 ★	warm sunset	4005176338939	93.97
	27 057 DL0 ★	brushed warm sunset	4005176426940	99.83
	27 057 A00	hard graphite	4005176338953	93.97
	27 057 AL0 ★	brushed hard graphite	4005176338960	99.83
	Rainshower Shower outlet elbow, 1/2" male connection thread 1/2" with round escutcheon protected against backflow GROHE Long-Life finish			
	22 118 KF0	phantom black	4005176782503	82.21
	ditto, Professional exclusive			
 	27 076 000	Chrome	4005176833106	58.73
	27 076 DC0	supersteel	4005176950216	82.21
	27 076 GL0	cool sunrise	4005176950230	93.97
	27 076 GN0	brushed cool sunrise	4005176954016	99.83
	27 076 DA0	warm sunset	4005176950209	93.97
	27 076 DL0	brushed warm sunset	4005176950223	99.83
	27 076 A00	hard graphite	4005176950186	93.97
	27 076 AL0	brushed hard graphite	4005176950193	99.83
	Rainshower Shower outlet elbow male connection thread 1/2" with square escutcheon protected against backflow GROHE Long-Life finish			
 	27 704 000	Chrome	4005176907159	33.28
	Euphoria Cube Shower outlet elbow, 1/2" male thread protected against backflow GROHE Long-Life finish			
 	26 658 DC0	supersteel	4005176950032	91.87
	26 658 GL0	cool sunrise	4005176950056	104.99
	26 658 GN0	brushed cool sunrise	4005176950063	111.55
	26 658 DA0	warm sunset	4005176950025	104.99
	26 658 DL0	brushed warm sunset	4005176950049	111.55
	26 658 A00	hard graphite	4005176950001	104.99
	26 658 AL0	brushed hard graphite	4005176950018	111.55
	Rainshower Shower outlet elbow 1/2" with holder with round escutcheon Ø 48 mm male connection thread 1/2" metal body protected against backflow GROHE Long-Life finish			
 	26 659 DC0	supersteel	4005176950100	91.87
	26 659 GL0	cool sunrise	4005176950124	104.99
	26 659 GN0	brushed cool sunrise	4005176950131	111.55
	26 659 DA0	warm sunset	4005176950094	104.99
	26 659 DL0	brushed warm sunset	4005176950117	111.55
	26 659 A00	hard graphite	4005176950070	104.99
	26 659 AL0	brushed hard graphite	4005176950087	111.55
	Rainshower Shower outlet elbow 1/2" with holder with square escutcheon 48 x 48 mm male connection thread 1/2" metal body protected against backflow GROHE Long-Life finish			

GROHE SHOWER ACCESSORIES







		Ref. No.	Colour	EAN	Retail Guide Price (£)
		26 370 000	Chrome	4005176341380	44.93
		26 370 GL0	cool sunrise	4005176556876	71.89
		26 370 DA0	warm sunset	4005176556845	71.89
		Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male connection thread 1/2" protected against backflow GROHE Long-Life finish			
		28 405 000	Chrome	4005176264559	38.87
		Movario Shower outlet elbow, 1/2" protected against backflow GROHE Long-Life finish			
		28 671 000	Chrome	4005176103070	34.37
		Relexa Shower outlet elbow, 1/2" male thread GROHE Long-Life finish			
		28 680 000	Chrome	4005176116780	49.18
		ditto, protected against backflow			
		28 406 000	Chrome	4005176264566	46.37
		Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE Long-Life finish			
		28 628 000	Chrome	4005176041396	34.27
		Relexa Shower outlet elbow, 1/2" with wall shower holder male thread GROHE Long-Life finish			
		12 435 000	Chrome	4005176272141	95.63
		Relexa Plus Gliding element with metal sleeve for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life finish			

SHOWERS






GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 679 000	Chrome	4005176116759	51.23
 	28 406 000	Chrome	4005176264566	46.37
 	28 628 000	Chrome	4005176041396	34.27
 	28 628 001	Chrome	4005176681141	34.27
 	28 679 001	Chrome	4005176681479	49.18
 	28 856 000		4005176603495	39.07


GROHE SHOWER ACCESSORIES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 631 000		4005176019142	51.67
Relexa Soap dish for shower rail 28 620 / 28 621 GROHE Long-Life finish				
 	27 206 000		4005176845444	21.86
Soap dish transparent surface textured in parts				
 	27 596 000		4005176895944	7.29
GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm				
 	45 914 XE0	gray night time	4005176842054	15.10
Spacer for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136 not stackable				
 	45 459 000	Chrome	4005176056444	10.72
Spacer for shower rail 28 620 / 28 621 stackable				
 	48 543 001		4005176681073	9.11
Tempesta Spacer for Tempesta shower rails 27 523 001 / 27 524 001 / 26 971 001 stackable				

GROHE SHOWER ACCESSORIES



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	48 051 000	Chrome	4005176890024	9.10
Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500 stackable				
 	26 385 000	Chrome	4005176375057	17.06
Rainshower SmartControl Spacer for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable				
 	28 874 000	Chrome	4005176042348	19.95
Tee Connection for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE Long-Life finish				
 	28 988 000	Chrome	4005176042805	45.43
Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE Long-Life finish				
 	28 799 000	Chrome	4005176602511	73.85
Diverter GROHE Long-Life finish				
 	27 102 000	Chrome	4005176600074	50.40
Trigger Spray Wall holder set 1 spray GROHE Long-Life finish				


GROHE TEMPESTA SYSTEM AVAILABLE UNTIL 10/2024

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 514 000	Chrome	4005176476099	461.87
	Tempesta Cosmopolitan System 210 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Tempesta 210 9.5 l/min (26 410) Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ hand shower Tempesta Cosmopolitan 100 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) GROHE Water Saving 9.5 l/min flow limiter GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE MetalGrip ergonomically shaped metal handles SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. optional upgrade: GROHE EasyReach tray (26 362)			

	27 922 000	Chrome	4005176923364	404.32
	Tempesta Cosmopolitan 160 Shower system with thermostat for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower 1 spray (28 232 000) spray pattern: Rain with ball joint rotation angle $\pm 15^\circ$ hand shower Tempesta Cosmopolitan 100 (27 571 001) 2 spray patterns: Rain, Jet adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting optional upgrade: GROHE EasyReach tray (26 362)			

GROHE TEMPESTA SYSTEM AVAILABLE UNTIL 10/2024


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 223 001	Chrome	4005176408144	569.57
Tempesta Cosmopolitan System 210 Shower system with bath thermostat for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function allows change between: head shower Tempesta 210 (26 408) Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ bath inlet separate diverter for hand shower hand shower Tempesta Cosmopolitan 100 (27 571 001) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.				
				

	26 224 001	Chrome	4005176408168	395.47
Tempesta Cosmopolitan System 210 Shower system with single lever for wall mounting Consisting of: horizontal swivable 390 mm projection shower arm exposed single-lever shower mixer with diverter allows change between: head shower Tempesta 210 (26 408) Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ hand shower Tempesta Cosmopolitan 100 (27 571 001) 2 spray patterns: Rain, Jet adjustable height via gliding element RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410) GROHE SilkMove 46 mm ceramic cartridge GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min.				
				

GROHE TEMPESTA SYSTEM AVAILABLE UNTIL 10/2024

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 381 001	Chrome	4005176451980	272.80
------------	--------	---------------	--------



Tempesta System 210

Flex shower system with diverter for wall mounting

Consisting of:

horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower or head shower Eco setting

head shower Tempesta 210 (26 408)

2 spray patterns (via diverter):

chrome plated spray face

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta 100 (27 852)

Rain spray pattern

adjustable height via gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to tap / wall union for water supply with 1/2"

thread of the 1250 mm shower hose

GROHE DreamSpray perfect spray pattern

GROHE Long-Life finish

SpeedClean anti-limescale system

Inner WaterGuide for a longer life








ShockProof silicone ring prevents damage caused by a shower falling

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.


SHOWERS


GROHE TEMPESTA AVAILABLE UNTIL 10/2024

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 869 001	Chrome	4005176444005	84.98
Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater				
 	26 090 001	Chrome	4005176443992	78.43
Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O ² , Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater				
 	27 591 001	Chrome	4005176443985	71.35
Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life				
 	26 051 001	Chrome	4005176443954	57.29
Tempesta Cosmopolitan 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater				
 	27 541 001	Chrome	4005176451676	93.06
Tempesta Cosmopolitan 200 Head shower 1 spray Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" suitable for instantaneous heater				
 	27 521 000	Chrome	4005176886508	57.54
Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE Long-Life finish				
	27 522 000	Chrome	4005176886515	61.42
ditto, 900 mm				

GROHE TEMPESTA AVAILABLE UNTIL 10/2024

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------





		48 051 000 Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500 stackable	Chrome 4005176890024 9.10
---	---	---	--

		27 596 000 GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm	4005176895944 7.29
---	---	---	---





SHOWERS

GROHE

TEMPESTA AVAILABLE UNTIL 10/2024






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	 26 663 000	Chrome	4005176580505	229.40
	Tempesta 250 Head shower set 380 mm, 1 spray Consisting of: head shower Tempesta 250 (26 662) 1 spray pattern: Rain fully chrome plated surfaces shower arm 380 mm (28 361) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition			
	26 668 000	Chrome	4005176580550	214.90
	26 668 2430	matte black	4067393015758	279.36
	ditto, but head shower with white rear cover			
 	 26 682 000	Chrome	4005176580697	229.40
	Tempesta 250 Cube Head shower set 380 mm, 1 spray Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm 380 mm with square escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition			
	26 687 000	Chrome	4005176580741	214.90
	ditto, but head shower with white rear cover			
 	26 412 000	Chrome	4005176390173	177.84
	102218 243 0	matte black	4067393019084	231.19
	Tempesta 210 Head shower set 286 mm, 1 spray Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
 	26 267 001	Chrome	4005176444197	63.55
	Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure			

GROHE TEMPESTA AVAILABLE UNTIL 10/2024

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	 	26 664 000	Chrome	4005176580512	185.20
	Tempesta 250 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 250 (26 662) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (28 724) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition				
		26 669 000	Chrome	4005176580567	170.70
		26 669 2430	matte black	4067393015765	221.91
		ditto, but head shower with white rear cover			
 	 	26 683 000	Chrome	4005176580703	185.20
	Tempesta 250 Cube Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (27 485) with square escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition				
		26 688 000	Chrome	4005176580758	170.70
		ditto, but head shower with white rear cover			
 	 	26 662 000	Chrome	4005176580499	139.26
	Tempesta 250 Head shower 1 spray Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition				
		26 666 000	Chrome	4005176580536	124.75
		ditto, but with white rear cover			
 	 	26 681 000	Chrome	4005176580680	139.26
	Tempesta 250 Cube Head shower 1 spray Rain 250 mm x 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition				
		26 685 000	Chrome	4005176580727	124.75
		ditto, but with white rear cover			





GROHE

TEMPESTA AVAILABLE UNTIL 10/2024

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 409 000	Chrome	4005176390128	100.44
	Tempesta 210 Head shower 1 spray Rain Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
	26 410 000	Chrome	4005176390142	100.44
	ditto, with 9.5 l/min flow limiter			
	26 408 000	Chrome	4005176390111	100.44
	ditto, with non-restricted flow			
 	27 606 001	Chrome	4005176444180	64.87
	Tempesta 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	26 050 001	Chrome	4005176444166	51.04
	Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
 	48 051 000	Chrome	4005176890024	9.10
	Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500 stackable			
 	27 596 000		4005176895944	7.29
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm			

GROHE

TEMPESTA AVAILABLE UNTIL 10/2024

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 594 000	Chrome	4005176895920	14.64
Tempesta Cosmopolitan Wall hand Shower holder non-adjustable GROHE Long-Life finish				
 	27 406 000	Chrome	4005176600166	50.79
Relexa Shower arm 218 mm connection thread 1/2" projection 218 mm escutcheon GROHE Long-Life finish				
 	28 541 000	Chrome	4005176040528	85.40
Relexa Shower arm 147 mm connection thread 1/2" escutcheon GROHE Long-Life finish				
 	28 429 000	Chrome	4005176601910	48.23
Relexa Shower arm 55 mm connection thread 1/2" GROHE Long-Life finish				

SHOWERS

GROHE
KITCHEN FITTINGS





CONTENTS

Water Systems	GROHE Blue Professional	523
	GROHE Blue Pure	529
	GROHE Blue Accessories	532
	GROHE Red	537
Premium Lines	K7	540
	Foot Control	541
	Zedra / Zedra SmartControl / Zedra Touch	542
	Essence	544
	Minta / Minta SmartControl / Minta Touch	547
	Eurocube	551
Competence Lines	Eurodisc Cosmopolitan	552
	Eurodisc	553
	Concetto	554
	Eurostyle Cosmopolitan	557
	Eurosmart Cosmopolitan	558
	Eurosmart	561
	Euroeco / Euroeco Special	564
	Costa	565
	Bau Lines	567
	Soap dispensers	570
Kitchen sinks	Stainless steel sinks	571
	Composite sinks	578

HANDS ON

GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen taps include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



Lead+Nickel Free

No contact of water with lead and nickel due to isolated inner water ways.



EasyExchange

The aerator is easy to install and de-install using just a coin.



ProfessionalSpray

Features a 360° spring arm and easy switching between the spray and mousseur.



EasyTouch

Just touch the tap at any point with your wrist, elbow or just your fingertip to turn the tap ON and OFF.



FootControl

Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the tap ON and OFF.



Magnetic Docking

Thanks to powerful integrated magnets the pull-out spray head retracts easily and smoothly to the perfect position after every use.



Pull-Out Dual Spray

Increases operating radius of the tap and offers easy switching between mousseur and the spray.



Pull-Out Mousseur

Increases the operating radius of your tap.



EasyDock

Guarantees easy retraction and smooth docking for your pull-out spray head, every time.



GROHE FastFixation
65 % faster installation.



SpeedClean
Remove limescale
with a single wipe.



OpenWaterHeater
The perfect flow in combination
with open water heaters.



StopValve
Includes a dishwasher shut-off
valve on the tap body.




PreWindow
To open the window, just lift
up the tap and lay it flat on the
surface.



ComfortHeight
Height of the spout allows
easy filling of large pots.



SwivelStop
Limited turn angle
prevents flooding.



Forward Rotating Lever
Forward rotating lever prevents
the lever hitting the backsplash.



Enhanced Water
Superior-quality water directly
from the kitchen tap – saving time,
money and the environment.



ChildLock
Integrated safety mechanism
prevents unintentional opening
by young children.



Titanium Inside
All boilers in our GROHE Red
collection are made from titanium.

GROHE BLUE PROFESSIONAL

THE **PERFECT SOLUTION** FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.

The GROHE Blue Professional water system makes this a reality in your own home or office. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the tap.



Hot and cold
mixed water.

GROHE Blue:
Filtered, chilled and
sparkling water.

FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS** TO YOUR OFFICE:

Access to fresh, cool water at any time – still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing

GROHE BLUE PROFESSIONAL PRODUCT PORTFOLIO



● ●
31 323 002
GROHE Blue Professional
C-spout



● ●
31 347 003
GROHE Blue Professional
L-spout



● ●
31 325 002
GROHE Blue Professional
C-spout
with pull-out mousseur



● ●
31 326 002
GROHE Blue Professional
L-spout
with pull-out mousseur



● ●
31 302 002 / 31 302 DC2
GROHE Blue Professional
Mono

EACH GROHE BLUE PROFESSIONAL CONTAINS:



COOLER AND CARBONATOR BOX,
FILTER HEAD, CO₂ PRESSURE REDUCER
AND CLEANING ADAPTER

Filter, CO₂ bottle and cleaning cartridge
have to be ordered separately according
to your personal needs.

KITCHEN
FITTINGS

Colour options:

● 002/003 | StarLight Chrome ● DC2/DC3 | SuperSteel

GROHE RED

99 °C STRAIGHT FROM THE TAP

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen tap.

With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.



THE **BENEFITS** ARE CRYSTAL CLEAR

SAFETY FIRST

Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

NO MORE WAITING

Kettle-hot water is always available at the push of a button, so waiting for the kettle or pot to boil is a thing of the past.

LESS WASTE

You only take the exact amount of hot water you need, so you save on water and energy consumption.

CLEAN, FRESH TASTE

Filtered water heated to 99 degrees for an exceptional taste experience.

CLEAR YOUR WORKTOP

No need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single tap.



GROHE RED

PRODUCT PORTFOLIO



30 340 001
GROHE Red Duo
L-spout, L-Size boiler



30 329 001
GROHE Red Mono
L-spout, M-Size boiler



30 058 001
GROHE Red Duo
C-spout, M-Size boiler



30 060 001
GROHE Red Mono
C-spout, M-Size boiler

KITCHEN
FITTINGS

EACH GROHE RED CONTAINS:
BOILER (M- OR L-SIZE) & FILTERSET



L-SIZE BOILER **M-SIZE BOILER**



40 841 001
GROHE Red mixing valve
(additional equipment)

- Colour options:**
- 001 | StarLight Chrome
 - DA1 | Warm Sunset
 - A01 | Hard Graphite
 - DC1 | SuperSteel
 - DL1 | Brushed Warm Sunset
 - AL1 | Brushed Hard Graphite

GROHE EASYTOUCH



Simple activation/deactivation
of the water flow by touch.



Manual control with the lever.



GROHE SMARTCONTROL

JUGGLING KITCHEN TASKS?

Multi-tasking is a fact of the modern world, and nowhere more so than in the kitchen, where the collision of family life, meal prep and entertaining mean you often have your hands full. So why can't everything be just that little bit easier? With the new GROHE SmartControl it is, offering innovative push-operation that is effortless to use. Instead of grappling with a lever handle with wet hands, simply press the button to start and stop the water flow. Holding a full pan or a pile of plates? Just push with your wrist or elbow. It couldn't be more simple. Turning the same button alters the flow, and there is even a water-saving option. Temperature control is as straightforward as a twist of the valve on the tap's body. Smooth and intuitive to use for the whole family, SmartControl is the perfect solution for anyone who too often has their hands full in the kitchen. And what could be easier than that?

SUPERIOR DESIGN

- Sleek, streamlined and puristic

SMARTCONTROL BUTTON

- Push the button to start & stop the water flow
- Turn the button by 150° from eco to powerful jet

TEMPERATURE ADJUSTMENT

- Turn the valve gently to the left or right to adjust your perfect temperature

PULL-OUT LAMINAR SPRAY

- For an increased operation radius

MAGNETIC DOCKING

- Integrated magnets for seamless docking of the spray head

LEAD AND NICKEL FREE WATER FLOW

QUICKFIX PLUS INSTALLATION

- 65% faster installation



GROHE PROFESSIONAL SPRAYS

THE COLOURFUL WORLD OF **ESSENCE** PROFESSIONAL

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic santoprene hose is not only easy-to-clean but also comes in a choice of 11 colour finishes.



Colour options (hose)

Order 30 503 000 (chrome) / 30 503 DC0 (SuperSteel) and add a colour of your choice 30 321 + colour code

● MW0 Sheer Marble	● XC0 Dark Grey	● YF0 Yellow	● YR0 Orange	● DG0 Red
● DP0 Pink	● DU0 Purple	● GE0 Green	● TY0 Blue	● HG0 Dark Brown

Exchange the hose via 4 simple steps:



Step 1
Loose the 2 screws with the screwdriver from the body and the spray.



Step 2
Take the original hose with the connection out of the tap body and the spray and put it to the side.



Step 3
Take the new hose and insert it with the connection into the tap body and the spray.



Step 4
Insert the 2 screws with the screwdriver.

A CYLINDRICAL STATEMENT **CONCETTO PROFESSIONAL**

Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousseur and powerful SpeedClean spray with ease – the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510 mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.



GROHE KITCHEN SINK FEATURES

STAINLESS STEEL SINKS

	STANDARD BUILT-IN	FLAT-EDGE	FLUSH-MOUNT	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	AISI 304 (V2A)	AISI 316 (V4A)	SATIN FINISH	PVD COLOUR	PRE-POLISHED	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED	BUNDLE AVAILABLE
	MOUNTING TYPE				NUMBER OF BOWLS & RADIUS				DRAINER	MATERIAL		FINISH			ADDITIONAL FEATURES			
K1000 			●		●			R10	●	●		●			●		***	
K800 			●		●		●	R10		●		●			●		***	
K700 U 	●		●	●	●	●		R10		●		●	●				***	
K700 	●		●		●			R15		●		●					***	
K500 	●		●		●	●	●	R65	●	●		●			●	●	***	●
K400+ 		●			●	●		R20	●		●	●			●	●	***	
K400 	●				●	●	●	R20	●	●		●			●	●	***	●
K200 	●				●	●		R100/ R60	●	●				●	●	●	***	●

* R0 (bottom, front & back top) / R30 (right & left top)

** R0 (vertical) / R9 (bottom)

*** optional accessory 40 986 SD0

COMPOSITE SINKS

	STANDARD BUILT-IN	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	COMPOSITE	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED
	MOUNTING TYPE		NUMBER OF BOWLS & RADIUS				DRAINER	MATERIAL	ADDITIONAL FEATURES		
K700 U 	●	●	●			R0 / R30*		●			***
K700 	●	○	●	●	●	R0		●	●	○	***
K500 	●	○	●	●		R0 / R9**	●	●	●	○	***
K400 	●		●	●		R15	●	●	●	●	***
K200 	●		●			R60		●	●		***

○ selected products
● all products in this line

GROHE BLUE & GROHE RED WATERSYSTEMS

	DESIGN	MIXED WATER	FILTERED WATER	SPARKLING WATER	BOILING WATER	PULL-OUT MOUSSEUR	CO ₂ -BOTTLE	FILTER	FILTERHEAD	CARBONIZER	BOILER	APP CONTROL	CHROME	PVD COLOURS	PERFECT MATCH	
															SOAP DISPENSER 40 535 000 / 40 535 DC0	WASTE SYSTEMS
GROHE BLUE PROFESSIONAL		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE MONO PROFESSIONAL			●	●			●	●	●	●		●	●	●	●	●
GROHE BLUE PURE FILTER		●	●					●	●				●	●	●	● *
		●	●					●	●				●	●	●	● *
GROHE BLUE PURE FILTER MONO			●					●	●				●	●	●	● *
GROHE RED DUO		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
GROHE RED MONO					●			●	●		●		●	●	●	●
					●			●	●		●		●	●	●	●

* Additional waste bin is needed

GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	FILTERED WATER	EASYTOUCH	FOOTCONTROL	SMARTCONTROL	PROFESSIONAL SPRAY	PULL-OUT TRIPLE SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION			
															SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE K7								•		•			•	•	•			
						•							•	•	•			
GROHE K7 FOOTCONTROL				•		•							•		•			
GROHE MINTA					•			•	•			•	•	•	•			
								•	•				•	•	•			
								•	•				•	•	•			
GROHE MINTA TOUCH			•					•					•	•	•			
			•						•				•	•	•			
GROHE ZEDRA					•		•	•				•	•	•			•	
		•					•	•				•	•	•			•	
GROHE ZEDRA TOUCH			•				•	•					•	•			•	
GROHE ESSENCE					•	•		•					•	•	•			
GROHE ESSENCE FOOTCONTROL				•				•					•	•	•			
GROHE ATRIO													•	•	•			
GROHE EUROCUBE													•	•	•			
						•							•	•	•			
GROHE AMBI													•		•	•		
GROHE PARKFIELD								•					•	•				•
GROHE EURODISC COSMOPOLITAN								•			•	•	•		•			
									•				•		•			
													•		•			

GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION	
									SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0
GROHE CONCETTO		●					●	●	●	
		●	●	●	●	●	●	●	●	
		●	●	●		●	●	●	●	
		●					●		●	
GROHE EUROSTYLE COSMOPOLITAN							●		●	
					●	●	●		●	
			●	●			●		●	
							●		●	
GROHE EUROSMART COSMOPOLITAN					●	●	●		●	
						●	●	●	●	
			●				●	●	●	
GROHE EUROSMART			●				●	●		●
						●	●	●		●
							●			●
GROHE BAU							●			●

GROHE FUNCTIONALITY AT A GLANCE


	DESIGN	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION	
								SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0
GROHE ZEDRA		●				●			●
GROHE MINTA			●			●		●	
		●				●		●	
GROHE CONCETTO			●	●	●	●		●	
			●			●		●	
GROHE EUROSTYLE COSMOPOLITAN						●		●	
						●		●	
						●		●	
GROHE EUROSMART COSMOPOLITAN						●		●	
						●	●	●	
						●		●	

KITCHEN
FITTINGS

ACCESSORIES FOR GROHE WATER SYSTEMS

	FILTER					CO ₂ BOTTLES		CLEANING AND ACCESSORIES		
	 40 404 001 S-Size	 40 430 001 M-Size	 40 412 001 L-Size	 40 547 001 ACTIVATED CARBON	 40 691 002 MAGNESIUM	 40 422 000 CO ₂ STARTER KIT 425 G  40 687 000 CO ₂ REFILL 425 G	 40 423 000 CO ₂ STARTER KIT 2 KG  40 424 000 CO ₂ REFILL 2 KG	 40 962 000 CO ₂ ADAPTER TO 425 G	 40 434 001 CLEANING CARTRIDGE	 40 694 000 CLEANING CARTRIDGE ADAPTER
 GROHE BLUE PROFESSIONAL	•	•	•	•	•	•	•	•	•	•
 GROHE RED	•	•	•		•					
 FILTER TAPS	•	•	•	•	•					


GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 323 002	Chrome	4005176989933	2,917.52
31 323 DC2	supersteel	4005176989940	3,355.16
  GROHE Blue Professional C-spout kit Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation C-spout touch operated for 3 types of filtered and chilled water still, medium, sparkling GROHE Long-Life finish 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Professional cooler delivers 12 liters of chilled sparkling water per hour colour display with push and turn control 270 Watt cooling unit, 230 V, 50 Hz sound level in standby 46 dB(A) type of protection IP 21 CE approved requires ventilation holes in the bottom of the kitchen cabinet software set-up and monitoring of filter and CO2 capacity possible via GROHE Watersystems app push notifications at low filter resp. CO₂ capacity additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver cleaning cartridge adapter, for use with GROHE Blue cleaning cartridge 40 434 001 filter head with flexible water hardness adjustment CO₂ pressure indicator GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately suitable filters: - filter S-size, capacity 600 l at 20° dKH (40 404 001) - filter M-size, capacity 1500 l at 20° dKH (40 430 001) - filter L-size, capacity 2500 l at 20° dKH (40 412 001) - activated carbon filter, capacity 3000 l (40 547 001) - Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002) System requirements Apple iPhone with iOS 14.0 or higher System requirements Android smart phone with Android 10.0 or higher Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards. *** Available for free via iTunes app or Google Play store.			

KITCHEN
FITTINGS


GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 347 003	Chrome	4005176443336	2,917.52
31 347 DC3	supersteel	4005176446559	3,355.16
GROHE Blue Professional L-spout kit Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation L-spout touch operated for 3 types of filtered and chilled water still, medium, sparkling GROHE Long-Life finish 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Professional cooler delivers 12 liters of chilled sparkling water per hour colour display with push and turn control 270 Watt cooling unit, 230 V, 50 Hz sound level in standby 46 dB(A) type of protection IP 21 CE approved requires ventilation holes in the bottom of the kitchen cabinet software set-up and monitoring of filter and CO₂ capacity possible via GROHE Watersystems app push notifications at low filter resp. CO₂ capacity additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver cleaning cartridge adapter, for use with GROHE Blue cleaning cartridge 40 434 001 CO₂ pressure indicator filter head with flexible water hardness adjustment GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately suitable filters: - filter S-size, capacity 600 l at 20° dKH (40 404 001) - filter M-size, capacity 1500 l at 20° dKH (40 430 001) - filter L-size, capacity 2500 l at 20° dKH (40 412 001) - activated carbon filter, capacity 3000 l (40 547 001) - Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002) System requirements Apple iPhone with iOS 14.0 or higher System requirements Android smart phone with Android 10.0 or higher Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards. *** Available for free via iTunes app or Google Play store. to be equipped with a non-return valve EA approved by Belgaqua			



GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 325 002	Chrome	4005176507274	3,215.54
31 325 DC2	supersteel	4005176507250	3,697.87

GROHE Blue Professional C-spout kit with pull-out mousseur
Consisting of:
GROHE Blue single-lever sink mixer with filter function monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water still, medium, sparkling
GROHE Long-Life finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout
swivel area 360°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO2 capacity possible via GROHE Watersystems app
push notifications at low filter resp. CO2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
cleaning cartridge adapter, for use with GROHE Blue cleaning cartridge 40 434 001
CO2 pressure indicator
filter head with flexible water hardness adjustment
GROHE Blue filter, CO2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- activated carbon filter, capacity 3000 l (40 547 001)
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 14.0 or higher

System requirements Android
smart phone with Android 10.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

to be equipped with a non-return valve EA approved by Belgaqua

KITCHEN
FITTINGS

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 326 002	Chrome	4005176507236	3,215.54
31 326 DC2	supersteel	4005176507212	3,697.87



GROHE Blue Professional

L-spout kit with pull-out mousseur

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life finish

28 mm ceramic cartridge

with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Watersystems app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

cleaning cartridge adapter, for use with GROHE Blue cleaning cartridge 40 434

001

CO₂ pressure indicator

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple

iPhone with iOS 14.0 or higher

System requirements Android

smart phone with Android 10.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery

and have to be ordered separately via an authorised Apple store/store/iTunes or

Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by

Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.

Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of

Apple Inc., registered in the U.S. and other countries. Apple is not responsible for


the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 302 002	Chrome	4005176443343	2,828.13
31 302 DC2	supersteel	4005176443350	3,252.35




GROHE Blue Professional C-spout kit with Mono tap
Consisting of:
GROHE Blue Mono mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE Long-Life finish
swivel tubular spout
swivel area 150°
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO₂ capacity possible via GROHE Watersystems app
push notifications at low filter resp. CO₂ capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
cleaning cartridge adapter, for use with GROHE Blue cleaning cartridge 40 434 001
CO₂ pressure indicator
filter head with flexible water hardness adjustment
GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- activated carbon filter, capacity 3000 l (40 547 001)
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)
System requirements Apple
iPhone with iOS 14.0 or higher
System requirements Android
smart phone with Android 10.0 or higher
Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.
*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua





KITCHEN
FITTINGS

GROHE BLUE PROFESSIONAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 554 002		4005176458521	1,375.79
	GROHE Blue Professional Cooler and carbonizer delivers 12 liters of chilled water per hour colour display with push and turn control 270 Watt cooling unit, 230 V, 50 Hz type of protection IP 21 CE approved requires ventilation holes in the bottom of the kitchen cabinet software set-up and monitoring of filter and CO₂ capacity possible via GROHE Watersystems app push notifications at low filter resp. CO₂ capacity additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver compatible only with GROHE Blue taps with push button operation System requirements Apple iPhone with iOS 14.0 or higher System requirements Android smart phone with Android 10.0 or higher Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards. *** Available for free via iTunes app or Google Play store. This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/			



GROHE BLUE PURE





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 580 000	Chrome	4005176744891	240.95
	GROHE Blue Pure BauCurve Filter tap Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation C-spout separate handle for filtered water 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses the faucet must be installed with a filter starter set of your choice			
	30 581 000	Chrome	4005176744907	495.28
	GROHE Blue Pure BauCurve Starter kit with S-Size filter Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation C-spout separate handle for filtered water 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue filter head GROHE Blue S-Size filter for water hardness reduction and premium taste Capacity 600 L at 20° dKH flow meter for filter lifetime measurement including 2 x AA batteries			
	30 582 000	Chrome	4005176744914	602.38
	GROHE Blue Pure BauCurve Starter kit with Ultrasafe filter Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation C-spout separate handle for filtered water 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue filter head GROHE Blue Ultrasafe filter retains microplastic > 1 µm, 99.999 % of bacteria and 99,5 % of lead reduces substances responsible for unpleasant taste and odour, e.g. chlorine filter capacity 3000 l, the filter must be replaced after 6 months of use flow meter for filter lifetime measurement including 2 x AA batteries			
	30 583 000 30 583 DC0	Chrome supersteel	4005176744921 4005176744938	267.72 307.88
	GROHE Blue Pure Eurosmart Filter tap Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation U spout separate handle for filtered water 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses the faucet must be installed with a filter starter set of your choice			

KITCHEN
FITTINGS

GROHE BLUE PURE




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 584 000	Chrome	4005176744945	522.06
	GROHE Blue Pure Eurosmart Starter kit with S-Size filter Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation U spout separate handle for filtered water 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue filter head GROHE Blue S-Size filter for water hardness reduction and premium taste Capacity 600 L at 20° dKH flow meter for filter lifetime measurement including 2 x AA batteries			
	30 586 000	Chrome	4005176744969	1,505.92
	GROHE Blue Pure Eurosmart Starter kit with reverse osmosis filter Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation U spout separate handle for filtered water 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue reverse osmosis system reverse osmosis filter membrane for pure and safe water significant removal of chemicals, hormones and microorganisms flow rate 1.5 l/min salt rejection more than 97% efficiency rate min. 50% feed water pressure 1.00 - 4.00 bar standard IEC connector with EU plug, power supply 230V / 50 Hz no water storage tank required membrane lifetime one year connection set			
	30 587 000	Chrome	4005176745263	1,864.47
	GROHE Blue Pure Eurosmart Starter kit with reverse osmosis mineralization filter Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation U spout separate handle for filtered water 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue reverse osmosis mineralization system reverse osmosis filter membrane for pure and safe water significant removal of chemicals, hormones and microorganisms mineralization filter enriches drinking water with magnesium and silicate for premium taste flow rate 1.5 l/min salt rejection more than 97% efficiency rate min. 50% feed water pressure 1.00 - 4.00 bar standard IEC connector with EU plug, power supply 230V / 50 Hz no water storage tank required membrane lifetime one year connection set			

GROHE BLUE PURE






	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 588 000	Chrome	4005176744983	388.19
	GROHE Blue Pure Minta Filter tap Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation L-spout separate handle for filtered water 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses the faucet must be installed with a filter starter set of your choice			
	30 589 000	Chrome	4005176745270	642.52
	GROHE Blue Pure Minta Starter kit with S-Size filter Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation L-spout separate handle for filtered water 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue filter head GROHE Blue S-Size filter for water hardness reduction and premium taste Capacity 600 L at 20° dKH flow meter for filter lifetime measurement including 2 x AA batteries			
	30 590 000 30 590 DC0 30 590 KF0	Chrome supersteel phantom black	4005176745003 4005176745010 4005176781728	441.73 508.00 508.00
	GROHE Blue Pure Minta Filter tap with pull-out mousseur Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation L-spout pull out mousseur spout separate handle for filtered water 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 360° separate inner water ways for filtered and non-filtered water flexible connection hoses the faucet must be installed with a filter starter set of your choice			
	30 591 000	Chrome	4005176745034	696.07
	GROHE Blue Pure Minta Starter kit with pull-out tap Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation L-spout pull out mousseur spout separate handle for filtered water 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 360° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue filter head GROHE Blue S-Size filter for water hardness reduction and premium taste Capacity 600 L at 20° dKH flow meter for filter lifetime measurement including 2 x AA batteries			

KITCHEN
FITTINGS

GROHE BLUE ACCESSORIES

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		40 848 SD0	stainless steel	4005176386008	33.65
		40 848 GN0	brushed cool sunrise	4005176647000	43.74
		40 848 DL0	brushed warm sunset	4005176647017	43.74
		40 848 AL0	brushed hard graphite	4005176646997	43.74
		GROHE Blue Thermo drinking bottle stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml			
		40 405 001		4005176698019	68.49
		GROHE Blue Glass carafe with lid set crystal glass with GROHE Blue decor stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bisphenol A) free dish washer safe volume 1l			
		40 636 SD0	stainless steel	4005176706707	30.48
		GROHE Blue Lid set set consists of 2 lids stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bisphenol A) free dish washer safe			
		40 437 000		4005176885471	74.64
		GROHE Blue Water glasses (6 pieces) crystal glasses with GROHE Blue decor dish washer safe volume 250 ml			

GROHE BLUE ACCESSORIES




	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	41 136 000		4005176774430	227.56
GROHE Blue Activated carbon filter starter set Consisting of: GROHE Blue filter head GROHE Blue activated carbon filter for soft water areas below 9° dKH reduces substances responsible for unpleasant taste and odour, e.g. chlorine capacity 1500 l at 9° dKH time counter for filter lifetime measurement including 2 x AAA batteries compatible with GROHE Blue Pure single faucets				
 	40 438 001		4005176984105	267.72
GROHE Blue S-size filter starter set Consisting of: GROHE Blue filter head GROHE Blue S-Size filter for water hardness reduction and premium taste Capacity 600 L at 20° dKH flow meter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets and GROHE Red water systems				
 	40 875 000	Chrome	4005176745195	321.27
GROHE Blue Magnesium + Zinc filter starter set Consisting of: GROHE Blue filter head GROHE Blue Magnesium + zinc filter enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals Capacity 400 L at 17° dGH flow meter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets				
 	40 876 000	Chrome	4005176745201	374.80
GROHE Blue Ultrasafe filter starter set Consisting of: GROHE Blue filter head GROHE Blue Ultrasafe filter retains microplastic > 1 µm, 99.999 % of bacteria and 99,5 % of lead reduces substances responsible for unpleasant taste and odour, e.g. chlorine filter capacity 3000 l, the filter must be replaced after 6 months of use flow meter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets				
 	40 877 000	Chrome	4005176745218	1,271.67
GROHE Blue Reverse osmosis filter starter set Consisting of: GROHE Blue reverse osmosis system reverse osmosis filter membrane for pure and safe water significant removal of chemicals, hormones and microorganisms flow rate 1.5 l/min salt rejection more than 97% efficiency rate min. 50% feed water pressure 1.00 - 4.00 bar standard IEC connector with EU plug, power supply 230V / 50 Hz no water storage tank required membrane lifetime one year connection set compatible with GROHE Blue Pure single faucets				

KITCHEN
FITTINGS

GROHE BLUE ACCESSORIES



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 878 000	Chrome	4005176745225	1,606.33
	GROHE Blue Reverse osmosis with mineralization filter starter set Consisting of: GROHE Blue reverse osmosis mineralization system reverse osmosis filter membrane for pure and safe water significant removal of chemicals, hormones and microorganisms mineralization filter enriches drinking water with magnesium and silicate for premium taste flow rate 1.5 l/min salt rejection more than 97% efficiency rate min. 50% feed water pressure 1.00 - 4.00 bar standard IEC connector with EU plug, power supply 230V / 50 Hz no water storage tank required membrane lifetime one year connection set compatible with GROHE Blue Pure single faucets			
	40 547 001		4005176984099	103.81
	GROHE Blue Activated carbon filter BWT replacement filter for GROHE Blue water systems for soft water areas below 9° dKH Up to 3000 Liters reduces substances responsible for unpleasant taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure			
	40 404 001		4005176984068	110.89
	GROHE Blue Filter S-Size BWT replacement filter for GROHE Blue and GROHE Red water systems Capacity 600 L at 20° dKH reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional, GROHE Blue Pure (only with flow meter) and GROHE Red			
	40 430 001		4005176984075	207.52
	ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high			
	40 412 001		4005176984082	272.61
	ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high			
	40 691 002		4005176674099	144.49
	GROHE Blue Magnesium + Zinc filter BWT replacement filter for GROHE Blue and GROHE Red water systems Capacity 400 L at 17° dGH enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional, GROHE Blue Pure (only with flow meter) and GROHE Red			
	40 575 002		4005176674082	223.67
	GROHE Blue UltraSafe filter BWT replacement filter for GROHE Blue water systems filter capacity 3000 l, the filter must be replaced after 6 months of use retains microplastic > 1 µm and 99,999 % of bacteria, removes lead by 99,5 % reduces substances responsible for unpleasant taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)			


GROHE BLUE ACCESSORIES


		Ref. No.	Colour	EAN	Retail Guide Price (£)
		64 508 001	Chrome	4005176984112	80.91
		GROHE Blue Filter Head for use with GROHE Blue filters, sold separately			
 		40 434 001	Chrome	4005176985294	64.36
		GROHE Blue Cleaning cartridge for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/			
		40 694 000	Chrome	4005176985300	33.36
		GROHE Blue Cleaning cartridge adapter for GROHE Blue BWT filterhead 64 508 001 for use with GROHE Blue cleaning cartridge 40 434 001, sold separately			
 		40 422 000		4005176890246	151.96
		GROHE Blue Starter kit 425 g CO₂ bottles (4 pieces) carbondioxide for food and beverage (E290) Purity: CO ₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water for refilling please order 40 687 000 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/			
  		40 687 000		4005176981838	64.36
		GROHE Blue Refill 425 g CO₂ bottles (4 pieces) carbondioxide for food and beverage (E290) Purity: CO ₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/			


KITCHEN
FITTINGS


GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 920 000		4005176470646	33.95
GROHE Blue 425 g CO₂ bottle carbondioxide for food and beverage (E290) Purity: CO ₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/ sales unit 18 pieces				
 	40 423 000		4005176890253	215.08
GROHE Blue Starter kit 2 kg CO₂ bottle carbondioxide for food and beverage (E290) Purity: CO ₂ 99.9 % v/v min. volume 1 bottle: 2 kg, up to 350 l sparkling water integrated residual pressure valve and safety carrier handle for refilling please order 40 424 000 sales unit 1 piece not suitable for the GROHE Blue Home cooler This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/				
	40 962 000		4005176529412	55.12
GROHE Blue CO₂ adapter adapter for GROHE Blue Professional CO ₂ pressure reducer for use with 425 g CO ₂ bottles for GROHE Blue Professional systems as of January 2019				
	40 843 000	Chrome	4005176337109	110.25
GROHE Blue Extension set Consisting of: extension cable 5 m hose for drinking water, 5 m tube cutter adapters and clips suitable for GROHE Blue Home and GROHE Blue Professional (from January 2019)				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 328 001	Chrome	4005176414107	2,071.93
	30 328 DC1	supersteel	4005176414114	2,382.71
	GROHE Red Duo Tap and L Size Boiler Consisting of: GROHE Red Duo single-lever sink mixer monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life finish 28 mm ceramic cartridge with GROHE SilkMove insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler GROHE Red boiler L size reservoir for kettle hot and hot water Without safety expansion vessel, comes with safety valve assemeley instead 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH KIWA KUKReg4 Certified			


	30 340 001	Chrome	4005176414893	2,148.66
	30 340 DC1	supersteel	4005176414909	2,470.96
	GROHE Red Duo Tap and L Size Boiler Consisting of: GROHE Red Duo single-lever sink mixer monobloc installation L-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life finish 28 mm ceramic cartridge with GROHE SilkMove insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler GROHE Red boiler L size reservoir for kettle hot and hot water 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH KIWA KUKReg4 Certified			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 058 001	Chrome	4005176989162	1,995.18
	30 058 DC1	supersteel	4005176989179	2,294.46
				
GROHE Red Duo Tap and M Size Boiler Consisting of: GROHE Red Duo single-lever sink mixer monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life finish 28 mm ceramic cartridge with GROHE SilkMove insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH KIWA KUKReg4 Certified				

	30 341 001	Chrome	4005176414916	1,995.18
	30 341 DC1	supersteel	4005176414923	2,294.46
				
GROHE Red Duo Tap and M Size Boiler Consisting of: GROHE Red Duo single-lever sink mixer monobloc installation L-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life finish 28 mm ceramic cartridge with GROHE SilkMove insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH KIWA KUKReg4 Certified				



	40 841 001	Chrome	4005176335358	225.29
GROHE Red Mixing valve for thermostatic mixing of mains and boiling water to generate warm water adjustable between 35°C and 75°C hot fill and cold fill installation possible including 70 cm connection hose, manifold and wall fixation				

GROHE RED



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 842 001	Chrome	4005176335365	844.82
	GROHE Red Boiler Size M reservoir for hot water 3 liter hot water at 99° C 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W			
	40 834 001	Chrome	4005176335280	929.30
	GROHE Red Boiler Size L reservoir for hot water 5.5 liter hot water at 99° C 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W			
 	40 432 000		4005176883255	63.82
	GROHE Red Tea glasses (4 pieces) heat proof glass with GROHE Red decor dish washer safe volume 250 ml			

KITCHEN
FITTINGS

GROHE K7

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 950 000	Chrome	4005176879838	820.02
	32 950 DC0	supersteel	4005176879845	1,066.03
	K7 Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout swivel area 140° protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 14 l/min			
	31 379 000	Chrome	4005176938085	789.22
	31 379 DC0	supersteel	4005176938092	1,026.00
	K7 Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout, swivel area 140° protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 14.5 l/min			



GROHE FOOT CONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 309 000		4005176351235	280.02
			
			
Foot Control Dual flush valve set Foot control: activation of water via contact with sensor battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 upgrade set for GROHE pull-out kitchen faucets not suitable for combination with open water heater (SKUs 32 555 000, 31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0, 31 179 000, 31 132 001			

KITCHEN
FITTINGS

GROHE

ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 219 002	Chrome	4005176466540	822.10
	30 219 DC2	supersteel	4005176466557	1,068.73
	Zedra Touch Electronic single-lever sink mixer 1/2" Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position pull-out spray with 3 spray types diverter: laminar spray/SpeedClean shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses maximum flow rate (at 3 bar): 9 l/min			
	31 593 002	Chrome	4005176521942	645.94
	31 593 DC2	supersteel	4005176521959	839.72
	Zedra SmartControl Sink mixer with SmartControl monobloc installation GROHE Long-Life finish pull-out spray with laminar metal spray GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow temperature adjustment by turning of mixing valve on body swivel tubular spout swivel area 140° protected against backflow flexible connection hoses metal fixation set Lead and Nickel Free Inner Water Ways maximum flow rate (at 3 bar): 10 l/min			
	32 294 002	Chrome	4005176466496	469.77
	32 294 DC2	supersteel	4005176466502	610.70
	Zedra Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position pull-out spray with 3 spray types diverter: laminar spray/SpeedClean shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set Lead and Nickel Free Inner Water Ways maximum flow rate (at 3 bar): 9 l/min			

GROHE

ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH





Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

32 553 002	Chrome	4005176466649	440.41
32 553 DC2	supersteel	4005176466656	572.54




Zedra
Single-lever sink mixer 1/2"
monobloc installation
GROHE Long-Life finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set
Lead and Nickel Free Inner Water Ways
maximum flow rate (at 3 bar): 10 l/min

KITCHEN
FITTINGS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 892 KF0	phantom black	4005176782718	912.52
	Essence SmartControl Sink mixer with SmartControl monobloc installation GROHE Long-Life finish pull-out dual spray metal spray GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow temperature adjustment by turning of mixing valve on body swivel tubular spout swivel area 140° protected against backflow flexible connection hoses metal fixation set Lead and Nickel Free Inner Water Ways professional edition maximum flow rate (at 3 bar): 10 l/min			
	31 615 000	Chrome	4005176523649	543.17
	31 615 DC0	supersteel	4005176523656	706.13
	31 615 GL0	cool sunrise	4005176523670	760.44
	31 615 GN0	brushed cool sunrise	4005176523687	814.76
	31 615 DA0	warm sunset	4005176523694	760.44
	31 615 DL0	brushed warm sunset	4005176523700	814.76
	31 615 A00	hard graphite	4005176523717	760.44
	31 615 AL0	brushed hard graphite	4005176523724	814.76
	31 928 KF0	phantom black	4005176782701	760.44
	ditto, Professional exclusive			
	30 503 000	Chrome	4005176695698	566.33
	30 503 DC0	supersteel	4005176720178	736.23
	30 503 KF0	phantom black	4005176782695	792.85
	Essence Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish 28 mm ceramic cartridge with GROHE SilkMove flow strainer with integrated temperature limiter professional spray with flexible, hygienic GROHFlexx kitchen santoprene hose diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray metal spray GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position swivel spout swivel area 360° protected against backflow flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 8 l/min professional edition replaces Essence sink mixer 30 294 xx0			

GROHE
ESSENCE



Ref. No.	Colour	EAN	Retail Guide Price (£)
30 294 000	Chrome	4005176341472	566.33
30 294 DC0	supersteel	4005176341489	736.23
30 294 GL0	cool sunrise	4005176488078	792.85
30 294 GN0	brushed cool sunrise	4005176488085	849.49
30 294 DA0	warm sunset	4005176488498	792.85
30 294 DL0	brushed warm sunset	4005176488504	849.49
30 294 A00	hard graphite	4005176488054	792.85
30 294 AL0	brushed hard graphite	4005176488061	849.49

Essence
Single-lever sink mixer 1/2"
monobloc installation
GROHE Long-Life finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHFlexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set



30 321 GE0	green	4005176438271	78.65
30 321 XC0	dark grey	4005176385735	78.65
30 321 MW0	Sheer Marble	4005176385728	78.65
30 321 HG0	Dark Brown	4005176385742	78.65
30 321 DG0	red	4005176438219	78.65
30 321 DP0	pink	4005176438264	78.65
30 321 DU0	purple	4005176438257	78.65
30 321 TY0	blue	4005176438240	78.65
30 321 YF0	yellow	4005176438233	78.65
30 321 YR0	orange	4005176438226	78.65


Essence GROHFlexx kitchen hose
Spout hose for Essence kitchen tap
for 30 294 000/ 30 294 DC0/30 503 xxx
flexible, hygienic **GROHFlexx kitchen** santoprene hose
including fixing parts



30 504 000	Chrome	4005176695704	401.14
30 504 DC0	supersteel	4005176720130	521.49
30 504 GL0	cool sunrise	4005176720154	561.61
30 504 GN0	brushed cool sunrise	4005176720161	601.72
30 504 DA0	warm sunset	4005176720123	561.61
30 504 DL0	brushed warm sunset	4005176720147	601.72
30 504 A00	hard graphite	4005176720109	561.61
30 504 AL0	brushed hard graphite	4005176720116	601.72
30 504 KF0	phantom black	4005176782688	561.61

Essence
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE Long-Life finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
metal fixation set
integrated temperature limiter
maximum flow rate (at 3 bar): 8 l/min
professional edition
replaces Essence sink mixer 30 270 xx0

GROHE
ESSENCE





Ref. No.	Colour	EAN	Retail Guide Price (£)
30 505 000	Chrome	4005176695711	304.87
30 505 DC0	supersteel	4005176720062	396.33
30 505 GL0	cool sunrise	4005176720086	426.82
30 505 GN0	brushed cool sunrise	4005176720352	457.30
30 505 DA0	warm sunset	4005176719752	426.82
30 505 DL0	brushed warm sunset	4005176720079	457.30
30 505 A00	hard graphite	4005176719738	426.82
30 505 AL0	brushed hard graphite	4005176719745	457.30
30 505 KF0	phantom black	4005176782671	426.82


Essence
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE Long-Life finish
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE AquaGuide adjustable mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter
maximum flow rate (at 3 bar): 6.5 l/min
professional edition
replaces Essence sink mixer 30 269 xx0

GROHE

MINTA / MINTA SMARTCONTROL / MINTA TOUCH


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 360 001	Chrome	4005176343025	714.94
	31 360 DC1	supersteel	4005176343032	929.43
	 Minta Touch Electronic single-lever sink mixer 1/2" L-spout Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 10 l/min			


	31 358 002	Chrome	4005176465000	710.69
	31 358 DC2	supersteel	4005176465017	923.91
	 Minta Touch Electronic single-lever sink mixer 1/2" C-spout monobloc installation Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge pull-out dual spray diverter: laminar spray/SpeedClean shower jet swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 9 l/min			


	31 613 000	Chrome	4005176521973	449.69
	31 613 DC0	supersteel	4005176521980	584.60
	31 613 A00	hard graphite	4005176523601	629.57
	Minta SmartControl Sink mixer with SmartControl monobloc installation GROHE Long-Life finish pull-out spray with laminar metal spray GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow temperature adjustment by turning of mixing valve on body swivel tubular spout swivel area 140° protected against backflow flexible connection hoses metal fixation set Lead and Nickel Free Inner Water Ways maximum flow rate (at 3 bar): 10 l/min			

GROHE

MINTA / MINTA SMARTCONTROL / MINTA TOUCH





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 274 000	Chrome	4005176314988	291.75
	30 274 DC0	supersteel	4005176314995	379.27
	30 274 DA0	warm sunset	4005176488672	408.44
	30 274 DL0	brushed warm sunset	4005176488689	437.62
	30 274 A00	hard graphite	4005176488658	408.44
	30 274 AL0	brushed hard graphite	4005176488665	437.62
	Minta Single-lever sink mixer 1/2" L-spout monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge flow strainer pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray metal spray adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 9 l/min			

	32 321 002	Chrome	4005176465109	244.33
	32 321 DC2	supersteel	4005176465116	317.63
	32 321 GN2	brushed cool sunrise	4005176618529	366.49
	32 321 DL2	brushed warm sunset	4005176488764	366.49
	32 321 AL2	brushed hard graphite	4005176488740	366.49
	Minta Single-lever sink mixer 1/2" C-spout monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 9 l/min			
				

	32 322 002	Chrome	4005176465123	244.33
	32 322 DC2	supersteel	4005176465130	317.63
	32 322 DL2	brushed warm sunset	4005176488849	366.49
	32 322 AL2	brushed hard graphite	4005176488825	366.49
	Minta Single-lever sink mixer 1/2" U spout monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pull-out dual spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 9 l/min			
				

GROHE

MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 168 000	Chrome	4005176824425	235.94
	32 168 DC0	supersteel	4005176824432	306.71
				
Minta Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 10 l/min				
	32 918 000	Chrome	4005176230967	237.69
	32 918 DC0	supersteel	4005176804953	308.99
				
Minta Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 10.5 l/min optional temperature limiter (46 308 000)				
32 918 00E Chrome 4005176866616 237.69 ditto, with GROHE Water Saving flow limiter, maximum flow rate (at 3 bar): 5 l/min				
	32 511 000	Chrome	4005176295621	293.63
				
Minta Single-lever sink mixer 1/2" for use with displacement water heater C-spout monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge pull-out laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 8 l/min optional temperature limiter (46 308 000)				
	32 067 000	Chrome	4005176811142	237.69
				
Minta Single-lever sink mixer 1/2" U spout monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 10.5 l/min				


KITCHEN
FITTINGS


GROHE

MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 375 000	Chrome	4005176934155	210.56
	31 375 DC0	supersteel	4005176934162	273.73
	31 375 DL0	brushed warm sunset	4005176488641	315.85
	31 375 AL0	brushed hard graphite	4005176488627	315.85
	Minta Single-lever sink mixer 1/2" L-spout monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout swivel range 0°/150°/360° flexible connection hoses protected against backflow rapid installation system maximum flow rate (at 3 bar): 11.5 l/min			
	32 917 000	Chrome	4005176230950	195.75
	32 917 DC0	supersteel	4005176804946	254.47
	32 917 DL0	brushed warm sunset	4005176488726	293.63
	32 917 AL0	brushed hard graphite	4005176488702	293.63
	32 917 KS0	velvet black	4005176980640	254.81
	Minta Single-lever sink mixer 1/2" C-spout monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses with compression nut rapid installation system optional temperature limiter (46 308 000) maximum flow rate (at 3 bar): 11.5 l/min			
	32 488 000	Chrome	4005176289552	195.75
	32 488 DC0	supersteel	4005176804939	254.47
	32 488 DL0	brushed warm sunset	4005176488801	293.63
	32 488 AL0	brushed hard graphite	4005176488788	293.63
	Minta Single-lever sink mixer 1/2" U spout, monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter selectable swivel area : 0° / 150° / 360° swivel tubular spout flexible connection hoses rapid installation system optional temperature limiter (46 308 000) maximum flow rate (at 3 bar): 11.5 l/min			




GROHE
EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 395 000	Chrome	4005176304774	706.02
	31 395 DC0	supersteel	4005176304767	917.83
				
Eurocube Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish 28 mm ceramic cartridge with GROHE SilkMove diverter: mousseur/shower jet automatic return to laminar spray metal spray swivel spout swivel area 140° 360° maneuverable spring arm protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 8 l/min				



	31 255 000	Chrome	4005176901416	293.67
	31 255 DC0	supersteel	4005176994319	381.77
				
Eurocube Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish 28 mm ceramic cartridge with GROHE SilkMove mousseur swivel cast spout swivel area 90° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 9.5 l/min				

KITCHEN
FITTINGS

GROHE EURODISC COSMOPOLITAN




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 257 002	Chrome	4005176886591	314.63
	Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel cast spout, swivel area 100° protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 11 l/min			
	32 259 003	Chrome	4005176466908	253.93
	Eurodisc Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways adjustable flow rate limiter swivel tubular spout swivel area 150° mousseur flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 10 l/min			
	33 770 002	Chrome	4005176888137	253.52
	Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 13 l/min			





GROHE
EURODISC




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 257 001	Chrome	4005176834165	304.87
	Eurodisc Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 11.5 l/min			
	33 770 001	Chrome	4005176828959	240.68
	Eurodisc Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° with stop restriction flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 12 l/min			

KITCHEN
FITTINGS

GROHE CONCETTO


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 491 000	Chrome	4005176343308	463.24
	31 491 DC0	supersteel	4005176343315	602.20
 Concetto Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish 28 mm ceramic cartridge with GROHE SilkMove flow strainer with integrated temperature limiter professional spray with flexible, hygienic GROHFlexx kitchen santoprene hose diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position swivel spout swivel area 360° protected against backflow flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 8 l/min				
	31 483 002	Chrome	4005176466809	265.03
	31 483 DC2	supersteel	4005176466816	344.54
 Concetto Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position Lead and Nickel Free Inner Water Ways pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 9.5 l/min				
	32 663 003	Chrome	4005176466854	253.26
	32 663 DC3	supersteel	4005176466861	329.22
 Concetto Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position Lead and Nickel Free Inner Water Ways pull-out mousseur spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 9.5 l/min				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		31 212 003 Concetto Single-lever sink mixer 1/2" for use with displacement water heater high spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways pull-out mousseur spray automatic return adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 8 l/min	4005176466762	338.11
		32 661 003 32 661 DC3 Concetto Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways mousseur adjustable flow rate limiter swivel tubular spout swivel area 150° flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 10 l/min	4005176466823 4005176466830	224.31 291.61
		30 273 001 30 273 DC1 Concetto Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge flow strainer pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray metal spray adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow integrated non-return valve flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 7.5 l/min	4005176314964 4005176314971	320.22 416.29
		31 129 001 31 129 DC1 Concetto Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 7.5 l/min	4005176886744 4005176891021	281.28 365.66

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		31 214 001 Chrome	4005176891090	348.25
Concetto Single-lever sink mixer 1/2" for use with displacement water heater medium spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge pull-out laminar spray adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 7 l/min				
		31 128 001 Chrome 31 128 DC1 supersteel	4005176886737 4005176891007	231.05 300.36
Concetto Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 12 l/min				
		32 659 001 Chrome	4005176886713	204.60
Concetto Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 13 l/min				

GROHE EUROSTYLE COSMOPOLITAN





Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------







30 221 002	Chrome	4005176984235	160.46
Eurostyle Cosmopolitan			
Single-lever sink mixer 1/2"			
high spout			
monobloc installation			
GROHE SilkMove 35 mm ceramic cartridge			
mousseur			
adjustable flow rate limiter			
swivel tubular spout			
adjustable swivel area 0° / 150° / 360°			
flexible connection hoses			
rapid installation system			
integrated temperature limiter			
maximum flow rate (at 3 bar): 13 l/min			

KITCHEN
FITTINGS

GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 481 001	Chrome	4005176466922	244.42
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position Lead and Nickel Free Inner Water Ways pull-out dual spray diverter: laminar spray/SpeedClean shower jet GROHE Water Saving mousseur, flow rate less than 9 l/min adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set			
	32 843 002	Chrome	4005176466939	179.98
	32 843 DC2	supersteel	4005176466953	233.98
Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways mousseur adjustable flow rate limiter swivel tubular spout swivel area 150° flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 10 l/min				
	32 843 20E	Chrome	4005176466946	185.48
ditto, maximum flow rate (at 3 bar): 5 l/min				
	31 180 000	Chrome	4005176889288	239.63
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater high spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 7.5 l/min			
	30 193 000	Chrome	4005176919459	134.62
	30 193 DC0	supersteel	4005176938559	175.00
Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 12 l/min				


GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 199 000	Chrome	4005176922022	137.88
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge with Eco-Override-Stop and cold start function mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 11.5 l/min Qualitel approval			
	32 842 000	Chrome	4005176874833	137.88
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 12 l/min			
	31 179 000	Chrome	4005176889172	190.39
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater low spout monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 7.5 l/min			
	31 161 000	Chrome	4005176889158	246.19
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" integrated stop valve low spout monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 8 l/min			


KITCHEN
FITTINGS





GROHE EUROSMART COSMOPOLITAN




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 170 000	Chrome	4005176889165	272.49
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" for installation in front of window low spout monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter mousseur swivel tubular spout swivel area 140° non-removable socket height: 30 mm flexible connection hoses maximum flow rate (at 3 bar): 13 l/min			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 619 000	Chrome	4005176763564	256.73
	30 619 DC0	supersteel	4005176763588	333.75
	30 619 2430	matte black	4005176783869	333.75
				
Eurosmart Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish 28 mm ceramic cartridge with GROHE SilkMove flow strainer with integrated temperature limiter pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel cast spout swivel area 360° Lead and Nickel Free Inner Water Ways flexible connection hoses 3/8" metal fixation set protected against backflow maximum flow rate (at 3 bar): 7 l/min professional edition				

				
	30 305 001	Chrome	4005176635465	179.88
	30 305 DC1	supersteel	4005176635472	233.85
				
Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge flow strainer with integrated temperature limiter pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel cast spout swivel area 90° Lead and Nickel Free Inner Water Ways flexible connection hoses 3/8" metal fixation set protected against backflow maximum flow rate (at 3 bar): 10.5 l/min professional edition				

				
	33 202 003	Chrome	4005176635588	127.66
				
Eurosmart Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter mousseur adjustable flow rate limiter swivel tubular spout swivel area 150° Lead and Nickel Free Inner Water Ways flexible connection hoses 3/8" metal fixation set maximum flow rate (at 3 bar): 11 l/min professional edition				





	Ref. No.	Colour	EAN	Retail Guide Price (£)
		30 468 2430 matte black	4067393015161	271.56
Eurosmart Two handle sink mixer high spout monobloc installation GROHE Long-Life finish cartridge: ceramic head parts, 90° turn angle integrated temperature limiter mousseur swivel tubular spout adjustable swivel area 0° / 150° / 360° Lead and Nickel Free Inner Water Ways flexible connection hoses 1/2" rapid installation system maximum flow rate (at 1 bar): 12.4 l/min min. recommended pressure 0.2 bar professional edition				
		 30 506 000 Chrome	4005176723667	140.13
Eurosmart Single-lever sink mixer 1/2" low spout Cradle to Cradle Certified Gold monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving 5,7 l/min mousseur with coin slot for tool free replacement adjustable flow rate limiter integrated temperature limiter swivel cast spout swivel area 140° Lead and Nickel Free Inner Water Ways flexible connection hoses 3/8" GROHE FastFixation Plus installation system maximum flow rate (at 3 bar): 5 l/min professional edition				
		 33 281 003 Chrome 33 281 DC3 supersteel	4005176635366 4005176635397	121.85 158.40
Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter adjustable flow rate limiter swivel cast spout swivel area 140° Lead and Nickel Free Inner Water Ways mousseur with coin slot for tool free replacement flexible connection hoses 3/8" metal fixation set maximum flow rate (at 3 bar): 11 l/min professional edition				
		 33 281 30E Chrome	4005176635410	121.85
Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter adjustable flow rate limiter swivel cast spout swivel area 140° Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow flexible connection hoses 3/8" metal fixation set maximum flow rate (at 3 bar): 5 l/min professional edition				






	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 30 260 003	Chrome	4005176635434	121.85
	Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life finish GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter swivel cast spout swivel area 90° Lead and Nickel Free Inner Water Ways mousseur with coin slot for tool free replacement flexible connection hoses 3/8" metal fixation set maximum flow rate (at 3 bar): 9.5 l/min professional edition			
	 32 224 003	Chrome	4005176635786	150.87
	Eurosmart Single-lever sink mixer 1/2" wall mounted GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° projection 276 mm integrated temperature limiter S-unions maximum flow rate (at 3 bar): 13.5 l/min professional edition			
	 31 391 003	Chrome	4005176635762	150.87
	Eurosmart Single-lever sink mixer 1/2" wall mounted GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° projection 216 mm integrated temperature limiter S-unions maximum flow rate (at 3 bar): 13.5 l/min professional edition			




KITCHEN
FITTINGS






GROHE






EUROECO / EUROECO SPECIAL




	Ref. No.	Colour	EAN	Retail Guide Price (£)
		32 752 000 Euroeco Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel range 0°/150°/360° metal lever flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 12 l/min	Chrome	4005176868252 114.62
		32 750 000 Euroeco Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° metal lever flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 11.5 l/min	Chrome	4005176868238 114.62
		32 786 000 Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever lever length 120 mm flexible connection hoses maximum flow rate (at 3 bar): 8 l/min	Chrome	4005176871863 160.39
		32 787 000 Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter swivel tubular spout lever length 120 mm flexible connection hoses maximum flow rate (at 3 bar): 8 l/min	Chrome	4005176871870 160.39

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		31 819 001	Chrome	4005176843471	126.32
Costa S Sink mixer 1/2" metal handles heat-insulated screwable GROHE Long-Life finish Carbodur headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses maximum flow rate (at 3 bar): 13 l/min					
		31 067 001	Chrome	4005176845710	126.32
Costa S Sink mixer 1/2" metal handles heat-insulated screwable GROHE Long-Life finish ceramic headparts 1/2", 180° mousseur swivel tubular spout swivel area 360° flexible connection hoses maximum flow rate (at 3 bar): 13 l/min NF approval					
		31 831 001	Chrome	4005176843280	98.68
Costa L Sink mixer 1/2" metal handles heat-insulated GROHE Long-Life finish GROHE Long-Life headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses maximum flow rate (at 3 bar): 13 l/min					
		31 930 001	Chrome	4005176843303	213.15
Costa L Sink mixer 1/2" for use with displacement water heater metal handles heat-insulated GROHE Long-Life finish GROHE Long-Life headparts flow straightener swivel tubular spout swivel area 360° chain ring copper pipes maximum flow rate (at 3 bar): 8.4 l/min					
		31 829 001	Chrome	4005176845697	104.62
Costa L Sink mixer 1/2" metal handles heat-insulated screwable GROHE Long-Life headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses maximum flow rate (at 3 bar): 13 l/min NF approval					






		Ref. No.	Colour	EAN	Retail Guide Price (£)
		31 187 001	Chrome	4005176843327	114.47
Costa L Wall mixer, 1/2" metal handles heat-insulated GROHE Long-Life finish GROHE Long-Life headparts mousseur swivel tubular spout swivel area 360° projection 200 mm S-unions maximum flow rate (at 3 bar): 13 l/min					
		30 098 001	Chrome	4005176843266	44.25
Costa L Bibtap 1/2" wall mounted metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life finish mousseur GROHE Long-Life headparts					
		30 064 001	Chrome	4005176843259	42.83
Costa L Bibtap 1/2" metal handle wall mounted screwable marking: blue (cold) GROHE Long-Life finish GROHE Long-Life headpart Laminar flow straightener projection 150 mm maximum flow rate (at 1 bar): 31 l/min					

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		31 368 001	Chrome	4005176478529	110.25
BauLoop Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 11.5 l/min for installation on a max. 40 mm worktop fixation set 48 384 000 is needed					
		31 232 001	Chrome	4005176478253	110.25
BauLoop Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 5 l/min					
		31 706 000	Chrome	4005176530449	104.45
BauLoop Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life finish GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 11 l/min					
		30 538 000	Chrome	4005176741104	159.56
BauEdge Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways pull-out mousseur spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses 1/2" metal fixation set maximum flow rate (at 3 bar): 8 l/min min. recommended pressure 0.2 bar					
		31 367 001	Chrome	4005176478512	110.25
BauEdge Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 11.5 l/min					




		Ref. No.	Colour	EAN	Retail Guide Price (£)
		31 233 001	Chrome	4005176478284	110.25
BauEdge Single-lever sink mixer 1/2" monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life finish Lead and Nickel Free Inner Water Ways swivel tubular spout mousseur flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 5 l/min					
		31 693 000	Chrome	4005176530371	104.45
BauEdge Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life finish GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 11 l/min					
		31 536 001	Chrome	4005176478567	110.25
BauCurve Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 11.5 l/min					
		31 231 001	Chrome	4005176478260	110.24
BauCurve Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 11 l/min					
		31 715 000	Chrome	4005176564123	104.45
BauCurve Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life finish GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 11 l/min					

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		31 538 001 Chrome	4005176478574	110.25
GROHE BauFlow Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 11.5 l/min				
		31 230 001 Chrome	4005176478277	110.24
GROHE BauFlow Single-lever sink mixer 1/2" monobloc installation metal lever GROHE Long-Life finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout mousseur flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 5 l/min				
		31 680 000 Chrome	4005176530487	94.23
BauEco Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life finish GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 10.5 l/min				




GROHE SOAP DISPENSERS

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		40 535 000	Chrome	4005176905490	72.14
		40 535 DC0	supersteel	4005176905520	101.01
		40 535 GL0	cool sunrise	4005176489419	108.21
		40 535 GN0	brushed cool sunrise	4005176489426	115.43
		40 535 DA0	warm sunset	4005176489433	108.21
		40 535 DL0	brushed warm sunset	4005176489440	115.43
		40 535 A00	hard graphite	4005176489396	108.21
		40 535 AL0	brushed hard graphite	4005176489402	115.43
Cosmopolitan Soap Dispenser for liquid soaps storage bin 500 ml GROHE Long-Life finish					
		40 536 000	Chrome	4005176905506	64.95
		40 536 DC0	supersteel	4005176905537	90.93
Contemporary Soap Dispenser for liquid soaps storage bin 500 ml GROHE Long-Life finish					
		36 194 000	Chrome	4005176140921	163.90
		Soap dispenser pillar tap with push-button, for liquid soaps projection 113 mm for tap hole drillings 22 - 30 mm storage bottle 1 l. GROHE Long-Life finish			
		13 034 000	Chrome	4005176022869	58.50
		U spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass GROHE Long-Life finish			




GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 582 SD1	stainless steel	4005176607158	1,157.59
	K1000 Stainless Steel Sink with Drainer model: K1000 80-S 116/52 1.0 rh mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1.2 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 520 mm 1 bowl: 710 x 400 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system sink mountable right cut-out (top mount): 1145 x 505 mm (R3) cut-out (flush mount): 1145 x 505 mm (R3) (top step outer size: -1161 x 521 -R8 deep -3.5 mm) waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10			
				
	31 581 SD1	stainless steel	4005176607141	1,157.59
	K1000 Stainless Steel Sink with Drainer model: K1000 80-S 116/52 1.0 lh mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1.2 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 520 mm 1 bowl: 710 x 400 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system sink mountable left cut-out (top mount): 1145 x 505 mm (R3) cut-out (flush mount): 1145 x 505 mm (R3) (top step outer size: -1161 x 521 -R8 deep -3.5 mm) waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10			
				
	31 583 SD1	stainless steel	4005176607165	780.44
	K800 Stainless steel sink model: K800 60-S 51.8/51 1.0 mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 518 x 510 mm 1 bowl: 462 x 400 x 200 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system cut-out (top mount): 503 x 495 mm (R3) cut-out (flush mount): 503 x 495 mm (R3) (top step outer size: -519 x 511 -R8 deep -3.5 mm) waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8			
				

GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN	Ref. Guide	Retail Guide Price (€)
 	31 584 SD1	stainless steel	4005176607172	867.48	
K800 Stainless steel sink model: K800 90-S 84.6/51 1.0 mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 900 mm dimensions: 846 x 510 mm 1 bowl: 790 x 400 x 200 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system cut-out (top mount): 831 x 495 mm (R3) cut-out (flush mount): 831 x 495 mm (R3) (top step outer size: -847 x 511 -R8 deep -3.5 mm) waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting with rotary handle, accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10					
 	31 585 SD1	stainless steel	4005176607189	1,157.59	
K800 Stainless steel sink model: K800 120-S 102.4/51 2.0 mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 1200 mm dimensions: 1024 x 510 mm 1 bowl: 462 x 400 x 200 mm 2 bowl: 462 x 400 x 200 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system cut-out (top mount): 1009 x 495 mm (R3) cut-out (flush mount): 1009 x 495 mm (R3) (top step outer size: -1025 x 511 -R8 deep -3.5 mm) waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 12					
 	31 586 SD1	stainless steel	4005176607196	1,012.54	
K800 Stainless steel sink model: K800 120-S 102.4/51 1.0 mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 1200 mm dimensions: 1024 x 510 mm 1 bowl: 968 x 400 x 200 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system cut-out (top mount): 1009 x 495 mm (R3) cut-out (flush mount): 1009 x 495 mm (R3) (top step outer size: -1025 x 511 -R8 deep -3.5 mm) waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 12					




GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 574 SD1	stainless steel	4005176607080	321.75
	K700U Stainless steel sink model: K700U 60-S 54.4/44.4 1.0 mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 550 x 450 mm 1 bowl: 500 x 400 x 200 mm outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15 GROHE FastFixation installation system cut-out (undermount): 502 x 402 mm (R16) cut-out (top mount): 535 x 435 mm cut-out (flush mount): 535 x 435 mm (R3) (top step outer size: -551 x 451 -R8 deep -3.5 mm) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8 amount of fasteners included (undermount): 8			
				
	31 575 SD1	stainless steel	4005176607097	397.18
	K700U Stainless steel sink model: K700U 80-S 76/45 1.5 lh mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 760 x 450 mm 1 bowl: 500 x 400 x 200 mm 0.5 bowl: 180 x 400 x 140 mm outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15 GROHE FastFixation installation system sink mountable left cut-out (undermount): 712 x 402 mm (R16) cut-out (top mount): 745 x 435 mm (R3) cut-out (flush mount): 745 x 435 mm (R3) (top step outer size: -761 x 451 -R8 deep -3.5 mm) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10 amount of fasteners included (undermount): 10			
				
	31 576 SD1	stainless steel	4005176607103	368.17
	K700U Stainless steel sink model: K700U 60-S 59.5/45 1.5 rh mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 595 x 450 mm 1 bowl: 340 x 400 x 200 mm 0.5 bowl: 180 x 400 x 140 mm outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15 GROHE FastFixation installation system sink mountable right cut-out (undermount): 547 x 402 mm (R16) cut-out (top mount): 580 x 435 mm (R3) cut-out (flush mount): 580 x 435 mm (R3) (top step outer size: -596 x 451 -R8 deep -3.5 mm) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8 amount of fasteners included (undermount): 8			
				

GROHE STAINLESS STEEL SINKS




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 577 SD1	stainless steel	4005176607110	368.17
	K700U Stainless steel sink model: K700U 60-S 59.5/45 1.5 lh mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 595 x 450 mm 1 bowl: 340 x 400 x 200 mm 0.5 bowl: 180 x 400 x 140 mm outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15 GROHE FastFixation installation system sink mountable left cut-out (undermount): 547 x 402 mm (R16) cut-out (top mount): 580 x 435 mm (R3) cut-out (flush mount): 580 x 435 mm (R3) (top step outer size: -596 x 451 -R8 deep -3.5 mm) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8 amount of fasteners included (undermount): 8			
	31 578 SD1	stainless steel	4005176607127	289.84
	K700 Stainless steel sink model: K700 45-S 46.4/46.4 1.0 mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 464 x 464 mm 1 bowl: 400 x 400 x 200 mm outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10 GROHE FastFixation installation system cut-out (undermount): 402 x 402 mm (R11) cut-out (top mount): 449 x 449 mm (R3) cut-out (flush mount): 449 x 449 mm (R3) (top step outer size: -465 x 465 -R8 deep -3.5 mm) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8 amount of fasteners included (undermount): 8			
	31 580 SD1	stainless steel	4005176607134	376.88
	K700 Stainless steel sink model: K700 90-S 86.4/46.4 1.0 mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 900 mm dimensions: 864 x 464 mm 1 bowl: 800 x 400 x 200 mm outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10 GROHE FastFixation installation system cut-out (undermount): 802 x 402 mm (R11) cut-out (top mount): 849 x 449 mm (R3) cut-out (flush mount): 849 x 449 mm (R3) (top step outer size: -865 x 465 -R8 deep -3.5 mm) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8 amount of fasteners included (undermount): 8			

GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 571 SD1	stainless steel	4005176626029	246.31
	K500 Stainless Steel Sink with Drainer model: K500 45-S 86/50 1.0 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 340 x 420 x 170 mm outer radius: R6 (top mount), inner bowl radius: R65 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 842 x 482 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 14			
				
	31 563 SD1	stainless steel	4005176623738	289.84
	K500 Stainless Steel Sink with Drainer model: K500 60-S 100/50 1.0 rev mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 550 mm dimensions: 1000 x 500 mm 1 bowl: 450 x 400 x 180 mm outer radius: R6 (topmount), inner bowl radius: R75 GROHE FastFixation installation system sink mountable left or right cut-out (top-mount): 990 x 490 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 16			
				
	31 572 SD1	stainless steel	4005176626036	313.05
	K500 Stainless Steel Sink with Drainer model: K500 60-S 100/50 1.5 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 340 x 420 x 185 mm 0.5 bowl: 170 x 320 x 125 mm outer radius: R6 (top mount), inner bowl radius: R65 GROHE FastFixation installation system sink mountable left or right cut-out (top-mount): 990 x 490 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 16			
				



GROHE

STAINLESS STEEL SINKS



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 588 SD1	stainless steel	4005176626043	327.55
	K500 Stainless Steel Sink with Drainer model: K500 80-S 116/50 2.0 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 340 x 420 x 185 mm 2 bowl: 340 x 420 x 185 mm outer radius: R6 (topmount), inner bowl radius: R90 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 1140 x 480 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 18			
	31 564 SD1	stainless steel	4005176623745	231.81
	K200 Stainless Steel Sink with Drainer model: K200 60-S 96.5/50 1.5 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 965 x 500 mm 1 bowl: 346 x 396 x 150 mm 1 bowl: 170 x 320 x 80 mm outer radius: R10 (topmount), inner bowl radius: R100 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 941 x 476 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 16			
	31 565 SD1	stainless steel	4005176623752	246.31
	Eurosmart Kitchen sink and tap bundle Consisting of: K200 stainless steel sink with drainer (31 552 SD1) mounting type: top mount Eurosmart single lever sink mixer (33 281 003) low spout monobloc installation GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge with integrated temperature limiter adjustable flow rate limiter swivel cast spout swivel area 140° Lead and Nickel Free Inner Water Ways mousseur with coin slot for tool free replacement flexible connection hoses outer radius: R6 (topmount), inner bowl radius: R100 GROHE FastFixation installation system optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 14			

GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 562 SD1	stainless steel	4005176623721	231.81
	Bau Kitchen sink and tap bundle Consisting of: K200 stainless steel sink with drainer (31 552 SD1) mounting type: top mount Bau Edge single lever sink mixer (31 367 001) high spout monobloc installation GROHE Long-Life finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways mousseur swivel tubular spout swivel area 360° flexible connection hoses outer radius: R6 (topmount), inner bowl radius: R100 GROHE FastFixation installation system accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 14			
	31 552 SD1	stainless steel	4005176623714	130.26
	K200 Stainless Steel Sink with Drainer model: K200 45-S 86/50 1.0 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.6 mm GROHE Long-Life finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 350 x 400 x 160 mm outer radius: R6 (topmount), inner bowl radius: R100 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 842 x 482 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 14			



GROHE COMPOSITE SINKS




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 650 AP0	granite black	4005176521287	314.34
	K700 Composite sink model: K700 50-C 40/50 1.0 mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 400 x 500 mm 1 bowl: 350 x 375 x 200 mm outer radius: R6, inner bowl radius: R45 GROHE FastFixation installation system cut-out: 380 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 6 heat resistant up to 180° C			
	31 651 AP0	granite black	4005176521300	371.07
	K700 Composite sink model: K700 60-C 56/51 1.0 mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 560 x 510 mm 1 bowl: 500 x 360 x 200 mm outer radius: R6, inner bowl radius: R10 GROHE FastFixation installation system cut-out: 545 x 495 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8 heat resistant up to 180° C			
	31 652 AT0	granite gray	4005176521331	414.59
	31 652 AP0	granite black	4005176521324	414.59
	K700 Composite sink model: K700 80-C 78/51 1.0 mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 780 x 510 mm 1 bowl: 720 x 370 x 220 mm outer radius: R6, inner bowl radius: R10 GROHE FastFixation installation system cut-out: 764 x 494 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 9 heat resistant up to 180° C			
				

GROHE COMPOSITE SINKS




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 653 AP0	granite black	4005176521348	275.33
	K700U Composite sink model: K700U 50-C 45.7/40.6 1.0 mounting type: top mount or undermount material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 457 x 406 mm 1 bowl: 417 x 366 x 203 mm outer radius: R6, inner bowl radius: R10 GROHE FastFixation installation system cut-out (top mount): 442 x 391 cut-out (undermount): 417 x 366 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set mounting with silicone (top mount) optional push to open excenter (40 986 SD0) amount of fasteners included (undermount): 8 heat resistant up to 180° C			
	31 654 AP0	granite black	4005176521362	316.23
	K700U Composite sink model: K700U 60-C 53.3/45.7 1.0 mounting type: top mount or undermount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 533 x 457 mm 1 bowl: 469 x 393 x 205 mm outer radius: R7, inner bowl radius: R10 GROHE FastFixation installation system cut-out (top mount): 518 x 442 mm cut-out (undermount): 468 x 390 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 6 amount of fasteners included (undermount): 6 heat resistant up to 180° C			
	31 655 AT0	granite gray	4005176521393	374.26
	31 655 AP0	granite black	4005176521386	374.26
	K700U Composite sink model: K700U 70-C 61/45.7 1.0 mounting type: top mount or undermount material: quartz composite GROHE Whisper min. cabinet size: 700 mm dimensions: 610 x 460 mm 1 bowl: 544 x 394 x 205 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system cut-out (top mount): 594 x 442 mm cut-out (undermount): 543 x 393 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 6 amount of fasteners included (undermount): 6 heat resistant up to 180° C			

KITCHEN
FITTINGS


GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 644 AP0	granite black	4005176521164	418.21
	K500 Composite sink with drainer model: K500 50-C 86/50 1.0 rev mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 860 x 500 mm 1 bowl: 347 x 440 x 200 mm outer radius: R6, inner bowl radius: R12 GROHE FastFixation installation system sink mountable left or right cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 12 heat resistant up to 180° C			
	31 645 AP0	granite black	4005176521188	436.79
	K500 Composite sink with drainer model: K500 60-C 100/50 1.0 rev mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 480 x 440 x 200 mm outer radius: R6, inner bowl radius: R12 GROHE FastFixation installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 12 heat resistant up to 180° C			
	31 646 AP0	granite black	4005176521201	464.20
	K500 Composite sink with drainer model: K500 60-C 100/50 1.5 rev mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 345 x 440 x 200 mm 0.5 bowl: 155 x 295 x 146 mm outer radius: R6, inner bowl radius: big bowl R12, small bowl R10 GROHE FastFixation installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 12 heat resistant up to 180° C			




GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 647 AP0	granite black	4005176521225	522.23
	K500 Composite sink with drainer model: K500 80-C 116/50 2.0 rev mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 330 x 440 x 200 mm 2 bowl: 330 x 440 x 200 mm outer radius: R6, inner bowl radius: R12 GROHE FastFixation installation system sink mountable left or right cut-out: 1140 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 12 heat resistant up to 180° C			
	31 648 AP0	granite black	4005176521249	400.09
	K500 Composite sink model: K500 60-C 55,5/46 1.5 rev mounting type: top mount or undermount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 555 x 460 mm 1 bowl: 335 x 400 x 200 mm 0.5 bowl: 155 x 400 x 140 mm outer radius: R6, inner bowl radius: big bowl R12, small bowl R10 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 545 x 444 mm cut-out (undermount): 525 x 400 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set mounting with silicone (top mount) optional push to open excenter (40 986 SD0) amount of fasteners included (undermount): 8 heat resistant up to 180° C			
	31 649 AP0	granite black	4005176521263	487.12
	K500 Composite sink model: K500 90-C 86/50 2.0 mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 900 mm dimensions: 860 x 500 mm 1 bowl: 390 x 430 x 200 mm 2 bowl: 380 x 365 x 200 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system sink mountable left cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10 heat resistant up to 180° C			

GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 639 AP0	granite black	4005176520457	310.46
	K400 Composite sink with drainer model: K400 50-C 78/50 1.0 rev mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 780 x 500 mm 1 bowl: 347 x 440 x 205 mm outer radius: R6, inner bowl radius: R10 GROHE FastFixation installation system sink mountable left or right cut-out: 765 x 485 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10 heat resistant up to 180° C			
	31 640 AP0	granite black	4005176520471	391.15
	K400 Composite sink with drainer model: K400 50-C 86/50 1.0 rev mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 860 x 500 mm 1 bowl: 337 x 420 x 205 mm outer radius: R6, inner bowl radius: R10 GROHE FastFixation installation system sink mountable left or right cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10 heat resistant up to 180° C			
	31 641 AT0	granite gray	4005176521119	420.60
	31 641 AP0	granite black	4005176521102	420.60
	K400 Composite sink with drainer model: K400 60-C 100/50 1.0 rev mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 480 x 420 x 205 mm outer radius: R6, inner bowl radius: R10 GROHE FastFixation installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 12 heat resistant up to 180° C			
				

GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 642 AP0	granite black	4005176521126	449.69
	K400 Composite sink with drainer model: K400 60-C 100/50 1.5 rev mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 335 x 420 x 205 mm 0.5 bowl: 155 x 295 x 146 mm outer radius: R6, inner bowl radius: big bowl R10, small bowl R8 GROHE FastFixation installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 70 heat resistant up to 180° C			
	31 643 AP0	granite black	4005176521140	478.71
	K400 Composite sink with drainer model: K400 80-C 116/50 1.5 rev mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 400 x 420 x 205 mm 2 bowl: 295 x 295 x 205 mm outer radius: R6, inner bowl radius: R10 GROHE FastFixation installation system sink mountable left or right cut-out: 1140 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 70 heat resistant up to 180° C			
	31 656 AP0	granite black	4005176521409	258.21
	K200 Composite sink model: K200 50-C 51 1.0 mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: Ø 510 mm 1 bowl: Ø 380 x 200 mm inner bowl radius: Ø 380 GROHE FastFixation installation system cut-out: Ø 490 mm drainer: automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 3 heat resistant up to 180° C			

GROHE
COMMERCIAL FITTINGS



CONTENTS

Electronic Fittings	Eurocube E	592
	Essence E	595
	Bluetooth monitoring	598
	Europlus E	606
	Eurosmart Cosmopolitan E	608
	Eurosmart	615
	Euroeco Cosmopolitan E	616
	Bau Cosmopolitan E	619
Special Thermostats	Grohtherm Micro	621
	Grohtherm Special	622
	Grohtherm XL	626
Single-Lever Mixers	Eurosmart Care	627
	Vertica Eurostyle Cosmopolitan	634
	Commercial Showers	635
	Euroeco Special	637
	Euroeco Single Sequential	641
Self-Closing Taps	Hospita	643
	Eurodisc SE	644
	Eurosmart Cosmopolitan T	645
	Euroeco Cosmopolitan T	646
Accessories Special Fittings	Rough-in sets	647

**SYSTEM REQUIREMENTS
FOR ELECTRONIC TAPS WITH BLUETOOTH**

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE FULL BATHROOM

ACROSS ALL YOUR FACILITIES

CONSISTENT BATHROOM STYLE – ACROSS ALL PRIVATE & PUBLIC AREAS OF A BUILDING

Our product solutions for private and public areas are perfectly matched. This enables you to offer a consistent bathroom experience across all your facilities.





ROUND AND SQUARE



ROUND AND SQUARE



ROUND FEMININE



EDGE MASCULINE



BAUEDGE
SINGLE-LEVER MIXER



EUROSMART COSMOPOLITAN
SINGLE-LEVER MIXER



ESSENCE
SINGLE-LEVER MIXER



EUROCUBE
SINGLE-LEVER MIXER

COMMERCIAL
FITTINGS



BAU CERAMIC



EURO CERAMIC



ESSENCE



CUBE CERAMIC



BAU COSMOPOLITAN E
TOUCHLESS BASIN MIXER



EUROSMART COSMOPOLITAN E
TOUCHLESS BASIN MIXER



ESSENCE E
TOUCHLESS BASIN MIXER



EUROCUBE E
TOUCHLESS BASIN MIXER



EUROECO COSMOPOLITAN E
TOUCHLESS BASIN MIXER

EUROSMART COSMOPOLITAN E

THE COMFORT OF A PUBLIC BATHROOM –
WITHOUT COMPROMISING ON HYGIENE

SHOWER HEAD



SHOWER



new



new



new



Our touchless range Eurosmart Cosmopolitan E offers solutions for basins, showers, WC's and urinals. Enjoy the benefits of a public bathroom – completely touchless. Avoiding the spread of germs through touchless use, thermal disinfection and hygienic flushing.



COMMERCIAL
FITTINGS

BAU COSMOPOLITAN E

DISCOVER TOUCHLESS COMFORT



HYGIENE

TOUCHLESS

Reliable, proven and precise sensor technology for hygienic, touch-free actuation of basin taps, WCs and urinals.



INNER WATER GUIDE

Innovative tap construction allows for significant dead space reduction.



SUSTAINABILITY

GROHE ECOJOY

Save precious resources and enjoy 100 % water comfort. Water and energy saving aerator provides a flow rate of 5.7 l/min. Precise touchless technology prevents you from water loss.



QUALITY

German perfectionism inspires ultimate customer confidence



DESIGN

GROHE STARLIGHT


Made-to-last surfaces ranging from precious matte to shiny like a diamond.



TECHNOLOGY

GROHE SENSOR

The responsive sensor switches the mixer on and off for ultimate comfort and the simple cleaning mode makes maintenance easy.



36 407 001
Remote control for
GROHE Touchless fittings

Basic functionalities can be adjusted without remote control - simply by hand.



GROHE REMOTE CONTROL

Detailed configuration for all functions by remote control

- Automatic flushing
- Thermal disinfection
- Cleaning mode
- Detection range and shut-off delay



LOGLIFE BATTERY

Unique low-energy electronics ensure a long service life.



36 451 000
Touchless basin mixer
(battery operated)



36 452 000
Touchless basin tap
(battery operated)





MAINS OPERATED




36 453 000
Touchless basin mixer
(with plug transformer 100 – 230 V AC)


GROHE
EUROCUBE E


Ref. No.	Colour	EAN	Retail Guide Price (£)
36 440 000	Chrome	4005176415623	844.82
  Eurocube E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36 338 000 (required) GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min laminar spray regulator flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K			

36 441 000	Chrome	4005176415630	815.69
36 441 DC0	supersteel	4005176686818	1,060.39
36 441 AL0	brushed hard graphite	4005176686825	1,223.53
  Eurocube E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min laminar spray regulator flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K			


GROHE EUROCUBE E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 442 000	Chrome	4005176415647	917.65
	Eurocube E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min laminar spray regulator 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for use with Rapid SL 38 748 002 or roughing-in set 36 264 001 CE approved noise classification 1 in accordance with DIN4109			
				
	36 264 001		4005176416279	203.92
	Rough-in box for infra-red electronic wall basin tap without mixing device			

	38 748 002	Chrome	4005176416323	603.41
	Rapid SL Element for wash basin with roughin-in set for infra-red electronic for wall mounted fittings suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000 1.13 m finished installation height for on-the-wall installations or studded walls Includes wash basin fixing bolts with fixing device for ceramic variable distance of fixing bolts HT-outlet bend Ø 50 mm seal Ø 32 mm pre-mounted roughing-in set with protecting block fire-proof pipe for laying electronic cables installation box with water group, stop valve and flush elbow connection with noise protected fitting holder 1/2" connecting box for mains supply 230 V CE approved for installation with pre-mixed or cold water for on-the-wall installation please order wall brackets 38 558 00M (sold separately)			
				


	36 407 001	Chrome	4005176368974	197.30
	Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO ₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply			
				

GROHE EUROCUBE E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 340 000		4005176911385	65.34
	Power extension cable length 3.00 m			
	36 341 000		4005176911392	120.38
	ditto, length 10 m			
 	36 338 000		4005176896743	107.20
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000			

GROHE
ESSENCE E




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 444 000	Chrome	4005176415661	684.59
	Essence E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36 338 000 (required) GROHE Long-Life finish adjustable swivel area 0° / 150° / 360° GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K			





	36 445 000	Chrome	4005176415678	655.46
	36 445 DC0	supersteel	4005176686542	852.11
	36 445 GL0	cool sunrise	4005176686559	917.65
	36 445 GN0	brushed cool sunrise	4005176686566	983.20
	36 445 DA0	warm sunset	4005176686573	917.65
	36 445 DL0	brushed warm sunset	4005176686788	983.20
	36 445 A00	hard graphite	4005176686795	917.65
	36 445 AL0	brushed hard graphite	4005176686801	983.20
	Essence E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min adjustable swivel area 0° / 150° / 360° laminar spray regulator flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K			

COMMERCIAL
FITTINGS

GROHE ESSENCE E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 446 000	Chrome	4005176415685	611.76
	Essence E Infra-red electronic basin tap 1/2" with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min adjustable swivel area 0° / 150° / 360° laminar spray regulator flexible connection hose dirt strainer with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K			
				
	36 447 000	Chrome	4005176416293	868.12
	Essence E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for use with Rapid SL 38 748 002 or roughing-in set 36 264 001 CE approved noise classification 1 in accordance with DIN4109			
				
	36 264 001		4005176416279	203.92
	Rough-in box for infra-red electronic wall basin tap without mixing device			
	38 748 002	Chrome	4005176416323	603.41
	Rapid SL Element for wash basin with roughin-in set for infra-red electronic for wall mounted fittings suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000 1.13 m finished installation height for on-the-wall installations or studded walls Includes wash basin fixing bolts with fixing device for ceramic variable distance of fixing bolts HT-outlet bend Ø 50 mm seal Ø 32 mm pre-mounted roughing-in set with protecting block fire-proof pipe for laying electronic cables installation box with water group, stop valve and flush elbow connection with noise protected fitting holder 1/2" connecting box for mains supply 230 V CE approved for installation with pre-mixed or cold water for on-the-wall installation please order wall brackets 38 558 00M (sold separately)			
				

GROHE ESSENCE E


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 407 001	Chrome	4005176368974	197.30
	Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply			
 	36 340 000		4005176911385	65.34
	36 341 000		4005176911392	120.38
		Power extension cable length 3.00 m ditto, length 10 m		
 	36 338 000		4005176896743	107.20
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000			

COMMERCIAL
FITTINGS

GROHE


BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 413 000	Chrome	4005176320576	840.81
Eurosmart Cosmopolitan E Bluetooth Infra-red electronic basin tap 1/2" with mixing device with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose without power supply 36 338 000 (required) rapid installation system mixing device with adjustable hot water limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min with integrated solenoid valve integrated non-return valves and dirt strainers with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days thermal disinfection cycles and timings last disinfection configuration detection range and shut off delay auto flush thermal disinfection cleaning mode 2 on/off timers identification by name service send and save 3 profiles reset to factory or user settings hard and software version CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards *** Available for free via iTunes app or Google Play store.			



GROHE

BLUETOOTH MONITORING

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 409 000	Chrome	4005176320538	691.57
	Euroeco Cosmopolitan E Bluetooth Infra-red electronic basin tap 1/2" with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose without power supply 36 338 000 (required) rapid installation system GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min solenoid valve dirt strainer with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days thermal disinfection cycles and timings last disinfection configuration detection range and shut off delay thermal disinfection auto flush cleaning mode 2 on/off timers identification by name service send and save 3 profiles reset to factory or user settings hard and software version CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards *** Available for free via iTunes app or Google Play store.			
				


COMMERCIAL FITTINGS

GROHE BLUETOOTH MONITORING

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 414 000	Chrome	4005176320583	1,142.47
	Eurosmart Cosmopolitan E Bluetooth Infra-red electronic thermostatic basin mixer, wall mounted with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC GROHE Long-Life finish GROHE CoolTouch GROHE SafeStop safety button at 38°C (calibration required) swivel cast spout 219 mm with swivel stop at 130° or fixed projection 287 mm laminar mousseur 9 l/min S-unions escutcheon covers for S-unions non-return valve dirt strainers power connection cable 3.0 m for use with connection set 39 383 000 with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days thermal disinfection cycles and timings last disinfection configuration detection range and shut off delay auto flush thermal disinfection cleaning mode 2 on/off timers identification by name service send and save 3 profiles reset to factory or user settings hard and software version CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards *** Available for free via iTunes app or Google Play store.			
	39 383 000		4005176356926	80.23
	Eurosmart Cosmopolitan E Thermostatic 230 V connection set fitting support 2 fitting connections DN 15 power supply connector wall installation for use with Eurosmart Cosmopolitan E thermostat 230 V			

GROHE


BLUETOOTH MONITORING

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 410 000	Chrome	4005176320545	792.67
	Euroeco Cosmopolitan E Bluetooth Infra-red electronic basin tap with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC set for final installation for concealed fitting box 36 336 001/36 337 001 GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min laminar spray regulator chrome escutcheon and spout projection 172 mm with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days thermal disinfection cycles and timings last disinfection configuration detection range and shut off delay auto flush thermal disinfection cleaning mode 2 on/off timers identification by name service send and save 3 profiles reset to factory or user settings hard and software version CE approved noise classification 1 in accordance with DIN4109 Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards *** Available for free via iTunes app or Google Play store.			
	36 337 001		4005176595417	142.34
	Rough-in box for infra red basin taps without mixing device			
	36 336 001		4005176991769	377.58
	Rough-in box with integrated thermostatic mixer for infra red trim sets			


COMMERCIAL
FITTINGS

GROHE

BLUETOOTH MONITORING

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 412 000	Chrome	4005176320569	898.57
	Eurosmart Cosmopolitan E Bluetooth Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC set for final installation for concealed fitting box 36 339 001 GROHE Long-Life finish maximum flow rate (at 3 bar): 8 l/min Laminar flow straightener chrome escutcheon and spout projection 172 mm with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days thermal disinfection cycles and timings last disinfection configuration detection range and shut off delay auto flush thermal disinfection cleaning mode 2 on/off timers identification by name service send and save 3 profiles reset to factory or user settings hard and software version CE approved noise classification 1 in accordance with DIN4109 Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards *** Available for free via iTunes app or Google Play store.			
	36 339 001		4005176595424	260.13
	Rough-in box with mixing device for infra red trim sets			

GROHE BLUETOOTH MONITORING



Ref. No.	Colour	EAN	Retail Guide Price (£)
36 415 000	Chrome	4005176320590	752.55

Eurosmart Cosmopolitan E Bluetooth

Infra-red electronic for concealed thermostatic shower

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
for concealed installation box
36 416 001

GROHE Long-Life finish

chrome escutcheon
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring

password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection

configuration

shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name

service

send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.




* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards




*** Available for free via iTunes app or Google Play store.

36 416 001		4005176595394	738.48
Rough-in box with integrated thermostatic mixer for infra red shower trim sets, mains supply			




GROHE BLUETOOTH MONITORING

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 503 000	Chrome	4005176320507	1,002.87
	Tectron Skate Bluetooth Infra-red electronic for Urinal for Rapido U 37 338 000 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose GROHE Long-Life finish flow pressure min 0.5 bar, operating pressure max 10 bar with Bluetooth 4.0* for wireless data communication Bluetooth transmitter frequency: 2.4 GHz for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days configuration detection range and shut off delay auto flush, cleaning mode, 2 on/off timers identification by name service send and save 3 profiles reset to factory or user settings CE approved hard and software version Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards *** Available for free via iTunes app or Google Play store.			
 	37 338 000	Chrome	4005176837920	149.83
	GROHE Rapido U rough-in box for urinal actuation			
 	37 504 000	Chrome	4005176320521	1,235.53
	Tectron Skate Bluetooth Infra-red electronic for WC for flushing cistern GD 2 / Rapid SL 1.13 m only with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with additional manual actuation GROHE Long-Life finish front plate 156 x 197 mm servo motor for use with Rapid SLX please order shaft 66 791 000 (sold separately) with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days configuration detection range and shut off delay auto flush, cleaning mode, 2 on/off timers identification by name service send and save 3 profiles reset to factory or user settings hard and software version CE approved Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards *** Available for free via iTunes app or Google Play store.			


GROHE BLUETOOTH MONITORING

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 340 000		4005176911385	65.34
	Power extension cable length 3.00 m			
 	36 341 000		4005176911392	120.38
	ditto, length 10 m			
 	36 338 000		4005176896743	107.20
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000			
 	36 407 001	Chrome	4005176368974	197.30
	Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO ₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply			

COMMERCIAL
FITTINGS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 207 001	Chrome	4005176929373	620.72
	Europlus E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses non-return valve dirt strainers solenoid valve rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K			
				
	36 208 001	Chrome	4005176929380	560.32
	ditto, without mixing device			
	36 015 001	Chrome	4005176929359	704.60
	Europlus E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36 338 000 (required) GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses non-return valve dirt strainers solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K			
				
	36 016 001	Chrome	4005176929366	644.21
	ditto, without mixing device			
	36 407 001	Chrome	4005176368974	197.30
	Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO ₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply			
				



GROHE EUROPLUS E

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		36 340 000		4005176911385	65.34
		Power extension cable length 3.00 m			
		36 341 000		4005176911392	120.38
		ditto, length 10 m			
		36 338 000		4005176896743	107.20
		Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000			
		36 209 000	Chrome	4005176207105	97.93
		Security cover cap vandal-proof, covered and pre-adjustable suitable for single hole mixers Europlus E and Eurodisc SE Consisting of: special mixing device for actuation by screwdriver metallic cap GROHE Long-Life finish			




COMMERCIAL
FITTINGS

GROHE EUROSMART COSMOPOLITAN E




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 327 002	Chrome	4005176695599	409.18
	Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59 replaces 36 327 001			
	36 331 001	Chrome	4005176305795	425.53
	ditto, with pop-up waste set 1 1/4"			
	36 422 001	Chrome	4005176695636	516.68
	Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59 replaces 36 422 000			



GROHE EUROSMART COSMOPOLITAN E



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 325 002	Chrome	4005176318771	435.36
	Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36 338 000 (required) GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59 replaces 36 325 001			
	36 421 001	Chrome	4005176695612	513.47
	Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36 338 000 (required) GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59 replaces 36 421 000			
	36 439 001	Chrome	4005176695605	383.69
	Eurosmart Cosmopolitan E Infra-red electronic basin tap 1/2" with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hose dirt strainer with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59 replaces 36 439 000			

GROHE
EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 330 002	Chrome	4005176695667	409.18
	Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with hidden mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59 replaces 36 330 001			
	36 324 001	Chrome	4005176305757	589.20
	Eurosmart Cosmopolitan E Infra-red electronic basin mixer with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36 338 000 (required) for use with displacement water heater GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5.5 l/min fixed build in static flow limiter on the hose connection non-return valve dirt strainers flexible connection hoses with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved type of protection faucet IP 59K min. recommended pressure 0.2 bar			
	36 386 001	Chrome	4005176311673	946.00
	Eurosmart Cosmopolitan E Powerbox infra-red electronic basin mixer with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5.5 l/min including all flexible connection hoses non-return valve dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407			




GROHE

EUROSMART COSMOPOLITAN E


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 454 000	Chrome	4005176487774	1,083.68
	Eurosmart Cosmopolitan E Special Infra-red electronic wall basin mixer with thermostatic temperature control with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode) two additional detection modes adjustable (hand-hand or body-body) GROHE Long-Life finish maximum flow rate (at 3 bar): 8 l/min GROHE CoolTouch non-return valve dirt strainers GROHE SafetyPlus fixed temperature stop temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) metal temperature safety stop full unmixed hot or cold water in extreme handle position for legionella sampling swivel cast spout 219 mm projection 287 mm swivel range stop at 130°, lockable with S-unions, chrome nuts and covers self-sealing escutcheons multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109			
				
	36 455 000	Chrome	4005176487781	1,054.24
	ditto, projection 255 mm			
	36 332 000	Chrome	4005176896682	962.94
	Eurosmart Cosmopolitan E Infra-red electronic wall basin mixer with thermostatic temperature control with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode) two additional detection modes adjustable (hand-hand or body-body) GROHE Long-Life finish maximum flow rate (at 3 bar): 8 l/min non-return valve dirt strainers temperature scale handle with GROHE SafeStop safety stop at 38°C (calibration required) swivel cast spout 219 mm projection 287 mm swivel range stop at 130°, lockable self-sealing escutcheons multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109			
				
	36 333 000	Chrome	4005176896699	945.75
	ditto, projection 255 mm			


COMMERCIAL
FITTINGS

GROHE EUROSMART COSMOPOLITAN E


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	13 378 000	Chrome	4005176351532	122.07
	Cast swivel spout length 115 mm swivelling (180 or 90°) and lockable laminar flow straightener 9 l/min GROHE Long-Life finish			
	13 380 000	Chrome	4005176351549	134.79
	ditto, length 175 mm			
	36 334 SD0	stainless steel	4005176896705	500.25
	Eurosmart Cosmopolitan E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC maximum flow rate (at 3 bar): 8 l/min stainless steel escutcheon SuperSteel spout projection 232 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 001/36 337 001 CE approved noise classification 1 in accordance with DIN4109 min. recommended pressure 0.2 bar			
	36 335 SD0	stainless steel	4005176896712	482.38
	ditto, projection 172 mm			
	36 337 001		4005176595417	142.34
	Rough-in box for infra red basin taps without mixing device			
	36 336 001		4005176991769	377.58
	Rough-in box with integrated thermostatic mixer for infra red trim sets			
	36 376 000	Chrome	4005176932243	542.35
	Eurosmart Cosmopolitan E Infra-red electronic basin mixer with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC maximum flow rate (at 3 bar): 8 l/min Laminar flow straightener chrome escutcheon chrome spout projection 232 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 339 001 CE approved noise classification 1 in accordance with DIN4109			
	36 315 000	Chrome	4005176896590	535.98
	ditto, projection 172 mm			
	36 339 001		4005176595424	260.13
	Rough-in box with mixing device for infra red trim sets			

GROHE EUROSMART COSMOPOLITAN E





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 457 000	Chrome	4005176494765	1,001.32
	Eurosmart Cosmopolitan E Special Infra-red electronic shower mixer with thermostatic temperature control with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) ergonomic metal handle GROHE Long-Life finish GROHE CoolTouch non-return valve dirt strainers GROHE SafetyPlus fixed temperature stop temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) metal temperature safety stop full unmixed hot or cold water in extreme handle position for legionella sampling shower bottom outlet 1/2" with integrated non return-valve with S-unions, chrome nuts and covers self-sealing escutcheons multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109			

 	36 456 000	Chrome	4005176494758	268.21
	Eurosmart Cosmopolitan E Special Infra-red electronic for concealed thermostatic shower with infrared sensor for bi-directional communication for monitoring, configuration and servicing for concealed installation box 36 458 000 and 36 459 000 ergonomic metal handle GROHE Long-Life finish GROHE SafetyPlus fixed temperature stop temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) metal temperature safety stop full unmixed hot or cold water in extreme handle position for legionella sampling 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109			


36 458 000	4005176494772	804.64
Rough-in box with integrated thermostatic mixer for shower trim sets, battery supply		
36 459 000	4005176576188	864.23
Rough-in box with integrated thermostatic mixer for shower trim sets, mains supply		

 	47 780 000	Chrome	4005176836541	168.52
	Extension set 27.5 mm for Rapido T 35 500 000/35 050 000 for concealed installation box 36 458 000 and 36 459 000 for use with central and shower-thermostats with shut-off valve			

GROHE EUROSMART COSMOPOLITAN E




	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 463 000	Chrome	4005176576690	238.41
	Eurosmart Cosmopolitan E Infra-red electronic for concealed thermostatic shower with infrared sensor for bi-directional communication for monitoring, configuration and servicing for concealed installation box 36 416 000 and 36 464 000 for hidden thermostatic mixer GROHE Long-Life finish 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109			
	36 464 000		4005176576706	715.08
	Rough-in box with integrated thermostatic mixer for shower trim sets, battery supply			
 	36 416 001		4005176595394	738.48
	Rough-in box with integrated thermostatic mixer for infra red shower trim sets, mains supply			
 	36 407 001	Chrome	4005176368974	197.30
	Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO ₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply			
 	36 340 000		4005176911385	65.34
	Power extension cable length 3.00 m			
	36 341 000		4005176911392	120.38
	ditto, length 10 m			
 	36 338 000		4005176896743	107.20
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000			

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 975 003	Chrome	4005176644153	362.65






Eurosmart
Basin mixer 1/2"
M-Size
monobloc installation
2-in-1 hybrid with touchless or manual operation
manual lever operation having priority
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
infra-red electronic
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
non-return valve
dirt strainer
with integrated solenoid valve
external battery
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
additional functions and precise settings
by remote control 36 407
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
Lead and Nickel Free Inner Water Ways
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar
CE approved
professional edition



GROHE
EUROECO COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 271 000	Chrome	4005176893193	321.58
	Euroeco Cosmopolitan E Infra-red electronic basin tap with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses dirt strainers solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K			
	36 269 000	Chrome	4005176893179	346.59
	Euroeco Cosmopolitan E Infra-red electronic basin tap 1/2" with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water without power supply 36 338 000 (required) GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses dirt strainers solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K			
	36 272 000	Chrome	4005176893209	321.58
	Euroeco Cosmopolitan E Infra-red electronic basin tap 1/2" with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hoses dirt strainer solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved			

GROHE EUROECO COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	36 384 000	Chrome	4005176982774	711.31	
	Euroeco Cosmopolitan E Powerbox infra-red electronic basin tap 1/2" without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flexible connection hose dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407				
		36 274 000	Chrome	4005176893223	375.18
	Euroeco Cosmopolitan E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min metal body multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved				
		36 273 000	Chrome	4005176893216	446.65
	Euroeco Cosmopolitan E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC maximum flow rate (at 3 bar): 5 l/min chrome escutcheon chrome spout projection 172 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 001/36 337 001 CE approved noise classification 1 in accordance with DIN4109				
		36 337 001		4005176595417	142.34
	Rough-in box for infra red basin taps without mixing device				
	36 336 001		4005176991769	377.58	
	Rough-in box with integrated thermostatic mixer for infra red trim sets				




GROHE EUROECO COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 407 001	Chrome	4005176368974	197.30
	Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO ₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply			
 	36 340 000		4005176911385	65.34
	36 341 000		4005176911392	120.38
	Power extension cable length 3.00 m ditto, length 10 m			
 	36 338 000		4005176896743	107.20
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000			

GROHE
BAU COSMOPOLITAN E


COMMERCIAL FITTINGS


GROHE BAU COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 453 000	Chrome	4005176473791	271.19
	Bau Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36 338 000 (required) GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways body made of composite polymer flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59			
 	36 407 001	Chrome	4005176368974	197.30
	Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO ₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply			
 	36 340 000		4005176911385	65.34
	Power extension cable length 3.00 m			
 	36 341 000		4005176911392	120.38
	ditto, length 10 m			
 	36 338 000		4005176896743	107.20
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000			

GROHE

GROHTHERM MICRO




Ref. No.	Colour	EAN	Retail Guide Price (£)
34 487 000	Chrome	4005176936234	160.46
 			
Grohtherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread GROHE TurboStat thermoelement GROHE Long-Life finish built-in non return valves dirt strainer without connection set			

47 533 000	Chrome	4005176207181	29.44
 			
Grohtherm Micro Connection set for Grohtherm Micro (34 487 000) Consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose GROHE Long-Life finish			






COMMERCIAL
FITTINGS

GROHE

GROHTHERM SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 667 000	Chrome	4005176351570	407.57
	Grohtherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life finish			
				
	34 725 000	Chrome	4005176457081	397.47
	Grohtherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) Thermostatic cartridge max.temperature 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers with S-unions, chrome nuts and covers GROHE FastFixation for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE Long-Life finish GROHE SafetyPlus fixed temperature stop TMV3 approved product			
				
	34 665 000	Chrome	4005176351556	510.26
	Grohtherm Special Thermostatic bath/shower mixer 1/2" wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life finish			
				




GROHE
GROHTHERM SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		34 681 000 Chrome Grohtherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers without S-unions and covers GROHE FastFixation for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE Long-Life finish	4005176354090	403.03
		34 671 000 Chrome Grohtherm Special Thermostatic bath/shower mixer 1/2" wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers without S-unions and covers GROHE FastFixation for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE Long-Life finish	4005176351587	505.60
		34 666 000 Chrome Grohtherm Special Thermostat basin mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off bottom outlet for spouts 13 378 or 13 380 metal temperature safety stop dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life finish	4005176351563	452.49
		13 378 000 Chrome Cast swivel spout length 115 mm swivelling (180 or 90°) and lockable laminar flow straightener 9 l/min GROHE Long-Life finish	4005176351532	122.07
		13 380 000 Chrome ditto, length 175 mm	4005176351549	134.79

COMMERCIAL
FITTINGS





GROHE

GROHTHERM SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 094 000	Chrome	4005176354106	311.29
	Grotherm Special Thermostatic shower mixer set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handles temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off metal temperature safety stop GROHE Long-Life finish TMV2 compliant when used with 35 050 000			
	35 500 000	Chrome	4005176831522	256.74
	GROHE Rapido T thermostatic mixer for concealed installation			
 	29 095 000	Chrome	4005176354113	317.70
	Grotherm Special Thermostatic bath/shower mixer trim set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off metal temperature safety stop GROHE Long-Life finish TMV2 compliant when used with 35 050 000			
	35 500 000	Chrome	4005176831522	256.74
	GROHE Rapido T thermostatic mixer for concealed installation			
 	29 096 000	Chrome	4005176354120	256.74
	Grotherm Special Trim for thermostatic shower valve set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handle temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) metal temperature safety stop GROHE Long-Life finish TMV2 compliant when used with 35 050 000			
	35 500 000	Chrome	4005176831522	256.74
	GROHE Rapido T thermostatic mixer for concealed installation			
	47 994 000		4005176364723	8.02
	Grotherm Special Temperature unlocking handle unlocking of temperature handle for thermal disinfection			

GROHE



GROHTHERM SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	12 051 000	Chrome	4005176213588	59.54
S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE Long-Life finish				
 	47 780 000	Chrome	4005176836541	168.52
Extension set 27.5 mm for Rapido T 35 500 000/35 050 000 for concealed installation box 36 458 000 and 36 459 000 for use with central and shower-thermostats with shut-off valve				
	47 781 000		4005176836558	196.05
ditto, for use with bath thermostats with Aquadimmer				
	29 007 000		4005176837678	192.96
Safety combination (EN 1717) for Rapido T 35 500 000/35 050 000 Re-fitting set for backflow protection for use with inlet pop-up and waste sets e.g. Talentofil 28 990 000 or 28 991 000				
 	28 874 000	Chrome	4005176042348	19.95
Tee Connection for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE Long-Life finish				
 	28 988 000	Chrome	4005176042805	45.43
Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE Long-Life finish				


COMMERCIAL
FITTINGS


GROHE


GROHTHERM XL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	35 085 000	Chrome	4005176207068	1,841.71
	Grohtherm XL Thermostat mixer 1" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/4" outlet thread 1 1/2" changeable top/bottom outlet without connection unions for wall mounting GROHE Long-Life finish			
	35 087 000	Chrome	4005176207082	2,254.28
	Grohtherm XL Thermostat mixer 1 1/4" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/2" outlet thread 2" changeable top/bottom outlet without connection unions for wall mounting GROHE Long-Life finish			




GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 23 988 003	Chrome	4005176644351	137.81
	Eurosmart Basin mixer 1/2" S-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection not possible monobloc installation metal lever lever length 89 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter GROHE Long-Life finish Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses max. pressure differential 5:1 professional edition			


	 23 989 003	Chrome	4005176644368	151.45
	Eurosmart Basin mixer 1/2" M-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection not possible monobloc installation metal lever lever length 89 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses max. pressure differential 5:1 professional edition			


	 23 986 003	Chrome	4005176643859	179.59
	Eurosmart Basin mixer 1/2" S-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation loop metal lever lever length 130 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter built-in non return valves dirt strainers Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition			


GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 23 987 003	Chrome	4005176644344	193.23
	Eurosmart Basin mixer 1/2" M-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation loop metal lever lever length 130 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter built-in non return valves dirt strainers Lead and Nickel Free Inner Water Ways GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition			
	 23 980 003	Chrome	4005176644207	110.25
	Eurosmart Basin mixer 1/2" S-Size monobloc installation loop metal lever lever length 130 mm GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min adjustable flow rate limiter with temperature limiter GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition			
	 23 981 003	Chrome	4005176644214	123.89
	Eurosmart Basin mixer 1/2" M-Size monobloc installation loop metal lever lever length 130 mm GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min adjustable flow rate limiter with temperature limiter GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition			


GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)		
			23 975 003	Chrome	4005176644153	362.65
Eurosmart Basin mixer 1/2" M-Size monobloc installation 2-in-1 hybrid with touchless or manual operation manual lever operation having priority metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter infra-red electronic with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) non-return valve dirt strainer with integrated solenoid valve external battery multistage battery status display 7 pre-set programs auto flush cleaning mode additional functions and precise settings by remote control 36 407 GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways rapid installation system smooth body flexible connection hoses min. recommended pressure 0.2 bar CE approved professional edition						


			25 241 003	Chrome	4005176644221	136.94
Eurosmart Single-lever bath/shower mixer 1/2" wall mounted loop metal lever lever length 123 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition						


			25 242 003	Chrome	4005176644238	119.24
Eurosmart Single-lever shower mixer 1/2" wall mounted loop metal lever lever length 115 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition						


GROHE EUROSMART CARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
25 279 000	Chrome	4005176766565	342.81
			
			
Eurosmart Solid basin mixer, 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower swivel tubular spout projection 400 mm S-unions metal wall escutcheons with shower set 2 sprays (Rain, Jet) Consisting of: hand shower Tempesta 110 (26 161) maximum flow rate (at 3 bar): 8.5 l/min GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option wall shower holder Tempesta, non-adjustable (28 605) shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)			

GROHE
EUROSMART CARE






	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 23 984 003	Chrome	4005176643835	179.59
	Eurosmart Basin mixer 1/2" S-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation long metal lever lever length 147 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition			

	 23 985 003	Chrome	4005176643842	193.23
	Eurosmart Basin mixer 1/2" M-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation long metal lever lever length 147 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition			



	 23 982 003	Chrome	4005176644245	110.25
	Eurosmart Basin mixer 1/2" S-Size monobloc installation long metal lever lever length 156 mm GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min adjustable flow rate limiter with temperature limiter GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition			

COMMERCIAL
FITTINGS

GROHE EUROSMART CARE

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		23 983 003	Chrome	4005176644313	123.89
		Eurosmart Basin mixer 1/2" M-Size monobloc installation long metal lever lever length 156 mm GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min adjustable flow rate limiter with temperature limiter GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition			
		25 243 003	Chrome	4005176644320	136.94
		Eurosmart Single-lever bath/shower mixer 1/2" wall mounted long metal lever lever length 124 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition			
		25 244 003	Chrome	4005176644337	119.24
		Eurosmart Single-lever shower mixer 1/2" wall mounted long metal lever lever length 120 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition			
		34 667 000	Chrome	4005176351570	407.57
		Grohtherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life finish			


GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 988 000	Chrome	4005176042805	45.43
	Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE Long-Life finish			
 	28 874 000	Chrome	4005176042348	19.95
	Tee Connection for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE Long-Life finish			

COMMERCIAL
FITTINGS

GROHE
VERTICA EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 302 000	Chrome	4005176923876	366.62



Chrome

366.62

Eurostyle Cosmopolitan

Vertica-OHM-Bath Mixer, 1/2"

vertical or horizontal wall mounted

metal lever

GROHE SilkMove 46 mm ceramic cartridge

GROHE Long-Life finish

adjustable flow rate limiter

lockable automatic diverter

lockable spout

integrated non-return valve

in the shower outlet 1/2"

elbow union 45°

metal wall escutcheons






optional temperature limiter (46 375 000)
protected against back-flow

protected against backflow
noise classification 1 in acc

noise classification 1 in accordance with DIN 4109






with DIN4109

GROHE COMMERCIAL SHOWERS






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 671 000	Chrome	4005176103070	34.37
Relexa Shower outlet elbow, 1/2" male thread GROHE Long-Life finish				
 	28 405 000	Chrome	4005176264559	38.87
Movario Shower outlet elbow, 1/2" protected against backflow GROHE Long-Life finish				
 	28 406 000	Chrome	4005176264566	46.37
Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE Long-Life finish				
 	28 002 000	Chrome	4005176858796	220.32
Relexa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection				
 	28 948 000	Chrome	4005176209871	259.13
Relexa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE Long-Life finish SpeedClean anti-limescale system				

COMMERCIAL
FITTINGS






GROHE COMMERCIAL SHOWERS

		Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 094 000 Chrome Relexa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE Long-Life finish adjustable flow rate without shower arm			4005176601132	42.63
 	28 988 000 Chrome Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE Long-Life finish			4005176042805	45.43
 	28 874 000 Chrome Tee Connection for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE Long-Life finish			4005176042348	19.95
 	28 429 000 Chrome Relexa Shower arm 55 mm connection thread 1/2" GROHE Long-Life finish			4005176601910	48.23
 	28 541 000 Chrome Relexa Shower arm 147 mm connection thread 1/2" escutcheon GROHE Long-Life finish			4005176040528	85.40






GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 763 000	Chrome	4005176871030	124.39
	 Euroeco Special Basin mixer 1/2" monobloc installation pop-up waste set 1 1/4" GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener metal lever lever length 120 mm rapid installation system flexible connection hoses			
	32 762 000	Chrome ditto, smooth body	4005176871023	124.39
	 Euroeco Special Basin mixer 1/2" monobloc installation pop-up waste set 1 1/4" GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener metal lever lever length 120 mm rapid installation system flexible connection hoses			
	32 765 000	Chrome ditto, smooth body	4005176871054	269.44
	 Euroeco Special Basin mixer 1/2" monobloc installation high spout 302 mm smooth body GROHE Long-Life finish GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min adjustable flow rate limiter adjustable temperature limiter Laminar flow straightener swivel tubular spout swivel area 140° metal lever lever length 170 mm rapid installation system flexible connection hoses			
	30 208 000	Chrome	4005176927836	295.76
	 Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min cast spout projection 157 mm metal lever lever length 120 mm S-unions			
	32 776 000	Chrome	4005176871764	281.96
	 Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min cast spout projection 157 mm metal lever lever length 120 mm S-unions			

GROHE EUROECO SPECIAL




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 778 000	Chrome	4005176871788	293.42
	Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast spout projection 205 mm metal lever lever length 170 mm S-unions			
				
	32 779 000	Chrome	4005176871795	331.54
	ditto, with lockable S unions, projection 221 mm			
	32 770 000	Chrome	4005176871702	278.18
	Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast swivel spout, lockable projection 157 mm metal lever lever length 120 mm S-unions			
				
	32 768 000	Chrome	4005176871689	316.27
	ditto, with lockable S unions, projection 174 mm			
	32 767 000	Chrome	4005176871078	316.27
	Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast swivel spout, lockable projection 197 mm metal lever lever length 120 mm S-unions			
				
	32 771 000	Chrome	4005176871719	354.39
	ditto, with lockable S unions, projection 214 mm			
	32 773 000	Chrome	4005176871733	331.54
	Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast swivel spout, lockable projection 257 mm metal lever lever length 170 mm S-unions			
				
	32 774 000	Chrome	4005176871740	369.63
	ditto, with lockable S unions, projection 274 mm			
				

GROHE EUROECO SPECIAL





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 775 000	Chrome	4005176871757	384.85
	Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast swivel spout, lockable projection 342 mm metal lever lever length 170 mm with lockable S-unions			
	32 772 000	Chrome	4005176871726	320.08
	Euroeco Special Single-lever basin mixer wall mounted GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable minimum flow rate 2.5 l/min adjustable temperature limiter adjustable flow rate limiter Laminar flow straightener cast swivel spout, lockable projection 222 mm metal lever lever length 170 mm without connection unions water saving			
	32 786 000	Chrome	4005176871863	160.39
	Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever lever length 120 mm flexible connection hoses maximum flow rate (at 3 bar): 8 l/min			
	32 787 000	Chrome	4005176871870	160.39
	Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter swivel tubular spout lever length 120 mm flexible connection hoses maximum flow rate (at 3 bar): 8 l/min			
	12 051 000	Chrome	4005176213588	59.54
	S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE Long-Life finish			

COMMERCIAL
FITTINGS

GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 487 000	Chrome	4005176936234	160.46
Grohtherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread GROHE TurboStat thermoelement GROHE Long-Life finish built-in non return valves dirt strainer without connection set				
 	47 533 000	Chrome	4005176207181	29.44
Grohtherm Micro Connection set for Grohtherm Micro (34 487 000) Consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose GROHE Long-Life finish				


GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 788 000	Chrome	4005176871887	266.75
	 Euroeco Special Single-lever safety basin mixer 1/2" monobloc installation pop-up waste set 1 1/4" GROHE Long-Life finish maximum flow rate (at 3 bar): 8 l/min ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. Laminar flow straightener metal lever lever length 120 mm rapid installation system flexible connection hoses			
	32 789 000	Chrome	4005176871894	247.68
	ditto, smooth body			
	32 790 000	Chrome	4005176871900	342.97
	 Euroeco Single Sequential Single-lever safety basin mixer 1/2" monobloc installation smooth body high version GROHE Long-Life finish maximum flow rate (at 3 bar): 8 l/min ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. Laminar flow straightener metal lever lever length 120 mm rapid installation system flexible connection hoses			
	32 823 000	Chrome	4005176877995	422.94
	 Euroeco Special Single-lever safety basin mixer 1/2" ceramic cartridge GROHE Long-Life finish maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener projection 170 mm metal lever lever length 170 mm without connection unions for wall mounting			
	32 795 000	Chrome	4005176871955	426.78
	 Euroeco Single Sequential Single-lever safety basin mixer 1/2" wall mounted GROHE Long-Life finish maximum flow rate (at 3 bar): 8 l/min ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener projection 204 mm metal lever lever length 170 mm S-unions			

COMMERCIAL
FITTINGS

GROHE


EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 792 000	Chrome	4005176871924	453.45
	Euroeco Single Sequential Single-lever safety basin mixer 1/2" wall mounted GROHE Long-Life finish maximum flow rate (at 3 bar): 8 l/min ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener projection 197 mm metal lever lever length 120 mm S-unions			
	32 793 000	Chrome	4005176871931	472.52
	ditto, projection 256 mm			

GROHE
HOSPITA


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

30 978 000	Chrome	4005176098918	182.02
------------	--------	---------------	--------



Hospita
Sink pillar tap, 1/2"
red/blue markers
GROHE Long-Life finish



45 314 000	Chrome	4005176099250	60.92
------------	--------	---------------	-------






Lever
projection 150 mm
marking: blue/red
for use with ceramic headparts
GROHE Long-Life finish

COMMERCIAL
FITTINGS

GROHE EURODISC SE






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 233 000	Chrome	4005176283338	616.12
	Eurodisc SE Self-closing basin mixer with mixing device and adjustable temperature limiter 6V lithium battery, type CR-P2 GROHE Long-Life finish maximum flow rate (at 3 bar): 5.5 l/min flexible connection hoses start-stop function self-closing electronic safety stop after 180 sec. Flow time infinitely adjustable from 2-180 sec. Automatic flushing: 5 min after 3 days without use thermal disinfection for 3,5 or 11 min CE approved type of protection faucet IP 59K			
 	36 249 000	Chrome	4005176283345	569.09
	Eurodisc SE Self-closing basin tap 1/2" 6V lithium battery, type CR-P2 for cold or premixed water marking: blue (cold) GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5.5 l/min flexible connection hose dirt strainer rapid installation system start-stop function self-closing electronic safety stop after 180 sec. external access to flow time adjustment Flow time infinitely adjustable from 2-180 sec. Automatic flushing: 5 min after 3 days without use CE approved type of protection faucet IP 59K			
	36 209 000	Chrome	4005176207105	97.93
	Security cover cap vandal-proof, covered and pre-adjustable suitable for single hole mixers Europlus E and Eurodisc SE Consisting of: special mixing device for actuation by screwdriver metallic cap GROHE Long-Life finish			
	42 886 000	Chrome	4005176200670	33.37
	Battery 6V lithium battery, type CR-P2			

GROHE EUROSMART COSMOPOLITAN T






	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 318 000	Chrome	4005176896521	333.88
	Eurosmart Cosmopolitan T Self-closing basin mixer with mixing device and adjustable temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min pop-up waste set 1 1/4" 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) 2 flexible hoses non-return valve dirt strainers min. recommended pressure 0.2 bar			
	36 317 000	Chrome	4005176896514	305.21
	ditto, without pop-up waste set			
	36 320 000	Chrome	4005176896545	481.89
	Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter wall mounted GROHE Long-Life finish mixing device with hot water stop-valve hose connection G 1/2" 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) S-unions non-return valve dirt strainers			
	36 321 000	Chrome	4005176896552	347.86
	Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter GROHE Long-Life finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) dirt strainers set for final installation for concealed fitting box 36 322 001 without concealed body			
	36 322 001		4005176595400	152.41
	Rough-in box with mixing device for self-closing trim sets			

COMMERCIAL
FITTINGS

GROHE EUROECO COSMOPOLITAN T






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 265 000	Chrome	4005176893131	128.63
Euroeco Cosmopolitan T Self-closing pillar tap 1/2" marking: blue/red GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)				
 	36 266 000	Chrome	4005176893148	117.92
Euroeco Cosmopolitan T Self-closing pillar tap 1/2" wall mounted marking: blue/red GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min flow limiter 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) escutcheon				
 	36 316 000	Chrome	4005176896279	46.45
Euroeco Cosmopolitan T Extension, 42 mm for self-closing pillar tap 1/2" (36 266 000) GROHE Long-Life finish				
 	36 268 000	Chrome	4005176893162	117.92
Euroeco Cosmopolitan T Self-closing shower valve 1/2" for concealed installation marking: blue/red GROHE Long-Life finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)				
 	36 267 000	Chrome	4005176893155	110.78
Euroeco Cosmopolitan T Self-closing shower valve 1/2" exposed body and trim set marking: blue/red GROHE Long-Life finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) escutcheon				

GROHE ROUGH-IN SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		36 264 001 Rough-in set for infra-red electronic wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation connection housing for power supply suitable for 36 447 000, 36 442 000	4005176416279	203.92
		36 337 001 Euroeco Cosmopolitan E Concealed mounting box wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation stop valve connection housing for power supply suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve	4005176595417	142.34
		36 336 001 Eurosmart Cosmopolitan E Concealed mounting box with integrated pre-adjustable thermostatic mixer wall installation suitable for IR-sets for final installation 2 stop valves non-return valve suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve	4005176991769	377.58
		36 339 001 Eurosmart Cosmopolitan E Concealed mounting box with mixture wall installation suitable for IR-sets for final installation 2 stop valves housing with mixing device non-return valve connection housing for power supply suitable for 36 315 000, 36 412 000, 36 376 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve	4005176595424	260.13
		36 416 001 Eurosmart Cosmopolitan E Concealed control unit for shower with integrated pre-adjustable thermostatic mixer suitable for infra-red set 36 415 000 and 36 463 000 2 stop valves non-return valves with filters connection housing for power supply with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve	4005176595394	738.48

COMMERCIAL
FITTINGS

GROHE ROUGH-IN SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		36 458 000 Eurosmart Cosmopolitan E Concealed control unit for shower with integrated thermostatic mixer suitable for infra-red set 36 456 000 2 stop valves non-return valves with filters 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve	4005176494772	804.64
		36 459 000 Eurosmart Cosmopolitan E Concealed control unit for shower with integrated thermostatic mixer suitable for infra-red set 36 456 000 2 stop valves non-return valves with filters connection housing for power supply with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve	4005176576188	864.23
		35 500 000 Chrome GROHE Rapido T Thermostatic mixer for concealed installation for use with Grohtherm Special and Grohtherm F without finishing trim set flat installation depth 70 mm - 95 mm GROHE TurboStat compact cartridge with wax thermoelement two top outlets 1/2", lockable bottom outlet 1/2" - can only be used with separate stopvalve body of DR brass built-in non return valve and dirt strainers min. recommended pressure 0.2 bar	4005176831522	256.74
		36 322 001 Eurosmart Cosmopolitan T Concealed mounting box with mixture wall installation with adhesive flange for sealing the wall 2 stop valves non-return valve for use with 36 321 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve	4005176595400	152.41
		37 338 000 Chrome GROHE Rapido U roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V water group with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread connecting box for mains supply installation box with gasket fixing points for dry cladding and masonry-in inspection shaft incl. protection	4005176837920	149.83

GROHE SENSIA
SHOWER TOILETS





CONTENTS

GROHE Sensia Pro	656
GROHE Sensia Arena	659
Manual bidet seat	661



GROHE SENSIA ARENA

The GROHE Sensia Arena Toilet is the next level of personal care in the 21st century bathroom, offering a broad range of intelligent features. Prompted by a sensor, the lid opens and closes automatically while a gentle nightlight guides your way in the dark. The absorption of odours supports the transformation of a simple bathroom to a relaxing and hygienic zone. Every design detail has been carefully considered to offer new levels of cleanliness at every stage. Special hygienic coatings and powerful flushing keep the toilet clean while the self-cleaning, anti-bacterial spray arms give you total peace of mind when using the spray function. Discover the Sensia Arena and increase your personal well-being and comfort.



SHOWER TOILET

Enjoy a wealth of benefits that will fit you like a glove

01 Perfect skin care

With a selection of fully adjustable sprays, anti-bacterial twin shower arms and unlimited warm water for comfortable cleaning we offer perfect skin care: GROHE SkinClean.

02 Ultimate hygiene clean

Leading-edge AquaCeramic technology, germ-resistant HyperClean coating and self-cleaning, anti-bacterial spray arms provide you the greatest possible convenience and hygiene: GROHE HygieneClean.

03 Personal comfort

With features like odour absorption, air dryer, nightlight and the smartphone app we offer the smartest comfort: Personal Comfort.

GROHE MANUAL BIDET SEAT

PERFECTLY HYGIENIC WITH TWIN SHOWER

COMFORTABLE CLEANING WITH PURE WATER – NO ELECTRICITY NEEDED

The GROHE Manual Bidet Seat transforms a simple toilet into a comfortable, hygienic place where personal care and cleaning are second nature. Attached to a WC ceramic, the seat doesn't require electricity – instead, the spray is operated by a side lever powered only by water pressure, putting the control at your fingertips for an effective but gentle cleaning experience. No mess, no splashes and no stress. Made from hardwearing Duroplast, the seat itself creates an elegant visual addition to the bathroom.

REAR SPRAY

Thorough yet gentle, the targeted rear spray promises precise personal cleaning.



LADY SHOWER

The refreshing lady shower uses a completely separate spray arm for complete hygiene. The softer, wider spray pattern is more gentle, ideal for intimate feminine areas.



SOFT CLOSE SEAT

Both seat and lid have a quiet soft close mechanism meaning no danger of trapped fingers or of damaging the material.



RETRACTABLE NOZZLES


The two retractable spray arms are protected for extra hygiene.



SPRAY ARM CLEANING FUNCTION

Have confidence that the two spray arms remain germ-free, thanks to the cleaning function. Made from anti-bacterial material, the spray heads can be rinsed before and after every use controlled by the seat control lever.

GROHE SENSIA PRO



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 508 SH0	alpine white	4005176797101	2,289.95
	GROHE Sensia Pro Shower toilet complete system for concealed flushing cisterns, wall-hung GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology GROHE Skin Clean: 2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray) separate water way for lady spray oscillating spray (automatic forward and reverse motion of the spray) adjustable spray intensity automatic pre- and post-rinsing of spray nozzle with fresh water integrated instant heater provides unlimited warm water adjustable temperature Additional functions warm air dryer with adjustable temperature descaling function PP WC seat and lid with automatic opening/close function pyro electric sensor for user detection power switch inside bowl night light hidden water supply and power supply connection remote control includes: manual remote controller with wall-mounted holder water supply connection set for concealed cistern nozzle guard pressure 0.05 - 1 MPa (0.5 - 10 bar) nominal voltage 220-240 V AC main frequency 50-60 Hz type of protection IPX4 complies with EN 1717 CE approved			
	39 596 000		4005176527494	289.17
	Rapid SLX Element for WC, 1.13 m installation height with integrated socket and shower toilet connection flushing cistern GDX, 6 l with integrated power socket ready for shower toilets (water) small revision shaft for small flush plates for on-the-wall installations or studded walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections quick adjustment, lockable fixing material TUV approved 2 WC fixing bolts fixing device for ceramic distance of fixing bolts 180/230 mm outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set flushing cistern GDX, 6 l, containing following features: factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush water supply from right, back or top low noise (group I acc. to German Noise Specification) fully insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union no tools required for the installation of the inspection shaft incl. protection during construction phase for vertical use including flow manager reduces flow of the flush prevents overspill in rimless toilets easy flow regulation via inspection shaft without removing the valves for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)			

GROHE SENSIA PRO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 598 000		4005176527517	305.93
Rapid SLX 3-in-1 set for WC, 1.13 m installation height flushing cistern GDX, 6 l Consisting of: Rapid SLX element for WC (39 596 000) with integrated power socket front wall brackets (38 558 00M) noise protection set (37 131 000) including flow manager for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)				
	101458 SH0 0	alpine white	4067393003243	107.57
GROHE Sensia Remote control for Sensia shower toilet system including wall holder professional edition				
	101520 999 0		4067393003496	28.68
GROHE Sensia Nozzle tips for Sensia shower toilet system 1 x standard shower and 1 x lady shower				
	101546 999 0		4067393003731	60.95
GROHE Sensia Descaling kit 80 g bag descaler vessel nozzle tips (1 x standard shower and 1 x lady shower)				
	101547 999 0		4067393003748	15.54
GROHE Sensia Descaler 1 x 80 g bag This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/				


SHOWER TOILET

GROHE SENSIA PRO


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	101548 999 0		4067393003755	16.73
	GROHE Sensia Descaler vessel			
	46 977 00M		4005176423727	52.10
	Descaler for shower toilet packaging unit 4 x 80 g bag This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/			
 	46 944 001		4005176479977	249.17
	Installation kit for automatic flush and pre-flush for Rapid SL and Rapid SLX with flushing cistern GD2 in combination with GROHE shower toilet Consisting of: servo motor for GD 2 actuation rod for flushing valve cable and blind cap flexible hose WC actuation plate not included CE approved			

GROHE SENSIA ARENA




Ref. No.	Colour	EAN	Retail Guide Price (£)
39 354 SH1	alpine white	4005176470448	3,082.41
GROHE Sensia Arena Shower toilet complete system for concealed flushing cisterns, wall-hung GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology GROHE Skin Clean: 2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray) separate water way for lady spray oscillating spray (automatic forward and reverse motion of the spray) pulsating spray for massage, adjustable spray intensity automatic pre- and post-rinsing of spray nozzle with fresh water integrated instant heater provides unlimited warm water adjustable temperature Additional functions warm air dryer with adjustable temperature, odor extraction with filter PlasmaCluster function - ion technology, descaling function Duroplast WC seat and lid with automatic opening/close function soft close, infra-red user detection, seat control operation power switch, inside bowl night light hidden water supply and power supply connection remote control smart phone app for iOS and Android includes: manual remote controller with wall-mounted holder active carbon filter for odour absorption water supply connection set for concealed cistern nozzle guard pressure 0.05 - 1 MPa (0.5 - 10 bar) nominal voltage 220-240 V AC, main frequency 50-60 Hz type of protection IPX4 complies with EN 1717 CE approved recommended in combination with a GROHE Rapid SLX element (1,13 m installation height)			




39 596 000	4005176527494	289.17
Rapid SLX Element for WC, 1.13 m installation height with integrated socket and shower toilet connection flushing cistern GDX, 6 l with integrated power socket ready for shower toilets (water) small revision shaft for small flush plates for on-the-wall installations or studed walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections, quick adjustment, lockable fixing material TÜV approved 2 WC fixing bolts, fixing device for ceramic distance of fixing bolts 180/230 mm outlet bend Ø 90 mm, depth adjustable reducer Ø 90/110 mm, inlet and outlet connecting set flushing cistern GDX, 6 l, containing following features: factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush water supply from right, back or top low noise (group I acc. to German Noise Specification) fully insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union no tools required for the installation of the inspection shaft incl. protection during construction phase for vertical use including flow manager reduces flow of the flush prevents overspill in rimless toilets easy flow regulation via inspection shaft without removing the valves for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)		




GROHE SENSIA ARENA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 598 000		4005176527517	305.93
	Rapid SLX 3-in-1 set for WC, 1.13 m installation height flushing cistern GDX, 6 l Consisting of: Rapid SLX element for WC (39 596 000) with integrated power socket front wall brackets (38 558 00M) noise protection set (37 131 000) including flow manager for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)			
 	46 944 001		4005176479977	249.17
	Installation kit for automatic flush and pre-flush for Rapid SL and Rapid SLX with flushing cistern GD2 in combination with GROHE shower toilet Consisting of: servo motor for GD 2 actuation rod for flushing valve cable and blind cap flexible hose WC actuation plate not included CE approved			
	40 899 000		4005176413896	44.83
	Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm			
	46 977 00M		4005176423727	52.10
	Descaler for shower toilet packaging unit 4 x 80 g bag This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/			
 	14 926 002		4005176572128	352.01
	GROHE Sensia Arena Remote control for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung including wall holder			

GROHE MANUAL BIDET SEAT

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 648 SH0	alpine white	4005176575310	298.72
	Bau Ceramic Manual bidet seat WC seat with lid 2 dedicated spray arms (1 for anal area, 1 for lady spray) pre- and post-rinsing of spray nozzle with fresh water manually operated side handle requires no electricity Duroplast WC seat and lid with soft close function flexible water connection 3/8" includes: mounting plate filter pressure 0.1 - 1 MPa (1 - 10 bar) complies with EN 1717			

	14 074 000		4005176575365	42.80
	Accessory set shower hose and T piece for manual bidet seat Consisting of: T unit 3/8" flexible connection hose 795 mm 3/8" x 3/8"			





CONTENTS

Essence	670
Cube Ceramic	675
Euro Ceramic	678
BauEdge Ceramic	684
Bau Ceramic	686
Acrylic shower trays	694

FOUR UNIQUE CERAMIC DESIGN LINES

Create pure unison in your bathroom: with GROHE Ceramics. If you choose one of our perfect matches, you can be sure that you are composing a coherent and perfectly designed style.

Whatever your lifestyle, whatever your taste, you'll find the perfect combination of products within GROHE's four ceramic ranges. Each has its own distinctive qualities and they make creating a visually unified bathroom simple and fun.



ESSENCE

BEAUTY IN ITS PUREST FORM



CUBE CERAMIC

A CLEAR STYLE STATEMENT



EURO CERAMIC
IN TUNE WITH MY LIFESTYLE




BAU CERAMIC
VERSATILITY FOR A MODERN LIFE

FIVE COMPELLING TECHNOLOGIES

You may not see it at first sight – but our ceramics are equipped with the most advanced technology. At GROHE it is our aspiration to make your time in the bathroom as comfortable as possible without any restrictions. Discover our innovative GROHE technologies.

OUR KEY TECHNOLOGIES



TRIPLE VORTEX FLUSH

THE POWER OF THREE: CLEAN AND SILENT



RIMLESS TECHNOLOGY

LEAVES BACTERIA NOWHERE TO HIDE



PUREGUARD

STAYS SPARKLING WHITE – NO CHANCE FOR BACTERIA AND DIRT



QUICK RELEASE SEAT

EASY REMOVAL FOR EASY CLEANING



SEAT & COVER SOFT CLOSE

GENTLE AND QUIET

WITH OUR PERFECT MATCHES YOU CAN BE SURE **THAT EVERYTHING FITS**

A consistent design language and ergonomic use are essential for making your bathroom a place of true relaxation. With our perfect matches, we created four coordinated collections for a complete bathroom solution.

Each of our matches was tested to be perfect in design and function. Choose for yourself the line that complements your personal style.

BAU CERAMIC



EURO CERAMIC



ESSENCE



CUBE CERAMIC





BAUEDGE



BAULOOP

EUROSTYLE
COSMOPOLITAN

EUROSTYLE

EUROSMART
COSMOPOLITAN

EUROSMART



ESSENCE



LINEARE



GROHE PLUS



ATRIO



EUROCUBE














LINEARE








ALLURE





ALLURE
BRILLIANT




	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		39 564 00H	alpine white	4005176485602	275.30
Essence Wash basin 70 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 700 x 485 mm suitable for half and full pedestal sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing					
		39 565 00H	alpine white	4005176485619	256.58
Essence Wash basin 60 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 600 x 485 mm suitable for half and full pedestal sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing					
		39 566 00H	alpine white	4005176485626	604.05
Essence Vanity basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 1000 x 460 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing wash basin underside: grinded					
		39 567 00H	alpine white	4005176485633	432.99
Essence Vanity basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 800 x 460 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing wash basin underside: grinded					
		39 568 00H	alpine white	4005176485640	296.68
Essence Vanity basin 60 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 600 x 460 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing					
		39 608 00H	alpine white	4005176566493	404.11
Essence Vessel basin 60 without overflow 600 x 400 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing					

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 609 00H	alpine white	4005176566509	327.13
Essence Vessel basin 45 without overflow 450 x 450 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing				
 	39 570 000	alpine white	4005176484865	160.36
Essence Half pedestal including fixation set sanitary ware				
 	39 571 00H	alpine white	4005176485671	382.20
Essence Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 4.5/3 l including fixation set sanitary ware fully skirted with invisible fixation With GROHE PureGuard anti-scale coating and anti-bacterial glazing compatible with seat and cover 39 577 001 (soft close)				
 	39 573 00H	alpine white	4005176485794	398.25
Essence Floor standing back to wall WC universal trap for horizontal and vertical outlet back to wall for concealed cistern rimless flush volume 4.5/3 l including fixation set sanitary ware fully skirted with invisible fixation With GROHE PureGuard anti-scale coating and anti-bacterial glazing compatible with seat and cover 39 577 001 (soft close)				
 	39 572 00H	alpine white	4005176485688	427.64
Essence Floor standing WC for close coupled combination close coupled universal trap for horizontal and vertical outlet wash down rimless flush volume 4.5/3 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation With GROHE PureGuard anti-scale coating and anti-bacterial glazing compatible with seat and cover 39 577 001 (soft close)				







GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		39 578 000	alpine white	4005176485145	240.55
Essence Exposed flushing cistern for close coupled combination connection from the left/right hand side including flushing set GROHE AV1 dual flush 4.5/3 l including fixation set sanitary ware					
		39 579 000	alpine white	4005176485152	240.55
Essence Exposed flushing cistern for close coupled combination bottom inlet inlet and outlet concealed including flushing set GROHE AV1 dual flush 4.5/3 l including fixation set sanitary ware					
		39 574 00H	alpine white	4005176485800	382.20
Essence Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With GROHE PureGuard anti-scale coating and anti-bacterial glazing					
		39 575 00H	alpine white	4005176485817	398.25
Essence Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With GROHE PureGuard anti-scale coating and anti-bacterial glazing					
		39 729 000	alpine white	4005176594991	5,422.02
Essence Bathtub free standing 180 x 80 cm height 57.5 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats					







	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		39 617 000	alpine white	4005176571312	945.38
Essence Bathtub built-in 180 x 80 cm height 45 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and TalentoFill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately					
		39 620 00H	alpine white	4005176571336	1,101.09
Essence Bathtub built-in 180 x 80 cm height 45 cm water volume 240 l usable volume 170 l with EasyClean with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and TalentoFill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately					
		39 622 000	alpine white	4005176571350	5,422.02
Essence Bathtub back-to-wall 180 x 85 cm height 57.5 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats					
		19 025 000	Chrome	4005176209154	67.88
Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE Long-Life finish					

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 952 000	★ Chrome	4005176174230	64.56
	19 952 DC0	★ supersteel	4005176467776	272.63
	19 952 BE0	polished nickel	4005176468094	292.10
	19 952 EN0	brushed nickel	4005176468100	311.58
	19 952 GL0	★ cool sunrise	4005176352423	292.10
	19 952 GN0	★ brushed cool sunrise	4005176468117	311.58
	19 952 DA0	★ warm sunset	4005176351945	292.10
	19 952 DL0	★ brushed warm sunset	4005176468124	311.58
	19 952 A00	hard graphite	4005176352874	292.10
	19 952 AL0	★ brushed hard graphite	4005176353376	311.58
				
	Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set in combination with Talentofill 28 990 000/28 991 000			
	28 943 000		4005176209178	158.56
	Talento Pop-up bath waste and overflow with bowden cable without finishing trim set bottle trap 45° waste elbow			
				
	28 991 000	Chrome	4005176174032	200.37
	Talentofill Inlet-, pop-up and waste-system for baths with waste up to 370 mm reach without finishing trim set			
				
	49 115 000	Chrome	4005176571411	119.20
	Essence Feet for built-in bathtubs individual height adjustment of each foot GROHE FastFixation installation system			




GROHE CUBE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		39 386 00H alpine white	4005176438356	575.37
Cube Ceramic Wash basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing				
		39 469 00H alpine white	4005176438363	497.45
Cube Ceramic Wash basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm wall fixings not included sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing				
		39 473 00H alpine white	4005176438370	269.79
Cube Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing				
		39 474 00H alpine white	4005176438387	253.27
Cube Ceramic Wash basin 50 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing				
		39 475 00H alpine white	4005176442599	575.37
Cube Ceramic Counter top basin 100 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing				
		39 476 00H alpine white	4005176442605	498.28
Cube Ceramic Counter top basin 80 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm wall fixings not included including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing				







GROHE CUBE CERAMIC

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		39 477 00H	alpine white	4005176442612	269.79
		Cube Ceramic Counter top basin 60 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing			
		39 478 00H	alpine white	4005176442629	253.27
		Cube Ceramic Counter top basin 50 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing			
		39 481 00H	alpine white	4005176442650	242.26
		Cube Ceramic Vessel basin 50 without overflow 500 x 470 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing			
		39 482 00H	alpine white	4005176442667	214.73
		Cube Ceramic Vessel basin 40 without overflow 410 x 410 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing			
		39 480 00H	alpine white	4005176442643	242.26
		Cube Ceramic Under-counter wash basin 50 installation from below with overflow 492 x 370 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing			
		39 479 00H	alpine white	4005176442636	258.78
		Cube Ceramic Counter basin 60 flat back side glazed built-in 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing			






GROHE
CUBE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (€)
		39 483 00H alpine white	4005176442674	209.23
Cube Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 455 x 350 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing				
		39 245 00H alpine white	4005176524479	479.23
Cube Ceramic Wall hung WC horizontal outlet rimless flush volume 4.5/3 l including fixation set sanitary ware fully skirted with invisible fixation With GROHE PureGuard anti-scale coating and anti-bacterial glazing compatible with seat and cover 39 488 000 (soft close)				
		39 488 000 alpine white	4005176442735	206.47
Cube Ceramic WC seat soft close with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Cube Ceramic bowls				

GROHE EURO CERAMIC





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 642 000	alpine white	4005176570162	288.85
Euro Ceramic Bundle wash basin 60 + Eurosmart Cosmopolitan basin mixer Consisting of: Euro Ceramic wash basin 60 (39 335 000) Eurosmart Cosmopolitan basin mixer M-Size (23 325 000) TOX mounting set Angle valve 1/2" (22 039 000) P-trap 1 1/4" (28 947 000)				
 	39 323 000	alpine white	4005176407116	113.00
Euro Ceramic Wash basin 65 wall hung 1 hole punched with overflow 650 x 514 mm wall fixings not included sanitary ware				
 	39 335 000	alpine white	4005176407239	101.85
Euro Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched with overflow 595 x 482 mm sanitary ware				
 	39 337 000	alpine white	4005176407253	124.90
Euro Ceramic Counter top basin 60 1 hole punched with overflow 596 x 483 mm wall fixings not included sanitary ware				
 	39 336 000	alpine white	4005176407246	113.54
Euro Ceramic Wash basin 55 wall hung 1 hole punched with overflow 550 x 450 mm wall fixings not included sanitary ware				
 	39 423 000	alpine white	4005176406201	121.41
Bau Ceramic Undercounter wash basin 55 installation from below with overflow 560 x 420 mm fixings included sanitary ware				

GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		39 324 000 alpine white	4005176407123	96.18
Euro Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 450 x 396 mm wall fixings not included sanitary ware distance between installation holes: 160 mm				
		39 327 000 alpine white	4005176390104	92.30
Euro Ceramic Compact handrinse basin wall hung 1 hole punched 370 x 180 mm wall fixings not included sanitary ware no pedestals recommended				
		39 201 000 alpine white	4005176344947	79.57
Euro Ceramic Semi pedestal for wash basin 39230, 39335 and 39336 invisible fixation set included sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 327 000				
		39 325 000 alpine white	4005176407130	79.57
Euro Ceramic Semi pedestal for hand rinse basin 39 324 000 invisible fixation set included sanitary ware suitable for hand rinse basin 39 324 000				
		39 202 000 alpine white	4005176344954	89.12
Euro Ceramic Full pedestal for wash basin 39230, 39335, 39336 and 39324 invisible fixation set included sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 327 000				

CERAMICS

GROHE EURO CERAMIC






	Ref. No.	Colour	EAN	Retail Guide Price (£)
		39 839 000 alpine white	4005176655517	394.69
Euro Ceramic Floor standing back to wall WC rimless horizontal outlet Triple Vortex flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation Euro Ceramic WC seat with lid soft close quick release function material: Duroplast detachable				
		39 554 000 alpine white	4005176484452	448.85
Euro Ceramic Wall hung WC set Consisting of: Euro Ceramic wall hung WC with Triple Vortex (39 328 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware fully skirted with invisible fixation Euro Ceramic WC seat with lid soft close quick release function detachable material: Duroplast including fixation set 4 pieces per pallet				
		39 693 000 alpine white	4005176581281	431.32
Euro Ceramic Wall hung WC set Consisting of: Euro Ceramic wall hung compact WC with Triple Vortex (39 206 000) horizontal outlet Triple Vortex rimless flush volume 3/5 l sanitary ware fully skirted with invisible fixation Euro Ceramic WC seat with lid soft close quick release function detachable material: Duroplast including fixation set				
		39 703 000 alpine white	4005176583896	395.05
Euro Ceramic Wall hung WC set Consisting of: Euro Ceramic wall hung WC, 3/5 l (39 538 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware Euro Ceramic WC seat with lid soft close quick release function detachable material: Duroplast including fixation set				

GROHE EURO CERAMIC




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 462 000	alpine white	4005176454608	544.08
	39 462 00H	alpine white	4005176454615	544.08
Euro Ceramic Bundle close coupled WC Consisting of: Euro Ceramic WC (39 338 000) wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware Euro Ceramic cistern (39 332 000) bottom inlet including flushing set & button sanitary ware Euro Ceramic WC seat with lid soft close quick release function detachable including fixation set material: Duroplast 4 pieces per pallet				
	39 328 000	alpine white	4005176407161	315.11
	Euro Ceramic Wall hung WC for concealed cistern horizontal outlet Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation compatible with seat and cover 39 330 002 (soft close) and 39 331 002 (without soft close)			
	39 206 000	alpine white	4005176344992	286.46
	Euro Ceramic Wall hung compact WC horizontal outlet Triple Vortex rimless flush volume 3/5 l 49 cm width including fixation set sanitary ware fully skirted with invisible fixation compatible with seat and cover 39 330 002 (soft close) and 39 331 002 (without soft close)			
	39 538 000	alpine white	4005176468292	252.20
	Euro Ceramic Wall hung WC, basic for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware compatible with seat and cover 39 330 002 (soft close) and 39 331 002 (without soft close)			

CERAMICS







GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		39 338 000	alpine white	4005176407260	245.09
Euro Ceramic Floor standing WC for close coupled combination close coupled universal trap for horizontal and vertical outlet Triple Vortex rimless flush volume 3/5 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation compatible with seat and cover 39 330 002 (soft close) and 39 331 002 (without soft close)					
		39 332 000	alpine white	4005176407208	229.17
Euro Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set with dual flush including fixation set sanitary ware					
		39 333 000	alpine white	4005176407215	229.17
Euro Ceramic Exposed flushing cistern side or back inlet for back inlet please order mounting set 49 522 000 (sold separately) including flushing set with dual flush including fixation set sanitary ware					
		39 339 000	alpine white	4005176407277	244.02
Euro Ceramic Floor standing back to wall WC horizontal outlet back to wall Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation compatible with seat and cover 39 330 002 (soft close) and 39 331 002 (without soft close)					
		39 208 000	alpine white	4005176345029	284.22
Euro Ceramic Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation					



GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		39 340 000 alpine white Euro Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation	4005176423697	250.26
		36 501 000 Chrome Rapid SL 5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Euro Ceramic wall hung WC with Triple Vortex (39 328 000) Euro Ceramic WC seat with lid, soft close (39 330 002) Arena Cosmopolitan flush plate, chrome, vertical installation (38 844 000) 2 wall brackets with fixing material noise protection set (37 131 000)	4005176781902	755.17
		36 503 000 Chrome Rapid SL 5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Euro Ceramic wall hung WC, 3/5 l (39 538 000) Euro Ceramic WC seat with lid, soft close (39 330 002) Arena Cosmopolitan flush plate, chrome, vertical installation (38 844 000) 2 wall brackets with fixing material noise protection set (37 131 000)	4005176781926	659.56







GROHE BAUEDGE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 808 000	alpine white	4005176637087	98.02
BauEdge Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched with overflow 600 x 448 mm sanitary ware suitable for half pedestal 39 426 000 and full pedestal 39 425 000 12 pieces per pallet				
 	39 807 000	alpine white	4005176636479	95.06
BauEdge Ceramic Wash basin 55 wall hung 1 hole punched with overflow 550 x 400 mm sanitary ware suitable for half pedestal 39 426 000 and full pedestal 39 425 000 21 pieces per pallet				
 	39 806 000	alpine white	4005176636462	92.23
BauEdge Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 450 x 350 mm sanitary ware 27 pieces per pallet				
 	39 809 000	alpine white	4005176637094	177.16
BauEdge Ceramic Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 3/5 l sanitary ware compatible with seat and cover 39 813 000 16 pieces per pallet				
 	39 810 000	alpine white	4005176637100	209.30
BauEdge Ceramic Floor standing WC back to wall for concealed cistern wash down rimless horizontal outlet flush volume 3/5 l including fixation set sanitary ware compatible with seat and cover 39 813 000 18 pieces per pallet				
 	39 811 000	alpine white	4005176637117	157.00
BauEdge Ceramic Floor standing WC for close coupled combination wash down rimless horizontal outlet flush volume 3/5 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 813 000 12 pieces per pallet				






GROHE BAUEDGE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		39 861 000 alpine white	4005176653889	119.43
BauEdge Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set & button anti-theft lid (can be fixed with the cistern) sanitary ware 54 pieces per pallet				
		39 813 000 alpine white	4005176637131	102.87
BauEdge Ceramic WC seat soft close with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all BauEdge ceramic bowls 168 pieces per pallet				






GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		39 420 000 Bau Ceramic Wash basin 65 wall hung 1 hole punched with overflow 646 x 468 mm wall fixings not included sanitary ware	alpine white 4005176405983	77.57
		39 421 000 Bau Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched with overflow 609 x 442 mm wall fixings not included sanitary ware	alpine white 4005176428906	67.24
		39 440 000 Bau Ceramic Wash basin 55 wall hung 1 hole punched with overflow 553 x 386 mm wall fixings not included sanitary ware	alpine white 4005176405976	65.50
		39 422 000 Bau Ceramic Counter Drop-in basin 55 built-in 1 hole punched with overflow 560 x 400 mm fixings included sanitary ware	alpine white 4005176406195	121.41
		39 423 000 Bau Ceramic Undercounter wash basin 55 installation from below with overflow 560 x 420 mm fixings included sanitary ware	alpine white 4005176406201	121.41
		39 424 000 Bau Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 453 x 354 mm wall fixings not included sanitary ware distance between installation holes: 205 mm	alpine white 4005176406218	65.63






GROHE BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 426 000	alpine white	4005176406232	74.13
Bau Ceramic Half pedestal including fixation set sanitary ware suitable for all Bau and BauEdge Ceramic wash basins except 39 424 000 and 39 806 000				
 	39 425 000	alpine white	4005176406225	65.57
Bau Ceramic Full pedestal including fixation set sanitary ware suitable for all Bau and BauEdge Ceramic wash basins except 39 424 000 and 39 806 000				
 	39 910 000	alpine white	4005176720444	182.21
Bau Ceramic Floor standing WC for close coupled combination wash down rimless universal outlet flush volume 3/6 l including fixation set cistern to be ordered separately sanitary ware fully skirted with visible fixation compatible with seat and cover 39 913 (soft close) compatible with Bau Ceramic cisterns 39 911 000 and 39 912 000 professional edition 9 pieces per pallet				
 	39 912 000	alpine white	4005176720468	119.42
Bau Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set & button sanitary ware compatible with Bau Ceramic bowl 39 910 000 professional edition 24 pieces on a pallet				
 	39 913 000	alpine white	4005176720475	106.53
Bau Ceramic WC seat soft close slim with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowl 39 910 000 professional edition 72 pieces per pallet				

GROHE BAU CERAMIC






	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		39 427 000	alpine white	4005176406249	124.11
Bau Ceramic Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)					
		39 491 000	alpine white	4005176449994	98.35
Bau Ceramic Wall hung WC for concealed cistern wash down boxed rim horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close) 16 pieces per pallet					
		39 428 000	alpine white	4005176406256	137.38
Bau Ceramic Floor standing WC for close coupled combination wash down boxed rim horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)					
		39 349 000	alpine white	4005176449659	114.88
Bau Ceramic Floor standing WC for close coupled combination wash down rimless horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)					
		39 429 000	alpine white	4005176406263	152.74
Bau Ceramic Floor standing WC for close coupled combination wash down rimless vertical outlet, concealed flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)					

GROHE
BAU CERAMIC





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 436 000	alpine white	4005176406331	95.07
Bau Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set & button sanitary ware				
 	39 437 000	alpine white	4005176406348	119.45
Bau Ceramic Exposed flushing cistern connection from the left/right hand side including flushing set & button sanitary ware				
 	39 430 000	alpine white	4005176406270	102.61
Bau Ceramic Floor standing WC wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)				
 	39 431 000	alpine white	4005176406287	102.61
Bau Ceramic Floor standing WC wash down rimless vertical outlet flush volume 6/3 l including fixation set sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)				
 	39 898 000	alpine white	4005176713972	102.86
Bau Ceramic WC seat soft close slim with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowls 39 427 000, 39 430 000 and 39 431 000				

CERAMICS




GROHE BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		39 923 000 alpine white Bau Ceramic WC seat soft close slim with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowls 39 349 000 and 39 429 000	4005176724008	102.86
		39 492 000 alpine white Bau Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Bau Ceramic bowls except 39 910 000	4005176450013	53.07
		39 493 000 alpine white Bau Ceramic WC seat soft close with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above compatible with all Bau Ceramic bowls except 39 910 000	4005176450020	62.21
		39 433 000 alpine white Bau Ceramic Wall hung bidet 1 hole punched with overflow sanitary ware	4005176406300	197.37
		39 432 000 alpine white Bau Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware	4005176406294	206.73





GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		39 438 000 Bau Ceramic Urinal concealed inlet wall fixings Included flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately not compatible with temperature sensor 39 367 000	alpine white 4005176406355	236.27
		39 439 000 Bau Ceramic Urinal top inlet wall fixings Included flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately	alpine white 4005176406362	236.27
		39 351 000 Bau Ceramic Wall hung WC set Consisting of: Bau Ceramic wall hung WC (39 427 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/6 l sanitary ware Bau Ceramic WC seat (39 493 000) soft close quick release function detachable material: Duroplast including fixation set	alpine white 4005176450006	210.31
		39 347 000 Bau Ceramic Bundle close coupled WC Consisting of: Bau Ceramic floor standing toilet with horizontal outlet (39 428 000) wash down boxed rim horizontal outlet, concealed flush volume 6/3 l including fixation set sanitary ware Bau Ceramic exposed flushing cistern (39 437 000) connection from the left/right hand side including flushing set & button sanitary ware Bau Ceramic WC seat (39 493 000) with lid soft close quick release function detachable material: Duroplast including fixation set	alpine white 4005176449680	337.63

GROHE BAU CERAMIC





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 346 000	alpine white	4005176449673	352.35
	Bau Ceramic Bundle close coupled WC Bau Ceramic floor standing toilet with vertical outlet (39 429 000) wash down rimless vertical outlet flush volume 6/3 l including fixation set sanitary ware Bau Ceramic exposed flushing cistern (39 437 000) connection from the left/right hand side including flushing set & button sanitary ware Bau Ceramic WC seat (39 493 000) with lid soft close quick release function detachable material: Duroplast including fixation set			
	39 496 000	alpine white	4005176450051	339.85
	Bau Ceramic Bundle close coupled WC Consisting of: Bau Ceramic floor standing toilet with horizontal outlet (39 349 000) wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware Bau Ceramic exposed flushing cistern (39 494 000) connection from the left/right hand side including flushing set & button sanitary ware Bau Ceramic WC seat (39 493 000) with lid soft close quick release function detachable material: Duroplast including fixation set			
	39 604 000	alpine white	4005176524486	379.34
	Bau Ceramic Bundle close coupled WC Consisting of: Bau Ceramic floor standing toilet with horizontal outlet (39 349 000) wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware Bau Ceramic exposed flushing cistern (39 436 000) bottom inlet inlet and outlet concealed including flushing set & button sanitary ware Bau Ceramic WC seat (39 493 000) with lid quick release function detachable material: Duroplast including fixation set 4 pieces per pallet			

GROHE
BAU CERAMIC



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 500 000	Chrome	4005176781896	427.10
Rapid SL 5-in-1 set for WC, 1.13 m installation height flushing cistern GD 2, 6 - 3 l Consisting of: Rapid SL element for WC (38 528 001) Arena Cosmopolitan flush plate, chrome, vertical installation (38 844 000) Bau Ceramic wall hung WC (39 427 000) including seat and lid (39 493 000) front wall brackets (38 558 00M) noise protection set (37 131 000)				
 	36 504 000	Chrome	4005176781933	448.45
Rapid SL 5-in-1 set for WC, 1.13 m installation height flushing cistern GD 2, 6 - 3 l Consisting of: Rapid SL element for WC (38 528 001) Arena Cosmopolitan flush plate, chrome, vertical installation (38 844 000) Bau Ceramic wall hung WC (39 427 000) Bau Ceramic slim seat and lid soft close (39 898 000) 2 wall brackets with fixing material noise protection set (37 131 000)				
 	39 648 SH0	alpine white	4005176575310	298.72
Bau Ceramic Manual bidet seat WC seat with lid 2 dedicated spray arms (1 for anal area, 1 for lady spray) pre- and post-rinsing of spray nozzle with fresh water manually operated side handle requires no electricity Duroplast WC seat and lid with soft close function flexible water connection 3/8" includes: mounting plate filter pressure 0.1 - 1 MPa (1 - 10 bar) complies with EN 1717				
 	14 074 000		4005176575365	42.80
Accessory set shower hose and T piece for manual bidet seat Consisting of: T unit 3/8" flexible connection hose 795 mm 3/8" x 3/8"				

GROHE

ACRYLIC SHOWER TRAYS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 300 000	alpine white	4005176346026	284.24
	Acrylic shower tray 1000 x 1000 dimensions: 1000 x 1000 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014416 recommended Schedel installation set SD 90083			
	39 301 000	alpine white	4005176346033	210.08
	Acrylic shower tray 900 x 900 dimensions: 900 x 900 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014408 recommended Schedel installation set SD 90081			
	39 302 000	alpine white	4005176346040	200.81
	Acrylic shower tray 800 x 800 dimensions: 800 x 800 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014411 recommended Schedel installation set SD 90080			
	39 306 000	alpine white	4005176346088	231.72
	Acrylic shower tray 800 x 1000 dimensions: 800 x 1000 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014412 recommended Schedel installation set SD 90082			

GROHE ACRYLIC SHOWER TRAYS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	49 533 000	Chrome	4005176478475	58.60
	49 533 SH0	alpine white	4005176560033	58.60
				
Waste set for universal shower tray Ø 112 mm vertical outlet GROHE Long-Life finish flow rate 1.1 l/s according to DIN EN 274				
	49 534 000	Chrome	4005176478482	58.60
	49 534 SH0	alpine white	4005176560040	58.60
				
Waste set for universal shower tray Ø 112 mm horizontal outlet GROHE Long-Life finish flow rate 0.7 l/s (42 l/min) according to DIN EN 274				

GROHE
INSTALLATION SYSTEMS







CONTENTS

Rapid SLX	Rapid SLX	698
Rapid SL	Rapid SL for WC	700
	Rapid SL for Urinal	711
	Rapid SL for Wash Basin and Bidet	713
	Rapid SL for the Disabled	716
	Rapid SL Fitting Supports	718
	Rapid SL Accessories	719


GROHE
RAPID SLX

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 596 000		4005176527494	289.17
	Rapid SLX Element for WC, 1.13 m installation height with integrated socket and shower toilet connection flushing cistern GDX, 6 l with integrated power socket ready for shower toilets (water) small revision shaft for small flush plates for on-the-wall installations or studded walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections quick adjustment, lockable fixing material TÜV approved 2 WC fixing bolts fixing device for ceramic distance of fixing bolts 180/230 mm outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set flushing cistern GDX, 6 l, containing following features: factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush water supply from right, back or top low noise (group I acc. to German Noise Specification) fully insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union no tools required for the installation of the inspection shaft incl. protection during construction phase for vertical use including flow manager reduces flow of the flush prevents overspill in rimless toilets easy flow regulation via inspection shaft without removing the valves for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)			
				

	39 603 000	Chrome	4005176527562	369.79
	Rapid SLX 3-in-1 set for WC, 1.13 m installation height flushing cistern GDX, 6 l Consisting of: Rapid SLX element for WC (39 596 000) with integrated power socket Skate Cosmopolitan S flush plate, chrome (37 535 000) front wall brackets (38 558 00M) including flow manager			
				

GROHE RAPID SLX

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 598 000		4005176527517	305.93





Rapid SLX
3-in-1 set for WC, 1.13 m installation height
flushing cistern GDX, 6 l
Consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
front wall brackets (38 558 00M)
noise protection set (37 131 000)
including flow manager
for mounting of flush plates 156 x 197 mm please order
revision shaft 66 791 000 (sold separately)

GROHE RAPID SL FOR WC





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 374 KS0	velvet black	4005176344770	1,006.80
	Glass Cover Skate Cosmopolitan for Rapid SL 1.13 m with flushing cistern GD 2 for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls two-piece glass cover made of tempered safety glass (8 mm) upper part removable for maintenance flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover HPL mounting plate with hole pattern for all connections mounting plate with concealed water connection for shower toilet Sensia Arena mounting plate with with quality edges in silver finish Set for noise protection including accessory for mounting glass plate and WC ceramic			
	39 374 LS0	moon white	4005176344787	1,006.80
	Glass Cover Skate Cosmopolitan for Rapid SL 1.13 m with flushing cistern GD 2 for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls two-piece glass cover made of tempered safety glass (8 mm) upper part removable for maintenance flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover HPL mounting plate with hole pattern for all connections mounting plate with concealed water connection for shower toilet Sensia Arena mounting plate with with quality edges in silver finish Set for noise protection including accessory for mounting glass plate and WC ceramic			
	38 528 20A		4005176772382	226.94
	Rapid SL Element for WC, 1.13 m installation height with flushing cistern GD 2 , 6 I - 9 I for on-the-wall installations or studded walls including WRAS approved filling valve powder coated steel frame, self-supporting TUV approved 2 WC fixing bolts fixing device for ceramic WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000 distance of fixing bolts 180/230 mm outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set flushing cistern GD 2, 6 - 9 I, containing following features: water supply from left/right or back Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)			

GROHE RAPID SL FOR WC





Ref. No.	Colour	EAN	Retail Guide Price (£)
39 002 000		4005176936920	405.13
Rapid SL Element for WC, 1.13 m installation height, for external odour extraction with flushing cistern GD 2 , 6 l - 9 l with flush pipe for external odour extraction for on-the-wall installations or studded walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections quick adjustment, lockable fixing material TUV approved 2 WC fixing bolts fixing device for ceramic WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000 distance of fixing bolts 180/230 mm PP outlet bend Ø 90 mm depth adjustable PP reducer Ø 90/110 mm inlet and outlet connecting set			
  flushing cistern GD 2, 6 - 9 l, containing following features: factory set 6 l and 3 l flush pipe with connection for odor extraction 50 mm pneumatic discharge valve offering 2 modes of operation: dual flush or single flush water supply from left/right or back low noise (group I acc. to German Noise Specification) Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union no tools required for the installation of the inspection shaft incl. protection during construction phase inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally.			
for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)			

38 848 000		4005176881404	192.63
Rapid SL Element for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l for on-the-wall installations or studded walls powder coated steel frame, self-supporting TUV approved 2 WC fixing bolts fixing device for ceramic WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000 distance of fixing bolts 180/230 mm outlet bend Ø 80 mm depth adjustable reducer Ø 80/100 mm inlet and outlet connecting set			
  flushing cistern GD 2, 6 - 9 l, containing following features: water supply from left/right or back Insulated against condensation flexible connecting hose Ø 3/8"			
for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)			





GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 500 000	Chrome	4005176453861	337.28
	Rapid SL 5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan S flush plate, chrome (37 535 000) GROHE Fresh retro-fit set (38 796 000) front wall brackets (38 558 00M) noise protection set (37 131 000)			
	38 827 000	Chrome	4005176870477	377.34
	Rapid SL 5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan flush plate, chrome (38 732 000) GROHE Fresh retro-fit set (38 796 000) front wall brackets (38 558 00M) including WC set for noise protection (37 131 000)			
	38 750 001	Chrome	4005176863363	293.85
	Rapid SL 4-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, chrome, vertical installation (38 505 000) front wall brackets (38 558 00M) including WC set for noise protection (37 131 000)			
	38 860 20A		4005176772375	312.56
	Rapid SL 3-in-1 set for WC, 0.82m installation height with flushing cistern 6 - 3 l including WRAS approved filling valve Consisting of: Rapid SL element for WC (38 526 000) Nova Cosmopolitan flush plate, chrome (38 765 000) front wall brackets (38 558 00M)			





GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 888 000	Chrome	4005176879630	508.76
	Rapid SL 4-in-1 set for WC, 1.00 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 525 001) Skate Cosmopolitan flush plate, chrome (38 732 000) GROHE Fresh retro-fit set (38 796 000) front wall brackets (38 558 00M)			
	38 885 000	Chrome	4005176879609	352.34
	Rapid SL 4-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 526 000) Skate Cosmopolitan flush plate, chrome (38 732 000) GROHE Fresh retro-fit set (38 796 000) front wall brackets (38 558 00M)			
	39 501 000	Chrome	4005176453878	315.84
	Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan S flush plate, chrome (37 535 000) front wall brackets (38 558 00M) including revision shaft 40 911 000 for mounting of small flush plates			
	39 503 000	Chrome	4005176454097	300.71
	Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Air S flush plate, chrome, vertical installation (37 965 000) front wall brackets (38 558 00M)			





GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 504 000	Chrome	4005176454103	333.97
	Rapid SL 3-in-1 set for WC, 1.13 m installation height flushing cistern GD 2, 6 - 3 l Consisting of: Rapid SL element for WC (38 528 001) Arena Cosmopolitan S flush plate, chrome (37 624 000) front wall brackets (38 558 00M) including revision shaft 40 911 000 for mounting of small flush plates			
	39 581 000	Chrome	4005176496011	334.40
	Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Nova Cosmopolitan S flush plate, chrome (37 601 000) front wall brackets (38 558 00M)			
	38 721 001	Chrome	4005176863431	284.55
	Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, chrome, vertical installation (38 505 000) front wall brackets (38 558 00M)			
	38 722 001	alpine white	4005176863424	273.76
	Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, alpine white, vertical installation (38 505 SH0) front wall brackets (38 558 00M)			

GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 772 20A		4005176771613	255.87
	Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l including WRAS approved filling valve Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan flush plate, chrome (38 732 000) front wall brackets (38 558 00M)			
	39 940 000	glossy black	4005176737879	281.19
	Rapid SL 3-in-1 set for WC, 1.13 m installation height flushing cistern GD 2, 6 - 3 l Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan flush plate, glossy black (38 732 KV0) front wall brackets (38 558 00M)			
	38 761 20A		4005176771651	386.52
	Rapid SL 3-in-1 set for WC, 0.82m installation height with flushing cistern 6 - 3 l including WRAS approved filling valve Consisting of: Rapid SL element for WC (38 526 000) Skate Air flush plate, chrome, horizontal installation (38 506 000) front wall brackets (38 558 00M)			
	38 773 20A		4005176771606	293.98
	Rapid SL 3-in-1 set for WC, 0.82m installation height with flushing cistern 6 - 3 l including WRAS approved filling valve Consisting of: Rapid SL element for WC (38 526 000) Skate Cosmopolitan flush plate, chrome (38 732 000) front wall brackets (38 558 00M)			




GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 868 20A		4005176771637	414.55
	Rapid SL 3-in-1 set for WC, 0.82m installation height with flushing cistern 6 - 3 l including WRAS approved filling valve Consisting of: Rapid SL element for WC (38 526 000) Nova Cosmopolitan flush plate, chrome (38 765 000) front wall brackets (38 558 00M)			
	38 764 001	alpine white	4005176863301	258.13
	Rapid SL 2-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, alpine white, vertical installation (38 505 SH0)			
	38 947 000		4005176911217	379.73
	Rapid SL 2-in-1 set for WC, 1.00 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 525 001) front wall brackets (38 558 00M)			
	38 948 000		4005176911224	348.41
	Rapid SL 2-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 526 000) front wall brackets (38 558 00M)			




GROHE RAPID SL FOR WC

INSTALLATION SYSTEMS



GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 675 001		4005176863516	375.21
	Rapid SL Element for WC, 1.13 m installation height, 0.42 m width with flush cistern 6 - 3 l for WC bowls 70 cm projection for on-the-wall installations or studded walls powder coated steel frame, self-supporting TUV approved 2 WC fixing bolts fixing device for ceramic distance of fixing bolts 180/230 mm outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for the mounting of support rails for the disabled please order fixing element 38 559 001 (sold separately)			
	38 994 000		4005176932335	383.19
	Rapid SL Element for WC with flushing cistern 80 mm, 1.13 m installation height element width 0.62 m for small, narrow bathrooms for on-the-wall installations or studded walls powder coated steel frame, self-supporting with fixed connections TUV approved 2 WC fixing bolts fixing device for ceramic distance of fixing bolts 180/230 mm PP outlet bend Ø 90 mm depth adjustable PP reducer Ø 90/110 mm inlet and outlet connecting set flushing cistern 80 mm, 6 - 9 l, containing following features: water supply from top or back water supply 1/2" and push fit flexible hose union including wall brackets 38 558 00M for on-the-wall installation for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)			
	38 525 20A		4005176772368	367.13
	Rapid SL Element for WC, 1.00 m installation height with flushing cistern 6 - 3 l for on-the-wall installations or studded walls including WRAS approved filling valve powder coated steel frame, self-supporting TUV approved 2 WC fixing bolts fixing device for ceramic WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000 distance of fixing bolts 180/230 mm outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set flushing cistern 6 - 9 l containing the following features: water supply from left/right or back Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)			




GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 526 20A		4005176771644	266.76
Rapid SL Element for WC, 0.82 m installation height with flushing cistern 6 - 3 l for on-the-wall installations or studded walls including WRAS approved filling valve powder coated steel frame, self-supporting TUV approved 2 WC fixing bolts fixing device for ceramic distance of fixing bolts 180/230 mm PP outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set flushing cistern 6 - 9 l containing the following features: water supply from left/right or back Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)				
 	38 548 001		4005176863851	price on request
Rapid SL Empty element, 1.13 m installation height for the installation of fitting holders or to cover the distance between two elements (60 - 170 cm) for installation back to back with free-standing elements TUV approved for on-the-wall installation please order wall brackets 38 558 00M (sold separately)				
	40 899 000		4005176413896	44.83
Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm				
 	38 558 00M	Chrome	4005176291418	16.41
Rapid SL Front wall brackets for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm 2 pieces				

GROHE RAPID SL FOR WC


		Ref. No.	Colour	EAN	Retail Guide Price (£)
		42 333 000	Chrome	4005176845888	18.62
		4.5 l adapter for GD2 to reduce the maximum flush volume to 3.8 - 6.0 l (big flush) and 1.8 - 5.0 l (small flush)			
		42 327 000	Chrome	4005176838705	17.53
		PP-outlet bend Ø 90 mm variable depth adjustment including lip seal DN 90			
		42 593 000		4005176566417	33.62
		Valve seat reduces flow of the flush easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2			

GROHE RAPID SL FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 786 001		4005176864025	303.25
	Rapid SL Element for urinal with GROHE Rapido U 1.13 and 1.30 m installation height for manual actuation or Tectron infra-red electronic 6 V or 230 V for on-the-wall installations or studded walls height adjustable fitting connections HT-outlet bend Ø 50 mm fixing bolts M8, with fixing device for the ceramic inlet connection and inlet connecting set water group with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread connecting box for mains supply 230 V installation box with gasket inspection shaft incl. protection during construction phase for on-the-wall installation please order wall brackets 38 558 00M (sold separately)			
	38 803 001		4005176864049	381.84
	Rapid SL Element for urinal with infra-red electronic with GROHE Rapido U 1.13 and 1.30 m installation height for manual actuation or Tectron infra-red electronic 6 V or 230 V for on-the-wall installations or studded walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled height adjustable fitting connections quick adjustment, lockable fixing material TUV approved HT-outlet bend Ø 50 mm inlet connection and inlet connecting set fixing bolts M8, with fixing device for the ceramic water group with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread connecting box for mains supply 230 V installation box with gasket inspection shaft incl. protection during construction phase including wall brackets 38 558 00M for on-the-wall installation			
	39 376 000		4005176342998	359.31
	Rapid SL Element for urinal with temperature sensor with roughing-in set for T sensor 1.13 and 1.30 m installation height for on-the-wall installations or studded walls height adjustable fitting connections HT-outlet bend Ø 50 mm fixing bolts M8, with fixing device for the ceramic inlet connection and inlet connecting set box for concealed installation including roughing-in box water group with stop valve and flush elbow for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold separately) for on-the-wall installation please order wall brackets 38 558 00M (sold separately)			

GROHE RAPID SL FOR URINAL


Ref. No.	Colour	EAN	Retail Guide Price (£)
38 558 00M	Chrome	4005176291418	16.41



Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces


GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




38 554 001 **4005176863806** **141.39**

Rapid SL
Element for wash basin, single hole installation with noise protection
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



39 052 000 **4005176935961** **198.51**

Rapid SL
Element for wash basin, single hole installation, height adjustable with noise protection
1.13 m finished installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
fixing and connecting traverse, height adjustable
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)







38 557 001 **4005176863783** **132.45**

Rapid SL
Element for wash basin, single hole installation
1.13 m finished installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

INSTALLATION
SYSTEMS

GROHE RAPID SL FOR WASH BASIN AND BIDET

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 748 002	Chrome	4005176416323	603.41
	Rapid SL Element for wash basin with roughin-in set for infra-red electronic for wall mounted fittings suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000 1.13 m finished installation height for on-the-wall installations or studded walls Includes wash basin fixing bolts with fixing device for ceramic variable distance of fixing bolts HT-outlet bend Ø 50 mm seal Ø 32 mm pre-mounted roughing-in set with protecting block fire-proof pipe for laying electronic cables installation box with water group, stop valve and flush elbow connection with noise protected fitting holder 1/2" connecting box for mains supply 230 V CE approved for installation with pre-mixed or cold water for on-the-wall installation please order wall brackets 38 558 00M (sold separately)			
				
	38 546 000		4005176291289	167.01
	Rapid SL Element for wash basin, for wall mounted fittings 1.30 m installation height for on-the-wall installations or studded walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections quick adjustment, lockable fixing material TUV approved Includes wash basin fixing bolts with fixing device for ceramic variable distance of fixing bolts HT-outlet bend Ø 50 mm seal Ø 32 mm 2 noise protected fitting connections 1/2" for on-the-wall installation please order wall brackets 38 558 00M (sold separately)			
				
	38 541 000		4005176291234	169.28
	Rapid SL Element for wash basin, single hole installation 1.0 m finished installation height for on-the-wall installations or studded walls Includes wash basin fixing bolts with fixing device for ceramic HT-outlet bend Ø 50 mm seal Ø 32 mm for on-the-wall installation please order wall brackets 38 558 00M (sold separately)			
				
	38 553 001		4005176863813	302.25
	Rapid SL Element for bidet, 1.13 m installation height vertical support for ceramics with small bearing area (< 205 mm) for on-the-wall installations or studded walls height adjustable fitting connections Includes: bidet fixing bolts HT-outlet bend Ø 50 mm, seal Ø 32 mm 2 fitting connections DN 15 fixing material for bidet for on-the-wall installation please order wall brackets 38 558 00M (sold separately)			
				

GROHE





RAPID SL FOR WASH BASIN AND BIDET

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 545 000		4005176291272	362.66
	Rapid SL Element for bidet, 1.00 m installation height for on-the-wall installations or studded walls height adjustable fitting connections Includes: bidet fixing bolts HT-outlet bend Ø 50 mm seal Ø 32 mm 2 fitting connections DN 15 fixing material for bidet for on-the-wall installation please order wall brackets 38 558 00M (sold separately)			
	38 543 000		4005176291258	350.63
	Rapid SL Element for bidet, 0.82 m installation height for on-the-wall installations or studded walls height adjustable fitting connections Includes: bidet fixing bolts HT-outlet bend Ø 50 mm seal Ø 32 mm 2 fitting connections DN 15 fixing material for bidet for on-the-wall installation please order wall brackets 38 558 00M (sold separately)			
	38 558 00M	Chrome	4005176291418	16.41
	Rapid SL Front wall brackets for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm 2 pieces			

GROHE RAPID SL FOR THE DISABLED

<


GROHE RAPID SL FOR THE DISABLED

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 778 000		4005176855269	821.84
	Radio transmitter for an additional flush plate for manual actuation for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB for flushing cistern GD 2 / Rapid SL 1.13 m only for flushing cistern 6 l concealed installation servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic			
	38 541 000		4005176291234	169.28
	Rapid SL Element for wash basin, single hole installation 1.0 m finished installation height for on-the-wall installations or studded walls Includes wash basin fixing bolts with fixing device for ceramic HT-outlet bend Ø 50 mm seal Ø 32 mm for on-the-wall installation please order wall brackets 38 558 00M (sold separately)			
	38 559 001		4005176863776	216.05
	Rapid SL Fixing element, 1.13 m installation height to fix support for the disabled 0.31 m wide powder coated steel frame waterproof plywood for on-the-wall installation please order wall brackets 38 558 00M (sold separately)			

GROHE






RAPID SL FITTING SUPPORTS

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 998 000		4005176262586	106.42









Rapid SL
Fitting support for exposed fittings
for studed walls
for empty elements
2 noise protected fitting connections 1/2"



GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 558 00M	Chrome	4005176291418	16.41
Rapid SL Front wall brackets for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm 2 pieces				
 	38 733 000	Chrome	4005176837289	34.93
Rapid SL Xtra wall brackets, flexible placing for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material 2 pieces				
 	38 562 001		4005176863752	116.01
Rapid SL Set for corner installation for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets 1.13 m 135°				
 	38 779 000	Chrome	4005176855306	91.59
Rapid SL Accessory for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)				
 	37 131 000	Chrome	4005176144585	5.84
Set for noise protection for WC sound insulation 2 rubber pipes				
	42 766 000		4005176222115	18.94
Distance pipe 3"				

GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 338 000		4005176286179	13.16
Water supply pipe connector Scandinavian adapter				
 	40 911 000		4005176416132	16.87
Inspection shaft for small flush plates for combination with Rapid SL 1.13 m with GD 2 cistern				
 	40 950 000		4005176478994	21.63
Inspection shaft for small flush plates for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height				
 	40 949 000	Chrome	4005176477881	27.80
Inspection shaft for small flush plates for combination with 80 mm cistern				
 	42 326 000		4005176838699	25.39
inspection shaft for flushing cistern for combination with GD2 and 0.82 m cisterns can be shortened with protecting block				
 	66 791 000	Chrome	4005176866562	11.47
Inspection shaft for combination with Rapid SLX cisterns (for 156 x 197mm flush plates)				

GROHE RAPID SL ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
43 617 000		4005176841163	83.50
			
			

GROHE
FLUSHING SYSTEMS















CONTENTS

WC	Flushing Cisterns	724
	Accessories for Flushing Cisterns	727
	WC Flush Valves	734
	Electronic Actuations for WC	736
Urinal	Electronic Actuations for Urinal	740
	Urinal Flush Valves	745




GROHE FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		37 762 SH0 alpine white	4005176213250	78.94
Flushing cistern for WC for concealed bath furniture installation non-interruptible flush cycle flush button not included min. recommended pressure 0.2 bar ABS flush pipe 180 mm x 320 mm connection from the left/right hand side				
		37 945 SH0 alpine white	4005176256387	101.58
Flushing cistern for WC 6L for concealed bath furniture installation non-interruptible flush cycle flush button not included ABS flush pipe 180 mm x 320 mm min. recommended pressure 0.2 bar connection from bottom left or right				
		37 791 SH0 alpine white	4005176217241	98.11
Flushing cistern for WC 6 l / 3 l exposed installation interruptible flush cycle hidden flush pipe connection servo actuation low level made of PS low noise (group I acc. to German Noise Specification) fully insulated against condensation with isolation valve 1/2" copper pipe mounting template flush pipe bend WC inlet connector				
		38 661 20A	4005176771620	128.36
WC concealed cistern factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets for mounting of small flush plates please order revision shaft 40 911 000 (sold separately) WRAS Approved				
		38 987 000	4005176924798	128.37
WC concealed cistern factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets flush pipe and connector for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)				





GROHE FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 863 000		4005176832345	124.77
Flushing cistern for WC 80 mm 6 l / 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush water supply connection from top with push fit flexible hose union with isolation valve 1/2" inspection shaft incl. protection during construction phase, for vertical flush plates only fixing brackets for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)				
 	38 422 20A		4005176771590	179.71
Flushing cistern for WC 6 l flush 0.82 m finished installation height including WRAS approved filling valve front/top actuation water supply from left/right or back Insulated against condensation 415 x 140 x 360 mm fixing brackets flush pipe 37 489 000 without wall plate/actuation GROHE Water Saving - Less water, perfect flow				
 	38 579 000		4005176807640	223.02
Flushing cistern for WC 6 l / 3 l 1.0 m finished installation height front/top actuation water supply from left/right or back Insulated against condensation 415 x 140 x 360 mm fixing brackets without wall plate/actuation GROHE Water Saving - Less water, perfect flow for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)				
 	38 691 000		4005176815454	202.18
Eau2 WC Flushing cistern 0.82 m 6 l / 3 l, Dual Flush water supply from left/right or back with angle stop valve 1/2" and flush pipe fixing brackets min. recommended pressure 0.2 bar air button front/top actuation extended hose length for flexibility when positioning the actuation sleek and minimal styling allows the button to be fitted in any 360° orientation GROHE Water Saving - Less water, perfect flow				
 	38 743 000		4005176838408	140.32
Bath furniture cistern including flushing set & button				






GROHE FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 053 000		4005176935978	81.66
	Concealed flushing cistern 6 l / 3 l Dual Flush water supply from bottom min. recommended pressure 0.2 bar mechanical round push button actuation Ø 50 mm with Eco button mechanical actuation from front, top, left or right for walls 18 -24 mm thickness bowden cable 0.5 m length for more flexibility in push button position fixing brackets flush pipe WC inlet connector GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow			
	39 054 000		4005176936289	81.66
	Concealed flushing cistern 6 l / 3 l Dual Flush min. recommended pressure 0.2 bar mechanical round push button actuation Ø 50 mm with Eco button mechanical actuation from front, top, left or right for walls 18 -24 mm thickness bowden cable 0.5 m length for more flexibility in push button position fixing brackets flush pipe WC inlet connector GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow			
	39 056 000	Chrome	4005176936302	9.39
	Round push button actuation Ø 50 mm with Eco button in combination with bath furniture for combination with flushing cistern 39 053 000 & 39 054 000 for walls 18 -24 mm thickness GROHE Long-Life finish			




GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 095 000	Chrome	4005176145124	40.20
	Filling valve 3/8" universal application			
	37 093 000	Chrome	4005176145070	57.14
	ditto, but with stand pipe for bottom inlet			
	37 092 000		4005176145049	48.43
	ditto, with adaptor			
 	43 537 000		4005176157653	27.67
	Filling valve for concealed flushing cisterns 6 l			
 	42 181 000		4005176286872	12.51
	Filling valve 1/2" made of ABS for use with cistern 37 762 SH0			
	43 991 000	Chrome	4005176195259	52.84
	Filling valve for concealed flushing cisterns brass connection thread 3/8"			
 	42 297 PI0	matt chrome/chrome	4005176832048	72.79
	Eco-discharge valve dual flush discharge valve AV1 push button actuation Ø 40 mm with Eco-knob with fixing device for lid GROHE Water Saving - Less water, perfect flow fixing set with 100 mm screws and cellular rubber joint Ø 100 mm			
	43 907 PI0	matt chrome/chrome	4005176177545	110.46
	Replace kit set for close-coupled ceramic cisterns with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint Ø 100 mm centring for filling and discharge valve when having larger bore holes GROHE Long-Life finish **) max. shortening 100 mm			

GROHE ACCESSORIES FOR FLUSHING CISTERNS






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 078 PI0	matt chrome/chrome	4005176160783	71.43
Servo-set retrofit unit for close-coupled flushing cisterns connection from the side with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint Ø 100 mm centring for filling and discharge valve when having larger bore holes GROHE Long-Life finish **) max. shortening 100 mm				
 	37 088 PI0	matt chrome/chrome	4005176149672	64.49
Servo discharge valve interruptible flush cycle with short discharge valve housing decide for maintenance opening and complete before installation escutcheon push button for lid holes Ø 16 - 35 mm fixing material GROHE Long-Life finish				
	37 085 PI0	matt chrome/chrome	4005176149641	50.21
ditto, with push button for lid hole Ø 40 mm				
 	37 100 SH0	alpine white	4005176142093	25.59
Flush pipe 390 x 350 mm				
	43 733 000		4005176158926	4.34
Membrane				
filling valve				
	43 758 00M	Chrome	4005176159121	31.63
ditto, 10 pieces per set				
 	38 735 000		4005176837500	64.72
Dual flush valve set dual flush discharge valve AV1 consisting of valve seat 6l/3l adjustable GROHE Water Saving - Less water, perfect flow				
 	38 736 000		4005176837517	48.52
Dual flush valve set for flushing cistern GD 2 before 2008 6 l / 3 l dual flush discharge valve AV 1 for mecanic and pneumatic flushing cisterns GD 2 before 2008 consisting of valve seat without wall plate/actuation				

GROHE ACCESSORIES FOR FLUSHING CISTERNS







		Ref. No.	Colour	EAN	Retail Guide Price (£)
		42 320 000	Chrome	4005176837487	47.91
Dual Flush discharge valve AV1 AV1 complete with pipe extension 6 l / 3 l without valve seat without actuation					
		42 314 000		4005176835636	75.05
Discharge valve AV1 complete pneumatic discharge valve offering 2 modes of operation: dual flush or start/stop including plug seat					
		42 137 000		4005176259524	25.26
Servo discharge valve					
		43 486 000	Chrome	4005176157158	67.72
Servo discharge valve interruptible flush cycle without valve seat					
		42 066 000		4005176244636	74.89
Servo discharge valve for start/stop actuation without valve seat					
		42 690 000		4005176268748	26.59
Servo discharge valve without valve seat without extension start/stop actuation					

GROHE

ACCESSORIES FOR FLUSHING CISTERNS



		Ref. No.	Colour	EAN	Retail Guide Price (£)
		42 774 000	Chrome	4005176221590	79.33
		42 253 000	Chrome	4005176814532	88.85
		42 233 000	Chrome	4005176300653	16.73
		43 908 000		4005176160257	30.09
		37 311 K00	black	4005176160851	47.00
		37 489 000	Chrome	4005176167386	6.35
		43 352 000		4005176832413	6.39
		Ditto, length 300 mm without connector 37 119 000			

GROHE ACCESSORIES FOR FLUSHING CISTERNS




	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 104 K00	black	4005176160844	17.12
WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia length 200 mm connector 150 mm long				
 	37 105 K00	black	4005176141904	25.92
Flush pipe extension length 300 mm				
 	37 119 000	Chrome	4005176144370	4.34
Connector Ø 55 mm				
 	42 327 000	Chrome	4005176838705	17.53
PP-outlet bend Ø 90 mm variable depth adjustment including lip seal DN 90				
 	42 333 000	Chrome	4005176845888	18.62
4.5 l adapter for GD2 to reduce the maximum flush volume to 3.8 - 6.0 l (big flush) and 1.8 - 5.0 l (small flush)				
 	37 131 000	Chrome	4005176144585	5.84
Set for noise protection for WC sound insulation 2 rubber pipes				

GROHE






ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 005 000	Chrome	4005176241895	22.71
	Push rod for Servo discharge valve rod: 350 mm pull bar: 412 mm			
	43 544 000	Chrome	4005176157738	17.03
	Outlet piston			
	42 242 000	Chrome	4005176804977	5.52
	4" outlet adaptor for Rapid SL			
 	38 714 000		4005176828454	25.72
	WC wall plate extension set 70 mm with pneumatic discharge valve			
	42 593 000		4005176566417	33.62
	Valve seat reduces flow of the flush easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2			
 	40 911 000		4005176416132	16.87
	Inspection shaft for small flush plates for combination with Rapid SL 1.13 m with GD 2 cistern			







GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 950 000		4005176478994	21.63
Inspection shaft for small flush plates for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height				
 	40 949 000	Chrome	4005176477881	27.80
Inspection shaft for small flush plates for combination with 80 mm cistern				
 	66 791 000	Chrome	4005176866562	11.47
Inspection shaft for combination with Rapid SLX cisterns (for 156 x 197mm flush plates)				

GROHE WC FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 347 000	Chrome	4005176837999	229.69
Rondo A.S. Flush valve for WC 3/4" brass GROHE Long-Life finish for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment 6 l / 3 l with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)				
 	37 141 000	Chrome	4005176143113	117.78
DAL-Full-automatic flush valve for WC 3/4" brass GROHE Long-Life finish for wash-down and wash-out bowls with automatic flow rate flow pressure range from 1.2 - 5.0 bar low noise (group II according to German noise specification)				
 	37 139 000	Chrome	4005176143083	104.54
DAL-Automatic flush valve for WC 3/4" brass GROHE Long-Life finish for wash-down and wash-out bowls with flow rate adjustment				
 	37 132 000	Chrome	4005176144608	34.76
Fixing device hidden fixing screws for flush pipes Ø 28 mm for distance to the wall from 15 - 85 mm				
 	37 133 000		4005176144622	71.61
Inlet adaptor for corner installation 3/4"				

GROHE WC FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 107 000	Chrome	4005176141713	70.29
Flush pipe for WC flush valve Ø 28 x 26 mm 600 x 200 mm brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector				
 	37 112 000		4005176141911	123.25
Flush pipe for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass				
 	37 108 000	Chrome	4005176141720	80.56
Flush pipe for WC flush valve Ø 28 x 26 mm 1000 x 200 mm straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector				
 	37 114 000	Chrome	4005176141935	40.42
Flush pipe extension Ø 28 x 26 mm 260 mm brass				
 	37 135 000		4005176144653	8.42
Connector Ø 55 mm for flush valve to pedestal WC				
 	37 131 000	Chrome	4005176144585	5.84
Set for noise protection for WC sound insulation 2 rubber pipes				

GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 698 SD1	stainless steel	4005176929571	677.75
	Tectron Skate Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13 m only servo motor concealed installation front plate 156 x 197 mm infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 CE approved for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	38 699 001	Chrome	4005176929588	677.75
	Tectron Surf Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing GROHE Long-Life finish with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13 m only servo motor concealed installation front plate 156 x 197 mm infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	37 419 000	Chrome	4005176933806	911.35
	37 419 SD0	stainless steel	4005176933813	911.35
	Tectron Skate Infra-red electronic for WC flushing cistern with additional manual actuation with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13 m only servo motor concealed installation front plate 156 x 197 mm 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved for use with Rapid SLX please order shaft 66 791 000 (sold separately)			

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

37 504 000	Chrome	4005176320521	1,235.53
------------	--------	---------------	----------

Tectron Skate Bluetooth

Infra-red electronic for WC

for flushing cistern GD 2 / Rapid SL 1.13 m only

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

with additional manual actuation

GROHE Long-Life finish

front plate 156 x 197 mm

servo motor

for use with Rapid SLX please order shaft 66 791 000 (sold separately)

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

configuration

detection range and shut off delay

auto flush

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version


CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.



39 881 000	Chrome	4005176706790	395.82
------------	--------	---------------	--------

39 881 SH0	alpine white	4005176706806	379.69
------------	--------------	---------------	--------

39 881 KF0	phantom black	4005176715099	467.19
------------	---------------	---------------	--------

Tectron Bau E

Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication

for monitoring, configuration and servicing

GROHE Long-Life finish

with transformer 42 470 000 100-230 V AC 50-60 Hz, 6.75 V 4 W DC

for new installations and retrofit to all GD2 cisterns

servo motor

concealed installation

front plate 156 x 197 mm

hidden anti-theft device

infra-red control

7 pre-set programs

auto flush

cleaning mode


pre-flush on/off

additional functions and precise settings





by remote control 36 407

adjustable flush (3 - 9 l) by hand or remote



CE approved




GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 882 000	Chrome	4005176706813	311.51
	39 882 SH0	alpine white	4005176706820	295.40
	39 882 KF0	phantom black	4005176715105	382.88
	Tectron Bau E Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing GROHE Long-Life finish 6V lithium battery, type CR-P2 for new installations and retrofit to all GD2 cisterns servo motor concealed installation front plate 156 x 197 mm hidden anti-theft device infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved			
 				
 	43 617 000		4005176841163	83.50
	Motor support device for Rapid SL 38 675 for the disabled as of mid 2008 or installation of infra-red electronic			
 	38 778 000		4005176855269	821.84
	Radio transmitter for an additional flush plate for manual actuation for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehen, Normbau, Pressalit, AMS, Deubad, Erlau, FREL, FSB for flushing cistern GD 2 / Rapid SL 1.13 m only for flushing cistern 6 l concealed installation servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic			
 	36 340 000		4005176911385	65.34
	Power extension cable length 3.00 m			




GROHE ELECTRONIC ACTUATIONS FOR WC

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		36 341 000		4005176911392	120.38
		Power extension cable length 10.00 m			
		36 407 001	Chrome	4005176368974	197.30
		Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO ₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply			



GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 421 000	Chrome	4005176935572	526.75
	Tectron Rondo Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) metal housing exposed installation flow pressure min 0.5 bar operating pressure max 10 bar G 1/2 with integrated stop valve flush pipe with rubber connector multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote CE approved			
				





GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 336 001	Chrome	4005176929540	603.94
	Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with for Rapido U CE approved			
	37 337 001	Chrome	4005176929557	603.94
 	Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with Rapido U or Rapido UMB CE approved			
	37 321 001	Chrome	4005176929496	603.94
	37 321 SD1	stainless steel	4005176929502	603.94
 	Tectron Skate Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with for Rapido U CE approved			

GROHE ELECTRONIC ACTUATIONS FOR URINAL


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 324 001	Chrome	4005176929526	603.94
	37 324 SD1	stainless steel	4005176929533	603.94
	Tectron Skate Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with Rapido U or Rapido UMB CE approved			
	37 503 000	Chrome	4005176320507	1,002.87
	Tectron Skate Bluetooth Infra-red electronic for Urinal for Rapido U 37 338 000 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose GROHE Long-Life finish flow pressure min 0.5 bar operating pressure max 10 bar with Bluetooth 4.0* for wireless data communication Bluetooth transmitter frequency: 2.4 GHz for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days configuration detection range and shut off delay auto flush cleaning mode 2 on/off timers identification by name service send and save 3 profiles reset to factory or user settings CE approved hard and software version Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards *** Available for free via iTunes app or Google Play store.			
	37 338 000	Chrome	4005176837920	149.83
	GROHE Rapido U roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V water group with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread connecting box for mains supply installation box with gasket fixing points for dry cladding and masonry-in inspection shaft incl. protection			
				

GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 787 000		4005176855689	123.68
	GROHE Rapido UMB roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V water group with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread installation box with gasket fixing points for dry cladding and masonry-incl. inspection shaft incl. protection during construction phase			
	36 407 001	Chrome	4005176368974	197.30
	Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply			
	39 368 000		4005176341540	785.16
	Temperature sensor for urinal with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC 39 376 000 Rapid SL required Waste trap with temperature sensor cartridge with solenoid valve and dirt strainer flow pressure min 0.5 bar operating pressure max 10 bar 7 pre-set programs auto flush cleaning mode pre-flush on/off CE approved			
	39 367 000		4005176341533	785.16
	Temperature sensor for urinal 6V lithium battery, type CR-P2 with water connection set and stop valve Waste trap with temperature sensor cartridge with solenoid valve and dirt strainer flow pressure min 0.5 bar operating pressure max 10 bar 7 pre-set programs auto flush cleaning mode pre-flush on/off CE approved only for certain urinal ceramics, check online TPI			






GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

		39 369 000	4005176341557	1,044.66
		Temperature sensor with Bluetooth for urinal with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC 39 376 000 Rapid SL required Waste trap with temperature sensor cartridge with solenoid valve and dirt strainer flow pressure min 0.5 bar operating pressure max 10 bar with Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with Bluetooth 4.0* for wireless data communication Bluetooth transmitter frequency: 2.4 GHz Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver for Apple** and Android devices monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days configuration shut-off delay auto flush cleaning mode 2 on/off timers identification by name service send and save 3 profiles reset to factory or user settings hard and software version CE approved Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards *** Available for free via iTunes app or Google Play store.		








GROHE

URINAL FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 339 000	Chrome	4005176837937	147.24
Rondo Flush valve for urinal 1/2" brass integrated stop valve GROHE Long-Life finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar				
 	37 437 000	Chrome	4005176936227	220.24
Urinal flush valve 1/2" exposed installation with control cap and flush pipe connection minimum flow pressure 0.5 bar integrated stop valve flow rate adjustment flush volume adjustable 2.0 - 6.0 l brass wall escutcheon flush pipe 200 mm rubber connector in connection with flush pipe and sound absorber GROHE Long-Life finish				
 	37 396 000	Chrome	4005176907968	125.85
Press urinal flush valve 1/2" brass GROHE Long-Life finish with wall escutcheon				
 	37 044 000	Chrome	4005176160776	28.89
Urinal inlet connector, 1/2"				
 	37 035 000	Chrome	4005176143731	17.98
Urinal flush pipe Ø 18 mm 200 mm brass chrome plated straight				

GROHE

URINAL FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 037 000	Chrome	4005176143762	35.73
	Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 20 mm			
 	37 038 000	Chrome	4005176143786	38.12
	ditto, offset 30 mm			
 	37 039 000	Chrome	4005176143793	44.25
	Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 40 mm			
 	37 040 000	Chrome	4005176143861	49.79
	ditto, offset 50 mm			
 	37 043 000	Chrome	4005176143922	51.51
	Urinal flush pipe Ø 18 mm 400 mm brass straight			
 	37 042 000	Chrome	4005176143908	30.09
	Flush pipe extension Ø 16 mm 200 mm brass			
 	37 044 000	Chrome	4005176160776	28.89
	Urinal inlet connector, 1/2"			

GROHE
ACTUATIONS






CONTENTS

WC	Flush Plates for WC	750
	GROHE Fresh	758
	Flush Plates for WC Flush Valves	759
Urinal	Flush Plates for Urinal	760

GROHE FLUSH PLATES FOR WC



Ref. No.	Colour	EAN	Retail Guide Price (£)
37 535 000	Chrome	4005176416019	84.67
37 535 P00	matt chrome	4005176416026	84.67
37 535 SH0	alpine white	4005176416033	69.55
37 535 DC0	supersteel	4005176416040	184.97
37 535 EN0	brushed nickel	4005176431319	184.97
37 535 GL0	cool sunrise	4005176431302	184.97
37 535 GN0	brushed cool sunrise	4005176431296	184.97
37 535 DA0	warm sunset	4005176431333	184.97
37 535 DL0	brushed warm sunset	4005176431326	184.97
37 535 A00	hard graphite	4005176431364	184.97
37 535 AL0	brushed hard graphite	4005176431357	184.97

Skate Cosmopolitan S

Flush plate

for dual flush or start & stop actuation

for pneumatic drop valve AV1

compatible with Rapid SL/GD2 1.13 m

for vertical installation

130 x 172 mm

made of ABS

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow


flush plate with magnetic holder and fixing brackets included

compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)

37 535 KF0	phantom black	4005176677663	173.58
ditto, Professional exclusive			



37 601 000	Chrome	4005176416057	102.82
37 601 P00	matt chrome	4005176416064	102.82
37 601 SH0	alpine white	4005176416071	84.67
37 601 DC0	supersteel	4005176416088	185.07
37 601 GL0	cool sunrise	4005176524271	185.07
37 601 GN0	brushed cool sunrise	4005176529016	185.07
37 601 DA0	warm sunset	4005176524288	185.07
37 601 DL0	brushed warm sunset	4005176529023	185.07
37 601 A00	hard graphite	4005176528996	185.07
37 601 AL0	brushed hard graphite	4005176529030	185.07

Nova Cosmopolitan S

Flush plate

for dual flush or start & stop actuation

for pneumatic drop valve AV1

compatible with Rapid SL/GD2 1.13 m

for vertical installation

130 x 172 mm

made of ABS

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

flush plate with magnetic holder and fixing brackets included




compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)






for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)

37 601 KF0	phantom black	4005176677670	210.78
ditto, Professional exclusive			








GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 624 000	Chrome	4005176416095	102.82
	37 624 P00	matt chrome	4005176416101	102.82
	37 624 SH0	alpine white	4005176416118	84.67
	37 624 DC0	supersteel	4005176416125	185.09
	37 624 GL0	cool sunrise	4005176529054	185.07
	37 624 GN0	brushed cool sunrise	4005176529092	185.07
	37 624 DA0	warm sunset	4005176529061	185.07
	37 624 DL0	brushed warm sunset	4005176529108	185.07
	37 624 A00	hard graphite	4005176529078	185.07
	37 624 AL0	brushed hard graphite	4005176529115	185.07
	Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)			
	37 624 KF0	phantom black	4005176677786	210.78
	ditto, Professional exclusive			
 	37 973 000	Chrome	4005176479021	102.82
	Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for horizontal installation 130 x 172 mm made of ABS GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)			
 	38 809 000	Chrome	4005176864681	668.73
	Nova Cosmopolitan Light Flush plate for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation supply voltage 230 V AC, 50/60 Hz, 2.0 VA this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			






GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 965 000	Chrome	4005176442506	69.55
	Skate Air S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)			
 	40 911 000		4005176416132	16.87
	Inspection shaft for small flush plates for combination with Rapid SL 1.13 m with GD 2 cistern			
	40 950 000		4005176478994	21.63
	ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height			
 	38 765 000	Chrome	4005176846830	82.61
	38 765 SH0	alpine white	4005176846854	66.59
	38 765 P00	matt chrome	4005176846847	82.61
	Nova Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	38 765 KF0	phantom black	4005176951978	169.33
	ditto, Professional exclusive			
 	38 845 LS0	moon white	4005176878336	287.67
	38 845 KS0	velvet black	4005176878343	287.67
	38 845 MF0	chrome/ daVinci satin	4005176878619	287.67
	Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of security glass mounting-set GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
 	38 957 000	Chrome	4005176914409	124.14
	Mounting set for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness protection plate dismantling tool for wall plate			






GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 821 000	Chrome	4005176868986	272.72
	Skate Cosmopolitan Flush plate for dual flush or start & stop actuation vandal-proof for pneumatic drop valve AV1 for vertical installation made of metal GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
 	38 732 SD0	stainless steel	4005176847691	175.54
	Skate Cosmopolitan Wall plate, stainless steel for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation plastic fixing frame hidden fixing screws not suitable for GROHE Fresh GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
 	38 776 SD0	stainless steel	4005176853555	179.04
	ditto, horizontal installation			
 	38 732 000	Chrome	4005176836114	66.17
	38 732 DC0	supersteel	4005176431371	157.98
 	38 732 SH0	alpine white	4005176836138	54.14
	38 732 P00	matt chrome	4005176836121	66.17
	38 732 BE0	polished nickel	4005176427749	157.98
	38 732 EN0	brushed nickel	4005176427756	157.98
	38 732 GL0	cool sunrise	4005176339103	157.98
	38 732 GN0	brushed cool sunrise	4005176427725	157.98
	38 732 DA0	warm sunset	4005176339097	157.98
	38 732 DL0	brushed warm sunset	4005176427732	157.98
	38 732 A00	hard graphite	4005176339110	157.98
	38 732 AL0	brushed hard graphite	4005176339127	157.98
	Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	38 732 KF0	phantom black	4005176784125	135.66
	ditto, Professional exclusive			
	38 732 BR0	titanium	4005176873676	135.52
	ditto, with anti-fingerprint surface			
 	38 844 000	Chrome	4005176874963	82.54
	38 844 SH0	alpine white	4005176874970	66.88
 	38 844 P00	matt chrome	4005176875687	82.54
	Arena Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation GROHE Water Saving - Less water, perfect flow GROHE Long-Life finish for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	38 844 KF0	phantom black	4005176951992	169.20
	ditto, Professional exclusive			
	38 858 000	Chrome	4005176876714	82.54
	38 858 P00	matt chrome	4005176876721	82.54
	38 858 SH0	alpine white	4005176876738	66.88
	ditto, horizontal installation			





GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 505 000	Chrome	4005176290053	54.14
	38 505 SH0	alpine white	4005176290046	43.20
	38 505 P00	matt chrome	4005176290060	54.14
	Skate Air Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
 	38 505 KF0	phantom black	4005176784132	110.99
	ditto, Professional exclusive			
	38 506 000	Chrome	4005176290121	54.14
	38 506 SH0	alpine white	4005176290114	43.20
 	38 506 P00	matt chrome	4005176290138	72.52
	ditto, horizontal installation			
	38 862 000	Chrome	4005176832314	79.85
	38 862 SH0	alpine white	4005176832338	63.80
 	38 862 P00	matt chrome	4005176832321	79.85
	Skate Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	38 862 SD0	stainless steel	4005176834721	189.20
	Skate Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation 156 x 197 mm material: stainless steel GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
 	38 861 000	Chrome	4005176832284	81.83
	Surf Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			



GROHE FLUSH PLATES FOR WC




		Ref. No.	Colour	EAN	Retail Guide Price (£)
		38 564 000	Chrome	4005176291784	52.38
		38 564 SH0	alpine white	4005176291777	41.79
Skate Air Flush plate for single flush actuation for pneumatic drop valve for vertical installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow					
		38 565 000	Chrome	4005176291845	52.38
ditto, horizontal installation					
		38 573 000	Chrome	4005176292316	67.39
		38 573 SH0	alpine white	4005176292309	29.60
Skate Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow					
		38 672 SD0	stainless steel	4005176296468	125.85
Skate Wall plate, stainless steel for single flush actuation vandal-proof for pneumatic drop valve for vertical installation 156 x 197 mm GROHE Water Saving - Less water, perfect flow					
		38 574 000	Chrome	4005176292385	68.87
Surf Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow					
 		37 059 000	Chrome	4005176142857	229.59
Surf Air button GROHE Long-Life finish made of ABS escutcheon 100 mm dia wall plate Surf 156 x 197 mm					

GROHE FLUSH PLATES FOR WC





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 915 KS0	velvet black	4005176897108	1,043.40
	38 915 LS0	moon white	4005176897115	1,043.40
	Veris Light Flush plate for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor 110 V to 240 V 50/60 Hz broad range power supply 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass GROHE Water Saving - Less water, perfect flow not suitable for GROHE Fresh			
 	38 916 0A0	mirror glass	4005176896941	350.18
	Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of security glass mounting-set GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
 	37 060 000	Chrome	4005176142901	92.83
	Air button GROHE Long-Life finish made of ABS escutcheon 100 mm dia pneumatic hose 1500 mm long for use with Adagio cistern 37 762 SH / 37 945 SH comes with nipple adaptor 42267			
	38 488 000	Chrome	4005176289866	37.32
	Air button with 750 mm air hose for panel thickness up to 30 mm for use with Adagio cistern 37 762 SH / 37 945 SH GROHE Long-Life finish			
 	38 496 000	Chrome	4005176289958	232.76
	Air button air button 63 mm dia. with 750 mm air hose for panel thickness up to 30 mm only for use with a removable shelf / panel chrome plated brass for use with Adagio cistern 37 762 SH / 37 945 SH GROHE Long-Life finish			

GROHE FLUSH PLATES FOR WC






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 771 000	Chrome	4005176848551	48.14
Pneumatic push button actuation for dual flush or start & stop actuation Ø 48 mm in combination with bath furniture for material thickness from 18 -24 mm with 600 mm air hose GROHE Long-Life finish				
 	37 761 000	Chrome	4005176213243	47.12
Air button GROHE Long-Life finish for use with Adagio cistern 37 762 SH / 37 945 SH				
 	38 714 000		4005176828454	25.72
WC wall plate extension set 70 mm with pneumatic discharge valve				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 805 000	Chrome	4005176865596	156.89
Skate Cosmopolitan Set Fresh Flush plate for dual flush or start & stop actuation with GROHE Fresh fixing frame with opening function for chlorine-free tablets only for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)				
 	38 796 000	Chrome	4005176857034	80.43
GROHE Fresh Dual flush valve set for GROHE flushing cistern GD 2 with pneumatic discharge valve and regular inspection shaft not suitable for flush plates with wood or glass or metal surface or new small flush plates fixing frame with opening function for chlorine-free tablets only for all GROHE wall plates 156 x 197 mm				
	38 882 000		4005176879197	7.48
GROHE Fresh Tabs 2 x 50 g WC-Tabs every flush creates foam which cleans the toilet fragrance ensures long-lasting freshness protects against re-pollution and maintains long term cleanliness reduces limescale and ensures radiant purity in the toilet true feeling of freshness This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/				

GROHE FLUSH PLATES FOR WC FLUSH VALVES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 547 000	Chrome	4005176189425	81.50
	37 547 P00	matt chrome	4005176189449	81.50
	37 547 SH0	alpine white	4005176189418	63.91
	Skate Flush plate for vertical installation 156 x 197 mm manual activation push button actuation made of ABS GROHE Long-Life finish			
				
	38 445 SD0	stainless steel	4005176282850	132.09
	Skate Wall plate, stainless steel for vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws			
				
	37 063 000	Chrome	4005176142185	67.79
	37 063 SH0	alpine white	4005176142307	68.31
	Surf Flush plate 156 x 197 mm manual activation push button actuation made of ABS GROHE Long-Life finish			
				
	37 069 000	Chrome	4005176142352	167.04
	Surf Flush plate for vertical installation 156 x 197 mm for concealed flush valve 6 - 9 l brass push button actuation fixing frame hidden fixing screws GROHE Long-Life finish			
				

GROHE FLUSH PLATES FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 846 LS0	moon white	4005176878367	366.11
	38 846 KS0	velvet black	4005176878268	366.11
	Skate Cosmopolitan Actuation plate with glass surface made of security glass manual activation for urinal plastic actuation button, chrome plated compatible with Rapido U or Rapido UMB fixing frame with mounting-set 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable			
	38 784 000	Chrome	4005176855535	139.28
	38 784 SH0	alpine white	4005176855559	128.15
	38 784 P00	matt chrome	4005176855542	139.34
	Skate Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE Long-Life finish			
	38 784 SD0	stainless steel	4005176877407	205.48
	Skate Cosmopolitan Wall plate, stainless steel manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable low noise (group II according to German noise specification) plastic fixing frame hidden fixing screws			
				
	38 804 000	Chrome	4005176861512	139.28
	38 804 SH0	alpine white	4005176861529	128.15
	38 804 P00	matt chrome	4005176861536	139.34
	Nova Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE Long-Life finish			
	38 857 000	Chrome	4005176875694	139.34
	38 857 SH0	alpine white	4005176875793	128.15
	38 857 P00	matt chrome	4005176875663	139.34
	Arena Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE Long-Life finish			

GROHE FLUSH PLATES FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 808 000	Chrome	4005176864056	121.27
	38 808 SH0	alpine white	4005176864070	109.66
	38 808 P00	matt chrome	4005176864063	121.22



Surf
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE Long-Life finish

GROHE CONNECTION AND SECURITY TECHNOLOGY

















CONTENTS

Angle Valves	764
WAS valves	767
Safety Systems	768


GROHE ANGLE VALVES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	22 043 000	Chrome	4005176305597	8.47
	Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life finish			
 	22 037 000	Chrome	4005176305535	7.80
	Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life finish			
 	22 074 KF0	phantom black ditto, Professional exclusive	4005176782640	54.59
 	22 046 000	Chrome	4005176305627	8.67
	Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life finish			
 	22 023 000	Chrome	4005176305405	6.97
	Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life finish			
 	22 018 000	Chrome	4005176305382	5.77
	Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life finish			

GROHE ANGLE VALVES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	22 029 000	Chrome	4005176305467	6.06
Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life finish				
 	22 032 000	Chrome	4005176305481	6.64
Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life finish				
 	22 017 00M	Chrome	4005176940613	61.11
Universal angle valve 1/2" with compression coupling 3/8" for copper pipe Ø 10 mm plastic handle marking: neutral screw escutcheon metal GROHE Long-Life finish sales unit 10 pieces				
 	22 016 00M	Chrome	4005176940606	61.91
Universal angle valve 1/2" with connection 1/2" plastic handle marking: neutral screw escutcheon metal GROHE Long-Life finish sales unit 10 pieces				
 	22 939 000	Chrome	4005176829369	14.06
Angle valve 1/2" with compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon GROHE Long-Life finish				
 	22 940 000	Chrome	4005176829376	12.07
Angle valve 1/2" without compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon GROHE Long-Life finish				


GROHE ANGLE VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	22 012 000	Chrome	4005176906343	54.65
	22 012 DC0	supersteel	4005176525742	76.51
	22 012 AL0	brushed hard graphite	4005176585944	87.45
	Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon			
				

	22 013 000	Chrome	4005176909689	54.65
Eurocube Angle valve 1/2" wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon				
				


GROHE WAS VALVES

Ref. No.	Colour	EAN	Retail Guide Price (£)
22 035 000	Chrome	4005176305511	25.35
			
			
Original WAS combination service valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm outlet 3/4" with hose connection grease chamber headpart non-return valve type EB long connecting shaft ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm for combination with pipe ventilating valve type HB 41 239 000			

41 007 000	Chrome	4005176281815	21.70
			
			
Eggemann Original WAS T-piece 3/8" for service valve with compression nut GROHE Long-Life finish			

GROHE SAFETY SYSTEMS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



41 275 000	Chrome	4005176280481	50.79
Original WAS inclined filter 3/4" suitable for cold and warm water up to + 80 °C transparent cap mesh width 315 µm stainless steel filter insert GROHE Long-Life finish			

GROHE SPARE PARTS AND ACCESSORIES





CONTENTS

Cartridges	772
Thermo elements and thermostatic cartridges	774
Aquadimmer	777
Head parts	778
Spare parts for two-handle taps	781
Extension sets	782
Unions	783
Outlets and spouts	784
Flow straighteners	785
Waste sets and traps	787
Connections and non-return valves	789
Spare parts for electronics	790
Diverter	791
Hoses	792
Spare parts for kitchen taps	793
Spare parts for showers	794
Miscellaneous	796
Special tools	797
Cleaning and care	798
Spare parts for sanitary systems	799
Spare parts for shower toilet	802
Spare parts for Ceramics	803

GROHE CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 580 000	Chrome	4005176831867	63.59
	Cartridge 28 mm GROHE SilkMove with ceramic sealing system with temperature limiter for all single lever mixers			
	46 374 000	Chrome	4005176169076	56.05
	Cartridge 35 mm GROHE SilkMove with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	46 048 000	Chrome	4005176008283	54.74
	Cartridge GROHE SilkMove adjustable flow rate limiter for all single lever mixers			
	46 386 000		4005176169410	117.00
	Cartridge GROHE SilkMove			
	46 278 000		4005176131868	92.60
	Ceramic cartridge for Euroeco special mixer			
	46 308 000	Chrome	4005176131769	11.77
	Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			

GROHE CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 375 000	Chrome	4005176169083	11.02
	Temperature limiter for 35 mm cartridge 46 374 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			
	48 359 000	Chrome	4005176442810	57.48
	Cartridge for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000			
	07 000 000	Chrome	4005176016899	102.20
	Cartridge from 1974 for Euromix and Ladylux			
	42 383 000	Chrome	4005176903281	62.79
	Cartridge for Euroeco Cosmopolitan T self-closing valves 1/2": pillar tap, wall mounted, exposed shower marking: blue/red GROHE Long-Life finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)			
	42 384 000	Chrome	4005176903298	71.33
	Cartridge for Euroeco Cosmopolitan T self-closing gate valve 1/2" marking: blue/red GROHE Long-Life finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)			

GROHE

THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 450 000	Chrome	4005176076190	110.55
	Thermo-element wax element with stainless steel slider to avoid corrosion			
	47 282 000	Chrome	4005176061592	212.40
	ditto, for reverse waterways, 1/2"			
	47 310 000	Chrome	4005176079238	216.49
	Wax thermo-element-cartridge wax element			
	47 349 000	Chrome	4005176141461	127.82
	Wax thermo-element-cartridge 3/8" wax element			
	47 217 000	Chrome	4005176241246	58.45
	Thermo-element wax element with non-rising spindle			
	47 220 000	Chrome	4005176241253	192.69
	Wax thermo-element-cartridge wax element with non-rising spindle			
	47 111 000		4005176009921	273.38
	Thermo-element wax element for Grohmix Thermostat			

GROHE

THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 025 000	Chrome	4005176009549	430.96
	Wax thermo-element-cartridge wax element for Grohmix Thermostat			
	47 532 000		4005176206795	529.38
	Thermostatic cartridge			
	00 798 000	Chrome	4005176229008	39.82
	Wax thermo-element			
	47 598 000		4005176229169	492.03
	Control unit			
	47 600 000		4005176228995	385.54
	Control unit			
	47 439 000	Chrome	4005176811975	107.16
	Thermostatic compact cartridge 1/2" GROHE TurboStat compact cartridge with wax thermoelement			
	47 175 000	Chrome	4005176803895	155.01
	ditto, for reverse waterways, 1/2"			

GROHE

THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 885 000	Chrome	4005176924729	107.16
	Thermostatic compact cartridge 1/2" GROHE Turbostat C3 compact cartridge with wax thermoelement			
	47 483 000	Chrome	4005176815409	157.18
	Thermostatic compact cartridge 3/4" GROHE TurboStat compact cartridge with wax thermoelement			
	47 186 000	Chrome	4005176803901	254.27
	ditto, for reverse waterways, 3/4"			
	49 028 000	Chrome	4005176442827	56.02
	Thermostatic compact cartridge 3/4" for Grohtherm SmartControl concealed GROHE TurboStat compact cartridge with wax thermoelement including fastening nut			
	47 167 000	Chrome	4005176010125	21.17
	Stop ring and regulating nut			



GROHE AQUADIMMER

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 364 000 Aquadimmer for thermostatic mixers	Chrome	4005176171819	101.12
	12 433 000 Aquadimmer for exposed fittings	Chrome	4005176272752	91.66
	47 262 000 Aquadimmer for concealed thermostatic shower mixer 3/4" for three and four-hole bath combination 3/4"		4005176118722	163.65



GROHE HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	07 146 000 Headpart 1/2" short spindle, 1/2"	Chrome	4005176017261	12.33
	45 346 000 Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand	Chrome	4005176104572	35.90
	45 342 000 Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: left-hand	Chrome	4005176129865	36.04
	45 885 000 Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 180° stop: right-hand		4005176189913	58.45
	45 869 000 Concealed headpart 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand	Chrome	4005176189876	37.15
	45 882 000 Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: right-hand	Chrome	4005176189883	35.90

GROHE HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	45 883 000	Chrome	4005176189890	41.23
Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: left-hand				
	45 888 000	Chrome	4005176189944	44.43
Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 90° stop: right-hand				
	06 188 000	Chrome	4005176002519	73.52
Headpart without lever without cap without escutcheon for 3- and 4-way-diverter, 1/2"				
	07 025 000		4005176016929	36.04
Screw-down valve, 3/4" short spindle for 1/2" handles for concealed valves, 3/4"				
	19 830 000	Chrome	4005176030697	32.78
Atlanta Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing brilliant handle marking: blue (cold) GROHE Long-Life finish				
	19 831 000	Chrome	4005176030703	32.78
ditto, marking red				

GROHE HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 841 000	Chrome	4005176030765	38.28
	Atlanta Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20 - 200 mm escutcheon with screwable wall sealing socket spanner GROHE Long-Life finish			
	19 840 000	Chrome	4005176030758	30.17
	ditto, installation depth infinitely adjustable 20-80 mm			
 	19 470 000	Chrome	4005176848018	77.44
	Grohtherm 3000 Cosmopolitan Concealed stop-valve trim set for final installation for 35 028 000 GROHE Long-Life finish installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve			





GROHE

SPARE PARTS FOR TWO-HANDLE TAPS






Ref. No.	Colour	EAN	Retail Guide Price (£)
10 099 00M	Chrome	4005176812965	14.15
Cover Cap multi-packaging: 2 pieces			





GROHE EXTENSION SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	14 048 000	Chrome	4005176413483	82.52
Rapido SmartBox Universal extension set single-lever mixers, 25 mm fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox				
 	14 056 000		4005176466298	93.15
Universal extension set single-lever mixers, 25 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox				
 	14 057 000		4005176466304	114.46
Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox				
 	14 058 000	Chrome	4005176466311	45.25
Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with GROHE Rapido SmartBox				


GROHE UNIONS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	12 400 000	Chrome	4005176004582	65.17
S-union 1/2" x 3/4" adjustment range 10 mm GROHE Long-Life finish				
 	12 051 000	Chrome	4005176213588	59.54
S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE Long-Life finish				
 	12 693 000	Chrome	4005176829918	30.94
S-union 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon GROHE Long-Life finish				
 	18 862 000	Chrome	4005176028120	73.51
Wall union				
 	18 121 000	Chrome	4005176815812	59.88
Pillar union GROHE Long-Life finish				



GROHE OUTLETS AND SPOUTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	13 034 000	Chrome	4005176022869	58.50
	U spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass GROHE Long-Life finish			
	13 071 000	Chrome	4005176023132	40.29
	Swivel tube spout swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE Long-Life finish			






GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	48 189 000	Chrome	4005176928772	20.63
	Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence, Eurosmart, BauEdge, BauLoop			
	48 190 000	Chrome	4005176928987	20.63
	Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence, Eurosmart, BauEdge, BauLoop			
	48 191 000	Chrome	4005176928994	20.63
	Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence, Eurosmart, BauEdge, BauLoop			
 	13 928 000	Chrome	4005176025365	15.81
	Flow restrictor internal thread M 22 x 1 (LP) 13.5 l/min at 3 bar GROHE Long-Life finish female thread			
 	13 960 000	Chrome	4005176109522	21.25
	Flow straightener external thread M 24 x 1 7.5 l/min at 3 bar GROHE Long-Life finish male thread			
 	13 929 000	Chrome	4005176025440	15.71
	Flow restrictor external thread M 24 x 1 13.5 l/min at 3 bar GROHE Long-Life finish male thread			




GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	13 952 000	Chrome	4005176079818	12.55
Flow restrictor external thread M 24 x 1 flow class C 30 l/min. at 3 bar GROHE Long-Life finish male thread				
 	13 927 000	Chrome	4005176005541	13.61
Flow restrictor external thread M 28 x 1 30 l/min. at 3 bar GROHE Long-Life finish male thread				
 	13 220 000	Chrome	4005176855504	32.31
Flow restrictor flow class Z 7.5 l/min at 3 bar including disassembly key				

GROHE WASTE SETS AND TRAPS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 910 000	Chrome	4005176603846	53.35
	Pop-up waste set 1 1/4" for wash basins with overflow for basin/bidet fittings			
	40 565 000	Chrome	4005176912757	89.42
	40 565 DC0	supersteel	4005176491702	125.19
	40 565 AL0	brushed hard graphite	4005176491696	143.07
Waste set with push-open plug for wash basins with overflow for replacement in an existing system GROHE Long-Life finish				
 	65 807 000	★ Chrome	4005176849893	52.18
	65 807 DC0	★ supersteel	4005176442797	73.05
	65 807 LS0	moon white	4005176849916	98.93
	65 807 BE0	polished nickel	4005176467691	78.27
	65 807 EN0	brushed nickel	4005176467707	83.49
	65 807 GL0	★ cool sunrise	4005176467738	78.27
	65 807 GN0	★ brushed cool sunrise	4005176467745	83.49
	65 807 DA0	★ warm sunset	4005176467752	78.27
	65 807 DL0	★ brushed warm sunset	4005176467769	83.49
	65 807 A00	hard graphite	4005176467721	78.27
	65 807 AL0	★ brushed hard graphite	4005176467714	83.49
Waste set with push-open plug with push-open cover for wash basins with overflow removable cover closable GROHE Long-Life finish				
 	29 510 KF0	phantom black	4005176781704	73.05
	ditto, Professional exclusive			
 	65 808 000	Chrome	4005176860065	55.74
	Waste 1 1/4" for basins mixers without Pop Up Waste removable cover non-closable GROHE Long-Life finish			
 	40 824 000	Chrome	4005176332975	21.50
	Waste set with push-open plug for wash basins with overflow removable plug closable			

GROHE WASTE SETS AND TRAPS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	07 182 000	Chrome	4005176017438	17.81
	Chrome bath plug for waste set 1 1/4" GROHE Long-Life finish			
	07 052 000	Chrome	4005176003370	20.30
	Eccentric rod for waste set 1 1/4" length 180 mm GROHE Long-Life finish			
	07 341 000	Chrome	4005176017728	25.94
	Eccentric rod for waste set 1 1/4" length 350 mm GROHE Long-Life finish			
 	28 920 000	Chrome	4005176603914	46.54
	Bottle trap, 1 1/4" for basins with fixed dip tube wall connection escutcheon GROHE Long-Life finish			
 	40 564 000	Chrome	4005176912740	110.58
	40 564 DC0	supersteel	4005176491795	154.81
	40 564 A00	hard graphite	4005176491849	165.87
	40 564 AL0	brushed hard graphite	4005176491788	176.93
	Bottle trap for wash basin GROHE Long-Life finish brass body			
 	28 912 000	★ Chrome	4005176266751	100.53
	28 912 DC0	★ supersteel	4005176467905	140.74
	28 912 EN0	brushed nickel	4005176467837	160.85
	28 912 GN0	★ brushed cool sunrise	4005176467875	160.85
	28 912 DL0	★ brushed warm sunset	4005176467899	160.85
	28 912 AL0	★ brushed hard graphite	4005176467844	160.85
	Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life finish			
	29 509 KF0	phantom black	4005176782657	140.74
	ditto, Professional exclusive			

GROHE

CONNECTIONS AND NON-RETURN VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 914 000		4005176326424	39.71
	Compression MI coupling for all basin and kitchen mixers 15 mm x 3/8" including nut & olive			
	47 189 000	Chrome	4005176010330	39.02
	Non-return valve multi-packaging: 2 pieces GROHE Long-Life finish			
	14 116 00M	Chrome	4005176006005	60.03
	Non-return valve 1/2" multi-packaging: 2 pieces			
	14 117 00M		4005176006012	165.47
	Backflow preventer multi-packaging: 2 pieces			

GROHE

SPARE PARTS FOR ELECTRONICS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 229 000 Solenoid valve for Europlus E	Chrome	4005176299223	172.51
	42 886 000 Battery 6V lithium battery, type CR-P2	Chrome	4005176200670	33.37

GROHE DIVERTERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	08 915 000	Chrome	4005176020124	66.28
	Diverter for single-lever and thermostatic bath mixer 1/2", wall mounted automatic diverter: bath/shower			
	46 058 000	Chrome	4005176008467	51.59
	Diverter for universal single-lever mixer for concealed installation 1/2" bath including diverter knob until 2010 GROHE Long-Life finish			

GROHE HOSES



Ref. No.	Colour	EAN	Retail Guide Price (£)
48 293 000	Chrome	4005176358593	39.91

Shower hose
for sink mixer with pull-out dual spray or mousseur
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
including weight and knurled nuts G 1/2
approx. 1425 mm
M15 x 1
GROHE Long-Life finish




GROHE

SPARE PARTS FOR KITCHEN TAPS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 586 SD0	stainless steel	4005176563430	21.41
	Turning handle for kitchen sinks with automatic waste fitting including fixation form: sqare 46 x 46 mm GROHE Long-Life finish			
	42 587 SD0	stainless steel	4005176563447	21.15
	Turning handle for kitchen sinks with automatic waste fitting including fixation form: round Ø 46 mm GROHE Long-Life finish			
	46 575 000	Chrome	4005176830099	123.74
	K4 Hand shower GROHE Long-Life finish			


GROHE

SPARE PARTS FOR SHOWERS

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		28 817 000	Chrome	4005176602962	12.15
		Adapter 1/2" x 1/4" female thread 3/4" x 1/2" male thread GROHE Long-Life finish			
		06 765 000	Chrome	4005176831973	58.96
		Sliding piece suitable for shower rails of Relaxa, Rainshower and Euphoria range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life finish			
		07 659 000	Chrome	4005176003707	60.17
		Sliding piece suitable for shower rails of Tempesta range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life finish			
		12 140 000	Chrome	4005176288319	48.41
		Sliding piece suitable for shower rails with diameter of 22 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life finish			
		45 650 IP0	chrome/ matt chrome	4005176137228	59.61
		Sliding piece suitable for shower rails Relaxa 28 620/28 621 with diameter of 27.8 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life finish			
		12 435 000	Chrome	4005176272141	95.63
		Relaxa Plus Gliding element with metal sleeve for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life finish			


GROHE

SPARE PARTS FOR SHOWERS



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	48 099 000	Chrome	4005176908583	16.08
	Sliding piece suitable for shower rails of Tempesta range with diameter of 21.8 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life finish			
	48 177 000	Chrome	4005176924248	49.21
	Sliding piece suitable for shower rails range with diameter 24.7 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life finish			
	45 363 000	Chrome	4005176112324	7.55
	Cover plate for shower rail Relexa and Tempesta ø 25 mm			

GROHE

MISCELLANEOUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	07 264 00M	Chrome	4005176228797	8.05
	Filter multi-packaging: 2 pieces			
	49 002 00M		4005176372193	8.56
	Temperature limiter GROHE SafeStop Plus at 43°C contains two types of temperature limiters to be retrofitted in thermostat handles 10 pcs.			
	07 587 000	Chrome	4005176229015	14.16
	Slider			

GROHE SPECIAL TOOLS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 332 000	Chrome	4005176823695	34.77
Socket Spanner 34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge 32 mm for disassembly of 35 mm cartridge				
 	36 407 001	Chrome	4005176368974	197.30
Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO ₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply				

GROHE CLEANING AND CARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
45 937 000	Chrome	4005176279683	15.61
Grohe Special grease			
25 g			
sales unit 15 pieces			



48 166 000		4005176923197	20.50
Grohclean			
Detergent for fittings and bathrooms			
500 ml spray bottle			
based on citric acid			
in display box			
sales unit 10 pieces			




GROHE

SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 303 000	Chrome	4005176835391	87.43
Skate Flush plate for retrofit for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for dual flush or start & stop actuation for vertical and horizontal installation 156 x 197 mm made of ABS GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow				
	42 304 000	Chrome	4005176835469	81.14
Skate Air Flush plate for dual flush or start & stop actuation for retrofit for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for vertical installation 156 x 197 mm made of ABS GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow				
	42 305 000	Chrome	4005176835490	84.79
Skate Air Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for horizontal installation 156 x 197 mm made of ABS GROHE Water Saving - Less water, perfect flow GROHE Long-Life finish				
	42 740 000		4005176230653	429.10
Solenoid Valve				
	43 544 000	Chrome	4005176157738	17.03
Outlet piston				
	43 506 000		4005176157356	9.72
Bellow				

GROHE


SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 593 000		4005176566417	33.62
	Valve seat reduces flow of the flush easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2			
	42 764 00M	Chrome	4005176222092	16.37
	Threaded bolt for WC fixation for Rapid SL 1.13 m multi-packaging: 2 pieces			
	42 233 000	Chrome	4005176300653	16.73
	Connecting hose			
	42 310 000	Chrome	4005176835599	7.31
	Sealing washer for pneumatic drop valve			
	43 758 00M	Chrome	4005176159121	31.63
	Membrane filling valve multi-packaging: 10 pieces			
 	37 119 000	Chrome	4005176144370	4.34
	Connector Ø 55 mm			

GROHE

SPARE PARTS FOR SANITARY SYSTEMS

Ref. No.	Colour	EAN	Retail Guide Price (£)
43 352 000		4005176832413	6.39



Flush pipe 300 mm
length 300 mm


GROHE

SPARE PARTS FOR SHOWER TOILET

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




14 917 000	Chrome	4005176307607	103.60
Connecting PIPE for Sensia IGS shower WC system flush- and waste pipe			



14 926 002		4005176572128	352.01
GROHE Sensia Arena Remote control for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung including wall holder			

GROHE

SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	49 516 000		4005176373381	26.76
	Mounting set for floor standing bidet/WC 39 428 000, 39 429 000, 39 430 000, 39 431 000, 39 432 000, 39 349 000, 39 329 000, 39 329 00H, 39 340 000, 39 340 00H, 39 339 000, 39 339 00H, 39 484 00H, 39 485 00H, 39 487 00H contains 2 pieces			
	49 510 000		4005176373329	72.05
	Fixing set for Euro Ceramic wall hung WC 203 mm 39 328 000, 39 328 00H			
	49 024 000	Chrome	4005176454196	77.91
	Fixing set for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H			
 	37 095 000	Chrome	4005176145124	40.20
	Filling valve 3/8" universal application			
	49 526 000	Chrome	4005176421129	13.52
	Dual flush push button for ceramic cistern 39 436 000 39 437 000 39 333 000 39 332 000			

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
00			
00 798 000	4005176229008	775	39.82
06			
06 188 000	4005176002519	779	73.52
06 765 000	4005176831973	794	58.96
07			
07 000 000	4005176016899	773	102.20
07 025 000	4005176016929	779	36.04
07 052 000	4005176003370	788	20.30
07 146 000	4005176017261	778	12.33
07 182 000	4005176017438	788	17.81
07 264 00M	4005176228797	796	8.05
07 341 000	4005176017728	788	25.94
07 587 000	4005176229015	796	14.16
07 659 000	4005176003707	794	60.17
08			
08 915 000	4005176020124	791	66.28
10			
10 099 00M	4005176812965	781	14.15
101458 SH0 0	4067393003243	657	107.57
101520 999 0	4067393003496	657	28.68
101546 999 0	4067393003731	657	60.95
101547 999 0	4067393003748	657	15.54
101548 999 0	4067393003755	658	16.73
102166 KF0 0	4067393018773	313	842.27
102167 KF0 0	4067393018780	314	911.03
102168 KF0 0	4067393018797	324	625.69
102169 KF0 0	4067393018902	324	569.40
102202 243 0	4067393018827	236, 356	235.92
102203 243 0	4067393018834	237, 356	306.36
102208 243 0	4067393018889	329	598.56
102209 243 0	4067393018896	326	598.56
102210 243 0	4067393019008	330	598.56
102211 243 0	4067393019015	327	598.56
102212 243 0	4067393019022	329	536.95
102215 243 0	4067393019053	326	536.95
102218 243 0	4067393019084	434, 500	231.19
102251 243 0	4067393019749	282	73.01
102256 243 0	4067393019787	280	56.85
102257 243 0	4067393019794	280	85.08
102272 KF0 0	4067393019510	277	188.97
102273 KF0 0	4067393019527	277	65.41
102275 KF0 0	4067393019541	276	87.21
102277 KF0 0	4067393019565	278	254.37
102278 KF0 0	4067393019572	276	109.01
102280 KF0 0	4067393019596	276	348.86
102460 243 0	4067393021728	283	25.12
102461 243 0	4067393021735	281	45.89
102465 243 0	4067393021766	285	60.49
102468 243 0	4067393021797	285	75.10
102469 243 0	4067393021902	285	45.89
102470 243 0	4067393021919	279	37.54
102471 243 0	4067393021926	283	73.01
102472 243 0	4067393021933	284	54.23
102473 243 0	4067393021940	282	125.16
102530 243 1	4067393022121	479	73.88
12			
12 051 000	4005176213588	625, 639	59.54
12 140 000	4005176288319	794	48.41
12 400 000	4005176004582	783	65.17
12 433 000	4005176272752	777	91.66

Ref. No.	EAN	Page	Retail Guide Price (£)
12 435 000	4005176272141	491, 794	95.63
12 693 000	4005176829918	783	30.94
13			
13 034 000	4005176022869	570, 784	58.50
13 071 000	4005176023132	784	40.29
13 220 000	4005176855504	786	32.31
13 255 001	4005176556722	252, 258	42.19
13 261 000	4005176877384	227	97.03
13 262 000	4005176877391	227	113.20
13 264 001	4005176515149	52	349.34
13 264 AL1	4005176515101	52	558.95
13 264 DA1	4005176515040	52	524.03
13 264 DC1	4005176954085	52	489.09
13 264 GL1	4005176514982	52	524.03
13 276 002	4005176887246	206	119.88
13 278 002	4005176887871	190	116.97
13 279 DA2	4067393033127	190	213.48
13 279 DC2	4067393033134	190	191.03
13 279 DL2	4067393033141	190	213.48
13 279 GN2	4067393033158	190	213.48
13 280 001	4005176888687	199	114.17
13 281 001	4005176888694	199	131.62
13 303 000	4005176906350	154	142.90
13 303 AL0	4005176585562	154	228.65
13 303 DC0	4005176525100	154	200.06
13 304 000	4005176906367	154	160.79
13 317 001	4005176514869	52	1,565.07
13 317 AL1	4005176514821	52	2,504.13
13 317 DA1	4005176514760	52	2,347.62
13 317 DC1	4005176954092	52	2,191.11
13 317 DL1	4005176514746	52	2,504.13
13 317 GL1	4005176514708	52	2,347.62
13 317 GN1	4005176514685	52	2,504.13
13 378 000	4005176351532	612, 623	122.07
13 380 000	4005176351549	612, 623	134.79
13 383 001	4005176418167	138	257.62
13 383 DC1	4005176418174	138	360.67
13 404 003	4005176529788	166	158.85
13 404 DC3	4005176574115	166	222.39
13 448 003	4005176613555	240	96.32
13 484 000	4005176757716	79	271.06
13 484 DA0	4005176757730	79	406.58
13 484 IG0	4005176757747	79	352.38
13 485 000	4005176756603	62	366.12
13 485 AL0	4005176756610	62	585.79
13 485 DC0	4005176756627	62	512.57
13 486 000	4005176756634	62	847.06
13 486 AL0	4005176756641	62	1,355.30
13 486 DC0	4005176756658	62	1,185.89
13 487 000	4005176761683	31	276.26
13 487 AL0	4005176761706	31	442.01
13 487 DA0	4005176761713	31	414.38
13 487 DC0	4005176761720	31	386.75
13 487 DL0	4005176951657	31	442.01
13 487 GL0	4005176761737	31	414.38
13 487 GN0	4005176951664	31	442.01
13 540 000	4005176005411	263	107.51
13 927 000	4005176005541	786	13.61
13 928 000	4005176025365	785	15.81
13 929 000	4005176025440	785	15.71
13 952 000	4005176079818	786	12.55
13 960 000	4005176109522	785	21.25
14			
14 014 000	4005176929274	424	59.66
14 048 000	4005176413483	374, 379	82.52

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
14 053 00M	4005176413513	374	39.92	19 383 000	4005176874765	226	124.65
14 055 000	4005176413520	270, 374	101.15	19 386 002	4005176512995	47	1,062.02
14 056 000	4005176466298	374, 782	93.15	19 386 AL2	4005176512957	47	1,699.23
14 057 000	4005176466304	375, 782	114.46	19 386 DA2	4005176512896	47	1,593.03
14 058 000	4005176466311	375, 782	45.25	19 386 DC2	4005176954160	47	1,486.83
14 074 000	4005176575365	661, 693	42.80	19 386 DL2	4005176512872	47	1,699.23
14 116 00M	4005176006005	789	60.03	19 386 GL2	4005176512834	47	1,593.03
14 117 00M	4005176006012	789	165.47	19 386 GN2	4005176512810	47	1,699.23
14 917 000	4005176307607	802	103.60	19 409 001	4005176409158	134	276.72
14 926 002	4005176572128	660, 802	352.01	19 409 AL1	4005176586170	134	442.73
18				19 409 DC1	4005176412752	134	387.40
18 121 000	4005176815812	783	59.88	19 446 002	4005176512797	51	558.95
18 608 001	4005176985140	338	51.89	19 446 AL2	4005176512759	51	894.33
18 700 000	4005176940811	341	47.38	19 446 DA2	4005176512698	51	838.43
18 862 000	4005176028120	783	73.51	19 446 DC2	4005176954177	51	782.54
18 968 001	4005176514586	48	215.20	19 446 DL2	4005176512674	51	894.33
19				19 446 GL2	4005176512636	51	838.43
19 025 000	4005176209154	139, 167	67.88	19 446 GN2	4005176512612	51	894.33
19 309 002	4005176499982	47	1,034.08	19 470 000	4005176848018	378, 780	77.44
19 309 AL2	4005176514289	47	1,654.51	19 506 002	4005176887185	206	185.85
19 309 DA2	4005176514241	47	1,551.11	19 506 003	4005176334399	215	173.57
19 309 DC2	4005176954108	47	1,447.70	19 507 002	4005176887079	205	169.67
19 309 DL2	4005176514227	47	1,654.51	19 507 003	4005176334337	215	158.85
19 309 GL2	4005176514197	47	1,551.11	19 571 002	4005176886973	202	248.88
19 309 GN2	4005176514173	47	1,654.51	19 571 003	4005176334269	210	266.31
19 315 001	4005176514159	49	461.14	19 573 002	4005176887659	187	241.08
19 315 AL1	4005176514111	49	737.82	19 575 001	4005176888366	194	222.00
19 315 DA1	4005176514050	49	691.70	19 576 002	4005176429088	198	792.84
19 315 DC1	4005176954115	49	645.60	19 577 001	4005176409233	137	945.30
19 315 DL1	4005176514036	49	737.82	19 577 AL1	4005176586224	137	1,512.49
19 315 GL1	4005176513992	49	691.70	19 577 DC1	4005176412820	137	1,323.43
19 315 GN1	4005176513978	49	737.82	19 577 EN1	4005176413018	137	1,512.49
19 316 001	4005176513954	52	1,545.41	19 590 001	4005176512599	53	237.55
19 316 AL1	4005176513916	52	2,472.66	19 590 AL1	4005176512551	53	380.09
19 316 DA1	4005176513855	52	2,318.11	19 590 DA1	4005176512490	53	356.34
19 316 DC1	4005176954122	52	2,163.57	19 590 DC1	4005176954184	53	332.58
19 316 DL1	4005176513831	52	2,472.66	19 590 DL1	4005176512476	53	380.09
19 316 GL1	4005176513794	52	2,318.11	19 590 GL1	4005176512438	53	356.34
19 316 GN1	4005176513770	52	2,472.66	19 590 GN1	4005176512414	53	380.09
19 317 001	4005176513756	48	405.24	19 808 001	4005176843204	263	26.72
19 317 AL1	4005176513718	48	648.39	19 809 001	4005176853876	263	26.72
19 317 DA1	4005176513657	48	607.87	19 830 000	4005176030697	377, 779	32.78
19 317 DC1	4005176954139	48	567.34	19 831 000	4005176030703	378, 779	32.78
19 317 DL1	4005176513633	48	648.39	19 840 000	4005176030758	378, 780	30.17
19 317 GL1	4005176513596	48	607.87	19 841 000	4005176030765	378, 780	38.28
19 317 GN1	4005176513572	48	648.39	19 895 000	4005176901072	148	295.94
19 332 000	4005176823695	797	34.77	19 895 AL0	4005176585494	148	473.51
19 334 001	4005176513558	53	139.75	19 897 001	4005176429101	153	1,165.67
19 334 AL1	4005176513510	53	223.58	19 897 AL1	4005176585548	153	1,865.08
19 334 DA1	4005176513459	53	209.61	19 897 DC1	4005176525087	153	1,631.94
19 334 DC1	4005176954146	53	195.63	19 910 000	4005176987014	155	60.75
19 334 DL1	4005176513435	53	223.58	19 952 000	4005176174230	89, 139	64.56
19 334 GL1	4005176513398	53	209.61	19 952 A00	4005176352874	269, 674	292.10
19 334 GN1	4005176513374	53	223.58	19 952 AL0	4005176353376	89, 139	311.58
19 345 001	4005176888953	197	174.45	19 952 BE0	4005176468094	269, 674	292.10
19 346 001	4005176889080	198	190.28	19 952 DA0	4005176351945	89, 269	292.10
19 380 002	4005176513190	50	531.01	19 952 DC0	4005176467776	89, 139	272.63
19 380 AL2	4005176513152	50	849.61	19 952 DL0	4005176468124	89, 269	311.58
19 380 DA2	4005176513091	50	796.51	19 952 EN0	4005176468100	269, 674	311.58
19 380 DC2	4005176954153	50	743.41	19 952 GL0	4005176352423	89, 269	292.10
19 380 DL2	4005176513077	50	849.61	19 952 GN0	4005176468117	89, 269	311.58
19 380 GL2	4005176513039	50	796.51	19 952 KF0	4005176677816	89, 269	272.63
19 380 GN2	4005176513015	50	849.61	19 954 000	4005176175732	270	16.58
19 381 000	4005176874673	222	204.31	19 965 001	4005176409240	137	763.77
19 382 000	4005176874697	227	139.31	19 966 000	4005176986864	154	822.65
				19 969 000	4005176993671	183	279.85
				19 974 002	4005176305948	187	256.82

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
19 976 001	4005176307218	180	587.73	20 593 DA0	4005176511479	42	1,227.96
19 997 000	4005176342189	141	310.48	20 593 DC0	4005176511455	42	1,146.09
19 998 000	4005176342196	141	326.95	20 593 DL0	4005176499210	42	1,309.82
20				20 593 GL0	4005176511417	42	1,227.96
20 186 001	4005176874437	261	73.77	20 593 GN0	4005176511394	42	1,309.82
20 187 000	4005176874680	222	222.50	20 595 000	4005176511233	37	818.64
20 188 001	4005176499685	46	950.23	20 595 AL0	4005176511219	37	1,309.82
20 188 AL1	4005176499760	46	1,520.36	20 595 DA0	4005176511172	37	1,227.96
20 188 DA1	4005176499739	46	1,425.34	20 595 DC0	4005176511158	37	1,146.09
20 188 DC1	4005176954191	46	1,330.32	20 595 DL0	4005176499234	37	1,309.82
20 188 DL1	4005176499746	46	1,520.36	20 595 GL0	4005176511110	37	1,227.96
20 188 GL1	4005176499715	46	1,425.34	20 595 GN0	4005176511097	37	1,309.82
20 188 GN1	4005176499722	46	1,520.36	20 619 000	4005176757921	77	633.62
20 189 002	4005176499784	46	922.28	20 619 DA0	4005176757945	77	950.42
20 189 AL2	4005176499869	46	1,475.64	20 619 IG0	4005176757952	77	823.70
20 189 DA2	4005176499838	46	1,383.42	20 622 000	4005176757976	77	474.36
20 189 DC2	4005176954207	46	1,291.19	20 622 IG0	4005176757990	77	616.67
20 189 DL2	4005176499845	46	1,475.64	20 623 000	4005176758010	77	525.17
20 189 GL2	4005176499814	46	1,383.42	20 623 IG0	4005176758027	77	682.72
20 189 GN2	4005176499821	46	1,475.64	20 624 000	4005176758034	76	572.63
20 193 002	4005176499883	46	950.23	20 624 IG0	4005176758058	76	744.41
20 193 AL2	4005176499968	46	1,520.36	20 626 000	4005176760136	59	796.23
20 193 DA2	4005176499937	46	1,425.34	20 626 AL0	4005176760143	59	1,273.99
20 193 DC2	4005176954214	46	1,330.32	20 626 DC0	4005176760150	59	1,114.74
20 193 DL2	4005176499944	46	1,520.36	20 627 000	4005176760167	58	950.51
20 193 GL2	4005176499913	46	1,425.34	20 627 AL0	4005176760181	58	1,520.81
20 193 GN2	4005176499920	46	1,520.36	20 627 DC0	4005176760198	58	1,330.71
20 201 000	4005176883354	265	117.19	20 628 000	4005176760204	59	827.29
20 203 000	4005176883378	265	103.37	20 628 AL0	4005176760228	59	1,323.67
20 205 000	4005176883682	265	95.69	20 628 DC0	4005176760235	59	1,158.21
20 208 002	4005176886980	202	290.88	20 629 000	4005176760242	59	880.10
20 216 001	4005176888373	194	263.22	20 629 AL0	4005176759611	59	1,408.15
20 296 001	4005176307072	174	296.07	20 629 DC0	4005176759628	59	1,232.14
20 296 AL1	4067393033622	174	473.72	20 634 SD0	4005176759635	20	26,424.64
20 296 DA1	4067393033639	174	444.11	20 635 SD0	4005176759642	20	26,424.64
20 296 DC1	4067393033646	174	414.50	20 643 000	4005176762871	28	613.91
20 296 DL1	4067393033653	174	473.72	20 643 AL0	4005176762901	28	982.24
20 296 GL1	4067393033660	174	444.11	20 643 DA0	4005176762918	28	920.86
20 296 GN1	4067393033677	174	473.72	20 643 DC0	4005176762925	28	859.46
20 301 003	4005176529757	160	351.75	20 643 DL0	4005176951756	28	982.24
20 304 001	4005176409141	133	356.12	20 643 GL0	4005176762932	28	920.86
20 351 000	4005176901041	148	359.56	20 643 GN0	4005176951763	28	982.24
20 351 DC0	4005176525001	148	503.38	20 649 000	4005176762949	27	613.91
20 393 001	4005176842993	261	76.11	20 649 AL0	4005176762963	27	982.24
20 404 001	4005176842986	261	44.16	20 649 DA0	4005176762970	27	920.86
20 421 001	4005176556173	246	63.84	20 649 DC0	4005176762987	27	859.46
20 421 10M	4005176556180	246	112.62	20 649 DL0	4005176951770	27	982.24
20 422 001	4005176529504	253	63.84	20 649 GL0	4005176762994	27	920.86
20 474 001	4005176556463	249	186.30	20 649 GN0	4005176951787	27	982.24
20 575 000	4005176388422	259	58.10	20 658 000	4005176763007	26	306.95
20 587 000	4005176512070	41	695.85	20 658 AL0	4005176763014	26	491.13
20 587 AL0	4005176512032	41	1,113.32	20 658 DA0	4005176763021	26	460.42
20 587 DA0	4005176511998	41	1,043.75	20 658 DC0	4005176763038	26	429.73
20 587 DC0	4005176511974	41	974.17	20 658 DL0	4005176951794	26	491.13
20 587 DL0	4005176511950	41	1,113.34	20 658 GL0	4005176763045	26	460.42
20 587 GL0	4005176511936	41	1,043.75	20 658 GN0	4005176951800	26	491.13
20 587 GN0	4005176511912	41	1,113.34	20 661 000	4005176763090	28	521.82
20 589 000	4005176511691	37	695.85	20 661 AL0	4005176763113	28	834.91
20 589 AL0	4005176511653	37	1,113.32	20 661 DA0	4005176763120	28	782.73
20 589 DA0	4005176511615	37	1,043.75	20 661 DC0	4005176763137	28	730.55
20 589 DC0	4005176511592	37	974.17	20 661 DL0	4005176952012	28	834.91
20 589 DL0	4005176511578	37	1,113.34	20 661 EN0	4005176763144	28	834.91
20 589 GL0	4005176503306	37	1,043.75	20 661 GL0	4005176763151	28	782.73
20 589 GN0	4005176511530	37	1,113.34	20 661 GN0	4005176952029	28	834.91
20 593 000	4005176511516	42	818.64	20 662 000	4005176763168	28	521.82
20 593 AL0	4005176499272	42	1,309.82	20 662 AL0	4005176763182	28	834.91
				20 662 DA0	4005176763199	28	782.73

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
20 662 DC0	4005176763205	28	730.55	21 145 DL0	4005176952074	26	785.79
20 662 DL0	4005176952036	28	834.91	21 145 GL0	4005176763366	26	736.69
20 662 GL0	4005176763212	28	782.73	21 145 GN0	4005176952081	26	785.79
20 662 GN0	4005176952043	28	834.91	21 149 000	4005176762017	27	675.29
20 664 SD0	4005176763243	20	26,821.00	21 149 AL0	4005176761225	27	1,080.47
20 665 SD0	4005176763250	20	26,821.00	21 149 DA0	4005176761232	27	1,012.94
20 666 000	4005176761546	76	487.92	21 149 DC0	4005176761249	27	945.41
20 666 IG0	4005176761553	76	634.28	21 149 DL0	4005176952098	27	1,080.47
20 667 000	4005176795510	69	1,414.64	21 149 GL0	4005176761256	27	1,012.94
20 667 AL0	4005176795534	69	2,263.40	21 149 GN0	4005176952104	27	1,080.47
20 667 DC0	4005176795527	69	2,121.95	21 375 001	4005176843037	261	96.71
20 668 000	4005176795008	69	2,868.42	21 390 001	4005176843006	261	180.40
20 668 AL0	4005176795022	69	4,780.71	22			
20 668 DC0	4005176795015	69	4,541.68	22 012 000	4005176906343	89, 155	54.65
20 669 000	4005176795039	69	2,868.42	22 012 AL0	4005176585944	89, 155	87.45
20 669 AL0	4005176795053	69	4,780.71	22 012 DC0	4005176525742	89, 155	76.51
20 669 DC0	4005176795046	69	4,541.68	22 013 000	4005176909689	155, 766	54.65
20 670 000	4005176791680	70	1,414.64	22 016 00M	4005176940606	765	61.91
20 670 AL0	4005176791703	70	2,263.40	22 017 00M	4005176940613	765	61.11
20 670 DC0	4005176791697	70	2,121.95	22 018 000	4005176305382	764	5.77
20 671 000	4005176791710	70	2,829.26	22 023 000	4005176305405	764	6.97
20 671 AL0	4005176791734	70	4,526.82	22 029 000	4005176305467	765	6.06
20 671 DC0	4005176791727	70	4,243.90	22 032 000	4005176305481	765	6.64
20 672 000	4005176791741	70	2,829.26	22 035 000	4005176305511	767	25.35
20 672 AL0	4005176791963	70	4,526.82	22 037 000	4005176305535	88, 764	7.80
20 672 DC0	4005176791758	70	4,243.90	22 043 000	4005176305597	764	8.47
21				22 046 000	4005176305627	764	8.67
21 134 000	4005176499067	41	720.40	22 054 001	4005176554162	253	81.90
21 134 AL0	4005176510977	41	1,152.65	22 074 KF0	4005176782640	764	54.59
21 134 DA0	4005176510939	41	1,080.60	22 115 000	4005176775529	483	11.95
21 134 DC0	4005176510915	41	1,008.55	22 117 KF0	4005176782497	487	52.61
21 134 DL0	4005176510892	41	1,152.64	22 118 KF0	4005176782503	490	82.21
21 134 GL0	4005176510854	41	1,080.60	22 119 KF0	4005176782510	395	1,324.61
21 134 GN0	4005176510830	41	1,152.64	22 120 KF0	4005176782527	399	1,519.96
21 138 000	4005176499081	36	720.40	22 121 KF0	4005176782558	429	579.93
21 138 AL0	4005176510618	36	1,152.65	22 122 KF0	4005176782565	429	579.93
21 138 DA0	4005176510571	36	1,080.60	22 123 KF0	4005176782572	426	807.90
21 138 DC0	4005176510557	36	1,008.55	22 124 KF0	4005176782589	427	807.90
21 138 DL0	4005176510533	36	1,152.64	22 125 KF0	4005176782619	453, 485	165.72
21 138 GL0	4005176510496	36	1,080.60	22 126 KF0	4005176782626	463	77.41
21 138 GN0	4005176510472	36	1,152.64	22 127 KF0	4005176782633	447	121.85
21 140 000	4005176510458	41	990.55	22 939 000	4005176829369	765	14.06
21 140 AL0	4005176510410	41	1,584.85	22 940 000	4005176829376	765	12.07
21 140 DA0	4005176510373	41	1,485.82	23			
21 140 DC0	4005176510359	41	1,386.75	23 037 002	4005176886355	200	145.44
21 140 DL0	4005176510335	41	1,584.88	23 039 002	4005176886881	200	106.67
21 140 GL0	4005176510298	41	1,485.82	23 043 003	4005176472732	202	203.52
21 140 GN0	4005176510274	41	1,584.88	23 048 003	4005176429132	206	897.00
21 142 000	4005176510052	36	990.55	23 049 002	4005176887536	185	192.86
21 142 AL0	4005176510014	36	1,584.85	23 051 002	4005176887567	185	122.14
21 142 DA0	4005176509971	36	1,485.82	23 054 003	4005176472596	187	241.03
21 142 DC0	4005176509957	36	1,386.75	23 055 002	4005176887680	187	273.19
21 142 DL0	4005176509933	36	1,584.88	23 058 003	4005176313790	409	733.56
21 142 GL0	4005176509896	36	1,485.82	23 060 001	4005176888021	191	190.28
21 142 GN0	4005176509872	36	1,584.88	23 106 001	4005176409110	133	227.88
21 144 000	4005176763267	27	491.13	23 106 AL1	4005176586149	133	364.61
21 144 AL0	4005176763274	27	785.79	23 106 DC1	4005176412721	133	319.03
21 144 DA0	4005176763281	27	736.69	23 127 00E	4005176901591	146	238.65
21 144 DC0	4005176763298	27	687.57	23 132 00E	4005176906725	146	232.29
21 144 DL0	4005176952050	27	785.79	23 135 00E	4005176906732	147	286.39
21 144 GL0	4005176763304	27	736.69	23 137 000	4005176901096	146	187.72
21 144 GN0	4005176952067	27	785.79	23 138 000	4005176901133	149	238.65
21 145 000	4005176763311	26	491.13	23 140 000	4005176901157	149	315.01
21 145 AL0	4005176763335	26	785.79	23 140 AL0	4005176585531	149	567.01
21 145 DA0	4005176763342	26	736.69	23 140 DC0	4005176525056	149	504.01
21 145 DC0	4005176763359	26	687.57				

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
23 141 000	4005176901164	150	378.65	23 446 000	4005176998720	147	245.26
23 145 000	4005176901270	149	270.48	23 447 000	4005176998737	148	310.46
23 145 AL0	4005176585524	149	432.78	23 448 002	4005176998744	186	219.50
23 145 DC0	4005176525049	149	378.68	23 449 002	4005176998768	186	213.24
23 147 001	4005176313271	409	1,152.41	23 450 001	4005176998775	193	173.75
23 200 000	4005176908354	59, 60	269.80	23 451 001	4005176998799	193	167.32
23 200 002	4005176519901	59, 60	269.71	23 456 003	4005176613272	230	89.93
23 296 001	4005176409127	133	318.23	23 537 003	4005176613395	234	154.63
23 296 DC1	4005176412738	133	445.52	23 559 001	4005176556326	247	81.90
23 302 000	4005176923876	206, 634	366.62	23 564 003	4005176334146	207	147.08
23 319 000	4005176931192	77, 91	264.83	23 569 003	4005176334238	209	220.63
23 322 001	4005176934506	228	90.60	23 570 003	4005176334245	210	273.59
23 322 003	4005176613302	233	107.92	23 570 LS3	4005176334474	210	355.65
23 323 003	4005176613319	234	101.83	23 571 000	4005176334276	134	269.58
23 324 003	4005176613326	233	101.83	23 602 001	4005176556029	257	111.41
23 325 000	4005176933974	219	126.13	23 604 001	4005176556593	251	111.41
23 327 000	4005176934094	220	120.27	23 633 001	4005176555923	256	81.90
23 327 KW0	4005176565205	220	168.39	23 635 001	4005176556524	250	81.90
23 328 001	4005176556241	246	81.90	23 654 000	4005176342080	140	274.39
23 330 001	4005176556302	246	76.34	23 656 000	4005176342103	140	268.84
23 331 001	4005176556494	250	81.90	23 657 000	4005176342110	140	288.25
23 335 001	4005176529566	253	81.90	23 658 000	4005176342127	140	282.70
23 337 001	4005176555725	253	76.34	23 661 000	4005176342158	140	379.81
23 338 001	4005176555893	256	81.90	23 664 000	4005176342202	141	295.76
23 372 003	4005176613241	232	88.20	23 665 000	4005176342219	141	338.22
23 373 20E	4005176936661	201	138.98	23 666 000	4005176342226	142	415.62
23 374 003	4005176334153	208	141.20	23 667 001	4005176429019	145	1,782.82
23 374 20E	4005176936678	201	145.44	23 672 001	4005176429002	154	1,790.94
23 374 LS3	4005176334450	208	183.56	23 672 AL1	4005176585555	154	2,865.50
23 376 00E	4005176936623	219	104.13	23 672 DC1	4005176525094	154	2,507.32
23 377 00E	4005176936630	218	110.00	23 707 003	4005176364778	207	134.79
23 378 00E	4005176936647	219	103.89	23 709 003	4005176365003	208	134.79
23 380 10E	4005176938245	192	152.21	23 715 003	4005176365065	209	128.37
23 382 20E	4005176936708	186	186.43	23 718 003	4005176365096	209	210.20
23 384 20E	4005176936722	186	192.86	23 719 003	4005176365119	210	261.55
23 385 10E	4005176938269	192	145.87	23 720 003	4005176365157	211	134.79
23 387 20E	4005176938382	200	145.44	23 722 003	4005176365188	211	149.23
23 390 00E	4005176938436	146	238.65	23 725 003	4005176365249	215	173.29
23 392 00E	4005176938450	146	232.29	23 726 003	4005176365256	212	182.93
23 393 30E	4005176613340	233	107.92	23 730 003	4005176365324	216	186.14
23 394 30E	4005176613364	234	101.83	23 739 002	4005176472602	193	257.92
23 395 30E	4005176613357	233	101.83	23 741 001	4005176371509	181	2,485.53
23 396 00E	4005176938504	220	126.13	23 741 DC1	4005176371516	181	3,479.75
23 403 001	4005176499487	45	642.80	23 743 003	4005176613401	235	148.54
23 403 AL1	4005176499562	45	1,028.47	23 751 000	4005176388149	259	80.69
23 403 DA1	4005176499531	45	964.20	23 752 000	4005176388156	259	77.45
23 403 DC1	4005176954221	45	899.92	23 753 000	4005176388163	259	116.55
23 403 DL1	4005176499548	45	1,028.47	23 754 000	4005176388170	259	80.69
23 403 GL1	4005176499517	45	964.20	23 755 000	4005176388187	260	83.03
23 403 GN1	4005176499524	45	1,028.47	23 756 000	4005176388392	260	100.05
23 405 001	4005176409134	133	339.45	23 757 001	4005176556340	248	113.14
23 405 AL1	4005176586163	133	543.12	23 760 001	4005176556418	248	113.14
23 405 DC1	4005176412745	133	475.23	23 761 001	4005176556449	249	133.46
23 406 000	4005176941658	147	332.17	23 762 001	4005176555763	254	98.64
23 406 AL0	4005176584671	147	531.48	23 763 001	4005176555800	255	121.85
23 406 DC0	4005176524998	147	465.04	23 764 001	4005176555848	256	133.46
23 425 000	4005176993596	183	229.47	23 790 001	4005176408380	132	213.63
23 427 000	4005176993619	183	243.46	23 791 001	4005176409097	132	213.63
23 428 000	4005176993633	183	349.82	23 791 AL1	4005176586125	132	341.82
23 429 000	4005176993695	22, 47	279.16	23 791 DC1	4005176412707	132	299.10
23 432 000	4005176993763	187	335.54	23 792 001	4005176409257	138	1,757.87
23 444 001	4005176411977	134	299.44	23 792 AL1	4005176586231	138	2,812.57
23 444 AL1	4005176586187	134	479.11	23 792 DC1	4005176412837	138	2,461.01
23 444 DC1	4005176412769	134	419.22	23 792 EN1	4005176413001	138	2,812.57
23 445 000	4005176998706	147	251.45	23 843 003	4005176496547	159	368.77
23 445 AL0	4005176584657	147	402.32	23 843 DC3	4005176574085	159	516.28
23 445 DC0	4005176524974	147	352.04	23 844 003	4005176496554	160	368.77

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
23 845 003	4005176496677	165	771.59	23 987 003	4005176644344	242, 628	193.23
23 846 003	4005176496684	165	1,724.71	23 988 003	4005176644351	241, 627	137.81
23 846 AL3	4005176585722	165	2,759.55	23 989 003	4005176644368	241, 627	151.45
23 846 DC3	4005176574177	165	2,414.60	24			
23 851 003	4005176496523	159	317.72	24 036 000	4005176993701	184	243.46
23 851 AL3	4005176585623	159	508.34	24 042 003	4005176613616	238	135.77
23 851 DC3	4005176574078	159	444.80	24 043 003	4005176613548	239	149.41
23 856 001	4005176499586	46	1,956.35	24 044 000	4005176465185	225	139.56
23 856 AL1	4005176499661	46	3,130.16	24 045 000	4005176465291	226	153.53
23 856 DA1	4005176499630	46	2,934.53	24 046 003	4005176465307	214	151.99
23 856 DC1	4005176954238	46	2,738.90	24 047 003	4005176465321	214	167.19
23 856 DL1	4005176499647	46	3,130.16	24 048 003	4005176465345	214	153.78
23 856 GL1	4005176499616	46	2,934.53	24 048 LS3	4005176465352	214	199.91
23 856 GN1	4005176499623	46	3,130.16	24 049 003	4005176465369	214	169.15
23 870 003	4005176529719	158	226.94	24 049 LS3	4005176465376	214	219.91
23 871 003	4005176529726	158	283.67	24 051 002	4005176465383	205	164.72
23 871 AL3	4005176585616	158	453.87	24 052 002	4005176465390	205	181.18
23 871 DC3	4005176574061	158	397.14	24 053 001	4005176465406	197	165.37
23 872 003	4005176529733	158	283.67	24 054 001	4005176465413	197	181.90
23 873 003	4005176529986	159	317.72	24 055 002	4005176465420	184, 189	171.77
23 877 001	4005176554025	254	81.90	24 056 002	4005176465437	184, 189	188.94
23 878 001	4005176554032	253	81.90	24 059 003	4005176529832	163	215.59
23 879 001	4005176554049	254	81.90	24 059 AL3	4005176585708	163	344.94
23 883 001	4005176554179	254	81.90	24 059 DC3	4005176574153	163	301.83
23 885 001	4005176554216	255	98.64	24 060 003	4005176529825	163	226.94
23 886 001	4005176554247	255	98.64	24 060 AL3	4005176585692	163	363.10
23 887 001	4005176554254	255	98.64	24 060 DC3	4005176574146	163	317.72
23 891 001	4005176554322	256	121.85	24 061 000	4005176465680	142, 150	201.71
23 894 001	4005176554896	247	81.90	24 061 AL0	4005176585586	150	322.73
23 895 001	4005176554902	246	81.90	24 062 000	4005176465697	142, 151	221.88
23 896 001	4005176554919	247	81.90	24 062 AL0	4005176585579	151	355.01
23 899 001	4005176555022	247	81.90	24 062 DC0	4005176553905	151	310.63
23 911 001	4005176555237	249	113.14	24 063 001	4005176465703	136	204.97
23 917 001	4005176555787	255	94.29	24 063 AL1	4005176586248	136	327.95
23 920 001	4005176583421	194	246.60	24 063 DC1	4005176465727	136	286.96
23 921 000	4005176583438	221	201.41	24 064 001	4005176465710	136	225.47
23 922 003	4005176613227	230	94.29	24 064 AL1	4005176586255	136	360.74
23 923 003	4005176613333	233	107.92	24 064 DC1	4005176465734	136	315.65
23 924 003	4005176613265	231	94.29	24 075 000	4005176465987	329	413.04
23 925 000	4005176583353	217	105.12	24 076 000	4005176465994	329	460.42
23 926 000	4005176583360	220	121.72	24 077 000	4005176466007	330	460.42
23 927 000	4005176583377	219	105.38	24 078 000	4005176466038	326	413.04
23 928 000	4005176583384	220	120.27	24 079 000	4005176466045	326	460.42
23 929 003	4005176583995	207	136.40	24 080 000	4005176466052	327	460.42
23 930 003	4005176584008	208	142.89	24 093 003	4005176530050	163	255.31
23 931 001	4005176584015	191	145.94	24 093 AL3	4005176585760	163	408.49
23 932 001	4005176584022	193	167.40	24 093 DC3	4005176574214	163	357.43
23 933 001	4005176584039	221	163.23	24 094 000	4005176480638	143, 151	248.30
23 958 003	4005176605642	157	801.62	24 094 AL0	4005176585593	151	397.29
23 959 003	4005176605659	157	836.83	24 094 DC0	4005176574047	151	347.62
23 965 003	4005176611544	229	94.29	24 095 001	4005176480645	136	251.31
23 967 003	4005176611568	229	88.20	24 095 AL1	4005176586262	136	402.09
23 968 003	4005176611575	229	94.29	24 095 DC1	4005176480652	136	351.83
23 969 003	4005176613180	229	94.29	24 153 000	4005176481178	143, 151	536.95
23 970 003	4005176613418	234	154.63	24 153 AL0	4005176585913	143, 151	859.13
23 971 003	4005176613425	235	208.89	24 153 DC0	4005176574221	143, 151	751.73
23 972 001	4005176634451	248	79.78	24 154 000	4005176481185	61, 143	598.56
23 974 003	4005176644252	232	94.29	24 154 AL0	4005176585920	61, 143	957.69
23 975 003	4005176644153	233, 615	362.65	24 154 DC0	4005176574238	61, 143	837.98
23 976 003	4005176644160	234	229.78	24 155 000	4005176481192	144, 152	598.56
23 980 003	4005176644207	242, 628	110.25	24 155 AL0	4005176585937	144, 152	957.69
23 981 003	4005176644214	242, 628	123.89	24 155 DC0	4005176574245	144, 152	837.98
23 982 003	4005176644245	244, 631	110.25	24 160 001	4005176596230	47	503.07
23 983 003	4005176644313	244, 632	123.89	24 160 AL1	4005176598715	47	804.91
23 984 003	4005176643835	243, 631	179.59	24 160 DA1	4005176596285	47	754.61
23 985 003	4005176643842	243, 631	193.23	24 160 DC1	4005176954245	47	704.30
23 986 003	4005176643859	241, 627	179.59				

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
24 160 DL1	4005176598692	47	804.91	24 174 DC1	4005176711565	172	325.83
24 160 GL1	4005176596261	47	754.61	24 174 DL1	4005176711572	172	372.38
24 160 GN1	4005176596278	47	804.91	24 174 GL1	4005176711596	172	349.11
24 167 001	4005176698422	178	204.56	24 174 GN1	4005176711602	172	372.38
24 167 A01	4005176712227	178	306.83	24 175 001	4005176698347	171	181.18
24 167 AL1	4005176712234	178	327.29	24 176 001	4005176698378	172	206.22
24 167 DA1	4005176712258	178	306.83	24 176 KF1	4005176782367	172	288.71
24 167 DC1	4005176712265	178	286.38	24 177 001	4005176698408	173	226.84
24 167 DL1	4005176712272	178	327.29	24 177 KF1	4005176782350	173	317.59
24 167 GL1	4005176712296	178	306.83	24 178 001	4005176698415	176	181.18
24 167 GN1	4005176712302	178	327.29	24 178 A01	4005176711701	176	271.77
24 167 KF1	4005176782343	178	286.38	24 178 AL1	4005176711718	176	289.89
24 168 001	4005176698453	178	185.95	24 178 DA1	4005176712388	176	271.77
24 168 A01	4005176712135	178	278.94	24 178 DC1	4005176712395	176	253.65
24 168 AL1	4005176712142	178	297.53	24 178 DL1	4005176712401	176	289.89
24 168 DA1	4005176712166	178	278.94	24 178 GL1	4005176712425	176	271.77
24 168 DC1	4005176712173	178	260.34	24 178 GN1	4005176712432	176	289.89
24 168 DL1	4005176712180	178	297.53	24 179 001	4005176698439	171	181.18
24 168 GL1	4005176712203	178	278.94	24 180 001	4005176698446	170	181.18
24 168 GN1	4005176712210	178	297.53	24 183 001	4005176698491	171	181.18
24 168 KF1	4067393019855	178	260.34	24 192 003	4005176723964	232	108.43
24 169 001	4005176698477	179	231.37	24 193 001	4005176723971	248	94.18
24 169 A01	4005176712319	179	347.07	24 259 000	4005176758348	78	330.30
24 169 AL1	4005176712326	179	370.20	24 259 IGO	4005176758355	78	396.37
24 169 DA1	4005176712340	179	347.07	24 260 000	4005176758362	78	363.33
24 169 DC1	4005176712357	179	323.92	24 260 DAO	4005176758379	78	545.00
24 169 DL1	4005176712364	179	370.20	24 260 IGO	4005176758386	78	436.00
24 169 GL1	4005176711503	179	347.07	24 277 000	4005176759918	60	406.06
24 169 GN1	4005176711510	179	370.20	24 277 AL0	4005176759925	60	649.69
24 170 001	4005176698293	173	315.22	24 277 DC0	4005176759932	60	568.49
24 170 A01	4005176711619	173	472.83	24 279 000	4005176759949	60	446.67
24 170 AL1	4005176711626	173	504.36	24 279 AL0	4005176759956	60	714.66
24 170 DA1	4005176711640	173	472.83	24 279 DC0	4005176759963	60	625.34
24 170 DC1	4005176711657	173	441.31	24 340 000	4005176759970	61	473.08
24 170 DL1	4005176711664	173	504.36	24 340 AL0	4005176759987	61	756.94
24 170 GL1	4005176711688	173	472.83	24 340 DC0	4005176759994	61	662.33
24 170 GN1	4005176711695	173	504.36	24 341 000	4005176759659	58	651.27
24 170 KF1	4005176782374	173	441.31	24 341 AL0	4005176759673	58	1,042.03
24 171 001	4005176698309	170	181.18	24 341 DC0	4005176759680	58	911.78
24 171 A01	4005176711428	170	271.77	24 342 000	4005176759697	58	651.27
24 171 AL1	4005176711435	170	289.89	24 342 AL0	4005176759703	58	1,042.03
24 171 DA1	4005176711459	170	271.77	24 342 DC0	4005176759710	58	911.78
24 171 DC1	4005176711466	170	253.65	24 344 000	4005176759734	58	809.68
24 171 DL1	4005176711473	170	289.89	24 344 AL0	4005176759741	58	1,295.50
24 171 GL1	4005176711497	170	271.77	24 344 DC0	4005176759758	58	1,133.57
24 171 GN1	4005176712036	170	289.89	24 345 000	4005176759765	58	809.68
24 172 001	4005176698316	170	175.29	24 345 AL0	4005176759772	58	1,295.50
24 172 A01	4005176712043	170	262.93	24 345 DC0	4005176759789	58	1,133.57
24 172 AL1	4005176712050	170	280.46	24 346 000	4005176759796	58	1,003.31
24 172 DA1	4005176712074	170	262.93	24 346 AL0	4005176759819	58	1,605.30
24 172 DC1	4005176712081	170	245.41	24 346 DC0	4005176759826	58	1,404.63
24 172 DL1	4005176712098	170	280.46	24 347 000	4005176759833	60	739.28
24 172 GL1	4005176712111	170	262.93	24 347 AL0	4005176759857	60	1,182.86
24 172 GN1	4005176712128	170	280.46	24 347 DC0	4005176759864	60	1,035.00
24 172 KF1	4005176782398	170	245.41	24 348 000	4005176759871	62	2,921.93
24 173 001	4005176698323	172	212.11	24 348 001	4005176770616	62	2,921.93
24 173 A01	4005176712005	172	318.16	24 348 AL0	4005176759895	62	4,675.09
24 173 AL1	4005176712012	172	339.39	24 348 DC0	4005176759901	62	4,090.70
24 173 DA1	4005176711275	172	318.16	24 353 000	4005176761300	29	521.82
24 173 DC1	4005176711282	172	296.95	24 353 AL0	4005176761317	29	834.91
24 173 DL1	4005176711299	172	339.39	24 353 DAO	4005176761324	29	782.73
24 173 GL1	4005176711312	172	318.16	24 353 DC0	4005176761331	29	730.55
24 173 GN1	4005176711329	172	339.39	24 353 DL0	4005176952111	29	834.91
24 174 001	4005176698330	172	232.74	24 353 GL0	4005176761560	29	782.73
24 174 A01	4005176711527	172	349.11	24 353 GN0	4005176952128	29	834.91
24 174 AL1	4005176711534	172	372.38	24 354 000	4005176762062	23	352.25
24 174 DA1	4005176711558	172	349.11	24 354 AL0	4005176761577	23	563.60

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
24 354 DA0	4005176761584	23	528.38	24 365 GN0	4005176952326	21	1,031.35
24 354 DC0	4005176761591	23	493.15	24 366 000	4005176762239	22	552.51
24 354 DL0	4005176952135	23	563.60	24 366 AL0	4005176761027	22	884.02
24 354 GL0	4005176761607	23	528.38	24 366 DA0	4005176761034	22	828.77
24 354 GN0	4005176952142	23	563.60	24 366 DC0	4005176761041	22	773.52
24 355 000	4005176762079	23	387.48	24 366 DL0	4005176952333	22	884.02
24 355 AL0	4005176761614	23	619.96	24 366 GL0	4005176761058	22	828.77
24 355 DA0	4005176761621	23	581.22	24 366 GN0	4005176952340	22	884.02
24 355 DC0	4005176761638	23	542.46	24 367 000	4005176762246	23	644.60
24 355 DL0	4005176952159	23	619.96	24 367 AL0	4005176761065	23	1,031.35
24 355 GL0	4005176761645	23	581.22	24 367 DA0	4005176761072	23	966.89
24 355 GN0	4005176952166	23	619.96	24 367 DC0	4005176761089	23	902.43
24 356 000	4005176762086	24	414.29	24 367 DL0	4005176952357	23	1,031.35
24 356 AL0	4005176761652	24	662.88	24 367 GL0	4005176761096	23	966.89
24 356 DA0	4005176761669	24	621.44	24 367 GN0	4005176952364	23	1,031.35
24 356 DC0	4005176761164	24	580.01	24 368 000	4005176761102	26	1,780.31
24 356 DL0	4005176952173	24	662.88	24 368 AL0	4005176761119	26	2,848.51
24 356 GL0	4005176761171	24	621.44	24 368 DA0	4005176761126	26	2,670.48
24 356 GN0	4005176952180	24	662.88	24 368 DC0	4005176761133	26	2,492.45
24 357 000	4005176762093	24	680.35	24 368 DL0	4005176952371	26	2,848.51
24 357 AL0	4005176761188	24	1,088.57	24 368 EN0	4005176761140	26	2,848.51
24 357 DA0	4005176761195	24	1,020.55	24 368 GL0	4005176761157	26	2,670.48
24 357 DC0	4005176761201	24	952.51	24 369 000	4005176758089	76	406.60
24 357 DL0	4005176952197	24	1,088.57	24 369 DA0	4005176758102	76	609.90
24 357 GL0	4005176761218	24	1,020.55	24 369 IG0	4005176758119	76	528.58
24 357 GN0	4005176952203	24	1,088.57	24 370 000	4005176758133	76	406.60
24 358 000	4005176762109	25	727.75	24 370 IG0	4005176758157	76	528.58
24 358 AL0	4005176761348	25	1,164.39	24 371 000	4005176758164	76	538.73
24 358 DA0	4005176761355	25	1,091.62	24 371 IG0	4005176758171	76	700.36
24 358 DC0	4005176761362	25	1,018.84	24 372 000	4005176758195	77	457.41
24 358 DL0	4005176952210	25	1,164.39	24 372 IG0	4005176758218	77	594.63
24 358 GL0	4005176761379	25	1,091.62	24 373 000	4005176758232	78	474.36
24 358 GN0	4005176952227	25	1,164.39	24 373 IG0	4005176758256	78	616.67
24 359 000	4005176762116	25	727.75	24 374 000	4005176758263	78	592.96
24 359 AL0	4005176761386	25	1,164.39	24 374 IG0	4005176758287	78	770.84
24 359 DA0	4005176761393	25	1,091.62	24 375 000	4005176758300	79	1,900.82
24 359 DC0	4005176761409	25	1,018.84	24 375 IG0	4005176758317	79	2,471.07
24 359 DL0	4005176952234	25	1,164.39	24 395 KF1	4005176782428	176	253.65
24 359 GL0	4005176761416	25	1,091.62	24 396 000	4005176786204	40	970.44
24 359 GN0	4005176952241	25	1,164.39	24 396 AL0	4005176786242	40	1,552.70
24 362 000	4005176760846	21	460.42	24 396 DA0	4005176786235	40	1,455.67
24 362 AL0	4005176760853	21	736.69	24 396 DC0	4005176786211	40	1,358.61
24 362 DA0	4005176760860	21	690.64	24 396 DL0	4005176951817	40	1,552.71
24 362 DC0	4005176760877	21	644.60	24 396 GL0	4005176786228	40	1,455.67
24 362 DL0	4005176952258	21	736.69	24 396 GN0	4005176951824	40	1,552.71
24 362 GL0	4005176760884	21	690.64	24 397 000	4005176795541	67	969.30
24 362 GN0	4005176952265	21	736.69	24 397 AL0	4005176795565	67	1,550.87
24 363 000	4005176762215	21	399.04	24 397 DC0	4005176795558	67	1,453.94
24 363 AL0	4005176760891	21	638.46	24 398 000	4005176795572	67	969.30
24 363 DA0	4005176760907	21	598.56	24 398 AL0	4005176795596	67	1,550.87
24 363 DC0	4005176760914	21	558.65	24 398 DC0	4005176795589	67	1,453.94
24 363 DL0	4005176952272	21	638.46	24 399 000	4005176794933	67	969.30
24 363 GL0	4005176760921	21	598.56	24 399 AL0	4005176794957	67	1,550.87
24 363 GN0	4005176952289	21	638.46	24 399 DC0	4005176794940	67	1,453.94
24 364 000	4005176762222	22	521.82	24 400 000	4005176794964	67	1,205.04
24 364 AL0	4005176760938	22	834.91	24 400 AL0	4005176795428	67	1,928.07
24 364 DA0	4005176760945	22	782.73	24 400 DC0	4005176794971	67	1,807.57
24 364 DC0	4005176760952	22	730.55	24 408 000	4005176795435	68	1,553.73
24 364 DL0	4005176952296	22	834.91	24 408 AL0	4005176795459	68	2,485.97
24 364 GL0	4005176760969	22	782.73	24 408 DC0	4005176795442	68	2,175.22
24 364 GN0	4005176952302	22	834.91	24 414 000	4005176795466	68	1,553.73
24 365 000	4005176760976	21	644.60	24 414 AL0	4005176794865	68	2,485.97
24 365 AL0	4005176760983	21	1,031.35	24 414 DC0	4005176794056	68	2,175.22
24 365 DA0	4005176760990	21	966.89	24 417 000	4005176794872	68	1,493.22
24 365 DC0	4005176761003	21	902.43	24 417 AL0	4005176794902	68	2,389.16
24 365 DL0	4005176952319	21	1,031.35	24 417 DC0	4005176794896	68	2,239.84
24 365 GL0	4005176761010	21	966.89	24 418 000	4005176794919	68	1,493.22

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
24 418 AL0	4005176795473	68	2,389.16	25 224 DC0	4005176508851	44	2,578.70
24 418 DC0	4005176794926	68	2,239.84	25 224 DL0	4005176508837	44	2,947.09
24 419 000	4005176795480	69	1,493.22	25 224 GL0	4005176508790	44	2,762.89
24 419 AL0	4005176795503	69	2,389.16	25 224 GN0	4005176508776	44	2,947.09
24 419 DC0	4005176795497	69	2,239.84	25 226 000	4005176508554	39	1,841.93
24 422 000	4005176795169	74	4,348.73	25 226 AL0	4005176508516	39	2,947.09
24 422 AL0	4005176795183	74	6,957.97	25 226 DA0	4005176508479	39	2,762.89
24 422 DC0	4005176795176	74	6,523.08	25 226 DC0	4005176508455	39	2,578.70
24 423 000	4005176795312	75	4,348.73	25 226 DL0	4005176508431	39	2,947.09
24 423 AL0	4005176795336	75	6,957.97	25 226 GL0	4005176508394	39	2,762.89
24 423 DC0	4005176795329	75	6,523.08	25 226 GN0	4005176508370	39	2,947.09
24 424 000	4005176795190	75	4,348.73	25 227 000	4005176508356	42	3,069.88
24 424 AL0	4005176795213	75	6,957.97	25 227 AL0	4005176508318	42	4,911.77
24 424 DC0	4005176795206	75	6,523.08	25 227 DA0	4005176508271	42	4,604.79
24 425 000	4005176795220	71	620.42	25 227 DC0	4005176508257	42	4,297.84
24 425 AL0	4005176795244	71	992.68	25 227 DL0	4005176508233	42	4,911.81
24 425 DC0	4005176795237	71	930.64	25 227 GL0	4005176508196	42	4,604.79
24 426 000	4005176795251	72	620.42	25 227 GN0	4005176508172	42	4,911.81
24 426 AL0	4005176795275	72	992.68	25 229 000	4005176507977	37	3,069.88
24 426 DC0	4005176795268	72	930.64	25 229 AL0	4005176507939	37	4,911.77
24 427 000	4005176795282	72	620.42	25 229 DA0	4005176507892	37	4,604.79
24 427 AL0	4005176795305	72	992.68	25 229 DC0	4005176507878	37	4,297.84
24 427 DC0	4005176795299	72	930.64	25 229 DL0	4005176507854	37	4,911.81
24 428 000	4005176795343	72	950.22	25 229 GL0	4005176507816	37	4,604.79
24 428 AL0	4005176795367	72	1,520.34	25 229 GN0	4005176507793	37	4,911.81
24 428 DC0	4005176795350	72	1,425.32	25 231 001	4005176554599	258	194.38
24 429 000	4005176795374	73	950.22	25 232 001	4005176554605	258	240.80
24 429 AL0	4005176795398	73	1,520.34	25 241 003	4005176644221	242, 629	136.94
24 429 DC0	4005176795381	73	1,425.32	25 242 003	4005176644238	243, 629	119.24
24 430 000	4005176795404	73	950.22	25 243 003	4005176644320	244, 632	136.94
24 430 AL0	4005176794889	73	1,520.34	25 244 003	4005176644337	245, 632	119.24
24 430 DC0	4005176795411	73	1,425.32	25 246 001	4005176674228	251	269.56
25				25 248 001	4005176698255	181	1,325.72
25 098 003	4005176644290	238	176.93	25 248 A01	4005176711336	181	1,988.57
25 098 2433	4067393016205	238	294.19	25 248 AL1	4005176711343	181	2,121.13
25 102 000	4005176881671	198	201.29	25 248 DA1	4005176711367	181	1,988.57
25 104 000	4005176881794	137	292.15	25 248 DC1	4005176711374	181	1,855.99
25 105 003	4005176644306	238	204.15	25 248 DL1	4005176711381	181	2,121.13
25 109 000	4005176881848	198	226.46	25 248 GL1	4005176711404	181	1,988.57
25 113 000	4005176881862	136	332.00	25 248 GN1	4005176711411	181	2,121.13
25 128 000	4005176905209	225	190.54	25 248 KF1	4067393019862	181	1,855.99
25 129 000	4005176905216	225	217.76	25 249 001	4005176698262	177	294.60
25 132 003	4005176529870	164	332.00	25 250 001	4005176698354	177	246.00
25 133 003	4005176529887	164	358.55	25 250 A01	4005176712449	177	368.99
25 136 000	4005176906763	153	426.84	25 250 AL1	4005176712456	177	393.59
25 137 000	4005176906770	153	474.27	25 250 DA1	4005176712470	177	368.99
25 216 001	4005176556654	252	163.32	25 250 DC1	4005176712487	177	344.39
25 217 001	4005176556661	252	190.54	25 250 DL1	4005176712494	177	393.59
25 219 001	4005176466373	226	473.93	25 250 GL1	4005176711169	177	368.99
25 221 001	4005176509438	51	1,545.41	25 250 GN1	4005176711176	177	393.59
25 221 AL1	4005176509391	51	2,472.66	25 250 KF1	4005176782404	177	344.39
25 221 DA1	4005176509339	51	2,318.11	25 251 001	4005176698361	180	839.61
25 221 DC1	4005176954252	51	2,163.57	25 251 A01	4005176711824	180	1,259.43
25 221 DL1	4005176509315	51	2,472.66	25 251 AL1	4005176711831	180	1,343.39
25 221 GL1	4005176509278	51	2,318.11	25 251 DA1	4005176711855	180	1,259.43
25 221 GN1	4005176509254	51	2,472.66	25 251 DC1	4005176711862	180	1,175.47
25 222 001	4005176509230	52	2,459.41	25 251 DL1	4005176711114	180	1,343.39
25 222 AL1	4005176509193	52	3,935.06	25 251 GL1	4005176711893	180	1,259.43
25 222 DA1	4005176509131	52	3,689.11	25 251 KF1	4067393019879	180	1,175.47
25 222 DC1	4005176954269	52	3,443.17	25 252 001	4005176698385	176	200.33
25 222 DL1	4005176509117	52	3,935.06	25 252 A01	4005176711183	176	300.49
25 222 GL1	4005176509070	52	3,689.11	25 252 AL1	4005176711190	176	320.53
25 222 GN1	4005176509056	52	3,935.06	25 252 DA1	4005176711213	176	300.49
25 224 000	4005176508950	44	1,841.93	25 252 DC1	4005176711220	176	280.46
25 224 AL0	4005176508912	44	2,947.09	25 252 DL1	4005176711237	176	320.53
25 224 DA0	4005176508875	44	2,762.89	25 252 GL1	4005176711251	176	300.49
				25 252 GN1	4005176711268	176	320.53

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
25 252 KF1	4005176782381	176	280.46	26 087 000	4005176940828	405	1,296.83
25 268 000	088754140470	29	736.69	26 090 001	4005176443992	434, 498	78.43
25 268 AL0	4005176761447	29	1,178.69	26 130 004	4005176680915	474	29.04
25 268 DA0	4005176761454	29	1,105.02	26 145 000	4005176986000	443	98.20
25 268 DC0	4005176761461	29	1,031.35	26 146 000	4005176986017	443	98.20
25 268 DL0	4005176952395	29	1,178.69	26 161 003	4005176680649	466	26.35
25 268 GL0	4005176761478	29	1,105.02	26 162 003	4005176680489	468	62.13
25 268 GN0	4005176952401	29	1,178.69	26 163 003	4005176768507	470	69.42
25 272 000	4005176762154	30	2,302.13	26 164 003	4005176767487	472	38.87
25 272 AL0	4005176761485	30	3,683.42	26 171 000	4005176997310	431	467.44
25 272 DA0	4005176761492	30	3,453.20	26 187 000	4005176310744	405	821.94
25 272 DC0	4005176761508	30	3,222.99	26 223 001	4005176408144	496	569.57
25 272 DL0	4005176952418	30	3,683.42	26 224 001	4005176408168	496	395.47
25 272 EN0	4005176761515	30	3,683.42	26 243 000	4005176316326	408	586.25
25 272 GL0	4005176761522	30	3,453.20	26 250 000	4005176316999	391	1,700.86
25 272 GN0	4005176952425	30	3,683.42	26 250 LSO	4005176317002	391	1,700.86
25 275 002	4005176766510	204	226.98	26 254 000	4005176317026	393, 426	706.02
25 276 003	4005176766527	237	155.21	26 254 LSO	4005176409806	393, 426	706.02
25 279 000	4005176766565	268, 630	342.81	26 256 000	4005176318597	430	806.67
25 286 003	4005176766794	213	225.35	26 257 000	4005176317927	430	585.94
25 287 000	4005176791635	179	825.79	26 264 001	4005176417108	393, 426	128.37
25 287 AL0	4005176791802	179	1,321.26	26 267 001	4005176444197	434, 500	63.55
25 287 DA0	4005176791819	179	1,238.69	26 302 002	4005176767005	414	354.13
25 287 DC0	4005176791796	179	1,156.11	26 305 002	4005176767043	416	479.63
25 287 DL0	4005176791826	179	1,321.26	26 308 001	4005176843129	262	66.66
25 287 GL0	4005176791833	179	1,238.69	26 330 001	4005176843112	262	88.20
25 287 GN0	4005176791840	179	1,321.26	26 334 001	4005176775338	482	25.71
25 288 000	4005176791642	226, 239	511.05	26 335 001	4005176775321	482	28.92
25 289 000	4005176791659	144, 153	603.32	26 346 001	4005176775314	482	32.09
25 290 000	4005176791666	251	508.98	26 352 000	4005176333835	479	37.71
25 291 000	4005176791673	252	538.07	26 353 000	4005176333866	479	41.72
25 450 001	4005176843372	262	126.75	26 354 000	4005176333873	479	46.54
25 452 001	4005176843075	262	133.30	26 355 IL0	4005176333880	480	31.28
25 460 10A	4005176456541	262	154.14	26 356 IL0	4005176333903	480	36.91
26				26 357 000	4005176333927	480	83.44
26 050 001	4005176444166	440, 502	51.04	26 358 000	4005176333941	480	128.37
26 051 001	4005176443954	440, 498	57.29	26 361 000	4005176347580	391	1,540.40
26 052 000	4005176937064	431	437.05	26 361 LSO	4005176409707	391	1,540.40
26 056 000	4005176937101	430	606.44	26 370 000	4005176341380	108, 491	44.93
26 062 000	4005176937163	431	437.05	26 370 DA0	4005176556845	108, 491	71.89
26 063 000	4005176937170	431	437.05	26 370 GL0	4005176556876	108, 491	71.89
26 066 000	4005176937200	430	606.44	26 381 001	4005176451980	497	272.80
26 066 A00	4005176427237	430	970.30	26 383 000	4005176369025	406	733.56
26 066 AL0	4005176427220	430	1,030.95	26 385 000	4005176375057	394, 425	17.06
26 066 DA0	4005176427206	430	970.30	26 405 000	4005176385162	464	109.75
26 066 DC0	4005176371172	430	849.02	26 406 003	4005176680793	473	56.23
26 066 DL0	4005176427213	430	1,030.95	26 408 000	4005176390111	440, 502	100.44
26 066 GL0	4005176427183	430	970.30	26 409 000	4005176390128	440, 502	100.44
26 066 GN0	4005176427190	430	1,030.95	26 410 000	4005176390142	440, 502	100.44
26 067 000	4005176937217	431	606.44	26 412 000	4005176390173	434, 500	177.84
26 067 A00	4005176427312	431	970.30	26 443 000	4005176409875	392	1,700.86
26 067 AL0	4005176427305	431	1,030.95	26 443 LSO	4005176409882	392	1,700.86
26 067 DA0	4005176427282	431	970.30	26 446 000	4005176409905	392	1,540.40
26 067 DC0	4005176371189	431	849.02	26 446 LSO	4005176409912	392	1,540.40
26 067 DL0	4005176427299	431	1,030.95	26 449 000	4005176409790	325, 393	157.31
26 067 GL0	4005176427268	431	970.30	26 450 000	4005176409813	393, 426	609.74
26 067 GN0	4005176427275	431	1,030.95	26 450 LSO	4005176409820	393, 426	609.74
26 073 000	4005176937279	432, 465	267.39	26 452 002	4005176767067	418	265.38
26 075 001	4005176648014	402	661.48	26 455 000	4005176416903	438	147.56
26 075 A00	4005176425387	402	1,252.77	26 457 000	4005176416934	438	147.56
26 075 AL0	4005176425370	402	1,331.08	26 458 000	4005176416958	432, 461	244.97
26 075 DA0	4005176425356	402	1,252.77	26 459 000	4005176416965	432, 461	244.97
26 075 DC0	4005176371219	402	1,096.18	26 460 000	4005176416972	432, 461	194.79
26 075 DL0	4005176425363	402	1,331.08	26 461 000	4005176416989	432, 461	194.79
26 075 GL0	4005176425332	402	1,252.77	26 468 000	4005176423963	439	166.44
26 075 GN0	4005176425349	402	1,331.08	26 472 000	4005176424908	437	573.38
				26 475 000	4005176423758	426	577.07

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
26 475 A00	4005176557095	426	923.31	26 558 AL0	4005176557583	429	704.20
26 475 AL0	4005176557101	426	981.02	26 558 DA0	4005176557606	429	662.77
26 475 DA0	4005176557125	426	923.31	26 558 DC0	4005176526299	429	579.93
26 475 DC0	4005176526237	426	807.90	26 558 DL0	4005176557613	429	704.20
26 475 DL0	4005176557132	426	981.02	26 558 GL0	4005176557637	429	662.77
26 475 GL0	4005176557156	426	923.31	26 558 GN0	4005176557644	429	704.20
26 475 GN0	4005176557163	426	981.02	26 559 000	4005176481734	429	414.24
26 475 LS0	4005176425899	426	758.18	26 560 000	4005176481741	429	414.24
26 477 000	4005176423772	427	577.07	26 560 A00	4005176557651	429	662.77
26 477 A00	4005176557170	427	923.31	26 560 AL0	4005176557668	429	704.20
26 477 AL0	4005176557187	427	981.02	26 560 DA0	4005176557682	429	662.77
26 477 DA0	4005176557200	427	923.31	26 560 DC0	4005176526305	429	579.93
26 477 DC0	4005176526244	427	807.90	26 560 DL0	4005176557699	429	704.20
26 477 DL0	4005176557217	427	981.02	26 560 GL0	4005176557712	429	662.77
26 477 GL0	4005176557231	427	923.31	26 560 GN0	4005176557729	429	704.20
26 477 GN0	4005176557248	427	981.02	26 561 000	4005176481758	435	339.73
26 477 LS0	4005176425912	427	758.18	26 561 LS0	4005176482137	435	441.66
26 479 000	4005176425196	427	607.77	26 562 000	4005176481765	435	339.73
26 479 A00	4005176557255	427	972.42	26 563 000	4005176481772	429	444.04
26 479 AL0	4005176557262	427	1,033.20	26 564 000	4005176481789	429	444.04
26 479 DA0	4005176557286	427	972.42	26 564 A00	4005176557736	429	843.66
26 479 DC0	4005176526251	427	850.87	26 564 AL0	4005176557743	429	888.07
26 479 DL0	4005176557293	427	1,033.20	26 564 DA0	4005176557767	429	710.46
26 479 GL0	4005176557316	427	972.42	26 564 DL0	4005176557774	429	888.07
26 479 GN0	4005176557323	427	1,033.20	26 564 GL0	4005176557798	429	710.46
26 479 LS0	4005176425936	427	788.87	26 564 GN0	4005176557804	429	888.07
26 481 000	4005176425219	427	607.77	26 565 000	4005176482090	430	444.04
26 481 A00	4005176557330	427	972.42	26 566 000	4005176482106	430	444.04
26 481 AL0	4005176557347	427	1,033.20	26 566 A00	4005176557811	430	843.66
26 481 DA0	4005176557361	427	972.42	26 566 AL0	4005176557828	430	888.07
26 481 DC0	4005176526268	427	850.87	26 566 DA0	4005176557842	430	710.46
26 481 DL0	4005176557378	427	1,033.20	26 566 DC0	4005176526282	430	754.86
26 481 GL0	4005176557392	427	972.42	26 566 DL0	4005176557859	430	888.07
26 481 GN0	4005176557408	427	1,033.20	26 566 GL0	4005176557873	430	710.46
26 481 LS0	4005176425950	427	788.87	26 566 GN0	4005176557880	430	888.07
26 483 000	4005176425103	428	119.72	26 567 000	4005176482113	436	369.53
26 484 000	4005176425110	428	119.72	26 567 LS0	4005176482151	436	480.40
26 507 000	4005176457586	166, 399	1,085.69	26 568 000	4005176482120	436	369.53
26 507 A00	4005176557415	399	1,845.67	26 568 LS0	4005176482168	436	480.40
26 507 AL0	4005176557422	166, 399	1,954.23	26 569 000	4005176482175	435	339.73
26 507 DA0	4005176557446	399	1,845.67	26 569 EN0	4005176482182	435	577.55
26 507 DC0	4005176526374	166, 399	1,628.54	26 570 000	4005176482199	436	369.53
26 507 DL0	4005176557453	399	1,954.23	26 570 EN0	4005176482205	436	628.20
26 507 GL0	4005176557477	399	1,845.67	26 574 000	4005176485916	447	87.04
26 507 GN0	4005176557484	399	1,954.23	26 574 A00	4005176558450	447	147.96
26 507 LS0	4005176457609	166, 399	1,254.21	26 574 AL0	4005176558467	447	156.67
26 508 000	4005176457593	166, 400	1,085.69	26 574 DA0	4005176558481	447	147.96
26 508 A00	4005176557491	400	1,845.67	26 574 DC0	4005176526459	447	130.55
26 508 AL0	4005176557507	166, 400	1,954.23	26 574 DL0	4005176558498	447	156.67
26 508 DA0	4005176557521	400	1,737.10	26 574 GL0	4005176558511	447	147.96
26 508 DC0	4005176526367	166, 400	1,628.54	26 574 GN0	4005176558528	447	156.67
26 508 DL0	4005176557538	400	1,954.23	26 574 LS0	4005176485923	447	87.04
26 508 GL0	4005176557552	400	1,737.10	26 575 000	4005176485947	447	185.97
26 508 GN0	4005176557569	400	1,954.23	26 578 000	4005176485985	448	190.85
26 508 LS0	4005176457616	166, 400	1,254.21	26 578 LS0	4005176486197	448	190.85
26 509 000	4005176457623	401	942.04	26 579 LS0	4005176486203	448	191.42
26 510 000	4005176457630	401	1,096.74	26 580 000	4005176486210	448	143.61
26 513 000	4005176457722	457	73.97	26 580 LS0	4005176486227	448	143.61
26 514 000	4005176476099	495	461.87	26 581 000	4005176486234	448	121.85
26 544 000	4005176478888	447	86.61	26 581 LS0	4005176486241	448	121.85
26 546 000	4005176479816	447	185.39	26 582 000	4005176486258	449	87.04
26 550 000	4005176479854	449	86.61	26 582 A00	4005176558535	449	147.96
26 552 000	4005176486272	449	88.34	26 582 AL0	4005176558542	449	156.67
26 553 000	4005176479885	451	108.62	26 582 DA0	4005176558566	449	139.26
26 557 000	4005176481710	429	414.24	26 582 DC0	4005176526466	449	130.55
26 558 000	4005176481727	429	414.24	26 582 DL0	4005176558573	449	156.67
26 558 A00	4005176557576	429	662.77	26 582 GL0	4005176558597	449	139.26

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
26 582 GN0	4005176558603	449	156.67	26 670 001	4005176766879	411	465.77
26 582 LS0	4005176486265	449	87.04	26 670 2431	4067393015970	411	605.50
26 583 000	4005176486289	449	185.39	26 671 001	4005176766886	411	493.34
26 584 000	4005176486296	449	185.97	26 672 001	4005176766916	414	603.57
26 584 LS0	4005176486302	450	185.97	26 673 001	4005176766930	415	424.43
26 585 000	4005176486319	449	188.76	26 674 001	4005176766947	416	562.24
26 586 000	4005176486333	450	190.85	26 675 001	4005176766954	417	281.41
26 586 LS0	4005176486357	450	190.85	26 681 000	4005176580680	439, 501	139.26
26 587 000	4005176486340	450	191.42	26 682 000	4005176580697	433, 500	229.40
26 587 LS0	4005176486364	450	191.42	26 683 000	4005176580703	433, 501	185.20
26 588 000	4005176486371	451	143.61	26 685 000	4005176580727	439, 501	124.75
26 588 LS0	4005176486388	451	143.61	26 687 000	4005176580741	433, 500	214.90
26 589 000	4005176486395	450	121.85	26 688 000	4005176580758	433, 501	170.70
26 589 LS0	4005176486401	451	121.85	26 689 001	4005176766176	419	465.77
26 590 000	4005176486418	451	109.53	26 690 001	4005176766183	420	493.34
26 591 000	4005176486425	452	220.26	26 691 001	4005176766206	420	603.57
26 592 000	4005176486449	452	220.84	26 692 001	4005176766220	421	424.43
26 592 LS0	4005176486432	452	220.84	26 693 001	4005176766237	422	562.24
26 593 000	4005176486456	452	226.47	26 694 001	4005176766244	422	281.41
26 594 000	4005176486470	452	227.05	26 699 001	4005176766992	413	354.13
26 594 LS0	4005176486463	453	227.05	26 723 000	4005176648021	403	661.48
26 602 000	4005176486531	453, 485	112.56	26 746 003	4005176680892	474	26.35
26 603 000	4005176486548	453, 485	118.38	26 748 003	4005176681288	475	62.13
26 603 A00	4005176558696	453, 485	236.74	26 749 004	4005176681301	476	67.99
26 603 AL0	4005176558702	453, 485	260.42	26 759 004	4005176680625	469	59.95
26 603 BE0	4005176558719	453, 485	236.74	26 771 003	4005176680373	470	78.99
26 603 DA0	4005176558726	453, 485	236.74	26 801 000	4005176722769	104	142.18
26 603 DL0	4005176558733	453, 485	260.42	26 801 A00	4005176722806	104	227.48
26 603 EN0	4005176558740	453, 485	260.42	26 801 AL0	4005176722844	104	241.70
26 603 GL0	4005176558757	453, 485	236.74	26 801 BE0	4005176722813	104	227.48
26 603 GN0	4005176558764	453, 485	260.42	26 801 DA0	4005176722851	104	227.48
26 608 000	4005176518577	400	1,032.60	26 801 DC0	4005176722837	104	199.04
26 638 003	4005176768460	468	71.55	26 801 DL0	4005176722868	104	241.70
26 639 003	4005176680304	471	47.41	26 801 EN0	4005176722783	104	241.70
26 640 000	4005176530203	428	687.02	26 801 GL0	4005176722790	104	227.48
26 641 000	4005176530210	435	633.12	26 801 GN0	4005176722820	104	241.70
26 642 000	4005176530227	428	714.99	26 802 000	4005176722776	63, 104	142.18
26 643 000	4005176530234	435	662.58	26 802 A00	4005176722875	104	227.48
26 647 000	4005176533013	395	946.16	26 802 AL0	4005176722905	63, 104	241.70
26 647 LS0	4005176533051	395	1,088.08	26 802 DC0	4005176722899	63, 104	199.04
26 648 000	4005176533020	395	946.16	26 802 DL0	4005176722912	104	241.70
26 648 LS0	4005176533068	395	1,088.08	26 802 GN0	4005176722882	104	241.70
26 649 000	4005176533037	396	946.16	26 811 001	4005176766985	413	345.58
26 652 000	4005176533044	396	946.16	26 818 001	4005176766909	412	420.54
26 657 000	4005176533075	396	1,088.08	26 833 001	4005176766893	412	465.77
26 658 A00	4005176950001	108, 490	104.99	26 837 DA0	4005176950148	396	1,513.85
26 658 AL0	4005176950018	108, 490	111.55	26 837 GL0	4005176950155	396	1,513.85
26 658 DA0	4005176950025	108, 490	104.99	26 839 000	4005176754227	107	81.83
26 658 DC0	4005176950032	108, 490	91.87	26 840 000	4005176754234	107	199.67
26 658 DL0	4005176950049	108, 490	111.55	26 841 000	4005176754241	107	202.94
26 658 GL0	4005176950056	108, 490	104.99	26 842 000	4005176754258	107	98.20
26 658 GN0	4005176950063	108, 490	111.55	26 843 000	4005176754265	107	202.94
26 659 A00	4005176950070	108, 490	104.99	26 847 000	4005176755057	64, 106	36.07
26 659 AL0	4005176950087	108, 490	111.55	26 847 AL0	4005176755064	64, 106	61.32
26 659 DA0	4005176950094	108, 490	104.99	26 847 DC0	4005176755071	64, 106	50.50
26 659 DC0	4005176950100	108, 490	91.87	26 850 000	4005176754456	64, 106	57.73
26 659 DL0	4005176950117	108, 490	111.55	26 850 AL0	4005176754463	64, 106	98.15
26 659 GL0	4005176950124	108, 490	104.99	26 850 DC0	4005176754470	64, 106	80.82
26 659 GN0	4005176950131	108, 490	111.55	26 852 000	4005176758492	80	128.75
26 662 000	4005176580499	438, 439	139.26	26 852 IG0	4005176758515	80	167.36
26 663 000	4005176580505	432, 500	229.40	26 853 000	4005176758522	81	267.64
26 664 000	4005176580512	433, 501	185.20	26 853 IG0	4005176758539	81	347.94
26 666 000	4005176580536	438, 439	124.75	26 854 000	4005176758546	81, 82	508.21
26 668 000	4005176580550	432, 500	214.90	26 854 EN0	4005176758553	81, 82	863.97
26 668 2430	4067393015758	433, 500	279.36	26 855 000	4005176759024	101	243.09
26 669 000	4005176580567	433, 501	170.70	26 856 000	4005176759031	63, 102	621.59
26 669 2430	4067393015765	433, 501	221.91	26 857 000	4005176759055	101	538.69

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
26 858 000	4005176759079	63, 102	621.59	26 900 IG0	4005176758638	81, 109	149.74
26 859 000	4005176758836	63, 102	569.50	26 901 000	4005176757518	80	176.18
26 860 000	4005176758843	101	538.69	26 901 00F	4005176757525	80	176.18
26 861 000	4005176758850	102	538.69	26 901 IG0	4005176757501	80	229.03
26 862 000	4005176758867	101	520.46	26 902 003	4005176767395	474	26.34
26 863 000	4005176758874	96	25,673.42	26 904 003	4005176767449	476	68.63
26 864 000	4005176758881	97	1,251.58	26 905 003	4005176767456	476	68.63
26 865 000	4005176758898	96	2,438.97	26 907 003	4005176768231	475	71.55
26 866 000	4005176758904	105	164.86	26 908 003	4005176768262	477	69.42
26 866 A00	4005176758911	105	263.78	26 909 003	4005176768279	476	78.99
26 866 AL0	4005176758928	105	280.27	26 910 003	4005176768316	478	56.23
26 866 BE0	4005176758935	105	263.78	26 914 003	4005176768378	466	34.90
26 866 DA0	4005176758942	105	263.78	26 915 003	4005176768422	468	62.12
26 866 DC0	4005176758959	105	230.81	26 917 003	4005176768477	467	78.98
26 866 DL0	4005176758966	105	280.27	26 918 003	4005176768484	467	81.25
26 866 EN0	4005176758973	105	280.27	26 919 003	4005176767463	472	40.71
26 866 GL0	4005176758980	105	263.78	26 920 003	4005176767470	471	44.51
26 866 GN0	4005176758997	105	280.27	26 921 003	4005176767494	472	46.92
26 867 000	4005176759000	106	108.24	26 971 001	4005176768187	478, 486	74.71
26 868 000	4005176759116	103	555.65	26 975 001	4005176766213	421	592.24
26 871 000	4005176759147	102	521.98	26 976 001	4005176766251	423	281.41
26 872 000	4005176759161	102	521.98	26 977 001	40051767666862	423	272.78
26 873 000	4005176759178	100	2,171.26	26 978 001	4005176766923	415	592.24
26 874 000	4005176759192	100	715.29	26 979 001	4005176766961	417	281.41
26 876 000	4005176759215	103	555.67	26 980 001	4005176766978	418	272.78
26 877 000	4005176759222	103	555.67	27			
26 877 00D	4005176759239	102	555.67	27 055 000	4005176830433	486	50.29
26 878 000	4005176759246	110	360.77	27 056 000	4005176830440	487	32.89
26 879 000	4005176759253	110	275.12	27 057 000	4005176830457	108, 490	58.73
26 880 000	4005176759260	110	687.82	27 057 A00	4005176338953	108, 490	93.97
26 883 000	4005176759291	100	775.72	27 057 AL0	4005176338960	108, 490	99.83
26 884 000	4005176759307	64, 106	108.25	27 057 DA0	4005176338939	108, 490	93.97
26 885 000	4005176759314	106	108.25	27 057 DC0	4005176371196	108, 490	82.21
26 885 A00	4005176759321	106	173.20	27 057 DL0	4005176426940	108, 490	99.83
26 885 AL0	4005176759338	106	184.02	27 057 GL0	4005176338946	108, 490	93.97
26 885 DA0	4005176950162	106	173.20	27 057 GN0	4005176426933	108, 490	99.83
26 885 DC0	4005176759345	106	151.54	27 058 000	4005176830464	398	815.06
26 885 DL0	4005176759352	106	184.02	27 062 000	4005176831669	438, 455	234.27
26 885 GL0	4005176950179	106	173.20	27 067 000	4005176832123	446, 455	156.96
26 886 000	4005176759376	106	151.54	27 074 000	4005176833083	108, 487	37.58
26 887 000	4005176759383	101	3,535.90	27 074 A00	4005176338991	108, 487	60.12
26 888 000	4005176759390	100	3,535.90	27 074 AL0	4005176339004	108, 487	63.88
26 889 000	4005176759406	105	164.86	27 074 BE0	4005176834325	487	60.12
26 889 00D	4005176759413	105	164.86	27 074 DA0	4005176338977	108, 487	60.12
26 890 000	4005176759420	101	161.97	27 074 DC0	4005176374487	108, 487	52.61
26 892 000	4005176759451	105	289.01	27 074 DL0	4005176427091	108, 487	63.88
26 893 000	4005176758645	105	41.40	27 074 EN0	4005176834301	487	63.88
26 894 000	4005176758652	105	122.73	27 074 GL0	4005176338984	108, 487	60.12
26 895 000	4005176762185	29	552.51	27 074 GN0	4005176427084	108, 487	63.88
26 895 AL0	4005176760778	29	884.02	27 074 LSO	4005176873591	108, 487	48.72
26 895 DA0	4005176760785	29	828.77	27 075 000	4005176833090	109, 488	37.58
26 895 DC0	4005176760792	29	773.52	27 075 A00	4067393030515	109, 488	60.12
26 895 DL0	4005176952432	29	884.02	27 075 AL0	4067393030522	109, 488	63.88
26 895 GL0	4005176760808	29	828.77	27 075 DA0	4067393030539	109, 488	60.12
26 895 GN0	4005176952449	29	884.02	27 075 DC0	4067393030546	109, 488	52.61
26 896 000	4005176758416	82	97.24	27 075 DL0	4067393030553	109, 488	63.88
26 896 DA0	4005176758423	82	155.58	27 075 GL0	4067393030560	109, 488	60.12
26 896 IG0	4005176758430	82	126.77	27 075 GN0	4067393030577	109, 488	63.88
26 897 000	4005176758447	82	145.86	27 076 000	4005176833106	109, 490	58.73
26 897 DA0	4005176758454	82	233.37	27 076 A00	4005176950186	109, 490	93.97
26 897 IG0	4005176758461	82	191.00	27 076 AL0	4005176950193	109, 490	99.83
26 898 000	4005176758560	81	508.21	27 076 DA0	4005176950209	109, 490	93.97
26 898 DA0	4005176758577	81	813.13	27 076 DC0	4005176950216	109, 490	82.21
26 898 IG0	4005176758584	81	660.64	27 076 DL0	4005176950223	109, 490	99.83
26 899 000	4005176758607	81, 109	84.69	27 076 GL0	4005176950230	109, 490	93.97
26 900 000	4005176758614	81, 109	115.18	27 076 GN0	4005176954016	109, 490	99.83
26 900 DA0	4005176758621	81, 109	184.28				

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
27 102 000	4005176600074	494	50.40	27 572 003	4005176744372	474	34.91
27 134 000	4005176836060	437	144.73	27 574 003	4005176744389	474	34.91
27 135 000	4005176836077	437	147.42	27 576 003	4005176768248	475	78.98
27 135 EN0	4005176836084	437	250.63	27 578 003	4005176681295	475	62.13
27 137 001	4005176933295	482	31.88	27 578 30E	4005176680939	475	62.13
27 151 000	4005176837012	489	111.64	27 584 003	4005176768293	477	52.99
27 174 001	4005176877162	398	1,322.77	27 588 003	4005176768309	477	49.26
27 180 000	4005176839306	425	48.39	27 591 001	4005176443985	440, 498	71.35
27 206 000	4005176845444	493	21.86	27 594 000	4005176895920	488, 503	14.64
27 220 000	4005176854118	458	48.75	27 595 001	4005176681097	487	21.92
27 221 000	4005176854125	457	60.94	27 596 000	4005176895944	462, 493	7.29
27 221 001	4005176457708	457	67.53	27 597 003	4005176680656	466	26.35
27 222 000	4005176854132	457	70.58	27 597 30E	4005176681011	466	26.35
27 224 000	4005176854156	458	35.29	27 598 003	4005176680496	468	62.13
27 225 001	4005176899508	460	119.32	27 598 30E	4005176680632	468	62.13
27 226 001	4005176899515	460	124.81	27 600 003	4005176680755	467	78.98
27 227 001	4005176899522	460	134.43	27 601 003	4005176680403	471	46.56
27 230 001	4005176899546	459	110.91	27 601 30E	4005176680397	471	44.43
27 231 001	4005176899553	459	116.43	27 606 001	4005176444180	440, 502	64.87
27 232 001	4005176899560	458	126.06	27 615 002	4005176647970	404	574.44
27 237 000	4005176854286	438, 462	84.02	27 615 KF2	4067393030218	404	804.23
27 238 000	4005176854293	458	52.11	27 644 003	4005176680526	468	71.51
27 239 000	4005176854323	457	67.68	27 646 003	4005176680366	470	69.42
27 239 001	4005176457715	457	73.97	27 646 30E	4005176680359	470	69.42
27 242 001	4005176899782	459	110.91	27 693 000	4005176907043	488	28.88
27 243 001	4005176899799	459	116.43	27 696 000	4005176907074	410	799.09
27 265 000	4005176856983	458	35.29	27 698 000	4005176907098	464	55.49
27 265 00E	4005176885693	458	35.29	27 699 000	4005176907104	464	55.49
27 266 001	4005176899812	459	97.49	27 700 000	4005176907111	464	245.34
27 266 00E	4005176890710	459	97.49	27 702 000	4005176907135	465	93.80
27 267 001	4005176899829	460	105.87	27 703 000	4005176907142	465	93.80
27 274 000	4005176861383	454	131.45	27 704 000	4005176907159	490	33.28
27 296 001	4005176896293	407	520.44	27 705 000	4005176907166	439, 465	166.43
27 296 003	4005176647963	403	574.44	27 709 000	4005176909092	103, 443	122.69
27 354 000	4005176874444	461	63.86	27 711 000	4005176909115	103, 444	104.65
27 355 000	4005176874451	461	117.65	27 788 003	4005176680564	477	69.42
27 367 000	4005176875939	463	55.30	27 789 003	4005176768286	476	78.99
27 368 000	4005176875946	463	198.01	27 794 003	4005176680700	468	71.51
27 369 000	4005176875953	463	76.49	27 796 003	4005176680380	470	78.99
27 389 003	4005176767081	419	247.50	27 799 003	4005176677250	472	38.87
27 400 000	4005176877292	463	55.30	27 799 30E	4005176680427	472	38.87
27 406 000	4005176600166	444, 503	50.79	27 803 30E	4005176677267	471	40.70
27 421 002	4005176417924	410	500.27	27 812 IL1	4005176333897	480	32.89
27 470 000	4005176882531	436	541.32	27 841 000	4005176916670	465, 485	227.31
27 475 001	4005176417863	408	705.09	27 849 003	4005176680311	471	51.29
27 475 002	4005176647840	404	724.85	27 852 003	4005176680991	467	20.86
27 477 000	4005176883286	437	573.38	27 853 003	4005176680557	470	54.69
27 478 000	4005176883293	437	573.38	27 854 003	4005176680342	470	58.45
27 484 000	4005176885488	444	77.31	27 869 001	4005176444005	434, 498	84.98
27 485 000	4005176885495	444	65.72	27 891 000	4005176921209	464	288.63
27 488 000	4005176885525	443	88.92	27 892 000	4005176921216	485	216.46
27 492 000	4005176885556	438, 463	151.25	27 922 000	4005176923364	495	404.32
27 499 000	4005176886041	461, 462	56.52	27 923 003	4005176768323	467	20.86
27 500 000	4005176886058	461, 462	59.62	27 924 003	4005176768392	469	54.70
27 512 001	4005176333804	479	22.46	27 925 003	4005176768491	470	58.45
27 513 001	4005176333842	479	40.12	27 926 003	4005176680748	468	71.55
27 513 DC1	4067393033356	479	107.57	27 927 003	4005176680762	467	81.24
27 513 DL1	4067393029045	479	130.92	27 928 003	4005176680786	475	71.55
27 514 001	4005176333910	480	81.83	27 929 003	4005176768255	475	78.98
27 521 000	4005176886508	486, 498	57.54	27 932 000	4005176924231	407	586.25
27 522 000	4005176886515	486, 498	61.42	27 964 000	4005176929595	406	733.56
27 523 001	4005176680809	478, 486	49.97	27 966 001	4005176532993	397	1,150.26
27 524 001	4005176681035	478, 486	52.48	27 968 001	4005176533006	397	1,150.26
27 531 000	4005176889486	489	139.68	28			
27 541 001	4005176451676	441, 498	93.06				
27 571 003	4005176680908	474	26.35	28 002 000	4005176858796	442, 456	220.32
27 571 30E	4005176680847	474	26.35	28 020 L01	4005176333828	479	16.04

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
28 025 001	4005176933387	481	40.90	28 628 001	4005176681141	492	34.27
28 094 000	4005176601132	442, 456	42.63	28 631 000	4005176019142	493	51.67
28 105 001	4005176933301	481	28.68	28 636 000	4005176078606	488	34.61
28 139 001	4005176933318	481	31.86	28 671 000	4005176103070	491, 635	34.37
28 140 001	4005176933325	481	35.06	28 671 001	4005176681110	487	34.37
28 142 002	4005176933332	481	31.74	28 679 000	4005176116759	492	51.23
28 143 001	4005176933349	481	34.93	28 679 001	4005176681479	492	49.18
28 143 KS1	4005176934179	481	48.89	28 680 000	4005176116780	491	49.18
28 143 LS1	4005176935084	481	45.43	28 680 001	4005176681332	487	49.18
28 145 001	4005176933356	481	41.29	28 724 000	4005176812644	444	58.93
28 146 000	4005176121753	483	49.30	28 778 000	4005176820526	436	747.74
28 150 002	4005176605598	483	13.77	28 796 000	4005176824296	455	149.94
28 151 002	4005176605581	483	16.53	28 799 000	4005176602511	494	73.85
28 151 L02	4005176775512	483	21.49	28 817 000	4005176602962	794	12.15
28 154 002	4005176605574	483	19.29	28 856 000	4005176603495	492	39.07
28 155 002	4005176605567	483	22.05	28 874 000	4005176042348	494, 625	19.95
28 158 001	4005176775543	483	49.12	28 910 000	4005176603846	787	53.35
28 161 002	4005176775482	482	26.66	28 912 000	4005176266751	83, 88	100.53
28 198 000	4005176038686	446	136.63	28 912 AL0	4005176467844	88, 139	160.85
28 214 004	4005176681004	467	23.53	28 912 DC0	4005176467905	88, 139	140.74
28 233 000	4005176868016	438, 463	97.43	28 912 DL0	4005176467899	88, 788	160.85
28 261 003	4005176680533	466	34.91	28 912 EN0	4005176467837	788	160.85
28 286 000	4005176198526	446, 456	117.14	28 912 GN0	4005176467875	88, 788	160.85
28 361 000	4005176295157	443	113.06	28 920 000	4005176603914	788	46.54
28 362 001	4005176933264	482	22.34	28 939 000	4005176209161	270	120.51
28 362 A01	4005176775437	482	35.74	28 943 000	4005176209178	270, 674	158.56
28 362 BE1	4005176775444	482	35.74	28 948 000	4005176209871	442, 456	259.13
28 362 DA1	4005176775451	482	35.74	28 964 001	4005176877254	455	262.38
28 362 DC1	4005176775475	482	31.27	28 982 000	4005176829987	443	154.68
28 362 GL1	4005176775468	482	35.74	28 988 000	4005176042805	494, 625	45.43
28 362 KF1	4005176782596	482	31.27	28 990 000	4005176174025	89, 269	171.33
28 364 001	4005176933271	482	25.51	28 991 000	4005176174032	269, 674	200.37
28 368 000	4005176267253	437	390.42	28 993 000	4005176174056	269	66.85
28 368 00E	4005176867385	437	390.42	28 995 000	4005176175725	269	324.32
28 368 LS0	4005176997242	437	484.13	29			
28 373 000	4005176267277	437	390.42				
28 388 001	4005176933288	482	28.69	29 007 000	4005176837678	625	192.96
28 388 A01	4005176775383	482	45.91	29 025 002	4005176519895	28	281.62
28 388 BE1	4005176775390	482	45.91	29 032 000	4005176845277	53, 63	36.65
28 388 DA1	4005176775406	482	45.91	29 033 000	4005176845338	53, 62	300.64
28 388 DC1	4005176775420	482	40.17	29 037 000	4005176865749	61, 73	893.31
28 388 GL1	4005176775413	482	45.91	29 037 001	4005176455490	51, 52	890.16
28 388 KF1	4005176782602	482	40.17	29 037 002	4005176519918	31	890.16
28 401 000	4005176264474	486	62.84	29 078 001	4005176556555	250	132.13
28 403 000	4005176264511	488	30.81	29 079 001	4005176556692	251	147.67
28 404 000	4005176601736	442, 455	15.52	29 080 001	4005176555961	257	132.13
28 405 000	4005176264559	491, 635	38.87	29 081 001	4005176556081	257	147.67
28 406 000	4005176264566	491, 492	46.37	29 086 000	4005176935497	62, 74	392.54
28 409 002	4005176605536	483	19.29	29 094 000	4005176354106	624	311.29
28 410 002	4005176605529	483	22.04	29 095 000	4005176354113	624	317.70
28 413 002	4005176605512	483	24.80	29 096 000	4005176354120	624	256.74
28 417 001	4005176933363	481	37.70	29 097 003	4005176365133	210	253.52
28 419 003	4005176681042	466	34.91	29 098 003	4005176365225	215	152.43
28 422 004	4005176680663	466	29.04	29 099 003	4005176365300	216	166.87
28 429 000	4005176601910	445, 503	48.23	29 118 000	4005176412240	113, 317	552.51
28 438 004	4005176680502	469	64.80	29 118 A00	4005176493010	113, 317	828.77
28 497 000	4005176270338	444	78.49	29 118 AL0	4005176455049	113, 317	884.02
28 541 000	4005176040528	444, 503	85.40	29 118 DA0	4005176492990	113, 317	828.77
28 576 000	4005176274022	443	88.92	29 118 DC0	4005176455032	113, 317	773.52
28 605 000	4005176041105	489	17.08	29 118 DL0	4005176493003	113, 317	884.02
28 605 001	4005176767586	489	17.07	29 118 GL0	4005176492976	113, 317	828.77
28 620 000	4005176041259	485	113.85	29 118 GN0	4005176492983	317	884.02
28 621 000	4005176041273	485	116.02	29 119 000	4005176412257	114, 318	601.63
28 622 000	4005176041297	488	18.58	29 119 A00	4005176493089	114, 318	902.43
28 623 000	4005176031595	487	37.81	29 119 AL0	4005176455063	114, 318	962.61
28 626 000	4005176041358	488	34.15	29 119 DA0	4005176493065	114, 318	902.43
28 628 000	4005176041396	491, 492	34.27	29 119 DC0	4005176455056	114, 318	842.27

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
29 119 DL0	4005176493072	114, 318	962.61	29 181 DC2	4005176954283	50	782.54
29 119 GL0	4005176493041	114, 318	902.43	29 181 DL2	4005176559051	50	894.33
29 119 GN0	4005176493058	318	962.61	29 181 GL2	4005176559020	50	838.43
29 120 000	4005176412264	114, 318	721.95	29 181 GN2	4005176559037	50	894.33
29 121 000	4005176412271	115, 319	650.74	29 192 001	4005176698279	175	232.74
29 121 A00	4005176493225	115, 319	976.11	29 192 A01	4005176711732	175	349.11
29 121 AL0	4005176455100	115, 319	1,041.18	29 192 AL1	4005176711749	175	372.38
29 121 DA0	4005176493201	115, 319	976.11	29 192 DA1	4005176711763	175	349.11
29 121 DC0	4005176455094	115, 319	911.03	29 192 DC1	4005176711770	175	325.83
29 121 DL0	4005176493218	115, 319	1,041.18	29 192 DL1	4005176711787	175	372.38
29 121 GL0	4005176493188	115, 319	976.11	29 192 GL1	4005176711800	175	349.11
29 121 GN0	4005176493195	319	1,041.18	29 192 GN1	4005176711817	175	372.38
29 122 000	4005176412288	115, 319	397.08	29 192 KF1	4005176782411	175	325.83
29 122 A00	4005176515231	115, 319	595.60	29 193 001	4005176698286	175	262.20
29 122 AL0	4005176455124	115, 319	635.32	29 193 A01	4005176711916	175	393.29
29 122 BE0	4005176493232	319	595.60	29 193 AL1	4005176711923	175	419.51
29 122 DA0	4005176515217	115, 319	595.60	29 193 DA1	4005176711947	175	393.29
29 122 DC0	4005176455117	115, 319	555.90	29 193 DC1	4005176711954	175	367.07
29 122 DL0	4005176515224	115, 319	635.32	29 193 DL1	4005176711961	175	419.51
29 122 EN0	4005176413728	319	635.32	29 193 GL1	4005176711985	175	393.29
29 122 GL0	4005176515194	115, 319	595.60	29 193 GN1	4005176711992	175	419.51
29 122 GN0	4005176515200	319	635.32	29 193 KF1	4067393019886	175	367.07
29 123 000	4005176413292	111, 313	552.51	29 303 003	4005176529764	161	276.86
29 123 A00	4005176558054	111, 313	828.77	29 303 AL3	4005176585654	161	442.98
29 123 AL0	4005176558061	111, 313	884.02	29 303 DC3	4005176574108	161	387.61
29 123 DL0	4005176558092	111, 313	884.02	29 306 003	4005176529771	161	295.02
29 123 GN0	4005176558122	111, 313	884.02	29 307 003	4005176529993	165	936.11
29 124 000	4005176413308	111, 313	601.63	29 307 AL3	4005176585715	165	1,497.79
29 124 A00	4005176558139	111, 313	902.43	29 307 DC3	4005176574160	165	1,310.56
29 124 AL0	4005176558146	111, 313	962.61	29 337 003	4005176613432	235	190.32
29 124 DA0	4005176558160	111, 313	902.43	29 338 003	4005176613449	235	207.44
29 124 DC0	4005176526329	111, 313	842.27	29 396 000	4005176754067	30	107.44
29 124 DL0	4005176558177	111, 313	962.61	29 396 AL0	4005176754074	30	171.90
29 124 GL0	4005176558191	111, 313	902.43	29 396 DA0	4005176754081	30	161.15
29 124 GN0	4005176558207	111, 313	962.61	29 396 DC0	4005176754098	30	150.41
29 125 000	4005176413315	112, 314	721.95	29 396 DL0	4005176952456	30	171.90
29 126 000	4005176413322	112, 314	650.74	29 396 GL0	4005176754104	30	161.15
29 126 A00	4005176558290	112, 314	976.11	29 396 GN0	4005176952463	30	171.90
29 126 AL0	4005176558306	112, 314	1,041.18	29 397 000	4005176754111	30	107.44
29 126 DA0	4005176558320	112, 314	976.11	29 397 AL0	4005176754128	30	171.90
29 126 DC0	4005176526343	112, 314	911.03	29 397 DA0	4005176754135	30	161.15
29 126 DL0	4005176558337	112, 314	1,041.18	29 397 DC0	4005176754142	30	150.41
29 126 GL0	4005176558351	112, 314	976.11	29 397 DL0	4005176952470	30	171.90
29 126 GN0	4005176558368	112, 314	1,041.18	29 397 GL0	4005176754159	30	161.15
29 127 000	4005176413339	113, 315	397.08	29 397 GN0	4005176952487	30	171.90
29 127 A00	4005176558375	113, 315	595.60	29 398 000	4005176754166	63	214.74
29 127 AL0	4005176558382	113, 315	635.32	29 398 AL0	4005176754173	63	343.60
29 127 DC0	4005176526350	113, 315	555.90	29 398 DC0	4005176754180	63	300.64
29 127 DL0	4005176558412	113, 315	635.32	29 399 000	4005176754197	62	299.23
29 127 GN0	4005176558443	113, 315	635.32	29 399 AL0	4005176754203	62	478.78
29 150 LS0	4005176413544	320	712.13	29 399 DC0	4005176754210	62	418.93
29 151 LS0	4005176413551	320	761.24	29 402 000	4005176760037	59	792.09
29 152 LS0	4005176413575	321	502.42	29 402 AL0	4005176760044	59	1,267.34
29 153 LS0	4005176413582	315	712.13	29 402 DC0	4005176760051	59	1,108.93
29 156 LS0	4005176413599	316	761.24	29 403 000	4005176760068	60	844.90
29 157 LS0	4005176413605	316	810.36	29 403 AL0	4005176760075	60	1,351.83
29 158 LS0	4005176413612	317	502.42	29 403 DC0	4005176760082	60	1,182.86
29 176 001	4005176507779	49	503.07	29 405 000	4005176760105	61	1,742.60
29 176 AL1	4005176507731	49	804.90	29 405 AL0	4005176760112	61	2,788.16
29 176 DA1	4005176500534	49	754.59	29 405 DC0	4005176760129	61	2,439.63
29 176 DC1	4005176954276	49	704.29	29 406 000	4005176762727	22	521.82
29 176 DL1	4005176507670	49	804.90	29 406 AL0	4005176762734	22	834.91
29 176 GL1	4005176507632	49	754.59	29 406 DA0	4005176762741	22	782.73
29 176 GN1	4005176507618	49	804.90	29 406 DC0	4005176762758	22	730.55
29 181 002	4005176558993	50	558.95	29 406 DL0	4005176952494	22	834.91
29 181 AL2	4005176559075	50	894.33	29 406 GL0	4005176762765	22	782.73
29 181 DA2	4005176559044	50	838.43	29 406 GN0	4005176952500	22	834.91

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
29 407 000	4005176762772	31	1,381.28	30			
29 407 AL0	4005176762789	31	2,210.05	30 008 001	4005176843242	263	37.16
29 407 DA0	4005176762796	31	2,071.93	30 058 001	4005176989162	538	1,995.18
29 407 DC0	4005176762802	31	1,933.80	30 058 DC1	4005176989179	538	2,294.46
29 407 DL0	4005176952517	31	2,210.05	30 064 001	4005176843259	566	42.83
29 407 GL0	4005176762819	31	2,071.93	30 098 001	4005176843266	263, 566	44.25
29 407 GN0	4005176952524	31	2,210.05	30 193 000	4005176919459	558	134.62
29 408 000	4005176762826	31	1,381.28	30 193 DC0	4005176938559	558	175.00
29 408 AL0	4005176762833	31	2,210.05	30 199 000	4005176922022	559	137.88
29 408 DA0	4005176762840	31	2,071.93	30 208 000	4005176927836	637	295.76
29 408 DC0	4005176762857	31	1,933.80	30 219 002	4005176466540	542	822.10
29 408 DL0	4005176952531	31	2,210.05	30 219 DC2	4005176466557	542	1,068.73
29 408 GL0	4005176762864	31	2,071.93	30 221 002	4005176984235	557	160.46
29 408 GN0	4005176952548	31	2,210.05	30 260 003	4005176635434	563	121.85
29 410 000	4005176762680	22	460.42	30 273 001	4005176314964	555	320.22
29 410 AL0	4005176763403	22	736.69	30 273 DC1	4005176314971	555	416.29
29 410 DA0	4005176763410	22	690.64	30 274 000	4005176314988	548	291.75
29 410 DC0	4005176763427	22	644.60	30 274 A00	4005176488658	548	408.44
29 410 DL0	4005176952555	22	736.69	30 274 AL0	4005176488665	548	437.62
29 410 GL0	4005176763434	22	690.64	30 274 DA0	4005176488672	548	408.44
29 410 GN0	4005176952562	22	736.69	30 274 DC0	4005176314995	548	379.27
29 412 000	4005176758676	99	277.82	30 274 DL0	4005176488689	548	437.62
29 413 000	4005176758683	98	277.82	30 294 000	4005176341472	545	566.33
29 414 000	4005176758690	99	451.44	30 294 A00	4005176488054	545	792.85
29 415 000	4005176757693	79	1,338.37	30 294 AL0	4005176488061	545	849.49
29 415 IG0	4005176757754	79	1,739.88	30 294 DA0	4005176488498	545	792.85
29 416 000	4005176757778	77	487.92	30 294 DC0	4005176341489	545	736.23
29 416 DA0	4005176757785	77	731.88	30 294 DL0	4005176488504	545	849.49
29 416 IG0	4005176757792	77	634.28	30 294 GL0	4005176488078	545	792.85
29 417 000	4005176757815	77	538.73	30 294 GN0	4005176488085	545	849.49
29 417 IG0	4005176757822	77	700.36	30 305 001	4005176635465	561	179.88
29 418 000	4005176757839	79	1,253.67	30 305 DC1	4005176635472	561	233.85
29 418 IG0	4005176757853	79	1,629.76	30 309 000	4005176351235	541	280.02
29 420 000	4005176757891	80	121.98	30 321 DG0	4005176438219	545	78.65
29 420 DA0	4005176757907	80	182.97	30 321 DP0	4005176438264	545	78.65
29 420 IG0	4005176757914	80	158.56	30 321 DU0	4005176438257	545	78.65
29 507 KF0	4005176782534	318	842.27	30 321 GE0	4005176438271	545	78.65
29 508 KF0	4005176782541	319	911.03	30 321 HG0	4005176385742	545	78.65
29 509 KF0	4005176782657	788	140.74	30 321 MW0	4005176385728	545	78.65
29 510 KF0	4005176781704	787	73.05	30 321 TY0	4005176438240	545	78.65
29 517 000	4005176795060	70	1,257.44	30 321 XC0	4005176385735	545	78.65
29 517 AL0	4005176795084	70	2,011.91	30 321 YF0	4005176438233	545	78.65
29 517 DC0	4005176795077	70	1,886.16	30 321 YR0	4005176438226	545	78.65
29 519 000	4005176795091	71	1,673.25	30 328 001	4005176414107	537	2,071.93
29 519 AL0	4005176794995	71	2,390.35	30 328 DC1	4005176414114	537	2,382.71
29 519 DC0	4005176794988	71	2,151.31	30 340 001	4005176414893	537	2,148.66
29 521 000	4005176795602	71	1,673.25	30 340 DC1	4005176414909	537	2,470.96
29 521 AL0	4005176795626	71	2,390.35	30 341 001	4005176414916	538	1,995.18
29 521 DC0	4005176795619	71	2,151.31	30 341 DC1	4005176414923	538	2,294.46
29 523 000	4005176795633	73	2,593.52	30 468 2430	4067393015161	562	271.56
29 523 AL0	4005176795657	73	4,149.63	30 503 000	4005176695698	544	566.33
29 523 DC0	4005176795640	73	3,890.27	30 503 DC0	4005176720178	544	736.23
29 525 000	4005176795107	74	2,593.52	30 503 KF0	4005176782695	544	792.85
29 525 AL0	4005176795121	74	4,149.63	30 504 000	4005176695704	545	401.14
29 525 DC0	4005176795114	74	3,890.27	30 504 A00	4005176720109	545	561.61
29 527 000	4005176795138	74	2,593.52	30 504 AL0	4005176720116	545	601.72
29 527 AL0	4005176795152	74	4,149.63	30 504 DA0	4005176720123	545	561.61
29 527 DC0	4005176795145	74	3,890.27	30 504 DC0	4005176720130	545	521.49
29 800 000	4005176504839	155, 263	24.60	30 504 DL0	4005176720147	545	601.72
29 801 000	4005176504846	155, 264	24.60	30 504 GL0	4005176720154	545	561.61
29 802 000	4005176504853	82, 92	45.54	30 504 GN0	4005176720161	545	601.72
29 804 000	4005176504877	155, 264	45.54	30 504 KF0	4005176782688	545	561.61
29 805 000	4005176504884	155, 263	71.15	30 505 000	4005176695711	546	304.87
29 811 000	4005176062711	82, 155	22.34	30 505 A00	4005176719738	546	426.82
29 904 LS0	4005176413568	321	810.36	30 505 AL0	4005176719745	546	457.30
				30 505 DA0	4005176719752	546	426.82

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
30 505 DC0	4005176720062	546	396.33	31 375 AL0	4005176488627	550	315.85
30 505 DL0	4005176720079	546	457.30	31 375 DC0	4005176934162	550	273.73
30 505 GL0	4005176720086	546	426.82	31 375 DL0	4005176488641	550	315.85
30 505 GN0	4005176720352	546	457.30	31 379 000	4005176938085	540	789.22
30 505 KF0	4005176782671	546	426.82	31 379 DC0	4005176938092	540	1,026.00
30 506 000	4005176723667	562	140.13	31 391 003	4005176635762	563	150.87
30 538 000	4005176741104	567	159.56	31 395 000	4005176304774	551	706.02
30 580 000	4005176744891	529	240.95	31 395 DC0	4005176304767	551	917.83
30 581 000	4005176744907	529	495.28	31 481 001	4005176466922	558	244.42
30 582 000	4005176744914	529	602.38	31 483 002	4005176466809	554	265.03
30 583 000	4005176744921	529	267.72	31 483 DC2	4005176466816	554	344.54
30 583 DC0	4005176744938	529	307.88	31 491 000	4005176343308	554	463.24
30 584 000	4005176744945	530	522.06	31 491 DC0	4005176343315	554	602.20
30 586 000	4005176744969	530	1,505.92	31 536 001	4005176478567	568	110.25
30 587 000	4005176745263	530	1,864.47	31 538 001	4005176478574	569	110.25
30 588 000	4005176744983	531	388.19	31 552 SD1	4005176623714	577	130.26
30 589 000	4005176745270	531	642.52	31 562 SD1	4005176623721	577	231.81
30 590 000	4005176745003	531	441.73	31 563 SD1	4005176623738	575	289.84
30 590 DC0	4005176745010	531	508.00	31 564 SD1	4005176623745	576	231.81
30 590 KF0	4005176781728	531	508.00	31 565 SD1	4005176623752	576	246.31
30 591 000	4005176745034	531	696.07	31 571 SD1	4005176626029	575	246.31
30 609 000	4005176762208	35	613.64	31 572 SD1	4005176626036	575	313.05
30 609 AL0	4005176760822	35	920.46	31 574 SD1	4005176607080	573	321.75
30 609 DC0	4005176760839	35	797.73	31 575 SD1	4005176607097	573	397.18
30 609 DL0	4005176952579	35	920.46	31 576 SD1	4005176607103	573	368.17
30 609 GN0	4005176952586	35	920.46	31 577 SD1	4005176607110	574	368.17
30 619 000	4005176763564	561	256.73	31 578 SD1	4005176607127	574	289.84
30 619 2430	4005176783869	561	333.75	31 580 SD1	4005176607134	574	376.88
30 619 DC0	4005176763588	561	333.75	31 581 SD1	4005176607141	571	1,157.59
30 978 000	4005176098918	643	182.02	31 582 SD1	4005176607158	571	1,157.59
31				31 583 SD1	4005176607165	571	780.44
31 067 001	4005176845710	565	126.32	31 584 SD1	4005176607172	572	867.48
31 128 001	4005176886737	556	231.05	31 585 SD1	4005176607189	572	1,157.59
31 128 DC1	4005176891007	556	300.36	31 586 SD1	4005176607196	572	1,012.54
31 129 001	4005176886744	555	281.28	31 588 SD1	4005176626043	576	327.55
31 129 DC1	4005176891021	555	365.66	31 593 002	4005176521942	542	645.94
31 161 000	4005176889158	559	246.19	31 593 DC2	4005176521959	542	839.72
31 170 000	4005176889165	560	272.49	31 613 000	4005176521973	547	449.69
31 179 000	4005176889172	559	190.39	31 613 A00	4005176523601	547	629.57
31 180 000	4005176889288	558	239.63	31 613 DC0	4005176521980	547	584.60
31 187 001	4005176843327	566	114.47	31 615 000	4005176523649	544	543.17
31 212 003	4005176466762	555	338.11	31 615 A00	4005176523717	544	760.44
31 214 001	4005176891090	556	348.25	31 615 AL0	4005176523724	544	814.76
31 230 001	4005176478277	569	110.24	31 615 DA0	4005176523694	544	760.44
31 231 001	4005176478260	568	110.24	31 615 DC0	4005176523656	544	706.13
31 232 001	4005176478253	567	110.25	31 615 DL0	4005176523700	544	814.76
31 233 001	4005176478284	568	110.25	31 615 GL0	4005176523670	544	760.44
31 255 000	4005176901416	551	293.67	31 615 GN0	4005176523687	544	814.76
31 255 DC0	4005176994319	551	381.77	31 639 AP0	4005176520457	582	310.46
31 302 002	4005176443343	527	2,828.13	31 640 AP0	4005176520471	582	391.15
31 302 DC2	4005176443350	527	3,252.35	31 641 AP0	4005176521102	582	420.60
31 323 002	4005176989933	523	2,917.52	31 641 AT0	4005176521119	582	420.60
31 323 DC2	4005176989940	523	3,355.16	31 642 AP0	4005176521126	583	449.69
31 325 002	4005176507274	525	3,215.54	31 643 AP0	4005176521140	583	478.71
31 325 DC2	4005176507250	525	3,697.87	31 644 AP0	4005176521164	580	418.21
31 326 002	4005176507236	526	3,215.54	31 645 AP0	4005176521188	580	436.79
31 326 DC2	4005176507212	526	3,697.87	31 646 AP0	4005176521201	580	464.20
31 347 003	4005176443336	524	2,917.52	31 647 AP0	4005176521225	581	522.23
31 347 DC3	4005176446559	524	3,355.16	31 648 AP0	4005176521249	581	400.09
31 358 002	4005176465000	547	710.69	31 649 AP0	4005176521263	581	487.12
31 358 DC2	4005176465017	547	923.91	31 650 AP0	4005176521287	578	314.34
31 360 001	4005176343025	547	714.94	31 651 AP0	4005176521300	578	371.07
31 360 DC1	4005176343032	547	929.43	31 652 AP0	4005176521324	578	414.59
31 367 001	4005176478512	567	110.25	31 652 AT0	4005176521331	578	414.59
31 368 001	4005176478529	567	110.25	31 653 AP0	4005176521348	579	275.33
31 375 000	4005176934155	550	210.56	31 654 AP0	4005176521362	579	316.23
				31 655 AP0	4005176521386	579	374.26

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
31 655 AT0	4005176521393	579	374.26	32 488 DL0	4005176488801	550	293.63
31 656 AP0	4005176521409	583	258.21	32 511 000	4005176295621	549	293.63
31 680 000	4005176530487	569	94.23	32 553 002	4005176466649	543	440.41
31 693 000	4005176530371	568	104.45	32 553 DC2	4005176466656	543	572.54
31 706 000	4005176530449	567	104.45	32 612 003	4005176529696	157	226.94
31 715 000	4005176564123	568	104.45	32 612 AL3	4005176585609	157	363.10
31 819 001	4005176843471	565	126.32	32 612 DC3	4005176574054	157	317.72
31 829 001	4005176845697	565	104.62	32 618 003	4005176529740	160	351.75
31 831 001	4005176843280	565	98.68	32 618 AL3	4005176585647	160	562.81
31 892 KF0	4005176782718	544	912.52	32 618 DC3	4005176574092	160	492.45
31 928 KF0	4005176782701	544	760.44	32 629 002	4005176472619	194	218.75
31 930 001	4005176843303	565	213.15	32 659 001	4005176886713	556	204.60
32				32 661 003	4005176466823	555	224.31
32 067 000	4005176811142	549	237.69	32 661 DC3	4005176466830	555	291.61
32 109 001	4005176408373	132	213.63	32 663 003	4005176466854	554	253.26
32 109 AL1	4005176586118	132	341.82	32 663 DC3	4005176466861	554	329.22
32 109 DC1	4005176412691	132	299.10	32 700 001	4005176887994	196	190.28
32 114 001	4005176409103	132	227.88	32 750 000	4005176868238	564	114.62
32 114 DC1	4005176412714	132	319.03	32 752 000	4005176868252	564	114.62
32 146 001	4005176499388	45	558.95	32 757 001	4005176498589	45	503.07
32 146 AL1	4005176499463	45	894.33	32 757 AL1	4005176499364	45	804.90
32 146 DA1	4005176499432	45	838.43	32 757 DA1	4005176499333	45	754.59
32 146 DC1	4005176954290	45	782.54	32 757 DC1	4005176954306	45	704.29
32 146 DL1	4005176499449	45	894.33	32 757 DL1	4005176499340	45	804.90
32 146 GL1	4005176499418	45	838.43	32 757 GL1	4005176499319	45	754.59
32 146 GN1	4005176499425	45	894.33	32 757 GN1	4005176499326	45	804.90
32 154 003	4005176613258	231	88.20	32 762 000	4005176871023	637	124.39
32 168 000	4005176824425	549	235.94	32 763 000	4005176871030	637	124.39
32 168 DC0	4005176824432	549	306.71	32 765 000	4005176871054	637	269.44
32 202 10L	4005176903960	192	126.78	32 766 000	4005176871061	637	280.87
32 204 10E	4005176887345	191	152.21	32 767 000	4005176871078	638	316.27
32 207 001	4005176888878	191	120.51	32 768 000	4005176871689	638	316.27
32 208 001	4005176888908	195	152.21	32 770 000	4005176871702	638	278.18
32 210 001	4005176888939	195	152.21	32 771 000	4005176871719	638	354.39
32 211 001	4005176889028	195	190.28	32 772 000	4005176871726	639	320.08
32 212 001	4005176889035	196	234.69	32 773 000	4005176871733	638	331.54
32 213 001	4005176888960	197	190.28	32 774 000	4005176871740	638	369.63
32 214 001	4005176889097	198	206.14	32 775 000	4005176871757	639	384.85
32 224 003	4005176635786	563	150.87	32 776 000	4005176871764	637	281.96
32 229 002	4005176887055	203	145.44	32 778 000	4005176871788	638	293.42
32 240 10E	4005176906794	192	145.87	32 779 000	4005176871795	638	331.54
32 240 10L	4005176903977	192	152.21	32 786 000	4005176871863	564, 639	160.39
32 257 001	4005176834165	553	304.87	32 787 000	4005176871870	564, 639	160.39
32 257 002	4005176886591	552	314.63	32 788 000	4005176871887	641	266.75
32 259 003	4005176466908	552	253.93	32 789 000	4005176871894	641	247.68
32 294 002	4005176466496	542	469.77	32 790 000	4005176871900	641	342.97
32 294 DC2	4005176466502	542	610.70	32 792 000	4005176871924	642	453.45
32 321 002	4005176465109	548	244.33	32 793 000	4005176871931	642	472.52
32 321 AL2	4005176488740	548	366.49	32 795 000	4005176871955	641	426.78
32 321 DC2	4005176465116	548	317.63	32 823 000	4005176877995	641	422.94
32 321 DL2	4005176488764	548	366.49	32 824 000	4005176874604	218	103.89
32 321 GN2	4005176618529	548	366.49	32 824 00L	4005176917035	218	97.44
32 322 002	4005176465123	548	244.33	32 825 00E	4005176874628	217	110.00
32 322 AL2	4005176488825	548	366.49	32 825 00L	4005176917028	217	108.09
32 322 DC2	4005176465130	548	317.63	32 826 001	4005176507076	48	670.74
32 322 DL2	4005176488849	548	366.49	32 826 AL1	4005176507038	48	1,073.20
32 467 003	4005176613210	230	88.20	32 826 DA1	4005176500930	48	1,006.12
32 467 243L	4067393017271	231	114.65	32 826 DC1	4005176954313	48	939.04
32 467 30L	4005176644276	231	88.20	32 826 DL1	4005176506970	48	1,073.20
32 468 003	4005176334207	209	134.79	32 826 GL1	4005176506932	48	1,006.12
32 468 20E	4005176906886	201	138.98	32 826 GN1	4005176506918	48	1,073.20
32 468 20L	4005176917097	201	138.88	32 827 00E	4005176906565	218	103.89
32 469 20E	4005176908835	186	186.43	32 830 001	4005176472749	221	161.28
32 488 000	4005176289552	550	195.75	32 831 000	4005176874703	224	132.00
32 488 AL0	4005176488788	550	293.63	32 832 000	4005176874710	225	167.20
32 488 DC0	4005176804939	550	254.47	32 833 000	4005176874727	224	132.00
				32 836 000	4005176874758	223	143.72

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
32 837 000	4005176874772	223	110.00	33 565 003	4005176334283	211	141.20
32 839 000	4005176874802	223	110.00	33 565 LS3	4005176334504	211	183.56
32 840 000	4005176874819	223	103.89	33 569 002	4005176887734	188	192.86
32 842 000	4005176874833	559	137.88	33 577 003	4005176529801	161	272.32
32 843 002	4005176466939	558	179.98	33 577 AL3	4005176585685	161	435.71
32 843 20E	4005176466946	558	185.48	33 577 DC3	4005176574139	161	381.26
32 843 DC2	4005176466953	558	233.98	33 590 002	4005176887048	203	145.44
32 846 001	4005176506895	47	614.85	33 590 003	4005176334306	211	155.33
32 846 AL1	4005176506857	47	983.76	33 590 LS3	4005176334511	211	201.92
32 846 DA1	4005176506819	47	922.28	33 591 002	4005176887123	204	177.77
32 846 DC1	4005176954320	47	860.80	33 591 003	4005176334351	212	191.21
32 846 DL1	4005176506796	47	983.76	33 591 LS3	4005176334535	212	248.57
32 846 GL1	4005176506758	47	922.28	33 592 20A	4005176454288	205	220.72
32 846 GN1	4005176506734	47	983.76	33 592 30A	4005176456497	213	215.25
32 879 000	4005176877353	227	146.66	33 614 002	4005176887208	203	265.06
32 880 000	4005176877360	227	132.00	33 635 003	4005176334344	215	182.39
32 917 000	4005176230950	550	195.75	33 637 003	4005176334405	216	197.09
32 917 AL0	4005176488702	550	293.63	33 770 001	4005176828959	553	240.68
32 917 DC0	4005176804946	550	254.47	33 770 002	4005176888137	552	253.52
32 917 DL0	4005176488726	550	293.63	33 848 001	4005176409172	134	265.20
32 917 KS0	4005176980640	550	254.81	33 848 DC1	4005176412776	134	371.28
32 918 000	4005176230967	549	237.69	33 849 001	4005176409189	135	348.54
32 918 00E	4005176866616	549	237.69	33 849 AL1	4005176586200	135	557.67
32 918 DC0	4005176804953	549	308.99	33 849 DC1	4005176412783	135	487.96
32 926 003	4005176613234	231	94.29	33 850 001	4005176409196	135	409.16
32 929 003	4005176613623	236	98.35	33 865 001	4005176409202	134	272.77
32 950 000	4005176879838	540	820.02	33 865 AL1	4005176586217	134	436.44
32 950 DC0	4005176879845	540	1,066.03	33 865 DC1	4005176412790	134	381.88
32 955 000	4005176880117	217	162.99	33 961 000	4005176119972	376	87.76
33				33 962 000	4005176119989	376	72.05
33 155 002	4005176865947	169	315.81	33 963 000	4005176128387	239, 376	73.53
33 163 003	4005176529702	158	226.94	33 964 000	4005176128394	239, 376	57.82
33 183 002	4005176887499	185	192.86	34			
33 188 003	4005176613203	231	88.20	34 169 001	4005176926518	334	294.85
33 190 20E	4005176887482	185	192.86	34 170 001	4005176926471	335	283.95
33 202 003	4005176635588	561	127.66	34 174 001	4005176926426	336	368.34
33 241 003	4005176529849	161	226.94	34 176 001	4005176926488	337	509.92
33 241 AL3	4005176585739	161	363.10	34 195 001	4005176926631	338	368.34
33 241 DC3	4005176574184	161	317.72	34 281 001	4005176926501	337	481.87
33 244 002	4005176888779	188	192.86	34 430 000	4005176917981	343	300.67
33 265 002	4005176861543	228	79.28	34 437 000	4005176918025	343	313.03
33 265 003	4005176613197	230	94.29	34 446 001	4005176926402	335	304.90
33 265 30L	4005176644269	230	94.29	34 448 000	4005176919183	343	411.46
33 281 003	4005176635366	562	121.85	34 463 001	4005176926419	334	343.03
33 281 30E	4005176635410	562	121.85	34 464 001	4005176926433	335	406.45
33 281 DC3	4005176635397	562	158.40	34 466 001	4005176926440	336	378.43
33 300 002	4005176862182	228	97.56	34 469 001	4005176926396	334	332.94
33 300 003	4005176613456	236	120.98	34 484 001	4005176932519	337	367.53
33 302 003	4005176613470	237	155.22	34 487 000	4005176936234	621, 640	160.46
33 303 003	4005176613524	238	172.04	34 488 000	4005176940620	141, 149	416.83
33 305 003	4005176613531	240	148.83	34 491 000	4005176940644	339	461.04
33 390 002	4005176887796	188	241.08	34 497 000	4005176940675	142, 150	546.32
33 395 002	4005176887802	189	292.36	34 502 000	4005176940798	340	590.53
33 547 003	4005176529818	162	382.95	34 508 000	4005176941795	340	558.95
33 552 20E	4005176886300	200	145.44	34 509 000	4005176941801	339	429.47
33 553 003	4005176529795	162	340.40	34 519 000	4005176998515	343	411.46
33 553 AL3	4005176585678	162	544.65	34 558 000	4005176310089	236, 356	181.48
33 553 DC3	4005176574122	162	476.57	34 562 000	4005176310102	356	185.55
33 555 002	4005176862304	228	83.28	34 565 002	4005176766459	357	215.37
33 555 003	4005176613562	236	103.28	34 566 002	4005176766466	357	219.33
33 556 003	4005176613609	239	129.97	34 567 000	4005176310157	237, 356	235.66
33 557 003	4005176334184	208	134.79	34 569 000	4005176310171	357	239.72
33 558 003	4005176334139	207	141.20	34 665 000	4005176351556	244, 622	510.26
33 558 LS3	4005176335686	207	183.56	34 666 000	4005176351563	623	452.49
33 561 002	4005176886379	201	200.37	34 667 000	4005176351570	245, 622	407.57
33 565 002	4005176887000	202	145.44	34 671 000	4005176351587	623	505.60

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
34 681 000	4005176354090	623	403.03	34 864 GL0	4005176791772	322	2,285.46
34 705 000	4005176413285	138, 167	1,609.19	34 864 GN0	4005176791789	322	2,437.83
34 718 000	4005176457647	135, 162	446.92	34 865 000	4005176789946	321	1,260.89
34 719 000	4005176457654	135, 162	406.72	34 866 000	4005176789953	322	1,260.89
34 720 000	4005176457661	325	521.61	34 867 000	4005176791567	322	1,070.33
34 721 000	4005176457678	324	528.29	34 868 000	4005176791574	144, 152	1,204.72
34 725 000	4005176457081	622	397.47	34 869 000	4005176791581	330	1,045.02
34 726 000	4005176466014	330	704.80	34 870 000	4005176791598	327	1,045.02
34 727 000	4005176466021	331	703.99	34 871 000	4005176791604	327	806.50
34 728 000	4005176466069	327	704.80	34 872 000	4005176791611	330	806.50
34 729 000	4005176466076	328	703.99	35			
34 730 000	4005176466342	328	1,432.21	35 028 000	4005176908316	30	154.78
34 732 000	4005176466366	331	1,249.59	35 085 000	4005176207068	626	1,841.71
34 734 000	4005176466403	328	1,072.16	35 087 000	4005176207082	626	2,254.28
34 735 000	4005176466410	331	829.94	35 107 000	4005176758706	110	243.09
34 765 000	4005176612022	177, 195	194.20	35 500 000	4005176831522	624	256.74
34 766 000	4005176612039	178, 196	253.02	35 604 000	4005176698774	23	78.23
34 767 000	4005176612046	224, 353	189.27	36			
34 768 001	4005176766435	355	225.61	36 015 001	4005176929359	606	704.60
34 769 001	4005176766442	355	231.18	36 016 001	4005176929366	606	644.21
34 770 000	4005176612077	354	248.09	36 078 000	4005176856532	390	113.59
34 771 000	4005176612886	353	198.39	36 194 000	4005176140921	570	163.90
34 772 000	4005176612893	354	257.21	36 207 001	4005176929373	606	620.72
34 793 000	4005176632433	250, 257	153.29	36 208 001	4005176929380	606	560.32
34 793 2430	4067393015901	358	199.28	36 209 000	4005176207105	607, 644	97.93
34 796 001	4005176766473	358	187.98	36 233 000	4005176283338	644	616.12
34 797 001	4005176766503	358	193.28	36 249 000	4005176283345	644	569.09
34 806 001	4005176766497	359	192.31	36 264 001	4005176416279	593, 596	203.92
34 808 001	4005176766480	359	192.71	36 265 000	4005176893131	646	128.63
34 813 001	4005176698392	171	175.29	36 266 000	4005176893148	646	117.92
34 814 003	4005176695728	212, 345	224.83	36 267 000	4005176893155	646	110.78
34 814 2433	4067393030232	345	292.29	36 268 000	4005176893162	646	117.92
34 816 003	4005176695742	213, 346	287.13	36 269 000	4005176893179	616	346.59
34 816 2433	4067393030249	346	373.26	36 271 000	4005176893193	616	321.58
34 817 003	4005176695759	345	219.41	36 272 000	4005176893209	616	321.58
34 818 003	4005176695766	345	228.88	36 273 000	4005176893216	617	446.65
34 819 005	4005176766329	348	252.37	36 274 000	4005176893223	617	375.18
34 820 005	4005176766343	347	248.31	36 309 000	4005176894794	390	283.96
34 821 003	4005176698590	346	291.19	36 315 000	4005176896590	612	535.98
34 822 005	4005176766336	348	248.31	36 316 000	4005176896279	646	46.45
34 823 003	4005176698613	347	281.70	36 317 000	4005176896514	645	305.21
34 824 005	4005176766367	347	261.63	36 318 000	4005176896521	645	333.88
34 825 002	4005176766350	347	252.37	36 320 000	4005176896545	645	481.89
34 827 000	4005176698651	349	205.01	36 321 000	4005176896552	645	347.86
34 827 KF0	4067393018964	349	287.01	36 322 001	4005176595400	645, 648	152.41
34 830 000	4005176698682	349	267.08	36 324 001	4005176305757	610	589.20
34 831 000	4005176698699	349	262.15	36 325 002	4005176318771	609	435.36
34 832 000	4005176698705	350	209.19	36 327 002	4005176695599	222, 608	409.18
34 833 000	4005176698712	350	271.27	36 330 002	4005176695667	610	409.18
34 834 001	4005176766381	350	236.62	36 331 001	4005176305795	608	425.53
34 835 000	4005176698736	360	240.15	36 332 000	4005176896682	611	962.94
34 835 001	4005176766428	351	240.13	36 333 000	4005176896699	611	945.75
34 836 001	4005176766398	351	231.93	36 334 SD0	4005176896705	612	500.25
34 837 001	4005176766404	351	231.93	36 335 SD0	4005176896712	612	482.38
34 838 001	4005176766411	351	231.93	36 336 001	4005176991769	601, 612	377.58
34 863 000	4005176789922	138, 164	1,523.64	36 337 001	4005176595417	601, 612	142.34
34 863 AL0	4005176790799	138, 164	2,437.83	36 338 000	4005176896743	594, 597	107.20
34 863 DA0	4005176790805	179, 322	2,285.46	36 339 001	4005176595424	602, 612	260.13
34 863 DC0	4005176790782	138, 164	2,133.10	36 340 000	4005176911385	594, 597	65.34
34 863 DL0	4005176790812	179, 322	2,437.83	36 341 000	4005176911392	594, 597	120.38
34 863 GL0	4005176790829	179, 322	2,285.46	36 376 000	4005176932243	612	542.35
34 863 GN0	4005176790836	179, 322	2,437.83	36 384 000	4005176982774	617	711.31
34 864 000	4005176789939	164, 322	1,523.64	36 386 001	4005176311673	610	946.00
34 864 AL0	4005176790843	164, 322	2,437.83	36 407 001	4005176368974	593, 597	197.30
34 864 DA0	4005176790850	322	2,285.46	36 409 000	4005176320538	599	691.57
34 864 DC0	4005176791857	164, 322	2,133.10				
34 864 DL0	4005176791765	322	2,437.83				

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
36 410 000	4005176320545	601	792.67	37 100 SH0	4005176142093	728	25.59
36 412 000	4005176320569	602	898.57	37 104 K00	4005176160844	731	17.12
36 413 000	4005176320576	598	840.81	37 105 K00	4005176141904	731	25.92
36 414 000	4005176320583	600	1,142.47	37 107 000	4005176141713	735	70.29
36 415 000	4005176320590	603	752.55	37 108 000	4005176141720	735	80.56
36 416 001	4005176595394	603, 614	738.48	37 112 000	4005176141911	735	123.25
36 421 001	4005176695612	609	513.47	37 114 000	4005176141935	735	40.42
36 422 001	4005176695636	608	516.68	37 119 000	4005176144370	731, 800	4.34
36 439 001	4005176695605	609	383.69	37 131 000	4005176144585	719, 731	5.84
36 440 000	4005176415623	592	844.82	37 132 000	4005176144608	734	34.76
36 441 000	4005176415630	148, 592	815.69	37 133 000	4005176144622	734	71.61
36 441 AL0	4005176686825	148, 592	1,223.53	37 135 000	4005176144653	735	8.42
36 441 DC0	4005176686818	148, 592	1,060.39	37 139 000	4005176143083	734	104.54
36 442 000	4005176415647	593	917.65	37 141 000	4005176143113	734	117.78
36 444 000	4005176415661	595	684.59	37 311 K00	4005176160851	730	47.00
36 445 000	4005176415678	174, 595	655.46	37 321 001	4005176929496	741	603.94
36 445 A00	4005176686795	174, 595	917.65	37 321 SD1	4005176929502	741	603.94
36 445 AL0	4005176686801	174, 595	983.20	37 324 001	4005176929526	742	603.94
36 445 DA0	4005176686573	174, 595	917.65	37 324 SD1	4005176929533	742	603.94
36 445 DC0	4005176686542	174, 595	852.11	37 336 001	4005176929540	741	603.94
36 445 DL0	4005176686788	174, 595	983.20	37 337 001	4005176929557	741	603.94
36 445 GL0	4005176686559	174, 595	917.65	37 338 000	4005176837920	604, 648	149.83
36 445 GN0	4005176686566	174, 595	983.20	37 339 000	4005176837937	745	147.24
36 446 000	4005176415685	596	611.76	37 347 000	4005176837999	734	229.69
36 447 000	4005176416293	596	868.12	37 396 000	4005176907968	745	125.85
36 451 000	4005176473678	249, 619	256.29	37 419 000	4005176933806	736	911.35
36 452 000	4005176473685	619	238.41	37 419 SD0	4005176933813	736	911.35
36 453 000	4005176473791	620	271.19	37 421 000	4005176935572	740	526.75
36 454 000	4005176487774	611	1,083.68	37 437 000	4005176936227	745	220.24
36 455 000	4005176487781	611	1,054.24	37 489 000	4005176167386	730	6.35
36 456 000	4005176494758	613	268.21	37 503 000	4005176320507	604, 742	1,002.87
36 457 000	4005176494765	613	1,001.32	37 504 000	4005176320521	604, 737	1,235.53
36 458 000	4005176494772	613, 648	804.64	37 535 000	4005176416019	156, 168	84.67
36 459 000	4005176576188	613, 648	864.23	37 535 A00	4005176431364	750	184.97
36 463 000	4005176576690	614	238.41	37 535 AL0	4005176431357	156, 168	184.97
36 464 000	4005176576706	614	715.08	37 535 DA0	4005176431333	750	184.97
36 472 000	4005176758720	98	1,458.51	37 535 DC0	4005176416040	156, 168	184.97
36 473 000	4005176758737	98	1,250.13	37 535 DL0	4005176431326	750	184.97
36 474 000	4005176758744	98	329.91	37 535 EN0	4005176431319	750	184.97
36 475 000	4005176758751	97	706.02	37 535 GL0	4005176431302	750	184.97
36 476 000	4005176758768	97	1,251.58	37 535 GN0	4005176431296	750	184.97
36 500 000	4005176781896	693	427.10	37 535 KF0	4005176677663	750	173.58
36 501 000	4005176781902	683	755.17	37 535 P00	4005176416026	750	84.67
36 503 000	4005176781926	683	659.56	37 535 SH0	4005176416033	750	69.55
36 504 000	4005176781933	693	448.45	37 547 000	4005176189425	759	81.50
36 508 SH0	4005176797101	656	2,289.95	37 547 P00	4005176189449	759	81.50
37				37 547 SH0	4005176189418	759	63.91
37 035 000	4005176143731	745	17.98	37 601 000	4005176416057	90, 139	102.82
37 037 000	4005176143762	746	35.73	37 601 A00	4005176528996	182, 750	185.07
37 038 000	4005176143786	746	38.12	37 601 AL0	4005176529030	90, 139	185.07
37 039 000	4005176143793	746	44.25	37 601 DA0	4005176524288	90, 182	185.07
37 040 000	4005176143861	746	49.79	37 601 DC0	4005176416088	90, 139	185.07
37 042 000	4005176143908	746	30.09	37 601 DL0	4005176529023	90, 182	185.07
37 043 000	4005176143922	746	51.51	37 601 GL0	4005176524271	90, 182	185.07
37 044 000	4005176160776	745, 746	28.89	37 601 GN0	4005176529016	90, 182	185.07
37 059 000	4005176142857	755	229.59	37 601 KF0	4005176677670	90, 182	210.78
37 060 000	4005176142901	756	92.83	37 601 P00	4005176416064	90, 750	102.82
37 063 000	4005176142185	759	67.79	37 601 SH0	4005176416071	90, 750	84.67
37 063 SH0	4005176142307	759	68.31	37 624 000	4005176416095	32, 168	102.82
37 069 000	4005176142352	759	167.04	37 624 A00	4005176529078	751	185.07
37 078 PI0	4005176160783	728	71.43	37 624 AL0	4005176529115	32, 168	185.07
37 085 PI0	4005176149641	728	50.21	37 624 DA0	4005176529061	32, 751	185.07
37 088 PI0	4005176149672	728	64.49	37 624 DC0	4005176416125	32, 168	185.09
37 092 000	4005176145049	727	48.43	37 624 DL0	4005176529108	751	185.07
37 093 000	4005176145070	727	57.14	37 624 GL0	4005176529054	32, 751	185.07
37 095 000	4005176145124	727, 803	40.20	37 624 GN0	4005176529092	751	185.07
				37 624 KF0	4005176677786	751	210.78

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
37 624 P00	4005176416101	751	102.82	38 732 KF0	4005176784125	753	135.66
37 624 SH0	4005176416118	751	84.67	38 732 P00	4005176836121	753	66.17
37 761 000	4005176213243	757	47.12	38 732 SD0	4005176847691	753	175.54
37 762 SH0	4005176213250	724	78.94	38 732 SH0	4005176836138	753	54.14
37 791 SH0	4005176217241	724	98.11	38 733 000	4005176837289	719	34.93
37 945 SH0	4005176256387	724	101.58	38 735 000	4005176837500	728	64.72
37 965 000	4005176442506	752	69.55	38 736 000	4005176837517	728	48.52
37 973 000	4005176479021	751	102.82	38 743 000	4005176838408	725	140.32
37 998 000	4005176262586	718	106.42	38 748 002	4005176416323	593, 596	603.41
38				38 750 001	4005176863363	702	293.85
38 005 000	4005176241895	732	22.71	38 761 20A	4005176771651	705	386.52
38 338 000	4005176286179	720	13.16	38 764 001	4005176863301	706	258.13
38 422 20A	4005176771590	725	179.71	38 765 000	4005176846830	89, 752	82.61
38 445 SD0	4005176282850	759	132.09	38 765 KF0	4005176951978	89, 752	169.33
38 488 000	4005176289866	756	37.32	38 765 KV0	4005176737855	89	71.37
38 496 000	4005176289958	756	232.76	38 765 P00	4005176846847	89, 752	82.61
38 505 000	4005176290053	754	54.14	38 765 SH0	4005176846854	89, 752	66.59
38 505 KF0	4005176784132	754	110.99	38 771 000	4005176848551	757	48.14
38 505 P00	4005176290060	754	54.14	38 772 20A	4005176771613	705	255.87
38 505 SH0	4005176290046	754	43.20	38 773 20A	4005176771606	705	293.98
38 506 000	4005176290121	754	54.14	38 776 SD0	4005176853555	753	179.04
38 506 P00	4005176290138	754	72.52	38 778 000	4005176855269	717, 738	821.84
38 506 SH0	4005176290114	754	43.20	38 779 000	4005176855306	719	91.59
38 525 20A	4005176772368	708	367.13	38 784 000	4005176855535	760	139.28
38 526 20A	4005176771644	709	266.76	38 784 P00	4005176855542	760	139.34
38 528 20A	4005176772382	700	226.94	38 784 SD0	4005176877407	760	205.48
38 536 001	4005176863929	707	240.95	38 784 SH0	4005176855559	760	128.15
38 539 001	4005176863912	707	252.19	38 786 001	4005176864025	711	303.25
38 541 000	4005176291234	714, 717	169.28	38 787 000	4005176855689	743	123.68
38 543 000	4005176291258	715	350.63	38 796 000	4005176857034	758	80.43
38 545 000	4005176291272	715	362.66	38 803 001	4005176864049	711	381.84
38 546 000	4005176291289	714	167.01	38 804 000	4005176861512	760	139.28
38 548 001	4005176863851	709	139.80	38 804 P00	4005176861536	760	139.34
38 553 001	4005176863813	714	302.25	38 804 SH0	4005176861529	760	128.15
38 554 001	4005176863806	713	141.39	38 805 000	4005176865596	758	156.89
38 557 001	4005176863783	713	132.45	38 808 000	4005176864056	761	121.27
38 558 00M	4005176291418	709, 712	16.41	38 808 P00	4005176864063	761	121.22
38 559 001	4005176863776	717	216.05	38 808 SH0	4005176864070	761	109.66
38 562 001	4005176863752	719	116.01	38 809 000	4005176864681	751	668.73
38 564 000	4005176291784	755	52.38	38 821 000	4005176868986	753	272.72
38 564 SH0	4005176291777	755	41.79	38 827 000	4005176870477	702	377.34
38 565 000	4005176291845	755	52.38	38 844 000	4005176874963	753	82.54
38 573 000	4005176292316	755	67.39	38 844 KF0	4005176951992	753	169.20
38 573 SH0	4005176292309	755	29.60	38 844 P00	4005176875687	753	82.54
38 574 000	4005176292385	755	68.87	38 844 SH0	4005176874970	753	66.88
38 579 000	4005176807640	725	223.02	38 845 KS0	4005176878343	752	287.67
38 661 20A	4005176771620	724	128.36	38 845 LS0	4005176878336	752	287.67
38 672 SD0	4005176296468	755	125.85	38 845 MF0	4005176878619	752	287.67
38 675 001	4005176863516	708, 716	375.21	38 846 KS0	4005176878268	760	366.11
38 691 000	4005176815454	725	202.18	38 846 LS0	4005176878367	760	366.11
38 698 SD1	4005176929571	736	677.75	38 848 000	4005176881404	701	192.63
38 699 001	4005176929588	736	677.75	38 857 000	4005176875694	760	139.34
38 714 000	4005176828454	732, 757	25.72	38 857 P00	4005176875663	760	139.34
38 721 001	4005176863431	704	284.55	38 857 SH0	4005176875793	760	128.15
38 722 001	4005176863424	704	273.76	38 858 000	4005176876714	753	82.54
38 732 000	4005176836114	64, 753	66.17	38 858 P00	4005176876721	753	82.54
38 732 A00	4005176339110	753	157.98	38 858 SH0	4005176876738	753	66.88
38 732 AL0	4005176339127	64, 753	157.98	38 860 20A	4005176772375	702	312.56
38 732 BE0	4005176427749	753	157.98	38 861 000	4005176832284	754	81.83
38 732 BR0	4005176873676	753	135.52	38 862 000	4005176832314	754	79.85
38 732 DA0	4005176339097	753	157.98	38 862 P00	4005176832321	754	79.85
38 732 DC0	4005176431371	64, 753	157.98	38 862 SD0	4005176834721	754	189.20
38 732 DL0	4005176427732	753	157.98	38 862 SH0	4005176832338	754	63.80
38 732 EN0	4005176427756	753	157.98	38 863 000	4005176832345	725	124.77
38 732 GL0	4005176339103	753	157.98	38 868 20A	4005176771637	706	414.55
38 732 GN0	4005176427725	753	157.98	38 882 000	4005176879197	758	7.48
				38 885 000	4005176879609	703	352.34

GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
38 888 000	4005176879630	703	508.76	39 437 000	4005176406348	689	119.45
38 915 KSO	4005176897108	756	1,043.40	39 438 000	4005176406355	691	236.27
38 915 LSO	4005176897115	756	1,043.40	39 439 000	4005176406362	691	236.27
38 916 OAO	4005176896941	756	350.18	39 440 000	4005176405976	686	65.50
38 947 000	4005176911217	706	379.73	39 462 000	4005176454608	681	544.08
38 948 000	4005176911224	706	348.41	39 462 00H	4005176454615	681	544.08
38 957 000	4005176914409	752	124.14	39 469 00H	4005176438363	675	497.45
38 987 000	4005176924798	724	128.37	39 473 00H	4005176438370	675	269.79
38 994 000	4005176932335	708	383.19	39 474 00H	4005176438387	675	253.27
39				39 475 00H	4005176442599	675	575.37
39 002 000	4005176936920	701	405.13	39 476 00H	4005176442605	675	498.28
39 052 000	4005176935961	713	198.51	39 477 00H	4005176442612	676	269.79
39 053 000	4005176935978	726	81.66	39 478 00H	4005176442629	676	253.27
39 054 000	4005176936289	726	81.66	39 479 00H	4005176442636	676	258.78
39 056 000	4005176936302	726	9.39	39 480 00H	4005176442643	676	242.26
39 140 000	4005176315268	716	756.74	39 481 00H	4005176442650	676	242.26
39 201 000	4005176344947	679	79.57	39 482 00H	4005176442667	676	214.73
39 202 000	4005176344954	679	89.12	39 483 00H	4005176442674	677	209.23
39 206 000	4005176344992	681	286.46	39 488 000	4005176442735	677	206.47
39 208 000	4005176345029	682	284.22	39 491 000	4005176449994	688	98.35
39 245 00H	4005176524479	677	479.23	39 492 000	4005176450013	690	53.07
39 300 000	4005176346026	694	284.24	39 493 000	4005176450020	690	62.21
39 301 000	4005176346033	694	210.08	39 496 000	4005176450051	692	339.85
39 302 000	4005176346040	694	200.81	39 500 000	4005176453861	702	337.28
39 306 000	4005176346088	694	231.72	39 501 000	4005176453878	703	315.84
39 323 000	4005176407116	678	113.00	39 503 000	4005176454097	703	300.71
39 324 000	4005176407123	679	96.18	39 504 000	4005176454103	704	333.97
39 325 000	4005176407130	679	79.57	39 538 000	4005176468292	681	252.20
39 327 000	4005176390104	679	92.30	39 554 000	4005176484452	680	448.85
39 328 000	4005176407161	681	315.11	39 564 00H	4005176485602	670	275.30
39 332 000	4005176407208	682	229.17	39 565 00H	4005176485619	670	256.58
39 333 000	4005176407215	682	229.17	39 566 00H	4005176485626	670	604.05
39 335 000	4005176407239	678	101.85	39 567 00H	4005176485633	670	432.99
39 336 000	4005176407246	678	113.54	39 568 00H	4005176485640	670	296.68
39 337 000	4005176407253	678	124.90	39 570 000	4005176484865	671	160.36
39 338 000	4005176407260	682	245.09	39 571 00H	4005176485671	671	382.20
39 339 000	4005176407277	682	244.02	39 572 00H	4005176485688	671	427.64
39 340 000	4005176423697	683	250.26	39 573 00H	4005176485794	671	398.25
39 346 000	4005176449673	692	352.35	39 574 00H	4005176485800	672	382.20
39 347 000	4005176449680	691	337.63	39 575 00H	4005176485817	672	398.25
39 349 000	4005176449659	688	114.88	39 578 000	4005176485145	672	240.55
39 351 000	4005176450006	691	210.31	39 579 000	4005176485152	672	240.55
39 354 SH1	4005176470448	659	3,082.41	39 581 000	4005176496011	704	334.40
39 367 000	4005176341533	743	785.16	39 596 000	4005176527494	656, 659	289.17
39 368 000	4005176341540	743	785.16	39 598 000	4005176527517	657, 660	305.93
39 369 000	4005176341557	744	1,044.66	39 603 000	4005176527562	698	369.79
39 374 KSO	4005176344770	700	1,006.80	39 604 000	4005176524486	692	379.34
39 374 LSO	4005176344787	700	1,006.80	39 608 00H	4005176566493	670	404.11
39 376 000	4005176342998	711	359.31	39 609 00H	4005176566509	671	327.13
39 383 000	4005176356926	600	80.23	39 617 000	4005176571312	673	945.38
39 386 00H	4005176438356	675	575.37	39 620 00H	4005176571336	673	1,101.09
39 420 000	4005176405983	686	77.57	39 622 000	4005176571350	673	5,422.02
39 421 000	4005176428906	686	67.24	39 642 000	4005176570162	678	288.85
39 422 000	4005176406195	686	121.41	39 648 SH0	4005176575310	661, 693	298.72
39 423 000	4005176406201	678, 686	121.41	39 693 000	4005176581281	680	431.32
39 424 000	4005176406218	686	65.63	39 703 000	4005176583896	680	395.05
39 425 000	4005176406225	687	65.57	39 729 000	4005176594991	672	5,422.02
39 426 000	4005176406232	687	74.13	39 806 000	4005176636462	684	92.23
39 427 000	4005176406249	688	124.11	39 807 000	4005176636479	684	95.06
39 428 000	4005176406256	688	137.38	39 808 000	4005176637087	684	98.02
39 429 000	4005176406263	688	152.74	39 809 000	4005176637094	684	177.16
39 430 000	4005176406270	689	102.61	39 810 000	4005176637100	684	209.30
39 431 000	4005176406287	689	102.61	39 811 000	4005176637117	684	157.00
39 432 000	4005176406294	690	206.73	39 813 000	4005176637131	685	102.87
39 433 000	4005176406300	690	197.37	39 839 000	4005176655517	680	394.69
39 436 000	4005176406331	689	95.07	39 861 000	4005176653889	685	119.43
				39 881 000	4005176706790	737	395.82

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
39 881 KF0	4005176715099	737	467.19	40 364 001	4005176326332	283	19.32
39 881 SH0	4005176706806	737	379.69	40 364 A01	4005176429514	283	28.98
39 882 000	4005176706813	738	311.51	40 364 AL1	4005176429668	283	30.92
39 882 KF0	4005176715105	738	382.88	40 364 BE1	4005176430114	283	28.98
39 882 SH0	4005176706820	738	295.40	40 364 DA1	4005176428913	283	28.98
39 898 000	4005176713972	689	102.86	40 364 DC1	4005176412424	283	27.05
39 910 000	4005176720444	687	182.21	40 364 DL1	4005176429965	283	30.92
39 912 000	4005176720468	687	119.42	40 364 EN1	4005176326349	283	30.92
39 913 000	4005176720475	687	106.53	40 364 GL1	4005176429361	283	28.98
39 923 000	4005176724008	690	102.86	40 364 GN1	4005176429811	283	30.92
39 940 000	4005176737879	705	281.19	40 365 001	4005176326240	281	35.29
39 958 00H	4005176747694	86	538.03	40 365 A01	4005176429521	281	52.96
39 966 00H	4005176747779	86	663.71	40 365 AL1	4005176429675	281	56.48
39 980 KS0	4005176770647	87	1,006.80	40 365 BE1	4005176430121	281	52.96
39 980 LS0	4005176754487	87	1,006.80	40 365 DA1	4005176428920	281	52.96
40				40 365 DC1	4005176412431	281	49.42
40 278 001	4005176531545	54	128.55	40 365 DL1	4005176429972	281	56.48
40 278 AL1	4005176531620	54	205.69	40 365 EN1	4005176326257	281	56.48
40 278 DA1	4005176531590	54	192.84	40 365 GL1	4005176429378	281	52.96
40 278 DC1	4005176953569	54	179.98	40 365 GN1	4005176429828	281	56.48
40 278 DL1	4005176531606	54	205.69	40 366 001	4005176326264	282	56.16
40 278 GL1	4005176531576	54	192.84	40 366 A01	4005176429552	282	84.24
40 278 GN1	4005176531583	54	205.69	40 366 AL1	4005176429705	282	89.85
40 279 001	4005176532047	56	167.69	40 366 BE1	4005176430152	282	84.24
40 279 AL1	4005176532122	56	268.30	40 366 DA1	4005176428951	282	84.24
40 279 DA1	4005176532092	56	251.53	40 366 DC1	4005176412448	282	78.62
40 279 DC1	4005176953576	56	234.77	40 366 DL1	4005176430008	282	89.85
40 279 DL1	4005176532108	56	268.30	40 366 EN1	4005176326271	282	89.85
40 279 GL1	4005176532078	56	251.53	40 366 GL1	4005176429408	282	84.24
40 279 GN1	4005176532085	56	268.30	40 366 GN1	4005176429859	282	89.85
40 284 001	4005176531941	55	69.87	40 367 001	4005176326387	285	46.54
40 284 AL1	4005176532023	55	111.79	40 367 A01	4005176429620	285	69.80
40 284 DA1	4005176531996	55	104.81	40 367 AL1	4005176429774	285	74.46
40 284 DC1	4005176953583	55	97.82	40 367 BE1	4005176430220	285	69.80
40 284 DL1	4005176532009	55	111.79	40 367 DA1	4005176429323	285	69.80
40 284 GL1	4005176531972	55	104.81	40 367 DC1	4005176412455	285	65.15
40 284 GN1	4005176531989	55	111.79	40 367 DL1	4005176430077	285	74.46
40 339 001	4005176531026	55	111.79	40 367 EN1	4005176326394	285	74.46
40 339 AL1	4005176531101	55	178.87	40 367 GL1	4005176429477	285	69.80
40 339 DA1	4005176531071	55	167.69	40 367 GN1	4005176429927	285	74.46
40 339 DC1	4005176953590	55	156.51	40 368 001	4005176326219	279, 288	9.63
40 339 DL1	4005176531088	55	178.87	40 369 001	4005176326196	279	35.29
40 339 GL1	4005176531057	55	167.69	40 369 A01	4005176429576	279	52.96
40 339 GN1	4005176531064	55	178.87	40 369 AL1	4005176429729	279	56.48
40 340 001	4005176532245	56	279.48	40 369 BE1	4005176430176	279	52.96
40 340 AL1	4005176532320	56	447.17	40 369 DA1	4005176428975	279	52.96
40 340 DA1	4005176532290	56	419.22	40 369 DC1	4005176412462	279	49.42
40 340 DC1	4005176953606	56	391.27	40 369 DL1	4005176430022	279	56.48
40 340 DL1	4005176532306	56	447.17	40 369 EN1	4005176326202	279	56.48
40 340 GL1	4005176532276	56	419.22	40 369 GL1	4005176429422	279	52.96
40 340 GN1	4005176532283	56	447.17	40 369 GN1	4005176429873	279	56.48
40 341 001	4005176531743	55	257.12	40 371 001	4005176326318	281	62.58
40 341 AL1	4005176531828	55	411.40	40 371 A01	4005176429538	281	93.86
40 341 DA1	4005176531798	55	385.68	40 371 AL1	4005176429682	281	100.12
40 341 DC1	4005176953613	55	359.97	40 371 BE1	4005176430138	281	93.86
40 341 DL1	4005176531804	55	411.40	40 371 DA1	4005176428937	281	93.86
40 341 GL1	4005176531774	55	385.68	40 371 DC1	4005176412479	281	87.61
40 341 GN1	4005176531781	55	411.40	40 371 DL1	4005176429989	281	100.12
40 342 001	4005176531644	55	257.12	40 371 EN1	4005176430268	281	100.12
40 342 AL1	4005176531729	55	411.40	40 371 GL1	4005176429385	281	93.86
40 342 DA1	4005176531699	55	385.68	40 371 GN1	4005176429835	281	100.12
40 342 DC1	4005176953620	55	359.97	40 372 001	4005176326226	279, 288	11.64
40 342 DL1	4005176531705	55	411.40	40 374 001	4005176326400	285	57.77
40 342 GL1	4005176531675	55	385.68	40 374 A01	4005176429590	285	86.65
40 342 GN1	4005176531682	55	411.40	40 374 AL1	4005176429743	285	92.42
40 344 001	4005176323461	287	179.02	40 374 BE1	4005176430190	285	86.65
				40 374 DA1	4005176429293	285	86.65

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
40 374 DC1	4005176412486	285	80.87	40 460 001	4005176327803	292	27.68
40 374 DL1	4005176430046	285	92.42	40 461 001	4005176327858	293	16.99
40 374 EN1	4005176430282	285	92.42	40 462 001	4005176327827	293	148.00
40 374 GL1	4005176429446	285	86.65	40 463 001	4005176327872	293	45.30
40 374 GN1	4005176429897	285	92.42	40 507 001	4005176324598	290	53.92
40 385 001	4005176326356	285	35.29	40 507 AL1	4005176636639	290	86.26
40 385 A01	4005176429606	285	52.96	40 507 DC1	4005176636530	290	75.48
40 385 AL1	4005176429750	285	56.48	40 508 001	4005176324413	288	46.56
40 385 BE1	4005176430206	285	52.96	40 508 AL1	4005176636653	288	74.51
40 385 DA1	4005176429309	285	52.96	40 508 DC1	4005176636554	288	65.20
40 385 DC1	4005176413094	285	49.42	40 509 001	4005176324437	289	71.31
40 385 DL1	4005176430053	285	56.48	40 509 DC1	4005176636493	289	99.83
40 385 EN1	4005176430299	285	56.48	40 510 001	4005176324420	289	64.19
40 385 GL1	4005176429453	285	52.96	40 510 AL1	4005176636578	289	102.69
40 385 GN1	4005176429903	285	56.48	40 510 DC1	4005176636172	289	89.85
40 386 001	4005176326301	282	70.60	40 511 001	4005176324475	289	27.05
40 386 A01	4005176429569	282	105.90	40 511 AL1	4005176636615	289	43.29
40 386 AL1	4005176429712	282	112.96	40 511 DC1	4005176636516	289	37.87
40 386 BE1	4005176430169	282	105.90	40 512 001	4005176324451	289	234.27
40 386 DA1	4005176428968	282	105.90	40 512 AL1	4005176636608	289	374.83
40 386 DL1	4005176430015	282	112.96	40 513 001	4005176324604	290	93.19
40 386 EN1	4005176430275	282	112.96	40 513 AL1	4005176636561	290	149.11
40 386 GL1	4005176429415	282	105.90	40 513 DC1	4005176636165	290	130.47
40 386 GN1	4005176429866	282	112.96	40 514 001	4005176324468	290	96.27
40 394 001	4005176326233	279, 288	28.88	40 514 AL1	4005176636622	290	154.04
40 394 A01	4005176429583	279	43.33	40 514 DC1	4005176636523	290	134.79
40 394 AL1	4005176429736	279, 288	46.21	40 535 000	4005176905490	570	72.14
40 394 BE1	4005176430183	279	43.33	40 535 A00	4005176489396	570	108.21
40 394 DA1	4005176428982	279	43.33	40 535 AL0	4005176489402	570	115.43
40 394 DC1	4005176421532	279, 288	40.44	40 535 DA0	4005176489433	570	108.21
40 394 DL1	4005176430039	279	46.21	40 535 DC0	4005176905520	570	101.01
40 394 EN1	4005176412646	279, 295	46.21	40 535 DL0	4005176489440	570	115.43
40 394 GL1	4005176429439	279	43.33	40 535 GL0	4005176489419	570	108.21
40 394 GN1	4005176429880	279	46.21	40 535 GN0	4005176489426	570	115.43
40 404 001	4005176984068	534	110.89	40 536 000	4005176905506	570	64.95
40 405 001	4005176698019	532	68.49	40 536 DC0	4005176905537	570	90.93
40 407 001	4005176328350	286	111.26	40 547 001	4005176984099	534	103.81
40 407 DC1	4005176413179	286	155.76	40 554 002	4005176458521	528	1,375.79
40 412 001	4005176984082	534	272.61	40 564 000	4005176912740	64, 88	110.58
40 421 001	4005176326325	283	56.16	40 564 A00	4005176491849	88, 788	165.87
40 421 A01	4005176429637	283	84.24	40 564 AL0	4005176491788	64, 88	176.93
40 421 AL1	4005176429781	283	89.85	40 564 DC0	4005176491795	64, 88	154.81
40 421 BE1	4005176430237	283	84.24	40 565 000	4005176912757	64, 88	89.42
40 421 DA1	4005176429330	283	84.24	40 565 A00	4005176491757	88	134.13
40 421 DC1	4005176413117	283	78.62	40 565 AL0	4005176491696	64, 88	143.07
40 421 DL1	4005176430084	283	89.85	40 565 DC0	4005176491702	64, 88	125.19
40 421 EN1	4005176430305	283	89.85	40 575 002	4005176674082	534	223.67
40 421 GL1	4005176429484	283	84.24	40 585 001	4005176327797	292	27.68
40 421 GN1	4005176429934	283	89.85	40 623 001	4005176324482	290	45.05
40 422 000	4005176890246	535	151.96	40 623 AL1	4005176636646	290	72.09
40 423 000	4005176890253	536	215.08	40 623 DC1	4005176636547	290	63.08
40 430 001	4005176984075	534	207.52	40 624 001	4005176324444	289	90.12
40 432 000	4005176883255	539	63.82	40 624 AL1	4005176636585	289	144.18
40 434 001	4005176985294	535	64.36	40 624 DC1	4005176636486	289	126.16
40 437 000	4005176885471	532	74.64	40 636 SD0	4005176706707	532	30.48
40 438 001	4005176984105	533	267.72	40 652 001	4005176324321	295	35.29
40 444 001	4005176328336	280	44.93	40 653 001	4005176324345	295	56.16
40 444 DC1	4005176413148	280	62.90	40 654 001	4005176324352	296	96.27
40 444 EN1	4005176335501	280	71.89	40 655 001	4005176324338	295	35.29
40 447 001	4005176328701	280	43.74	40 656 001	4005176324383	296	19.32
40 447 DC1	4005176413162	280	61.23	40 657 001	4005176324390	296	41.72
40 447 EN1	4005176335518	280	69.97	40 658 001	4005176324406	296	57.77
40 448 001	4005176328343	280	65.45	40 659 001	4005176324376	297	62.92
40 448 DC1	4005176413155	280	91.62	40 660 001	4005176324369	296	188.81
40 448 EN1	4005176335525	280	104.71	40 663 001	4005176327834	286, 293	78.65
40 457 001	4005176327865	293	34.93	40 664 001	4005176327841	286, 294	62.92
40 459 001	4005176327810	292	40.28	40 687 000	4005176981838	535	64.36

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
40 688 001	4005176326288	281	51.35	40 802 DA1	4005176429354	282	144.41
40 688 A01	4005176429545	281	77.02	40 802 DL1	4005176430107	282	154.04
40 688 AL1	4005176429699	281	82.16	40 802 EN1	4005176430329	282	154.04
40 688 BE1	4005176430145	281	77.02	40 802 GL1	4005176429507	282	144.41
40 688 DA1	4005176428944	281	77.02	40 802 GN1	4005176429958	282	154.04
40 688 DC1	4005176413124	281	71.89	40 804 000	4005176347917	277	467.22
40 688 DL1	4005176429996	281	82.16	40 805 000	4005176347924	276	77.87
40 688 EN1	4005176326295	281	82.16	40 806 000	4005176347931	276	51.92
40 688 GL1	4005176429392	281	77.02	40 807 000	4005176347948	277	259.57
40 688 GN1	4005176429842	281	82.16	40 808 000	4005176347955	278	228.42
40 689 001	4005176326363	284	41.72	40 809 000	4005176347962	278	181.69
40 689 A01	4005176429613	284	62.58	40 824 000	4005176332975	787	21.50
40 689 AL1	4005176429767	284	66.75	40 834 001	4005176335280	539	929.30
40 689 BE1	4005176430213	284	62.58	40 841 001	4005176335358	538	225.29
40 689 DA1	4005176429316	284	62.58	40 842 001	4005176335365	539	844.82
40 689 DC1	4005176413131	284	58.41	40 843 000	4005176337109	536	110.25
40 689 DL1	4005176430060	284	66.75	40 846 001	4005176344091	287	172.02
40 689 EN1	4005176326370	284	66.75	40 848 AL0	4005176646997	532	43.74
40 689 GL1	4005176429460	284	62.58	40 848 DL0	4005176647017	532	43.74
40 689 GN1	4005176429910	284	66.75	40 848 GN0	4005176647000	532	43.74
40 691 002	4005176674099	534	144.49	40 848 SD0	4005176386008	532	33.65
40 694 000	4005176985300	535	33.36	40 857 000	4005176378393	278	181.69
40 696 AL0	4005176953637	286	182.17	40 865 000	4005176378140	276	62.29
40 696 DA0	4005176953644	286	170.78	40 875 000	4005176745195	533	321.27
40 696 DC0	4005176953651	286	159.39	40 876 000	4005176745201	533	374.80
40 696 GL0	4005176953668	286	170.78	40 877 000	4005176745218	533	1,271.67
40 754 001	4005176328367	289	56.68	40 878 000	4005176745225	534	1,606.33
40 755 001	4005176328374	288	56.19	40 882 000	4005176754494	33, 54	58.32
40 756 001	4005176328381	288	75.44	40 883 000	4005176755262	33, 54	67.53
40 757 001	4005176328497	290	156.73	40 884 000	4005176754326	33	89.01
40 758 001	4005176328503	291	241.72	40 884 AL0	4005176752902	33	142.43
40 766 000	4005176347849	276	88.25	40 884 DA0	4005176752919	33	133.53
40 767 000	4005176347856	277	166.12	40 884 DC0	4005176752926	33	124.62
40 768 000	4005176347863	276	249.18	40 884 DL0	4005176950254	33	142.43
40 775 001	4005176328626	286	109.82	40 884 EN0	4005176752933	33	142.43
40 775 DC1	4005176413186	286	153.75	40 884 GL0	4005176752940	33	133.53
40 775 EN1	4005176324765	286	175.71	40 884 GN0	4005176950261	33	142.43
40 776 001	4005176328633	287	141.59	40 885 000	4005176752957	33	89.01
40 777 001	4005176328640	291	137.06	40 885 AL0	4005176753961	33	142.43
40 778 001	4005176328657	291	194.83	40 885 DA0	4005176753978	33	133.53
40 781 000	4005176347870	277	134.97	40 885 DC0	4005176753985	33	124.62
40 782 000	4005176347887	277	46.72	40 885 DL0	4005176950278	33	142.43
40 783 000	4005176347894	276	41.53	40 885 EN0	4005176753992	33	142.43
40 784 000	4005176347900	277	62.29	40 885 GL0	4005176754005	33	133.53
40 791 001	4005176323409	35, 275	8.65	40 885 GN0	4005176952685	33	142.43
40 791 KS1	4005176336379	35, 275	8.65	40 886 000	4005176754012	33, 54	89.01
40 793 001	4005176327599	283	80.23	40 886 A00	4005176954344	33, 54	133.53
40 793 DC1	4005176413230	283	112.33	40 886 AL0	4005176754517	33, 54	142.43
40 794 001	4005176327605	284	96.27	40 886 DA0	4005176754524	33, 54	133.53
40 794 DC1	4005176413247	284	134.79	40 886 DC0	4005176754531	33, 54	124.62
40 797 001	4005176327636	284	250.31	40 886 DL0	4005176952692	33, 54	142.43
40 799 001	4005176327971	284	64.19	40 886 EN0	4005176754548	33, 54	142.43
40 799 DC1	4005176413216	284	89.85	40 886 GL0	4005176754555	33, 54	133.53
40 800 001	4005176327988	283	188.79	40 886 GN0	4005176952708	33, 54	142.43
40 800 A01	4005176429644	283	283.20	40 887 000	4005176754562	34	119.72
40 800 AL1	4005176429798	283	302.07	40 887 AL0	4005176754579	34	191.54
40 800 BE1	4005176430244	283	283.20	40 887 DA0	4005176754586	34	179.56
40 800 DA1	4005176429347	283	283.20	40 887 DC0	4005176754593	34	167.60
40 800 DC1	4005176413223	283	264.32	40 887 DL0	4005176952715	34	191.54
40 800 DL1	4005176430091	283	302.07	40 887 EN0	4005176754609	34	191.54
40 800 EN1	4005176430312	283	302.07	40 887 GL0	4005176754616	34	179.56
40 800 GL1	4005176429491	283	283.20	40 888 000	4005176754623	34	199.52
40 800 GN1	4005176429941	283	302.07	40 888 AL0	4005176754630	34	319.23
40 802 001	4005176328107	282	96.27	40 888 DA0	4005176754647	34	299.28
40 802 A01	4005176429651	282	144.41	40 888 DC0	4005176754654	34	279.33
40 802 AL1	4005176429804	282	154.04	40 888 DL0	4005176952739	34	319.23
40 802 BE1	4005176430251	282	144.41	40 888 EN0	4005176754661	34	319.23

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
40 888 GL0	4005176754678	34	299.28	40 955 AL1	4005176531927	56	380.09
40 888 GN0	4005176952746	34	319.23	40 955 DA1	4005176531897	56	356.34
40 889 000	4005176754685	34	190.31	40 955 DC1	4005176952838	56	332.58
40 889 AL0	4005176754692	34	304.50	40 955 DL1	4005176531903	56	380.09
40 889 DA0	4005176754708	34	285.46	40 955 GL1	4005176531873	56	356.34
40 889 DC0	4005176754715	34	266.43	40 955 GN1	4005176531880	56	380.09
40 889 DL0	4005176952753	34	304.50	40 956 001	4005176532146	56	153.71
40 889 EN0	4005176754722	34	304.50	40 956 AL1	4005176532221	56	245.94
40 889 GL0	4005176754739	34	285.46	40 956 DA1	4005176532191	56	230.57
40 890 000	4005176754746	34	61.38	40 956 DC1	4005176952845	56	215.20
40 890 AL0	4005176754753	34	98.23	40 956 DL1	4005176532207	56	245.94
40 890 DA0	4005176754760	34	92.09	40 956 GL1	4005176532177	56	230.57
40 890 DC0	4005176754777	34	85.95	40 956 GN1	4005176532184	56	245.94
40 890 DL0	4005176952777	34	98.23	40 960 000	4005176754999	85	206.68
40 890 EN0	4005176754784	34	98.23	40 960 EN0	4005176755002	85	330.70
40 890 GL0	4005176754791	34	92.09	40 960 IG0	4005176755019	85	267.67
40 891 000	4005176754807	35	135.06	40 962 000	4005176529412	536	55.12
40 891 AL0	4005176754814	35	216.09	40 963 001	4005176530913	54	128.55
40 891 DA0	4005176754821	35	202.59	40 963 AL1	4005176530999	54	205.69
40 891 DC0	4005176754838	35	189.08	40 963 DA1	4005176530968	54	192.84
40 891 DL0	4005176952791	35	216.09	40 963 DC1	4005176952852	54	179.98
40 891 EN0	4005176755088	35	216.09	40 963 DL1	4005176530975	54	205.69
40 891 GL0	4005176755095	35	202.59	40 963 GL1	4005176530944	54	192.84
40 892 000	4005176755101	35	268.59	40 963 GN1	4005176530951	54	205.69
40 892 AL0	4005176755118	35	429.73	40 964 001	4005176531019	34, 55	41.92
40 892 DA0	4005176755125	35	402.88	40 965 001	4005176531125	56	377.30
40 892 DC0	4005176755132	35	376.01	40 965 AL1	4005176531200	56	603.68
40 892 DL0	4005176952814	35	429.73	40 965 DA1	4005176531170	56	565.95
40 892 EN0	4005176755149	35	429.73	40 965 DC1	4005176952869	56	528.21
40 892 GL0	4005176755156	35	402.88	40 965 DL1	4005176531187	56	603.68
40 892 GN0	4005176952821	35	429.73	40 965 GL1	4005176531156	56	565.95
40 893 000	4005176755163	65	382.34	40 965 GN1	4005176531163	56	603.68
40 894 000	4005176755170	65	1,068.41	40 966 001	4005176531224	57	139.75
40 895 000	4005176754333	65	314.44	40 966 DL1	4005176531286	57	223.58
40 896 000	4005176754340	65	815.09	40 966 GN1	4005176531262	57	223.58
40 897 000	4005176754357	66	150.07	40 967 001	4005176531323	57	195.63
40 898 000	4005176754364	66	305.19	40 967 AL1	4005176531408	57	313.01
40 899 000	4005176413896	660, 709	44.83	40 967 DA1	4005176531378	57	293.46
40 900 000	4005176754371	66	500.25	40 967 DC1	4005176952883	57	273.89
40 906 000	4005176754388	65	450.22	40 967 DL1	4005176531385	57	313.01
40 907 000	4005176754395	65	457.37	40 967 GL1	4005176531354	57	293.46
40 908 000	4005176754401	85	230.40	40 967 GN1	4005176531361	57	313.01
40 908 EN0	4005176754418	85	368.63	41			
40 908 IG0	4005176754425	85	299.52				
40 909 000	4005176754432	84	220.25	41 007 000	4005176281815	767	21.70
40 909 IG0	4005176754449	84	286.30	41 027 000	4005176576836	271	73.61
40 910 000	4005176754845	84	288.00	41 027 A00	4005176576911	271	110.43
40 910 IG0	4005176754852	84	374.42	41 027 AL0	4005176576928	271	117.78
40 911 000	4005176416132	720, 732	16.87	41 027 DA0	4005176576898	271	110.43
40 915 000	4005176429262	287, 294	8.97	41 027 DC0	4005176576843	271	103.07
40 920 000	4005176470646	536	33.95	41 027 DL0	4005176576904	271	117.78
40 923 000	4005176754869	84	271.06	41 027 GL0	4005176576874	271	110.43
40 923 IG0	4005176754876	84	352.38	41 027 GN0	4005176576881	271	117.78
40 928 000	4005176754883	84	304.95	41 028 000	4005176576942	271	73.61
40 928 EN0	4005176754890	84	487.92	41 028 A00	4005176577024	271	110.43
40 928 IG0	4005176754906	84	396.42	41 028 AL0	4005176577031	271	117.78
40 929 000	4005176754913	84	186.35	41 028 DA0	4005176577000	271	110.43
40 929 EN0	4005176754920	84	298.16	41 028 DC0	4005176576959	271	103.07
40 929 IG0	4005176754937	84	242.25	41 028 DL0	4005176577017	271	117.78
40 930 000	4005176754944	84	88.09	41 028 GL0	4005176576980	271	110.43
40 930 IG0	4005176754968	84	114.52	41 028 GN0	4005176576997	271	117.78
40 946 000	4005176754975	85	321.90	41 029 000	4005176577055	271	35.33
40 946 IG0	4005176754982	85	418.46	41 035 000	4005176577062	271	82.45
40 949 000	4005176477881	720, 733	27.80	41 035 A00	4005176577147	271	123.68
40 950 000	4005176478994	720, 733	21.63	41 035 AL0	4005176577154	271	131.92
40 954 000	4005176496844	163	121.98	41 035 DA0	4005176577123	271	123.68
40 955 001	4005176531842	56	237.55	41 035 DC0	4005176577079	271	115.43

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
41 035 DL0	4005176577130	271	131.92	41 064 DL0	4005176578045	273	146.06
41 035 GL0	4005176577109	271	123.68	41 064 GL0	4005176578014	273	136.93
41 035 GN0	4005176577116	271	131.92	41 064 GN0	4005176578021	273	146.06
41 036 000	4005176577178	271	47.12	41 066 000	4005176578083	274	323.92
41 037 000	4005176577185	272	20.62	41 066 A00	4005176578168	274	485.89
41 038 000	4005176577192	272	97.18	41 066 AL0	4005176578175	274	518.28
41 038 A00	4005176577277	272	145.77	41 066 DA0	4005176578144	274	485.89
41 038 AL0	4005176577284	272	155.49	41 066 DC0	4005176578090	274	453.49
41 038 DA0	4005176577253	272	145.77	41 066 DL0	4005176578151	274	518.28
41 038 DC0	4005176577208	272	136.05	41 066 GL0	4005176578120	274	485.89
41 038 DL0	4005176577260	272	155.49	41 066 GN0	4005176578137	274	518.28
41 038 GL0	4005176577239	272	145.77	41 067 000	4005176578199	274	73.61
41 038 GN0	4005176577246	272	155.49	41 067 A00	4005176578274	274	110.43
41 039 000	4005176577307	272	26.50	41 067 AL0	4005176578281	274	117.78
41 039 A00	4005176577383	272	39.75	41 067 DA0	4005176578250	274	110.43
41 039 AL0	4005176577390	272	42.41	41 067 DC0	4005176578205	274	103.07
41 039 DA0	4005176577369	272	39.75	41 067 DL0	4005176578267	274	117.78
41 039 DC0	4005176577314	272	37.11	41 067 GL0	4005176578236	274	110.43
41 039 DL0	4005176577376	272	42.41	41 067 GN0	4005176578243	274	117.78
41 039 GL0	4005176577345	272	39.75	41 068 000	4005176578304	274	58.90
41 039 GN0	4005176577352	272	42.41	41 068 A00	4005176578380	274	88.34
41 049 000	4005176577413	272	44.17	41 068 AL0	4005176578397	274	94.23
41 049 A00	4005176577499	272	66.26	41 068 DA0	4005176578366	274	88.34
41 049 AL0	4005176577505	272	70.67	41 068 DC0	4005176578311	274	82.45
41 049 DA0	4005176577475	272	66.26	41 068 DL0	4005176578373	274	94.23
41 049 DC0	4005176577420	272	61.84	41 068 GL0	4005176578342	274	88.34
41 049 DL0	4005176577482	272	70.67	41 068 GN0	4005176578359	274	94.23
41 049 GL0	4005176577451	272	66.26	41 069 000	4005176578410	274	117.78
41 049 GN0	4005176577468	272	70.67	41 069 A00	4005176578496	274	176.68
41 056 000	4005176577529	272	117.78	41 069 AL0	4005176578502	274	188.47
41 056 A00	4005176577604	272	176.68	41 069 DA0	4005176578472	274	176.68
41 056 AL0	4005176577611	272	188.47	41 069 DC0	4005176578427	274	164.90
41 056 DA0	4005176577581	272	176.68	41 069 DL0	4005176578489	274	188.47
41 056 DC0	4005176577536	272	164.90	41 069 GL0	4005176578458	274	176.68
41 056 DL0	4005176577598	272	188.47	41 069 GN0	4005176578465	274	188.47
41 056 GL0	4005176577567	272	176.68	41 076 000	4005176578526	275	147.24
41 056 GN0	4005176577574	272	188.47	41 076 A00	4005176578601	275	220.85
41 057 000	4005176577635	273	138.40	41 076 AL0	4005176578618	275	235.58
41 058 000	4005176577642	273	153.13	41 076 DA0	4005176578588	275	220.85
41 058 A00	4005176577727	273	229.69	41 076 DC0	4005176578533	275	206.14
41 058 AL0	4005176577734	273	245.01	41 076 DL0	4005176578595	275	235.58
41 058 DA0	4005176577703	273	229.69	41 076 GL0	4005176578564	275	220.85
41 058 DC0	4005176577659	273	214.38	41 076 GN0	4005176578571	275	235.58
41 058 DL0	4005176577710	273	245.01	41 077 000	4005176578632	275	220.85
41 058 GL0	4005176577680	273	229.69	41 077 A00	4005176578700	275	331.29
41 058 GN0	4005176577697	273	245.01	41 077 AL0	4005176578717	275	353.37
41 059 000	4005176577758	273	161.97	41 077 DA0	4005176575587	275	331.29
41 059 A00	4005176577833	273	242.95	41 077 DC0	4005176578649	275	309.20
41 059 AL0	4005176577840	273	259.13	41 077 DL0	4005176578694	275	353.37
41 059 DA0	4005176577819	273	242.95	41 077 GL0	4005176578670	275	331.29
41 059 DC0	4005176577765	273	226.75	41 077 GN0	4005176578687	275	353.37
41 059 DL0	4005176577826	273	259.13	41 136 000	4005176774430	533	227.56
41 059 GL0	4005176577796	273	242.95	41 215 KF0	4005176782435	275	206.14
41 059 GN0	4005176577802	273	259.13	41 216 KF0	4005176782442	272	37.11
41 063 000	4005176577864	273	132.51	41 217 KF0	4005176782459	271	103.07
41 063 A00	4005176577949	273	198.78	41 218 KF0	4005176782466	271	103.07
41 063 AL0	4005176577956	273	212.02	41 219 KF0	4005176782473	273	185.52
41 063 DA0	4005176577925	273	198.78	41 220 KF0	4005176782480	274	82.45
41 063 DC0	4005176577871	273	185.52	41 275 000	4005176280481	768	50.79
41 063 DL0	4005176577932	273	212.02	42			
41 063 GL0	4005176577901	273	198.78				
41 063 GN0	4005176577918	273	212.02	42 066 000	4005176244636	729	74.89
41 064 000	4005176577970	273	91.29	42 137 000	4005176259524	729	25.26
41 064 A00	4005176578052	273	136.93	42 181 000	4005176286872	727	12.51
41 064 AL0	4005176578069	273	146.06	42 229 000	4005176299223	790	172.51
41 064 DA0	4005176578038	273	136.93	42 233 000	4005176300653	730, 800	16.73
41 064 DC0	4005176577987	273	127.80	42 242 000	4005176804977	732	5.52

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
42 253 000	4005176814532	730	88.85	46 580 000	4005176831867	772	63.59
42 297 PI0	4005176832048	727	72.79	46 914 000	4005176326424	789	39.71
42 303 000	4005176835391	799	87.43	46 944 001	4005176479977	658, 660	249.17
42 304 000	4005176835469	799	81.14	46 977 00M	4005176423727	658, 660	52.10
42 305 000	4005176835490	799	84.79	47			
42 310 000	4005176835599	800	7.31	47 025 000	4005176009549	775	430.96
42 314 000	4005176835636	729	75.05	47 111 000	4005176009921	774	273.38
42 320 000	4005176837487	729	47.91	47 167 000	4005176010125	776	21.17
42 326 000	4005176838699	720	25.39	47 175 000	4005176803895	325, 338	155.01
42 327 000	4005176838705	710, 731	17.53	47 186 000	4005176803901	776	254.27
42 333 000	4005176845888	710, 731	18.62	47 189 000	4005176010330	789	39.02
42 383 000	4005176903281	773	62.79	47 217 000	4005176241246	774	58.45
42 384 000	4005176903298	773	71.33	47 220 000	4005176241253	774	192.69
42 586 SD0	4005176563430	793	21.41	47 262 000	4005176118722	777	163.65
42 587 SD0	4005176563447	793	21.15	47 282 000	4005176061592	774	212.40
42 593 000	4005176566417	710, 732	33.62	47 310 000	4005176079238	774	216.49
42 633 000	4005176758775	98	125.03	47 349 000	4005176141461	774	127.82
42 634 000	4005176758782	99	86.80	47 364 000	4005176171819	777	101.12
42 635 000	4005176758799	99	86.80	47 439 000	4005176811975	775	107.16
42 636 000	4005176758805	99	86.80	47 450 000	4005176076190	774	110.55
42 637 000	4005176758812	99	86.80	47 483 000	4005176815409	776	157.18
42 690 000	4005176268748	729	26.59	47 532 000	4005176206795	775	529.38
42 740 000	4005176230653	799	429.10	47 533 000	4005176207181	621, 640	29.44
42 764 00M	4005176222092	800	16.37	47 598 000	4005176229169	775	492.03
42 766 000	4005176222115	719	18.94	47 600 000	4005176228995	775	385.54
42 774 000	4005176221590	730	79.33	47 780 000	4005176836541	613, 625	168.52
42 886 000	4005176200670	644, 790	33.37	47 781 000	4005176836558	625	196.05
43				47 790 000	4005176841491	374	64.86
43 352 000	4005176832413	730, 801	6.39	47 885 000	4005176924729	776	107.16
43 486 000	4005176157158	729	67.72	47 994 000	4005176364723	624	8.02
43 506 000	4005176157356	799	9.72	48			
43 537 000	4005176157653	727	27.67	48 051 000	4005176890024	462, 494	9.10
43 544 000	4005176157738	732, 799	17.03	48 053 000	4005176890031	424	84.90
43 617 000	4005176841163	716, 721	83.50	48 054 000	4005176890048	424	76.56
43 733 000	4005176158926	728	4.34	48 099 000	4005176908583	795	16.08
43 758 00M	4005176159121	728, 800	31.63	48 166 000	4005176923197	798	20.50
43 907 PI0	4005176177545	727	110.46	48 177 000	4005176924248	795	49.21
43 908 000	4005176160257	730	30.09	48 189 000	4005176928772	785	20.63
43 991 000	4005176195259	727	52.84	48 190 000	4005176928987	785	20.63
45				48 191 000	4005176928994	785	20.63
45 314 000	4005176099250	643	60.92	48 293 000	4005176358593	792	39.91
45 342 000	4005176129865	778	36.04	48 349 000	4005176409851	393, 424	115.54
45 346 000	4005176104572	778	35.90	48 350 000	4005176409868	394, 424	141.20
45 363 000	4005176112324	795	7.55	48 359 000	4005176442810	773	57.48
45 459 000	4005176056444	493	10.72	48 456 000	4005176520778	36	358.55
45 650 IP0	4005176137228	794	59.61	48 457 000	4005176520785	36	358.55
45 869 000	4005176189876	778	37.15	48 458 000	4005176523793	42	478.07
45 882 000	4005176189883	778	35.90	48 458 AL0	4005176788475	42	478.07
45 883 000	4005176189890	779	41.23	48 458 DA0	4005176788468	42	478.07
45 885 000	4005176189913	778	58.45	48 458 DC0	4005176787249	42	478.07
45 888 000	4005176189944	779	44.43	48 458 DL0	4005176951831	42	669.30
45 914 XE0	4005176842054	454, 493	15.10	48 458 GL0	4005176787256	42	478.07
45 937 000	4005176279683	798	15.61	48 458 GN0	4005176951848	42	669.30
45 973 001	4005176442919	484	15.70	48 459 000	4005176523809	43	478.07
45 984 001	4005176992056	26, 30	533.56	48 459 AL0	4005176788512	43	478.07
46				48 459 DA0	4005176788505	43	478.07
46 048 000	4005176008283	772	54.74	48 459 DC0	4005176788482	43	478.07
46 058 000	4005176008467	791	51.59	48 459 DL0	4005176951855	43	669.30
46 278 000	4005176131868	772	92.60	48 459 GL0	4005176788499	43	478.07
46 308 000	4005176131769	772	11.77	48 459 GN0	4005176951862	43	669.30
46 374 000	4005176169076	772	56.05	48 460 000	4005176523816	38	358.55
46 375 000	4005176169083	773	11.02	48 461 000	4005176523823	38	358.55
46 386 000	4005176169410	772	117.00	48 462 000	4005176523830	39	358.55
46 575 000	4005176830099	793	123.74	48 463 000	4005176523847	39	358.55
				48 464 000	4005176523854	44	478.07

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
48 464 AL0	4005176788550	44	478.07
48 464 DA0	4005176788543	44	478.07
48 464 DC0	4005176788529	44	478.07
48 464 DL0	4005176951879	44	669.30
48 464 GL0	4005176788536	44	478.07
48 464 GN0	4005176951886	44	669.30
48 465 000	4005176523861	44	478.07
48 465 AL0	4005176788598	44	478.07
48 465 DA0	4005176788581	44	478.07
48 465 DC0	4005176788567	44	478.07
48 465 DL0	4005176951893	44	669.30
48 465 GL0	4005176788574	44	478.07
48 465 GN0	4005176951909	44	669.30
48 466 000	4005176523878	40	358.55
48 467 000	4005176523885	40	358.55
48 543 001	4005176681073	493	9.11
48 646 DL0	4005176951916	43	669.30
48 646 GN0	4005176951923	43	669.30
48 651 DL0	4005176951930	44	669.30
48 651 GN0	4005176951947	44	669.30

49

49 002 00M	4005176372193	796	8.56
49 003 000	4005176413537	375	219.66
49 024 000	4005176454196	803	77.91
49 028 000	4005176442827	776	56.02
49 115 000	4005176571411	674	119.20
49 510 000	4005176373329	803	72.05
49 516 000	4005176373381	803	26.76
49 526 000	4005176421129	803	13.52
49 533 000	4005176478475	695	58.60
49 533 SH0	4005176560033	695	58.60
49 534 000	4005176478482	695	58.60
49 534 SH0	4005176560040	695	58.60

64

64 508 001	4005176984112	535	80.91
------------	---------------	-----	-------

65

65 807 000	4005176849893	88, 787	52.18
65 807 A00	4005176467721	787	78.27
65 807 AL0	4005176467714	88, 787	83.49
65 807 BE0	4005176467691	787	78.27
65 807 DA0	4005176467752	88, 787	78.27
65 807 DC0	4005176442797	88, 787	73.05
65 807 DL0	4005176467769	88, 787	83.49
65 807 EN0	4005176467707	787	83.49
65 807 GL0	4005176467738	88, 787	78.27
65 807 GN0	4005176467745	88, 787	83.49
65 807 KS0	4005176849909	88	88.59
65 807 LS0	4005176849916	88, 787	98.93
65 808 000	4005176860065	787	55.74

66

66 791 000	4005176866562	720, 733	11.47
------------	---------------	----------	-------

Visit us:



GROHE Limited
World Business Centre 1
Newall Road
London Heathrow Airport
Hounslow
Middlesex
TW6 2SF
Tel: 0208 283 2840
Fax: 0871 200 3415
E-Mail: info-uk@grohe.com

GB_05/2024 – Copyright by GROHE

PART OF **LIXIL**