

Pure Freude  
an Wasser

**GROHE**  
WAVE



# SPECIFIERS' CATALOGUE 2025

PRICES VALID FROM 1ST JANUARY 2025

# GROHE

## TABLE OF CONTENTS

Bath Taps	Single Lever Mixers	Lineare	30	
		Eurocube Joy	37	
		Eurocube	41	
		GROHE Plus	50	
		Europlus	61	
		Essence	62	
		Eurodisc Joy	79	
		Eurodisc Cosmopolitan	80	
		Concetto	85	
		Eurostyle Cosmopolitan	93	
		Eurostyle	100	
		Cubeo	109	
		Eurosmart Cosmopolitan	110	
		Eurosmart	121	
		Eurosmart Care	132	
		BauEdge	137	
		BauLoop	144	
		BauFlow	150	
		Two Handle fittings	Costa L	152
		Universal	Universal	156
Rough-in sets	157			
Multi purpose mixer	159			
Bath Sets	Talento / Talentofill	160		
Accessories	Selection	162		
	Selection Cube	167		
	Essentials	170		
	Essentials Cube	178		
	BauCosmopolitan	182		
	Essentials Authentic	185		
Thermostats	Grohtherm	Grohtherm SmartControl	201	
		Grohtherm 2 handle trim sets	213	
		Grohtherm 2000	220	



# GROHE

## TABLE OF CONTENTS

		Grohtherm Cube	225
		Grohtherm 1000	228
		Grohtherm 1000 Performance	232
		Grohtherm 800 Cosmopolitan	235
		Grohtherm 800	238
		Grohtherm 500	240
Concealed Solutions		Rough-in sets	252
		GROHE Rapido SmartBox	254
		GROHE Rapido Shower Frame	256
		GROHE Rapido	258
		GROHE Rapido C / stop valves	259
Showers	GROHE Digital	F-digital Controllers	272
	Shower Systems	Rainshower System SmartControl	273
		Rainshower SmartActive System	276
		Rainshower System	279
		Euphoria SmartControl System	280
		Euphoria Shower System	283
		Tempesta System 250	289
		Shower System Accessories	302
	Head showers	Head shower sets	304
		Head Showers	313
		Accessories for head showers	320
	Showers	Rainshower SmartActive	322
		Relaxa	330
		Euphoria	331
		Tempesta	341
		Tempesta Cube	348
		Tempesta-F Trigger Sprays	353
		Shower Hoses	355
		Shower Accessories	359
Kitchen Fittings	Water Systems	GROHE Blue Professional	387
		GROHE Blue Home	388

# GROHE TABLE OF CONTENTS

		GROHE Blue Pure	389
		GROHE Blue Accessories	392
		GROHE Red	397
	Premium Lines	K7	400
		Foot Control	401
		Zedra / Zedra SmartControl / Zedra Touch	402
		Essence	404
		Minta / Minta SmartControl / Minta Touch	407
		Eurocube	411
	Competence Lines	Eurodisc Cosmopolitan	412
		Eurodisc	413
		Concetto	414
		Eurostyle Cosmopolitan	417
		Eurosmart Cosmopolitan	418
		Eurosmart	420
		Euroeco / Euroeco Special	423
		Costa	424
		Bau Lines	426
		Kitchen accessories	428
	Kitchen sinks	Stainless steel sinks	429
		Composite sinks	436
Commercial Fittings	Electronic Fittings	Eurocube E	450
		Essence E	453
		Bluetooth monitoring	456
		Europlus E	464
		Eurosmart Cosmopolitan E	466
		Eurosmart	473
		Euroeco Cosmopolitan E	474
		Bau Cosmopolitan E	477
	Special Thermostats	Grohtherm Micro	479
		Grohtherm Special	480
		Grohtherm XL	484

# GROHE

## TABLE OF CONTENTS

	Single-Lever Mixers	Eurosmart Care	485
		Vertica Eurostyle Cosmopolitan	492
		Commercial Showers	493
		Euroeco Special	495
		Euroeco Single Sequential	499
		Hospita	501
	Self-Closing Taps	Eurosmart Cosmopolitan T	502
		Euroeco Cosmopolitan T	503
	Accessories Special Fittings	Rough-in sets	504
Shower Toilet		GROHE Sensia Pro	512
		GROHE Sensia Arena	514
		Manual bidet seat	516
Ceramics		Essence	526
		Cube Ceramic	531
		Euro Ceramic	534
		BauEdge Ceramic	540
		Bau Ceramic	542
		Acrylic shower trays	550
Installation Systems	Rapid SLX	Rapid SLX	554
	Rapid SL	Rapid SL for WC	555
		Rapid SL for Urinal	562
		Rapid SL for Wash Basin and Bidet	564
		Rapid SL for the Disabled	567
		Rapid SL Fitting Supports	568
		Rapid SL Accessories	569
		Rapido Shower Frame	572
Flushing Systems	WC	Flushing Cisterns	576
		Accessories for Flushing Cisterns	579
		WC Flush Valves	586
		Electronic Actuators for WC	588
	Urinal	Electronic Actuators for Urinal	592
		Urinal Flush Valves	597



# GROHE

## TABLE OF CONTENTS

---

Actuations	WC	Flush Plates for WC	602
		GROHE Fresh	610
		Flush Plates for WC Flush Valves	611
	Urinal	Flush Plates for Urinal	612
Connection and Security Technology		Angle Valves	616
		WAS valves	619
		Safety Systems	620
Spare Parts and Accessories		Cartridges	624
		Thermo elements and thermostatic cartridges	626
		Aquadimmer	629
		Head parts	630
		Spare parts for two-handle taps	633
		Extension sets	634
		Unions	635
		Outlets and spouts	636
		Flow straighteners	637
		Waste sets and traps	639
		Connections and non-return valves	641
		Spare parts for electronics	642
		Diverter	643
		Hoses	644
		Spare parts for kitchen taps	645
		Spare parts for showers	646
		Miscellaneous	648
		Special tools	649
		Cleaning and care	650
		Spare parts for sanitary systems	651
	Spare parts for shower toilet	654	
	Spare parts for Ceramics	655	
Survey of Contents			656

---

# IDENTIFY YOUR WATER SYSTEM

By identifying the plumbing system in your home, you can select the product that is best suited to your water pressure. The majority of GROHE's products can be used with most systems and we have a number of products that are suited to low Pressure. Water pressure is measured in bar. Please refer to the diagrams to help identify your water system.

## GRAVITY FED SYSTEMS

Measure from the base of the cold water tank to the exact position of where the water is coming out from in a vertical measurement (if it's a shower it will be to where the shower head is or if it's a tap to where the spout of the tap finishes). For each metre in vertical distance you will have 0.1 bar in pressure. So if you select a kitchen tap that requires 0.5 bar pressure then you will need 5 metres in vertical distance, if you select a basin tap that requires 0.2 bar then you will require 2 metres as you will see in the below drawing.




Fig 1

## FOR EXAMPLE WATER PRESSURE CAN BE CALCULATED AS FOLLOWS:

Upstairs bathroom shower	1 m = 0.1 bar pressure
Upstairs bathroom basin taps	2 m = 0.2 bar pressure
Kitchen Tap	5 m = 0.5 bar pressure




Fig 2

## GRAVITY FED (LOW PRESSURE) SYSTEMS

### Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- NO shower pump

### How does it work?

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by distance from the bottom of cold water tank to the top of highest outlet (Fig 2)

### BOOSTED GRAVITY FED WATER SYSTEM

**Your home has:**

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- An additional booster pump

**How does it work?**

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by a separately installed pump (1–3 bar/dynamic) (Fig 3)




Fig 3

### MAINS HIGH PRESSURE WATER SYSTEM

**Your home has:**

- An unvented cylinder with an expansion vessel (usually located in a garage or service cupboard)
- NO cold water tank in the loft
- NO shower pump

**How does it work?**

- 1 - Cold water delivered at mains pressure (min 1.5 bar & 20 l/min.)
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - An expansion vessel replaces the storage tank in loft to deal with expansion
- 4 - The water pressure is determined by mains pressure (Fig 4)




Fig 4

### COMBINATION BOILER WATER SYSTEM

**Your home has:**

- A combination boiler for hot water on demand (usually located in the kitchen)
- NO storage tanks
- NO shower pump

**How does it work?**

- 1 - Cold water delivered at mains pressure (min 1.0 bar to boiler & cold supply)
- 2 - Water is heated as it travels through the combination boiler providing hot water on demand
- 3 - The pressure is dictated by the incoming mains and the flow of water is determined by the power of the selected boiler (Fig 5)




Fig 5



# GROHE GUARANTEE

GROHE products are designed to be both visionary and innovative with quality always guaranteed. Purchasing GROHE products means your investment is perfectly balanced in terms of quality, technology and design with sustainable production.

## THE 5 YEAR MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE Manufacturer's 5-year Guarantee" is applicable.

[http://www.grohe.co.uk/en\\_gb/our-service/guarantee.html](http://www.grohe.co.uk/en_gb/our-service/guarantee.html)



## THE 2 YEARS PLUS MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE 2 years plus Manufacturer's Guarantee" is applicable.

[http://www.grohe.co.uk/en\\_gb/our-service/guarantee.html](http://www.grohe.co.uk/en_gb/our-service/guarantee.html)



# GROHE HELPDESK YOUR RELIABLE CONTACT



## **We'd love to help you – offering a friendly and helpful service**

No matter what issues or questions you may have, you can find the right contact person for you.

### **Order management**

(Ordering and Delivery Service)

**Tel. 0208 283 2840**

**orders-uk@grohe.com**

Opening Times:

Monday – Friday: 9:00-12:30 and 13:30-16:00

### **Customer Service**

(Warranty, Technical, General Enquiries)

**Tel. 0208 283 2840**

**info-uk@grohe.com**

Opening Times:

Monday – Friday: 9:00-12:30 and 13:30-16:00

### **Projects**

(Quotations, Architects, Developers)

**Tel. 0208 283 2840**

**projects-uk@grohe.com**

Opening Times:

Monday – Friday: 9:00-12:30 and 13:30-16:00

This pricelist replaces all previous editions. General conditions of sale and delivery apply. We reserve the right to make changes to specifications, dimensions and design.

While we strive to provide accurate product and pricing information, errors may occur. In the event of a pricing error, we reserve the right to correct it. Prices are exclusive of VAT

# CERTIFICATES



In order to demonstrate compliance with the Water Supply (Water Fittings) Regulations\* Regulation 4, GROHE have over 800 products that have been certified by KIWA UK Reg 4 and/or the Water Regulations Advisory Scheme WRAS. For more information about approvals please contact GROHE.

\* England & Wales: the Water Supply (Water Fittings) Regulations 1999  
Scotland: the Water Supply (Water Fittings) (Scotland) Byelaws 2014  
Northern Ireland: the Water Supply (Water Fittings Regulations (Northern Ireland) 2009







SPECIFIERS'  
CATALOGUE  
**2025**  
EDITION FOR PROFESSIONALS



# FOR THE PROS, FROM THE PROS GROHE PROFESSIONAL

## YOUR DAILY SUPPORTER

We know the great number of tasks and challenges the installers face every day. That is why making their work life easier has always been at the heart of our innovation mindset.



PROFESSIONAL

GROHE





# A DIFFERENTIATED PORTFOLIO WITH DEDICATED PRODUCT LINES

- Dedicated product lines with GROHE Professional logo
  - Eurosmart Bath & Kitchen taps
  - Grotherm thermostats
  - Tempesta showers
  - Rapido Shower Frame incl. Rapido Smartbox for concealed showers
- Dedicated products with GROHE Professional logo are not sold by GROHE to DIY and E-commerce
- Clear USP's on the packaging to ease product selection by the installer in OTC's



# FAST – EASY – SAFE

## THE NEW GROHE RAPIDO SHOWER FRAME

The increasing trend towards concealed showers poses a challenge to installers as these installations are complex and time-consuming. The recently launched GROHE Rapido Shower Frame allows installation of concealed showers in just a few steps: fast, easy and safe.

- ✓ **Available as mono or duo version**  
for an one- or a two-spray head shower  
combined with a hand shower

- ✓ **Pre-assembled components** & mixed water pipes, sealed, insulated and leak-tested ex factory



Universal rough-in  
**GROHE Rapido SmartBox**  
already installed

- ✓ Fit for on-the-wall installations or stud walls thanks to the **slim installation depth**



**SAVE UP  
TO THREE  
HOURS  
OF YOUR  
TIME!\*\***



\* Warranty – further information: [www.guarantee.grohe.com](http://www.guarantee.grohe.com)

\*\* Compared to the average installation time of a GROHE concealed shower system









## GROHE PROFESSIONAL CONTRIBUTES TO TACKLE THE LABOUR FORCE SHORTAGE & DEVELOPS THE NEXT GENERATION

- With our GIVE Program we are helping to close the gap of skilled installers
- Introduce GROHE to young and developing plumbing students and to collaborate with installers schools across the EMENA region
- To help improve facilities, GROHE sets up a fully functioning training environment with modern equipment, training material and a written examination that will set new industry standards




Within the GIVE Program GROHE also supports WorldSkills as a Global Industry Partner to demonstrate what impact skilled professionals can have today and for a more sustainable future.



# EVERY DROP COUNTS

## GROHE'S RESOURCE-EFFICIENT TECHNOLOGIES



<sup>1</sup> WWF, Hygienic Paper, 2020

<sup>2</sup> Calculation based on the following parameters: Household of 4 people using the basin mixer for 5 minutes per person per day. Costs are based on the following estimate: Energy cost (electricity) 0,29 €/kWh, water cost 0,0035 €/litre. Assumption of flow rates: Old product flow rate: 8 l/min. New product flow rate: 5 l/min. New basin mixer equipped with GROHE SilkMove ES energy-saving functionality and water-saving EcoJoy technology. GROHE does not guarantee the accuracy and correctness of the results, as the calculation depends on many unforeseeable factors and is therefore non-binding. In particular, it depends on water and energy prices, consumer behavior and the technical installations on site.

<sup>3</sup> DUH 2019, [www.duh.de/mehrweg-klimaschutz0/einweg-plastikflaschen](http://www.duh.de/mehrweg-klimaschutz0/einweg-plastikflaschen); based on a family of four

## 1 GROHE SENSIA PRO

### SAVES UP TO 15 KG OF TOILET PAPER EACH YEAR PER PERSON<sup>1</sup>

The hygiene principle of the shower toilet is similar to the idea of hand washing and combines the advantages of a toilet and a bidet.

## 3 GROHE FLUSHING SYSTEMS

### ADJUSTABLE WATER USAGE

A concealed dual-flush cistern allows users to control water usage when flushing, offering two volume options: large, 6 litres and small, 3 litres.

## 5 GROHE SENSE

### SAVE UP TO 10% OF WATER EACH YEAR

The smart water security system detects leaks and avoids water damage.

## 7 CRADLE TO CRADLE CERTIFIED® GOLD GROHE TEMPESTA SHOWER RAIL SET

### DESIGNED FOR CIRCULAR ECONOMY

The fitting is designed and manufactured in such a way that at the end of its life the components can be used to create new products, thus reducing waste and resource extraction. Further certified products are the taps GROHE Eurosmart and GROHE BauEdge – both in S-size – and GROHE Eurosmart Kitchen.

## 9 GROHE TOUCHLESS TAPS

### UP TO 70% REDUCTION IN WATER CONSUMPTION

Water only flows when needed since the mixer switches off, whenever the user retracts the hands from underneath the tap, for example during soaping, or after a pre-set time.

## 2 GROHE CERAMICS

### DECREASE OF HIGH CLEANING EFFORTS

GROHE Sensia Pro's Triple Vortex Flush is exceptionally thorough and effective. Other GROHE ceramics are available with special surfaces such as GROHE Pure Guard: Long-lasting ions with an anti-bacterial effect prevent bacteria growth.

## 4 GROHE SILKMOVE ES

### PREVENTS UNNECESSARY WARM WATER USAGE

The starting point of the lever in the mid-position only allows the flow of cold water and prevents unnecessary hot water consumption, which saves energy. For an apartment building with 1,000 units, over 270,000 € can be saved per year.<sup>2</sup>

## 6 GROHE ECOJOY

### REDUCING THE WATER CONSUMPTION WITHOUT COMPROMISING ON COMFORT

The GROHE EcoJoy technology is available on numerous models of showers and taps across most of all design and price segments. The integrated flow restrictor automatically reduces water consumption up to 50%.

## 8 GROHE THERMOSTAT WITH ECOBUTTON

### MAINTAINING A CONSTANT TEMPERATURE WHILE SAVING WATER

Thermostats automatically adjust for temperature fluctuations, allowing the shower to be used without constant readjustment. Additionally, the EcoButton reduces water consumption by up to 50%. To increase water flow, users need to press a button, encouraging more mindful and sustainable water use.

## 10 GROHE BLUE PURE

### REDUCES SINGLE-USE PLASTIC BOTTLES

The GROHE Blue Pure water system provides natural, great-tasting filtered water conveniently from your kitchen tap - without creating plastic waste!

GROHE  
**BATH TAPS**







## CONTENTS

Single Lever Mixers	Lineare	30
	Eurocube Joy	37
	Eurocube	41
	GROHE Plus	50
	Europlus	61
	Essence	62
	Eurodisc Joy	79
	Eurodisc Cosmopolitan	80
	Concetto	85
	Eurostyle Cosmopolitan	93
	Eurostyle	100
	Cubeo	109
	Eurosmart Cosmopolitan	110
	Eurosmart	121
	Eurosmart Care	132
	BauEdge	137
	BauLoop	144
	BauFlow	150
	Two Handle fittings	Costa L
Universal	Universal	156
	Rough-in sets	157
	Multi purpose mixer	159
Bath Sets	Talento / Talentofill	160
Accessories	Selection	162
	Selection Cube	167
	Essentials	170
	Essentials Cube	178
	BauCosmopolitan	182
	Essentials Authentic	185

# GROHE PLUS

## ACCURACY THAT GOES BEYOND DESIGN

Imagine a bathroom that offers not just sleek, cutting-edge, bold design design, but also confidence and control. Where you can tell water temperature at a glance and switch water flow with just a swipe of your hand. A room where nothing is left to chance, where form delivers function in a sleek, tactile package. With the new GROHE Plus you can make it a reality.

This innovative range puts control and convenience in your hands, delivering accurate temperature information at a glance. The GROHE Plus range includes some taps with a temperature display, so you know the water will always be just the right temperature. GROHE Plus also offers a new level of ergonomic comfort and practical function too, presented in a silhouette of architectural strength and elegance, with surfaces so sleek they invite interaction.



**23 959 003**  
L-Size  
Basin mixer  
with LED water temperature display  
and two sprays  
with smooth body  
with push-open waste set

# DESIGN OPTIONS FOR EVERY CONCEPT

## THE PERFECT FINISH

Whether your bathroom is a space of timeless elegance or slick minimalist styling, the GROHE Plus is a perfect fit. The Plus range features a broad selection of sizes, with models from compact basin mixers to wall-mounted taps and show-stopping floor-standing bath filler. GROHE Plus taps are also available in three durable, desirable finishes. Choose between the dazzling chrome finish or the more architectural SuperSteel or Brushed Hard Graphite, according to your taste.

### 23 871 DC3

Basin mixer M-Size with pop-up waste set



### 32 612 003

Basin mixer S-Size with pop-up waste set



### 33 547 003 + 40 954 000

Shower mixer with shower set + tray



# CO-ORDINATED BATHROOM IN GROHE COLOURS

When it comes to perfect bathroom design, the ultimate guide should be the own personal style. GROHE has developed GROHE Colours as an enabler to put vision into reality.





































The combination of outstanding design lines and exclusive colours gives the ultimate freedom of choice to perfectly express individuality. Whether tone-on-tone colour scheme, a harmony of contrasting colours, the shining golden beauty of Cool Sunrise or the intriguing elegance of Brushed Hard Graphite – GROHE Colours are the perfect choice. A carefully selected range of 10 colours and finishes offering countless options to complement every interior design.

There is more to it than just the obvious beauty. GROHE Colours come with GROHE PVD quality. This outstanding finish ensures both maximum colour brilliance as well as unparalleled material resistance.


















GROHE Colours are not driven by fashion. They open new dimensions to express personal style in bathroom design. Taps, showers and accessories are all perfectly aligned in a preferred colour with GROHE quality to stay perfect in finish and function for years to come.



# GROHE COLOURS









PRODUCT RANGE	COLOUR OPTIONS										
	CHROME	SUPERSTEEL	POLISHED NICKEL	BRUSHED NICKEL	COOL SUNRISE	BRUSHED COOL SUNRISE	WARM SUNSET	BRUSHED WARM SUNSET	HARD GRAPHITE	BRUSHED HARD GRAPHITE	
GRANDERA											
ALLURE BRILLIANT											
ATRIO											
ESSENCE											
EUROCUBE											
LINEARE											
GROHE PLUS											

# GROHE BATHROOM COMBINATIONS

		THERMOSTATS									SHOWER SYSTEMS					HEAD SHOWERS							
		DESIGN THERMOSTATS	GROHTHERM SMARTCONTROL	GROHTHERM 2-HANDLE TRIM SETS	GROHTHERM CUBE	GROHTHERM 3000	GROHTHERM 2000	GROHTHERM 1000 PERFORMANCE	GROHTHERM 1000	GROHTHERM 800 COSMOPOLITAN	GROHTHERM 800	RAINSHOWER SYSTEM SMARTCONTROL	RAINSHOWER SYSTEM	EUPHORIA SMARTCONTROL SYSTEM	EUPHORIA SYSTEM CUBE	EUPHORIA SYSTEM	TEMPESTA SYSTEM	DESIGN HEAD SHOWERS	AQUASYMPHONY / RAINSHOWER F-SERIES	RAINSHOWER 360	RAINSHOWER 310	EUPHORIA 260	TEMPESTA 210
ALLURE BRILLIANT			•		•							•	•	•	•			•	•		•		
ALLURE			•			•						•	•	•				•	•		•		
ATRIO		•	•			•						•	•	•				•	•	•	•		
GRANDERA												•	•					•	•		•		
LINEARE			•	•		•						•	•	•		•			•	•	•	•	
EUROCUBE			•	•	•									•	•				•		•		
GROHE PLUS			•	•		•						•	•	•		•			•	•	•	•	
ESSENCE			•	•		•						•	•	•					•		•		
EURODISC COSMOPOLITAN			•	•			•					•		•		•					•	•	
CONCETTO				•				•		•						•					•		
EUROSTYLE COSMOPOLITAN				•				•		•						•						•	
EUROSTYLE				•				•	•							•						•	
EUROSMART COSMOPOLITAN				•				•		•						•							•
EUROSMART				•				•	•							•							•
BAUEDGE										•						•							•
BAULOOP										•						•							•
BAUFLOW										•						•							•









HAND SHOWERS							CERAMIC				ACCESSORIES					ACTUATIONS			
DESIGN HAND SHOWERS	SENA	RAINSHOWER SMARTACTIVE	POWER & SOUL	EUPHORIA CUBE	EUPHORIA	TEMPESTA	CUBE CERAMIC	ESSENCE	EURO CERMAIC	BAU CERAMIC	DESIGN ACCESSORIES	SELECTION CUBE	ESSENTIALS CUBE	ESSENTIALS	BAU COSMOPOLITAN	SKATE COSMOPOLITAN	NOVA COSMOPOLITAN	ARENA COSMOPOLITAN	SKATE AIR
•				•			•				•	•	•			•			
•	•						•				•	•				•			
	•							•			•						•		
•											•								
	•	•	•		•		•	•				•		•			•		
				•			•					•	•			•			
	•			•			•	•					•	•		•	•	•	
		•	•		•			•						•			•		
		•	•		•									•			•		
					•				•					•			•		•
						•			•					•				•	
									•					•				•	
						•				•					•				•
										•									•
										•									•
										•									•
										•									•
										•									•

# GROHE LINEARE








	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 109 001	Chrome	4005176408373	221.12
	32 109 DC1	supersteel	4005176412691	309.56
	32 109 AL1	brushed hard graphite	4005176586118	353.79
	<p><b>Lineare</b>  <b>Basin mixer 1/2"</b>  <b>XS-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 791 001	Chrome	4005176409097	221.12
	23 791 DC1	supersteel	4005176412707	309.56
	23 791 AL1	brushed hard graphite	4005176586125	353.79
	<p><b>Lineare</b>  <b>Basin mixer 1/2"</b>  <b>XS-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation Plus</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 790 001	Chrome	4005176408380	221.12
	<p><b>Lineare</b>  <b>Basin mixer 1/2"</b>  <b>XS-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove Energy Saving</b> 28 mm ceramic cartridge                      with energy saving function via cold start                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
				
	32 114 001	Chrome	4005176409103	235.86
	32 114 DC1	supersteel	4005176412714	330.20
	<p><b>Lineare</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
				












# GROHE LINEARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 106 001	Chrome	4005176409110	235.86
	23 106 DC1	supersteel	4005176412721	330.20
	23 106 AL1	brushed hard graphite	4005176586149	377.37
	<p><b>Lineare Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation Plus</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 296 001	Chrome	4005176409127	329.37
	23 296 DC1	supersteel	4005176412738	461.12
	<p><b>Lineare Single-lever basin mixer 1/2"</b>  <b>L-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation Plus</b> installation system                      swivel spout with mousseur and stop limiter                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
				
	23 405 001	Chrome	4005176409134	351.33
	23 405 DC1	supersteel	4005176412745	491.86
	23 405 AL1	brushed hard graphite	4005176586163	562.12
	<p><b>Lineare Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation                      metal lever  <b>for free-standing basins</b>                      28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation Plus</b> rapid installation system                      smooth body                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
	20 304 001	Chrome	4005176409141	368.58
	<p><b>Lineare Three-hole basin mixer 1/2"</b>  <b>M-Size</b>                      metal lever                      ceramic headparts 1/2", 90°  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses                      between spout and side valves                      union nut 1/2" x 10.5 mm</p>			
				

# GROHE LINEARE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 409 001	Chrome	4005176409158	286.39
	19 409 DC1	supersteel	4005176412752	400.96
	19 409 AL1	brushed hard graphite	4005176586170	458.24
	<b>Lineare</b> <b>2-hole basin mixer</b> <b>M-Size</b> wall mounted set for final installation for 23 571 000 / 32 635 000 without concealed body metal escutcheon metal lever <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE AquaGuide</b> adjustable mousseur centre distance 110 mm projection 149 mm			
	23 444 001	Chrome	4005176411977	309.92
	23 444 DC1	supersteel	4005176412769	433.90
	23 444 AL1	brushed hard graphite	4005176586187	495.87
	<b>ditto, projection 207 mm</b>			
	23 571 000		4005176334276	279.00
	<b>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers</b>			
	33 848 001	Chrome	4005176409172	274.48
	33 848 DC1	supersteel	4005176412776	384.27
	<b>Lineare</b> <b>Bidet mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE FastFixation Plus</b> installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
	33 865 001	Chrome	4005176409202	282.32
	33 865 DC1	supersteel	4005176412790	395.25
	33 865 AL1	brushed hard graphite	4005176586217	451.72
	<b>Lineare</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE Long-Life</b> finish shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow			
	34 719 000	Chrome	4005176457654	420.94
	<b>Grohtherm SmartControl</b> <b>Thermostatic shower mixer 1/2"</b> wall mounted <b>GROHE CoolTouch</b> prevents scalding on hot surfaces <b>GROHE Long-Life</b> finish <b>GROHE SafeStop</b> safety button at 38°C (calibration required) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included <b>GROHE TurboStat</b> compact cartridge with wax thermoelement <b>GROHE ProGrip</b> with knurl structure <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from <b>GROHE Water Saving</b> to Full Flow integrated <b>GROHE EasyReach</b> shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow			
				
				

# GROHE LINEARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 849 001	Chrome	4005176409189	360.74
	33 849 DC1	supersteel	4005176412783	505.04
	33 849 AL1	brushed hard graphite	4005176586200	577.18
	<p><b>Lineare</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter  <b>GROHE Long-Life</b> finish                      automatic diverter: bath/shower mousseur                      shower outlet 1/2"                      integrated non-return valve                      covered S-unions                      protected against backflow                      pillar installation optional with pillar unions 12 030 000</p>			
	34 718 000	Chrome	4005176457647	462.56
	<p><b>Grotherm SmartControl</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement  <b>GROHE ProGrip</b> with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow                      integrated <b>GROHE EasyReach</b> shower tray                      shower bottom outlet 1/2"                      bath spout with mousseur                      built-in non return valve and dirt strainers                      protected against backflow</p>			
				
	33 850 001	Chrome	4005176409196	423.48
	<p><b>Lineare</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter  <b>GROHE Long-Life</b> finish                      automatic diverter: bath/shower mousseur                      shower outlet 1/2"                      integrated non-return valve                      covered S-unions                      protected against backflow                      with shower set                      Consisting of:                      metal stick hand shower                      wall shower holder Tempesta 100                      Cosmopolitan (27 594 000)                      Silverflex shower hose 1.500 mm (28 364)</p>			
				
	24 063 001	Chrome	4005176465703	212.15
	24 063 DC1	supersteel	4005176465727	297.01
	24 063 AL1	brushed hard graphite	4005176586248	339.43
	<p><b>Lineare</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 604 000		4005176698774	80.96
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				

# GROHE LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 064 001	Chrome	4005176465710	233.36
24 064 DC1	supersteel	4005176465734	326.70
24 064 AL1	brushed hard graphite	4005176586255	373.38




**Lineare**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

24 095 001	Chrome	4005176480645	260.11
24 095 DC1	supersteel	4005176480652	364.14
24 095 AL1	brushed hard graphite	4005176586262	416.16




**Lineare**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**












35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

19 577 001	Chrome	4005176409233	978.39
19 577 DC1	supersteel	4005176412820	1,369.74
19 577 EN1	brushed nickel	4005176413018	1,565.43
19 577 AL1	brushed hard graphite	4005176586224	1,565.43



**Lineare**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE Long-Life** finish  
 pre-assembled spout fixing  
 single lever mixer operating element  
 metal lever  
 bath inlet with mousseur  
 diverter bath/shower  
 metal stick hand shower  
 metal shower hose 2000 mm (always chrome for any colour of the set)  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 for use with 29 037 000

29 037 000		4005176865749	924.58
<b>Baseframe for installation under tiled surround</b>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 965 001	Chrome	4005176409240	790.49
	<p><b>Lineare</b>  <b>3-hole single-lever bath combination</b>                      Three hole installation  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      single lever mixer operating element                      diverter bath/shower                      metal stick hand shower                      metal shower hose 2000 mm (always chrome for any colour of the set)                      flexible connection hoses                      connection for shower hose                      protected against backflow                      for use with 29 037 000                      for combination with 28 990 / 28 991</p>			
	29 037 000		4005176865749	924.58
	<p><b>Baseframe for installation under tiled surround</b></p>			
	23 792 001	Chrome	4005176409257	1,819.38
	23 792 DC1	supersteel	4005176412837	2,547.14
	23 792 EN1	brushed nickel	4005176413001	2,911.02
	23 792 AL1	brushed hard graphite	4005176586231	2,911.02
	<p><b>Lineare</b>  <b>Single-lever bath mixer 1/2", floor mounted</b>                      set for final installation for                      45 984 001  <b>without roughing-in-set</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish                      automatic diverter: bath/shower                      spout with mousseur                      projection 271 mm                      integrated non-return valve                      in the shower outlet 1/2"                      with shower holder                      metal stick hand shower                      shower hose 1250 mm                      protected against backflow</p>			
	45 984 001	Chrome	4005176992056	552.23
	<p><b>Rough-in set 1/2" for floor-mounted mixers/spouts</b></p>			
	29 086 000		4005176935497	406.28
	<p><b>Rough-in set 1/2" for floor-mounted mixers/spouts</b></p>			
	13 383 001	Chrome	4005176418167	266.63
	13 383 DC1	supersteel	4005176418174	373.29
	<p><b>Lineare</b>  <b>Bath spout</b>                      wall mounted  <b>GROHE Long-Life</b> finish                      mousseur                      male thread 1/2"                      projection 170 mm</p>			
		34 863 000	Chrome	4005176789922
34 863 DC0		supersteel	4005176790782	2,207.75
34 863 AL0		brushed hard graphite	4005176790799	2,523.16
	<p><b>Grotherm SmartControl</b>  <b>Concealed shower system with Rainshower SmartActive 310</b>                      Consisting of:                      concealed thermostat with 3 valves (29 121)                      GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)                      Rainshower SmartActive 310 head shower set 2 sprays (26 475) including                      horizontal shower arm 430 mm and head shower rough-in (26 483)                      Rainshower SmartActive 130 hand shower 3 sprays                      shower outlet elbow 1/2" with holder (26 658)                      Silverflex shower hose 1500 mm 1/2" x 1/2"                      optional flow regulator 9.5 l/min included for hand shower</p>			


# GROHE LINEARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 952 000	Chrome	4005176174230	66.83
	19 952 DC0	supersteel	4005176467776	282.17
	19 952 AL0	brushed hard graphite	4005176353376	322.48
	<b>Talentofill</b> <b>Inlet-, pop-up and waste-system</b> set for final installation escutcheon supply part waste plug fixing set <b>in combination with Talentofill</b> <b>28 990 000/28 991 000</b>			
	19 025 000	Chrome	4005176209154	70.25
	<b>Talento</b> <b>Waste and overflow set for baths</b> set for final installation escutcheon waste plug fixing set <b>in combination with Talento 28 939 000/28 943 000</b> <b>GROHE Long-Life</b> finish			
				
	28 912 000	Chrome	4005176266751	104.04
	28 912 DC0	supersteel	4005176467905	145.66
	28 912 AL0	brushed hard graphite	4005176467844	166.48
	<b>Bottle trap, 1 1/4"</b> for basins brass (screw-top for cleaning) large sliding escutcheon <b>GROHE Long-Life</b> finish			
	37 601 000	Chrome	4005176416057	106.42
	37 601 DC0	supersteel	4005176416088	191.56
	37 601 AL0	brushed hard graphite	4005176529030	191.56
	<b>Nova Cosmopolitan S</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m <b>for vertical installation</b> 130 x 172 mm material: ABS <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)			




# GROHE EUROCUBE JOY


Ref. No.      Colour      EAN      Retail Guide Price (£)




**23 657 000      Chrome      4005176342110      298.33**  
**Eurocube Joy**  
**Basin mixer 1/2" M-Size**  
 monobloc installation  
 metal lever  
 GROHE FeatherControl Joystick cartridge  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**SpeedClean** mousseur  
**GROHE FastFixation Plus** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses



**34 488 000      Chrome      4005176940620      431.43**  
**Grotherm Cube**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE Long-Life** finish  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE Water Saving** - Less water, perfect flow



**34 497 000      Chrome      4005176940675      565.44**  
**Grotherm Cube**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE Long-Life** finish  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton**  
 (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE Water Saving** - Less water, perfect flow




**24 061 000      Chrome      4005176465680      208.77**  
**Eurocube**  
**Single-lever shower mixer trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**



**35 604 000      4005176698774      80.96**  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE EUROCUBE JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




24 062 000	Chrome	4005176465697	229.64
------------	--------	---------------	--------

**Eurocube**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			




24 094 000	Chrome	4005176480638	256.99
------------	--------	---------------	--------

**Eurocube**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			



24 153 000	Chrome	4005176481178	555.75
24 153 DC0	supersteel	4005176574221	778.05
24 153 AL0	brushed hard graphite	4005176585913	889.20


**Grotherm Cube**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 ceramic stop valve, 120°  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

# GROHE EUROCUBE JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 154 000	Chrome	4005176481185	619.51
24 154 DC0	supersteel	4005176574238	867.31
24 154 AL0	brushed hard graphite	4005176585920	991.21




**Grotherm Cube**  
**Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed head and hand shower symbol  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

24 155 000	Chrome	4005176481192	619.51
24 155 DC0	supersteel	4005176574245	867.31
24 155 AL0	brushed hard graphite	4005176585937	991.21




**Grotherm Cube**  
**Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed hand shower and bath filler symbol  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

34 868 000	Chrome	4005176791574	1,246.90
------------	--------	---------------	----------




**Grotherm Cube**  
**Concealed shower system with Rainshower Mono 310 Cube**  
 Consisting of:  
 concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 154)  
 GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)  
 Rainshower Mono 310 Cube head shower set (26 563) including horizontal shower arm 422 mm (26 145)  
 Euphoria Cube Stick hand shower 1 spray (27 698)  
 shower outlet elbow 1/2" with holder (26 659)  
 Silverflex shower hose 1.500 mm (28 364)  
 optional flow regulator 9.5 l/min included for hand shower and head shower

# GROHE EUROCUBE JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

25 289 000	Chrome	4005176791659	624.43
------------	--------	---------------	--------



## Eurocube

### Concealed shower system with Tempesta 250 Cube

Consisting of:

concealed single-lever mixer with 2-way diverter (24 062)

GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)

Tempesta 250 Cube head shower set 9.5 l/min (26 687) including horizontal shower arm 380 mm

Euphoria Cube Stick hand shower 1 spray (27 698)









shower outlet elbow 1/2" with wall shower holder (26 370)

Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

optional flow regulator 9.5 l/min included for hand shower




# GROHE EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 137 000	Chrome	4005176901096	194.28
<p><b>Eurocube</b>  <b>Pillar tap</b>  <b>XS-Size</b>                      monobloc installation                      metal lever                      ceramic headpart  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur                      union nut 1/2" x 10.5 mm</p>				
 	23 127 00E	Chrome	4005176901591	247.00
<p><b>Eurocube</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>				
	23 132 00E	Chrome	4005176906725	240.42
<p><b>ditto, smooth body</b></p>				
 	23 390 00E	Chrome	4005176938436	247.00
<p><b>Eurocube</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove Energy Saving</b> 28 mm ceramic cartridge                      with energy saving function via cold start                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation Plus</b> rapid installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>				
 	23 445 000	Chrome	4005176998706	260.25
<p><b>Eurocube</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>				
	23 445 DC0	supersteel	4005176524974	364.36
	23 445 AL0	brushed hard graphite	4005176584657	416.41
	23 446 000	Chrome	4005176998720	253.85
<p><b>ditto, smooth body</b></p>				


# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>23 135 00E</b>	<b>Chrome</b>	<b>4005176906732</b>	<b>296.41</b>
-------------------	---------------	----------------------	---------------

**Eurocube**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
 monobloc installation, metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**SpeedClean** mousseur  
**GROHE FastFixation Plus** installation system  
 swivel tubular spout with stop limiter  
 pop-up waste set 1 1/4"  
 flexible connection hoses



<b>23 406 000</b>	<b>Chrome</b>	<b>4005176941658</b>	<b>343.79</b>
<b>23 406 DC0</b>	<b>supersteel</b>	<b>4005176524998</b>	<b>481.32</b>
<b>23 406 AL0</b>	<b>brushed hard graphite</b>	<b>4005176584671</b>	<b>550.08</b>





**Eurocube**  
**Basin mixer 1/2"**  
**XL-Size**  
 monobloc installation  
 metal lever  
**for free-standing basins**  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**GROHE FastFixation Plus** installation system  
 smooth body  
 flexible connection hoses












<b>36 441 000</b>	<b>Chrome</b>	<b>4005176415630</b>	<b>844.24</b>
<b>36 441 DC0</b>	<b>supersteel</b>	<b>4005176686818</b>	<b>1,097.51</b>
<b>36 441 AL0</b>	<b>brushed hard graphite</b>	<b>4005176686825</b>	<b>1,266.36</b>

**Eurocube E**  
**Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 laminar spray regulator  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

# GROHE EUROCUBE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 895 000	Chrome	4005176901072	306.30
	19 895 AL0	brushed hard graphite	4005176585494	490.07
	<b>Eurocube</b> <b>2-hole basin mixer</b> <b>S-Size</b> wall mounted set for final installation for 23 200 000 without concealed body metal escutcheon metal lever <b>GROHE Long-Life</b> finish <b>GROHE AquaGuide</b> adjustable mousseur centre distance 110 mm projection 171 mm			
	23 447 000	Chrome	4005176998737	321.32
	23 200 002		4005176519901	279.14
	23 200 000		4005176908354	279.24
	23 138 000	Chrome	4005176901133	247.00
	<b>Eurocube</b> <b>Bidet mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE FastFixation Plus</b> installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
	23 145 000	Chrome	4005176901270	279.95
	23 145 DC0	supersteel	4005176525049	391.94
	23 145 AL0	brushed hard graphite	4005176585524	447.93
	<b>Eurocube</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE Long-Life</b> finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow			
	34 488 000	Chrome	4005176940620	431.43
	<b>Grotherm Cube</b> <b>Thermostatic shower mixer 1/2"</b> wall mounted <b>GROHE Long-Life</b> finish <b>GROHE SafeStop</b> safety button at 38°C (calibration required) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included <b>GROHE TurboStat</b> compact cartridge with wax thermolement integrated mixed water shut off volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions <b>GROHE Water Saving</b> - Less water, perfect flow			

# GROHE EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 140 000	Chrome	4005176901157	326.03
	23 140 DC0	supersteel	4005176525056	521.65
	23 140 AL0	brushed hard graphite	4005176585531	586.86
	<p><b>Eurocube</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur, integrated non-return valve                      in the shower outlet 1/2"                      covered S-unions                      protected against backflow                      optional temperature limiter (46 375 000)</p>			
	23 141 000	Chrome	4005176901164	391.91
		<p><b>Eurocube</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      covered S-unions                      protected against backflow                      optional temperature limiter (46 375 000)                      Hand shower (27 698 000)                      wall shower holder (27 693 000)                      shower hose 1500 mm (28 151 000)</p>		
	34 497 000	Chrome	4005176940675	565.44
		<p><b>Grohtherm Cube</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:                      - integrated <b>GROHE EcoButton</b>                      (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower                      shower bottom outlet 1/2"  <b>GROHE XL Waterfall</b>                      flow straightener                      built-in non return valves                      dirt strainers                      protected against backflow                      covered S-unions  <b>GROHE Water Saving</b> - Less water, perfect flow</p>		
	24 061 000	Chrome	4005176465680	208.77
	24 061 AL0	brushed hard graphite	4005176585586	334.02
	<p><b>Eurocube</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 604 000		4005176698774	80.96
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				




Ref. No.	Colour	EAN	Retail Guide Price (£)
24 062 000	Chrome	4005176465697	229.64
24 062 DC0	supersteel	4005176553905	321.50
24 062 AL0	brushed hard graphite	4005176585579	367.44



**Eurocube**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			




24 094 000	Chrome	4005176480638	256.99
24 094 DC0	supersteel	4005176574047	359.80
24 094 AL0	brushed hard graphite	4005176585593	411.19

**Eurocube**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			



24 153 000	Chrome	4005176481178	555.75
24 153 DC0	supersteel	4005176574221	778.05
24 153 AL0	brushed hard graphite	4005176585913	889.20


**Grohtherm Cube**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 ceramic stop valve, 120°  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 154 000	Chrome	4005176481185	619.51
24 154 DC0	supersteel	4005176574238	867.31
24 154 AL0	brushed hard graphite	4005176585920	991.21




## Grotherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for  
GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Long-Life** finish  
wall escutcheon with **GROHE FastFixation**  
(covered escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
printed head and hand shower symbol  
**GROHE SafeStop** safety button at 38°C  
(calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
GROHE AquaDimmer, integrated shut off/diverter valve  
flow performance:  
outlet B = 27 l/min  
outlet C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

24 155 000	Chrome	4005176481192	619.51
24 155 DC0	supersteel	4005176574245	867.31
24 155 AL0	brushed hard graphite	4005176585937	991.21




## Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for  
GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Long-Life** finish  
wall escutcheon with **GROHE FastFixation**  
(covered escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
printed hand shower and bath filler symbol  
**GROHE SafeStop** safety button at 38°C  
(calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
GROHE AquaDimmer, integrated shut off/diverter valve  
flow performance:  
outlet B = 27 l/min  
outlet C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

34 868 000	Chrome	4005176791574	1,246.90
------------	--------	---------------	----------




## Grotherm Cube Concealed shower system with Rainshower Mono 310 Cube

Consisting of:  
concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 154)  
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)  
Rainshower Mono 310 Cube head shower set (26 563) including horizontal shower arm 422 mm (26 145)  
Euphoria Cube Stick hand shower 1 spray (27 698)  
shower outlet elbow 1/2" with holder (26 659)  
Silverflex shower hose 1.500 mm (28 364)  
optional flow regulator 9.5 l/min included for hand shower and head shower


# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>25 289 000</b>	<b>Chrome</b>	<b>4005176791659</b>	<b>624.43</b>
-------------------	---------------	----------------------	---------------

**Eurocube**  
**Concealed shower system with Tempesta 250 Cube**  
 Consisting of:  
 concealed single-lever mixer with 2-way diverter (24 062)  
 GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)  
 Tempesta 250 Cube head shower set 9.5 l/min (26 687) including horizontal shower arm 380 mm  
 Euphoria Cube Stick hand shower 1 spray (27 698)  
 shower outlet elbow 1/2" with wall shower holder (26 370)  
 Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)  
 optional flow regulator 9.5 l/min included for hand shower




<b>19 897 001</b>	<b>Chrome</b>	<b>4005176429101</b>	<b>1,206.47</b>
<b>19 897 DC1</b>	<b>supersteel</b>	<b>4005176525087</b>	<b>1,689.06</b>
<b>19 897 AL1</b>	<b>brushed hard graphite</b>	<b>4005176585548</b>	<b>1,930.35</b>

**Eurocube**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 pre-assembled spout fixing  
 single lever mixer operating element  
 metal lever  
 bath inlet with mousseur  
 diverter bath/shower  
 hand shower Euphoria Cube+ 6.6 l/min  
 metal shower hose 2000 mm (always chrome for any colour of the set)  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 for use with 29 037 000

<b>29 037 000</b>		<b>4005176865749</b>	<b>924.58</b>
-------------------	--	----------------------	---------------

**Baseframe for installation under tiled surround**



<b>23 672 001</b>	<b>Chrome</b>	<b>4005176429002</b>	<b>1,853.62</b>
<b>23 672 DC1</b>	<b>supersteel</b>	<b>4005176525094</b>	<b>2,595.07</b>
<b>23 672 AL1</b>	<b>brushed hard graphite</b>	<b>4005176585555</b>	<b>2,965.80</b>

**Eurocube**  
**Single-lever bath mixer 1/2", floor mounted**  
 set for final installation for  
 45 984 001  
 29 038 001  
 29 086 000  
**without roughing-in-set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE Long-Life** finish  
 automatic diverter: bath/shower  
 spout with mousseur  
 Euphoria Cube+ Stick hand shower 6.6 l/min (26 467)  
 Silverflex shower hose 1250 mm (28 362)  
 projection 298 mm  
 integrated non-return valve  
 in the shower outlet 1/2"  
 protected against backflow  
 with shower holder



















<b>45 984 001</b>	<b>Chrome</b>	<b>4005176992056</b>	<b>552.23</b>
-------------------	---------------	----------------------	---------------







**Rough-in set 1/2" for floor-mounted mixers/spouts**

<b>29 086 000</b>		<b>4005176935497</b>	<b>406.28</b>
-------------------	--	----------------------	---------------

**Rough-in set 1/2" for floor-mounted mixers/spouts**

# GROHE EUROCUBE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	13 303 000	Chrome	4005176906350	147.91
	13 303 DC0	supersteel	4005176525100	207.07
	13 303 AL0	brushed hard graphite	4005176585562	236.65
	<b>Eurocube Bath spout</b> wall mounted <b>GROHE Long-Life</b> finish mousseur male thread 1/2" projection 170 mm			
	13 304 000	Chrome	4005176906367	166.41
	<b>Eurocube Bath spout</b> wall mounted <b>GROHE Long-Life</b> finish mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm			
				
	19 910 000	Chrome	4005176987014	62.87
	<b>Eurocube Volume Control Trim</b> for concealed valves, 1/2", 3/4" <b>without concealed body</b> installation depth adjustable 16 - 38 mm metal handle Sliding escutcheon with wall sealing <b>GROHE Long-Life</b> finish			
				
	35 028 000		4005176908316	160.19
<b>GROHE Rapido C rough-in box for single volume control</b>				
	29 811 000		4005176062711	23.12
	<b>Concealed stop valve 1/2"</b> preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
				
	29 800 000	Chrome	4005176504839	25.47
	<b>Concealed stop-valve, 1/2"</b> pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
				
	29 802 000	Chrome	4005176504853	47.13
	<b>ditto, 3/4"</b> , pre-assembled headpart 3/4", thread union 3/4"			
				
	29 805 000	Chrome	4005176504884	73.65
	<b>ditto, 1"</b> , pre-assembled headpart 1", thread union 1"			
				
	29 801 000		4005176504846	25.47
	<b>Concealed stop-valve, 1/2"</b> pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
				
	29 804 000		4005176504877	47.13
	<b>ditto, soldered connection Ø 22 mm</b>			
				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	22 012 000	Chrome	4005176906343	56.57
	22 012 DC0	supersteel	4005176525742	79.19
	22 012 AL0	brushed hard graphite	4005176585944	90.50
	<p><b>Eurocube</b>  <b>Angle valve 1/2"</b>                      wall connection 1/2"                      outlet thread 3/8"                      cartridge headpart                      metal handle                      marking: neutral                      metal push-on escutcheon</p>			
	22 013 000	Chrome	4005176909689	56.57
	<p><b>Eurocube</b>  <b>Angle valve 1/2"</b>                      wall connection 1/2"                      outlet 1/2"                      cartridge headpart                      metal handle                      marking: neutral                      metal push-on escutcheon</p>			
				
	37 535 000	Chrome	4005176416019	87.64
	37 535 DC0	supersteel	4005176416040	191.45
	37 535 AL0	brushed hard graphite	4005176431357	191.45
	<p><b>Skate Cosmopolitan S</b>  <b>Flush plate</b>                      for dual flush or start &amp; stop actuation                      for pneumatic drop valve AV1                      compatible with Rapid SL/GD2 1.13 m  <b>for vertical installation</b>                      130 x 172 mm                      material: ABS  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      flush plate with magnetic holder and fixing brackets included                      compatible with Rapid SLX                      for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)                      for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)</p>			




Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

23 958 003	Chrome	4005176605642	829.69
------------	--------	---------------	--------




**GROHE Plus**  
**Single-lever basin mixer 1/2" with LED display**  
**M-size**  
 colour LED water temperature display  
 infra-red diverter: mousseur / Eco spray  
 automatic return to mousseur  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**SpeedClean** mousseur  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 swivel spout with easy docking  
 swivel area 90°  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses  
 1.5 V alkaline mono battery, 4 x mono cell  
 external battery

23 959 003	Chrome	4005176605659	866.11
------------	--------	---------------	--------











**GROHE Plus**  
**Single-lever basin mixer 1/2" with LED display**  
**L-Size**  
 colour LED water temperature display  
 infra-red diverter: mousseur / Eco spray  
 automatic return to mousseur  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**SpeedClean** mousseur  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 swivel spout with easy docking  
 swivel area 90°  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses  
 1.5 V alkaline mono battery, 4 x mono cell  
 external battery

32 612 003	Chrome	4005176529696	234.89
32 612 DC3	supersteel	4005176574054	328.83
32 612 AL3	brushed hard graphite	4005176585609	375.80




**GROHE Plus**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**SpeedClean** mousseur  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 163 003	Chrome	4005176529702	234.89
	<p><b>GROHE Plus</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE AquaGuide</b> adjustable mousseur  <b>GROHE FastFixation Plus</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 870 003	Chrome	4005176529719	234.89
	<p><b>GROHE Plus</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove Energy Saving</b> 28 mm ceramic cartridge                      with energy saving function via cold start                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE AquaGuide</b> adjustable mousseur  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 871 003 23 871 DC3 23 871 AL3	Chrome supersteel brushed hard graphite	4005176529726 4005176574061 4005176585616	293.60 411.04 469.76
	<p><b>GROHE Plus</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      swivel spout with easy docking                      swivel area 90°                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 872 003	Chrome	4005176529733	293.60
	<p><b>GROHE Plus</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      swivel spout with easy docking                      swivel area 90°                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			


# GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 851 003	Chrome	4005176496523	328.83
23 851 DC3	supersteel	4005176574078	460.37
23 851 AL3	brushed hard graphite	4005176585623	526.13

**GROHE Plus**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**SpeedClean** mousseur  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 swivel spout with easy docking  
 swivel area 90°  
 pop-up waste set 1 1/4"  
 flexible connection hoses









23 873 003	Chrome	4005176529986	328.83
------------	--------	---------------	--------







**GROHE Plus**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**SpeedClean** mousseur  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 swivel spout with easy docking  
 swivel area 90°  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses







23 843 003	Chrome	4005176496547	381.68
23 843 DC3	supersteel	4005176574085	534.35

**GROHE Plus**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**SpeedClean** mousseur  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 pull out spout  
**GROHE EasyDock** guarantees easy retraction and  
 smooth docking back to the starting position  
 pop-up waste set 1 1/4"  
 flexible connection hoses


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 844 003	Chrome	4005176496554	381.68
	<p><b>GROHE Plus</b>  <b>Single-lever basin mixer 1/2"</b>  <b>L-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      pull out spout  <b>GROHE EasyDock</b> guarantees easy retraction and                      smooth docking back to the starting position                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	32 618 003 32 618 DC3 32 618 AL3	Chrome supersteel brushed hard graphite	4005176529740 4005176574092 4005176585647	364.06 509.69 582.51
	<p><b>GROHE Plus</b>  <b>Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation                      metal lever  <b>for free-standing basins</b>                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      smooth body                      flexible connection hoses</p>			
	20 301 003	Chrome	4005176529757	364.06
	<p><b>GROHE Plus</b>  <b>Three-hole basin mixer 1/2"</b>  <b>M-Size</b>                      metal lever                      ceramic headparts 1/2", 90°  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      pop-up waste set 1 1/4"  <b>GROHE FastFixation</b> installation system                      pressure-proof, flexible connection hoses                      between spout and side valves                      union nut 1/2" x 10.5 mm</p>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 303 003	Chrome	4005176529764	286.55
	29 303 DC3	supersteel	4005176574108	401.18
	29 303 AL3	brushed hard graphite	4005176585654	458.49
	<b>GROHE Plus</b> <b>2-hole basin mixer</b> <b>M-Size</b> wall mounted set for final installation for 23 200 000 without concealed body metal escutcheon metal lever <b>GROHE Long-Life finish</b> <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>SpeedClean</b> mousseur <b>GROHE AquaGuide</b> adjustable mousseur centre distance 110 mm projection 147 mm min. recommended pressure 1.0 bar			
	29 306 003	Chrome	4005176529771	305.34
	ditto, projection 203 mm			
<b>23 200 002</b> 4005176519901 279.14 <b>Rough-in for single-lever mixer, wall mount</b>				
<b>23 200 000</b> 4005176908354 279.24 <b>Rough-in for single-lever mixer, wall mount</b>				
	33 241 003	Chrome	4005176529849	234.89
	<b>GROHE Plus</b> <b>Bidet mixer 1/2"</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE Long-Life finish</b> rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar			
				
	33 577 003	Chrome	4005176529801	281.86
	33 577 DC3	supersteel	4005176574139	394.59
	33 577 AL3	brushed hard graphite	4005176585685	450.97
	<b>GROHE Plus</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE Long-Life finish</b> shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1.0 bar			



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 719 000	Chrome	4005176457654	420.94
	<p><b>Grotherm SmartControl</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow                      integrated <b>GROHE EasyReach</b> shower tray shower bottom outlet 1/2"                      built-in non return valve and dirt strainers                      protected against backflow</p>			
	33 553 003	Chrome	4005176529795	352.31
	33 553 DC3	supersteel	4005176574122	493.24
	33 553 AL3	brushed hard graphite	4005176585678	563.71
<p><b>GROHE Plus</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter  <b>GROHE Long-Life</b> finish                      automatic diverter: bath/shower laminar mousseur                      shower outlet 1/2"                      integrated non-return valve                      covered S-unions                      protected against backflow                      min. recommended pressure 1.0 bar</p>				
	34 718 000	Chrome	4005176457647	462.56
	<p><b>Grotherm SmartControl</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow                      integrated <b>GROHE EasyReach</b> shower tray shower bottom outlet 1/2"                      bath spout with mousseur                      built-in non return valve and dirt strainers                      protected against backflow</p>			
	33 547 003	Chrome	4005176529818	396.35
	<p><b>GROHE Plus</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter  <b>GROHE Long-Life</b> finish                      automatic diverter: bath/shower laminar mousseur                      shower outlet 1/2"                      integrated non-return valve                      covered S-unions                      protected against backflow                      with shower set                      Consisting of:                      hand shower Euphoria Cube Stick (27 698 000)                      wall shower holder (27 693 000)                      Silverflex shower hose 1.500 mm (28 364)                      min. recommended pressure 1.0 bar</p>			


Ref. No.	Colour	EAN	Retail Guide Price (£)
24 059 003	Chrome	4005176529832	223.13
24 059 DC3	supersteel	4005176574153	312.39
24 059 AL3	brushed hard graphite	4005176585708	357.02



**GROHE Plus**  
**Single-lever shower mixer trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**



35 604 000	4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		




24 060 003	Chrome	4005176529825	234.89
24 060 DC3	supersteel	4005176574146	328.83
24 060 AL3	brushed hard graphite	4005176585692	375.80

**GROHE Plus**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**



35 604 000	4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		







24 093 003	Chrome	4005176530050	264.24
24 093 DC3	supersteel	4005176574214	369.94
24 093 AL3	brushed hard graphite	4005176585760	422.79

**GROHE Plus**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**




35 604 000	4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 863 000	Chrome	4005176789922	1,576.97
	34 863 DC0	supersteel	4005176790782	2,207.75
	34 863 AL0	brushed hard graphite	4005176790799	2,523.16
	<b>Grotherm SmartControl</b> <b>Concealed shower system with Rainshower SmartActive 310</b> Consisting of: concealed thermostat with 3 valves (29 121) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower SmartActive 310 head shower set 2 sprays (26 475) including horizontal shower arm 430 mm and head shower rough-in (26 483) Rainshower SmartActive 130 hand shower 3 sprays shower outlet elbow 1/2" with holder (26 658) Silverflex shower hose 1500 mm 1/2" x 1/2" optional flow regulator 9.5 l/min included for hand shower			
	34 864 000	Chrome	4005176789939	1,576.97
	34 864 DC0	supersteel	4005176791857	2,207.75
34 864 AL0	brushed hard graphite	4005176790843	2,523.16	
	<b>Grotherm SmartControl</b> <b>Concealed shower system with Rainshower SmartActive 310 Cube</b> Consisting of: concealed thermostat with 3 valves (29 126) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower SmartActive 310 Cube head shower set 2 sprays (26 479) including horizontal shower arm 430 mm and head shower rough-in (26 483) Rainshower SmartActive 130 Cube hand shower 3 sprays shower outlet elbow 1/2" with holder (26 659) Silverflex shower hose 1500 mm 1/2" x 1/2" optional flow regulator 9.5 l/min included for hand shower			
	29 307 003	Chrome	4005176529993	968.88
	29 307 DC3	supersteel	4005176574160	1,356.42
29 307 AL3	brushed hard graphite	4005176585715	1,550.20	
	<b>GROHE Plus</b> <b>4-hole single-lever bath combination</b> GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish Consisting of: pre-assembled spout laminar mousseur single lever mixer operating element metal lever diverter bath/shower hand shower Euphoria Cube 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002 min. recommended pressure 1.0 bar			
	29 037 002		4005176519918	921.32
	<b>Baseframe for installation under tiled surround</b>			


# GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 846 003	Chrome	4005176496684	1,785.09
23 846 DC3	supersteel	4005176574177	2,499.12
23 846 AL3	brushed hard graphite	4005176585722	2,856.13




**GROHE Plus**  
**Single-lever bath mixer 1/2", floor mounted**  
 set for final installation for 45 984 001  
**without roughing-in-set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE Long-Life** finish  
 automatic diverter: bath/shower  
 spout with laminar mousseur  
 projection 282 mm  
 integrated non-return valve  
 in the shower outlet 1/2"  
 with shower holder  
 hand shower Euphoria Cube 6.6 l/min  
 Silverflex shower hose 1250 mm (28 362)  
 protected against backflow  
 min. recommended pressure 1.0 bar

45 984 001	Chrome	4005176992056	552.23
<b>Rough-in set 1/2" for floor-mounted mixers/spouts</b>			
29 086 000		4005176935497	406.28
<b>Rough-in set 1/2" for floor-mounted mixers/spouts</b>			



13 404 003	Chrome	4005176529788	164.41
13 404 DC3	supersteel	4005176574115	230.18


**GROHE Plus**  
**Bath spout**  
 wall mounted  
**GROHE Long-Life** finish  
 laminar mousseur  
 male thread 1/2"  
 projection 168 mm



26 507 000	Chrome	4005176457586	1,123.68
26 507 LSO	moon white	4005176457609	1,298.10
26 507 DC0	supersteel	4005176526374	1,685.53
26 507 AL0	brushed hard graphite	4005176557422	2,022.64

**Euphoria SmartControl System 310 Duo**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal 450 mm shower arm  
 upper bracket adjustable for minimal adaption to existing drilling holes  
 exposed SmartControl thermostat  
 allows change between:  
 head shower Rainshower SmartActive 310  
 2 spray patterns:  
 GROHE PureRain, ActiveRain  
 maximum flow rate (at 3 bar): 20 l/min  
 hand shower Euphoria 110 Massage, spray plate white (27 221 001)  
 3 spray patterns:  
 Rain, SmartRain, Massage  
 maximum flow rate (at 3 bar): 16 l/min  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge with wax thermolement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
 GROHE Water Saving to Full Flow  
 integrated **GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



26 508 000	Chrome	4005176457593	1,123.68
26 508 LS0	moon white	4005176457616	1,298.10
26 508 DC0	supersteel	4005176526367	1,685.53
26 508 AL0	brushed hard graphite	4005176557507	2,022.64


**Euphoria SmartControl System 310 Cube Duo**  
Shower system with thermostat for wall mounting

Consisting of:  
horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower SmartActive 310 Cube  
2 spray patterns:  
GROHE PureRain, ActiveRain  
maximum flow rate (at 3 bar): 20 l/min  
hand shower Euphoria Cube (27 699 000) 9.5 l/min.  
maximum flow rate (at 3 bar): 16 l/min  
adjustable height via gliding element  
Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge with wax thermoelement  
GROHE ProGrip with knurl structure  
**GROHE Long-Life** finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow  
integrated **GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.




19 952 000	Chrome	4005176174230	66.83
19 952 DC0	supersteel	4005176467776	282.17
19 952 AL0	brushed hard graphite	4005176353376	322.48

**Talentofill**  
**Inlet-, pop-up and waste-system**  
set for final installation  
escutcheon  
supply part  
waste plug  
fixing set  
**in combination with Talentofill**  
28 990 000/28 991 000



19 025 000	Chrome	4005176209154	70.25
------------	--------	---------------	-------

**Talento**  
**Waste and overflow set for baths**  
set for final installation  
escutcheon  
waste plug  
fixing set  
**in combination with Talento** 28 939 000/28 943 000  
**GROHE Long-Life** finish




40 564 000	Chrome	4005176912740	114.46
40 564 DC0	supersteel	4005176491795	160.23
40 564 AL0	brushed hard graphite	4005176491788	183.13

**Bottle trap**  
for wash basin  
**GROHE Long-Life** finish  
brass body



# GROHE PLUS


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



28 912 000	Chrome	4005176266751	104.04
28 912 DC0	supersteel	4005176467905	145.66
28 912 AL0	brushed hard graphite	4005176467844	166.48


**Bottle trap, 1 1/4"**  
for basins  
brass  
(screw-top for cleaning)  
large sliding escutcheon  
**GROHE Long-Life** finish

37 535 000	Chrome	4005176416019	87.64
37 535 DC0	supersteel	4005176416040	191.45
37 535 AL0	brushed hard graphite	4005176431357	191.45



**Skate Cosmopolitan S**  
**Flush plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m  
**for vertical installation**  
130 x 172 mm  
material: ABS  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
flush plate with magnetic holder and fixing brackets included  
compatible with Rapid SLX  
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)  
for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)


37 624 000	Chrome	4005176416095	106.42
37 624 DC0	supersteel	4005176416125	191.57
37 624 AL0	brushed hard graphite	4005176529115	191.56



**Arena Cosmopolitan S**  
**Flush plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m  
**for vertical installation**  
130 x 172 mm  
material: ABS  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
flush plate with magnetic holder and fixing brackets included  
compatible with Rapid SLX  
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)  
for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


33 155 002	Chrome	4005176865947	326.87
------------	--------	---------------	--------



**Europlus**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable minimum flow rate 2.5 l/min  
 temperature limiter  
**GROHE Long-Life** finish  
 rapid installation system  
 pull out spout with mousseur  
 integrated non-return valve  
 pop-up waste set 1 1/4"  
 flexible connection hoses

# GROHE ESSENCE

Ref. No. Colour EAN Retail Guide Price (£)




24 171 001	Chrome	4005176698309	187.52
24 171 DC1	supersteel	4005176711466	262.53
24 171 GL1	cool sunrise	4005176711497	281.28
24 171 GN1	brushed cool sunrise	4005176712036	300.03
24 171 DA1	warm sunset	4005176711459	281.28
24 171 DL1	brushed warm sunset	4005176711473	300.03
24 171 A01	hard graphite	4005176711428	281.28
24 171 AL1	brushed hard graphite	4005176711435	300.03

**Essence**  
Basin mixer 1/2"  
S-Size  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition  
replaces Essence basin mixer 23 589 xx1




24 172 001	Chrome	4005176698316	181.42
24 172 DC1	supersteel	4005176712081	253.99
24 172 GL1	cool sunrise	4005176712111	272.14
24 172 GN1	brushed cool sunrise	4005176712128	290.27
24 172 DA1	warm sunset	4005176712074	272.14
24 172 DL1	brushed warm sunset	4005176712098	290.27
24 172 A01	hard graphite	4005176712043	272.14
24 172 AL1	brushed hard graphite	4005176712050	290.27
24 172 KF1	phantom black	4005176782398	253.99

ditto, smooth body
















23 589 001	Chrome	4005176339172	187.52
------------	--------	---------------	--------

**Essence**  
Basin mixer 1/2"  
S-Size  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
pop-up waste set 1 1/4"  
flexible connection hoses




23 590 001	Chrome	4005176339189	181.42
23 590 DC1	supersteel	4005176369926	253.99
23 590 GL1	cool sunrise	4005176425851	272.14
23 590 GN1	brushed cool sunrise	4005176425868	290.27
23 590 DA1	warm sunset	4005176425875	272.14
23 590 DL1	brushed warm sunset	4005176425882	290.27
23 590 A01	hard graphite	4005176426001	272.14
23 590 AL1	brushed hard graphite	4005176425998	290.27

**Essence**  
Basin mixer 1/2"  
S-Size  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
smooth body  
flexible connection hoses

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 <b>24 180 001</b>	Chrome	4005176698446	187.52
	<p><b>Essence</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove Energy Saving</b> 28 mm ceramic cartridge                      with energy saving function via cold start                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE AquaGuide</b> adjustable mousseur  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition                      replaces Essence basin mixer 23 591 001</p>			
	 <b>24 179 001</b>	Chrome	4005176698439	187.52
	<p><b>Essence</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove Energy Saving</b> 28 mm ceramic cartridge                      with energy saving function via cold start                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation Plus</b> installation system                      smooth body                      waste set with push-open plug                      flexible connection hoses                      professional edition                      replaces Essence basin mixer 23 797 001</p>			
	<b>23 797 001</b>	Chrome	4005176415531	187.52
	<p><b>Essence</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove Energy Saving</b> 28 mm ceramic cartridge                      with energy saving function via cold start                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      smooth body                      waste set with push-open plug                      flexible connection hoses</p>			
	 <b>24 175 001</b>	Chrome	4005176698347	187.52
	<p><b>Essence</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition                      replaces Essence basin mixer 32 898 001</p>			
	 <b>34 813 001</b>	Chrome	4005176698392	181.42
	<p><b>Professional edition</b></p>			


# GROHE ESSENCE

Ref. No.      Colour      EAN      Retail Guide Price (£)




**32 898 001      Chrome      4005176306860      187.52**

**Essence**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** mousseur 5.7 l/min  
**GROHE FastFixation Plus** installation system  
pop-up waste set 1 1/4"  
flexible connection hoses



**34 294 001      Chrome      4005176306877      181.42**

**Essence**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** mousseur 5.7 l/min  
**GROHE FastFixation Plus** installation system  
smooth body  
flexible connection hoses




**24 183 001      Chrome      4005176698491      187.52**

**Essence**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
**GROHE SilkMove Energy Saving** 28 mm ceramic cartridge  
with energy saving function via cold start  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
**GROHE FastFixation Plus** installation system  
pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition  
replaces Essence basin mixer 23 379 001



# GROHE ESSENCE


Ref. No.	Colour	EAN	Retail Guide Price (£)
24 173 001	Chrome	4005176698323	219.54
24 173 DC1	supersteel	4005176711282	307.35
24 173 GL1	cool sunrise	4005176711312	329.30
24 173 GN1	brushed cool sunrise	4005176711329	351.26
24 173 DA1	warm sunset	4005176711275	329.30
24 173 DL1	brushed warm sunset	4005176711299	351.26
24 173 A01	hard graphite	4005176712005	329.30
24 173 AL1	brushed hard graphite	4005176712012	351.26



**Essence**  
**Basin mixer 1/2"**  
**M-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
 swivel spout with mousseur  
 and stop limiter  
 adjustable swivel area 0° / 150° / 360°  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition  
 replaces Essence basin mixer 23 462 xx1

24 176 001	Chrome	4005176698378	213.44
24 176 KF1	phantom black	4005176782367	298.82


ditto, smooth body



23 462 001	Chrome	4005176306907	219.54
23 462 DC1	supersteel	4005176369933	307.35
23 462 GL1	cool sunrise	4005176426032	329.30
23 462 GN1	brushed cool sunrise	4005176426049	351.26
23 462 DA1	warm sunset	4005176426056	329.30
23 462 DL1	brushed warm sunset	4005176426063	351.26
23 462 A01	hard graphite	4005176425325	329.30
23 462 AL1	brushed hard graphite	4005176426070	351.26

**Essence**  
**Basin mixer 1/2"**  
**M-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
 swivel spout with mousseur  
 and stop limiter  
 pop-up waste set 1 1/4"  
 flexible connection hoses


23 463 001	Chrome	4005176306914	213.44
------------	--------	---------------	--------



**Essence**  
**Basin mixer 1/2"**  
**M-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
 swivel spout with mousseur  
 and stop limiter  
 smooth body  
 flexible connection hoses

# GROHE ESSENCE


Ref. No.	Colour	EAN	Retail Guide Price (£)
24 174 001	Chrome	4005176698330	240.88
24 174 DC1	supersteel	4005176711565	337.23
24 174 GL1	cool sunrise	4005176711596	361.32
24 174 GN1	brushed cool sunrise	4005176711602	385.41
24 174 DA1	warm sunset	4005176711558	361.32
24 174 DL1	brushed warm sunset	4005176711572	385.41
24 174 A01	hard graphite	4005176711527	361.32
24 174 AL1	brushed hard graphite	4005176711534	385.41



**Essence**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
swivel spout with mousseur  
and stop limiter  
adjustable swivel area 0° / 150° / 360°  
pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition  
replaces Essence basin mixer 32 628 xx1

24 177 001	Chrome	4005176698408	234.78
24 177 KF1	phantom black	4005176782350	328.70


32 628 001	Chrome	4005176306983	240.88
32 628 DC1	supersteel	4005176369940	337.23
32 628 GL1	cool sunrise	4005176407369	361.32
32 628 GN1	brushed cool sunrise	4005176419645	385.41
32 628 DA1	warm sunset	4005176407352	361.32
32 628 DL1	brushed warm sunset	4005176419652	385.41
32 628 A01	hard graphite	4005176407376	361.32
32 628 AL1	brushed hard graphite	4005176407383	385.41




**Essence**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
swivel spout with mousseur  
and stop limiter  
pop-up waste set 1 1/4"  
flexible connection hoses

23 541 001	Chrome	4005176313912	234.78
------------	--------	---------------	--------

**Essence**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
swivel spout with mousseur  
and stop limiter  
smooth body  
flexible connection hoses




# GROHE ESSENCE



Ref. No.	Colour	EAN	Retail Guide Price (£)
24 170 001	Chrome	4005176698293	326.25
24 170 DC1	supersteel	4005176711657	456.77
24 170 GL1	cool sunrise	4005176711688	489.39
24 170 GN1	brushed cool sunrise	4005176711695	522.02
24 170 DA1	warm sunset	4005176711640	489.39
24 170 DL1	brushed warm sunset	4005176711664	522.02
24 170 A01	hard graphite	4005176711619	489.39
24 170 AL1	brushed hard graphite	4005176711626	522.02
24 170 KF1	phantom black	4005176782374	456.77

**Essence**  
**Basin mixer 1/2"**  
**XL-Size**  
 monobloc installation  
 metal lever  
**for free-standing basins**  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 6.5 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** rapid installation system  
 swivel spout with mousseur  
 and stop limiter  
 adjustable swivel area 0° / 90° / 360°  
 smooth body  
 flexible connection hoses  
 professional edition  
 replaces Essence basin mixer 32 901 xx1




32 901 001	Chrome	4005176306969	326.25
32 901 DC1	supersteel	4005176369957	456.77
32 901 GL1	cool sunrise	4005176407505	489.39
32 901 GN1	brushed cool sunrise	4005176426117	522.02
32 901 DA1	warm sunset	4005176407499	489.39
32 901 DL1	brushed warm sunset	4005176426124	522.02
32 901 A01	hard graphite	4005176407512	489.39
32 901 AL1	brushed hard graphite	4005176407529	522.02

**Essence**  
**Basin mixer 1/2"**  
**XL-Size**  
 monobloc installation  
 metal lever  
**for free-standing basins**  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** 6.6 l/min flow limiter  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** rapid installation system  
 swivel spout with mousseur  
 and stop limiter  
 smooth body  
 flexible connection hoses


# GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 445 000	Chrome	4005176415678	678.41
36 445 DC0	supersteel	4005176686542	881.93
36 445 GL0	cool sunrise	4005176686559	949.77
36 445 GN0	brushed cool sunrise	4005176686566	1,017.61
36 445 DA0	warm sunset	4005176686573	949.77
36 445 DL0	brushed warm sunset	4005176686788	1,017.61
36 445 A00	hard graphite	4005176686795	949.77
36 445 AL0	brushed hard graphite	4005176686801	1,017.61



**Essence E**  
**Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 adjustable swivel area 0° / 150° / 360°  
 laminar spray regulator  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance  
 with DIN4109  
 type of protection faucet IP 59K

20 296 001	Chrome	4005176307072	306.43
20 296 DC1	supersteel	4067393033646	429.02
20 296 GL1	cool sunrise	4067393033660	459.66
20 296 GN1	brushed cool sunrise	4067393033677	490.30
20 296 DA1	warm sunset	4067393033639	459.66
20 296 DL1	brushed warm sunset	4067393033653	490.30
20 296 AL1	brushed hard graphite	4067393033622	490.30



**Essence**  
**Three-hole basin mixer 1/2"**  
**M-Size**  
 metal lever  
 ceramic headparts 1/2", 90°  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**GROHE AquaGuide** adjustable mousseur  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
 union nut 1/2" x 10.5 mm

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 192 001	Chrome	4005176698279	240.88
29 192 DC1	supersteel	4005176711770	337.23
29 192 GL1	cool sunrise	4005176711800	361.32
29 192 GN1	brushed cool sunrise	4005176711817	385.41
29 192 DA1	warm sunset	4005176711763	361.32
29 192 DL1	brushed warm sunset	4005176711787	385.41
29 192 A01	hard graphite	4005176711732	361.32
29 192 AL1	brushed hard graphite	4005176711749	385.41
29 192 KF1	phantom black	4005176782411	337.23

**Essence**

2-hole basin mixer

M-Size

wall mounted

set for final installation for

23 571 000 / 32 635 000

**without concealed body**

metal escutcheon

metal lever

**GROHE Long-Life** finish

**GROHE Water Saving** - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min


**GROHE AquaGuide** adjustable mousseur

centre distance 110 mm

projection 183 mm

professional edition

replaces Essence two-hole basin mixer 19 408 xx1



29 193 001	Chrome	4005176698286	271.38
29 193 DC1	supersteel	4005176711954	379.92
29 193 GL1	cool sunrise	4005176711985	407.06
29 193 GN1	brushed cool sunrise	4005176711992	434.20
29 193 DA1	warm sunset	4005176711947	407.06
29 193 DL1	brushed warm sunset	4005176711961	434.20
29 193 A01	hard graphite	4005176711916	407.06
29 193 AL1	brushed hard graphite	4005176711923	434.20
29 193 KF1	phantom black	4067393019886	379.92
ditto, projection 230 mm			


23 571 000

4005176334276

279.00

Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers

19 408 001	Chrome	4005176307133	240.88
19 408 DC1	supersteel	4005176369964	337.23
19 408 GL1	cool sunrise	4005176426155	361.32
19 408 GN1	brushed cool sunrise	4005176426162	385.41
19 408 DA1	warm sunset	4005176426179	361.32
19 408 DL1	brushed warm sunset	4005176426186	385.41
19 408 A01	hard graphite	4005176426209	361.32
19 408 AL1	brushed hard graphite	4005176426193	385.41



**Essence**

2-hole basin mixer

M-Size

wall mounted

set for final installation for

23 571 000 / 32 635 000

**without concealed body**

metal escutcheon

metal lever

**GROHE Long-Life** finish

**GROHE Water Saving** mousseur 5.7 l/min


**GROHE AquaGuide** adjustable mousseur

centre distance 110 mm

projection 183 mm




# GROHE ESSENCE




Ref. No.	Colour	EAN	Retail Guide Price (£)
19 967 001	Chrome	4005176307140	271.38
19 967 DC1	supersteel	4005176369971	379.92
19 967 GL1	cool sunrise	4005176426230	407.06
19 967 GN1	brushed cool sunrise	4005176426247	434.20
19 967 DA1	warm sunset	4005176426254	407.06
19 967 DL1	brushed warm sunset	4005176426261	434.20
19 967 A01	hard graphite	4005176426285	407.06
19 967 AL1	brushed hard graphite	4005176426278	434.20

**Essence**  
**2-hole basin mixer**  
**L-Size**  
 wall mounted  
 set for final installation for  
 23 571 000 / 32 635 000  
**without concealed body**  
 metal escutcheon  
 metal lever  
**GROHE Long-Life** finish  
**GROHE Water Saving** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 centre distance 110 mm  
 projection 230 mm



24 178 001	Chrome	4005176698415	187.52
24 178 DC1	supersteel	4005176712395	262.53
24 178 GL1	cool sunrise	4005176712425	281.28
24 178 GN1	brushed cool sunrise	4005176712432	300.03
24 178 DA1	warm sunset	4005176712388	281.28
24 178 DL1	brushed warm sunset	4005176712401	300.03
24 178 A01	hard graphite	4005176711701	281.28
24 178 AL1	brushed hard graphite	4005176711718	300.03


**Essence**  
**Bidet mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**GROHE FastFixation Plus** installation system  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition  
 replaces Essence bidet mixer 32 935 xx1



32 935 001	Chrome	4005176307171	187.52
32 935 DC1	supersteel	4005176369988	262.53
32 935 GL1	cool sunrise	4005176426315	281.28
32 935 GN1	brushed cool sunrise	4005176426322	300.03
32 935 DA1	warm sunset	4005176426339	281.28
32 935 DL1	brushed warm sunset	4005176426346	300.03
32 935 A01	hard graphite	4005176426360	281.28
32 935 AL1	brushed hard graphite	4005176426353	300.03


**Essence**  
**Bidet mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE FastFixation Plus** installation system  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses

Ref. No.      Colour      EAN      Retail Guide Price (£)




Ref. No.	Colour	EAN	Retail Guide Price (£)
24 395 KF1	phantom black	4005176782428	262.53

**Essence Bidet mixer 1/2" S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**GROHE FastFixation Plus** installation system  
 ball-joint mousseur  
 smooth body  
 flexible connection hoses



25 252 001	Chrome	4005176698385	207.34
25 252 DC1	supersteel	4005176711220	290.27
25 252 GL1	cool sunrise	4005176711251	311.01
25 252 GN1	brushed cool sunrise	4005176711268	331.75
25 252 DA1	warm sunset	4005176711213	311.01
25 252 DL1	brushed warm sunset	4005176711237	331.75
25 252 A01	hard graphite	4005176711183	311.01
25 252 AL1	brushed hard graphite	4005176711190	331.75
25 252 KF1	phantom black	4005176782381	290.27

**Essence Single-lever shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter  
**GROHE Long-Life** finish  
 shower outlet 1/2"  
 integrated non-return valve  
 S-unions  
 protected against backflow  
 professional edition  
 replaces Essence shower mixer 33 636 xx1



33 636 001	Chrome	4005176307287	207.34
33 636 DC1	supersteel	4005176371141	290.27
33 636 GL1	cool sunrise	4005176426612	311.01
33 636 GN1	brushed cool sunrise	4005176426629	331.75
33 636 DA1	warm sunset	4005176426636	311.01
33 636 DL1	brushed warm sunset	4005176426643	331.75
33 636 A01	hard graphite	4005176426667	311.01
33 636 AL1	brushed hard graphite	4005176426650	331.75


**Essence Single-lever shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter  
**GROHE Long-Life** finish  
 shower outlet 1/2"  
 integrated non-return valve  
 S-unions  
 protected against backflow

# GROHE ESSENCE

Ref. No. Colour EAN Retail Guide Price (£)


34 765 000 Chrome 4005176612022 201.00

**Grohtherm 800 Cosmopolitan**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE Long-Life** finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE Water Saving** - Less water, perfect flow




25 250 001	Chrome	4005176698354	254.60
25 250 DC1	supersteel	4005176712487	356.44
25 250 GL1	cool sunrise	4005176711169	381.90
25 250 GN1	brushed cool sunrise	4005176711176	407.36
25 250 DA1	warm sunset	4005176712470	381.90
25 250 DL1	brushed warm sunset	4005176712494	407.36
25 250 A01	hard graphite	4005176712449	381.90
25 250 AL1	brushed hard graphite	4005176712456	407.36
25 250 KF1	phantom black	4005176782404	356.44







**Essence**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE Long-Life** finish  
 automatic diverter: bath/shower  
 mousseur  
 shower outlet 1/2"  
 integrated non-return valve  
 S-unions  
 protected against backflow  
 professional edition  
 replaces Essence bath mixer 33 624 xx1



33 624 001	Chrome	4005176990786	254.60
33 624 DC1	supersteel	4005176371097	356.44
33 624 GL1	cool sunrise	4005176426391	381.90
33 624 GN1	brushed cool sunrise	4005176426407	407.36
33 624 DA1	warm sunset	4005176426414	381.90
33 624 DL1	brushed warm sunset	4005176426421	407.36
33 624 A01	hard graphite	4005176426445	381.90
33 624 AL1	brushed hard graphite	4005176426438	407.36


**Essence**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE Long-Life** finish  
 automatic diverter: bath/shower  
 mousseur  
 shower outlet 1/2"  
 integrated non-return valve  
 S-unions  
 protected against backflow



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	25 249 001	Chrome	4005176698262	304.91
	<p><b>Essence</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish                      automatic diverter: bath/shower                      mousseur                      shower outlet 1/2"                      integrated non-return valve                      S-unions                      protected against backflow                      with shower set                      Consisting of:                      Euphoria Cosmopolitan Stick hand shower 1 spray (27 367)                      wall shower holder Tempesta 100                      Cosmopolitan (27 594 000)                      Silverflex shower hose 1.500 mm (28 364)                      professional edition                      replaces Essence bath mixer 33 628 001</p>			
 	33 628 001	Chrome	4005176990793	304.91
	<p><b>Essence</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish                      automatic diverter: bath/shower                      mousseur                      shower outlet 1/2"                      integrated non-return valve                      S-unions                      protected against backflow                      with shower set                      Consisting of:                      hand shower Euphoria Cosmopolitan                      Stick (27 400 000) 6.6 l/min                      Euphoria Cosmopolitan Stick hand shower 1 spray (27 367)                      wall shower holder Tempesta 100                      Cosmopolitan (27 594 000)                      Silverflex shower hose 1.500 mm (28 364)</p>			
 	34 766 000	Chrome	4005176612039	261.87
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermolement                      integrated mixed water shut off                      automatic diverter: bath/shower                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually                      adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			

# GROHE ESSENCE


Ref. No.	Colour	EAN	Retail Guide Price (£)
24 168 001	Chrome	4005176698453	192.46
24 168 DC1	supersteel	4005176712173	269.46
24 168 GL1	cool sunrise	4005176712203	288.70
24 168 GN1	brushed cool sunrise	4005176712210	307.95
24 168 DA1	warm sunset	4005176712166	288.70
24 168 DL1	brushed warm sunset	4005176712180	307.95
24 168 A01	hard graphite	4005176712135	288.70
24 168 AL1	brushed hard graphite	4005176712142	307.95
24 168 KF1	phantom black	4067393019855	269.46



**Essence**  
**Single-lever shower mixer trim**  
 set for final installation for  
 GROHE Rapido SmartBox (35 604)  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**  
 professional edition  
 replaces Essence shower mixer 24 057 xx1




35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			



24 167 001	Chrome	4005176698422	211.72
24 167 DC1	supersteel	4005176712265	296.40
24 167 GL1	cool sunrise	4005176712296	317.57
24 167 GN1	brushed cool sunrise	4005176712302	338.74
24 167 DA1	warm sunset	4005176712258	317.57
24 167 DL1	brushed warm sunset	4005176712272	338.74
24 167 A01	hard graphite	4005176712227	317.57
24 167 AL1	brushed hard graphite	4005176712234	338.74
24 167 KF1	phantom black	4005176782343	296.40

**Essence**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox (35 604)  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**  
 professional edition  
 replaces Essence single-lever mixer with 2-way diverter 24 058 xx1

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 169 001	Chrome	4005176698477	239.47
24 169 DC1	supersteel	4005176712357	335.26
24 169 GL1	cool sunrise	4005176711503	359.21
24 169 GN1	brushed cool sunrise	4005176711510	383.16
24 169 DA1	warm sunset	4005176712340	359.21
24 169 DL1	brushed warm sunset	4005176712364	383.16
24 169 A01	hard graphite	4005176712319	359.21
24 169 AL1	brushed hard graphite	4005176712326	383.16




**Essence**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox (35 604)  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**  
 professional edition  
 replaces Essence single-lever mixer with 3-way diverter 24 092 xx1




35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

24 092 001	Chrome	4005176480522	239.47
24 092 DC1	supersteel	4005176480539	335.26
24 092 GL1	cool sunrise	4005176480546	359.21
24 092 GN1	brushed cool sunrise	4005176480553	383.16
24 092 DA1	warm sunset	4005176480560	359.21
24 092 DL1	brushed warm sunset	4005176480577	383.16
24 092 A01	hard graphite	4005176481291	359.21
24 092 AL1	brushed hard graphite	4005176481307	383.16



**Essence**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**





25 287 000	Chrome	4005176791635	854.70
25 287 DC0	supersteel	4005176791796	1,196.57
25 287 GL0	cool sunrise	4005176791833	1,282.03
25 287 GN0	brushed cool sunrise	4005176791840	1,367.51
25 287 DA0	warm sunset	4005176791819	1,282.03
25 287 DL0	brushed warm sunset	4005176791826	1,367.51
25 287 AL0	brushed hard graphite	4005176791802	1,367.51







**Essence**  
**Concealed shower system with Rainshower Mono 310**  
 Consisting of:  
 concealed single-lever mixer with 2-way diverter (24 167)  
 GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)  
 Rainshower Mono 310 head shower set including horizontal shower arm 422 mm  
 Rainshower SmartActive 130 hand shower 3 sprays  
 shower outlet elbow 1/2" with holder (26 658)  
 Silverflex shower hose 1500 mm 1/2" x 1/2"  
 optional flow regulator 9.5 l/min included for hand shower and head shower




# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	34 863 000	Chrome	4005176789922	1,576.97	
	34 863 DC0	supersteel	4005176790782	2,207.75	
	34 863 GL0	cool sunrise	4005176790829	2,365.45	
	34 863 GN0	brushed cool sunrise	4005176790836	2,523.16	
	34 863 DA0	warm sunset	4005176790805	2,365.45	
	34 863 DL0	brushed warm sunset	4005176790812	2,523.16	
	34 863 AL0	brushed hard graphite	4005176790799	2,523.16	
	<b>Grotherm SmartControl</b> <b>Concealed shower system with Rainshower SmartActive 310</b> Consisting of: concealed thermostat with 3 valves (29 121) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower SmartActive 310 head shower set 2 sprays (26 475) including horizontal shower arm 430 mm and head shower rough-in (26 483) Rainshower SmartActive 130 hand shower 3 sprays shower outlet elbow 1/2" with holder (26 658) Silverflex shower hose 1500 mm 1/2" x 1/2" optional flow regulator 9.5 l/min included for hand shower				
		25 251 001	Chrome	4005176698361	869.00
		25 251 DC1	supersteel	4005176711862	1,216.61
25 251 GL1		cool sunrise	4005176711893	1,303.51	
25 251 DA1		warm sunset	4005176711855	1,303.51	
25 251 DL1		brushed warm sunset	4005176711114	1,390.40	
25 251 A01		hard graphite	4005176711824	1,303.51	
25 251 AL1		brushed hard graphite	4005176711831	1,390.40	
25 251 KF1		phantom black	4067393019879	1,216.61	
<b>Essence</b> <b>4-hole single-lever bath combination</b> GROHE SilkMove 35 mm ceramic cartridge with temperature limiter <b>GROHE Long-Life</b> finish pre-assembled spout fixing single lever mixer operating element metal lever bath inlet with mousseur diverter bath/shower Stick hand shower metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 professional edition replaces Essence four-hole bath combination 19 578 xx1					
		29 037 000		4005176865749	924.58
	<b>Baseframe for installation under tiled surround</b>				
		19 578 001	Chrome	4005176307195	869.00
		19 578 DC1	supersteel	4005176371103	1,216.61
		19 578 GL1	cool sunrise	4005176426476	1,303.51
		19 578 GN1	brushed cool sunrise	4005176426483	1,390.40
		19 578 DA1	warm sunset	4005176426490	1,303.51
		19 578 DL1	brushed warm sunset	4005176426506	1,390.40
		19 578 A01	hard graphite	4005176426520	1,303.51
		19 578 AL1	brushed hard graphite	4005176426513	1,390.40
<b>Essence</b> <b>4-hole single-lever bath combination</b> GROHE SilkMove 35 mm ceramic cartridge with temperature limiter <b>GROHE Long-Life</b> finish pre-assembled spout fixing single lever mixer operating element metal lever bath inlet with mousseur diverter bath/shower metal stick hand shower metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000					


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>19 976 001</b>	<b>Chrome</b>	<b>4005176307218</b>	<b>608.31</b>
	<p><b>Essence</b>  <b>3-hole single-lever bath combination</b>                      Three hole installation  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      single lever mixer operating element                      diverter bath/shower                      hand shower 27 400 000                      metal shower hose 2000 mm (always chrome for any colour of the set)                      flexible connection hoses                      connection for shower hose                      protected against backflow                      for use with 29 037 000                      for combination with 28 990 / 28 991</p>			
	<b>29 037 000</b>		<b>4005176865749</b>	<b>924.58</b>
	<p><b>Baseframe for installation under tiled surround</b></p>			
	<b>25 248 001</b>	<b>Chrome</b>	<b>4005176698255</b>	<b>1,372.11</b>
	<b>25 248 DC1</b>	<b>supersteel</b>	<b>4005176711374</b>	<b>1,920.95</b>
	<b>25 248 GL1</b>	<b>cool sunrise</b>	<b>4005176711404</b>	<b>2,058.17</b>
	<b>25 248 GN1</b>	<b>brushed cool sunrise</b>	<b>4005176711411</b>	<b>2,195.38</b>
	<b>25 248 DA1</b>	<b>warm sunset</b>	<b>4005176711367</b>	<b>2,058.17</b>
	<b>25 248 DL1</b>	<b>brushed warm sunset</b>	<b>4005176711381</b>	<b>2,195.38</b>
	<b>25 248 A01</b>	<b>hard graphite</b>	<b>4005176711336</b>	<b>2,058.17</b>
	<b>25 248 AL1</b>	<b>brushed hard graphite</b>	<b>4005176711343</b>	<b>2,195.38</b>
	<b>25 248 KF1</b>	<b>phantom black</b>	<b>4067393019862</b>	<b>1,920.95</b>
	<p><b>Essence</b>  <b>Single-lever bath mixer 1/2", floor mounted</b>                      set for final installation for                      45 984 001  <b>without roughing-in-set</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish                      automatic diverter: bath/shower                      swivel spout with mousseur                      and stop limiter                      adjustable swivel area 0° / 150° / 360°                      projection 277 mm                      integrated non-return valve                      in the shower outlet 1/2"                      with shower holder                      metal stick hand shower                      Silverflex shower hose 1250 mm (28 362)                      protected against backflow                      professional edition                      replaces Essence floor mounted bath mixer 23 491 xx1</p>			
		<b>45 984 001</b>	<b>Chrome</b>	<b>4005176992056</b>
<p><b>Rough-in set 1/2" for floor-mounted mixers/spouts</b></p>				
<p><b>29 086 000</b> <b>4005176935497</b> <b>406.28</b></p> <p><b>Rough-in set 1/2" for floor-mounted mixers/spouts</b></p>				

# GROHE ESSENCE



Ref. No.	Colour	EAN	Retail Guide Price (£)
23 491 001	Chrome	4005176307263	1,372.11
23 491 DC1	supersteel	4005176371127	1,920.95
23 491 GL1	cool sunrise	4005176407581	2,058.17
23 491 GN1	brushed cool sunrise	4005176426582	2,195.38
23 491 DA1	warm sunset	4005176407574	2,058.17
23 491 DL1	brushed warm sunset	4005176426599	2,195.38
23 491 A01	hard graphite	4005176407598	2,058.17
23 491 AL1	brushed hard graphite	4005176407604	2,195.38

**Essence**  
**Single-lever bath mixer 1/2", floor mounted**  
 set for final installation for  
 45 984 001  
**without roughing-in-set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE Long-Life** finish  
 automatic diverter: bath/shower  
 swivel spout with mousseur  
 and stop limiter  
 projection 277 mm  
 integrated non-return valve  
 in the shower outlet 1/2"  
 with shower holder  
 metal stick hand shower  
 Silverflex shower hose 1250 mm (28 362)  
 protected against backflow



37 601 000	Chrome	4005176416057	106.42
37 601 DC0	supersteel	4005176416088	191.56
37 601 GL0	cool sunrise	4005176524271	191.56
37 601 GN0	brushed cool sunrise	4005176529016	191.56
37 601 DA0	warm sunset	4005176524288	191.56
37 601 DL0	brushed warm sunset	4005176529023	191.56
37 601 A00	hard graphite	4005176528996	191.56
37 601 AL0	brushed hard graphite	4005176529030	191.56
37 601 KF0	phantom black	4005176677670	218.16









**Nova Cosmopolitan S**  
**Flush plate**  
 for dual flush or start & stop actuation  
 for pneumatic drop valve AV1  
 compatible with Rapid SL/GD2 1.13 m  
**for vertical installation**  
 130 x 172 mm  
 material: ABS  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 flush plate with magnetic holder and fixing brackets included  
 compatible with Rapid SLX  
 for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000  
 (sold separately)  
 for use with Rapid SL and Uniset 0.82 m installation height please order shaft  
 40 950 000 (sold separately)

# GROHE EURODISC JOY









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 427 000	Chrome	4005176993619	251.98
	<p><b>Eurodisc Joy Basin mixer 1/2" M-Size</b>                      monobloc installation                      metal lever                      GROHE FeatherControl Joystick cartridge                      GROHE Long-Life finish                      GROHE Water Saving - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      SpeedClean mousseur                      GROHE FastFixation Plus installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	24 055 002	Chrome	4005176465420	177.77
	<p><b>Eurodisc Cosmopolitan Single-lever shower mixer trim</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE Long-Life finish                      wall escutcheon with GROHE FastFixation                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min                      without roughing-in-set</p>			
		35 604 000	4005176698774	80.96
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 056 002	Chrome	4005176465437	195.55
	<p><b>Eurodisc Cosmopolitan Single-lever mixer with 2-way diverter</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE Long-Life finish                      wall escutcheon with GROHE FastFixation                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min                      without roughing-in-set</p>			
		35 604 000	4005176698774	80.96
	GROHE Rapido SmartBox universal rough-in box for concealed installation			











# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 051 002	Chrome	4005176887567	126.41
<p><b>Eurodisc Cosmopolitan</b>  <b>Pillar tap</b>  <b>XS-Size</b>                      monobloc installation                      metal lever                      ceramic headpart  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur                      union nut 1/2" x 10.5 mm</p>				
 	23 049 002	Chrome	4005176887536	199.60
<p><b>Eurodisc Cosmopolitan</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> installation system                      with centering support                      mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses</p>				
 	33 190 20E	Chrome	4005176887482	199.60
<p><b>Eurodisc Cosmopolitan</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation</b> installation system                      with centering support                      pop-up waste set 1 1/4"                      flexible connection hoses</p>				
 	33 183 002	Chrome	4005176887499	199.60
<p><b>Eurodisc Cosmopolitan</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> installation system                      with centering support                      mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses                      optional temperature limiter (46 375 000)                      noise classification 1 in accordance                      with DIN4109</p>				
	32 469 20E	Chrome	4005176908835	192.95
<p><b>ditto, smooth body</b></p>				









# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 382 20E	Chrome	4005176936708	192.95
	<p><b>Eurodisc Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove Energy Saving</b> 35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system with centering support                      smooth body                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
	23 448 002	Chrome	4005176998744	227.18
	<p><b>Eurodisc Cosmopolitan Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 449 002	Chrome	4005176998768	220.71
	<p><b>Eurodisc Cosmopolitan Single-lever basin mixer 1/2"</b>  <b>L-Size</b>                      monobloc installation                      metal lever                      covered lever fixing  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation Plus</b> installation system                      mousseur                      swivel tubular spout with stop limiter                      adjustable swivel area 0° / 150° / 360°                      pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar                      optional temperature limiter (46 375 000)</p>			
	23 054 003	Chrome	4005176472596	249.46
	<p><b>Eurodisc Cosmopolitan Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation                      metal lever  <b>for free-standing basins</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation Plus</b> installation system                      smooth body                      flexible connection hoses                      optional temperature limiter (46 375 000)</p>			

# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 573 002	Chrome	4005176887659	249.52
	<p><b>Eurodisc Cosmopolitan 2-hole basin mixer M-Size</b>                      wall mounted                      set for final installation for 23 571 000 / 32 635 000  <b>without concealed body</b>                      metal escutcheon                      metal lever  <b>GROHE Long-Life</b> finish  <b>GROHE AquaGuide NEW</b>                      centre distance 110 mm                      projection 170 mm</p>			
	23 571 000		4005176334276	279.00
	Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers			
	33 244 002	Chrome	4005176888779	199.60
	<p><b>Eurodisc Cosmopolitan Bidet mixer 1/2" S-Size</b>                      metal lever                      monobloc installation  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      with centering support                      ball-joint mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses                      optional temperature limiter (46 375 000)</p>			
	33 569 002	Chrome	4005176887734	199.60
	<p><b>Eurodisc Cosmopolitan Single-lever shower mixer 1/2"</b>                      wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      shower bottom outlet 1/2"                      integrated non-return valve, S-unions                      protected against backflow                      optional temperature limiter (46 308 000)</p>			
	34 719 000	Chrome	4005176457654	420.94
	<p><b>Grotherm SmartControl Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from                      GROHE Water Saving to Full Flow                      integrated <b>GROHE EasyReach</b> shower tray                      shower bottom outlet 1/2"                      built-in non return valve                      and dirt strainers                      protected against backflow</p>			


# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	33 390 002	Chrome	4005176887796	249.52
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower                      mousseur, integrated non-return valve                      in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)</p>				
 	34 718 000	Chrome	4005176457647	462.56
<p><b>Grotherm SmartControl</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement  <b>GROHE ProGrip</b> with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from                      GROHE Water Saving to Full Flow                      integrated <b>GROHE EasyReach</b> shower tray                      shower bottom outlet 1/2"                      bath spout with mousseur                      built-in non return valve                      and dirt strainers                      protected against backflow</p>				
 	33 395 002	Chrome	4005176887802	302.59
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)                      noise classification 1 in accordance                      with DIN4109                      with shower set                      Consisting of:                      hand shower euphoria 110 Champagne (27 222)                      wall shower holder (27 056)                      shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)</p>				
 	24 055 002	Chrome	4005176465420	177.77
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>				
	35 604 000		4005176698774	80.96
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				



# GROHE EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




24 056 002	Chrome	4005176465437	195.55
------------	--------	---------------	--------

**Eurodisc Cosmopolitan**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**




35 604 000		4005176698774	80.96
------------	--	---------------	-------

**GROHE Rapido SmartBox universal rough-in box for concealed installation**




34 863 000	Chrome	4005176789922	1,576.97
------------	--------	---------------	----------

**Grotherm SmartControl**  
**Concealed shower system with Rainshower SmartActive 310**  
 Consisting of:  
 concealed thermostat with 3 valves (29 121)  
 GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)  
 Rainshower SmartActive 310 head shower set 2 sprays (26 475) including  
 horizontal shower arm 430 mm and head shower rough-in (26 483)  
 Rainshower SmartActive 130 hand shower 3 sprays  
 shower outlet elbow 1/2" with holder (26 658)  
 Silverflex shower hose 1500 mm 1/2" x 1/2"  
 optional flow regulator 9.5 l/min included for hand shower



13 278 002	Chrome	4005176887871	121.06
------------	--------	---------------	--------

**Eurodisc Cosmopolitan**  
**Bath spout**  
 wall mounted  
**GROHE Long-Life** finish  
 mousseur  
 male thread 1/2"  
 projection 170 mm











37 624 000	Chrome	4005176416095	106.42
------------	--------	---------------	--------

**Arena Cosmopolitan S**  
**Flush plate**  
 for dual flush or start & stop actuation  
 for pneumatic drop valve AV1  
 compatible with Rapid SL/GD2 1.13 m  
**for vertical installation**  
 130 x 172 mm  
 material: ABS  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 flush plate with magnetic holder and fixing brackets included  
 compatible with Rapid SLX  
 for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000  
 (sold separately)  
 for use with Rapid SL and Uniset 0.82 m installation height please order shaft  
 40 950 000 (sold separately)




# GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 207 001	Chrome	4005176888878	124.73
	<p><b>Concetto</b>  <b>Pillar tap</b>  <b>XS-Size</b>                      monobloc installation                      metal lever                      ceramic headparts 1/2", 90°                      GROHE Long-Life finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur                      union nut 1/2" x 10.5 mm                      noise classification 1 in accordance with DIN4109</p>			
 	32 204 10E	Chrome	4005176887345	157.54
	<p><b>Concetto</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      temperature limiter                      GROHE Long-Life finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation</b> installation system                      with centering support                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
 	23 931 001	Chrome	4005176584015	151.04
	<p><b>Concetto</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      adjustable flow rate limiter                      temperature limiter                      GROHE Long-Life finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation</b> installation system                      with centering support                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar                      noise classification 1 in accordance with DIN4109</p>			
 	23 060 001	Chrome	4005176888021	196.93
	<p><b>Concetto</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      GROHE Long-Life finish  <b>GROHE FastFixation</b> installation system                      with centering support                      flow straightener                      pop-up waste set 1 1/4"                      flexible connection hoses  <b>for use with displacement water heater</b>                      optional temperature limiter (46 375 000)                      noise classification 1 in accordance with DIN4109</p>			


# GROHE CONCETTO

Ref. No.      Colour      EAN      Retail Guide Price (£)




**32 202 10L      Chrome      4005176903960      131.22**

**Concetto**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE Long-Life** finish  
**GROHE FastFixation** installation system  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
optional temperature limiter (46 375 000)  
min. recommended pressure 0.3 bar




**32 240 10E      Chrome      4005176906794      150.98**

**Concetto**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
adjustable flow rate limiter  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
**SpeedClean** mousseur  
**GROHE FastFixation** installation system  
with centering support  
smooth body  
flexible connection hoses



**32 240 10L      Chrome      4005176903977      157.54**

**Concetto**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE Long-Life** finish  
**GROHE FastFixation** installation system  
mousseur  
smooth body  
flexible connection hoses  
min. recommended pressure 0.3 bar  
optional temperature limiter (46 375 000)











**23 380 10E      Chrome      4005176938245      157.54**

**Concetto**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
**GROHE SilkMove Energy Saving** 28 mm ceramic cartridge  
with energy saving function via cold start  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
**GROHE FastFixation** installation system  
pop-up waste set 1 1/4"  
flexible connection hoses

**23 385 10E      Chrome      4005176938269      150.98**


ditto, smooth body

# GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 450 001	Chrome	4005176998775	179.83
	<p><b>Concetto</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>SpeedClean</b> mousseur <b>GROHE FastFixation</b> installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 451 001	Chrome	4005176998799	173.17
	ditto, smooth body			
	23 932 001	Chrome	4005176584022	173.26
	<p><b>Concetto</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE FastFixation</b> installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>			
	23 739 002	Chrome	4005176472602	266.95
	<p><b>Concetto</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE FastFixation</b> installation system swivel tubular spout with stop limiter adjustable swivel area 0° / 150° / 360° pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 1.0 bar</p>			
	32 629 002	Chrome	4005176472619	226.42
	<p><b>Concetto</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever covered lever fixing <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter <b>GROHE Long-Life</b> finish Lead and Nickel Free Inner Water Ways <b>GROHE FastFixation</b> installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 1.0 bar</p>			


# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 920 001	Chrome	4005176583421	255.24
------------	--------	---------------	--------

**Concetto**  
**Basin mixer 1/2"**  
**XL-Size**  
 monobloc installation  
 metal lever  
**for free-standing basins**  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
**GROHE AquaGuide** adjustable mousseur  
 rapid installation system  
 smooth body  
 flexible connection hoses  
 min. recommended pressure 1.0 bar



20 216 001	Chrome	4005176888373	272.44
------------	--------	---------------	--------

**Concetto**  
**Three-hole basin mixer 1/2"**  
**L-Size**  
 ceramic headpart  
**GROHE Long-Life** finish  
**GROHE FastFixation** installation system  
 with centering support  
 spout with mousseur  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses between middle-body and side valves




19 575 001	Chrome	4005176888366	229.77
------------	--------	---------------	--------

**Concetto**  
**2-hole basin mixer**  
**S-Size**  
 wall mounted  
 set for final installation for  
 23 571 000 / 32 635 000  
**without concealed body**  
 metal escutcheon  
**GROHE Long-Life** finish  
 centre distance 110 mm  
 projection 147 mm

23 571 000		4005176334276	279.00
------------	--	---------------	--------









**Single-lever mixer 1/2"**, universal concealed body for 2-hole basin mixers



32 208 001	Chrome	4005176888908	157.54
------------	--------	---------------	--------

**Concetto**  
**Bidet mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE FastFixation** installation system  
 with centering support  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses


# GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 210 001	Chrome	4005176888939	157.54
<p><b>Concetto</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      shower bottom outlet 1/2" with integrated non return-valve, S-unions protected against backflow                      optional temperature limiter (46 308 000)                      noise classification 1 in accordance with DIN4109</p>				
 	34 765 000	Chrome	4005176612022	201.00
<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>				
 	32 211 001	Chrome	4005176889028	196.93
<p><b>Concetto</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      automatic diverter: bath/shower mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)</p>				
 	34 766 000	Chrome	4005176612039	261.87
<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower mousseur                      volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>				




# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




32 212 001	Chrome	4005176889035	242.89
------------	--------	---------------	--------

**Concetto**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 mousseur, integrated non-return valve  
 in the shower outlet 1/2"  
 S-unions  
 protected against backflow  
 optional temperature limiter (46 308 000)  
 with shower set  
 Consisting of:  
 Euphoria Cosmopolitan hand shower (27 400)  
 wall shower holder (27 056)  
 shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)



32 700 001	Chrome	4005176887994	196.93
------------	--------	---------------	--------

**Concetto**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
 46 mm ceramic cartridge with  
 Eco-Override-Stop, with **GROHE SilkMove**  
**GROHE Long-Life** finish  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 automatic diverter: bath/shower  
 mousseur  
 integrated non-return valve  
 in the shower outlet 1/2"  
 S-unions  
 protected against backflow  
 optional temperature limiter (46 308 000)  
 noise classification 1 in accordance  
 with DIN4109




24 053 001	Chrome	4005176465406	171.16
------------	--------	---------------	--------

**Concetto**  
**Single-lever shower mixer trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			











24 054 001	Chrome	4005176465413	188.28
------------	--------	---------------	--------







**Concetto**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**











35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>19 345 001</b>	<b>Chrome</b>	<b>4005176888953</b>	<b>180.55</b>
<p><b>Concetto</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      33 961 000, 33 962 000, 33 963 000, 33 964 000,                      33 965 000, 33 966 000, 35 501 000  <b>without concealed body</b>                      metal lever  <b>GROHE Long-Life</b> finish                      escutcheon- and shaft-sealing                      wall escutcheon                      covered fixing</p>				
 	<b>32 213 001</b>	<b>Chrome</b>	<b>4005176888960</b>	<b>196.93</b>
<p><b>Concetto</b>  <b>Single-lever shower mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      Consisting of:                      set for final installation                      concealed body                      33 964 000                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      metal lever                      escutcheon- and shaft-sealing                      metal escutcheon                      screwed                      optional temperature limiter                      min. recommended pressure 1.0 bar</p>				
 	<b>19 346 001</b>	<b>Chrome</b>	<b>4005176889080</b>	<b>196.93</b>
<p><b>Concetto</b>  <b>Single-lever bath/shower mixer trim</b>                      set for final installation for                      33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>                      metal lever  <b>GROHE Long-Life</b> finish                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing                      wall escutcheon                      covered coupling</p>				
 	<b>32 214 001</b>	<b>Chrome</b>	<b>4005176889097</b>	<b>213.36</b>
<p><b>Concetto</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      Consisting of:                      set for final installation                      concealed body                      33 963 000                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      metal lever                      escutcheon- and shaft-sealing                      metal escutcheon                      screwed                      optional temperature limiter                      min. recommended pressure 1.0 bar</p>				









# GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 576 002	Chrome	4005176429088	820.59
	<b>Concetto</b> <b>4-hole single-lever bath combination</b> GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish pre-assembled spout fixing single lever mixer operating element bath inlet with mousseur diverter bath/shower Euphoria Cosmopolitan hand shower 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000			
	29 037 000		4005176865749	924.58
	<b>Baseframe for installation under tiled surround</b>			
 	13 280 001	Chrome	4005176888687	118.17
	<b>Concetto</b> <b>Bath spout</b> wall mounted GROHE Long-Life finish mousseur male thread 1/2"			
 	13 281 001	Chrome	4005176888694	136.22
	<b>Concetto</b> <b>Bath spout with diverter</b> wall mounted GROHE Long-Life finish mousseur automatic diverter: bath/shower male thread 1/2"			

# GROHE EUROSTYLE COSMOPOLITAN









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 039 002	Chrome	4005176886881	110.41
	<b>Eurostyle Cosmopolitan Pillar tap XS-Size</b> monobloc installation metal lever ceramic headpart <b>GROHE Long-Life</b> finish mousseur			
 	23 037 002	Chrome	4005176886355	150.53
	<b>Eurostyle Cosmopolitan Basin mixer 1/2 S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> <b>GROHE Long-Life</b> finish <b>GROHE FastFixation</b> installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses			
 	23 387 20E	Chrome	4005176938382	150.53
	<b>Eurostyle Cosmopolitan Basin mixer 1/2 S-Size</b> monobloc installation metal lever <b>GROHE SilkMove Energy Saving</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE FastFixation</b> installation system pop-up waste set 1 1/4" flexible connection hoses			
 	33 552 20E	Chrome	4005176886300	150.53
	<b>Eurostyle Cosmopolitan Basin mixer 1/2 S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>SpeedClean</b> mousseur <b>GROHE FastFixation</b> installation system with centering support pop-up waste set 1 1/4" flexible connection hoses noise classification 1 in accordance with DIN4109			
	32 468 20E	Chrome	4005176906886	143.85
	<b>ditto, smooth body</b>			

# GROHE EUROSTYLE COSMOPOLITAN









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 561 002	Chrome	4005176886379	207.39
	<p><b>Eurostyle Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> installation system                      with centering support                      flow straightener                      pop-up waste set 1 1/4"                      flexible connection hoses  <b>for use with displacement water heater</b>                      optional temperature limiter (46 375 000)                      noise classification 1 in accordance with DIN4109</p>			
	32 468 20L	Chrome	4005176917097	143.74
	<p><b>Eurostyle Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> installation system                      with centering support                      mousseur, smooth body                      flexible connection hoses  <b>for low pressure</b>                      min. recommended pressure 0.3 bar                      optional temperature limiter (46 375 000)</p>			
	23 374 20E	Chrome	4005176936678	150.53
	<p><b>Eurostyle Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove Energy Saving</b> 35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      with centering support                      pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
	23 373 20E	Chrome	4005176936661	143.85
	ditto, smooth body			
	23 043 003	Chrome	4005176472732	210.65
	<p><b>Eurostyle Cosmopolitan Single-lever basin mixer 1/2"</b>  <b>L-Size</b>                      monobloc installation                      metal lever                      covered lever fixing  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter  <b>GROHE Long-Life</b> finish                      Lead and Nickel Free Inner Water Ways  <b>GROHE FastFixation</b> installation system                      mousseur                      swivel tubular spout                      with stop restriction                      pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			









# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	20 208 002	Chrome	4005176886980	301.06
	<p><b>Eurostyle Cosmopolitan 3-hole basin mixer S-Size</b>                      metal lever                      ceramic headparts 1/2", 90°                      GROHE Long-Life finish                      GROHE FastFixation installation system with centering support                      spout with mousseur                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses                      pressure-proof, flexible connection hoses between middle-body and side valves</p>			
	19 571 002	Chrome	4005176886973	257.58
	<p><b>Eurostyle Cosmopolitan 2-hole basin mixer S-Size</b>                      wall mounted                      set for final installation for 23 571 000 / 32 635 000                      without concealed body                      metal escutcheon                      metal lever                      GROHE Long-Life finish                      GROHE AquaGuide adjustable mousseur                      centre distance 110 mm                      projection 171 mm</p>			
	23 571 000		4005176334276	279.00
	Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers			
	33 565 002	Chrome	4005176887000	150.53
	<p><b>Eurostyle Cosmopolitan Bidet mixer 1/2" S-Size</b>                      monobloc installation                      metal lever                      GROHE SilkMove 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      GROHE Long-Life finish                      GROHE Water Saving - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      GROHE FastFixation installation system with centering support                      ball-joint mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses                      optional temperature limiter (46 375 000)</p>			
	33 590 002	Chrome	4005176887048	150.53
	<p><b>Eurostyle Cosmopolitan Single-lever shower mixer 1/2"</b>                      wall mounted, metal lever                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE Long-Life finish                      adjustable flow rate limiter                      shower bottom outlet 1/2"                      integrated non-return valve, S-unions                      protected against backflow                      optional temperature limiter (46 308 000)</p>			











# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 229 002	Chrome	4005176887055	150.53
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      shower bottom outlet 1/2"                      integrated non-return valve                      S-unions                      protected against backflow                      optional temperature limiter ref. no. 08 791                      noise classification 1 in accordance with DIN4109</p>			
	34 765 000	Chrome	4005176612022	201.00
	<p><b>Grohtherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermosteement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			
	33 614 002	Chrome	4005176887208	274.35
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      flexible connection hoses                      protected against backflow                      optional temperature limiter (46 308 000)</p>			
	33 591 002	Chrome	4005176887123	183.99
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur, integrated non-return valve                      in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)</p>			







# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 766 000	Chrome	4005176612039	261.87
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic bath/shower mixer 1/2"</b>            wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C  <b>(calibration required)</b>  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement            integrated mixed water shut off            automatic diverter: bath/shower            volume handle with <b>GROHE EcoButton</b>            (economy button with individually adjustable economy stop)            ceramic headpart 1/2", 180°            shower bottom outlet 1/2"            mousseur            built-in non return valves            dirt strainers            protected against backflow            S-unions            metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			
	25 275 002	Chrome	4005176766510	234.92
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall mounted            metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish            adjustable flow rate limiter            automatic diverter: bath/shower            mousseur            integrated non-return valve            in the shower outlet 1/2"            S-unions            protected against backflow            optional temperature limiter (46 308 000)            with shower set 2 sprays (Rain, Jet)            Consisting of:            hand shower Tempesta 110 (27 597)            maximum flow rate (at 3 bar): 13.5 l/min  <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option            wall shower holder Tempesta, non-adjustable (28 605)            shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)</p>			
	33 592 20A	Chrome	4005176454288	228.45
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall mounted            metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish            adjustable flow rate limiter            automatic diverter: bath/shower            mousseur            integrated non-return valve            in the shower outlet 1/2"            S-unions            protected against backflow            optional temperature limiter (46 308 000)            with shower set            hand shower Tempesta Cosmopolitan 100, 2 sprays (27 571)            wall shower holder (27 056)            shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)</p>			

# GROHE EUROSTYLE COSMOPOLITAN









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 051 002	Chrome	4005176465383	170.48
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            flow performance:            outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>				
	35 604 000		4005176698774	80.96
<p> <b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				
 	24 052 002	Chrome	4005176465390	187.53
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever mixer with 2-way diverter</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            automatic 2-way diverter            flow performance:            outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>				
	35 604 000		4005176698774	80.96
<p> <b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				
 	19 507 002	Chrome	4005176887079	175.62
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            33 961 000, 33 962 000, 33 963 000, 33 964 000,            33 965 000, 33 966 000, 35 501 000  <b>without concealed body</b>            metal lever  <b>GROHE Long-Life</b> finish            escutcheon- and shaft-sealing            wall escutcheon            covered fixing</p>				
 	19 506 002	Chrome	4005176887185	192.35
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath/shower mixer trim</b>            set for final installation for            33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>            metal lever  <b>GROHE Long-Life</b> finish            automatic diverter: bath/shower            escutcheon- and shaft-sealing            wall escutcheon            covered fixing</p>				

# GROHE EUROSTYLE COSMOPOLITAN









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>23 048 003</b>	<b>Chrome</b>	<b>4005176429132</b>	<b>928.40</b>
	<p><b>Eurostyle Cosmopolitan</b>  <b>4-hole single-lever bath combination</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      pre-assembled spout fixing, single lever mixer operating element                      bath inlet with mousseur                      diverter bath/shower                      Euphoria Cosmopolitan hand shower 6.6 l/min                      metal shower hose 2000 mm (always chrome for any colour of the set)                      flexible connection hoses                      connection for shower hose                      protected against backflow                      can be used with 29 037 000</p>			
	<b>29 037 000</b>		<b>4005176865749</b>	<b>924.58</b>
	<b>Baseframe for installation under tiled surround</b>			
	<b>13 276 002</b>	<b>Chrome</b>	<b>4005176887246</b>	<b>124.07</b>
	<p><b>Eurostyle Cosmopolitan</b>  <b>Bath spout</b>                      wall mounted  <b>GROHE Long-Life</b> finish                      mousseur                      male thread 1/2"                      projection 170 mm</p>			
	<b>23 302 000</b>	<b>Chrome</b>	<b>4005176923876</b>	<b>379.44</b>
	<p><b>Eurostyle Cosmopolitan</b>  <b>Vertica-OHM-Bath Mixer, 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      lockable automatic diverter: bath/shower                      lockable spout                      integrated non-return valve                      in the shower outlet 1/2"                      elbow union 45°                      metal wall escutcheons                      optional temperature limiter (46 375 000)                      protected against backflow                      noise classification 1 in accordance                      with DIN4109</p>			



# GROHE EUROSTYLE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 558 003	Chrome	4005176334139	146.15
	33 558 LS3	moon white	4005176335686	189.99
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	32 468 003	Chrome	4005176334207	139.51
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 929 003	Chrome	4005176583995	141.18
	23 707 003	Chrome	4005176364778	139.51
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      solid metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 564 003	Chrome	4005176334146	152.24
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			

# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 374 003	Chrome	4005176334153	146.15
	23 374 LS3	moon white	4005176334450	189.99
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove Energy Saving</b> 35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 709 003	Chrome	4005176365003	139.51
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      solid metal lever  <b>GROHE SilkMove Energy Saving</b> 35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 930 003	Chrome	4005176584008	147.90
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove Energy Saving</b> 35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	33 557 003	Chrome	4005176334184	139.51
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      retractable chain                      flexible connection hoses</p>			


# GROHE EUROSTYLE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 715 003	Chrome	4005176365065	132.85
------------	--------	---------------	--------

**Eurostyle**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
solid metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
**GROHE FastFixation** installation system  
smooth body  
flexible connection hoses




23 569 003	Chrome	4005176334238	228.35
------------	--------	---------------	--------

**Eurostyle**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
loop metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
**GROHE FastFixation** installation system  
swivel cast spout  
swivel area 360°  
pop-up waste set 1 1/4"  
flexible connection hoses











23 718 003	Chrome	4005176365096	217.55
------------	--------	---------------	--------

**Eurostyle**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
solid metal lever  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
**GROHE FastFixation** installation system  
swivel cast spout  
swivel area 360°  
pop-up waste set 1 1/4"











23 570 003	Chrome	4005176334245	283.16
23 570 LS3	moon white	4005176334474	368.11

**Eurostyle**  
**Basin mixer 1/2"**  
**XL-Size**  
monobloc installation  
loop metal lever  
**for free-standing basins**  
**GROHE SilkMove** 35 mm ceramic cartridge  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
**GROHE FastFixation** installation system  
smooth body  
flexible connection hoses









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 719 003	Chrome	4005176365119	270.71
<p><b>Eurostyle Basin mixer 1/2" XL-Size</b>                      monobloc installation                      solid metal lever                      for free-standing basins  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      smooth body                      flexible connection hoses</p>				
 	19 571 003	Chrome	4005176334269	275.64
<p><b>Eurostyle 2-hole basin mixer M-Size</b>                      wall mounted                      without concealed body                      set for final installation for 23 571 000 / 32 635 000                      metal escutcheon                      loop metal lever  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      centre distance 110 mm                      projection 203 mm</p>				
		23 571 000	4005176334276	279.00
<p><b>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers</b></p>				
 	29 097 003	Chrome	4005176365133	262.40
<p><b>Eurostyle 2-hole basin mixer M-Size</b>                      wall mounted                      without concealed body                      set for final installation for 23 571 000 / 32 635 000                      metal escutcheon                      solid metal lever  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      centre distance 110 mm                      projection 203 mm</p>				
		23 571 000	4005176334276	279.00
<p><b>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers</b></p>				
 	33 565 003 33 565 LS3	Chrome moon white	4005176334283 4005176334504	146.15 189.99
<p><b>Eurostyle Bidet mixer 1/2" S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      with ball joint                      pop-up waste set 1 1/4"                      flexible connection hoses</p>				

# GROHE EUROSTYLE













	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 720 003	Chrome	4005176365157	139.51
	<b>Eurostyle</b> <b>Bidet mixer 1/2"</b> <b>S-Size</b> monobloc installation solid metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE FastFixation</b> installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses			
	33 590 003 33 590 LS3	Chrome moon white	4005176334306 4005176334511	160.76 208.99
	<b>Eurostyle</b> <b>Single-lever shower mixer 1/2"</b> wall mounted loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE Long-Life</b> finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow			
	23 722 003	Chrome	4005176365188	154.45
	<b>Eurostyle</b> <b>Single-lever shower mixer 1/2"</b> wall mounted solid metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE Long-Life</b> finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow			
	34 814 003	Chrome	4005176695728	232.70
	<b>Grohtherm 1000</b> <b>Thermostatic shower mixer 1/2"</b> wall mounted <b>GROHE CoolTouch</b> safety housing <b>GROHE Long-Life</b> finish <b>GROHE MetalGrip</b> ergonomically shaped metal handles <b>GROHE SafeStop</b> safety button at 38°C (calibration required) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included <b>GROHE TurboStat</b> compact cartridge with wax thermoelement integrated mixed water shut off volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon <b>GROHE Water Saving</b> - Less water, perfect flow professional edition			



# GROHE EUROSTYLE







	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 591 003	Chrome	4005176334351	197.91
	33 591 LS3	moon white	4005176334535	257.28
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      shower outlet 1/2" with integrated non-return valve                      covered S-unions                      metal wall escutcheons                      protected against backflow</p>			
	23 726 003	Chrome	4005176365256	189.32
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      solid metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      shower outlet 1/2" with integrated non-return valve                      covered S-unions                      protected against backflow</p>			
	34 816 003	Chrome	4005176695742	297.18
	<p><b>Grohtherm 1000</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE Long-Life</b> finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:                      - integrated <b>GROHE EcoButton</b>                      (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow                      professional edition</p>			
	25 286 003	Chrome	4005176766794	233.24
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      solid metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      shower outlet 1/2" with integrated non-return valve                      covered S-unions                      metal wall escutcheons                      with shower set 1 spray (Rain)                      Consisting of:                      hand shower Tempesta 110 (27 923)                      maximum flow rate (at 3 bar): 7.6 l/min                      wall shower holder Tempesta, non-adjustable (28 605)                      shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)</p>			




# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 048 003	Chrome	4005176465345	159.15
	24 048 LS3	moon white	4005176465352	206.90
	<p><b>Eurostyle</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            flow performance:            outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 604 000		4005176698774	80.96
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				
	24 046 003	Chrome	4005176465307	157.30
	<p><b>Eurostyle</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            flow performance:            outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 604 000		4005176698774	80.96
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				
	24 049 003	Chrome	4005176465369	175.07
	24 049 LS3	moon white	4005176465376	227.60
	<p><b>Eurostyle</b>  <b>Single-lever mixer with 2-way diverter</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            automatic 2-way diverter            flow performance:            outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>			
	35 604 000		4005176698774	80.96
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				
	24 047 003	Chrome	4005176465321	173.04
	<p><b>Eurostyle</b>  <b>Single-lever mixer with 2-way diverter</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            automatic 2-way diverter            flow performance:            outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>			
	35 604 000		4005176698774	80.96
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 507 003	Chrome	4005176334337	164.41
<p><b>Eurostyle</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      33 961 000, 33 962 000, 33 963 000, 33 964 000,                      33 965 000, 33 966 000, 35 501 000  <b>without concealed body</b>                      loop metal lever  <b>GROHE Long-Life</b> finish                      GROHE FastFixation covered fixing                      escutcheon- and shaft-sealing                      metal wall escutcheon</p>				
	29 098 003	Chrome	4005176365225	157.77
<p><b>Eurostyle</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      33 961 000, 33 962 000, 33 963 000, 33 964 000,                      33 965 000, 33 966 000, 35 501 000  <b>without concealed body</b>                      solid metal lever  <b>GROHE Long-Life</b> finish                      GROHE FastFixation covered fixing                      escutcheon- and shaft-sealing                      metal wall escutcheon</p>				
	33 635 003	Chrome	4005176334344	188.77
<p><b>Eurostyle</b>  <b>Single-lever shower mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      GROHE FastFixation covered fixing                      Consisting of:                      compatible with                      (19 507 003)                      with concealed body                      adjustable flow rate limiter                      loop metal lever                      escutcheon- and shaft-sealing                      metal wall escutcheon                      optional temperature limiter (46 308 000)</p>				
	23 725 003	Chrome	4005176365249	179.37
<p><b>Eurostyle</b>  <b>Single-lever shower mixer 1/2"</b>                      wall installation                      Consisting of:                      compatible with                      (19 507 003)                      with concealed body                      solid metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      adjustable flow rate limiter  <b>GROHE Long-Life</b> finish                      metal wall escutcheon                      escutcheon- and shaft-sealing                      GROHE FastFixation covered fixing                      optional temperature limiter (46 308 000)</p>				
	19 506 003	Chrome	4005176334399	179.64
<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer trim</b>                      set for final installation for                      33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>  <b>GROHE Long-Life</b> finish                      GROHE FastFixation covered fixing                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing                      metal wall escutcheon</p>				









# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 099 003	Chrome	4005176365300	172.71
<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer trim</b>            set for final installation for            33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>            solid metal lever  <b>GROHE Long-Life</b> finish            GROHE FastFixation covered fixing            automatic diverter: bath/shower            escutcheon- and shaft-sealing</p>				
 	33 637 003	Chrome	4005176334405	204.00
<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish            GROHE FastFixation covered fixing            Consisting of:            compatible with            (19 506 003)            with concealed body            adjustable flow rate limiter            automatic diverter: bath/shower            loop metal lever            escutcheon- and shaft-sealing            metal wall escutcheon            optional temperature limiter (46 308 000)</p>				
 	23 730 003	Chrome	4005176365324	192.65
<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish            GROHE FastFixation covered fixing            Consisting of:            compatible with            (19 506 003)            with concealed body            adjustable flow rate limiter            automatic diverter: bath/shower            solid metal lever            optional temperature limiter (46 308 000)            metal wall escutcheons</p>				









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	101694 243 0	matte black	4067393014034	price on request
	<p><b>GROHE Cubeo Basin mixer 1/2" S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b> adjustable flow rate limiter                      with temperature limiter  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	101699 000 0	Chrome	4067393014164	104.46
	101699 243 0	matte black	4067393014171	135.80
	ditto, smooth body			
	101755 000 0	Chrome	4067393013303	120.13
	101755 243 0	matte black	4067393013310	156.17
	<p><b>GROHE Cubeo Basin mixer 1/2" M-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b> adjustable flow rate limiter                      with temperature limiter  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      smooth body                      flexible connection hoses</p>			
	101729 000 0	Chrome	4067393012221	179.27
	101729 243 0	matte black	4067393012238	233.06
	<p><b>GROHE Cubeo Basin mixer 1/2" XL-Size</b>                      monobloc installation                      for free-standing basins                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b> adjustable flow rate limiter                      with temperature limiter  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE AquaGuide</b> adjustable mousseur  <b>GROHE FastFixation</b> installation system                      smooth body                      flexible connection hoses</p>			











# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 825 00E	Chrome	4005176874628	113.85
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation, metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable minimum flow rate 2.5 l/min                      temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation</b> installation system                      with centering support                      pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
	32 824 000	Chrome	4005176874604	107.53
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> installation system                      with centering support                      mousseur                      smooth body                      flexible connection hoses                      optional temperature limiter (46 375 000)</p>			
	32 955 000	Chrome	4005176880117	168.70
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> installation system                      with centering support                      flow straightener                      pop-up waste set 1 1/4"                      flexible connection hoses  <b>for use with displacement water heater</b>                      optional temperature limiter (46 375 000)                      noise classification 1 in accordance                      with DIN4109</p>			
	23 925 000	Chrome	4005176583353	108.80
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> installation system                      with centering support  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      optional temperature limiter (46 375 000)                      noise classification 1 in accordance                      with DIN4109</p>			









# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 825 00L	Chrome	4005176917028	111.87
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>  monobloc installation  metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  adjustable flow rate limiter  adjustable minimum flow rate 2.5 l/min  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> installation system  with centering support  mousseur  pop-up waste set 1 1/4"  flexible connection hoses  for <b>low pressure</b>  <b>recommended pressure 0.2 - 5.0 bar</b>  optional temperature limiter (46 375 000)</p>			
	32 827 00E	Chrome	4005176906565	107.53
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>  monobloc installation  metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  adjustable flow rate limiter  adjustable minimum flow rate 2.5 l/min  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow  maximum flow rate (at 3 bar): 5 l/min  <b>SpeedClean</b> mousseur  <b>GROHE FastFixation</b> installation system  with centering support  retractable chain  flexible connection hoses  noise classification 1 in accordance  with DIN4109</p>			
	32 824 00L	Chrome	4005176917035	100.85
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>  monobloc installation  metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  adjustable flow rate limiter  <b>GROHE Long-Life</b> finish  adjustable minimum flow rate 2.5 l/min  <b>GROHE FastFixation</b> installation system  with centering support  mousseur  smooth body  flexible connection hoses  for <b>low pressure</b>  <b>recommended pressure 0.2 - 5.0 bar</b>  optional temperature limiter (46 375 000)</p>			
	23 377 00E	Chrome	4005176936630	113.85
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>  monobloc installation  metal lever  <b>GROHE SilkMove Energy Saving</b> 35 mm ceramic cartridge with energy saving  function via cold start  adjustable flow rate limiter  temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow  maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system  with centering support  pop-up waste set 1 1/4"  flexible connection hoses  min. recommended pressure 1.0 bar</p>			







# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 378 00E	Chrome	4005176936647	107.53
	<b>Eurosmart Cosmopolitan Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove Energy Saving</b> 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE FastFixation</b> installation system with centering support retractable chain flexible connection hoses			
	23 376 00E	Chrome	4005176936623	107.78
	<b>Eurosmart Cosmopolitan Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove Energy Saving</b> 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE FastFixation</b> installation system with centering support smooth body flexible connection hoses			
	23 927 000	Chrome	4005176583377	109.08
	<b>Eurosmart Cosmopolitan Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove Energy Saving</b> 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE FastFixation</b> installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			
	23 325 000	Chrome	4005176933974	130.54
	<b>Eurosmart Cosmopolitan Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE FastFixation</b> installation system pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			
	23 327 000	Chrome	4005176934094	124.48
	ditto, smooth body			

# GROHE EUROSMART COSMOPOLITAN









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 926 000	Chrome	4005176583360	125.98
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar                      optional temperature limiter (46 375 000)</p>			
	23 396 00E	Chrome	4005176938504	130.54
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove Energy Saving</b> 35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE Long-Life</b> finish                      temperature limiter  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      with centering support                      pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
	23 928 000	Chrome	4005176583384	124.48
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove Energy Saving</b> 35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      with centering support                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	32 830 001	Chrome	4005176472749	166.93
	<p><b>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size</b>                      monobloc installation                      metal lever                      covered lever fixing  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter  <b>GROHE Long-Life</b> finish                      Lead and Nickel Free Inner Water Ways  <b>GROHE FastFixation</b> installation system                      mousseur                      swivel tubular spout with stop limiter                      pop-up waste set 1 1/4"                      flexible connection hoses                      optional temperature limiter (46 375 000)</p>			

# GROHE EUROSMART COSMOPOLITAN









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 933 001	Chrome	4005176584039	168.94
	<p><b>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size</b>                      monobloc installation                      metal lever                      covered lever fixing  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      Lead and Nickel Free Inner Water Ways  <b>GROHE FastFixation</b> installation system                      mousseur                      swivel tubular spout with stop limiter                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      optional temperature limiter (46 375 000)</p>			
	23 921 000	Chrome	4005176583438	208.45
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2" XL-Size</b>                      monobloc installation                      metal lever  <b>for free-standing basins</b>                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      smooth body                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
	36 327 002	Chrome	4005176695599	423.50
	<p><b>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      flexible connection hoses                      non-return valve                      dirt strainers                      with integrated solenoid valve                      external battery                      rapid installation system                      multistage battery status display                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings                      by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109                      type of protection faucet IP 59                      replaces 36 327 001</p>			











# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	20 187 000	Chrome	4005176874680	230.28
	<p><b>Eurosmart Cosmopolitan</b> <b>Three-hole basin mixer 1/2"</b> <b>S-Size</b> metal lever ceramic headparts 1/2", 90° <b>GROHE Long-Life</b> finish <b>GROHE FastFixation</b> installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut with 10.5-mm drilling</p>			
	19 381 000	Chrome	4005176874673	211.47
	<p><b>Eurosmart Cosmopolitan</b> <b>2-hole basin mixer</b> <b>S-Size</b> wall mounted set for final installation for 23 571 000 / 32 635 000 <b>without concealed body</b> metal escutcheon metal lever <b>GROHE Long-Life</b> finish <b>GROHE AquaGuide</b> adjustable mousseur centre distance 110 mm projection 170 mm</p>			
	23 571 000		4005176334276	279.00
Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers				
	32 839 000	Chrome	4005176874802	113.85
	<p><b>Eurosmart Cosmopolitan</b> <b>Bidet mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE FastFixation</b> installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>			
	32 840 000	Chrome	4005176874819	107.53
ditto, with retractable chain				
	32 837 000	Chrome	4005176874772	113.85
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever shower mixer 1/2"</b> wall mounted, metal lever <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE Long-Life</b> finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter (46 308 000) protected against backflow</p>			

# GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 765 000	Chrome	4005176612022	201.00
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			
	32 836 000	Chrome	4005176874758	148.75
	<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      monobloc installation                      metal lever                      46 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b>  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      flexible connection hoses                      protected against backflow                      optional temperature limiter (46 308 000)</p>			
	32 831 000	Chrome	4005176874703	136.62
	<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur, integrated non-return valve                      in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)</p>			
	34 766 000	Chrome	4005176612039	261.87
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			

# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>34 767 000</b>	<b>Chrome</b>	<b>4005176612046</b>	<b>195.90</b>
	<p><b>Grohtherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      built-in non return valves                      shower bottom outlet 1/2"                      dirt strainers                      protected against backflow                      without connection unions for wall mounting  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			
	<b>32 833 000</b>	<b>Chrome</b>	<b>4005176874727</b>	<b>136.62</b>
	<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      46 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b>  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter ref. no. 08 791</p>			
	<b>32 832 000</b>	<b>Chrome</b>	<b>4005176874710</b>	<b>173.05</b>
	<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      automatic diverter: bath/shower mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)                      with shower set                      Euphoria Cosmopolitan hand shower (27 367)                      wall shower holder (27 056)                      shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)</p>			
	<b>25 128 000</b>	<b>Chrome</b>	<b>4005176905209</b>	<b>197.42</b>
	<p><b>Eurosmart Cosmopolitan</b>  <b>Two-handed Bath filler 1/2"</b>                      deck mounted                      metal handles  <b>GROHE Long-Life</b> headpart 3/4"  <b>GROHE Long-Life</b> finish                      min. recommended pressure 0.3 bar</p>			


# GROHE EUROSMART COSMOPOLITAN

Ref. No.      Colour      EAN      Retail Guide Price (£)



25 129 000      Chrome      4005176905216      225.63

**Eurosmart Cosmopolitan**  
**Two-handed Bath/Shower mixer 1/2"**  
deck mounted  
metal handles  
GROHE Long-Life headpart 3/4"  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
**GROHE Long-Life** finish  
min. recommended pressure 0.3 bar




24 044 000      Chrome      4005176465185      144.45

**Eurosmart Cosmopolitan**  
**Single-lever shower mixer trim**  
set for final installation for  
GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
wall escutcheon with **GROHE FastFixation**  
(covered escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
flow performance:  
outlet B or C = 30 l/min  
**without roughing-in-set**



35 604 000      4005176698774      80.96  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**




24 045 000      Chrome      4005176465291      158.89

**Eurosmart Cosmopolitan**  
**Single-lever mixer with 2-way diverter**  
set for final installation for  
GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
wall escutcheon with **GROHE FastFixation**  
(covered escutcheon- and shaft sealing, covered fixing)  
metal escutcheon, retroactively 6° adjustable  
metal lever  
automatic 2-way diverter  
flow performance:  
outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**













35 604 000      4005176698774      80.96  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**



25 288 000      Chrome      4005176791642      528.93

**Eurosmart**  
**Concealed shower system with Tempesta 250**  
Consisting of:  
concealed single-lever mixer with 2-way diverter (24 043)  
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)  
Tempesta 250 head shower set 9.5 l/min (26 668) including horizontal shower arm  
380 mm  
Tempesta 110 hand shower 2 sprays (27 597)  
shower outlet elbow 1/2" with wall shower holder (28 679)  
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)  
optional flow regulator 9.5 l/min included for hand shower

# GROHE EUROSMART COSMOPOLITAN



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 383 000	Chrome	4005176874765	129.00
<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever shower mixer trim</b> set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 <b>without concealed body</b> metal lever <b>GROHE Long-Life</b> finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
 	32 880 000	Chrome	4005176877360	136.62
<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever shower mixer 1/2"</b> wall installation <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE Long-Life</b> finish Consisting of: set for final installation concealed body 33 962 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter</p>				
 	19 382 000	Chrome	4005176874697	144.19
<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever bath/shower mixer trim</b> set for final installation for 33 961 000, 33 963 000, 33 965 000 <b>without concealed body</b> metal lever <b>GROHE Long-Life</b> finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
 	32 879 000	Chrome	4005176877353	151.80
<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever bath/shower mixer 1/2"</b> wall installation <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE Long-Life</b> finish Consisting of: set for final installation concealed body 33 961 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower metal lever metal wall escutcheon screwed optional temperature limiter (46 308 000)</p>				
 	13 261 000	Chrome	4005176877384	100.44
<p><b>Eurosmart Cosmopolitan</b> <b>Bath spout</b> wall mounted <b>GROHE Long-Life</b> finish mousseur male thread 1/2" projection 170 mm</p>				












# GROHE EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------













13 262 000	Chrome	4005176877391	117.15
------------	--------	---------------	--------











**Eurosmart Cosmopolitan**  
**Bath spout**  
wall mounted  
**GROHE Long-Life** finish  
mousseur  
automatic diverter: bath/shower  
male thread 1/2"  
projection 170 mm

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 <b>23 965 003</b>	Chrome	4005176611544	97.59
	<p><b>Eurosmart Basin mixer 1/2" S-Size</b>                      angled version                      metal lever                      28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter adjustable flow rate limiter monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min                      Lead and Nickel Free Inner Water Ways  <b>GROHE FastFixation</b> installation system                      pop-up waste set 1 1/4" flexible connection hoses                      professional edition</p>			
	 <b>23 967 003</b>	Chrome	4005176611568	91.29
	<p><b>Eurosmart Basin mixer 1/2" S-Size</b>                      angled version                      monobloc installation                      metal lever                      28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min                      Lead and Nickel Free Inner Water Ways  <b>GROHE FastFixation</b> installation system                      flexible connection hoses                      smooth body with push-open pop-up waste set 1 1/4"                      professional edition</p>			
	 <b>23 969 003</b>	Chrome	4005176613180	97.59
	<p><b>Eurosmart Basin mixer 1/2" S-Size</b>                      angled version                      monobloc installation                      metal lever  <b>GROHE SilkMove Energy Saving</b> 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min                      Lead and Nickel Free Inner Water Ways                      pop-up waste set 1 1/4" flexible connection hoses                      professional edition</p>			

# GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		 <b>33 265 003</b>	Chrome	4005176613197	97.59
		<b>Eurosmart Basin mixer 1/2" S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways <b>GROHE FastFixation</b> installation system flexible connection hoses pop-up waste set 1 1/4" professional edition			
		 <b>23 922 003</b>	Chrome	4005176613227	97.59
		ditto, smooth body with push-open pop-up waste set 1 1/4"			
		 <b>32 467 003</b>	Chrome	4005176613210	91.29
		ditto, smooth body			
		 <b>33 265 30L</b>	Chrome	4005176644269	97.59
		<b>Eurosmart Basin mixer 1/2" S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE Long-Life</b> finish Lead and Nickel Free Inner Water Ways <b>GROHE FastFixation</b> installation system pop-up waste set 1 1/4" flexible connection hoses mousseur for <b>low pressure</b> min. recommended pressure 0.3 bar professional edition			
		 <b>23 456 003</b>	Chrome	4005176613272	93.09
		 <b>23 456 003</b>	Chrome	4005176613272	93.09
		<b>Eurosmart Basin mixer 1/2" S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways <b>GROHE FastFixation</b> installation system flexible connection hoses hybrid pop-up waste set 1 1/4" professional edition			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		<b>33 188 003</b> Chrome	4005176613203	91.29
		<b>Eurosmart Basin mixer 1/2" S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways <b>GROHE FastFixation</b> installation system retractable chain flexible connection hoses professional edition		
		<b>32 467 30L</b> Chrome	4005176644276	91.29
		<b>32 467 243L</b> matte black	4067393017271	118.67
<b>Eurosmart Basin mixer 1/2" S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter mousseur <b>GROHE Long-Life</b> finish Lead and Nickel Free Inner Water Ways <b>GROHE FastFixation</b> installation system smooth body flexible connection hoses min. recommended pressure 0.3 bar for <b>low pressure</b> professional edition				
		<b>32 926 003</b> Chrome	4005176613234	97.59
		<b>Eurosmart Basin mixer 1/2" S-Size</b> monobloc installation metal lever <b>GROHE SilkMove Energy Saving</b> 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways <b>GROHE FastFixation</b> installation system pop-up waste set 1 1/4" lift rod in lateral position flexible connection hoses professional edition		
		<b>23 924 003</b> Chrome	4005176613265	97.59
<b>ditto, smooth body with push-open pop-up waste set 1 1/4"</b>				
		<b>32 154 003</b> Chrome	4005176613258	91.29
<b>ditto, smooth body</b>				


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>24 192 003</b>	Chrome	4005176723964	112.24
	<p><b>Eurosmart</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      Cradle to Cradle Certified Gold                      monobloc installation                      metal lever  <b>GROHE SilkMove Energy Saving</b> 28 mm ceramic cartridge                      with energy saving function via cold start                      with temperature limiter  <b>GROHE Long-Life</b> finish                      Lead and Nickel Free Inner Water Ways  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min  <b>GROHE FastFixation</b> installation system                      smooth body                      flexible connection hoses                      professional edition</p>			
	<b>23 974 003</b>	Chrome	4005176644252	97.59
	<p><b>Eurosmart</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE Long-Life ES</b> 28 mm ceramic cartridge with energy saving function via                      cold start                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 3.5 l/min                      GROHE LowFlow mousseur                      Lead and Nickel Free Inner Water Ways  <b>GROHE FastFixation</b> installation system                      smooth body                      flexible connection hoses                      professional edition</p>			
	<b>23 372 003</b>	Chrome	4005176613241	91.29
	<p><b>Eurosmart</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove Energy Saving</b> 28 mm ceramic cartridge                      with energy saving function via cold start                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      Lead and Nickel Free Inner Water Ways  <b>GROHE FastFixation</b> installation system                      retractable chain                      flexible connection hoses                      professional edition</p>			



Ref. No.      Colour      EAN      Retail Guide Price (£)




**23 975 003**      **Chrome**      **4005176644153**      **375.35**



**Eurosmart Basin mixer 1/2" M-Size**  
 monobloc installation  
 2-in-1 hybrid with touchless or manual operation  
 manual lever operation having priority  
 metal lever  
 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter  
 infra-red electronic with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day)  
 non-return valve  
 dirt strainer with integrated solenoid valve  
 external battery  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 cleaning mode  
 additional functions and precise settings by remote control 36 407  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 Lead and Nickel Free Inner Water Ways  
 rapid installation system  
 smooth body  
 flexible connection hoses  
 min. recommended pressure 1.0 bar  
 CE approved  
 professional edition



**23 322 003**      **Chrome**      **4005176613302**      **111.71**



**Eurosmart Basin mixer 1/2" M-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge with **GROHE SilkMove** adjustable flow rate limiter with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 Lead and Nickel Free Inner Water Ways  
**GROHE FastFixation** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition




**23 923 003**      **Chrome**      **4005176613333**      **111.71**  
 ditto, smooth body with push-open pop-up waste set 1 1/4"



**23 324 003**      **Chrome**      **4005176613326**      **105.40**  
 ditto, smooth body
















**23 393 30E**      **Chrome**      **4005176613340**      **111.71**


























**Eurosmart Basin mixer 1/2" M-Size**  
 monobloc installation  
 metal lever  
**GROHE SilkMove Energy Saving** 28 mm ceramic cartridge with energy saving function via cold start  
 adjustable flow rate limiter with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 Lead and Nickel Free Inner Water Ways  
**GROHE FastFixation** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition









**23 395 30E**      **Chrome**      **4005176613357**      **105.40**  
 ditto, smooth body

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 23 976 003	Chrome	4005176644160	237.82
	<b>Eurosmart Basin mixer 1/2" M-Size</b> pull out spout monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system <b>GROHE Magnetic Docking</b> guarantees easy retraction and smooth docking of the spray head back to the starting position smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition			
	 23 323 003	Chrome	4005176613319	105.40
	<b>Eurosmart Basin mixer 1/2" M-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE Long-Life</b> finish Lead and Nickel Free Inner Water Ways <b>GROHE FastFixation</b> installation system retractable chain flexible connection hoses professional edition			
	 23 394 30E	Chrome	4005176613364	105.40
	<b>Eurosmart Basin mixer 1/2" M-Size</b> monobloc installation metal lever <b>GROHE SilkMove Energy Saving</b> 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways <b>GROHE FastFixation</b> installation system retractable chain flexible connection hoses professional edition			
	 23 537 003	Chrome	4005176613395	160.05
	<b>Eurosmart Single-lever basin mixer 1/2" L-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE FastFixation</b> installation system swivel tubular spout pop-up waste set 1 1/4" flexible connection hoses professional edition			
	 23 970 003	Chrome	4005176613418	160.05
	ditto, smooth body with push-open pop-up waste set 1 1/4"			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 23 743 003	Chrome	4005176613401	153.75
	<b>Eurosmart</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE FastFixation</b> installation system swivel tubular spout retractable chain flexible connection hoses professional edition			
	 23 971 003	Chrome	4005176613425	216.20
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>XL-Size</b> <b>for free-standing basins</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE AquaGuide</b> adjustable mousseur <b>GROHE FastFixation</b> installation system smooth body flexible connection hoses professional edition			
	 29 337 003	Chrome	4005176613432	196.99
	<b>Eurosmart</b> <b>2-hole basin mixer</b> <b>S-Size</b> wall mounted metal lever <b>without concealed body</b> set for final installation for 23 571 000 / 32 635 000 metal escutcheon <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE AquaGuide</b> adjustable mousseur centre distance 110 mm projection 171 mm professional edition			
	23 571 000		4005176334276	279.00
	<b>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers</b>			
	 29 338 003	Chrome	4005176613449	214.70
	<b>Eurosmart</b> <b>2-hole basin mixer</b> <b>M-Size</b> wall mounted metal lever <b>without concealed body</b> set for final installation for 23 571 000 / 32 635 000 metal escutcheon <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min <b>GROHE AquaGuide</b> adjustable mousseur centre distance 110 mm projection 211 mm professional edition			
	23 571 000		4005176334276	279.00
	<b>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers</b>			













	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 32 929 003	Chrome	4005176613623	101.79
	<b>Eurosmart</b> <b>Bidet mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min Lead and Nickel Free Inner Water Ways <b>GROHE FastFixation</b> installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses professional edition			
	 33 555 003	Chrome	4005176613562	106.90
	<b>Eurosmart</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE Long-Life</b> finish shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition			
	 34 558 000	Chrome	4005176310089	187.83
	<b>Grotherm 800</b> <b>Thermostatic shower mixer 1/2"</b> wall mounted <b>GROHE Long-Life</b> finish <b>GROHE SafeStop</b> safety button at 38°C (calibration required) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included <b>GROHE TurboStat</b> compact cartridge with wax thermoelement integrated mixed water shut off volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" dirt strainers built-in non return valves protected against backflow S-unions metal escutcheon <b>GROHE Water Saving</b> - Less water, perfect flow			
	102202 243 0	matte black ditto, Professional exclusive	4067393018827	244.18
	 33 300 003	Chrome	4005176613456	125.21
	<b>Eurosmart</b> <b>Single-lever bath/shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE Long-Life</b> finish automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>34 567 000</b>	<b>Chrome</b>	<b>4005176310157</b>	<b>243.91</b>
	<p><b>Grotherm 800</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			
	<b>102203 243 0</b>	<b>matte black</b> ditto, Professional exclusive	<b>4067393018834</b>	<b>317.09</b>
	<b>25 276 003</b>	<b>Chrome</b>	<b>4005176766527</b>	<b>160.64</b>
	<p><b>Eurosmart</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE Long-Life</b> finish                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      S-unions                      metal wall escutcheons                      protected against backflow                      with shower set 1 spray (Rain)                      Consisting of:                      hand shower Tempesta 110 (27 923)                      maximum flow rate (at 3 bar): 7.6 l/min  <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option                      wall shower holder Tempesta, non-adjustable (28 605)                      shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)</p>			
	<b>33 303 003</b>	<b>Chrome</b>	<b>4005176613524</b>	<b>178.06</b>
	<p><b>Eurosmart</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      deck mounted                      metal lever                      35 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b>                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE Long-Life</b> finish                      automatic diverter: bath/shower                      mousseur                      shower outlet 1/2"                      integrated non-return valve                      in the shower outlet 1/2"                      pillar unions                      protected against backflow                      professional edition</p>			
























# GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	25 098 003	Chrome	4005176644290	183.32
	25 098 2433	matte black	4067393016205	304.49
	<p><b>Eurosmart</b>  <b>Two-handed Bath filler 1/2"</b>                      deck mounted                      metal lever                      Ceramic valves 3/4", 90°  <b>GROHE Long-Life</b> finish  <b>Min. recommended pressure 0.5 bar</b>                      professional edition</p>			
	25 105 003	Chrome	4005176644306	211.52
	<p><b>Eurosmart</b>  <b>Two-handed Bath/Shower mixer 1/2"</b>                      deck mounted                      metal lever                      Ceramic valves 3/4", 90°                      automatic diverter, lockable: bath/shower                      integrated non-return valve  <b>GROHE Long-Life</b> finish  <b>Min. recommended pressure 0.5 bar</b>                      professional edition</p>			
	24 042 003	Chrome	4005176613616	140.53
	<p><b>Eurosmart</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      GROHE Rapido SmartBox (35 604)  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b>                      professional edition</p>			
	35 604 000		4005176698774	80.96
	<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>			
	24 043 003	Chrome	4005176613548	154.64
	<p><b>Eurosmart</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for                      GROHE Rapido SmartBox (35 604)  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b>                      professional edition</p>			
	35 604 000		4005176698774	80.96
	<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>			









# GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	25 288 000	Chrome	4005176791642	528.93
	<b>Eurosmart</b> <b>Concealed shower system with Tempesta 250</b> Consisting of: concealed single-lever mixer with 2-way diverter (24 043) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Tempesta 250 head shower set 9.5 l/min (26 668) including horizontal shower arm 380 mm Tempesta 110 hand shower 2 sprays (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409) optional flow regulator 9.5 l/min included for hand shower			
	33 963 000	Chrome	4005176128387	76.10
	<b>Single-lever mixer 1/2", concealed body</b> for shower <b>without finishing trim set</b> wall installation <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing			
	33 556 003	Chrome	4005176613609	134.52
	<b>Eurosmart</b> <b>Single-lever shower mixer 1/2"</b> wall installation metal lever <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE Long-Life</b> finish <b>GROHE FastFixation</b> escutcheon with covered fixation Consisting of: set for final installation (19 451 003) with concealed body adjustable flow rate limiter escutcheon- and shaft-sealing metal wall escutcheon optional temperature limiter (46 308 000) professional edition			
	33 305 003	Chrome	4005176613531	154.04
	<b>Eurosmart</b> <b>Single-lever bath/shower mixer 1/2"</b> wall installation metal lever <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE Long-Life</b> finish <b>GROHE FastFixation</b> escutcheon with covered fixation Consisting of: set for final installation (19 450 003) with concealed body adjustable flow rate limiter automatic diverter: bath/shower metal escutcheon escutcheon- and shaft-sealing optional temperature limiter (46 308 000) professional edition			
	13 448 003	Chrome	4005176613555	99.69
	<b>Eurosmart</b> <b>Bath spout</b> wall mounted <b>GROHE Long-Life</b> finish mousseur male thread 1/2" projection 171 mm min. recommended pressure 1.0 bar professional edition			







# GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 <b>23 988 003</b>	Chrome	4005176644351	142.64
	<p><b>Eurosmart Basin mixer 1/2" S-Size</b>                      thermostatic scalding protection                      maximum temperature adjustable                      thermal disinfection not possible                      monobloc installation                      metal lever                      lever length 89 mm                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      adjustable flow rate limiter  <b>GROHE Long-Life</b> finish                      Lead and Nickel Free Inner Water Ways                      built-in non return valves                      dirt strainers  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 4 l/min  <b>GROHE FastFixation</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      max. pressure differential 5:1                      professional edition</p>			
	 <b>23 989 003</b>	Chrome	4005176644368	156.75
	<p><b>Eurosmart Basin mixer 1/2" M-Size</b>                      thermostatic scalding protection                      maximum temperature adjustable                      thermal disinfection not possible                      monobloc installation                      metal lever                      lever length 89 mm                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      adjustable flow rate limiter                      Lead and Nickel Free Inner Water Ways                      built-in non return valves                      dirt strainers  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 4 l/min  <b>GROHE FastFixation</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      max. pressure differential 5:1                      professional edition</p>			
	 <b>23 986 003</b>	Chrome	4005176643859	185.88
	<p><b>Eurosmart Basin mixer 1/2" S-Size</b>                      thermostatic scalding protection                      maximum temperature adjustable                      thermal disinfection without re-adjustment of temperature                      tool for thermal disinfection included                      monobloc installation                      loop metal lever                      lever length 130 mm                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      adjustable flow rate limiter                      built-in non return valves                      dirt strainers                      Lead and Nickel Free Inner Water Ways                      maximum flow rate (at 3 bar): 4 l/min                      Laminar flow straightener  <b>GROHE FastFixation</b> installation system                      smooth body                      flexible connection hoses                      max. pressure differential 5:1                      professional edition</p>			













# GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 987 003	Chrome	4005176644344	199.99
	<p><b>Eurosmart Basin mixer 1/2" M-Size</b>                      thermostatic scalding protection                      maximum temperature adjustable                      thermal disinfection without re-adjustment of temperature                      tool for thermal disinfection included                      monobloc installation                      loop metal lever                      lever length 130 mm                      28 mm ceramic cartridge with <b>GROHE SilkMove</b>                      adjustable flow rate limiter                      built-in non return valves                      dirt strainers                      Lead and Nickel Free Inner Water Ways                      maximum flow rate (at 3 bar): 4 l/min                      Laminar flow straightener  <b>GROHE FastFixation</b> installation system                      smooth body                      flexible connection hoses                      max. pressure differential 5:1                      professional edition</p>			
 	23 980 003	Chrome	4005176644207	114.10
	<p><b>Eurosmart Basin mixer 1/2" S-Size</b>                      monobloc installation                      loop metal lever                      lever length 130 mm  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      maximum flow rate (at 3 bar): 8 l/min                      Laminar flow straightener                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE FastFixation</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
 	23 981 003	Chrome	4005176644214	128.23
	<p><b>Eurosmart Basin mixer 1/2" M-Size</b>                      monobloc installation                      loop metal lever                      lever length 130 mm  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      maximum flow rate (at 3 bar): 8 l/min                      Laminar flow straightener                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE FastFixation</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
 	25 241 003	Chrome	4005176644221	141.73
	<p><b>Eurosmart Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      loop metal lever                      lever length 123 mm  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      metal wall escutcheons                      protected against backflow                      professional edition</p>			

# GROHE EUROSMART CARE





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	25 242 003	Chrome	4005176644238	123.41
	<b>Eurosmart</b> <b>Single-lever shower mixer 1/2"</b> wall mounted loop metal lever lever length 115 mm <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition			
	23 984 003	Chrome	4005176643835	185.88
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation long metal lever lever length 147 mm 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers maximum flow rate (at 3 bar): 4 l/min Laminar flow straightener <b>GROHE FastFixation</b> installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition			
	23 985 003	Chrome	4005176643842	199.99
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation long metal lever lever length 147 mm 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers maximum flow rate (at 3 bar): 4 l/min Laminar flow straightener <b>GROHE FastFixation</b> installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition			









# GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)		
			<b>23 982 003</b>	<b>Chrome</b>	<b>4005176644245</b>	<b>114.10</b>
<p><b>Eurosmart Basin mixer 1/2" S-Size</b>                      monobloc installation                      long metal lever                      lever length 156 mm  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      maximum flow rate (at 3 bar): 8 l/min                      Laminar flow straightener                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE FastFixation</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>						
			<b>23 983 003</b>	<b>Chrome</b>	<b>4005176644313</b>	<b>128.23</b>
<p><b>Eurosmart Basin mixer 1/2" M-Size</b>                      monobloc installation                      long metal lever                      lever length 156 mm  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      maximum flow rate (at 3 bar): 8 l/min                      Laminar flow straightener                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE FastFixation</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>						
			<b>25 243 003</b>	<b>Chrome</b>	<b>4005176644320</b>	<b>141.73</b>
<p><b>Eurosmart Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      long metal lever                      lever length 124 mm  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      S-unions                      metal wall escutcheons                      protected against backflow                      professional edition</p>						
			<b>34 665 000</b>	<b>Chrome</b>	<b>4005176351556</b>	<b>528.12</b>
<p><b>Grohtherm Special Thermostatic bath/shower mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      Aquadimmer handle with multiple function                      flow control                      integrated mixed water shut off                      diverter bath/shower  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )                      shower bottom outlet 1/2" with                      integrated non return-valve                      metal temperature safety stop                      laminar mousseur                      dirt strainers  <b>GROHE FastFixation</b> for fast exchange of non return valves in connections                      100% GROHE CoolTouch consisting of safety                      housing + S-unions with CoolTouch escutcheons  <b>GROHE Long-Life</b> finish</p>						




# GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	25 244 003	Chrome	4005176644337	123.41
	<p><b>Eurosmart</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted                      long metal lever                      lever length 120 mm  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter                      shower bottom outlet 1/2" with                      integrated non return-valve                      S-unions                      metal wall escutcheons                      protected against backflow                      professional edition</p>			
 	34 667 000	Chrome	4005176351570	421.83
	<p><b>Grohtherm Special</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      ceramic headparts 1/2", 90°  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )                      integrated mixed water shut off                      shower bottom outlet 1/2" with                      integrated non return-valve                      metal temperature safety stop                      dirt strainers  <b>GROHE FastFixation</b> for fast exchange of non return valves in connections                      100% GROHE CoolTouch consisting of safety                      housing + S-unions with CoolTouch escutcheons  <b>GROHE Long-Life</b> finish</p>			


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 421 001	Chrome	4005176556173	66.08
<p><b>BauEdge</b>  <b>Pillar tap 1/2" XS-Size</b>                      monobloc installation                      ceramic headpart  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      fixation nut G 1/2"                      professional edition</p>				
 	20 421 10M	Chrome	4005176556180	116.56
<p><b>BauEdge</b>  <b>Basin tap 1/2"</b>                      monobloc installation                      metal lever                      ceramic headpart  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      fixation nut G 1/2"                      min. recommended pressure 1.0 bar  <b>2 pieces</b></p>				
 	23 328 001	Chrome	4005176556241	84.76
<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Long-Life 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish                      Lead and Nickel Free Inner Water Ways  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>				
 	23 895 001	Chrome	4005176554902	84.76
<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Long-Life 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish                      Lead and Nickel Free Inner Water Ways  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      rapid installation system                      smooth body with plastic push open waste set 1 1/4"                      flexible connection hoses                      professional edition</p>				
	23 330 001	Chrome	4005176556302	79.01
<p><b>dito, smooth body</b></p>				

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 559 001	Chrome	4005176556326	84.76
------------	--------	---------------	-------

**BauEdge**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
**GROHE Long-Life ES** 28 mm ceramic cartridge with energy saving function via cold start  
 with temperature limiter  
**GROHE Long-Life** finish  
 Lead and Nickel Free Inner Water Ways  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 rapid installation system  
 plastic pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition




23 899 001	Chrome	4005176555022	84.76
------------	--------	---------------	-------

**BauEdge**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
**GROHE Long-Life ES** 28 mm ceramic cartridge with energy saving function via cold start  
 with temperature limiter  
**GROHE Long-Life** finish  
 Lead and Nickel Free Inner Water Ways  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 rapid installation system  
 smooth body with plastic push open waste set 1 1/4"  
 flexible connection hoses  
 professional edition



23 894 001	Chrome	4005176554896	84.76
------------	--------	---------------	-------









**BauEdge**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
**GROHE Long-Life** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 3.5 l/min  
 Lead and Nickel Free Inner Water Ways  
**GROHE LowFlow** mousseur  
 rapid installation system  
 plastic pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition




23 896 001	Chrome	4005176554919	84.76
------------	--------	---------------	-------

**BauEdge**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
**GROHE Long-Life** 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 3.5 l/min  
 Lead and Nickel Free Inner Water Ways  
**GROHE LowFlow** mousseur  
 rapid installation system  
 smooth body with plastic push open waste set 1 1/4"  
 flexible connection hoses  
 professional edition

# GROHE BAUEDGE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 972 001	Chrome	4005176634451	82.58
	<p><b>BauEdge</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter <b>GROHE Long-Life</b> finish mousseur for <b>low pressure</b> Lead and Nickel Free Inner Water Ways rapid installation system flexible connection hoses crimp unions included</p>			
	24 193 001	Chrome	4005176723971	97.48
	<p><b>BauEdge</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> Cradle to Cradle Certified Gold monobloc installation <b>GROHE Long-Life ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE Long-Life</b> finish Lead and Nickel Free Inner Water Ways <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system smooth body flexible connection hoses professional edition</p>			
	23 757 001	Chrome	4005176556340	117.11
	<p><b>BauEdge</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation GROHE Long-Life 35 mm ceramic cartridge with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system smooth body flexible connection hoses with shower set consisting of hand shower with integrated diverter wall shower holder shower hose shower hose 1500 mm professional edition</p>			
	23 760 001	Chrome	4005176556418	117.11
	<p><b>BauEdge</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 911 001	Chrome	4005176555237	117.11
------------	--------	---------------	--------

**BauEdge**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
metal lever  
GROHE Long-Life 28 mm ceramic cartridge  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
rapid installation system  
swivel tubular spout  
smooth body with plastic push open waste set 1 1/4"  
flexible connection hoses  
professional edition




23 761 001	Chrome	4005176556449	138.13
------------	--------	---------------	--------

**BauEdge**  
**Basin mixer 1/2"**  
**XL-Size**  
for free-standing basins  
monobloc installation  
metal lever  
GROHE Long-Life 28 mm ceramic cartridge  
with temperature limiter  
**GROHE Long-Life** finish  
Lead and Nickel Free Inner Water Ways  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
rapid installation system  
smooth body  
flexible connection hoses  
professional edition



36 451 000	Chrome	4005176473678	265.26
------------	--------	---------------	--------


**Bau Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2"**  
**with mixing device and temperature limiter**  
with infrared sensor for bi-directional communication  
for monitoring, configuration and servicing  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
Lead and Nickel Free Inner Water Ways  
body made of composite polymer  
flexible connection hoses  
non-return valve  
dirt strainers  
with integrated solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance  
with DIN4109  
type of protection faucet IP 59



20 474 001	Chrome	4005176556463	192.81
------------	--------	---------------	--------


**BauEdge**  
**2-hole basin mixer**  
wall mounted  
Consisting of:  
set for final installation and concealed body  
GROHE Long-Life 35 mm ceramic cartridge  
optional temperature limiter (46 375 000)  
**GROHE Long-Life** finish  
centre distance 110 mm  
projection 177 mm

Ref. No.      Colour      EAN      Retail Guide Price (£)




**23 331 001      Chrome      4005176556494      84.76**

**BauEdge**  
**Bidet mixer 1/2"**  
 monobloc installation  
 metal lever  
 GROHE Long-Life 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 with ball joint  
 rapid installation system  
 plastic pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition




**23 635 001      Chrome      4005176556524      84.76**

**BauEdge**  
**Single-lever shower mixer 1/2"**  
 wall mounted  
 metal lever  
 GROHE Long-Life 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE Long-Life** finish  
 adjustable flow rate limiter  
 shower bottom outlet 1/2" with  
 integrated non return-valve  
 protected against backflow  
 S-unions  
 metal wall escutcheon  
 professional edition



**29 078 001      Chrome      4005176556555      136.75**









**BauEdge**  
**Single-lever shower mixer 1/2"**  
 concealed installation  
 Consisting of:  
 set for final installation  
 metal lever  
 concealed body  
 GROHE Long-Life 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 adjustable flow rate limiter  
 escutcheon- and shaft-sealing  
 optional temperature limiter (46 375 000)  
 professional edition









**34 793 000      Chrome      4005176632433      153.29**


**Grohtherm 500**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE Long-Life** finish  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
 GROHE thermostatic cartridge with wax thermolement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 headpart 90°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE Water Saving** - Less water, perfect flow  
 professional edition



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 604 001	Chrome	4005176556593	115.31
	<p><b>BauEdge</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE Long-Life 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      spout with mousseur                      shower bottom outlet 1/2" with                      integrated non return-valve                      protected against backflow                      S-unions                      metal wall escutcheon                      professional edition</p>			
	29 079 001	Chrome	4005176556692	152.84
	<p><b>BauEdge</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      concealed installation                      Consisting of:                      set for final installation                      metal lever                      concealed body                      GROHE Long-Life 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing                      optional temperature limiter (46 375 000)                      professional edition</p>			
	25 290 000	Chrome	4005176791666	526.79
	<p><b>BauEdge</b>  <b>Concealed shower system with Tempesta 250</b>                      Consisting of:                      concealed single-lever mixer with 2-way diverter (24 162)                      GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)                      Tempesta 250 head shower set 9.5 l/min (26 668) including horizontal shower arm                      380 mm                      Tempesta 110 hand shower 2 sprays (27 597)                      shower outlet elbow 1/2" with wall shower holder (28 679)                      Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)                      optional flow regulator 9.5 l/min included for hand shower</p>			
	25 291 000	Chrome	4005176791673	556.90
	<p><b>BauEdge</b>  <b>Concealed shower system with Tempesta 250</b>                      Consisting of:                      concealed single-lever mixer with 2-way diverter (24 162)                      GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)                      Tempesta 250 head shower set 9.5 l/min (26 668) including horizontal shower arm                      380 mm                      Tempesta 110 hand shower 2 sprays (27 597)                      wall shower holder (28 605)                      bath spout with diverter (13 390)                      Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)                      optional flow regulator 9.5 l/min included for hand shower</p>			


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	25 216 001	Chrome	4005176556654	169.21
<p><b>BauEdge</b>  <b>Two-handed Bath filler 1/2"</b>                      deck mounted                      metal lever                      Ceramic valves 3/4", 90°  <b>GROHE Long-Life</b> finish                      Min. recommended pressure 0.5 bar</p>				
 	25 217 001	Chrome	4005176556661	197.42
<p><b>BauEdge</b>  <b>Two-handed Bath/Shower mixer 1/2"</b>                      deck mounted                      Ceramic valves 3/4", 90°                      automatic diverter, lockable: bath/shower                      integrated non-return valve  <b>GROHE Long-Life</b> finish                      Min. recommended pressure 0.5 bar</p>				
 	13 255 001	Chrome	4005176556722	43.66
<p><b>BauCosmopolitan</b>  <b>Bath spout</b>                      wall mounted  <b>GROHE Long-Life</b> finish                      mousseur                      projection 171 mm                      male thread 1/2"</p>				

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




20 422 001	Chrome	4005176529504	66.08
------------	--------	---------------	-------

**BauLoop**  
**Pillar tap 1/2" XS-Size**  
 monobloc installation  
 ceramic headpart  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 fixation nut G 1/2"  
 professional edition



23 335 001	Chrome	4005176529566	84.76
------------	--------	---------------	-------

**BauLoop**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 GROHE Long-Life 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE Long-Life** finish  
 Lead and Nickel Free Inner Water Ways  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 rapid installation system  
 plastic pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition




23 878 001	Chrome	4005176554032	84.76
------------	--------	---------------	-------

**BauLoop**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 GROHE Long-Life 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE Long-Life** finish  
 Lead and Nickel Free Inner Water Ways  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 rapid installation system  
 smooth body with plastic push open waste set 1 1/4"  
 flexible connection hoses  
 professional edition









23 337 001	Chrome	4005176555725	79.01
------------	--------	---------------	-------

**ditto, without plastic push open waste set 1 1/4"**




22 054 001	Chrome	4005176554162	84.76
------------	--------	---------------	-------

**BauLoop**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
**GROHE Long-Life ES** 28 mm ceramic cartridge with energy saving function via cold start  
 with temperature limiter  
**GROHE Long-Life** finish  
 Lead and Nickel Free Inner Water Ways  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 rapid installation system  
 plastic pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 883 001	Chrome	4005176554179	84.76
	<p><b>BauLoop</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE Long-Life ES</b> 28 mm ceramic cartridge with energy saving function via cold start                      with temperature limiter  <b>GROHE Long-Life</b> finish                      Lead and Nickel Free Inner Water Ways  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      rapid installation system                      smooth body with plastic push open waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 877 001	Chrome	4005176554025	84.76
	<p><b>BauLoop</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Long-Life 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish                      Lead and Nickel Free Inner Water Ways  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 3.5 l/min                      GROHE LowFlow mousseur                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 879 001	Chrome	4005176554049	84.76
	<p><b>BauLoop</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Long-Life 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 3.5 l/min                      Lead and Nickel Free Inner Water Ways                      GROHE LowFlow mousseur                      rapid installation system                      smooth body with plastic push open waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 762 001	Chrome	4005176555763	102.10
	<p><b>BauLoop</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever                      GROHE Long-Life 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE Long-Life</b> finish                      Lead and Nickel Free Inner Water Ways  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 886 001	Chrome	4005176554247	102.10
------------	--------	---------------	--------

**BauLoop**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
GROHE Long-Life 28 mm ceramic cartridge  
with temperature limiter  
**GROHE Long-Life** finish  
Lead and Nickel Free Inner Water Ways  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
rapid installation system  
smooth body with plastic push open waste set 1 1/4"  
flexible connection hoses  
professional edition


23 917 001	Chrome	4005176555787	97.59
------------	--------	---------------	-------

ditto, without plastic push open waste set 1 1/4"




23 887 001	Chrome	4005176554254	102.10
------------	--------	---------------	--------

**BauLoop**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
**GROHE Long-Life ES** 28 mm ceramic cartridge with energy saving function via cold start  
with temperature limiter  
**GROHE Long-Life** finish  
Lead and Nickel Free Inner Water Ways  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
rapid installation system  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition











23 885 001	Chrome	4005176554216	102.10
------------	--------	---------------	--------

**BauLoop**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
GROHE Long-Life 28 mm ceramic cartridge  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 3.5 l/min  
Lead and Nickel Free Inner Water Ways  
GROHE LowFlow mousseur  
rapid installation system  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition




23 763 001	Chrome	4005176555800	126.12
------------	--------	---------------	--------

**BauLoop**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
metal lever  
GROHE Long-Life 28 mm ceramic cartridge  
with temperature limiter  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
rapid installation system  
swivel tubular spout  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 891 001	Chrome	4005176554322	126.12
	<p><b>BauLoop</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system swivel tubular spout smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition</p>			
	23 764 001	Chrome	4005176555848	138.13
	<p><b>BauLoop</b> <b>Basin mixer 1/2"</b> <b>XL-Size</b> <b>for free-standing basins</b> metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter <b>GROHE Long-Life</b> finish Lead and Nickel Free Inner Water Ways <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system smooth body flexible connection hoses professional edition</p>			
	23 338 001	Chrome	4005176555893	84.76
	<p><b>BauLoop</b> <b>Bidet mixer 1/2"</b> monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min with ball joint rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>			
	23 633 001	Chrome	4005176555923	84.76
	<p><b>BauLoop</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever GROHE Long-Life 35 mm ceramic cartridge with temperature limiter <b>GROHE Long-Life</b> finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve protected against backflow S-unions metal wall escutcheon professional edition</p>			



Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




29 080 001	Chrome	4005176555961	136.75
------------	--------	---------------	--------

**BauLoop**  
**Single-lever shower mixer 1/2"**  
 concealed installation  
 Consisting of:  
 set for final installation  
 metal lever  
 concealed body  
 GROHE Long-Life 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 adjustable flow rate limiter  
 escutcheon- and shaft-sealing  
 optional temperature limiter (46 375 000)  
 professional edition




34 793 000	Chrome	4005176632433	153.29
------------	--------	---------------	--------




**Grotherm 500**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE Long-Life** finish  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
 GROHE thermostatic cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 headpart 90°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE Water Saving** - Less water, perfect flow  
 professional edition

23 602 001	Chrome	4005176556029	115.31
------------	--------	---------------	--------



**BauLoop**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
 GROHE Long-Life 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE Long-Life** finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 spout with mousseur  
 shower bottom outlet 1/2" with  
 integrated non return-valve  
 protected against backflow  
 S-unions  
 metal wall escutcheon  
 professional edition

29 081 001	Chrome	4005176556081	152.84
------------	--------	---------------	--------




**BauLoop**  
**Single-lever bath/shower mixer 1/2"**  
 concealed installation  
 Consisting of:  
 set for final installation  
 metal lever  
 concealed body  
 GROHE Long-Life 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 escutcheon- and shaft-sealing  
 optional temperature limiter (46 375 000)  
 professional edition

# GROHE BAULOOP











Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------








13 255 001	Chrome	4005176556722	43.66
------------	--------	---------------	-------













**BauCosmopolitan**  
**Bath spout**  
wall mounted  
**GROHE Long-Life** finish  
mousseur  
projection 171 mm  
male thread 1/2"

# GROHE BAUFLOW











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 575 000	Chrome	4005176388422	60.12
<p><b>BauFlow</b>  <b>Pillar tap 1/2" XS-Size</b>                      monobloc installation                      metal lever                      ceramic headpart  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> mousseur 5.7 l/min                      fixation nut G 1/2"</p>				
 	23 751 000	Chrome	4005176388149	83.50
<p><b>BauFlow</b>  <b>Basin mixer 1/2\"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Long-Life 28 mm ceramic cartridge  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> mousseur 5.7 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses</p>				
 	23 752 000	Chrome	4005176388156	80.16
<p><b>BauFlow</b>  <b>Basin mixer 1/2\"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Long-Life 28 mm ceramic cartridge  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> mousseur 5.7 l/min                      rapid installation system                      smooth body                      flexible connection hoses</p>				
 	23 753 000	Chrome	4005176388163	120.62
<p><b>BauFlow</b>  <b>Single-lever basin mixer 1/2\"</b>  <b>L-Size</b>                      monobloc installation                      metal lever                      GROHE Long-Life 28 mm ceramic cartridge  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> mousseur 5.7 l/min                      rapid installation system                      swivel tubular spout                      plastic pop-up waste set 1 1/4"                      flexible connection hoses</p>				
 	23 754 000	Chrome	4005176388170	83.50
<p><b>BauFlow</b>  <b>Bidet mixer 1/2\"</b>                      monobloc installation                      metal lever                      GROHE Long-Life 28 mm ceramic cartridge  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> mousseur 5.7 l/min                      rapid installation system                      with ball joint                      pop-up waste set 1 1/4"                      flexible connection hoses</p>				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 755 000	Chrome	4005176388187	85.94
<p><b>BauFlow</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE Long-Life 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      shower bottom outlet 1/2" with                      integrated non return-valve                      S-unions                      metal wall escutcheons                      protected against backflow</p>				
 	23 756 000	Chrome	4005176388392	103.56
<p><b>BauFlow</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE Long-Life 46 mm ceramic cartridge  <b>GROHE Long-Life</b> finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      spout with mousseur                      shower bottom outlet 1/2" with                      integrated non return-valve                      S-unions                      metal wall escutcheons                      protected against backflow</p>				
 	 34 793 000	Chrome	4005176632433	153.29
<p><b>Grotherm 500</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included                      GROHE thermostatic cartridge with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      headpart 90°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow                      professional edition</p>				

# GROHE COSTA L












	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 404 001	Chrome	4005176842986	45.70
<p><b>Costa L</b>  <b>Basin tap 1/2"</b>                      metal handle                      heat-insulated                      screwable                      marking: blue (cold)                      GROHE Long-Life headpart                      cast spout with mousseur                      union nut 1/2" with 10.5 mm drilling  <b>GROHE Long-Life</b> finish</p>				
 	20 186 001	Chrome	4005176874437	76.36
<p><b>Costa L</b>  <b>Basin tap 1/2"</b>                      metal handle                      heat-insulated                      screwable                      marking: blue (cold)                      GROHE Long-Life headpart                      cast spout with mousseur                      union nut 1/2" with 10.5 mm drilling  <b>GROHE Long-Life</b> finish</p>				
 	20 393 001	Chrome	4005176842993	78.77
<p><b>Costa L</b>  <b>Basin tap 1/2"</b>                      metal handle                      heat-insulated                      screwable                      marking: blue (cold)                      GROHE Long-Life headpart                      swivel tubular spout with mousseur                      union nut 1/2" with 10.5 mm drilling  <b>GROHE Long-Life</b> finish</p>				
 	21 390 001	Chrome	4005176843006	186.72
<p><b>Costa L</b>  <b>Basin mixer, 1/2"</b>                      metal handles                      heat-insulated                      screwable                      GROHE Long-Life headpart                      cast spout with mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses  <b>GROHE Long-Life</b> finish</p>				
 	21 375 001	Chrome	4005176843037	100.10
<p><b>Costa L</b>  <b>Basin mixer, 1/2"</b>                      metal handles                      heat-insulated                      screwable                      GROHE Long-Life headpart                      swivel tubular spout with mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses  <b>GROHE Long-Life</b> finish</p>				

# GROHE COSTA L

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>26 330 001</b>	<b>Chrome</b>	<b>4005176843112</b>	<b>91.27</b>
<p><b>Costa L Shower mixer 1/2"</b>                      wall mounted                      metal handles                      heat-insulated                      screwable                      GROHE Long-Life headpart                      shower connection 1/2"                      S-unions  <b>GROHE Long-Life</b> finish</p>				
 	<b>26 308 001</b>	<b>Chrome</b>	<b>4005176843129</b>	<b>69.00</b>
<p><b>Costa L Shower mixer 1/2"</b>                      wall mounted                      metal handles                      heat-insulated                      screwable                      GROHE Long-Life headpart                      shower connection 1/2"                      without connection unions for wall mounting  <b>GROHE Long-Life</b> finish</p>				
 	<b>25 450 001</b>	<b>Chrome</b>	<b>4005176843372</b>	<b>131.18</b>
<p><b>Costa L Bath / shower mixer 1/2"</b>                      wall mounted                      metal handles                      heat-insulated                      screwable                      GROHE Long-Life headpart                      automatic diverter: bath/shower                      mousseur                      S-unions  <b>GROHE Long-Life</b> finish</p>				
 	<b>25 452 001</b>	<b>Chrome</b>	<b>4005176843075</b>	<b>137.97</b>
<p><b>Costa L Bath / shower mixer 1/2"</b>                      wall mounted                      metal handles                      heat-insulated                      screwable                      GROHE Long-Life headpart                      shower top outlet 3/4"                      automatic diverter: bath/shower                      mousseur                      S-unions  <b>GROHE Long-Life</b> finish</p>				
 	<b>25 460 10A</b>	<b>Chrome</b>	<b>4005176456541</b>	<b>159.55</b>
<p><b>Costa L Bath / shower mixer 1/2"</b>                      wall mounted                      metal handles                      heat-insulated                      screwable                      GROHE Long-Life headpart                      automatic diverter: bath/shower                      mousseur                      S-unions                      with shower set                      Consisting of:                      hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)                      wall shower holder (28 605)                      shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE Long-Life</b> finish</p>				




# GROHE COSTA L

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	13 540 000	Chrome	4005176005411	111.28
<p><b>Bath spout 3/4"</b> wall mounted flow straightener female thread 3/4" projection 140 mm <b>GROHE Long-Life</b> finish</p>				
 	30 098 001	Chrome	4005176843266	45.80
<p><b>Costa L Bibtap 1/2"</b> wall mounted metal handle heat-insulated screwable marking: blue (cold) <b>GROHE Long-Life</b> finish mousseur GROHE Long-Life headparts</p>				
 	30 008 001	Chrome	4005176843242	38.46
<p><b>Costa L Stop cock</b> wall mounted heat-insulated metal handle screwable marking: blue (cold) GROHE Long-Life headpart <b>GROHE Long-Life</b> finish pipe-ventilating valve</p>				
 	19 808 001	Chrome	4005176843204	27.67
<p><b>Costa L Concealed stop-valve trim</b> set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue (cold) <b>GROHE Long-Life</b> finish</p>				
	19 809 001	Chrome	4005176853876	27.67
<p><b>ditto, marking red</b></p>				
	35 028 000		4005176908316	160.19
<p><b>GROHE Rapido C rough-in box for single volume control</b></p>				
 	29 800 000	Chrome	4005176504839	25.47
<p><b>Concealed stop-valve, 1/2"</b> pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass</p>				
	29 802 000	Chrome	4005176504853	47.13
<p><b>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</b></p>				
	29 805 000	Chrome	4005176504884	73.65
<p><b>ditto, 1", pre-assembled headpart 1", thread union 1"</b></p>				







# GROHE COSTA L

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>29 801 000</b>		<b>4005176504846</b>	<b>25.47</b>
<b>Concealed stop-valve, 1/2"</b> pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
<b>29 804 000</b>		<b>4005176504877</b>	<b>47.13</b>
<b>ditto, soldered connection Ø 22 mm</b>			













# GROHE UNIVERSAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 201 000	Chrome	4005176883354	121.30
<p><b>Universal pillar tap 1/2"</b>            C-spout            flow-stop mousseur            ceramic disk headpart            union nut 1/2"            with 10.5 mm drilling  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow            maximum flow rate (at 3 bar): 5 l/min            projection 113 mm</p>				
 	20 205 000	Chrome	4005176883682	99.05
<p><b>Universal wall-mounted tap DN15</b>            flow-stop mousseur            ceramic disk headpart            connection thread 1/2"  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow            maximum flow rate (at 3 bar): 5 l/min            projection 106 mm</p>				
 	20 203 000	Chrome	4005176883378	106.99
<p><b>Universal wall-mounted tap DN15</b>            flow-stop mousseur            ceramic disk headpart            connection thread 1/2"  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow            maximum flow rate (at 3 bar): 5 l/min            projection 185 mm</p>				

# GROHE ROUGH-IN SETS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 571 000		4005176334276	279.00
	<p><b>Single-lever mixer 1/2", universal concealed body</b> for 2 hole basin mixer wall installation <b>without finishing trim set</b> <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	23 429 000		4005176993695	288.93
	<p><b>Single-lever mixer 1/2", concealed body</b> for 2 hole basin mixer <b>without finishing trim set</b> <b>GROHE FeatherControl Joystick</b> cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	23 200 002		4005176519901	279.14
	<p><b>Single-lever mixer 1/2", concealed body</b> for 2 hole basin mixer wall installation <b>without finishing trim set</b> <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	35 604 000		4005176698774	80.96
	<p><b>Rapido SmartBox</b> <b>Universal rough-in box, 1/2"</b> 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixing options for solid walls and dry cladding gasket without set for final installation professional edition</p>			
 	33 963 000	Chrome	4005176128387	76.10
	<p><b>Single-lever mixer 1/2", concealed body</b> <b>for bath and shower</b> <b>without finishing trim set</b> wall installation <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing</p>			

# GROHE ROUGH-IN SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	33 964 000	Chrome	4005176128394	59.85
<p><b>Single-lever mixer 1/2", concealed body</b> for shower <b>without finishing trim set</b> wall installation <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing</p>				
 	45 984 001	Chrome	4005176992056	552.23
<p><b>Rough-in set 1/2"</b> for floor-mounted bath mixers/spouts and shower mixers <b>without finishing trim set</b> installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>				
 	29 037 000		4005176865749	924.58
<p><b>4/5-hole bath combination (optional)</b> <b>baseframe for installation under tiled surround</b> base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color</p>				
 	35 028 000		4005176908316	160.19
<p><b>GROHE Rapido C</b> <b>Rough-in for single volume control</b> for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				
 	29 800 000	Chrome	4005176504839	25.47
<p><b>Concealed stop-valve, 1/2"</b> pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass</p>				
 	29 802 000	Chrome	4005176504853	47.13
<p><b>Concealed stop valve 3/4"</b> pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass</p>				

# GROHE MULTI PURPOSE MIXER

Ref. No.	Colour	EAN	Retail Guide Price (£)
25 279 000	Chrome	4005176766565	354.81



## Eurosmart

### Solid basin mixer, 1/2"

wall mounted

metal lever

**GROHE SilkMove** 46 mm ceramic cartridge

**GROHE Long-Life** finish

adjustable flow rate limiter

adjustable minimum flow rate 2.5 l/min

automatic diverter: bath/shower

swivel tubular spout

projection 400 mm

S-unions

metal wall escutcheons

with shower set 2 sprays (Rain, Jet)

Consisting of:

hand shower Tempesta 110 (26 161)

maximum flow rate (at 3 bar): 7.4 l/min











**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

wall shower holder Tempesta, non-adjustable (28 605)











shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)





# GROHE TALENTO / TALENTOFILL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 952 000	Chrome	4005176174230	66.83
	19 952 DC0	supersteel	4005176467776	282.17
	19 952 GL0	cool sunrise	4005176352423	302.32
	19 952 GN0	brushed cool sunrise	4005176468117	322.48
	19 952 DA0	warm sunset	4005176351945	302.32
	19 952 DL0	brushed warm sunset	4005176468124	322.48
	19 952 A00	hard graphite	4005176352874	302.32
	19 952 AL0	brushed hard graphite	4005176353376	322.48
	<b>Talentofill</b> <b>Inlet-, pop-up and waste-system</b> set for final installation escutcheon supply part waste plug fixing set <b>in combination with Talento</b> <b>28 990 000/28 991 000</b>			
	28 990 000	Chrome	4005176174025	177.33
	<b>Talentofill</b> <b>Inlet-, pop-up and waste-system</b> for normal baths <b>without finishing trim set</b> with bottle trap and 45°-outlet-bend			
	28 991 000	Chrome	4005176174032	305.45
	<b>Talentofill</b> <b>Inlet-, pop-up and waste-system</b> for baths with waste up to 370 mm reach <b>without finishing trim set</b>			
	28 993 000		4005176174056	69.20
	<b>Talentofill</b> <b>Connection set 3/4"</b> with 1.5 m-flexible connection pipe <b>without finishing trim set</b>			
	28 995 000		4005176175725	335.67
	<b>Talentofill</b> <b>Connection set 3/4"</b> with concealed anti-vacuum device Consisting of: -concealed-pipe-interrupter ref.-no. 28 994 (A2 type, DIN 1988, part IV) - 3.5 m-flexible connection pipe (in 2 parts) without escutcheon (19 954)			













# GROHE TALENTO / TALENTOFILL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 954 000	Chrome	4005176175732	17.16
<p><b>Talentofill Escutcheon</b> for connection set 28 995 <b>GROHE Long-Life</b> finish</p>				
 	14 055 000		4005176413520	104.69
<p><b>Backflow protection combination (DIN-EN1717)</b> retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers</p>				
 	19 025 000	Chrome	4005176209154	70.25
<p><b>Talento Waste and overflow set for baths</b> set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 <b>GROHE Long-Life</b> finish</p>				
 	28 939 000	Chrome	4005176209161	124.73
<p><b>Talento Pop-up bath waste and overflow</b> set for normal bath and deep shower trays with bowden cable <b>without finishing trim set</b> bottle trap 45° waste elbow</p>				
 	28 943 000		4005176209178	164.11
<p><b>Talento Pop-up bath waste and overflow</b> with bowden cable <b>without finishing trim set</b> bottle trap 45° waste elbow</p>				











# GROHE SELECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	41 027 000	Chrome	4005176576836	76.19	
	41 027 DC0	supersteel	4005176576843	106.67	
	41 027 GL0	cool sunrise	4005176576874	114.30	
	41 027 GN0	brushed cool sunrise	4005176576881	121.91	
	41 027 DA0	warm sunset	4005176576898	114.30	
	41 027 DL0	brushed warm sunset	4005176576904	121.91	
	41 027 A00	hard graphite	4005176576911	114.30	
	41 027 AL0	brushed hard graphite	4005176576928	121.91	
	 <p><b>Selection</b>  <b>Glass/soap dish holder</b>            material: metal            for Selection soap dispenser (41 028 xx0/41 218 KF0) or Selection glass (41 029 000)            concealed fastening  <b>GROHE Long-Life</b> finish</p>				
		41 217 KF0	phantom black ditto, Professional exclusive	4005176782459	106.67
	41 028 000	Chrome	4005176576942	76.19	
	41 028 DC0	supersteel	4005176576959	106.67	
	41 028 GL0	cool sunrise	4005176576980	114.30	
	41 028 GN0	brushed cool sunrise	4005176576997	121.91	
	41 028 DA0	warm sunset	4005176577000	114.30	
	41 028 DL0	brushed warm sunset	4005176577017	121.91	
	41 028 A00	hard graphite	4005176577024	114.30	
	41 028 AL0	brushed hard graphite	4005176577031	121.91	
	 <p><b>Selection</b>  <b>Soap dispenser</b>            material: glass / metal            filling quantity 120 ml            fits in the following holder: 41 027 xx0/41 217 KF0  <b>GROHE Long-Life</b> finish</p>				
		41 218 KF0	phantom black ditto, Professional exclusive	4005176782466	106.67
	41 029 000	Chrome	4005176577055	36.57	
	 <p><b>Selection</b>  <b>White glass</b>            material: glass            fits in the following holder: 41 027 xx0/41 217 KF0</p>				
	41 035 000	Chrome	4005176577062	85.34	
	41 035 DC0	supersteel	4005176577079	119.48	
	41 035 GL0	cool sunrise	4005176577109	128.02	
	41 035 GN0	brushed cool sunrise	4005176577116	136.55	
	41 035 DA0	warm sunset	4005176577123	128.02	
	41 035 DL0	brushed warm sunset	4005176577130	136.55	
	41 035 A00	hard graphite	4005176577147	128.02	
	41 035 AL0	brushed hard graphite	4005176577154	136.55	
	 <p><b>Selection</b>  <b>Towel ring/holder</b>            material: metal            holder for soap dish (41 036) and shower tray (41 037)            length 200 mm            concealed fastening  <b>GROHE Long-Life</b> finish</p>				
		41 036 000	glass clear	4005176577178	48.76
	 <p><b>Selection</b>  <b>Soap dish without holder</b>            material: glass            for use with towel ring (41 035)</p>				



# GROHE SELECTION



	Ref. No.	Colour	EAN	Retail Guide Price (£)
		41 037 000	4005176577185	21.33
		<b>Selection</b> Shower tray without holder material: plastic for use with towel ring (41 035)		
		41 038 000	4005176577192	100.58
		<b>Selection</b> Corner shower tray with holder material: metal/plastic concealed fastening GROHE Long-Life finish		
		41 039 000	4005176577307	27.43
		<b>Selection</b> Single robe hook material: metal concealed fastening GROHE Long-Life finish		
		41 216 KF0	4005176782442	38.40
		ditto, Professional exclusive		
		41 049 000	4005176577413	45.72
		<b>Selection</b> Double robe hook material: metal concealed fastening GROHE Long-Life finish		
		41 056 000	4005176577529	121.91
		<b>Selection</b> Towel rail material: metal length 600 mm concealed fastening for use with glass shelf (41 057) GROHE Long-Life finish		



# GROHE SELECTION



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>41 057 000</b>	<b>Chrome</b>	<b>4005176577635</b>	<b>143.24</b>
	<b>Selection</b> <b>Glass shelf</b> material: glass for use with towel rail (41 056)			
 	<b>41 058 000</b> <b>41 058 DC0</b> <b>41 058 GL0</b> <b>41 058 GN0</b> <b>41 058 DA0</b> <b>41 058 DL0</b> <b>41 058 A00</b> <b>41 058 AL0</b>	<b>Chrome</b> <b>supersteel</b> <b>cool sunrise</b> <b>brushed cool sunrise</b> <b>warm sunset</b> <b>brushed warm sunset</b> <b>hard graphite</b> <b>brushed hard graphite</b>	<b>4005176577642</b> <b>4005176577659</b> <b>4005176577680</b> <b>4005176577697</b> <b>4005176577703</b> <b>4005176577710</b> <b>4005176577727</b> <b>4005176577734</b>	<b>158.48</b> <b>221.88</b> <b>237.73</b> <b>253.58</b> <b>237.73</b> <b>253.58</b> <b>237.73</b> <b>253.58</b>
	<b>Selection</b> <b>Towel rail</b> material: metal length 800 mm concealed fastening <b>GROHE Long-Life</b> finish			
 	<b>41 059 000</b> <b>41 059 DC0</b> <b>41 059 GL0</b> <b>41 059 GN0</b> <b>41 059 DA0</b> <b>41 059 DL0</b> <b>41 059 A00</b> <b>41 059 AL0</b>	<b>Chrome</b> <b>supersteel</b> <b>cool sunrise</b> <b>brushed cool sunrise</b> <b>warm sunset</b> <b>brushed warm sunset</b> <b>hard graphite</b> <b>brushed hard graphite</b>	<b>4005176577758</b> <b>4005176577765</b> <b>4005176577796</b> <b>4005176577802</b> <b>4005176577819</b> <b>4005176577826</b> <b>4005176577833</b> <b>4005176577840</b>	<b>167.64</b> <b>234.69</b> <b>251.44</b> <b>268.21</b> <b>251.44</b> <b>268.21</b> <b>251.44</b> <b>268.21</b>
	<b>Selection</b> <b>Towel holder, non pivotable</b> material: metal depth 411 mm (functional depth 360 mm) two arms concealed fastening <b>GROHE Long-Life</b> finish			
 	<b>41 063 000</b> <b>41 063 DC0</b> <b>41 063 GL0</b> <b>41 063 GN0</b> <b>41 063 DA0</b> <b>41 063 DL0</b> <b>41 063 A00</b> <b>41 063 AL0</b>	<b>Chrome</b> <b>supersteel</b> <b>cool sunrise</b> <b>brushed cool sunrise</b> <b>warm sunset</b> <b>brushed warm sunset</b> <b>hard graphite</b> <b>brushed hard graphite</b>	<b>4005176577864</b> <b>4005176577871</b> <b>4005176577901</b> <b>4005176577918</b> <b>4005176577925</b> <b>4005176577932</b> <b>4005176577949</b> <b>4005176577956</b>	<b>137.15</b> <b>192.02</b> <b>205.73</b> <b>219.45</b> <b>205.73</b> <b>219.45</b> <b>205.73</b> <b>219.45</b>
	<b>Selection</b> <b>Towel holder, pivotable</b> material: metal depth 441 mm (functional depth 400 mm) two arms concealed fastening <b>GROHE Long-Life</b> finish			
	<b>41 219 KF0</b>	<b>phantom black</b>	<b>4005176782473</b>	<b>192.02</b>
	<b>ditto, Professional exclusive</b>			
 	<b>41 064 000</b> <b>41 064 DC0</b> <b>41 064 GL0</b> <b>41 064 GN0</b> <b>41 064 DA0</b> <b>41 064 DL0</b> <b>41 064 A00</b> <b>41 064 AL0</b>	<b>Chrome</b> <b>supersteel</b> <b>cool sunrise</b> <b>brushed cool sunrise</b> <b>warm sunset</b> <b>brushed warm sunset</b> <b>hard graphite</b> <b>brushed hard graphite</b>	<b>4005176577970</b> <b>4005176577987</b> <b>4005176578014</b> <b>4005176578021</b> <b>4005176578038</b> <b>4005176578045</b> <b>4005176578052</b> <b>4005176578069</b>	<b>94.48</b> <b>132.28</b> <b>141.73</b> <b>151.17</b> <b>141.73</b> <b>151.17</b> <b>141.73</b> <b>151.17</b>
	<b>Selection</b> <b>Grip bar</b> material: metal length 336 mm (functional length 300 mm) concealed fastening <b>GROHE Long-Life</b> finish			

# GROHE SELECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	41 066 000	Chrome	4005176578083	335.26	
	41 066 DC0	supersteel	4005176578090	469.36	
	41 066 GL0	cool sunrise	4005176578120	502.90	
	41 066 GN0	brushed cool sunrise	4005176578137	536.41	
	41 066 DA0	warm sunset	4005176578144	502.90	
	41 066 DL0	brushed warm sunset	4005176578151	536.41	
	41 066 A00	hard graphite	4005176578168	502.90	
	41 066 AL0	brushed hard graphite	4005176578175	536.41	
	<b>Selection</b> Multi-towel rack material: metal length 596 mm concealed fastening GROHE Long-Life finish				
					


	41 067 000	Chrome	4005176578199	76.19	
	41 067 DC0	supersteel	4005176578205	106.67	
	41 067 GL0	cool sunrise	4005176578236	114.30	
	41 067 GN0	brushed cool sunrise	4005176578243	121.91	
	41 067 DA0	warm sunset	4005176578250	114.30	
	41 067 DL0	brushed warm sunset	4005176578267	121.91	
	41 067 A00	hard graphite	4005176578274	114.30	
	41 067 AL0	brushed hard graphite	4005176578281	121.91	
	<b>Selection</b> Spare toilet paper holder (2 rolls) material: metal wall mounted concealed fastening GROHE Long-Life finish				
					

	41 068 000	Chrome	4005176578304	60.95	
	41 068 DC0	supersteel	4005176578311	85.34	
	41 068 GL0	cool sunrise	4005176578342	91.43	
	41 068 GN0	brushed cool sunrise	4005176578359	97.53	
	41 068 DA0	warm sunset	4005176578366	91.43	
	41 068 DL0	brushed warm sunset	4005176578373	97.53	
	41 068 A00	hard graphite	4005176578380	91.43	
	41 068 AL0	brushed hard graphite	4005176578397	97.53	
	<b>Selection</b> Toilet roll holder without cover material: metal wall mounted concealed fastening GROHE Long-Life finish				
					
41 220 KF0 phantom black ditto, Professional exclusive 4005176782480 85.34					

	41 069 000	Chrome	4005176578410	121.91	
	41 069 DC0	supersteel	4005176578427	170.67	
	41 069 GL0	cool sunrise	4005176578458	182.86	
	41 069 GN0	brushed cool sunrise	4005176578465	195.07	
	41 069 DA0	warm sunset	4005176578472	182.86	
	41 069 DL0	brushed warm sunset	4005176578489	195.07	
	41 069 A00	hard graphite	4005176578496	182.86	
	41 069 AL0	brushed hard graphite	4005176578502	195.07	
	<b>Selection</b> Toilet roll holder with cover material: metal wall mounted concealed fastening GROHE Long-Life finish				
					



# GROHE SELECTION




Ref. No.	Colour	EAN	Retail Guide Price (£)
41 076 000	Chrome	4005176578526	152.40
41 076 DC0	supersteel	4005176578533	213.35
41 076 GL0	cool sunrise	4005176578564	228.59
41 076 GN0	brushed cool sunrise	4005176578571	243.83
41 076 DA0	warm sunset	4005176578588	228.59
41 076 DL0	brushed warm sunset	4005176578595	243.83
41 076 A00	hard graphite	4005176578601	228.59
41 076 AL0	brushed hard graphite	4005176578618	243.83

**Selection**  
**Toilet brush set**  
 material: glass / metal  
 wall mounted  
 concealed fastening  
**GROHE Long-Life** finish

41 215 KF0	phantom black	4005176782435	213.35
ditto	Professional exclusive		

40 791 001	white	4005176323409	8.96
40 791 KS1	velvet black	4005176336379	8.96

**Spare Brush Head**













41 077 000	Chrome	4005176578632	228.59
41 077 DC0	supersteel	4005176578649	320.02
41 077 GL0	cool sunrise	4005176578670	342.89
41 077 GN0	brushed cool sunrise	4005176578687	365.74
41 077 DA0	warm sunset	4005176575587	342.89
41 077 DL0	brushed warm sunset	4005176578694	365.74
41 077 A00	hard graphite	4005176578700	342.89
41 077 AL0	brushed hard graphite	4005176578717	365.74

**Selection**  
**Shaving mirror**  
 material: glass / metal  
 without lights  
 magnification: x 7  
 concealed fastening  
**GROHE Long-Life** finish







# GROHE SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 865 000	Chrome	4005176378140	64.47
<p><b>Selection Cube</b>  <b>Glass/soap dish holder</b>                      material: metal                      for Selection Cube glass (40 783 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000)                      concealed fastening  <b>GROHE Long-Life</b> finish</p>				
 	40 805 000	Chrome	4005176347924	80.60
<p><b>Selection Cube</b>  <b>Soap dispenser</b>                      material: glass / metal                      filling quantity 300 ml                      fits in the following holder: Selection Cube (40 865 000/102 275 KF00)  <b>GROHE Long-Life</b> finish</p>				
 	40 806 000	Glass Matt	4005176347931	53.73
<p><b>Selection Cube</b>  <b>Soap dish</b>                      material: glass                      fits in the following holder: Selection Cube (40 865 000/102 275 KF00)</p>				
 	40 783 000	Chrome	4005176347894	42.99
<p><b>Selection Cube</b>  <b>Glass</b>                      material: glass                      fits in the following holder: Selection Cube (40 865 000/102 275 KF00)</p>				
 	40 766 000	Chrome	4005176347849	91.34
<p><b>Selection Cube</b>  <b>Towel ring</b>                      material: metal                      concealed fastening  <b>GROHE Long-Life</b> finish</p>				
 	40 768 000	Chrome	4005176347863	257.91
<p><b>Selection Cube</b>  <b>Double towel bar</b>                      material: metal                      2 arms, pivotable                      400 mm                      concealed fastening  <b>GROHE Long-Life</b> finish</p>				









# GROHE SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 767 000	Chrome	4005176347856	171.94
<b>Selection Cube</b> <b>Towel rail</b> 500 mm (functional length 459 mm) material: metal concealed fastening GROHE Long-Life finish				
 	40 804 000	Chrome	4005176347917	483.56
<b>Selection Cube</b> <b>Multi bath towel rack</b> material: metal 600 mm (functional length 575 mm) concealed fastening GROHE Long-Life finish				
 	40 782 000	Chrome	4005176347887	48.35
<b>Selection Cube</b> <b>Robe hook</b> material: metal concealed fastening GROHE Long-Life finish				
 	40 807 000	Chrome	4005176347948	268.65
<b>Selection Cube</b> <b>Grip bar/towel bar</b> material: metal 600 mm (functional length 548 mm) concealed fastening GROHE Long-Life finish				
 	40 781 000	Chrome	4005176347870	139.69
<b>Selection Cube</b> <b>Toilet roll holder</b> material: metal concealed fastening with cover GROHE Long-Life finish				
 	40 784 000	Chrome	4005176347900	64.47
<b>Selection Cube</b> <b>Spare toilet paper holder</b> material: metal wall mounted concealed fastening GROHE Long-Life finish				





# GROHE SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 857 000	Chrome	4005176378393	188.06
<p><b>Selection Cube Toilet brush set</b>                      material: glass / metal                      wall mounted                      concealed fastening                      GROHE Long-Life finish</p>				
 	40 809 000	Chrome	4005176347962	188.06
<p><b>Selection Cube Soap wire basket</b>                      material: metal                      for corner installation                      GROHE Long-Life finish</p>				
 	40 808 000	Chrome	4005176347955	236.41
<p><b>Selection Cube Shaving mirror</b>                      material: glass / metal                      wall mounted                      concealed fastening                      magnification: x 3                      GROHE Long-Life finish</p>				

# GROHE ESSENTIALS







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 369 001	Chrome	4005176326196	36.53
	40 369 DC1	supersteel	4005176412462	51.15
	40 369 EN1	brushed nickel	4005176326202	58.46
	40 369 GL1	cool sunrise	4005176429422	54.81
	40 369 GN1	brushed cool sunrise	4005176429873	58.46
	40 369 DA1	warm sunset	4005176428975	54.81
	40 369 DL1	brushed warm sunset	4005176430022	58.46
	40 369 A01	hard graphite	4005176429576	54.81
	40 369 AL1	brushed hard graphite	4005176429729	58.46
	<b>Essentials</b> <b>Glass/soap dish holder</b> material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
 	40 394 001	Chrome	4005176326233	29.89
	40 394 DC1	supersteel	4005176421532	41.86
	40 394 EN1	brushed nickel	4005176412646	47.83
	40 394 GL1	cool sunrise	4005176429439	44.84
	40 394 GN1	brushed cool sunrise	4005176429880	47.83
	40 394 DA1	warm sunset	4005176428982	44.84
	40 394 DL1	brushed warm sunset	4005176430039	47.83
	40 394 A01	hard graphite	4005176429583	44.84
	40 394 AL1	brushed hard graphite	4005176429736	47.83
	<b>Essentials</b> <b>Soap dispenser</b> material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) <b>GROHE Long-Life</b> finish			
<b>102470 243 0</b> <b>matte black</b> <b>4067393021919</b> <b>38.86</b> <b>ditto, Professional exclusive</b>				
 	40 368 001	glass clear	4005176326219	9.97
	<b>Essentials</b> <b>Soap dish</b> material: glass fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 372 001	Chrome	4005176326226	12.05
	<b>Essentials</b> <b>Crystal glass</b> material: glass fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			









# GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 448 001	Chrome	4005176328343	67.74
	40 448 DC1	supersteel	4005176413155	94.82
	40 448 EN1	brushed nickel	4005176335525	108.37
	<b>Essentials</b> <b>Soap dispenser with holder</b> material: glass / metal filling quantity 160 ml Consisting of: holder (40 369 001) soap dispenser (40 394 001) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
	102257 243 0	matte black ditto, Professional exclusive	4067393019794	88.05
	40 444 001	Chrome	4005176328336	46.50
	40 444 DC1	supersteel	4005176413148	65.11
	40 444 EN1	brushed nickel	4005176335501	74.40
<b>Essentials</b> <b>Soap dish with holder</b> material: glass / metal Consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only				
	40 447 001	Chrome	4005176328701	45.26
	40 447 DC1	supersteel	4005176413162	63.37
	40 447 EN1	brushed nickel	4005176335518	72.42
	<b>Essentials</b> <b>Crystal glass with holder</b> material: glass / metal Consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
	102256 243 0	matte black ditto, Professional exclusive	4067393019787	58.85
	40 365 001	Chrome	4005176326240	36.53
	40 365 DC1	supersteel	4005176412431	51.15
	40 365 EN1	brushed nickel	4005176326257	58.46
<b>Essentials</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only				
	40 365 GL1	cool sunrise	4005176429378	54.81
	40 365 GN1	brushed cool sunrise	4005176429828	58.46
	40 365 DA1	warm sunset	4005176428920	54.81
	40 365 DL1	brushed warm sunset	4005176429972	58.46
	40 365 A01	hard graphite	4005176429521	54.81
	40 365 AL1	brushed hard graphite	4005176429675	58.46
	102461 243 0	matte black ditto, Professional exclusive	4067393021735	47.50













# GROHE ESSENTIALS





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 371 001	Chrome	4005176326318	64.76
	40 371 DC1	supersteel	4005176412479	90.68
	40 371 EN1	brushed nickel	4005176430268	103.64
	40 371 GL1	cool sunrise	4005176429385	97.15
	40 371 GN1	brushed cool sunrise	4005176429835	103.64
	40 371 DA1	warm sunset	4005176428937	97.15
	40 371 DL1	brushed warm sunset	4005176429989	103.64
	40 371 A01	hard graphite	4005176429538	97.15
	40 371 AL1	brushed hard graphite	4005176429682	103.64
	<b>Essentials</b> <b>Towel bar</b> material: metal 2 arms, pivotable 439 mm concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels)			
 	40 688 001	Chrome	4005176326288	53.14
	40 688 DC1	supersteel	4005176413124	74.40
	40 688 EN1	brushed nickel	4005176326295	85.03
	40 688 GL1	cool sunrise	4005176429392	79.72
	40 688 GN1	brushed cool sunrise	4005176429842	85.03
	40 688 DA1	warm sunset	4005176428944	79.72
	40 688 DL1	brushed warm sunset	4005176429996	85.03
	40 688 A01	hard graphite	4005176429545	79.72
	40 688 AL1	brushed hard graphite	4005176429699	85.03
	<b>Essentials</b> <b>Towel rail</b> material: metal 504 mm (useable length 450 mm) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 10 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
 	40 366 001	Chrome	4005176326264	58.12
	40 366 DC1	supersteel	4005176412448	81.37
	40 366 EN1	brushed nickel	4005176326271	93.00
	40 366 GL1	cool sunrise	4005176429408	87.18
	40 366 GN1	brushed cool sunrise	4005176429859	93.00
	40 366 DA1	warm sunset	4005176428951	87.18
	40 366 DL1	brushed warm sunset	4005176430008	93.00
	40 366 A01	hard graphite	4005176429552	87.18
	40 366 AL1	brushed hard graphite	4005176429705	93.00
	<b>Essentials</b> <b>Towel rail</b> material: metal 654 mm (useable length 600 mm) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 10 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
	102251 243 0	matte black ditto, Professional exclusive	4067393019749	75.56

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 386 001	Chrome	4005176326301	73.07
	40 386 EN1	brushed nickel	4005176430275	116.92
	40 386 GL1	cool sunrise	4005176429415	109.61
	40 386 GN1	brushed cool sunrise	4005176429866	116.92
	40 386 DA1	warm sunset	4005176428968	109.61
	40 386 DL1	brushed warm sunset	4005176430015	116.92
	40 386 A01	hard graphite	4005176429569	109.61
	40 386 AL1	brushed hard graphite	4005176429712	116.92
	<b>Essentials</b> <b>Towel rail</b> material: metal 854 mm (useable length 800 mm) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 10 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
 	40 802 001	Chrome	4005176328107	99.65
	40 802 EN1	brushed nickel	4005176430329	159.43
	40 802 GL1	cool sunrise	4005176429507	149.46
	40 802 GN1	brushed cool sunrise	4005176429958	159.43
	40 802 DA1	warm sunset	4005176429354	149.46
	40 802 DL1	brushed warm sunset	4005176430107	159.43
	40 802 A01	hard graphite	4005176429651	149.46
	40 802 AL1	brushed hard graphite	4005176429804	159.43
	<b>Essentials</b> <b>Double towel rail</b> material: metal 654 mm (useable length 600 mm) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels)			
	102473 243 0	matte black ditto, Professional exclusive	4067393021940	129.54
 	40 800 001	Chrome	4005176327988	195.41
	40 800 DC1	supersteel	4005176413223	273.56
	40 800 EN1	brushed nickel	4005176430312	312.64
	40 800 GL1	cool sunrise	4005176429491	293.10
	40 800 GN1	brushed cool sunrise	4005176429941	312.64
	40 800 DA1	warm sunset	4005176429347	293.10
	40 800 DL1	brushed warm sunset	4005176430091	312.64
	40 800 A01	hard graphite	4005176429644	293.10
	40 800 AL1	brushed hard graphite	4005176429798	312.64
<b>Essentials</b> <b>Multi bath towel rack</b> material: metal 604 mm (useable length 550 mm) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels)				
 	40 364 001	Chrome	4005176326332	20.00
	40 364 DC1	supersteel	4005176412424	28.00
	40 364 EN1	brushed nickel	4005176326349	31.99
	40 364 GL1	cool sunrise	4005176429361	30.00
	40 364 GN1	brushed cool sunrise	4005176429811	31.99
	40 364 DA1	warm sunset	4005176428913	30.00
	40 364 DL1	brushed warm sunset	4005176429965	31.99
	40 364 A01	hard graphite	4005176429514	30.00
	40 364 AL1	brushed hard graphite	4005176429668	31.99
<b>Essentials</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only				
	102460 243 0	matte black ditto, Professional exclusive	4067393021728	26.00










# GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)			
 	40 421 001	Chrome	4005176326325	58.12			
	40 421 DC1	supersteel	4005176413117	81.37			
	40 421 EN1	brushed nickel	4005176430305	93.00			
	40 421 GL1	cool sunrise	4005176429484	87.18			
	40 421 GN1	brushed cool sunrise	4005176429934	93.00			
	40 421 DA1	warm sunset	4005176429330	87.18			
	40 421 DL1	brushed warm sunset	4005176430084	93.00			
	40 421 A01	hard graphite	4005176429637	87.18			
	40 421 AL1	brushed hard graphite	4005176429781	93.00			
		<b>Essentials</b> <b>Grip bar</b> material: metal 349 mm (useable length 295 mm) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels)					
	102471 243 0	matte black	4067393021926	75.56			
	<b>ditto, Professional exclusive</b>						
 	40 793 001	Chrome	4005176327599	83.04			
	40 793 DC1	supersteel	4005176413230	116.25			
		<b>Essentials</b> <b>Grip bar</b> material: metal 507 mm (useable length 450 mm) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels)					
	 	40 794 001	Chrome	4005176327605	99.65		
		40 794 DC1	supersteel	4005176413247	139.51		
			<b>Essentials</b> <b>Grip bar</b> material: metal 657 mm (useable length 600 mm) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels)				
		 	40 797 001	Chrome	4005176327636	259.08	
				<b>Essentials</b> <b>Grip bar</b> material: metal 737 x 997 mm (useable length 680 x 940 mm) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels)			
			 	40 799 001	Chrome	4005176327971	66.43
					<b>Essentials</b> <b>Glass shelf</b> material: glass / metal 530 mm (useable length 380 mm) concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only		










# GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 689 001	Chrome	4005176326363	43.18
	40 689 DC1	supersteel	4005176413131	60.45
	40 689 EN1	brushed nickel	4005176326370	69.09
	40 689 GL1	cool sunrise	4005176429460	64.76
	40 689 GN1	brushed cool sunrise	4005176429910	69.09
	40 689 DA1	warm sunset	4005176429316	64.76
	40 689 DL1	brushed warm sunset	4005176430060	69.09
	40 689 A01	hard graphite	4005176429613	64.76
	40 689 AL1	brushed hard graphite	4005176429767	69.09
	<b>Essentials</b> <b>Toilet roll holder</b> material: metal without cover concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
	102472 243 0	matte black ditto, Professional exclusive	4067393021933	56.14
 	40 367 001	Chrome	4005176326387	48.16
	40 367 DC1	supersteel	4005176412455	67.42
	40 367 EN1	brushed nickel	4005176326394	77.06
	40 367 GL1	cool sunrise	4005176429477	72.25
	40 367 GN1	brushed cool sunrise	4005176429927	77.06
	40 367 DA1	warm sunset	4005176429323	72.25
	40 367 DL1	brushed warm sunset	4005176430077	77.06
	40 367 A01	hard graphite	4005176429620	72.25
	40 367 AL1	brushed hard graphite	4005176429774	77.06
	<b>Essentials</b> <b>Toilet roll holder</b> material: metal with cover concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
	102465 243 0	matte black ditto, Professional exclusive	4067393021766	62.61
 	40 385 001	Chrome	4005176326356	36.53
	40 385 DC1	supersteel	4005176413094	51.15
	40 385 EN1	brushed nickel	4005176430299	58.46
	40 385 GL1	cool sunrise	4005176429453	54.81
	40 385 GN1	brushed cool sunrise	4005176429903	58.46
	40 385 DA1	warm sunset	4005176429309	54.81
	40 385 DL1	brushed warm sunset	4005176430053	58.46
	40 385 A01	hard graphite	4005176429606	54.81
	40 385 AL1	brushed hard graphite	4005176429750	58.46
	<b>Essentials</b> <b>Spare toilet paper holder</b> material: metal wall mounted concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
	102469 243 0	matte black ditto, Professional exclusive	4067393021902	47.50

# GROHE ESSENTIALS









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 374 001	Chrome	4005176326400	59.79
	40 374 DC1	supersteel	4005176412486	83.70
	40 374 GL1	cool sunrise	4005176429446	89.68
	40 374 GN1	brushed cool sunrise	4005176429897	95.65
	40 374 DA1	warm sunset	4005176429293	89.68
	40 374 DL1	brushed warm sunset	4005176430046	95.65
	40 374 A01	hard graphite	4005176429590	89.68
	40 374 AL1	brushed hard graphite	4005176429743	95.65
	<b>Essentials</b> <b>Toilet brush set</b> material: glass / metal wall mounted concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) holding force: max. 5 kg the specified holding capacity is valid for static (slowly applied) load and intended use only			
	102468 243 0	matte black ditto, Professional exclusive	4067393021797	77.72
	40 791 001	white	4005176323409	8.96
	40 791 KS1	velvet black	4005176336379	8.96
	<b>Spare Brush Head</b>			
	40 696 GL0	cool sunrise	4005176953668	176.76
	40 696 DC0	supersteel	4005176953651	164.97
	40 696 DA0	warm sunset	4005176953644	176.76
	40 696 AL0	brushed hard graphite	4005176953637	188.54
	<b>Essentials</b> <b>Toilet brush set metal</b> material: metal wall mounted concealed fastening <b>GROHE Long-Life</b> finish suitable for screwing (including screws and dowels) black brush head removable inner plastic container			
				
	40 663 001	Chrome	4005176327834	81.41
	<b>BauCosmopolitan</b> <b>Soap wire basket</b> material: metal <b>for corner installation</b> large suitable for screwing (including screws and dowels)			
				
	40 664 001	Chrome	4005176327841	65.13
	<b>BauCosmopolitan</b> <b>Soap wire basket</b> material: metal <b>for corner installation</b> small suitable for screwing (including screws and dowels)			
				

# GROHE ESSENTIALS













	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 407 001	Chrome	4005176328350	115.15
	40 407 DC1	supersteel	4005176413179	161.22
	<p><b>Essentials</b>  <b>3-in-1 WC set</b>                      material: glass / metal                      Consisting of:                      toilet brush set (40 374 001)                      robe hook (40 364 001)                      toilet paper holder (40 367 001)                      concealed fastening  <b>GROHE Long-Life</b> finish                      suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
	40 775 001	Chrome	4005176328626	113.66
	40 775 DC1	supersteel	4005176413186	159.13
	40 775 EN1	brushed nickel	4005176324765	181.86
	<p><b>Essentials</b>  <b>3-in-1 Guest bathroom accessories set</b>                      material: metal                      Consisting of:                      towel rail, 600 mm (40 366 001)                      robe hook (40 364 001)                      toilet paper holder (40 367 001)                      concealed fastening  <b>GROHE Long-Life</b> finish                      suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
	40 776 001	Chrome	4005176328633	146.54
	<p><b>Essentials</b>  <b>4-in-1 Master bathroom accessories set</b>                      material: metal                      Consisting of:                      towel ring (40 365 001)                      robe hook (40 364 001)                      toilet paper holder (40 367 001)                      towel rail, 600 mm (40 366 001)                      concealed fastening  <b>GROHE Long-Life</b> finish                      suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
				
	40 344 001	Chrome	4005176323461	185.28
	<p><b>Essentials</b>  <b>Master bathroom accessories set 5-in-1</b>                      material: glass / metal                      Consisting of:                      towel ring (40 365 001)                      towel rail, 600 mm (40 366 001)                      robe hook (40 364 001)                      paper holder with cover (40 367 001)                      soap dish with holder (40 444 001)                      concealed fastening  <b>GROHE Long-Life</b> finish                      suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			
				
	40 915 000		4005176429262	9.27
	<p><b>Glue for bath accessories</b>                      contains syringe with with glue and adapter for the wall mounting plate                      curing time 24 hours                      one pack is required for one wall holder plate, please note for bath towel holders suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal not suitable for wallpaper, plaster and coating                      This mixture is classified as not hazardous, but subject to special labeling. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a></p>			













# GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 508 001	Chrome	4005176324413	48.19
	40 508 DC1	supersteel	4005176636554	67.47
	40 508 AL1	brushed hard graphite	4005176636653	77.11
	<b>Essentials Cube</b> <b>Glass/soap dish holder</b> material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening <b>GROHE Long-Life</b> finish			
	40 394 001	Chrome	4005176326233	29.89
	40 394 DC1	supersteel	4005176421532	41.86
	40 394 AL1	brushed hard graphite	4005176429736	47.83
	<b>Essentials</b> <b>Soap dispenser</b> material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx/1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) <b>GROHE Long-Life</b> finish			
	40 368 001	glass clear	4005176326219	9.97
	<b>Essentials</b> <b>Soap dish</b> material: glass fits in the following holders: Essentials (40 369 xx/1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 372 001	Chrome	4005176326226	12.05
	<b>Essentials</b> <b>Crystal glass</b> material: glass fits in the following holders: Essentials (40 369 xx/1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 756 001	Chrome	4005176328381	78.08
	<b>Essentials Cube</b> <b>Soap dispenser with holder</b> material: glass / metal filling quantity 160 ml Consisting of: holder (40 508 001) soap dispenser (40 394 001) concealed fastening <b>GROHE Long-Life</b> finish			
	40 755 001	Chrome	4005176328374	58.16
	<b>Essentials Cube</b> <b>Crystal glass with holder</b> material: glass / metal Consisting of: holder (40 508 001) crystal glass (40 372 001) concealed fastening <b>GROHE Long-Life</b> finish			







# GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 754 001	Chrome	4005176328367	58.66
<p><b>Essentials Cube</b>  <b>Soap dish with holder</b>                      material: glass / metal                      Consisting of:                      holder (40 508 001)                      soap dish (40 368 001)                      concealed fastening  <b>GROHE Long-Life</b> finish</p>				
 	40 510 001 40 510 DC1 40 510 AL1	Chrome supersteel brushed hard graphite	4005176324420 4005176636172 4005176636578	66.43 93.00 106.29
<p><b>Essentials Cube</b>  <b>Towel ring</b>                      material: metal                      concealed fastening  <b>GROHE Long-Life</b> finish</p>				
 	40 624 001 40 624 DC1 40 624 AL1	Chrome supersteel brushed hard graphite	4005176324444 4005176636486 4005176636585	93.27 130.58 149.23
<p><b>Essentials Cube</b>  <b>Towel bar</b>                      material: metal                      2 arms, pivotable                      439 mm                      concealed fastening  <b>GROHE Long-Life</b> finish</p>				
 	40 509 001 40 509 DC1	Chrome supersteel	4005176324437 4005176636493	73.80 103.32
<p><b>Essentials Cube</b>  <b>Towel rail</b>                      material: metal                      600 mm (useable length 558 mm)                      concealed fastening  <b>GROHE Long-Life</b> finish</p>				
 	40 512 001 40 512 AL1	Chrome brushed hard graphite	4005176324451 4005176636608	242.47 387.95
<p><b>Essentials Cube</b>  <b>Multi-towel rack</b>                      material: metal                      600 mm (useable length 558 mm)                      concealed fastening  <b>GROHE Long-Life</b> finish</p>				
 	40 511 001 40 511 DC1 40 511 AL1	Chrome supersteel brushed hard graphite	4005176324475 4005176636516 4005176636615	28.00 39.20 44.80
<p><b>Essentials Cube</b>  <b>Robe hook</b>                      material: metal                      concealed fastening  <b>GROHE Long-Life</b> finish</p>				













# GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 514 001	Chrome	4005176324468	99.65
	40 514 DC1	supersteel	4005176636523	139.51
	40 514 AL1	brushed hard graphite	4005176636622	159.43
	<b>Essentials Cube</b> <b>Grip bar</b> material: metal 392 mm (useable length 340 mm) concealed fastening GROHE Long-Life finish			
 	40 507 001	Chrome	4005176324598	55.80
	40 507 DC1	supersteel	4005176636530	78.12
	40 507 AL1	brushed hard graphite	4005176636639	89.28
	<b>Essentials Cube</b> <b>Toilet roll holder</b> material: metal without cover concealed fastening GROHE Long-Life finish			
 	40 623 001	Chrome	4005176324482	46.63
	40 623 DC1	supersteel	4005176636547	65.29
	40 623 AL1	brushed hard graphite	4005176636646	74.61
	<b>Essentials Cube</b> <b>Spare toilet paper holder</b> material: metal wall mounted concealed fastening GROHE Long-Life finish			
 	40 513 001	Chrome	4005176324604	96.46
	40 513 DC1	supersteel	4005176636165	135.04
	40 513 AL1	brushed hard graphite	4005176636561	154.33
	<b>Essentials Cube</b> <b>Toilet brush set</b> material: glass / metal wall mounted concealed fastening GROHE Long-Life finish			
	40 791 001	white	4005176323409	8.96
	40 791 KS1	velvet black	4005176336379	8.96
<b>Spare Brush Head</b>				
 	40 757 001	Chrome	4005176328497	162.22
	<b>Essentials Cube</b> <b>3-in-1 WC set</b> material: glass / metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening GROHE Long-Life finish			











# GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 777 001	Chrome	4005176328640	141.86
	<p><b>Essentials Cube</b>  <b>3-in-1 Guest bathroom accessories set</b>                      material: metal                      Consisting of:                      robe hook (40 511 001)                      toilet paper holder (40 507 001)                      towel rail, 558 mm (40 509 001)                      concealed fastening  <b>GROHE Long-Life</b> finish</p>			
	40 778 001	Chrome	4005176328657	201.64
	<p><b>Essentials Cube</b>  <b>4-in-1 Master bathroom accessories set</b>                      material: metal                      Consisting of:                      robe hook (40 511 001)                      towel ring (40 510 001)                      toilet paper holder (40 507 001)                      towel rail, 558 mm (40 509 001)                      concealed fastening  <b>GROHE Long-Life</b> finish</p>			
	40 758 001	Chrome	4005176328503	250.18
	<p><b>Essentials Cube</b>  <b>Master bathroom accessories set 5-in-1</b>                      material: glass / metal                      Consisting of:                      soap dish with holder (40 754 001)                      towel rail, 558 mm (40 509 001)                      toilet paper holder (40 507 001)                      robe hook (40 511 001)                      towel ring (40 510 001)                      concealed fastening  <b>GROHE Long-Life</b> finish</p>			

# GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>40 585 001</b>	<b>Chrome</b>	<b>4005176327797</b>	<b>28.65</b>
<p><b>BauCosmopolitan</b>  <b>Glass/soap dish holder</b>            material: metal            for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001)            concealed fastening  <b>GROHE Long-Life</b> finish            suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
 	<b>40 394 001</b>	<b>Chrome</b>	<b>4005176326233</b>	<b>29.89</b>
<p><b>Essentials</b>  <b>Soap dispenser</b>            material: glass / metal            filling quantity 160 ml            fits in the following holders:            Essentials (40 369 xx/1/102 466 2430)            Essentials Cube (40 508 000)            Bau Cosmopolitan (40 585)  <b>GROHE Long-Life</b> finish</p>				
 	<b>40 368 001</b>	<b>glass clear</b>	<b>4005176326219</b>	<b>9.97</b>
<p><b>Essentials</b>  <b>Soap dish</b>            material: glass            fits in the following holders:            Essentials (40 369 xx/1/102 466 2430)            Essentials Cube (40 508 000)            Bau Cosmopolitan (40 585)            Essentials Authentic (40 652)</p>				
 	<b>40 372 001</b>	<b>Chrome</b>	<b>4005176326226</b>	<b>12.05</b>
<p><b>Essentials</b>  <b>Crystal glass</b>            material: glass            fits in the following holders:            Essentials (40 369 xx/1/102 466 2430)            Essentials Cube (40 508 000)            Bau Cosmopolitan (40 585)            Essentials Authentic (40 652)</p>				
 	<b>40 460 001</b>	<b>Chrome</b>	<b>4005176327803</b>	<b>28.65</b>
<p><b>BauCosmopolitan</b>  <b>Towel ring</b>            material: metal            concealed fastening  <b>GROHE Long-Life</b> finish            suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)            holding force: max. 5 kg            the specified holding capacity is valid for static (slowly applied) load and intended use only</p>				
 	<b>40 459 001</b>	<b>Chrome</b>	<b>4005176327810</b>	<b>41.69</b>
<p><b>BauCosmopolitan</b>  <b>Towel rail</b>            material: metal            522 mm (useable length 430 mm)            concealed fastening  <b>GROHE Long-Life</b> finish            suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)            holding force: max. 10 kg            the specified holding capacity is valid for static (slowly applied) load and intended use only</p>				


# GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	40 462 001	Chrome	4005176327827	153.18	
<p><b>BauCosmopolitan</b>  <b>Multi-towel rack</b>                      material: metal                      564 mm (useable length 510 mm)                      concealed fastening  <b>GROHE Long-Life</b> finish                      suitable for screwing (including screws and dowels)</p>					
 	40 461 001	Chrome	4005176327858	17.58	
<p><b>BauCosmopolitan</b>  <b>Robe hook</b>                      material: metal                      concealed fastening  <b>GROHE Long-Life</b> finish                      suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)                      holding force: max. 5 kg                      the specified holding capacity is valid for static (slowly applied) load and intended use only</p>					
 	40 457 001	Chrome	4005176327865	36.15	
<p><b>BauCosmopolitan</b>  <b>Toilet Roll Holder</b>                      material: metal                      without cover                      concealed fastening  <b>GROHE Long-Life</b> finish                      suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)                      holding force: max. 5 kg                      the specified holding capacity is valid for static (slowly applied) load and intended use only</p>					
 	40 463 001	Chrome	4005176327872	46.89	
<p><b>BauCosmopolitan</b>  <b>Toilet brush set</b>                      material: glass / metal                      wall mounted                      concealed fastening  <b>GROHE Long-Life</b> finish                      suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)                      holding force: max. 5 kg                      the specified holding capacity is valid for static (slowly applied) load and intended use only</p>					
		40 791 001	white	4005176323409	8.96
		40 791 KS1	velvet black	4005176336379	8.96
<p><b>Spare Brush Head</b></p>					
 	40 663 001	Chrome	4005176327834	81.41	
<p><b>BauCosmopolitan</b>  <b>Soap wire basket</b>                      material: metal  <b>for corner installation</b>                      large                      suitable for screwing (including screws and dowels)</p>					



# GROHE BAUCOSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



40 664 001	Chrome	4005176327841	65.13
------------	--------	---------------	-------

**BauCosmopolitan  
Soap wire basket**  
material: metal  
**for corner installation**  
small  
suitable for screwing (including screws and dowels)



40 915 000		4005176429262	9.27
------------	--	---------------	------

**Glue for bath accessories**  
contains syringe with with glue and adapter for the wall mounting plate  
curing time 24 hours  
one pack is required for one wall holder plate, please note for bath towel holders  
suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal  
not suitable for wallpaper, plaster and coating  
This mixture is classified as not hazardous, but subject to special labeling. Find  
more information in the safety data sheet. You can download the safety data at:  
[www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

# GROHE ESSENTIALS AUTHENTIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>40 394 001</b> <b>40 394 EN1</b>	<b>Chrome</b> <b>brushed nickel</b>	<b>4005176326233</b> <b>4005176412646</b>	<b>29.89</b> <b>47.83</b>
<b>Essentials</b> <b>Soap dispenser</b> material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) <b>GROHE Long-Life</b> finish				
 	<b>40 368 001</b>	<b>glass clear</b>	<b>4005176326219</b>	<b>9.97</b>
<b>Essentials</b> <b>Soap dish</b> material: glass fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)				
 	<b>40 372 001</b>	<b>Chrome</b>	<b>4005176326226</b>	<b>12.05</b>
<b>Essentials</b> <b>Crystal glass</b> material: glass fits in the following holders: Essentials (40 369 xx1/102 466 2430) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)				
 	<b>40 656 001</b>	<b>Chrome</b>	<b>4005176324383</b>	<b>19.99</b>
<b>Essentials Authentic</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE Long-Life</b> finish				
 	<b>40 657 001</b>	<b>Chrome</b>	<b>4005176324390</b>	<b>43.18</b>
<b>Essentials Authentic</b> <b>Toilet roll holder</b> material: metal without cover concealed fastening <b>GROHE Long-Life</b> finish				
 	<b>40 659 001</b>	<b>Chrome</b>	<b>4005176324376</b>	<b>65.13</b>
<b>Essentials Authentic</b> <b>Corner Basket, small</b> material: metal concealed fastening <b>GROHE Long-Life</b> finish				

# GROHTHERM THERMOSTATS





## CONTENTS

Grotherm SmartControl	201
Grotherm 2 handle trim sets	213
Grotherm 2000	220
Grotherm Cube	225
Grotherm 1000	228
Grotherm 1000 Performance	232
Grotherm 800 Cosmopolitan	235
Grotherm 800	238

## SAFETY NOTE

### Avoiding scalding


For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grotherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grotherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.




# GROHE TURBOSTAT



## ALWAYS THE RIGHT TEMPERATURE, FOR ULTIMATE CONVENIENCE AND SAFETY.


GROHE TurboStat technology lies at the heart of our Grohtherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.

**Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.**



## Exceptionally swift reaction to water-pressure fluctuations.


- without** GROHE TurboStat
- with** GROHE TurboStat



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.



# GROHE COOLTOUCH




## SAFETY FIRST WITH 100 % GROHE COOLTOUCH.


GROHE's CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface – so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.




## Safety surround = 100% GROHE CoolTouch No risk of scalding



Safety housing with water cooling



Thermal image  
**without** GROHE CoolTouch



Thermal image  
**with** GROHE CoolTouch



# THE NOT-SO-HIDDEN BENEFITS: GROHE SMARTCONTROL CONCEALED

Space – we'd all like to have more of it, especially in the shower area where it is often in short supply. So when you have the luxury of planning your shower from scratch, GROHE SmartControl Concealed is a wonderful option. With its concealed installation and exceedingly slim design, GROHE SmartControl Concealed offers more space under the shower and an uncluttered, clean look.

Of course, GROHE SmartControl Concealed also offers the many features shared by GROHE SmartControl Exposed and the GROHE Combi shower system: from precise and intuitive volume and temperature control to your choice of shower sprays at the touch of a button.



Wall plates adjustable by six degrees

One rough-in runs up to three shower/bath filler functions with just one trim

Easy job-side mounting, no bench vice needed

Only 75 mm minimum installation depth

Optional service stops for retrofit

Always compliant with retrofit backflow protection

Efficient piping thanks to bottom inlets

Control up to three shower functions for a better shower experience

Intuitive operation and perfect control of water volume through SmartControl


Concealed technology and elegant super slim design – 43 mm – for more space under the shower



# NEW GROHE TWO-HANDLE THERMOSTATS: ROUND, SQUARE OR CUBE?

Our new thermostats with conventional operation are anything but conventional. We have designed them to be as user-friendly and intuitive as possible. Turn on the hand shower by rotating the upper control button slightly to the left. To switch over to the head shower, turn the control button towards the right. Also available as 1-function model to operate a single shower. The exceedingly narrow plates, with a height of just 10 mm and the slim design of the controls, ensure that the overall outreach is a mere 43 mm. Offering the choice between round, square and cube shapes, our thermostats appeal not only to lovers of geometry. Representing the perfect balance between form and function, our two-handle thermostats provide a beautiful centrepiece for every shower.

All Grohtherm Concealed thermostats are made to fit our new universal solution: the GROHE Rapido SmartBox system.





# THE BEST OF BOTH WORLDS: **GROHE SMARTCONTROL COMBI** SHOWER SYSTEM

Flexibility best describes the reason for choosing the GROHE SmartControl Combi shower system, which offers a range of different installation options and possible combinations. This means for example, that you are free to position the thermostat either vertically under the shower head or, if you choose, away from the central axis – or even on one of the side walls of the shower. Flexibility also extends to the way you can combine the thermostat with other GROHE head, hand or body showers, creating your own personal shower experience. You also have the option of turning your bath into a shower – by combining the SmartControl thermostat with a bathtub inlet and a hand shower.



# DISCOVER THE NEW STANDARD IN EXPOSED THERMOSTATS: **GROHTHERM SMARTCONTROL EXPOSED**

We are proud to present our Grohtherm SmartControl: a major new development in exposed thermostats. Available as separate units, Grohtherm SmartControl exposed thermostats combine the design of GROHE and the comfort of SmartControl. We've given it a compact shape to offer more space under the shower and its EasyReach tray makes plenty of room on top for shower accessories. A forward-facing thermostat button makes operation from the front more convenient. And like all GROHE thermostats, Grohtherm SmartControl comes equipped with TurboStat for precise temperature control and 100 % CoolTouch to keep thermostat surfaces at a safe temperature and avoid scalding.






# GROHTHERM 3000 COSMOPOLITAN

## MINIMALIST & 100 % GROHE COOLTOUCH.

Grohtherm 3000 Cosmopolitan thermostats are based on an aesthetic philosophy based on simple cylinders in perfect proportions, creating balance and harmony enhanced by GROHE StarLight chrome, a deep luxurious finish.

While GROHE TurboStat maintains your perfect water temperature, GROHE CoolTouch eliminates the risk of scalding from hot chrome surfaces, while the EcoButton enables you to reduce your water consumption up to 50 %.



# GROHTHERM 2000

## 100 % GROHE COOLTOUCH, ADVANCED ERGONOMICS & EASYREACH TRAY.

The elegant design of Grohtherm 2000 ensures it will complement any bathroom design. Experience the beauty of the XL Waterfall from our exposed bath/shower thermostat. Enjoy the convenience of the GROHE EasyReach shower tray, with easy-to-clean integrated storage for your shampoo or soap.

Featuring 100 % GROHE CoolTouch, the solid metal housing of Grohtherm 2000 remains cool and safe at all times. With GROHE TurboStat you will always enjoy your perfect water temperature, independent of any fluctuations in water pressure. Grohtherm 2000 thermostats are available with and without the metal made GROHE EasyReach storage.



**GROHE TurboStat**  
For a perfect water temperature at all times.

**GROHE EasyReach**  
Easily accessible storage by optional shelf. Easy to clean.

**GROHE Aqua Paddle**  
Beautiful ergonomics for ease of use and precise water control.

**GROHE AquaDimmer Eco**  
The water-saving system for bath and shower.

**GROHE XL Waterfall**  
Wide bath spout with XL-Size silent water flow.

**100 % GROHE CoolTouch**  
No scalding from hot surfaces; the child-friendly solution.



# GROHTHERM CUBE

## 100 % CUBE.

For years, GROHE has been synonymous with thermostats for the bathroom, with over 30 million sold worldwide. With the launch of this pure Cubist thermostat range, GROHE offers innovative design combined with the highest quality standards. From its Cubist design and its water-saving options to the smart EasyReach soap tray – Grohtherm Cube thermostats and shower systems offer full enjoyment to the last detail, perfectly matching several GROHE cubic tap and shower designs.



**GROHE EasyReach**  
Easily accessible storage by optional shelf. Easy to clean.

**GROHE AquaDimmer Eco**  
The water-saving system for bath and shower.

**GROHE TurboStat**  
For a perfect water temperature at all times.


**GROHE XL Waterfall**  
Wide bath spout with XL-Size silent water flow.



# GROHTHERM 1000

## ULTIMATE COMFORT WITH GROHE COOLTOUCH.

Enjoy taking a refreshing shower more than ever before. The Grohtherm 1000 with contemporary design offers a GROHE CoolTouch compact body, ergonomically shaped metal handles, GROHE TurboStat technology and water-saving eco functions.



**GROHE TurboStat**  
For a perfect water temperature at all times.

**GROHE CoolTouch compact body**  
No risk of scalding on the body.

**MetalGrip**  
ergonomic metal handle with paddle for enhanced grip

**EasyLogic**  
improved intuitive graphics on body

**SafeStop**  
Safety lock protects against scalding.

**GROHE AquaDimmer Eco**  
Switch between spout and shower with water saving function for shower.

**Organic shaped spout**  
extruding from body



# GROHTHERM 1000 PERFORMANCE

## COOLTOUCH THERMOSTAT WITH PROGRIP.

Transform your shower into a smart comfort zone. GROHE TurboStat provides you with a constant water temperature without the hot or cold surprises during your shower. The smart designed ProGrip gives you precise control on waterflow and temperature and thanks to the internal cooling channel of GROHE CoolTouch, the complete shower body never exceeds your showering temperature.





# GROHTHERM 800 COSMOPOLITAN

## MINIMALISTIC DESIGN WITH ERGONOMIC METAL HANDLE.

Offering quality, technology and design at a competitive price, Grohtherm 800 Cosmopolitan is our most compact thermostat. Crafted from a series of perfect cylinders, its slender design is the preferred choice for modern, architectural-style spaces.



**EcoButton**  
saving up to  
50 % water.

**Automatic diverter**  
automatically returns from hand  
shower to bath spout when off

**Metal grip**  
Ergonomic metal handle –  
easy to use with soapy hands.

**GROHE TurboStat**  
For a perfect water  
temperature at all times.

**SafeStop**  
Temperature stop protects  
against scalding.

# GROHTHERM 800

## SAFE AND ERGONOMIC.

Experience the benefits of a thermostatically controlled shower at an attractive price. Finished in sparkling GROHE StarLight chrome, Grohtherm 800 benefits from GROHE TurboStat technology, ensuring luxurious showering at a constant temperature. The SafeStop button, set at 38 °C, prevents children from turning up the temperature, while the EcoButton allows you to reduce water usage.



**SafeStop**  
Temperature stop  
protects against  
scalding.

**Eco Button**  
Saving up to 50 % water



**GROHE TurboStat**  
For a perfect water  
temperature at all times.

**EasyLogic**  
Improved intuitive  
graphics on body



# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 123 000	Chrome	4005176413292	571.85
29 123 GN0	brushed cool sunrise	4005176558122	914.96
29 123 DL0	brushed warm sunset	4005176558092	914.96
29 123 A00	hard graphite	4005176558054	857.77
29 123 AL0	brushed hard graphite	4005176558061	914.96



### Grotherm SmartControl

#### Thermostat for concealed installation with one valve

set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE Long-Life** finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow exchangeable symbols

**GROHE TurboStat** compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE SafeStop** safety button at 38°C

(calibration required)

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

**without roughing-in-set**

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

29 124 000	Chrome	4005176413308	622.68
29 124 DC0	supersteel	4005176526329	871.75
29 124 GL0	cool sunrise	4005176558191	934.02
29 124 GN0	brushed cool sunrise	4005176558207	996.30
29 124 DA0	warm sunset	4005176558160	934.02
29 124 DL0	brushed warm sunset	4005176558177	996.30
29 124 A00	hard graphite	4005176558139	934.02
29 124 AL0	brushed hard graphite	4005176558146	996.30

### Grotherm SmartControl

#### Thermostat for concealed installation with 2 valves

set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE Long-Life** finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow exchangeable symbols

**GROHE TurboStat** compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE SafeStop** safety button at 38°C

(calibration required)

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously



**without roughing-in-set**

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min









102166 KF0 0	phantom black	4067393018773	871.75
<b>ditto, Professional exclusive</b>			




35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

# GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 125 000	Chrome	4005176413315	747.22
	<p><b>Grotherm SmartControl</b>  <b>Thermostat for concealed installation with 2 valves and integrated shower holder</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604            metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE Long-Life</b> finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow            exchangeable symbols  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement            GROHE ProGrip with knurl structure  <b>GROHE SafeStop</b> safety button at 38°C  <b>(calibration required)</b>  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included            built-in non return valve            and dirt strainers            multiple outlets can be run simultaneously            integrated shower union with shower outlet 1/2"  <b>without roughing-in-set</b>            flow performance:            outlet B = 24 l/min            hand shower = 12 l/min            outlet B + hand shower = 27 l/min</p>			
	 35 604 000		4005176698774	80.96
	<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>			
 	29 126 000	Chrome	4005176413322	673.52
	29 126 DC0	supersteel	4005176526343	942.92
	29 126 GL0	cool sunrise	4005176558351	1,010.28
	29 126 GN0	brushed cool sunrise	4005176558368	1,077.62
	29 126 DA0	warm sunset	4005176558320	1,010.28
	29 126 DL0	brushed warm sunset	4005176558337	1,077.62
	29 126 A00	hard graphite	4005176558290	1,010.28
	29 126 AL0	brushed hard graphite	4005176558306	1,077.62
	<p><b>Grotherm SmartControl</b>  <b>Thermostat for concealed installation with 3 valves</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604            metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE Long-Life</b> finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow            exchangeable symbols  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement            GROHE ProGrip with knurl structure  <b>GROHE SafeStop</b> safety button at 38°C  <b>(calibration required)</b>  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included            built-in non return valve            and dirt strainers            multiple outlets can be run simultaneously  <b>without roughing-in-set</b>            flow performance:            outlet A = 23 l/min            outlet B = 27 l/min            outlet C = 23 l/min            outlet A + B = 33 l/min            outlet A + B + C = 36 l/min</p>			
	102167 KF0 0	phantom black	4067393018780	942.92
	ditto, Professional exclusive			
 35 604 000		4005176698774	80.96	
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 127 000	Chrome	4005176413339	410.96
29 127 DC0	supersteel	4005176526350	575.35
29 127 GN0	brushed cool sunrise	4005176558443	657.55
29 127 DL0	brushed warm sunset	4005176558412	657.55
29 127 A00	hard graphite	4005176558375	616.46
29 127 AL0	brushed hard graphite	4005176558382	657.55



**Grotherm SmartControl  
Triple volume control trim**

set for final installation for  
GROHE Rapido SmartBox 35 600/35 604/35 601  
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
10 mm thin profile escutcheon

**GROHE Long-Life** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow  
exchangeable symbols  
GROHE ProGrip with knurl structure  
multiple outlets can be run simultaneously

**without roughing-in-set**

flow performance:  
outlet D = 28 l/min  
outlet E = 28 l/min  
outlet A = 28 l/min  
outlet D+E+A = 65 l/min  
optional flow reducer for CALGreen compliance included



<b>35 604 000</b>	<b>4005176698774</b>	<b>80.96</b>
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

<b>29 153 LS0</b>	<b>moon white</b>	<b>4005176413582</b>	<b>737.06</b>
-------------------	-------------------	----------------------	---------------

**Grotherm SmartControl  
Thermostat for concealed installation with one valve**

set for final installation for  
GROHE Rapido SmartBox 35 600/35 604  
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE Long-Life** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow  
exchangeable symbols

**GROHE TurboStat** compact cartridge with wax thermoelement  
GROHE ProGrip with knurl structure


**GROHE SafeStop** safety button at 38°C

**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
built-in non return valve  
and dirt strainers

cover plate in moon white acrylic glass







**without roughing-in-set**

flow performance:  
outlet A (to external shut-off) = 34 l/min  
outlet B/C = 29 l/min



<b>35 604 000</b>	<b>4005176698774</b>	<b>80.96</b>
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		


# GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 156 LS0	moon white	4005176413599	787.88
	<p><b>Grotherm SmartControl</b>  <b>Thermostat for concealed installation with 2 valves</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604            metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE Long-Life</b> finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow            exchangeable symbols  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement            GROHE ProGrip with knurl structure  <b>GROHE SafeStop</b> safety button at 38°C  <b>(calibration required)</b>  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included            built-in non return valve            and dirt strainers            multiple outlets can be run simultaneously            cover plate in moon white acrylic glass  <b>without roughing-in-set</b>            flow performance:            outlet B = 24 l/min            outlet C = 26 l/min            outlet B+C = 29 l/min</p>			
	 35 604 000 <b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		4005176698774	80.96
 	29 157 LS0	moon white	4005176413605	838.72
	<p><b>Grotherm SmartControl</b>  <b>Thermostat for concealed installation with 3 valves</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604            metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE Long-Life</b> finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow            exchangeable symbols  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement            GROHE ProGrip with knurl structure  <b>GROHE SafeStop</b> safety button at 38°C  <b>(calibration required)</b>  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included            built-in non return valve            and dirt strainers            multiple outlets can be run simultaneously            cover plate in moon white acrylic glass  <b>without roughing-in-set</b>            flow performance:            outlet A = 23 l/min            outlet B = 27 l/min            outlet C = 23 l/min            outlet A + B = 33 l/min            outlet A + B + C = 36 l/min</p>			
	 35 604 000 <b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		4005176698774	80.96

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

29 158 LS0	moon white	4005176413612	520.00
------------	------------	---------------	--------



**Grotherm SmartControl  
Triple volume control trim**

set for final installation for  
GROHE Rapido SmartBox 35 600/35 604/35 601  
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
10 mm thin profile escutcheon

**GROHE Long-Life** finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow

exchangeable symbols  
GROHE ProGrip with knurl structure  
multiple outlets can be run simultaneously


**without roughing-in-set**

cover plate in moon white acrylic glass  
flow performance:  
outlet D = 28 l/min  
outlet E = 28 l/min  
outlet A = 28 l/min  
outlet D+E+A = 65 l/min  
optional flow reducer for CALGreen compliance included



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

29 118 000	Chrome	4005176412240	571.85
29 118 DC0	supersteel	4005176455032	800.59
29 118 GL0	cool sunrise	4005176492976	857.77
29 118 GN0	brushed cool sunrise	4005176492983	914.96
29 118 DA0	warm sunset	4005176492990	857.77
29 118 DL0	brushed warm sunset	4005176493003	914.96
29 118 A00	hard graphite	4005176493010	857.77
29 118 AL0	brushed hard graphite	4005176455049	914.96



**Grotherm SmartControl  
Thermostat for concealed installation with one valve**

set for final installation for  
GROHE Rapido SmartBox 35 600/35 604  
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE Long-Life** finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow

exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
GROHE ProGrip with knurl structure

**GROHE SafeStop** safety button at 38°C

(calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
built-in non return valve  
and dirt strainers

**without roughing-in-set**

flow performance:  
outlet A (to external shut-off) = 34 l/min  
outlet B/C = 29 l/min




35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			



# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 119 000	Chrome	4005176412257	622.68
29 119 DC0	supersteel	4005176455056	871.75
29 119 GL0	cool sunrise	4005176493041	934.02
29 119 GN0	brushed cool sunrise	4005176493058	996.30
29 119 DA0	warm sunset	4005176493065	934.02
29 119 DL0	brushed warm sunset	4005176493072	996.30
29 119 A00	hard graphite	4005176493089	934.02
29 119 AL0	brushed hard graphite	4005176455063	996.30




**Grotherm SmartControl**  
**Thermostat for concealed installation with 2 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE Long-Life** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermolement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 multiple outlets can be run simultaneously  
**without roughing-in-set**  
 flow performance:  
 outlet B = 24 l/min  
 outlet C = 26 l/min  
 outlet B+C = 29 l/min

29 507 KF0	phantom black	4005176782534	871.75
ditto, Professional exclusive			



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

29 120 000	Chrome	4005176412264	747.22
------------	--------	---------------	--------




**Grotherm SmartControl**  
**Thermostat for concealed installation with 2 valves and integrated shower holder**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE Long-Life** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermolement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 multiple outlets can be run simultaneously  
 integrated shower union with shower outlet 1/2"  
**without roughing-in-set**  
 flow performance:  
 outlet B = 24 l/min  
 hand shower = 12 l/min  
 outlet B + hand shower = 27 l/min



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 121 000	Chrome	4005176412271	673.52
29 121 DC0	supersteel	4005176455094	942.92
29 121 GL0	cool sunrise	4005176493188	1,010.28
29 121 GN0	brushed cool sunrise	4005176493195	1,077.62
29 121 DA0	warm sunset	4005176493201	1,010.28
29 121 DL0	brushed warm sunset	4005176493218	1,077.62
29 121 A00	hard graphite	4005176493225	1,010.28
29 121 AL0	brushed hard graphite	4005176455100	1,077.62




**Grotherm SmartControl**  
**Thermostat for concealed installation with 3 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE Long-Life** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 multiple outlets can be run simultaneously  
**without roughing-in-set**  
 flow performance:  
 outlet A = 23 l/min  
 outlet B = 27 l/min  
 outlet C = 23 l/min  
 outlet A + B = 33 l/min  
 outlet A + B + C = 36 l/min

29 508 KF0	phantom black	4005176782541	942.92
ditto, Professional exclusive			



35 604 000		4005176698774	80.96
GROHE Rapido SmartBox universal rough-in box for concealed installation			

29 122 000	Chrome	4005176412288	410.96
29 122 DC0	supersteel	4005176455117	575.35
29 122 BE0	polished nickel	4005176493232	616.46
29 122 EN0	brushed nickel	4005176413728	657.55
29 122 GL0	cool sunrise	4005176515194	616.46
29 122 GN0	brushed cool sunrise	4005176515200	657.55
29 122 DA0	warm sunset	4005176515217	616.46
29 122 DL0	brushed warm sunset	4005176515224	657.55
29 122 A00	hard graphite	4005176515231	616.46
29 122 AL0	brushed hard graphite	4005176455124	657.55







**Grotherm SmartControl**  
**Triple volume control trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604/35 601  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
 10 mm thin profile escutcheon  
**GROHE Long-Life** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow  
 exchangeable symbols  
 GROHE ProGrip with knurl structure  
 multiple outlets can be run simultaneously  
**without roughing-in-set**  
 flow performance:  
 outlet D = 28 l/min  
 outlet E = 28 l/min  
 outlet A = 28 l/min  
 outlet D+E+A = 65 l/min




35 604 000		4005176698774	80.96
GROHE Rapido SmartBox universal rough-in box for concealed installation			

# GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 150 LS0	moon white	4005176413544	737.06
	<p><b>Grotherm SmartControl</b>  <b>Thermostat for concealed installation with one valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604                      metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE Long-Life</b> finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow                      exchangeable symbols  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      built-in non return valve                      and dirt strainers                      cover plate in moon white acrylic glass  <b>without roughing-in-set</b>                      flow performance:                      outlet A (to external shut-off) = 34 l/min                      outlet B/C = 29 l/min</p>			
		35 604 000	4005176698774	80.96
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				
	29 151 LS0	moon white	4005176413551	787.88
	<p><b>Grotherm SmartControl</b>  <b>Thermostat for concealed installation with 2 valves</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604                      metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE Long-Life</b> finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow                      exchangeable symbols  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      built-in non return valve                      and dirt strainers                      multiple outlets can be run simultaneously                      cover plate in moon white acrylic glass  <b>without roughing-in-set</b>                      flow performance:                      outlet B = 24 l/min                      outlet C = 26 l/min                      outlet B+C = 29 l/min</p>			
		35 604 000	4005176698774	80.96
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 904 LS0	moon white	4005176413568	838.72




**Grotherm SmartControl**  
**Thermostat for concealed installation with 3 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE Long-Life** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE ProGrip** with knurl structure  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 multiple outlets can be run simultaneously  
 cover plate in moon white acrylic glass  
**without roughing-in-set**  
 flow performance:  
 outlet A = 23 l/min  
 outlet B = 27 l/min  
 outlet C = 23 l/min  
 outlet A + B = 33 l/min  
 outlet A + B + C = 36 l/min



35 604 000		4005176698774	80.96
------------	--	---------------	-------

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

29 152 LS0	moon white	4005176413575	520.00
------------	------------	---------------	--------




**Grotherm SmartControl**  
**Triple volume control trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604/35 601  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
 10 mm thin profile escutcheon  
**GROHE Long-Life** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow  
 exchangeable symbols  
**GROHE ProGrip** with knurl structure  
 multiple outlets can be run simultaneously  
 cover plate in moon white acrylic glass  
**without roughing-in-set**  
 flow performance:  
 outlet D = 28 l/min  
 outlet E = 28 l/min  
 outlet A = 28 l/min  
 outlet D+E+A = 65 l/min  
 optional flow reducer for CALGreen compliance included



35 604 000		4005176698774	80.96
------------	--	---------------	-------













**GROHE Rapido SmartBox universal rough-in box for concealed installation**

34 865 000	Chrome	4005176789946	1,305.02
------------	--------	---------------	----------







**Grotherm SmartControl**  
**Concealed shower system with Rainshower Mono 310 Cube**  
 Consisting of:  
 concealed thermostat with 2 valves and integrated shower holder (29 125)  
 GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)  
 Rainshower Mono 310 Cube head shower set (26 563) including horizontal shower arm 422 mm (26 145)  
 hand shower Rainshower SmartActive 130 Cube (26 550)  
 Silverflex shower hose 1.500 mm (28 364)  
 optional flow regulator 9.5 l/min included for hand shower and head shower

# GROHE GROHTHERM SMARTCONTROL








	Ref. No.	Colour	EAN	Retail Guide Price (£)
  	34 864 000	Chrome	4005176789939	1,576.97
	34 864 DC0	supersteel	4005176791857	2,207.75
	34 864 GL0	cool sunrise	4005176791772	2,365.45
	34 864 GN0	brushed cool sunrise	4005176791789	2,523.16
	34 864 DA0	warm sunset	4005176790850	2,365.45
	34 864 DL0	brushed warm sunset	4005176791765	2,523.16
	34 864 AL0	brushed hard graphite	4005176790843	2,523.16
	<b>Grotherm SmartControl</b> <b>Concealed shower system with Rainshower SmartActive 310 Cube</b> Consisting of: concealed thermostat with 3 valves (29 126) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower SmartActive 310 Cube head shower set 2 sprays (26 479) including horizontal shower arm 430 mm and head shower rough-in (26 483) Rainshower SmartActive 130 Cube hand shower 3 sprays shower outlet elbow 1/2" with holder (26 659) Silverflex shower hose 1500 mm 1/2" x 1/2" optional flow regulator 9.5 l/min included for hand shower			
  	34 867 000	Chrome	4005176791567	1,107.80
	<b>Grotherm SmartControl</b> <b>Concealed shower system with Euphoria 260</b> Consisting of: concealed thermostat with 2 valves and integrated shower holder (29 120) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Euphoria 260 head shower set 3 sprays (26 458) including horizontal shower arm 380 mm (28 361) Euphoria Cosmopolitan Stick hand shower 1 spray (27 367) Silverflex shower hose 1.500 mm (28 364) optional flow regulator 9.5 l/min included for hand shower and head shower			
  	34 866 000	Chrome	4005176789953	1,305.02
	<b>Grotherm SmartControl</b> <b>Concealed shower system with Rainshower Mono 310</b> Consisting of: concealed thermostat with 2 valves and integrated shower holder (29 120) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower Mono 310 head shower set (26 557) including horizontal shower arm 422 mm (26 146) hand shower Rainshower SmartActive 130 (26 544) Silverflex shower hose 1.500 mm (28 364) optional flow regulator 9.5 l/min included for hand shower and head shower			
  	34 863 000	Chrome	4005176789922	1,576.97
	34 863 DC0	supersteel	4005176790782	2,207.75
	34 863 GL0	cool sunrise	4005176790829	2,365.45
	34 863 GN0	brushed cool sunrise	4005176790836	2,523.16
	34 863 DA0	warm sunset	4005176790805	2,365.45
	34 863 DL0	brushed warm sunset	4005176790812	2,523.16
	34 863 AL0	brushed hard graphite	4005176790799	2,523.16
	<b>Grotherm SmartControl</b> <b>Concealed shower system with Rainshower SmartActive 310</b> Consisting of: concealed thermostat with 3 valves (29 121) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) Rainshower SmartActive 310 head shower set 2 sprays (26 475) including horizontal shower arm 430 mm and head shower rough-in (26 483) Rainshower SmartActive 130 hand shower 3 sprays shower outlet elbow 1/2" with holder (26 658) Silverflex shower hose 1500 mm 1/2" x 1/2" optional flow regulator 9.5 l/min included for hand shower			



# GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	103997 000 0	Chrome	4067393034377	1,382.33
	<p><b>Grohtherm SmartControl</b>  <b>Concealed shower system with Rainshower SmartActive 310</b>                      Consisting of:                      concealed thermostat with 3 valves (29 121)                      Rainshower SmartActive 310 head shower set 2 sprays (26 475) including horizontal shower arm 430 mm                      Rainshower SmartActive 130 hand shower 3 sprays (26 574)                      shower outlet elbow 1/2" with holder (26 658)                      Silverflex shower hose 1.500 mm (28 364)                      optional flow regulator 9.5 l/min included for hand shower                      requires GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) and head shower rough-in 9.5 l/min (26 483), please order separately                      perfect fit with GROHE Rapido shower frame duo (103 994 9990) professional edition</p>			
	103998 000 0	Chrome	4067393034384	1,382.33
	<p><b>Grohtherm SmartControl</b>  <b>Concealed shower system with Rainshower SmartActive 310 Cube</b>                      Consisting of:                      concealed thermostat with 3 valves (29 126)                      Rainshower SmartActive 310 Cube head shower set 2 sprays (26 479) including horizontal shower arm 430 mm                      Rainshower SmartActive 130 Cube hand shower 3 sprays (26 582)                      shower outlet elbow 1/2" with holder (26 659)                      Silverflex shower hose 1.500 mm (28 364)                      requires GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604) and head shower rough-in 9.5 l/min (26 483), please order separately                      perfect fit with GROHE Rapido shower frame duo (103 994 9990) professional edition</p>			



# GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 719 000	Chrome	4005176457654	420.94
	<p><b>Grotherm SmartControl</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow                      integrated <b>GROHE EasyReach</b> shower tray                      shower bottom outlet 1/2"                      built-in non return valve                      and dirt strainers                      protected against backflow</p>			
	102169 KF0 0	phantom black	4067393018902	589.32
	ditto, Professional exclusive			
 	34 718 000	Chrome	4005176457647	462.56
	<p><b>Grotherm SmartControl</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow                      integrated <b>GROHE EasyReach</b> shower tray                      shower bottom outlet 1/2"                      bath spout with mousseur                      built-in non return valve                      and dirt strainers                      protected against backflow</p>			
	102168 KF0 0	phantom black	4067393018797	647.58
	ditto, Professional exclusive			
 	26 449 000		4005176409790	162.82
	<p><b>Concealed body for exposed/concealed variants</b>                      wall mounted                      2 outlets 1/2"                      installation depth 75-105 mm                      flushing plug                      wall sealing                      installation device</p>			
	47 175 000	Chrome	4005176803895	160.43
	<p><b>GROHE TurboStat cartridge 1/2"</b>                      for reversed inlets (hot water right)                      fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and Grotherm SmartControl exposed thermostats                      service solution, does not comply with EN1111                      Note: CoolTouch-function is omitted after being installed in exposed fittings</p>			

# GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.      Colour      EAN      Retail Guide Price (£)

24 078 000      Chrome      4005176466038      427.51





**Grotherm**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 ceramic stop valve, 120°  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**

102215 243 0      matte black      4067393019053      555.75  
 ditto, Professional exclusive



35 604 000      4005176698774      80.96  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

24 079 000      Chrome      4005176466045      476.54








**Grotherm**  
**Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed head and hand shower symbol  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**

102209 243 0      matte black      4067393018896      619.51  
 ditto, Professional exclusive




35 604 000      4005176698774      80.96  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**


# GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 080 000	Chrome	4005176466052	476.54
	<p><b>Grotherm</b>  <b>Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement  <b>GROHE Long-Life</b> finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      printed hand shower and bath filler symbol  <b>GROHE SafeStop</b> safety button at 38°C  <b>(calibration required)</b>  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      GROHE AquaDimmer, integrated shut off/diverter valve                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
	102211 243 0	matte black ditto, Professional exclusive	4067393019015	619.51
	35 604 000		4005176698774	80.96
	<p> <b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>			
	34 870 000	Chrome	4005176791598	1,081.59
	<p><b>Grotherm</b>  <b>Concealed shower system with Rainshower Mono 310 Cube</b>                      Consisting of:                      concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 079)                      GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)                      Rainshower Mono 310 Cube head shower set (26 563) including horizontal shower arm 422 mm (26 145)                      Euphoria Cube Stick hand shower 1 spray (27 698)                      shower outlet elbow 1/2" with holder (26 659)                      Silverflex shower hose 1.500 mm (28 364)                      optional flow regulator 9.5 l/min included for hand shower and head shower</p>			
	34 871 000	Chrome	4005176791604	834.72
	<p><b>Grotherm</b>  <b>Concealed shower system with Tempesta 250 Cube</b>                      Consisting of:                      concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 079)                      GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)                      Tempesta 250 Cube head shower set 9.5 l/min (26 687) including horizontal shower arm 380 mm                      Tempesta 110 Cube hand shower 2 sprays (27 571)                      shower outlet elbow 1/2" with wall shower holder (26 370)                      Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)                      optional flow regulator 9.5 l/min included for hand shower</p>			
	103995 000 0	Chrome	4067393034353	757.80
	<p><b>Grotherm</b>  <b>Concealed shower system with Tempesta 250 Cube</b>                      Consisting of:                      concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 079)                      Tempesta 250 Cube head shower set (26 687) including horizontal shower arm 380 mm                      hand shower Tempesta Cube 110, 2 sprays (26 746)                      shower outlet elbow 1/2" with wall shower holder (26 370)                      Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)                      requires GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604), please order separately                      perfect fit with GROHE Rapido shower frame mono (103 993 9990)                      professional edition</p>			

# GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>34 730 000</b>	<b>Chrome</b>	<b>4005176466342</b>	<b>1,482.33</b>










**Grotherm**  
**Perfect shower set with Rainshower Cosmopolitan 310**  
 Consisting of:  
 Grotherm set for final installation with Aquadimmer (24 079)  
 GROHE Rapido SmartBox 35 600/35 604  
 metal head shower Rainshower Cosmopolitan 310 (27 477 000)  
 Rainshower shower arm 422 mm (26 145 000)  
 metal stick hand shower  
 Rainshower wall holder (27 075 000)  
 Rainshower wall elbow connection (27 076 000)  
 Silverflex shower hose 1250 mm (28 362)

	<b>34 734 000</b>	<b>Chrome</b>	<b>4005176466403</b>	<b>1,109.68</b>
--	-------------------	---------------	----------------------	-----------------











**Grotherm**  
**Perfect shower set with Rainshower Cosmopolitan 210**  
 Consisting of:  
 Grotherm set for final installation with Aquadimmer (24 079)  
 GROHE Rapido SmartBox 35 600/35 604  
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
 shower arm Rainshower 422 mm (26 146 000)  
 Euphoria Hand shower (27 265)  
 Shower outlet elbow (28 628 000)  
 Silverflex shower hose 1250 mm (28 362)












# GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 075 000	Chrome	4005176465987	427.51
	<b>Grotherm</b> <b>Thermostatic mixer for 1 outlet with shut off valve</b> set for final installation for GROHE Rapido SmartBox 35 600/35 604 <b>GROHE TurboStat</b> compact cartridge with wax thermoelement <b>GROHE Long-Life</b> finish wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable <b>GROHE SafeStop</b> safety button at 38°C (calibration required) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min, outlet C = 30 l/min <b>without roughing-in-set</b>			
	102212 243 0	matte black	4067393019022	555.75
	35 604 000		4005176698774	80.96
	 <b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			
 	24 076 000	Chrome	4005176465994	476.54
	<b>Grotherm</b> <b>Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve</b> set for final installation for GROHE Rapido SmartBox 35 600/35 604 <b>GROHE TurboStat</b> compact cartridge with wax thermoelement <b>GROHE Long-Life</b> finish wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol <b>GROHE SafeStop</b> safety button at 38°C (calibration required) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min, outlet C = 30 l/min <b>without roughing-in-set</b>			
	102208 243 0	matte black	4067393018889	619.51
	35 604 000		4005176698774	80.96
	 <b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			
 	24 077 000	Chrome	4005176466007	476.54
	<b>Grotherm</b> <b>Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve</b> set for final installation for GROHE Rapido SmartBox 35 600/35 604 <b>GROHE TurboStat</b> compact cartridge with wax thermoelement <b>GROHE Long-Life</b> finish wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol <b>GROHE SafeStop</b> safety button at 38°C (calibration required) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min <b>without roughing-in-set</b>			
	102210 243 0	matte black	4067393019008	619.51
	35 604 000		4005176698774	80.96
	 <b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

# GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 869 000	Chrome	4005176791581	1,081.59
<p><b>Grohtherm</b>  <b>Concealed shower system with Rainshower Mono 310</b>                      Consisting of:                      concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 076)                      GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)                      Rainshower Mono 310 head shower set (26 557) including horizontal shower arm 422 mm (26 146)                      Euphoria Cosmopolitan Stick hand shower 1 spray (27 367)                      shower outlet elbow 1/2" with holder (26 658)                      Silverflex shower hose 1.500 mm (28 364)                      optional flow regulator 9.5 l/min included for hand shower and head shower</p>				
 	34 872 000	Chrome	4005176791611	834.72
<p><b>Grohtherm</b>  <b>Concealed shower system with Tempesta 250</b>                      Consisting of:                      concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 076)                      GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)                      Tempesta 250 head shower set 9.5 l/min (26 668) including horizontal shower arm 380 mm                      Tempesta 110 hand shower 2 sprays (27 597)                      shower outlet elbow 1/2" with wall shower holder (28 679)                      Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)                      optional flow regulator 9.5 l/min included for hand shower</p>				
 	103996 000 0	Chrome	4067393034360	757.80
<p><b>Grohtherm</b>  <b>Concealed shower system with Tempesta 250</b>                      Consisting of:                      concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 076)                      Tempesta 250 head shower set (26 668) including horizontal shower arm 380 mm                      Tempesta 110 hand shower 2 sprays (26 161)                      shower outlet elbow 1/2" with wall shower holder (28 679)                      Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)                      requires GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604), please order separately                      perfect fit with GROHE Rapido shower frame mono (103 993 9990)                      professional edition</p>				
 	34 726 000	Chrome	4005176466014	729.47
<p><b>Grohtherm</b>  <b>Perfect shower set with Tempesta 210</b>                      Consisting of:                      Grohtherm set for final installation with Aquadimmer (24 076)                      GROHE Rapido SmartBox 35 600/35 604                      head shower Tempesta 210 9.5 l/min (26 410)                      Shower arm Rainshower 286 mm (28 576 000)  <b>hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</b></p>				
 	34 732 000	Chrome	4005176466366	1,293.33
<p><b>Grohtherm</b>  <b>Perfect shower set with Rainshower Cosmopolitan 210</b>                      Consisting of:                      Grohtherm set for final installation with Aquadimmer (24 076)                      GROHE Rapido SmartBox 35 600/35 604                      Rainshower Cosmopolitan 210 metal head shower (28 373)                      Rainshower shower arm 286 mm (28 576)                      metal stick hand shower                      Rainshower wall holder (27 074 000)                      Rainshower wall elbow connection (27 057 000)                      Silverflex shower hose 1250 mm (28 362)</p>				


# GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	24 153 000	Chrome	4005176481178	555.75	
	24 153 DC0	supersteel	4005176574221	778.05	
	24 153 AL0	brushed hard graphite	4005176585913	889.20	
	<b>Grotherm Cube</b> <b>Thermostatic mixer for 1 outlet with shut off valve</b> set for final installation for GROHE Rapido SmartBox 35 600/35 604 <b>GROHE TurboStat</b> compact cartridge with wax thermoelement <b>GROHE Long-Life</b> finish wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable <b>GROHE SafeStop</b> safety button at 38°C (calibration required) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min <b>without roughing-in-set</b>				
		35 604 000		4005176698774	80.96
	<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>				
	24 154 000	Chrome	4005176481185	619.51	
	24 154 DC0	supersteel	4005176574238	867.31	
	24 154 AL0	brushed hard graphite	4005176585920	991.21	
	<b>Grotherm Cube</b> <b>Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve</b> set for final installation for GROHE Rapido SmartBox 35 600/35 604 <b>GROHE TurboStat</b> compact cartridge with wax thermoelement <b>GROHE Long-Life</b> finish wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol <b>GROHE SafeStop</b> safety button at 38°C (calibration required) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min <b>without roughing-in-set</b>				
		35 604 000		4005176698774	80.96
	<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>				
	24 155 000	Chrome	4005176481192	619.51	
	24 155 DC0	supersteel	4005176574245	867.31	
	24 155 AL0	brushed hard graphite	4005176585937	991.21	
	<b>Grotherm Cube</b> <b>Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve</b> set for final installation for GROHE Rapido SmartBox 35 600/35 604 <b>GROHE TurboStat</b> compact cartridge with wax thermoelement <b>GROHE Long-Life</b> finish wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol <b>GROHE SafeStop</b> safety button at 38°C (calibration required) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min <b>without roughing-in-set</b>				
		35 604 000		4005176698774	80.96
	<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>				

# GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 868 000	Chrome	4005176791574	1,246.90
------------	--------	---------------	----------









## Grohtherm Cube

### Concealed shower system with Rainshower Mono 310 Cube

Consisting of:

- concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 154)
- GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)
- Rainshower Mono 310 Cube head shower set (26 563) including horizontal shower arm 422 mm (26 145)
- Euphoria Cube Stick hand shower 1 spray (27 698)
- shower outlet elbow 1/2" with holder (26 659)
- Silverflex shower hose 1.500 mm (28 364)
- optional flow regulator 9.5 l/min included for hand shower and head shower


# GROHE GROHTHERM 2000

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>34 469 001</b>	<b>Chrome</b>	<b>4005176926396</b>	<b>344.61</b>
	<p><b>Grohtherm 2000</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  <b>GROHE Long-Life</b> finish                      GROHE Aqua Paddle ergonomically shaped handles                      temperature scale handle with  <b>GROHE SafeStop</b> safety stop at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included                      integrated mixed water shut off  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      covered S-unions, CoolTouch escutcheons with wall sealing  <b>GROHE EasyReach</b> shower tray                      removable for easy cleaning  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			
 	<b>34 463 001</b>	<b>Chrome</b>	<b>4005176926419</b>	<b>355.04</b>
	<p><b>Grohtherm 2000</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE Long-Life</b> finish                      GROHE Aqua Paddle ergonomically shaped handles  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement  <b>GROHE SafeStop Plus</b> integrated temperature limiter at max 50°C                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      integrated flow limiter 14 l/min in the shower outlet                      built-in non return valves                      dirt strainers                      protected against backflow                      covered S-unions  <b>GROHE EasyReach</b> shower tray                      removable for easy cleaning                      chrome  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			
 	<b>34 169 001</b>	<b>Chrome</b>	<b>4005176926518</b>	<b>305.17</b>
	<p><b>Grohtherm 2000</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  <b>GROHE Long-Life</b> finish                      GROHE Aqua Paddle ergonomically shaped handles  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      covered S-unions, CoolTouch escutcheons with wall sealing                      optional upgrade: GROHE EasyReach shower tray (18 608 001)  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			




# GROHE GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 446 001	Chrome	4005176926402	315.57



**Grotherm 2000**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  
**GROHE Long-Life** finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE SafeStop** safety button at 38°C (calibration required)  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE TurboStat** compact cartridge with wax thermoelement integrated mixed water shut off volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions, CoolTouch escutcheons with wall sealing  
 optional upgrade: GROHE EasyReach shower tray (18 608 001)  
**GROHE Water Saving** - Less water, perfect flow  
 integrated flow limiter 14 l/min in the shower outlet





34 170 001	Chrome	4005176926471	293.89
ditto, with chrome plated union nuts, without covered S unions			



34 464 001	Chrome	4005176926433	420.68
------------	--------	---------------	--------

**Grotherm 2000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  
**GROHE Long-Life** finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE SafeStop** safety button at 38°C (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions, CoolTouch escutcheons with wall sealing  
**GROHE EasyReach** shower tray  
 removable for easy cleaning  
**GROHE Water Saving** - Less water, perfect flow


# GROHE GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 174 001	Chrome	4005176926426	381.24
<p><b>Grohtherm 2000</b>  <b>Thermostatic bath/shower mixer 1/2"</b>            wall mounted            100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  <b>GROHE Long-Life</b> finish            GROHE Aqua Paddle ergonomically shaped handles  <b>GROHE SafeStop</b> safety button at 38°C (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermolement integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:            - integrated (economy button with economy stop for shower)            - flow control            - diverter: bath/shower shower bottom outlet 1/2"  <b>GROHE XL Waterfall</b>            flow straightener            built-in non return valves            dirt strainers            protected against backflow            covered S-unions, CoolTouch escutcheons with wall sealing            optional upgrade: GROHE EasyReach shower tray (18 608 001)  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			
 			
34 466 001	Chrome	4005176926440	391.67
<p><b>Grohtherm 2000</b>  <b>Thermostatic bath/shower mixer 1/2"</b>            wall mounted            100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  <b>GROHE Long-Life</b> finish            GROHE Aqua Paddle ergonomically shaped handles  <b>GROHE SafeStop</b> safety button at 38°C (calibration required)  <b>GROHE SafeStop Plus</b> integrated temperature limiter at max 50°C  <b>GROHE TurboStat</b> compact cartridge with wax thermolement integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:            - integrated (economy button with economy stop for shower)            - flow control            shower bottom outlet 1/2"            - diverter: bath/shower  <b>GROHE XL Waterfall</b>            flow straightener            built-in non return valves            dirt strainers            protected against backflow            covered S-unions, CoolTouch escutcheons with wall sealing            optional upgrade: GROHE EasyReach shower tray (18 608 001)            integrated flow limiter 14 l/min in the shower outlet  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			
 			
34 484 001	Chrome	4005176932519	380.39
<p>ditto, with chrome plated union nuts, without covered S unions</p>			

# GROHE GROHTHERM 2000


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 176 001	Chrome	4005176926488	527.76
------------	--------	---------------	--------




**Grotherm 2000**  
**Thermostatic bath/shower mixer 1/2"**  
 deck mounted  
**GROHE CoolTouch** safety housing  
**GROHE Long-Life** finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - flow control  
 - diverter: bath/shower  
 - integrated (economy button  
   with economy stop for shower)  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 pillar unions with covered fixing  
**GROHE Water Saving** - Less water, perfect flow

34 281 001	Chrome	4005176926501	498.73
------------	--------	---------------	--------




**Grotherm 2000**  
**Thermostatic shower mixer 1/2" with shower set**  
 Consisting of:  
 Grotherm 2000 thermostat shower mixer (34 469)  
 Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)

34 195 001	Chrome	4005176926631	381.24
------------	--------	---------------	--------



**Grotherm 2000**  
**Thermostatic shower mixer 1/2" with shower set**  
 Consisting of:  
 Grotherm 2000 thermostat shower mixer (34 469)  
 Euphoria 110 Massage shower set, 600 mm (27 231 001)

18 608 001	Chrome	4005176985140	53.70
------------	--------	---------------	-------



**Grotherm 2000**  
**GROHE EasyReach** shower tray  
 metal tray  
 removable for easy cleaning  
**GROHE Long-Life** finish  
 suitable for Grotherm 2000  
 - exposed thermostatic shower mixer with centre distance 150 mm  
 - exposed thermostatic bath mixer with centre distance 150 mm

# GROHE GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


47 175 000	Chrome	4005176803895	160.43
------------	--------	---------------	--------



**GROHE TurboStat cartridge 1/2"**  
for reversed inlets (hot water right)  
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance,  
Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and  
Grohtherm SmartControl exposed thermostats  
service solution, does not comply with EN1111  
Note: CoolTouch-function is omitted after  
being installed in exposed fittings


# GROHE GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 488 000	Chrome	4005176940620	431.43



**Grohtherm Cube**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE Long-Life** finish  
**GROHE SafeStop** safety button at 38°C (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE Water Saving** - Less water, perfect flow

34 497 000	Chrome	4005176940675	565.44
------------	--------	---------------	--------



**Grohtherm Cube**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE Long-Life** finish  
**GROHE SafeStop** safety button at 38°C (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton** (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE Water Saving** - Less water, perfect flow

47 175 000	Chrome	4005176803895	160.43
------------	--------	---------------	--------





**GROHE TurboStat cartridge 1/2"**  
 for reversed inlets (hot water right)  
 fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats  
 service solution, does not comply with EN1111  
 Note: CoolTouch-function is omitted after being installed in exposed fittings



# GROHE GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

24 153 000	Chrome	4005176481178	555.75
24 153 DC0	supersteel	4005176574221	778.05
24 153 AL0	brushed hard graphite	4005176585913	889.20





**Grohtherm Cube**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 ceramic stop valve, 120°  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

24 154 000	Chrome	4005176481185	619.51
24 154 DC0	supersteel	4005176574238	867.31
24 154 AL0	brushed hard graphite	4005176585920	991.21





**Grohtherm Cube**  
**Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed head and hand shower symbol  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

24 155 000	Chrome	4005176481192	619.51
24 155 DC0	supersteel	4005176574245	867.31
24 155 AL0	brushed hard graphite	4005176585937	991.21



**Grohtherm Cube**  
**Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Long-Life** finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed hand shower and bath filler symbol  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**




35 604 000		4005176698774	80.96
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

# GROHE GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 868 000	Chrome	4005176791574	1,246.90
------------	--------	---------------	----------



## Grohtherm Cube

### Concealed shower system with Rainshower Mono 310 Cube



Consisting of:

- concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 154)
- GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604)
- Rainshower Mono 310 Cube head shower set (26 563) including horizontal shower arm 422 mm (26 145)
- Euphoria Cube Stick hand shower 1 spray (27 698)
- shower outlet elbow 1/2" with holder (26 659)
- Silverflex shower hose 1.500 mm (28 364)
- optional flow regulator 9.5 l/min included for hand shower and head shower

# GROHE GROHTHERM 1000



Ref. No.	Colour	EAN	Retail Guide Price (£)
34 814 003	Chrome	4005176695728	232.70
34 814 2433	matte black	4067393030232	302.52

**Grotherm 1000**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE Long-Life** finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE Water Saving** - Less water, perfect flow  
 professional edition



Ref. No.	Colour	EAN	Retail Guide Price (£)
34 818 003	Chrome	4005176695766	236.88

**Grotherm 1000**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE Long-Life** finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE TurboStat C3** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 S-unions  
 protected against backflow  
 metal escutcheon  
**GROHE Water Saving** - Less water, perfect flow  
 professional edition


Ref. No.	Colour	EAN	Retail Guide Price (£)
34 817 003	Chrome	4005176695759	227.09

**Grotherm 1000**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE Long-Life** finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 without connection unions for wall mounting  
**GROHE Water Saving** - Less water, perfect flow  
 professional edition

# GROHE GROHTHERM 1000


Ref. No.	Colour	EAN	Retail Guide Price (£)
34 816 003	Chrome	4005176695742	297.18
34 816 2433	matte black	4067393030249	386.32



**Grotherm 1000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE Long-Life** finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton**  
 (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE Water Saving** - Less water, perfect flow  
 professional edition



34 821 003	Chrome	4005176698590	301.38
------------	--------	---------------	--------




**Grotherm 1000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE Long-Life** finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE Turbostat C3** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton**  
 (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE Water Saving** - Less water, perfect flow  
 professional edition

# GROHE GROHTHERM 1000

Ref. No. Colour EAN Retail Guide Price (£)




34 823 003 Chrome 4005176698613 291.56




**Grohtherm 1000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE Long-Life** finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton**  
 (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
 built-in non return valves  
 mousseur  
 dirt strainers  
 protected against backflow  
 without connection unions for wall mounting  
**GROHE Water Saving** - Less water, perfect flow  
 professional edition

34 824 005 Chrome 4005176766367 270.80




**Grohtherm 1000**  
**Thermostatic shower mixer 1/2"**  
 with shower rail set 2 sprays (Rain, Jet)  
 Consisting of:  
 Grohtherm 1000 thermostatic shower mixer 1/2" (34 814)  
 Tempesta Cube shower rail set, 900 mm (26 908)  
 professional edition

34 820 005 Chrome 4005176766343 257.00



**Grohtherm 1000**  
**Thermostatic shower mixer 1/2"**  
 with shower rail set 2 sprays (Rain, Jet)  
 Consisting of:  
 Grohtherm 1000 thermostatic shower mixer 1/2" (34 814)  
 Tempesta Cube shower rail set, 600 mm (26 748)  
 professional edition




34 825 002 Chrome 4005176766350 261.20





**Grohtherm 1000**  
**Thermostatic shower mixer 1/2"**  
 with shower rail set 2 sprays (Rain, Jet)  
 Consisting of:  
 Grohtherm 1000 thermostatic shower mixer 1/2" (34 814)  
 Tempesta Cube shower rail set, 600 mm (26 748)  
 professional edition







# GROHE GROHTHERM 1000

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 819 005	Chrome	4005176766329	261.20
<p><b>Grohtherm 1000</b> <b>Thermostatic shower mixer 1/2"</b> with shower rail set 2 sprays (Rain, Jet) Consisting of: Grohtherm 1000 thermostatic shower mixer 1/2" (34 817) without unions Tempesta Cube shower rail set, 600 mm (26 748) professional edition</p>				
	34 822 005	Chrome	4005176766336	257.00
<p><b>Grohtherm 1000</b> <b>Thermostatic shower mixer 1/2"</b> with shower rail set 2 sprays (Rain, Jet) Consisting of: Grohtherm 1000 thermostatic shower mixer 1/2" (34 815) with centre distance 120 mm Tempesta Cube shower rail set, 600 mm (26 748) professional edition</p>				
	47 175 000	Chrome	4005176803895	160.43
<p><b>GROHE TurboStat cartridge 1/2"</b> for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings</p>				

# GROHE GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 827 000	Chrome	4005176698651	212.18
	34 827 KF0	phantom black	4067393018964	297.05
	<p><b>Grotherm 1000 Performance</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow                      professional edition</p>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 830 000	Chrome	4005176698682	276.43
		<p><b>Grotherm 1000 Performance</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure                      integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:                      - integrated <b>GROHE EcoButton</b>                      (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow                      professional edition</p>		

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 831 000	Chrome	4005176698699	271.32
		<p><b>Grotherm 1000 Performance</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure                      integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:                      - integrated <b>GROHE EcoButton</b>                      (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower                      shower bottom outlet 1/2"                      built-in non return valves                      mousseur                      dirt strainers                      protected against backflow                      without connection unions for wall mounting  <b>GROHE Water Saving</b> - Less water, perfect flow                      professional edition</p>		


# GROHE GROHTHERM 1000 PERFORMANCE

Ref. No.      Colour      EAN      Retail Guide Price (£)




**34 832 000**      **Chrome**      4005176698705      216.51

**Grohtherm 1000 Performance**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE Long-Life** finish  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE Turbostat C3** compact cartridge with wax thermoelement  
**GROHE ProGrip** with knurl structure  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 S-unions  
 protected against backflow  
 metal escutcheon  
**GROHE Water Saving** - Less water, perfect flow  
 professional edition




**34 833 000**      **Chrome**      4005176698712      280.77

**Grohtherm 1000 Performance**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE Long-Life** finish  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE Turbostat C3** compact cartridge with wax thermoelement  
**GROHE ProGrip** with knurl structure  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton** (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE Water Saving** - Less water, perfect flow  
 professional edition



**34 834 001**      **Chrome**      4005176766381      244.91

**Grohtherm 1000 Performance**  
**Thermostatic shower mixer 1/2"**  
 with shower rail set 2 sprays (Rain, Jet)  
 Consisting of:  
 Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 827)  
 Tempesta shower rail set, 600 mm (26 162)  
 professional edition





# GROHE GROHTHERM 1000 PERFORMANCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

	<p><b>34 836 001</b>    <b>Chrome</b>    <b>4005176766398</b>    <b>240.05</b></p> <p><b>Grotherm 1000 Performance</b>  <b>Thermostatic shower mixer 1/2"</b>                      with shower rail set 2 sprays (Rain, Jet)                      Consisting of:                      Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 828)                      Tempesta shower rail set, 600 mm (26 162)                      professional edition</p>
	<p><b>34 837 001</b>    <b>Chrome</b>    <b>4005176766404</b>    <b>240.05</b></p> <p><b>Grotherm 1000 Performance</b>  <b>Thermostatic shower mixer 1/2"</b>                      with shower rail set 2 sprays (Rain, Jet)                      centre distance 120 mm                      Consisting of:                      Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 829)                      Tempesta shower rail set, 600 mm (26 162)                      professional edition</p>
	<p><b>34 838 001</b>    <b>Chrome</b>    <b>4005176766411</b>    <b>240.05</b></p> <p><b>Grotherm 1000 Performance</b>  <b>Thermostatic shower mixer 1/2"</b>                      with shower rail set 2 sprays (Rain, Jet)                      Consisting of:                      Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 832)                      Tempesta shower rail set, 600 mm (26 162)                      professional edition</p>
	<p><b>47 175 000</b>    <b>Chrome</b>    <b>4005176803895</b>    <b>160.43</b></p> <p><b>GROHE TurboStat cartridge 1/2"</b>                      for reversed inlets (hot water right)                      fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance,                      Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and                      Grotherm SmartControl exposed thermostats                      service solution, does not comply with EN1111                      Note: CoolTouch-function is omitted after                      being installed in exposed fittings</p>



# GROHE GROHTHERM 800 COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 765 000	Chrome	4005176612022	201.00



**Grohtherm 800 Cosmopolitan**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE Long-Life** finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermostatic element  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE Water Saving** - Less water, perfect flow

34 767 000	Chrome	4005176612046	195.90
------------	--------	---------------	--------

**Grohtherm 800 Cosmopolitan**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE Long-Life** finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermostatic element  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 built-in non return valves  
 shower bottom outlet 1/2"  
 dirt strainers  
 protected against backflow  
 without connection unions for wall mounting  
**GROHE Water Saving** - Less water, perfect flow







34 771 000	Chrome	4005176612886	205.34
------------	--------	---------------	--------

**Grohtherm 800 Cosmopolitan**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE Long-Life** finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE TurboStat C3** compact cartridge with wax thermostatic element  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE Water Saving** - Less water, perfect flow



# GROHE GROHTHERM 800 COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 766 000	Chrome	4005176612039	261.87
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			
	34 770 000	Chrome	4005176612077	256.77
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      without connection unions for wall mounting  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			
	34 772 000	Chrome	4005176612893	266.21
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      (calibration required)  <b>GROHE SafeStop Plus</b> integrated temperature limiter at max 50°C  <b>GROHE Turbostat C3</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>			

# GROHE GROHTHERM 800 COSMOPOLITAN







Ref. No.      Colour      EAN      Retail Guide Price (£)

	<p><b>34 768 001      Chrome      4005176766435      233.50</b></p> <p><b>Grohtherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>          with shower rail set 2 sprays (Rain, Jet)          Consisting of:          Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765)          Tempesta shower rail set, 600 mm (26 162)          professional edition</p>
--	---





	<p><b>34 769 001      Chrome      4005176766442      239.26</b></p> <p><b>Grohtherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>          with shower rail set 2 sprays (Rain, Jet)          Consisting of:          Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765)          Tempesta shower rail set, 900 mm (26 163)          professional edition</p>
--	---

	<p><b>47 175 000      Chrome      4005176803895      160.43</b></p> <p><b>GROHE TurboStat cartridge 1/2"</b>          for reversed inlets (hot water right)          fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance,          Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and          Grohtherm SmartControl exposed thermostats          service solution, does not comply with EN1111          Note: CoolTouch-function is omitted after          being installed in exposed fittings</p>
--	---

# GROHE GROHTHERM 800


	Ref. No.	Colour	EAN	Retail Guide Price (£)
		<b>34 558 000</b> <b>Chrome</b>	<b>4005176310089</b>	<b>187.83</b>
		<p><b>Grohtherm 800</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      dirt strainers                      built-in non return valves protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>		
	<b>102202 243 0</b>	<b>matte black</b> ditto, Professional exclusive	<b>4067393018827</b>	<b>244.18</b>
		<b>34 562 000</b> <b>Chrome</b>	<b>4005176310102</b>	<b>192.04</b>
		<p><b>Grohtherm 800</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C (calibration required)  <b>GROHE SafeStop Plus</b> integrated temperature limiter at max 50°C  <b>GROHE Turbostat C3</b> compact cartridge with wax thermoelement integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>		
	<b>34 567 000</b>	<b>Chrome</b>	<b>4005176310157</b>	<b>243.91</b>
		<b>34 567 000</b> <b>Chrome</b>	<b>4005176310157</b>	<b>243.91</b>
		<p><b>Grohtherm 800</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C (calibration required)  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement integrated mixed water shut off                      automatic diverter: bath/shower                      volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>		
	<b>102203 243 0</b>	<b>matte black</b> ditto, Professional exclusive	<b>4067393018834</b>	<b>317.09</b>

# GROHE GROHTHERM 800

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<p><b>34 569 000</b></p> <p><b>Grotherm 800</b>  <b>Thermostatic bath mixer 1/2", 160cc</b>                      wall mounted  <b>GROHE Long-Life</b> finish  <b>GROHE SafeStop</b> safety button at 38°C (calibration required)  <b>GROHE SafeStop Plus</b> integrated temperature limiter at max 50°C                      GROHE Turbostat C3 compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2" mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE Water Saving</b> - Less water, perfect flow</p>	<p><b>Chrome</b></p>	<p>4005176310171</p>	<p>248.11</p>
	<p><b>34 566 002</b></p> <p><b>Grotherm 800</b>  <b>Thermostatic shower mixer 1/2"</b>                      with shower rail set 2 sprays (Rain, Jet)                      Consisting of:                      Grotherm 800 thermostatic shower mixer 1/2" (34 558)                      Tempesta shower rail set, 900 mm (26 163)                      professional edition</p>	<p><b>Chrome</b></p>	<p>4005176766466</p>	<p>227.01</p>
	<p><b>34 565 002</b></p> <p><b>Grotherm 800</b>  <b>Thermostatic shower mixer 1/2"</b>                      with shower rail set 2 sprays (Rain, Jet)                      Consisting of:                      Grotherm 800 thermostatic shower mixer 1/2" (34 558)                      Tempesta shower rail set, 600 mm (26 162)                      professional edition</p>	<p><b>Chrome</b></p>	<p>4005176766459</p>	<p>222.91</p>
	<p><b>47 175 000</b></p> <p><b>GROHE TurboStat cartridge 1/2"</b>                      for reversed inlets (hot water right)                      fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and Grotherm SmartControl exposed thermostats                      service solution, does not comply with EN1111                      Note: CoolTouch-function is omitted after being installed in exposed fittings</p>	<p><b>Chrome</b></p>	<p>4005176803895</p>	<p>160.43</p>


# GROHE GROHTHERM 500

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 793 000	Chrome	4005176632433	153.29
34 793 2430	matte black	4067393015901	199.28




**Grotherm 500**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE Long-Life** finish  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
 GROHE thermostatic cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 headpart 90°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE Water Saving** - Less water, perfect flow  
 professional edition

34 796 001	Chrome	4005176766473	187.98
------------	--------	---------------	--------



**Grotherm 500**  
**Thermostatic shower mixer 1/2"**  
 with shower rail set 1 spray (Rain)  
 Consisting of:  
 Grotherm 500 thermostatic shower mixer 1/2" (34 793)  
 Tempesta shower rail set, 600 mm (27 924)  
 professional edition

34 797 001	Chrome	4005176766503	193.28
------------	--------	---------------	--------



**Grotherm 500**  
**Thermostatic shower mixer 1/2"**  
 with shower rail set 1 spray (Rain)  
 Consisting of:  
 Grotherm 500 thermostatic shower mixer 1/2" (34 793)  
 Tempesta shower rail set, 900 mm (27 925)  
 professional edition



# GROHE GROHTHERM 500

Ref. No.	Colour	EAN	Retail Guide Price (£)	
34 806 001	Chrome	4005176766497	192.31	
<p><b>Grohtherm 500</b>  <b>Thermostatic shower mixer 1/2"</b>                      with shower rail set for low pressure 1 spray (Rain)                      Consisting of:                      Grohtherm 500 thermostatic shower mixer 1/2" (34 793)                      Tempesta shower rail set, 600 mm (26 759)                      min. recommended pressure 0.5 bar to comply with EN1111                      professional edition</p>				
	34 808 001	Chrome	4005176766480	192.71
<p><b>Grohtherm 500</b>  <b>Thermostatic shower mixer 1/2"</b>                      with shower rail set 1 spray (Rain)                      Consisting of:                      Grohtherm 500 thermostatic shower mixer 1/2" (34 795)                      Tempesta shower rail set, 600 mm (27 924)                      professional edition</p>				

GROHE  
**CONCEALED SOLUTIONS**





## CONTENTS

Rough-in sets	252
GROHE Rapido SmartBox	254
GROHE Rapido Shower Frame	256
GROHE Rapido	258
GROHE Rapido C / stop valves	259



# MASTERPIECE OF TECHNOLOGY

## GROHE RAPIDO SMARTBOX SYSTEM

With its universal solutions, our GROHE Rapido SmartBox System is the answer for everything. Never before has a rough-in from GROHE offered so many different options and so much flexibility and freedom. A wide selection of suitable trim sets and showers ensures that the style chosen for the bathroom extends seamlessly into the shower area. And seen from a practical angle, the slim, streamlined design makes cleaning faster and more convenient. GROHE SmartControl Concealed promises perfect shower control and is remarkable for its exceedingly flat design and clean, uncluttered look. Our two-handle thermostats are compact and space-saving, blending precise performance with a sleek, minimalistic appearance. Or take our single-lever mixers: a choice of models offering control of one, two or three functions and a range of stylish designs.



Wall plates adjustable by six degrees

One rough-in runs up to three shower/bath filler functions with just one trim

Easy job-side mounting, no bench vice needed

Only 75 mm minimum installation depth

Optional service stops for retrofit

Always compliant with retrofit backflow protection

Efficient piping thanks to bottom inlets

Control up to three shower functions for a better shower experience

Intuitive operation and perfect control of water volume through SmartControl

Concealed technology and elegant super slim design – 43 mm – for more space under the shower

**GROHE**

**Diagram 1 (Two-handle):** A, B, C. HOT, COLD. Includes a table of function combinations.

**Diagram 2 (Single-lever):** D, E, A, C. HOT, COLD. Includes a table of function combinations.





### GROHE SMARTCONTROL



- Control up to three shower functions for a better shower experience
- Intuitive operation and perfect control of water volume through SmartControl
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower



### TWO-HANDLE THERMOSTATS



- New trim range in round, square and cube style
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower
- 1-function and 2-function models available with GROHE AquaDimmer



### SINGLE-LEVER MIXERS






















- New trims in coordinated design for all GROHE bath lines
- 1-, 2- and 3-function models
- Slim wall plates with GROHE QuickFix system and slim diverters



# GROHE RAPIDO SMARTBOX













## OVERVIEW SINGLE-LEVER MIXER TRIM SETS

	1 function	2 functions	3 functions
<b>Allure Brilliant</b>	 24 071 000	 24 072 000	 24 099 000
<b>Allure</b>	 24 069 000	 24 070 000	
<b>Atrio</b>	 24 065 003	 24 066 003	 24 096 003
<b>Grandera</b>	 24 067 000	 24 068 000	
<b>Lineare</b>	 24 063 001	 24 064 001	 24 095 001
<b>Eurocube</b>	 24 061 000	 24 062 000	 24 094 000
<b>GROHE Plus</b>	 24 059 003	 24 060 003	 24 093 003

	1 function	2 functions	3 functions
<b>Essence</b>	 24 057 001	 24 058 001	 24 092 001
<b>Eurodisc Cosmopolitan</b>	 24 055 002	 24 056 002	
<b>Concetto</b>	 24 053 001	 24 054 001	
<b>Eurostyle Cosmopolitan</b>	 24 051 002	 24 052 002	
<b>Eurostyle</b>	 24 046 003	 24 047 003	
	 24 048 003	 24 049 003	
<b>Eurosmart Cosmopolitan</b>	 24 044 000	 24 045 000	
<b>Eurosmart</b>	 24 042 002	 24 043 002	























# GROHE RAPIDO SMARTBOX

## OVERVIEW TWO-HANDLE THERMOSTAT TRIM SETS

	1 function	2 functions shower/shower	2 functions bathtub/shower
<b>Atrio</b>			
	24 134 003	24 135 003	24 138 003
<b>Grohtherm Cube</b>			
	24 153 000	24 154 000	24 155 000
<b>Grohtherm (square)</b>			
	24 078 000	24 079 000	24 080 000
<b>Grohtherm (round)</b>			
	24 075 000	24 076 000	24 077 000

# GROHE RAPIDO SMARTBOX

## OVERVIEW SMARTCONTROL TRIM SETS


















	1 function	2 functions	3 functions	4 functions
<b>Grohtherm SmartControl round</b>	 29 118 000	 29 119 000    29 120 000	 29 121 000	 29 118 000 + 29 122 000
<b>Grohtherm SmartControl square</b>	 29 123 000	 29 124 000    29 125 000	 29 126 000	 29 123 000 + 29 127 000
<b>Grohtherm SmartControl glass round</b>	 29 150 LS0	 29 151 LS0	 29 904 LS0	 29 150 LS0 + 29 152 LS0
<b>Grohtherm SmartControl glass square</b>	 29 153 LS0	 29 156 LS0	 29 157 LS0	 29 153 LS0 + 29 158 LS0
<b>SmartControl Mixer round</b>	 29 144 000	 29 145 000	 29 146 000	
<b>SmartControl Mixer square</b>	 29 147 000	 29 148 000	 29 149 000	

# GROHE RAPIDO C / CONCEALED VALVES OVERVIEW




	Rapido C stop-valve with pre-assembled ceramic headpart 35 028	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart 29 800 / 29 802 / 29 805	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart 29 801 / 29 803 / 29 804 / 29 806	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart 29 811 / 29 813
Allure	 19 334 000	 19 334 000	 19 334 000	 19 334 000
Allure*	 19 384 000			
Allure Brilliant*	 19 796 000			
Atlanta	 19 841 000	 19 841 000	 19 841 000	 19 841 000
Atrio	 19 088 003	 19 088 003	 19 088 003	 19 088 003
	 19 069 003	 19 069 003	 19 069 003	 19 069 003

\* Concealed valve 29 032 000 with longlife headpart can also be used













	Rapido C stop-valve with pre-assembled ceramic headpart	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart
	35 028	29 800 / 29 802 / 29 805	29 801 / 29 803 / 29 804 / 29 806	29 811 / 29 813
<b>Brilliant</b>	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000
<b>Costa</b>	 19 808 001 19 809 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001
<b>Eurocube</b>	 19 910 000	 19 910 000	 19 910 000	 19 910 000
<b>Grandera</b>	 19 944 000			
<b>Grohtherm 3000 Cosmopolitan</b>	 19 470 000	 19 470 000	 19 470 000	 19 470 000

# GROHE ROUGH-IN SETS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 037 000		4005176865749	924.58
<p><b>4/5-hole bath combination (optional) baseframe for installation under tiled surround</b> base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color</p>				
 	29 037 002		4005176519918	921.32
<p><b>4/5-hole bath combination (optional) baseframe for installation under tiled surround</b> base frame drainage box with integrated outlet for splash water allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve caps to cover screw fixations always come in chrome color</p>				
 	29 033 000		4005176845338	311.16
<p><b>5-way diverter</b> concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass</p>				
 	45 984 001	Chrome	4005176992056	552.23
<p><b>Rough-in set 1/2"</b> for floor-mounted bath mixers/spouts and shower mixers <b>without finishing trim set</b> installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>				

# GROHE ROUGH-IN SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 571 000		4005176334276	279.00
	<p><b>Single-lever mixer 1/2", universal concealed body</b> for 2 hole basin mixer wall installation <b>without finishing trim set</b> GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	23 200 002		4005176519901	279.14
	<p><b>Single-lever mixer 1/2", concealed body</b> for 2 hole basin mixer wall installation <b>without finishing trim set</b> GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	23 429 000		4005176993695	288.93
	<p><b>Single-lever mixer 1/2", concealed body</b> for 2 hole basin mixer wall installation <b>without finishing trim set</b> GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	23 319 000		4005176931192	274.09
	<p><b>Single-lever mixer 1/2", concealed body</b> for 2 hole basin mixer wall installation <b>without finishing trim set</b> GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device</p>			
 	29 025 002		4005176519895	291.48
	<p><b>Two-handle basin mixer concealed body, 1/2"</b> for 3-hole basin mixer wall installation <b>without finishing trim set</b> DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			

# GROHE RAPIDO SMARTBOX

Ref. No.      Colour      EAN      Retail Guide Price (£)




35 604 000

4005176698774

80.96

**Rapido SmartBox**  
**Universal rough-in box, 1/2"**  
 3 outlets 1/2"  
 2 inlets below, 1/2"  
 installation depth 75-105 mm  
 connection unit in DR brass  
 pre-mounted flushing plug  
 stable build-in box and protective cover  
 fixing options for solid walls and dry cladding  
 gasket  
 without set for final installation  
 professional edition




14 055 000

4005176413520

104.69

**Backflow protection combination (DIN-EN1717)**  
 retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems  
 replaces separate pipe interrupter for residential use  
 fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers



14 053 00M

Chrome

4005176413513

41.32

**Service stops**  
 fits Grohtherm SmartControl, SmartControl mixer and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox  
 packaging unit: 2 pieces




47 790 000

4005176841491

67.13

**Rapido connection set**  
 fits to Rapido T (35 050), Rapido E (35 501) and Rapido SmartBox (35 600/35 604)  
 VA approved  
 2 pcs./unit




14 048 000

Chrome

4005176413483

85.40

**Rapido SmartBox**  
**Universal extension set single-lever mixers, 25 mm**  
 fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox



14 056 000


4005176466298

96.42

**Universal extension set single-lever mixers, 25 mm**  
 fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox


# GROHE RAPIDO SMARTBOX

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



14 057 000		4005176466304	118.46
------------	--	---------------	--------

**Universal extension set single-lever mixers, 50 mm**  
fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**



14 058 000	Chrome	4005176466311	46.83
------------	--------	---------------	-------

**Universal extension set 2-handle thermostats, 25 mm**  
fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**



49 003 000	Chrome	4005176413537	227.34
------------	--------	---------------	--------

**GROHE TurboStat cartridge 3/4"**  
for reversed inlets (hot water right)  
fits Grotherm SmartControl and Grotherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox  
service solution, does not comply with EN1111

CONCEALED SOLUTIONS



# GROHE RAPIDO SHOWER FRAME

Ref. No.      Colour      EAN      Retail Guide Price (£)



103993 999 0

4067393034339

525.88

## Rapido Shower Frame

### Element for mono concealed shower installation

for shower installations with one hand shower and a Mono head shower  
pre-mounted rough-in set GROHE Rapido SmartBox (35 604)  
pre-mounted wall outlets for hand and head shower  
pre-mounted and insulated mixed water pipes  
for on-the-wall installations or dry-cladding  
powder coated steel frame, self-supporting  
completely pre-assembled

depth adjustable

2 inlets below, 1/2"

min. installation depth (from rough wall to end finish) 77-107 mm

min. installation depth (from rough wall to frame front) 67 mm

head shower outlet height adjustable by 180 mm

sealing fleeces

leak test done ex factory

suitable for concealed 2-function trim sets in combination with GROHE Rapido SmartBox


suitable for GROHE shower outlet elbows with male connection threads, 1/2"

suitable for GROHE shower arms with male connection threads, 1/2"

perfect fit with Grotherm concealed shower systems 103 995 0000 and 103 996 0000

for on-the-wall installation please order wall brackets 103 999 9990 (sold separately)

professional edition



103995 000 0

Chrome

4067393034353

757.80

## Grotherm

### Concealed shower system with Tempesta 250 Cube

Consisting of:

concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 079)

Tempesta 250 Cube head shower set (26 687) including horizontal shower arm 380 mm

hand shower Tempesta Cube 110, 2 sprays (26 746)


shower outlet elbow 1/2" with wall shower holder (26 370)

Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

requires GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604), please order separately

perfect fit with GROHE Rapido shower frame mono (103 993 9990)

professional edition



103996 000 0

Chrome

4067393034360

757.80

## Grotherm

### Concealed shower system with Tempesta 250

Consisting of:

concealed thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve (24 076)

Tempesta 250 head shower set (26 668) including horizontal shower arm 380 mm

Tempesta 110 hand shower 2 sprays (26 161)


shower outlet elbow 1/2" with wall shower holder (28 679)

Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

requires GROHE Rapido SmartBox universal rough-in box, 1/2" (35 604), please order separately


perfect fit with GROHE Rapido shower frame mono (103 993 9990)

professional edition







# GROHE RAPIDO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 961 000	Chrome	4005176119972	90.84
<p><b>Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set</b>            wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge            adjustable flow rate limiter            outlet above and below 1/2"            cap included            diverter in set for final installation            clockwise closing            fastening loops</p>				
	33 962 000	Chrome	4005176119989	74.57
<p><b>Single-lever mixer 1/2", concealed body for shower without finishing trim set</b>            wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge            adjustable flow rate limiter            top outlet 1/2"            clockwise closing            fastening loops</p>				
	33 963 000	Chrome	4005176128387	76.10
<p><b>Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set</b>            wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge            adjustable flow rate limiter            outlet above and below 1/2"            cap included            diverter in set for final installation            clockwise closing</p>				
	33 964 000	Chrome	4005176128394	59.85
<p><b>Single-lever mixer 1/2", concealed body for shower without finishing trim set</b>            wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge            adjustable flow rate limiter            top outlet 1/2"            clockwise closing</p>				

# GROHE RAPIDO C / STOP VALVES


Ref. No.      Colour      EAN      Retail Guide Price (£)



**35 028 000**      EAN: 4005176908316      Retail Guide Price (£): 160.19

**GROHE Rapido C**  
**Rough-in for single volume control**  
 for grid installation of Grohtherm Custom Shower system  
 built-in box with removable protection cover  
 waterproof membrane base for wall sealing  
 for masonry and drywall installation  
 fixing points for front and back wall  
 body of DR brass  
 pre-assembled ceramic headpart 3/4"  
 connection threads 1/2"  
 installation depth 70 - 95 mm

CONCEALED SOLUTIONS



**29 800 000**      Colour: Chrome      EAN: 4005176504839      Retail Guide Price (£): 25.47


**Concealed stop-valve, 1/2"**  
 pre-assembled headpart 1/2"  
 short spindle  
 protection sleeve  
 threaded union 1/2"  
 DR-brass

**29 802 000**      Colour: Chrome      EAN: 4005176504853      Retail Guide Price (£): 47.13

**ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"**

**29 805 000**      Colour: Chrome      EAN: 4005176504884      Retail Guide Price (£): 73.65

**ditto, 1", pre-assembled headpart 1", thread union 1"**




**29 801 000**      EAN: 4005176504846      Retail Guide Price (£): 25.47

**Concealed stop-valve, 1/2"**  
 pre-assembled headpart 1/2"  
 short spindle  
 protection sleeve  
 soldered connection Ø15 mm  
 DR-brass



**29 804 000**      EAN: 4005176504877      Retail Guide Price (£): 47.13

**ditto, soldered connection Ø 22 mm**



**29 032 000**      EAN: 4005176845277      Retail Guide Price (£): 37.94













**Concealed valve**  
 pre-assembled headpart 1/2"  
 threaded union 1/2"  
 installation depth adjustable  
 43 - 91 mm  
 DR-brass



**19 830 000**      Colour: Chrome      EAN: 4005176030697      Retail Guide Price (£): 33.93

**Atlanta**  
**Concealed stop-valve trim**  
 set for final installation for  
 35 028 000  
 for concealed valves, 1/2", 3/4"  
 installation depth adjustable  
 20-80 mm  
 escutcheon with screwable wall sealing  
 brilliant handle  
 marking: blue (cold)  
**GROHE Long-Life** finish


# GROHE RAPIDO C / STOP VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 831 000	Chrome	4005176030703	33.93
<p><b>Atlanta</b>  <b>Concealed stop-valve trim</b>                      set for final installation for 35 028 000                      for concealed valves, 1/2", 3/4"                      installation depth adjustable 20-80 mm                      escutcheon with screwable wall sealing                      brilliant handle                      marking: red (hot)  <b>GROHE Long-Life</b> finish</p>				
 	19 841 000	Chrome	4005176030765	39.62
<p><b>Atlanta</b>  <b>Concealed stop-valve trim</b>                      set for final installation for 35 028 000                      for concealed valves, 1/2", 3/4"                      installation depth adjustable 20 - 200 mm                      escutcheon with screwable wall sealing                      socket spanner  <b>GROHE Long-Life</b> finish</p>				
 	19 840 000	Chrome	4005176030758	31.23
<p><b>Atlanta</b>  <b>Concealed stop-valve trim</b>                      for concealed valves, 1/2", 3/4"                      installation depth adjustable 20-80 mm                      escutcheon with screwable wall sealing                      socket spanner  <b>GROHE Long-Life</b> finish</p>				
 	19 470 000	Chrome	4005176848018	80.15
<p><b>Grotherm 3000 Cosmopolitan</b>  <b>Concealed stop-valve trim</b>                      set for final installation for 35 028 000  <b>GROHE Long-Life</b> finish                      installation depth adjustable 20-80 mm                      metal escutcheon with wall sealing                      shut-off valve</p>				
 	29 811 000		4005176062711	23.12
<p><b>Concealed stop valve 1/2"</b>                      preassembled ceramic headpart 1/2"                      180°                      threaded union 1/2"                      installation depth adjustable 25 - 80 mm                      DR-brass</p>				
 	29 033 000		4005176845338	311.16
<p><b>5-way diverter</b>                      concealed body                      wall installation                      with ceramic sealing disks                      connection cold and hot 1/2"                      2 outlets 1/2"                      1 bath outlet 3/4"                      installation depth adjustable 66 - 113 mm                      DR-brass</p>				



# GROHE RAPIDO C / STOP VALVES

Ref. No.	Colour	EAN	Retail Guide Price (£)
14 048 000	Chrome	4005176413483	85.40



**Rapido SmartBox**  
**Universal extension set single-lever mixers, 25 mm**  
 fits Grohtherm SmartControl and SmartControl Mixer sets  
 for final installation with up to three functions in combination  
 with GROHE Rapido SmartBox

CONCEALED  
SOLUTIONS

GROHE  
SHOWERS





## CONTENTS

GROHE Digital Shower Systems	F-digital Controllers	272
	Rainshower System SmartControl	273
	Rainshower SmartActive System	276
	Rainshower System	279
	Euphoria SmartControl System	280
	Euphoria Shower System	283
	Tempesta System 250	289
	Shower System Accessories	302
Head showers	Head shower sets	304
	Head Showers	313
	Accessories for head showers	320
Showers	Rainshower SmartActive	322
	Relaxa	330
	Euphoria	331
	Tempesta	341
	Tempesta Cube	348
	Tempesta-F Trigger Sprays	353
	Shower Hoses	355
	Shower Accessories	359



# GROHE SHOWERS

## INNOVATIVE SPRAY TECHNOLOGY

GROHE's DreamSpray technology is at the heart of every GROHE shower. Boasting the finest quality materials and engineering, it incorporates innovation that helps you to enjoy an unparalleled showering experience.

The advanced shower engine inside the shower heads delivers the ultimate in precise and consistent water distribution to each individual nozzle. Whatever spray pattern you choose, for whatever your mood, you can be assured of sheer joy under the shower.

### GETTING THE BEST SHOWER EXPERIENCE WITH JUST ONE SHOWER

While some types of shower gently caress the skin like summer rain, others give an invigorating massage. The new GROHE Rainshower 310 SmartActive showers combine the best of both worlds for a thoroughly satisfying shower every time.

### DOUBLE THE PLEASURE

GROHE Rainshower 310 SmartActive showers use a special spray face to double the pleasure of showering. Oval water outlets arranged in a star-shaped pattern at the center of the spray face generate the vigorous GROHE ActiveRain. They are surrounded by an arrangement of nozzles producing the much more gentle PureRain spray. This means users can choose between a concentrated jet to loosen up tense muscles or rinse shampoo out of their hair and a rain shower softly enveloping their body. The shower can be energizing and invigorating or soothing and relaxing – or it can combine the two modes into a deeply satisfying shower session. To simplify switching between the different shower functions and combining them, GROHE offers the new SmartControl Concealed units, featuring intuitive push-and-turn button technology.

Discover all our other spray patterns here:





### DRIZZLE SPRAYS

Revitalizing cool water mist acts like a fresh sea breeze.



### AQUACURTAIN

A wrap-around curtain of pure water invites you to dive into a different world.



### NORMAL SPRAY

A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.



### RAIN SPRAY

Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.



### GROHE PURERAIN SPRAY

The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.



### SMARTRAIN SPRAY

All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.



### GROHE RAIN O<sup>2</sup> SPRAY

A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.



### GROHE BOKOMA SPRAY

Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.



### WATERFALL XL SPRAYS

An extra wide spout creates the sensual pleasure of a waterfall in your own bathroom.



### PURE SPRAY

The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.



### JET SPRAY

A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.



### ACTIVERAIN SPRAY

Innovative Spray to loosen up tense muscles or rinse shampoo out of your hair.



### MASSAGE SPRAY

A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.



### CHAMPAGNE SPRAY

Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.



### DELUXE CHAMPAGNE SPRAY

An extra-rich spray bursting with soft water droplets.



### GROHE TRIOMASSAGE SPRAY

The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.




# GROHE RAINSHOWER SMARTACTIVE SPREAD HAPPINESS – DESIGNED TO MAKE YOU SMILE

## LIFE IS FUN. AND SO IS SHOWERING.

Start or end your day with a great shower experience, one that leaves you refreshed, relaxed and smiling. The new premium Rainshower SmartActive hand shower offers three great spray patterns. It comes in a choice of sleek, minimalist shapes in round and square and two sizes – 130 mm and 150 mm – and with either a chrome-plated or white moulded spray face as well as a host of colour options.

Every aspect of the **GROHE Rainshower SmartActive** is designed to make you smile. From its fresh design to the colourful range and the one-touch switching between the three spray modes.



**RIGHT IS JUST ONE CLICK AWAY.**

The GROHE SmartTip controller on the back of the shower head lets you switch between spray patterns with just one click.



**GROHE Rain**

A soft and refreshing shower.



**GROHE ActiveMassage**

A moving spray reducing stress and tension.



**GROHE Jet**

The power shower after sports.




# EUPHORIA SMARTCONTROL


## YOUR TURN – YOUR SHOWER

We've put a lot of thought into our new GROHE Euphoria SmartControl shower system: the result is a range of features that make the Euphoria more convenient and more enjoyable to use. The shower arm has a swivel function that allows you to rotate the showerhead through 180° to achieve the perfect angle. And the fully adjustable shower holder allows the hand shower to be positioned individually at the ideal height.


We have made the sleek Grohtherm SmartControl body smaller and more compact to offer more space in the shower. And because we want you to enjoy your shower as quickly as possible, we came up with the GROHE QuickFix. This allows the position of the upper bracket to be altered during installation of the shower rail. The advantage: the upper bracket can be installed easily and quickly by utilising existing drilled holes.








Push the button to start the shower.



Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.

# GROHE RAINSHOWER SMARTCONTROL 3D SHOWERING – PUSH, TURN, SHOWER


**Rainshower SmartControl – choose the spray, control the volume, save the settings.** All with one control. Showering has just become an even more fluid experience. GROHE's unique SmartControl push-and-turn button technology takes the idea of comfortable showering to a new level and requires very little effort. The spray jet type can be directly selected by pressing the push button, meaning adjusting the jet disc is no longer necessary. In addition, personalised jet strength settings can be selected and saved for the desired spray jet type just by turning the button. Everything in one button = an innovative all-in-one solution.

What is more, GROHE SmartControl allows you to combine the different spray jet types in just a few steps. Try GROHE PureRain + TrioMassage, for example. Prefer to switch to hand shower? Not a problem! All it takes to activate it is pressing the push button. In short, just three buttons are enough to offer you a vast array of showering options. The new user-friendliness of GROHE SmartControl makes using water even more efficient and utterly convenient.


Additional features include: GROHE TurboStat technology, which ensures that the chosen temperature is reached and maintained within fractions of a second; the SafeStop button, which prevents the water temperature from being turned up beyond 38 degrees; GROHE CoolTouch, which keeps the outer surface of the thermostat at a temperature that is safe to touch; the GROHE Rainshower 360 XXL head shower; and last but not least an elegant organic design. Thanks to the clearly labelled EasyLogic design operating the thermostat becomes child's play and the EasyReach tray provides enough space for all your shower utensils.








Push the button to start the shower.







Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.


# GROHE F-DIGITAL CONTROLLERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 309 000	Chrome	4005176894794	293.90
<p><b>F-digital Digital Controller Remote Controller for bath or shower</b>            additional multifunctional operating unit            - Wireless technology            - Temperature and flow control            - Pause-function            - Memory function            - LED ring  <b>GROHE Long-Life</b> finish            energy efficiency class illumination of control unit: not applicable</p>				

 	36 078 000	Chrome	4005176856532	117.56
<p><b>Plug power supply 110-240 V</b>            operating voltage 6V            cable length 400 mm</p>				

# GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.      Colour      EAN      Retail Guide Price (£)




**26 250 000      Chrome      4005176316999      1,760.39**

**Rainshower System SmartControl Duo 360  
Shower system with thermostat for wall mounting**

Consisting of:  
horizontal 500 mm shower arm  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower Duo 360, spray plate chrome  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage  
hand shower Power&Soul 115, spray plate white (27 671)  
hand shower wall holder (27 055)  
Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**min. recommended pressure 1.5 bar**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SafeStop** safety button at 38°C  
(calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow  
**GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
suitable for instantaneous heaters from 18 kW/h  
**TwistStop** preventing the hose from twisting  
\* to be decided during initial installation; factory default setting: GROHE PureRain

**26 250 LS0      moon white      4005176317002      1,760.39**  
ditto, head shower with white spray plate



**26 361 000      Chrome      4005176347580      1,594.32**

**Rainshower System SmartControl Mono 360  
Shower system with thermostat for wall mounting**

Consisting of:  
horizontal 500 mm shower arm  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower Mono 360, spray plate chrome  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\*  
Power&Soul 130 hand shower, spray plate white (27 673)  
hand shower wall holder (27 055)  
Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**min. recommended pressure 1.5 bar**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SafeStop** safety button at 38°C  
(calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow  
**GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
suitable for instantaneous heaters from 18 kW/h  
**TwistStop** preventing the hose from twisting  
\* to be decided during initial installation; factory default setting: GROHE PureRain

**26 361 LS0      moon white      4005176409707      1,594.32**  
ditto, head shower with white spray plate

SHOWERS



# GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 443 000	Chrome	4005176409875	1,760.39
------------	--------	---------------	----------


**Rainshower System SmartControl Duo 360**  
**Combi shower system with thermostat, exposed/concealed**

Consisting of:  
 exposed/concealed SmartControl thermostat  
 allows change between:  
 head shower Rainshower Duo 360 with horizontal 450 mm shower arm, spray plate chrome  
 GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage maximum flow rate (at 3 bar): 21 l/min  
 hand shower Power&Soul 115, spray plate white (27 671) maximum flow rate (at 3 bar): 7.5 l/min  
 hand shower wall holder (27 055)  
 Silverflex shower hose 1.500 mm (28 364)  
**min. recommended pressure 1.5 bar**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SafeStop** safety button at 38°C (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow  
**GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
 requires rough-in set 26 264 and concealed unit 26 449 – all to be ordered separately

\* to be decided during initial installation; factory default setting: GROHE PureRain

26 443 LS0	moon white	4005176409882	1,760.39
------------	------------	---------------	----------

ditto, head shower with white spray plate




26 254 000	Chrome	4005176317026	730.73
------------	--------	---------------	--------

**Rainshower Duo 360**  
**Head shower set 450 mm, 2 sprays**

Consisting of:  
 head shower Rainshower Duo 360, spray plate chrome  
 2 spray patterns:  
 GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage maximum flow rate (at 3 bar): 40 l/min  
 horizontal 450 mm shower arm  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 requires rough-in set 26 264 – to be ordered separately  
 \* to be decided during initial installation; factory default setting: GROHE PureRain

26 254 LS0	moon white	4005176409806	730.73
------------	------------	---------------	--------


ditto, head shower with white spray plate











26 264 001		4005176417108	132.85
------------	--	---------------	--------

**Rainshower 360**  
**Rough-in box for head shower set 26 254**

inlets and outlets 1/2"  
 fixing points for back wall  
 leakproof housing  
 removable protection cover with installation information



# GROHE RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 449 000		4005176409790	162.82
	<b>Concealed body for exposed/concealed variants</b> wall mounted 2 outlets 1/2" installation depth 75-105 mm flushing plug wall sealing installation device			
 	48 349 000	Chrome	4005176409851	119.57
	<b>Rainshower SmartControl Shower system pipe for retrofitting</b> metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems <b>GROHE Long-Life</b> finish			
 	48 350 000	Chrome	4005176409868	146.15
	<b>Rainshower SmartControl Shower system pipe for retrofitting</b> metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems <b>GROHE Long-Life</b> finish Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI			
 	26 385 000	Chrome	4005176375057	17.65
	<b>Rainshower SmartControl Spacer</b> for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable			


SHOWERS



# GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.      Colour      EAN      Retail Guide Price (£)


26 648 000      Chrome      4005176533020      979.27



**Rainshower SmartActive 310**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310  
 maximum flow rate (at 3 bar): 9.5 l/min  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Rainshower SmartActive 130  
 maximum flow rate (at 3 bar): 8.5 l/min  
 adjustable height via gliding element  
 including performance grip  
 Silverflex shower hose 1750 mm  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SmartTip** showering spray selection via push of a ring  
**GROHE Long-Life** finish  
**GROHE FastFixation** upper bracket adjustable  
**SpeedClean** anti-limescale system  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

22 119 KF0      phantom black      4005176782510      1,370.98  
 ditto, Professional exclusive

26 647 000      Chrome      4005176533013      979.27  
 ditto, with non-restricted flow



26 647 LS0      moon white      4005176533051      1,126.17

**Rainshower SmartActive 310**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 Rainshower SmartActive 130 hand shower 3 sprays  
 adjustable height via gliding element  
 including performance grip  
 Silverflex shower hose 1750 mm  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SmartTip** showering spray selection via push of a ring  
**GROHE Long-Life** finish  
**GROHE FastFixation** upper bracket adjustable  
**SpeedClean** anti-limescale system  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.


# GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.      Colour      EAN      Retail Guide Price (£)

**26 652 000**      **Chrome**      **4005176533044**      **979.27**

**Rainshower SmartActive 310**  
**Shower system with thermostat for wall mounting**

Consisting of:  
horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
head shower Rainshower Mono 310 Cube  
maximum flow rate (at 3 bar): 9.5 l/min  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Rainshower SmartActive 130 Cube  
maximum flow rate (at 3 bar): 8.5 l/min  
adjustable height via gliding element  
including performance grip  
Silverflex shower hose 1750 mm  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SmartTip** showering spray selection via push of a ring  
**GROHE Long-Life** finish  
**GROHE FastFixation** upper bracket adjustable  
**SpeedClean** anti-limescale system  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.




26 837 GL0      cool sunrise      4005176950155      1,566.84  
26 837 DA0      warm sunset      4005176950148      1,566.84  
ditto, DR-brass, Professional exclusive

**26 649 000**      **Chrome**      **4005176533037**      **979.27**  
**ditto, with non-restricted flow**

**26 657 000**      **Chrome**      **4005176533075**      **1,126.17**

**Rainshower SmartActive 310**  
**Shower system with bath thermostat for wall mounting**

Consisting of:  
horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
head shower Rainshower Mono 310  
maximum flow rate (at 3 bar): 7.5 l/min  
with ball joint  
rotation angle  $\pm 15^\circ$   
bath inlet  
separate diverter for hand shower  
hand shower Rainshower SmartActive 130  
maximum flow rate (at 3 bar): 8.5 l/min  
adjustable height via gliding element  
including performance grip  
Silverflex shower hose 1750 mm  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SmartTip** showering spray selection via push of a ring  
**GROHE Long-Life** finish  
**GROHE FastFixation** (upper bracket adjustable to adapt to existing holes)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.



SHOWERS

# GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

27 968 001	Chrome	4005176533006	1,190.51
------------	--------	---------------	----------

**Rainshower SmartActive 310**  
**Shower system with thermostat for wall mounting**

Consisting of:

horizontal swivable 450 mm projection shower arm

**exposed thermostatic shower**

with Aquadimmer function

allows change between:

head shower Rainshower Cosmopolitan 310

maximum flow rate (at 3 bar): 9.5 l/min

material: metal

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Rainshower SmartActive 130

maximum flow rate (at 3 bar): 8.5 l/min

adjustable height via gliding element

Silverflex shower hose 1750 mm

**GROHE TurboStat** compact cartridge with wax thermoelement

**GROHE Water Saving** - Less water, perfect flow

**GROHE SafeStop** safety button at 38°C

(calibration required)

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE DreamSpray** perfect spray pattern

**GROHE SmartTip** showering spray selection via push of a ring


**GROHE Long-Life** finish

**GROHE FastFixation** upper bracket adjustable

**SpeedClean** anti-limescale system

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.




27 966 001	Chrome	4005176532993	1,190.51
------------	--------	---------------	----------

ditto, with non-restricted flow


# GROHE RAINSHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



27 174 001	Chrome	4005176877162	1,369.06
------------	--------	---------------	----------

**Rainshower System 400**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower Cosmopolitan 400 head shower  
 material: metal  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 metal stick hand shower  
 adjustable height via gliding element  
 metal shower hose 1750 mm  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life




27 058 000	Chrome	4005176830464	843.60
------------	--------	---------------	--------

**Rainshower System 210**  
**Shower system with diverter**  
**for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
 change between hand and head shower  
 by using the diverter  
 Rainshower Cosmopolitan 210 metal head shower  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 metal stick hand shower  
 adjustable height via gliding element  
 connection to water supply with 1/2"-thread of  
 the 800 mm shower hose to faucet / wall union  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life

SHOWERS

# GROHE EUPHORIA SMARTCONTROL SYSTEM



Ref. No.	Colour	EAN	Retail Guide Price (£)
26 507 000	Chrome	4005176457586	1,123.68
26 507 LS0	moon white	4005176457609	1,298.10
26 507 DC0	supersteel	4005176526374	1,685.53
26 507 GL0	cool sunrise	4005176557477	1,910.26
26 507 GN0	brushed cool sunrise	4005176557484	2,022.64
26 507 DA0	warm sunset	4005176557446	1,910.26
26 507 DL0	brushed warm sunset	4005176557453	2,022.64
26 507 A00	hard graphite	4005176557415	1,910.26
26 507 AL0	brushed hard graphite	4005176557422	2,022.64

## Euphoria SmartControl System 310 Duo

### Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310

2 spray patterns:

GROHE PureRain, ActiveRain

maximum flow rate (at 3 bar): 20 l/min

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

maximum flow rate (at 3 bar): 16 l/min

adjustable height via gliding element

Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE Long-Life** finish

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge with wax thermoelement

**GROHE ProGrip** with knurl structure

**GROHE SafeStop** safety button at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to Full Flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**TwistStop** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.

22 120 KF0	phantom black	4005176782527	1,573.16
<b>ditto, Professional exclusive</b>			



# GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 508 000	Chrome	4005176457593	1,123.68
26 508 LS0	moon white	4005176457616	1,298.10
26 508 DC0	supersteel	4005176526367	1,685.53
26 508 GL0	cool sunrise	4005176557552	1,797.89
26 508 GN0	brushed cool sunrise	4005176557569	2,022.64
26 508 DA0	warm sunset	4005176557521	1,797.89
26 508 DL0	brushed warm sunset	4005176557538	2,022.64
26 508 A00	hard graphite	4005176557491	1,910.26
26 508 AL0	brushed hard graphite	4005176557507	2,022.64



## Euphoria SmartControl System 310 Cube Duo Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310 Cube

2 spray patterns:

GROHE PureRain, ActiveRain

maximum flow rate (at 3 bar): 20 l/min

hand shower Euphoria Cube (27 699 000) 9.5 l/min.

maximum flow rate (at 3 bar): 16 l/min

adjustable height via gliding element

Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE Long-Life** finish

**GROHE SafeStop** safety button at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to Full Flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**TwistStop** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

SHOWERS

26 608 000	Chrome	4005176518577	1,068.75
------------	--------	---------------	----------

## Euphoria SmartControl System 260 Mono

Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl bath thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

maximum flow rate (at 3 bar): 20 l/min

with ball joint

rotation angle  $\pm 15^\circ$

bath inlet

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

maximum flow rate (at 3 bar): 16 l/min

adjustable height via gliding element

Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE Long-Life** finish

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE SafeStop** safety button at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to Full Flow

integrated **GROHE EasyReach** shower tray


**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**TwistStop** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.



# GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 509 000	Chrome	4005176457623	975.01
------------	--------	---------------	--------



## Euphoria SmartControl System 260 Mono

### Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

maximum flow rate (at 3 bar): 16 l/min

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

maximum flow rate (at 3 bar): 15 l/min

adjustable height via gliding element

Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE Long-Life** finish

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge with wax thermoelement

**GROHE ProGrip** with knurl structure

**GROHE SafeStop** safety button at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to Full Flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**TwistStop** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

26 510 000	Chrome	4005176457630	1,135.12
------------	--------	---------------	----------

## Euphoria SmartControl System 260 Mono

### Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl bath thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

maximum flow rate (at 3 bar): 20 l/min

with ball joint

rotation angle  $\pm 15^\circ$

bath inlet

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

maximum flow rate (at 3 bar): 16 l/min

adjustable height via gliding element

Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE Long-Life** finish

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge with wax thermoelement

**GROHE ProGrip** with knurl structure

**GROHE SafeStop** safety button at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to Full Flow

integrated **GROHE EasyReach** shower tray


**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**TwistStop** preventing the hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.



# GROHE EUPHORIA SHOWER SYSTEM

Ref. No. Colour EAN Retail Guide Price (£)




**26 075 001 Chrome 4005176648014 684.64**

**Euphoria System 310**  
**Shower system with thermostatic mixer for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 (26 561)  
 spray pattern:  
 GROHE PureRain  
 maximum flow rate (at 3 bar): 13.5 l/min  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage  
 (27 221 000)  
 3 spray patterns:  
 Rain, Massage, SmartRain  
 maximum flow rate (at 3 bar): 11.5 l/min  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**GROHE FastFixation** upper bracket adjustable  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)  
 professional edition

SHOWERS

<b>26 075 DC0</b>	<b>supersteel</b>	<b>4005176371219</b>	<b>1,134.56</b>
<b>26 075 GL0</b>	<b>cool sunrise</b>	<b>4005176425332</b>	<b>1,296.63</b>
<b>26 075 GN0</b>	<b>brushed cool sunrise</b>	<b>4005176425349</b>	<b>1,377.67</b>
<b>26 075 DA0</b>	<b>warm sunset</b>	<b>4005176425356</b>	<b>1,296.63</b>
<b>26 075 DL0</b>	<b>brushed warm sunset</b>	<b>4005176425363</b>	<b>1,377.67</b>
<b>26 075 A00</b>	<b>hard graphite</b>	<b>4005176425387</b>	<b>1,296.63</b>
<b>26 075 AL0</b>	<b>brushed hard graphite</b>	<b>4005176425370</b>	<b>1,377.67</b>




**Euphoria System 310**  
**Shower system with thermostatic mixer for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 metal head shower Rainshower Cosmopolitan 310 (27 477 000)  
 Rain spray pattern  
 maximum flow rate (at 3 bar): 13.5 l/min  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage  
 (27 221 000)  
 3 spray patterns:  
 Rain, Massage, SmartRain  
 maximum flow rate (at 3 bar): 11.5 l/min  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE EUPHORIA SHOWER SYSTEM

Ref. No.      Colour      EAN      Retail Guide Price (£)




26 723 000      Chrome      4005176648021      684.64



**Euphoria System 310**  
**Shower system with thermostatic mixer for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 (26 562)  
 spray pattern:  
 GROHE PureRain  
 maximum flow rate (at 3 bar): 8 l/min  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage (27 239 000)  
 3 spray patterns:  
 Rain, Massage, SmartRain  
 maximum flow rate (at 3 bar): 8 l/min  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE FastFixation** upper bracket adjustable  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)  
 professional edition




27 296 003      Chrome      4005176647963      594.55



**Euphoria System 260**  
**Shower system with thermostatic mixer for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria 260 (26 455)  
 3 spray patterns:  
 Rain, SmartRain, Jet  
 maximum flow rate (at 3 bar): 7.5 l/min  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage (27 221 000)  
 3 spray patterns:  
 Rain, Massage, SmartRain  
 maximum flow rate (at 3 bar): 11 l/min  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE ProGrip** with knurl structure  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE FastFixation** upper bracket adjustable  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)  
 professional edition

# GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 615 002	Chrome	4005176647970	594.55
27 615 KF2	phantom black	4067393030218	832.38




**Euphoria System 260**  
**Shower system with thermostatic mixer for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria 260 (26 457)  
 3 spray patterns:  
 Rain, SmartRain, Jet  
 maximum flow rate (at 3 bar): 7.5 l/min  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage  
 (27 239 000)  
 3 spray patterns:  
 Rain, Massage, SmartRain  
 maximum flow rate (at 3 bar): 8.5 l/min  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
 GROHE ProGrip with knurl structure  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**GROHE FastFixation** upper bracket adjustable  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)  
 professional edition

SHOWERS



27 475 002	Chrome	4005176647840	750.22
------------	--------	---------------	--------




**Euphoria System 260**  
**Shower system with bath thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria 260 (26 457)  
 3 spray patterns:  
 Rain, SmartRain, Jet  
 maximum flow rate (at 3 bar): 18 l/min  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 bath inlet  
 separate diverter for hand shower  
 hand shower Euphoria 110 Massage  
 (27 239 000)  
 3 spray patterns:  
 Rain, Massage, SmartRain  
 maximum flow rate (at 3 bar): 8.5 l/min  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**GROHE FastFixation** upper bracket adjustable  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 professional edition



# GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 087 000	Chrome	4005176940828	1,342.22
------------	--------	---------------	----------



**Euphoria Cube System 230**  
**Shower system with thermostatic mixer for wall mounting**  
 shower arm  
 projection 400 mm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower head shower (27 479 000)  
 material: metal  
 Rain spray pattern  
 maximum flow rate (at 3 bar): 13 l/min  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria Cube (27 699)  
 maximum flow rate (at 3 bar): 9 l/min  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**TwistStop** preventing the hose from twisting  
 minimum flow rate 7 l/min.

26 187 000	Chrome	4005176310744	850.71
------------	--------	---------------	--------




**Euphoria System 230**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower 230 (27 479 000)  
 material: metal  
 Rain spray pattern  
 maximum flow rate (at 3 bar): 11.5 l/min  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria Cube Stick (27 698 000)  
 maximum flow rate (at 3 bar): 8 l/min  
 adjustable height via gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
**GROHE MetalGrip** ergonomically shaped metal handles  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


27 964 000	Chrome	4005176929595	759.23
------------	--------	---------------	--------



**Euphoria System 210**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
 Rain spray pattern  
 maximum flow rate (at 3 bar): 16 l/min  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage (27 221 000)  
 3 spray patterns:  
 Rain, Massage, SmartRain  
 maximum flow rate (at 3 bar): 15.5 l/min  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS


26 243 000	Chrome	4005176316326	606.78
------------	--------	---------------	--------



**Euphoria Shower System**  
**Shower system with bath thermostat for wall mounting**  
 with short shower rail for installation in showers  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 separate diverter for hand shower  
 gliding element  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
 distance between thermostat and upper bracket: 1016 mm  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE Long-Life** finish  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

# GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 421 002	Chrome	4005176417924	517.78



## Euphoria System 260 Shower system with diverter for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm  
change between hand and head shower  
by using the diverter

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

maximum flow rate (at 3 bar): 7.5 l/min  
with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage  
(27 239 000)

3 spray patterns:

Rain, SmartRain, Massage

maximum flow rate (at 3 bar): 8.5 l/min

adjustable height via gliding element

Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)

Silverflex shower hose 800 mm

connection to water supply with 1/2"-thread of

the 800 mm shower hose to faucet / wall union

**GROHE Water Saving** - Less water, perfect flow

**GROHE DreamSpray** perfect spray pattern

**GROHE Long-Life** finish

**GROHE SprayDimmer** (Stepless

flow rate reduction)

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**TwistStop** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h



minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

# GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 670 001	Chrome	4005176766879	465.77
------------	--------	---------------	--------



## Tempesta System 250 Shower system with thermostat for wall mounting

Consisting of:  
horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
head shower Tempesta 250 (26 666)  
spray pattern:  
Rain  
head shower with white rear cover  
with ball joint  
rotation angle  $\pm 10^\circ$   
hand shower Tempesta 110 (27 597)  
2 spray patterns:  
Rain, Jet  
adjustable height via gliding element  
RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)  
maximum flow rate (at 3 bar): 7.3 l/min  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
(calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
ShockProof silicone ring prevents damage caused by a shower falling  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.  
optional upgrade: **GROHE EasyReach** tray (26 362)  
professional edition


26 670 2431	matte black	4067393015970	605.50
-------------	-------------	---------------	--------

ditto, head shower with black rear cover

26 671 001	Chrome	4005176766886	493.34
------------	--------	---------------	--------

## Tempesta System 250 Shower system with thermostat for wall mounting


Consisting of:  
horizontal swivable 390 mm projection shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
head shower Tempesta 250 (26 666)  
spray pattern:  
Rain  
head shower with white rear cover  
with ball joint  
rotation angle  $\pm 10^\circ$   
hand shower Tempesta 110 (26 161)  
2 spray patterns:  
Rain, Jet  
adjustable height via gliding element  
RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)  
maximum flow rate (at 3 bar): 7.3 l/min  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
(calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 50°C included  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
ShockProof silicone ring prevents damage caused by a shower falling  
**GROHE Long-Life** finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.  
optional upgrade: **GROHE EasyReach** tray (26 362)  
professional edition



# GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 833 001	Chrome	4005176766893	465.77
------------	--------	---------------	--------



## Tempesta System 250 Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

**exposed thermostatic shower**

with Aquadimmer function

allows change between:

head shower Tempesta 250 (26 666)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

hand shower Tempesta 110 (27 597)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)

maximum flow rate (at 3 bar): 7.3 l/min

**GROHE Water Saving** - Less water, perfect flow

**GROHE TurboStat** compact cartridge with wax thermoelement

**GROHE SafeStop** safety button at 38°C

(calibration required)

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

ShockProof silicone ring prevents damage caused by a shower falling

**GROHE Long-Life** finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**TwistStop** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

DR-brass

professional edition

26 818 001	Chrome	4005176766909	420.54
------------	--------	---------------	--------



## Tempesta System 250

### Shower system with thermostat 160 cc for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

**exposed thermostatic shower**

with Aquadimmer function

centre distance 160 mm

allows change between:

head shower Tempesta 250 (26 666)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

hand shower Tempesta 110 (27 597)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)

maximum flow rate (at 3 bar): 8.5 l/min

**GROHE Water Saving** - Less water, perfect flow

**GROHE TurboStat** compact cartridge with wax thermoelement

**GROHE SafeStop** safety button at 38°C

(calibration required)

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

**GROHE FastFixation** upper bracket, +40 / -100 mm height adjustable and up to

36 mm depth adjustable

ShockProof silicone ring prevents damage caused by a shower falling

**GROHE Long-Life** finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**TwistStop** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

integrated flow elements for improved performance with higher pressure

differences between hot and cold water supply


professional edition

maximum flow rate (at 3 bar): 7.3 l/min



# GROHE TEMPESTA SYSTEM 250


Ref. No.	Colour	EAN	Retail Guide Price (£)
26 811 001	Chrome	4005176766985	397.43



**Tempesta System 210**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Tempesta 210 (26 410)  
 spray plate white  
 spray pattern:  
 Rain  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Tempesta 110 (27 923)  
 spray pattern:  
 Rain  
 adjustable height via gliding element  
 RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 7.9 l/min  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
 ShockProof silicone ring prevents damage caused by a shower falling  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS

26 699 001	Chrome	4005176766992	407.26
------------	--------	---------------	--------




**Tempesta System 210**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Tempesta 210 (26 410)  
 spray plate white  
 spray pattern:  
 Rain  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Tempesta 110 (27 923)  
 spray pattern:  
 Rain  
 adjustable height via gliding element  
 RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)  
 maximum flow rate (at 3 bar): 8.7 l/min  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** integrated temperature  
 limiter at max 50°C  
**GROHE DreamSpray** perfect spray pattern  
 ShockProof silicone ring prevents damage caused by a shower falling  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE TEMPESTA SYSTEM 250



Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 302 002	Chrome	4005176767005	407.26
------------	--------	---------------	--------



**Tempesta System 210**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Tempesta 210 (26 408)  
 spray pattern:  
 Rain  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Tempesta 110 (28 422)  
 2 spray patterns:  
 Rain, Jet  
 adjustable height via gliding element  
 RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)  
 maximum flow rate (at 3 bar): 17.3 l/min  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
 ShockProof silicone ring prevents damage caused by a shower falling  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)


26 672 001	Chrome	4005176766916	603.57
------------	--------	---------------	--------



**Tempesta System 250**  
**Shower system with bath thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Tempesta 250 (26 666)  
 spray pattern:  
 Rain  
 head shower with white rear cover  
 with ball joint  
 rotation angle  $\pm 10^\circ$   
 bath inlet  
 separate diverter for hand shower  
 hand shower Tempesta 110 (27 597)  
 2 spray patterns:  
 Rain, Jet  
 adjustable height via gliding element  
 RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)  
 maximum flow rate (at 3 bar): 20 l/min  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
 ShockProof silicone ring prevents damage caused by a shower falling  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 professional edition

# GROHE TEMPESTA SYSTEM 250


Ref. No.	Colour	EAN	Retail Guide Price (£)
26 978 001	Chrome	4005176766923	592.24



**Tempesta System 250**  
**Shower system with bath thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Tempesta 250 (26 666)  
 spray pattern:  
 Rain  
 head shower with white rear cover  
 with ball joint  
 rotation angle  $\pm 10^\circ$   
 bath inlet  
 separate diverter for hand shower  
 hand shower Tempesta 110 (27 597)  
 2 spray patterns:  
 Rain, Jet  
 adjustable height via gliding element  
 RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)  
 maximum flow rate (at 3 bar): 7.3 l/min  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 (calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
 ShockProof silicone ring prevents damage caused by a shower falling  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 professional edition

SHOWERS

26 673 001	Chrome	4005176766930	424.43
------------	--------	---------------	--------




**Tempesta System 250**  
**Shower system with single lever for wall mounting**  
 Consisting of:  
 horizontal swivable 390 mm projection shower arm  
 exposed single-lever shower mixer  
 with diverter  
 allows change between:  
 head shower Tempesta 250 (26 666)  
 spray pattern:  
 Rain  
 head shower with white rear cover  
 with ball joint  
 rotation angle  $\pm 10^\circ$   
 hand shower Tempesta 110 (27 597)  
 2 spray patterns:  
 Rain, Jet  
 adjustable height via gliding element  
 RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)  
 maximum flow rate (at 3 bar): 7.3 l/min  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
 ShockProof silicone ring prevents damage caused by a shower falling  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 min. recommended pressure 1.0 bar  
 professional edition

# GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 674 001	Chrome	4005176766947	562.24
------------	--------	---------------	--------



## Tempesta System 250

### Shower system with single lever bath mixer for wall mounting

with short shower rail for installation in showers

Consisting of:

horizontal 355 mm shower arm

exposed single-lever bath mixer with diverter handle

allows change between:

head shower Tempesta 250 (26 666)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

bath inlet

separate diverter for hand shower

hand shower Tempesta 110 (28 419)

3 spray patterns:

Rain, Jet, Massage

adjustable height via gliding element

RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)

maximum flow rate (at 3 bar): 7.4 l/min

**GROHE Water Saving** - Less water, perfect flow

**GROHE SilkMove** 46 mm ceramic cartridge

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

ShockProof silicone ring prevents damage caused by a shower falling

**GROHE Long-Life** finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**TwistStop** preventing the hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

professional edition

26 305 002	Chrome	4005176767043	479.63
------------	--------	---------------	--------



## Tempesta System 200

### Shower system with single lever bath mixer for wall mounting

with short shower rail for installation in showers

Consisting of:

horizontal 355 mm shower arm

exposed single-lever shower mixer

with diverter

allows change between:

head shower Tempesta Cosmopolitan 200 (27 541)

spray pattern:

Rain

with ball joint

rotation angle  $\pm 20^\circ$

bath inlet

separate diverter for hand shower

hand shower Tempesta 110 (28 261)

3 spray patterns:

Rain, Jet, Massage

adjustable height via gliding element

RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)

distance between single-lever mixer and upper bracket: 1011 mm

maximum flow rate (at 3 bar): 13.5 l/min

**GROHE SilkMove** 46 mm ceramic cartridge

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

ShockProof silicone ring prevents damage caused by a shower falling

**GROHE Long-Life** finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**TwistStop** preventing the hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

# GROHE TEMPESTA SYSTEM 250


Ref. No.	Colour	EAN	Retail Guide Price (£)
26 675 001	Chrome	4005176766954	281.41



**Tempesta System 250**  
**Flex shower system with diverter for wall mounting**  
 Consisting of:  
 horizontal 390 mm shower arm, adjustable before installation  
 change by diverter between hand shower, head shower or head shower Eco setting  
 head shower Tempesta 250 (26 666)  
 2 spray patterns (via diverter):  
 Rain, SmartRain  
 head shower with white rear cover  
 with ball joint  
 rotation angle  $\pm 10^\circ$   
 hand shower Tempesta 110 (28 419)  
 3 spray patterns:  
 Rain, Jet, Massage  
 adjustable height via gliding element  
 distance between diverter and upper bracket: 920 mm  
 shower hose Relexaflex 1500 mm (28 151)  
 Relexaflex shower hose 500 mm (22 115)  
 flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 500 mm shower hose  
 maximum flow rate (at 3 bar): 7.9 l/min  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
 ShockProof silicone ring prevents damage caused by a shower falling  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 min. recommended pressure 1.0 bar  
 professional edition

SHOWERS

26 979 001	Chrome	4005176766961	281.41
------------	--------	---------------	--------




**Tempesta System 250**  
**Flex shower system with diverter for wall mounting**  
 Consisting of:  
 horizontal 390 mm shower arm, adjustable before installation  
 change by diverter between hand shower, head shower or head shower Eco setting  
 head shower Tempesta 250 (26 666)  
 2 spray patterns (via diverter):  
 Rain, SmartRain  
 head shower with white rear cover  
 with ball joint  
 rotation angle  $\pm 10^\circ$   
 hand shower Tempesta 110 (26 912)  
 2 spray patterns:  
 Rain, Jet  
 adjustable height via gliding element  
 distance between diverter and upper bracket: 920 mm  
 shower hose Relexaflex 1500 mm (28 151)  
 Relexaflex shower hose 500 mm (22 115)  
 flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 500 mm shower hose  
 maximum flow rate (at 3 bar): 7.5 l/min  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
 ShockProof silicone ring prevents damage caused by a shower falling  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 min. recommended pressure 1.0 bar  
 professional edition



# GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 980 001	Chrome	4005176766978	272.78



## Tempesta System 250

### Flex shower system with diverter for wall mounting

Consisting of:

horizontal 390 mm shower arm, adjustable before installation  
change by diverter between hand shower, head shower or head shower Eco setting

head shower Tempesta 250 (26 666)

2 spray patterns (via diverter):

Rain, SmartRain

head shower with white rear cover  
with ball joint

rotation angle  $\pm 10^\circ$

hand shower Tempesta 110 (28 419)

3 spray patterns:

Rain, Jet, Massage

adjustable height via gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to tap / wall union for water supply with 1/2"

thread of the 1250 mm shower hose

maximum flow rate (at 3 bar): 7.9 l/min

**GROHE Water Saving** - Less water, perfect flow

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

ShockProof silicone ring prevents damage caused by a shower falling

**GROHE Long-Life** finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

professional edition

26 452 002	Chrome	4005176767067	265.38
------------	--------	---------------	--------

## Tempesta System 200

### Flex shower system with diverter for wall mounting

Consisting of:

horizontal 390 mm shower arm, adjustable before installation

change by diverter between hand shower, head shower or head shower Eco setting

head shower Tempesta Cosmopolitan 200 (27 541)

2 spray patterns (via diverter):

Rain, SmartRain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Tempesta 110 (28 261)

3 spray patterns:

Rain, Jet, Massage

adjustable height via gliding element

distance between diverter and upper bracket: 920 mm

shower hose Relexaflex 1500 mm (28 151)

Relexaflex shower hose 500 mm (22 115)

flexible installation: connection to faucet / wall union for water supply with 1/2"

thread of the 500 mm shower hose

maximum flow rate (at 3 bar): 9.5 l/min

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern


ShockProof silicone ring prevents damage caused by a shower falling

**GROHE Long-Life** finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life


minimum flow rate 7 l/min.



# GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

27 389 003	Chrome	4005176767081	247.50
------------	--------	---------------	--------



## Tempesta System 200

### Flex shower system with diverter for wall mounting

Consisting of:

horizontal 390 mm shower arm, adjustable before installation  
change by diverter between hand shower, head shower or head shower Eco setting

head shower Tempesta Cosmopolitan 200 (27 541)

spray pattern:

Rain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Tempesta 110 (28 261)

3 spray patterns:

Rain, Jet, Massage

adjustable height via gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to tap / wall union for water supply with 1/2"

thread of the 1250 mm shower hose

maximum flow rate (at 3 bar): 9.5 l/min

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

ShockProof silicone ring prevents damage caused by a shower falling

**GROHE Long-Life** finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

minimum flow rate 7 l/min.

26 689 001	Chrome	4005176766176	465.77
------------	--------	---------------	--------

## Tempesta System 250 Cube

### Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

**exposed thermostatic shower**

with Aquadimmer function

allows change between:

head shower Tempesta 250 Cube (26 685)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

hand shower Tempesta Cube 110 (27 571)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)

maximum flow rate (at 3 bar): 7.3 l/min

**GROHE Water Saving** - Less water, perfect flow

**GROHE TurboStat** compact cartridge with wax thermoelement

**GROHE SafeStop** safety button at 38°C

(calibration required)

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

ShockProof silicone ring prevents damage caused by a shower falling

**GROHE Long-Life** finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life


**TwistStop** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)


professional edition



# GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 690 001	Chrome	4005176766183	493.34
------------	--------	---------------	--------



## Tempesta System 250 Cube

### Shower system with thermostatic for wall mounting

NF, C3

Consisting of:

horizontal swivable 390 mm projection shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

#### exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 250 Cube (26 685)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

hand shower Tempesta Cube 110 (26 746)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)

maximum flow rate (at 3 bar): 7.4 l/min

**GROHE Water Saving** - Less water, perfect flow

**GROHE TurboStat** compact cartridge with wax thermoelement

**GROHE SafeStop** safety button at 38°C

(calibration required)

**GROHE SafeStop Plus** optional temperature limiter at 50°C included

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

ShockProof silicone ring prevents damage caused by a shower falling

**GROHE Long-Life** finish

**GROHE MetalGrip** ergonomically shaped metal handles

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**TwistStop** preventing the hose from twisting



suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

professional edition

26 691 001	Chrome	4005176766206	603.57
------------	--------	---------------	--------



## Tempesta System 250 Cube

### Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

#### exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 250 Cube (26 685)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

bath inlet

separate diverter for hand shower

hand shower Tempesta Cube 110 (27 571)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)

**GROHE Water Saving** - Less water, perfect flow

maximum flow rate (at 3 bar): 20 l/min

**GROHE TurboStat** compact cartridge with wax thermoelement

**GROHE SafeStop** safety button at 38°C

(calibration required)

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

ShockProof silicone ring prevents damage caused by a shower falling

**GROHE Long-Life** finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**TwistStop** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.

professional edition

# GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 975 001	Chrome	4005176766213	592.24
------------	--------	---------------	--------




## Tempesta System 250 Cube Shower system with bath thermostat for wall mounting

Consisting of:  
horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
head shower Tempesta 250 Cube (26 685)  
spray pattern:  
Rain  
head shower with white rear cover  
with ball joint  
rotation angle  $\pm 10^\circ$   
bath inlet  
separate diverter for hand shower  
hand shower Tempesta Cube 110 (27 571)  
2 spray patterns:  
Rain, Jet  
adjustable height via gliding element  
RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)  
maximum flow rate (at 3 bar): 8 l/min  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
(calibration required)  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
ShockProof silicone ring prevents damage caused by a shower falling  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.  
professional edition

SHOWERS

26 692 001	Chrome	4005176766220	424.43
------------	--------	---------------	--------




## Tempesta System 250 Cube Shower system with single lever for wall mounting

Consisting of:  
horizontal swivable 390 mm shower arm (14 047)  
exposed single-lever shower mixer  
with diverter  
allows change between:  
head shower Tempesta 250 Cube (26 685)  
spray pattern:  
Rain  
head shower with white rear cover  
with ball joint  
rotation angle  $\pm 10^\circ$   
hand shower Tempesta Cube 110 (27 571)  
2 spray patterns:  
Rain, Jet  
adjustable height via gliding element  
RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)  
maximum flow rate (at 3 bar): 7.3 l/min  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
ShockProof silicone ring prevents damage caused by a shower falling  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.  
min. recommended pressure 1.0 bar  
professional edition

# GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 693 001	Chrome	4005176766237	562.24
------------	--------	---------------	--------



## Tempesta System 250 Cube

### Shower system with single lever bath mixer for wall mounting

with short shower rail for installation in showers

Consisting of:

horizontal 355 mm shower arm

exposed single-lever bath mixer with diverter handle

allows change between:

head shower Tempesta 250 Cube (26 685)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

bath inlet

separate diverter for hand shower

hand shower Tempesta Cube 110 (27 574)

3 spray patterns:

Rain, Jet, Massage

adjustable height via gliding element

RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)

maximum flow rate (at 3 bar): 7.3 l/min

**GROHE Water Saving** - Less water, perfect flow

**GROHE SilkMove** 46 mm ceramic cartridge

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

ShockProof silicone ring prevents damage caused by a shower falling

**GROHE Long-Life** finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**TwistStop** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

professional edition

26 694 001	Chrome	4005176766244	281.41
------------	--------	---------------	--------

## Tempesta System 250 Cube

### Flex shower system with diverter for wall mounting

diverter

Consisting of:

horizontal 390 mm shower arm, adjustable before installation

change by diverter between hand shower, head shower or head shower Eco setting

head shower Tempesta 250 Cube (26 685)

2 spray patterns (via diverter):

Rain, SmartRain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

hand shower Tempesta Cube 110 (27 574)

3 spray patterns:

Rain, Jet, Massage

adjustable height via gliding element

distance between diverter and upper bracket: 920 mm

shower hose Relexaflex 1500 mm (28 151)

Relexaflex shower hose 500 mm (22 115)

flexible installation: connection to faucet / wall union for water supply with 1/2"

thread of the 500 mm shower hose

maximum flow rate (at 3 bar): 7.4 l/min

**GROHE Water Saving** - Less water, perfect flow

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

ShockProof silicone ring prevents damage caused by a shower falling

**GROHE Long-Life** finish

**SpeedClean** anti-limescale system


**Inner WaterGuide** for a longer life

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

professional edition






# GROHE TEMPESTA SYSTEM 250

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 976 001	Chrome	4005176766251	281.41
------------	--------	---------------	--------



## Tempesta System 250 Cube

### Flex shower system with diverter for wall mounting

Consisting of:

horizontal 390 mm shower arm, adjustable before installation  
change by diverter between hand shower, head shower or head shower Eco setting

head shower Tempesta 250 Cube (26 685)

2 spray patterns (via diverter):

Rain, SmartRain

head shower with white rear cover  
with ball joint

rotation angle  $\pm 10^\circ$

hand shower Tempesta Cube 110 (26 902)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

distance between diverter and upper bracket: 920 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to faucet / wall union for water supply with 1/2"

thread of the 500 mm shower hose

maximum flow rate (at 3 bar): 7.5 l/min

**GROHE Water Saving** - Less water, perfect flow

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

**GROHE Long-Life** finish

ShockProof silicone ring prevents damage caused by a shower falling

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

professional edition

SHOWERS

26 977 001	Chrome	4005176766862	272.78
------------	--------	---------------	--------



## Tempesta System 250 Cube

### Flex shower system with diverter for wall mounting

Consisting of:

horizontal 390 mm shower arm, adjustable before installation

change by diverter between hand shower, head shower or head shower Eco setting

head shower Tempesta 250 Cube (26 685)

2 spray patterns (via diverter):

Rain, SmartRain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

hand shower Tempesta Cube 110 (27 574)

3 spray patterns:

Rain, Jet, Massage

adjustable height via gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to tap / wall union for water supply with 1/2"

thread of the 1250 mm shower hose

maximum flow rate (at 3 bar): 7.9 l/min

**GROHE Water Saving** - Less water, perfect flow

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

ShockProof silicone ring prevents damage caused by a shower falling

**GROHE Long-Life** finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life











suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.






min. recommended pressure 1.0 bar

professional edition





# GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	48 349 000	Chrome	4005176409851	119.57
<p><b>Rainshower SmartControl Shower system pipe for retrofitting</b> metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems <b>GROHE Long-Life</b> finish</p>				
 	48 350 000	Chrome	4005176409868	146.15
<p><b>Rainshower SmartControl Shower system pipe for retrofitting</b> metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems <b>GROHE Long-Life</b> finish Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>				
 	48 053 000	Chrome	4005176890031	87.87
<p><b>Shower system pipe for retrofitting</b> for shower systems with metal or plastic inner water guide shower pipe for retrofitting 15 cm longer than original shower system pipe for bath/shower systems: 30 cm shorter than original pipe suitable for all Rainshower, Euphoria and Tempesta shower systems as of 2014 except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter <b>GROHE Long-Life</b> finish</p>				
 	48 054 000	Chrome	4005176890048	79.24
<p><b>Shower system pipe for retrofitting</b> for shower systems with metal or plastic inner water guide shower pipe for retrofitting - 15 cm shorter than original shower system pipe for bath/shower systems: 60 cm shorter than original pipe suitable for all Rainshower, Euphoria and Tempesta shower systems as of 2014 except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter <b>GROHE Long-Life</b> finish</p>				
 	14 014 000	Chrome	4005176929274	61.75
<p><b>Rainshower Shower arm for shower systems</b> material: metal projection 340 mm distance from wall 390 mm connection thread 1/2" <b>GROHE Long-Life</b> finish suitable for all GROHE shower systems except SmartControl suitable for all GROHE shower systems</p>				

# GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 180 000	Chrome	4005176839306	50.09
	<b>Rainshower Spacer</b> for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031 <b>GROHE Long-Life</b> finish stackable			
 	26 385 000	Chrome	4005176375057	17.65
	<b>Rainshower SmartControl Spacer</b> for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable			
	47 175 000	Chrome	4005176803895	160.43
	<b>GROHE TurboStat cartridge 1/2"</b> for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings			

# GROHE HEAD SHOWER SETS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 254 000	Chrome	4005176317026	730.73
	<b>Rainshower Duo 360</b> <b>Head shower set 450 mm, 2 sprays</b> Consisting of: head shower Rainshower Duo 360, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* and TrioMassage maximum flow rate (at 3 bar): 40 l/min horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 – to be ordered separately * to be decided during initial installation; factory default setting: GROHE PureRain			
	26 254 LS0	moon white	4005176409806	730.73
	<b>ditto, head shower with white spray plate</b>			
	26 264 001		4005176417108	132.85
	<b>Rainshower 360</b> <b>Rough-in box for head shower set 26 254</b> inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information			
	26 475 000	Chrome	4005176423758	597.26
	26 475 DC0	supersteel	4005176526237	836.17
	26 475 GL0	cool sunrise	4005176557156	955.62
	26 475 GN0	brushed cool sunrise	4005176557163	1,015.35
	26 475 DA0	warm sunset	4005176557125	955.62
	26 475 DL0	brushed warm sunset	4005176557132	1,015.35
	26 475 A00	hard graphite	4005176557095	955.62
	26 475 AL0	brushed hard graphite	4005176557101	1,015.35
	<b>Rainshower SmartActive 310</b> <b>Head shower set 430 mm, 2 sprays</b> Consisting of: head shower Rainshower SmartActive 310 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 483 or 26 484 - to be ordered separately			
	22 123 KF0	phantom black	4005176782572	836.17
<b>ditto, Professional exclusive</b>				
<b>26 475 LS0 moon white 4005176425899 784.70</b> <b>ditto, head shower with white spray plate</b>				

# GROHE HEAD SHOWER SETS

SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 477 000	Chrome	4005176423772	597.26
26 477 DC0	supersteel	4005176526244	836.17
26 477 GL0	cool sunrise	4005176557231	955.62
26 477 GN0	brushed cool sunrise	4005176557248	1,015.35
26 477 DA0	warm sunset	4005176557200	955.62
26 477 DL0	brushed warm sunset	4005176557217	1,015.35
26 477 A00	hard graphite	4005176557170	955.62
26 477 AL0	brushed hard graphite	4005176557187	1,015.35




**Rainshower SmartActive 310**  
**Head shower set ceiling 142 mm, 2 sprays**  
 Consisting of:  
 head shower Rainshower SmartActive 310  
 2 spray patterns:  
 GROHE PureRain, ActiveRain  
 142 mm ceiling shower arm  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 requires rough-in set 26 483 or 26 484 - to be ordered separately

22 124 KF0	phantom black	4005176782589	836.17
ditto, Professional exclusive			

26 477 LS0	moon white	4005176425912	784.70
ditto, head shower with white spray plate			


26 479 000	Chrome	4005176425196	629.03
26 479 DC0	supersteel	4005176526251	880.66
26 479 GL0	cool sunrise	4005176557316	1,006.46
26 479 GN0	brushed cool sunrise	4005176557323	1,069.36
26 479 DA0	warm sunset	4005176557286	1,006.46
26 479 DL0	brushed warm sunset	4005176557293	1,069.36
26 479 A00	hard graphite	4005176557255	1,006.46
26 479 AL0	brushed hard graphite	4005176557262	1,069.36



**Rainshower SmartActive 310 Cube**  
**Head shower set 430 mm, 2 sprays**  
 Consisting of:  
 head shower Rainshower SmartActive 310 Cube, spray plate moon white  
 2 spray patterns:  
 GROHE PureRain, ActiveRain  
 horizontal 430 mm shower arm  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 requires rough-in set 26 483 or 26 484 - to be ordered separately

26 479 LS0	moon white	4005176425936	816.47
ditto, head shower with white spray plate			

26 481 000	Chrome	4005176425219	629.03
26 481 DC0	supersteel	4005176526268	880.66
26 481 GL0	cool sunrise	4005176557392	1,006.46
26 481 GN0	brushed cool sunrise	4005176557408	1,069.36
26 481 DA0	warm sunset	4005176557361	1,006.46
26 481 DL0	brushed warm sunset	4005176557378	1,069.36
26 481 A00	hard graphite	4005176557330	1,006.46
26 481 AL0	brushed hard graphite	4005176557347	1,069.36









**Rainshower SmartActive 310 Cube**  
**Head shower set ceiling 142 mm, 2 sprays**  
 Consisting of:  
 head shower Rainshower SmartActive 310 Cube  
 2 spray patterns:  
 GROHE PureRain, ActiveRain  
 142 mm ceiling shower arm  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 requires rough-in set 26 483 or 26 484 - to be ordered separately









26 481 LS0	moon white	4005176425950	816.47
ditto, head shower with white spray plate			



# GROHE HEAD SHOWER SETS







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 484 000		4005176425110	123.90
	<p><b>Rainshower</b>  <b>Universal rough-in box, 1/2"</b>            2 inlets, 1/2"            installation depth 75-105 mm            connection unit in DR brass            stable build-in box and protective cover            leakproof housing            gasket            integrated flushing plug  <b>GROHE Water Saving</b> - Less water, perfect flow            maximum flow rate (at 3 bar): 9.5 l/min per each water way            without set for final installation</p>			
	26 483 000		4005176425103	123.90
	<p><b>ditto, with non-restricted flow</b></p>			
	26 558 000	Chrome	4005176481727	428.73
	26 558 DC0	supersteel	4005176526299	600.23
	26 558 GL0	cool sunrise	4005176557637	685.97
	26 558 GN0	brushed cool sunrise	4005176557644	728.85
	26 558 DA0	warm sunset	4005176557606	685.97
	26 558 DL0	brushed warm sunset	4005176557613	728.85
	26 558 A00	hard graphite	4005176557576	685.97
	26 558 AL0	brushed hard graphite	4005176557583	728.85
 	<p><b>Rainshower Mono 310</b>  <b>Head shower set 422 mm, 1 spray</b>            Consisting of:            head shower Rainshower 310, spray plate chrome (26 562)            1 spray pattern:            GROHE PureRain            maximum flow rate (at 3 bar): 7.5 l/min            shower arm Rainshower 422 mm (26 146 000)  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater</p>			
	22 121 KF0	phantom black	4005176782558	600.23
	<p><b>ditto, Professional exclusive</b></p>			
	26 557 000	Chrome	4005176481710	428.73
	<p><b>ditto, with non-restricted flow</b></p>			
	26 560 000	Chrome	4005176481741	428.73
	26 560 DC0	supersteel	4005176526305	600.23
	26 560 GL0	cool sunrise	4005176557712	685.97
	26 560 GN0	brushed cool sunrise	4005176557729	728.85
	26 560 DA0	warm sunset	4005176557682	685.97
	26 560 DL0	brushed warm sunset	4005176557699	728.85
	26 560 A00	hard graphite	4005176557651	685.97
	26 560 AL0	brushed hard graphite	4005176557668	728.85
 	<p><b>Rainshower Mono 310</b>  <b>Head shower set ceiling 142 mm, 1 spray</b>            Consisting of:            head shower Rainshower 310, spray plate chrome (26 562)            1 spray pattern:            GROHE PureRain            maximum flow rate (at 3 bar): 7.5 l/min            Rainshower shower arm ceiling 142 mm (28 724 000)  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater</p>			
	22 122 KF0	phantom black	4005176782565	600.23
	<p><b>ditto, Professional exclusive</b></p>			
	26 559 000	Chrome	4005176481734	428.73
	<p><b>ditto, with non-restricted flow</b></p>			

# GROHE HEAD SHOWER SETS









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 564 000	Chrome	4005176481789	459.58
	26 564 GL0	cool sunrise	4005176557798	735.32
	26 564 GN0	brushed cool sunrise	4005176557804	919.16
	26 564 DA0	warm sunset	4005176557767	735.32
	26 564 DL0	brushed warm sunset	4005176557774	919.16
	26 564 A00	hard graphite	4005176557736	873.20
	26 564 AL0	brushed hard graphite	4005176557743	919.16
				
				
	<b>Rainshower Mono 310 Cube</b> <b>Head shower set 422 mm, 1 spray</b> Consisting of: head shower Rainshower 310 1 spray pattern: GROHE PureRain maximum flow rate (at 3 bar): 7.5 l/min Rainshower shower arm 422 mm (26 145 000) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			
	26 563 000	Chrome	4005176481772	459.58
	ditto, with non-restricted flow			
	26 566 000	Chrome	4005176482106	459.58
	26 566 DC0	supersteel	4005176526282	781.28
	26 566 GL0	cool sunrise	4005176557873	735.32
	26 566 GN0	brushed cool sunrise	4005176557880	919.16
	26 566 DA0	warm sunset	4005176557842	735.32
	26 566 DL0	brushed warm sunset	4005176557859	919.16
	26 566 A00	hard graphite	4005176557811	873.20
	26 566 AL0	brushed hard graphite	4005176557828	919.16
				
				
	<b>Rainshower Mono 310 Cube</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Rainshower 310 1 spray pattern: GROHE PureRain maximum flow rate (at 3 bar): 7.5 l/min Rainshower shower arm ceiling 142 mm (27 485 000) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			
	26 565 000	Chrome	4005176482090	459.58
	ditto, with non-restricted flow			
	26 256 000	Chrome	4005176318597	834.91
				
				
	<b>Rainshower Cosmopolitan 400</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Rainshower Cosmopolitan 400 (28 778) 1 spray pattern: Rain maximum flow rate (at 3 bar): 7.5 l/min Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
	26 257 000	Chrome	4005176317927	606.44
				
				
	<b>Rainshower 310</b> <b>Head shower set 422 mm, 1 spray</b> Consisting of: Rainshower Cosmopolitan 310 head shower (27 477 000) 1 spray pattern: Rain maximum flow rate (at 3 bar): 12.5 l/min shower arm Rainshower 422 mm (26 146 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			

SHOWERS




# GROHE HEAD SHOWER SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 066 000	Chrome	4005176937200	627.66
	26 066 DC0	supersteel	4005176371172	878.74
	26 066 GL0	cool sunrise	4005176427183	1,004.27
	26 066 GN0	brushed cool sunrise	4005176427190	1,067.03
	26 066 DA0	warm sunset	4005176427206	1,004.27
	26 066 DL0	brushed warm sunset	4005176427213	1,067.03
	26 066 A00	hard graphite	4005176427237	1,004.27
	26 066 AL0	brushed hard graphite	4005176427220	1,067.03
				
				
	<b>Rainshower Cosmopolitan 310</b> <b>Head shower set 380 mm, 1 spray</b> Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain maximum flow rate (at 3 bar): 8 l/min shower arm Rainshower 380 mm (28 361 000) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system			
	26 056 000	Chrome	4005176937101	627.66
	ditto, with non-restricted flow			
				
				
	<b>Rainshower Cosmopolitan 310</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain maximum flow rate (at 3 bar): 8 l/min Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system			
	26 067 000	Chrome	4005176937217	627.66
	26 067 DC0	supersteel	4005176371189	878.74
	26 067 GL0	cool sunrise	4005176427268	1,004.27
	26 067 GN0	brushed cool sunrise	4005176427275	1,067.03
	26 067 DA0	warm sunset	4005176427282	1,004.27
	26 067 DL0	brushed warm sunset	4005176427299	1,067.03
	26 067 A00	hard graphite	4005176427312	1,004.27
	26 067 AL0	brushed hard graphite	4005176427305	1,067.03
				
				
	<b>Rainshower Cosmopolitan 210</b> <b>Head shower set 422 mm, 1 spray</b> Consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate chrome (28 368 000) 1 spray pattern: Rain maximum flow rate (at 3 bar): 16.5 l/min Rainshower shower arm 422 mm, escutcheon chrome (26 146) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b> starting at 0.5 bar flow pressure			

# GROHE HEAD SHOWER SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 062 000	Chrome	4005176937163	452.36
	<b>Rainshower Cosmopolitan 210</b> <b>Head shower set 286 mm, 1 spray</b> Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373) material: metal 1 spray pattern: Rain maximum flow rate (at 3 bar): 8.5 l/min Shower arm Rainshower 286 mm (28 576 000) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system starting at 0.5 bar flow pressure			
	26 052 000	Chrome	4005176937064	452.36
	ditto, with non-restricted flow			
 	26 063 000	Chrome	4005176937170	452.36
	<b>Rainshower Cosmopolitan 210</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373) material: metal 1 spray pattern: Rain maximum flow rate (at 3 bar): 8.5 l/min Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system starting at 0.5 bar flow pressure			
 	26 459 000	Chrome	4005176416965	253.55
	<b>Euphoria 260</b> <b>Head shower set 380 mm, 3 sprays</b> Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet maximum flow rate (at 3 bar): 7.5 l/min shower arm Rainshower 380 mm (28 361 000) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			
	26 458 000	Chrome	4005176416958	253.55
	ditto, maximum flow rate (at 3 bar): 12.5 l/min			
 	26 461 000	Chrome	4005176416989	201.60
	<b>Euphoria 260</b> <b>Head shower set ceiling 142 mm, 3 sprays</b> Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet maximum flow rate (at 3 bar): 7.5 l/min Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			

# GROHE HEAD SHOWER SETS





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 073 000	Chrome	4005176937279	276.74
	<p><b>Euphoria Cube 150</b>  <b>Head shower set 286 mm, 1 spray</b>            head shower Euphoria Cube 150 (27 705 000)            1 spray pattern:            Rain            maximum flow rate (at 3 bar): 8 l/min            Shower arm Rainshower 286 mm (27 709 000)  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>			
	26 663 000	Chrome	4005176580505	237.42
	<p><b>Tempesta 250</b>  <b>Head shower set 380 mm, 1 spray</b>            Consisting of:            head shower Tempesta 250 (26 662)            1 spray pattern:            Rain            fully chrome plated surfaces            shower arm 380 mm (28 361)  <b>GROHE Water Saving</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b>            professional edition</p>			
	26 668 000	Chrome	4005176580550	222.42
ditto, but head shower with white rear cover				
	26 668 2430	matte black	4067393015758	289.14
	<p><b>Tempesta 250</b>  <b>Head shower set 380 mm, 1 spray</b>            Consisting of:            head shower Tempesta 250            1 spray pattern:            Rain            shower arm 380 mm  <b>GROHE Water Saving</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b>            professional edition</p>			
	26 664 000	Chrome	4005176580512	191.69
	<p><b>Tempesta 250</b>  <b>Head shower set ceiling 142 mm, 1 spray</b>            Consisting of:            head shower Tempesta 250 (26 662)            spray pattern:            Rain            fully chrome plated surfaces            shower arm ceiling 142 mm (28 724)  <b>GROHE Water Saving</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b>            professional edition</p>			
	26 669 000	Chrome	4005176580567	176.67
ditto, but head shower with white rear cover				
	26 669 2430	matte black	4067393015765	229.68
ditto, head shower with black rear cover				











# GROHE HEAD SHOWER SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 682 000	Chrome	4005176580697	237.42
	<b>Tempesta 250 Cube</b> <b>Head shower set 380 mm, 1 spray</b> Consisting of: head shower Tempesta 250 Cube (26 681) spray pattern: Rain fully chrome plated surfaces shower arm 380 mm with square escutcheon <b>GROHE Water Saving</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> professional edition			
	26 687 000	Chrome	4005176580741	222.42
	ditto, but head shower with white rear cover			
 	26 683 000	Chrome	4005176580703	191.69
	<b>Tempesta 250 Cube</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (27 485) with square escutcheon <b>GROHE Water Saving</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> professional edition			
	26 688 000	Chrome	4005176580758	176.67
	ditto, but head shower with white rear cover			
 	26 412 000	Chrome	4005176390173	184.06
	102218 243 0	matte black	4067393019084	239.28
	<b>Tempesta 210</b> <b>Head shower set 286 mm, 1 spray</b> Consisting of: head shower Tempesta 210 (26 410) 1 spray pattern: Rain maximum flow rate (at 3 bar): 8.5 l/min Shower arm Rainshower 286 mm (28 576 000) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			
 	26 267 001	Chrome	4005176444197	65.78
	<b>Tempesta 100</b> <b>Head shower 1 spray</b> 1 spray pattern: Rain maximum flow rate (at 3 bar): 18 l/min Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>for low pressure</b>			









# GROHE HEAD SHOWER SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 869 001	Chrome	4005176444005	87.95
	<p><b>Tempesta Cosmopolitan 100</b>  <b>Head shower 4 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage, Jet            maximum flow rate (at 3 bar): 8.5 l/min            Ball joint +/- 15° rotatable            shower arm with connection thread 1/2" escutcheon</p> <p><b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b></p>			
 	26 090 001	Chrome	4005176443992	81.17
	<p><b>Tempesta Cosmopolitan 100</b>  <b>Head shower set 3 sprays</b>            spray patterns:            GROHE Rain O<sup>2</sup>, Rain, Massage            maximum flow rate (at 3 bar): 12 l/min            Ball joint +/- 15° rotatable            shower arm with connection thread 1/2" escutcheon</p> <p><b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b></p>			



# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 569 000	Chrome	4005176482175	351.62
	26 569 EN0	brushed nickel	4005176482182	597.76
	<b>Rainshower Mono 310</b> <b>Head shower 1 spray</b> spray pattern: GROHE PureRain maximum flow rate (at 3 bar): 5 l/min spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2"			
		<b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 562 000	Chrome	4005176481765	351.62
	ditto, with GROHE Water Saving 7.5 l/min flow limiter			
	26 561 000	Chrome	4005176481758	351.62
	ditto, with non-restricted flow			
	26 561 LS0	moon white	4005176482137	457.11
	<b>Rainshower Mono 310</b> <b>Head shower 1 spray</b> GROHE PureRain spray plate moon white ball joint with turning angle $\pm 10^\circ$ connection thread 1/2"			
		<b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater		
	26 570 000	Chrome	4005176482199	382.47
	26 570 EN0	brushed nickel	4005176482205	650.19
	<b>Rainshower Mono 310 Cube</b> <b>Head shower 1 spray</b> spray pattern: GROHE PureRain maximum flow rate (at 3 bar): 6 l/min spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2"			
		<b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater		
	26 568 000	Chrome	4005176482120	382.47
	ditto, with GROHE Water Saving 7.5 l/min flow limiter			
	26 567 000	Chrome	4005176482113	382.47
	ditto, with non-restricted flow			
	26 568 LS0	moon white	4005176482168	497.20
	<b>Rainshower Mono 310 Cube</b> <b>Head shower 1 spray</b> spray pattern: GROHE PureRain maximum flow rate (at 3 bar): 7.5 l/min spray plate moon white ball joint with turning angle $\pm 10^\circ$ connection thread 1/2"			
		<b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater		
	26 567 LS0	moon white	4005176482151	497.20
	ditto, with non-restricted flow			

# GROHE HEAD SHOWERS











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 470 000	Chrome	4005176882531	560.27
	<b>Rainshower Veris 300</b> <b>Head shower 1 spray</b> spray pattern: Rain 300 x 150 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system			
 	28 778 000	Chrome	4005176820526	773.90
	<b>Rainshower Cosmopolitan 400</b> <b>Head shower 1 spray</b> maximum flow rate (at 3 bar): 7.5 l/min diameter 400 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497			
 	26 472 000	Chrome	4005176424908	593.45
	<b>Rainshower Cosmopolitan 310</b> <b>Head shower 1 spray</b> spray pattern: Rain maximum flow rate (at 3 bar): 5.5 l/min $\varnothing$ 310 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system suitable for instantaneous heater			
	27 478 000	Chrome	4005176883293	593.45
	ditto, with GROHE Water Saving 8.5 l/min flow limiter			
	27 477 000	Chrome	4005176883286	593.45
	ditto, with non-restricted flow			
 	28 368 00E	Chrome	4005176867385	404.10
	<b>Rainshower Cosmopolitan 210</b> <b>Head shower 1 spray</b> spray pattern: Rain starting at 0.5 bar flow pressure maximum flow rate (at 3 bar): 5 l/min $\varnothing$ 210 mm material: metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2" <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system			
	28 373 000	Chrome	4005176267277	404.10
	ditto, with GROHE Water Saving 8 l/min flow limiter			
	28 368 000	Chrome	4005176267253	404.10
	ditto, with non-restricted flow			
	28 368 LS0	moon white	4005176997242	501.08
	ditto, with non-restricted flow, head shower with white spray face			

# GROHE HEAD SHOWERS









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 135 000	Chrome	4005176836077	152.59
	27 135 EN0	brushed nickel	4005176836084	259.40
	<p><b>Rainshower Cosmopolitan 160</b>  <b>Head shower 4 sprays</b>            spray patterns:            Rain / Jet / Pure / Champagne spray            maximum flow rate (at 3 bar): 8.5 l/min            Ø 160 mm            ball joint with turning angle 15° ± 15°  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>SpeedClean</b> anti-limescale system  <b>suitable for instantaneous heater</b>  <b>Min. recommended pressure 0.5 bar</b>            The head shower is suitable for minimum flow rate of 7.5 l/min and a maximum of 9.5 l/min (ASME A112.18.1M). Minimum pressure &gt; 1 bar, maximum 6 bar (ASME A112.18.1M). recommended for use with Rainshower shower arms</p>			
	27 134 000	Chrome	4005176836060	149.80
	<p><b>Rainshower Cosmopolitan 160</b>  <b>Head shower 4 sprays</b>            spray patterns:            Rain / Jet / Pure / Champagne spray            maximum flow rate (at 3 bar): 11.5 l/min            Ø 160 mm            ball joint with turning angle ± 15°            connection thread 1/2"  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system</p>			
	27 062 000	Chrome	4005176831669	242.47
	<p><b>Relexa 100 Five</b>  <b>Head shower 5 sprays</b>            spray patterns:            Wide spray / Needle Jet / Rain / Massage / Champagne spray            maximum flow rate (at 3 bar): 20 l/min            ball-joint            connection thread with pre-assembled sealing  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            minimum flow rate 7.5 l/min.</p>			
	26 457 000	Chrome	4005176416934	152.72
	<p><b>Euphoria 260</b>  <b>Head shower 3 sprays</b>            spray patterns:            Rain, SmartRain, Jet            maximum flow rate (at 3 bar): 7.5 l/min            Ø 260 mm            Ball joint +/- 15° rotatable            connection thread 1/2"  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b></p>			
	26 455 000	Chrome	4005176416903	152.72
	ditto, maximum flow rate (at 3 bar): 12.5 l/min			













# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 492 000	Chrome	4005176885556	156.54
<b>Euphoria Cosmopolitan 180</b> <b>Head shower 1 spray</b> spray pattern: Rain maximum flow rate (at 3 bar): 7.5 l/min Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system				
 	28 233 000	Chrome	4005176868016	100.83
<b>Euphoria Cosmopolitan 160</b> <b>Head shower 1 spray</b> spray pattern: Rain maximum flow rate (at 3 bar): 7.5 l/min Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>				
 	27 237 000	Chrome	4005176854286	86.96
<b>Euphoria 110 Mono</b> <b>Head shower 1 spray</b> spray pattern: Rain maximum flow rate (at 1 bar): 31 l/min connection thread 1/2" bellows <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>				
 	26 468 000	Chrome	4005176423963	172.27
<b>Euphoria Cube 150</b> <b>Head shower 1 spray</b> spray pattern: Rain maximum flow rate (at 3 bar): 6 l/min 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" <b>GROHE Water Saving Plus</b> - extra efficient water usage, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life				
 	27 705 000	Chrome	4005176907166	172.25
<b>Euphoria Cube 150</b> <b>Head shower 1 spray</b> spray pattern: Rain maximum flow rate (at 3 bar): 8 l/min 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life				



# GROHE HEAD SHOWERS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 662 000	Chrome	4005176580499	144.14
	<b>Tempesta 250</b> <b>Head shower 1 spray</b> Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" <b>GROHE Water Saving</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater professional edition			
	26 666 000	Chrome	4005176580536	129.12
ditto, but with white rear cover				
 	26 681 000	Chrome	4005176580680	144.14
	<b>Tempesta 250 Cube</b> <b>Head shower 1 spray</b> spray pattern: Rain 250 mm x 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" <b>GROHE Water Saving</b> 9,5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater professional edition			
	26 685 000	Chrome	4005176580727	129.12
ditto, but with white rear cover				
 	26 409 000	Chrome	4005176390128	103.95
	<b>Tempesta 210</b> <b>Head shower 1 spray</b> spray pattern: Rain maximum flow rate (at 3 bar): 6 l/min Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 410 000	Chrome	4005176390142	103.95
ditto, maximum flow rate (at 3 bar): 8.5 l/min				
	26 408 000	Chrome	4005176390111	103.95
ditto, with non-restricted flow				
 	27 606 001	Chrome	4005176444180	67.14
	<b>Tempesta 100</b> <b>Head shower 4 sprays</b> spray patterns: GROHE Rain O <sup>2</sup> , Rain, Massage, Jet maximum flow rate (at 3 bar): 9 l/min connection thread 1/2" <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			

# GROHE HEAD SHOWERS











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 050 001	Chrome	4005176444166	52.82
<b>Tempesta 100</b> <b>Head shower 1 spray</b> spray pattern: Rain maximum flow rate (at 3 bar): 5.5 l/min Ball joint +/- 15° rotatable <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater				
 	27 591 001	Chrome	4005176443985	73.85
<b>Tempesta Cosmopolitan 100</b> <b>Head shower 4 sprays</b> spray patterns: GROHE Rain O <sup>2</sup> , Rain, Massage, Jet maximum flow rate (at 3 bar): 8.5 l/min connection thread 1/2" <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life				
 	26 051 001	Chrome	4005176443954	59.31
<b>Tempesta Cosmopolitan 100</b> <b>Head shower 1 spray</b> spray pattern: Rain maximum flow rate (at 3 bar): 5.5 l/min Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater				
 	27 541 001	Chrome	4005176451676	96.32
<b>Tempesta Cosmopolitan 200</b> <b>Head shower 1 spray</b> Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" suitable for instantaneous heater				
 	28 094 000	Chrome	4005176601132	44.12
<b>Relexa Plus 50</b> <b>Head shower 1 spray</b> with ball joint 1/2" connection <b>GROHE Long-Life</b> finish adjustable flow rate without shower arm				

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 002 000	Chrome	4005176858796	228.02
<p><b>Relaxa 70</b>  <b>Sports head shower 1 spray</b>                      low aerosol emission                      heavy, cast model                      theft proof                      connection thread 1/2"                      projection 57 mm                      flow limiter 9 l/min. and 12 l/min.  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life                      suicide resistant design                      pipe union plug-in for wall connection</p>				

 	28 948 000	Chrome	4005176209871	268.21
<p><b>Relaxa Plus 60</b>  <b>Sports head shower 1 spray</b>                      heavy, cast model                      connection thread 1/2"                      projection 148 mm  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system</p>				

# GROHE ACCESSORIES FOR HEAD SHOWERS




	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 146 000	Chrome	4005176986017	101.64
<p><b>Rainshower</b>  <b>Shower arm 422 mm</b>                      material: metal                      connection thread 1/2"                      with round escutcheon, can be used for all Rainshower head showers  <b>GROHE Long-Life</b> finish</p>				
	28 982 000	Chrome	4005176829987	160.10
<p><b>ditto, projection 372 mm</b></p>				
 	28 361 000	Chrome	4005176295157	117.02
<p><b>Rainshower</b>  <b>Shower arm, 380 mm</b>                      material: metal                      connection thread 1/2"                      can be used for all Rainshower head showers except Rainshower 400 mm  <b>GROHE Long-Life</b> finish</p>				
	28 576 000	Chrome	4005176274022	92.04
<p><b>Ditto, projection 286 mm</b></p>				
 	26 145 000	Chrome	4005176986000	101.64
<p><b>Rainshower</b>  <b>Shower arm 422 mm</b>                      material: metal                      connection thread 1/2"                      with square escutcheon                      can be used for all Rainshower head showers  <b>GROHE Long-Life</b> finish</p>				
 	27 488 000	Chrome	4005176885525	92.04
<p><b>Rainshower</b>  <b>Shower arm 286 mm</b>                      material: metal                      connection thread 1/2"                      with square escutcheon                      can be used for all Rainshower head showers except Rainshower 400 mm  <b>GROHE Long-Life</b> finish</p>				
 	27 709 000	Chrome	4005176909092	126.98
<p><b>Rainshower</b>  <b>Shower arm 286 mm</b>                      material: metal                      connection thread 1/2"                      with square escutcheon and rectangular arm                      suitable for square Rainshower Allure and Euphoria Cube head shower  <b>GROHE Long-Life</b> finish</p>				




# GROHE ACCESSORIES FOR HEAD SHOWERS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 497 000	Chrome	4005176270338	81.24
	<b>Rainshower</b> <b>Shower ceiling arm 292 mm</b> material: metal connection thread 1/2" with round escutcheon can be used for all Rainshower head showers GROHE Long-Life finish			
	28 724 000	Chrome	4005176812644	60.98
	<b>ditto, length 142 mm</b>			
 	27 484 000	Chrome	4005176885488	80.02
	<b>Rainshower</b> <b>Shower ceiling arm 292 mm</b> material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers GROHE Long-Life finish			
	27 485 000	Chrome	4005176885495	68.02
	<b>ditto, 142 mm length</b>			
 	27 711 000	Chrome	4005176909115	108.32
	<b>Rainshower</b> <b>Shower arm ceiling 154 mm</b> material: metal connection thread 1/2" GROHE Long-Life finish			
 	27 406 000	Chrome	4005176600166	52.57
	<b>Relaxa</b> <b>Shower arm 218 mm</b> connection thread 1/2" projection 218 mm escutcheon GROHE Long-Life finish			
 	28 429 000	Chrome	4005176601910	49.92
	<b>Relaxa</b> <b>Shower arm 55 mm</b> connection thread 1/2" GROHE Long-Life finish			

# GROHE RAINSHOWER SMARTACTIVE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 574 000	Chrome	4005176485916	90.08
	26 574 DC0	supersteel	4005176526459	135.13
	26 574 GL0	cool sunrise	4005176558511	153.14
	26 574 GN0	brushed cool sunrise	4005176558528	162.15
	26 574 DA0	warm sunset	4005176558481	153.14
	26 574 DL0	brushed warm sunset	4005176558498	162.15
	26 574 A00	hard graphite	4005176558450	153.14
	26 574 AL0	brushed hard graphite	4005176558467	162.15
	22 127 KF0	phantom black ditto, Professional exclusive	4005176782633	126.12
	26 544 000	Chrome ditto, with non-restricted flow	4005176478888	89.63
	26 574 LS0	moon white	4005176485923	90.08
	26 575 000	Chrome	4005176485947	192.48
	26 546 000	Chrome ditto, with non-restricted flow	4005176479816	191.88



**Rainshower SmartActive 130**  
**Hand shower 3 sprays**  
 spray plate chrome  
 spray patterns:  
 GROHE Rain including DripStop, Jet including DripStop, ActiveMassage  
 maximum flow rate (at 3 bar): 8.5 l/min  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SmartTip** showering spray selection via push of a ring  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 Universal Mounting System. Fits all standard shower hoses  
**suitable for instantaneous heater**











**Rainshower SmartActive 130**  
**Hand shower 3 sprays**  
 spray plate moon white  
 spray patterns:  
 GROHE Rain including DripStop, Jet including DripStop, ActiveMassage  
 maximum flow rate (at 3 bar): 8.5 l/min  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SmartTip** showering spray selection via push of a ring  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 Universal Mounting System. Fits all standard shower hoses  
**suitable for instantaneous heater**



**Rainshower SmartActive 130**  
**Shower rail set 3 sprays**  
 Consisting of:  
 hand shower Rainshower SmartActive 130 (26 574)  
 maximum flow rate (at 3 bar): 8.5 l/min  
 shower rail 600 mm  
 with wall holders made of metal  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE EasyReach** tray  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE FastFixation Plus** adjustable distance between brackets, to adapt to existing holes  
**GROHE TileFix** adjustable depth on upper and lower bracket  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
**suitable for instantaneous heater**







# GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 578 000	Chrome	4005176485985	197.53
	<b>Rainshower SmartActive 130 Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 (26 544) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 579 L50	moon white	4005176486203	198.13
	<b>Rainshower SmartActive 130 Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 (26 574) maximum flow rate (at 3 bar): 8.5 l/min spray plate moon white shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
	26 578 L50	moon white	4005176486197	197.53
	ditto, with non-restricted flow			
 	26 581 000	Chrome	4005176486234	126.12
	<b>Rainshower SmartActive 130 Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 (26 574) maximum flow rate (at 3 bar): 8.5 l/min wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
	26 581 L50	moon white	4005176486241	126.12
	ditto, with white spray plate			
 	26 580 000	Chrome	4005176486210	148.63
	<b>Rainshower SmartActive 130 Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 (26 574) maximum flow rate (at 3 bar): 8.5 l/min wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
	26 580 L50	moon white	4005176486227	148.63
	ditto, with white spray plate			

# GROHE RAINSHOWER SMARTACTIVE



	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	26 582 000	Chrome	4005176486258	90.08	
	26 582 DC0	supersteel	4005176526466	135.13	
	26 582 GL0	cool sunrise	4005176558597	144.14	
	26 582 GN0	brushed cool sunrise	4005176558603	162.15	
	26 582 DA0	warm sunset	4005176558566	144.14	
	26 582 DL0	brushed warm sunset	4005176558573	162.15	
	26 582 A00	hard graphite	4005176558535	153.14	
	26 582 AL0	brushed hard graphite	4005176558542	162.15	
	<b>Rainshower SmartActive 130 Cube</b> <b>Hand shower 3 sprays</b> spray plate chrome spray patterns: GROHE Rain including DripStop, Jet including DripStop, ActiveMassage <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 8.5 l/min <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SmartTip</b> showering spray selection via push of a ring <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b>				
	26 552 000	Chrome	4005176486272	91.43	
	ditto, with GROHE EcoJoy 6.8 l/min flow limiter				
	26 550 000	Chrome	4005176479854	89.63	
	ditto, with non-restricted flow				
 	26 582 LS0	moon white	4005176486265	90.08	
	<b>Rainshower SmartActive 130 Cube</b> <b>Hand shower 3 sprays</b> spray plate moon white spray patterns: GROHE Rain including DripStop, Jet including DripStop, ActiveMassage <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 8.5 l/min <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SmartTip</b> showering spray selection via push of a ring <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b>				
		26 584 000	Chrome	4005176486296	192.48
		<b>Rainshower SmartActive 130 Cube</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) maximum flow rate (at 3 bar): 8.5 l/min shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
	 	26 585 000	Chrome	4005176486319	195.37
		ditto, maximum flow rate (at 3 bar): 5.5 l/min			
		26 583 000	Chrome	4005176486289	191.88
		ditto, with non-restricted flow			

# GROHE RAINSHOWER SMARTACTIVE





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 584 LS0	moon white	4005176486302	192.48
	<p><b>Rainshower SmartActive 130 Cube</b>  <b>Shower rail set 3 sprays</b>            Consisting of:            hand shower Rainshower SmartActive 130 Cube (26 582)            maximum flow rate (at 3 bar): 8.5 l/min            spray plate moon white            shower rail 600 mm            with wall holders made of metal            Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  <b>GROHE EasyReach</b> tray  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes  <b>GROHE TileFix</b> adjustable depth on upper and lower bracket  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>TwistStop</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b></p>			
	26 586 000	Chrome	4005176486333	197.53
	<p><b>Rainshower SmartActive 130 Cube</b>  <b>Shower rail set 3 sprays</b>            Consisting of:            hand shower Rainshower SmartActive 130 Cube (26 550)            maximum flow rate (at 3 bar): 12 l/min            shower rail 900 mm            with wall holders made of metal            Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  <b>GROHE EasyReach</b> tray  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes  <b>GROHE TileFix</b> adjustable depth on upper and lower bracket  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>TwistStop</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b></p>			
	26 587 000	Chrome	4005176486340	198.13
	ditto, maximum flow rate (at 3 bar): 8.5 l/min			
	26 586 LS0	moon white	4005176486357	197.53
	<p><b>Rainshower SmartActive 130 Cube</b>  <b>Shower rail set 3 sprays</b>            Consisting of:            hand shower Rainshower SmartActive 130 Cube (26 550)            maximum flow rate (at 3 bar): 12 l/min            spray plate moon white            shower rail 900 mm            with wall holders made of metal            Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  <b>GROHE EasyReach</b> tray  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes  <b>GROHE TileFix</b> adjustable depth on upper and lower bracket  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>TwistStop</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b></p>			
	26 587 LS0	moon white	4005176486364	198.13
	ditto, maximum flow rate (at 3 bar): 8.5 l/min			



# GROHE RAINSHOWER SMARTACTIVE







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 589 000	Chrome	4005176486395	126.12
<b>Rainshower SmartActive 130 Cube</b> <b>Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) maximum flow rate (at 3 bar): 8.5 l/min wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>				
 	26 589 LS0	moon white	4005176486401	126.12
<b>Rainshower SmartActive 130 Cube</b> <b>Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) maximum flow rate (at 3 bar): 8.5 l/min spray plate moon white wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>				
 	26 588 000	Chrome	4005176486371	148.63
<b>Rainshower SmartActive 130 Cube</b> <b>Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) maximum flow rate (at 3 bar): 8.5 l/min wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>				
 	26 588 LS0	moon white	4005176486388	148.63
<b>Rainshower SmartActive 130 Cube</b> <b>Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) maximum flow rate (at 3 bar): 8.5 l/min spray plate moon white wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>				

# GROHE RAINSHOWER SMARTACTIVE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 590 000	Chrome	4005176486418	113.35
	<b>Rainshower SmartActive 150</b> <b>Hand shower 3 sprays</b> spray plate chrome spray patterns: GROHE Rain including DripStop, Jet including DripStop, ActiveMassage <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 8.5 l/min <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SmartTip</b> showering spray selection via push of a ring <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b> male connection thread 1/2"			
	26 553 000	Chrome	4005176479885	112.42
	<b>ditto, with non-restricted flow</b>			
 	26 592 000	Chrome	4005176486449	228.57
	<b>Rainshower SmartActive 150</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 150 (26 590) maximum flow rate (at 3 bar): 8.5 l/min shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
	26 591 000	Chrome	4005176486425	227.97
	<b>ditto, with non-restricted flow</b>			
 	26 592 LS0	moon white	4005176486432	228.57
	<b>Rainshower SmartActive 150</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 150 (26 554) maximum flow rate (at 3 bar): 8.5 l/min spray plate moon white shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			

SHOWERS

# GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 594 000	Chrome	4005176486470	235.00
	<p><b>Rainshower SmartActive 150</b>  <b>Shower rail set 3 sprays</b>            Consisting of:            hand shower Rainshower SmartActive 150 (26 590)            maximum flow rate (at 3 bar): 8.5 l/min            shower rail 900 mm            with wall holders made of metal            Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  <b>GROHE EasyReach</b> tray  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes  <b>GROHE TileFix</b> adjustable depth on upper and lower bracket  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>TwistStop</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b></p>			
	26 593 000	Chrome	4005176486456	234.40
	<b>ditto, with non-restricted flow</b>			
	26 594 LS0	moon white	4005176486463	235.00
	<p><b>Rainshower SmartActive 150</b>  <b>Shower rail set 3 sprays</b>            Consisting of:            hand shower Rainshower SmartActive 150 (26 554)            maximum flow rate (at 3 bar): 8.5 l/min            spray plate moon white            shower rail 900 mm            with wall holders made of metal            Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  <b>GROHE EasyReach</b> tray  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes  <b>GROHE TileFix</b> adjustable depth on upper and lower bracket  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>TwistStop</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b></p>			
	26 602 000	Chrome	4005176486531	116.51
	<p><b>Rainshower SmartActive</b>  <b>Shower rail, 600 mm</b>            with wall holders made of metal            glide element and swivel holder  <b>GROHE FastFixation</b> (variable distance between wall shower holders to adapt to existing holes)  <b>GROHE TileFix</b> adjustable depth on upper and lower bracket  <b>GROHE EasyReach</b> tray  <b>GROHE Long-Life</b> finish</p>			

# GROHE RAINSHOWER SMARTACTIVE



Ref. No.	Colour	EAN	Retail Guide Price (£)
26 603 000	Chrome	4005176486548	122.52
26 603 EN0	brushed nickel	4005176558740	269.54
26 603 GL0	cool sunrise	4005176558757	245.02
26 603 GN0	brushed cool sunrise	4005176558764	269.54
26 603 DA0	warm sunset	4005176558726	245.02
26 603 DL0	brushed warm sunset	4005176558733	269.54
26 603 A00	hard graphite	4005176558696	245.02
26 603 AL0	brushed hard graphite	4005176558702	269.54
22 125 KF0	phantom black	4005176782619	171.52

**Rainshower SmartActive**  
**Shower rail, 900 mm**  
 with wall holders made of metal  
 glide element and swivel holder  
 GROHE FastFixation (variable distance between  
 wall shower holders to adapt to existing holes)  
**GROHE TileFix** adjustable depth on upper and lower bracket  
**GROHE EasyReach** tray  
**GROHE Long-Life** finish

# GROHE RELEXA









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 796 000	Chrome	4005176824296	155.18
	<p><b>Relexa 100 Five</b>  <b>Hand shower 5 sprays</b>            Wide spray / Needle Jet / Rain / Massage / Champagne spray  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            minimum flow rate 7.5 l/min.</p>			
 	27 062 000	Chrome	4005176831669	242.47
	<p><b>Relexa 100 Five</b>  <b>Head shower 5 sprays</b>            spray patterns:            Wide spray / Needle Jet / Rain / Massage / Champagne spray            maximum flow rate (at 3 bar): 20 l/min            ball-joint            connection thread with pre-assembled sealing  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            minimum flow rate 7.5 l/min.</p>			
 	28 094 000	Chrome	4005176601132	44.12
	<p><b>Relexa Plus 50</b>  <b>Head shower 1 spray</b>            with ball joint            1/2" connection  <b>GROHE Long-Life</b> finish            adjustable flow rate            without shower arm</p>			
 	28 002 000	Chrome	4005176858796	228.02
	<p><b>Relexa 70</b>  <b>Sports head shower 1 spray</b>            low aerosol emission            heavy, cast model            theft proof            connection thread 1/2"            projection 57 mm            flow limiter 9 l/min. and 12 l/min.  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            suicide resistant design            pipe union plug-in for wall connection</p>			
 	28 948 000	Chrome	4005176209871	268.21
	<p><b>Relexa Plus 60</b>  <b>Sports head shower 1 spray</b>            heavy, cast model            connection thread 1/2"            projection 148 mm  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system</p>			



# GROHE EUPHORIA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 222 000	Chrome	4005176854132	73.04
	<b>Euphoria 110 Champagne</b> <b>Hand shower 3 sprays</b> spray patterns: Rain, Champagne spray, SmartRain maximum flow rate (at 3 bar): 17 l/min <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b>			
 	26 513 000	Chrome	4005176457722	76.56
	<b>Euphoria 110 Massage</b> <b>Hand shower 3 sprays</b> spray face Ø 110 mm spray patterns: Rain, Massage, SmartRain maximum flow rate (at 3 bar): 6.4 l/min <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE Long-Life</b> finish spray plate white <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
 	27 239 001	Chrome	4005176457715	76.56
	<b>Euphoria 110 Massage</b> <b>Hand shower 3 sprays</b> spray face Ø 110 mm spray patterns: Rain, Massage, SmartRain maximum flow rate (at 3 bar): 8.2 l/min <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE Long-Life</b> finish spray plate white <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
	27 221 001	Chrome	4005176457708	69.89
	ditto, maximum flow rate (at 3 bar): 16.6 l/min			
 	27 239 000	Chrome	4005176854323	70.05
	<b>Euphoria 110 Massage</b> <b>Hand shower 3 sprays</b> spray patterns: Rain, Massage, SmartRain maximum flow rate (at 3 bar): 8.2 l/min <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 221 000	Chrome	4005176854125	63.08
	ditto, maximum flow rate (at 3 bar): 16.6 l/min			

# GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 238 000	Chrome	4005176854293	53.94
	<b>Euphoria 110 Duo</b> <b>Hand shower 2 sprays</b> spray patterns: Rain, SmartRain maximum flow rate (at 3 bar): 9.1 l/min <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
	27 220 000	Chrome	4005176854118	50.46
	ditto, maximum flow rate (at 3 bar): 16.6 l/min			
 	27 265 00E	Chrome	4005176885693	36.53
	<b>Euphoria 110 Mono</b> <b>Hand shower 1 spray</b> spray pattern: Rain maximum flow rate (at 3 bar): 5.5 l/min <b>GROHE Water Saving Plus</b> - extra efficient water usage, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
	27 265 000	Chrome	4005176856983	36.53
	ditto, maximum flow rate (at 3 bar): 21.7 l/min			
 	27 224 000	Chrome	4005176854156	36.53
	<b>Euphoria 110 Mono</b> <b>Hand shower 1 spray</b> spray pattern: Rain maximum flow rate (at 3 bar): 21.7 l/min <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life min. recommended pressure 1.0 bar			
 	27 232 001	Chrome	4005176899560	130.47
	<b>Euphoria 110 Champagne</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Champagne (27 222) maximum flow rate (at 3 bar): 17 l/min shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes) <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			

# GROHE EUPHORIA


Ref. No.      Colour      EAN      Retail Guide Price (£)



**27 243 001      Chrome      4005176899799      120.51**

**Euphoria 110 Massage Shower rail set 3 sprays**  
 hand shower Massage (27 239 000)  
 maximum flow rate (at 3 bar): 8.2 l/min  
 shower rail, 600 mm (27 499)  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE EasyReach** tray (27 596)  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE Long-Life** finish  
**GROHE FastFixation** (upper bracket adjustable to adapt to existing holes)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
**suitable for instantaneous heater**


**27 231 001      Chrome      4005176899553      120.51**  
 ditto, maximum flow rate (at 3 bar): 16.6 l/min



**27 242 001      Chrome      4005176899782      114.79**

**Euphoria 110 Duo Shower rail set 2 sprays**  
 Consisting of:  
 hand shower Euphoria 110 Duo (27 238)  
 maximum flow rate (at 3 bar): 9.1 l/min  
 shower rail, 600 mm (27 499)  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE EasyReach** tray (27 596)  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE Long-Life** finish  
**GROHE FastFixation** (upper bracket adjustable to adapt to existing holes)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
**suitable for instantaneous heater**  
 min. recommended pressure 1.0 bar

**27 230 001      Chrome      4005176899546      114.79**  
 ditto, maximum flow rate (at 3 bar): 16.6 l/min











**27 266 00E      Chrome      4005176890710      100.91**

**Euphoria 110 Mono Shower rail set 1 spray**  
 Consisting of:  
 hand shower Euphoria Mono (27 265 000)  
 maximum flow rate (at 3 bar): 5.5 l/min  
 shower rail, 600 mm (27 499)  
 Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000)  
**GROHE EasyReach** tray  
**GROHE Water Saving Plus** - extra efficient water usage, perfect flow  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE FastFixation** (upper bracket adjustable to adapt to existing holes)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**TwistStop** preventing the hose from twisting  
**suitable for instantaneous heater**  
 min. recommended pressure 1.0 bar





**27 266 001      Chrome      4005176899812      100.91**  
 ditto, maximum flow rate (at 3 bar): 21.7 l/min

SHOWERS

# GROHE EUPHORIA











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 227 001	Chrome	4005176899522	139.14
	<b>Euphoria 110 Champagne Shower rail set 3 sprays</b> Consisting of: hand shower Champagne (27 222) maximum flow rate (at 3 bar): 17 l/min shower rail 900 mm (27 500) Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE Long-Life</b> finish <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes) <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
 	27 226 001	Chrome	4005176899515	129.17
	<b>Euphoria 110 Massage Shower rail set 3 sprays</b> Consisting of: hand shower Massage (27 221 000) maximum flow rate (at 3 bar): 16.6 l/min shower rail 900 mm (27 500) Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes) <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	27 225 001	Chrome	4005176899508	123.49
	<b>Euphoria 110 Duo Shower rail set 2 sprays</b> hand shower Duo (27 220 000) maximum flow rate (at 3 bar): 16.6 l/min shower rail 900 mm (27 500) Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE Long-Life</b> finish <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes) <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	27 267 001	Chrome	4005176899829	109.58
	<b>Euphoria 110 Mono Shower rail set 1 spray</b> Consisting of: Handshower mono (27 265 000) maximum flow rate (at 3 bar): 21.7 l/min shower rail 900 mm (27 500) Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes) <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			









# GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 355 000	Chrome	4005176874451	121.77
	<b>Euphoria 110 Champagne</b> <b>Wall holder set 3 sprays</b> maximum flow rate (at 3 bar): 17 l/min wall shower holder Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
 	27 354 000	Chrome	4005176874444	66.09
	<b>Euphoria 110 Mono</b> <b>Wall holder set 1 spray</b> maximum flow rate (at 3 bar): 21.7 l/min wall shower holder (27 056) Silverflex shower hose 1250 mm (28 362) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
 	27 499 000	Chrome	4005176886041	58.49
	<b>Euphoria</b> <b>Shower rail, 600 mm</b> with wall holders, glide element and swivel holder <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes) <b>GROHE Long-Life</b> finish			
	27 500 000	Chrome	4005176886058	61.71
	ditto, 900 mm			
 	26 459 000	Chrome	4005176416965	253.55
	<b>Euphoria 260</b> <b>Head shower set 380 mm, 3 sprays</b> Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet maximum flow rate (at 3 bar): 7.5 l/min shower arm Rainshower 380 mm (28 361 000) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			
	26 458 000	Chrome	4005176416958	253.55
	ditto, maximum flow rate (at 3 bar): 12.5 l/min			
 	26 461 000	Chrome	4005176416989	201.60
	<b>Euphoria 260</b> <b>Head shower set ceiling 142 mm, 3 sprays</b> Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet maximum flow rate (at 3 bar): 7.5 l/min Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			



# GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 457 000	Chrome	4005176416934	152.72
	<b>Euphoria 260</b> <b>Head shower 3 sprays</b> spray patterns: Rain, SmartRain, Jet maximum flow rate (at 3 bar): 7.5 l/min Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			
	26 455 000	Chrome	4005176416903	152.72
	ditto, maximum flow rate (at 3 bar): 12.5 l/min			
 	27 237 000	Chrome	4005176854286	86.96
	<b>Euphoria 110 Mono</b> <b>Head shower 1 spray</b> spray pattern: Rain maximum flow rate (at 1 bar): 31 l/min connection thread 1/2" bellows <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
 	27 499 000	Chrome	4005176886041	58.49
	<b>Euphoria</b> <b>Shower rail, 600 mm</b> with wall holders, glide element and swivel holder <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes) <b>GROHE Long-Life</b> finish			
	27 500 000	Chrome	4005176886058	61.71
	ditto, 900 mm			
 	48 051 000	Chrome	4005176890024	9.42
	<b>Spacer</b> for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500 stackable			
 	27 596 000		4005176895944	7.53
	<b>GROHE EasyReach tray</b> acrylic for Tempesta and Euphoria shower rails Ø 22 mm			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 400 000	Chrome	4005176877292	57.23
	<b>Euphoria Cosmopolitan Stick Hand shower 1 spray</b> spray pattern: Normal spray maximum flow rate (at 3 bar): 8.2 l/min <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
	22 126 KF0	phantom black	40051768782626	80.12
	27 367 000	Chrome	4005176875939	57.23
<b>ditto, maximum flow rate (at 3 bar): 15 l/min</b>				
 	27 368 000	Chrome	4005176875946	204.94
	<b>Euphoria Cosmopolitan Stick Shower rail set 1 spray</b> Consisting of: hand shower 27 400 000 spray pattern: Normal spray maximum flow rate (at 3 bar): 8.2 l/min shower rail, 900 mm with wall holders made of metal Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000) soap dish (27 206) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE Long-Life</b> finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
 	27 369 000	Chrome	4005176875953	79.16
	<b>Euphoria Cosmopolitan Stick Wall holder set 1 spray</b> hand shower 27 400 000 maximum flow rate (at 3 bar): 8.2 l/min wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b> Min. recommended pressure 0.5 bar			
 	27 492 000	Chrome	4005176885556	156.54
	<b>Euphoria Cosmopolitan 180 Head shower 1 spray</b> spray pattern: Rain maximum flow rate (at 3 bar): 7.5 l/min Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system			

# GROHE EUPHORIA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

28 233 000	Chrome	4005176868016	100.83
------------	--------	---------------	--------

## Euphoria Cosmopolitan 160

### Head shower 1 spray

spray pattern:

Rain

maximum flow rate (at 3 bar): 7.5 l/min

Ball joint +/- 15° rotatable

connection thread 1/2"


**GROHE Water Saving** - Less water, perfect flow









**GROHE DreamSpray** perfect spray pattern

**GROHE Long-Life** finish









**SpeedClean** anti-limescale system

**suitable for instantaneous heater**









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 891 000	Chrome	4005176921209	298.74
<p><b>Euphoria Cube+ Stick Shower rail set 1 spray</b> hand shower, metal spray pattern: Normal spray maximum flow rate (at 3 bar): 8.2 l/min shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting</p>				
 	27 699 000	Chrome	4005176907104	57.43
<p><b>Euphoria Cube Stick Hand shower 1 spray</b> spray pattern: Normal spray maximum flow rate (at 3 bar): 8.2 l/min <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
	27 698 000	Chrome	4005176907098	57.43
ditto, maximum flow rate (at 3 bar): 15 l/min				
 	27 700 000	Chrome	4005176907111	253.93
<p><b>Euphoria Cube Stick Shower rail set 1 spray</b> Hand shower (27 698 000) spray pattern: Normal spray maximum flow rate (at 3 bar): 15 l/min shower rail 900 mm (27 841) Silverflex shower hose 1750 mm 1/2" x 1/2" (28 388 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting min. recommended pressure 1.0 bar</p>				
 	26 405 000	Chrome	4005176385162	113.59
<p><b>Euphoria Cube Stick Wall holder set 1 spray</b> with integrated wall union 1/2" Consisting of: Handshower (27 699 000) maximum flow rate (at 3 bar): 8.2 l/min shower outlet elbow 1/2" with wall shower holder (26 370) male thread protected against backflow Silverflex shower hose 1250 mm (28 362) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE Long-Life</b> finish <b>GROHE DreamSpray</b> perfect spray pattern <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar</p>				

# GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>27 703 000</b>	<b>Chrome</b>	<b>4005176907142</b>	<b>97.09</b>
	<b>Euphoria Cube Stick</b> <b>Wall holder set 1 spray</b> Handshower (27 699 000) maximum flow rate (at 3 bar): 8.2 l/min wall shower holder (27 693 000) Silverflex shower hose 1250 mm (28 362) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting min. recommended pressure 1.0 bar			
	<b>27 702 000</b>	<b>Chrome</b>	<b>4005176907135</b>	<b>97.09</b>
	ditto, maximum flow rate (at 3 bar): 15 l/min			
 	<b>26 073 000</b>	<b>Chrome</b>	<b>4005176937279</b>	<b>276.74</b>
	<b>Euphoria Cube 150</b> <b>Head shower set 286 mm, 1 spray</b> head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain maximum flow rate (at 3 bar): 8 l/min Shower arm Rainshower 286 mm (27 709 000) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
 	<b>27 705 000</b>	<b>Chrome</b>	<b>4005176907166</b>	<b>172.25</b>
	<b>Euphoria Cube 150</b> <b>Head shower 1 spray</b> spray pattern: Rain maximum flow rate (at 3 bar): 8 l/min 152 x 152 mm ball-joint rotation angle $\pm 12^\circ$ connection thread 1/2" <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
 	<b>27 841 000</b>	<b>Chrome</b>	<b>4005176916670</b>	<b>235.27</b>
	<b>Euphoria Cube</b> <b>Shower rail, 900 mm</b> with wall holders, glide element and swivel holder <b>GROHE Long-Life</b> finish			



# GROHE TEMPESTA


	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		28 419 003	Chrome	4005176681042	36.14
		<b>Tempesta 110</b> <b>Hand shower 3 sprays</b> Rain, Jet, Massage <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses maximum flow rate (at 3 bar): 7.4 l/min min. recommended pressure 1.0 bar <b>suitable for instantaneous heater</b> professional edition			
		26 914 003	Chrome	4005176768378	36.12
	ditto, maximum flow rate (at 3 bar): 6.4 l/min				
	28 261 003	Chrome	4005176680533	36.14	
	ditto, maximum flow rate (at 3 bar): 13.5 l/min				
		27 597 30E	Chrome	4005176681011	27.27
		<b>Tempesta 110</b> <b>Hand shower 2 sprays</b> spray patterns: Rain, Jet <b>GROHE Water Saving Plus</b> - extra efficient water usage, perfect flow <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses maximum flow rate (at 3 bar): 5.6 l/min min. recommended pressure 1.0 bar <b>suitable for instantaneous heater</b> professional edition			
		26 161 003	Chrome	4005176680649	27.27
	ditto, maximum flow rate (at 3 bar): 7.4 l/min				
	27 597 003	Chrome	4005176680656	27.27	
	ditto, maximum flow rate (at 3 bar): 13.5 l/min				
		28 422 004	Chrome	4005176680663	30.05
		<b>Tempesta 110</b> <b>Hand shower 2 sprays</b> Rain, Jet <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses maximum flow rate (at 3 bar): 17.3 l/min <b>for low pressure</b> <b>Min. recommended pressure 0.1 bar</b> professional edition			

# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 923 003	Chrome	4005176768323	21.58
	<p><b>Tempesta 110</b>  <b>Hand shower 1 spray</b>            Rain  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection            ShockProof silicone ring prevents damage caused by a shower falling            Universal Mounting System. Fits all standard shower hoses            maximum flow rate (at 3 bar): 7.6 l/min            min. recommended pressure 1.0 bar  <b>suitable for instantaneous heater</b>            professional edition</p>			
	27 852 003	Chrome	4005176680991	21.58
	<p><b>ditto, maximum flow rate (at 3 bar): 16.6 l/min</b></p>			
	28 214 004	Chrome	4005176681004	24.35
	<p><b>Tempesta 110</b>  <b>Hand shower 1 spray</b>            Rain  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection            ShockProof silicone ring prevents damage caused by a shower falling            Universal Mounting System. Fits all standard shower hoses            maximum flow rate (at 3 bar): 29.3 l/min  <b>for low pressure</b>  <b>Min. recommended pressure 0.1 bar</b>            professional edition</p>			
	27 600 003	Chrome	4005176680755	81.74
	<p><b>Tempesta 110</b>  <b>Shower rail set 3 sprays (Rain, Jet, Massage)</b>            Consisting of:            hand shower Tempesta 110 (28 419)            shower rail, 600 mm (27 523)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE EasyReach</b> tray (26 770)  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> (adjustable upper bracket for existing drill holes)            adjustable glider (turn and glide shower holder)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection            ShockProof silicone ring prevents damage caused by a shower falling            maximum flow rate (at 3 bar): 7.4 l/min            min. recommended pressure 1.0 bar  <b>suitable for instantaneous heater</b>            professional edition</p>			
	26 918 003	Chrome	4005176768484	84.09
	<p><b>ditto, maximum flow rate (at 3 bar): 7.4 l/min and metal shower hose</b></p>			
	26 917 003	Chrome	4005176768477	81.74
	<p><b>ditto, maximum flow rate (at 3 bar): 6.4 l/min and metal shower hose</b></p>			
	27 927 003	Chrome	4005176680762	84.08
	<p><b>ditto, maximum flow rate (at 3 bar): 13.5 l/min</b></p>			

# GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



26 638 003	Chrome	4005176768460	74.06
------------	--------	---------------	-------

## Tempesta 110

### Shower rail set 2 sprays (Rain, Jet)

Consisting of:

hand shower Tempesta 110 (26 161)

shower rail, 600 mm (27 523)

Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

**GROHE EasyReach** tray (26 770)

**GROHE Water Saving** - Less water, perfect flow

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

**GROHE Long-Life** finish

**GROHE FastFixation** (adjustable upper bracket for existing drill holes)

adjustable glider (turn and glide shower holder)

**SpeedClean** anti-limescale system

**Inner WaterGuide** - inner insulation for surface and scalding protection

ShockProof silicone ring prevents damage caused by a shower falling

maximum flow rate (at 3 bar): 7.4 l/min

professional edition

27 926 003	Chrome	4005176680748	74.06
------------	--------	---------------	-------

ditto, maximum flow rate (at 3 bar): 13.5 l/min

27 644 003	Chrome	4005176680526	74.01
------------	--------	---------------	-------

## Tempesta 110

### Shower rail set 3 sprays (Rain, Jet, Massage)

Consisting of:

hand shower Tempesta 110 (28 419)

shower rail, 600 mm (27 523)

Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

**GROHE Water Saving** - Less water, perfect flow

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

**GROHE Long-Life** finish

**GROHE FastFixation** (adjustable upper bracket for existing drill holes)

adjustable glider (turn and glide shower holder)

**SpeedClean** anti-limescale system

**Inner WaterGuide** - inner insulation for surface and scalding protection

ShockProof silicone ring prevents damage caused by a shower falling

maximum flow rate (at 3 bar): 7.4 l/min

min. recommended pressure 1.0 bar

**suitable for instantaneous heater**


professional edition

26 919 003	Chrome	4005176767463	42.13
------------	--------	---------------	-------

ditto, maximum flow rate (at 3 bar): 6.4 l/min

27 794 003	Chrome	4005176680700	74.01
------------	--------	---------------	-------

ditto, maximum flow rate (at 3 bar): 13.5 l/min



27 598 30E	Chrome	4005176680632	64.30
------------	--------	---------------	-------

## Tempesta 110

### Shower rail set 2 sprays (Rain, Jet)

Consisting of:

hand shower Tempesta 110 (27 597)

shower rail, 600 mm (27 523)

Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

**GROHE Water Saving Plus** - extra efficient water usage, perfect flow

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

**GROHE Long-Life** finish

**GROHE FastFixation** (adjustable upper bracket for existing drill holes)

adjustable glider (turn and glide shower holder)

**SpeedClean** anti-limescale system

**Inner WaterGuide** - inner insulation for surface and scalding protection

ShockProof silicone ring prevents damage caused by a shower falling

maximum flow rate (at 3 bar): 5.6 l/min

professional edition

26 915 003	Chrome	4005176768422	64.30
------------	--------	---------------	-------


ditto, maximum flow rate (at 3 bar): 6.1 l/min

26 162 003	Chrome	4005176680489	64.30
------------	--------	---------------	-------

ditto, maximum flow rate (at 3 bar): 7.4 l/min

27 598 003	Chrome	4005176680496	64.30
------------	--------	---------------	-------

ditto, maximum flow rate (at 3 bar): 13.5 l/min




# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	28 438 004	Chrome	4005176680502	67.08
	<p><b>Tempesta 110</b>  <b>Shower rail set 2 sprays (Rain, Jet)</b>            Consisting of:            hand shower Tempesta 110 (28 422)            shower rail, 600 mm (27 523)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> (adjustable upper bracket for existing drill holes)            adjustable glider (turn and glide shower holder)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection            ShockProof silicone ring prevents damage caused by a shower falling            maximum flow rate (at 3 bar): 17.3 l/min            for <b>low pressure</b>  <b>Min. recommended pressure 0.1 bar</b>            professional edition</p>			
	27 924 003	Chrome	4005176768392	56.61
	<p><b>Tempesta 110</b>  <b>Shower rail set 1 spray (Rain)</b>            Consisting of:            hand shower Tempesta 110 (27 923)            shower rail, 600 mm (27 523)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> (adjustable upper bracket for existing drill holes)            adjustable glider (turn and glide shower holder)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection            ShockProof silicone ring prevents damage caused by a shower falling            maximum flow rate (at 3 bar): 7.6 l/min            professional edition</p>			
	27 853 003	Chrome	4005176680557	56.61
	ditto, maximum flow rate (at 3 bar): 16.6 l/min			
	26 759 004	Chrome	4005176680625	62.05
	<p><b>Tempesta 110</b>  <b>Shower rail set 1 spray (Rain)</b>            Consisting of:            hand shower Tempesta 110 (28 214)            shower rail, 600 mm (27 523)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> (adjustable upper bracket for existing drill holes)            adjustable glider (turn and glide shower holder)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection            ShockProof silicone ring prevents damage caused by a shower falling            maximum flow rate (at 3 bar): 29.3 l/min            for <b>low pressure</b>  <b>Min. recommended pressure 0.1 bar</b>            professional edition</p>			

# GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>26 771 003</b>	<b>Chrome</b>	<b>4005176680373</b>	<b>81.75</b>
-------------------	---------------	----------------------	--------------

### Tempesta 110

#### Shower rail set 3 sprays (Rain, Jet, Massage)

Consisting of:

hand shower Tempesta 110 (28 419)

shower rail, 900 mm (27 524)

Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)

**GROHE Water Saving** - Less water, perfect flow

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

**GROHE Long-Life** finish

**GROHE FastFixation** (adjustable upper bracket for existing drill holes)

adjustable glider (turn and glide shower holder)

**SpeedClean** anti-limescale system

**Inner WaterGuide** - inner insulation for surface and scalding protection

ShockProof silicone ring prevents damage caused by a shower falling

maximum flow rate (at 3 bar): 7.4 l/min


min. recommended pressure 1.0 bar

**suitable for instantaneous heater**

professional edition

<b>27 796 003</b>	<b>Chrome</b>	<b>4005176680380</b>	<b>81.75</b>
-------------------	---------------	----------------------	--------------

ditto, maximum flow rate (at 3 bar): 13.5 l/min



<b>27 646 30E</b>	<b>Chrome</b>	<b>4005176680359</b>	<b>71.85</b>
-------------------	---------------	----------------------	--------------

### Tempesta 110

#### Shower rail set 2 sprays (Rain, Jet)

Consisting of:

hand shower Tempesta 110 (27 597)

shower rail, 900 mm (27 524)

Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)

**GROHE Water Saving Plus** - extra efficient water usage, perfect flow

**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option

**GROHE DreamSpray** perfect spray pattern

**GROHE Long-Life** finish

**GROHE FastFixation** (adjustable upper bracket for existing drill holes)

adjustable glider (turn and glide shower holder)

**SpeedClean** anti-limescale system

**Inner WaterGuide** - inner insulation for surface and scalding protection

ShockProof silicone ring prevents damage caused by a shower falling

maximum flow rate (at 3 bar): 5.6 l/min


professional edition

<b>26 163 003</b>	<b>Chrome</b>	<b>4005176768507</b>	<b>71.85</b>
-------------------	---------------	----------------------	--------------

ditto, maximum flow rate (at 3 bar): 7.4 l/min

<b>27 646 003</b>	<b>Chrome</b>	<b>4005176680366</b>	<b>71.85</b>
-------------------	---------------	----------------------	--------------

ditto, maximum flow rate (at 3 bar): 13.5 l/min



<b>27 925 003</b>	<b>Chrome</b>	<b>4005176768491</b>	<b>60.50</b>
-------------------	---------------	----------------------	--------------

### Tempesta 110

#### Shower rail set 1 spray (Rain)

Consisting of:

hand shower Tempesta 110 (27 923)

shower rail, 900 mm (27 524)

Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)

**GROHE Water Saving** - Less water, perfect flow

**GROHE DreamSpray** perfect spray pattern

**GROHE Long-Life** finish

**GROHE FastFixation** (adjustable upper bracket for existing drill holes)

adjustable glider (turn and glide shower holder)

**SpeedClean** anti-limescale system

**Inner WaterGuide** - inner insulation for surface and scalding protection

ShockProof silicone ring prevents damage caused by a shower falling

maximum flow rate (at 3 bar): 7.6 l/min


professional edition

<b>27 854 003</b>	<b>Chrome</b>	<b>4005176680342</b>	<b>60.50</b>
-------------------	---------------	----------------------	--------------











ditto, maximum flow rate (at 3 bar): 16.6 l/min









# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 601 30E	Chrome	4005176680397	46.00
	<p><b>Tempesta 110</b>  <b>Wall holder set 2 sprays (Rain, Jet)</b>            Consisting of:            hand shower Tempesta 110 (27 597)            wall shower holder adjustable (27 595)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE Water Saving Plus</b> - extra efficient water usage, perfect flow  <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection            ShockProof silicone ring prevents damage caused by a shower falling            maximum flow rate (at 3 bar): 5.6 l/min            min. recommended pressure 1.0 bar  <b>suitable for instantaneous heater</b>            professional edition</p>			
	27 601 003	Chrome	4005176680403	48.19
	<p>ditto, maximum flow rate (at 3 bar): 7.4 l/min</p>			
	26 920 003	Chrome	4005176767470	46.06
	<p><b>Tempesta 110</b>  <b>Wall holder set 3 sprays (Rain, Jet, Massage)</b>            Consisting of:            hand shower Tempesta 110 (28 419)            wall shower holder Tempesta, non-adjustable (28 605)            shower hose Relaxaflex 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection            ShockProof silicone ring prevents damage caused by a shower falling            maximum flow rate (at 3 bar): 7.4 l/min            min. recommended pressure 1.0 bar  <b>suitable for instantaneous heater</b>            professional edition</p>			
	26 639 003	Chrome	4005176680304	49.06
	<p><b>Tempesta 110</b>  <b>Wall holder set 3 sprays (Rain, Jet, Massage)</b>            Consisting of:            hand shower Tempesta 110 (28 419)            wall shower holder Tempesta, non-adjustable (28 605)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection            ShockProof silicone ring prevents damage caused by a shower falling            maximum flow rate (at 3 bar): 7.4 l/min            min. recommended pressure 1.0 bar  <b>suitable for instantaneous heater</b>            professional edition</p>			
	27 849 003	Chrome	4005176680311	53.07
	<p>ditto, maximum flow rate (at 3 bar): 13.5 l/min</p>			
	27 803 30E	Chrome	4005176677267	42.12
	<p><b>Tempesta 110</b>  <b>Wall holder set 2 sprays (Rain, Jet)</b>            Consisting of:            hand shower Tempesta 110 (27 597)            wall shower holder Tempesta, non-adjustable (28 605)            shower hose Relaxaflex 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE Water Saving Plus</b> - extra efficient water usage, perfect flow  <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection            ShockProof silicone ring prevents damage caused by a shower falling            maximum flow rate (at 3 bar): 5.6 l/min            min. recommended pressure 1.0 bar  <b>suitable for instantaneous heater</b>            professional edition</p>			

# GROHE TEMPESTA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 799 30E	Chrome	4005176680427	40.24
	<b>Tempesta 110</b> <b>Wall holder set 2 sprays (Rain, Jet)</b> Consisting of: hand shower Tempesta 110 (27 597) wall shower holder Tempesta, non-adjustable (28 605) Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150) <b>GROHE Water Saving Plus</b> - extra efficient water usage, perfect flow <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection <b>ShockProof</b> silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 5.6 l/min min. recommended pressure 1.0 bar <b>suitable for instantaneous heater</b> professional edition			
				
	26 164 003	Chrome	4005176767487	40.24
	<b>ditto, maximum flow rate (at 3 bar): 7.4 l/min</b>			
				
	27 799 003	Chrome	4005176677250	40.24
	<b>ditto, maximum flow rate (at 3 bar): 13.5 l/min</b>			
				
	26 921 003	Chrome	4005176767494	48.56
	<b>Tempesta 110</b> <b>Wall holder set 2 sprays (Rain, Jet)</b> with integrated wall union 1/2" Consisting of: hand shower Tempesta 110 (26 912) shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow shower hose Relaxaflex 1500 mm 1/2" x 1/2" (28 151) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection <b>ShockProof</b> silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 6.1 l/min min. recommended pressure 1.0 bar <b>suitable for instantaneous heater</b> professional edition			
				
	26 406 003	Chrome	4005176680793	58.20
	<b>Tempesta 110</b> <b>Wall holder set 2 sprays (Rain, Jet)</b> Consisting of: hand shower Tempesta 110 (26 161) shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow shower hose Relaxaflex 1500 mm 1/2" x 1/2" (28 151) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection <b>ShockProof</b> silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min min. recommended pressure 1.0 bar <b>suitable for instantaneous heater</b> professional edition			
				

# GROHE TEMPESTA CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 574 003	Chrome	4005176744389	36.14
	<p><b>Tempesta Cube 110</b>  <b>Hand shower 3 sprays</b>            Rain, Jet, Massage  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection  <b>ShockProof</b> silicone ring prevents damage caused by a shower falling            Universal Mounting System. Fits all standard shower hoses            maximum flow rate (at 3 bar): 7.4 l/min            min. recommended pressure 1.0 bar  <b>suitable for instantaneous heater</b>            professional edition</p>			
	27 572 003	Chrome	4005176744372	36.14
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			
 	27 571 30E	Chrome	4005176680847	27.27
	<p><b>Tempesta Cube 110</b>  <b>Hand shower 2 sprays</b>            spray patterns:            Rain, Jet  <b>GROHE Water Saving Plus</b> - extra efficient water usage, perfect flow  <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>ShockProof</b> silicone ring prevents damage caused by a shower falling  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection            Universal Mounting System. Fits all standard shower hoses            maximum flow rate (at 3 bar): 5.6 l/min            min. recommended pressure 1.0 bar  <b>suitable for instantaneous heater</b>            professional edition</p>			
	26 902 003	Chrome	4005176767395	27.26
	ditto, maximum flow rate (at 3 bar): 6.1 l/min			
	26 746 003	Chrome	4005176680892	27.27
	ditto, maximum flow rate (at 3 bar): 7.4 l/min			
	27 571 003	Chrome	4005176680908	27.27
	ditto, maximum flow rate (at 3 bar): 13.5 l/min			
 	26 130 004	Chrome	4005176680915	30.05
	<p><b>Tempesta Cube 110</b>  <b>Hand shower 2 sprays</b>            Rain, Jet  <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection  <b>ShockProof</b> silicone ring prevents damage caused by a shower falling            Universal Mounting System. Fits all standard shower hoses            maximum flow rate (at 3 bar): 17.3 l/min  <b>for low pressure</b>  <b>Min. recommended pressure 0.1 bar</b>            professional edition</p>			

# GROHE TEMPESTA CUBE

Ref. No.      Colour      EAN      Retail Guide Price (£)




**27 576 003      Chrome      4005176768248      81.74**

**Tempesta Cube 110  
Shower rail set 3 sprays (Rain, Jet, Massage)**

Consisting of:  
hand shower Tempesta Cube 110 (27 574)  
shower rail, 600 mm (27 523)  
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)  
**GROHE EasyReach** tray (26 770)  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE FastFixation** (adjustable upper bracket for existing drill holes)  
adjustable glider (turn and glide shower holder)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** - inner insulation for surface and scalding protection  
ShockProof silicone ring prevents damage caused by a shower falling  
maximum flow rate (at 3 bar): 7.4 l/min  
professional edition

**27 929 003      Chrome      4005176768255      81.74**  
ditto, maximum flow rate (at 3 bar): 13.5 l/min




**26 907 003      Chrome      4005176768231      74.06**

**Tempesta Cube 110  
Shower rail set 2 sprays (Rain, Jet)**

Consisting of:  
hand shower Tempesta Cube 110 (26 746)  
shower rail, 600 mm (27 523)  
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)  
**GROHE EasyReach** tray (26 770)  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE FastFixation** (adjustable upper bracket for existing drill holes)  
adjustable glider (turn and glide shower holder)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** - inner insulation for surface and scalding protection  
ShockProof silicone ring prevents damage caused by a shower falling  
maximum flow rate (at 3 bar): 7.4 l/min  
professional edition

**27 928 003      Chrome      4005176680786      74.06**  
ditto, maximum flow rate (at 3 bar): 13.5 l/min



**27 579 003      Chrome      4005176767371      74.01**







**Tempesta Cube 110  
Shower rail set 3 sprays (Rain, Jet, Massage)**

Consisting of:  
hand shower Tempesta Cube 110 (27 574)  
shower rail, 600 mm (27 523)  
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE FastFixation** (adjustable upper bracket for existing drill holes)  
adjustable glider (turn and glide shower holder)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** - inner insulation for surface and scalding protection  
ShockProof silicone ring prevents damage caused by a shower falling  
maximum flow rate (at 3 bar): 7.4 l/min  
professional edition

**27 786 003      Chrome      4005176768224      74.01**  
ditto, maximum flow rate (at 3 bar): 13.5 l/min

SHOWERS


# GROHE TEMPESTA CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)			
		26 748 003	Chrome	4005176681288	64.30		
		<b>Tempesta Cube 110</b> <b>Shower rail set 2 sprays (Rain, Jet)</b> Consisting of: hand shower Tempesta Cube 110 (26 746) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>GROHE FastFixation</b> (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min professional edition					
		27 578 003	Chrome	4005176681295	64.30		
				27 578 30E	Chrome	4005176680939	64.30
				ditto, maximum flow rate (at 3 bar): 5.6 l/min			
		26 904 003	Chrome	4005176767449	71.04		
		<b>Tempesta Cube 110</b> <b>Shower rail set 2 sprays (Rain, Jet)</b> Consisting of: hand shower Tempesta Cube 110 (26 746) shower rail, 600 mm (27 523) metal shower hose Relaxaflex 1750 mm 1/2" x 1/2" (28 139) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>GROHE FastFixation</b> (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 7.4 l/min professional edition					
		26 905 003	Chrome	4005176767456	71.04		
				ditto, maximum flow rate (at 3 bar): 6.1 l/min			
		26 749 004	Chrome	4005176681301	70.37		
		<b>Tempesta Cube 110</b> <b>Shower rail set 2 sprays (Rain, Jet)</b> Consisting of: hand shower Tempesta Cube 110 (26 130) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>GROHE FastFixation</b> (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder) <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection ShockProof silicone ring prevents damage caused by a shower falling maximum flow rate (at 3 bar): 17.3 l/min for <b>low pressure</b> <b>Min. recommended pressure 0.1 bar</b> professional edition					



# GROHE TEMPESTA CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




26 909 003	Chrome	4005176768279	81.75
------------	--------	---------------	-------

## Tempesta Cube 110 Shower rail set 3 sprays (Rain, Jet, Massage)

Consisting of:  
 hand shower Tempesta Cube 110 (27 574)  
 shower rail, 900 mm (27 524)  
 Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE FastFixation** (adjustable upper bracket for existing drill holes)  
 adjustable glider (turn and glide shower holder)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** - inner insulation for surface and scalding protection  
 ShockProof silicone ring prevents damage caused by a shower falling  
 maximum flow rate (at 3 bar): 7.4 l/min  
 professional edition

27 789 003	Chrome	4005176768286	81.75
ditto, maximum flow rate (at 3 bar): 13.5 l/min			




26 908 003	Chrome	4005176768262	71.85
------------	--------	---------------	-------

## Tempesta Cube 110 Shower rail set 2 sprays (Rain, Jet)

Consisting of:  
 hand shower Tempesta Cube 110 (26 746)  
 shower rail, 900 mm (27 524)  
 Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**GROHE FastFixation** (adjustable upper bracket for existing drill holes)  
 adjustable glider (turn and glide shower holder)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** - inner insulation for surface and scalding protection  
 ShockProof silicone ring prevents damage caused by a shower falling  
 maximum flow rate (at 3 bar): 7.4 l/min  
 professional edition

27 788 003	Chrome	4005176680564	71.85
ditto, maximum flow rate (at 3 bar): 13.5 l/min			













27 584 003	Chrome	4005176768293	54.85
------------	--------	---------------	-------

## Tempesta Cube 110 Wall holder set 3 sprays (Rain, Jet, Massage)

Consisting of:  
 hand shower Tempesta Cube 110 (27 574)  
 wall shower holder adjustable (27 595)  
 Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
**GROHE DreamSpray** perfect spray pattern  
**GROHE Long-Life** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** - inner insulation for surface and scalding protection  
 ShockProof silicone ring prevents damage caused by a shower falling  
 maximum flow rate (at 3 bar): 7.4 l/min  
 min. recommended pressure 1.0 bar  
**suitable for instantaneous heater**  
 professional edition

SHOWERS





# GROHE TEMPESTA CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 588 003	Chrome	4005176768309	50.98
	<p><b>Tempesta Cube 110</b>  <b>Wall holder set 3 sprays (Rain, Jet, Massage)</b>            Consisting of:            hand shower Tempesta Cube 110 (27 574)            wall shower holder Tempesta, non-adjustable (28 605)            shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection            ShockProof silicone ring prevents damage caused by a shower falling            maximum flow rate (at 3 bar): 7.4 l/min            min. recommended pressure 1.0 bar  <b>suitable for instantaneous heater</b>            professional edition</p>			
 	26 910 003	Chrome	4005176768316	58.20
	<p><b>Tempesta Cube 110</b>  <b>Wall holder set 3 sprays (Rain, Jet, Massage)</b>            with integrated wall union 1/2"            Consisting of:            hand shower Tempesta Cube 110 (27 574)            shower outlet elbow 1/2" with wall shower holder (28 679)            male thread            protected against backflow            shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE Water Saving</b> - Less water, perfect flow  <b>GROHE SmartSwitch</b> - easily rotate the dial to enjoy your preferred spray option  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE Long-Life</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> - inner insulation for surface and scalding protection            ShockProof silicone ring prevents damage caused by a shower falling            maximum flow rate (at 3 bar): 7.4 l/min            min. recommended pressure 1.0 bar  <b>suitable for instantaneous heater</b>            professional edition</p>			
 	27 523 001	Chrome	4005176680809	51.72
	<p><b>Tempesta</b>  <b>Shower rail, 600 mm</b>            with wall brackets, glider and swivel holder  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> (adjustable upper bracket for existing drill holes)            adjustable glider (turn and glide shower holder)</p>			
 	27 524 001	Chrome	4005176681035	54.31
	<p><b>Tempesta</b>  <b>Shower rail, 900 mm</b>            with wall brackets, glider and swivel holder  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> (adjustable upper bracket for existing drill holes)            adjustable glider (turn and glide shower holder)</p>			
 	26 971 001	Chrome	4005176768187	77.31
	<p><b>Tempesta</b>  <b>Shower rail, 1150 mm</b>            with wall brackets, glider and swivel holder  <b>GROHE Long-Life</b> finish  <b>GROHE FastFixation</b> (adjustable upper bracket for existing drill holes)            adjustable glider (turn and glide shower holder)</p>			

















# GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 512 001	Chrome	4005176333804	23.25
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Hand shower 1 spray</b>                      with trigger control                      maximum flow rate (at 3 bar): 8 l/min                      GROHE Long-Life finish                      SpeedClean anti-limescale system                      Inner WaterGuide for a longer life                      Universal Mounting System. Fits all standard shower hoses                      Please refer to local norms regarding installation.</p>				
 	28 020 L01	white	4005176333828	16.61
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Hand shower 1 spray</b>                      with trigger control                      maximum flow rate (at 3 bar): 8 l/min                      GROHE Long-Life finish                      SpeedClean anti-limescale system                      Inner WaterGuide for a longer life                      Universal Mounting System. Fits all standard shower hoses                      Please refer to local norms regarding installation.</p>				
 	26 353 000	Chrome	4005176333866	43.18
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set 1 spray</b>                      Consisting of:                      hand shower with trigger control (27 512 001)                      maximum flow rate (at 3 bar): 8 l/min                      wall shower holder (28 605)                      Silverflex Long-Life shower hose 1500 mm (26 346)                      GROHE Water Saving - Less water, perfect flow                      GROHE Long-Life finish                      SpeedClean anti-limescale system                      Inner WaterGuide for a longer life                      TwistStop preventing the hose from twisting                      Please refer to local norms regarding installation.</p>				
	27 513 001	Chrome	4005176333842	41.51
	27 513 DC1	supersteel	4067393033356	111.33
	27 513 DL1	brushed warm sunset	4067393029045	135.50
<p><b>ditto, with 1250 mm hose</b></p>				
	26 352 000	Chrome	4005176333835	39.03
<p><b>ditto, with 1000 mm hose</b></p>				
 	102530 243 1	matte black	4067393022121	76.47
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set 1 spray</b>                      Consisting of:                      hand shower with trigger control                      wall shower holder                      Silverflex Long-Life shower hose 1250 mm                      GROHE Water Saving 5.7 l/min. flow limiter                      GROHE Water Saving - Less water, perfect flow                      SpeedClean anti-limescale system                      Inner WaterGuide for a longer life                      TwistStop preventing the hose from twisting                      Please refer to local norms regarding installation.</p>				
 	26 354 000	Chrome	4005176333873	48.16
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set 1 spray</b>                      Consisting of:                      hand shower with trigger control (27 512 001)                      maximum flow rate (at 3 bar): 8 l/min                      wall shower holder (28 605)                      metal shower hose 1250 mm                      GROHE Long-Life finish                      SpeedClean anti-limescale system                      Inner WaterGuide for a longer life                      Please refer to local norms regarding installation.</p>				

# GROHE TEMPESTA-F TRIGGER SPRAYS


























	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 812 IL1	chrome/white	4005176333897	34.05
	<b>Tempesta-F Trigger Spray 30</b> <b>Wall holder set 1 spray</b> Consisting of: hand shower with trigger control (28 020 L01) maximum flow rate (at 3 bar): 8 l/min wall shower holder (28 605) Silverflex Long-Life shower hose 1250 mm (26 335) <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting Please refer to local norms regarding installation.			
	26 355 IL0	chrome/white	4005176333880	32.39
	<b>ditto, with 1000 mm hose</b>			
	26 356 IL0	chrome/white	4005176333903	38.20
	<b>Tempesta-F Trigger Spray 30</b> <b>Wall holder set 1 spray</b> Consisting of: hand shower with trigger control maximum flow rate (at 3 bar): 8 l/min wall shower holder (28 605) Relexaflex Metal Long-Life shower hose 1250 mm <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life min. recommended pressure 1.0 bar Please refer to local norms regarding installation.			
	26 357 000	Chrome	4005176333927	86.36
	<b>Tempesta-F Trigger Spray 30</b> <b>Wall holder set with angle valve 1 spray</b> Consisting of: hand shower with trigger control (27 512 001) maximum flow rate (at 3 bar): 7 l/min wall shower holder (28 605) Silverflex Long-Life shower hose 1500 mm (26 346) angle valve 1/2" (22 958) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.			
	27 514 001	Chrome	4005176333910	84.70
	<b>ditto, with 1250 mm hose</b>			
	26 358 000	Chrome	4005176333941	132.85
	<b>Tempesta-F Trigger Spray 30</b> <b>Wall holder set with self-closing angle valve, 1 spray</b> Consisting of: hand shower with trigger control (27 512 001) maximum flow rate (at 3 bar): 7 l/min valve with integrated shower holder (26 333 000) Silverflex Long-Life shower hose 1000 mm (26 334) <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>TwistStop</b> preventing the hose from twisting Please refer to local norms regarding installation.			

# GROHE SHOWER HOSES


















	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	 <b>28 025 001</b>	Chrome	4005176933387	42.32
	<b>Rotaflex Metal Long-Life</b> <b>Metal hose</b> 1750 mm material: metal Rotation cone for <b>TwistStop</b> function <b>GROHE Long-Life</b> strengthened model pressure resistance up to 16 bar tensile strength 500 N heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure Cone with silicone tape to prevent turning of hand shower during usage <b>GROHE Long-Life</b> finish			
	 <b>28 417 001</b>	Chrome	4005176933363	39.02
	ditto, 1500 mm			
 	 <b>28 145 001</b>	Chrome	4005176933356	42.74
	<b>Relexaflex Metal Long-Life</b> <b>Metal hose</b> 2000 mm material: metal <b>GROHE Long-Life</b> strengthened model pressure resistance up to 16 bar tensile strength 750 N heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure <b>GROHE Long-Life</b> finish			
	 <b>28 143 001</b>	Chrome	4005176933349	36.15
	 <b>28 143 LS1</b>	moon white	4005176935084	47.02
	 <b>28 143 KS1</b>	velvet black	4005176934179	50.60
	ditto, 1500 mm			
	 <b>28 142 002</b>	Chrome	4005176933332	32.86
	ditto, 1250 mm			
 	 <b>28 140 001</b>	Chrome	4005176933325	36.28
	<b>Relexaflex Metal</b> <b>Metal hose</b> 2000 mm material: metal pressure resistance up to 5 bar tensile strength 500 N heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure <b>GROHE Long-Life</b> finish			
	 <b>28 139 001</b>	Chrome	4005176933318	32.98
	ditto, 1750 mm			
	 <b>28 105 001</b>	Chrome	4005176933301	29.68
	ditto, 1500 mm			



# GROHE SHOWER HOSES


	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		 <b>26 346 001</b> Chrome	4005176775314	33.22	
		<b>Silverflex Long-Life Shower hose</b> 1500 mm smooth surface for easy cleaning Rotation cone for <b>TwistStop</b> function <b>GROHE Long-Life</b> strengthened model pressure resistance up to 12 bar tensile strength 500 N heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure <b>GROHE Long-Life</b> finish			
		 <b>26 335 001</b> Chrome ditto, 1250 mm	4005176775321	29.93	
	 <b>26 334 001</b> Chrome ditto, 1000 mm		4005176775338	26.60	
		 <b>27 137 001</b> Chrome	4005176933295	32.99	
		<b>Silverflex Shower hose</b> 2000 mm smooth surface for easy cleaning Rotation cone for <b>TwistStop</b> function pressure resistance up to 5 bar tensile strength 500 N heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure <b>GROHE Long-Life</b> finish			
		 <b>28 388 001</b> Chrome	4005176933288	29.69	
		 <b>28 388 DC1</b> supersteel	4005176775420	41.58	
		 <b>28 388 BE1</b> polished nickel	4005176775390	47.51	
		 <b>28 388 GL1</b> cool sunrise	4005176775413	47.51	
		 <b>28 388 DA1</b> warm sunset	4005176775406	47.51	
		 <b>28 388 A01</b> hard graphite	4005176775383	47.51	
		 <b>28 388 KF1</b> phantom black	4005176782602	41.58	
		 <b>ditto, 1750 mm</b>			
	 <b>28 364 001</b> Chrome ditto, 1500 mm		4005176933271	26.41	
	 <b>28 362 001</b> Chrome	4005176933264	23.12		
	 <b>28 362 DC1</b> supersteel	4005176775475	32.36		
	 <b>28 362 BE1</b> polished nickel	4005176775444	36.99		
	 <b>28 362 GL1</b> cool sunrise	4005176775468	36.99		
	 <b>28 362 DA1</b> warm sunset	4005176775451	36.99		
	 <b>28 362 A01</b> hard graphite	4005176775437	36.99		
	 <b>28 362 KF1</b> phantom black	4005176782596	32.36		
	<b>ditto, 1250 mm</b>				
		 <b>28 161 002</b> Chrome	4005176775482	27.59	
		<b>Silverflex Shower hose</b> 2000 mm smooth surface for easy cleaning Rotation cone for <b>TwistStop</b> function for <b>low pressure</b> pressure resistance up to 5 bar tensile strength 500 N heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure <b>GROHE Long-Life</b> finish			

# GROHE SHOWER HOSES

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	 <b>28 413 002</b>	Chrome	4005176605512	25.67	
	<b>RotaFlex Shower hose</b> 2000 mm smooth surface for easy cleaning Rotation cone for <b>TwistStop</b> function pressure resistance up to 5 bar tensile strength 500 N heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure <b>GROHE Long-Life</b> finish				
		 <b>28 410 002</b> ditto, 1750 mm	Chrome	4005176605529	22.82
	 <b>28 409 002</b> ditto, 1500 mm	Chrome	4005176605536	19.96	
	 <b>28 155 002</b>	Chrome	4005176605567	22.82	
	<b>RelexaFlex Shower hose</b> 2000 mm smooth surface for easy cleaning pressure resistance up to 5 bar tensile strength 500 N heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure <b>GROHE Long-Life</b> finish				
		 <b>28 154 002</b> ditto, 1750 mm	Chrome	4005176605574	19.96
	 <b>28 151 002</b> <b>28 151 L02</b> ditto, 1500 mm	Chrome white	4005176605581 4005176775512	17.11 22.24	
	 <b>28 150 002</b> ditto, 1250 mm	Chrome	4005176605598	14.25	
	 <b>22 115 000</b> ditto, 500 mm	Chrome	4005176775529	12.37	
	 <b>28 158 001</b>	Chrome	4005176775543	50.82	
<b>Metal hose</b> 2000 mm for bath rim, installation under tiled surround and shower sets <b>GROHE Long-Life</b> finish					
					
	<b>28 146 000</b>	Chrome	4005176121753	51.02	
<b>Metal hose</b> 2000 mm M 15 x M 15 <b>GROHE Long-Life</b> finish					
					

# GROHE SHOWER HOSES















Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------








<b>45 973 001</b>	<b>Chrome</b>	<b>4005176442919</b>	<b>16.25</b>
-------------------	---------------	----------------------	--------------

**Relaxaflex  
Shower hose**  
1500 mm  
smooth surface for easy cleaning  
pressure resistance up to 5 bar  
tensile strength 500 N  
heat resistance 70°C  
AntiFold bendproof  
universal connection G 1/2" x 1/2"  
GROHE ProGrip with knurl structure  
**GROHE Long-Life** finish  
minimum order quantity 10 pieces

# GROHE SHOWER ACCESSORIES











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 603 000	Chrome	4005176486548	122.52
	26 603 EN0	brushed nickel	4005176558740	269.54
	26 603 GL0	cool sunrise	4005176558757	245.02
	26 603 GN0	brushed cool sunrise	4005176558764	269.54
	26 603 DA0	warm sunset	4005176558726	245.02
	26 603 DL0	brushed warm sunset	4005176558733	269.54
	26 603 A00	hard graphite	4005176558696	245.02
	26 603 AL0	brushed hard graphite	4005176558702	269.54
	<b>Rainshower SmartActive</b> <b>Shower rail, 900 mm</b> with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life finish			
	22 125 KF0	phantom black	4005176782619	171.52
	ditto	Professional exclusive		
	26 602 000	Chrome	4005176486531	116.51
	ditto	600 mm		
	28 621 000	Chrome	4005176041273	120.09
	<b>Relexa</b> <b>Shower rail, 1000 mm</b> Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life finish			
				
	27 892 000	Chrome	4005176921216	224.04
	<b>Euphoria Cube</b> <b>Shower rail, 600 mm</b> with wall holders, glide element and swivel holder GROHE Long-Life finish			
				
	27 841 000	Chrome	4005176916670	235.27
	<b>ditto</b> , 900 mm			
				
	27 499 000	Chrome	4005176886041	58.49
	<b>Euphoria</b> <b>Shower rail, 600 mm</b> with wall holders, glide element and swivel holder GROHE FastFixation (upper bracket adjustable to adapt to existing holes) GROHE Long-Life finish			
				
	27 500 000	Chrome	4005176886058	61.71
	<b>ditto</b> , 900 mm			
				
	27 523 001	Chrome	4005176680809	51.72
	<b>Tempesta</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swivel holder GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder)			
				

# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 524 001	Chrome	4005176681035	54.31
<b>Tempesta</b> <b>Shower rail, 900 mm</b> with wall brackets, glider and swivel holder GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder)				
	26 971 001	Chrome	4005176768187	77.31
<b>Tempesta</b> <b>Shower rail, 1150 mm</b> with wall brackets, glider and swivel holder GROHE Long-Life finish GROHE FastFixation (adjustable upper bracket for existing drill holes) adjustable glider (turn and glide shower holder)				
	27 055 000	Chrome	4005176830433	52.05
<b>Rainshower</b> <b>Wall hand Shower holder</b> adjustable GROHE Long-Life finish				
	27 595 001	Chrome	4005176681097	22.68
<b>Tempesta</b> <b>Wall hand Shower holder</b> adjustable GROHE Long-Life finish professional edition				
	27 056 000	Chrome	4005176830440	34.05
<b>Rainshower</b> <b>Wall hand Shower holder</b> non-adjustable without escutcheon GROHE Long-Life finish				





# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	27 074 000	Chrome	4005176833083	38.90	
	27 074 DC0	supersteel	4005176374487	54.45	
	27 074 LS0	moon white	4005176873591	50.42	
	27 074 BE0	polished nickel	4005176834325	62.23	
	27 074 EN0	brushed nickel	4005176834301	66.12	
	27 074 GL0	cool sunrise	4005176338984	62.23	
	27 074 GN0	brushed cool sunrise	4005176427084	66.12	
	27 074 DA0	warm sunset	4005176338977	62.23	
	27 074 DL0	brushed warm sunset	4005176427091	66.12	
	27 074 A00	hard graphite	4005176338991	62.23	
	27 074 AL0	brushed hard graphite	4005176339004	66.12	
	<b>Rainshower</b> Wall hand Shower holder non-adjustable with round escutcheon <b>GROHE Long-Life</b> finish				
		22 117 KF0	phantom black	4005176782497	54.45
ditto, Professional exclusive					
 	27 075 000	Chrome	4005176833090	38.90	
	27 075 DC0	supersteel	4067393030546	54.45	
	27 075 DA0	warm sunset	4067393030539	62.23	
	27 075 DL0	brushed warm sunset	4067393030553	66.12	
	27 075 GL0	cool sunrise	4067393030560	62.23	
	27 075 GN0	brushed cool sunrise	4067393030577	66.12	
	27 075 A00	hard graphite	4067393030515	62.23	
	27 075 AL0	brushed hard graphite	4067393030522	66.12	
	<b>Rainshower</b> Wall hand Shower holder non-adjustable with square escutcheon <b>GROHE Long-Life</b> finish				
	 	27 693 000	Chrome	4005176907043	29.89
<b>Euphoria Cube</b> Wall hand Shower holder non-adjustable <b>GROHE Long-Life</b> finish					
 	28 605 001	Chrome	4005176767586	17.67	
	<b>Tempesta</b> Wall hand Shower holder non-adjustable <b>GROHE Long-Life</b> finish professional edition				
 	27 151 000	Chrome	4005176837012	115.55	
	<b>Pull-out shower</b> for bath rim installation and under tiled surround Lead-through for shower hose shower hose 1/2" x 3/8", 2000 mm (28 158 000) <b>The pull-out shower assembly can be combined with all hand showers</b> <b>GROHE Long-Life</b> finish				

# GROHE SHOWER ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



27 531 000	Chrome	4005176889486	144.57
------------	--------	---------------	--------











**Pull-out shower**

for bath rim installation and under tiled surround











Lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000)

**The pull-out shower assembly can be combined with all hand showers GROHE Long-Life finish**













# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	27 057 000	Chrome	4005176830457	60.78	
	27 057 DC0	supersteel	4005176371196	85.09	
	27 057 GL0	cool sunrise	4005176338946	97.26	
	27 057 GN0	brushed cool sunrise	4005176426933	103.33	
	27 057 DA0	warm sunset	4005176338939	97.26	
	27 057 DL0	brushed warm sunset	4005176426940	103.33	
	27 057 A00	hard graphite	4005176338953	97.26	
	27 057 AL0	brushed hard graphite	4005176338960	103.33	
	<b>Rainshower</b> Shower outlet elbow, 1/2" male connection thread 1/2" with round escutcheon protected against backflow <b>GROHE Long-Life</b> finish				
	<b>22 118 KF0</b> phantom black ditto, Professional exclusive 4005176782503 85.09				
 	27 076 000	Chrome	4005176833106	60.78	
	27 076 DC0	supersteel	4005176950216	85.09	
	27 076 GL0	cool sunrise	4005176950230	97.26	
	27 076 GN0	brushed cool sunrise	4005176954016	103.33	
	27 076 DA0	warm sunset	4005176950209	97.26	
	27 076 DL0	brushed warm sunset	4005176950223	103.33	
	27 076 A00	hard graphite	4005176950186	97.26	
	27 076 AL0	brushed hard graphite	4005176950193	103.33	
	<b>Rainshower</b> Shower outlet elbow male connection thread 1/2" with square escutcheon protected against backflow <b>GROHE Long-Life</b> finish				
	<b>27 704 000</b> Chrome 4005176907159 34.44 <b>Euphoria Cube</b> Shower outlet elbow, 1/2" male thread protected against backflow <b>GROHE Long-Life</b> finish				
 	28 671 001	Chrome	4005176681110	35.57	
	<b>Tempesta</b> Flush pipe 300 mm shower outlet elbow 1/2" male thread <b>GROHE Long-Life</b> finish professional edition				
 	28 680 001	Chrome	4005176681332	50.89	
	ditto, protected against backflow				
 	26 658 000	Chrome	4005176533082	67.92	
	26 658 DC0	supersteel	4005176950032	95.07	
	26 658 GL0	cool sunrise	4005176950056	108.66	
	26 658 GN0	brushed cool sunrise	4005176950063	115.46	
	26 658 DA0	warm sunset	4005176950025	108.66	
	26 658 DL0	brushed warm sunset	4005176950049	115.46	
	26 658 A00	hard graphite	4005176950001	108.66	
	26 658 AL0	brushed hard graphite	4005176950018	115.46	
	<b>Rainshower</b> Shower outlet elbow 1/2" with holder with round escutcheon Ø 48 mm male connection thread 1/2" metal body protected against backflow <b>GROHE Long-Life</b> finish				













# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 659 DC0	supersteel	4005176950100	95.07
	26 659 GL0	cool sunrise	4005176950124	108.66
	26 659 GN0	brushed cool sunrise	4005176950131	115.46
	26 659 DA0	warm sunset	4005176950094	108.66
	26 659 DL0	brushed warm sunset	4005176950117	115.46
	26 659 A00	hard graphite	4005176950070	108.66
	26 659 AL0	brushed hard graphite	4005176950087	115.46
	<b>Rainshower</b> <b>Shower outlet elbow 1/2" with holder</b> with square escutcheon 48 x 48 mm male connection thread 1/2" metal body protected against backflow <b>GROHE Long-Life</b> finish			
	26 370 000	Chrome	4005176341380	46.50
	26 370 GL0	cool sunrise	4005176556876	74.40
	26 370 DA0	warm sunset	4005176556845	74.40
	<b>Euphoria Cube</b> <b>Shower outlet elbow, 1/2"</b> with wall shower holder male connection thread 1/2" protected against backflow <b>GROHE Long-Life</b> finish			
	12 435 000	Chrome	4005176272141	98.97
	<b>Relaxa Plus</b> <b>Gliding element with metal sleeve</b> for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut <b>GROHE Long-Life</b> finish			
				
	28 628 001	Chrome	4005176681141	35.47
	<b>Tempesta</b> <b>Wall union</b> shower outlet elbow 1/2" with wall shower holder male thread <b>GROHE Long-Life</b> finish professional edition			
				
	28 679 001	Chrome	4005176681479	50.89
	<b>Tempesta</b> <b>Wall union</b> shower outlet elbow 1/2" with wall shower holder male thread protected against backflow <b>GROHE Long-Life</b> finish professional edition			
				

# GROHE SHOWER ACCESSORIES







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 856 000		4005176603495	40.44
<b>Soap dish</b> acrylic, clear for Relexa shower rails (28 820 and 28 666) GROHE Long-Life finish				
 	28 631 000		4005176019142	53.47
<b>Relexa Soap dish</b> for shower rail 28 620 / 28 621 GROHE Long-Life finish				
 	27 206 000		4005176845444	22.62
<b>Soap dish</b> transparent surface textured in parts				
 	27 596 000		4005176895944	7.53
<b>GROHE EasyReach tray</b> acrylic for Tempesta and Euphoria shower rails Ø 22 mm				
 	45 914 XE0	gray night time	4005176842054	15.62
<b>Spacer</b> for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136 not stackable				
 	45 459 000	Chrome	4005176056444	11.10
<b>Spacer</b> for shower rail 28 620 / 28 621 stackable				

# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	48 543 001		4005176681073	9.43
	<b>Tempesta Spacer</b> for Tempesta shower rails 27 523 001 / 27 524 001 / 26 971 001 stackable			
 	27 180 000	Chrome	4005176839306	50.09
	<b>Rainshower Spacer</b> for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031 <b>GROHE Long-Life</b> finish stackable			
 	48 051 000	Chrome	4005176890024	9.42
	<b>Spacer</b> for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500 stackable			
 	26 385 000	Chrome	4005176375057	17.65
	<b>Rainshower SmartControl Spacer</b> for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable			
 	28 874 000	Chrome	4005176042348	20.65
	<b>Tee Connection</b> for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves <b>GROHE Long-Life</b> finish			
 	28 988 000	Chrome	4005176042805	47.02
	<b>Drain Down Valve</b> for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" <b>GROHE Long-Life</b> finish			



# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 799 000	Chrome	4005176602511	76.44
<b>Diverter</b> <b>GROHE Long-Life finish</b>				
 	27 102 000	Chrome	4005176600074	52.17
<b>Trigger Spray</b> <b>Wall holder set 1 spray</b> <b>GROHE Long-Life finish</b>				
	41 247 000		4005176787621	6.82
<b>GROHE QuickGlue Set S</b> gluing set for shower products with easy snap open seal curing time 24 hours Consisting of: 1 x glue, 1 x alcohol wipe, 1 x mounting template for shower rail suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal not suitable for wallpaper, plaster and coating This mixture is classified as not hazardous, but subject to special labeling. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a> The glue set contains a surface cleaning tissue watered with 2.3 g 70% isopropyl alcohol. To be tested before at an inconspicuous spot. Keep out of reach of children and keep away from open flames.				
	41 246 000		4005176787614	15.58
<b>GROHE QuickGlue Set S1</b> gluing set for wall holder with easy snap open seal curing time 24 hours Consisting of: 1 x glue, 1 x alcohol wipe, 2 x disc suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal not suitable for wallpaper, plaster and coating This mixture is classified as not hazardous, but subject to special labeling. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a> The glue set contains a surface cleaning tissue watered with 2.3 g 70% isopropyl alcohol. To be tested before at an inconspicuous spot. Keep out of reach of children and keep away from open flames.				

GROHE  
KITCHEN FITTINGS





## CONTENTS

Water Systems	GROHE Blue Professional	387
	GROHE Blue Home	388
	GROHE Blue Pure	389
	GROHE Blue Accessories	392
	GROHE Red	397
	Premium Lines	K7
Foot Control		401
Zedra / Zedra SmartControl / Zedra Touch		402
Essence		404
Minta / Minta SmartControl / Minta Touch		407
Eurocube		411
Competence Lines	Eurodisc Cosmopolitan	412
	Eurodisc	413
	Concetto	414
	Eurostyle Cosmopolitan	417
	Eurosmart Cosmopolitan	418
	Eurosmart	420
	Euroeco / Euroeco Special	423
	Costa	424
	Bau Lines	426
	Kitchen accessories	428
	Kitchen sinks	Stainless steel sinks
Composite sinks		436



# HANDS ON GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen taps include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



### Lead+Nickel Free

No contact of water with lead and nickel due to isolated inner water ways.



### EasyExchange

The aerator is easy to install and de-install using just a coin.



### ProfessionalSpray

Features a 360° spring arm and easy switching between the spray and mousseur.



### EasyTouch

Just touch the tap at any point with your wrist, elbow or just your fingertip to turn the tap ON and OFF.



### FootControl

Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the tap ON and OFF.



### Magnetic Docking

Thanks to powerful integrated magnets the pull-out spray head retracts easily and smoothly to the perfect position after every use.



### Pull-Out Dual Spray

Increases operating radius of the tap and offers easy switching between mousseur and the spray.



### Pull-Out Mousseur

Increases the operating radius of your tap.



### EasyDock

Guarantees easy retraction and smooth docking for your pull-out spray head, every time.



**GROHE FastFixation**  
65 % faster installation.



**SpeedClean**  
Remove limescale  
with a single wipe.



**OpenWaterHeater**  
The perfect flow in combination  
with open water heaters.



**StopValve**  
Includes a dishwasher shut-off  
valve on the tap body.



**PreWindow**  
To open the window, just lift  
up the tap and lay it flat on the  
surface.



**ComfortHeight**  
Height of the spout allows  
easy filling of large pots.



**SwivelStop**  
Limited turn angle  
prevents flooding.



**Forward Rotating Lever**  
Forward rotating lever prevents  
the lever hitting the backsplash.



**Enhanced Water**  
Superior-quality water directly  
from the kitchen tap – saving time,  
money and the environment.



**ChildLock**  
Integrated safety mechanism  
prevents unintentional opening  
by young children.



**Titanium Inside**  
All boilers in our GROHE Red  
collection are made from titanium.



# GROHE BLUE PROFESSIONAL

## THE **PERFECT SOLUTION** FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.

The GROHE Blue Professional water system makes this a reality in your own home or office. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the tap.



## FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS** TO YOUR OFFICE:

Access to fresh, cool water at any time – still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing



# GROHE BLUE PROFESSIONAL PRODUCT PORTFOLIO



● ●  
**31 323 002**  
GROHE Blue Professional  
C-spout



● ●  
**31 347 003**  
GROHE Blue Professional  
L-spout



● ●  
**31 325 002**  
GROHE Blue Professional  
C-spout  
with pull-out mousseur



● ●  
**31 326 002**  
GROHE Blue Professional  
L-spout  
with pull-out mousseur



● ●  
**31 302 002 / 31 302 DC2**  
GROHE Blue Professional  
Mono

## EACH GROHE BLUE PROFESSIONAL CONTAINS:



COOLER AND CARBONATOR BOX,  
FILTER HEAD, CO<sub>2</sub> PRESSURE REDUCER  
AND CLEANING ADAPTER

Filter, CO<sub>2</sub> bottle and cleaning cartridge  
have to be ordered separately according  
to your personal needs.

KITCHEN  
FITTINGS

### Colour options:

● 002/003 | StarLight Chrome ● DC2/DC3 | SuperSteel

# GROHE RED

## 99 °C STRAIGHT FROM THE TAP

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen tap.

With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.



## THE **BENEFITS** ARE CRYSTAL CLEAR

### SAFETY FIRST

Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

### NO MORE WAITING

Kettle-hot water is always available at the push of a button, so waiting for the kettle or pot to boil is a thing of the past.

### LESS WASTE

You only take the exact amount of hot water you need, so you save on water and energy consumption.

### CLEAN, FRESH TASTE

Filtered water heated to 99 degrees for an exceptional taste experience.

### CLEAR YOUR WORKTOP

No need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single tap.



# GROHE RED PRODUCT PORTFOLIO



**30 340 001**  
GROHE Red Duo  
L-spout, L-Size boiler



**30 329 001**  
GROHE Red Mono  
L-spout, M-Size boiler



**30 058 001**  
GROHE Red Duo  
C-spout, M-Size boiler



**30 060 001**  
GROHE Red Mono  
C-spout, M-Size boiler

KITCHEN  
FITTINGS

## EACH GROHE RED CONTAINS: BOILER (M- OR L-SIZE) & FILTERSET



**L-SIZE BOILER**

**M-SIZE BOILER**



**40 841 001**  
GROHE Red mixing valve  
(additional equipment)

### Colour options:

● 001 | StarLight Chrome  
● DC1 | SuperSteel

● DA1 | Warm Sunset  
● DL1 | Brushed Warm Sunset

● A01 | Hard Graphite  
● AL1 | Brushed Hard Graphite

# GROHE EASYS TOUCH



Simple activation/deactivation of the water flow by touch.



Manual control with the lever.



Kitchens are hands-on places, where multi-tasking is a must. Why not make life easier for yourself with a GROHE touch-activated tap? We've developed a choice of two innovative solutions that let you control the flow of water without using your hands, making your kitchen more hygienic, convenient and instinctive to use. GROHE EasyTouch taps can be activated with a simple touch of the wrist or elbow. Leave your hands free and keep your tap sparkling clean. Change the way you control your kitchen with just a single touch.



# GROHE SMARTCONTROL

## JUGGLING KITCHEN TASKS?

Multi-tasking is a fact of the modern world, and nowhere more so than in the kitchen, where the collision of family life, meal prep and entertaining mean you often have your hands full. So why can't everything be just that little bit easier? With the new GROHE SmartControl it is, offering innovative push-operation that is effortless to use. Instead of grappling with a lever handle with wet hands, simply press the button to start and stop the water flow. Holding a full pan or a pile of plates? Just push with your wrist or elbow. It couldn't be more simple. Turning the same button alters the flow, and there is even a water-saving option. Temperature control is as straightforward as a twist of the valve on the tap's body. Smooth and intuitive to use for the whole family, SmartControl is the perfect solution for anyone who too often has their hands full in the kitchen. And what could be easier than that?

## SUPERIOR DESIGN

- Sleek, streamlined and puristic

## SMARTCONTROL BUTTON

- Push the button to start & stop the water flow
- Turn the button by 150° from eco to powerful jet

## TEMPERATURE ADJUSTMENT

- Turn the valve gently to the left or right to adjust your perfect temperature

## PULL-OUT LAMINAR SPRAY

- For an increased operation radius

## MAGNETIC DOCKING

- Integrated magnets for seamless docking of the spray head

## LEAD AND NICKEL FREE WATER FLOW

## QUICKFIX PLUS INSTALLATION

- 65% faster installation





# GROHE PROFESSIONAL SPRAYS

## THE COLOURFUL WORLD OF **ESSENCE** **PROFESSIONAL**

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic santoprene hose is not only easy-to-clean but also comes in a choice of 11 colour finishes.



### Colour options (hose)

Order 30 503 000 (chrome) / 30 503 DC0 (SuperSteel) and add a colour of your choice 30 321 + colour code

- |                      |                   |                |                |                    |
|----------------------|-------------------|----------------|----------------|--------------------|
| ● MW0   Sheer Marble | ● XC0   Dark Grey | ● YF0   Yellow | ● YR0   Orange | ● DG0   Red        |
| ● DP0   Pink         | ● DU0   Purple    | ● GE0   Green  | ● TY0   Blue   | ● HG0   Dark Brown |

### Exchange the hose via 4 simple steps:



**Step 1**  
Loose the 2 screws with the screwdriver from the body and the spray.



**Step 2**  
Take the original hose with the connection out of the tap body and the spray and put it to the side.



**Step 3**  
Take the new hose and insert it with the connection into the tap body and the spray.



**Step 4**  
Insert the 2 screws with the screwdriver.









## A CYLINDRICAL STATEMENT **CONCETTO PROFESSIONAL**

Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousseur and powerful SpeedClean spray with ease – the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510 mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.



# GROHE KITCHEN SINK FEATURES

## STAINLESS STEEL SINKS






	STANDARD BUILT-IN	FLAT-EDGE	FLUSH-MOUNT	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	AISI 304 (V2A)	AISI 316 (V4A)	SATIN FINISH	PVD COLOUR	PRE-POLISHED	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED	BUNDLE AVAILABLE	
	MOUNTING TYPE				NUMBER OF BOWLS & RADIUS			DRAINER	MATERIAL	FINISH				ADDITIONAL FEATURES					
K1000 			●		●			R10	●	●		●			●		***	●	
K800 			●		●		●	R10		●		●			●		***	●	
K700 U 	●		●	●	●	●		R10		●		●	●				***	●	
K700 	●		●		●			R15		●		●					***	●	
K500 	●		●		●	●	●	R65	●	●		●			●	●	***	●	●
K400+ 		●			●	●		R20	●		●	●			●	●	***	●	
K400 	●				●	●	●	R20	●	●		●			●	●	***	●	●
K200 	●				●	●		R100/ R60	●	●				●	●	●	***	●	●

\* R0 (bottom, front & back top) / R30 (right & left top)

\*\* R0 (vertical) / R9 (bottom)













\*\*\* optional accessory 40 986 SD0

## COMPOSITE SINKS

	STANDARD BUILT-IN	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	COMPOSITE	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED
	MOUNTING TYPE		NUMBER OF BOWLS & RADIUS				DRAINER	MATERIAL	ADDITIONAL FEATURES		
K700 U 	●	●	●			R0 / R30*		●			***
K700 	●	○	●	●	●	R0		●	●	○	***
K500 	●	○	●	●		R0 / R9**	●	●	●	○	***
K400 	●		●	●		R15	●	●	●	●	***
K200 	●		●			R60		●	●		***

- selected products
- all products in this line





















# GROHE BLUE & GROHE RED WATERSYSTEMS

	DESIGN	MIXED WATER	FILTERED WATER	SPARKLING WATER	BOILING WATER	PULL-OUT MOUSSEUR	CO <sub>2</sub> -BOTTLE	FILTER	FILTERHEAD	CARBONIZER	BOILER	APP CONTROL	CHROME	PVD COLOURS	PERFECT MATCH	
															SOAP DISPENSER 40 535 000 / 40 535 DC0	WASTE SYSTEMS
GROHE BLUE PROFESSIONAL		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE MONO PROFESSIONAL			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PURE FILTER		●	●					●	●				●	●	●	●*
		●	●					●	●				●	●	●	●*
GROHE BLUE PURE FILTER MONO			●					●	●				●	●	●	●*
GROHE RED DUO		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
GROHE RED MONO					●			●	●		●		●	●	●	●
					●			●	●		●		●	●	●	●

\* Additional waste bin is needed


















# GROHE FUNCTIONALITY AT A GLANCE












	DESIGN	FILTERED WATER	EASYTOUCH	FOOTCONTROL	SMARTCONTROL	PROFESSIONAL SPRAY	PULL-OUT TRIPLE SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION			
															SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE K7								●		●			●	●	●			
						●							●	●	●			
GROHE K7 FOOTCONTROL				●		●							●		●			
GROHE MINTA					●			●	●			●	●	●	●			
								●	●			●	●	●	●			
GROHE MINTA TOUCH			●					●					●	●	●			
			●						●				●	●	●			
GROHE ZEDRA					●		●	●				●	●	●			●	
		●					●	●				●	●	●			●	
GROHE ZEDRA TOUCH			●				●	●					●	●			●	
GROHE ESSENCE					●	●		●					●	●	●			
GROHE ESSENCE FOOTCONTROL				●				●					●	●	●			
GROHE ATRIO													●	●	●			
GROHE EUROCUBE													●	●	●			
						●							●	●	●			
GROHE AMBI													●		●	●		
GROHE PARKFIELD								●					●	●				●
GROHE EURODISC COSMOPOLITAN								●			●	●	●		●			
									●				●		●			
													●		●			

KITCHEN FITTINGS

# GROHE FUNCTIONALITY AT A GLANCE
















	DESIGN	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION	
									SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0
GROHE CONCETTO		●					●	●	●	
		●	●	●	●	●	●	●	●	
		●	●	●		●	●	●	●	
		●					●		●	
GROHE EUROSTYLE COSMOPOLITAN							●		●	
					●	●	●		●	
			●	●			●		●	
							●		●	
GROHE EUROSMART COSMOPOLITAN					●	●	●		●	
						●	●	●	●	
			●				●	●	●	
GROHE EUROSMART			●				●	●		●
						●	●	●		●
							●			●
GROHE BAU							●			●

# GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION	
								SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0
GROHE ZEDRA		●				●			●
GROHE MINTA			●			●		●	
		●				●		●	
GROHE CONCETTO			●	●	●	●		●	
			●			●		●	
GROHE EUROSTYLE COSMOPOLITAN						●		●	
						●		●	
						●		●	
GROHE EUROSMART COSMOPOLITAN						●		●	
						●	●	●	
						●		●	

KITCHEN FITTINGS

# ACCESSORIES FOR GROHE WATER SYSTEMS

	FILTER					CO <sub>2</sub> BOTTLES				CLEANING AND ACCESSORIES		
	 <b>40 404 001</b> S-Size	 <b>40 430 001</b> M-Size	 <b>40 412 001</b> L-Size	 <b>40 547 001</b> ACTIVATED CARBON	 <b>40 691 002</b> MAGNESIUM	 <b>40 422 000</b> CO <sub>2</sub> STARTER KIT 425 G	 <b>40 687 000</b> CO <sub>2</sub> REFILL 425 G	 <b>40 423 000</b> CO <sub>2</sub> STARTER KIT 2 KG	 <b>40 424 000</b> CO <sub>2</sub> REFILL 2 KG	 <b>40 962 000</b> CO <sub>2</sub> ADAPTER TO 425 G	 <b>40 434 001</b> CLEANING CARTRIDGE	 <b>40 694 000</b> CLEANING CARTRIDGE ADAPTER
 GROHE BLUE PROFESSIONAL	•	•	•	•	•	•	•	•	•	•	•	•
 GROHE RED	•	•	•		•							
 FILTER TAPS	•	•	•	•	•							

# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

40 554 002		4005176458521	2,284.10
------------	--	---------------	----------

## GROHE Blue Professional Cooler and carbonizer

delivers 12 liters of chilled water per hour  
 colour display with push and turn control  
 270 Watt cooling unit, 230 V, 50 Hz  
 type of protection IP 21  
 CE approved  
 requires ventilation holes in the bottom of the kitchen cabinet  
 software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Watersystems app  
 push notifications at low filter resp. CO<sub>2</sub> capacity  
 additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0\* and WIFI interface for wireless data communication for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  
 compatible only with GROHE Blue taps with push button operation

### System requirements Apple


iPhone with iOS 14.0 or higher  
**System requirements Android**  
 smart phone with Android 10.0 or higher  
 Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)



KITCHEN FITTINGS



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

40 711 001		4005176454301	1,658.98
------------	--	---------------	----------

## GROHE Blue Home Cooler

180 Watt cooling unit, 230 V, 50 Hz  
 sound level in standby 44 dB(A)  
 delivers 3 liters of chilled sparkling water per hour  
 CE approved  
 requires ventilation holes in the bottom of the kitchen cabinet  
 software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Watersystems app  
 with Bluetooth 4.0\* and WIFI interface for wireless data communication  
 for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls  
 between transmitter and receiver  
 adjustable for GROHE Blue filter S-Size, GROHE Blue activated  
 carbon filter and GROHE Blue magnesium + zinc filter

### System requirements Apple

iPhone with iOS 14.0 or higher

### System requirements Android


smart phone with Android 10.0 or higher

Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.



# GROHE BLUE PURE


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>30 580 000</b>	<b>Chrome</b>	<b>4005176744891</b>	<b>240.95</b>
-------------------	---------------	----------------------	---------------


**GROHE Blue Pure BauCurve**  
**Filter tap**  
 Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
 monobloc installation  
 C-spout  
 separate handle for filtered water  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 swivel tubular spout  
 swivel area 150°  
 separate inner water ways for filtered  
 and non-filtered water  
 flexible connection hoses  
 the faucet must be installed with a filter starter set of your choice

<b>30 581 000</b>	<b>Chrome</b>	<b>4005176744907</b>	<b>495.28</b>
-------------------	---------------	----------------------	---------------




**GROHE Blue Pure BauCurve**  
**Starter kit with S-Size filter**  
 Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
 monobloc installation  
 C-spout  
 separate handle for filtered water  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 swivel tubular spout  
 swivel area 150°  
 separate inner water ways for filtered  
 and non-filtered water  
 flexible connection hoses  
 GROHE Blue filter head  
**GROHE Blue** S-Size filter for water hardness reduction and premium taste  
 Capacity 600 L at 20° dKH  
 flow meter for filter lifetime measurement including 2 x AA batteries

<b>30 582 000</b>	<b>Chrome</b>	<b>4005176744914</b>	<b>602.38</b>
-------------------	---------------	----------------------	---------------



**GROHE Blue Pure BauCurve**  
**Starter kit with Ultrasafe filter**  
 Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
 monobloc installation  
 C-spout  
 separate handle for filtered water  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 swivel tubular spout  
 swivel area 150°  
 separate inner water ways for filtered  
 and non-filtered water  
 flexible connection hoses  
 GROHE Blue filter head  
**GROHE Blue** Ultrasafe filter retains microplastic > 1 µm, 99.999 % of bacteria and 99,5 % of lead  
 reduces substances responsible for unpleasant taste and odour, e.g. chlorine  
 filter capacity 3000 l, the filter must be replaced after 6 months of use  
 flow meter for filter lifetime measurement including 2 x AA batteries

<b>30 583 000</b>	<b>Chrome</b>	<b>4005176744921</b>	<b>267.72</b>
<b>30 583 DC0</b>	<b>supersteel</b>	<b>4005176744938</b>	<b>307.88</b>




**GROHE Blue Pure Eurosmart**  
**Filter tap**  
 Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
 monobloc installation  
 U spout  
 separate handle for filtered water  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 swivel tubular spout  
 swivel area 150°  
 separate inner water ways for filtered  
 and non-filtered water  
 flexible connection hoses  
 the faucet must be installed with a filter starter set of your choice

KITCHEN  
FITTINGS

# GROHE BLUE PURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

30 584 000	Chrome	4005176744945	522.06
------------	--------	---------------	--------



**GROHE Blue Pure Eurosmart  
Starter kit with S-Size filter**

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

U spout

separate handle for filtered water

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses


**GROHE Blue** filter head

**GROHE Blue** S-Size filter for water hardness reduction and premium taste

Capacity 600 L at 20° dKH

flow meter for filter lifetime measurement including 2 x AA batteries

30 586 000	Chrome	4005176744969	1,505.92
------------	--------	---------------	----------



**GROHE Blue Pure Eurosmart  
Starter kit with reverse osmosis filter**

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

U spout

separate handle for filtered water

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue** reverse osmosis system

reverse osmosis filter membrane for pure and safe water

significant removal of chemicals, hormones and microorganisms

flow rate 1.5 l/min

salt rejection more than 97%

efficiency rate min. 50%

feed water pressure 1.00 - 4.00 bar


standard IEC connector with EU plug, power supply 230V / 50 Hz

no water storage tank required

membrane lifetime one year

connection set

30 587 000	Chrome	4005176745263	1,864.47
------------	--------	---------------	----------



**GROHE Blue Pure Eurosmart  
Starter kit with reverse osmosis mineralization filter**

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function

monobloc installation

U spout

separate handle for filtered water

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue** reverse osmosis mineralization system

reverse osmosis filter membrane for pure and safe water

significant removal of chemicals, hormones and microorganisms

mineralization filter enriches drinking water with magnesium and silicate for

premium taste

flow rate 1.5 l/min

salt rejection more than 97%

efficiency rate min. 50%

feed water pressure 1.00 - 4.00 bar

standard IEC connector with EU plug, power supply 230V / 50 Hz

no water storage tank required


membrane lifetime one year

connection set

# GROHE BLUE PURE


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

30 588 000	Chrome	4005176744983	388.19
------------	--------	---------------	--------




**GROHE Blue Pure Minta Filter tap**  
 Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
 monobloc installation  
 L-spout  
 separate handle for filtered water  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 swivel tubular spout  
 swivel area 150°  
 separate inner water ways for filtered  
 and non-filtered water  
 flexible connection hoses  
 the faucet must be installed with a filter starter set of your choice

30 589 000	Chrome	4005176745270	642.52
------------	--------	---------------	--------




**GROHE Blue Pure Minta Starter kit with S-Size filter**  
 Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
 monobloc installation  
 L-spout  
 separate handle for filtered water  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 swivel tubular spout  
 swivel area 150°  
 separate inner water ways for filtered  
 and non-filtered water  
 flexible connection hoses  
 GROHE Blue filter head  
**GROHE Blue** S-Size filter for water hardness reduction and premium taste  
 Capacity 600 L at 20° dKH  
 flow meter for filter lifetime measurement including 2 x AA batteries

30 590 000	Chrome	4005176745003	441.73
30 590 DC0	supersteel	4005176745010	508.00
30 590 KF0	phantom black	4005176781728	508.00



**GROHE Blue Pure Minta Filter tap with pull-out mousseur**  
 Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
 monobloc installation  
 L-spout  
**pull out mousseur spout**  
 separate handle for filtered water  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 swivel tubular spout  
 swivel area 360°  
 separate inner water ways for filtered  
 and non-filtered water  
 flexible connection hoses  
 the faucet must be installed with a filter starter set of your choice








30 591 000	Chrome	4005176745034	696.07
------------	--------	---------------	--------













**GROHE Blue Pure Minta Starter kit with pull-out tap**  
 Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
 monobloc installation  
 L-spout  
**pull out mousseur spout**  
 separate handle for filtered water  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 swivel tubular spout  
 swivel area 360°  
 separate inner water ways for filtered  
 and non-filtered water  
 flexible connection hoses  
 GROHE Blue filter head  
**GROHE Blue** S-Size filter for water hardness reduction and premium taste  
 Capacity 600 L at 20° dKH  
 flow meter for filter lifetime measurement including 2 x AA batteries

KITCHEN FITTINGS

# GROHE BLUE ACCESSORIES







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 848 SD0	stainless steel	4005176386008	33.65
	40 848 GN0	brushed cool sunrise	4005176647000	43.74
	40 848 DL0	brushed warm sunset	4005176647017	43.74
	40 848 AL0	brushed hard graphite	4005176646997	43.74
	<b>GROHE Blue</b> <b>Thermo drinking bottle</b> stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml			
 	40 405 001		4005176698019	68.49
	<b>GROHE Blue</b> <b>Glass carafe with lid set</b> crystal glass with GROHE Blue decor stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bisphenol A) free dish washer safe volume 1l			
	40 636 SD0	stainless steel	4005176706707	30.48
	<b>GROHE Blue</b> <b>Lid set</b> set consists of 2 lids stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bisphenol A) free dish washer safe			
 	40 437 000		4005176885471	74.64
	<b>GROHE Blue</b> <b>Water glasses (6 pieces)</b> crystal glasses with GROHE Blue decor dish washer safe volume 250 ml			

# GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>41 136 000</b>		<b>4005176774430</b>	<b>227.56</b>
<p><b>GROHE Blue Activated carbon filter starter set</b>            Consisting of:            GROHE Blue filter head  <b>GROHE Blue</b> activated carbon filter for soft water areas below 9° dKH reduces substances responsible for unpleasant taste and odour, e.g. chlorine capacity 1500 l at 9° dKH            time counter for filter lifetime measurement including 2 x AAA batteries compatible with GROHE Blue Pure single faucets</p>				
 	<b>40 438 001</b>		<b>4005176984105</b>	<b>267.72</b>
<p><b>GROHE Blue S-size filter starter set</b>            Consisting of:            GROHE Blue filter head  <b>GROHE Blue</b> S-Size filter for water hardness reduction and premium taste Capacity 600 L at 20° dKH            flow meter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets and GROHE Red water systems</p>				
 	<b>40 875 000</b>		<b>4005176745195</b>	<b>321.27</b>
<p><b>GROHE Blue Magnesium + Zinc filter starter set</b>            Consisting of:            GROHE Blue filter head  <b>GROHE Blue</b> Magnesium + zinc filter enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals            Capacity 400 L at 17° dGH            flow meter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets</p>				
 	<b>40 876 000</b>		<b>4005176745201</b>	<b>374.80</b>
<p><b>GROHE Blue Ultrasafe filter starter set</b>            Consisting of:            GROHE Blue filter head  <b>GROHE Blue</b> Ultrasafe filter retains microplastic &gt; 1 µm, 99.999 % of bacteria and 99,5 % of lead            reduces substances responsible for unpleasant taste and odour, e.g. chlorine filter capacity 3000 l, the filter must be replaced after 6 months of use            flow meter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets</p>				
 	<b>40 877 000</b>	<b>Chrome</b>	<b>4005176745218</b>	<b>1,271.67</b>
<p><b>GROHE Blue Reverse osmosis filter starter set</b>            Consisting of:  <b>GROHE Blue</b> reverse osmosis system            reverse osmosis filter membrane for pure and safe water            significant removal of chemicals, hormones and microorganisms            flow rate 1.5 l/min            salt rejection more than 97%            efficiency rate min. 50%            feed water pressure 1.00 - 4.00 bar            standard IEC connector with EU plug, power supply 230V / 50 Hz            no water storage tank required            membrane lifetime one year            connection set            compatible with GROHE Blue Pure single faucets</p>				





# GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>40 878 000</b>	<b>Chrome</b>	<b>4005176745225</b>	<b>1,606.33</b>
	<b>GROHE Blue</b> <b>Reverse osmosis with mineralization filter starter set</b> Consisting of: <b>GROHE Blue</b> reverse osmosis mineralization system reverse osmosis filter membrane for pure and safe water significant removal of chemicals, hormones and microorganisms mineralization filter enriches drinking water with magnesium and silicate for premium taste flow rate 1.5 l/min salt rejection more than 97% efficiency rate min. 50% feed water pressure 1.00 - 4.00 bar standard IEC connector with EU plug, power supply 230V / 50 Hz no water storage tank required membrane lifetime one year connection set compatible with GROHE Blue Pure single faucets			
 	<b>40 547 001</b>		<b>4005176984099</b>	<b>103.81</b>
	<b>GROHE Blue</b> <b>Activated carbon filter</b> BWT replacement filter for GROHE Blue water systems for soft water areas below 9° dKH Up to 3000 Liters reduces substances responsible for unpleasant taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure			
 	<b>40 404 001</b>		<b>4005176984068</b>	<b>110.89</b>
	<b>GROHE Blue</b> <b>Filter S-Size</b> BWT replacement filter for GROHE Blue and GROHE Red water systems Capacity 600 L at 20° dKH reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional, GROHE Blue Pure (only with flow meter) and GROHE Red			
	<b>40 430 001</b>		<b>4005176984075</b>	<b>207.52</b>
	<b>ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high</b>			
	<b>40 412 001</b>		<b>4005176984082</b>	<b>272.61</b>
	<b>ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high</b>			
 	<b>40 691 002</b>		<b>4005176674099</b>	<b>144.49</b>
	<b>GROHE Blue</b> <b>Magnesium + Zinc filter</b> BWT replacement filter for GROHE Blue and GROHE Red water systems Capacity 400 L at 17° dGH enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional, GROHE Blue Pure (only with flow meter) and GROHE Red			
 	<b>40 575 002</b>		<b>4005176674082</b>	<b>223.67</b>
	<b>GROHE Blue</b> <b>UltraSafe filter</b> BWT replacement filter for GROHE Blue water systems filter capacity 3000 l, the filter must be replaced after 6 months of use retains microplastic > 1 µm and 99,999 % of bacteria, removes lead by 99,5 % reduces substances responsible for unpleasant taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)			

# GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 434 001		4005176985294	64.36
<p><b>GROHE Blue Cleaning cartridge</b> for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a></p>				
	40 694 000	Chrome	4005176985300	33.36
<p><b>GROHE Blue Cleaning cartridge adapter</b> for GROHE Blue BWT filterhead 64 508 001 for use with GROHE Blue cleaning cartridge 40 434 001, sold separately</p>				
 	40 422 000		4005176890246	151.96
<p><b>GROHE Blue Starter kit 425 g CO<sub>2</sub> bottles (4 pieces)</b> carbondioxide for food and beverage (E290) Purity: CO<sub>2</sub> 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water for refilling please order 40 687 000 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a></p>				
 	40 687 000		4005176981838	64.36
<p><b>GROHE Blue Refill 425 g CO<sub>2</sub> bottles (4 pieces)</b> carbondioxide for food and beverage (E290) Purity: CO<sub>2</sub> 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a></p>				
 	40 920 000		4005176470646	33.95
<p><b>GROHE Blue 425 g CO<sub>2</sub> bottle</b> carbondioxide for food and beverage (E290) Purity: CO<sub>2</sub> 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a> sales unit 18 pieces</p>				

# GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 423 000		4005176890253	215.08
	<p><b>GROHE Blue Starter kit 2 kg CO<sub>2</sub> bottle</b>            carbondioxide for food and beverage (E290)            Purity: CO<sub>2</sub> 99.9 % v/v min.            volume 1 bottle: 2 kg, up to 350 l sparkling water            integrated residual pressure valve and safety carrier handle            for refilling please order 40 424 000            sales unit 1 piece            not suitable for the GROHE Blue Home cooler            This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a></p>			
	40 962 000		4005176529412	55.12
	<p><b>GROHE Blue CO<sub>2</sub> adapter</b>            adapter for GROHE Blue Professional CO<sub>2</sub> pressure reducer            for use with 425 g CO<sub>2</sub> bottles            for GROHE Blue Professional systems as of January 2019</p>			
	40 843 000	Chrome	4005176337109	67.20
	<p><b>GROHE Blue Extension set</b>            Consisting of:            extension cable 5 m            hose for drinking water, 5 m            tube cutter            adapters and clips            suitable for GROHE Blue Home and GROHE Blue Professional (from January 2019)</p>			
	40 855 000		4005176356452	91.29
	<p><b>GROHE Blue Waste bin recycling separation system</b>            installation type: floor mounted, behind swinging door            technique: full extension            operation: manual telescopic            separation: double, 2 x up to 15 l filling volume            cabinet width: 30 cm and wider            compatible with GROHE Blue Home and GROHE Red M and L size</p>			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

30 328 001	Chrome	4005176414107	2,071.93
------------	--------	---------------	----------

### GROHE Red Duo

#### Tap and L Size Boiler

Consisting of:

**GROHE Red Duo single-lever sink mixer**  
monobloc installation

C-spout

GROHE ChildLock push buttons for kettle hot water

TÜV certified triple electronic safeguards against accidental activation of boiling water

**GROHE Long-Life** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

**GROHE Red boiler L size**

reservoir for kettle hot and hot water

**Without safety expansion vessel, comes with safety valve assembly instead**

5.5 liter total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for kettle hot water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A

GROHE Blue S-Size filter starter set

for protection of the boiler from limescale

Capacity 600 L at 20° dKH

KIWA KUKReg4 Certified



30 340 001	Chrome	4005176414893	2,148.66
------------	--------	---------------	----------

### GROHE Red Duo

#### Tap and L Size Boiler

Consisting of:

**GROHE Red Duo single-lever sink mixer**  
monobloc installation

L-spout

GROHE ChildLock push buttons for kettle hot water

TÜV certified triple electronic safeguards against accidental activation of boiling water

**GROHE Long-Life** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

**GROHE Red boiler L size**

reservoir for kettle hot and hot water

5.5 liter total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for kettle hot water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A

GROHE Blue S-Size filter starter set

for protection of the boiler from limescale





Capacity 600 L at 20° dKH

KIWA KUKReg4 Certified






# GROHE RED

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>40 842 001</b>	<b>Chrome</b>	<b>4005176335365</b>	<b>844.82</b>
	<b>GROHE Red Boiler Size M</b> reservoir for hot water 3 liter hot water at 99° C 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W			
	<b>40 834 001</b>	<b>Chrome</b>	<b>4005176335280</b>	<b>929.30</b>
	<b>GROHE Red Boiler Size L</b> reservoir for hot water 5.5 liter hot water at 99° C 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W			
	<b>40 432 000</b>		<b>4005176883255</b>	<b>66.05</b>
	<b>GROHE Red Tea glasses (4 pieces)</b> heat proof glass with GROHE Red decor dish washer safe volume 250 ml			




# GROHE K7

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



32 950 000	Chrome	4005176879838	848.73
32 950 DC0	supersteel	4005176879845	1,103.34

**K7**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 professional spray  
 diverter: mousseur/shower jet  
 automatic return to mousseur  
 metal spray  
 adjustable flow rate limiter  
 swivel spout  
 swivel area 140°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system  
 maximum flow rate (at 3 bar): 14 l/min





31 379 000	Chrome	4005176938085	816.85
31 379 DC0	supersteel	4005176938092	1,061.90

**K7**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 professional spray  
 diverter: mousseur/shower jet  
 automatic return to mousseur  
 metal spray  
 adjustable flow rate limiter  
 swivel spout, swivel area 140°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system  
 maximum flow rate (at 3 bar): 14.5 l/min

# GROHE FOOT CONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

30 309 000		4005176351235	289.81
------------	--	---------------	--------



**30 309 000**

**Foot Control  
Dual flush valve set**

Foot control: activation of water via contact with sensor

**battery supply** 6 V lithium-battery,

type CR-P2

CE approved

solenoid valve

fixed value mixing valve

automatically stops after 60 sec. (factory set)

type of protection IP 44







upgrade set for GROHE pull-out kitchen faucets

not suitable for combination with open water heater (SKUs 32 555 000,

31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0,

31 179 000, 31 132 001


# GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 219 002	Chrome	4005176466540	850.87
	30 219 DC2	supersteel	4005176466557	1,106.14
	<p><b>Zedra Touch</b>  <b>Electronic single-lever sink mixer 1/2"</b>  <b>Touch: activation of water via skin contact</b>  <b>battery supply 6 V lithium-battery,</b>                      type CR-P2                      CE approved                      solenoid valve                      fixed value mixing valve                      automatically stops after 60 sec. (factory set)                      type of protection IP 44  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      Lead and Nickel Free Inner Water Ways  <b>GROHE Magnetic Docking</b> guarantees easy retraction and smooth docking of the spray head back to the starting position                      pull-out spray with 3 spray types                      diverter: laminar spray/<b>SpeedClean</b> shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)                      stop function - pause button to stop the water flow                      automatic return to laminar spray                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 360°                      protected against backflow                      flexible connection hoses                      maximum flow rate (at 3 bar): 9 l/min</p>			
	31 593 002	Chrome	4005176521942	668.55
	31 593 DC2	supersteel	4005176521959	869.11
	<p><b>Zedra SmartControl</b>  <b>Sink mixer with SmartControl</b>                      monobloc installation  <b>GROHE Long-Life</b> finish                      pull-out spray with laminar metal spray  <b>GROHE Magnetic Docking</b> guarantees easy retraction and smooth docking of the spray head back to the starting position  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow                      temperature adjustment by turning of mixing valve on body                      swivel tubular spout                      swivel area 140°                      protected against backflow                      flexible connection hoses                      metal fixation set                      Lead and Nickel Free Inner Water Ways                      maximum flow rate (at 3 bar): 10 l/min</p>			
	32 294 002	Chrome	4005176466496	486.21
	32 294 DC2	supersteel	4005176466502	632.08
	<p><b>Zedra</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>GROHE Magnetic Docking</b> guarantees easy retraction and smooth docking of the spray head back to the starting position                      pull-out spray with 3 spray types                      diverter: laminar spray/<b>SpeedClean</b> shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)                      stop function - pause button to stop the water flow                      automatic return to laminar spray                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 360°                      protected against backflow                      flexible connection hoses                      metal fixation set                      Lead and Nickel Free Inner Water Ways                      maximum flow rate (at 3 bar): 9 l/min</p>			

# GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


32 553 002	Chrome	4005176466649	455.82
32 553 DC2	supersteel	4005176466656	592.58



**Zedra**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
 pull-out dual spray  
 diverter: laminar spray/SpeedClean shower jet  
 automatic return to laminar spray  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
 metal fixation set  
 Lead and Nickel Free Inner Water Ways  
 maximum flow rate (at 3 bar): 10 l/min


KITCHEN FITTINGS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>31 892 KF0</b>	<b>phantom black</b>	<b>4005176782718</b>	<b>944.45</b>
-------------------	----------------------	----------------------	---------------

**Essence SmartControl**  
**Sink mixer with SmartControl**  
 monobloc installation  
 pull-out dual spray  
 metal spray  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow  
 temperature adjustment by turning of mixing valve on body  
 swivel tubular spout  
 swivel area 140°  
 protected against backflow  
 flexible connection hoses  
 metal fixation set  
 Lead and Nickel Free Inner Water Ways  
 professional edition  
 maximum flow rate (at 3 bar): 10 l/min




<b>31 615 000</b>	<b>Chrome</b>	<b>4005176523649</b>	<b>562.19</b>
<b>31 615 DC0</b>	<b>supersteel</b>	<b>4005176523656</b>	<b>730.84</b>
<b>31 615 GL0</b>	<b>cool sunrise</b>	<b>4005176523670</b>	<b>787.05</b>
<b>31 615 GN0</b>	<b>brushed cool sunrise</b>	<b>4005176523687</b>	<b>843.27</b>
<b>31 615 DA0</b>	<b>warm sunset</b>	<b>4005176523694</b>	<b>787.05</b>
<b>31 615 DL0</b>	<b>brushed warm sunset</b>	<b>4005176523700</b>	<b>843.27</b>
<b>31 615 A00</b>	<b>hard graphite</b>	<b>4005176523717</b>	<b>787.05</b>
<b>31 615 AL0</b>	<b>brushed hard graphite</b>	<b>4005176523724</b>	<b>843.27</b>

**Essence SmartControl**  
**Sink mixer with SmartControl**  
 monobloc installation  
**GROHE Long-Life** finish  
 metal spray  
 pull-out spray with laminar  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow  
 temperature adjustment by turning of mixing valve on body  
 swivel tubular spout  
 swivel area 140°  
 protected against backflow  
 flexible connection hoses  
 metal fixation set  
 Lead and Nickel Free Inner Water Ways  
 maximum flow rate (at 3 bar): 10 l/min

<b>31 928 KF0</b>	<b>phantom black</b>	<b>4005176782701</b>	<b>787.05</b>
-------------------	----------------------	----------------------	---------------

**ditto, Professional exclusive**

# GROHE ESSENCE



Ref. No.	Colour	EAN	Retail Guide Price (£)
30 503 000	Chrome	4005176695698	586.15
30 503 DC0	supersteel	4005176720178	761.99
30 503 KF0	phantom black	4005176782695	820.60

**Essence**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE Long-Life** finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 flow strainer  
 with integrated temperature limiter  
 professional spray  
 with flexible, hygienic GROHFlexx kitchen santoprene hose  
 diverter: laminar spray/SpeedClean shower jet  
 automatic return to laminar spray  
 metal spray  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
 swivel spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
 metal fixation set  
 maximum flow rate (at 3 bar): 8 l/min  
 professional edition  
 replaces Essence sink mixer 30 294 xx0

30 294 000	Chrome	4005176341472	586.15
30 294 DC0	supersteel	4005176341489	761.99
30 294 GL0	cool sunrise	4005176488078	820.60
30 294 GN0	brushed cool sunrise	4005176488085	879.22
30 294 DA0	warm sunset	4005176488498	820.60
30 294 DL0	brushed warm sunset	4005176488504	879.22
30 294 A00	hard graphite	4005176488054	820.60
30 294 AL0	brushed hard graphite	4005176488061	879.22

will be replaced by 30 503




30 321 GE0	green	4005176438271	81.41
30 321 XC0	dark grey	4005176385735	81.41
30 321 MW0	Sheer Marble	4005176385728	81.41
30 321 HG0	Dark Brown	4005176385742	81.41
30 321 DG0	red	4005176438219	81.41
30 321 DP0	pink	4005176438264	81.41
30 321 DU0	purple	4005176438257	81.41
30 321 TY0	blue	4005176438240	81.41
30 321 YF0	yellow	4005176438233	81.41
30 321 YR0	orange	4005176438226	81.41

**Essence GROHFlexx kitchen hose**  
 Spout hose for Essence kitchen tap  
 for 30 294 000/ 30 294 DC0/30 503 xxx  
 flexible, hygienic **GROHFlexx kitchen** santoprene hose  
 including fixing parts

KITCHEN  
FITTINGS




# GROHE ESSENCE



Ref. No.	Colour	EAN	Retail Guide Price (£)
30 504 000	Chrome	4005176695704	415.18
30 504 DC0	supersteel	4005176720130	539.74
30 504 GL0	cool sunrise	4005176720154	581.26
30 504 GN0	brushed cool sunrise	4005176720161	622.78
30 504 DA0	warm sunset	4005176720123	581.26
30 504 DL0	brushed warm sunset	4005176720147	622.78
30 504 A00	hard graphite	4005176720109	581.26
30 504 AL0	brushed hard graphite	4005176720116	622.78
30 504 KF0	phantom black	4005176782688	581.26

**Essence**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE Long-Life** finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 flow strainer  
 pull-out dual spray control - switches between regular flow and spray  
 diverter: laminar spray/SpeedClean shower jet  
 automatic return to laminar spray  
 metal spray  
 swivel tubular spout  
 swivel area 360°  
 integrated non-return valve  
 protected against backflow  
 flexible connection hoses  
 metal fixation set  
 integrated temperature limiter  
 maximum flow rate (at 3 bar): 8 l/min  
 professional edition  
 replaces Essence sink mixer 30 270 xx0




30 505 000	Chrome	4005176695711	315.55
30 505 DC0	supersteel	4005176720062	410.20
30 505 GL0	cool sunrise	4005176720086	441.76
30 505 GN0	brushed cool sunrise	4005176720352	473.31
30 505 DA0	warm sunset	4005176719752	441.76
30 505 DL0	brushed warm sunset	4005176720079	473.31
30 505 A00	hard graphite	4005176719738	441.76
30 505 AL0	brushed hard graphite	4005176719745	473.31
30 505 KF0	phantom black	4005176782671	441.76

**Essence**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE Long-Life** finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
**GROHE AquaGuide** adjustable mousseur  
 swivel tubular spout  
 adjustable swivel area 0° / 150° / 360°  
 flexible connection hoses  
 rapid installation system  
 integrated temperature limiter  
 maximum flow rate (at 3 bar): 6.5 l/min  
 professional edition  
 replaces Essence sink mixer 30 269 xx0


# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 360 001	Chrome	4005176343025	739.96
31 360 DC1	supersteel	4005176343032	961.95




**Minta Touch**  
**Electronic single-lever sink mixer 1/2"**  
 L-spout  
**Touch: activation of water via skin contact**  
**battery supply** 6 V lithium-battery, type CR-P2  
 CE approved  
 solenoid valve  
 fixed value mixing valve  
 automatically stops after 60 sec. (factory set)  
 type of protection IP 44  
**GROHE SilkMove** 46 mm ceramic cartridge  
**pull out mousseur spout**  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system  
 maximum flow rate (at 3 bar): 10 l/min

31 358 002	Chrome	4005176465000	735.57
31 358 DC2	supersteel	4005176465017	956.24



**Minta Touch**  
**Electronic single-lever sink mixer 1/2"**  
 C-spout  
 monobloc installation  
**Touch: activation of water via skin contact**  
**battery supply** 6 V lithium-battery, type CR-P2  
 CE approved  
 solenoid valve  
 fixed value mixing valve  
 automatically stops after 60 sec. (factory set)  
 type of protection IP 44  
**GROHE Long-Life** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
 pull-out dual spray  
 diverter: laminar spray/SpeedClean shower jet  
 swivel tubular spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system  
 maximum flow rate (at 3 bar): 9 l/min


31 613 000	Chrome	4005176521973	465.43
31 613 DC0	supersteel	4005176521980	605.06
31 613 A00	hard graphite	4005176523601	651.61



**Minta SmartControl**  
**Sink mixer with SmartControl**  
 monobloc installation  
**GROHE Long-Life** finish  
 pull-out spray with laminar metal spray  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow  
 temperature adjustment by turning of mixing valve on body  
 swivel tubular spout  
 swivel area 140°  
 protected against backflow  
 flexible connection hoses  
 metal fixation set  
 Lead and Nickel Free Inner Water Ways  
 maximum flow rate (at 3 bar): 10 l/min


# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.      Colour      EAN      Retail Guide Price (£)




30 274 000	Chrome	4005176314988	301.95
30 274 DC0	supersteel	4005176314995	392.54
30 274 DA0	warm sunset	4005176488672	422.73
30 274 DL0	brushed warm sunset	4005176488689	452.93
30 274 A00	hard graphite	4005176488658	422.73
30 274 AL0	brushed hard graphite	4005176488665	452.93

**Minta**  
Single-lever sink mixer 1/2"  
L-spout  
monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
flow strainer  
pull-out dual spray control - switches between regular flow and spray  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
metal spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system  
maximum flow rate (at 3 bar): 9 l/min



32 321 002	Chrome	4005176465109	252.89
32 321 DC2	supersteel	4005176465116	328.75
32 321 GN2	brushed cool sunrise	4005176618529	379.32
32 321 DL2	brushed warm sunset	4005176488764	379.32
32 321 AL2	brushed hard graphite	4005176488740	379.32

**Minta**  
Single-lever sink mixer 1/2"  
C-spout  
monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
pull-out dual spray  
diverter: laminar spray/SpeedClean shower jet  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system  
maximum flow rate (at 3 bar): 9 l/min




32 322 002	Chrome	4005176465123	252.89
32 322 DC2	supersteel	4005176465130	328.75
32 322 DL2	brushed warm sunset	4005176488849	379.32
32 322 AL2	brushed hard graphite	4005176488825	379.32

**Minta**  
Single-lever sink mixer 1/2"  
U spout  
monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
pull-out dual spray  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system  
maximum flow rate (at 3 bar): 9 l/min


# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No. Colour EAN Retail Guide Price (£)



32 168 000 Chrome 4005176824425 244.20  
32 168 DC0 supersteel 4005176824432 317.44


**Minta**  
**Single-lever sink mixer 1/2"**  
monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**pull out mousseur spout**  
adjustable flow rate limiter  
swivel tubular spout  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system  
maximum flow rate (at 3 bar): 10 l/min



32 918 000 Chrome 4005176230967 246.00  
32 918 DC0 supersteel 4005176804953 319.79


**Minta**  
**Single-lever sink mixer 1/2"**  
monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**pull out mousseur spout**  
adjustable flow rate limiter  
swivel tubular spout  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system  
maximum flow rate (at 3 bar): 10.5 l/min  
optional temperature limiter (46 308 000)

32 918 00E Chrome 4005176866616 246.00  
ditto, with GROHE Water Saving flow limiter, maximum flow rate (at 3 bar): 5 l/min



32 511 000 Chrome 4005176295621 303.90

**Minta**  
**Single-lever sink mixer 1/2"**  
for use with displacement water heater  
C-spout  
monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**pull-out laminar spray**  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system  
maximum flow rate (at 3 bar): 8 l/min  
optional temperature limiter (46 308 000)




32 067 000 Chrome 4005176811142 246.00

**Minta**  
**Single-lever sink mixer 1/2"**  
U spout  
monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**pull out mousseur spout**  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system  
maximum flow rate (at 3 bar): 10.5 l/min

KITCHEN  
FITTINGS


# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




31 375 000	Chrome	4005176934155	217.93
31 375 DC0	supersteel	4005176934162	283.32
31 375 DL0	brushed warm sunset	4005176488641	326.90
31 375 AL0	brushed hard graphite	4005176488627	326.90

**Minta**  
Single-lever sink mixer 1/2"  
L-spout  
monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
adjustable flow rate limiter  
swivel tubular spout  
swivel range 0°/150°/360°  
flexible connection hoses  
protected against backflow  
rapid installation system  
maximum flow rate (at 3 bar): 11.5 l/min



32 917 000	Chrome	4005176230950	202.60
32 917 DC0	supersteel	4005176804946	263.38
32 917 DL0	brushed warm sunset	4005176488726	303.90
32 917 AL0	brushed hard graphite	4005176488702	303.90
32 917 KS0	velvet black	4005176980640	263.72

**Minta**  
Single-lever sink mixer 1/2"  
C-spout  
monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
adjustable flow rate limiter  
swivel tubular spout  
selectable swivel area : 0° / 150° / 360°  
flexible connection hoses  
with compression nut  
rapid installation system  
optional temperature limiter (46 308 000)  
maximum flow rate (at 3 bar): 11.5 l/min




32 488 000	Chrome	4005176289552	202.60
32 488 DC0	supersteel	4005176804939	263.38
32 488 DL0	brushed warm sunset	4005176488801	303.90
32 488 AL0	brushed hard graphite	4005176488788	303.90


**Minta**  
Single-lever sink mixer 1/2"  
U spout, monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
adjustable flow rate limiter  
selectable swivel area : 0° / 150° / 360°  
swivel tubular spout  
flexible connection hoses  
rapid installation system  
optional temperature limiter (46 308 000)  
maximum flow rate (at 3 bar): 11.5 l/min

# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 395 000	Chrome	4005176304774	730.73
31 395 DC0	supersteel	4005176304767	949.94



**Eurocube**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE Long-Life** finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 diverter: mousseur/shower jet  
 automatic return to laminar spray  
 metal spray  
 swivel spout  
 swivel area 140°  
 360° maneuverable spring arm  
 protected against backflow  
 flexible connection hoses  
 rapid installation system  
 maximum flow rate (at 3 bar): 8 l/min









31 255 000	Chrome	4005176901416	303.95
31 255 DC0	supersteel	4005176994319	395.13

**Eurocube**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE Long-Life** finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 mousseur  
 swivel cast spout  
 swivel area 90°  
 flexible connection hoses  
 rapid installation system  
 maximum flow rate (at 3 bar): 9.5 l/min





KITCHEN  
FITTINGS



# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 257 002	Chrome	4005176886591	325.63
	<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever sink mixer 1/2"</b>                      medium spout                      monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      pull-out dual spray                      diverter: mousseur/shower jet                      automatic return to mousseur                      adjustable flow rate limiter                      swivel cast spout, swivel area 100°                      protected against backflow                      flexible connection hoses                      rapid installation system                      maximum flow rate (at 3 bar): 11 l/min</p>			
	32 259 003	Chrome	4005176466908	262.82
	<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever sink mixer 1/2"</b>                      high spout                      monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      Lead and Nickel Free Inner Water Ways                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 150°                      mousseur                      flexible connection hoses                      metal fixation set                      maximum flow rate (at 3 bar): 10 l/min</p>			
	33 770 002	Chrome	4005176888137	262.40
	<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever sink mixer 1/2"</b>                      medium spout                      monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel cast spout                      swivel area 140°                      flexible connection hoses                      rapid installation system                      maximum flow rate (at 3 bar): 13 l/min</p>			


# GROHE EURODISC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 257 001	Chrome	4005176834165	315.55
	<p><b>Eurodisc</b>  <b>Single-lever sink mixer 1/2"</b>                      low spout                      monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      pull-out dual spray                      diverter: mousseur/shower jet                      adjustable flow rate limiter                      swivel cast spout                      swivel area 140°                      flexible connection hoses                      rapid installation system                      maximum flow rate (at 3 bar): 11.5 l/min</p>			
	33 770 001	Chrome	4005176828959	249.11
	<p><b>Eurodisc</b>  <b>Single-lever sink mixer 1/2"</b>                      low spout                      monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 140°                      with stop restriction                      flexible connection hoses                      rapid installation system                      maximum flow rate (at 3 bar): 12 l/min</p>			

KITCHEN  
FITTINGS


# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 491 000	Chrome	4005176343308	479.45
31 491 DC0	supersteel	4005176343315	623.28




**Concetto**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE Long-Life** finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 flow strainer  
 with integrated temperature limiter  
 professional spray  
 with flexible, hygienic GROHFlexx kitchen santoprene hose  
 diverter: laminar spray/SpeedClean shower jet  
 automatic return to laminar spray  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
 swivel spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
 metal fixation set  
 maximum flow rate (at 3 bar): 8 l/min

31 483 002	Chrome	4005176466809	274.31
31 483 DC2	supersteel	4005176466816	356.60











**Concetto**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
 Lead and Nickel Free Inner Water Ways  
 pull-out dual spray  
 diverter: laminar spray/SpeedClean shower jet  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
 metal fixation set  
 maximum flow rate (at 3 bar): 9.5 l/min

32 663 003	Chrome	4005176466854	262.12
32 663 DC3	supersteel	4005176466861	340.74



**Concetto**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
 Lead and Nickel Free Inner Water Ways  
 pull-out mousseur spray  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
 metal fixation set  
 maximum flow rate (at 3 bar): 9.5 l/min


# GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 212 003	Chrome	4005176466762	349.95
	<p><b>Concetto</b>  <b>Single-lever sink mixer 1/2"</b>  <b>for use with displacement water heater</b>            high spout            monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            Lead and Nickel Free Inner Water Ways            pull-out mousseur spray            automatic return            adjustable flow rate limiter            swivel tubular spout            swivel area 360°            protected against backflow            flexible connection hoses            metal fixation set            maximum flow rate (at 3 bar): 8 l/min</p>			
	32 661 003 32 661 DC3	Chrome supersteel	4005176466823 4005176466830	232.16 301.82
	<p><b>Concetto</b>  <b>Single-lever sink mixer 1/2"</b>            high spout            monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            Lead and Nickel Free Inner Water Ways            mousseur            adjustable flow rate limiter            swivel tubular spout            swivel area 150°            flexible connection hoses            metal fixation set            maximum flow rate (at 3 bar): 10 l/min</p>			
	30 273 001 30 273 DC1	Chrome supersteel	4005176314964 4005176314971	331.43 430.86
	<p><b>Concetto</b>  <b>Single-lever sink mixer 1/2"</b>            medium spout            monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            flow strainer            pull-out dual spray control - switches between regular flow and spray            diverter: laminar spray/SpeedClean shower jet            automatic return to laminar spray            metal spray            adjustable flow rate limiter            swivel cast spout            swivel area 100°            protected against backflow            integrated non-return valve            flexible connection hoses            rapid installation system            maximum flow rate (at 3 bar): 7.5 l/min</p>			
	31 129 001 31 129 DC1	Chrome supersteel	4005176886744 4005176891021	291.13 378.46
	<p><b>Concetto</b>  <b>Single-lever sink mixer 1/2"</b>            medium spout            monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>pull out mousseur spout</b>            adjustable flow rate limiter            swivel cast spout            swivel area 100°            protected against backflow            flexible connection hoses            rapid installation system            maximum flow rate (at 3 bar): 7.5 l/min</p>			

KITCHEN  
FITTINGS


# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>31 214 001</b>	<b>Chrome</b>	<b>4005176891090</b>	<b>360.44</b>
-------------------	---------------	----------------------	---------------

**Concetto**  
**Single-lever sink mixer 1/2"**  
 for use with displacement water heater  
 medium spout  
 monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 pull-out laminar spray  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 100°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system  
 maximum flow rate (at 3 bar): 7 l/min



<b>31 128 001</b>	<b>Chrome</b>	<b>4005176886737</b>	<b>239.13</b>
<b>31 128 DC1</b>	<b>supersteel</b>	<b>4005176891007</b>	<b>310.88</b>

**Concetto**  
**Single-lever sink mixer 1/2"**  
 medium spout  
 monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 140°  
 flexible connection hoses  
 rapid installation system  
 maximum flow rate (at 3 bar): 12 l/min




<b>32 659 001</b>	<b>Chrome</b>	<b>4005176886713</b>	<b>211.77</b>
-------------------	---------------	----------------------	---------------

**Concetto**  
**Single-lever sink mixer 1/2"**  
 low spout  
 monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 140°  
 flexible connection hoses  
 rapid installation system  
 maximum flow rate (at 3 bar): 13 l/min

# GROHE EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------











30 221 002	Chrome	4005176984235	166.07
------------	--------	---------------	--------

**Eurostyle Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE SilkMove** 35 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 adjustable swivel area 0° / 150° / 360°  
 flexible connection hoses  
 rapid installation system  
 integrated temperature limiter  
 maximum flow rate (at 3 bar): 13 l/min









KITCHEN  
FITTINGS



# GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		<b>31 481 001</b>	<b>Chrome</b>	<b>4005176466922</b>	<b>252.97</b>
		<p><b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b>                      high spout                      monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position                      Lead and Nickel Free Inner Water Ways                      pull-out dual spray diverter: laminar spray/SpeedClean shower jet  <b>GROHE Water Saving</b> mousseur, flow rate less than 9 l/min                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 360°                      protected against backflow                      flexible connection hoses                      metal fixation set</p>			
		<b>32 843 002</b>	<b>Chrome</b>	<b>4005176466939</b>	<b>186.28</b>
		<b>32 843 DC2</b>	<b>supersteel</b>	<b>4005176466953</b>	<b>242.17</b>
<p><b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b>                      high spout                      monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      Lead and Nickel Free Inner Water Ways                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 150°                      flexible connection hoses                      metal fixation set                      maximum flow rate (at 3 bar): 10 l/min</p>					
		<b>32 843 20E</b>	<b>Chrome</b>	<b>4005176466946</b>	<b>191.98</b>
		<p><b>ditto, maximum flow rate (at 3 bar): 5 l/min</b></p>			
<p><b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b>  <b>for use with displacement water heater</b>                      high spout                      monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      flow straightener                      adjustable flow rate limiter                      swivel tubular spout                      selectable swivel area : 0° / 150° / 360°                      flexible connection hoses                      rapid installation system                      maximum flow rate (at 3 bar): 7.5 l/min</p>					
		<b>30 193 000</b>	<b>Chrome</b>	<b>4005176919459</b>	<b>139.32</b>
		<b>30 193 DC0</b>	<b>supersteel</b>	<b>4005176938559</b>	<b>181.13</b>
<p><b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b>                      medium spout                      monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 140°                      flexible connection hoses                      rapid installation system                      maximum flow rate (at 3 bar): 12 l/min</p>					

# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 199 000	Chrome	4005176922022	142.70
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge with Eco-Override-Stop and cold start function mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 11.5 l/min Qualitel approval</p>			
	32 842 000	Chrome	4005176874833	142.70
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 12 l/min</p>			
	31 179 000	Chrome	4005176889172	197.05
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> for use with displacement water heater low spout monobloc installation <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system maximum flow rate (at 3 bar): 7.5 l/min</p>			
	31 170 000	Chrome	4005176889165	282.04
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> for installation in front of window low spout monobloc installation <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter mousseur swivel tubular spout swivel area 140° non-removable socket height: 30 mm flexible connection hoses maximum flow rate (at 3 bar): 13 l/min</p>			


# GROHE EUROSMART

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 619 000	Chrome	4005176763564	265.72
30 619 DC0	supersteel	4005176763588	345.44
30 619 2430	matte black	4005176783869	345.44




**Eurosmart**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE Long-Life** finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 flow strainer  
 with integrated temperature limiter  
 pull-out dual spray control - switches between regular flow and spray  
 diverter: laminar spray/SpeedClean shower jet  
 automatic return to laminar spray  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 360°  
 Lead and Nickel Free Inner Water Ways  
 flexible connection hoses 3/8"  
 metal fixation set  
 protected against backflow  
 maximum flow rate (at 3 bar): 7 l/min  
 professional edition

33 202 003	Chrome	4005176635588	132.12
------------	--------	---------------	--------



**Eurosmart**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 integrated temperature limiter  
 mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 150°  
 Lead and Nickel Free Inner Water Ways  
 flexible connection hoses 3/8"  
 metal fixation set  
 maximum flow rate (at 3 bar): 11 l/min  
 professional edition


30 468 000	Chrome	4005176635755	183.32
30 468 2430	matte black	4067393015161	281.07



**Eurosmart**  
**Two handle sink mixer**  
 high spout  
 monobloc installation  
**GROHE Long-Life** finish  
 cartridge: ceramic head parts, 90° turn angle  
 integrated temperature limiter  
 mousseur  
 swivel tubular spout  
 adjustable swivel area 0° / 150° / 360°  
 Lead and Nickel Free Inner Water Ways  
 flexible connection hoses 1/2"  
 rapid installation system  
 min. recommended pressure 0.3 bar  
 professional edition


# GROHE EUROSMART

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 305 001	Chrome	4005176635465	186.18
30 305 DC1	supersteel	4005176635472	242.03




**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
flow strainer  
with integrated temperature limiter  
pull-out dual spray control - switches between regular flow and spray  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel cast spout  
swivel area 90°  
Lead and Nickel Free Inner Water Ways  
flexible connection hoses 3/8"  
metal fixation set  
protected against backflow  
maximum flow rate (at 3 bar): 10.5 l/min  
professional edition

30 506 000	Chrome	4005176723667	145.03
------------	--------	---------------	--------




**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
Cradle to Cradle Certified Gold  
monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE Water Saving** 5,7 l/min mousseur with coin slot for tool free replacement  
adjustable flow rate limiter  
integrated temperature limiter  
swivel cast spout  
swivel area 140°  
Lead and Nickel Free Inner Water Ways  
flexible connection hoses 3/8"  
**GROHE FastFixation Plus** installation system  
maximum flow rate (at 3 bar): 5 l/min  
professional edition

33 281 003	Chrome	4005176635366	126.12
33 281 DC3	supersteel	4005176635397	163.95




**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
integrated temperature limiter  
adjustable flow rate limiter  
swivel cast spout  
swivel area 140°  
Lead and Nickel Free Inner Water Ways  
mousseur with coin slot for tool free replacement  
flexible connection hoses 3/8"  
metal fixation set  
maximum flow rate (at 3 bar): 11 l/min  
professional edition

33 281 30E	Chrome	4005176635410	126.12
------------	--------	---------------	--------




**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
integrated temperature limiter  
adjustable flow rate limiter  
swivel cast spout  
swivel area 140°  
Lead and Nickel Free Inner Water Ways  
**GROHE Water Saving** - Less water, perfect flow  
flexible connection hoses 3/8"  
metal fixation set  
maximum flow rate (at 3 bar): 5 l/min  
professional edition

Ref. No.      Colour      EAN      Retail Guide Price (£)




**30 260 003**      **Chrome**      **4005176635434**      **126.12**

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
 low spout  
 monobloc installation  
**GROHE Long-Life** finish  
**GROHE SilkMove Energy Saving** 35 mm ceramic cartridge with energy saving function via cold start  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 90°  
 Lead and Nickel Free Inner Water Ways  
 mousseur with coin slot for tool free replacement  
 flexible connection hoses 3/8"  
 metal fixation set  
 maximum flow rate (at 3 bar): 9.5 l/min  
 professional edition



**32 224 003**      **Chrome**      **4005176635786**      **156.14**









**Eurosmart**  
**Single-lever sink mixer 1/2"**  
 wall mounted  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 projection 276 mm  
 integrated temperature limiter  
 S-unions  
 maximum flow rate (at 3 bar): 13.5 l/min  
 professional edition



**31 391 003**      **Chrome**      **4005176635762**      **156.14**

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
 wall mounted  
**GROHE Long-Life** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 projection 216 mm  
 integrated temperature limiter  
 S-unions  
 maximum flow rate (at 3 bar): 13.5 l/min  
 professional edition











# GROHE EUROECO / EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 752 000	Chrome	4005176868252	118.63
<p><b>Euroeco</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation                      GROHE Long-Life finish                      GROHE SilkMove 46 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel range 0°/150°/360°                      metal lever                      flexible connection hoses                      rapid installation system                      maximum flow rate (at 3 bar): 12 l/min</p>				
 	32 750 000	Chrome	4005176868238	118.63
<p><b>Euroeco</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation                      GROHE Long-Life finish                      GROHE SilkMove 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 140°                      metal lever                      flexible connection hoses                      rapid installation system                      maximum flow rate (at 3 bar): 11.5 l/min</p>				
 	32 786 000	Chrome	4005176871863	166.01
<p><b>Euroeco Special</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation                      GROHE Long-Life finish                      GROHE SilkMove 46 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      swivel tubular spout                      selectable swivel area : 0° / 150° / 360°                      metal lever                      lever length 120 mm                      flexible connection hoses                      maximum flow rate (at 3 bar): 8 l/min</p>				
 	32 787 000	Chrome	4005176871870	166.01
<p><b>Euroeco Special</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation                      GROHE Long-Life finish                      GROHE SilkMove 46 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      swivel tubular spout                      lever length 120 mm                      flexible connection hoses                      maximum flow rate (at 3 bar): 8 l/min</p>				







KITCHEN FITTINGS





# GROHE COSTA

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		<b>31 819 001</b>	<b>Chrome</b>	<b>4005176843471</b>	<b>130.74</b>
		<p><b>Costa S</b>  <b>Sink mixer 1/2"</b>                      metal handles                      heat-insulated                      screwable  <b>GROHE Long-Life</b> finish                      Carbidur headparts                      mousseur                      swivel tubular spout                      swivel area 360°                      flexible connection hoses                      maximum flow rate (at 3 bar): 13 l/min</p>			
		<b>31 067 001</b>	<b>Chrome</b>	<b>4005176845710</b>	<b>130.74</b>
		<p><b>Costa S</b>  <b>Sink mixer 1/2"</b>                      metal handles                      heat-insulated                      screwable  <b>GROHE Long-Life</b> finish                      ceramic headparts 1/2", 180°                      mousseur                      swivel tubular spout                      swivel area 360°                      flexible connection hoses                      maximum flow rate (at 3 bar): 13 l/min                      NF approval</p>			
		<b>31 831 001</b>	<b>Chrome</b>	<b>4005176843280</b>	<b>102.14</b>
		<p><b>Costa L</b>  <b>Sink mixer 1/2"</b>                      metal handles                      heat-insulated  <b>GROHE Long-Life</b> finish                      GROHE Long-Life headparts                      mousseur                      swivel tubular spout                      swivel area 360°                      flexible connection hoses                      maximum flow rate (at 3 bar): 13 l/min</p>			
		<b>31 930 001</b>	<b>Chrome</b>	<b>4005176843303</b>	<b>220.62</b>
		<p><b>Costa L</b>  <b>Sink mixer 1/2"</b>  <b>for use with displacement water heater</b>                      metal handles                      heat-insulated  <b>GROHE Long-Life</b> finish                      GROHE Long-Life headparts                      flow straightener                      swivel tubular spout                      swivel area 360°                      chain ring                      copper pipes                      maximum flow rate (at 3 bar): 8.4 l/min</p>			
		<b>31 829 001</b>	<b>Chrome</b>	<b>4005176845697</b>	<b>108.28</b>
		<p><b>Costa L</b>  <b>Sink mixer 1/2"</b>                      metal handles                      heat-insulated                      screwable                      GROHE Long-Life headparts                      mousseur                      swivel tubular spout                      swivel area 360°                      flexible connection hoses                      maximum flow rate (at 3 bar): 13 l/min                      NF approval</p>			









# GROHE COSTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>31 187 001</b>	<b>Chrome</b>	<b>4005176843327</b>	<b>118.48</b>
<p><b>Costa L</b>  <b>Wall mixer, 1/2"</b>  metal handles  heat-insulated  <b>GROHE Long-Life</b> finish  GROHE Long-Life headparts  mousseur  swivel tubular spout  swivel area 360°  projection 200 mm  S-unions  maximum flow rate (at 3 bar): 13 l/min</p>				
 	<b>30 098 001</b>	<b>Chrome</b>	<b>4005176843266</b>	<b>45.80</b>
<p><b>Costa L</b>  <b>Bibtap 1/2"</b>  wall mounted  metal handle  heat-insulated  screwable  marking: blue (cold)  <b>GROHE Long-Life</b> finish  mousseur  GROHE Long-Life headparts</p>				
 	<b>30 064 001</b>	<b>Chrome</b>	<b>4005176843259</b>	<b>44.33</b>
<p><b>Costa L</b>  <b>Bibtap 1/2"</b>  metal handle  wall mounted  screwable  marking: blue (cold)  <b>GROHE Long-Life</b> finish  GROHE Long-Life headpart  Laminar flow straightener  projection 150 mm  maximum flow rate (at 1 bar): 31 l/min</p>				

# GROHE BAU LINES











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 368 001	Chrome	4005176478529	114.12
	<b>BauLoop</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE Long-Life</b> finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 11.5 l/min for installation on a max. 40 mm worktop fixation set 48 384 000 is needed			
	31 232 001	Chrome	4005176478253	114.12
	<b>BauLoop</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE Long-Life</b> finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 5 l/min			
	31 706 000	Chrome	4005176530449	108.11
	<b>BauLoop</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE Long-Life</b> finish GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 11 l/min			
	31 536 001	Chrome	4005176478567	114.10
	<b>BauCurve</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE Long-Life</b> finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 11.5 l/min			
	30 538 000	Chrome	4005176741104	165.15
	 <b>BauEdge</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE Long-Life</b> finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways pull-out mousseur spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses 1/2" metal fixation set maximum flow rate (at 3 bar): 8 l/min min. recommended pressure 1.0 bar			

# GROHE BAU LINES




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 367 001	Chrome	4005176478512	114.12
	<b>BauEdge</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE Long-Life</b> finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 11.5 l/min			
	31 233 001	Chrome	4005176478284	114.12
	<b>BauEdge</b> <b>Single-lever sink mixer 1/2"</b> monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge <b>GROHE Long-Life</b> finish Lead and Nickel Free Inner Water Ways swivel tubular spout mousseur flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 5 l/min			
	31 693 000	Chrome	4005176530371	108.11
	<b>BauEdge</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE Long-Life</b> finish GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 11 l/min			
	31 680 000	Chrome	4005176530487	97.53
	<b>BauEco</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE Long-Life</b> finish GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set maximum flow rate (at 3 bar): 10.5 l/min			

KITCHEN FITTINGS

# GROHE KITCHEN ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 855 000		4005176356452	91.29
	<b>GROHE Blue</b> <b>Waste bin recycling separation system</b> installation type: floor mounted, behind swinging door technique: full extension operation: manual telescopic separation: double, 2 x up to 15 l filling volume cabinet width: 30 cm and wider compatible with GROHE Blue Home and GROHE Red M and L size			
 	40 535 000	Chrome	4005176905490	74.67
	40 535 DC0	supersteel	4005176905520	104.53
	40 535 GL0	cool sunrise	4005176489419	112.00
	40 535 GN0	brushed cool sunrise	4005176489426	119.47
	40 535 DA0	warm sunset	4005176489433	112.00
	40 535 DL0	brushed warm sunset	4005176489440	119.47
	40 535 A00	hard graphite	4005176489396	112.00
	40 535 AL0	brushed hard graphite	4005176489402	119.47
	<b>Cosmopolitan Soap Dispenser</b> for liquid soaps storage bin 500 ml <b>GROHE Long-Life</b> finish			
 	40 536 000	Chrome	4005176905506	67.22
	40 536 DC0	supersteel	4005176905537	94.11
	<b>Contemporary Soap Dispenser</b> for liquid soaps storage bin 500 ml <b>GROHE Long-Life</b> finish			
 	36 194 000	Chrome	4005176140921	169.65
	<b>Soap dispenser pillar tap with push-button,</b> for liquid soaps projection 113 mm for tap hole drillings 22 - 30 mm storage bottle 1 l. <b>GROHE Long-Life</b> finish			
 	13 034 000	Chrome	4005176022869	60.54
	<b>U spout</b> for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass <b>GROHE Long-Life</b> finish			

# GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 582 SD1	stainless steel	4005176607158	1,198.12
	<p><b>K1000</b>  <b>Stainless Steel Sink with Drainer</b>                      model: K1000 80-S 116/52 1.0 rh                      mounting type: top mount or flush mount                      material: stainless steel AISI 304 (V2A)                      material thickness: 1.2 mm  <b>GROHE Long-Life</b> finish                      finish: satin finish  <b>GROHE Whisper</b>                      min. cabinet size: 800 mm                      dimensions: 1160 x 520 mm                      1 bowl: 710 x 400 mm                      outer radius: R3, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system                      sink mountable right                      cut-out (top mount): 1145 x 505 mm (R3)                      cut-out (flush mount): 1145 x 505 mm (R3) (top step outer size: -1161 x 521 -R8 deep -3.5 mm)                      waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 10</p>			
	31 581 SD1	stainless steel	4005176607141	1,198.12
	<p><b>K1000</b>  <b>Stainless Steel Sink with Drainer</b>                      model: K1000 80-S 116/52 1.0 lh                      mounting type: top mount or flush mount                      material: stainless steel AISI 304 (V2A)                      material thickness: 1.2 mm  <b>GROHE Long-Life</b> finish                      finish: satin finish  <b>GROHE Whisper</b>                      min. cabinet size: 800 mm                      dimensions: 1160 x 520 mm                      1 bowl: 710 x 400 mm                      outer radius: R3, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system                      sink mountable left                      cut-out (top mount): 1145 x 505 mm (R3)                      cut-out (flush mount): 1145 x 505 mm (R3) (top step outer size: -1161 x 521 -R8 deep -3.5 mm)                      waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 10</p>			
	31 583 SD1	stainless steel	4005176607165	807.75
	<p><b>K800</b>  <b>Stainless steel sink</b>                      model: K800 60-S 51.8/51 1.0                      mounting type: top mount or flush mount                      material: stainless steel AISI 304 (V2A)                      material thickness: 1 mm  <b>GROHE Long-Life</b> finish                      finish: satin finish  <b>GROHE Whisper</b>                      min. cabinet size: 600 mm                      dimensions: 518 x 510 mm                      1 bowl: 462 x 400 x 200 mm                      outer radius: R3, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system                      cut-out (top mount): 503 x 495 mm (R3)                      cut-out (flush mount): 503 x 495 mm (R3) (top step outer size: -519 x 511 -R8 deep -3.5 mm)                      waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 8</p>			



# GROHE STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 584 SD1	stainless steel	4005176607172	897.84
------------	-----------------	---------------	--------

## K800

### Stainless steel sink

model: K800 90-S 84.6/51 1.0

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE Long-Life** finish

finish: satin finish

### GROHE Whisper

min. cabinet size: 900 mm

dimensions: 846 x 510 mm

1 bowl: 790 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

**GROHE FastFixation** installation system

cut-out (top mount): 831 x 495 mm (R3)

cut-out (flush mount): 831 x 495 mm (R3) (top step outer size: -847 x 511 -R8

deep -3.5 mm)


waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 10



31 585 SD1	stainless steel	4005176607189	1,198.12
------------	-----------------	---------------	----------

## K800

### Stainless steel sink

model: K800 120-S 102.4/51 2.0

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE Long-Life** finish

finish: satin finish

### GROHE Whisper

min. cabinet size: 1200 mm

dimensions: 1024 x 510 mm

1 bowl: 462 x 400 x 200 mm

2 bowl: 462 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

**GROHE FastFixation** installation system

cut-out (top mount): 1009 x 495 mm (R3)

cut-out (flush mount): 1009 x 495 mm (R3) (top step outer size: -1025 x 511 -R8

deep -3.5 mm)


waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 12



31 586 SD1	stainless steel	4005176607196	1,047.98
------------	-----------------	---------------	----------

## K800

### Stainless steel sink

model: K800 120-S 102.4/51 1.0

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE Long-Life** finish

finish: satin finish

### GROHE Whisper

min. cabinet size: 1200 mm

dimensions: 1024 x 510 mm

1 bowl: 968 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

**GROHE FastFixation** installation system

cut-out (top mount): 1009 x 495 mm (R3)

cut-out (flush mount): 1009 x 495 mm (R3) (top step outer size: -1025 x 511 -R8

deep -3.5 mm)


waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 12



# GROHE STAINLESS STEEL SINKS

Ref. No.      Colour      EAN      Retail Guide Price (£)

**31 574 SD1      stainless steel      4005176607080      333.01**

## K700U

### Stainless steel sink

model: K700U 60-S 54.4/44.4 1.0

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE Long-Life** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 600 mm

dimensions: 550 x 450 mm

1 bowl: 500 x 400 x 200 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

**GROHE FastFixation** installation system

cut-out (undermount): 502 x 402 mm (R16)

cut-out (flush mount): 535 x 435 mm

cut-out (flush mount): 535 x 435 mm (R3) (top step outer size: -551 x 451 -R8

deep -3.5 mm)


drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8



**31 575 SD1      stainless steel      4005176607097      411.08**

## K700U

### Stainless steel sink

model: K700U 80-S 76/45 1.5 lh

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE Long-Life** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 800 mm

dimensions: 760 x 450 mm

1 bowl: 500 x 400 x 200 mm

0.5 bowl: 180 x 400 x 140 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

**GROHE FastFixation** installation system

sink mountable left

cut-out (undermount): 712 x 402 mm (R16)

cut-out (top mount): 745 x 435 mm (R3)

cut-out (flush mount): 745 x 435 mm (R3) (top step outer size: -761 x 451 -R8

deep -3.5 mm)


drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 10

amount of fasteners included (undermount): 10



**31 576 SD1      stainless steel      4005176607103      381.06**

## K700U

### Stainless steel sink

model: K700U 60-S 59.5/45 1.5 rh

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE Long-Life** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 600 mm

dimensions: 595 x 450 mm

1 bowl: 340 x 400 x 200 mm

0.5 bowl: 180 x 400 x 140 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

**GROHE FastFixation** installation system

sink mountable right

cut-out (undermount): 547 x 402 mm (R16)

cut-out (top mount): 580 x 435 mm (R3)

cut-out (flush mount): 580 x 435 mm (R3) (top step outer size: -596 x 451 -R8

deep -3.5 mm)


drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8


amount of fasteners included (undermount): 8



# GROHE STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 577 SD1	stainless steel	4005176607110	381.06
------------	-----------------	---------------	--------



## K700U

### Stainless steel sink

model: K700U 60-S 59,5/45 1.5 lh

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE Long-Life** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 600 mm

dimensions: 595 x 450 mm

1 bowl: 340 x 400 x 200 mm

0.5 bowl: 180 x 400 x 140 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

**GROHE FastFixation** installation system

sink mountable left

cut-out (undermount): 547 x 402 mm (R16)

cut-out (top mount): 580 x 435 mm (R3)

cut-out (flush mount): 580 x 435 mm (R3) (top step outer size: -596 x 451 -R8 deep -3.5 mm)

drainer: Ø 3.5"/90 mm basket strainer waste


accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8

31 578 SD1	stainless steel	4005176607127	299.98
------------	-----------------	---------------	--------



## K700

### Stainless steel sink

model: K700 45-S 46.4/46.4 1.0

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE Long-Life** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 450 mm

dimensions: 464 x 464 mm

1 bowl: 400 x 400 x 200 mm

outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10

**GROHE FastFixation** installation system

cut-out (undermount): 402 x 402 mm (R11)

cut-out (top mount): 449 x 449 mm (R3)

cut-out (flush mount): 449 x 449 mm (R3) (top step outer size: -465 x 465 -R8 deep -3.5 mm)

drainer: Ø 3.5"/90 mm basket strainer waste


accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8

31 580 SD1	stainless steel	4005176607134	390.07
------------	-----------------	---------------	--------



## K700

### Stainless steel sink

model: K700 90-S 86.4/46.4 1.0

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE Long-Life** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 900 mm

dimensions: 864 x 464 mm

1 bowl: 800 x 400 x 200 mm

outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10

**GROHE FastFixation** installation system

cut-out (undermount): 802 x 402 mm (R11)

cut-out (top mount): 849 x 449 mm (R3)

cut-out (flush mount): 849 x 449 mm (R3) (top step outer size: -865 x 465 -R8 deep -3.5 mm)

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)


amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8

# GROHE STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 571 SD1	stainless steel	4005176626029	254.94
------------	-----------------	---------------	--------



## K500

### Stainless Steel Sink with Drainer

model: K500 45-S 86/50 1.0 rev  
mounting type: top mount  
material: stainless steel AISI 304 (V2A)  
material thickness: 0.7 mm

**GROHE Long-Life** finish  
finish: satin finish


### GROHE Whisper

min. cabinet size: 450 mm  
dimensions: 860 x 500 mm  
1 bowl: 340 x 420 x 170 mm  
outer radius: R6 (top mount), inner bowl radius: R65

### GROHE FastFixation

installation system  
sink mountable left or right  
cut-out (top mount): 842 x 482 mm  
drilling holes: 2 x 35 mm  
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 14

31 563 SD1	stainless steel	4005176623738	299.98
------------	-----------------	---------------	--------



## K500

### Stainless Steel Sink with Drainer

model: K500 60-S 100/50 1.0 rev  
mounting type: top mount or flush mount  
material: stainless steel AISI 304 (V2A)  
material thickness: 0.7 mm

**GROHE Long-Life** finish  
finish: satin finish


### GROHE Whisper

min. cabinet size: 550 mm  
dimensions: 1000 x 500 mm  
1 bowl: 450 x 400 x 180 mm  
outer radius: R6 (topmount), inner bowl radius: R75

### GROHE FastFixation

installation system  
sink mountable left or right  
cut-out (top-mount): 990 x 490 mm  
drilling holes: 2 x 35 mm  
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 16

31 572 SD1	stainless steel	4005176626036	324.00
------------	-----------------	---------------	--------



## K500

### Stainless Steel Sink with Drainer

model: K500 60-S 100/50 1.5 rev  
mounting type: top mount  
material: stainless steel AISI 304 (V2A)  
material thickness: 0.7 mm

**GROHE Long-Life** finish  
finish: satin finish




### GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 340 x 420 x 185 mm  
0.5 bowl: 170 x 320 x 125 mm  
outer radius: R6 (top mount), inner bowl radius: R65



### GROHE FastFixation

installation system  
sink mountable left or right  
cut-out (top-mount): 990 x 490 mm  
drilling holes: 2 x 35 mm  
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting  
accessories included: waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 16

# GROHE STAINLESS STEEL SINKS







	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 588 SD1	stainless steel	4005176626043	339.02
	<p><b>K500</b>  <b>Stainless Steel Sink with Drainer</b>                      model: K500 80-S 116/50 2.0 rev                      mounting type: top mount                      material: stainless steel AISI 304 (V2A)                      material thickness: 0.7 mm  <b>GROHE Long-Life</b> finish                      finish: satin finish  <b>GROHE Whisper</b>                      min. cabinet size: 800 mm                      dimensions: 1160 x 500 mm                      1 bowl: 340 x 420 x 185 mm                      2 bowl: 340 x 420 x 185 mm                      outer radius: R6 (topmount), inner bowl radius: R90  <b>GROHE FastFixation</b> installation system                      sink mountable left or right                      cut-out (top mount): 1140 x 480 mm                      drilling holes: 2 x 35 mm                      waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 18</p>			
	31 564 SD1	stainless steel	4005176623745	239.92
	<p><b>K200</b>  <b>Stainless Steel Sink with Drainer</b>                      model: K200 60-S 96.5/50 1.5 rev                      mounting type: top mount                      material: stainless steel AISI 304 (V2A)                      material thickness: 0.7 mm  <b>GROHE Long-Life</b> finish                      finish: satin finish  <b>GROHE Whisper</b>                      min. cabinet size: 600 mm                      dimensions: 965 x 500 mm                      1 bowl: 346 x 396 x 150 mm                      1 bowl: 170 x 320 x 80 mm                      outer radius: R10 (topmount), inner bowl radius: R100  <b>GROHE FastFixation</b> installation system                      sink mountable left or right                      cut-out (top mount): 941 x 476 mm                      drilling holes: 2 x 35 mm                      waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 16</p>			
	31 565 SD1	stainless steel	4005176623752	254.94
	<p><b>Eurosmart</b>  <b>Kitchen sink and tap bundle</b>                      Consisting of:                      K200 stainless steel sink with drainer (31 552 SD1)                      mounting type: top mount                      Eurosmart single lever sink mixer (33 281 003)                      low spout                      monobloc installation  <b>GROHE Long-Life</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with integrated temperature limiter                      adjustable flow rate limiter                      swivel cast spout                      swivel area 140°                      Lead and Nickel Free Inner Water Ways                      mousseur with coin slot for tool free replacement                      flexible connection hoses                      outer radius: R6 (topmount), inner bowl radius: R100  <b>GROHE FastFixation</b> installation system                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 14</p>			

# GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 562 SD1	stainless steel	4005176623721	239.92
	<p><b>Bau</b>  <b>Kitchen sink and tap bundle</b>            Consisting of:            K200 stainless steel sink with drainer (31 552 SD1)            mounting type: top mount            Bau Edge single lever sink mixer (31 367 001)            high spout            monobloc installation  <b>GROHE Long-Life</b> finish            GROHE Long-Life 28 mm ceramic cartridge            Lead and Nickel Free Inner Water Ways            mousseur            swivel tubular spout            swivel area 360°            flexible connection hoses            outer radius: R6 (topmount), inner bowl radius: R100  <b>GROHE FastFixation</b> installation system            accessories included: automatic waste fitting with rotary handle,            waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 14</p>			
	31 552 SD1	stainless steel	4005176623714	134.83
	<p><b>K200</b>  <b>Stainless Steel Sink with Drainer</b>            model: K200 45-S 86/50 1.0 rev            mounting type: top mount            material: stainless steel AISI 304 (V2A)            material thickness: 0.6 mm  <b>GROHE Long-Life</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 450 mm            dimensions: 860 x 500 mm            1 bowl: 350 x 400 x 160 mm            outer radius: R6 (topmount), inner bowl radius: R100  <b>GROHE FastFixation</b> installation system            sink mountable left or right            cut-out (top mount): 842 x 482 mm            drilling holes: 2 x 35 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting with rotary handle,            waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 14</p>			




# GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 650 AP0	granite black	4005176521287	325.34
	<p><b>K700</b>  <b>Composite sink</b>            model: K700 50-C 40/50 1.0            mounting type: top mount            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 500 mm            dimensions: 400 x 500 mm            1 bowl: 350 x 375 x 200 mm            outer radius: R6, inner bowl radius: R45  <b>GROHE FastFixation</b> installation system            cut-out: 380 x 480 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 6            heat resistant up to 180° C</p>			
	31 651 AP0	granite black	4005176521300	384.06
	<p><b>K700</b>  <b>Composite sink</b>            model: K700 60-C 56/51 1.0            mounting type: top mount            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 600 mm            dimensions: 560 x 510 mm            1 bowl: 500 x 360 x 200 mm            outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            cut-out: 545 x 495 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 8            heat resistant up to 180° C</p>			
	31 652 AP0	granite black	4005176521324	429.10
	<p><b>K700</b>  <b>Composite sink</b>            model: K700 80-C 78/51 1.0            mounting type: top mount            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 800 mm            dimensions: 780 x 510 mm            1 bowl: 720 x 370 x 220 mm            outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            cut-out: 764 x 494 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 9            heat resistant up to 180° C</p>			

# GROHE COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 653 AP0	granite black	4005176521348	284.96
------------	---------------	---------------	--------



## K700U

### Composite sink

model: K700U 50-C 45.7/40.6 1.0

mounting type: top mount or undermount

material: quartz composite

### GROHE Whisper

min. cabinet size: 500 mm

dimensions: 457 x 406 mm

1 bowl: 417 x 366 x 203 mm

outer radius: R6, inner bowl radius: R10

**GROHE FastFixation** installation system

cut-out (top mount): 442 x 391

cut-out (undermount): 417 x 366 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set


mounting with silicone (top mount)

optional push to open excenter (40 986 SD0)

amount of fasteners included (undermount): 8

heat resistant up to 180° C

31 654 AP0	granite black	4005176521362	327.30
------------	---------------	---------------	--------



## K700U

### Composite sink

model: K700U 60-C 53.3/45.7 1.0

mounting type: top mount or undermount

material: quartz composite

### GROHE Whisper

min. cabinet size: 600 mm

dimensions: 533 x 457 mm

1 bowl: 469 x 393 x 205 mm

outer radius: R7, inner bowl radius: R10

**GROHE FastFixation** installation system

cut-out (top mount): 518 x 442 mm

cut-out (undermount): 468 x 390 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set


optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 6

amount of fasteners included (undermount): 6

heat resistant up to 180° C

31 655 AP0	granite black	4005176521386	387.36
------------	---------------	---------------	--------



## K700U

### Composite sink

model: K700U 70-C 61/45.7 1.0

mounting type: top mount or undermount

material: quartz composite

### GROHE Whisper

min. cabinet size: 700 mm

dimensions: 610 x 460 mm

1 bowl: 544 x 394 x 205 mm

outer radius: R3, inner bowl radius: R10

**GROHE FastFixation** installation system

cut-out (top mount): 594 x 442 mm

cut-out (undermount): 543 x 393 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 6


amount of fasteners included (undermount): 6

heat resistant up to 180° C

# GROHE COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 644 AP0	granite black	4005176521164	432.85
------------	---------------	---------------	--------



## K500

**Composite sink with drainer**  
model: K500 50-C 86/50 1.0 rev  
mounting type: top mount  
material: quartz composite


### GROHE Whisper

min. cabinet size: 500 mm  
dimensions: 860 x 500 mm  
1 bowl: 347 x 440 x 200 mm  
outer radius: R6, inner bowl radius: R12

### GROHE FastFixation installation system

sink mountable left or right  
cut-out: 840 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 12  
heat resistant up to 180° C

31 645 AP0	granite black	4005176521188	452.08
------------	---------------	---------------	--------



## K500

**Composite sink with drainer**  
model: K500 60-C 100/50 1.0 rev  
mounting type: top mount  
material: quartz composite


### GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 480 x 440 x 200 mm  
outer radius: R6, inner bowl radius: R12

### GROHE FastFixation installation system

sink mountable left or right  
cut-out: 980 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 12  
heat resistant up to 180° C

31 646 AP0	granite black	4005176521201	480.45
------------	---------------	---------------	--------



## K500

**Composite sink with drainer**  
model: K500 60-C 100/50 1.5 rev  
mounting type: top mount  
material: quartz composite

### GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 345 x 440 x 200 mm  
0.5 bowl: 155 x 295 x 146 mm  
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10


### GROHE FastFixation installation system

sink mountable left or right  
cut-out: 980 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 12  
heat resistant up to 180° C

# GROHE COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 647 AP0	granite black	4005176521225	540.50
------------	---------------	---------------	--------



## K500

**Composite sink with drainer**  
model: K500 80-C 116/50 2.0 rev  
mounting type: top mount  
material: quartz composite


### GROHE Whisper

min. cabinet size: 800 mm  
dimensions: 1160 x 500 mm  
1 bowl: 330 x 440 x 200 mm  
2 bowl: 330 x 440 x 200 mm  
outer radius: R6, inner bowl radius: R12

### GROHE FastFixation installation system

sink mountable left or right  
cut-out: 1140 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 12  
heat resistant up to 180° C

31 648 AP0	granite black	4005176521249	414.09
------------	---------------	---------------	--------



## K500

**Composite sink**  
model: K500 60-C 55,5/46 1.5 rev  
mounting type: top mount or undermount  
material: quartz composite


### GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 555 x 460 mm  
1 bowl: 335 x 400 x 200 mm  
0.5 bowl: 155 x 400 x 140 mm  
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10

### GROHE FastFixation installation system

sink mountable left or right  
cut-out (top mount): 545 x 444 mm  
cut-out (undermount): 525 x 400 mm  
drainer: Ø 3.5"/90 mm basket strainer waste  
accessories included: waste kit, basket strainer waste, mounting set  
mounting with silicone (top mount)  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (undermount): 8  
heat resistant up to 180° C

31 649 AP0	granite black	4005176521263	504.17
------------	---------------	---------------	--------



## K500

**Composite sink**  
model: K500 90-C 86/50 2.0  
mounting type: top mount  
material: quartz composite




### GROHE Whisper

min. cabinet size: 900 mm  
dimensions: 860 x 500 mm  
1 bowl: 390 x 430 x 200 mm  
2 bowl: 380 x 365 x 200 mm  
outer radius: R3, inner bowl radius: R10

### GROHE FastFixation installation system

sink mountable left  
cut-out: 840 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 10  
heat resistant up to 180° C


# GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 639 AP0	granite black	4005176520457	321.32
	<p><b>K400</b>  <b>Composite sink with drainer</b>                      model: K400 50-C 78/50 1.0 rev                      mounting type: top mount                      material: quartz composite  <b>GROHE Whisper</b>                      min. cabinet size: 500 mm                      dimensions: 780 x 500 mm                      1 bowl: 347 x 440 x 205 mm                      outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system                      sink mountable left or right                      cut-out: 765 x 485 mm                      drainer: automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 10                      heat resistant up to 180° C</p>			
	31 640 AP0	granite black	4005176520471	404.84
	<p><b>K400</b>  <b>Composite sink with drainer</b>                      model: K400 50-C 86/50 1.0 rev                      mounting type: top mount                      material: quartz composite  <b>GROHE Whisper</b>                      min. cabinet size: 500 mm                      dimensions: 860 x 500 mm                      1 bowl: 337 x 420 x 205 mm                      outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system                      sink mountable left or right                      cut-out: 840 x 480 mm                      drainer: automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 10                      heat resistant up to 180° C</p>			
	31 641 AP0	granite black	4005176521102	435.32
	<p><b>K400</b>  <b>Composite sink with drainer</b>                      model: K400 60-C 100/50 1.0 rev                      mounting type: top mount                      material: quartz composite  <b>GROHE Whisper</b>                      min. cabinet size: 600 mm                      dimensions: 1000 x 500 mm                      1 bowl: 480 x 420 x 205 mm                      outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system                      sink mountable left or right                      cut-out: 980 x 480 mm                      drainer: automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 12                      heat resistant up to 180° C</p>			

# GROHE COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 642 AP0	granite black	4005176521126	465.43
------------	---------------	---------------	--------



## K400

**Composite sink with drainer**  
model: K400 60-C 100/50 1.5 rev  
mounting type: top mount  
material: quartz composite


### GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 335 x 420 x 205 mm  
0.5 bowl: 155 x 295 x 146 mm  
outer radius: R6, inner bowl radius: big bowl R10, small bowl R8

### GROHE FastFixation installation system

sink mountable left or right  
cut-out: 980 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 7  
heat resistant up to 180° C

31 643 AP0	granite black	4005176521140	495.47
------------	---------------	---------------	--------



## K400

**Composite sink with drainer**  
model: K400 80-C 116/50 1.5 rev  
mounting type: top mount  
material: quartz composite


### GROHE Whisper

min. cabinet size: 800 mm  
dimensions: 1160 x 500 mm  
1 bowl: 400 x 420 x 205 mm  
2 bowl: 295 x 295 x 205 mm  
outer radius: R6, inner bowl radius: R10

### GROHE FastFixation installation system

sink mountable left or right  
cut-out: 1140 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 10  
heat resistant up to 180° C

31 656 AP0	granite black	4005176521409	267.25
------------	---------------	---------------	--------



## K200

**Composite sink**  
model: K200 50-C 51 1.0  
mounting type: top mount  
material: quartz composite

### GROHE Whisper

min. cabinet size: 500 mm  
dimensions: Ø 510 mm  
1 bowl: Ø 380 x 200 mm  
inner bowl radius: Ø 380

### GROHE FastFixation installation system

cut-out: Ø 490 mm  
drainer: automatic waste fitting  
accessories included: waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 3  
heat resistant up to 180° C



GROHE  
**COMMERCIAL FITTINGS**





## CONTENTS

Electronic Fittings	Eurocube E	450	
	Essence E	453	
	Bluetooth monitoring	456	
	Europlus E	464	
	Eurosmart Cosmopolitan E	466	
	Eurosmart	473	
	Euroeco Cosmopolitan E	474	
	Bau Cosmopolitan E	477	
	Special Thermostats	Grohtherm Micro	479
		Grohtherm Special	480
Grohtherm XL		484	
Single-Lever Mixers	Eurosmart Care	485	
	Vertica Eurostyle Cosmopolitan	492	
	Commercial Showers	493	
	Euroeco Special	495	
	Euroeco Single Sequential	499	
	Hospita	501	
Self-Closing Taps	Eurosmart Cosmopolitan T	502	
	Euroeco Cosmopolitan T	503	
Accessories Special Fittings	Rough-in sets	504	

## SYSTEM REQUIREMENTS FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher  
Android 4.3 or higher

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.



# GROHE FULL BATHROOM ACROSS ALL YOUR FACILITIES

## CONSISTENT BATHROOM STYLE – ACROSS ALL PRIVATE & PUBLIC AREAS OF A BUILDING

Our product solutions for private and public areas are perfectly matched. This enables you to offer a consistent bathroom experience across all your facilities.





**ROUND AND SQUARE**



**BAUEDGE  
SINGLE-LEVER MIXER**



**BAU CERAMIC**



**BAU COSMOPOLITAN E  
TOUCHLESS BASIN MIXER**



**ROUND AND SQUARE**



**EUROSMART COSMOPOLITAN  
SINGLE-LEVER MIXER**



**EURO CERAMIC**



**EUROSMART COSMOPOLITAN E  
TOUCHLESS BASIN MIXER**



**EUROECO COSMOPOLITAN E  
TOUCHLESS BASIN MIXER**



**ROUND FEMININE**



**ESSENCE  
SINGLE-LEVER MIXER**



**ESSENCE**



**ESSENCE E  
TOUCHLESS BASIN MIXER**



**EDGE MASCULINE**



**EUROCUBE  
SINGLE-LEVER MIXER**



**CUBE CERAMIC**



**EUROCUBE E  
TOUCHLESS BASIN MIXER**

# EUROSMART COSMOPOLITAN E

THE COMFORT OF A PUBLIC BATHROOM –  
WITHOUT COMPROMISING ON HYGIENE





Our touchless range Eurosmart Cosmopolitan E offers solutions for basins, showers, WC's and urinals. Enjoy the benefits of a public bathroom – completely touchless. Avoiding the spread of germs through touchless use, thermal disinfection and hygienic flushing.



### WC / URINAL



COMMERCIAL  
FITTINGS

### BASIN



new



# BAU COSMOPOLITAN E

## DISCOVER TOUCHLESS COMFORT

### HYGIENE



#### TOUCHLESS

Reliable, proven and precise sensor technology for hygienic, touch-free actuation of basin taps, WCs and urinals.



#### INNER WATER GUIDE

Innovative tap construction allows for significant dead space reduction.

### SUSTAINABILITY



#### GROHE ECOJOY

Save precious resources and enjoy 100 % water comfort. Water and energy saving aerator provides a flow rate of 5.7 l/min. Precise touchless technology prevents you from water loss.



### QUALITY

German perfectionism inspires ultimate customer confidence

### DESIGN



#### GROHE STARLIGHT


Made-to-last surfaces ranging from precious matte to shiny like a diamond.

### TECHNOLOGY



#### GROHE SENSOR

The responsive sensor switches the mixer on and off for ultimate comfort and the simple cleaning mode makes maintenance easy.



**36 407 001**  
Remote control for  
GROHE Touchless fittings

*Basic functionalities can be adjusted without remote control - simply by hand.*



#### GROHE REMOTE CONTROL

Detailed configuration for all functions by remote control

- Automatic flushing
- Thermal disinfection
- Cleaning mode
- Detection range and shut-off delay



**LOGLIFE BATTERY**

Unique low-energy electronics ensure a long service life.



**36 451 000**

Touchless basin mixer (battery operated)



**36 452 000**

Touchless basin tap (battery operated)



**MAINS OPERATED**




**36 453 000**

Touchless basin mixer (with plug transformer 100 – 230 V AC)

# GROHE EUROCUBE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 440 000	Chrome	4005176415623	874.38
------------	--------	---------------	--------



## Eurocube E

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**

#### GROHE Long-Life finish

**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min

laminar spray regulator  
flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

rapid installation system

7 pre-set programs

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K

36 441 000	Chrome	4005176415630	844.24
------------	--------	---------------	--------

36 441 DC0	supersteel	4005176686818	1,097.51
------------	------------	---------------	----------

36 441 AL0	brushed hard graphite	4005176686825	1,266.36
------------	-----------------------	---------------	----------

## Eurocube E

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing

6V lithium battery, type CR-P2

battery lifetime approx. 7 years (150 actuations a day)

#### GROHE Long-Life finish

**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min

laminar spray regulator  
flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

CE approved

noise classification 1 in accordance

with DIN4109


type of protection faucet IP 59K



# GROHE EUROCUBE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 442 000	Chrome	4005176415647	949.77
------------	--------	---------------	--------




**Eurocube E**  
**Infra-red electronic wall basin tap without mixing device**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
**GROHE Water Saving** - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min laminar spray regulator  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings by remote control 36 407  
 set for final installation  
 for use with Rapid SL 38 748 002 or roughing-in set 36 264 001  
 CE approved  
 noise classification 1 in accordance with DIN4109

36 264 001		4005176416279	211.06
------------	--	---------------	--------

**Rough-in box for infra-red electronic wall basin tap without mixing device**

38 748 002		4005176416323	603.41
------------	--	---------------	--------




**Rapid SL**  
**Element for wash basin with rough-in set for infra-red electronic**  
 for wall mounted fittings suitable for trim sets Eurocube E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000

**1.13 m finished installation height**  
 for on-the-wall installations or studded walls

**Includes**  
 wash basin fixing bolts with fixing device for ceramic  
 variable distance of fixing bolts  
 HT-outlet bend Ø 50 mm  
 seal Ø 32 mm  
 pre-mounted roughing-in set with protecting block  
 fire-proof pipe for laying electronic cables  
 installation box with water group, stop valve and flush elbow  
 connection with noise protected fitting holder 1/2"  
 connecting box for mains supply 230 V  
 CE approved  
 for installation with pre-mixed or cold water  
 for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

36 407 001	Chrome	4005176368974	204.21
------------	--------	---------------	--------



**Remote control**  
 for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018





**monitoring**  
 consumption and usage data  
 thermal disinfection cycles (infrared mixers)  
 auto flush cycles (infrared mixers)  
 cleaning mode cycles (GROHE Blue Home)  
 filter and CO<sub>2</sub> capacity (GROHE Blue Home)

**configuration**  
 cleaning mode activation  
 thermal disinfection (infrared mixers)  
 detection range (infrared mixers)  
 shut off delay (infrared mixers)  
 auto flush (infrared mixers)  
 filter capacity (GROHE Blue Home)

**service**  
 send and save profile  
 reset to factory or user settings  
 service details  
 demo mode  
 error codes (GROHE Blue Home)  
 3 x 1.5 V DC (AAA) battery supply

COMMERCIAL  
FITTINGS


# GROHE EUROCUBE E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 340 000		4005176911385	67.63
	<b>Power extension cable</b> length 3.00 m			
	36 341 000		4005176911392	124.58
	<b>ditto, length 10 m</b>			
	36 338 000		4005176896743	110.95
	<b>Switch mode power supply</b> for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000			
				

# GROHE ESSENCE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 444 000	Chrome	4005176415661	708.56
------------	--------	---------------	--------



## Essence E

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**

#### GROHE Long-Life finish

adjustable swivel area 0° / 150° / 360°

#### GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

rapid installation system

7 pre-set programs

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K

36 445 000	Chrome	4005176415678	678.41
------------	--------	---------------	--------

36 445 DC0	supersteel	4005176686542	881.93
------------	------------	---------------	--------

36 445 GL0	cool sunrise	4005176686559	949.77
------------	--------------	---------------	--------

36 445 GN0	brushed cool sunrise	4005176686566	1,017.61
------------	----------------------	---------------	----------

36 445 DA0	warm sunset	4005176686573	949.77
------------	-------------	---------------	--------

36 445 DL0	brushed warm sunset	4005176686788	1,017.61
------------	---------------------	---------------	----------

36 445 A00	hard graphite	4005176686795	949.77
------------	---------------	---------------	--------

36 445 AL0	brushed hard graphite	4005176686801	1,017.61
------------	-----------------------	---------------	----------

## Essence E

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing

6V lithium battery, type CR-P2

battery lifetime approx. 7 years (150 actuations a day)

#### GROHE Long-Life finish

#### GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

adjustable swivel area 0° / 150° / 360°

laminar spray regulator

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K




COMMERCIAL  
FITTINGS



# GROHE ESSENCE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 446 000	Chrome	4005176415685	633.17
------------	--------	---------------	--------



## Essence E

### Infra-red electronic basin tap 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)

### GROHE Long-Life finish

### GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min  
adjustable swivel area 0° / 150° / 360°

laminar spray regulator

flexible connection hose

dirt strainer

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K

36 447 000	Chrome	4005176416293	898.51
------------	--------	---------------	--------

## Essence E

### Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

### GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

7 pre-set programs

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407


set for final installation

for use with Rapid SL 38 748 002 or roughing-in set 36 264 001

CE approved

noise classification 1 in accordance

with DIN4109



36 264 001		4005176416279	211.06
------------	--	---------------	--------

### Rough-in box for infra-red electronic wall basin tap without mixing device

38 748 002		4005176416323	603.41
------------	--	---------------	--------

## Rapid SL

### Element for wash basin with roughin-in set for infra-red electronic

for wall mounted fittings

suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000

and Eurocube E 36 442 000

### 1.13 m finished installation height

for on-the-wall installations or studded walls

### Includes

wash basin fixing bolts with

fixing device for ceramic

variable distance of fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm

pre-mounted roughing-in set

with protecting block

fire-proof pipe for laying electronic cables

installation box with water group, stop valve and flush elbow


connection with noise protected fitting holder 1/2"

connecting box for mains supply 230 V






CE approved

for installation with pre-mixed or cold water

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)




# GROHE ESSENCE E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>36 407 001</b>	<b>Chrome</b>	<b>4005176368974</b>	<b>204.21</b>
	<p><b>Remote control</b> for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p><b>monitoring</b> consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO<sub>2</sub> capacity (GROHE Blue Home)</p> <p><b>configuration</b> cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p><b>service</b> send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply</p>			
 	<b>36 340 000</b>		<b>4005176911385</b>	<b>67.63</b>
	<p><b>Power extension cable</b> length 3.00 m</p>			
	<b>36 341 000</b>		<b>4005176911392</b>	<b>124.58</b>
	<p><b>ditto, length 10 m</b></p>			
 	<b>36 338 000</b>		<b>4005176896743</b>	<b>110.95</b>
	<p><b>Switch mode power supply</b> for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000</p>			

COMMERCIAL  
FITTINGS

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 413 000	Chrome	4005176320576	870.23



## Eurosmart Cosmopolitan E Bluetooth

### Infra-red electronic basin tap 1/2" with mixing device

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

**without power supply 36 338 000** ( required )

rapid installation system

mixing device with adjustable hot water limiter

**GROHE Long-Life** finish

**GROHE Water Saving** - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

with integrated solenoid valve

integrated non-return valves

and dirt strainers

with Bluetooth 4.0\* for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

### monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

### configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

### service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 409 000	Chrome	4005176320538	715.78



**Euroeco Cosmopolitan E Bluetooth**  
**Infra-red electronic basin tap 1/2"**  
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
**without power supply 36 338 000** ( required )  
 rapid installation system  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 solenoid valve  
 dirt strainer  
 with Bluetooth 4.0\* for wireless data communication  
 for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

**monitoring**  
 password protected products  
 app detects all Bluetooth products in range  
 auto flush cycles and timing last auto flush  
 usage per day over 30 days  
 thermal disinfection cycles and timings last disinfection

**configuration**  
 detection range and shut off delay  
 thermal disinfection  
 auto flush  
 cleaning mode  
 2 on/off timers  
 identification by name

**service**  
 send and save 3 profiles  
 reset to factory or user settings  
 hard and software version  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K  
 Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.  
 \*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards  
 \*\*\* Available for free via iTunes app or Google Play store.

COMMERCIAL  
FITTINGS

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 414 000	Chrome	4005176320583	1,182.45
------------	--------	---------------	----------

**Eurosmart Cosmopolitan E Bluetooth**  
**Infra-red electronic thermostatic basin mixer, wall mounted**  
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
**GROHE Long-Life** finish  
**GROHE CoolTouch**  
**GROHE SafeStop** safety button at 38°C  
**(calibration required)**  
 swivel cast spout 219 mm  
 with swivel stop at 130° or fixed  
 projection 287 mm  
 laminar mousseur 9 l/min  
 S-unions  
 escutcheon covers for S-unions  
 non-return valve  
 dirt strainers  
 power connection cable 3.0 m  
 for use with connection set  
 39 383 000

with Bluetooth 4.0\* for wireless data communication  
 for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

**monitoring**  
 password protected products  
 app detects all Bluetooth products in range  
 auto flush cycles and timing last auto flush  
 usage per day over 30 days  
 thermal disinfection cycles and timings last disinfection

**configuration**  
 detection range and shut off delay  
 auto flush  
 thermal disinfection  
 cleaning mode  
 2 on/off timers  
 identification by name


**service**  
 send and save 3 profiles  
 reset to factory or user settings  
 hard and software version  
 CE approved  
 noise classification 1 in accordance with DIN4109

type of protection faucet IP 59K  
 Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.



39 383 000		4005176356926	83.04
------------	--	---------------	-------

**Eurosmart Cosmopolitan E**  
**Thermostatic 230 V connection set**  
 fitting support  
 2 fitting connections DN 15  
 power supply connector  
 wall installation  
 for use with Eurosmart Cosmopolitan E thermostat 230 V



# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 410 000	Chrome	4005176320545	820.42
------------	--------	---------------	--------

**Euroeco Cosmopolitan E Bluetooth  
Infra-red electronic basin tap**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
set for final installation for concealed fitting box  
36 336 001/36 337 001

**GROHE Long-Life** finish

**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min

laminar spray regulator  
chrome escutcheon and spout  
projection 172 mm

with Bluetooth 4.0\* for wireless data communication  
for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls  
between transmitter and receiver

**monitoring**

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

**configuration**

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

**service**

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards


\*\*\* Available for free via iTunes app or Google Play store.

36 337 001		4005176595417	147.31
------------	--	---------------	--------

**Rough-in box for infra red basin taps without mixing device**

36 336 001		4005176991769	390.79
------------	--	---------------	--------

**Rough-in box with integrated thermostatic mixer for infra red trim sets**





# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 412 000	Chrome	4005176320569	930.02
------------	--------	---------------	--------

## Eurosmart Cosmopolitan E Bluetooth

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
set for final installation for concealed fitting box  
36 339 001

#### GROHE Long-Life finish

maximum flow rate (at 3 bar): 8 l/min

Laminar flow straightener

chrome escutcheon and spout

projection 172 mm

with Bluetooth 4.0\* for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

#### monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

#### configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

#### service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance


with DIN4109

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.




36 339 001		4005176595424	269.23
------------	--	---------------	--------

**Rough-in box with mixing device for infra red trim sets**

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 415 000	Chrome	4005176320590	778.89
------------	--------	---------------	--------




**Eurosmart Cosmopolitan E Bluetooth**  
**Infra-red electronic for concealed thermostatic shower**  
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
 for concealed installation box 36 416 001  
**GROHE Long-Life** finish  
 chrome escutcheon  
 with Bluetooth 4.0\* for wireless data communication  
 for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  
**monitoring**  
 password protected products  
 app detects all Bluetooth products in range  
 auto flush cycles and timing last auto flush usage per day over 30 days  
 thermal disinfection cycles and timings last disinfection  
**configuration**  
 shut off delay, auto flush, thermal disinfection cleaning mode, 2 on/off timers, identification by name  
**service**  
 send and save 3 profiles  
 reset to factory or user settings  
 hard and software version  
 CE approved  
 Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.  
 \* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.  
 \*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards  
 \*\*\* Available for free via iTunes app or Google Play store.

36 416 001		4005176595394	764.32
------------	--	---------------	--------

**Rough-in box with integrated thermostatic mixer for infra red shower trim sets, mains supply**

37 503 000	Chrome	4005176320507	1,037.97
------------	--------	---------------	----------






**Tectron Skate Bluetooth**  
**Infra-red electronic for Urinal**  
**for Rapido U 37 338 000**  
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
**GROHE Long-Life** finish  
 flow pressure min 0.5 bar  
 operating pressure max 10 bar  
 with Bluetooth 4.0\* for wireless data communication  
 Bluetooth transmitter frequency: 2.4 GHz  
 for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  
**monitoring**  
 password protected products  
 app detects all Bluetooth products in range  
 auto flush cycles and timing last auto flush usage per day over 30 days  
**configuration**  
 detection range and shut off delay, auto flush, cleaning mode  
 2 on/off timers, identification by name  
**service**  
 send and save 3 profiles  
 reset to factory or user settings  
 CE approved  
 hard and software version  
 Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.  
 \* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.  
 \*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards  
 \*\*\* Available for free via iTunes app or Google Play store.

37 338 000	Chrome	4005176837920	155.08
------------	--------	---------------	--------

**GROHE Rapido U rough-in box for urinal actuation**

COMMERCIAL  
FITTINGS


# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 504 000	Chrome	4005176320521	1,278.77
<p><b>Tectron Skate Bluetooth</b>  <b>Infra-red electronic for WC</b>  <b>for flushing cistern GD 2 / Rapid SL 1.13 m only</b>                      with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC                      with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose                      with additional manual actuation  <b>GROHE Long-Life</b> finish                      front plate 156 x 197 mm                      servo motor                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)                      with Bluetooth 4.0* for wireless data communication                      for Apple** and Android devices                      Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  <b>monitoring</b>                      password protected products                      app detects all Bluetooth products in range                      auto flush cycles and timing last auto flush                      usage per day over 30 days  <b>configuration</b>                      detection range and shut off delay                      auto flush                      cleaning mode                      2 on/off timers                      identification by name  <b>service</b>                      send and save 3 profiles                      reset to factory or user settings                      hard and software version                      CE approved                      Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.                      * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.                      Other trademarks and trade names are those of their respective owners.                      ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards                      *** Available for free via iTunes app or Google Play store.</p>			
			
<hr/>			
<p>36 340 000 <b>Power extension cable</b> length 3.00 m <span style="float: right;">4005176911385 67.63</span></p> <p>36 341 000 <b>ditto, length 10 m</b> <span style="float: right;">4005176911392 124.58</span></p>			
			
<hr/>			
<p>36 338 000 <b>Switch mode power supply</b> <span style="float: right;">4005176896743 110.95</span></p> <p>for one eye infra-red wash basin mixer                      switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz                      for concealed socket with cover and strain relief                      suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000</p>			
			

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 407 001	Chrome	4005176368974	204.21
------------	--------	---------------	--------



## Remote control

for all GROHE one eye infra-red products  
as of 06/2015 and GROHE Blue Home until 12/2018

## monitoring

consumption and usage data  
thermal disinfection cycles (infrared mixers)  
auto flush cycles (infrared mixers)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)



## configuration

cleaning mode activation  
thermal disinfection (infrared mixers)  
detection range (infrared mixers)  
shut off delay (infrared mixers)  
auto flush (infrared mixers)  
filter capacity (GROHE Blue Home)






## service

send and save profile  
reset to factory or user settings  
service details  
demo mode  
error codes (GROHE Blue Home)  
3 x 1.5 V DC (AAA) battery supply

# GROHE EUROPLUS E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 207 001	Chrome	4005176929373	642.44
	<p><b>Europlus E</b>  <b>Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      flexible connection hoses                      non-return valve                      dirt strainers                      solenoid valve                      rapid installation system                      multistage battery status display                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings                      by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109                      type of protection faucet IP 59K</p>			
	36 208 001	Chrome	4005176929380	579.93
	<p><b>ditto, without mixing device</b></p>			
	36 015 001	Chrome	4005176929359	729.27
	<p><b>Europlus E</b>  <b>Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing  <b>without power supply 36 338 000 (required)</b>  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      flexible connection hoses                      non-return valve                      dirt strainers                      solenoid valve                      rapid installation system                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings                      by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109                      type of protection faucet IP 59K</p>			
	36 016 001	Chrome	4005176929366	666.76
	<p><b>ditto, without mixing device</b></p>			
	36 407 001	Chrome	4005176368974	204.21
	<p><b>Remote control</b>                      for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018  <b>monitoring</b>                      consumption and usage data                      thermal disinfection cycles (infrared mixers)                      auto flush cycles (infrared mixers)                      cleaning mode cycles (GROHE Blue Home)                      filter and CO<sub>2</sub> capacity (GROHE Blue Home)  <b>configuration</b>                      cleaning mode activation                      thermal disinfection (infrared mixers)                      detection range (infrared mixers)                      shut off delay (infrared mixers)                      auto flush (infrared mixers)                      filter capacity (GROHE Blue Home)  <b>service</b>                      send and save profile                      reset to factory or user settings                      service details                      demo mode                      error codes (GROHE Blue Home)                      3 x 1.5 V DC (AAA) battery supply</p>			

# GROHE EUROPLUS E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 340 000		4005176911385	67.63
	<b>Power extension cable</b> length 3.00 m			
	36 341 000		4005176911392	124.58
	<b>ditto, length 10 m</b>			
	36 338 000		4005176896743	110.95
	<b>Switch mode power supply</b> for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000			
	36 209 000	Chrome	4005176207105	101.35
	<b>Security cover cap</b> vandal-proof, covered and pre-adjustable suitable for single hole mixers Europlus E and Eurodisc SE Consisting of: special mixing device for actuation by screwdriver metallic cap <b>GROHE Long-Life</b> finish			
				


COMMERCIAL  
FITTINGS



# GROHE EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 327 002	Chrome	4005176695599	423.50
------------	--------	---------------	--------




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59  
 replaces 36 327 001

36 331 001	Chrome	4005176305795	440.43
------------	--------	---------------	--------

**ditto, with pop-up waste set 1 1/4"**

36 422 001	Chrome	4005176695636	534.76
------------	--------	---------------	--------




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59  
 replaces 36 422 000

# GROHE EUROSMART COSMOPOLITAN E


Ref. No.      Colour      EAN      Retail Guide Price (£)

36 325 002      Chrome      4005176318771      450.60




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**  
**GROHE Water Saving** - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 rapid installation system  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59  
 replaces 36 325 001

36 421 001      Chrome      4005176695612      531.44



**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**  
**GROHE Long-Life finish**  
**GROHE Water Saving** - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 rapid installation system  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59  
 replaces 36 421 000

36 439 001      Chrome      4005176695605      397.12




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin tap 1/2"**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE Long-Life finish**  
**GROHE Water Saving** - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min  
 flexible connection hose  
 dirt strainer  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59  
 replaces 36 439 000

COMMERCIAL FITTINGS

# GROHE EUROSMART COSMOPOLITAN E


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 330 002	Chrome	4005176695667	423.50
------------	--------	---------------	--------




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2"**  
**with hidden mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59  
 replaces 36 330 001

36 324 001	Chrome	4005176305757	609.83
------------	--------	---------------	--------







**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**  
**for use with displacement water heater**  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5.5 l/min  
 fixed build in static flow limiter on the hose connection  
 non-return valve  
 dirt strainers  
 flexible connection hoses  
 with integrated solenoid valve  
 rapid installation system  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings by remote control 36 407  
 CE approved  
 type of protection faucet IP 59K  
 min. recommended pressure 1.0 bar

36 386 001	Chrome	4005176311673	979.11
------------	--------	---------------	--------









**Eurosmart Cosmopolitan E**  
**Powerbox**  
 infra-red electronic basin mixer with mixing device and adjustable temperature limiter  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 including Powerbox self-generating power system  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5.5 l/min  
 including all flexible connection hoses  
 non-return valve  
 dirt strainer  
 rapid installation system  
**Powerbox**  
 power generator with water turbine  
 internal energy saving unit  
 with use of 60 s/24 h stand-by, 260 s/100 h stand-by  
 with additional backup power  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings by remote control 36 407

# GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 454 000	Chrome	4005176487774	1,121.60
	<p><b>Eurosmart Cosmopolitan E Special</b>  <b>Infra-red electronic wall basin mixer with thermostatic temperature control</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)                      activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)                      two additional detection modes adjustable (hand-hand or body-body)  <b>GROHE Long-Life</b> finish                      maximum flow rate (at 3 bar): 8 l/min  <b>GROHE CoolTouch</b>                      non-return valve                      dirt strainers  <b>GROHE SafetyPlus</b> fixed temperature stop                      temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )                      metal temperature safety stop                      full unmixed hot or cold water in extreme handle position for legionella sampling                      swivel cast spout 219 mm                      projection 287 mm                      swivel range stop at 130°, lockable                      with S-unions, chrome nuts and covers                      self-sealing escutcheons                      multistage battery status display                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings                      by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109</p>			
	36 455 000	Chrome	4005176487781	1,091.12
	<p><b>ditto, projection 255 mm</b></p>			
	36 332 000	Chrome	4005176896682	996.64
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Infra-red electronic wall basin mixer with thermostatic temperature control</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)                      activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)                      two additional detection modes adjustable (hand-hand or body-body)  <b>GROHE Long-Life</b> finish                      maximum flow rate (at 3 bar): 8 l/min                      non-return valve                      dirt strainers                      temperature scale handle with  <b>GROHE SafeStop</b> safety stop at 38°C ( calibration required )                      swivel cast spout 219 mm                      projection 287 mm                      swivel range stop at 130°, lockable                      self-sealing escutcheons                      multistage battery status display                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings                      by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109</p>			
	36 333 000	Chrome	4005176896699	978.85
	<p><b>ditto, projection 255 mm</b></p>			

COMMERCIAL FITTINGS

# GROHE EUROSMART COSMOPOLITAN E


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	13 378 000	Chrome	4005176351532	126.35
	<b>Cast swivel spout</b> length 115 mm swivelling (180 or 90°) and lockable laminar flow straightener 9 l/min GROHE Long-Life finish			
	13 380 000	Chrome	4005176351549	139.51
	<b>ditto, length 175 mm</b>			
	36 334 SD0	stainless steel	4005176896705	517.75
	<b>Eurosmart Cosmopolitan E</b> <b>Infra-red electronic wall basin tap without mixing device</b> with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC maximum flow rate (at 3 bar): 8 l/min stainless steel escutcheon SuperSteel spout projection 232 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 001/36 337 001 CE approved noise classification 1 in accordance with DIN4109 min. recommended pressure 1.0 bar			
	36 335 SD0	stainless steel	4005176896712	499.27
	<b>ditto, projection 172 mm</b>			
	36 337 001		4005176595417	147.31
	<b>Rough-in box for infra red basin taps without mixing device</b>			
	36 336 001		4005176991769	390.79
	<b>Rough-in box with integrated thermostatic mixer for infra red trim sets</b>			
	36 376 000	Chrome	4005176932243	561.33
	<b>Eurosmart Cosmopolitan E</b> <b>Infra-red electronic basin mixer with mixing device and adjustable temperature limiter</b> with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC maximum flow rate (at 3 bar): 8 l/min Laminar flow straightener chrome escutcheon chrome spout projection 232 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 339 001 CE approved noise classification 1 in accordance with DIN4109			
	36 315 000	Chrome	4005176896590	554.73
	<b>ditto, projection 172 mm</b>			
	36 339 001		4005176595424	269.23
	<b>Rough-in box with mixing device for infra red trim sets</b>			

# GROHE EUROSMART COSMOPOLITAN E

Ref. No.      Colour      EAN      Retail Guide Price (£)


36 457 000      Chrome      4005176494765      1,036.36

**Eurosmart Cosmopolitan E Special**  
**Infra-red electronic shower mixer with thermostatic temperature control**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
 ergonomic metal handle  
**GROHE Long-Life** finish  
**GROHE CoolTouch**  
 non-return valve  
 dirt strainers  
**GROHE SafetyPlus** fixed temperature stop  
 temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )  
 metal temperature safety stop  
 full unmixed hot or cold water in extreme handle position for legionella sampling  
 shower bottom outlet 1/2" with integrated non return-valve  
 with S-unions, chrome nuts and covers  
 self-sealing escutcheons  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109



36 456 000      Chrome      4005176494758      277.60

**Eurosmart Cosmopolitan E Special**  
**Infra-red electronic for concealed thermostatic shower**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 for concealed installation box 36 458 000 and 36 459 000  
 ergonomic metal handle  
**GROHE Long-Life** finish  
**GROHE SafetyPlus** fixed temperature stop  
 temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )  
 metal temperature safety stop  
 full unmixed hot or cold water in extreme handle position for legionella sampling  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109




36 458 000      4005176494772      832.79  
**Rough-in box with integrated thermostatic mixer for shower trim sets, battery supply**

36 459 000      4005176576188      894.48  
**Rough-in box with integrated thermostatic mixer for shower trim sets, mains supply**

47 780 000      Chrome      4005176836541      174.41









**Extension set 27.5 mm**  
 for Rapido T 35 500 000/35 050 000  
 for concealed installation box 36 458 000 and 36 459 000  
 for use with central and shower-thermostats with shut-off valve



COMMERCIAL FITTINGS



# GROHE EUROSMART COSMOPOLITAN E


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>36 463 000</b>	<b>Chrome</b>	<b>4005176576690</b>	<b>246.76</b>
	<b>Eurosmart Cosmopolitan E</b> <b>Infra-red electronic for concealed thermostatic shower</b> with infrared sensor for bi-directional communication for monitoring, configuration and servicing for concealed installation box 36 416 000 and 36 464 000 for hidden thermostatic mixer <b>GROHE Long-Life</b> finish 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109			
	<b>36 464 000</b>		<b>4005176576706</b>	<b>740.11</b>
	<b>Rough-in box with integrated thermostatic mixer for shower trim sets, battery supply</b>			
	<b>36 416 001</b>		<b>4005176595394</b>	<b>764.32</b>
<b>Rough-in box with integrated thermostatic mixer for infra red shower trim sets, mains supply</b>				
 	<b>36 407 001</b>	<b>Chrome</b>	<b>4005176368974</b>	<b>204.21</b>
	<b>Remote control</b> for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 <b>monitoring</b> consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO <sub>2</sub> capacity (GROHE Blue Home) <b>configuration</b> cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) <b>service</b> send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply			
 	<b>36 340 000</b>		<b>4005176911385</b>	<b>67.63</b>
	<b>Power extension cable</b> length 3.00 m			
	<b>36 341 000</b>		<b>4005176911392</b>	<b>124.58</b>
<b>ditto, length 10 m</b>				
 	<b>36 338 000</b>		<b>4005176896743</b>	<b>110.95</b>
	<b>Switch mode power supply</b> for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000			



# GROHE EUROECO COSMOPOLITAN E


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 271 000	Chrome	4005176893193	332.84
------------	--------	---------------	--------




**Euroeco Cosmopolitan E**  
**Infra-red electronic basin tap**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 flexible connection hoses  
 dirt strainers  
 solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

36 269 000	Chrome	4005176893179	358.73
------------	--------	---------------	--------



**Euroeco Cosmopolitan E**  
**Infra-red electronic basin tap 1/2"**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water  
**without power supply 36 338 000 (required)**  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 flexible connection hoses  
 dirt strainers  
 solenoid valve  
 rapid installation system  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

36 272 000	Chrome	4005176893209	332.84
------------	--------	---------------	--------




**Euroeco Cosmopolitan E**  
**Infra-red electronic basin tap 1/2"**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 flexible connection hoses  
 dirt strainer  
 solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved

# GROHE EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 384 000	Chrome	4005176982774	736.22
------------	--------	---------------	--------



## Euroeco Cosmopolitan E

### Powerbox

infra-red electronic basin tap 1/2"

without mixing device

with infrared sensor for bi-directional communication

for monitoring, configuration and servicing

including Powerbox self-generating power system

**GROHE Water Saving** - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

flexible connection hose

dirt strainer

rapid installation system

### Powerbox

power generator with water turbine

internal energy saving unit

with use of 60 s/24 h stand-by, 260 s/100 h stand-by

with additional backup power

7 pre-set programs

auto flush


thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

36 274 000	Chrome	4005176893223	388.32
------------	--------	---------------	--------



## Euroeco Cosmopolitan E

### Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication

for monitoring, configuration and servicing

for cold or premixed water

6V lithium battery, type CR-P2

battery lifetime approx. 7 years (150 actuations a day)

**GROHE Water Saving** - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

metal body

multistage battery status display

7 pre-set programs

auto flush

thermal disinfection


cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

36 273 000	Chrome	4005176893216	462.29
------------	--------	---------------	--------



## Euroeco Cosmopolitan E

### Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication

for monitoring, configuration and servicing

for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

maximum flow rate (at 3 bar): 5 l/min

chrome escutcheon

chrome spout

projection 172 mm

7 pre-set programs

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

set for final installation for concealed fitting box

36 336 001/36 337 001

CE approved

noise classification 1 in accordance

with DIN4109

36 337 001		4005176595417	147.31
------------	--	---------------	--------


**Rough-in box for infra red basin taps without mixing device**

36 336 001		4005176991769	390.79
------------	--	---------------	--------

**Rough-in box with integrated thermostatic mixer for infra red trim sets**


COMMERCIAL  
FITTINGS

# GROHE EUROECO COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>36 407 001</b>	<b>Chrome</b>	<b>4005176368974</b>	<b>204.21</b>
	<p><b>Remote control</b> for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p><b>monitoring</b> consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO<sub>2</sub> capacity (GROHE Blue Home)</p> <p><b>configuration</b> cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p><b>service</b> send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply</p>			
 	<b>36 340 000</b>		<b>4005176911385</b>	<b>67.63</b>
	<p><b>Power extension cable</b> length 3.00 m</p>			
	<b>36 341 000</b>		<b>4005176911392</b>	<b>124.58</b>
<p><b>ditto, length 10 m</b></p>				
 	<b>36 338 000</b>		<b>4005176896743</b>	<b>110.95</b>
	<p><b>Switch mode power supply</b> for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000</p>			


# GROHE BAU COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 451 000	Chrome	4005176473678	265.26



**Bau Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2"**  
**with mixing device and temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 Lead and Nickel Free Inner Water Ways  
 body made of composite polymer  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance  
 with DIN4109  
 type of protection faucet IP 59

36 452 000	Chrome	4005176473685	246.76
------------	--------	---------------	--------



**Bau Cosmopolitan E**  
**Infra-red electronic basin tap 1/2"**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 for cold or premixed water  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 Lead and Nickel Free Inner Water Ways  
 body made of composite polymer  
 flexible connection hose  
 dirt strainer  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance  
 with DIN4109  
 type of protection faucet IP 59


COMMERCIAL  
FITTINGS



# GROHE BAU COSMOPOLITAN E


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 453 000	Chrome	4005176473791	280.69
------------	--------	---------------	--------



**Bau Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2"**  
**with mixing device and temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 maximum flow rate (at 3 bar): 5 l/min  
 Lead and Nickel Free Inner Water Ways  
 body made of composite polymer  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 rapid installation system  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance  
 with DIN4109  
 type of protection faucet IP 59

36 407 001	Chrome	4005176368974	204.21
------------	--------	---------------	--------



**Remote control**  
 for all GROHE one eye infra-red products  
 as of 06/2015 and GROHE Blue Home until 12/2018  
**monitoring**  
 consumption and usage data  
 thermal disinfection cycles (infrared mixers)  
 auto flush cycles (infrared mixers)  
 cleaning mode cycles (GROHE Blue Home)  
 filter and CO<sub>2</sub> capacity (GROHE Blue Home)  
**configuration**  
 cleaning mode activation  
 thermal disinfection (infrared mixers)  
 detection range (infrared mixers)  
 shut off delay (infrared mixers)  
 auto flush (infrared mixers)  
 filter capacity (GROHE Blue Home)  
**service**  
 send and save profile  
 reset to factory or user settings  
 service details  
 demo mode  
 error codes (GROHE Blue Home)  
 3 x 1.5 V DC (AAA) battery supply

36 340 000		4005176911385	67.63
------------	--	---------------	-------

**Power extension cable**  
 length 3.00 m




36 341 000		4005176911392	124.58
------------	--	---------------	--------

**ditto, length 10 m**


36 338 000		4005176896743	110.95
------------	--	---------------	--------

**Switch mode power supply**  
 for one eye infra-red wash basin mixer  
 switch mode power supply with operating voltage  
 100-230 V AC, 50 - 60 Hz  
 for concealed socket with cover and strain relief  
 suitable for the following products: 36 444 000, 36 440 000,  
 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,  
 36 015 001, 36 016 001, 36 421 000, 36 453 000




# GROHE GROHTHERM MICRO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



34 487 000	Chrome	4005176936234	166.07
------------	--------	---------------	--------







**Grotherm Micro**  
**Thermostatic scalding protection**  
 temperature adjustment 15-43° C (± 2° C)  
 thermal disinfection without re-adjustment of temperature  
 connection 3/8" below with cap nut  
 above 3/8" male thread  
**GROHE TurboStat** thermoelement  
**GROHE Long-Life** finish  
 built-in non return valves  
 dirt strainer  
 without connection set











47 533 000	Chrome	4005176207181	30.48
------------	--------	---------------	-------

**Grotherm Micro**  
**Connection set**  
 for Grotherm Micro (34 487 000)  
 Consisting of:  
 union nut 3/8"  
 T-unit  
 2 outlets 3/8" male thread  
 flexible connection hose  
**GROHE Long-Life** finish

# GROHE GROHTHERM SPECIAL








	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>34 667 000</b>	<b>Chrome</b>	<b>4005176351570</b>	<b>421.83</b>
	<p><b>Grotherm Special</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      ceramic headparts 1/2", 90°  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )                      integrated mixed water shut off                      shower bottom outlet 1/2" with                      integrated non return-valve                      metal temperature safety stop                      dirt strainers  <b>GROHE FastFixation</b> for fast exchange of non return valves in connections                      100% GROHE CoolTouch consisting of safety                      housing + S-unions with CoolTouch escutcheons  <b>GROHE Long-Life</b> finish</p>			
 	<b>34 725 000</b>	<b>Chrome</b>	<b>4005176457081</b>	<b>411.38</b>
	<p><b>Grotherm Special</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      ceramic headparts 1/2", 90°  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )  <b>Thermostatic cartridge max.temperature 41°C ( calibration required )</b>                      integrated mixed water shut off                      shower bottom outlet 1/2" with                      integrated non return-valve                      metal temperature safety stop                      dirt strainers                      with S-unions, chrome nuts and covers  <b>GROHE FastFixation</b> for fast exchange of non return valves in connections  <b>GROHE CoolTouch</b> safety housing  <b>GROHE Long-Life</b> finish  <b>GROHE SafetyPlus</b> fixed temperature stop  <b>TMV3 approved product</b></p>			
 	<b>34 665 000</b>	<b>Chrome</b>	<b>4005176351556</b>	<b>528.12</b>
	<p><b>Grotherm Special</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      Aquadimmer handle with multiple function                      flow control                      integrated mixed water shut off                      diverter bath/shower  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )                      shower bottom outlet 1/2" with                      integrated non return-valve                      metal temperature safety stop                      laminar mousseur                      dirt strainers  <b>GROHE FastFixation</b> for fast exchange of non return valves in connections                      100% GROHE CoolTouch consisting of safety                      housing + S-unions with CoolTouch escutcheons  <b>GROHE Long-Life</b> finish</p>			

# GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>34 681 000</b>	<b>Chrome</b>	<b>4005176354090</b>	<b>417.14</b>
	<b>Grotherm Special</b> <b>Thermostatic shower mixer 1/2"</b> wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° <b>GROHE TurboStat</b> compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required ) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers without S-unions and covers <b>GROHE FastFixation</b> for fast exchange of non return valves in connections <b>GROHE CoolTouch</b> safety housing <b>GROHE Long-Life</b> finish			
 	<b>34 671 000</b>	<b>Chrome</b>	<b>4005176351587</b>	<b>523.30</b>
	<b>Grotherm Special</b> <b>Thermostatic bath/shower mixer 1/2"</b> wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower <b>GROHE TurboStat</b> compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required ) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers without S-unions and covers <b>GROHE FastFixation</b> for fast exchange of non return valves in connections <b>GROHE CoolTouch</b> safety housing <b>GROHE Long-Life</b> finish			
 	<b>34 666 000</b>	<b>Chrome</b>	<b>4005176351563</b>	<b>468.34</b>
	<b>Grotherm Special</b> <b>Thermostat basin mixer 1/2"</b> wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° <b>GROHE TurboStat</b> compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required ) integrated mixed water shut off bottom outlet for spouts 13 378 or 13 380 metal temperature safety stop dirt strainers <b>GROHE FastFixation</b> for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons <b>GROHE Long-Life</b> finish			
 	<b>13 378 000</b>	<b>Chrome</b>	<b>4005176351532</b>	<b>126.35</b>
	<b>Cast swivel spout</b> length 115 mm swivelling (180 or 90°) and lockable laminar flow straightener 9 l/min <b>GROHE Long-Life</b> finish			
	<b>13 380 000</b>	<b>Chrome</b>	<b>4005176351549</b>	<b>139.51</b>
	<b>ditto, length 175 mm</b>			

COMMERCIAL  
FITTINGS

# GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 094 000	Chrome	4005176354106	322.19
	<p><b>Grotherm Special</b>  <b>Thermostatic shower mixer</b>            set for final installation for 35 050 000  <b>without concealed body</b>            escutcheon- and shaft-sealing covered connections            ergonomic metal wing handles            temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )            integrated mixed water shut off            metal temperature safety stop  <b>GROHE Long-Life</b> finish  <b>TMV2 compliant when used with 35 050 000</b></p>			
	35 500 000		4005176831522	265.72
<p><b>GROHE Rapido T thermostatic mixer for concealed installation</b></p>				
 	29 095 000	Chrome	4005176354113	328.83
	<p><b>Grotherm Special</b>  <b>Thermostatic bath/shower mixer trim</b>            set for final installation for 35 050 000  <b>without concealed body</b>            escutcheon- and shaft-sealing covered connections            ergonomic metal wing handles            Aquadimmer handle with multiple function flow control            integrated mixed water shut off            diverter bath/shower            temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )            integrated mixed water shut off            metal temperature safety stop  <b>GROHE Long-Life</b> finish  <b>TMV2 compliant when used with 35 050 000</b></p>			
	35 500 000		4005176831522	265.72
<p><b>GROHE Rapido T thermostatic mixer for concealed installation</b></p>				
 	29 096 000	Chrome	4005176354120	265.72
	<p><b>Grotherm Special</b>  <b>Trim for thermostatic shower valve</b>            set for final installation for 35 050 000  <b>without concealed body</b>            escutcheon- and shaft-sealing covered connections            ergonomic metal wing handle            temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )            metal temperature safety stop  <b>GROHE Long-Life</b> finish  <b>TMV2 compliant when used with 35 050 000</b></p>			
	35 500 000		4005176831522	265.72
<p><b>GROHE Rapido T thermostatic mixer for concealed installation</b></p>				
	47 994 000		4005176364723	8.30
	<p><b>Grotherm Special</b>  <b>Temperature unlocking handle</b>            unlocking of temperature handle for thermal disinfection</p>			

# GROHE GROHTHERM SPECIAL


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>12 051 000</b>	<b>Chrome</b>	<b>4005176213588</b>	<b>61.62</b>
	<b>S-union</b> 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections <b>GROHE Long-Life</b> finish			
 	<b>47 780 000</b>	<b>Chrome</b>	<b>4005176836541</b>	<b>174.41</b>
	<b>Extension set 27.5 mm</b> for Rapido T 35 500 000/35 050 000 for concealed installation box 36 458 000 and 36 459 000 for use with central and shower-thermostats with shut-off valve			
	<b>47 781 000</b>		<b>4005176836558</b>	<b>202.90</b>
	<b>ditto, for use with bath thermostats with Aquadimmer</b>			
	<b>29 007 000</b>		<b>4005176837678</b>	<b>199.72</b>
	<b>Safety combination (EN 1717)</b> for Rapido T 35 500 000/35 050 000 Re-fitting set for backflow protection for use with inlet pop-up and waste sets e.g. Talentofil 28 990 000 or 28 991 000			
 	<b>28 874 000</b>	<b>Chrome</b>	<b>4005176042348</b>	<b>20.65</b>
	<b>Tee Connection</b> for connection to shower and bath/shower-mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves <b>GROHE Long-Life</b> finish			
 	<b>28 988 000</b>	<b>Chrome</b>	<b>4005176042805</b>	<b>47.02</b>
	<b>Drain Down Valve</b> for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" <b>GROHE Long-Life</b> finish			

COMMERCIAL  
FITTINGS




# GROHE GROHTHERM XL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>35 085 000</b>	<b>Chrome</b>	<b>4005176207068</b>	<b>1,906.17</b>
-------------------	---------------	----------------------	-----------------










**Grohtherm XL**  
**Thermostat mixer 1"**  
wall mounted  
range of use 9l/min to 140l/min  
wax thermoelement  
temperature scale handles with pre-adjustable  
safety stop between 33°C and 43°C  
arrangement to make the thermal  
disinfection easier  
built-in non return valves and dirt strainers as compact service units  
connecting thread 1 1/4"  
outlet thread 1 1/2"  
changeable top/bottom outlet  
without connection unions for wall mounting  
**GROHE Long-Life** finish



<b>35 087 000</b>	<b>Chrome</b>	<b>4005176207082</b>	<b>2,333.18</b>
-------------------	---------------	----------------------	-----------------







**Grohtherm XL**  
**Thermostat mixer 1 1/4"**  
wall mounted  
range of use 9l/min to 140l/min  
wax thermoelement  
temperature scale handles with pre-adjustable  
safety stop between 33°C and 43°C  
arrangement to make the thermal  
disinfection easier  
built-in non return valves and dirt strainers as compact service units  
connecting thread 1 1/2"  
outlet thread 2"  
changeable top/bottom outlet  
without connection unions for wall mounting  
**GROHE Long-Life** finish

# GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 <b>23 988 003</b>	Chrome	4005176644351	142.64
	<p><b>Eurosmart Basin mixer 1/2" S-Size</b>                      thermostatic scalding protection                      maximum temperature adjustable                      thermal disinfection not possible                      monobloc installation                      metal lever                      lever length 89 mm                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      adjustable flow rate limiter  <b>GROHE Long-Life</b> finish                      Lead and Nickel Free Inner Water Ways                      built-in non return valves                      dirt strainers  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 4 l/min  <b>GROHE FastFixation</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      max. pressure differential 5:1                      professional edition</p>			
	 <b>23 989 003</b>	Chrome	4005176644368	156.75
	<p><b>Eurosmart Basin mixer 1/2" M-Size</b>                      thermostatic scalding protection                      maximum temperature adjustable                      thermal disinfection not possible                      monobloc installation                      metal lever                      lever length 89 mm                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      adjustable flow rate limiter                      Lead and Nickel Free Inner Water Ways                      built-in non return valves                      dirt strainers  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 4 l/min  <b>GROHE FastFixation</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      max. pressure differential 5:1                      professional edition</p>			
	 <b>23 986 003</b>	Chrome	4005176643859	185.88
	<p><b>Eurosmart Basin mixer 1/2" S-Size</b>                      thermostatic scalding protection                      maximum temperature adjustable                      thermal disinfection without re-adjustment of temperature                      tool for thermal disinfection included                      monobloc installation                      loop metal lever                      lever length 130 mm                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      adjustable flow rate limiter                      built-in non return valves                      dirt strainers                      Lead and Nickel Free Inner Water Ways                      maximum flow rate (at 3 bar): 4 l/min                      Laminar flow straightener  <b>GROHE FastFixation</b> installation system                      smooth body                      flexible connection hoses                      max. pressure differential 5:1                      professional edition</p>			

COMMERCIAL FITTINGS

# GROHE EUROSMART CARE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 987 003	Chrome	4005176644344	199.99
	<p><b>Eurosmart Basin mixer 1/2" M-Size</b>                      thermostatic scalding protection                      maximum temperature adjustable                      thermal disinfection without re-adjustment of temperature                      tool for thermal disinfection included                      monobloc installation                      loop metal lever                      lever length 130 mm                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      adjustable flow rate limiter                      built-in non return valves                      dirt strainers                      Lead and Nickel Free Inner Water Ways                      maximum flow rate (at 3 bar): 4 l/min                      Laminar flow straightener  <b>GROHE FastFixation</b> installation system                      smooth body                      flexible connection hoses                      max. pressure differential 5:1                      professional edition</p>			
 	23 980 003	Chrome	4005176644207	114.10
	<p><b>Eurosmart Basin mixer 1/2" S-Size</b>                      monobloc installation                      loop metal lever                      lever length 130 mm  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      maximum flow rate (at 3 bar): 8 l/min                      Laminar flow straightener                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE FastFixation</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
 	23 981 003	Chrome	4005176644214	128.23
	<p><b>Eurosmart Basin mixer 1/2" M-Size</b>                      monobloc installation                      loop metal lever                      lever length 130 mm  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      maximum flow rate (at 3 bar): 8 l/min                      Laminar flow straightener                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE FastFixation</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			

# GROHE EUROSMART CARE

Ref. No.      Colour      EAN      Retail Guide Price (£)




**23 975 003**      **Chrome**      **4005176644153**      **375.35**



**Eurosmart Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
2-in-1 hybrid with touchless or manual operation  
manual lever operation having priority  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
infra-red electronic  
with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)  
non-return valve  
dirt strainer  
with integrated solenoid valve  
external battery  
multistage battery status display  
7 pre-set programs  
auto flush  
cleaning mode  
additional functions and precise settings by remote control 36 407  
**GROHE Water Saving** - Less water, perfect flow  
maximum flow rate (at 3 bar): 5 l/min  
Lead and Nickel Free Inner Water Ways  
rapid installation system  
smooth body  
flexible connection hoses  
min. recommended pressure 1.0 bar  
CE approved  
professional edition




**25 241 003**      **Chrome**      **4005176644221**      **141.73**



**Eurosmart Single-lever bath/shower mixer 1/2"**  
wall mounted  
loop metal lever  
lever length 123 mm  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
automatic diverter: bath/shower  
mousseur  
integrated non-return valve  
in the shower outlet 1/2"  
S-unions  
metal wall escutcheons  
protected against backflow  
professional edition



**25 242 003**      **Chrome**      **4005176644238**      **123.41**




**Eurosmart Single-lever shower mixer 1/2"**  
wall mounted  
loop metal lever  
lever length 115 mm  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
shower bottom outlet 1/2" with integrated non return-valve  
S-unions  
metal wall escutcheons  
protected against backflow  
professional edition

COMMERCIAL FITTINGS

# GROHE EUROSMART CARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


25 279 000	Chrome	4005176766565	354.81
------------	--------	---------------	--------



**Eurosmart**  
**Solid basin mixer, 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 automatic diverter: bath/shower  
 swivel tubular spout  
 projection 400 mm  
 S-unions  
 metal wall escutcheons  
 with shower set 2 sprays (Rain, Jet)  
 Consisting of:  
 hand shower Tempesta 110 (26 161)  
 maximum flow rate (at 3 bar): 7.4 l/min  
**GROHE SmartSwitch** - easily rotate the dial to enjoy your preferred spray option  
 wall shower holder Tempesta, non-adjustable (28 605)  
 shower hose Relexaflex 1500 mm 1/2" x 1/2" (28 151)


# GROHE EUROSMART CARE

Ref. No.      Colour      EAN      Retail Guide Price (£)




**23 984 003**      **Chrome**      **4005176643835**      **185.88**

**Eurosmart Basin mixer 1/2" S-Size**  
 thermostatic scalding protection  
 maximum temperature adjustable  
 thermal disinfection without re-adjustment of temperature  
 tool for thermal disinfection included  
 monobloc installation  
 long metal lever  
 lever length 147 mm  
 28 mm ceramic cartridge with **GROHE SilkMove**  
 adjustable flow rate limiter  
 Lead and Nickel Free Inner Water Ways  
 built-in non return valves  
 dirt strainers  
 maximum flow rate (at 3 bar): 4 l/min  
 Laminar flow straightener  
**GROHE FastFixation** installation system  
 smooth body  
 flexible connection hoses  
 max. pressure differential 5:1  
 professional edition



**23 985 003**      **Chrome**      **4005176643842**      **199.99**

**Eurosmart Basin mixer 1/2" M-Size**  
 thermostatic scalding protection  
 maximum temperature adjustable  
 thermal disinfection without re-adjustment of temperature  
 tool for thermal disinfection included  
 monobloc installation  
 long metal lever  
 lever length 147 mm  
 28 mm ceramic cartridge with **GROHE SilkMove**  
 adjustable flow rate limiter  
 Lead and Nickel Free Inner Water Ways  
 built-in non return valves  
 dirt strainers  
 maximum flow rate (at 3 bar): 4 l/min  
 Laminar flow straightener  
**GROHE FastFixation** installation system  
 smooth body  
 flexible connection hoses  
 max. pressure differential 5:1  
 professional edition











**23 982 003**      **Chrome**      **4005176644245**      **114.10**

**Eurosmart Basin mixer 1/2" S-Size**  
 monobloc installation  
 long metal lever  
 lever length 156 mm  
**GROHE SilkMove** 35 mm ceramic cartridge  
 maximum flow rate (at 3 bar): 8 l/min  
 Laminar flow straightener  
 adjustable flow rate limiter with temperature limiter  
**GROHE FastFixation** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition





COMMERCIAL FITTINGS



# GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 983 003	Chrome	4005176644313	128.23
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation long metal lever lever length 156 mm <b>GROHE SilkMove</b> 35 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min Laminar flow straightener adjustable flow rate limiter with temperature limiter <b>GROHE FastFixation</b> installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition			
	25 243 003	Chrome	4005176644320	141.73
	<b>Eurosmart</b> <b>Single-lever bath/shower mixer 1/2"</b> wall mounted long metal lever lever length 124 mm <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition			
	25 244 003	Chrome	4005176644337	123.41
	<b>Eurosmart</b> <b>Single-lever shower mixer 1/2"</b> wall mounted long metal lever lever length 120 mm <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition			
	34 667 000	Chrome	4005176351570	421.83
	<b>Grotherm Special</b> <b>Thermostatic shower mixer 1/2"</b> wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° <b>GROHE TurboStat</b> compact cartridge with wax thermolement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required ) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers <b>GROHE FastFixation</b> for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons <b>GROHE Long-Life</b> finish			


# GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 988 000	Chrome	4005176042805	47.02
	<b>Drain Down Valve</b> for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" <b>GROHE Long-Life</b> finish			
 	28 874 000	Chrome	4005176042348	20.65
	<b>Tee Connection</b> for connection to shower and bath/shower-mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves <b>GROHE Long-Life</b> finish			

# GROHE VERTICA EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

23 302 000	Chrome	4005176923876	379.44
------------	--------	---------------	--------



**Eurostyle Cosmopolitan**  
**Vertica-OHM-Bath Mixer, 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE Long-Life** finish  
 adjustable flow rate limiter  
 lockable automatic diverter: bath/shower  
 lockable spout  
 integrated non-return valve  
 in the shower outlet 1/2"  
 elbow union 45°  
 metal wall escutcheons  
 optional temperature limiter (46 375 000)  
 protected against backflow  
 noise classification 1 in accordance  
 with DIN4109


# GROHE COMMERCIAL SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 002 000	Chrome	4005176858796	228.02
	<b>Relexa 70</b> <b>Sports head shower 1 spray</b> low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suicide resistant design pipe union plug-in for wall connection			
 	28 948 000	Chrome	4005176209871	268.21
	<b>Relexa Plus 60</b> <b>Sports head shower 1 spray</b> heavy, cast model connection thread 1/2" projection 148 mm <b>GROHE Long-Life</b> finish <b>SpeedClean</b> anti-limescale system			
 	28 094 000	Chrome	4005176601132	44.12
	<b>Relexa Plus 50</b> <b>Head shower 1 spray</b> with ball joint 1/2" connection <b>GROHE Long-Life</b> finish adjustable flow rate without shower arm			
 	28 988 000	Chrome	4005176042805	47.02
	<b>Drain Down Valve</b> for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" <b>GROHE Long-Life</b> finish			
 	28 874 000	Chrome	4005176042348	20.65
	<b>Tee Connection</b> for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves <b>GROHE Long-Life</b> finish			

COMMERCIAL  
FITTINGS









# GROHE COMMERCIAL SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
28 429 000	Chrome	4005176601910	49.92



**Relexa**  
**Shower arm 55 mm**  
 connection thread 1/2"  
**GROHE Long-Life** finish











# GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 763 000	Chrome	4005176871030	128.74
	<b>Euroeco Special Basin mixer 1/2"</b> monobloc installation pop-up waste set 1 1/4" <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener metal lever lever length 120 mm rapid installation system flexible connection hoses			
	32 762 000	Chrome	4005176871023	128.74
	<b>ditto, smooth body</b>			
	32 766 000	Chrome	4005176871061	290.69
	<b>Euroeco Special Basin mixer 1/2"</b> monobloc installation pop-up waste set 1 1/4" <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener metal lever lever length 120 mm rapid installation system flexible connection hoses			
	32 765 000	Chrome	4005176871054	278.87
	<b>ditto, smooth body</b>			
	30 208 000	Chrome	4005176927836	306.11
	<b>Euroeco Special Basin mixer 1/2"</b> monobloc installation high spout 302 mm smooth body <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE Water Saving</b> - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min adjustable flow rate limiter adjustable temperature limiter Laminar flow straightener swivel tubular spout swivel area 140° metal lever lever length 170 mm rapid installation system flexible connection hoses			
	32 776 000	Chrome	4005176871764	291.82
	<b>Euroeco Special Basin mixer 1/2"</b> wall mounted <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min cast spout projection 157 mm metal lever lever length 120 mm S-unions			

COMMERCIAL  
FITTINGS



# GROHE EUROECO SPECIAL


	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		32 778 000	Chrome	4005176871788	303.69
		<p><b>Euroeco Special Basin mixer 1/2"</b> wall mounted <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast spout projection 205 mm metal lever lever length 170 mm S-unions</p>			
		32 779 000	Chrome	4005176871795	343.15
		<p><b>ditto, with lockable S unions, projection 221 mm</b></p>			
		32 770 000	Chrome	4005176871702	287.91
		<p><b>Euroeco Special Basin mixer 1/2"</b> wall mounted <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast swivel spout, lockable projection 157 mm metal lever lever length 120 mm S-unions</p>			
		32 768 000	Chrome	4005176871689	327.33
		<p><b>ditto, with lockable S unions, projection 174 mm</b></p>			
		32 767 000	Chrome	4005176871078	327.33
		<p><b>Euroeco Special Basin mixer 1/2"</b> wall mounted <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast swivel spout, lockable projection 197 mm metal lever lever length 120 mm S-unions</p>			
		32 771 000	Chrome	4005176871719	366.79
		<p><b>ditto, with lockable S unions, projection 214 mm</b></p>			
		32 773 000	Chrome	4005176871733	343.15
		<p><b>Euroeco Special Basin mixer 1/2"</b> wall mounted <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast swivel spout, lockable projection 257 mm metal lever lever length 170 mm S-unions</p>			
		32 774 000	Chrome	4005176871740	382.57
		<p><b>ditto, with lockable S unions, projection 274 mm</b></p>			

# GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 775 000	Chrome	4005176871757	398.31
	<p><b>Euroeco Special Basin mixer 1/2"</b> wall mounted <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast swivel spout, lockable projection 342 mm metal lever lever length 170 mm with lockable S-unions</p>			
	32 772 000	Chrome	4005176871726	331.29
	<p><b>Euroeco Special Single-lever basin mixer</b> wall mounted <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge maximum flow rate (at 3 bar): 8 l/min adjustable minimum flow rate 2.5 l/min adjustable temperature limiter adjustable flow rate limiter Laminar flow straightener cast swivel spout, lockable projection 222 mm metal lever lever length 170 mm without connection unions water saving</p>			
	32 786 000	Chrome	4005176871863	166.01
	<p><b>Euroeco Special Single-lever sink mixer 1/2"</b> monobloc installation <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever lever length 120 mm flexible connection hoses maximum flow rate (at 3 bar): 8 l/min</p>			
	32 787 000	Chrome	4005176871870	166.01
	<p><b>Euroeco Special Single-lever sink mixer 1/2"</b> monobloc installation <b>GROHE Long-Life</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter swivel tubular spout lever length 120 mm flexible connection hoses maximum flow rate (at 3 bar): 8 l/min</p>			
	12 051 000	Chrome	4005176213588	61.62
	<p><b>S-union</b> 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections <b>GROHE Long-Life</b> finish</p>			


# GROHE EUROECO SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>34 487 000</b>	<b>Chrome</b>	<b>4005176936234</b>	<b>166.07</b>
-------------------	---------------	----------------------	---------------









**Grotherm Micro**  
**Thermostatic scalding protection**  
 temperature adjustment 15-43° C (± 2° C)  
 thermal disinfection without re-adjustment of temperature  
 connection 3/8" below with cap nut  
 above 3/8" male thread  
**GROHE TurboStat** thermoelement  
**GROHE Long-Life** finish  
 built-in non return valves  
 dirt strainer  
 without connection set



<b>47 533 000</b>	<b>Chrome</b>	<b>4005176207181</b>	<b>30.48</b>
-------------------	---------------	----------------------	--------------

**Grotherm Micro**  
**Connection set**  
 for Grotherm Micro (34 487 000)  
 Consisting of:  
 union nut 3/8"  
 T-unit  
 2 outlets 3/8" male thread  
 flexible connection hose  
**GROHE Long-Life** finish


# GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)			
		<b>32 788 000</b>	<b>Chrome</b>	<b>4005176871887</b>	<b>276.08</b>		
		<p><b>Euroeco Special</b>  <b>Single-lever safety basin mixer 1/2"</b>                      monobloc installation                      pop-up waste set 1 1/4"  <b>GROHE Long-Life</b> finish                      maximum flow rate (at 3 bar): 8 l/min                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      Laminar flow straightener                      metal lever                      lever length 120 mm                      rapid installation system                      flexible connection hoses</p>					
		<b>32 789 000</b>	<b>Chrome</b>	<b>4005176871894</b>	<b>256.36</b>		
		<p><b>32 790 000</b></p>					<b>Chrome</b>
<p><b>Euroeco Single Sequential</b>  <b>Single-lever safety basin mixer 1/2"</b>                      monobloc installation                      smooth body                      high version  <b>GROHE Long-Life</b> finish                      maximum flow rate (at 3 bar): 8 l/min                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      Laminar flow straightener                      metal lever                      lever length 120 mm                      rapid installation system                      flexible connection hoses</p>							
		<b>32 823 000</b>	<b>Chrome</b>	<b>4005176877995</b>	<b>437.74</b>		
		<p><b>Euroeco Special</b>  <b>Single-lever safety basin mixer 1/2"</b>                      ceramic cartridge  <b>GROHE Long-Life</b> finish                      maximum flow rate (at 3 bar): 8 l/min                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      cast spout with flow straightener                      projection 170 mm                      metal lever                      lever length 170 mm                      without connection unions for wall mounting</p>					
		<b>32 795 000</b>	<b>Chrome</b>	<b>4005176871955</b>	<b>441.72</b>		
		<p><b>Euroeco Single Sequential</b>  <b>Single-lever safety basin mixer 1/2"</b>                      wall mounted  <b>GROHE Long-Life</b> finish                      maximum flow rate (at 3 bar): 8 l/min                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      cast spout with flow straightener                      projection 204 mm                      metal lever                      lever length 170 mm                      S-unions</p>					

COMMERCIAL FITTINGS

# GROHE EUROECO SINGLE SEQUENTIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>32 792 000</b>	<b>Chrome</b>	<b>4005176871924</b>	<b>469.32</b>
-------------------	---------------	----------------------	---------------

**Euroeco Single Sequential**  
**Single-lever safety basin mixer 1/2"**  
wall mounted


**GROHE Long-Life** finish  
maximum flow rate (at 3 bar): 8 l/min  
ceramic cartridge  
adjustable flow rate limiter  
adjustable temperature limiter  
adjustable minimum flow rate 6 l/min.  
cast swivel spout, lockable with flow straightener  
projection 197 mm  
metal lever  
lever length 120 mm  
S-unions

<b>32 793 000</b>	<b>Chrome</b>	<b>4005176871931</b>	<b>489.06</b>
-------------------	---------------	----------------------	---------------

**ditto, projection 256 mm**


# GROHE HOSPITA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



30 978 000	Chrome	4005176098918	188.39
------------	--------	---------------	--------

**Hospita**  
Sink pillar tap, 1/2"  
red/blue markers  
GROHE Long-Life finish









45 314 000	Chrome	4005176099250	63.05
------------	--------	---------------	-------

**Lever**  
projection 150 mm  
marking: blue/red  
for use with ceramic headparts  
GROHE Long-Life finish




COMMERCIAL  
FITTINGS



# GROHE EUROSMART COSMOPOLITAN T

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 318 000	Chrome	4005176896521	345.57
	<p><b>Eurosmart Cosmopolitan T</b>  <b>Self-closing basin mixer with mixing device and adjustable temperature limiter</b>  <b>GROHE Long-Life finish</b>  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      pop-up waste set 1 1/4"                      3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)                      2 flexible hoses                      non-return valve                      dirt strainers                      min. recommended pressure 1.0 bar</p>			
	36 317 000	Chrome	4005176896514	315.89
	<b>ditto, without pop-up waste set</b>			
	36 320 000	Chrome	4005176896545	498.75
	<p><b>Eurosmart Cosmopolitan T</b>  <b>Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter</b>                      wall mounted  <b>GROHE Long-Life finish</b>                      mixing device with hot water stop-valve                      hose connection G 1/2"                      3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)                      S-unions                      non-return valve                      dirt strainers</p>			
	36 321 000	Chrome	4005176896552	360.02
	<p><b>Eurosmart Cosmopolitan T</b>  <b>Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter</b>  <b>GROHE Long-Life finish</b>                      3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)                      dirt strainers                      set for final installation for concealed fitting box                      36 322 001  <b>without concealed body</b></p>			
	36 322 001		4005176595400	157.75
	<b>Rough-in box with mixing device for self-closing trim sets</b>			


# GROHE EUROECO COSMOPOLITAN T

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 265 000	Chrome	4005176893131	133.14
<p><b>Euroeco Cosmopolitan T Self-closing pillar tap 1/2"</b>                      marking: blue/red  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 266 000	Chrome	4005176893148	122.05
<p><b>Euroeco Cosmopolitan T Self-closing pillar tap 1/2"</b>                      wall mounted                      marking: blue/red  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow                      maximum flow rate (at 3 bar): 5 l/min                      flow limiter                      3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)                      escutcheon</p>				
 	36 316 000	Chrome	4005176896279	48.08
<p><b>Euroeco Cosmopolitan T Extension, 42 mm</b>                      for self-closing pillar tap 1/2" (36 266 000)  <b>GROHE Long-Life</b> finish</p>				
 	36 268 000	Chrome	4005176893162	122.05
<p><b>Euroeco Cosmopolitan T Self-closing shower valve 1/2"</b>                      for concealed installation                      marking: blue/red  <b>GROHE Long-Life</b> finish                      3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 267 000	Chrome	4005176893155	114.64
<p><b>Euroeco Cosmopolitan T Self-closing shower valve 1/2"</b>                      exposed body and trim set                      marking: blue/red  <b>GROHE Long-Life</b> finish                      3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)                      escutcheon</p>				


COMMERCIAL  
FITTINGS

# GROHE ROUGH-IN SETS


Ref. No.      Colour      EAN      Retail Guide Price (£)




**36 264 001**      **4005176416279**      **211.06**  
**Rough-in set for infra-red electronic**  
 wall installation  
 for installation with pre-mixed or cold water  
 suitable for IR-sets for final installation  
 connection housing for power supply  
 suitable for 36 447 000, 36 442 000




**36 337 001**      **4005176595417**      **147.31**  
**Euroeco Cosmopolitan E**  
**Concealed mounting box**  
 wall installation  
 for installation with pre-mixed or cold water  
 suitable for IR-sets for final installation  
 stop valve  
 connection housing for power supply  
 suitable for  
 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000  
 allows for waterproofing of wall construction surrounding the concealed body  
 with sealing sleeve



**36 336 001**      **4005176991769**      **390.79**  
**Eurosmart Cosmopolitan E**  
**Concealed mounting box**  
 with integrated pre-adjustable  
 thermostatic mixer  
 wall installation  
 suitable for IR-sets for final installation  
 2 stop valves  
 non-return valve  
 suitable for  
 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000  
 allows for waterproofing of wall construction surrounding the concealed body  
 with sealing sleeve




**36 339 001**      **4005176595424**      **269.23**  
**Eurosmart Cosmopolitan E**  
**Concealed mounting box**  
**with mixture**  
 wall installation  
 suitable for IR-sets for final installation  
 2 stop valves  
 housing with mixing device  
 non-return valve  
 connection housing for power supply  
 suitable for  
 36 315 000, 36 412 000, 36 376 000  
 allows for waterproofing of wall construction surrounding the concealed body  
 with sealing sleeve



**36 416 001**      **4005176595394**      **764.32**  
**Eurosmart Cosmopolitan E**  
**Concealed control unit**  
 for shower  
 with integrated pre-adjustable  
 thermostatic mixer  
 suitable for infra-red set 36 415 000 and 36 463 000  
 2 stop valves  
 non-return valves with filters  
 connection housing for power supply  
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
 allows for waterproofing of wall construction surrounding the concealed body  
 with sealing sleeve


# GROHE ROUGH-IN SETS

Ref. No.      Colour      EAN      Retail Guide Price (£)




**36 458 000**      **4005176494772**      **832.79**

**Eurosmart Cosmopolitan E Concealed control unit**  
for shower  
with integrated thermostatic mixer  
suitable for infra-red set 36 456 000  
2 stop valves  
non-return valves with filters  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve




**36 459 000**      **4005176576188**      **894.48**

**Eurosmart Cosmopolitan E Concealed control unit**  
for shower  
with integrated thermostatic mixer  
suitable for infra-red set 36 456 000  
2 stop valves  
non-return valves with filters  
connection housing for power supply  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve




**35 500 000**      **4005176831522**      **265.72**

**GROHE Rapido T Thermostatic mixer for concealed installation**  
for use with Grohtherm Special and Grohtherm F without finishing trim set  
flat installation depth 70 mm - 95 mm  
**GROHE TurboStat compact cartridge with wax thermoelement**  
two top outlets 1/2", lockable  
bottom outlet 1/2" - can only be used with separate stopvalve  
body of DR brass  
built-in non return valve and dirt strainers  
min. recommended pressure 1.0 bar



**36 322 001**      **4005176595400**      **157.75**

**Eurosmart Cosmopolitan T Concealed mounting box with mixture**  
wall installation  
with adhesive flange for sealing the wall  
2 stop valves  
non-return valve  
for use with 36 321 000  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve



**37 338 000**      **Chrome**      **4005176837920**      **155.08**

**GROHE Rapido U**  
roughing-in set for urinal  
for manual actuation or Tectron infra-red electronic 6 V or 230 V  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply  
installation box with gasket  
fixing points for dry cladding and masonry-in  
inspection shaft incl. protection

COMMERCIAL FITTINGS

# GROHE SENSIA SHOWER TOILETS







## CONTENTS

GROHE Sensia Pro	512
GROHE Sensia Arena	514
Manual bidet seat	516





# GROHE SENSIA ARENA

The GROHE Sensia Arena Toilet is the next level of personal care in the 21<sup>st</sup> century bathroom, offering a broad range of intelligent features. Prompted by a sensor, the lid opens and closes automatically while a gentle nightlight guides your way in the dark. The absorption of odours supports the transformation of a simple bathroom to a relaxing and hygienic zone. Every design detail has been carefully considered to offer new levels of cleanliness at every stage. Special hygienic coatings and powerful flushing keep the toilet clean while the self-cleaning, anti-bacterial spray arms give you total peace of mind when using the spray function. Discover the Sensia Arena and increase your personal well-being and comfort.



SHOWER TOILET

**Enjoy a wealth of benefits that will fit you like a glove**

## **01 Perfect skin care**

With a selection of fully adjustable sprays, anti-bacterial twin shower arms and unlimited warm water for comfortable cleaning we offer perfect skin care: GROHE SkinClean.

## **02 Ultimate hygiene clean**

Leading-edge AquaCeramic technology, germ-resistant HyperClean coating and self-cleaning, anti-bacterial spray arms provide you the greatest possible convenience and hygiene: GROHE HygieneClean.

## **03 Personal comfort**

With features like odour absorption, air dryer, nightlight and the smartphone app we offer the smartest comfort: Personal Comfort.

# GROHE MANUAL BIDET SEAT PERFECTLY HYGIENIC WITH TWIN SHOWER

## COMFORTABLE CLEANING WITH PURE WATER – NO ELECTRICITY NEEDED

The GROHE Manual Bidet Seat transforms a simple toilet into a comfortable, hygienic place where personal care and cleaning are second nature. Attached to a WC ceramic, the seat doesn't require electricity – instead, the spray is operated by a side lever powered only by water pressure, putting the control at your fingertips for an effective but gentle cleaning experience. No mess, no splashes and no stress. Made from hardwearing Duroplast, the seat itself creates an elegant visual addition to the bathroom.



### REAR SPRAY

Thorough yet gentle, the targeted rear spray promises precise personal cleaning.



### LADY SHOWER

The refreshing lady shower uses a completely separate spray arm for complete hygiene. The softer, wider spray pattern is more gentle, ideal for intimate feminine areas.



### **SOFT CLOSE SEAT**

Both seat and lid have a quiet soft close mechanism meaning no danger of trapped fingers or of damaging the material.



### **RETRACTABLE NOZZLES**

The two retractable spray arms are protected for extra hygiene.



### **SPRAY ARM CLEANING FUNCTION**


Have confidence that the two spray arms remain germ-free, thanks to the cleaning function. Made from antibacterial material, the spray heads can be rinsed before and after every use controlled by the seat control lever.



# GROHE SENSIA PRO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 508 SH0	alpine white	4005176797101	2,289.95
------------	--------------	---------------	----------



## GROHE Sensia Pro

### Shower toilet complete system for concealed flushing cisterns, wall-hung

**GROHE Hygiene** GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology

GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology

GROHE Skin Clean:

2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray)

separate water way for lady spray

oscillating spray (automatic forward and reverse motion of the spray)

adjustable spray intensity

automatic pre- and post-rinsing of spray nozzle with fresh water

integrated instant heater provides unlimited warm water

adjustable temperature

Additional functions

warm air dryer with adjustable temperature

descaling function

PP WC seat and lid with automatic opening/close function

pyro electric sensor for user detection

power switch

inside bowl night light

hidden water supply and power supply connection

remote control

includes:

manual remote controller with wall-mounted holder

water supply connection set for concealed cistern

nozzle guard

pressure 0.05 - 1 MPa (0.5 - 10 bar)

nominal voltage 220-240 V AC

main frequency 50-60 Hz

type of protection IPX4

complies with EN 1717

CE approved

39 598 000

4005176527517

305.93

## Rapid SLX

### 3-in-1 set for WC, 1.13 m installation height

flushing cistern GDx, 6 l

Consisting of:

Rapid SLX element for WC (39 596 000) with integrated power socket



front wall brackets (38 558 00M)

noise protection set (37 131 000)

including flow manager

for mounting of flush plates 156 x 197 mm please order

revision shaft 66 791 000 (sold separately)



101458 SH0 0 alpine white

4067393003243

107.57

## Sensia

### Remote control

for Sensia shower toilet system

including wall holder

professional edition







# GROHE SENSIA PRO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	101520 999 0		4067393003496	28.68
	<b>Sensia Nozzle tips</b> for Sensia shower toilet system 1 x standard shower and 1 x lady shower			
	101546 999 0		4067393003731	60.95
	<b>Sensia Descaling kit</b> 80 g bag descaler vessel nozzle tips (1 x standard shower and 1 x lady shower)			
	101547 999 0		4067393003748	15.54
	<b>Sensia Descaler</b> 1 x 80 g bag This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			
	101548 999 0		4067393003755	16.73
	<b>Sensia Descaler vessel</b>			
	46 977 00M		4005176423727	52.10
	<b>Descaler for shower toilet</b> packaging unit 4 x 80 g bag This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			
	46 944 001		4005176479977	249.17
	<b>Installation kit for automatic flush and pre-flush</b> for Rapid SL and Rapid SLX with flushing cistern GD2 in combination with GROHE shower toilet Consisting of: servo motor for GD 2 actuation rod for flushing valve cable and blind cap flexible hose WC actuation plate not included CE approved			





# GROHE SENSIA ARENA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 899 000		4005176413896	44.83
	46 977 00M		4005176423727	52.10
 	14 926 002		4005176572128	352.01







**Retrofit kit for shower toilets Sensia Arena and IGS**  
 retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS  
 including:  
 conduit pipe with locking ring and flat seal  
 cable ties  
 WC connecting pipe Ø 45 mm  
 waste sleeve Ø 90 mm

**Descaler for shower toilet**  
 packaging unit 4 x 80 g bag  
 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

**GROHE Sensia Arena Remote control**  
 for 39 354 SH0 and 39 354 SH1  
 for Sensia Arena shower toilet system, wall hung  
 including wall holder

SHOWER TOILET

# GROHE MANUAL BIDET SEAT

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 648 SH0	alpine white	4005176575310	298.72
	<p><b>Bau Ceramic</b>  <b>Manual bidet seat</b>            WC seat with lid            2 dedicated spray arms (1 for anal area, 1 for lady spray)            pre- and post-rinsing of spray nozzle with fresh water            manually operated side handle requires no electricity            Duroplast WC seat and lid with soft close function            flexible water connection 3/8"            includes:            mounting plate            filter            pressure 0.1 - 1 MPa (1 - 10 bar)            complies with EN 1717</p>			
	14 074 000		4005176575365	42.80
	<p><b>Accessory set shower hose and T piece</b>            for manual bidet seat            Consisting of:            T unit 3/8"            flexible connection hose            795 mm            3/8" x 3/8"</p>			
	34 487 000	Chrome	4005176936234	166.07
	<p><b>Grotherm Micro</b>  <b>Thermostatic scalding protection</b>            temperature adjustment 15-43° C (± 2° C)            thermal disinfection without re-adjustment of temperature            connection 3/8" below with cap nut            above 3/8" male thread  <b>GROHE TurboStat</b> thermoelement  <b>GROHE Long-Life</b> finish            built-in non return valves            dirt strainer            without connection set</p>			





GROHE  
**CERAMICS**







## CONTENTS

Essence	526
Cube Ceramic	531
Euro Ceramic	534
BauEdge Ceramic	540
Bau Ceramic	542
Acrylic shower trays	550



# FOUR UNIQUE CERAMIC DESIGN LINES

Create pure unison in your bathroom: with GROHE Ceramics. If you choose one of our perfect matches, you can be sure that you are composing a coherent and perfectly designed style.

Whatever your lifestyle, whatever your taste, you'll find the perfect combination of products within GROHE's four ceramic ranges. Each has its own distinctive qualities and they make creating a visually unified bathroom simple and fun.



**ESSENCE**  
BEAUTY IN ITS PUREST FORM



**CUBE CERAMIC**  
A CLEAR STYLE STATEMENT



**EURO CERAMIC**  
IN TUNE WITH MY LIFESTYLE



**BAU CERAMIC**  
VERSATILITY FOR A MODERN LIFE

# FIVE COMPELLING TECHNOLOGIES

You may not see it at first sight – but our ceramics are equipped with the most advanced technology. At GROHE it is our aspiration to make your time in the bathroom as comfortable as possible without any restrictions. Discover our innovative GROHE technologies.

## OUR KEY TECHNOLOGIES

---



**TRIPLE VORTEX FLUSH**  
THE POWER OF THREE: CLEAN AND SILENT



**RIMLESS TECHNOLOGY**  
LEAVES BACTERIA NOWHERE TO HIDE





**PUREGUARD**

STAYS SPARKLING WHITE – NO CHANCE FOR BACTERIA AND DIRT



**QUICK RELEASE SEAT**

EASY REMOVAL FOR EASY CLEANING



**SEAT & COVER SOFT CLOSE**

GENTLE AND QUIET

# WITH OUR PERFECT MATCHES YOU CAN BE SURE **THAT EVERYTHING FITS**

A consistent design language and ergonomic use are essential for making your bathroom a place of true relaxation. With our perfect matches, we created four coordinated collections for a complete bathroom solution.

Each of our matches was tested to be perfect in design and function. Choose for yourself the line that complements your personal style.

BAU CERAMIC



EURO CERAMIC



ESSENCE



CUBE CERAMIC





BAUEDGE



BAULoop



EUROSTYLE  
COSMOPOLITAN



EUROSTYLE



EUROSMArt  
COSMOPOLITAN



EUROSMArt



ESSENCE



LINEARE



GROHE PLUS



ATRIO



EUROcUBE



LINEARE















ALLURE













ALLURE  
BRILLIANT













# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 564 00H	alpine white	4005176485602	275.30
	<b>Essence</b> <b>Wash basin 70</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 700 x 485 mm suitable for half and full pedestal sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing			
	39 565 00H	alpine white	4005176485619	256.58
	<b>Essence</b> <b>Wash basin 60</b> <b>wall fixings not included</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 600 x 485 mm suitable for half and full pedestal sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing			
	39 566 00H	alpine white	4005176485626	604.05
	<b>Essence</b> <b>Vanity basin 100</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 1000 x 460 mm sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing wash basin underside: grinded			
	39 567 00H	alpine white	4005176485633	432.99
	<b>Essence</b> <b>Vanity basin 80</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 800 x 460 mm sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing wash basin underside: grinded			
	39 568 00H	alpine white	4005176485640	296.68
	<b>Essence</b> <b>Vanity basin 60</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 600 x 460 mm sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing			
	39 608 00H	alpine white	4005176566493	404.11
	<b>Essence</b> <b>Vessel basin 60</b> without overflow 600 x 400 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing			









# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 609 00H	alpine white	4005176566509	327.13
	<b>Essence</b> <b>Vessel basin 45</b> without overflow 450 x 450 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing			
	39 570 000	alpine white	4005176484865	160.36
	<b>Essence</b> <b>Half pedestal</b> including fixation set sanitary ware			
	39 571 00H	alpine white	4005176485671	382.20
	<b>Essence</b> <b>Wall hung WC</b> for concealed cistern wash down rimless horizontal outlet flush volume 4.5/3 l including fixation set sanitary ware fully skirted with invisible fixation With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing compatible with seat and cover 39 577 001 (soft close)			
	39 573 00H	alpine white	4005176485794	398.25
	<b>Essence</b> <b>Floor standing back to wall WC</b> universal trap for horizontal and vertical outlet back to wall for concealed cistern rimless flush volume 4.5/3 l including fixation set sanitary ware fully skirted with invisible fixation With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing compatible with seat and cover 39 577 001 (soft close)			
	39 572 00H	alpine white	4005176485688	427.64
	<b>Essence</b> <b>Floor standing WC for close coupled combination</b> close coupled universal trap for horizontal and vertical outlet wash down rimless flush volume 4.5/3 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing compatible with seat and cover 39 577 001 (soft close)			








# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 579 000	alpine white	4005176485152	240.55
<p><b>Essence</b>  <b>Exposed flushing cistern for close coupled combination</b>  bottom inlet  inlet and outlet concealed  including flushing set GROHE AV1  dual flush 4.5/3 l  including fixation set  sanitary ware</p>				
 	39 577 001	alpine white	4067393022152	111.75
<p><b>Essence</b>  <b>WC seat soft close</b>  with lid  quick release function  detachable  material: Duroplast  including fixation set  stainless steel hinges  easy fixation from above  weight bearing capacity 150 kg  compatible with all Essence bowls</p>				
 	39 574 00H	alpine white	4005176485800	382.20
<p><b>Essence</b>  <b>Wall hung bidet</b>  1 hole punched  with overflow  including fixation set  sanitary ware  fully skirted with invisible fixation  With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing</p>				
 	39 575 00H	alpine white	4005176485817	398.25
<p><b>Essence</b>  <b>Floor standing bidet</b>  1 hole punched  with overflow  including fixation set  sanitary ware  fully skirted with invisible fixation  With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing</p>				
 	39 729 000	alpine white	4005176594991	5,611.80
<p><b>Essence</b>  <b>Bathtub</b>  free standing  180 x 80 cm  height 57.5 cm  water volume 240 l  usable volume 170 l  with overflow  sanitary titan steel  suitable for Talento waste sets (28 943 000 + 19 025 000)  suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)  includes noise suppression mats</p>				













# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>39 617 000</b>	<b>alpine white</b>	<b>4005176571312</b>	<b>978.47</b>
	<p><b>Essence Bathtub</b>            built-in            180 x 80 cm            height 45 cm            water volume 240 l            usable volume 170 l            with overflow            sanitary titan steel            suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets            recommended Poresta installation set # 17156511            recommended Schedel installation set SW 80026            includes noise suppression mats            requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately</p>			
	<b>39 620 00H</b>	<b>alpine white</b>	<b>4005176571336</b>	<b>1,139.63</b>
	<p><b>Essence Bathtub</b>            built-in            180 x 80 cm            height 45 cm            water volume 240 l            usable volume 170 l            with EasyClean            with overflow            sanitary titan steel            suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets            recommended Poresta installation set # 17156511            recommended Schedel installation set SW 80026            includes noise suppression mats            requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately</p>			
	<b>39 622 000</b>	<b>alpine white</b>	<b>4005176571350</b>	<b>5,611.80</b>
	<p><b>Essence Bathtub</b>            back-to-wall            180 x 85 cm            height 57.5 cm            water volume 240 l            usable volume 170 l            with overflow            sanitary titan steel            suitable for Talento waste sets (28 943 000 + 19 025 000)            suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)            includes noise suppression mats</p>			
	<b>19 025 000</b>	<b>Chrome</b>	<b>4005176209154</b>	<b>70.25</b>
	<p><b>Talento Waste and overflow set for baths</b>            set for final installation            escutcheon            waste plug            fixing set            in combination with Talento 28 939 000/28 943 000  <b>GROHE Long-Life</b> finish</p>			

# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 952 000	Chrome	4005176174230	66.83
	19 952 DC0	supersteel	4005176467776	282.17
	19 952 GL0	cool sunrise	4005176352423	302.32
	19 952 GN0	brushed cool sunrise	4005176468117	322.48
	19 952 DA0	warm sunset	4005176351945	302.32
	19 952 DL0	brushed warm sunset	4005176468124	322.48
	19 952 A00	hard graphite	4005176352874	302.32
	19 952 AL0	brushed hard graphite	4005176353376	322.48
	<b>Talentofill</b> <b>Inlet-, pop-up and waste-system</b> set for final installation escutcheon supply part waste plug fixing set <b>in combination with Talentofill</b> <b>28 990 000/28 991 000</b>			
	28 943 000		4005176209178	164.11
	<b>Talento</b> <b>Pop-up bath waste and overflow</b> with bowden cable <b>without finishing trim set</b> bottle trap 45° waste elbow			
				
	28 991 000	Chrome	4005176174032	305.45
	<b>Talentofill</b> <b>Inlet-, pop-up and waste-system</b> for baths with waste up to 370 mm reach <b>without finishing trim set</b>			
				
	49 115 000	Chrome	4005176571411	123.37
	<b>Essence</b> <b>Feet for built-in bathtubs</b> individual height adjustment of each foot <b>GROHE FastFixation</b> installation system			













# GROHE CUBE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 386 00H	alpine white	4005176438356	575.37
	<b>Cube Ceramic Wash basin 100</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing			
	39 469 00H	alpine white	4005176438363	497.45
	<b>Cube Ceramic Wash basin 80</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm <b>wall fixings not included</b> sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing			
	39 473 00H	alpine white	4005176438370	269.79
	<b>Cube Ceramic Wash basin 60</b> <b>wall fixings not included</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing			
	39 474 00H	alpine white	4005176438387	253.27
	<b>Cube Ceramic Wash basin 50</b> <b>wall fixings not included</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing			
	39 475 00H	alpine white	4005176442599	575.37
	<b>Cube Ceramic Counter top basin 100</b> flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing			
	39 476 00H	alpine white	4005176442605	498.28
	<b>Cube Ceramic Counter top basin 80</b> flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm <b>wall fixings not included</b> including fixation set sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing			

CERAMICS




# GROHE CUBE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 477 00H	alpine white	4005176442612	269.79
<p><b>Cube Ceramic Counter top basin 60</b> flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing</p>				
 	39 478 00H	alpine white	4005176442629	253.27
<p><b>Cube Ceramic Counter top basin 50</b> flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm including fixation set sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing</p>				
 	39 481 00H	alpine white	4005176442650	242.26
<p><b>Cube Ceramic Vessel basin 50</b> without overflow 500 x 470 mm including fixation set sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing</p>				
 	39 482 00H	alpine white	4005176442667	214.73
<p><b>Cube Ceramic Vessel basin 40</b> without overflow 410 x 410 mm including fixation set sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing</p>				
 	39 480 00H	alpine white	4005176442643	242.26
<p><b>Cube Ceramic Under-counter wash basin 50</b> installation from below with overflow 492 x 370 mm including fixation set sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing</p>				
 	39 479 00H	alpine white	4005176442636	258.78
<p><b>Cube Ceramic Counter basin 60</b> flat back side glazed built-in 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With <b>GROHE PureGuard</b> anti-scale coating and anti-bacterial glazing</p>				


# GROHE CUBE CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>39 483 00H</b>	<b>alpine white</b>	<b>4005176442674</b>	<b>209.23</b>
-------------------	---------------------	----------------------	---------------

**Cube Ceramic Hand rinse basin 45**  
 wall hung  
 1 hole punched with overflow  
 455 x 350 mm  
 sanitary ware  
 With **GROHE PureGuard** anti-scale coating and anti-bacterial glazing



<b>39 245 00H</b>	<b>alpine white</b>	<b>4005176524479</b>	<b>479.23</b>
-------------------	---------------------	----------------------	---------------













**Cube Ceramic Wall hung WC**  
 horizontal outlet  
 rimless  
 flush volume 4.5/3 l including fixation set  
 sanitary ware  
 fully skirted with invisible fixation  
 With **GROHE PureGuard** anti-scale coating and anti-bacterial glazing  
 compatible with seat and cover 39 488 000 (soft close)













<b>39 488 000</b>	<b>alpine white</b>	<b>4005176442735</b>	<b>206.47</b>
-------------------	---------------------	----------------------	---------------

**Cube Ceramic WC seat soft close**  
 with lid  
 quick release function  
 detachable  
 material: Duroplast  
 including fixation set  
 stainless steel hinges  
 easy fixation from above  
 weight bearing capacity 150 kg  
 compatible with all Cube Ceramic bowls









# GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 323 000	alpine white	4005176407116	113.00
	<b>Euro Ceramic Wash basin 65</b> wall hung 1 hole punched with overflow 650 x 514 mm <b>wall fixings not included</b> sanitary ware			
	39 335 000	alpine white	4005176407239	101.85
	<b>Euro Ceramic Wash basin 60</b> <b>wall fixings not included</b> wall hung 1 hole punched with overflow 595 x 482 mm sanitary ware			
	39 337 000	alpine white	4005176407253	124.90
	<b>Euro Ceramic Counter top basin 60</b> 1 hole punched with overflow 596 x 483 mm <b>wall fixings not included</b> sanitary ware			
	39 336 000	alpine white	4005176407246	113.54
	<b>Euro Ceramic Wash basin 55</b> wall hung 1 hole punched with overflow 550 x 450 mm <b>wall fixings not included</b> sanitary ware			
	39 423 000	alpine white	4005176406201	121.41
	<b>Bau Ceramic Undercounter wash basin 55</b> installation from below with overflow 560 x 420 mm <b>fixings included</b> sanitary ware			
	39 324 000	alpine white	4005176407123	96.18
	<b>Euro Ceramic Hand rinse basin 45</b> wall hung 1 hole punched with overflow 450 x 396 mm <b>wall fixings not included</b> sanitary ware distance between installation holes: 160 mm			











# GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		39 327 000	alpine white	4005176390104	92.30
<p><b>Euro Ceramic</b>  <b>Compact handrinse basin</b>                      wall hung                      1 hole punched                      370 x 180 mm  <b>wall fixings not included</b>                      sanitary ware                      no pedestals recommended</p>					
		39 201 000	alpine white	4005176344947	79.57
<p><b>Euro Ceramic</b>  <b>Semi pedestal for wash basin</b>                      39230, 39335 and 39336                      invisible fixation set included                      sanitary ware                      suitable for all GROHE wash basins except                      39 324 000, 39 327 000</p>					
		39 202 000	alpine white	4005176344954	89.12
<p><b>Euro Ceramic</b>  <b>Full pedestal for wash basin</b>                      39230, 39335, 39336 and 39324                      invisible fixation set included                      sanitary ware                      suitable for all GROHE wash basins except                      39 324 000, 39 327 000</p>					
		39 839 000	alpine white	4005176655517	395.12
<p><b>Euro Ceramic</b>  <b>Floor standing back to wall WC</b>                      rimless                      horizontal outlet                      Triple Vortex                      flush volume 3/5 l                      including fixation set                      sanitary ware                      fully skirted with invisible fixation                      Euro Ceramic WC seat with lid                      soft close                      quick release function                      material: Duroplast                      detachable</p>					
		39 554 000	alpine white	4005176484452	448.85
<p><b>Euro Ceramic</b>  <b>Wall hung WC set</b>                      Consisting of:                      Euro Ceramic wall hung WC with Triple Vortex (39 328 000)                      for concealed cistern                      horizontal outlet                      Triple Vortex                      wash down                      rimless                      flush volume 3/5 l                      sanitary ware                      fully skirted with invisible fixation                      Euro Ceramic WC seat with lid                      soft close                      quick release function                      detachable                      material: Duroplast                      including fixation set                      4 pieces per pallet</p>					

# GROHE EURO CERAMIC









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 693 000	alpine white	4005176581281	413.66
	<p><b>Euro Ceramic Wall hung WC set</b>            Consisting of:            Euro Ceramic wall hung compact WC with Triple Vortex (39 206 000)            horizontal outlet            Triple Vortex            rimless            flush volume 3/5 l            sanitary ware            fully skirted with invisible fixation            Euro Ceramic WC seat with lid            soft close            quick release function            detachable            material: Duroplast            including fixation set</p>			
	39 703 000	alpine white	4005176583896	395.05
	<p><b>Euro Ceramic Wall hung WC set</b>            Consisting of:            Euro Ceramic wall hung WC, 3/5 l (39 538 000)            for concealed cistern            horizontal outlet            wash down            rimless            flush volume 3/5 l            sanitary ware            Euro Ceramic WC seat with lid            soft close            quick release function            detachable            material: Duroplast            including fixation set</p>			
	39 328 000	alpine white	4005176407161	315.11
	<p><b>Euro Ceramic Wall hung WC</b>            for concealed cistern            horizontal outlet            Triple Vortex            rimless            flush volume 3/5 l            including fixation set            sanitary ware            fully skirted with invisible fixation            compatible with seat and cover 39 330 002 (soft close) and 39 331 002 (without soft close)</p>			
	39 206 000	alpine white	4005176344992	286.46
	<p><b>Euro Ceramic Wall hung compact WC</b>            horizontal outlet            Triple Vortex            rimless            flush volume 3/5 l            49 cm width            including fixation set            sanitary ware            fully skirted with invisible fixation            compatible with seat and cover 39 330 002 (soft close) and 39 331 002 (without soft close)</p>			

# GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 538 000	alpine white	4005176468292	252.20
	<p><b>Euro Ceramic</b> <b>Wall hung WC, basic</b> for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware compatible with seat and cover 39 330 002 (soft close) and 39 331 002 (without soft close)</p>			
	39 338 000	alpine white	4005176407260	245.09
	<p><b>Euro Ceramic</b> <b>Floor standing WC for close coupled combination</b> close coupled universal trap for horizontal and vertical outlet Triple Vortex rimless flush volume 3/5 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation compatible with seat and cover 39 330 002 (soft close) and 39 331 002 (without soft close)</p>			
	39 332 000	alpine white	4005176407208	229.17
	<p><b>Euro Ceramic</b> <b>Exposed flushing cistern</b> bottom inlet inlet and outlet concealed including flushing set with dual flush including fixation set sanitary ware</p>			
	39 333 000	alpine white	4005176407215	229.17
	<p><b>Euro Ceramic</b> <b>Exposed flushing cistern</b> side or back inlet for back inlet please order mounting set 49 522 000 (sold separately) including flushing set with dual flush including fixation set sanitary ware</p>			
	39 339 000	alpine white	4005176407277	244.02
	<p><b>Euro Ceramic</b> <b>Floor standing back to wall WC</b> horizontal outlet back to wall Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation compatible with seat and cover 39 330 002 (soft close) and 39 331 002 (without soft close)</p>			




# GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 462 000	alpine white	4005176454608	544.08
	<p><b>Euro Ceramic Bundle close coupled WC</b>            Consisting of:            Euro Ceramic WC (39 338 000)            wash down rimless            horizontal outlet            flush volume 3/5 l            including fixation set            sanitary ware            Euro Ceramic cistern (39 332 000)            bottom inlet            including flushing set &amp; button            sanitary ware            Euro Ceramic WC seat with lid            soft close            quick release function            detachable            including fixation set            material: Duroplast            4 pieces per pallet</p>			
	39 330 002	alpine white	4067393022138	108.66
	<p><b>Euro Ceramic WC seat soft close</b>            with lid            quick release function            detachable            material: Duroplast            including fixation set            stainless steel hinges            easy fixation from above            weight bearing capacity 150 kg            compatible with all Euro Ceramic bowls</p>			
	39 208 000	alpine white	4005176345029	284.22
	<p><b>Euro Ceramic Wall hung bidet</b>            1 hole punched            with overflow            including fixation set            sanitary ware            fully skirted with invisible fixation</p>			
	39 340 000	alpine white	4005176423697	250.26
	<p><b>Euro Ceramic Floor standing bidet</b>            1 hole punched            with overflow            including fixation set            sanitary ware            fully skirted with invisible fixation</p>			

# GROHE EURO CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




36 501 000	Chrome	4005176781902	755.17
------------	--------	---------------	--------

**Rapid SL**  
**5-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2 , 6 l - 9 l**

Consisting of:

- Rapid SL element for WC (38 528 001)
- Euro Ceramic wall hung WC with Triple Vortex (39 328 000)
- Euro Ceramic WC seat with lid, soft close (39 330 002)
- Arena Cosmopolitan flush plate, chrome, vertical installation (38 844 000)
- 2 wall brackets with fixing material
- noise protection set (37 131 000)



36 503 000	Chrome	4005176781926	659.56
------------	--------	---------------	--------

**Rapid SL**  
**5-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2 , 6 l - 9 l**

Consisting of:


- Rapid SL element for WC (38 528 001)
- Euro Ceramic wall hung WC, 3/5 l (39 538 000)
- Euro Ceramic WC seat with lid, soft close (39 330 002)
- Arena Cosmopolitan flush plate, chrome, vertical installation (38 844 000)
- 2 wall brackets with fixing material
- noise protection set (37 131 000)

# GROHE BAUEDGE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 808 000	alpine white	4005176637087	98.02
<p><b>BauEdge Ceramic Wash basin 60</b> wall fixings not included wall hung 1 hole punched with overflow 600 x 448 mm sanitary ware suitable for half pedestal 39 426 000 and full pedestal 39 425 000 12 pieces per pallet</p>				
 	39 807 000	alpine white	4005176636479	95.06
<p><b>BauEdge Ceramic Wash basin 55</b> wall hung 1 hole punched with overflow 550 x 400 mm sanitary ware suitable for half pedestal 39 426 000 and full pedestal 39 425 000 21 pieces per pallet</p>				
 	39 806 000	alpine white	4005176636462	92.23
<p><b>BauEdge Ceramic Hand rinse basin 45</b> wall hung 1 hole punched with overflow 450 x 350 mm sanitary ware 27 pieces per pallet</p>				
 	39 809 000	alpine white	4005176637094	177.16
<p><b>BauEdge Ceramic Wall hung WC</b> for concealed cistern wash down rimless horizontal outlet flush volume 3/5 l sanitary ware compatible with seat and cover 39 813 000 16 pieces per pallet</p>				
 	39 810 000	alpine white	4005176637100	209.30
<p><b>BauEdge Ceramic Floor standing WC</b> back to wall for concealed cistern wash down rimless horizontal outlet flush volume 3/5 l including fixation set sanitary ware compatible with seat and cover 39 813 000 18 pieces per pallet</p>				
 	39 811 000	alpine white	4005176637117	157.00
<p><b>BauEdge Ceramic Floor standing WC for close coupled combination</b> wash down rimless horizontal outlet flush volume 3/5 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 813 000 12 pieces per pallet</p>				


# GROHE BAUEDGE CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



39 861 000	alpine white	4005176653889	119.43
------------	--------------	---------------	--------

**BauEdge Ceramic**  
**Exposed flushing cistern**  
 bottom inlet  
 inlet and outlet concealed  
 including flushing set & button  
 anti-theft lid (can be fixed with the cistern)  
 sanitary ware  
 54 pieces per pallet













39 813 000	alpine white	4005176637131	102.87
------------	--------------	---------------	--------

**BauEdge Ceramic**  
**WC seat soft close**  
 with lid  
 quick release function  
 detachable  
 material: Duroplast  
 including fixation set  
 stainless steel hinges  
 easy fixation from above  
 weight bearing capacity 150 kg  
 compatible with all BauEdge ceramic bowls  
 168 pieces per pallet

# GROHE BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 420 000	alpine white	4005176405983	77.57
	<b>Bau Ceramic Wash basin 65</b> wall hung 1 hole punched with overflow 646 x 468 mm <b>wall fixings not included</b> sanitary ware			
	39 421 000	alpine white	4005176428906	67.24
	<b>Bau Ceramic Wash basin 60</b> <b>wall fixings not included</b> wall hung 1 hole punched with overflow 609 x 442 mm <b>wall fixings not included</b> sanitary ware			
	39 440 000	alpine white	4005176405976	65.50
	<b>Bau Ceramic Wash basin 55</b> wall hung 1 hole punched with overflow 553 x 386 mm <b>wall fixings not included</b> sanitary ware			
	39 422 000	alpine white	4005176406195	121.41
	<b>Bau Ceramic Counter Drop-in basin 55</b> built-in 1 hole punched with overflow 560 x 400 mm <b>fixings included</b> sanitary ware			
	39 423 000	alpine white	4005176406201	121.41
	<b>Bau Ceramic Undercounter wash basin 55</b> installation from below with overflow 560 x 420 mm <b>fixings included</b> sanitary ware			
	39 424 000	alpine white	4005176406218	65.63
	<b>Bau Ceramic Hand rinse basin 45</b> wall hung 1 hole punched with overflow 453 x 354 mm <b>wall fixings not included</b> sanitary ware distance between installation holes: 205 mm			

# GROHE BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 426 000	alpine white	4005176406232	74.13
<b>Bau Ceramic Half pedestal</b> including fixation set sanitary ware suitable for all Bau and BauEdge Ceramic wash basins except 39 424 000 and 39 806 000				
 	39 425 000	alpine white	4005176406225	65.57
<b>Bau Ceramic Full pedestal</b> including fixation set sanitary ware suitable for all Bau and BauEdge Ceramic wash basins except 39 424 000 and 39 806 000				
 	39 910 000	alpine white	4005176720444	182.21
<b>Bau Ceramic Floor standing WC for close coupled combination</b> wash down rimless universal outlet flush volume 3/6 l including fixation set cistern to be ordered separately sanitary ware fully skirted with visible fixation compatible with seat and cover 39 913 (soft close) compatible with Bau Ceramic cisterns 39 911 000 and 39 912 000 professional edition 9 pieces per pallet				
 	39 912 000	alpine white	4005176720468	119.42
<b>Bau Ceramic Exposed flushing cistern</b> bottom inlet inlet and outlet concealed including flushing set & button sanitary ware compatible with Bau Ceramic bowl 39 910 000 professional edition 24 pieces on a pallet				
 	39 913 000	alpine white	4005176720475	106.53
<b>Bau Ceramic WC seat soft close slim</b> with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowl 39 910 000 professional edition 72 pieces per pallet				

CERAMICS



# GROHE BAU CERAMIC











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 427 000	alpine white	4005176406249	124.11
<p><b>Bau Ceramic Wall hung WC</b> for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)</p>				
	39 491 000	alpine white	4005176449994	98.35
<p><b>Bau Ceramic Wall hung WC</b> for concealed cistern wash down boxed rim horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close) 16 pieces per pallet</p>				
	39 428 000	alpine white	4005176406256	137.38
<p><b>Bau Ceramic Floor standing WC for close coupled combination</b> wash down boxed rim horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)</p>				
	39 349 000	alpine white	4005176449659	152.74
<p><b>Bau Ceramic Floor standing WC for close coupled combination</b> wash down rimless horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)</p>				
	39 429 000	alpine white	4005176406263	152.74
<p><b>Bau Ceramic Floor standing WC for close coupled combination</b> wash down rimless vertical outlet, concealed flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)</p>				

# GROHE BAU CERAMIC









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 436 000	alpine white	4005176406331	119.45
	39 437 000	alpine white	4005176406348	119.45
	39 430 000	alpine white	4005176406270	102.61
	39 431 000	alpine white	4005176406287	102.61
	39 898 000	alpine white	4005176713972	102.86

CERAMICS







# GROHE BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 923 000	alpine white	4005176724008	102.86
<p><b>Bau Ceramic</b> <b>WC seat soft close slim</b> with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowls 39 349 000 and 39 429 000</p>				
 	39 492 000	alpine white	4005176450013	53.07
<p><b>Bau Ceramic</b> <b>WC seat</b> with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Bau Ceramic bowls except 39 910 000</p>				
 	39 493 000	alpine white	4005176450020	95.14
<p><b>Bau Ceramic</b> <b>WC seat soft close</b> with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above compatible with all Bau Ceramic bowls except 39 910 000</p>				
 	39 433 000	alpine white	4005176406300	197.37
<p><b>Bau Ceramic</b> <b>Wall hung bidet</b> 1 hole punched with overflow sanitary ware</p>				
 	39 432 000	alpine white	4005176406294	206.73
<p><b>Bau Ceramic</b> <b>Floor standing bidet</b> 1 hole punched with overflow including fixation set sanitary ware</p>				

# GROHE BAU CERAMIC


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 438 000	alpine white	4005176406355	236.27
<p><b>Bau Ceramic Urinal</b> concealed inlet <b>wall fixings Included</b> flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately not compatible with temperature sensor 39 367 000</p>				
 	39 439 000	alpine white	4005176406362	236.27
<p><b>Bau Ceramic Urinal</b> top inlet <b>wall fixings Included</b> flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately</p>				
 	39 351 000	alpine white	4005176450006	228.84
<p><b>Bau Ceramic Wall hung WC set</b> Consisting of: <b>Bau Ceramic wall hung WC (39 427 000)</b> for concealed cistern horizontal outlet wash down rimless flush volume 3/6 l sanitary ware <b>Bau Ceramic WC seat (39 493 000)</b> soft close quick release function detachable material: Duroplast including fixation set</p>				
 	39 347 000	alpine white	4005176449680	337.63
<p><b>Bau Ceramic Bundle close coupled WC</b> Consisting of: <b>Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)</b> wash down boxed rim horizontal outlet, concealed flush volume 6/3 l including fixation set sanitary ware <b>Bau Ceramic exposed flushing cistern (39 437 000)</b> connection from the left/right hand side including flushing set &amp; button sanitary ware <b>Bau Ceramic WC seat (39 493 000)</b> with lid soft close quick release function detachable material: Duroplast including fixation set</p>				

# GROHE BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		<b>39 346 000</b> <b>alpine white</b>	<b>4005176449673</b>	<b>352.35</b>
		<p><b>Bau Ceramic</b>  <b>Bundle close coupled WC</b>            Bau Ceramic floor standing toilet with vertical outlet (39 429 000)            wash down            rimless            vertical outlet            flush volume 6/3 l            including fixation set            sanitary ware</p> <p><b>Bau Ceramic exposed flushing cistern (39 437 000)</b>            connection from the left/right hand side            including flushing set &amp; button            sanitary ware</p> <p><b>Bau Ceramic WC seat (39 493 000)</b>            with lid            soft close            quick release function            detachable            material: Duroplast            including fixation set</p>		
		<b>39 496 000</b> <b>alpine white</b>	<b>4005176450051</b>	<b>339.85</b>
		<p><b>Bau Ceramic</b>  <b>Bundle close coupled WC</b>            Consisting of:  <b>Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)</b>            wash down            rimless            horizontal outlet            flush volume 6/3 l            including fixation set            sanitary ware</p> <p><b>Bau Ceramic exposed flushing cistern (39 494 000)</b>            connection from the left/right hand side            including flushing set &amp; button            sanitary ware</p> <p><b>Bau Ceramic WC seat (39 493 000)</b>            with lid            soft close            quick release function            detachable            material: Duroplast            including fixation set</p>		
		<b>39 604 000</b> <b>alpine white</b>	<b>4005176524486</b>	<b>379.34</b>
		<p><b>Bau Ceramic</b>  <b>Bundle close coupled WC</b>            Consisting of:  <b>Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)</b>            wash down            rimless            horizontal outlet            flush volume 6/3 l            including fixation set            sanitary ware</p> <p><b>Bau Ceramic exposed flushing cistern (39 436 000)</b>            bottom inlet            inlet and outlet concealed            including flushing set &amp; button            sanitary ware</p> <p><b>Bau Ceramic WC seat (39 493 000)</b>            with lid            quick release function            detachable            material: Duroplast            including fixation set            4 pieces per pallet</p>		

# GROHE BAU CERAMIC


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>36 500 000</b>	<b>Chrome</b>	<b>4005176781896</b>	<b>427.10</b>
-------------------	---------------	----------------------	---------------

**Rapid SL**  
**5-in-1 set for WC, 1.13 m installation height**  
flushing cistern GD 2, 6 - 3 l


Consisting of:  
Rapid SL element for WC (38 528 001)  
Arena Cosmopolitan flush plate, chrome, vertical installation (38 844 000)  
Bau Ceramic wall hung WC (39 427 000) including seat and lid (39 493 000)  
front wall brackets (38 558 00M)  
noise protection set (37 131 000)



<b>36 504 000</b>	<b>Chrome</b>	<b>4005176781933</b>	<b>448.45</b>
-------------------	---------------	----------------------	---------------

**Rapid SL**  
**5-in-1 set for WC, 1.13 m installation height**  
flushing cistern GD 2, 6 - 3 l



Consisting of:  
Rapid SL element for WC (38 528 001)  
Arena Cosmopolitan flush plate, chrome, vertical installation (38 844 000)  
**Bau Ceramic wall hung WC (39 427 000)**  
Bau Ceramic slim seat and lid soft close (39 898 000)  
2 wall brackets with fixing material  
noise protection set (37 131 000)



<b>39 648 SH0</b>	<b>alpine white</b>	<b>4005176575310</b>	<b>298.72</b>
-------------------	---------------------	----------------------	---------------

**Bau Ceramic**  
**Manual bidet seat**

WC seat with lid  
2 dedicated spray arms (1 for anal area, 1 for lady spray)  
pre- and post-rinsing of spray nozzle with fresh water  
manually operated side handle requires no electricity  
Duroplast WC seat and lid with soft close function  
flexible water connection 3/8"  
includes:  
mounting plate  
filter  
pressure 0.1 - 1 MPa (1 - 10 bar)  
complies with EN 1717



<b>14 074 000</b>		<b>4005176575365</b>	<b>42.80</b>
-------------------	--	----------------------	--------------









**Accessory set shower hose and T piece**

for manual bidet seat  
Consisting of:  
T unit 3/8"  
flexible connection hose  
795 mm  
3/8" x 3/8"





CERAMICS



# GROHE ACRYLIC SHOWER TRAYS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>39 300 000</b>	<b>alpine white</b>	<b>4005176346026</b>	<b>294.18</b>
	<p><b>Acrylic shower tray 1000 x 1000</b>            dimensions: 1000 x 1000 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)            or            MEPA mounting frame SF (# 150183)            rim sealing (# 180040)            recommended Poresta installation set # 17014416            recommended Schedel installation set SD 90083</p>			
	<b>39 301 000</b>	<b>alpine white</b>	<b>4005176346033</b>	<b>217.44</b>
	<p><b>Acrylic shower tray 900 x 900</b>            dimensions: 900 x 900 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)            or            MEPA mounting frame SF (# 150183)            rim sealing (# 180040)            recommended Poresta installation set # 17014408            recommended Schedel installation set SD 90081</p>			
	<b>39 302 000</b>	<b>alpine white</b>	<b>4005176346040</b>	<b>207.85</b>
	<p><b>Acrylic shower tray 800 x 800</b>            dimensions: 800 x 800 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)            or            MEPA mounting frame SF (# 150183)            rim sealing (# 180040)            recommended Poresta installation set # 17014411            recommended Schedel installation set SD 90080</p>			
	<b>39 306 000</b>	<b>alpine white</b>	<b>4005176346088</b>	<b>239.82</b>
	<p><b>Acrylic shower tray 800 x 1000</b>            dimensions: 800 x 1000 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)            or            MEPA mounting frame SF (# 150183)            rim sealing (# 180040)            recommended Poresta installation set # 17014412            recommended Schedel installation set SD 90082</p>			

# GROHE ACRYLIC SHOWER TRAYS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	49 533 000	Chrome	4005176478475	60.65
	49 533 SH0	alpine white	4005176560033	60.65
	<b>Waste set for universal shower tray</b> Ø 112 mm vertical outlet <b>GROHE Long-Life</b> finish flow rate 1.1 l/s according to DIN EN 274			
	49 534 000	Chrome	4005176478482	60.65
	49 534 SH0	alpine white	4005176560040	60.65
	<b>Waste set for universal shower tray</b> Ø 112 mm horizontal outlet <b>GROHE Long-Life</b> finish flow rate 0.7 l/s (42 l/min) according to DIN EN 274			

# GROHE INSTALLATION SYSTEMS





## CONTENTS

Rapid SLX	Rapid SLX	554
Rapid SL	Rapid SL for WC	555
	Rapid SL for Urinal	562
	Rapid SL for Wash Basin and Bidet	564
	Rapid SL for the Disabled	567
	Rapid SL Fitting Supports	568
	Rapid SL Accessories	569
	Rapido Shower Frame	572






# GROHE RAPID SL FOR WC


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

38 528 20A		4005176772382	226.94
------------	--	---------------	--------




**Rapid SL**  
**Element for WC, 1.13 m installation height with flushing cistern GD 2 , 6 I - 9 I**  
 for on-the-wall installations or studded walls including WRAS approved filling valve powder coated steel frame, self-supporting TUV approved  
 2 WC fixing bolts  
 fixing device for ceramic  
 WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000  
 distance of fixing bolts 180/230 mm  
 outlet bend Ø 90 mm  
 depth adjustable  
 reducer Ø 90/110 mm  
 inlet and outlet connecting set  
**flushing cistern GD 2 , 6 - 9 I, containing following features:**  
 water supply from left/right or back  
 Insulated against condensation  
 1/2" water supply connection including integrated angle valve and push fit flexible hose union  
 for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
 for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 860 20A		4005176772375	312.56
------------	--	---------------	--------



**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height with flushing cistern 6 - 3 I**  
 including WRAS approved filling valve  
 Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Nova Cosmopolitan flush plate, chrome (38 765 000)  
 front wall brackets (38 558 00M)

39 501 000	Chrome	4005176453878	315.84
------------	--------	---------------	--------











**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 I - 9 I**  
 Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Skate Cosmopolitan S flush plate, chrome (37 535 000)  
 front wall brackets (38 558 00M)  
 including revision shaft 40 911 000 for mounting of small flush plates

INSTALLATION SYSTEMS




# GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		<p><b>39 939 000</b>    <b>phantom black</b></p> <p><b>Rapid SL</b>  <b>3-in-1 set for WC, 1.13 m installation height</b>            flushing cistern GD 2, 6 - 3 l            Consisting of:            Rapid SL element for WC (38 528 001)            Skate Cosmopolitan flush plate, phantom black (38 732 KF0)            front wall brackets (38 558 00M)</p>	<p>4005176952913</p> <p>356.17</p>	
		<p><b>39 503 000</b>    <b>Chrome</b></p> <p><b>Rapid SL</b>  <b>3-in-1 set for WC, 1.13 m installation height</b>  <b>with flushing cistern GD 2 , 6 l - 9 l</b>            Consisting of:            Rapid SL element for WC (38 528 001)            Skate Air S flush plate, chrome, vertical installation (37 965 000)            front wall brackets (38 558 00M)</p>	<p>4005176454097</p> <p>300.71</p>	
		<p><b>39 504 000</b>    <b>Chrome</b></p> <p><b>Rapid SL</b>  <b>3-in-1 set for WC, 1.13 m installation height</b>            flushing cistern GD 2, 6 - 3 l            Consisting of:            Rapid SL element for WC (38 528 001)            Arena Cosmopolitan S flush plate, chrome (37 624 000)            front wall brackets (38 558 00M)            including revision shaft 40 911 000 for mounting of small flush plates</p>	<p>4005176454103</p> <p>333.97</p>	
		<p><b>39 581 000</b>    <b>Chrome</b></p> <p><b>Rapid SL</b>  <b>3-in-1 set for WC, 1.13 m installation height</b>  <b>with flushing cistern GD 2 , 6 l - 9 l</b>            Consisting of:            Rapid SL element for WC (38 528 001)            Nova Cosmopolitan S flush plate, chrome (37 601 000)            front wall brackets (38 558 00M)</p>	<p>4005176496011</p> <p>334.40</p>	


# GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




38 721 001	Chrome	4005176863431	284.55
------------	--------	---------------	--------

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2 , 6 l - 9 l**  
 Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Skate Air flush plate, chrome, vertical installation (38 505 000)  
 front wall brackets (38 558 00M)




38 772 20A		4005176771613	256.15
------------	--	---------------	--------

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2 , 6 l - 9 l**  
 including WRAS approved filling valve  
 Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Skate Cosmopolitan flush plate, chrome (38 732 000)  
 front wall brackets (38 558 00M)



39 940 000	glossy black	4005176737879	281.19
------------	--------------	---------------	--------

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
 flushing cistern GD 2, 6 - 3 l  
 Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Skate Cosmopolitan flush plate, glossy black (38 732 KV0)  
 front wall brackets (38 558 00M)



38 761 20A		4005176771651	386.52
------------	--	---------------	--------


**Rapid SL**  
**3-in-1 set for WC, 0.82 m installation height**  
**with flushing cistern 6 - 3 l**  
 including WRAS approved filling valve  
 Consisting of:  
 Rapid SL element for WC (38 526 000)  
 Skate Air flush plate, chrome, horizontal installation (38 506 000)  
 front wall brackets (38 558 00M)

INSTALLATION  
SYSTEMS

# GROHE RAPID SL FOR WC


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

38 773 20A		4005176771606	294.30
------------	--	---------------	--------




**Rapid SL**  
**3-in-1 set for WC, 0.82 m installation height**  
**with flushing cistern 6 - 3 l**  
 including WRAS approved filling valve  
 Consisting of:  
 Rapid SL element for WC (38 526 000)  
 Skate Cosmopolitan flush plate, chrome (38 732 000)  
 front wall brackets (38 558 00M)

38 868 20A		4005176771637	414.55
------------	--	---------------	--------




**Rapid SL**  
**3-in-1 set for WC, 0.82 m installation height**  
**with flushing cistern 6 - 3 l**  
 including WRAS approved filling valve  
 Consisting of:  
 Rapid SL element for WC (38 526 000)  
 Nova Cosmopolitan flush plate, chrome (38 765 000)  
 front wall brackets (38 558 00M)

38 947 000		4005176911217	379.73
------------	--	---------------	--------



**Rapid SL**  
**2-in-1 set for WC, 1.00 m installation height**  
**with flushing cistern 6 - 3 l**  
 Consisting of:  
 Rapid SL element for WC (38 525 001)  
 front wall brackets (38 558 00M)


38 948 000		4005176911224	348.41
------------	--	---------------	--------



**Rapid SL**  
**2-in-1 set for WC, 0.82 m installation height**  
**with flushing cistern 6 - 3 l**  
 Consisting of:  
 Rapid SL element for WC (38 526 000)  
 front wall brackets (38 558 00M)

# GROHE RAPID SL FOR WC


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>38 536 001</b>		<b>4005176863929</b>	<b>240.95</b>
-------------------	--	----------------------	---------------

**Rapid SL**  
**2-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2 , 6 l - 9 l**


Consisting of:  
Rapid SL element for WC (38 528 001)  
front wall brackets (38 558 00M)  
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)



<b>38 994 000</b>		<b>4005176932335</b>	<b>383.19</b>
-------------------	--	----------------------	---------------

**Rapid SL**  
**Element for WC with flushing cistern 80 mm, 1.13 m installation height**  
element width 0.62 m

for small, narrow bathrooms  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
with fixed connections  
TUV approved  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
PP outlet bend Ø 90 mm  
depth adjustable  
PP reducer Ø 90/110 mm  
inlet and outlet connecting set  
**flushing cistern 80 mm, 6 - 9 l, containing following features:**  
**water supply from top or back**  
water supply 1/2" and push fit flexible hose union  
including wall brackets 38 558 00M for on-the-wall installation  
for mounting of small flush plates please order  
revision shaft 40 949 000 (sold separately)










<b>38 525 20A</b>		<b>4005176772368</b>	<b>367.13</b>
-------------------	--	----------------------	---------------

**Rapid SL**  
**Element for WC, 1.00 m installation height**  
**with flushing cistern 6 - 3 l**




for on-the-wall installations or studded walls  
including WRAS approved filling valve  
powder coated steel frame, self-supporting  
TUV approved  
2 WC fixing bolts  
fixing device for ceramic  
WC ceramics with small bearing area (< 205 mm) require  
additional accessory 38 779 000  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set  
**flushing cistern 6 - 9 l containing the following features:**  
water supply from left/right or back  
Insulated against condensation  
1/2" water supply connection including integrated  
angle valve and push fit flexible hose union  
for on-the-wall installation please order wall brackets 38 558 00M (sold  
separately)  
for mounting of small flush plates please order revision shaft 40 950 000 (sold  
separately)

INSTALLATION  
SYSTEMS

# GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>38 526 20A</b>		<b>4005176771644</b>	<b>267.05</b>
	<p><b>Rapid SL</b>  <b>Element for WC, 0.82 m installation height with flushing cistern 6 - 3 l</b>                      for on-the-wall installations or studded walls including WRAS approved filling valve powder coated steel frame, self-supporting TÜV approved                      2 WC fixing bolts                      fixing device for ceramic                      distance of fixing bolts 180/230 mm                      PP outlet bend Ø 90 mm                      depth adjustable                      reducer Ø 90/110 mm                      inlet and outlet connecting set  <b>flushing cistern 6 - 9 l containing the following features:</b>                      water supply from left/right or back                      Insulated against condensation                      1/2" water supply connection including integrated angle valve and push fit flexible hose union                      for on-the-wall installation please order wall brackets 38 558 00M (sold separately)                      for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)</p>			
 	<b>38 548 001</b>		<b>4005176863851</b>	<b>139.80</b>
	<p><b>Rapid SL</b>  <b>Empty element, 1.13 m installation height</b>                      for the installation of fitting holders or to cover the distance between two elements (60 - 170 cm)                      for installation back to back with free-standing elements                      TÜV approved                      for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>			
	<b>40 899 000</b>		<b>4005176413896</b>	<b>44.83</b>
	<p><b>Retrofit kit for shower toilets Sensia Arena and IGS</b>                      retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS                      including:                      conduit pipe with locking ring and flat seal                      cable ties                      WC connecting pipe Ø 45 mm                      waste sleeve Ø 90 mm</p>			
 	<b>38 558 00M</b>	<b>Chrome</b>	<b>4005176291418</b>	<b>16.41</b>
	<p><b>Rapid SL</b>  <b>Front wall brackets</b>                      for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall                      adjustment from 130 - 230 mm  <b>2 pieces</b></p>			

# GROHE RAPID SL FOR WC


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 333 000	Chrome	4005176845888	19.28
<p data-bbox="808 304 1003 331"><b>4.5 l adapter for GD2</b></p> <p data-bbox="808 327 1360 376">to reduce the maximum flush volume to 3.8 - 6.0 l (big flush) and 1.8 - 5.0 l (small flush)</p>				
	42 327 000	Chrome	4005176838705	18.13
<p data-bbox="808 607 1036 633"><b>PP-outlet bend Ø 90 mm</b></p> <p data-bbox="808 629 1036 678">variable depth adjustment including lip seal DN 90</p>				
	42 593 000		4005176566417	34.81
<p data-bbox="808 913 906 940"><b>Valve seat</b></p> <p data-bbox="808 936 1398 1003">reduces flow of the flush easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2</p>				



# GROHE RAPID SL FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

<b>38 786 001</b>		<b>4005176864025</b>	<b>303.25</b>
-------------------	--	----------------------	---------------



## Rapid SL

### Element for urinal with GROHE Rapido U 1.13 and 1.30 m installation height for manual actuation or Tectron


**infra-red electronic 6 V or 230 V**  
for on-the-wall installations or studed walls  
height adjustable fitting connections  
HT-outlet bend Ø 50 mm

fixing bolts M8, with fixing device  
for the ceramic  
inlet connection and inlet connecting set  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid

functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply 230 V  
installation box with gasket  
inspection shaft incl. protection during  
construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

<b>38 803 001</b>		<b>4005176864049</b>	<b>381.84</b>
-------------------	--	----------------------	---------------



## Rapid SL

### Element for urinal with infra-red electronic with GROHE Rapido U 1.13 and 1.30 m installation height for manual actuation or Tectron


**infra-red electronic 6 V or 230 V**  
for on-the-wall installations or studed walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
height adjustable fitting connections  
quick adjustment, lockable

fixing material  
TUV approved  
HT-outlet bend Ø 50 mm  
inlet connection and inlet connecting set  
fixing bolts M8, with fixing device  
for the ceramic  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid

functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply 230 V  
installation box with gasket  
inspection shaft incl. protection during  
construction phase

including wall brackets 38 558 00M for on-the-wall installation

<b>39 376 000</b>		<b>4005176342998</b>	<b>359.31</b>
-------------------	--	----------------------	---------------



## Rapid SL

### Element for urinal with temperature sensor with roughing-in set for T sensor 1.13 and 1.30 m installation height

for on-the-wall installations or studed walls  
height adjustable fitting connections  
HT-outlet bend Ø 50 mm  
fixing bolts M8, with fixing device  
for the ceramic


inlet connection and inlet connecting set  
box for concealed installation  
including roughing-in box  
water group with stop valve and  
flush elbow

for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold separately)

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

# GROHE RAPID SL FOR URINAL


Ref. No.	Colour	EAN	Retail Guide Price (£)
38 558 00M	Chrome	4005176291418	16.41



**Rapid SL**  
**Front wall brackets**  
for against-the-wall installations  
for fixing the elements at the brick-wall  
or in front of the studded wall  
adjustment from 130 - 230 mm  
**2 pieces**

# GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.      Colour      EAN      Retail Guide Price (£)




**38 554 001**      **4005176863806**      **141.39**

**Rapid SL**  
**Element for wash basin, single hole installation with noise protection**

**1.13 m finished installation height**  
for on-the-wall installations or studded walls

**Includes**

- wash basin fixing bolts with fixing device for ceramic
  - variable distance of fixing bolts
  - HT-outlet bend Ø 50 mm
  - seal Ø 32 mm
  - 2 noise protected fitting connections 1/2"
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



**39 052 000**      **4005176935961**      **198.51**


**Rapid SL**  
**Element for wash basin, single hole installation, height adjustable with noise protection**

**1.13 m finished installation height**  
for on-the-wall installations or studded walls

- powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
- quick adjustment, lockable fixing material
- TÜV approved
- fixing and connecting traverse, height adjustable

**Includes**

- wash basin fixing bolts with fixing device for ceramic
  - variable distance of fixing bolts
  - HT-outlet bend Ø 50 mm
  - seal Ø 32 mm
  - 2 noise protected fitting connections 1/2"
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



**38 557 001**      **4005176863783**      **132.45**

**Rapid SL**  
**Element for wash basin, single hole installation**

**1.13 m finished installation height**  
for on-the-wall installations or studded walls

- powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
- quick adjustment, lockable fixing material
- TÜV approved


**Includes**

- wash basin fixing bolts with fixing device for ceramic
  - variable distance of fixing bolts
  - HT-outlet bend Ø 50 mm
  - seal Ø 32 mm
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

# GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.      Colour      EAN      Retail Guide Price (£)

**38 748 002**      **4005176416323**      **603.41**




**Rapid SL**  
**Element for wash basin with roughin-in set for infra-red electronic**  
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000

**1.13 m finished installation height**  
for on-the-wall installations or studded walls

**Includes**  
wash basin fixing bolts with fixing device for ceramic  
variable distance of fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
pre-mounted roughing-in set with protecting block  
fire-proof pipe for laying electronic cables  
installation box with water group, stop valve and flush elbow  
connection with noise protected fitting holder 1/2"  
connecting box for mains supply 230 V  
CE approved  
for installation with pre-mixed or cold water  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

**38 546 000**      **4005176291289**      **167.01**




**Rapid SL**  
**Element for wash basin, for wall mounted fittings**  
**1.30 m installation height**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TUV approved

**Includes**  
wash basin fixing bolts with fixing device for ceramic  
variable distance of fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
2 noise protected fitting connections 1/2"  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

**38 541 000**      **4005176291234**      **169.28**





**Rapid SL**  
**Element for wash basin, single hole installation**  
**1.0 m finished installation height**

for on-the-wall installations or studded walls

**Includes**  
wash basin fixing bolts with fixing device for ceramic  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

**38 553 001**      **4005176863813**      **302.25**



**Rapid SL**  
**Element for bidet, 1.13 m installation height**


vertical support for ceramics with small bearing area (< 205 mm)  
for on-the-wall installations or studded walls  
height adjustable fitting connections

**Includes:**  
bidet fixing bolts  
HT-outlet bend Ø 50 mm, seal Ø 32 mm  
2 fitting connections DN 15  
fixing material for bidet  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

INSTALLATION SYSTEMS

# GROHE RAPID SL FOR WASH BASIN AND BIDET



Ref. No.      Colour      EAN      Retail Guide Price (£)



**38 545 000**      **4005176291272**      **362.66**

**Rapid SL**  
**Element for bidet, 1.00 m installation height**  
for on-the-wall installations or studded walls  
height adjustable fitting connections


**Includes:**  
bidet fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
2 fitting connections DN 15  
fixing material for bidet  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



**38 543 000**      **4005176291258**      **350.63**

**Rapid SL**  
**Element for bidet, 0.82 m installation height**  
for on-the-wall installations or studded walls  
height adjustable fitting connections

**Includes:**  
bidet fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
2 fitting connections DN 15  
fixing material for bidet  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)





**38 558 00M**      **Chrome**      **4005176291418**      **16.41**

**Rapid SL**  
**Front wall brackets**  
for against-the-wall installations  
for fixing the elements at the brick-wall  
or in front of the studded wall  
adjustment from 130 - 230 mm  
**2 pieces**



# GROHE RAPID SL FOR THE DISABLED

	Ref. No.	Colour	EAN	Retail Guide Price (£)
--	----------	--------	-----	------------------------




<b>43 617 000</b>			<b>4005176841163</b>	<b>86.43</b>
-------------------	--	--	----------------------	--------------

**Motor support device**  
for Rapid SL 38 675  
for the disabled  
as of mid 2008  
or installation of infra-red electronic




<b>38 778 000</b>			<b>4005176855269</b>	<b>850.61</b>
-------------------	--	--	----------------------	---------------

**Radio transmitter**  
for an additional flush plate for manual actuation  
for WC  
receiver modul 868,4 MHz  
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB  
**for flushing cistern GD 2 / Rapid SL 1.13 m only**  
for flushing cistern 6 l  
concealed installation  
servo motor  
with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
adjustable flush volume  
adjustable flow time  
72 h flushing can be activated  
with extension cable, 3.00 m length,  
for connecting transformer and  
electronic



<b>38 541 000</b>			<b>4005176291234</b>	<b>169.28</b>
-------------------	--	--	----------------------	---------------

**Rapid SL**  
**Element for wash basin, single hole installation**  
**1.0 m finished installation height**  
for on-the-wall installations or studded walls  
**Includes**  
wash basin fixing bolts with  
fixing device for ceramic  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)




<b>38 559 001</b>			<b>4005176863776</b>	<b>216.05</b>
-------------------	--	--	----------------------	---------------

**Rapid SL**  
**Fixing element, 1.13 m installation height**  
to fix **support** for the disabled  
**0.31 m wide**  
powder coated steel frame  
waterproof plywood  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)







# GROHE RAPID SL FITTING SUPPORTS

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 998 000		4005176262586	106.42



**Rapid SL**  
**Fitting support for exposed fittings**  
 for **studded walls**  
 for empty elements  
 2 noise protected fitting connections 1/2"






# GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 558 00M	Chrome	4005176291418	16.41
<b>Rapid SL</b> <b>Front wall brackets</b> for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm 2 pieces				
 	38 733 000	Chrome	4005176837289	34.93
<b>Rapid SL</b> <b>Xtra wall brackets, flexible placing</b> for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material 2 pieces				
 	38 562 001		4005176863752	116.01
<b>Rapid SL</b> <b>Set for corner installation</b> for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets 1.13 m 135°				
 	38 779 000	Chrome	4005176855306	91.59
<b>Rapid SL</b> <b>Accessory</b> for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)				
 	42 333 000	Chrome	4005176845888	19.28
<b>4.5 l adapter for GD2</b> to reduce the maximum flush volume to 3.8 - 6.0 l (big flush) and 1.8 - 5.0 l (small flush)				
 	37 131 000	Chrome	4005176144585	6.04
<b>Set for noise protection</b> for WC sound insulation 2 rubber pipes				

# GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 766 000		4005176222115	19.59
	<b>Distance pipe 3"</b>			
 	38 338 000		4005176286179	13.62
	<b>Water supply pipe connector Scandinavian adapter</b>			
 	40 911 000		4005176416132	16.87
	<b>Inspection shaft for small flush plates for combination with Rapid SL 1.13 m with GD 2 cistern</b>			
 	40 950 000		4005176478994	21.63
	<b>Inspection shaft for small flush plates for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height</b>			
 	40 949 000		4005176477881	27.80
	<b>Inspection shaft for small flush plates for combination with 80 mm cistern</b>			
 	42 326 000		4005176838699	26.29
	<b>inspection shaft for flushing cistern for combination with GD2 and 0.82 m cisterns can be shortened with protecting block</b>			

# GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	66 791 000	Chrome	4005176866562	11.87
<b>Inspection shaft</b> for combination with Rapid SLX cisterns (for 156 x 197mm flush plates)				
 	43 617 000		4005176841163	86.43
<b>Motor support device</b> for Rapid SL 38 675 for the disabled as of mid 2008 or installation of infra-red electronic				
	42 593 000		4005176566417	34.81
<b>Valve seat</b> reduces flow of the flush easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2				

# GROHE RAPIDO SHOWER FRAME

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



103993 999 0

4067393034339

525.88

## Rapido Shower Frame

### Element for mono concealed shower installation

for shower installations with one hand shower and a Mono head shower  
pre-mounted rough-in set GROHE Rapido SmartBox (35 604)  
pre-mounted wall outlets for hand and head shower  
pre-mounted and insulated mixed water pipes  
for on-the-wall installations or dry-cladding  
powder coated steel frame, self-supporting  
completely pre-assembled

depth adjustable

2 inlets below, 1/2"

min. installation depth (from rough wall to end finish) 77-107 mm

min. installation depth (from rough wall to frame front) 67 mm

head shower outlet height adjustable by 180 mm

sealing fleeces

leak test done ex factory

suitable for concealed 2-function trim sets in combination with GROHE Rapido SmartBox


suitable for GROHE shower outlet elbows with male connection threads, 1/2"

suitable for GROHE shower arms with male connection threads, 1/2"

perfect fit with Grotherm concealed shower systems 103 995 0000 and 103 996 0000

for on-the-wall installation please order wall brackets 103 999 9990 (sold separately)

professional edition



103994 999 0

4067393034346

597.59

## Rapido Shower Frame

### Element for duo concealed shower installation

for shower installations with one hand shower and a duo spray head shower

pre-mounted rough-in set GROHE Rapido SmartBox (35 604)

pre-mounted rough-in set 9.5 l/min for head shower (26 484)

pre-mounted wall outlet for hand shower

pre-mounted and insulated mixed water pipes

for on-the-wall installations or dry-cladding

powder coated steel frame, self-supporting

completely pre-assembled

depth adjustable

2 inlets below, 1/2"

min. installation depth (from rough wall to end finish) 77-107 mm

min. installation depth (from rough wall to frame front) 67 mm

head shower outlet height adjustable by 180 mm

sealing fleeces

leak test done ex factory

suitable for concealed 3-function trim sets in combination with GROHE Rapido SmartBox

suitable for GROHE shower outlet elbows with male connection threads, 1/2"


suitable for Rainshower SmartActive 310 2-spray head shower with 430 mm

shower arm

perfect fit for Grotherm concealed shower systems 103 997 0000 and 103 998 0000

for on-the-wall installation please order wall brackets 103 999 9990 (sold separately)

professional edition



103999 999 0

4067393034391

price on request

## Wall brackets for shelf

for against-the-wall installations

for fixing the elements at the brick-wall

or in front of the studded wall

adjustment 85 - 145 mm

installation depth (from rough wall to frame front) 112 - 172 mm

4 pieces

professional edition





GROHE  
FLUSHING SYSTEMS

























## CONTENTS

WC	Flushing Cisterns	576
	Accessories for Flushing Cisterns	579
	WC Flush Valves	586
	Electronic Actuators for WC	588
Urinal	Electronic Actuators for Urinal	592
	Urinal Flush Valves	597







# GROHE FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 762 SH0	alpine white	4005176213250	81.79
	<p><b>Flushing cistern for WC</b> for concealed bath furniture installation non-interruptible flush cycle <b>flush button not included</b> min. recommended pressure 0.2 bar ABS flush pipe 180 mm x 320 mm connection from the left/right hand side</p>			
	37 945 SH0	alpine white	4005176256387	105.13
	<p><b>Flushing cistern for WC 6L</b> for concealed bath furniture installation non-interruptible flush cycle <b>flush button not included</b> ABS flush pipe 180 mm x 320 mm min. recommended pressure 0.2 bar connection from bottom left or right</p>			
	37 791 SH0	alpine white	4005176217241	101.56
	<p><b>Flushing cistern for WC 6 l / 3 l</b> exposed installation interruptible flush cycle hidden flush pipe connection servo actuation low level made of PS low noise (group I acc. to German Noise Specification) fully insulated against condensation with isolation valve 1/2" copper pipe mounting template flush pipe bend WC inlet connector</p>			
	38 661 20A		4005176771620	132.85
	<p><b>WC concealed cistern</b> factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets for mounting of small flush plates please order revision shaft 40 911 000 (sold separately) <b>Including WRAS approved filling valve</b></p>			
	38 987 000		4005176924798	132.85
	<p><b>WC concealed cistern</b> factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets <b>flush pipe and connector</b> for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)</p>			

# GROHE FLUSHING CISTERNS











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 863 000		4005176832345	129.13
	<b>Flushing cistern for WC 80 mm 6 l / 3 l</b> pneumatic discharge valve offering 2 modes of operation: dual flush or single flush water supply connection from top with push fit flexible hose union with isolation valve 1/2" inspection shaft incl. protection during construction phase, <b>for vertical flush plates only</b> fixing brackets for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)			
	38 422 20A		4005176771590	185.99
	<b>Flushing cistern for WC 6 l / 3 l flush</b> <b>0.82 m finished installation height</b> including WRAS approved filling valve <b>front/top actuation</b> water supply from left/right or back Insulated against condensation 415 x 140 x 360 mm fixing brackets flush pipe 37 489 000 <b>without wall plate/actuation</b> <b>GROHE Water Saving</b> - Less water, perfect flow			
	38 579 000		4005176807640	230.82
	<b>Flushing cistern for WC 6 l / 3 l</b> <b>1.0 m finished installation height</b> <b>front/top actuation</b> water supply from left/right or back Insulated against condensation 415 x 140 x 360 mm fixing brackets <b>without wall plate/actuation</b> <b>GROHE Water Saving</b> - Less water, perfect flow for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)			
	38 691 000		4005176815454	209.26
	<b>Eau2 WC Flushing cistern 0.82 m 6 l / 3 l, Dual Flush</b> water supply from left/right or back with angle stop valve 1/2" and flush pipe fixing brackets min. recommended pressure 0.2 bar  <b>air button front/top actuation</b> extended hose length for flexibility when positioning the actuation sleek and minimal styling allows the button to be fitted in any 360° orientation <b>GROHE Water Saving</b> - Less water, perfect flow			
	38 743 000		4005176838408	145.24
	<b>Bath furniture cistern</b> including flushing set & button			

# GROHE FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 053 000		4005176935978	84.61
	<p><b>Concealed flushing cistern</b>  <b>6 l / 3 l</b>  <b>Dual Flush</b>  <b>water supply from bottom</b>                      min. recommended pressure 0.3 bar                      mechanical round push button actuation Ø 50 mm with Eco button                      mechanical actuation from front, top, left or right                      for walls 18 -24 mm thickness                      bowden cable 0.5 m length                      for more flexibility in push button position                      fixing brackets                      flush pipe                      WC inlet connector                      GROHE Long-Life finish                      GROHE Water Saving - Less water, perfect flow</p>			
	39 054 000		4005176936289	84.61
	<p><b>Concealed flushing cistern</b>  <b>6 l / 3 l</b>  <b>Dual Flush</b>                      min. recommended pressure 0.3 bar                      mechanical round push button actuation Ø 50 mm with Eco button                      mechanical actuation from front, top, left or right                      for walls 18 -24 mm thickness                      bowden cable 0.5 m length                      for more flexibility in push button position                      fixing brackets                      flush pipe                      WC inlet connector                      GROHE Long-Life finish                      GROHE Water Saving - Less water, perfect flow</p>			
	39 056 000	Chrome	4005176936302	9.72
	<p><b>Round push button actuation Ø 50 mm with Eco button</b>                      in combination with bath furniture                      for combination with flushing cistern 39 053 000 &amp; 39 054 000                      for walls 18 -24 mm thickness                      GROHE Long-Life finish</p>			




# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 095 000	Chrome	4005176145124	41.61
	<b>Filling valve</b> 3/8" universal application			
	37 093 000	Chrome	4005176145070	59.14
	<b>ditto, but with stand pipe for bottom inlet</b>			
	37 092 000		4005176145049	50.13
	<b>ditto, with adaptor</b>			
 	43 537 000		4005176157653	28.63
	<b>Filling valve</b> for concealed flushing cisterns 6 l			
 	42 181 000		4005176286872	12.94
	<b>Filling valve 1/2"</b> material: ABS for use with cistern 37 762 SH0			
	43 991 000	Chrome	4005176195259	54.68
	<b>Filling valve</b> for concealed flushing cisterns brass connection thread 3/8"			
 	42 297 P10	matt chrome/chrome	4005176832048	75.34
	<b>Eco-discharge valve</b> dual flush discharge valve AV1 push button actuation Ø 40 mm with Eco-knob with fixing device for lid <b>GROHE Water Saving</b> - Less water, perfect flow fixing set with 100 mm screws and cellular rubber joint Ø 100 mm			
	43 907 P10	matt chrome/chrome	4005176177545	114.33
	<b>Replace kit set</b> for close-coupled ceramic cisterns with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint Ø 100 mm centring for filling and discharge valve when having larger bore holes <b>GROHE Long-Life</b> finish **) max. shortening 100 mm			




# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>37 078 P10</b>	<b>matt chrome/chrome</b>	<b>4005176160783</b>	<b>73.93</b>
<p><b>Servo-set</b> retrofit unit for close-coupled flushing cisterns connection from the side with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint Ø 100 mm centring for filling and discharge valve when having larger bore holes <b>GROHE Long-Life</b> finish **) max. shortening 100 mm</p>				
 	<b>37 088 P10</b>	<b>matt chrome/chrome</b>	<b>4005176149672</b>	<b>66.75</b>
<p><b>Servo discharge valve</b> interruptible flush cycle with short discharge valve housing decide for maintenance opening and complete before installation escutcheon push button for lid holes Ø 16 - 35 mm fixing material <b>GROHE Long-Life</b> finish</p>				
	<b>37 085 P10</b>	<b>matt chrome/chrome</b>	<b>4005176149641</b>	<b>51.97</b>
<p><b>ditto, with push button for lid hole Ø 40 mm</b></p>				
 	<b>37 100 SH0</b>	<b>alpine white</b>	<b>4005176142093</b>	<b>26.48</b>
<p><b>Flush pipe</b> 390 x 350 mm</p>				
	<b>43 733 000</b>		<b>4005176158926</b>	<b>4.50</b>
<p><b>Membrane</b> filling valve</p>				
	<b>43 758 00M</b>	<b>Chrome</b>	<b>4005176159121</b>	<b>32.74</b>
<p><b>ditto, 10 pieces per set</b></p>				
 	<b>38 735 000</b>		<b>4005176837500</b>	<b>67.00</b>
<p><b>Dual flush valve set</b> dual flush discharge valve AV1 consisting of valve seat 6l/3l adjustable <b>GROHE Water Saving</b> - Less water, perfect flow</p>				
 	<b>38 736 000</b>		<b>4005176837517</b>	<b>50.22</b>
<p><b>Dual flush valve set</b> for flushing cistern GD 2 before 2008 <b>6 l / 3 l</b> dual flush discharge valve AV 1 for mechanic and pneumatic flushing cisterns GD 2 before 2008 consisting of valve seat <b>without wall plate/actuation</b></p>				










# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	42 320 000	Chrome	4005176837487	49.59
<p><b>Dual Flush discharge valve AV1</b> AV1 complete with pipe extension <b>6 l / 3 l</b> without valve seat <b>without actuation</b></p>				
 	42 314 000		4005176835636	77.68
<p><b>Discharge valve AV1 complete</b> pneumatic discharge valve offering 2 modes of operation: dual flush or start/stop including plug seat</p>				
 	42 137 000		4005176259524	26.16
<p><b>Servo discharge valve</b></p>				
 	43 486 000	Chrome	4005176157158	70.10
<p><b>Servo discharge valve</b> interruptible flush cycle without valve seat</p>				
 	42 066 000		4005176244636	77.52
<p><b>Servo discharge valve</b> for start/stop actuation without valve seat</p>				
 	42 690 000		4005176268748	27.52
<p><b>Servo discharge valve</b> without valve seat without extension start/stop actuation</p>				



# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	42 774 000	Chrome	4005176221590	82.11
<b>Dual Flush discharge valve</b> for pneumatic actuation				
 	42 253 000	Chrome	4005176814532	91.96
<b>Dual Flush discharge valve AV1</b> pneumatic discharge valve offering 2 modes of operation: dual flush or start/stop including plug seat				
	42 233 000	Chrome	4005176300653	17.32
<b>Connecting hose</b>				
 	43 908 000		4005176160257	31.15
<b>Flush pipe, concealed</b> complete for concealed cisterns with polystyrene insulation and protective cover length 280 mm				
 	37 311 K00	black	4005176160851	48.64
<b>WC inlet and outlet connecting set</b> for wall hung WC connecting pipe 45 mm dia waste sleeve Ø 90 mm 150 mm long 2 chrome finished caps for WC fixing bolts				
 	37 489 000	Chrome	4005176167386	6.58
<b>Flush pipe extension</b> length 200 mm				
	43 352 000		4005176832413	6.61
<b>Ditto, length 300 mm without connector</b> 37 119 000				

# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>37 104 K00</b>	<b>black</b>	<b>4005176160844</b>	<b>17.73</b>
<p><b>WC inlet and outlet connecting set</b> for wall hung WC connecting pipe 45 mm dia length 200 mm connector 150 mm long</p>				
 	<b>37 105 K00</b>	<b>black</b>	<b>4005176141904</b>	<b>26.83</b>
<p><b>Flush pipe extension</b> length 300 mm</p>				
 	<b>37 119 000</b>	<b>black</b>	<b>4005176144370</b>	<b>4.50</b>
<p><b>Connector</b> Ø 55 mm</p>				
 	<b>42 327 000</b>	<b>Chrome</b>	<b>4005176838705</b>	<b>18.13</b>
<p><b>PP-outlet bend Ø 90 mm</b> variable depth adjustment including lip seal DN 90</p>				
 	<b>42 333 000</b>	<b>Chrome</b>	<b>4005176845888</b>	<b>19.28</b>
<p><b>4.5 l adapter for GD2</b> to reduce the maximum flush volume to 3.8 - 6.0 l (big flush) and 1.8 - 5.0 l (small flush)</p>				
 	<b>37 131 000</b>	<b>Chrome</b>	<b>4005176144585</b>	<b>6.04</b>
<p><b>Set for noise protection</b> for WC sound insulation 2 rubber pipes</p>				


# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 005 000	Chrome	4005176241895	23.50
	<b>Push rod</b> for Servo discharge valve rod: 350 mm pull bar: 412 mm			
	43 544 000	Chrome	4005176157738	17.62
	<b>Outlet piston</b>			
	42 242 000	Chrome	4005176804977	5.72
	<b>4" outlet adaptor for Rapid SL</b>			
 	38 714 000		4005176828454	26.62
	<b>WC wall plate extension set 70 mm</b> with pneumatic discharge valve			
	42 593 000		4005176566417	34.81
	<b>Valve seat</b> reduces flow of the flush easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2			
 	40 911 000		4005176416132	16.87
	<b>Inspection shaft for small flush plates</b> for combination with Rapid SL 1.13 m with GD 2 cistern			
	40 949 000		4005176477881	27.80
	<b>ditto, for combination with 80 mm cistern</b>			

# GROHE ACCESSORIES FOR FLUSHING CISTERNS


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

40 950 000		4005176478994	21.63
------------	--	---------------	-------



**Inspection shaft for small flush plates**  
for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height











66 791 000	Chrome	4005176866562	11.87
------------	--------	---------------	-------





**Inspection shaft**  
for combination with Rapid SLX cisterns (for 156 x 197mm flush plates)









# GROHE WC FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 347 000	Chrome	4005176837999	237.73
<p><b>Rondo A.S.</b> Flush valve for WC 3/4" brass <b>GROHE Long-Life</b> finish for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment <b>6 l / 3 l</b> with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)</p>				
 	37 141 000	Chrome	4005176143113	121.91
<p><b>DAL-Full-automatic flush valve for WC</b> 3/4" brass <b>GROHE Long-Life</b> finish for wash-down and wash-out bowls with automatic flow rate flow pressure range from 1.2 - 5.0 bar low noise (group II according to German noise specification)</p>				
 	37 139 000	Chrome	4005176143083	108.20
<p><b>DAL-Automatic flush valve for WC</b> 3/4" brass <b>GROHE Long-Life</b> finish for wash-down and wash-out bowls with flow rate adjustment</p>				
 	37 132 000	Chrome	4005176144608	35.98
<p><b>Fixing device</b> hidden fixing screws for flush pipes Ø 28 mm for distance to the wall from 15 - 85 mm</p>				
 	37 133 000		4005176144622	74.13
<p><b>Inlet adaptor for corner installation</b> 3/4"</p>				

# GROHE WC FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>37 107 000</b>	<b>Chrome</b>	<b>4005176141713</b>	<b>72.75</b>
<p><b>Flush pipe</b> for WC flush valve Ø 28 x 26 mm <b>600 x 200 mm</b> brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector</p>				
 	<b>37 112 000</b>		<b>4005176141911</b>	<b>127.57</b>
<p><b>Flush pipe</b> for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass</p>				
 	<b>37 108 000</b>	<b>Chrome</b>	<b>4005176141720</b>	<b>83.38</b>
<p><b>Flush pipe</b> for WC flush valve Ø 28 x 26 mm <b>1000 x 200 mm</b> straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector</p>				
 	<b>37 114 000</b>	<b>Chrome</b>	<b>4005176141935</b>	<b>41.84</b>
<p><b>Flush pipe extension</b> Ø 28 x 26 mm 260 mm brass</p>				
 	<b>37 135 000</b>		<b>4005176144653</b>	<b>8.72</b>
<p><b>Connector</b> Ø 55 mm for flush valve to pedestal WC</p>				
 	<b>37 131 000</b>	<b>Chrome</b>	<b>4005176144585</b>	<b>6.04</b>
<p><b>Set for noise protection</b> for WC sound insulation 2 rubber pipes</p>				

# GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		<b>38 698 SD1</b>	<b>stainless steel</b>	<b>4005176929571</b>	<b>701.47</b>
		<p><b>Tectron Skate</b>  <b>Infra-red electronic for WC flushing cistern</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      with transformer 100-230 V AC, 50-60 Hz, 6 V DC  <b>for flushing cistern GD 2 / Rapid SL 1.13 m only</b>                      servo motor                      concealed installation                      front plate 156 x 197 mm                      infra-red control                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings                      by remote control 36 407                      CE approved                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>			
		<b>38 699 001</b>	<b>Chrome</b>	<b>4005176929588</b>	<b>701.47</b>
		<p><b>Tectron Surf</b>  <b>Infra-red electronic for WC flushing cistern</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing  <b>GROHE Long-Life</b> finish                      with transformer 100-230 V AC, 50-60 Hz, 6 V DC  <b>for flushing cistern GD 2 / Rapid SL 1.13 m only</b>                      servo motor                      concealed installation                      front plate 156 x 197 mm                      infra-red control                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings                      by remote control 36 407                      adjustable flush (3 - 9 l) by hand or remote                      CE approved                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>			
		<b>37 419 000</b>	<b>Chrome</b>	<b>4005176933806</b>	<b>943.24</b>
		<b>37 419 SD0</b>	<b>stainless steel</b>	<b>4005176933813</b>	<b>943.24</b>
<p><b>Tectron Skate</b>  <b>Infra-red electronic for WC flushing cistern</b>                      with additional manual actuation                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      with transformer 100-230 V AC, 50-60 Hz, 6 V DC  <b>for flushing cistern GD 2 / Rapid SL 1.13 m only</b>                      servo motor                      concealed installation                      front plate 156 x 197 mm                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings                      by remote control 36 407                      adjustable flush (3 - 9 l) by hand or remote                      CE approved                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>					

# GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

37 504 000	Chrome	4005176320521	1,278.77
------------	--------	---------------	----------

**Tectron Skate Bluetooth**  
**Infra-red electronic for WC**  
**for flushing cistern GD 2 / Rapid SL 1.13 m only**  
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
 with additional manual actuation

**GROHE Long-Life** finish  
 front plate 156 x 197 mm  
 servo motor  
 for use with Rapid SLX please order shaft 66 791 000 (sold separately)  
 with Bluetooth 4.0\* for wireless data communication  
 for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

**monitoring**  
 password protected products  
 app detects all Bluetooth products in range  
 auto flush cycles and timing last auto flush  
 usage per day over 30 days

**configuration**  
 detection range and shut off delay  
 auto flush  
 cleaning mode  
 2 on/off timers  
 identification by name


**service**  
 send and save 3 profiles  
 reset to factory or user settings  
 hard and software version  
 CE approved

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.




39 881 000	Chrome	4005176706790	409.68
39 881 SH0	alpine white	4005176706806	392.97
39 881 KF0	phantom black	4005176715099	483.54

**Tectron Bau E**  
**Infra-red electronic for WC flushing cistern**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing


**GROHE Long-Life** finish  
 with transformer 42 470 000 100-230 V AC 50-60 Hz, 6.75 V 4 W DC  
 for new installations and retrofit to all GD2 cisterns


servo motor  
 concealed installation  
 front plate 156 x 197 mm  
 hidden anti-theft device  
 infra-red control

7 pre-set programs  
 auto flush  
 cleaning mode  
 pre-flush on/off  
 additional functions and precise settings  
 by remote control 36 407  
 adjustable flush (3 - 9 l) by hand or remote  
 CE approved



# GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 882 000	Chrome	4005176706813	322.41
	39 882 SH0	alpine white	4005176706820	305.75
	39 882 KF0	phantom black	4005176715105	396.28



## Tectron Bau E

### Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication for monitoring, configuration and servicing

**GROHE Long-Life** finish

6V lithium battery, type CR-P2

for new installations and retrofit to all GD2 cisterns

servo motor

concealed installation

front plate 156 x 197 mm

hidden anti-theft device

infra-red control

7 pre-set programs

auto flush

cleaning mode



pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flush (3 - 9 l) by hand or remote

CE approved



## 43 617 000

4005176841163

86.43



### Motor support device

for Rapid SL 38 675

for the disabled

as of mid 2008

or installation of infra-red electronic



## 38 778 000

4005176855269

850.61

### Radio transmitter

for an additional flush plate for manual actuation

for WC

receiver modul 868,4 MHz

for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen,

Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB

**for flushing cistern GD 2 / Rapid SL 1.13 m only**

for flushing cistern 6 l

concealed installation

servo motor

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

adjustable flush volume

adjustable flow time

72 h flushing can be activated

with extension cable, 3.00 m length,

for connecting transformer and

electronic



## 36 340 000



4005176911385

67.63


### Power extension cable

length 3.00 m

# GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 341 000		4005176911392	124.58

	36 407 001	Chrome	4005176368974	204.21
--	------------	--------	---------------	--------



**Remote control**  
for all GROHE one eye infra-red products  
as of 06/2015 and GROHE Blue Home until 12/2018

**monitoring**  
consumption and usage data  
thermal disinfection cycles (infrared mixers)  
auto flush cycles (infrared mixers)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)

**configuration**  
cleaning mode activation  
thermal disinfection (infrared mixers)  
detection range (infrared mixers)  
shut off delay (infrared mixers)  
auto flush (infrared mixers)  
filter capacity (GROHE Blue Home)


**service**  
send and save profile  
reset to factory or user settings  
service details  
demo mode  
error codes (GROHE Blue Home)  
3 x 1.5 V DC (AAA) battery supply



# GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

37 421 000	Chrome	4005176935572	545.19
------------	--------	---------------	--------









## Tectron Rondo







### Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
 metal housing  
 exposed installation  
 flow pressure min 0.5 bar  
 operating pressure max 10 bar  
 G 1/2  
 with **integrated stop valve**  
 flush pipe with rubber connector  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 cleaning mode  
 pre-flush on/off  
 additional functions and precise settings  
 by remote control 36 407  
 adjustable flow time by hand or remote  
 CE approved

# GROHE ELECTRONIC ACTUATIONS FOR URINAL


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>37 336 001</b>	<b>Chrome</b>	<b>4005176929540</b>	<b>625.07</b>
	<p><b>Tectron Surf</b>  <b>Infra-red electronic for Urinal</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      with transformer 100-230 V AC, 50-60 Hz, 6 V DC                      cartridge with solenoid valve and dirt strainer                      front plate 116 x 144 mm                      flow pressure min 0.5 bar                      operating pressure max 10 bar                      infra-red control                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings by remote control 36 407                      adjustable flow time by hand or remote                      compatible with  <b>for Rapido U</b>                      CE approved</p>			
 	<b>37 337 001</b>	<b>Chrome</b>	<b>4005176929557</b>	<b>625.07</b>
	<p><b>Tectron Surf</b>  <b>Infra-red electronic for Urinal</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)                      cartridge with solenoid valve and dirt strainer                      front plate 116 x 144 mm                      flow pressure min 0.5 bar                      operating pressure max 10 bar                      infra-red control                      multistage battery status display                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings by remote control 36 407                      adjustable flow time by hand or remote                      compatible with  <b>Rapido U or Rapido UMB</b>                      CE approved</p>			
 	<b>37 321 001</b>	<b>Chrome</b>	<b>4005176929496</b>	<b>625.07</b>
	<b>37 321 SD1</b>	<b>stainless steel</b>	<b>4005176929502</b>	<b>625.07</b>
<p><b>Tectron Skate</b>  <b>Infra-red electronic for Urinal</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      with transformer 100-230 V AC, 50-60 Hz, 6 V DC                      cartridge with solenoid valve and dirt strainer                      front plate 116 x 144 mm                      flow pressure min 0.5 bar                      operating pressure max 10 bar                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings by remote control 36 407                      adjustable flow time by hand or remote                      compatible with  <b>for Rapido U</b>                      CE approved</p>				

# GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 324 001	Chrome	4005176929526	625.07
	37 324 SD1	stainless steel	4005176929533	625.07
	<p><b>Tectron Skate</b>  <b>Infra-red electronic for Urinal</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)                      cartridge with solenoid valve and dirt strainer                      front plate 116 x 144 mm                      flow pressure min 0.5 bar                      operating pressure max 10 bar                      multistage battery status display                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings                      by remote control 36 407                      adjustable flow time by hand or remote                      compatible with  <b>Rapido U or Rapido UMB</b>                      CE approved</p>			
	37 503 000	Chrome	4005176320507	1,037.97
		<p><b>Tectron Skate Bluetooth</b>  <b>Infra-red electronic for Urinal for Rapido U 37 338 000</b>                      with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC                      with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  <b>GROHE Long-Life</b> finish                      flow pressure min 0.5 bar                      operating pressure max 10 bar                      with Bluetooth 4.0* for wireless data communication                      Bluetooth transmitter frequency: 2.4 GHz                      for Apple** and Android devices                      Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  <b>monitoring</b>                      password protected products                      app detects all Bluetooth products in range                      auto flush cycles and timing last auto flush                      usage per day over 30 days  <b>configuration</b>                      detection range and shut off delay                      auto flush                      cleaning mode                      2 on/off timers                      identification by name  <b>service</b>                      send and save 3 profiles                      reset to factory or user settings                      CE approved                      hard and software version                      Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.                      * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.                      ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards                      *** Available for free via iTunes app or Google Play store.</p>		
	37 338 000	Chrome	4005176837920	155.08
	<p><b>GROHE Rapido U</b>                      roughing-in set for urinal  <b>for manual actuation or Tectron infra-red electronic 6 V or 230 V</b>                      water group with stop valve                      flow pressure min 0.5 bar                      operating pressure max 10 bar                      flush aid                      functional unit checked ex factory                      water supply connections 1/2" outer thread                      connecting box for mains supply                      installation box with gasket                      fixing points for dry cladding and masonry-in                      inspection shaft incl. protection</p>			

# GROHE ELECTRONIC ACTUATIONS FOR URINAL


Ref. No.      Colour      EAN      Retail Guide Price (£)



**38 787 000**      **4005176855689**      **128.02**


**GROHE Rapido UMB**  
roughing-in set for urinal  
**for manual actuation or Tectron infra-red electronic 6 V**  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
installation box with gasket  
fixing points for dry cladding and masonry-in  
inspection shaft incl. protection during construction phase

**36 407 001**      **Chrome**      **4005176368974**      **204.21**




**Remote control**  
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018  
**monitoring**  
consumption and usage data  
thermal disinfection cycles (infrared mixers)  
auto flush cycles (infrared mixers)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)  
**configuration**  
cleaning mode activation  
thermal disinfection (infrared mixers)  
detection range (infrared mixers)  
shut off delay (infrared mixers)  
auto flush (infrared mixers)  
filter capacity (GROHE Blue Home)  
**service**  
send and save profile  
reset to factory or user settings  
service details  
demo mode  
error codes (GROHE Blue Home)  
3 x 1.5 V DC (AAA) battery supply

**39 368 000**      **4005176341540**      **812.64**



**Temperature sensor for urinal**  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
**39 376 000 Rapid SL required**  
Waste trap with temperature sensor  
cartridge with solenoid valve and dirt strainer  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
7 pre-set programs  
auto flush  
cleaning mode  
pre-flush on/off  
CE approved

**39 367 000**      **4005176341533**      **812.64**



**Temperature sensor for urinal**  
6V lithium battery, type CR-P2  
with water connection set and stop valve  
Waste trap with temperature sensor  
cartridge with solenoid valve and dirt strainer  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
7 pre-set programs  
auto flush  
cleaning mode  
pre-flush on/off  
CE approved  
only for certain urinal ceramics, check online TPI

FLUSHING SYSTEMS

# GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

39 369 000		4005176341557	1,081.22
------------	--	---------------	----------

**Temperature sensor with Bluetooth for urinal**  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

**39 376 000 Rapid SL required**

Waste trap with temperature sensor cartridge with solenoid valve and dirt strainer  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
with Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
with Bluetooth 4.0\* for wireless data communication  
Bluetooth transmitter frequency: 2.4 GHz  
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  
for Apple\*\* and Android devices

**monitoring**

password protected products  
app detects all Bluetooth products in range  
auto flush cycles and timing last auto flush usage per day over 30 days

**configuration**

shut-off delay  
auto flush  
cleaning mode  
2 on/off timers  
identification by name

**service**


send and save 3 profiles  
reset to factory or user settings  
hard and software version  
CE approved

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.











\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.



# GROHE URINAL FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 339 000	Chrome	4005176837937	152.40
<p><b>Rondo</b> Flush valve for urinal 1/2" brass integrated stop valve <b>GROHE Long-Life</b> finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar</p>				
 	37 437 000	Chrome	4005176936227	227.94
<p><b>Urinal flush valve</b> 1/2" exposed installation with control cap and flush pipe connection minimum flow pressure 0.5 bar integrated stop valve flow rate adjustment flush volume adjustable 2.0 - 6.0 l brass wall escutcheon flush pipe 200 mm rubber connector in connection with flush pipe and sound absorber <b>GROHE Long-Life</b> finish</p>				
 	37 396 000	Chrome	4005176907968	130.25
<p><b>Press urinal flush valve</b> 1/2" brass <b>GROHE Long-Life</b> finish with wall escutcheon</p>				
 	37 044 000	Chrome	4005176160776	29.90
<p><b>Urinal inlet connector, 1/2"</b></p>				
 	37 035 000	Chrome	4005176143731	18.61
<p><b>Urinal flush pipe</b> Ø 18 mm 200 mm brass <b>chrome plated</b> straight</p>				



# GROHE URINAL FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 037 000	Chrome	4005176143762	36.98
	<b>Urinal flush pipe</b> Ø 18 mm 200 mm brass <b>chrome plated</b> offset 20 mm			
 	37 038 000	Chrome	4005176143786	39.46
	<b>ditto, offset 30 mm</b>			
 	37 039 000	Chrome	4005176143793	45.80
	<b>Urinal flush pipe</b> Ø 18 mm 200 mm brass <b>chrome plated</b> offset 40 mm			
 	37 040 000	Chrome	4005176143861	51.53
	<b>ditto, offset 50 mm</b>			
 	37 043 000	Chrome	4005176143922	53.31
	<b>Urinal flush pipe</b> Ø 18 mm 400 mm brass straight			
 	37 042 000	Chrome	4005176143908	31.15
	<b>Flush pipe extension</b> Ø 16 mm 200 mm brass			
 	37 044 000	Chrome	4005176160776	29.90
	<b>Urinal inlet connector, 1/2"</b>			



GROHE  
**ACTUATIONS**






## CONTENTS

WC	Flush Plates for WC	602
	GROHE Fresh	610
	Flush Plates for WC Flush Valves	611
Urinal	Flush Plates for Urinal	612

# GROHE FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



37 535 000	Chrome	4005176416019	87.64
37 535 P00	matt chrome	4005176416026	87.64
37 535 SH0	alpine white	4005176416033	72.00
37 535 DC0	supersteel	4005176416040	191.45
37 535 EN0	brushed nickel	4005176431319	191.45
37 535 GL0	cool sunrise	4005176431302	191.45
37 535 GN0	brushed cool sunrise	4005176431296	191.45
37 535 DA0	warm sunset	4005176431333	191.45
37 535 DL0	brushed warm sunset	4005176431326	191.45
37 535 A00	hard graphite	4005176431364	191.45
37 535 AL0	brushed hard graphite	4005176431357	191.45
37 535 KF0	phantom black	4005176677663	179.66

## Skate Cosmopolitan S

### Flush plate

for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m

### for vertical installation

130 x 172 mm  
material: ABS

### GROHE Long-Life finish


### GROHE Water Saving - Less water, perfect flow

flush plate with magnetic holder and fixing brackets included

compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)



37 601 000	Chrome	4005176416057	106.42
37 601 P00	matt chrome	4005176416064	106.42
37 601 SH0	alpine white	4005176416071	87.64
37 601 DC0	supersteel	4005176416088	191.56
37 601 GL0	cool sunrise	4005176524271	191.56
37 601 GN0	brushed cool sunrise	4005176529016	191.56
37 601 DA0	warm sunset	4005176524288	191.56
37 601 DL0	brushed warm sunset	4005176529023	191.56
37 601 A00	hard graphite	4005176528996	191.56
37 601 AL0	brushed hard graphite	4005176529030	191.56
37 601 KF0	phantom black	4005176677670	218.16

## Nova Cosmopolitan S

### Flush plate

for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m

### for vertical installation

130 x 172 mm  
material: ABS

### GROHE Long-Life finish


### GROHE Water Saving - Less water, perfect flow

flush plate with magnetic holder and fixing brackets included

compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)



38 809 000	Chrome	4005176864681	692.14
------------	--------	---------------	--------

## Nova Cosmopolitan Light

### Flush plate

for dual flush or start & stop actuation  
external highlighted outline  
with LEDs in blue, red, yellow, green  
colour gradient adjustable, on/off button  
timer for individual regulation of  
illuminating period

3 m connecting cable

transformer for external installation

supply voltage 230 V AC, 50/60 Hz, 2.0 VA

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved

for pneumatic drop valve AV1

### for vertical and horizontal installation









### GROHE Long-Life finish

### GROHE Water Saving - Less water, perfect flow

for combination with Rapid SL 1.13 m with GD 2 cistern












for use with Rapid SLX please order shaft 66 791 000 (sold separately)

# GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	37 624 000	Chrome	4005176416095	106.42	
	37 624 P00	matt chrome	4005176416101	106.42	
	37 624 SH0	alpine white	4005176416118	87.64	
	37 624 DC0	supersteel	4005176416125	191.57	
	37 624 GL0	cool sunrise	4005176529054	191.56	
	37 624 GN0	brushed cool sunrise	4005176529092	191.56	
	37 624 DA0	warm sunset	4005176529061	191.56	
	37 624 DL0	brushed warm sunset	4005176529108	191.56	
	37 624 A00	hard graphite	4005176529078	191.56	
	37 624 AL0	brushed hard graphite	4005176529115	191.56	
	37 624 KF0	phantom black	4005176677786	218.16	
	<b>Arena Cosmopolitan S</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m <b>for vertical installation</b> 130 x 172 mm material: ABS <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)				
	 	37 973 000	Chrome	4005176479021	106.42
<b>Arena Cosmopolitan S</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for horizontal installation 130 x 172 mm material: ABS <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow flush plate with magnetic holder and fixing brackets included for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)					
 	37 965 000	Chrome	4005176442506	72.00	
	<b>Skate Air S</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m <b>for vertical installation</b> 130 x 172 mm material: ABS <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)				
 	40 911 000		4005176416132	16.87	
	<b>Inspection shaft for small flush plates</b> for combination with Rapid SL 1.13 m with GD 2 cistern				
	40 950 000		4005176478994	21.63	
ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height					
	40 949 000		4005176477881	27.80	
ditto, for combination with 80 mm cistern					




# GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 765 000	Chrome	4005176846830	85.50
	38 765 SH0	alpine white	4005176846854	68.92
	38 765 P00	matt chrome	4005176846847	85.50
	38 765 KF0	phantom black	4005176951978	175.26
	<b>Nova Cosmopolitan</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical and horizontal installation</b> GROHE Long-Life finish <b>GROHE Water Saving</b> - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	38 765 KV0	glossy black	4005176737855	73.86
	ditto, Professional exclusive			
 	38 845 LS0	moon white	4005176878336	297.74
	38 845 KS0	velvet black	4005176878343	297.74
	38 845 MF0	chrome/ daVinci satin	4005176878619	297.74
	<b>Skate Cosmopolitan</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical and horizontal installation</b> 156 x 197 mm made of security glass mounting-set <b>GROHE Water Saving</b> - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
 	38 916 0A0	mirror glass	4005176896941	362.44
	<b>Skate Cosmopolitan</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical and horizontal installation</b> 156 x 197 mm made of security glass mounting-set <b>GROHE Water Saving</b> - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
 	38 957 000	Chrome	4005176914409	128.48
	<b>Mounting set</b> for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness protection plate dismantling tool for wall plate			
 	38 821 000	Chrome	4005176868986	282.26
	<b>Skate Cosmopolitan</b> <b>Flush plate</b> for dual flush or start & stop actuation vandal-proof for pneumatic drop valve AV1 <b>for vertical installation</b> made of metal GROHE Long-Life finish <b>GROHE Water Saving</b> - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			

# GROHE FLUSH PLATES FOR WC


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>38 732 SD0</b>	<b>stainless steel</b>	<b>4005176847691</b>	<b>181.68</b>
-------------------	------------------------	----------------------	---------------

**Skate Cosmopolitan**  
**Flush plate, stainless steel**  
 for dual flush or start & stop actuation  
 for pneumatic drop valve AV1  
**for vertical installation**  
 plastic fixing frame  
 hidden fixing screws  
**not suitable for GROHE Fresh**  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 for combination with Rapid SL 1.13 m with GD 2 cistern  
 for use with Rapid SLX please order shaft 66 791 000 (sold separately)

<b>38 776 SD0</b>	<b>stainless steel</b>	<b>4005176853555</b>	<b>185.31</b>
<b>ditto, horizontal installation</b>			




<b>38 732 000</b>	<b>Chrome</b>	<b>4005176836114</b>	<b>68.49</b>
<b>38 732 DC0</b>	<b>supersteel</b>	<b>4005176431371</b>	<b>163.51</b>
<b>38 732 SH0</b>	<b>alpine white</b>	<b>4005176836138</b>	<b>56.03</b>
<b>38 732 P00</b>	<b>matt chrome</b>	<b>4005176836121</b>	<b>68.49</b>
<b>38 732 BE0</b>	<b>polished nickel</b>	<b>4005176427749</b>	<b>163.51</b>
<b>38 732 EN0</b>	<b>brushed nickel</b>	<b>4005176427756</b>	<b>163.51</b>
<b>38 732 GL0</b>	<b>cool sunrise</b>	<b>4005176339103</b>	<b>163.51</b>
<b>38 732 GN0</b>	<b>brushed cool sunrise</b>	<b>4005176427725</b>	<b>163.51</b>
<b>38 732 DA0</b>	<b>warm sunset</b>	<b>4005176339097</b>	<b>163.51</b>
<b>38 732 DL0</b>	<b>brushed warm sunset</b>	<b>4005176427732</b>	<b>163.51</b>
<b>38 732 A00</b>	<b>hard graphite</b>	<b>4005176339110</b>	<b>163.51</b>
<b>38 732 AL0</b>	<b>brushed hard graphite</b>	<b>4005176339127</b>	<b>163.51</b>

**Skate Cosmopolitan**  
**Flush plate**  
 for dual flush or start & stop actuation  
 for pneumatic drop valve AV1  
**for vertical and horizontal installation**  
**GROHE Long-Life** finish  
**GROHE Water Saving** - Less water, perfect flow  
 for combination with Rapid SL 1.13 m with GD 2 cistern  
 for use with Rapid SLX please order shaft 66 791 000 (sold separately)

<b>38 732 KF0</b>	<b>phantom black</b>	<b>4005176784125</b>	<b>140.40</b>
<b>38 732 KV0</b>	<b>glossy black</b>	<b>4005176737848</b>	<b>59.15</b>
<b>ditto, Professional exclusive</b>			

<b>38 732 BR0</b>	<b>titanium</b>	<b>4005176873676</b>	<b>140.27</b>
<b>ditto, with anti-fingerprint surface</b>			



<b>38 844 000</b>	<b>Chrome</b>	<b>4005176874963</b>	<b>85.42</b>
<b>38 844 SH0</b>	<b>alpine white</b>	<b>4005176874970</b>	<b>69.22</b>
<b>38 844 P00</b>	<b>matt chrome</b>	<b>4005176875687</b>	<b>85.42</b>
<b>38 844 KF0</b>	<b>phantom black</b>	<b>4005176951992</b>	<b>175.13</b>









**Arena Cosmopolitan**  
**Flush plate**  
 for dual flush or start & stop actuation  
 for pneumatic drop valve AV1  
**for vertical installation**  
**GROHE Water Saving** - Less water, perfect flow  
**GROHE Long-Life** finish  
 for combination with Rapid SL 1.13 m with GD 2 cistern  
 for use with Rapid SLX please order shaft 66 791 000 (sold separately)

<b>38 844 KV0</b>	<b>glossy black</b>	<b>4005176737862</b>	<b>73.86</b>
<b>ditto, Professional exclusive</b>			











<b>38 858 000</b>	<b>Chrome</b>	<b>4005176876714</b>	<b>85.42</b>
<b>38 858 P00</b>	<b>matt chrome</b>	<b>4005176876721</b>	<b>85.42</b>
<b>38 858 SH0</b>	<b>alpine white</b>	<b>4005176876738</b>	<b>69.22</b>
<b>ditto, horizontal installation</b>			







# GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 505 000	Chrome	4005176290053	56.03
	38 505 SH0	alpine white	4005176290046	44.71
	38 505 P00	matt chrome	4005176290060	56.03
	<b>Skate Air</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical installation</b> <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	38 505 KF0	phantom black	4005176784132	114.87
	38 505 KV0	glossy black	4005176737831	48.39
	ditto, Professional exclusive			
	38 506 000	Chrome	4005176290121	56.03
	38 506 SH0	alpine white	4005176290114	44.71
	38 506 P00	matt chrome	4005176290138	75.06
ditto, horizontal installation				
 	38 862 000	Chrome	4005176832314	82.63
	38 862 SH0	alpine white	4005176832338	66.03
	38 862 P00	matt chrome	4005176832321	82.63
	<b>Skate</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical and horizontal installation</b> <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	38 862 SD0	stainless steel	4005176834721	195.83
 	<b>Skate</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical installation</b> 156 x 197 mm material: stainless steel <b>GROHE Water Saving</b> - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	38 861 000	Chrome	4005176832284	84.70
	<b>Surf</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical and horizontal installation</b> <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	 			
	for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			

# GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 564 000	Chrome	4005176291784	54.20
	38 564 SH0	alpine white	4005176291777	43.25
	<b>Skate Air</b> Flush plate for single flush actuation for pneumatic drop valve for vertical installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow			
	38 565 000	Chrome	4005176291845	54.20
	ditto, horizontal installation			
	38 573 000	Chrome	4005176292316	69.75
	38 573 SH0	alpine white	4005176292309	30.64
	<b>Skate</b> Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow			
	38 672 SD0	stainless steel	4005176296468	130.25
	<b>Skate</b> Flush plate, stainless steel for single flush actuation vandal-proof for pneumatic drop valve for vertical installation 156 x 197 mm GROHE Water Saving - Less water, perfect flow			
	38 574 000	Chrome	4005176292385	71.27
	<b>Surf</b> Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow			
	37 059 000	Chrome	4005176142857	237.62
	<b>Surf</b> Air button GROHE Long-Life finish made of ABS escutcheon 100 mm dia wall plate Surf 156 x 197 mm			

# GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 915 KS0	velvet black	4005176897108	1,079.92
	38 915 LS0	moon white	4005176897115	1,079.92
	<p><b>Veris Light Flush plate</b>                      for dual flush or start &amp; stop actuation                      for SoftTouch flushing activation                      external highlighted outline                      with LEDs in blue, red, yellow, green                      colour gradient adjustable                      on/off timer for individual regulation of illuminating period                      3 m connecting cable                      transformer for external installation                      servo motor                      110 V to 240 V 50/60 Hz broad range power supply                      9 VA                      CE approved                      with function check lamps                      for GD 2 cisterns with pneumatic discharge valve AV1                      200 x 200 mm                      made of security glass  <b>GROHE Water Saving</b> - Less water, perfect flow                      not suitable for GROHE Fresh</p>			
	37 060 000	Chrome	4005176142901	96.07
	<p><b>Air button</b>  <b>GROHE Long-Life</b> finish                      made of ABS                      escutcheon 100 mm dia                      pneumatic hose 1500 mm long  <b>without flush plate</b></p>			
	38 488 000	Chrome	4005176289866	38.62
<p><b>Air button</b>                      with 750 mm air hose                      for panel thickness up to 30 mm  <b>for use with Adagio cistern 37 762 SH / 37 945 SH</b>  <b>GROHE Long-Life</b> finish</p>				
	38 496 000	Chrome	4005176289958	240.89
	<p><b>Air button</b>                      air button 63 mm dia.                      with 750 mm air hose                      for panel thickness up to 30 mm                      only for use with a removable shelf / panel                      chrome plated brass  <b>for use with Adagio cistern 37 762 SH / 37 945 SH</b>  <b>GROHE Long-Life</b> finish</p>			
	38 771 000	Chrome	4005176848551	49.83
	<p><b>Pneumatic push button actuation</b>                      for dual flush or start &amp; stop actuation                      Ø 48 mm                      in combination with bath furniture                      for material thickness from 18 -24 mm                      with 600 mm air hose  <b>GROHE Long-Life</b> finish</p>			


# GROHE FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 761 000	Chrome	4005176213243	48.76



Air button  
GROHE Long-Life finish  
for use with Adagio cistern 37 762 SH /  
37 945 SH






38 714 000		4005176828454	26.62
------------	--	---------------	-------



WC wall plate extension set 70 mm  
with pneumatic discharge valve



# GROHE FRESH

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 805 000	Chrome	4005176865596	162.39
	<p><b>Skate Cosmopolitan Set Fresh Flush plate</b>            for dual flush or start &amp; stop actuation            with <b>GROHE Fresh</b>            fixing frame with opening function            for chlorine-free tablets only            for pneumatic drop valve AV1  <b>for vertical and horizontal installation</b>  <b>GROHE Long-Life</b> finish  <b>GROHE Water Saving</b> - Less water, perfect flow            for combination with Rapid SL 1.13 m with GD 2 cistern            for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>			
 	38 796 000	Chrome	4005176857034	83.24
	<p><b>GROHE Fresh Dual flush valve set</b>            for GROHE flushing cistern GD 2 with pneumatic discharge valve and regular inspection shaft  <b>not suitable for flush plates with wood or glass or metal surface or new small flush plates</b>            fixing frame with opening function            for chlorine-free tablets only            for all GROHE flush plates 156 x 197 mm</p>			
	38 882 000		4005176879197	7.75
	<p><b>GROHE Fresh Tabs</b>            2 x 50 g WC-Tabs            every flush creates foam which cleans the toilet            fragrance ensures long-lasting freshness            protects against re-pollution and maintains long term cleanliness            reduces limescale and ensures radiant purity in the toilet            true feeling of freshness            This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a></p>			

# GROHE FLUSH PLATES FOR WC FLUSH VALVES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 547 000	Chrome	4005176189425	84.36
	37 547 P00	matt chrome	4005176189449	84.36
	37 547 SH0	alpine white	4005176189418	66.14
	<b>Skate</b> <b>Flush plate</b> <b>for vertical installation</b> 156 x 197 mm manual activation push button actuation material: ABS <b>GROHE Long-Life</b> finish			
	38 445 SD0	stainless steel	4005176282850	136.72
	<b>Skate</b> <b>Flush plate, stainless steel</b> <b>for vertical installation</b> 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws			
				
	37 063 000	Chrome	4005176142185	70.17
	37 063 SH0	alpine white	4005176142307	70.71
	<b>Surf</b> <b>Flush plate</b> 156 x 197 mm manual activation push button actuation material: ABS <b>GROHE Long-Life</b> finish			
				
	37 069 000	Chrome	4005176142352	172.90
	<b>Surf</b> <b>Flush plate</b> <b>for vertical installation</b> 156 x 197 mm for concealed flush valve 6 - 9 l brass push button actuation fixing frame hidden fixing screws <b>GROHE Long-Life</b> finish			
				

# GROHE FLUSH PLATES FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 846 LS0	moon white	4005176878367	378.92
	38 846 KS0	velvet black	4005176878268	378.92
				
				
	<b>Skate Cosmopolitan</b> <b>Actuation plate</b> with glass surface made of security glass manual activation for urinal plastic actuation button, chrome plated compatible with <b>Rapido U or Rapido UMB</b> fixing frame with mounting-set 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable			
	38 784 000	Chrome	4005176855535	144.15
	38 784 SH0	alpine white	4005176855559	132.63
	38 784 P00	matt chrome	4005176855542	144.22
				
	<b>Skate Cosmopolitan</b> <b>Actuation plate</b> manual activation for urinal compatible with <b>Rapido U or Rapido UMB</b> 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable <b>GROHE Long-Life</b> finish			
	38 784 SD0	stainless steel	4005176877407	212.67
				
	<b>Skate Cosmopolitan</b> <b>Flush plate, stainless steel</b> manual activation for urinal compatible with <b>Rapido U or Rapido UMB</b> 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable low noise (group II according to German noise specification) plastic fixing frame hidden fixing screws			
	38 804 000	Chrome	4005176861512	144.15
	38 804 SH0	alpine white	4005176861529	132.63
	38 804 P00	matt chrome	4005176861536	144.22
				
	<b>Nova Cosmopolitan</b> <b>Actuation plate</b> manual activation for urinal compatible with <b>Rapido U or Rapido UMB</b> 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable <b>GROHE Long-Life</b> finish			
	38 857 000	Chrome	4005176875694	144.22
	38 857 SH0	alpine white	4005176875793	132.63
	38 857 P00	matt chrome	4005176875663	144.22
				
	<b>Arena Cosmopolitan</b> <b>Actuation plate</b> manual activation for urinal compatible with <b>Rapido U or Rapido UMB</b> 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable <b>GROHE Long-Life</b> finish			

# GROHE FLUSH PLATES FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 808 000	Chrome	4005176864056	125.52
38 808 SH0	alpine white	4005176864070	113.50
38 808 P00	matt chrome	4005176864063	125.45



**Surf**  
**Actuation plate**  
 manual activation for urinal  
 compatible with  
**Rapido U or Rapido UMB**  
 116 x 144 mm  
 mechanical functional cartridge  
 flow pressure min 0.5 bar  
 operating pressure max 6 bar  
 1.0 - 6.0 adjustable  
**GROHE Long-Life** finish

GROHE  
**CONNECTION AND SECURITY TECHNOLOGY**





## CONTENTS

Angle Valves

616

WAS valves











619

Safety Systems













620







# GROHE ANGLE VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>22 043 000</b>	<b>Chrome</b>	<b>4005176305597</b>	<b>8.77</b>
	<p><b>Angle valve 1/2"</b>            self-sealing connection thread            wall connection 1/2"            outlet 1/2"            water protected spindle shutoff, brass,            with grease chamber and double o-ring sealing            long connecting shaft            ergonomic metal handle            marking: neutral            metal push-on escutcheon Ø 55 mm  <b>GROHE Long-Life</b> finish</p>			
 	<b>22 037 000</b>	<b>Chrome</b>	<b>4005176305535</b>	<b>8.07</b>
	<p><b>Angle valve 1/2"</b>            pre-roughened connection thread for easy sealing            wall connection 1/2"            outlet thread 3/8"            with length compensation            with compression nut Ø 10 mm            water protected spindle shutoff, brass,            with grease chamber and double o-ring sealing            long connecting shaft            ergonomic metal handle            marking: neutral            metal push-on escutcheon Ø 55 mm  <b>GROHE Long-Life</b> finish</p>			
	<b>22 074 KFO</b>	<b>phantom black</b> <b>ditto, Professional exclusive</b>	<b>4005176782640</b>	<b>56.49</b>
 	<b>22 046 000</b>	<b>Chrome</b>	<b>4005176305627</b>	<b>8.97</b>
	<p><b>Angle valve 1/2"</b>            pre-roughened connection thread for easy sealing            wall connection 1/2"            outlet 1/2"            water protected spindle shutoff, brass,            with grease chamber and double o-ring sealing            long connecting shaft            ergonomic metal handle            marking: neutral            metal push-on escutcheon Ø 55 mm  <b>GROHE Long-Life</b> finish</p>			
 	<b>22 023 000</b>	<b>Chrome</b>	<b>4005176305405</b>	<b>7.21</b>
	<p><b>Angle valve 1/2"</b>            self-sealing connection thread            wall connection 1/2"            outlet thread 3/8"            with length compensation            with compression nut Ø 10 mm            water protected spindle shutoff, brass,            with grease chamber and double o-ring sealing            ergonomic handle            marking: neutral            metal push-on escutcheon Ø 55 mm  <b>GROHE Long-Life</b> finish</p>			
 	<b>22 018 000</b>	<b>Chrome</b>	<b>4005176305382</b>	<b>5.98</b>
	<p><b>Angle valve 1/2"</b>            pre-roughened connection thread for easy sealing            wall connection 1/2"            outlet thread 3/8"            with length compensation            with compression nut Ø 10 mm            water protected spindle shutoff, brass,            with grease chamber and double o-ring sealing            ergonomic handle            marking: neutral            metal push-on escutcheon Ø 55 mm  <b>GROHE Long-Life</b> finish</p>			

# GROHE ANGLE VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>22 029 000</b>	<b>Chrome</b>	<b>4005176305467</b>	<b>6.27</b>
<p><b>Angle valve 1/2"</b> pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm <b>GROHE Long-Life</b> finish</p>				
 	<b>22 032 000</b>	<b>Chrome</b>	<b>4005176305481</b>	<b>6.88</b>
<p><b>Angle valve 1/2"</b> pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm <b>GROHE Long-Life</b> finish</p>				
 	<b>22 017 00M</b>	<b>Chrome</b>	<b>4005176940613</b>	<b>63.24</b>
<p><b>Universal angle valve 1/2"</b> with compression coupling 3/8" for copper pipe Ø 10 mm plastic handle marking: neutral screw escutcheon metal <b>GROHE Long-Life</b> finish sales unit 10 pieces</p>				
 	<b>22 016 00M</b>	<b>Chrome</b>	<b>4005176940606</b>	<b>64.07</b>
<p><b>Universal angle valve 1/2"</b> with connection 1/2" plastic handle marking: neutral screw escutcheon metal <b>GROHE Long-Life</b> finish sales unit 10 pieces</p>				
 	<b>22 939 000</b>	<b>Chrome</b>	<b>4005176829369</b>	<b>14.54</b>
<p><b>Angle valve 1/2"</b> with compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon <b>GROHE Long-Life</b> finish</p>				
 	<b>22 940 000</b>	<b>Chrome</b>	<b>4005176829376</b>	<b>12.51</b>
<p><b>Angle valve 1/2"</b> without compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon <b>GROHE Long-Life</b> finish</p>				


# GROHE ANGLE VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	22 012 000	Chrome	4005176906343	56.57
	22 012 DC0	supersteel	4005176525742	79.19
	22 012 AL0	brushed hard graphite	4005176585944	90.50
	<p><b>Eurocube</b>  <b>Angle valve 1/2"</b>                      wall connection 1/2"                      outlet thread 3/8"                      cartridge headpart                      metal handle                      marking: neutral                      metal push-on escutcheon</p>			
	22 013 000	Chrome	4005176909689	56.57
		<p><b>Eurocube</b>  <b>Angle valve 1/2"</b>                      wall connection 1/2"                      outlet 1/2"                      cartridge headpart                      metal handle                      marking: neutral                      metal push-on escutcheon</p>		

# GROHE WAS VALVES


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

22 035 000	Chrome	4005176305511	26.23
------------	--------	---------------	-------



**Original WAS combination service valve 1/2"**  
 pre-roughened connection thread for easy sealing  
 wall connection 1/2"  
 outlet thread 3/8"  
 with length compensation  
 with compression nut Ø 10 mm  
 outlet 3/4"  
 with hose connection  
 grease chamber headpart  
 non-return valve type EB  
 long connecting shaft  
 ergonomic handle  
 marking: neutral  
 metal push-on escutcheon Ø 55 mm  
 for combination with pipe ventilating valve type HB 41 239 000


41 007 000	Chrome	4005176281815	22.46
------------	--------	---------------	-------



**Eggemann**  
**Original WAS T-piece 3/8"**  
 for service valve  
 with compression nut  
**GROHE Long-Life** finish

# GROHE SAFETY SYSTEMS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



41 275 000	Chrome	4005176280481	52.57
------------	--------	---------------	-------

**Original WAS inclined filter 3/4"**  
 suitable for cold and warm water up to + 80 C  
 transparent cap  
 mesh width 315 µm  
 stainless steel filter insert  
**GROHE Long-Life** finish





GROHE  
**SPARE PARTS**










## CONTENTS

Cartridges	624
Thermo elements and thermostatic cartridges	626
Aquadimmer	629
Head parts	630
Spare parts for two-handle taps	633
Extension sets	634
Unions	635
Outlets and spouts	636
Flow straighteners	637
Waste sets and traps	639
Connections and non-return valves	641
Spare parts for electronics	642
Diverter	643
Hoses	644
Spare parts for kitchen taps	645
Spare parts for showers	646
Miscellaneous	648
Special tools	649
Cleaning and care	650
Spare parts for sanitary systems	651
Spare parts for shower toilet	654
Spare parts for Ceramics	655








# GROHE CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 580 000	Chrome	4005176831867	65.82
	<b>Cartridge</b> 28 mm <b>GROHE SilkMove</b> with ceramic sealing system with temperature limiter for all single lever mixers			
	46 374 000	Chrome	4005176169076	58.00
	<b>Cartridge</b> 35 mm <b>GROHE SilkMove</b> with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	46 048 000	Chrome	4005176008283	56.65
	<b>Cartridge</b> <b>GROHE SilkMove</b> adjustable flow rate limiter for all single lever mixers			
	46 386 000		4005176169410	121.10
	<b>Cartridge</b> <b>GROHE SilkMove</b>			
	46 278 000		4005176131868	95.84
	<b>Ceramic cartridge</b> for Euroeco special mixer			
	46 308 000	Chrome	4005176131769	12.18
	<b>Temperature limiter</b> for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			







# GROHE CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 375 000	Chrome	4005176169083	11.41
	<b>Temperature limiter</b> for 35 mm cartridge 46 374 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			
	48 359 000	Chrome	4005176442810	59.49
	<b>Cartridge</b> for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000			
	07 000 000	Chrome	4005176016899	105.78
	<b>Cartridge from 1974</b> for Euromix and Ladylux			
	42 383 000	Chrome	4005176903281	64.99
	<b>Cartridge</b> for Euroeco Cosmopolitan T self-closing valves 1/2": pillar tap, wall mounted, exposed shower marking: blue/red <b>GROHE Long-Life</b> finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)			
	42 384 000	Chrome	4005176903298	73.82
	<b>Cartridge</b> for Euroeco Cosmopolitan T self-closing gate valve 1/2" marking: blue/red <b>GROHE Long-Life</b> finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)			

# GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 450 000	Chrome	4005176076190	114.42
	<b>Thermo-element</b> wax element with stainless steel slider to avoid corrosion			
	47 282 000	Chrome	4005176061592	219.83
	<b>ditto, for reverse waterways, 1/2"</b>			
	47 310 000	Chrome	4005176079238	224.08
	<b>Wax thermo-element-cartridge</b> wax element			
	47 349 000	Chrome	4005176141461	132.29
	<b>Wax thermo-element-cartridge 3/8"</b> wax element			
	47 217 000	Chrome	4005176241246	60.50
	<b>Thermo-element</b> wax element with non-rising spindle			
	47 220 000	Chrome	4005176241253	199.43
	<b>Wax thermo-element-cartridge</b> wax element with non-rising spindle			
	47 111 000		4005176009921	282.95
	<b>Thermo-element</b> wax element for Grohmix Thermostat			

# GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 025 000	Chrome	4005176009549	446.05
	<b>Wax thermo-element-cartridge</b> wax element for Grohmix Thermostat			
	47 532 000		4005176206795	547.91
	<b>Thermostatic cartridge</b>			
	00 798 000	Chrome	4005176229008	41.21
	<b>Wax thermo-element</b>			
	47 598 000		4005176229169	509.25
	<b>Control unit</b>			
	47 600 000		4005176228995	399.04
	<b>Control unit</b>			
	47 439 000	Chrome	4005176811975	110.91
	<b>Thermostatic compact cartridge 1/2"</b> GROHE TurboStat compact cartridge with wax thermoelement			
	47 175 000	Chrome	4005176803895	160.43
	<b>ditto, for reverse waterways, 1/2"</b>			









# GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 885 000	Chrome	4005176924729	110.91
	<b>Thermostatic compact cartridge 1/2"</b> GROHE Turbostat C3 compact cartridge with wax thermoelement			
	47 483 000	Chrome	4005176815409	162.68
	<b>Thermostatic compact cartridge 3/4"</b> GROHE TurboStat compact cartridge with wax thermoelement			
	47 186 000	Chrome	4005176803901	263.17
	ditto, for reverse waterways, 3/4"			
	49 028 000	Chrome	4005176442827	57.98
	<b>Thermostatic compact cartridge 3/4"</b> for Grohtherm SmartControl concealed GROHE TurboStat compact cartridge with wax thermoelement including fastening nut			
	47 167 000	Chrome	4005176010125	21.91
	<b>Stop ring and regulating nut</b>			







# GROHE AQUADIMMER

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 364 000	Chrome	4005176171819	104.67
	<b>Aquadimmer</b> for thermostatic mixers			
	12 433 000	Chrome	4005176272752	94.86
	<b>Aquadimmer</b> for exposed fittings			
	47 262 000		4005176118722	169.39
	<b>Aquadimmer</b> for concealed thermostatic shower mixer 3/4" for three and four-hole bath combination 3/4"			





# GROHE HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	07 146 000	Chrome	4005176017261	12.77
	<b>Headpart 1/2"</b> short spindle, 1/2"			
	45 346 000	Chrome	4005176104572	37.16
	<b>Ceramic headpart, 1/2"</b> with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 342 000	Chrome	4005176129865	37.31
	<b>Ceramic headpart, 1/2"</b> with ceramic sealing disks rotation angle 180° stop: left-hand			
	45 885 000		4005176189913	60.50
	<b>Ceramic headpart 3/4", 180°</b> with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 869 000	Chrome	4005176189876	38.45
	<b>Concealed headpart 1/2"</b> with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 882 000	Chrome	4005176189883	37.16
	<b>Ceramic headpart, 1/2"</b> with ceramic sealing disks rotation angle 90° stop: right-hand			

# GROHE HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	45 883 000	Chrome	4005176189890	42.66
	<b>Ceramic headpart, 1/2"</b> with ceramic sealing disks rotation angle 90° stop: left-hand			
	45 888 000	Chrome	4005176189944	45.99
	<b>Ceramic headpart 3/4", 180°</b> with ceramic sealing disks rotation angle 90° stop: right-hand			
	06 188 000	Chrome	4005176002519	76.10
	<b>Headpart</b> without lever without cap without escutcheon for 3- and 4-way-diverter, 1/2"			
	07 025 000		4005176016929	37.31
	<b>Screw-down valve, 3/4"</b> short spindle for 1/2" handles for concealed valves, 3/4"			
	19 830 000	Chrome	4005176030697	33.93
	<b>Atlanta</b> <b>Concealed stop-valve trim</b> set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing brilliant handle marking: blue (cold) <b>GROHE Long-Life</b> finish			
	19 831 000	Chrome	4005176030703	33.93
	<b>ditto, marking red</b>			

# GROHE HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		<b>19 841 000</b> <b>Chrome</b>	<b>4005176030765</b>	<b>39.62</b>
		<b>Atlanta</b> <b>Concealed stop-valve trim</b> set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20 - 200 mm escutcheon with screwable wall sealing socket spanner <b>GROHE Long-Life</b> finish		
	<b>19 840 000</b>	<b>Chrome</b>	<b>4005176030758</b>	<b>31.23</b>
<b>ditto, installation depth infinitely adjustable 20-80 mm</b>				
		<b>19 470 000</b> <b>Chrome</b>	<b>4005176848018</b>	<b>80.15</b>
		<b>Grohtherm 3000 Cosmopolitan</b> <b>Concealed stop-valve trim</b> set for final installation for 35 028 000 <b>GROHE Long-Life</b> finish installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve		





# GROHE SPARE PARTS FOR TWO-HANDLE TAPS

Ref. No.	Colour	EAN	Retail Guide Price (£)
10 099 00M	Chrome	4005176812965	14.64
<b>Cover Cap</b> multi-packaging: 2 pieces			









# GROHE EXTENSION SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	14 048 000	Chrome	4005176413483	85.40
<p><b>Rapido SmartBox</b>  <b>Universal extension set single-lever mixers, 25 mm</b>  fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox</p>				
	14 056 000		4005176466298	96.42
<p><b>Universal extension set single-lever mixers, 25 mm</b>  fits for concealed single-lever mixers in combination with <b>GROHE Rapido SmartBox</b></p>				
	14 057 000		4005176466304	118.46
<p><b>Universal extension set single-lever mixers, 50 mm</b>  fits for concealed single-lever mixers in combination with <b>GROHE Rapido SmartBox</b></p>				
	14 058 000	Chrome	4005176466311	46.83
<p><b>Universal extension set 2-handle thermostats, 25 mm</b>  fits for concealed 2-handle thermostats in combination with <b>GROHE Rapido SmartBox</b></p>				







# GROHE UNIONS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	12 400 000	Chrome	4005176004582	67.46
<p><b>S-union</b> 1/2" x 3/4" adjustment range 10 mm GROHE Long-Life finish</p>				
 	12 051 000	Chrome	4005176213588	61.62
<p><b>S-union</b> 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE Long-Life finish</p>				
 	12 693 000	Chrome	4005176829918	32.02
<p><b>S-union</b> 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon GROHE Long-Life finish</p>				
 	18 862 000	Chrome	4005176028120	76.07
<p><b>Wall union</b></p>				
 	18 121 000	Chrome	4005176815812	62.04
<p><b>Pillar union</b> GROHE Long-Life finish</p>				

# GROHE OUTLETS AND SPOUTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	13 034 000	Chrome	4005176022869	60.54
<p><b>U spout</b> for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass <b>GROHE Long-Life</b> finish</p>				
 	13 071 000	Chrome	4005176023132	41.71
<p><b>Swivel tube spout</b> swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass <b>GROHE Long-Life</b> finish</p>				



# GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	48 189 000	Chrome	4005176928772	21.36
	<b>Water saving set</b> includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence, Eurosmart, BauEdge, BauLoop			
	48 190 000	Chrome	4005176928987	21.36
	<b>Water saving set</b> includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence, Eurosmart, BauEdge, BauLoop			
	48 191 000	Chrome	4005176928994	21.36
	<b>Water saving set</b> includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence, Eurosmart, BauEdge, BauLoop			
	13 928 000	Chrome	4005176025365	16.36
	<b>Flow restrictor</b> internal thread M 22 x 1 (LP) 13.5 l/min at 3 bar <b>GROHE Long-Life</b> finish female thread			
	13 960 000	Chrome	4005176109522	21.99
	<b>Flow straightener</b> external thread M 24 x 1 7.5 l/min at 3 bar <b>GROHE Long-Life</b> finish male thread			
	13 929 000	Chrome	4005176025440	16.27
	<b>Flow restrictor</b> external thread M 24 x 1 13.5 l/min at 3 bar <b>GROHE Long-Life</b> finish male thread			

# GROHE FLOW STRAIGHTENERS










	Ref. No.	Colour	EAN	Retail Guide Price (£)
	13 952 000	Chrome	4005176079818	12.98
	13 927 000	Chrome	4005176005541	14.08
	13 220 000	Chrome	4005176855504	33.44

# GROHE WASTE SETS AND TRAPS





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 910 000	Chrome	4005176603846	55.22
<p><b>Pop-up waste set 1 1/4"</b> for wash basins with overflow for basin/bidet fittings</p>				
 	40 565 000	Chrome	4005176912757	92.55
	40 565 DC0	supersteel	4005176491702	129.57
	40 565 AL0	brushed hard graphite	4005176491696	148.07
<p><b>Waste set with push-open plug</b> for wash basins with overflow for replacement in an existing system <b>GROHE Long-Life</b> finish</p>				
 	65 807 000	Chrome	4005176849893	54.01
	65 807 DC0	supersteel	4005176442797	75.61
	65 807 LS0	moon white	4005176849916	102.39
	65 807 GL0	cool sunrise	4005176467738	81.02
	65 807 GN0	brushed cool sunrise	4005176467745	86.41
	65 807 DA0	warm sunset	4005176467752	81.02
	65 807 DL0	brushed warm sunset	4005176467769	86.41
	65 807 A00	hard graphite	4005176467721	81.02
	65 807 AL0	brushed hard graphite	4005176467714	86.41
<p><b>Waste set with push-open plug</b> with push-open cover for wash basins with overflow removable cover closable <b>GROHE Long-Life</b> finish</p>				
	29 510 KF0	phantom black ditto, Professional exclusive	4005176781704	75.61
 	65 808 000	Chrome	4005176860065	57.69
<p><b>Waste 1 1/4"</b> for basins mixers without Pop Up Waste removable cover non-closable <b>GROHE Long-Life</b> finish</p>				
 	40 824 000	Chrome	4005176332975	22.25
<p><b>Waste set with push-open plug</b> for wash basins with overflow removable plug closable</p>				




# GROHE WASTE SETS AND TRAPS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	07 182 000	Chrome	4005176017438	18.42
	<b>Chrome bath plug</b> for waste set 1 1/4" <b>GROHE Long-Life</b> finish			
	07 052 000	Chrome	4005176003370	21.01
	<b>Eccentric rod</b> for waste set 1 1/4" length 180 mm <b>GROHE Long-Life</b> finish			
	07 341 000	Chrome	4005176017728	26.85
	<b>Eccentric rod</b> for waste set 1 1/4" length 350 mm <b>GROHE Long-Life</b> finish			
 	28 920 000	Chrome	4005176603914	48.17
	<b>Bottle trap, 1 1/4"</b> for basins with fixed dip tube wall connection escutcheon <b>GROHE Long-Life</b> finish			
 	40 564 000	Chrome	4005176912740	114.46
	<b>Bottle trap for wash basin</b> <b>GROHE Long-Life</b> finish brass body			
	40 564 DC0	supersteel	4005176491795	160.23
	40 564 A00	hard graphite	4005176491849	171.67
	40 564 AL0	brushed hard graphite	4005176491788	183.13
 	28 912 000	Chrome	4005176266751	104.04
	<b>Bottle trap, 1 1/4"</b> for basins brass (screw-top for cleaning) large sliding escutcheon <b>GROHE Long-Life</b> finish			
	28 912 DC0	supersteel	4005176467905	145.66
	28 912 GN0	brushed cool sunrise	4005176467875	166.48
	28 912 DL0	brushed warm sunset	4005176467899	166.48
	28 912 AL0	brushed hard graphite	4005176467844	166.48
	29 509 KF0	phantom black	4005176782657	145.66
	ditto, Professional exclusive			

# GROHE CONNECTIONS AND NON-RETURN VALVES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 914 000		4005176326424	41.11
	<b>Compression MI coupling for all basin and kitchen mixers</b> 15 mm x 3/8" including nut & olive			
	47 189 000	Chrome	4005176010330	40.38
	<b>Non-return valve</b> multi-packaging: 2 pieces <b>GROHE Long-Life</b> finish			
	14 116 00M	Chrome	4005176006005	62.13
	<b>Non-return valve 1/2"</b> multi-packaging: 2 pieces			
	14 117 00M		4005176006012	171.27
	<b>Backflow preventer</b> multi-packaging: 2 pieces			

# GROHE SPARE PARTS FOR ELECTRONICS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 229 000	Chrome	4005176299223	178.55
	<b>Solenoid valve</b> for Europlus E			

	42 886 000	Chrome	4005176200670	34.55
	<b>Battery</b> 6V lithium battery, type CR-P2			

# GROHE DIVERTERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	08 915 000	Chrome	4005176020124	68.59
	<b>Diverter</b> for single-lever and thermostatic bath mixer 1/2", wall mounted automatic diverter: bath/shower			
	46 058 000	Chrome	4005176008467	53.40
	<b>Diverter</b> for universal single-lever mixer for concealed installation 1/2" bath including diverter knob until 2010 <b>GROHE Long-Life</b> finish			

# GROHE HOSES










Ref. No.	Colour	EAN	Retail Guide Price (£)
48 293 000	Chrome	4005176358593	41.30
			
<p><b>Hose for sink mixer with pull-out dual spray or mousseur</b> <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position including weight and knurled nuts G 1/2 approx. 1425 mm M15 x 1 <b>GROHE Long-Life</b> finish</p>			

# GROHE SPARE PARTS FOR KITCHEN TAPS




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 586 SD0	stainless steel	4005176563430	22.16
	<b>Turning handle</b> for kitchen sinks with automatic waste fitting including fixation form: square 46 x 46 mm GROHE Long-Life finish			
	42 587 SD0	stainless steel	4005176563447	21.89
	<b>Turning handle</b> for kitchen sinks with automatic waste fitting including fixation form: round Ø 46 mm GROHE Long-Life finish			
	46 575 000	Chrome	4005176830099	128.08
	<b>K4 Hand shower</b> GROHE Long-Life finish			



# GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 817 000	Chrome	4005176602962	12.58
	<b>Adapter 1/2" x 1/4"</b> female thread 3/4" x 1/2" male thread <b>GROHE Long-Life</b> finish			
	06 765 000	Chrome	4005176831973	61.03
	<b>Sliding piece</b> suitable for shower rails of Relaxa, Rainshower and Euphoria range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE Long-Life</b> finish			
 	07 659 000	Chrome	4005176003707	62.29
	<b>Sliding piece</b> suitable for shower rails of Tempesta range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE Long-Life</b> finish			
	12 140 000	Chrome	4005176288319	50.10
	<b>Sliding piece</b> suitable for shower rails with diameter of 22 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE Long-Life</b> finish			
	45 650 IPO	chrome/ matt chrome	4005176137228	61.70
	<b>Sliding piece</b> suitable for shower rails Relaxa 28 620/28 621 with diameter of 27.8 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE Long-Life</b> finish			
 	12 435 000	Chrome	4005176272141	98.97
	<b>Relaxa Plus</b> <b>Gliding element with metal sleeve</b> for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut <b>GROHE Long-Life</b> finish			

# GROHE SPARE PARTS FOR SHOWERS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	48 099 000	Chrome	4005176908583	16.63
	<b>Sliding piece</b> suitable for shower rails of Tempesta range with diameter of 21.8 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life finish			
	48 177 000	Chrome	4005176924248	50.93
	<b>Sliding piece</b> suitable for shower rails range with diameter 24.7 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life finish			
	45 363 000	Chrome	4005176112324	7.81
	<b>Cover Cap</b> for shower rail Relexa and Tempesta ø 25 mm			

# GROHE MISCELLANEOUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	48 165 000	Chrome	4005176921797	11.06
	<b>Base plate</b> for single-hole wash basin / bidet mixers for covering larger diameters chrome finish			
	07 264 00M	Chrome	4005176228797	8.34
	<b>Filter</b> multi-packaging: 2 pieces			
	49 002 00M		4005176372193	8.86
	<b>Temperature limiter</b> GROHE SafeStop Plus at 43°C contains two types of temperature limiters to be retrofitted in thermostat handles 10 pcs.			
	07 587 000	Chrome	4005176229015	14.66
	<b>Slider</b>			

# GROHE SPECIAL TOOLS


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>19 332 000</b>	<b>Chrome</b>	<b>4005176823695</b>	<b>35.99</b>
-------------------	---------------	----------------------	--------------

### Socket Spanner

34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge  
32 mm for disassembly of 35 mm cartridge



<b>36 407 001</b>	<b>Chrome</b>	<b>4005176368974</b>	<b>204.21</b>
-------------------	---------------	----------------------	---------------

### Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018

#### monitoring

consumption and usage data  
thermal disinfection cycles (infrared mixers)  
auto flush cycles (infrared mixers)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)

#### configuration

cleaning mode activation  
thermal disinfection (infrared mixers)  
detection range (infrared mixers)  
shut off delay (infrared mixers)  
auto flush (infrared mixers)  
filter capacity (GROHE Blue Home)

#### service

send and save profile  
reset to factory or user settings  
service details  
demo mode  
error codes (GROHE Blue Home)  
3 x 1.5 V DC (AAA) battery supply

# GROHE CLEANING AND CARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------





45 937 000	Chrome	4005176279683	16.16
<b>Grohe Special grease</b> 25 g sales unit 15 pieces			










48 166 000		4005176923197	21.22
<b>Grohclean</b> <b>Detergent for fittings and bathrooms</b> 500 ml spray bottle based on citric acid in display box sales unit 10 pieces			

# GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 303 000	Chrome	4005176835391	90.49
	<b>Skate</b> <b>Flush plate</b> for retrofit for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for dual flush or start & stop actuation <b>for vertical and horizontal installation</b> 156 x 197 mm material: ABS <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow			
	42 304 000	Chrome	4005176835469	83.98
	<b>Skate Air</b> <b>Flush plate</b> for dual flush or start & stop actuation for retrofit for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) <b>for vertical installation</b> 156 x 197 mm material: ABS <b>GROHE Long-Life</b> finish <b>GROHE Water Saving</b> - Less water, perfect flow			
	42 305 000	Chrome	4005176835490	87.75
	<b>Skate Air</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for horizontal installation 156 x 197 mm material: ABS <b>GROHE Water Saving</b> - Less water, perfect flow <b>GROHE Long-Life</b> finish			
	42 740 000		4005176230653	444.11
	<b>Solenoid Valve</b>			
	43 544 000	Chrome	4005176157738	17.62
	<b>Outlet piston</b>			
	43 506 000		4005176157356	10.06
	<b>Bellow</b>			




# GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 593 000		4005176566417	34.81
	<b>Valve seat</b> reduces flow of the flush easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2			
	42 764 00M	Chrome	4005176222092	16.95
	<b>Threaded bolt</b> for WC fixation for Rapid SL 1.13 m multi-packaging: 2 pieces			
	42 233 000	Chrome	4005176300653	17.32
	<b>Connecting hose</b>			
	42 310 000	Chrome	4005176835599	7.56
	<b>Sealing washer</b> for pneumatic drop valve			
	43 758 00M	Chrome	4005176159121	32.74
	<b>Membrane</b> filling valve multi-packaging: 10 pieces			
 	37 119 000	black	4005176144370	4.50
	<b>Connector</b> Ø 55 mm			





# GROHE SPARE PARTS FOR SANITARY SYSTEMS

Ref. No.	Colour	EAN	Retail Guide Price (£)
43 352 000		4005176832413	6.61



**43 352 000**  
**Flush pipe 300 mm**  
length 300 mm

# GROHE SPARE PARTS FOR SHOWER TOILET

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	14 917 000	Chrome	4005176307607	103.60
	<b>Connecting PIPE</b> for Sensia IGS shower WC system flush- and waste pipe			
	14 926 002		4005176572128	352.01
	<b>GROHE Sensia Arena Remote control</b> for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung including wall holder			
	101458 SH0 0	alpine white	4067393003243	107.57
	<b>Sensia Remote control</b> for Sensia shower toilet system including wall holder professional edition			

# GROHE SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	49 516 000		4005176373381	27.71
	<b>Mounting set</b> for floor standing bidet/WC 39 428 000, 39 429 000, 39 430 000, 39 431 000, 39 432 000, 39 349 000, 39 329 000, 39 329 00H, 39 340 000, 39 340 00H, 39 339 000, 39 339 00H, 39 484 00H, 39 485 00H, 39 487 00H contains 2 pieces			
	49 510 000		4005176373329	74.57
	<b>Fixing set</b> for Euro Ceramic wall hung WC 203 mm 39 328 000, 39 328 00H			
	49 024 000	Chrome	4005176454196	80.65
	<b>Fixing set</b> for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H			
 	37 095 000	Chrome	4005176145124	41.61
	<b>Filling valve</b> 3/8" universal application			
	49 526 000	Chrome	4005176421129	13.98
	<b>Dual flush push button</b> for ceramic cistern 39 436 000 39 437 000 39 333 000 39 332 000			

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
<b>00</b>				<b>12</b>			
00 798 000	4005176229008	627	41.21	103998 000 0	4067393034384	211, 257	1,382.33
<b>06</b>				103999 999 0	4067393034391	257, 572	price on request
06 188 000	4005176002519	631	76.10	<b>13</b>			
06 765 000	4005176831973	646	61.03	12 051 000	4005176213588	483, 497	61.62
<b>07</b>				12 140 000	4005176288319	646	50.10
07 000 000	4005176016899	625	105.78	12 400 000	4005176004582	635	67.46
07 025 000	4005176016929	631	37.31	12 433 000	4005176272752	629	94.86
07 052 000	4005176003370	640	21.01	12 435 000	4005176272141	364, 646	98.97
07 146 000	4005176017261	630	12.77	12 693 000	4005176829918	635	32.02
07 182 000	4005176017438	640	18.42	<b>14</b>			
07 264 00M	4005176228797	648	8.34	14 014 000	4005176929274	302	61.75
07 341 000	4005176017728	640	26.85	14 048 000	4005176413483	254, 261	85.40
07 587 000	4005176229015	648	14.66	14 053 00M	4005176413513	254	41.32
07 659 000	4005176003707	646	62.29	14 055 000	4005176413520	161, 254	104.69
<b>08</b>				14 056 000	4005176466298	254, 634	96.42
08 915 000	4005176020124	643	68.59	14 057 000	4005176466304	255, 634	118.46
<b>10</b>				14 058 000	4005176466311	255, 634	46.83
10 099 00M	4005176812965	633	14.64	14 074 000	4005176575365	516, 549	42.80
101458 SH0 0	4067393003243	512, 654	107.57	14 116 00M	4005176006005	641	62.13
101520 999 0	4067393003496	513	28.68	14 117 00M	4005176006012	641	171.27
101546 999 0	4067393003731	513	60.95	14 917 000	4005176307607	654	103.60
101547 999 0	4067393003748	513	15.54	14 926 002	4005176572128	515, 654	352.01
101548 999 0	4067393003755	513	16.73	<b>18</b>			
101694 243 0	4067393014034	109	price on request	18 121 000	4005176815812	635	62.04
101699 000 0	4067393014164	109	104.46	18 608 001	40051769885140	223	53.70
101699 243 0	4067393014171	109	135.80	18 862 000	4005176028120	635	76.07
101729 000 0	4067393012221	109	179.27	<b>19</b>			
101729 243 0	4067393012238	109	233.06	19 025 000	4005176209154	36, 59	70.25
101755 000 0	4067393013303	109	120.13	19 332 000	4005176823695	649	35.99
101755 243 0	4067393013310	109	156.17	19 345 001	4005176888953	91	180.55
102166 KF0 0	4067393018773	201	871.75	19 346 001	4005176889080	91	196.93
102167 KF0 0	4067393018780	202	942.92	19 381 000	4005176874673	115	211.47
102168 KF0 0	4067393018797	212	647.58	19 382 000	4005176874697	119	144.19
102169 KF0 0	4067393018902	212	589.32	19 383 000	4005176874765	119	129.00
102202 243 0	4067393018827	128, 238	244.18				
102203 243 0	4067393018834	129, 238	317.09				
102208 243 0	4067393018889	216	619.51				
102209 243 0	4067393018896	213	619.51				
102210 243 0	4067393019008	216	619.51				
102211 243 0	4067393019015	214	619.51				
102212 243 0	4067393019022	216	555.75				
102215 243 0	4067393019053	213	555.75				
102218 243 0	4067393019084	311	239.28				
102251 243 0	4067393019749	172	75.56				
102256 243 0	4067393019787	171	58.85				
102257 243 0	4067393019794	171	88.05				
102460 243 0	4067393021728	173	26.00				
102461 243 0	4067393021735	171	47.50				
102465 243 0	4067393021766	175	62.61				
102468 243 0	4067393021797	176	77.72				
102469 243 0	4067393021902	175	47.50				
102470 243 0	4067393021919	170	38.86				
102471 243 0	4067393021926	174	75.56				
102472 243 0	4067393021933	175	56.14				
102473 243 0	4067393021940	173	129.54				
102530 243 1	4067393022121	353	76.47				
103993 999 0	4067393034339	256, 572	525.88				
103994 999 0	4067393034346	257, 572	597.59				
103995 000 0	4067393034353	214, 256	757.80				
103996 000 0	4067393034360	217, 256	757.80				
103997 000 0	4067393034377	211, 257	1,382.33				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
19 408 001	4005176307133	69	240.88	20 187 000	4005176874680	115	230.28
19 408 A01	4005176426209	69	361.32	20 201 000	4005176883354	156	121.30
19 408 AL1	4005176426193	69	385.41	20 203 000	4005176883378	156	106.99
19 408 DA1	4005176426179	69	361.32	20 205 000	4005176883682	156	99.05
19 408 DC1	4005176369964	69	337.23	20 208 002	4005176886980	95	301.06
19 408 DL1	4005176426186	69	385.41	20 216 001	4005176888373	88	272.44
19 408 GL1	4005176426155	69	361.32	20 296 001	4005176307072	68	306.43
19 408 GN1	4005176426162	69	385.41	20 296 AL1	4067393033622	68	490.30
19 409 001	4005176409158	32	286.39	20 296 DA1	4067393033639	68	459.66
19 409 AL1	4005176586170	32	458.24	20 296 DC1	4067393033646	68	429.02
19 409 DC1	4005176412752	32	400.96	20 296 DL1	4067393033653	68	490.30
19 470 000	4005176848018	260, 632	80.15	20 296 GL1	4067393033660	68	459.66
19 506 002	4005176887185	98	192.35	20 296 GN1	4067393033677	68	490.30
19 506 003	4005176334399	107	179.64	20 301 003	4005176529757	53	364.06
19 507 002	4005176887079	98	175.62	20 304 001	4005176409141	31	368.58
19 507 003	4005176334337	107	164.41	20 393 001	4005176842993	152	78.77
19 571 002	4005176886973	95	257.58	20 404 001	4005176842986	152	45.70
19 571 003	4005176334269	103	275.64	20 421 001	4005176556173	137	66.08
19 573 002	4005176887659	82	249.52	20 421 10M	4005176556180	137	116.56
19 575 001	4005176888366	88	229.77	20 422 001	4005176529504	144	66.08
19 576 002	4005176429088	92	820.59	20 474 001	4005176556463	140	192.81
19 577 001	4005176409233	34	978.39	20 575 000	4005176388422	150	60.12
19 577 AL1	4005176586224	34	1,565.43	<b>21</b>			
19 577 DC1	4005176412820	34	1,369.74	21 375 001	4005176843037	152	100.10
19 577 EN1	4005176413018	34	1,565.43	21 390 001	4005176843006	152	186.72
19 578 001	4005176307195	76	869.00	<b>22</b>			
19 578 A01	4005176426520	76	1,303.51	22 012 000	4005176906343	49, 618	56.57
19 578 AL1	4005176426513	76	1,390.40	22 012 AL0	4005176585944	49, 618	90.50
19 578 DA1	4005176426490	76	1,303.51	22 012 DC0	4005176525742	49, 618	79.19
19 578 DC1	4005176371103	76	1,216.61	22 013 000	4005176909689	49, 618	56.57
19 578 DL1	4005176426506	76	1,390.40	22 016 00M	4005176940606	617	64.07
19 578 GL1	4005176426476	76	1,303.51	22 017 00M	4005176940613	617	63.24
19 578 GN1	4005176426483	76	1,390.40	22 018 000	4005176305382	616	5.98
19 808 001	4005176843204	154	27.67	22 023 000	4005176305405	616	7.21
19 809 001	4005176853876	154	27.67	22 029 000	4005176305467	617	6.27
19 830 000	4005176030697	259, 631	33.93	22 032 000	4005176305481	617	6.88
19 831 000	4005176030703	260, 631	33.93	22 035 000	4005176305511	619	26.23
19 840 000	4005176030758	260, 632	31.23	22 037 000	4005176305535	616	8.07
19 841 000	4005176030765	260, 632	39.62	22 043 000	4005176305597	616	8.77
19 895 000	4005176901072	43	306.30	22 046 000	4005176305627	616	8.97
19 895 AL0	4005176585494	43	490.07	22 054 001	4005176554162	144	84.76
19 897 001	4005176429101	47	1,206.47	22 074 KFO	4005176782640	616	56.49
19 897 AL1	4005176585548	47	1,930.35	22 115 000	4005176775529	357	12.37
19 897 DC1	4005176525087	47	1,689.06	22 117 KFO	4005176782497	361	54.45
19 910 000	4005176987014	48	62.87	22 118 KFO	4005176782503	363	85.09
19 952 000	4005176174230	36, 59	66.83	22 119 KFO	4005176782510	276	1,370.98
19 952 A00	4005176352874	160, 530	302.32	22 120 KFO	4005176782527	280	1,573.16
19 952 AL0	4005176353376	36, 59	322.48	22 121 KFO	4005176782558	306	600.23
19 952 DA0	4005176351945	160, 530	302.32	22 122 KFO	4005176782565	306	600.23
19 952 DC0	4005176467776	36, 59	282.17	22 123 KFO	4005176782572	304	836.17
19 952 DL0	4005176468124	160, 530	322.48	22 124 KFO	4005176782589	305	836.17
19 952 GL0	4005176352423	160, 530	302.32	22 125 KFO	4005176782619	329, 359	171.52
19 952 GN0	4005176468117	160, 530	322.48	22 126 KFO	4005176782626	337	80.12
19 954 000	4005176175732	161	17.16	22 127 KFO	4005176782633	322	126.12
19 965 001	4005176409240	35	790.49	22 939 000	4005176829369	617	14.54
19 967 001	4005176307140	70	271.38	22 940 000	4005176829376	617	12.51
19 967 A01	4005176426285	70	407.06	<b>23</b>			
19 967 AL1	4005176426278	70	434.20	23 037 002	4005176886355	93	150.53
19 967 DA1	4005176426254	70	407.06	23 039 002	4005176886881	93	110.41
19 967 DC1	4005176369971	70	379.92	23 043 003	4005176472732	94	210.65
19 967 DL1	4005176426261	70	434.20	23 048 003	4005176429132	99	928.40
19 967 GL1	4005176426230	70	407.06	23 049 002	4005176887536	80	199.60
19 967 GN1	4005176426247	70	434.20	23 051 002	4005176887567	80	126.41
19 976 001	4005176307218	77	608.31	23 054 003	4005176472596	81	249.46
<b>20</b>							
20 186 001	4005176874437	152	76.36				



# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
23 060 001	4005176888021	85	196.93	23 448 002	4005176998744	81	227.18
23 106 001	4005176409110	31	235.86	23 449 002	4005176998768	81	220.71
23 106 AL1	4005176586149	31	377.37	23 450 001	4005176998775	87	179.83
23 106 DC1	4005176412721	31	330.20	23 451 001	4005176998799	87	173.17
23 127 00E	4005176901591	41	247.00	23 456 003	4005176613272	122	93.09
23 132 00E	4005176906725	41	240.42	23 462 001	4005176306907	65	219.54
23 135 00E	4005176906732	42	296.41	23 462 A01	4005176425325	65	329.30
23 137 000	4005176901096	41	194.28	23 462 AL1	4005176426070	65	351.26
23 138 000	4005176901133	43	247.00	23 462 DA1	4005176426056	65	329.30
23 140 000	4005176901157	44	326.03	23 462 DC1	4005176369933	65	307.35
23 140 AL0	4005176585531	44	586.86	23 462 DL1	4005176426063	65	351.26
23 140 DC0	4005176525056	44	521.65	23 462 GL1	4005176426032	65	329.30
23 141 000	4005176901164	44	391.91	23 462 GN1	4005176426049	65	351.26
23 145 000	4005176901270	43	279.95	23 463 001	4005176306914	65	213.44
23 145 AL0	4005176585524	43	447.93	23 491 001	4005176307263	78	1,372.11
23 145 DC0	4005176525049	43	391.94	23 491 A01	4005176407598	78	2,058.17
23 200 000	4005176908354	43, 54	279.24	23 491 AL1	4005176407604	78	2,195.38
23 200 002	4005176519901	43, 54	279.14	23 491 DA1	4005176407574	78	2,058.17
23 296 001	4005176409127	31	329.37	23 491 DC1	4005176371127	78	1,920.95
23 296 DC1	4005176412738	31	461.12	23 491 DL1	4005176426599	78	2,195.38
23 302 000	4005176923876	99, 492	379.44	23 491 GL1	4005176407581	78	2,058.17
23 319 000	4005176931192	253	274.09	23 491 GN1	4005176426582	78	2,195.38
23 322 003	4005176613302	125	111.71	23 537 003	4005176613395	126	160.05
23 323 003	4005176613319	126	105.40	23 541 001	4005176313912	66	234.78
23 324 003	4005176613326	125	105.40	23 559 001	4005176556326	138	84.76
23 325 000	4005176933974	112	130.54	23 564 003	4005176334146	100	152.24
23 327 000	4005176934094	112	124.48	23 569 003	4005176334238	102	228.35
23 328 001	4005176556241	137	84.76	23 570 003	4005176334245	102	283.16
23 330 001	4005176556302	137	79.01	23 570 LS3	4005176334474	102	368.11
23 331 001	4005176556494	141	84.76	23 571 000	4005176334276	32, 69	279.00
23 335 001	4005176529566	144	84.76	23 589 001	4005176339172	62	187.52
23 337 001	4005176555725	144	79.01	23 590 001	4005176339189	62	181.42
23 338 001	4005176555893	147	84.76	23 590 A01	4005176426001	62	272.14
23 372 003	4005176613241	124	91.29	23 590 AL1	4005176425998	62	290.27
23 373 20E	4005176936661	94	143.85	23 590 DA1	4005176425875	62	272.14
23 374 003	4005176334153	101	146.15	23 590 DC1	4005176369926	62	253.99
23 374 20E	4005176936678	94	150.53	23 590 DL1	4005176425882	62	290.27
23 374 LS3	4005176334450	101	189.99	23 590 GL1	4005176425851	62	272.14
23 376 00E	4005176936623	112	107.78	23 590 GN1	4005176425868	62	290.27
23 377 00E	4005176936630	111	113.85	23 602 001	4005176556029	148	115.31
23 378 00E	4005176936647	112	107.53	23 604 001	4005176556593	142	115.31
23 380 10E	4005176938245	86	157.54	23 633 001	4005176555923	147	84.76
23 382 20E	4005176936708	81	192.95	23 635 001	4005176556524	141	84.76
23 385 10E	4005176938269	86	150.98	23 657 000	4005176342110	37	298.33
23 387 20E	4005176938382	93	150.53	23 672 001	4005176429002	47	1,853.62
23 390 00E	4005176938436	41	247.00	23 672 AL1	4005176585555	47	2,965.80
23 393 30E	4005176613340	125	111.71	23 672 DC1	4005176525094	47	2,595.07
23 394 30E	4005176613364	126	105.40	23 707 003	4005176364778	100	139.51
23 395 30E	4005176613357	125	105.40	23 709 003	4005176365003	101	139.51
23 396 00E	4005176938504	113	130.54	23 715 003	4005176365065	102	132.85
23 405 001	4005176409134	31	351.33	23 718 003	4005176365096	102	217.55
23 405 AL1	4005176586163	31	562.12	23 719 003	4005176365119	103	270.71
23 405 DC1	4005176412745	31	491.86	23 720 003	4005176365157	104	139.51
23 406 000	4005176941658	42	343.79	23 722 003	4005176365188	104	154.45
23 406 AL0	4005176584671	42	550.08	23 725 003	4005176365249	107	179.37
23 406 DC0	4005176524998	42	481.32	23 726 003	4005176365256	105	189.32
23 427 000	4005176993619	79	251.98	23 730 003	4005176365324	108	192.65
23 429 000	4005176993695	157, 253	288.93	23 739 002	4005176472602	87	266.95
23 432 000	4005176993763	81	347.28	23 743 003	4005176613401	127	153.75
23 444 001	4005176411977	32	309.92	23 751 000	4005176388149	150	83.50
23 444 AL1	4005176586187	32	495.87	23 752 000	4005176388156	150	80.16
23 444 DC1	4005176412769	32	433.90	23 753 000	4005176388163	150	120.62
23 445 000	4005176998706	41	260.25	23 754 000	4005176388170	150	83.50
23 445 AL0	4005176584657	41	416.41	23 755 000	4005176388187	151	85.94
23 445 DC0	4005176524974	41	364.36	23 756 000	4005176388392	151	103.56
23 446 000	4005176998720	41	253.85	23 757 001	4005176556340	139	117.11
23 447 000	4005176998737	43	321.32	23 760 001	4005176556418	139	117.11

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
23 761 001	4005176556449	140	138.13	23 976 003	4005176644160	126	237.82
23 762 001	4005176555763	145	102.10	23 980 003	4005176644207	133, 486	114.10
23 763 001	4005176555800	146	126.12	23 981 003	4005176644214	133, 486	128.23
23 764 001	4005176555848	147	138.13	23 982 003	4005176644245	135, 489	114.10
23 790 001	4005176408380	30	221.12	23 983 003	4005176644313	135, 490	128.23
23 791 001	4005176409097	30	221.12	23 984 003	4005176643835	134, 489	185.88
23 791 AL1	4005176586125	30	353.79	23 985 003	4005176643842	134, 489	199.99
23 791 DC1	4005176412707	30	309.56	23 986 003	4005176643859	132, 485	185.88
23 792 001	4005176409257	35	1,819.38	23 987 003	4005176644344	133, 486	199.99
23 792 AL1	4005176586231	35	2,911.02	23 988 003	4005176644351	132, 485	142.64
23 792 DC1	4005176412837	35	2,547.14	23 989 003	4005176644368	132, 485	156.75
23 792 EN1	4005176413001	35	2,911.02	24			
23 797 001	4005176415531	63	187.52	24 042 003	4005176613616	130	140.53
23 843 003	4005176496547	52	381.68	24 043 003	4005176613548	130	154.64
23 843 DC3	4005176574085	52	534.35	24 044 000	4005176465185	118	144.45
23 844 003	4005176496554	53	381.68	24 045 000	4005176465291	118	158.89
23 846 003	4005176496684	58	1,785.09	24 046 003	4005176465307	106	157.30
23 846 AL3	4005176585722	58	2,856.13	24 047 003	4005176465321	106	173.04
23 846 DC3	4005176574177	58	2,499.12	24 048 003	4005176465345	106	159.15
23 851 003	4005176496523	52	328.83	24 048 LS3	4005176465352	106	206.90
23 851 AL3	4005176585623	52	526.13	24 049 003	4005176465369	106	175.07
23 851 DC3	4005176574078	52	460.37	24 049 LS3	4005176465376	106	227.60
23 870 003	4005176529719	51	234.89	24 051 002	4005176465383	98	170.48
23 871 003	4005176529726	51	293.60	24 052 002	4005176465390	98	187.53
23 871 AL3	4005176585616	51	469.76	24 053 001	4005176465406	90	171.16
23 871 DC3	4005176574061	51	411.04	24 054 001	4005176465413	90	188.28
23 872 003	4005176529733	51	293.60	24 055 002	4005176465420	79, 83	177.77
23 873 003	4005176529986	52	328.83	24 056 002	4005176465437	79, 84	195.55
23 877 001	4005176554025	145	84.76	24 059 003	4005176529832	56	223.13
23 878 001	4005176554032	144	84.76	24 059 AL3	4005176585708	56	357.02
23 879 001	4005176554049	145	84.76	24 059 DC3	4005176574153	56	312.39
23 883 001	4005176554179	145	84.76	24 060 003	4005176529825	56	234.89
23 885 001	4005176554216	146	102.10	24 060 AL3	4005176585692	56	375.80
23 886 001	4005176554247	146	102.10	24 060 DC3	4005176574146	56	328.83
23 887 001	4005176554254	146	102.10	24 061 000	4005176465680	37, 44	208.77
23 891 001	4005176554322	147	126.12	24 061 AL0	4005176585586	44	334.02
23 894 001	4005176554896	138	84.76	24 062 000	4005176465697	38, 45	229.64
23 895 001	4005176554902	137	84.76	24 062 AL0	4005176585579	45	367.44
23 896 001	4005176554919	138	84.76	24 062 DC0	4005176553905	45	321.50
23 899 001	4005176555022	138	84.76	24 063 001	4005176465703	33	212.15
23 911 001	4005176555237	140	117.11	24 063 AL1	4005176586248	33	339.43
23 917 001	4005176555787	146	97.59	24 063 DC1	4005176465727	33	297.01
23 920 001	4005176583421	88	255.24	24 064 001	4005176465710	34	233.36
23 921 000	4005176583438	114	208.45	24 064 AL1	4005176586255	34	373.38
23 922 003	4005176613227	122	97.59	24 064 DC1	4005176465734	34	326.70
23 923 003	4005176613333	125	111.71	24 075 000	4005176465987	216	427.51
23 924 003	4005176613265	123	97.59	24 076 000	4005176465994	216	476.54
23 925 000	4005176583353	110	108.80	24 077 000	4005176466007	216	476.54
23 926 000	4005176583360	113	125.98	24 078 000	4005176466038	213	427.51
23 927 000	4005176583377	112	109.08	24 079 000	4005176466045	213	476.54
23 928 000	4005176583384	113	124.48	24 080 000	4005176466052	214	476.54
23 929 003	4005176583995	100	141.18	24 092 001	4005176480522	75	239.47
23 930 003	4005176584008	101	147.90	24 092 A01	4005176481291	75	359.21
23 931 001	4005176584015	85	151.04	24 092 AL1	4005176481307	75	383.16
23 932 001	4005176584022	87	173.26	24 092 DA1	4005176480560	75	359.21
23 933 001	4005176584039	114	168.94	24 092 DC1	4005176480539	75	335.26
23 958 003	4005176605642	50	829.69	24 092 DL1	4005176480577	75	383.16
23 959 003	4005176605659	50	866.11	24 092 GL1	4005176480546	75	359.21
23 965 003	4005176611544	121	97.59	24 092 GN1	4005176480553	75	383.16
23 967 003	4005176611568	121	91.29	24 093 003	4005176530050	56	264.24
23 968 003	4005176611575	121	97.59	24 093 AL3	4005176585760	56	422.79
23 969 003	4005176613180	121	97.59	24 093 DC3	4005176574214	56	369.94
23 970 003	4005176613418	126	160.05	24 094 000	4005176480638	38, 45	256.99
23 971 003	4005176613425	127	216.20	24 094 AL0	4005176585593	45	411.19
23 972 001	4005176634451	139	82.58	24 094 DC0	4005176574047	45	359.80
23 974 003	4005176644252	124	97.59	24 095 001	4005176480645	34	260.11
23 975 003	4005176644153	125, 473	375.35				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
24 095 AL1	4005176586262	34	416.16	24 173 DC1	4005176711282	65	307.35
24 095 DC1	4005176480652	34	364.14	24 173 DL1	4005176711299	65	351.26
24 153 000	4005176481178	38, 45	555.75	24 173 GL1	4005176711312	65	329.30
24 153 AL0	4005176585913	38, 45	889.20	24 173 GN1	4005176711329	65	351.26
24 153 DC0	4005176574221	38, 45	778.05	24 174 001	4005176698330	66	240.88
24 154 000	4005176481185	39, 46	619.51	24 174 A01	4005176711527	66	361.32
24 154 AL0	4005176585920	39, 46	991.21	24 174 AL1	4005176711534	66	385.41
24 154 DC0	4005176574238	39, 46	867.31	24 174 DA1	4005176711558	66	361.32
24 155 000	4005176481192	39, 46	619.51	24 174 DC1	4005176711565	66	337.23
24 155 AL0	4005176585937	39, 46	991.21	24 174 DL1	4005176711572	66	385.41
24 155 DC0	4005176574245	39, 46	867.31	24 174 GL1	4005176711596	66	361.32
24 167 001	4005176698422	74	211.72	24 174 GN1	4005176711602	66	385.41
24 167 A01	4005176712227	74	317.57	24 175 001	4005176698347	63	187.52
24 167 AL1	4005176712234	74	338.74	24 176 001	4005176698378	65	213.44
24 167 DA1	4005176712258	74	317.57	24 176 KF1	4005176782367	65	298.82
24 167 DC1	4005176712265	74	296.40	24 177 001	4005176698408	66	234.78
24 167 DL1	4005176712272	74	338.74	24 177 KF1	4005176782350	66	328.70
24 167 GL1	4005176712296	74	317.57	24 178 001	4005176698415	70	187.52
24 167 GN1	4005176712302	74	338.74	24 178 A01	4005176711701	70	281.28
24 167 KF1	4005176782343	74	296.40	24 178 AL1	4005176711718	70	300.03
24 168 001	4005176698453	74	192.46	24 178 DA1	4005176712388	70	281.28
24 168 A01	4005176712135	74	288.70	24 178 DC1	4005176712395	70	262.53
24 168 AL1	4005176712142	74	307.95	24 178 DL1	4005176712401	70	300.03
24 168 DA1	4005176712166	74	288.70	24 178 GL1	4005176712425	70	281.28
24 168 DC1	4005176712173	74	269.46	24 178 GN1	4005176712432	70	300.03
24 168 DL1	4005176712180	74	307.95	24 179 001	4005176698439	63	187.52
24 168 GL1	4005176712203	74	288.70	24 180 001	4005176698446	63	187.52
24 168 GN1	4005176712210	74	307.95	24 183 001	4005176698491	64	187.52
24 168 KF1	4067393019855	74	269.46	24 192 003	4005176723964	124	112.24
24 169 001	4005176698477	75	239.47	24 193 001	4005176723971	139	97.48
24 169 A01	4005176712319	75	359.21	24 395 KF1	4005176782428	71	262.53
24 169 AL1	4005176712326	75	383.16	25			
24 169 DA1	4005176712340	75	359.21	25 098 003	4005176644290	130	183.32
24 169 DC1	4005176712357	75	335.26	25 098 2433	4067393016205	130	304.49
24 169 DL1	4005176712364	75	383.16	25 105 003	4005176644306	130	211.52
24 169 GL1	4005176711503	75	359.21	25 128 000	4005176905209	117	197.42
24 169 GN1	4005176711510	75	383.16	25 129 000	4005176905216	118	225.63
24 170 001	4005176698293	67	326.25	25 216 001	4005176556654	143	169.21
24 170 A01	4005176711619	67	489.39	25 217 001	4005176556661	143	197.42
24 170 AL1	4005176711626	67	522.02	25 241 003	4005176644221	133, 487	141.73
24 170 DA1	4005176711640	67	489.39	25 242 003	4005176644238	134, 487	123.41
24 170 DC1	4005176711657	67	456.77	25 243 003	4005176644320	135, 490	141.73
24 170 DL1	4005176711664	67	522.02	25 244 003	4005176644337	136, 490	123.41
24 170 GL1	4005176711688	67	489.39	25 248 001	4005176698255	77	1,372.11
24 170 GN1	4005176711695	67	522.02	25 248 A01	4005176711336	77	2,058.17
24 170 KF1	4005176782374	67	456.77	25 248 AL1	4005176711343	77	2,195.38
24 171 001	4005176698309	62	187.52	25 248 DA1	4005176711367	77	2,058.17
24 171 A01	4005176711428	62	281.28	25 248 DC1	4005176711374	77	1,920.95
24 171 AL1	4005176711435	62	300.03	25 248 DL1	4005176711381	77	2,195.38
24 171 DA1	4005176711459	62	281.28	25 248 GL1	4005176711404	77	2,058.17
24 171 DC1	4005176711466	62	262.53	25 248 GN1	4005176711411	77	2,195.38
24 171 DL1	4005176711473	62	300.03	25 248 KF1	4067393019862	77	1,920.95
24 171 GL1	4005176711497	62	281.28	25 249 001	4005176698262	73	304.91
24 171 GN1	4005176712036	62	300.03	25 250 001	4005176698354	72	254.60
24 172 001	4005176698316	62	181.42	25 250 A01	4005176712449	72	381.90
24 172 A01	4005176712043	62	272.14	25 250 AL1	4005176712456	72	407.36
24 172 AL1	4005176712050	62	290.27	25 250 DA1	4005176712470	72	381.90
24 172 DA1	4005176712074	62	272.14	25 250 DC1	4005176712487	72	356.44
24 172 DC1	4005176712081	62	253.99	25 250 DL1	4005176712494	72	407.36
24 172 DL1	4005176712098	62	290.27	25 250 GL1	4005176711169	72	381.90
24 172 GL1	4005176712111	62	272.14	25 250 GN1	4005176711176	72	407.36
24 172 GN1	4005176712128	62	290.27	25 250 KF1	4005176782404	72	356.44
24 172 KF1	4005176782398	62	253.99	25 251 001	4005176698361	76	869.00
24 173 001	4005176698323	65	219.54	25 251 A01	4005176711824	76	1,303.51
24 173 A01	4005176712005	65	329.30	25 251 AL1	4005176711831	76	1,390.40
24 173 AL1	4005176712012	65	351.26	25 251 DA1	4005176711855	76	1,303.51
24 173 DA1	4005176711275	65	329.30				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
25 251 DC1	4005176711862	76	1,216.61	26 145 000	4005176986000	320	101.64
25 251 DL1	4005176711114	76	1,390.40	26 146 000	4005176986017	320	101.64
25 251 GL1	4005176711893	76	1,303.51	26 161 003	4005176680649	341	27.27
25 251 KF1	4067393019879	76	1,216.61	26 162 003	4005176680489	343	64.30
25 252 001	4005176698385	71	207.34	26 163 003	4005176768507	345	71.85
25 252 A01	4005176711183	71	311.01	26 164 003	4005176767487	347	40.24
25 252 AL1	4005176711190	71	331.75	26 171 000	4005176997310	308	483.81
25 252 DA1	4005176711213	71	311.01	26 187 000	4005176310744	286	850.71
25 252 DC1	4005176711220	71	290.27	26 243 000	4005176316326	287	606.78
25 252 DL1	4005176711237	71	331.75	26 250 000	4005176316999	273	1,760.39
25 252 GL1	4005176711251	71	311.01	26 250 LSO	4005176317002	273	1,760.39
25 252 GN1	4005176711268	71	331.75	26 254 000	4005176317026	274, 304	730.73
25 252 KF1	4005176782381	71	290.27	26 254 LSO	4005176409806	274, 304	730.73
25 275 002	4005176766510	97	234.92	26 256 000	4005176318597	307	834.91
25 276 003	4005176766527	129	160.64	26 257 000	4005176317927	307	606.44
25 279 000	4005176766565	159, 488	354.81	26 264 001	4005176417108	274, 304	132.85
25 286 003	4005176766794	105	233.24	26 267 001	4005176444197	311	65.78
25 287 000	4005176791635	75	854.70	26 302 002	4005176767005	292	407.26
25 287 AL0	4005176791802	75	1,367.51	26 305 002	4005176767043	294	479.63
25 287 DA0	4005176791819	75	1,282.03	26 308 001	4005176843129	153	69.00
25 287 DC0	4005176791796	75	1,196.57	26 330 001	4005176843112	153	91.27
25 287 DL0	4005176791826	75	1,367.51	26 334 001	4005176775338	356	26.60
25 287 GL0	4005176791833	75	1,282.03	26 335 001	4005176775321	356	29.93
25 287 GN0	4005176791840	75	1,367.51	26 346 001	4005176775314	356	33.22
25 288 000	4005176791642	118, 131	528.93	26 352 000	4005176333835	353	39.03
25 289 000	4005176791659	40, 47	624.43	26 353 000	4005176333866	353	43.18
25 290 000	4005176791666	142	526.79	26 354 000	4005176333873	353	48.16
25 291 000	4005176791673	142	556.90	26 355 ILO	4005176333880	354	32.39
25 450 001	4005176843372	153	131.18	26 356 ILO	4005176333903	354	38.20
25 452 001	4005176843075	153	137.97	26 357 000	4005176333927	354	86.36
25 460 10A	4005176456541	153	159.55	26 358 000	4005176333941	354	132.85
<b>26</b>				26 361 000	4005176347580	273	1,594.32
26 050 001	4005176444166	318	52.82	26 361 LSO	4005176409707	273	1,594.32
26 051 001	4005176443954	318	59.31	26 370 000	4005176341380	364	46.50
26 052 000	4005176937064	309	452.36	26 370 DA0	4005176556845	364	74.40
26 056 000	4005176937101	308	627.66	26 370 GL0	4005176556876	364	74.40
26 062 000	4005176937163	309	452.36	26 385 000	4005176375057	275, 303	17.65
26 063 000	4005176937170	309	452.36	26 405 000	4005176385162	339	113.59
26 066 000	4005176937200	308	627.66	26 406 003	4005176680793	347	58.20
26 066 A00	4005176427237	308	1,004.27	26 408 000	4005176390111	317	103.95
26 066 AL0	4005176427220	308	1,067.03	26 409 000	4005176390128	317	103.95
26 066 DA0	4005176427206	308	1,004.27	26 410 000	4005176390142	317	103.95
26 066 DC0	4005176371172	308	878.74	26 412 000	4005176390173	311	184.06
26 066 DL0	4005176427213	308	1,067.03	26 443 000	4005176409875	274	1,760.39
26 066 GL0	4005176427183	308	1,004.27	26 443 LSO	4005176409882	274	1,760.39
26 066 GN0	4005176427190	308	1,067.03	26 449 000	4005176409790	212, 275	162.82
26 067 000	4005176937217	308	627.66	26 452 002	4005176767067	296	265.38
26 067 A00	4005176427312	308	1,004.27	26 455 000	4005176416903	315, 336	152.72
26 067 AL0	4005176427305	308	1,067.03	26 457 000	4005176416934	315, 336	152.72
26 067 DA0	4005176427282	308	1,004.27	26 458 000	4005176416958	309, 335	253.55
26 067 DC0	4005176371189	308	878.74	26 459 000	4005176416965	309, 335	253.55
26 067 DL0	4005176427299	308	1,067.03	26 461 000	4005176416989	309, 335	201.60
26 067 GL0	4005176427268	308	1,004.27	26 468 000	4005176423963	316	172.27
26 067 GN0	4005176427275	308	1,067.03	26 472 000	4005176424908	314	593.45
26 073 000	4005176937279	310, 340	276.74	26 475 000	4005176423758	304	597.26
26 075 001	4005176648014	283	684.64	26 475 A00	4005176557095	304	955.62
26 075 A00	4005176425387	283	1,296.63	26 475 AL0	4005176557101	304	1,015.35
26 075 AL0	4005176425370	283	1,377.67	26 475 DA0	4005176557125	304	955.62
26 075 DA0	4005176425356	283	1,296.63	26 475 DC0	4005176526237	304	836.17
26 075 DC0	4005176371219	283	1,134.56	26 475 DL0	4005176557132	304	1,015.35
26 075 DL0	4005176425363	283	1,377.67	26 475 GL0	4005176557156	304	955.62
26 075 GL0	4005176425332	283	1,296.63	26 475 GN0	4005176557163	304	1,015.35
26 075 GN0	4005176425349	283	1,377.67	26 475 LSO	4005176425899	304	784.70
26 087 000	4005176940828	286	1,342.22	26 477 000	4005176423772	305	597.26
26 090 001	4005176443992	312	81.17	26 477 A00	4005176557170	305	955.62
26 130 004	4005176680915	348	30.05	26 477 AL0	4005176557187	305	1,015.35
				26 477 DA0	4005176557200	305	955.62

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
26 477 DC0	4005176526244	305	836.17	26 560 GLO	4005176557712	306	685.97
26 477 DLO	4005176557217	305	1,015.35	26 560 GNO	4005176557729	306	728.85
26 477 GLO	4005176557231	305	955.62	26 561 000	4005176481758	313	351.62
26 477 GNO	4005176557248	305	1,015.35	26 561 LSO	4005176482137	313	457.11
26 477 LSO	4005176425912	305	784.70	26 562 000	4005176481765	313	351.62
26 479 000	4005176425196	305	629.03	26 563 000	4005176481772	307	459.58
26 479 A00	4005176557255	305	1,006.46	26 564 000	4005176481789	307	459.58
26 479 AL0	4005176557262	305	1,069.36	26 564 A00	4005176557736	307	873.20
26 479 DA0	4005176557286	305	1,006.46	26 564 AL0	4005176557743	307	919.16
26 479 DC0	4005176526251	305	880.66	26 564 DA0	4005176557767	307	735.32
26 479 DLO	4005176557293	305	1,069.36	26 564 DLO	4005176557774	307	919.16
26 479 GLO	4005176557316	305	1,006.46	26 564 GLO	4005176557798	307	735.32
26 479 GNO	4005176557323	305	1,069.36	26 564 GNO	4005176557804	307	919.16
26 479 LSO	4005176425936	305	816.47	26 565 000	4005176482090	307	459.58
26 481 000	4005176425219	305	629.03	26 566 000	4005176482106	307	459.58
26 481 A00	4005176557330	305	1,006.46	26 566 A00	4005176557811	307	873.20
26 481 AL0	4005176557347	305	1,069.36	26 566 AL0	4005176557828	307	919.16
26 481 DA0	4005176557361	305	1,006.46	26 566 DA0	4005176557842	307	735.32
26 481 DC0	4005176526268	305	880.66	26 566 DC0	4005176526282	307	781.28
26 481 DLO	4005176557378	305	1,069.36	26 566 DLO	4005176557859	307	919.16
26 481 GLO	4005176557392	305	1,006.46	26 566 GLO	4005176557873	307	735.32
26 481 GNO	4005176557408	305	1,069.36	26 566 GNO	4005176557880	307	919.16
26 481 LSO	4005176425950	305	816.47	26 567 000	4005176482113	313	382.47
26 483 000	4005176425103	306	123.90	26 567 LSO	4005176482151	313	497.20
26 484 000	4005176425110	306	123.90	26 568 000	4005176482120	313	382.47
26 507 000	4005176457586	58, 280	1,123.68	26 568 LSO	4005176482168	313	497.20
26 507 A00	4005176557415	280	1,910.26	26 569 000	4005176482175	313	351.62
26 507 AL0	4005176557422	58, 280	2,022.64	26 569 EN0	4005176482182	313	597.76
26 507 DA0	4005176557446	280	1,910.26	26 570 000	4005176482199	313	382.47
26 507 DC0	4005176526374	58, 280	1,685.53	26 570 EN0	4005176482205	313	650.19
26 507 DLO	4005176557453	280	2,022.64	26 574 000	4005176485916	322	90.08
26 507 GLO	4005176557477	280	1,910.26	26 574 A00	4005176558450	322	153.14
26 507 GNO	4005176557484	280	2,022.64	26 574 AL0	4005176558467	322	162.15
26 507 LSO	4005176457609	58, 280	1,298.10	26 574 DA0	4005176558481	322	153.14
26 508 000	4005176457593	59, 281	1,123.68	26 574 DC0	4005176526459	322	135.13
26 508 A00	4005176557491	281	1,910.26	26 574 DLO	4005176558498	322	162.15
26 508 AL0	4005176557507	59, 281	2,022.64	26 574 GLO	4005176558511	322	153.14
26 508 DA0	4005176557521	281	1,797.89	26 574 GNO	4005176558528	322	162.15
26 508 DC0	4005176526367	59, 281	1,685.53	26 574 LSO	4005176485923	322	90.08
26 508 DLO	4005176557538	281	2,022.64	26 575 000	4005176485947	322	192.48
26 508 GLO	4005176557552	281	1,797.89	26 578 000	4005176485985	323	197.53
26 508 GNO	4005176557569	281	2,022.64	26 578 LSO	4005176486197	323	197.53
26 508 LSO	4005176457616	59, 281	1,298.10	26 579 LSO	4005176486203	323	198.13
26 509 000	4005176457623	282	975.01	26 580 000	4005176486210	323	148.63
26 510 000	4005176457630	282	1,135.12	26 580 LSO	4005176486227	323	148.63
26 513 000	4005176457722	331	76.56	26 581 000	4005176486234	323	126.12
26 544 000	4005176478888	322	89.63	26 581 LSO	4005176486241	323	126.12
26 546 000	4005176479816	322	191.88	26 582 000	4005176486258	324	90.08
26 550 000	4005176479854	324	89.63	26 582 A00	4005176558535	324	153.14
26 552 000	4005176486272	324	91.43	26 582 AL0	4005176558542	324	162.15
26 553 000	4005176479885	327	112.42	26 582 DA0	4005176558566	324	144.14
26 557 000	4005176481710	306	428.73	26 582 DC0	4005176526466	324	135.13
26 558 000	4005176481727	306	428.73	26 582 DLO	4005176558573	324	162.15
26 558 A00	4005176557576	306	685.97	26 582 GLO	4005176558597	324	144.14
26 558 AL0	4005176557583	306	728.85	26 582 GNO	4005176558603	324	162.15
26 558 DA0	4005176557606	306	685.97	26 582 LSO	4005176486265	324	90.08
26 558 DC0	4005176526299	306	600.23	26 583 000	4005176486289	324	191.88
26 558 DLO	4005176557613	306	728.85	26 584 000	4005176486296	324	192.48
26 558 GLO	4005176557637	306	685.97	26 584 LSO	4005176486302	325	192.48
26 558 GNO	4005176557644	306	728.85	26 585 000	4005176486319	324	195.37
26 559 000	4005176481734	306	428.73	26 586 000	4005176486333	325	197.53
26 560 000	4005176481741	306	428.73	26 586 LSO	4005176486357	325	197.53
26 560 A00	4005176557651	306	685.97	26 587 000	4005176486340	325	198.13
26 560 AL0	4005176557668	306	728.85	26 587 LSO	4005176486364	325	198.13
26 560 DA0	4005176557682	306	685.97	26 588 000	4005176486371	326	148.63
26 560 DC0	4005176526305	306	600.23	26 588 LSO	4005176486388	326	148.63
26 560 DLO	4005176557699	306	728.85	26 589 000	4005176486395	326	126.12

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
26 589 LSO	4005176486401	326	126.12	26 694 001	4005176766244	300	281.41
26 590 000	4005176486418	327	113.35	26 699 001	4005176766992	291	407.26
26 591 000	4005176486425	327	227.97	26 723 000	4005176648021	284	684.64
26 592 000	4005176486449	327	228.57	26 746 003	4005176680892	348	27.27
26 592 LSO	4005176486432	327	228.57	26 748 003	4005176681288	350	64.30
26 593 000	4005176486456	328	234.40	26 749 004	4005176681301	350	70.37
26 594 000	4005176486470	328	235.00	26 759 004	4005176680625	344	62.05
26 594 LSO	4005176486463	328	235.00	26 771 003	4005176680373	345	81.75
26 602 000	4005176486531	328, 359	116.51	26 811 001	4005176766985	291	397.43
26 603 000	4005176486548	329, 359	122.52	26 818 001	4005176766909	290	420.54
26 603 A00	4005176558696	329, 359	245.02	26 833 001	4005176766893	290	465.77
26 603 AL0	4005176558702	329, 359	269.54	26 837 DA0	4005176950148	277	1,566.84
26 603 DA0	4005176558726	329, 359	245.02	26 837 GL0	4005176950155	277	1,566.84
26 603 DL0	4005176558733	329, 359	269.54	26 902 003	4005176767395	348	27.26
26 603 EN0	4005176558740	329, 359	269.54	26 904 003	4005176767449	350	71.04
26 603 GL0	4005176558757	329, 359	245.02	26 905 003	4005176767456	350	71.04
26 603 GN0	4005176558764	329, 359	269.54	26 907 003	4005176768231	349	74.06
26 608 000	4005176518577	281	1,068.75	26 908 003	4005176768262	351	71.85
26 638 003	4005176768460	343	74.06	26 909 003	4005176768279	351	81.75
26 639 003	4005176680304	346	49.06	26 910 003	4005176768316	352	58.20
26 647 000	4005176533013	276	979.27	26 914 003	4005176768378	341	36.12
26 647 LSO	4005176533051	276	1,126.17	26 915 003	4005176768422	343	64.30
26 648 000	4005176533020	276	979.27	26 917 003	4005176768477	342	81.74
26 649 000	4005176533037	277	979.27	26 918 003	4005176768484	342	84.09
26 652 000	4005176533044	277	979.27	26 919 003	4005176767463	343	42.13
26 657 000	4005176533075	277	1,126.17	26 920 003	4005176767470	346	46.06
26 658 000	4005176533082	363	67.92	26 921 003	4005176767494	347	48.56
26 658 A00	4005176950001	363	108.66	26 971 001	4005176768187	352, 360	77.31
26 658 AL0	4005176950018	363	115.46	26 975 001	4005176766213	299	592.24
26 658 DA0	4005176950025	363	108.66	26 976 001	4005176766251	301	281.41
26 658 DC0	4005176950032	363	95.07	26 977 001	4005176766862	301	272.78
26 658 DL0	4005176950049	363	115.46	26 978 001	4005176766923	293	592.24
26 658 GL0	4005176950056	363	108.66	26 979 001	4005176766961	295	281.41
26 658 GN0	4005176950063	363	115.46	26 980 001	4005176766978	296	272.78
26 659 A00	4005176950070	364	108.66	27			
26 659 AL0	4005176950087	364	115.46	27 055 000	4005176830433	360	52.05
26 659 DA0	4005176950094	364	108.66	27 056 000	4005176830440	360	34.05
26 659 DC0	4005176950100	364	95.07	27 057 000	4005176830457	363	60.78
26 659 DL0	4005176950117	364	115.46	27 057 A00	4005176338953	363	97.26
26 659 GL0	4005176950124	364	108.66	27 057 AL0	4005176338960	363	103.33
26 659 GN0	4005176950131	364	115.46	27 057 DA0	4005176338939	363	97.26
26 662 000	4005176580499	317	144.14	27 057 DC0	4005176371196	363	85.09
26 663 000	4005176580505	310	237.42	27 057 DL0	4005176426940	363	103.33
26 664 000	4005176580512	310	191.69	27 057 GL0	4005176338946	363	97.26
26 666 000	4005176580536	317	129.12	27 057 GN0	4005176426933	363	103.33
26 668 000	4005176580550	310	222.42	27 058 000	4005176830464	279	843.60
26 668 2430	4067393015758	310	289.14	27 062 000	4005176831669	315, 330	242.47
26 669 000	4005176580567	310	176.67	27 074 000	4005176833083	361	38.90
26 669 2430	4067393015765	310	229.68	27 074 A00	4005176338991	361	62.23
26 670 001	4005176766879	289	465.77	27 074 AL0	4005176339004	361	66.12
26 670 2431	4067393015970	289	605.50	27 074 BE0	4005176834325	361	62.23
26 671 001	4005176766886	289	493.34	27 074 DA0	4005176338977	361	62.23
26 672 001	4005176766916	292	603.57	27 074 DC0	4005176374487	361	54.45
26 673 001	4005176766930	293	424.43	27 074 DL0	4005176427091	361	66.12
26 674 001	4005176766947	294	562.24	27 074 EN0	4005176834301	361	66.12
26 675 001	4005176766954	295	281.41	27 074 GL0	4005176338984	361	62.23
26 681 000	4005176580680	317	144.14	27 074 GN0	4005176427084	361	66.12
26 682 000	4005176580697	311	237.42	27 074 LSO	4005176873591	361	50.42
26 683 000	4005176580703	311	191.69	27 075 000	4005176833090	361	38.90
26 685 000	4005176580727	317	129.12	27 075 A00	4067393030515	361	62.23
26 687 000	4005176580741	311	222.42	27 075 AL0	4067393030522	361	66.12
26 688 000	4005176580758	311	176.67	27 075 DA0	4067393030539	361	62.23
26 689 001	4005176766176	297	465.77	27 075 DC0	4067393030546	361	54.45
26 690 001	4005176766183	298	493.34	27 075 DL0	4067393030553	361	66.12
26 691 001	4005176766206	298	603.57	27 075 GL0	4067393030560	361	62.23
26 692 001	4005176766220	299	424.43	27 075 GN0	4067393030577	361	66.12
26 693 001	4005176766237	300	562.24				



# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
27 076 000	4005176833106	363	60.78	27 541 001	4005176451676	318	96.32
27 076 A00	4005176950186	363	97.26	27 571 003	4005176680908	348	27.27
27 076 AL0	4005176950193	363	103.33	27 571 30E	4005176680847	348	27.27
27 076 DA0	4005176950209	363	97.26	27 572 003	4005176744372	348	36.14
27 076 DC0	4005176950216	363	85.09	27 574 003	4005176744389	348	36.14
27 076 DL0	4005176950223	363	103.33	27 576 003	4005176768248	349	81.74
27 076 GL0	4005176950230	363	97.26	27 578 003	4005176681295	350	64.30
27 076 GN0	4005176954016	363	103.33	27 578 30E	4005176680939	350	64.30
27 102 000	4005176600074	367	52.17	27 579 003	4005176767371	349	74.01
27 134 000	4005176836060	315	149.80	27 584 003	4005176768293	351	54.85
27 135 000	4005176836077	315	152.59	27 588 003	4005176768309	352	50.98
27 135 EN0	4005176836084	315	259.40	27 591 001	4005176443985	318	73.85
27 137 001	4005176933295	356	32.99	27 595 001	4005176681097	360	22.68
27 151 000	4005176837012	361	115.55	27 596 000	4005176895944	336, 365	7.53
27 174 001	4005176877162	279	1,369.06	27 597 003	4005176680656	341	27.27
27 180 000	4005176839306	303, 366	50.09	27 597 30E	4005176681011	341	27.27
27 206 000	4005176845444	365	22.62	27 598 003	4005176680496	343	64.30
27 220 000	4005176854118	332	50.46	27 598 30E	4005176680632	343	64.30
27 221 000	4005176854125	331	63.08	27 600 003	4005176680755	342	81.74
27 221 001	4005176457708	331	69.89	27 601 003	4005176680403	346	48.19
27 222 000	4005176854132	331	73.04	27 601 30E	4005176680397	346	46.00
27 224 000	4005176854156	332	36.53	27 606 001	4005176444180	317	67.14
27 225 001	4005176899508	334	123.49	27 615 002	4005176647970	285	594.55
27 226 001	4005176899515	334	129.17	27 615 KF2	4067393030218	285	832.38
27 227 001	4005176899522	334	139.14	27 644 003	4005176680526	343	74.01
27 230 001	4005176899546	333	114.79	27 646 003	4005176680366	345	71.85
27 231 001	4005176899553	333	120.51	27 646 30E	4005176680359	345	71.85
27 232 001	4005176899560	332	130.47	27 693 000	4005176907043	361	29.89
27 237 000	4005176854286	316, 336	86.96	27 698 000	4005176907098	339	57.43
27 238 000	4005176854293	332	53.94	27 699 000	4005176907104	339	57.43
27 239 000	4005176854323	331	70.05	27 700 000	4005176907111	339	253.93
27 239 001	4005176457715	331	76.56	27 702 000	4005176907135	340	97.09
27 242 001	4005176899782	333	114.79	27 703 000	4005176907142	340	97.09
27 243 001	4005176899799	333	120.51	27 704 000	4005176907159	363	34.44
27 265 000	4005176856983	332	36.53	27 705 000	4005176907166	316, 340	172.25
27 265 00E	4005176885693	332	36.53	27 709 000	4005176909092	320	126.98
27 266 001	4005176899812	333	100.91	27 711 000	4005176909115	321	108.32
27 266 00E	4005176890710	333	100.91	27 786 003	4005176768224	349	74.01
27 267 001	4005176899829	334	109.58	27 788 003	4005176680564	351	71.85
27 296 003	4005176647963	284	594.55	27 789 003	4005176768286	351	81.75
27 354 000	4005176874444	335	66.09	27 794 003	4005176680700	343	74.01
27 355 000	4005176874451	335	121.77	27 796 003	4005176680380	345	81.75
27 367 000	4005176875939	337	57.23	27 799 003	4005176677250	347	40.24
27 368 000	4005176875946	337	204.94	27 799 30E	4005176680427	347	40.24
27 369 000	4005176875953	337	79.16	27 803 30E	4005176677267	346	42.12
27 389 003	4005176767081	297	247.50	27 812 IL1	4005176333897	354	34.05
27 400 000	4005176877292	337	57.23	27 841 000	4005176916670	340, 359	235.27
27 406 000	4005176600166	321	52.57	27 849 003	4005176680311	346	53.07
27 421 002	4005176417924	288	517.78	27 852 003	4005176680991	342	21.58
27 470 000	4005176882531	314	560.27	27 853 003	4005176680557	344	56.61
27 475 002	4005176647840	285	750.22	27 854 003	4005176680342	345	60.50
27 477 000	4005176883286	314	593.45	27 869 001	4005176444005	312	87.95
27 478 000	4005176883293	314	593.45	27 891 000	4005176921209	339	298.74
27 484 000	4005176885488	321	80.02	27 892 000	4005176921216	359	224.04
27 485 000	4005176885495	321	68.02	27 923 003	4005176768323	342	21.58
27 488 000	4005176885525	320	92.04	27 924 003	4005176768392	344	56.61
27 492 000	4005176885556	316, 337	156.54	27 925 003	4005176768491	345	60.50
27 499 000	4005176886041	335, 336	58.49	27 926 003	4005176680748	343	74.06
27 500 000	4005176886058	335, 336	61.71	27 927 003	4005176680762	342	84.08
27 512 001	4005176333804	353	23.25	27 928 003	4005176680786	349	74.06
27 513 001	4005176333842	353	41.51	27 929 003	4005176768255	349	81.74
27 513 DC1	4067393033356	353	111.33	27 964 000	4005176929595	287	759.23
27 513 DL1	4067393029045	353	135.50	27 966 001	4005176532993	278	1,190.51
27 514 001	4005176333910	354	84.70	27 968 001	4005176533006	278	1,190.51
27 523 001	4005176680809	352, 359	51.72				
27 524 001	4005176681035	352, 360	54.31				
27 531 000	4005176889486	362	144.57				
				<b>28</b>			
				28 002 000	4005176858796	319, 330	228.02

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
28 020 L01	4005176333828	353	16.61	28 912 000	4005176266751	36, 60	104.04
28 025 001	4005176933387	355	42.32	28 912 AL0	4005176467844	36, 60	166.48
28 094 000	4005176601132	318, 330	44.12	28 912 DC0	4005176467905	36, 60	145.66
28 105 001	4005176933301	355	29.68	28 912 DL0	4005176467899	640	166.48
28 139 001	4005176933318	355	32.98	28 912 GN0	4005176467875	640	166.48
28 140 001	4005176933325	355	36.28	28 920 000	4005176603914	640	48.17
28 142 002	4005176933332	355	32.86	28 939 000	4005176209161	161	124.73
28 143 001	4005176933349	355	36.15	28 943 000	4005176209178	161, 530	164.11
28 143 KS1	4005176934179	355	50.60	28 948 000	4005176209871	319, 330	268.21
28 143 LS1	4005176935084	355	47.02	28 982 000	4005176829987	320	160.10
28 145 001	4005176933356	355	42.74	28 988 000	4005176042805	366, 483	47.02
28 146 000	4005176121753	357	51.02	28 990 000	4005176174025	160	177.33
28 150 002	4005176605598	357	14.25	28 991 000	4005176174032	160, 530	305.45
28 151 002	4005176605581	357	17.11	28 993 000	4005176174056	160	69.20
28 151 L02	4005176775512	357	22.24	28 995 000	4005176175725	160	335.67
28 154 002	4005176605574	357	19.96	<b>29</b>			
28 155 002	4005176605567	357	22.82	29 007 000	4005176837678	483	199.72
28 158 001	4005176775543	357	50.82	29 025 002	4005176519895	253	291.48
28 161 002	4005176775482	356	27.59	29 032 000	4005176845277	259	37.94
28 214 004	4005176681004	342	24.35	29 033 000	4005176845338	252, 260	311.16
28 233 000	4005176868016	316, 338	100.83	29 037 000	4005176865749	34, 35	924.58
28 261 003	4005176680533	341	36.14	29 037 002	4005176519918	57, 252	921.32
28 361 000	4005176295157	320	117.02	29 078 001	4005176556555	141	136.75
28 362 001	4005176933264	356	23.12	29 079 001	4005176556692	142	152.84
28 362 A01	4005176775437	356	36.99	29 080 001	4005176555961	148	136.75
28 362 BE1	4005176775444	356	36.99	29 081 001	4005176556081	148	152.84
28 362 DA1	4005176775451	356	36.99	29 086 000	4005176935497	35, 47	406.28
28 362 DC1	4005176775475	356	32.36	29 094 000	4005176354106	482	322.19
28 362 GL1	4005176775468	356	36.99	29 095 000	4005176354113	482	328.83
28 362 KF1	4005176782596	356	32.36	29 096 000	4005176354120	482	265.72
28 364 001	4005176933271	356	26.41	29 097 003	4005176365133	103	262.40
28 368 000	4005176267253	314	404.10	29 098 003	4005176365225	107	157.77
28 368 00E	4005176867385	314	404.10	29 099 003	4005176365300	108	172.71
28 368 LSO	4005176997242	314	501.08	29 118 000	4005176412240	205	571.85
28 373 000	4005176267277	314	404.10	29 118 A00	4005176493010	205	857.77
28 388 001	4005176933288	356	29.69	29 118 AL0	4005176455049	205	914.96
28 388 A01	4005176775383	356	47.51	29 118 DA0	4005176492990	205	857.77
28 388 BE1	4005176775390	356	47.51	29 118 DC0	4005176455032	205	800.59
28 388 DA1	4005176775406	356	47.51	29 118 DL0	4005176493003	205	914.96
28 388 DC1	4005176775420	356	41.58	29 118 GL0	4005176492976	205	857.77
28 388 GL1	4005176775413	356	47.51	29 118 GN0	4005176492983	205	914.96
28 388 KF1	4005176782602	356	41.58	29 119 000	4005176412257	206	622.68
28 409 002	4005176605536	357	19.96	29 119 A00	4005176493089	206	934.02
28 410 002	4005176605529	357	22.82	29 119 AL0	4005176455063	206	996.30
28 413 002	4005176605512	357	25.67	29 119 DA0	4005176493065	206	934.02
28 417 001	4005176933363	355	39.02	29 119 DC0	4005176455056	206	871.75
28 419 003	4005176681042	341	36.14	29 119 DL0	4005176493072	206	996.30
28 422 004	4005176680663	341	30.05	29 119 GL0	4005176493041	206	934.02
28 429 000	4005176601910	321, 494	49.92	29 119 GN0	4005176493058	206	996.30
28 438 004	4005176680502	344	67.08	29 120 000	4005176412264	206	747.22
28 497 000	4005176270338	321	81.24	29 121 000	4005176412271	207	673.52
28 576 000	4005176274022	320	92.04	29 121 A00	4005176493225	207	1,010.28
28 605 001	4005176767586	361	17.67	29 121 AL0	4005176455100	207	1,077.62
28 621 000	4005176041273	359	120.09	29 121 DA0	4005176493201	207	1,010.28
28 628 001	4005176681141	364	35.47	29 121 DC0	4005176455094	207	942.92
28 631 000	4005176019142	365	53.47	29 121 DL0	4005176493218	207	1,077.62
28 671 001	4005176681110	363	35.57	29 121 GL0	4005176493188	207	1,010.28
28 679 001	4005176681479	364	50.89	29 121 GN0	4005176493195	207	1,077.62
28 680 001	4005176681332	363	50.89	29 122 000	4005176412288	207	410.96
28 724 000	4005176812644	321	60.98	29 122 A00	4005176515231	207	616.46
28 778 000	4005176820526	314	773.90	29 122 AL0	4005176455124	207	657.55
28 796 000	4005176824296	330	155.18	29 122 BE0	4005176493232	207	616.46
28 799 000	4005176602511	367	76.44	29 122 DA0	4005176515217	207	616.46
28 817 000	4005176602962	646	12.58	29 122 DC0	4005176455117	207	575.35
28 856 000	4005176603495	365	40.44	29 122 DL0	4005176515224	207	657.55
28 874 000	4005176042348	366, 483	20.65	29 122 EN0	4005176413728	207	657.55
28 910 000	4005176603846	639	55.22				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
29 122 GL0	4005176515194	207	616.46	29 510 KF0	4005176781704	639	75.61
29 122 GN0	4005176515200	207	657.55	29 800 000	4005176504839	48, 154	25.47
29 123 000	4005176413292	201	571.85	29 801 000	4005176504846	48, 155	25.47
29 123 A00	4005176558054	201	857.77	29 802 000	4005176504853	48, 154	47.13
29 123 AL0	4005176558061	201	914.96	29 804 000	4005176504877	48, 155	47.13
29 123 DL0	4005176558092	201	914.96	29 805 000	4005176504884	48, 154	73.65
29 123 GN0	4005176558122	201	914.96	29 811 000	4005176062711	48, 260	23.12
29 124 000	4005176413308	201	622.68	29 904 LSO	4005176413568	209	838.72
29 124 A00	4005176558139	201	934.02	30			
29 124 AL0	4005176558146	201	996.30	30 008 001	4005176843242	154	38.46
29 124 DA0	4005176558160	201	934.02	30 058 001	4005176989162	398	1,995.18
29 124 DC0	4005176526329	201	871.75	30 058 DC1	4005176989179	398	2,294.46
29 124 DL0	4005176558177	201	996.30	30 064 001	4005176843259	425	44.33
29 124 GL0	4005176558191	201	934.02	30 098 001	4005176843266	154, 425	45.80
29 124 GN0	4005176558207	201	996.30	30 193 000	4005176919459	418	139.32
29 125 000	4005176413315	202	747.22	30 193 DC0	4005176938559	418	181.13
29 126 000	4005176413322	202	673.52	30 199 000	4005176922022	419	142.70
29 126 A00	4005176558290	202	1,010.28	30 208 000	4005176927836	495	306.11
29 126 AL0	4005176558306	202	1,077.62	30 219 002	4005176466540	402	850.87
29 126 DA0	4005176558320	202	1,010.28	30 219 DC2	4005176466557	402	1,106.14
29 126 DC0	4005176526343	202	942.92	30 221 002	4005176984235	417	166.07
29 126 DL0	4005176558337	202	1,077.62	30 260 003	4005176635434	422	126.12
29 126 GL0	4005176558351	202	1,010.28	30 273 001	4005176314964	415	331.43
29 126 GN0	4005176558368	202	1,077.62	30 273 DC1	4005176314971	415	430.86
29 127 000	4005176413339	203	410.96	30 274 000	4005176314988	408	301.95
29 127 A00	4005176558375	203	616.46	30 274 A00	4005176488658	408	422.73
29 127 AL0	4005176558382	203	657.55	30 274 AL0	4005176488665	408	452.93
29 127 DC0	4005176526350	203	575.35	30 274 DA0	4005176488672	408	422.73
29 127 DL0	4005176558412	203	657.55	30 274 DC0	4005176314995	408	392.54
29 127 GN0	4005176558443	203	657.55	30 274 DL0	4005176488689	408	452.93
29 150 LSO	4005176413544	208	737.06	30 294 000	4005176341472	405	586.15
29 151 LSO	4005176413551	208	787.88	30 294 A00	4005176488054	405	820.60
29 152 LSO	4005176413575	209	520.00	30 294 AL0	4005176488061	405	879.22
29 153 LSO	4005176413582	203	737.06	30 294 DA0	4005176488498	405	820.60
29 156 LSO	4005176413599	204	787.88	30 294 DC0	4005176341489	405	761.99
29 157 LSO	4005176413605	204	838.72	30 294 DL0	4005176488504	405	879.22
29 158 LSO	4005176413612	205	520.00	30 294 GL0	4005176488078	405	820.60
29 192 001	4005176698279	69	240.88	30 294 GN0	4005176488085	405	879.22
29 192 A01	4005176711732	69	361.32	30 305 001	4005176635465	421	186.18
29 192 AL1	4005176711749	69	385.41	30 305 DC1	4005176635472	421	242.03
29 192 DA1	4005176711763	69	361.32	30 309 000	4005176351235	401	289.81
29 192 DC1	4005176711770	69	337.23	30 321 DGO	4005176438219	405	81.41
29 192 DL1	4005176711787	69	385.41	30 321 DPO	4005176438264	405	81.41
29 192 GL1	4005176711800	69	361.32	30 321 DU0	4005176438257	405	81.41
29 192 GN1	4005176711817	69	385.41	30 321 GEO	4005176438271	405	81.41
29 192 KF1	4005176782411	69	337.23	30 321 HGO	4005176385742	405	81.41
29 193 001	4005176698286	69	271.38	30 321 MW0	4005176385728	405	81.41
29 193 A01	4005176711916	69	407.06	30 321 TY0	4005176438240	405	81.41
29 193 AL1	4005176711923	69	434.20	30 321 XCO	4005176385735	405	81.41
29 193 DA1	4005176711947	69	407.06	30 321 YFO	4005176438233	405	81.41
29 193 DC1	4005176711954	69	379.92	30 321 YRO	4005176438226	405	81.41
29 193 DL1	4005176711961	69	434.20	30 328 001	4005176414107	397	2,071.93
29 193 GL1	4005176711985	69	407.06	30 340 001	4005176414893	397	2,148.66
29 193 GN1	4005176711992	69	434.20	30 341 001	4005176414916	398	1,995.18
29 193 KF1	4067393019886	69	379.92	30 341 DC1	4005176414923	398	2,294.46
29 303 003	4005176529764	54	286.55	30 468 000	4005176635755	420	183.32
29 303 AL3	4005176585654	54	458.49	30 468 2430	4067393015161	420	281.07
29 303 DC3	4005176574108	54	401.18	30 503 000	4005176695698	405	586.15
29 306 003	4005176529771	54	305.34	30 503 DC0	4005176720178	405	761.99
29 307 003	4005176529993	57	968.88	30 503 KF0	4005176782695	405	820.60
29 307 AL3	4005176585715	57	1,550.20	30 504 000	4005176695704	406	415.18
29 307 DC3	4005176574160	57	1,356.42	30 504 A00	4005176720109	406	581.26
29 337 003	4005176613432	127	196.99	30 504 AL0	4005176720116	406	622.78
29 338 003	4005176613449	127	214.70	30 504 DA0	4005176720123	406	581.26
29 507 KF0	4005176782534	206	871.75	30 504 DC0	4005176720130	406	539.74
29 508 KF0	4005176782541	207	942.92	30 504 DL0	4005176720147	406	622.78
29 509 KF0	4005176782657	640	145.66				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
30 504 GL0	4005176720154	406	581.26	31 491 000	4005176343308	414	479.45
30 504 GN0	4005176720161	406	622.78	31 491 DC0	4005176343315	414	623.28
30 504 KF0	4005176782688	406	581.26	31 536 001	4005176478567	426	114.10
30 505 000	4005176695711	406	315.55	31 552 SD1	4005176623714	435	134.83
30 505 A00	4005176719738	406	441.76	31 562 SD1	4005176623721	435	239.92
30 505 AL0	4005176719745	406	473.31	31 563 SD1	4005176623738	433	299.98
30 505 DA0	4005176719752	406	441.76	31 564 SD1	4005176623745	434	239.92
30 505 DC0	4005176720062	406	410.20	31 565 SD1	4005176623752	434	254.94
30 505 DL0	4005176720079	406	473.31	31 571 SD1	4005176626029	433	254.94
30 505 GL0	4005176720086	406	441.76	31 572 SD1	4005176626036	433	324.00
30 505 GN0	4005176720352	406	473.31	31 574 SD1	4005176607080	431	333.01
30 505 KF0	4005176782671	406	441.76	31 575 SD1	4005176607097	431	411.08
30 506 000	4005176723667	421	145.03	31 576 SD1	4005176607103	431	381.06
30 538 000	4005176741104	426	165.15	31 577 SD1	4005176607110	432	381.06
30 580 000	4005176744891	389	240.95	31 578 SD1	4005176607127	432	299.98
30 581 000	4005176744907	389	495.28	31 580 SD1	4005176607134	432	390.07
30 582 000	4005176744914	389	602.38	31 581 SD1	4005176607141	429	1,198.12
30 583 000	4005176744921	389	267.72	31 582 SD1	4005176607158	429	1,198.12
30 583 DC0	4005176744938	389	307.88	31 583 SD1	4005176607165	429	807.75
30 584 000	4005176744945	390	522.06	31 584 SD1	4005176607172	430	897.84
30 586 000	4005176744969	390	1,505.92	31 585 SD1	4005176607189	430	1,198.12
30 587 000	4005176745263	390	1,864.47	31 586 SD1	4005176607196	430	1,047.98
30 588 000	4005176744983	391	388.19	31 588 SD1	4005176626043	434	339.02
30 589 000	4005176745270	391	642.52	31 593 002	4005176521942	402	668.55
30 590 000	4005176745003	391	441.73	31 593 DC2	4005176521959	402	869.11
30 590 DC0	4005176745010	391	508.00	31 613 000	4005176521973	407	465.43
30 590 KF0	4005176781728	391	508.00	31 613 A00	4005176523601	407	651.61
30 591 000	4005176745034	391	696.07	31 613 DC0	4005176521980	407	605.06
30 619 000	4005176763564	420	265.72	31 615 000	4005176523649	404	562.19
30 619 2430	4005176783869	420	345.44	31 615 A00	4005176523717	404	787.05
30 619 DC0	4005176763588	420	345.44	31 615 AL0	4005176523724	404	843.27
30 978 000	4005176098918	501	188.39	31 615 DA0	4005176523694	404	787.05
<b>31</b>				31 615 DC0	4005176523656	404	730.84
31 067 001	4005176845710	424	130.74	31 615 DL0	4005176523700	404	843.27
31 128 001	4005176886737	416	239.13	31 615 GL0	4005176523670	404	787.05
31 128 DC1	4005176891007	416	310.88	31 615 GN0	4005176523687	404	843.27
31 129 001	4005176886744	415	291.13	31 639 AP0	4005176520457	440	321.32
31 129 DC1	4005176891021	415	378.46	31 640 AP0	4005176520471	440	404.84
31 170 000	4005176889165	419	282.04	31 641 AP0	4005176521102	440	435.32
31 179 000	4005176889172	419	197.05	31 642 AP0	4005176521126	441	465.43
31 180 000	4005176889288	418	248.02	31 643 AP0	4005176521140	441	495.47
31 187 001	4005176843327	425	118.48	31 644 AP0	4005176521164	438	432.85
31 212 003	4005176466762	415	349.95	31 645 AP0	4005176521188	438	452.08
31 214 001	4005176891090	416	360.44	31 646 AP0	4005176521201	438	480.45
31 232 001	4005176478253	426	114.12	31 647 AP0	4005176521225	439	540.50
31 233 001	4005176478284	427	114.12	31 648 AP0	4005176521249	439	414.09
31 255 000	4005176901416	411	303.95	31 649 AP0	4005176521263	439	504.17
31 255 DC0	4005176994319	411	395.13	31 650 AP0	4005176521287	436	325.34
31 358 002	4005176465000	407	735.57	31 651 AP0	4005176521300	436	384.06
31 358 DC2	4005176465017	407	956.24	31 652 AP0	4005176521324	436	429.10
31 360 001	4005176343025	407	739.96	31 653 AP0	4005176521348	437	284.96
31 360 DC1	4005176343032	407	961.95	31 654 AP0	4005176521362	437	327.30
31 367 001	4005176478512	427	114.12	31 655 AP0	4005176521386	437	387.36
31 368 001	4005176478529	426	114.12	31 656 AP0	4005176521409	441	267.25
31 375 000	4005176934155	410	217.93	31 680 000	4005176530487	427	97.53
31 375 AL0	4005176488627	410	326.90	31 693 000	4005176530371	427	108.11
31 375 DC0	4005176934162	410	283.32	31 706 000	4005176530449	426	108.11
31 375 DL0	4005176488641	410	326.90	31 819 001	4005176843471	424	130.74
31 379 000	4005176938085	400	816.85	31 829 001	4005176845697	424	108.28
31 379 DC0	4005176938092	400	1,061.90	31 831 001	4005176843280	424	102.14
31 391 003	4005176635762	422	156.14	31 892 KF0	4005176782718	404	944.45
31 395 000	4005176304774	411	730.73	31 928 KF0	4005176782701	404	787.05
31 395 DC0	4005176304767	411	949.94	31 930 001	4005176843303	424	220.62
31 481 001	4005176466922	418	252.97	<b>32</b>			
31 483 002	4005176466809	414	274.31	32 067 000	4005176811142	409	246.00
31 483 DC2	4005176466816	414	356.60	32 109 001	4005176408373	30	221.12

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
32 109 AL1	4005176586118	30	353.79	32 663 DC3	4005176466861	414	340.74
32 109 DC1	4005176412691	30	309.56	32 700 001	4005176887994	90	196.93
32 114 001	4005176409103	30	235.86	32 750 000	4005176868238	423	118.63
32 114 DC1	4005176412714	30	330.20	32 752 000	4005176868252	423	118.63
32 154 003	4005176613258	123	91.29	32 762 000	4005176871023	495	128.74
32 168 000	4005176824425	409	244.20	32 763 000	4005176871030	495	128.74
32 168 DC0	4005176824432	409	317.44	32 765 000	4005176871054	495	278.87
32 202 10L	4005176903960	86	131.22	32 766 000	4005176871061	495	290.69
32 204 10E	4005176887345	85	157.54	32 767 000	4005176871078	496	327.33
32 207 001	4005176888878	85	124.73	32 768 000	4005176871689	496	327.33
32 208 001	4005176888908	88	157.54	32 770 000	4005176871702	496	287.91
32 210 001	4005176888939	89	157.54	32 771 000	4005176871719	496	366.79
32 211 001	4005176889028	89	196.93	32 772 000	4005176871726	497	331.29
32 212 001	4005176889035	90	242.89	32 773 000	4005176871733	496	343.15
32 213 001	4005176888960	91	196.93	32 774 000	4005176871740	496	382.57
32 214 001	4005176889097	91	213.36	32 775 000	4005176871757	497	398.31
32 224 003	4005176635786	422	156.14	32 776 000	4005176871764	495	291.82
32 229 002	4005176887055	96	150.53	32 778 000	4005176871788	496	303.69
32 240 10E	4005176906794	86	150.98	32 779 000	4005176871795	496	343.15
32 240 10L	4005176903977	86	157.54	32 786 000	4005176871863	423, 497	166.01
32 257 001	4005176834165	413	315.55	32 787 000	4005176871870	423, 497	166.01
32 257 002	4005176886591	412	325.63	32 788 000	4005176871887	499	276.08
32 259 003	4005176466908	412	262.82	32 789 000	4005176871894	499	256.36
32 294 002	4005176466496	402	486.21	32 790 000	4005176871900	499	354.97
32 294 DC2	4005176466502	402	632.08	32 792 000	4005176871924	500	469.32
32 321 002	4005176465109	408	252.89	32 793 000	4005176871931	500	489.06
32 321 AL2	4005176488740	408	379.32	32 795 000	4005176871955	499	441.72
32 321 DC2	4005176465116	408	328.75	32 823 000	4005176877995	499	437.74
32 321 DL2	4005176488764	408	379.32	32 824 000	4005176874604	110	107.53
32 321 GN2	4005176618529	408	379.32	32 824 00L	4005176917035	111	100.85
32 322 002	4005176465123	408	252.89	32 825 00E	4005176874628	110	113.85
32 322 AL2	4005176488825	408	379.32	32 825 00L	4005176917028	111	111.87
32 322 DC2	4005176465130	408	328.75	32 827 00E	4005176906565	111	107.53
32 322 DL2	4005176488849	408	379.32	32 830 001	4005176472749	113	166.93
32 467 003	4005176613210	122	91.29	32 831 000	4005176874703	116	136.62
32 467 243L	4067393017271	123	118.67	32 832 000	4005176874710	117	173.05
32 467 30L	4005176644276	123	91.29	32 833 000	4005176874727	117	136.62
32 468 003	4005176334207	100	139.51	32 836 000	4005176874758	116	148.75
32 468 20E	4005176906886	93	143.85	32 837 000	4005176874772	115	113.85
32 468 20L	4005176917097	94	143.74	32 839 000	4005176874802	115	113.85
32 469 20E	4005176908835	80	192.95	32 840 000	4005176874819	115	107.53
32 488 000	4005176289552	410	202.60	32 842 000	4005176874833	419	142.70
32 488 AL0	4005176488788	410	303.90	32 843 002	4005176466939	418	186.28
32 488 DC0	4005176804939	410	263.38	32 843 20E	4005176466946	418	191.98
32 488 DL0	4005176488801	410	303.90	32 843 DC2	4005176466953	418	242.17
32 511 000	4005176295621	409	303.90	32 879 000	4005176877353	119	151.80
32 553 002	4005176466649	403	455.82	32 880 000	4005176877360	119	136.62
32 553 DC2	4005176466656	403	592.58	32 898 001	4005176306860	64	187.52
32 612 003	4005176529696	50	234.89	32 901 001	4005176306969	67	326.25
32 612 AL3	4005176585609	50	375.80	32 901 A01	4005176407512	67	489.39
32 612 DC3	4005176574054	50	328.83	32 901 AL1	4005176407529	67	522.02
32 618 003	4005176529740	53	364.06	32 901 DA1	4005176407499	67	489.39
32 618 AL3	4005176585647	53	582.51	32 901 DC1	4005176369957	67	456.77
32 618 DC3	4005176574092	53	509.69	32 901 DL1	4005176426124	67	522.02
32 628 001	4005176306983	66	240.88	32 901 GL1	4005176407505	67	489.39
32 628 A01	4005176407376	66	361.32	32 901 GN1	4005176426117	67	522.02
32 628 AL1	4005176407383	66	385.41	32 917 000	4005176230950	410	202.60
32 628 DA1	4005176407352	66	361.32	32 917 AL0	4005176488702	410	303.90
32 628 DC1	4005176369940	66	337.23	32 917 DCO	4005176804946	410	263.38
32 628 DL1	4005176419652	66	385.41	32 917 DL0	4005176488726	410	303.90
32 628 GL1	4005176407369	66	361.32	32 917 KSO	4005176980640	410	263.72
32 628 GN1	4005176419645	66	385.41	32 918 000	4005176230967	409	246.00
32 629 002	4005176472619	87	226.42	32 918 00E	4005176866616	409	246.00
32 659 001	4005176886713	416	211.77	32 918 DCO	4005176804953	409	319.79
32 661 003	4005176466823	415	232.16	32 926 003	4005176613234	123	97.59
32 661 DC3	4005176466830	415	301.82	32 929 003	4005176613623	128	101.79
32 663 003	4005176466854	414	262.12	32 935 001	4005176307171	70	187.52

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
32 935 A01	4005176426360	70	281.28	33 636 A01	4005176426667	71	311.01
32 935 AL1	4005176426353	70	300.03	33 636 AL1	4005176426650	71	331.75
32 935 DA1	4005176426339	70	281.28	33 636 DA1	4005176426636	71	311.01
32 935 DC1	4005176369988	70	262.53	33 636 DC1	4005176371141	71	290.27
32 935 DL1	4005176426346	70	300.03	33 636 DL1	4005176426643	71	331.75
32 935 GL1	4005176426315	70	281.28	33 636 GL1	4005176426612	71	311.01
32 935 GN1	4005176426322	70	300.03	33 636 GN1	4005176426629	71	331.75
32 950 000	4005176879838	400	848.73	33 637 003	4005176334405	108	204.00
32 950 DC0	4005176879845	400	1,103.34	33 770 001	4005176828959	413	249.11
32 955 000	4005176880117	110	168.70	33 770 002	4005176888137	412	262.40
<b>33</b>				33 848 001	4005176409172	32	274.48
33 155 002	4005176865947	61	326.87	33 848 DC1	4005176412776	32	384.27
33 163 003	4005176529702	51	234.89	33 849 001	4005176409189	33	360.74
33 183 002	4005176887499	80	199.60	33 849 AL1	4005176586200	33	577.18
33 188 003	4005176613203	123	91.29	33 849 DC1	4005176412783	33	505.04
33 190 20E	4005176887482	80	199.60	33 850 001	4005176409196	33	423.48
33 202 003	4005176635588	420	132.12	33 865 001	4005176409202	32	282.32
33 241 003	4005176529849	54	234.89	33 865 AL1	4005176586217	32	451.72
33 244 002	4005176888779	82	199.60	33 865 DC1	4005176412790	32	395.25
33 265 003	4005176613197	122	97.59	33 961 000	4005176119972	258	90.84
33 265 30L	4005176644269	122	97.59	33 962 000	4005176119989	258	74.57
33 281 003	4005176635366	421	126.12	33 963 000	4005176128387	131, 157	76.10
33 281 30E	4005176635410	421	126.12	33 964 000	4005176128394	131, 158	59.85
33 281 DC3	4005176635397	421	163.95	<b>34</b>			
33 300 003	4005176613456	128	125.21	34 169 001	4005176926518	220	305.17
33 303 003	4005176613524	129	178.06	34 170 001	4005176926471	221	293.89
33 305 003	4005176613531	131	154.04	34 174 001	4005176926426	222	381.24
33 390 002	4005176887796	83	249.52	34 176 001	4005176926488	223	527.76
33 395 002	4005176887802	83	302.59	34 195 001	4005176926631	223	381.24
33 547 003	4005176529818	55	396.35	34 281 001	4005176926501	223	498.73
33 552 20E	4005176886300	93	150.53	34 294 001	4005176306877	64	181.42
33 553 003	4005176529795	55	352.31	34 446 001	4005176926402	221	315.57
33 553 AL3	4005176585678	55	563.71	34 463 001	4005176926419	220	355.04
33 553 DC3	4005176574122	55	493.24	34 464 001	4005176926433	221	420.68
33 555 003	4005176613562	128	106.90	34 466 001	4005176926440	222	391.67
33 556 003	4005176613609	131	134.52	34 469 001	4005176926396	220	344.61
33 557 003	4005176334184	101	139.51	34 484 001	4005176932519	222	380.39
33 558 003	4005176334139	100	146.15	34 487 000	4005176936234	479, 498	166.07
33 558 LS3	4005176335686	100	189.99	34 488 000	4005176940620	37, 43	431.43
33 561 002	4005176886379	94	207.39	34 497 000	4005176940675	37, 44	565.44
33 565 002	4005176887000	95	150.53	34 558 000	4005176310089	128, 238	187.83
33 565 003	4005176334283	103	146.15	34 562 000	4005176310102	238	192.04
33 565 LS3	4005176334504	103	189.99	34 565 002	4005176766459	239	222.91
33 569 002	4005176887734	82	199.60	34 566 002	4005176766466	239	227.01
33 577 003	4005176529801	54	281.86	34 567 000	4005176310157	129, 238	243.91
33 577 AL3	4005176585685	54	450.97	34 569 000	4005176310171	239	248.11
33 577 DC3	4005176574139	54	394.59	34 665 000	4005176351556	135, 480	528.12
33 590 002	4005176887048	95	150.53	34 666 000	4005176351563	481	468.34
33 590 003	4005176334306	104	160.76	34 667 000	4005176351570	136, 480	421.83
33 590 LS3	4005176334511	104	208.99	34 671 000	4005176351587	481	523.30
33 591 002	4005176887123	96	183.99	34 681 000	4005176354090	481	417.14
33 591 003	4005176334351	105	197.91	34 718 000	4005176457647	33, 55	462.56
33 591 LS3	4005176334535	105	257.28	34 719 000	4005176457654	32, 55	420.94
33 592 20A	4005176454288	97	228.45	34 725 000	4005176457081	480	411.38
33 614 002	4005176887208	96	274.35	34 726 000	4005176466014	217	729.47
33 624 001	4005176990786	72	254.60	34 730 000	4005176466342	215	1,482.33
33 624 A01	4005176426445	72	381.90	34 732 000	4005176466366	217	1,293.33
33 624 AL1	4005176426438	72	407.36	34 734 000	4005176466403	215	1,109.68
33 624 DA1	4005176426414	72	381.90	34 765 000	4005176612022	72, 89	201.00
33 624 DC1	4005176371097	72	356.44	34 766 000	4005176612039	73, 89	261.87
33 624 DL1	4005176426421	72	407.36	34 767 000	4005176612046	117, 235	195.90
33 624 GL1	4005176426391	72	381.90	34 768 001	4005176766435	237	233.50
33 624 GN1	4005176426407	72	407.36	34 769 001	4005176766442	237	239.26
33 628 001	4005176990793	73	304.91	34 770 000	4005176612077	236	256.77
33 635 003	4005176334344	107	188.77	34 771 000	4005176612886	235	205.34
33 636 001	4005176307287	71	207.34	34 772 000	4005176612893	236	266.21



# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
34 793 000	4005176632433	141, 148	153.29	36 209 000	4005176207105	465	101.35
34 793 2430	4067393015901	240	199.28	36 264 001	4005176416279	451, 454	211.06
34 796 001	4005176766473	240	187.98	36 265 000	4005176893131	503	133.14
34 797 001	4005176766503	240	193.28	36 266 000	4005176893148	503	122.05
34 806 001	4005176766497	241	192.31	36 267 000	4005176893155	503	114.64
34 808 001	4005176766480	241	192.71	36 268 000	4005176893162	503	122.05
34 813 001	4005176698392	63	181.42	36 269 000	4005176893179	474	358.73
34 814 003	4005176695728	104, 228	232.70	36 271 000	4005176893193	474	332.84
34 814 2433	4067393030232	228	302.52	36 272 000	4005176893209	474	332.84
34 816 003	4005176695742	105, 229	297.18	36 273 000	4005176893216	475	462.29
34 816 2433	4067393030249	229	386.32	36 274 000	4005176893223	475	388.32
34 817 003	4005176695759	228	227.09	36 309 000	4005176894794	272	293.90
34 818 003	4005176695766	228	236.88	36 315 000	4005176896590	470	554.73
34 819 005	4005176766329	231	261.20	36 316 000	4005176896279	503	48.08
34 820 005	4005176766343	230	257.00	36 317 000	4005176896514	502	315.89
34 821 003	4005176698590	229	301.38	36 318 000	4005176896521	502	345.57
34 822 005	4005176766336	231	257.00	36 320 000	4005176896545	502	498.75
34 823 003	4005176698613	230	291.56	36 321 000	4005176896552	502	360.02
34 824 005	4005176766367	230	270.80	36 322 001	4005176595400	502, 505	157.75
34 825 002	4005176766350	230	261.20	36 324 001	4005176305757	468	609.83
34 827 000	4005176698651	232	212.18	36 325 002	4005176318771	467	450.60
34 827 KF0	4067393018964	232	297.05	36 327 002	4005176695599	114, 466	423.50
34 830 000	4005176698682	232	276.43	36 330 002	4005176695667	468	423.50
34 831 000	4005176698699	232	271.32	36 331 001	4005176305795	466	440.43
34 832 000	4005176698705	233	216.51	36 332 000	4005176896682	469	996.64
34 833 000	4005176698712	233	280.77	36 333 000	4005176896699	469	978.85
34 834 001	4005176766381	233	244.91	36 334 SD0	4005176896705	470	517.75
34 836 001	4005176766398	234	240.05	36 335 SD0	4005176896712	470	499.27
34 837 001	4005176766404	234	240.05	36 336 001	4005176991769	459, 470	390.79
34 838 001	4005176766411	234	240.05	36 337 001	4005176595417	459, 470	147.31
34 863 000	4005176789922	35, 57	1,576.97	36 338 000	4005176896743	452, 455	110.95
34 863 AL0	4005176790799	35, 57	2,523.16	36 339 001	4005176595424	460, 470	269.23
34 863 DA0	4005176790805	76, 210	2,365.45	36 340 000	4005176911385	452, 455	67.63
34 863 DC0	4005176790782	35, 57	2,207.75	36 341 000	4005176911392	452, 455	124.58
34 863 DL0	4005176790812	76, 210	2,523.16	36 376 000	4005176932243	470	561.33
34 863 GL0	4005176790829	76, 210	2,365.45	36 384 000	4005176982774	475	736.22
34 863 GN0	4005176790836	76, 210	2,523.16	36 386 001	4005176311673	468	979.11
34 864 000	4005176789939	57, 210	1,576.97	36 407 001	4005176368974	451, 455	204.21
34 864 AL0	4005176790843	57, 210	2,523.16	36 409 000	4005176320538	457	715.78
34 864 DA0	4005176790850	210	2,365.45	36 410 000	4005176320545	459	820.42
34 864 DC0	4005176791857	57, 210	2,207.75	36 412 000	4005176320569	460	930.02
34 864 DL0	4005176791765	210	2,523.16	36 413 000	4005176320576	456	870.23
34 864 GL0	4005176791772	210	2,365.45	36 414 000	4005176320583	458	1,182.45
34 864 GN0	4005176791789	210	2,523.16	36 415 000	4005176320590	461	778.89
34 865 000	4005176789946	209	1,305.02	36 416 001	4005176595394	461, 472	764.32
34 866 000	4005176789953	210	1,305.02	36 421 001	4005176695612	467	531.44
34 867 000	4005176791567	210	1,107.80	36 422 001	4005176695636	466	534.76
34 868 000	4005176791574	39, 46	1,246.90	36 439 001	4005176695605	467	397.12
34 869 000	4005176791581	217	1,081.59	36 440 000	4005176415623	450	874.38
34 870 000	4005176791598	214	1,081.59	36 441 000	4005176415630	42, 450	844.24
34 871 000	4005176791604	214	834.72	36 441 AL0	4005176686825	42, 450	1,266.36
34 872 000	4005176791611	217	834.72	36 441 DC0	4005176686818	42, 450	1,097.51
<b>35</b>				36 442 000	4005176415647	451	949.77
35 028 000	4005176908316	48, 154	160.19	36 444 000	4005176415661	453	708.56
35 085 000	4005176207068	484	1,906.17	36 445 000	4005176415678	68, 453	678.41
35 087 000	4005176207082	484	2,333.18	36 445 A00	4005176686795	68, 453	949.77
35 500 000	4005176831522	482	265.72	36 445 AL0	4005176686801	68, 453	1,017.61
35 604 000	4005176698774	33, 34	80.96	36 445 DA0	4005176686573	68, 453	949.77
<b>36</b>				36 445 DC0	4005176686542	68, 453	881.93
36 015 001	4005176929359	464	729.27	36 445 DL0	4005176686788	68, 453	1,017.61
36 016 001	4005176929366	464	666.76	36 445 GL0	4005176686559	68, 453	949.77
36 078 000	4005176856532	272	117.56	36 445 GN0	4005176686566	68, 453	1,017.61
36 194 000	4005176140921	428	169.65	36 446 000	4005176415685	454	633.17
36 207 001	4005176929373	464	642.44	36 447 000	4005176416293	454	898.51
36 208 001	4005176929380	464	579.93	36 451 000	4005176473678	140, 477	265.26
				36 452 000	4005176473685	477	246.76
				36 453 000	4005176473791	478	280.69

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
36 454 000	4005176487774	469	1,121.60	37 535 A00	4005176431364	602	191.45
36 455 000	4005176487781	469	1,091.12	37 535 AL0	4005176431357	49, 60	191.45
36 456 000	4005176494758	471	277.60	37 535 DA0	4005176431333	602	191.45
36 457 000	4005176494765	471	1,036.36	37 535 DCO	4005176416040	49, 60	191.45
36 458 000	4005176494772	471, 505	832.79	37 535 DL0	4005176431326	602	191.45
36 459 000	4005176576188	471, 505	894.48	37 535 EN0	4005176431319	602	191.45
36 463 000	4005176576690	472	246.76	37 535 GL0	4005176431302	602	191.45
36 464 000	4005176576706	472	740.11	37 535 GN0	4005176431296	602	191.45
36 500 000	4005176781896	549	427.10	37 535 KF0	4005176677663	602	179.66
36 501 000	4005176781902	539	755.17	37 535 P00	4005176416026	602	87.64
36 503 000	4005176781926	539	659.56	37 535 SH0	4005176416033	602	72.00
36 504 000	4005176781933	549	448.45	37 547 000	4005176189425	611	84.36
36 508 SH0	4005176797101	512	2,289.95	37 547 P00	4005176189449	611	84.36
<b>37</b>				37 547 SH0	4005176189418	611	66.14
37 035 000	4005176143731	597	18.61	37 601 000	4005176416057	36, 78	106.42
37 037 000	4005176143762	598	36.98	37 601 A00	4005176528996	78, 602	191.56
37 038 000	4005176143786	598	39.46	37 601 AL0	4005176529030	36, 78	191.56
37 039 000	4005176143793	598	45.80	37 601 DA0	4005176524288	78, 602	191.56
37 040 000	4005176143861	598	51.53	37 601 DCO	4005176416088	36, 78	191.56
37 042 000	4005176143908	598	31.15	37 601 DL0	4005176529023	78, 602	191.56
37 043 000	4005176143922	598	53.31	37 601 GL0	4005176524271	78, 602	191.56
37 044 000	4005176160776	597, 598	29.90	37 601 GN0	4005176529016	78, 602	191.56
37 059 000	4005176142857	607	237.62	37 601 KF0	4005176677670	78, 602	218.16
37 060 000	4005176142901	608	96.07	37 601 P00	4005176416064	602	106.42
37 063 000	4005176142185	611	70.17	37 601 SH0	4005176416071	602	87.64
37 063 SH0	4005176142307	611	70.71	37 624 000	4005176416095	60, 84	106.42
37 069 000	4005176142352	611	172.90	37 624 A00	4005176529078	603	191.56
37 078 P10	4005176160783	580	73.93	37 624 AL0	4005176529115	60, 603	191.56
37 085 P10	4005176149641	580	51.97	37 624 DA0	4005176529061	603	191.56
37 088 P10	4005176149672	580	66.75	37 624 DCO	40051764416125	60, 603	191.57
37 092 000	4005176145049	579	50.13	37 624 DL0	4005176529108	603	191.56
37 093 000	4005176145070	579	59.14	37 624 GL0	4005176529054	603	191.56
37 095 000	4005176145124	579, 655	41.61	37 624 GN0	4005176529092	603	191.56
37 100 SH0	4005176142093	580	26.48	37 624 KF0	4005176677786	603	218.16
37 104 K00	4005176160844	583	17.73	37 624 P00	40051764416101	603	106.42
37 105 K00	4005176141904	583	26.83	37 624 SH0	40051764416118	603	87.64
37 107 000	4005176141713	587	72.75	37 761 000	4005176213243	609	48.76
37 108 000	4005176141720	587	83.38	37 762 SH0	4005176213250	576	81.79
37 112 000	4005176141911	587	127.57	37 791 SH0	4005176217241	576	101.56
37 114 000	4005176141935	587	41.84	37 945 SH0	4005176256387	576	105.13
37 119 000	4005176144370	583, 652	4.50	37 965 000	4005176442506	603	72.00
37 131 000	4005176144585	569, 583	6.04	37 973 000	4005176479021	603	106.42
37 132 000	4005176144608	586	35.98	37 998 000	4005176262586	568	106.42
37 133 000	4005176144622	586	74.13	<b>38</b>			
37 135 000	4005176144653	587	8.72	38 005 000	4005176241895	584	23.50
37 139 000	4005176143083	586	108.20	38 338 000	4005176286179	570	13.62
37 141 000	4005176143113	586	121.91	38 422 20A	4005176771590	577	185.99
37 311 K00	4005176160851	582	48.64	38 445 SD0	4005176282850	611	136.72
37 321 001	4005176929496	593	625.07	38 488 000	4005176289866	608	38.62
37 321 SD1	4005176929502	593	625.07	38 496 000	4005176289958	608	240.89
37 324 001	4005176929526	594	625.07	38 505 000	4005176290053	606	56.03
37 324 SD1	4005176929533	594	625.07	38 505 KF0	4005176784132	606	114.87
37 336 001	4005176929540	593	625.07	38 505 KV0	4005176737831	606	48.39
37 337 001	4005176929557	593	625.07	38 505 P00	4005176290060	606	56.03
37 338 000	4005176837920	461, 505	155.08	38 505 SH0	4005176290046	606	44.71
37 339 000	4005176837937	597	152.40	38 506 000	4005176290121	606	56.03
37 347 000	4005176837999	586	237.73	38 506 P00	4005176290138	606	75.06
37 396 000	4005176907968	597	130.25	38 506 SH0	4005176290114	606	44.71
37 419 000	4005176933806	588	943.24	38 525 20A	4005176772368	559	367.13
37 419 SD0	4005176933813	588	943.24	38 526 20A	4005176771644	560	267.05
37 421 000	4005176935572	592	545.19	38 528 20A	4005176772382	555	226.94
37 437 000	4005176936227	597	227.94	38 536 001	4005176863929	559	240.95
37 489 000	4005176167386	582	6.58	38 541 000	4005176291234	565, 567	169.28
37 503 000	4005176320507	461, 594	1,037.97	38 543 000	4005176291258	566	350.63
37 504 000	4005176320521	462, 589	1,278.77	38 545 000	4005176291272	566	362.66
37 535 000	4005176416019	49, 60	87.64	38 546 000	4005176291289	565	167.01

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
38 548 001	4005176863851	560	139.80	38 808 P00	4005176864063	613	125.45
38 553 001	4005176863813	565	302.25	38 808 SH0	4005176864070	613	113.50
38 554 001	4005176863806	564	141.39	38 809 000	4005176864681	602	692.14
38 557 001	4005176863783	564	132.45	38 821 000	4005176868986	604	282.26
38 558 00M	4005176291418	560, 563	16.41	38 844 000	4005176874963	605	85.42
38 559 001	4005176863776	567	216.05	38 844 KFO	4005176951992	605	175.13
38 562 001	4005176863752	569	116.01	38 844 KVO	4005176737862	605	73.86
38 564 000	4005176291784	607	54.20	38 844 P00	4005176875687	605	85.42
38 564 SH0	4005176291777	607	43.25	38 844 SH0	4005176874970	605	69.22
38 565 000	4005176291845	607	54.20	38 845 KSO	4005176878343	604	297.74
38 573 000	4005176292316	607	69.75	38 845 LSO	4005176878336	604	297.74
38 573 SH0	4005176292309	607	30.64	38 845 MFO	4005176878619	604	297.74
38 574 000	4005176292385	607	71.27	38 846 KSO	4005176878268	612	378.92
38 579 000	4005176807640	577	230.82	38 846 LSO	4005176878367	612	378.92
38 661 20A	4005176771620	576	132.85	38 857 000	4005176875694	612	144.22
38 672 SD0	4005176296468	607	130.25	38 857 P00	4005176875663	612	144.22
38 691 000	4005176815454	577	209.26	38 857 SH0	4005176875793	612	132.63
38 698 SD1	4005176929571	588	701.47	38 858 000	4005176876714	605	85.42
38 699 001	4005176929588	588	701.47	38 858 P00	4005176876721	605	85.42
38 714 000	4005176828454	584, 609	26.62	38 858 SH0	4005176876738	605	69.22
38 721 001	4005176863431	557	284.55	38 860 20A	4005176772375	555	312.56
38 732 000	4005176836114	605	68.49	38 861 000	4005176832284	606	84.70
38 732 A00	4005176339110	605	163.51	38 862 000	4005176832314	606	82.63
38 732 AL0	4005176339127	605	163.51	38 862 P00	4005176832321	606	82.63
38 732 BE0	4005176427749	605	163.51	38 862 SD0	4005176834721	606	195.83
38 732 BR0	4005176873676	605	140.27	38 862 SH0	4005176832338	606	66.03
38 732 DA0	4005176339097	605	163.51	38 863 000	4005176832345	577	129.13
38 732 DC0	4005176431371	605	163.51	38 868 20A	4005176771637	558	414.55
38 732 DL0	4005176427732	605	163.51	38 882 000	4005176879197	610	7.75
38 732 EN0	4005176427756	605	163.51	38 915 KSO	4005176897108	608	1,079.92
38 732 GL0	4005176339103	605	163.51	38 915 LSO	4005176897115	608	1,079.92
38 732 GN0	4005176427725	605	163.51	38 916 0A0	4005176896941	604	362.44
38 732 KFO	4005176784125	605	140.40	38 947 000	4005176911217	558	379.73
38 732 KVO	4005176737848	605	59.15	38 948 000	4005176911224	558	348.41
38 732 P00	4005176836121	605	68.49	38 957 000	4005176914409	604	128.48
38 732 SD0	4005176847691	605	181.68	38 987 000	4005176924798	576	132.85
38 732 SH0	4005176836138	605	56.03	38 994 000	4005176932335	559	383.19
38 733 000	4005176837289	569	34.93	39			
38 735 000	4005176837500	580	67.00	39 052 000	4005176935961	564	198.51
38 736 000	4005176837517	580	50.22	39 053 000	4005176935978	578	84.61
38 743 000	4005176838408	577	145.24	39 054 000	4005176936289	578	84.61
38 748 002	4005176416323	451, 454	603.41	39 056 000	4005176936302	578	9.72
38 761 20A	4005176771651	557	386.52	39 201 000	4005176344947	535	79.57
38 765 000	4005176846830	604	85.50	39 202 000	4005176344954	535	89.12
38 765 KFO	4005176951978	604	175.26	39 206 000	4005176344992	536	286.46
38 765 KVO	4005176737855	604	73.86	39 208 000	4005176345029	538	284.22
38 765 P00	4005176846847	604	85.50	39 245 00H	4005176524479	533	479.23
38 765 SH0	4005176846854	604	68.92	39 300 000	4005176346026	550	294.18
38 771 000	4005176848551	608	49.83	39 301 000	4005176346033	550	217.44
38 772 20A	4005176771613	557	256.15	39 302 000	4005176346040	550	207.85
38 773 20A	4005176771606	558	294.30	39 306 000	4005176346088	550	239.82
38 776 SD0	4005176853555	605	185.31	39 323 000	4005176407116	534	113.00
38 778 000	4005176855269	567, 590	850.61	39 324 000	4005176407123	534	96.18
38 779 000	4005176855306	569	91.59	39 327 000	4005176390104	535	92.30
38 784 000	4005176855535	612	144.15	39 328 000	4005176407161	536	315.11
38 784 P00	4005176855542	612	144.22	39 330 002	4067393022138	538	108.66
38 784 SD0	4005176877407	612	212.67	39 332 000	4005176407208	537	229.17
38 784 SH0	4005176855559	612	132.63	39 333 000	4005176407215	537	229.17
38 786 001	4005176864025	562	303.25	39 335 000	4005176407239	534	101.85
38 787 000	4005176855689	595	128.02	39 336 000	4005176407246	534	113.54
38 796 000	4005176857034	610	83.24	39 337 000	4005176407253	534	124.90
38 803 001	4005176864049	562	381.84	39 338 000	4005176407260	537	245.09
38 804 000	4005176861512	612	144.15	39 339 000	4005176407277	537	244.02
38 804 P00	4005176861536	612	144.22	39 340 000	4005176423697	538	250.26
38 804 SH0	4005176861529	612	132.63	39 346 000	4005176449673	548	352.35
38 805 000	4005176865596	610	162.39	39 347 000	4005176449680	547	337.63
38 808 000	4005176864056	613	125.52				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
39 349 000	4005176449659	544	152.74	39 604 000	4005176524486	548	379.34
39 351 000	4005176450006	547	228.84	39 608 00H	4005176566493	526	404.11
39 354 SH1	4005176470448	514	3,082.41	39 609 00H	4005176566509	527	327.13
39 367 000	4005176341533	595	812.64	39 617 000	4005176571312	529	978.47
39 368 000	4005176341540	595	812.64	39 620 00H	4005176571336	529	1,139.63
39 369 000	4005176341557	596	1,081.22	39 622 000	4005176571350	529	5,611.80
39 376 000	4005176342998	562	359.31	39 648 SH0	4005176575310	516, 549	298.72
39 383 000	4005176356926	458	83.04	39 693 000	4005176581281	536	413.66
39 386 00H	4005176438356	531	575.37	39 703 000	4005176583896	536	395.05
39 420 000	4005176405983	542	77.57	39 729 000	4005176594991	528	5,611.80
39 421 000	4005176428906	542	67.24	39 806 000	4005176636462	540	92.23
39 422 000	4005176406195	542	121.41	39 807 000	4005176636479	540	95.06
39 423 000	4005176406201	534, 542	121.41	39 808 000	4005176637087	540	98.02
39 424 000	4005176406218	542	65.63	39 809 000	4005176637094	540	177.16
39 425 000	4005176406225	543	65.57	39 810 000	4005176637100	540	209.30
39 426 000	4005176406232	543	74.13	39 811 000	4005176637117	540	157.00
39 427 000	4005176406249	544	124.11	39 813 000	4005176637131	541	102.87
39 428 000	4005176406256	544	137.38	39 839 000	4005176655517	535	395.12
39 429 000	4005176406263	544	152.74	39 861 000	4005176653889	541	119.43
39 430 000	4005176406270	545	102.61	39 881 000	4005176706790	589	409.68
39 431 000	4005176406287	545	102.61	39 881 KF0	4005176715099	589	483.54
39 432 000	4005176406294	546	206.73	39 881 SH0	4005176706806	589	392.97
39 433 000	4005176406300	546	197.37	39 882 000	4005176706813	590	322.41
39 436 000	4005176406331	545	119.45	39 882 KF0	4005176715105	590	396.28
39 437 000	4005176406348	545	119.45	39 882 SH0	4005176706820	590	305.75
39 438 000	4005176406355	547	236.27	39 898 000	4005176713972	545	102.86
39 439 000	4005176406362	547	236.27	39 910 000	4005176720444	543	182.21
39 440 000	4005176405976	542	65.50	39 912 000	4005176720468	543	119.42
39 462 000	4005176454608	538	544.08	39 913 000	4005176720475	543	106.53
39 469 00H	4005176438363	531	497.45	39 923 000	4005176724008	546	102.86
39 473 00H	4005176438370	531	269.79	39 939 000	4005176952913	556	356.17
39 474 00H	4005176438387	531	253.27	39 940 000	4005176737879	557	281.19
39 475 00H	4005176442599	531	575.37				
39 476 00H	4005176442605	531	498.28				
39 477 00H	4005176442612	532	269.79				
39 478 00H	4005176442629	532	253.27				
39 479 00H	4005176442636	532	258.78				
39 480 00H	4005176442643	532	242.26				
39 481 00H	4005176442650	532	242.26				
39 482 00H	4005176442667	532	214.73				
39 483 00H	4005176442674	533	209.23				
39 488 000	4005176442735	533	206.47				
39 491 000	4005176449994	544	98.35				
39 492 000	4005176450013	546	53.07				
39 493 000	4005176450020	546	95.14				
39 496 000	4005176450051	548	339.85				
39 501 000	4005176453878	555	315.84				
39 503 000	4005176454097	556	300.71				
39 504 000	4005176454103	556	333.97				
39 538 000	4005176468292	537	252.20				
39 554 000	4005176484452	535	448.85				
39 564 00H	4005176485602	526	275.30				
39 565 00H	4005176485619	526	256.58				
39 566 00H	4005176485626	526	604.05				
39 567 00H	4005176485633	526	432.99				
39 568 00H	4005176485640	526	296.68				
39 570 000	4005176484865	527	160.36				
39 571 00H	4005176485671	527	382.20				
39 572 00H	4005176485688	527	427.64				
39 573 00H	4005176485794	527	398.25				
39 574 00H	4005176485800	528	382.20				
39 575 00H	4005176485817	528	398.25				
39 577 001	4067393022152	528	111.75				
39 579 000	4005176485152	528	240.55				
39 581 000	4005176496011	556	334.40				
39 598 000	4005176527517	512, 514	305.93				
39 603 000	4005176527562	554	369.79				

## 40

40 344 001	4005176323461	177	185.28
40 364 001	4005176326332	173	20.00
40 364 A01	4005176429514	173	30.00
40 364 AL1	4005176429668	173	31.99
40 364 DA1	4005176428913	173	30.00
40 364 DC1	4005176412424	173	28.00
40 364 DL1	4005176429965	173	31.99
40 364 EN1	4005176326349	173	31.99
40 364 GL1	4005176429361	173	30.00
40 364 GN1	4005176429811	173	31.99
40 365 001	4005176326240	171	36.53
40 365 A01	4005176429521	171	54.81
40 365 AL1	4005176429675	171	58.46
40 365 DA1	4005176428920	171	54.81
40 365 DC1	4005176412431	171	51.15
40 365 DL1	4005176429972	171	58.46
40 365 EN1	4005176326257	171	58.46
40 365 GL1	4005176429378	171	54.81
40 365 GN1	4005176429828	171	58.46
40 366 001	4005176326264	172	58.12
40 366 A01	4005176429552	172	87.18
40 366 AL1	4005176429705	172	93.00
40 366 DA1	4005176428951	172	87.18
40 366 DC1	4005176412448	172	81.37
40 366 DL1	4005176430008	172	93.00
40 366 EN1	4005176326271	172	93.00
40 366 GL1	4005176429408	172	87.18
40 366 GN1	4005176429859	172	93.00
40 367 001	4005176326387	175	48.16
40 367 A01	4005176429620	175	72.25
40 367 AL1	4005176429774	175	77.06
40 367 DA1	4005176429323	175	72.25
40 367 DC1	4005176412455	175	67.42

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
40 367 DL1	4005176430077	175	77.06	40 421 DC1	4005176413117	174	81.37
40 367 EN1	4005176326394	175	77.06	40 421 DL1	4005176430084	174	93.00
40 367 GL1	4005176429477	175	72.25	40 421 EN1	4005176430305	174	93.00
40 367 GN1	4005176429927	175	77.06	40 421 GL1	4005176429484	174	87.18
40 368 001	4005176326219	170, 178	9.97	40 421 GN1	4005176429934	174	93.00
40 369 001	4005176326196	170	36.53	40 422 000	4005176890246	395	151.96
40 369 A01	4005176429576	170	54.81	40 423 000	4005176890253	396	215.08
40 369 AL1	4005176429729	170	58.46	40 430 001	4005176984075	394	207.52
40 369 DA1	4005176428975	170	54.81	40 432 000	4005176883255	399	66.05
40 369 DC1	4005176412462	170	51.15	40 434 001	4005176985294	395	64.36
40 369 DL1	4005176430022	170	58.46	40 437 000	4005176885471	392	74.64
40 369 EN1	4005176326202	170	58.46	40 438 001	4005176984105	393	267.72
40 369 GL1	4005176429422	170	54.81	40 444 001	4005176328336	171	46.50
40 369 GN1	4005176429873	170	58.46	40 444 DC1	4005176413148	171	65.11
40 371 001	4005176326318	172	64.76	40 444 EN1	4005176335501	171	74.40
40 371 A01	4005176429538	172	97.15	40 447 001	4005176328701	171	45.26
40 371 AL1	4005176429682	172	103.64	40 447 DC1	4005176413162	171	63.37
40 371 DA1	4005176428937	172	97.15	40 447 EN1	4005176335518	171	72.42
40 371 DC1	4005176412479	172	90.68	40 448 001	4005176328343	171	67.74
40 371 DL1	4005176429989	172	103.64	40 448 DC1	4005176413155	171	94.82
40 371 EN1	4005176430268	172	103.64	40 448 EN1	4005176335525	171	108.37
40 371 GL1	4005176429385	172	97.15	40 457 001	4005176327865	183	36.15
40 371 GN1	4005176429835	172	103.64	40 459 001	4005176327810	182	41.69
40 372 001	4005176326226	170, 178	12.05	40 460 001	4005176327803	182	28.65
40 374 001	4005176326400	176	59.79	40 461 001	4005176327858	183	17.58
40 374 A01	4005176429590	176	89.68	40 462 001	4005176327827	183	153.18
40 374 AL1	4005176429743	176	95.65	40 463 001	4005176327872	183	46.89
40 374 DA1	4005176429293	176	89.68	40 507 001	4005176324598	180	55.80
40 374 DC1	4005176412486	176	83.70	40 507 AL1	4005176636639	180	89.28
40 374 DL1	4005176430046	176	95.65	40 507 DC1	4005176636530	180	78.12
40 374 GL1	4005176429446	176	89.68	40 508 001	4005176324413	178	48.19
40 374 GN1	4005176429897	176	95.65	40 508 AL1	4005176636653	178	77.11
40 385 001	4005176326356	175	36.53	40 508 DC1	4005176636554	178	67.47
40 385 A01	4005176429606	175	54.81	40 509 001	4005176324437	179	73.80
40 385 AL1	4005176429750	175	58.46	40 509 DC1	4005176636493	179	103.32
40 385 DA1	4005176429309	175	54.81	40 510 001	4005176324420	179	66.43
40 385 DC1	4005176413094	175	51.15	40 510 AL1	4005176636578	179	106.29
40 385 DL1	4005176430053	175	58.46	40 510 DC1	4005176636172	179	93.00
40 385 EN1	4005176430299	175	58.46	40 511 001	4005176324475	179	28.00
40 385 GL1	4005176429453	175	54.81	40 511 AL1	4005176636615	179	44.80
40 385 GN1	4005176429903	175	58.46	40 511 DC1	4005176636516	179	39.20
40 386 001	4005176326301	173	73.07	40 512 001	4005176324451	179	242.47
40 386 A01	4005176429569	173	109.61	40 512 AL1	4005176636608	179	387.95
40 386 AL1	4005176429712	173	116.92	40 513 001	4005176324604	180	96.46
40 386 DA1	4005176428968	173	109.61	40 513 AL1	4005176636561	180	154.33
40 386 DL1	4005176430015	173	116.92	40 513 DC1	4005176636165	180	135.04
40 386 EN1	4005176430275	173	116.92	40 514 001	4005176324468	180	99.65
40 386 GL1	4005176429415	173	109.61	40 514 AL1	4005176636622	180	159.43
40 386 GN1	4005176429866	173	116.92	40 514 DC1	4005176636523	180	139.51
40 394 001	4005176326233	170, 178	29.89	40 535 000	4005176905490	428	74.67
40 394 A01	4005176429583	170	44.84	40 535 A00	4005176489396	428	112.00
40 394 AL1	4005176429736	170, 178	47.83	40 535 AL0	4005176489402	428	119.47
40 394 DA1	4005176428982	170	44.84	40 535 DA0	4005176489433	428	112.00
40 394 DC1	4005176421532	170, 178	41.86	40 535 DC0	4005176905520	428	104.53
40 394 DL1	4005176430039	170	47.83	40 535 DL0	4005176489440	428	119.47
40 394 EN1	4005176412646	170, 185	47.83	40 535 GL0	4005176489419	428	112.00
40 394 GL1	4005176429439	170	44.84	40 535 GN0	4005176489426	428	119.47
40 394 GN1	4005176429880	170	47.83	40 536 000	4005176905506	428	67.22
40 404 001	4005176984068	394	110.89	40 536 DC0	4005176905537	428	94.11
40 405 001	4005176698019	392	68.49	40 547 001	4005176984099	394	103.81
40 407 001	4005176328350	177	115.15	40 554 002	4005176458521	387	2,284.10
40 407 DC1	4005176413179	177	161.22	40 564 000	4005176912740	59, 640	114.46
40 412 001	4005176984082	394	272.61	40 564 A00	4005176491849	640	171.67
40 421 001	4005176326325	174	58.12	40 564 AL0	4005176491788	59, 640	183.13
40 421 A01	4005176429637	174	87.18	40 564 DC0	4005176491795	59, 640	160.23
40 421 AL1	4005176429781	174	93.00	40 565 000	4005176912757	639	92.55
40 421 DA1	4005176429330	174	87.18	40 565 AL0	4005176491696	639	148.07

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
40 565 DC0	4005176491702	639	129.57	40 800 001	4005176327988	173	195.41
40 575 002	4005176674082	394	223.67	40 800 A01	4005176429644	173	293.10
40 585 001	4005176327797	182	28.65	40 800 AL1	4005176429798	173	312.64
40 623 001	4005176324482	180	46.63	40 800 DA1	4005176429347	173	293.10
40 623 AL1	4005176636646	180	74.61	40 800 DC1	4005176413223	173	273.56
40 623 DC1	4005176636547	180	65.29	40 800 DL1	4005176430091	173	312.64
40 624 001	4005176324444	179	93.27	40 800 EN1	4005176430312	173	312.64
40 624 AL1	4005176636585	179	149.23	40 800 GL1	4005176429491	173	293.10
40 624 DC1	4005176636486	179	130.58	40 800 GN1	4005176429941	173	312.64
40 636 SD0	4005176706707	392	30.48	40 802 001	4005176328107	173	99.65
40 656 001	4005176324383	185	19.99	40 802 A01	4005176429651	173	149.46
40 657 001	4005176324390	185	43.18	40 802 AL1	4005176429804	173	159.43
40 659 001	4005176324376	185	65.13	40 802 DA1	4005176429354	173	149.46
40 663 001	4005176327834	176, 183	81.41	40 802 DL1	4005176430107	173	159.43
40 664 001	4005176327841	176, 184	65.13	40 802 EN1	4005176430329	173	159.43
40 687 000	4005176981838	395	64.36	40 802 GL1	4005176429507	173	149.46
40 688 001	4005176326288	172	53.14	40 802 GN1	4005176429958	173	159.43
40 688 A01	4005176429545	172	79.72	40 804 000	4005176347917	168	483.56
40 688 AL1	4005176429699	172	85.03	40 805 000	4005176347924	167	80.60
40 688 DA1	4005176428944	172	79.72	40 806 000	4005176347931	167	53.73
40 688 DC1	4005176413124	172	74.40	40 807 000	4005176347948	168	268.65
40 688 DL1	4005176429996	172	85.03	40 808 000	4005176347955	169	236.41
40 688 EN1	4005176326295	172	85.03	40 809 000	4005176347962	169	188.06
40 688 GL1	4005176429392	172	79.72	40 824 000	4005176332975	639	22.25
40 688 GN1	4005176429842	172	85.03	40 834 001	4005176335280	399	929.30
40 689 001	4005176326363	175	43.18	40 841 001	4005176335358	398	233.18
40 689 A01	4005176429613	175	64.76	40 842 001	4005176335365	399	844.82
40 689 AL1	4005176429767	175	69.09	40 843 000	4005176337109	396	67.20
40 689 DA1	4005176429316	175	64.76	40 848 AL0	4005176646997	392	43.74
40 689 DC1	4005176413131	175	60.45	40 848 DL0	4005176647017	392	43.74
40 689 DL1	4005176430060	175	69.09	40 848 GN0	4005176647000	392	43.74
40 689 EN1	4005176326370	175	69.09	40 848 SD0	4005176386008	392	33.65
40 689 GL1	4005176429460	175	64.76	40 855 000	4005176356452	396, 428	91.29
40 689 GN1	4005176429910	175	69.09	40 857 000	4005176378393	169	188.06
40 691 002	4005176674099	394	144.49	40 865 000	4005176378140	167	64.47
40 694 000	4005176985300	395	33.36	40 875 000	4005176745195	393	321.27
40 696 AL0	4005176953637	176	188.54	40 876 000	4005176745201	393	374.80
40 696 DA0	4005176953644	176	176.76	40 877 000	4005176745218	393	1,271.67
40 696 DC0	4005176953651	176	164.97	40 878 000	4005176745225	394	1,606.33
40 696 GL0	4005176953668	176	176.76	40 899 000	4005176413896	515, 560	44.83
40 711 001	4005176454301	388	1,658.98	40 911 000	4005176416132	570, 584	16.87
40 754 001	4005176328367	179	58.66	40 915 000	4005176429262	177, 184	9.27
40 755 001	4005176328374	178	58.16	40 920 000	4005176470646	395	33.95
40 756 001	4005176328381	178	78.08	40 949 000	4005176477881	570, 584	27.80
40 757 001	4005176328497	180	162.22	40 950 000	4005176478994	570, 585	21.63
40 758 001	4005176328503	181	250.18	40 962 000	4005176529412	396	55.12
40 766 000	4005176347849	167	91.34	41			
40 767 000	4005176347856	168	171.94	41 007 000	4005176281815	619	22.46
40 768 000	4005176347863	167	257.91	41 027 000	4005176576836	162	76.19
40 775 001	4005176328626	177	113.66	41 027 A00	4005176576911	162	114.30
40 775 DC1	4005176413186	177	159.13	41 027 AL0	4005176576928	162	121.91
40 775 EN1	4005176324765	177	181.86	41 027 DA0	4005176576898	162	114.30
40 776 001	4005176328633	177	146.54	41 027 DC0	4005176576843	162	106.67
40 777 001	4005176328640	181	141.86	41 027 DL0	4005176576904	162	121.91
40 778 001	4005176328657	181	201.64	41 027 GL0	4005176576874	162	114.30
40 781 000	4005176347870	168	139.69	41 027 GN0	4005176576881	162	121.91
40 782 000	4005176347887	168	48.35	41 028 000	4005176576942	162	76.19
40 783 000	4005176347894	167	42.99	41 028 A00	4005176577024	162	114.30
40 784 000	4005176347900	168	64.47	41 028 AL0	4005176577031	162	121.91
40 791 001	4005176323409	166, 176	8.96	41 028 DA0	4005176577000	162	114.30
40 791 KS1	4005176336379	166, 176	8.96	41 028 DC0	4005176576959	162	106.67
40 793 001	4005176327599	174	83.04	41 028 DL0	4005176577017	162	121.91
40 793 DC1	4005176413230	174	116.25	41 028 GL0	4005176576980	162	114.30
40 794 001	4005176327605	174	99.65	41 028 GN0	4005176576997	162	121.91
40 794 DC1	4005176413247	174	139.51	41 029 000	4005176577055	162	36.57
40 797 001	4005176327636	174	259.08	41 035 000	4005176577062	162	85.34
40 799 001	4005176327971	174	66.43				



# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
41 035 A00	4005176577147	162	128.02	41 064 A00	4005176578052	164	141.73
41 035 AL0	4005176577154	162	136.55	41 064 AL0	4005176578069	164	151.17
41 035 DA0	4005176577123	162	128.02	41 064 DA0	4005176578038	164	141.73
41 035 DC0	4005176577079	162	119.48	41 064 DC0	4005176577987	164	132.28
41 035 DL0	4005176577130	162	136.55	41 064 DL0	4005176578045	164	151.17
41 035 GL0	4005176577109	162	128.02	41 064 GL0	4005176578014	164	141.73
41 035 GN0	4005176577116	162	136.55	41 064 GN0	4005176578021	164	151.17
41 036 000	4005176577178	162	48.76	41 066 000	4005176578083	165	335.26
41 037 000	4005176577185	163	21.33	41 066 A00	4005176578168	165	502.90
41 038 000	4005176577192	163	100.58	41 066 AL0	4005176578175	165	536.41
41 038 A00	4005176577277	163	150.87	41 066 DA0	4005176578144	165	502.90
41 038 AL0	4005176577284	163	160.93	41 066 DC0	4005176578090	165	469.36
41 038 DA0	4005176577253	163	150.87	41 066 DL0	4005176578151	165	536.41
41 038 DC0	4005176577208	163	140.81	41 066 GL0	4005176578120	165	502.90
41 038 DL0	4005176577260	163	160.93	41 066 GN0	4005176578137	165	536.41
41 038 GL0	4005176577239	163	150.87	41 067 000	4005176578199	165	76.19
41 038 GN0	4005176577246	163	160.93	41 067 A00	4005176578274	165	114.30
41 039 000	4005176577307	163	27.43	41 067 AL0	4005176578281	165	121.91
41 039 A00	4005176577383	163	41.15	41 067 DA0	4005176578250	165	114.30
41 039 AL0	4005176577390	163	43.89	41 067 DC0	4005176578205	165	106.67
41 039 DA0	4005176577369	163	41.15	41 067 DL0	4005176578267	165	121.91
41 039 DC0	4005176577314	163	38.40	41 067 GL0	4005176578236	165	114.30
41 039 DL0	4005176577376	163	43.89	41 067 GN0	4005176578243	165	121.91
41 039 GL0	4005176577345	163	41.15	41 068 000	4005176578304	165	60.95
41 039 GN0	4005176577352	163	43.89	41 068 A00	4005176578380	165	91.43
41 049 000	4005176577413	163	45.72	41 068 AL0	4005176578397	165	97.53
41 049 A00	4005176577499	163	68.58	41 068 DA0	4005176578366	165	91.43
41 049 AL0	4005176577505	163	73.15	41 068 DC0	4005176578311	165	85.34
41 049 DA0	4005176577475	163	68.58	41 068 DL0	4005176578373	165	97.53
41 049 DC0	4005176577420	163	64.00	41 068 GL0	4005176578342	165	91.43
41 049 DL0	4005176577482	163	73.15	41 068 GN0	4005176578359	165	97.53
41 049 GL0	4005176577451	163	68.58	41 069 000	4005176578410	165	121.91
41 049 GN0	4005176577468	163	73.15	41 069 A00	4005176578496	165	182.86
41 056 000	4005176577529	163	121.91	41 069 AL0	4005176578502	165	195.07
41 056 A00	4005176577604	163	182.86	41 069 DA0	4005176578472	165	182.86
41 056 AL0	4005176577611	163	195.07	41 069 DC0	4005176578427	165	170.67
41 056 DA0	4005176577581	163	182.86	41 069 DL0	4005176578489	165	195.07
41 056 DC0	4005176577536	163	170.67	41 069 GL0	4005176578458	165	182.86
41 056 DL0	4005176577598	163	195.07	41 069 GN0	4005176578465	165	195.07
41 056 GL0	4005176577567	163	182.86	41 076 000	4005176578526	166	152.40
41 056 GN0	4005176577574	163	195.07	41 076 A00	4005176578601	166	228.59
41 057 000	4005176577635	164	143.24	41 076 AL0	4005176578618	166	243.83
41 058 000	4005176577642	164	158.48	41 076 DA0	4005176578588	166	228.59
41 058 A00	4005176577727	164	237.73	41 076 DC0	4005176578533	166	213.35
41 058 AL0	4005176577734	164	253.58	41 076 DL0	4005176578595	166	243.83
41 058 DA0	4005176577703	164	237.73	41 076 GL0	4005176578564	166	228.59
41 058 DC0	4005176577659	164	221.88	41 076 GN0	4005176578571	166	243.83
41 058 DL0	4005176577710	164	253.58	41 077 000	4005176578632	166	228.59
41 058 GL0	4005176577680	164	237.73	41 077 A00	4005176578700	166	342.89
41 058 GN0	4005176577697	164	253.58	41 077 AL0	4005176578717	166	365.74
41 059 000	4005176577758	164	167.64	41 077 DA0	4005176575587	166	342.89
41 059 A00	4005176577833	164	251.44	41 077 DC0	4005176578649	166	320.02
41 059 AL0	4005176577840	164	268.21	41 077 DL0	4005176578694	166	365.74
41 059 DA0	4005176577819	164	251.44	41 077 GL0	4005176578670	166	342.89
41 059 DC0	4005176577765	164	234.69	41 077 GN0	4005176578687	166	365.74
41 059 DL0	4005176577826	164	268.21	41 136 000	4005176774430	393	227.56
41 059 GL0	4005176577796	164	251.44	41 215 KF0	4005176782435	166	213.35
41 059 GN0	4005176577802	164	268.21	41 216 KF0	4005176782442	163	38.40
41 063 000	4005176577864	164	137.15	41 217 KF0	4005176782459	162	106.67
41 063 A00	4005176577949	164	205.73	41 218 KF0	4005176782466	162	106.67
41 063 AL0	4005176577956	164	219.45	41 219 KF0	4005176782473	164	192.02
41 063 DA0	4005176577925	164	205.73	41 220 KF0	4005176782480	165	85.34
41 063 DC0	4005176577871	164	192.02	41 246 000	4005176787614	367	15.58
41 063 DL0	4005176577932	164	219.45	41 247 000	4005176787621	367	6.82
41 063 GL0	4005176577901	164	205.73	41 275 000	4005176280481	620	52.57
41 063 GN0	4005176577918	164	219.45				
41 064 000	4005176577970	164	94.48				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
<b>42</b>							
42 066 000	4005176244636	581	77.52	46 375 000	4005176169083	625	11.41
42 137 000	4005176259524	581	26.16	46 386 000	4005176169410	624	121.10
42 181 000	4005176286872	579	12.94	46 575 000	4005176830099	645	128.08
42 229 000	4005176299223	642	178.55	46 580 000	4005176831867	624	65.82
42 233 000	4005176300653	582, 652	17.32	46 914 000	4005176326424	641	41.11
42 242 000	4005176804977	584	5.72	46 944 001	4005176479977	513, 514	249.17
42 253 000	4005176814532	582	91.96	46 977 00M	4005176423727	513, 515	52.10
42 297 P10	4005176832048	579	75.34	<b>47</b>			
42 303 000	4005176835391	651	90.49	47 025 000	4005176009549	627	446.05
42 304 000	4005176835469	651	83.98	47 111 000	4005176009921	626	282.95
42 305 000	4005176835490	651	87.75	47 167 000	4005176010125	628	21.91
42 310 000	4005176835599	652	7.56	47 175 000	4005176803895	212, 224	160.43
42 314 000	4005176835636	581	77.68	47 186 000	4005176803901	628	263.17
42 320 000	4005176837487	581	49.59	47 189 000	4005176010330	641	40.38
42 326 000	4005176838699	570	26.29	47 217 000	4005176241246	626	60.50
42 327 000	4005176838705	561, 583	18.13	47 220 000	4005176241253	626	199.43
42 333 000	4005176845888	561, 569	19.28	47 262 000	4005176118722	629	169.39
42 383 000	4005176903281	625	64.99	47 282 000	4005176061592	626	219.83
42 384 000	4005176903298	625	73.82	47 310 000	4005176079238	626	224.08
42 586 SDO	4005176563430	645	22.16	47 349 000	4005176141461	626	132.29
42 587 SDO	4005176563447	645	21.89	47 364 000	4005176171819	629	104.67
42 593 000	4005176566417	561, 571	34.81	47 439 000	4005176811975	627	110.91
42 690 000	4005176268748	581	27.52	47 450 000	4005176076190	626	114.42
42 740 000	4005176230653	651	444.11	47 483 000	4005176815409	628	162.68
42 764 00M	4005176222092	652	16.95	47 532 000	4005176206795	627	547.91
42 766 000	4005176222115	570	19.59	47 533 000	4005176207181	479, 498	30.48
42 774 000	4005176221590	582	82.11	47 598 000	4005176229169	627	509.25
42 886 000	4005176200670	642	34.55	47 600 000	4005176228995	627	399.04
<b>43</b>				47 780 000	4005176836541	471, 483	174.41
43 352 000	4005176832413	582, 653	6.61	47 781 000	4005176836558	483	202.90
43 486 000	4005176157158	581	70.10	47 790 000	4005176841491	254	67.13
43 506 000	4005176157356	651	10.06	47 885 000	4005176924729	628	110.91
43 537 000	4005176157653	579	28.63	47 994 000	4005176364723	482	8.30
43 544 000	4005176157738	584, 651	17.62	<b>48</b>			
43 617 000	4005176841163	567, 571	86.43	48 051 000	4005176890024	336, 366	9.42
43 733 000	4005176158926	580	4.50	48 053 000	4005176890031	302	87.87
43 758 00M	4005176159121	580, 652	32.74	48 054 000	4005176890048	302	79.24
43 907 P10	4005176177545	579	114.33	48 099 000	4005176908583	647	16.63
43 908 000	4005176160257	582	31.15	48 165 000	4005176921797	648	11.06
43 991 000	4005176195259	579	54.68	48 166 000	4005176923197	650	21.22
<b>45</b>				48 177 000	4005176924248	647	50.93
45 314 000	4005176099250	501	63.05	48 189 000	4005176928772	637	21.36
45 342 000	4005176129865	630	37.31	48 190 000	4005176928987	637	21.36
45 346 000	4005176104572	630	37.16	48 191 000	4005176928994	637	21.36
45 363 000	4005176112324	647	7.81	48 293 000	4005176358593	644	41.30
45 459 000	4005176056444	365	11.10	48 349 000	4005176409851	275, 302	119.57
45 650 IP0	4005176137228	646	61.70	48 350 000	4005176409868	275, 302	146.15
45 869 000	4005176189876	630	38.45	48 359 000	4005176442810	625	59.49
45 882 000	4005176189883	630	37.16	48 543 001	4005176681073	366	9.43
45 883 000	4005176189890	631	42.66	<b>49</b>			
45 885 000	4005176189913	630	60.50	49 002 00M	4005176372193	648	8.86
45 888 000	4005176189944	631	45.99	49 003 000	4005176413537	255	227.34
45 914 XE0	4005176842054	365	15.62	49 024 000	4005176454196	655	80.65
45 937 000	4005176279683	650	16.16	49 028 000	4005176442827	628	57.98
45 973 001	4005176442919	358	16.25	49 115 000	4005176571411	530	123.37
45 984 001	4005176992056	35, 47	552.23	49 510 000	4005176373329	655	74.57
<b>46</b>				49 516 000	4005176373381	655	27.71
46 048 000	4005176008283	624	56.65	49 526 000	4005176421129	655	13.98
46 058 000	4005176008467	643	53.40	49 533 000	4005176478475	551	60.65
46 278 000	4005176131868	624	95.84	49 533 SH0	4005176560033	551	60.65
46 308 000	4005176131769	624	12.18	49 534 000	4005176478482	551	60.65
46 374 000	4005176169076	624	58.00	49 534 SH0	4005176560040	551	60.65

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
<b>65</b>			
65 807 000	4005176849893	639	54.01
65 807 A00	4005176467721	639	81.02
65 807 AL0	4005176467714	639	86.41
65 807 DA0	4005176467752	639	81.02
65 807 DC0	4005176442797	639	75.61
65 807 DL0	4005176467769	639	86.41
65 807 GL0	4005176467738	639	81.02
65 807 GN0	4005176467745	639	86.41
65 807 LS0	4005176849916	639	102.39
65 808 000	4005176860065	639	57.69

<b>66</b>			
66 791 000	4005176866562	571, 585	11.87

Visit us:



GROHE Limited  
World Business Centre 1  
Newall Road  
London Heathrow Airport  
Hounslow  
Middlesex  
TW6 2SF  
Tel: 0208 283 2840  
Fax: 0871 200 3415  
E-Mail: [info-uk@grohe.com](mailto:info-uk@grohe.com)

GB\_03/2025 – Copyright by GROHE

PART OF **LIXIL**