



GROHE SPA

SPECIFIERS' CATALOGUE 2025

GROHE

TABLE OF CONTENTS

SPA Bath Taps	Taps and Ceramics	Allure Brilliant Icon 3D / Atrio Icon 3D	12
		Atrio	13
		Atrio Private Collection	27
		Allure	36
		Allure Brilliant	48
		Allure Brilliant Private Collection	57
		Grandera	66
		Airio	75
		Glass module	76
		SPA accessories	77
		Rough-in sets	79
SPA Showers	Showers and Thermostats	Aquasymphony	84
		F-digital Deluxe	85
		Rainshower Aqua Pure	88
		Rainshower Aqua ceiling showers	94
		Rainshower Aqua head showers	95
		Rainshower Aqua body sprays	98
		Rainshower Aqua hand showers	99
		Rainshower Aqua trigger sprays	101
		SPA shower accessories	102
		SPA thermostats	105
		Rough-in sets	111
Survey of Contents			112





G R O H E S P A

**SALUS PER AQUAM
HEALTH THROUGH WATER**

Nothing compares to the power of water –
it is cleansing, invigorating and healing.


A true elixir of life, water gives us precious moments of indulgent bliss. By harnessing these positive effects, we can switch off from the noise of the outside world to find peace for body, mind and soul. By immersing ourselves in soothing water rituals, we can inspire the senses to find equilibrium and hidden strength. Guided by the underlying belief that water is the source of vital energy, GROHE has revitalised GROHE SPA as a timeless sub-brand. A decade after GROHE SPA was first launched, our passion for water is tangible in every detail of every product.

Aimed at architects, designers and specifiers, as well as high-end showrooms, GROHE SPA represents the apex of what we can achieve. We are redefining what is possible to lift innovation, technology and precision to uncharted levels. We curate only the most exclusive, luxurious products to create exquisite places of retreat. Progressive designs are fused with carefully selected colours, materials and finishes. Versatile customisation options transform the bathroom into a home spa, impeccably tailored to individual preferences.

GROHE SPA bathes us in blissful new multisensory experiences. Soothing, memorable and distinctive – just like the calming sound of water.

THE FOUR TIERS

The four tiers of GROHE SPA embody the consummate luxury bathing experiences we create. These sit at the apex of what we can achieve through design and technology, from total customisation in Tier 1, to impeccable tailored home spa hideaways in Tier 4.



TIER 1 ICON 3D – ABSOLUTE CUSTOMISATION | **TIER 2** PRIVATE COLLECTIONS – PERSONALISED LUXURY | **TIER 3** COLOURS, MATERIALS, FINISHES – HARMONY IN DESIGN | **TIER 4** LIGHT, STEAM, SOUND, SMELL – MULTI-SENSORY MOMENTS



TIER 1

Absolute customisation

The GROHE SPA Icon 3D collection reimagines the possible, taking sustainable product design and collaborative customisation to unfathomed levels.



TIER 2

Private Collections - Personalised luxury

The luxurious GROHE SPA Atrio and Allure Brilliant Private Collections feature carefully curated colours, materials and finishes, promoting versatility and individuality.



TIER 3

Colours, Materials, Finishes - Harmony in design

GROHE SPA represents the pinnacle of bathroom design. Our product portfolio is broad yet harmonious, inviting endless combinations of design elements to achieve extraordinary results.



TIER 4

Light, Steam, Sound, Smell - Multi-sensory moments

Water affects us in all kinds of positive ways. It calms, cleanses and heals the body. But it also invigorates and energises. GROHE SPA touches all our senses, fully nourishing mind, body and soul.

GROHE SPA BATH TAPS





CONTENTS

Allure Brilliant Icon 3D / Atrio Icon 3D	12
Atrio	13
Atrio Private Collection	27
Allure	36
Allure Brilliant	48
Allure Brilliant Private Collection	57
Grandera	66
Airio	75
Glass module	76
SPA accessories	77
Rough-in sets	79




ALLURE BRILLIANT ICON 3D / ATRIO ICON 3D

Ref. No.	Colour	EAN	Retail Guide Price (€)
	 20 635 SD0 stainless steel	4005176759642	27,349.49
	Allure Brilliant 3-hole wall-mount basin mixer GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min spout with integrated mousseur red and blue markings on handles for hot and cold water valves hot/cold with ceramic headparts pressure-proof, flexible connection hoses between spout and side valves projection 256 mm technical data flow pressure min 0.5 bar recommended pressure 1.0 - 5.0 bar if static pressure is more than 5 bar fit pressure reducer avoid major pressure differences between cold and hot water supply max. temperature hot water inlet: 80°C recommended temperature hot water inlet (energy saving): 60°C		
	 20 634 SD0 stainless steel	4005176759635	27,349.49
	Allure Brilliant 3-hole deck-mount basin mixer GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min spout with integrated mousseur red and blue markings on handles for hot and cold water valves hot/cold with ceramic headparts Push-open waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves technical data flow pressure min 0.5 bar recommended pressure 1.0 - 5.0 bar if static pressure is more than 5 bar fit pressure reducer avoid major pressure differences between cold and hot water supply max. temperature hot water inlet: 80°C recommended temperature hot water inlet (energy saving): 60°C		
	 20 664 SD0 stainless steel	4005176763243	27,759.74
	Atrio Icon 3D 3-hole deck-mount basin mixer GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min open spout for pure laminar water flow red and blue markings on handles for hot and cold water valves hot/cold with ceramic headparts Push-open waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves technical data flow pressure min 0.5 bar recommended pressure 1.0 - 5.0 bar if static pressure is more than 5 bar fit pressure reducer avoid major pressure differences between cold and hot water supply max. temperature hot water inlet: 80°C recommended temperature hot water inlet (energy saving): 60°C		
	 20 665 SD0 stainless steel	4005176763250	27,759.74
	Atrio Icon 3D 3-hole wall-mount basin mixer GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min open spout for pure laminar water flow red and blue markings on handles for hot and cold water valves hot/cold with ceramic headparts pressure-proof, flexible connection hoses between spout and side valves projection 235 mm technical data flow pressure min 0.5 bar recommended pressure 1.0 - 5.0 bar if static pressure is more than 5 bar fit pressure reducer avoid major pressure differences between cold and hot water supply max. temperature hot water inlet: 80°C recommended temperature hot water inlet (energy saving): 60°C		



GROHE SPA

GROHE ATRIO



Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

24 363 000	Chrome	4005176762215	413.00
24 363 DC0	supersteel	4005176760914	578.21
24 363 GL0	cool sunrise	4005176760921	619.51
24 363 GN0	brushed cool sunrise	4005176952289	660.80
24 363 DAO	warm sunset	4005176760907	619.51
24 363 DL0	brushed warm sunset	4005176952272	660.80
24 363 AL0	brushed hard graphite	4005176760891	660.80





Atrio
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with GROHE SilkMove
with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
swivel tubular C-spout with mousseur
stop limiter
adjustable swivel area 0° / 150° / 360°
Push-open waste set 1 1/4"
flexible connection hoses


24 362 000	Chrome	4005176760846	476.54
24 362 DC0	supersteel	4005176760877	667.17
24 362 GL0	cool sunrise	4005176760884	714.81
24 362 GN0	brushed cool sunrise	4005176952265	762.46
24 362 DAO	warm sunset	4005176760860	714.81
24 362 DL0	brushed warm sunset	4005176952258	762.46
24 362 AL0	brushed hard graphite	4005176760853	762.46

Atrio
Single-lever basin mixer 1/2"
L-Size
monobloc installation
28 mm ceramic cartridge
with GROHE SilkMove
with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
swivel tubular C-spout with mousseur
stop limiter
adjustable swivel area 0° / 150° / 360°
Push-open waste set 1 1/4"
flexible connection hoses

24 365 000	Chrome	4005176760976	667.17
24 365 DC0	supersteel	4005176761003	934.02
24 365 GL0	cool sunrise	4005176761010	1,000.74
24 365 GN0	brushed cool sunrise	4005176952326	1,067.45
24 365 DAO	warm sunset	4005176760990	1,000.74
24 365 DL0	brushed warm sunset	4005176952319	1,067.45
24 365 AL0	brushed hard graphite	4005176760983	1,067.45

Atrio
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with GROHE SilkMove
with temperature limiter
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min
swivel tubular C-spout with mousseur
stop limiter
adjustable swivel area 0° / 150° / 360°
Push-open waste set 1 1/4"
flexible connection hoses


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 410 000 29 410 DC0 29 410 GL0 29 410 GN0 29 410 DAO 29 410 DL0 29 410 AL0	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176762680 4005176763427 4005176763434 4005176952562 4005176763410 4005176952555 4005176763403	476.54 667.17 714.81 762.46 714.81 762.46 762.46
Atrio Two-hole basin mixer joystick wall mounted without concealed body set for final installation for 23 429 000 GROHE FeatherControl Joystick cartridge GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min centre distance 110 mm projection 185 mm				
	29 406 000 29 406 DC0 29 406 GL0 29 406 GN0 29 406 DAO 29 406 DL0 29 406 AL0	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176762727 4005176762758 4005176762765 4005176952500 4005176762741 4005176952494 4005176762734	540.08 756.11 810.12 864.13 810.12 864.13 864.13
23 429 000 Rough-in for Joystick 2-hole basin mixers			4005176993695	288.93
	24 364 000 24 364 DC0 24 364 GL0 24 364 GN0 24 364 DAO 24 364 DL0 24 364 AL0	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176762222 4005176760952 4005176760969 4005176952302 4005176760945 4005176952296 4005176760938	540.08 756.11 810.12 864.13 810.12 864.13 864.13
Atrio Bidet mixer 1/2" monobloc installation 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life finish rapid installation system tubular C-spout with ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses				
	24 366 000 24 366 DC0 24 366 GL0 24 366 GN0 24 366 DAO 24 366 DL0 24 366 AL0	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176762239 4005176761041 4005176761058 4005176952340 4005176761034 4005176952333 4005176761027	571.85 800.59 857.77 914.96 857.77 914.96 914.96
Atrio Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow				



Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

24 367 000	Chrome	4005176762246	667.17
24 367 DC0	supersteel	4005176761089	934.02
24 367 GL0	cool sunrise	4005176761096	1,000.74
24 367 GN0	brushed cool sunrise	4005176952364	1,067.45
24 367 DAO	warm sunset	4005176761072	1,000.74
24 367 DL0	brushed warm sunset	4005176952357	1,067.45
24 367 AL0	brushed hard graphite	4005176761065	1,067.45

Atrio
Single-lever bath/shower mixer 1/2"
 wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life finish
 adjustable flow rate limiter
 automatic diverter: bath/shower
 cast spout
 mousseur
 shower bottom outlet 1/2" with
 integrated non return-valve
 covered S-unions
 protected against backflow





24 354 000	Chrome	4005176762062	364.58
24 354 DC0	supersteel	4005176761591	510.40
24 354 GL0	cool sunrise	4005176761607	546.87
24 354 GN0	brushed cool sunrise	4005176952142	583.32
24 354 DAO	warm sunset	4005176761584	546.87
24 354 DL0	brushed warm sunset	4005176952135	583.32
24 354 AL0	brushed hard graphite	4005176761577	583.32

Atrio
Single-lever shower mixer trim
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set



35 604 000	4005176698774	80.96
GROHE Rapido SmartBox universal rough-in box for concealed installation		







24 355 000	Chrome	4005176762079	401.04
24 355 DC0	supersteel	4005176761638	561.45
24 355 GL0	cool sunrise	4005176761645	601.56
24 355 GN0	brushed cool sunrise	4005176952166	641.65
24 355 DAO	warm sunset	4005176761621	601.56
24 355 DL0	brushed warm sunset	4005176952159	641.65
24 355 AL0	brushed hard graphite	4005176761614	641.65

Atrio
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



35 604 000	4005176698774	80.96
GROHE Rapido SmartBox universal rough-in box for concealed installation		



	Ref. No.	Colour	EAN	Retail Guide Price (€)
	24 356 000	Chrome	4005176762086	428.80
	24 356 DC0	supersteel	4005176761164	600.31
	24 356 GL0	cool sunrise	4005176761171	643.19
	24 356 GN0	brushed cool sunrise	4005176952180	686.07
	24 356 DAO	warm sunset	4005176761669	643.19
	24 356 DL0	brushed warm sunset	4005176952173	686.07
	24 356 AL0	brushed hard graphite	4005176761652	686.07
	24 357 000	Chrome	4005176762093	704.17
	24 357 DC0	supersteel	4005176761201	985.84
	24 357 GL0	cool sunrise	4005176761218	1,056.26
	24 357 GN0	brushed cool sunrise	4005176952203	1,126.68
	24 357 DAO	warm sunset	4005176761195	1,056.26
	24 357 DL0	brushed warm sunset	4005176952197	1,126.68
	24 357 AL0	brushed hard graphite	4005176761188	1,126.68
	Atrio			
		Single-lever mixer with 3-way diverter		
		set for final installation for		
		GROHE Rapido SmartBox 35 600/35 604		
		GROHE SilkMove 46 mm ceramic cartridge		
		GROHE Long-Life finish		
		wall escutcheon with GROHE FastFixation		
		(covered escutcheon- and shaft sealing, covered fixing)		
		metal escutcheon, retroactively 6° adjustable		
		metal lever		
		3-way diverter		
		flow performance:		
		outlet A = 27 l/min,		
		outlet B = 27 l/min,		
		outlet C = 27 l/min		
		without roughing-in-set		
	35 604 000		4005176698774	80.96
		GROHE Rapido SmartBox universal rough-in box for concealed installation		
	Atrio			
		Thermostatic mixer for 1 outlet with shut off valve		
		set for final installation for		
		GROHE Rapido SmartBox 35 600/35 604		
		GROHE TurboStat compact cartridge with wax thermoelement		
		GROHE Long-Life finish		
		wall escutcheon with GROHE FastFixation		
		(covered escutcheon- and shaft sealing, covered fixing)		
		metal escutcheon, retroactively 6° adjustable		
		GROHE SafeStop safety button at 38°C		
		(calibration required)		
		GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included		
		built-in non return valve		
		and dirt strainers		
		ceramic stop valve, 120°		
		metal handles		
		flow performance:		
		outlet B = 27 l/min		
		outlet C = 30 l/min		
		without roughing-in-set		
	35 604 000		4005176698774	80.96
		GROHE Rapido SmartBox universal rough-in box for concealed installation		






GROHE SPA

GROHE

ATRIO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 358 000	Chrome	4005176762109	753.22
	24 358 DC0	supersteel	4005176761362	1,054.50
	24 358 GL0	cool sunrise	4005176761379	1,129.82
	24 358 GN0	brushed cool sunrise	4005176952227	1,205.14
	24 358 DAO	warm sunset	4005176761355	1,129.82
	24 358 DLO	brushed warm sunset	4005176952210	1,205.14
	24 358 AL0	brushed hard graphite	4005176761348	1,205.14
Atrio Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve metal handles flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set	35 604 000	4005176698774	80.96	GROHE Rapido SmartBox universal rough-in box for concealed installation
	24 359 000	Chrome	4005176762116	753.22
	24 359 DC0	supersteel	4005176761409	1,054.50
	24 359 GL0	cool sunrise	4005176761416	1,129.82
	24 359 GN0	brushed cool sunrise	4005176952241	1,205.14
	24 359 DAO	warm sunset	4005176761393	1,129.82
	24 359 DLO	brushed warm sunset	4005176952234	1,205.14
	24 359 AL0	brushed hard graphite	4005176761386	1,205.14
Atrio Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve metal handles flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set	35 604 000	4005176698774	80.96	GROHE Rapido SmartBox universal rough-in box for concealed installation

	Ref. No.	Colour	EAN	Retail Guide Price (€)
	24 368 000 24 368 DC0 24 368 EN0 24 368 GL0 24 368 GN0 24 368 DAO 24 368 DL0 24 368 AL0	Chrome supersteel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176761102 4005176761133 4005176761140 4005176761157 4005176952388 4005176761126 4005176952371 4005176761119	1,842.63 2,579.67 2,948.20 2,763.95 2,948.20 2,763.95 2,948.20 2,948.20
	Atrio Single-lever bath mixer, floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life finish automatic diverter: bath/shower spout with mousseur projection 301 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Rainshower Aqua Stick (26 866) Silverflex shower hose 1250 mm protected against backflow			
	45 984 001	Chrome	4005176992056	552.23
		Rough-in set 1/2" for floor-mounted mixers/spouts		
	20 658 000 20 658 DC0 20 658 GL0 20 658 GN0 20 658 DAO 20 658 DL0 20 658 AL0	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176763007 4005176763038 4005176763045 4005176951800 4005176763021 4005176951794 4005176763014	317.69 444.77 476.54 508.31 476.54 508.31 508.31
	21 145 000 21 145 DC0 21 145 GL0 21 145 GN0 21 145 DAO 21 145 DL0 21 145 AL0	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176763311 4005176763359 4005176763366 4005176952081 4005176763342 4005176952074 4005176763335	508.31 711.64 762.46 813.30 762.46 813.30 813.30
	Atrio Basin mixer, 1/2" L-Size ceramic headparts 1/2", 90° GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min rapid installation system mousseur fixed spout with lever handle			
				



GROHE SPA


GROHE

ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------



GROHE SPA



21 144 000	Chrome	4005176763267	508.31
21 144 DC0	supersteel	4005176763298	711.64
21 144 GL0	cool sunrise	4005176763304	762.46
21 144 GN0	brushed cool sunrise	4005176952067	813.30
21 144 DAO	warm sunset	4005176763281	762.46
21 144 DL0	brushed warm sunset	4005176952050	813.30
21 144 AL0	brushed hard graphite	4005176763274	813.30

Atrio

Basin mixer, 1/2"

L-Size

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

rapid installation system

swivel tubular spout with mousseur and stop limiter

adjustable swivel area 0° / 150° / 360°

Push-open waste set 1 1/4"

flexible connection hoses


with cross handles

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.



GROHE SPA



21 149 000	Chrome	4005176762017	698.92
21 149 DC0	supersteel	4005176761249	978.50
21 149 GL0	cool sunrise	4005176761256	1,048.40
21 149 GN0	brushed cool sunrise	4005176952104	1,118.29
21 149 DAO	warm sunset	4005176761232	1,048.40
21 149 DL0	brushed warm sunset	4005176952098	1,118.29
21 149 AL0	brushed hard graphite	4005176761225	1,118.29

Atrio

Basin mixer, 1/2"

XL-Size

for free-standing basins

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

rapid installation system

swivel tubular spout with mousseur and stop limiter

adjustable swivel area 0° / 150° / 360°

Push-open waste set 1 1/4"

flexible connection hoses


with cross handles

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.



GROHE SPA



20 649 000	Chrome	4005176762949	635.39
20 649 DC0	supersteel	4005176762987	889.54
20 649 GL0	cool sunrise	4005176762994	953.09
20 649 GN0	brushed cool sunrise	4005176951787	1,016.63
20 649 DAO	warm sunset	4005176762970	953.09
20 649 DL0	brushed warm sunset	4005176951770	1,016.63
20 649 AL0	brushed hard graphite	4005176762963	1,016.63

Atrio

Three-hole basin mixer 1/2"

L-Size

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

swivel tubular spout with mousseur and stop limiter

adjustable swivel area 0° / 150° / 360°

pop-up waste set 1 1/4"

flexible connection hoses between spout and side valves


with lever handles

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.



GROHE SPA

GROHE
ATRIO

Ref. No.

Colour

EAN

Retail Guide
Price (£)

20 643 000	Chrome	4005176762871	635.39
20 643 DC0	supersteel	4005176762925	889.54
20 643 GL0	cool sunrise	4005176762932	953.09
20 643 GN0	brushed cool sunrise	4005176951763	1,016.63
20 643 DAO	warm sunset	4005176762918	953.09
20 643 DL0	brushed warm sunset	4005176951756	1,016.63
20 643 AL0	brushed hard graphite	4005176762901	1,016.63

Atrio**Three-hole basin mixer 1/2"****L-Size**

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

swivel tubular spout with mousseur and stop limiter

adjustable swivel area 0° / 150° / 360°

pop-up waste set 1 1/4"


pressure-proof, flexible connection hoses

between spout and side valves

with cross handles

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.



GROHE SPA

20 662 000	Chrome	4005176763168	540.08
20 662 DC0	supersteel	4005176763205	756.11
20 662 GL0	cool sunrise	4005176763212	810.12
20 662 GN0	brushed cool sunrise	4005176952043	864.13
20 662 DAO	warm sunset	4005176763199	810.12
20 662 DL0	brushed warm sunset	4005176952036	864.13
20 662 AL0	brushed hard graphite	4005176763182	864.13

Atrio**Three-hole basin mixer 1/2"****M-Size**wall mounted
set for final installation for
29 025 002**without concealed body**

valves hot/cold

with headparts 1/2" - 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

centre distance 200 mm


projection 180 mm

with lever handles

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.

29 025 002		4005176519895	291.48
Rough-in set for 3-hole basin mixer			



GROHE SPA

20 661 000	Chrome	4005176763090	540.08
20 661 DC0	supersteel	4005176763137	756.11
20 661 EN0	brushed nickel	4005176763144	864.13
20 661 GL0	cool sunrise	4005176763151	810.12
20 661 GN0	brushed cool sunrise	4005176952029	864.13
20 661 DAO	warm sunset	4005176763120	810.12
20 661 DL0	brushed warm sunset	4005176952012	864.13
20 661 AL0	brushed hard graphite	4005176763113	864.13

Atrio**3-hole basin mixer****M-Size**wall mounted
set for final installation for
29 025 002**without concealed body**

valves hot/cold

with headparts 1/2" - 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

centre distance 200 mm

projection 180 mm

with cross handles

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.

29 025 002		4005176519895	291.48
Rough-in set for 3-hole basin mixer			




GROHE SPA

GROHE

ATRIO



GROHE SPA



Ref. No.

Colour

EAN

Retail Guide
Price (£)

24 353 000	Chrome	4005176761300	540.08
24 353 DC0	supersteel	4005176761331	756.11
24 353 GL0	cool sunrise	4005176761560	810.12
24 353 GN0	brushed cool sunrise	4005176952128	864.13
24 353 DAO	warm sunset	4005176761324	810.12
24 353 DL0	brushed warm sunset	4005176952111	864.13
24 353 AL0	brushed hard graphite	4005176761317	864.13

Atrio**Bidet mixer 1/2"**

ceramic headparts 1/2", 90°

GROHE Long-Life finish

rapid installation system

ball-joint mousseur

bow spout

pop-up waste set 1 1/4"


flexible connection hoses

with cross handles

Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



GROHE SPA



Ref. No.

Colour

EAN

Retail Guide
Price (£)

26 895 000	Chrome	4005176762185	571.85
26 895 DC0	supersteel	4005176760792	800.59
26 895 GL0	cool sunrise	4005176760808	857.77
26 895 GN0	brushed cool sunrise	4005176952449	914.96
26 895 DAO	warm sunset	4005176760785	857.77
26 895 DL0	brushed warm sunset	4005176952432	914.96
26 895 AL0	brushed hard graphite	4005176760778	914.96

Atrio**Shower mixer 1/2"**

wall mounted

ceramic headparts 1/2", 90°

shower outlet 1/2"

integrated non-return valves in the shower outlet 1/2"

covered S-unions


protected against backflow

with cross handles

Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



GROHE SPA



Ref. No.

Colour

EAN

Retail Guide
Price (£)

25 268 000	Chrome	088754140470	762.46
25 268 DC0	supersteel	4005176761461	1,067.45
25 268 GL0	cool sunrise	4005176761478	1,143.69
25 268 GN0	brushed cool sunrise	4005176952401	1,219.95
25 268 DAO	warm sunset	4005176761454	1,143.69
25 268 DL0	brushed warm sunset	4005176952395	1,219.95
25 268 AL0	brushed hard graphite	4005176761447	1,219.95

Atrio**Bath / shower mixer 1/2"**

wall mounted

ceramic headparts 1/2", 90°

GROHE Long-Life finish

automatic diverter: bath/shower

tubular spout

with stop restriction

mousseur





covered S-unions

protected against backflow

without shower set

with cross handles

Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	25 272 000	Chrome	4005176762154	2,382.71
	25 272 DC0	supersteel	4005176761508	3,335.80
	25 272 EN0	brushed nickel	4005176761515	3,812.34
	25 272 GL0	cool sunrise	4005176761522	3,574.06
	25 272 GN0	brushed cool sunrise	4005176952425	3,812.34
	25 272 DAO	warm sunset	4005176761492	3,574.06
	25 272 DLO	brushed warm sunset	4005176952418	3,812.34
	25 272 AL0	brushed hard graphite	4005176761485	3,812.34
Atrio Bath / shower mixer 1/2" floor-mounted installation with high pillar unions (765 mm) set for final installation for 45 984 001 ceramic headparts 1/2", 90° GROHE Long-Life finish automatic diverter: bath/shower spout with mousseur projection 301 mm integrated non-return valve in the shower outlet 1/2" hand shower Rainshower Aqua Stick (26 866) with shower holder Silverflex shower hose 1250 mm (28 362) protected against backflow, with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.				
	45 984 001	Chrome	4005176992056	552.23
		Rough-in set 1/2" for floor-mounted mixers/spouts		
	29 397 000	Chrome	4005176754111	111.20
	29 397 DC0	supersteel	4005176754142	155.67
	29 397 GL0	cool sunrise	4005176754159	166.79
	29 397 GN0	brushed cool sunrise	4005176952487	177.91
	29 397 DAO	warm sunset	4005176754135	166.79
	29 397 DLO	brushed warm sunset	4005176952470	177.91
	29 397 AL0	brushed hard graphite	4005176754128	177.91
Atrio Concealed stop-valve trim for concealed valve 35 028 000 or 29 032 000 GROHE Long-Life finish installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with lever handle				
	35 028 000		4005176908316	160.19
		GROHE Rapido C rough-in box for single volume control		
	29 396 000	Chrome	4005176754067	111.20
	29 396 DC0	supersteel	4005176754098	155.67
	29 396 GL0	cool sunrise	4005176754104	166.79
	29 396 GN0	brushed cool sunrise	4005176952463	177.91
	29 396 DAO	warm sunset	4005176754081	166.79
	29 396 DLO	brushed warm sunset	4005176952456	177.91
	29 396 AL0	brushed hard graphite	4005176754074	177.91
Atrio Concealed stop-valve trim for concealed valve 35 028 000 or 29 032 000 GROHE Long-Life finish installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with cross handle				
	35 028 000		4005176908316	160.19
		GROHE Rapido C rough-in box for single volume control		




GROHE SPA

GROHE

ATRIO



GROHE SPA


Ref. No.

Colour

EAN

Retail Guide
Price (£)

29 407 000	Chrome	4005176762772	1,429.63
29 407 DC0	supersteel	4005176762802	2,001.48
29 407 GL0	cool sunrise	4005176762819	2,144.44
29 407 GN0	brushed cool sunrise	4005176952524	2,287.40
29 407 DL0	brushed warm sunset	4005176952517	2,287.40
29 407 DA0	warm sunset	4005176762796	2,144.44
29 407 AL0	brushed hard graphite	4005176762789	2,287.40

Atrio**5-hole bath/shower combination**

ceramic headparts 1/2", 90°

GROHE Long-Life finish

Consisting of:

pre-assembled spout fixing

with lever handles

bath spout with mousseur and diverter bath/shower

hand shower Rainshower Aqua Stick 6.6 l/min

shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow


can be used with 29 037 002

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.

29 037 002	4005176519918	921.32
Baseframe for installation under tiled surround		



GROHE SPA


29 408 000	Chrome	4005176762826	1,429.63
29 408 DC0	supersteel	4005176762857	2,001.48
29 408 GL0	cool sunrise	4005176762864	2,144.44
29 408 GN0	brushed cool sunrise	4005176952548	2,287.40
29 408 DA0	warm sunset	4005176762840	2,144.44
29 408 DL0	brushed warm sunset	4005176952531	2,287.40
29 408 AL0	brushed hard graphite	4005176762833	2,287.40

Atrio**5-hole bath/shower combination**

ceramic headparts 1/2", 90°

GROHE Long-Life finish

Consisting of:

pre-assembled spout fixing

with cross handles

bath spout with mousseur and diverter bath/shower

hand shower Rainshower Aqua Stick 6.6 l/min

shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow


can be used with 29 037 002

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.

29 037 002	4005176519918	921.32
Baseframe for installation under tiled surround		



GROHE SPA


13 487 000	Chrome	4005176761683	285.92
13 487 DC0	supersteel	4005176761720	400.30
13 487 GL0	cool sunrise	4005176761737	428.89
13 487 GN0	brushed cool sunrise	4005176951664	457.48
13 487 DA0	warm sunset	4005176761713	428.89
13 487 DL0	brushed warm sunset	4005176951657	457.48
13 487 AL0	brushed hard graphite	4005176761706	457.48

Atrio**Bath spout**

wall mounted

GROHE Long-Life finish

mousseur

projection 171 mm


	Ref. No.	Colour	EAN	Retail Guide Price (€)
	40 884 000 40 884 DC0 40 884 EN0 40 884 GL0 40 884 GN0 40 884 DAO 40 884 DL0 40 884 AL0	Chrome supersteel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176754326 4005176752926 4005176752933 4005176752940 4005176950261 4005176752919 4005176950254 4005176752902	92.13 128.99 147.41 138.19 147.41 138.19 147.41 147.41
	Atrio Glass/soap dish holder fits glass 40 882 000 or soap dispenser 40 886 xx0 (please order separately) material: metal concealed fastening GROHE Long-Life finish			
	40 886 000 40 886 DC0 40 886 EN0 40 886 GL0 40 886 GN0 40 886 DAO 40 886 DL0 40 886 AL0	Chrome supersteel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176754012 4005176754531 4005176754548 4005176754555 4005176952708 4005176754524 4005176952692 4005176754517	92.13 128.99 147.41 138.19 147.41 138.19 147.41 147.41
	Soap dispenser material: glass / metal filling quantity 160 ml fits holder Atrio 40 884 xx0 (please order separately) GROHE Long-Life finish			
	40 882 000		4005176754494	60.36
	Glass material: glass fits holders Allure 40 278 001 and Atrio 40 884 xx0 (please order separately)			
	40 885 000 40 885 DC0 40 885 EN0 40 885 GL0 40 885 GN0 40 885 DAO 40 885 DL0 40 885 AL0	Chrome supersteel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176752957 4005176753985 4005176753992 4005176754005 4005176952685 4005176753978 4005176950278 4005176753961	92.13 128.99 147.41 138.19 147.41 138.19 147.41 147.41
	Atrio Glass/soap dish holder fits soap dish 40 883 000 or hair dryer inlet 40 964 001 (please order separately) material: metal concealed fastening GROHE Long-Life finish			
	40 883 000		4005176755262	69.89
	Soap dish material: glass fits holders Allure (40 963 001) and Atrio (40 885 xx0), please order separately			



GROHE SPA

GROHE
ATRIOSPA BATH
TAPS

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------




40 964 001 chrome/frosted granite 4005176531019

43.40

Allure**Hair dryer inlet**

material: plastic

fits holders Allure (40 963 xx1) and Atrio (40 885 xx0), please order separately



40 887 000 Chrome 4005176754562

123.90

40 887 DC0 supersteel 4005176754593

173.46

40 887 EN0 brushed nickel 4005176754609

198.24

40 887 GL0 cool sunrise 4005176754616

185.85

40 887 DA0 warm sunset 4005176754586

185.85

40 887 DL0 brushed warm sunset 4005176952715

198.24

40 887 AL0 brushed hard graphite 4005176754579


198.24

Atrio**Towel ring**

material: metal

concealed fastening

GROHE Long-Life finish



40 888 000 Chrome 4005176754623

206.51

40 888 DC0 supersteel 4005176754654

289.10

40 888 EN0 brushed nickel 4005176754661

330.41

40 888 GL0 cool sunrise 4005176754678

309.75

40 888 GN0 brushed cool sunrise 4005176952746

330.41

40 888 DA0 warm sunset 4005176754647

309.75

40 888 DL0 brushed warm sunset 4005176952739

330.41

40 888 AL0 brushed hard graphite 4005176754630

330.41

Atrio**Towel bar**


material: metal

2 arms, pivotable

length 489 mm

concealed fastening

GROHE Long-Life finish



40 889 000 Chrome 4005176754685

196.97

40 889 DC0 supersteel 4005176754715

275.76

40 889 EN0 brushed nickel 4005176754722

315.15

40 889 GL0 cool sunrise 4005176754739

295.45

40 889 DA0 warm sunset 4005176754708

295.45

40 889 DL0 brushed warm sunset 4005176952753

315.15

40 889 AL0 brushed hard graphite 4005176754692

315.15


Atrio**Towel rail**

650 mm (drilling length 600 mm)

material: metal

concealed fastening

GROHE Long-Life finish



40 890 000 Chrome 4005176754746

63.54

40 890 DC0 supersteel 4005176754777

88.96

40 890 EN0 brushed nickel 4005176754784

101.66

40 890 GL0 cool sunrise 4005176754791

95.31

40 890 DA0 warm sunset 4005176754760

95.31

40 890 DL0 brushed warm sunset 4005176952777

101.66

40 890 AL0 brushed hard graphite 4005176754753

101.66

Atrio**Robe hook**


material: metal

concealed fastening

GROHE Long-Life finish

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 891 000	Chrome	4005176754807	139.78
	40 891 DC0	supersteel	4005176754838	195.70
	40 891 EN0	brushed nickel	4005176755088	223.66
	40 891 GL0	cool sunrise	4005176755095	209.68
	40 891 DAO	warm sunset	4005176754821	209.68
	40 891 DL0	brushed warm sunset	4005176952791	223.66
	40 891 AL0	brushed hard graphite	4005176754814	223.66
	40 892 000	Chrome	4005176755101	277.98
	40 892 DC0	supersteel	4005176755132	389.17
	40 892 EN0	brushed nickel	4005176755149	444.77
	40 892 GL0	cool sunrise	4005176755156	416.97
	40 892 GN0	brushed cool sunrise	4005176952821	444.77
	40 892 DAO	warm sunset	4005176755125	416.97
	40 892 DL0	brushed warm sunset	4005176952814	444.77
	40 892 AL0	brushed hard graphite	4005176755118	444.77
	30 609 000	Chrome	4005176762208	635.12
	30 609 DC0	supersteel	4005176760839	825.65
	30 609 GN0	brushed cool sunrise	4005176952586	952.68
	30 609 AL0	brushed hard graphite	4005176760822	952.68
	30 609 DL0	brushed warm sunset	4005176952579	952.68
	Atrio			
	Toilet brush set			
	material: glass / metal			
	wall mounted			
	concealed fastening			
	GROHE Long-Life finish			
	40 791 001	white	4005176323409	8.96
	40 791 KS1	velvet black	4005176336379	8.96
	Spare Brush Head			
	386	221	261	
	520	max. 60	Ø34	
	G 3/8	162		
	Ø50	7°		

GROHE ATRIO PRIVATE COLLECTION



Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------

21 138 000	Chrome	4005176499081	745.62
21 138 DC0	supersteel	4005176510557	1,043.85
21 138 GL0	cool sunrise	4005176510496	1,118.42
21 138 GN0	brushed cool sunrise	4005176510472	1,192.98
21 138 DAO	warm sunset	4005176510571	1,118.42
21 138 DL0	brushed warm sunset	4005176510533	1,192.98
21 138 AL0	brushed hard graphite	4005176510618	1,192.99

Atrio Private Collection

Basin mixer, 1/2"

L-Size

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

rapid installation system

swivel tubular spout with mousseur and stop limiter


adjustable swivel area 0° / 150° / 360°

Push-open waste set 1 1/4"

flexible connection hoses

knobs with metal inlay

can be combined with 48 456 000 or 48 457 000



21 142 000	Chrome	4005176510052	1,025.21
21 142 DC0	supersteel	4005176509957	1,435.28
21 142 GL0	cool sunrise	4005176509896	1,537.83
21 142 GN0	brushed cool sunrise	4005176509872	1,640.34
21 142 DAO	warm sunset	4005176509971	1,537.83
21 142 DL0	brushed warm sunset	4005176509933	1,640.34
21 142 AL0	brushed hard graphite	4005176510014	1,640.32

Atrio Private Collection

Basin mixer, 1/2"

XL-Size

for free-standing basins

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

rapid installation system

swivel tubular spout with mousseur and stop limiter

adjustable swivel area 0° / 150° / 360°

Push-open waste set 1 1/4"

flexible connection hoses

knobs with metal inlay

can be combined with 48 456 000 or 48 457 000



48 456 000

4005176520778

371.11

Atrio Private Collection

Inlays made from White Attica Caesarstone material

can be combined with Atrio Private Collection:

one-hole basin mixer L-Size 21 138

one-hole basin mixer XL-Size 21 142

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



48 457 000

4005176520785

371.11

Atrio Private Collection

Inlays made from Vanilla Noir Caesarstone material


can be combined with Atrio Private Collection:

one-hole basin mixer L-Size 21 138

one-hole basin mixer XL-Size 21 142

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------



20 589 000	Chrome	4005176511691	720.20
20 589 DC0	supersteel	4005176511592	1,008.26
20 589 GL0	cool sunrise	4005176503306	1,080.30
20 589 GN0	brushed cool sunrise	4005176511530	1,152.31
20 589 DAO	warm sunset	4005176511615	1,080.30
20 589 DL0	brushed warm sunset	4005176511578	1,152.31
20 589 AL0	brushed hard graphite	4005176511653	1,152.28

**Atrio Private Collection
3-hole basin mixer
M-Size**

wall mounted
set for final installation for
29 025 002

without concealed body

valves hot/cold

with headparts 1/2" - 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

centre distance 200 mm

projection 180 mm


knobs with metal inlay

can be combined with 48 460 000 or 48 461 000

**29 025 002
Rough-in set for 3-hole basin mixer**

4005176519895

291.48



20 595 000	Chrome	4005176511233	847.29
20 595 DC0	supersteel	4005176511158	1,186.21
20 595 GL0	cool sunrise	4005176511110	1,270.93
20 595 GN0	brushed cool sunrise	4005176511097	1,355.66
20 595 DAO	warm sunset	4005176511172	1,270.93
20 595 DL0	brushed warm sunset	4005176499234	1,355.66
20 595 AL0	brushed hard graphite	4005176511219	1,355.66

**Atrio Private Collection
Three-hole basin mixer 1/2"**

L-Size

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

swivel tubular spout with mousseur and stop limiter

adjustable swivel area 0° / 150° / 360°


pop-up waste set 1 1/4"

pressure-proof, flexible connection hoses

between spout and side valves

knobs with metal inlay

can be combined with 48 460 000 or 48 461 000



25 229 000	Chrome	4005176507977	3,177.33
25 229 DC0	supersteel	4005176507878	4,448.26
25 229 GL0	cool sunrise	4005176507816	4,765.95
25 229 GN0	brushed cool sunrise	4005176507793	5,083.72
25 229 DAO	warm sunset	4005176507892	4,765.95
25 229 DL0	brushed warm sunset	4005176507854	5,083.72
25 229 AL0	brushed hard graphite	4005176507939	5,083.68

**Atrio Private Collection
Bath / shower mixer 1/2"**

floor-mounted installation

with high pillar unions (765 mm)

set for final installation for

45 984 001

without roughing-in-set

ceramic headparts 1/2", 90°

GROHE Long-Life finish

automatic diverter: bath/shower

projection 301 mm

integrated non-return valve

in the shower outlet 1/2"

hand shower with holder

Silverflex shower hose 1250 mm (28 362)

protected against backflow

knobs with inlay, can be combined with 48 460 000 or 48 461 000

45 984 001 Chrome

4005176992056

552.23

Rough-in set 1/2" for floor-mounted mixers/spouts



GROHE SPA

GROHE

ATRIO PRIVATE COLLECTION

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------



GROHE SPA

48 460 000

4005176523816

371.11

Atrio Private Collection**Inlays made from White Attica Caesarstone material**

can be combined with Atrio Private Collection:

three-hole basin mixer M-Size 20 595

three-hole basin mixer wall mounted 20 589

bath mixer 25 229

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



GROHE SPA

48 461 000

4005176523823

371.11

Atrio Private Collection**Inlays made from Vanilla Noir Caesarstone material**

can be combined with Atrio Private Collection:

three-hole basin mixer M-Size 20 595

three-hole basin mixer wall mounted 20 589

bath mixer 25 229


Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.

Ref. No.	Colour	EAN	Retail Guide Price (€)
25 226 000	Chrome	4005176508554	1,906.39
25 226 DC0	supersteel	4005176508455	2,668.96
25 226 GL0	cool sunrise	4005176508394	2,859.60
25 226 GN0	brushed cool sunrise	4005176508370	3,050.23
25 226 DAO	warm sunset	4005176508479	2,859.60
25 226 DL0	brushed warm sunset	4005176508431	3,050.23
25 226 AL0	brushed hard graphite	4005176508516	3,050.23
Atrio Private Collection			
5-hole bath/shower combination			
ceramic headparts 1/2", 90°			
GROHE Long-Life finish			
Consisting of:			
pre-assembled spout fixing			
knobs with inlay, can be combined with 48 462 000 or 48 463 000			
bath spout with mousseur and diverter bath/shower			
hand shower 6.6 l/min			
shower hose 2000 mm			
flexible connection hoses			
connection for shower hose			
protected against backflow			
can be used with 29 037 002			
29 037 002		4005176519918	921.32
Baseframe for installation under tiled surround			
48 462 000		4005176523830	371.11
Atrio Private Collection			
Inlays made from White Attica Caesarstone material			
can be combined with Atrio Private Collection:			
tub filler 25 226			
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.			
48 463 000		4005176523847	371.11
Atrio Private Collection			
Inlays made from Vanilla Noir Caesarstone material			
can be combined with Atrio Private Collection:			
tub filler 25 226			
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.			

GROHE ATRIO PRIVATE COLLECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)
--	----------	--------	-----	------------------------

	24 396 000	Chrome	4005176786204	1,004.41
	24 396 DCO	supersteel	4005176786211	1,406.16
	24 396 GL0	cool sunrise	4005176786228	1,506.62
	24 396 GN0	brushed cool sunrise	4005176951824	1,607.06
	24 396 DAO	warm sunset	4005176786235	1,506.62
	24 396 DL0	brushed warm sunset	4005176951817	1,607.06
	24 396 AL0	brushed hard graphite	4005176786242	1,607.05



Atrio Private Collection

Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve with knob

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge with wax thermoelement

GROHE Long-Life finish

wall escutcheon with GROHE FastFixation

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

knobs with metal inlay

can be combined with 48 466 000 or 48 467 000

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set



35 604 000

4005176698774 80.96

GROHE Rapido SmartBox universal rough-in box for concealed installation



GROHE SPA

48 466 000

4005176523878

371.11



Atrio Private Collection

Inlays made from **White Attica Caesarstone** material

can be combined with Atrio Private Collection:

thermostatic shower mixer 24 396

Caesarstone is a quartz composite material. Structures and textures on the

surface may vary and are unique.



GROHE SPA

48 467 000

4005176523885

371.11



Atrio Private Collection

Inlays made from **Vanilla Noir Caesarstone** material


can be combined with Atrio Private Collection:

thermostatic shower mixer 24 396

Caesarstone is a quartz composite material. Structures and textures on the

surface may vary and are unique.

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------



21 134 000	Chrome	4005176499067	508.31
21 134 DC0	supersteel	4005176510915	711.64
21 134 GL0	cool sunrise	4005176510854	762.46
21 134 GN0	brushed cool sunrise	4005176510830	813.30
21 134 DAO	warm sunset	4005176510939	762.46
21 134 DLO	brushed warm sunset	4005176510892	813.30
21 134 AL0	brushed hard graphite	4005176510977	813.30

Atrio Private Collection

Basin mixer, 1/2"

L-Size

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

rapid installation system

swivel tubular spout with mousseur and stop limiter


adjustable swivel area 0° / 150° / 360°

Push-open waste set 1 1/4"

flexible connection hoses

for stick handles

to be combined with stick sets 48 458, 48 459 or 48 646, please order separately



21 140 000	Chrome	4005176510458	698.92
21 140 DC0	supersteel	4005176510359	978.50
21 140 GL0	cool sunrise	4005176510298	1,048.40
21 140 GN0	brushed cool sunrise	4005176510274	1,118.29
21 140 DAO	warm sunset	4005176510373	1,048.40
21 140 DLO	brushed warm sunset	4005176510335	1,118.29
21 140 AL0	brushed hard graphite	4005176510410	1,118.29

Atrio Private Collection

Basin mixer, 1/2"

XL-Size

for free-standing basins

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

rapid installation system

swivel tubular spout with mousseur and stop limiter


adjustable swivel area 0° / 150° / 360°

Push-open waste set 1 1/4"

flexible connection hoses

for stick handles

to be combined with stick sets 48 458, 48 459 or 48 646, please order separately



20 587 000	Chrome	4005176512070	540.08
20 587 DC0	supersteel	4005176511974	756.11
20 587 GL0	cool sunrise	4005176511936	810.12
20 587 GN0	brushed cool sunrise	4005176511912	864.13
20 587 DAO	warm sunset	4005176511998	810.12
20 587 DLO	brushed warm sunset	4005176511950	864.13
20 587 AL0	brushed hard graphite	4005176512032	864.13

Atrio Private Collection

3-hole basin mixer

M-Size

wall mounted

set for final installation for

29 025 002

without concealed body

valves hot/cold

with headparts 1/2" - 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

centre distance 200 mm

projection 180 mm


for stick handles

to be combined with stick sets 48 458, 48 459 or 48 646, please order separately

29 025 002		4005176519895	291.48
Rough-in set for 3-hole basin mixer			

GROHE ATRIO PRIVATE COLLECTION

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------



20 593 000	Chrome	4005176511516	635.39
20 593 DC0	supersteel	4005176511455	889.54
20 593 GL0	cool sunrise	4005176511417	953.09
20 593 GN0	brushed cool sunrise	4005176511394	1,016.63
20 593 DAO	warm sunset	4005176511479	953.09
20 593 DL0	brushed warm sunset	4005176499210	1,016.63
20 593 AL0	brushed hard graphite	4005176499272	1,016.63

Atrio Private Collection
Three-hole basin mixer 1/2"
L-Size

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

swivel tubular spout with mousseur and stop limiter

adjustable swivel area 0° / 150° / 360°


pop-up waste set 1 1/4"

pressure-proof, flexible connection hoses

between spout and side valves

for stick handles

to be combined with stick sets 48 458, 48 459 or 48 646, please order separately



25 227 000	Chrome	4005176508356	2,382.71
25 227 DC0	supersteel	4005176508257	3,335.80
25 227 GL0	cool sunrise	4005176508196	3,574.06
25 227 GN0	brushed cool sunrise	4005176508172	3,812.34
25 227 DAO	warm sunset	4005176508271	3,574.06
25 227 DL0	brushed warm sunset	4005176508233	3,812.34
25 227 AL0	brushed hard graphite	4005176508318	3,812.34

Atrio Private Collection
Bath / shower mixer 1/2"

floor-mounted installation
with high pillar unions (765 mm)
set for final installation for

45 984 001

without roughing-in-set

ceramic headparts 1/2", 90°

GROHE Long-Life finish

automatic diverter: bath/shower

projection 301 mm

integrated non-return valve

in the shower outlet 1/2"

hand shower with holder

Silverflex shower hose 1250 mm (28 362)

protected against backflow

for stick handles

to be combined with stick sets 48 646, 48 458 or 48 459, please order separately

45 984 001	Chrome	4005176992056	552.23
Rough-in set 1/2" for floor-mounted mixers/spouts			



48 458 000	Chrome	4005176523793	494.81
48 458 DC0	supersteel	4005176787249	494.81
48 458 GL0	cool sunrise	4005176787256	494.81
48 458 GN0	brushed cool sunrise	4005176951848	692.73
48 458 DAO	warm sunset	4005176788468	494.81
48 458 DL0	brushed warm sunset	4005176951831	692.73
48 458 AL0	brushed hard graphite	4005176788475	494.81

Atrio Private Collection

Sticks made from White Attica Caesarstone material

can be combined with Atrio Private Collection:

one-hole basin mixer L-Size 21 134

one-hole basin mixer XL-Size 21 140

three-hole basin mixers 20 587 and 20 593

bath mixer 25 227

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.

Caesarstone is a quartz composite material. Structures and textures on the

surface may vary and are unique.

	Ref. No.	Colour	EAN	Retail Guide Price (€)
 GROHE SPA	48 459 000	Chrome	4005176523809	494.81
	48 459 DC0	supersteel	4005176788482	494.81
	48 459 GL0	cool sunrise	4005176788499	494.81
	48 459 GN0	brushed cool sunrise	4005176951862	692.73
	48 459 DAO	warm sunset	4005176788505	494.81
	48 459 DL0	brushed warm sunset	4005176951855	692.73
	48 459 AL0	brushed hard graphite	4005176788512	494.81
Atrio Private Collection				
Sticks made from Vanilla Noir Caeserstone material				
can be combined with Atrio Private Collection:				
one-hole basin mixer L-Size 21 134				
one-hole basin mixer XL-Size 21 140				
three-hole basin mixers 20 587 and 20 593				
bath mixer 25 227				
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.				
Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.				
 GROHE SPA	48 646 GN0	brushed cool sunrise	4005176951923	692.73
	48 646 DL0	brushed warm sunset	4005176951916	692.73
Atrio Private Collection				
Knurled sticks				
can be combined with Atrio Private Collection:				
one-hole basin mixer L-Size 21 134				
one-hole basin mixer XL-Size 21 140				
three-hole basin mixers 20 587 and 20 593				
bath mixer 25 227				
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.				






GROHE SPA

GROHE ATRIO PRIVATE COLLECTION

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



25 224 000	Chrome	4005176508950	1,429.63
25 224 DC0	supersteel	4005176508851	2,001.48
25 224 GL0	cool sunrise	4005176508790	2,144.44
25 224 GN0	brushed cool sunrise	4005176508776	2,287.40
25 224 DAO	warm sunset	4005176508875	2,144.44
25 224 DL0	brushed warm sunset	4005176508837	2,287.40
25 224 AL0	brushed hard graphite	4005176508912	2,287.40

Atrio Private Collection**5-hole bath/shower combination**

ceramic headparts 1/2", 90°

GROHE Long-Life finish

Consisting of:

pre-assembled spout fixing

bath spout with mousseur and diverter bath/shower

hand shower 6.6 l/min

shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow

for stick handles

to be combined with stick sets 48 464, 48 465 or 48 651, please order separately

can be used with 29 037 002

29 037 002	4005176519918	921.32
Baseframe for installation under tiled surround		



48 464 000	Chrome	4005176523854	494.81
48 464 DC0	supersteel	4005176788529	494.81
48 464 GL0	cool sunrise	4005176788536	494.81
48 464 GN0	brushed cool sunrise	4005176951886	692.73
48 464 DAO	warm sunset	4005176788543	494.81
48 464 DL0	brushed warm sunset	4005176951879	692.73
48 464 AL0	brushed hard graphite	4005176788550	494.81

Atrio Private Collection**Sticks made from White Attica Caesarstone material**

can be combined with Atrio Private Collection:

tub filler 25 224

Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



48 465 000	Chrome	4005176523861	494.81
48 465 DC0	supersteel	4005176788567	494.81
48 465 GL0	cool sunrise	4005176788574	494.81
48 465 GN0	brushed cool sunrise	4005176951909	692.73
48 465 DAO	warm sunset	4005176788581	494.81
48 465 DL0	brushed warm sunset	4005176951893	692.73
48 465 AL0	brushed hard graphite	4005176788598	494.81

Atrio Private Collection**Sticks made from Vanilla Noir Caesarstone material**

can be combined with Atrio Private Collection:

tub filler 25 224

Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



48 651 GN0	brushed cool sunrise	4005176951947	692.73
48 651 DL0	brushed warm sunset	4005176951930	692.73

Atrio Private Collection**Knurled sticks**

can be combined with Atrio Private Collection:

tub filler 25 224

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.

Caesarstone is a quartz composite material. Structures and textures on the

surface may vary and are unique.




GROHE SPA

GROHE ALLURE



GROHE SPA



Ref. No.

Colour

EAN

Retail Guide
Price (£)

32 757 001	Chrome	4005176498589	520.67
32 757 DC1	supersteel	4005176954306	728.93
32 757 GL1	cool sunrise	4005176499319	781.00
32 757 GN1	brushed cool sunrise	4005176499326	833.07
32 757 DA1	warm sunset	4005176499333	781.00
32 757 DL1	brushed warm sunset	4005176499340	833.07
32 757 AL1	brushed hard graphite	4005176499364	833.07

Allure**Basin mixer 1/2"****M-Size**

monobloc installation

swivelling spout

28 mm ceramic cartridge

with GROHE SilkMove

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

GROHE FastFixation Plus installation system

GROHE AquaGuide adjustable slim air mousseur


pop-up waste set 1 1/4"

flexible connection hoses

temperature limiter



GROHE SPA



32 146 001	Chrome	4005176499388	578.52
32 146 DC1	supersteel	4005176954290	809.93
32 146 GL1	cool sunrise	4005176499418	867.78
32 146 GN1	brushed cool sunrise	4005176499425	925.63
32 146 DA1	warm sunset	4005176499432	867.78
32 146 DL1	brushed warm sunset	4005176499449	925.63
32 146 AL1	brushed hard graphite	4005176499463	925.63

Allure**Single-lever basin mixer 1/2"****L-Size**

monobloc installation

swivelling spout

28 mm ceramic cartridge

with GROHE SilkMove

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

GROHE FastFixation Plus installation system

GROHE AquaGuide adjustable slim air mousseur


pop-up waste set 1 1/4"

flexible connection hoses

temperature limiter



GROHE SPA



23 403 001	Chrome	4005176499487	665.30
23 403 DC1	supersteel	4005176954221	931.41
23 403 GL1	cool sunrise	4005176499517	997.95
23 403 GN1	brushed cool sunrise	4005176499524	1,064.48
23 403 DA1	warm sunset	4005176499531	997.95
23 403 DL1	brushed warm sunset	4005176499548	1,064.48
23 403 AL1	brushed hard graphite	4005176499562	1,064.48

Allure**Basin mixer 1/2"****XL-Size**

monobloc installation

swivelling spout

for free-standing basins

28 mm ceramic cartridge

with GROHE SilkMove

GROHE Long-Life finish

maximum flow rate (at 3 bar): 5 l/min

GROHE Water Saving - Less water, perfect flow

smooth body with push-open pop-up waste set 1 1/4"

GROHE AquaGuide adjustable slim air mousseur

projection 185 mm

height 377 mm

push-to-open waste set

flexible connection hoses


temperature limiter



GROHE SPA

GROHE

ALLURE



Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

20 188 001	Chrome	4005176499685	983.49
20 188 DC1	supersteel	4005176954191	1,376.88
20 188 GL1	cool sunrise	4005176499715	1,475.23
20 188 GN1	brushed cool sunrise	4005176499722	1,573.58
20 188 DA1	warm sunset	4005176499739	1,475.23
20 188 DL1	brushed warm sunset	4005176499746	1,573.58
20 188 AL1	brushed hard graphite	4005176499760	1,573.58

Allure**Three-hole basin mixer 1/2"****M-Size**

deck mounted

ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min


GROHE AquaGuide adjustable slim air mousseur

projection 143 mm

pressure-proof, flexible connection hoses

between spout and side valves

pop-up waste set 1 1/4"



GROHE SPA

20 189 002	Chrome	4005176499784	954.56
20 189 DC2	supersteel	4005176954207	1,336.38
20 189 GL2	cool sunrise	4005176499814	1,431.84
20 189 GN2	brushed cool sunrise	4005176499821	1,527.29
20 189 DA2	warm sunset	4005176499838	1,431.84
20 189 DL2	brushed warm sunset	4005176499845	1,527.29
20 189 AL2	brushed hard graphite	4005176499869	1,527.29

Allure**Three-hole basin mixer 1/2"****S-Size**

wall mounted, with lever handles

without concealed body

set for final installation for 29 025 002

valves hot/cold

with headparts 1/2" - 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 5 l/min

Precision Control with haptic click feedback (optional)

GROHE AquaGuide adjustable slim air mousseur

projection 150 mm

GROHE SPA

20 193 002	Chrome	4005176499883	983.49
20 193 DC2	supersteel	4005176954214	1,376.88
20 193 GL2	cool sunrise	4005176499913	1,475.23
20 193 GN2	brushed cool sunrise	4005176499920	1,573.58
20 193 DA2	warm sunset	4005176499937	1,475.23
20 193 DL2	brushed warm sunset	4005176499944	1,573.58
20 193 AL2	brushed hard graphite	4005176499968	1,573.58




projection 208 mm

29 025 002		4005176519895	291.48
Rough-in set for 3-hole basin mixer			



GROHE SPA

GROHE ALLURE



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 309 002 19 309 DC2 19 309 GL2 19 309 GN2 19 309 DA2 19 309 DL2 19 309 AL2	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176499982 4005176954108 4005176514197 4005176514173 4005176514241 4005176514227 4005176514289	1,070.27 1,498.36 1,605.39 1,712.42 1,605.39 1,712.42 1,712.42
	Allure 2-hole basin mixer S-Size wall mounted without concealed body set for final installation for 23 429 000 GROHE FeatherControl Joystick cartridge GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable slim air mousseur centre distance 110 mm projection 154 mm			
	19 386 002 19 386 DC2 19 386 GL2 19 386 GN2 19 386 DA2 19 386 DL2 19 386 AL2	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176512995 4005176954160 4005176512834 4005176512810 4005176512896 4005176512872 4005176512957	1,099.20 1,538.87 1,648.79 1,758.71 1,648.79 1,758.71 1,758.71
	23 429 000	Rough-in for Joystick 2-hole basin mixers	4005176993695	288.93
	24 160 001 24 160 DC1 24 160 GL1 24 160 GN1 24 160 DA1 24 160 DL1 24 160 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176596230 4005176954245 4005176596261 4005176596278 4005176596285 4005176598692 4005176598715	520.67 728.94 781.02 833.08 781.02 833.08 833.08
	Allure Bidet mixer 1/2" monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE Long-Life finish ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
	32 846 001 32 846 DC1 32 846 GL1 32 846 GN1 32 846 DA1 32 846 DL1 32 846 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176506895 4005176954320 4005176506758 4005176506734 4005176506819 4005176506796 4005176506857	636.37 890.93 954.56 1,018.19 954.56 1,018.19 1,018.19
	Allure Single-lever shower mixer 1/2" exposed wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow			



GROHE SPA

GROHE ALLURE








	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 826 001 32 826 DC1 32 826 GL1 32 826 GN1 32 826 DA1 32 826 DL1 32 826 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176507076 4005176954313 4005176506932 4005176506918 4005176500930 4005176506970 4005176507038	694.23 971.92 1,041.34 1,110.75 1,041.34 1,110.75 1,110.75
	Allure Single-lever bath mixer 1/2" exposed wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter automatic diverter: bath/shower cast spout mousseur shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow			
	19 317 001 19 317 DC1 19 317 GL1 19 317 GN1 19 317 DA1 19 317 DL1 19 317 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176513756 4005176954139 4005176513596 4005176513572 4005176513657 4005176513633 4005176513718	419.43 587.20 629.14 671.08 629.14 671.08 671.08
	Allure Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set			
	35 604 000		4005176698774	80.96
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	19 315 001 19 315 DC1 19 315 GL1 19 315 GN1 19 315 DA1 19 315 DL1 19 315 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176514159 4005176954115 4005176513992 4005176513978 4005176514050 4005176514036 4005176514111	477.28 668.19 715.93 763.65 715.93 763.65 763.65
	Allure Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
	35 604 000		4005176698774	80.96
	GROHE Rapido SmartBox universal rough-in box for concealed installation			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 176 001 29 176 DC1 29 176 GL1 29 176 GN1 29 176 DA1 29 176 DL1 29 176 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176507779 4005176954276 4005176507632 4005176507618 4005176500534 4005176507670 4005176507731	520.67 728.93 781.00 833.07 781.00 833.07 833.07
	Allure Single-lever mixer with 3-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set			
	35 604 000		4005176698774	80.96
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	19 380 002 19 380 DC2 19 380 GL2 19 380 GN2 19 380 DA2 19 380 DL2 19 380 AL2	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176513190 4005176954153 4005176513039 4005176513015 4005176513091 4005176513077 4005176513152	549.59 769.43 824.39 879.35 824.39 879.35 879.35
	Allure Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° metal handles flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
	35 604 000		4005176698774	80.96
	GROHE Rapido SmartBox universal rough-in box for concealed installation			



GROHE SPA

GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 181 002	Chrome	4005176558993	578.52
	29 181 DC2	supersteel	4005176954283	809.93
	29 181 GL2	cool sunrise	4005176559020	867.78
	29 181 GN2	brushed cool sunrise	4005176559037	925.63
	29 181 DA2	warm sunset	4005176559044	867.78
	29 181 DL2	brushed warm sunset	4005176559051	925.63
	29 181 AL2	brushed hard graphite	4005176559075	925.63
Allure Thermostat for concealed installation with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set				
	35 604 000		4005176698774	80.96
		GROHE Rapido SmartBox universal rough-in box for concealed installation		
	19 446 002	Chrome	4005176512797	578.52
	19 446 DC2	supersteel	4005176954177	809.93
	19 446 GL2	cool sunrise	4005176512636	867.78
	19 446 GN2	brushed cool sunrise	4005176512612	925.63
	19 446 DA2	warm sunset	4005176512698	867.78
	19 446 DL2	brushed warm sunset	4005176512674	925.63
	19 446 AL2	brushed hard graphite	4005176512759	925.63
Allure Thermostat for concealed installation with 2-way diverter hand shower/bath filler set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set				
	35 604 000		4005176698774	80.96
		GROHE Rapido SmartBox universal rough-in box for concealed installation		

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	25 221 001 25 221 DC1 25 221 GL1 25 221 GN1 25 221 DA1 25 221 DL1 25 221 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176509438 4005176954252 4005176509278 4005176509254 4005176509339 4005176509315 4005176509391	1,599.50 2,239.30 2,399.24 2,559.20 2,399.24 2,559.20 2,559.20	
	Allure 5-hole bath/shower combination for installation under tiled surround ceramic headparts 1/2", 90° GROHE Long-Life finish Consisting of: pre-assembled spout fixing with lever handles bath spout with mousseur and diverter bath/shower Rainshower Aqua hand shower 6.6 l/min shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow optional baseframes for installation: 29 037 001/29 037 002				
	29 037 001	4005176455490	921.32	Baseframe for installation under tiled surround	
	29 037 002	4005176519918	921.32	Baseframe for installation under tiled surround	
	19 316 001 19 316 DC1 19 316 GL1 19 316 GN1 19 316 DA1 19 316 DL1 19 316 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176513954 4005176954122 4005176513794 4005176513770 4005176513855 4005176513831 4005176513916	1,599.50 2,239.30 2,399.24 2,559.20 2,399.24 2,559.20 2,559.20	
	Allure 4-hole single-lever bath combination for installation under tiled surround GROHE Long-Life finish single lever mixer operating element diverter bath/shower Rainshower Aqua hand shower 6.6 l/min shower hose 2000 mm optional baseframes for installation: 29 037 001/29 037 002				
	29 037 001	4005176455490	921.32	Baseframe for installation under tiled surround	
	29 037 002	4005176519918	921.32	Baseframe for installation under tiled surround	
	25 222 001 25 222 DC1 25 222 GL1 25 222 GN1 25 222 DA1 25 222 DL1 25 222 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176509230 4005176954269 4005176509070 4005176509056 4005176509131 4005176509117 4005176509193	2,545.48 3,563.69 3,818.23 4,072.78 3,818.23 4,072.78 4,072.78	
	Allure Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life finish automatic diverter: bath/shower spout with mousseur projection 263 mm integrated non-return valve in the shower outlet 1/2" with shower holder Rainshower Aqua hand shower 6.6 l/min shower hose 1250 mm protected against backflow				
	45 984 001	Chrome	4005176992056	552.23	Rough-in set 1/2" for floor-mounted mixers/spouts




GROHE SPA

GROHE

ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	13 264 001 13 264 DC1 13 264 GL1 13 264 DA1 13 264 AL1	Chrome supersteel cool sunrise warm sunset brushed hard graphite	4005176515149 4005176954085 4005176514982 4005176515040 4005176515101	361.57 506.21 542.36 542.36 578.52
	Allure Bath spout 3/4" wall mounted GROHE Long-Life finish projection 167 mm caché mousseur			
	19 590 001 19 590 DC1 19 590 GL1 19 590 GN1 19 590 DA1 19 590 DL1 19 590 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176512599 4005176954184 4005176512438 4005176512414 4005176512490 4005176512476 4005176512551	245.87 344.21 368.80 393.40 368.80 393.40 393.40
	Allure 3-way diverter set for final installation for 29 033 000 without concealed body bayonet union escutcheon installation depth adjustable 66 - 113 mm only for use with concealed body GROHE Long-Life finish			
	29 033 000	Concealed body for 5-way diverter	4005176845338	311.16
	19 334 001 19 334 DC1 19 334 GL1 19 334 GN1 19 334 DA1 19 334 DL1 19 334 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176513558 4005176954146 4005176513398 4005176513374 4005176513459 4005176513435 4005176513510	144.62 202.48 216.95 231.41 216.95 231.41 231.41
	Allure Concealed stop-valve trim for concealed valve 35 028 000 or 29 032 000 GROHE Long-Life finish installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with lever handle			
	35 028 000	GROHE Rapido C rough-in box for single volume control	4005176908316	160.19
	29 032 000	Concealed valve, pre-assembled head part 1/2"	4005176845277	37.94

	Ref. No.	Colour	EAN	Retail Guide Price (€)
	40 278 001 40 278 DC1 40 278 GL1 40 278 GN1 40 278 DA1 40 278 DL1 40 278 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176531545 4005176953569 4005176531576 4005176531583 4005176531590 4005176531606 4005176531620	133.06 186.28 199.59 212.90 199.59 212.90 212.90
	Allure Glass/soap dish holder fits glass 40 882 000 or soap dispenser 40 886 xx0 (please order separately) material: metal concealed fastening GROHE Long-Life finish			
	40 886 000 40 886 DC0 40 886 EN0 40 886 GL0 40 886 GN0 40 886 DA0 40 886 DL0 40 886 AL0	Chrome supersteel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176754012 4005176754531 4005176754548 4005176754555 4005176952708 4005176754524 4005176952692 4005176754517	92.13 128.99 147.41 138.19 147.41 138.19 147.41 147.41
	Soap dispenser material: glass / metal filling quantity 160 ml fits holder Atrio 40 884 xx0 (please order separately) GROHE Long-Life finish			
	40 882 000	Glass	4005176754494	60.36
	material: glass fits holders Allure 40 278 001 and Atrio 40 884 xx0 (please order separately)			
	40 963 001 40 963 DC1 40 963 GL1 40 963 GN1 40 963 DA1 40 963 DL1 40 963 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176530913 4005176952852 4005176530944 4005176530951 4005176530968 4005176530975 4005176530999	133.06 186.28 199.59 212.90 199.59 212.90 212.90
	Allure Glass/soap dish holder for soap dish 40 883 000 or hair dryer inlet 40 964 001 (please order separately) material: metal concealed fastening GROHE Long-Life finish			
	40 883 000	Soap dish	4005176755262	69.89
	material: glass fits holders Allure (40 963 001) and Atrio (40 885 xx0), please order separately			
				



GROHE SPA






GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (€)
	40 964 001	chrome/frosted granite	4005176531019	43.40
	40 284 001 40 284 DC1 40 284 GL1 40 284 GN1 40 284 DA1 40 284 DL1 40 284 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176531941 4005176953583 4005176531972 4005176531989 4005176531996 4005176532009 4005176532023	72.31 101.24 108.47 115.71 108.47 115.71 115.71
	40 342 001 40 342 DC1 40 342 GL1 40 342 GN1 40 342 DA1 40 342 DL1 40 342 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176531644 4005176953620 4005176531675 4005176531682 4005176531699 4005176531705 4005176531729	266.12 372.57 399.18 425.80 399.18 425.80 425.80
	40 341 001 40 341 DC1 40 341 GL1 40 341 GN1 40 341 DA1 40 341 DL1 40 341 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176531743 4005176953613 4005176531774 4005176531781 4005176531798 4005176531804 4005176531828	266.12 372.57 399.18 425.80 399.18 425.80 425.80
	40 339 001 40 339 DC1 40 339 GL1 40 339 GN1 40 339 DA1 40 339 DL1 40 339 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176531026 4005176953590 4005176531057 4005176531064 4005176531071 4005176531088 4005176531101	115.71 161.98 173.55 185.13 173.55 185.13 185.13




GROHE SPA

GROHE
ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (€)
	40 955 001 40 955 DC1 40 955 GL1 40 955 GN1 40 955 DA1 40 955 DL1 40 955 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176531842 4005176952838 4005176531873 4005176531880 4005176531897 4005176531903 4005176531927	245.87 344.21 368.80 393.40 368.80 393.40 393.40
		Allure Grab rail material: metal concealed fastening center distance 269 mm GROHE Long-Life finish		
	40 279 001 40 279 DC1 40 279 GL1 40 279 GN1 40 279 DA1 40 279 DL1 40 279 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176532047 4005176953576 4005176532078 4005176532085 4005176532092 4005176532108 4005176532122	173.55 242.97 260.33 277.69 260.33 277.69 277.69
		Allure Toilet roll holder without cover material: metal concealed fastening GROHE Long-Life finish		
	40 956 001 40 956 DC1 40 956 GL1 40 956 GN1 40 956 DA1 40 956 DL1 40 956 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176532146 4005176952845 4005176532177 4005176532184 4005176532191 4005176532207 4005176532221	159.09 222.73 238.65 254.54 238.65 254.54 254.54
		Allure Spare toilet paper holder without cover material: metal concealed fastening GROHE Long-Life finish		
	40 340 001 40 340 DC1 40 340 GL1 40 340 GN1 40 340 DA1 40 340 DL1 40 340 AL1	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176532245 4005176953606 4005176532276 4005176532283 4005176532290 4005176532306 4005176532320	289.26 404.97 433.88 462.81 433.88 462.81 462.81
		Allure Toilet brush set wall mounted concealed fastening material: glass / metal GROHE Long-Life finish		
	40 965 001	Chrome	4005176531125	390.50
		Allure Shelf wall mounted material: glass / metal concealed fastening width 600 mm depth 100 mm GROHE Long-Life finish		



GROHE SPA

GROHE
ALLURESPA BATH
TAPS

GROHE SPA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

40 967 001	Chrome	4005176531323	202.48
40 967 DC1	supersteel	4005176952883	283.47
40 967 GL1	cool sunrise	4005176531354	303.73
40 967 GN1	brushed cool sunrise	4005176531361	323.98
40 967 DA1	warm sunset	4005176531378	303.73
40 967 DL1	brushed warm sunset	4005176531385	323.98
40 967 AL1	brushed hard graphite	4005176531408	323.98

Allure**Beauty / shaving mirror**





wall mounted

magnification: x 7

material: glass / metal

concealed fastening

GROHE Long-Life finish






	Ref. No.	Colour	EAN	Retail Guide Price (€)
	24 341 000 24 341 DC0 24 341 AL0	Chrome supersteel brushed hard graphite	4005176759659 4005176759680 4005176759673	674.07 943.70 1,078.51
	<p>Allure Brilliant Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system spout with integrated mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	24 342 000 24 342 DC0 24 342 AL0	Chrome supersteel brushed hard graphite	4005176759697 4005176759710 4005176759703	674.07 943.70 1,078.51
	<p>Allure Brilliant Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system spout with integrated mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	24 345 000 24 345 DC0 24 345 AL0	Chrome supersteel brushed hard graphite	4005176759765 4005176759789 4005176759772	838.02 1,173.24 1,340.85
	<p>Allure Brilliant Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system spout with integrated mousseur smooth body flexible connection hoses</p>			
	20 627 000 20 627 DC0 20 627 AL0	Chrome supersteel brushed hard graphite	4005176760167 4005176760198 4005176760181	983.78 1,377.28 1,574.04
	<p>Allure Brilliant Three-hole basin mixer 1/2" L-Size ceramic headparts 1/2", 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min spout with integrated mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			



GROHE SPA

GROHE






ALLURE BRILLIANT

	Ref. No.	Colour	EAN	Retail Guide Price (€)
	20 626 000 20 626 DCO 20 626 AL0	Chrome supersteel brushed hard graphite	4005176760136 4005176760150 4005176760143	824.11 1,153.75 1,318.58
	<p>Allure Brilliant Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min low spout with integrated mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			
	20 628 000 20 628 DCO 20 628 AL0	Chrome supersteel brushed hard graphite	4005176760204 4005176760235 4005176760228	856.25 1,198.74 1,369.99
	<p>Allure Brilliant Three-hole basin mixer 1/2" M-Size wall mounted without concealed body set for final installation for 29 025 002 valves hot/cold with headparts 1/2" - 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min spout with integrated mousseur projection 161 mm</p>			
	20 629 000 20 629 DCO 20 629 AL0	Chrome supersteel brushed hard graphite	4005176760242 4005176759628 4005176759611	910.90 1,275.26 1,457.44
	29 025 002		4005176519895	291.48
	Rough-in set for 3-hole basin mixer			
	29 402 000 29 402 DCO 29 402 AL0	Chrome supersteel brushed hard graphite	4005176760037 4005176760051 4005176760044	819.81 1,147.73 1,311.70
	<p>Allure Brilliant 2-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 200 000 GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min spout with integrated mousseur centre distance 110 mm projection 161 mm</p>			
	29 403 000 29 403 DCO 29 403 AL0	Chrome supersteel brushed hard graphite	4005176760068 4005176760082 4005176760075	874.46 1,224.25 1,399.15
	23 200 000		4005176908354	279.24
	Rough-in for single-lever mixer, wall mount			
	23 200 002		4005176519901	279.14
	Rough-in for single-lever mixer, wall mount			






	Ref. No.	Colour	EAN	Retail Guide Price (€)
	24 347 000 24 347 DC0 24 347 AL0	Chrome supersteel brushed hard graphite	4005176759833 4005176759864 4005176759857	765.16 1,071.23 1,224.25
	<p>Allure Brilliant Bidet mixer 1/2" 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE FastFixation installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	24 277 000 24 277 DC0 24 277 AL0	Chrome supersteel brushed hard graphite	4005176759918 4005176759932 4005176759925	420.27 588.38 672.44
	<p>Allure Brilliant Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 604 000		4005176698774	80.96
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 279 000 24 279 DC0 24 279 AL0	Chrome supersteel brushed hard graphite	4005176759949 4005176759963 4005176759956	462.30 647.22 739.67
	<p>Allure Brilliant Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 604 000		4005176698774	80.96
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 340 000 24 340 DC0 24 340 AL0	Chrome supersteel brushed hard graphite	4005176759970 4005176759994 4005176759987	489.65 685.51 783.44
	<p>Allure Brilliant Single-lever mixer with 3-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 604 000		4005176698774	80.96
	GROHE Rapido SmartBox universal rough-in box for concealed installation			



GROHE ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 154 000	Chrome	4005176481185	619.51
24 154 DC0	supersteel	4005176574238	867.31
24 154 AL0	brushed hard graphite	4005176585920	991.21
Grohtherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604			
GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
35 604 000		4005176698774	80.96
GROHE Rapido SmartBox universal rough-in box for concealed installation			
29 405 000	Chrome	4005176760105	1,803.59
29 405 DC0	supersteel	4005176760129	2,525.02
29 405 AL0	brushed hard graphite	4005176760112	2,885.74
Allure Brilliant 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish pre-assembled spout fixing single lever mixer operating element bath spout with integrated mousseur diverter bath/shower hand shower Rainshower Aqua Cube Stick 6.5 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000			
29 037 000		4005176865749	924.58
Baseframe for installation under tiled surround			
24 348 000	Chrome	4005176759871	3,024.20
24 348 DC0	supersteel	4005176759901	4,233.87
24 348 AL0	brushed hard graphite	4005176759895	4,838.71
Allure Brilliant Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish automatic diverter: bath/shower spout with integrated mousseur projection 270 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Rainshower Aqua Cube Stick metal shower hose 1250 mm protected against backflow			
24 348 001	Chrome ditto, hand shower with 6.5 l/min flow limiter	4005176770616	3,024.20
45 984 001	Chrome	4005176992056	552.23
Rough-in set 1/2" for floor-mounted mixers/spouts			
29 086 000		4005176935497	406.28
Rough-in set 1/2" for floor-mounted mixers/spouts			







	Ref. No.	Colour	EAN	Retail Guide Price (£)
	13 486 000 13 486 DC0 13 486 AL0	Chrome supersteel brushed hard graphite	4005176756634 4005176756658 4005176756641	876.71 1,227.39 1,402.74
	Allure Brilliant Cascade spout for bath and shower wall mounted GROHE Long-Life finish projection 180 mm			
	13 485 000 13 485 DC0 13 485 AL0	Chrome supersteel brushed hard graphite	4005176756603 4005176756627 4005176756610	378.93 530.51 606.29
	Allure Brilliant Bath spout wall mounted GROHE Long-Life finish projection 161 mm spout with integrated mousseur			
	29 399 000 29 399 DC0 29 399 AL0	Chrome supersteel brushed hard graphite	4005176754197 4005176754210 4005176754203	309.71 433.59 495.53
	Allure Brilliant 5-way diverter set for final installation for 29 033 000 without concealed body GROHE Long-Life finish installation depth adjustable 66 - 113 mm			
	29 033 000		4005176845338	311.16
	Concealed body for 5-way diverter			
	29 398 000 29 398 DC0 29 398 AL0	Chrome supersteel brushed hard graphite	4005176754166 4005176754180 4005176754173	222.26 311.17 355.62
	Allure Brilliant Concealed stop-valve trim set for final installation for 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used as shut-off) 35 028 000 GROHE Long-Life finish installation depth adjustable 43 - 91 mm			
	29 032 000		4005176845277	37.94
	Concealed valve, pre-assembled head part 1/2"			
	35 028 000		4005176908316	160.19
	GROHE Rapido C rough-in box for single volume control			
	26 858 000	Chrome	4005176759079	643.34
	Rainshower Aqua 230 Head shower set 286 mm, 1 spray Consisting of: head shower Rainshower Aqua 230 (26 877 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system			
	26 856 000	Chrome ditto, with non-restricted flow	4005176759031	643.34

GROHE ALLURE BRILLIANT

	Ref. No.	Colour	EAN	Retail Guide Price (€)
	26 859 000	Chrome	4005176758836	589.44
	Rainshower Aqua 230 Head shower set ceiling 154 mm, 1 spray Consisting of: head shower Rainshower Aqua 230 (26 877 000) material: metal 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system			
	26 802 000 26 802 DC0 26 802 AL0	Chrome supersteel brushed hard graphite	4005176722776 4005176722899 4005176722905	147.15 206.01 250.15
	Rainshower Aqua Body spray cube 2 spray spray patterns: PureRain, ActiveJet including concealed body and compound seal 75 x 75 mm pivoting range ± 15° rotatable connection thread 1/2" throw distance 600 mm GROHE Water Saving 3.3 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system min. recommended pressure 1.0 bar not suitable for instantaneous heater			
	26 884 000	Chrome	4005176759307	112.04
	Rainshower Aqua Cube Stick Hand shower 1 spray Normal spray material: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses min. recommended pressure 1.0 bar			
	26 850 000 26 850 DC0 26 850 AL0	Chrome supersteel brushed hard graphite	4005176754456 4005176754470 4005176754463	59.75 83.66 101.58
	Allure Brilliant Shower outlet elbow, 1/2" male connection thread 1/2" protected against backflow material: metal GROHE Long-Life finish			
	26 847 000 26 847 DC0 26 847 AL0	Chrome supersteel brushed hard graphite	4005176755057 4005176755071 4005176755064	37.33 52.27 63.46
	Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE Long-Life finish			

Ref. No.	Colour	EAN	Retail Guide Price (€)
40 564 000	Chrome	4005176912740	114.46
40 564 DC0	supersteel	4005176491795	160.23
40 564 AL0	brushed hard graphite	4005176491788	183.13
Bottle trap for wash basin GROHE Long-Life finish brass body			
			
40 565 000	Chrome	4005176912757	92.55
40 565 DC0	supersteel	4005176491702	129.57
40 565 AL0	brushed hard graphite	4005176491696	148.07
Waste set with push-open plug for wash basins with overflow for replacement in an existing system GROHE Long-Life finish			
			
			

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------

	 GROHE SPA	40 894 000	Chrome	4005176755170	1,105.81
	 GROHE SPA	40 893 000	Chrome	4005176755163	395.71
	 GROHE SPA	40 895 000	Chrome	4005176754333	325.45
	 GROHE SPA	40 896 000	Chrome	4005176754340	843.61
	 GROHE SPA	40 897 000	Chrome	4005176754357	155.33
	 GROHE SPA	40 898 000	Chrome	4005176754364	315.86

Ref. No.

Colour

EAN

Retail Guide
Price (£)




40 900 000 Chrome


4005176754371

517.77

Allure Brilliant
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE Long-Life finish



ALLURE BRILLIANT PRIVATE COLLECTION



Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

24 397 000	Chrome	4005176795541	1,003.23
24 397 DC0	supersteel	4005176795558	1,504.83
24 397 AL0	brushed hard graphite	4005176795565	1,605.15

Allure Brilliant Private Collection
Basin mixer 1/2"

M-Size

knurled lever
monobloc installation


28 mm ceramic cartridge
with GROHE SilkMove
temperature limiter

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min

GROHE FastFixation installation system

spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses



24 398 000	Chrome	4005176795572	1,003.23
24 398 DC0	supersteel	4005176795589	1,504.83
24 398 AL0	brushed hard graphite	4005176795596	1,605.15

Allure Brilliant Private Collection
Basin mixer 1/2"

M-Size

lever with white Caesarstone inlay
monobloc installation


28 mm ceramic cartridge
with GROHE SilkMove
temperature limiter

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min

GROHE FastFixation installation system

spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses



24 399 000	Chrome	4005176794933	1,003.23
24 399 DC0	supersteel	4005176794940	1,504.83
24 399 AL0	brushed hard graphite	4005176794957	1,605.15

Allure Brilliant Private Collection
Basin mixer 1/2"

M-Size

lever with black Caesarstone inlay
monobloc installation


28 mm ceramic cartridge
with GROHE SilkMove
temperature limiter

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min

GROHE FastFixation installation system

spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses



24 400 000	Chrome	4005176794964	1,247.22
24 400 DC0	supersteel	4005176794971	1,870.84
24 400 AL0	brushed hard graphite	4005176795428	1,995.55

Allure Brilliant Private Collection
Single-lever basin mixer 1/2"

L-Size

knurled lever
monobloc installation

28 mm ceramic cartridge
with GROHE SilkMove
temperature limiter

GROHE Long-Life finish


GROHE Water Saving - Less water, perfect flow
maximum flow rate (at 3 bar): 5 l/min

GROHE FastFixation installation system

spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses

ALLURE BRILLIANT PRIVATE COLLECTION

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------



24 408 000	Chrome	4005176795435	1,608.11
24 408 DC0	supersteel	4005176795442	2,251.36
24 408 AL0	brushed hard graphite	4005176795459	2,572.98

Allure Brilliant Private Collection
Single-lever basin mixer 1/2"

L-Size

spout with White Attica Caesarstone inlay monobloc installation

28 mm ceramic cartridge with GROHE SilkMove temperature limiter


GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min

GROHE FastFixation installation system

spout with integrated mousseur pop-up waste set 1 1/4"

flexible connection hoses



24 414 000	Chrome	4005176795466	1,608.11
24 414 DC0	supersteel	4005176794056	2,251.36
24 414 AL0	brushed hard graphite	4005176794865	2,572.98

Allure Brilliant Private Collection
Single-lever basin mixer 1/2"

L-Size

spout with Vanilla Noir Caesarstone inlay monobloc installation

28 mm ceramic cartridge with GROHE SilkMove temperature limiter


GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min

GROHE FastFixation installation system

spout with integrated mousseur pop-up waste set 1 1/4"

flexible connection hoses



24 417 000	Chrome	4005176794872	1,545.49
24 417 DC0	supersteel	4005176794896	2,318.24
24 417 AL0	brushed hard graphite	4005176794902	2,472.78

Allure Brilliant Private Collection
Basin mixer 1/2"

XL-Size

knurled lever

monobloc installation

for free-standing basins

28 mm ceramic cartridge with GROHE SilkMove temperature limiter

GROHE Long-Life finish


GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min

GROHE FastFixation installation system

spout with integrated mousseur

smooth body

flexible connection hoses



24 418 000	Chrome	4005176794919	1,545.49
24 418 DC0	supersteel	4005176794926	2,318.24
24 418 AL0	brushed hard graphite	4005176795473	2,472.78

Allure Brilliant Private Collection
Basin mixer 1/2"

XL-Size

lever with white Caesarstone inlay

monobloc installation

for free-standing basins

28 mm ceramic cartridge with GROHE SilkMove temperature limiter

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min

GROHE FastFixation installation system

spout with integrated mousseur


smooth body

flexible connection hoses

ALLURE BRILLIANT PRIVATE COLLECTION

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------



GROHE SPA


24 419 000 Chrome 4005176795480 1,545.49
 24 419 DC0 supersteel 4005176795497 2,318.24
 24 419 AL0 brushed hard graphite 4005176795503 2,472.78

Allure Brilliant Private Collection
Basin mixer 1/2"

XL-Size

lever with black Caesarstone inlay
 monobloc installation

for free-standing basins
 28 mm ceramic cartridge
 with GROHE SilkMove


temperature limiter

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min

GROHE FastFixation installation system
 spout with integrated mousseur
 smooth body
 flexible connection hoses



GROHE SPA


20 667 000 Chrome 4005176795510 1,464.15
 20 667 DC0 supersteel 4005176795527 2,196.22
 20 667 AL0 brushed hard graphite 4005176795534 2,342.63

Allure Brilliant Private Collection
Three-hole basin mixer 1/2"

L-Size


knurled trapeze handles
 ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses

between spout and side valves



GROHE SPA


20 668 000 Chrome 4005176795008 2,968.82
 20 668 DC0 supersteel 4005176795015 4,700.64
 20 668 AL0 brushed hard graphite 4005176795022 4,948.03

Allure Brilliant Private Collection
Three-hole basin mixer 1/2"

L-Size


white Caesarstone trapeze handles
 spout with White Attica Caesarstone inlay
 ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses

between spout and side valves



GROHE SPA


20 669 000 Chrome 4005176795039 2,968.82
 20 669 DC0 supersteel 4005176795046 4,700.64
 20 669 AL0 brushed hard graphite 4005176795053 4,948.03

Allure Brilliant Private Collection
Three-hole basin mixer 1/2"

L-Size

black Caesarstone trapeze handles
 spout with Vanilla Noir Caesarstone inlay
 ceramic headparts 1/2", 90°

GROHE Long-Life finish

GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses


between spout and side valves

ALLURE BRILLIANT PRIVATE COLLECTION

	Ref. No.	Colour	EAN	Retail Guide Price (€)
	20 670 000 20 670 DC0 20 670 AL0	Chrome supersteel brushed hard graphite	4005176791680 4005176791697 4005176791703	1,464.15 2,196.22 2,342.63
	<p>Allure Brilliant Private Collection Three-hole basin mixer 1/2"</p> <p>L-Size</p> <p>knurled knob handles ceramic headparts 1/2", 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min spout with integrated mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			
	20 671 000 20 671 DC0 20 671 AL0	Chrome supersteel brushed hard graphite	4005176791710 4005176791727 4005176791734	2,928.28 4,392.43 4,685.25
	<p>Allure Brilliant Private Collection Three-hole basin mixer 1/2"</p> <p>L-Size</p> <p>white Caesarstone knob handles spout with White Attica Caesarstone inlay ceramic headparts 1/2", 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min spout with integrated mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			
	20 672 000 20 672 DC0 20 672 AL0	Chrome supersteel brushed hard graphite	4005176791741 4005176791758 4005176791963	2,928.28 4,392.43 4,685.25
	<p>Allure Brilliant Private Collection Three-hole basin mixer 1/2"</p> <p>L-Size</p> <p>black Caesarstone knob handles spout with Vanilla Noir Caesarstone inlay ceramic headparts 1/2", 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min spout with integrated mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			
	29 517 000 29 517 DC0 29 517 AL0	Chrome supersteel brushed hard graphite	4005176795060 4005176795077 4005176795084	1,301.46 1,952.18 2,082.33
	<p>Allure Brilliant Private Collection 2-hole basin mixer</p> <p>M-Size</p> <p>knurled handle wall mounted without concealed body set for final installation for GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min spout with integrated mousseur centre distance 110 mm projection 210 mm min. recommended pressure 1.0 bar</p>			
	23 200 000		4005176908354	279.24
	Rough-in for single-lever mixer, wall mount			
	23 200 002		4005176519901	279.14
	Rough-in for single-lever mixer, wall mount			

ALLURE BRILLIANT PRIVATE COLLECTION

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


GROHE SPA

29 519 000 Chrome 4005176795091 1,731.82
 29 519 DC0 supersteel 4005176794988 2,226.61
 29 519 AL0 brushed hard graphite 4005176794995 2,474.01


Allure Brilliant Private Collection
 2-hole basin mixer

M-Size

white Caesarstone handle
 spout with White Attica Caesarstone inlay
 wall mounted
without concealed body
 set for final installation for
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 centre distance 110 mm
 projection 210 mm
 min. recommended pressure 1.0 bar

23 200 000 4005176908354 279.24
 Rough-in for single-lever mixer, wall mount

23 200 002 4005176519901 279.14
 Rough-in for single-lever mixer, wall mount


GROHE SPA

29 521 000 Chrome 4005176795602 1,731.82
 29 521 DC0 supersteel 4005176795619 2,226.61
 29 521 AL0 brushed hard graphite 4005176795626 2,474.01


Allure Brilliant Private Collection
 2-hole basin mixer

M-Size

black Caesarstone handle
 spout with Vanilla Noir Caesarstone inlay
 wall mounted
without concealed body
 set for final installation for
GROHE Long-Life finish
GROHE Water Saving - Less water, perfect flow
 maximum flow rate (at 3 bar): 5 l/min
 spout with integrated mousseur
 centre distance 110 mm
 projection 210 mm
 min. recommended pressure 1.0 bar

23 200 000 4005176908354 279.24
 Rough-in for single-lever mixer, wall mount

23 200 002 4005176519901 279.14
 Rough-in for single-lever mixer, wall mount


GROHE SPA

24 425 000 Chrome 4005176795220 642.14
 24 425 DC0 supersteel 4005176795237 963.20
 24 425 AL0 brushed hard graphite 4005176795244 1,027.42

Allure Brilliant Private Collection
 Single-lever mixer with 2-way diverter
 knurled handle
 set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 4005176698774 80.96
 GROHE Rapido SmartBox universal rough-in box for concealed installation


GROHE

ALLURE BRILLIANT PRIVATE COLLECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 426 000 24 426 DC0 24 426 AL0	Chrome supersteel brushed hard graphite	4005176795251 4005176795268 4005176795275	642.14 963.20 1,027.42
	<p>Allure Brilliant Private Collection Single-lever mixer with 2-way diverter white Caesarstone handle set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 604 000	4005176698774	80.96	
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			
	24 427 000 24 427 DC0 24 427 AL0	Chrome supersteel brushed hard graphite	4005176795282 4005176795299 4005176795305	642.14 963.20 1,027.42
	<p>Allure Brilliant Private Collection Single-lever mixer with 2-way diverter black Caesarstone handle set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 604 000	4005176698774	80.96	
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			
	24 428 000 24 428 DC0 24 428 AL0	Chrome supersteel brushed hard graphite	4005176795343 4005176795350 4005176795367	983.48 1,475.21 1,573.56
	<p>Allure Brilliant Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve knurled handle set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 604 000	4005176698774	80.96	
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			

ALLURE BRILLIANT PRIVATE COLLECTION


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



29 525 000	Chrome	4005176795107	2,684.28
29 525 DC0	supersteel	4005176795114	4,026.44
29 525 AL0	brushed hard graphite	4005176795121	4,294.87

Allure Brilliant Private Collection
4-hole single-lever bath combination
white Caesarstone handle
spout with White Attica Caesarstone inlay
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
pre-assembled spout fixing
single lever mixer operating element
bath spout with integrated mousseur
diverter bath/shower
hand shower Rainshower Aqua Cube Stick
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000


29 037 000	4005176865749	924.58
Baseframe for installation under tiled surround		



29 527 000	Chrome	4005176795138	2,684.28
29 527 DC0	supersteel	4005176795145	4,026.44
29 527 AL0	brushed hard graphite	4005176795152	4,294.87

Allure Brilliant Private Collection
4-hole single-lever bath combination
black Caesarstone handle
spout with Vanilla Noir Caesarstone inlay
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
pre-assembled spout fixing
single lever mixer operating element
bath spout with integrated mousseur
diverter bath/shower
hand shower Rainshower Aqua Cube Stick
metal shower hose 2000 mm (always chrome for any colour of the set)
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

29 037 000	4005176865749	924.58
Baseframe for installation under tiled surround		




24 422 000	Chrome	4005176795169	4,500.93
24 422 DC0	supersteel	4005176795176	6,751.39
24 422 AL0	brushed hard graphite	4005176795183	7,201.49

Allure Brilliant Private Collection
Single-lever bath mixer 1/2", floor mounted
knurled handle
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life finish
automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Rainshower Aqua Cube Stick
metal shower hose 1250 mm
protected against backflow

45 984 001	Chrome	4005176992056	552.23
Rough-in set 1/2" for floor-mounted mixers/spouts			

29 086 000	4005176935497	406.28
Rough-in set 1/2" for floor-mounted mixers/spouts		



GROHE SPA


Ref. No.

Colour

EAN

Retail Guide
Price (£)

24 423 000	Chrome	4005176795312	4,500.93
24 423 DC0	supersteel	4005176795329	6,751.39
24 423 AL0	brushed hard graphite	4005176795336	7,201.49

Allure Brilliant Private Collection
Single-lever bath mixer 1/2", floor mounted

white Caesarstone handle
spout with White Attica Caesarstone inlay
set for final installation for 45 984 001

without roughing-in-set

GROHE SilkMove 46 mm ceramic cartridge

GROHE Long-Life finish

automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm

integrated non-return valve
in the shower outlet 1/2"


with shower holder

hand shower Rainshower Aqua Cube Stick
metal shower hose 1250 mm
protected against backflow

45 984 001	Chrome	4005176992056	552.23
29 086 000		4005176935497	406.28

Rough-in set 1/2" for floor-mounted mixers/spouts



GROHE SPA


24 424 000	Chrome	4005176795190	4,500.93
24 424 DC0	supersteel	4005176795206	6,751.39
24 424 AL0	brushed hard graphite	4005176795213	7,201.49

Allure Brilliant Private Collection
Single-lever bath mixer 1/2", floor mounted

black Caesarstone handle
spout with Vanilla Noir Caesarstone inlay
set for final installation for 45 984 001

without roughing-in-set

GROHE SilkMove 46 mm ceramic cartridge

GROHE Long-Life finish

automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm





integrated non-return valve
in the shower outlet 1/2"

with shower holder

hand shower Rainshower Aqua Cube Stick
metal shower hose 1250 mm
protected against backflow

45 984 001	Chrome	4005176992056	552.23
29 086 000		4005176935497	406.28



Rough-in set 1/2" for floor-mounted mixers/spouts





	Ref. No.	Colour	EAN	Retail Guide Price (€)
	24 369 000 24 369 IGO 24 369 DAO	Chrome chrome/gold warm sunset	4005176758089 4005176758119 4005176758102	420.83 547.08 631.25
		Grandera Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system GROHE AquaGuide adjustable mousseur pop-up waste set 1 1/4" flexible connection hoses		
	24 370 000 24 370 IGO	Chrome chrome/gold ditto, smooth body	4005176758133 4005176758157	420.83 547.08
		Grandera Two-handle basin mixer, 1/2" L-Size monobloc installation valves hot/cold with headparts 1/2" - 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur swivel spout pop-up waste set 1 1/4" flexible connection hoses		
	24 371 000 24 371 IGO	Chrome chrome/gold	4005176758164 4005176758171	557.59 724.87
		Grandera Basin mixer 1/2" XL-Size for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE FastFixation installation system GROHE AquaGuide adjustable mousseur smooth body flexible connection hoses		
	20 624 000 20 624 IGO	Chrome chrome/gold	4005176758034 4005176758058	592.67 770.46
		Grandera Three-hole basin mixer 1/2" M-Size valves hot/cold with headparts 1/2" - 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves		



GROHE SPA





GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	20 619 000 20 619 IGO 20 619 DAO	Chrome chrome/gold warm sunset	4005176757921 4005176757952 4005176757945	655.79 852.53 983.69
	Grandera Three-hole basin mixer 1/2" L-Size valves hot/cold with headparts 1/2" - 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves			
	20 622 000 20 622 IGO	Chrome chrome/gold	4005176757976 4005176757990	490.96 638.25
	Grandera Three-hole basin mixer 1/2" M-Size wall mounted set for final installation for 29 025 002 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur centre distance 200 mm projection 177 mm			
	20 623 000 20 623 IGO	Chrome chrome/gold ditto, projection 234 mm	4005176758010 4005176758027	543.54 706.62
	29 025 002 Rough-in set for 3-hole basin mixer		4005176519895	291.48
	29 416 000 29 416 IGO 29 416 DAO	Chrome chrome/gold warm sunset	4005176757778 4005176757792 4005176757785	505.00 656.47 757.49
	Grandera 2-hole basin mixer M-Size wall mounted set for final installation for 23 319 000 without concealed body GROHE Long-Life finish GROHE Water Saving - Less water, perfect flow maximum flow rate (at 3 bar): 5 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 177 mm			
	29 417 000 29 417 IGO	Chrome chrome/gold ditto, projection 234 mm	4005176757815 4005176757822	557.59 724.87
	23 319 000 Rough-in set for 2 hole basin mixers, wall installation		4005176931192	274.09
	24 372 000 24 372 IGO	Chrome chrome/gold	4005176758195 4005176758218	473.43 615.45
	Grandera Bidet mixer 1/2" monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life finish GROHE FastFixation installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			


	Ref. No.	Colour	EAN	Retail Guide Price (€)
	24 373 000 24 373 IG0	Chrome chrome/gold	4005176758232 4005176758256	490.96 638.25
		Grandera Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter integrated hand shower holder shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow		
	24 374 000 24 374 IG0	Chrome chrome/gold	4005176758263 4005176758287	613.71 797.81
		Grandera Single-lever bath/shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish adjustable flow rate limiter integrated hand shower holder automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow		
	24 259 000 24 259 IG0	Chrome chrome/gold	4005176758348 4005176758355	341.87 410.24
		Grandera Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set		
		35 604 000	4005176698774	80.96
		GROHE Rapido SmartBox universal rough-in box for concealed installation		
	24 260 000 24 260 IG0 24 260 DAO	Chrome chrome/gold warm sunset	4005176758362 4005176758386 4005176758379	376.05 451.27 564.08
		Grandera Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life finish wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set		
		35 604 000	4005176698774	80.96
		GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 418 000 29 418 IGO	Chrome chrome/gold	4005176757839 4005176757853	1,297.55 1,686.80
	29 415 000 29 415 IGO	Chrome chrome/gold	4005176757693 4005176757754	1,385.21 1,800.77
	24 375 000 24 375 IGO	Chrome chrome/gold	4005176758300 4005176758317	1,967.35 2,557.56
	13 484 000 13 484 IGO 13 484 DA0	Chrome chrome/gold warm sunset	4005176757716 4005176757747 4005176757730	280.54 364.72 420.81


	Ref. No.	Colour	EAN	Retail Guide Price (€)
	29 420 000 29 420 IG0 29 420 DA0	Chrome chrome/gold warm sunset	4005176757891 4005176757914 4005176757907	126.25 164.11 189.37
	Grandera Volume Control Trim set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") GROHE Long-Life finish installation depth adjustable 43 - 91 mm			
	29 032 000	Concealed valve, pre-assembled head part 1/2"	4005176845277	37.94
	35 028 000	GROHE Rapido C rough-in box for single volume control	4005176908316	160.19
	26 852 000 26 852 IG0	Chrome chrome/gold	4005176758492 4005176758515	133.26 173.21
	Grandera Stick Hand shower 1 spray Rain spray pattern material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses			
	26 901 000 26 901 IG0	Chrome chrome/gold	4005176757518 4005176757501	182.35 237.06
	Grandera Stick Wall holder set 1 spray Consisting of: Stick hand shower (26 852 xx0) wall hand shower holder (26 896 xx0) Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417) GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish SpeedClean anti-limescale system			
	26 901 00F	Chrome	4005176757525	182.35
	Grandera Stick Wall holder set 1 spray Consisting of: Stick hand shower wall hand shower holder (26 896 xx0) Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417) GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life finish SpeedClean anti-limescale system			

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------


GROHE SPA
26 853 000 Chrome
26 853 IGO chrome/gold


4005176758522
4005176758539
277.02
360.11
Grandera Stick
Shower rail set 1 spray


Consisting of:
 Stick hand shower (26 852 xx0)
 shower rail 900 mm (27 785)
 Rotaflex Metal Long-Life TwistStop shower hose 1750 mm (28 025)
GROHE Water Saving 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
 Inner WaterGuide for a longer life
GROHE CoolTouch prevents scalding on hot surfaces
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE Long-Life finish
SpeedClean anti-limescale system suitable for instantaneous heater


GROHE SPA
26 898 000 Chrome
26 898 IGO chrome/gold
26 898 DAO warm sunset

4005176758560
4005176758584
4005176758577
525.99
683.76
841.59
Grandera 210
Head shower 1 spray


spray pattern:
 221 x 221 mm
 material: metal
 with ball joint
 rotation angle ± 15°
 connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE Long-Life finish
SpeedClean anti-limescale system


GROHE SPA
26 899 000 Chrome
Rainshower Grandera
Shower arm ceiling 142 mm
 material: metal
 length 142 mm
 connection thread 1/2"
 Grandera escutcheon
GROHE Long-Life finish






4005176758607
87.66

GROHE SPA
26 900 000 Chrome
26 900 IGO chrome/gold
26 900 DAO warm sunset

4005176758614
4005176758638
4005176758621
119.20
154.99
190.73
Rainshower Grandera
Shower arm 286 mm

projection 286 mm
 material: metal
 connection thread 1/2"
 Grandera escutcheon
GROHE Long-Life finish


29 032 000
4005176845277
37.94
Concealed valve

pre-assembled headpart 1/2"
 threaded union 1/2"
 installation depth adjustable
 43 - 91 mm
 DR-brass

	Ref. No.	Colour	EAN	Retail Guide Price (€)
	29 802 000	Chrome	4005176504853	47.13
	Concealed stop valve 3/4" pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass			
	29 811 000		4005176062711	23.12
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
	26 897 000	Chrome	4005176758447	150.96
	26 897 IG0	chrome/gold	4005176758461	197.70
	26 897 DA0	warm sunset	4005176758454	241.54
Grandera Shower outlet elbow, 1/2" material: metal male thread protected against backflow GROHE Long-Life finish				
	26 896 000	Chrome	4005176758416	100.64
	26 896 IG0	chrome/gold	4005176758430	131.20
	26 896 DA0	warm sunset	4005176758423	161.02
Grandera Wall hand Shower holder material: metal GROHE Long-Life finish				
	28 912 000	Chrome	4005176266751	104.04
	Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life finish			

	Ref. No.	Colour	EAN	Retail Guide Price (€)
	40 910 000 40 910 IGO	Chrome chrome/gold	4005176754845 4005176754852	298.08 387.52
	Grandera holder with ceramic soap dispenser material: ceramic/metal filling quantity 110 ml GROHE Long-Life finish			
	40 909 000 40 909 IGO	Chrome chrome/gold	4005176754432 4005176754449	227.96 296.32
	Grandera holder with ceramic tumbler material: ceramic/metal concealed fastening GROHE Long-Life finish			
	40 923 000 40 923 IGO	Chrome chrome/gold	4005176754869 4005176754876	280.54 364.72
	Grandera soap dish with holder material: ceramic/metal concealed fastening GROHE Long-Life finish			
	40 929 000 40 929 IGO	Chrome chrome/gold	4005176754913 4005176754937	192.87 250.73
	Grandera Towel ring Ø 205 mm material: metal concealed fastening GROHE Long-Life finish			
	40 928 000 40 928 IGO	Chrome chrome/gold	4005176754883 4005176754906	315.63 410.29
	Grandera Towel rail 600 mm GROHE Long-Life finish			
	40 930 000 40 930 IGO	Chrome chrome/gold	4005176754944 4005176754968	91.17 118.52
	Grandera Robe hook material: metal concealed fastening GROHE Long-Life finish			

	Ref. No.	Colour	EAN	Retail Guide Price (€)
	40 960 000 40 960 IGO	Chrome chrome/gold	4005176754999 4005176755019	213.91 277.04
	40 908 000 40 908 IGO	Chrome chrome/gold	4005176754401 4005176754425	238.46 310.00
	40 946 000 40 946 IGO	Chrome chrome/gold	4005176754975 4005176754982	333.17 433.11




GROHE SPA


GROHE
AIRIO

	Ref. No.	Colour	EAN	Retail Guide Price (€)
	39 958 00H	alpine white	4005176747694	538.03
	39 966 00H	alpine white	4005176747779	663.71

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------



39 980 KS0	velvet black	4005176770647	1,042.03
Glass Cover Skate Cosmopolitan			
for Rapid SL 1.13 m			
with flushing cistern GD 2			
for connecting shower toilet Sensia Arena or common wall-hung WCs			
for tiled/plastered walls			
two-piece glass cover made of tempered safety glass (8 mm)			
upper part removable for maintenance			
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover			
HPL mounting plate with hole pattern for all connections			
mounting plate with concealed water connection for shower toilet Sensia Arena			
mounting plate with quality edges in silver finish			
Set for noise protection			
including accessory for mounting glass plate and WC ceramic			



39 980 LS0	moon white	4005176754487	1,042.03
Glass Cover Skate Cosmopolitan			
for Rapid SL 1.13 m			
with flushing cistern GD 2			
for connecting shower toilet Sensia Arena or common wall-hung WCs			
for tiled/plastered walls			
two-piece glass cover made of tempered safety glass (8 mm)			
upper part removable for maintenance			
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover			
HPL mounting plate with hole pattern for all connections			
mounting plate with concealed water connection for shower toilet Sensia Arena			
mounting plate with quality edges in silver finish			
Set for noise protection			
including accessory for mounting glass plate and WC ceramic			






GROHE SPA







GROHE



SPA ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
65 807 000	Chrome	4005176849893	54.01
65 807 LS0	moon white	4005176849916	102.39
65 807 DC0	supersteel	4005176442797	75.61
65 807 GL0	cool sunrise	4005176467738	81.02
65 807 GN0	brushed cool sunrise	4005176467745	86.41
65 807 DA0	warm sunset	4005176467752	81.02
65 807 DL0	brushed warm sunset	4005176467769	86.41
65 807 AL0	brushed hard graphite	4005176467714	86.41
65 807 KS0	velvet black	4005176849909	91.69
Waste set with push-open plug with push-open cover for wash basins with overflow removable cover closable GROHE Long-Life finish			
28 912 000	Chrome	4005176266751	104.04
28 912 DC0	supersteel	4005176467905	145.66
28 912 GN0	brushed cool sunrise	4005176467875	166.48
28 912 DL0	brushed warm sunset	4005176467899	166.48
28 912 AL0	brushed hard graphite	4005176467844	166.48
Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life finish			
40 564 000	Chrome	4005176912740	114.46
40 564 DC0	supersteel	4005176491795	160.23
40 564 A00	hard graphite	4005176491849	171.67
40 564 AL0	brushed hard graphite	4005176491788	183.13
Bottle trap for wash basin GROHE Long-Life finish brass body			
40 565 000	Chrome	4005176912757	92.55
40 565 DC0	supersteel	4005176491702	129.57
40 565 A00	hard graphite	4005176491757	138.82
40 565 AL0	brushed hard graphite	4005176491696	148.07
Waste set with push-open plug for wash basins with overflow for replacement in an existing system GROHE Long-Life finish			
22 037 000	Chrome	4005176305535	8.07
Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life finish			


Ref. No.	Colour	EAN	Retail Guide Price (€)		
22 012 000 22 012 DC0 22 012 AL0	Chrome supersteel brushed hard graphite	4005176906343 4005176525742 4005176585944	56.57 79.19 90.50		
		Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon			
		19 952 000 19 952 DC0 19 952 GL0 19 952 GN0 19 952 DA0 19 952 DL0 19 952 AL0	Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset brushed hard graphite	4005176174230 4005176467776 4005176352423 4005176468117 4005176351945 4005176468124 4005176353376	66.83 282.17 302.32 322.48 302.32 322.48 322.48
		Talentofill Inlet, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set in combination with Talentofill 28 990 000/28 991 000			
		28 990 000	Chrome	4005176174025	177.33
		Talentofill Inlet-, pop-up and waste-system for normal baths without finishing trim set with bottle trap and 45°-outlet-bend			

GROHE ROUGH-IN SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 429 000		4005176993695	288.93
			
Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
23 200 002		4005176519901	279.14
			
Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
23 200 000		4005176908354	279.24
			
Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device			
23 319 000		4005176931192	274.09
			
Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device			
29 025 002		4005176519895	291.48
			
Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			


Ref. No.	Colour	EAN	Retail Guide Price (€)
	 35 604 000	4005176698774	80.96
	Rapido SmartBox Universal rough-in box, 1/2" 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixing options for solid walls and dry cladding gasket without set for final installation professional edition		
	 45 984 001 Chrome	4005176992056	552.23
	Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material		
	 29 037 002	4005176519918	921.32
	4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve caps to cover screw fixations always come in chrome color		
	 29 037 000	4005176865749	924.58
	4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color		
	 35 028 000	4005176908316	160.19
	GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm		
			

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------




29 032 000 4005176845277 37.94

Concealed valve
pre-assembled headpart 1/2"
threaded union 1/2"
installation depth adjustable
43 - 91 mm
DR-brass



29 802 000 Chrome 4005176504853 47.13

Concealed stop valve 3/4"
pre-assembled headpart 3/4"
short spindle
protection sleeve
thread union 3/4"
DR-brass




29 033 000 4005176845338 311.16

5-way diverter
concealed body
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth adjustable
66 - 113 mm
DR-brass

GROHE SPA SPA SHOWERS






CONTENTS

Aquasymphony	84
F-digital Deluxe	85
Rainshower Aqua Pure	88
Rainshower Aqua ceiling showers	94
Rainshower Aqua head showers	95
Rainshower Aqua body sprays	98
Rainshower Aqua hand showers	99
Rainshower Aqua trigger sprays	101
SPA shower accessories	102
SPA thermostats	105
Rough-in sets	111

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------



26 863 000 Chrome

**Rainshower Aqua 40" AquaSymphony
Ceiling shower 6+ sprays with light**

1016 mm x 762 mm x 145 mm

material: metal

minimum flow rate 25 l/min

min. recommended pressure 3.0 bar

1 x AquaCurtain

1 x Pure XL spray

1 x mist spray

2 x GROHE PureRain spray 400 x 190 mm

2 x XL Waterfall (separately controlled)

1 x 4 Bokoma Spray with adjustment angle 20° and combinations

full spectrum LED: soft light with changing rainbow colours

individually adjustable: permanent lighting with colour selection

power supply for light 12 V DC

CE approved

SpeedClean anti-limescale system

GROHE DreamSpray perfect spray pattern

GROHE Long-Life finish

requires rough-in set (26 865 000), F-digital Deluxe base unit box (26 864 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation.

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl


3 x Grohtherm SmartControl (29 126 000)

3 x GROHE Rapido SmartBox (35 604 000)

1 x Rainshower Aqua Cube Stick wall holder set 1 spray (26 886 000)

this product contains built-in LED lamps, which cannot

be changed: energy efficiency class: A++



26 865 000

**Rainshower Aqua 40"
Rough-in set**

for use with Rainshower Aqua 40" AquaSymphony ceiling shower

1000 mm x 745 mm x 152 mm


min. installation depth: 167 mm

Waterways: Brass

1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------



36 475 000 Chrome

4005176758751

730.73

F-digital Deluxe

Bluetooth unit BT-01A for Apple and Android devices
with integrated electronic for wireless data communication

wall mounted

86 x 73 x 42 mm

Features:

reset switch

status indicator (LED)

stand alone/maximum configuration

one-to-one connection

with safety cut-off mechanism (1 user)

safety shutdown in case of connection loss

connection cable set for data communication and power supply (5 m each)

CE approved

Bluetooth transmitter power supply: 12 V

Bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

requires Base Unit Box 2.0 (36 476 000) or Base Unit Box 4.0 (26 864 000) – to be ordered separately

Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary

System requirements

Android

operating system: as of release 2.3.3

pixel density: 160 dpi minimum


display resolution: 320 x 470 pixels per inch

System requirements

Apple

Apple operating system: as of release iOS 6.0 and above

Mobile devices and GROHE SPA F-digital deluxe App are not included in delivery



36 476 000 Chrome

4005176758768

1,295.38

F-digital Deluxe

Base unit box 2.0 Bluetooth (BCU V2.0)

for connecting light, sound and steam modules

Consisting of:

2 plug connections, each for one pair of sound modules (36 473 000)

2 plug connections, each for one pair of light modules (36 472)

2 plug connections for steam module (29 414 000), including 1 connection for steam generator and 1 connection for temperature sensor


2 plug connections for power supply (per power supply max. 4 devices light/sound)

2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved

must be accessible for service

optional the base unit box can be placed into extra equipment 36 474 000 component to be ordered separately



26 864 000 Chrome

4005176758881

1,295.38

F-digital Deluxe

Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)

to control LightCurtain of Rainshower Aqua 40" AquaSymphony ceiling shower additional light, sound and steam modules can be connected and controlled

Consisting of:

2 plug connections, each for one pair of sound modules (36 473 000)

1 plug connection for one pair of light modules (36 472 000)

1 plug connection LightCurtain for Rainshower Aqua 40" AquaSymphony (26 863 000)

2 plug connections for steam module (29 414 000), including 1 connection for steam generator and 1 connection for temperature sensor






2 plug connections for power supply (per power supply max. 4 devices light/sound)







2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved

must be accessible for service

optional the base unit box can be placed into extra equipment 36 474 000 component to be ordered separately

	Ref. No.	Colour	EAN	Retail Guide Price (€)
 	36 474 000	Chrome	4005176758744	341.45
	F-digital Deluxe Rough-in set base unit box for use with base unit box (26 864 000 or 36 476 000) 550 x 700 x 110 mm height (100 mm) and depth (50 mm) adjustable with adjustable front frame for installation in wall niches with adjustable front frame for installation in wall niches galvanized and powder coated (RAL 9010, pure white) steel plate 1 mm thick steel plate with two mounting rails and elbow for power outlets and mounting materials			
 	42 633 000	Chrome	4005176758775	129.41
	F-digital Deluxe Power supply base unit box power supply for base unit box (26 864 000 or 36 476 000) each power supply for 2 light/sound modules (36 472 000 or 36 473 000) total 2 power supplies max (8 devices max.) can be connected to the base unit box with one power supply 4 devices (light/sound modules) can be driven per light module: 1 device per sound module: 1 device input voltage: 90-240 V AC, 50-60Hz output voltage: 12 V DC CE and CCC approved			
 	36 473 000	Chrome	4005176758737	1,293.89
	F-digital Deluxe Sound set 127 x 127 mm per module full range stereo speaker Consisting of: 2 speakers with plug connections waterproof & corrosion protected GROHE Long-Life finish requires rough-in set (29 413 000), F-digital Deluxe base unit box (26 864 000 or 36 476 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation For detailed planning and product information please contact your local GROHE Customer Service.			
 	29 413 000	Chrome	4005176758683	287.54
	F-digital Deluxe Rough-in set sound set for use with double sound modules (36 473 000) Consisting of: - 2 rough-in sets (115 x 115 x 62-87 mm) - 2 cable extensions (5 m each) - 1 Y-piece			
 	36 472 000	Chrome	4005176758720	1,509.55
	F-digital Deluxe Light set 127 x 127 mm per module full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection Consisting of: - 1 light module with two plug connections - 1 light module with one plug connection waterproof & corrosion protected supply voltage: 12 V DC CE approved GROHE Long-Life finish requires rough-in set (29 412 000), F-digital Deluxe base unit box (26 864 000 or 36 476 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ For detailed planning and product information please contact your local GROHE Customer Service.			


Ref. No.	Colour	EAN	Retail Guide Price (€)
	 GROHE SPA	29 412 000 Chrome	4005176758676 287.54
	F-digital Deluxe Rough-in set light set for use with double light modules (36 472 000) Consisting of: - 2 rough-in sets (115 x 115 x 62-87 mm) - 2 cable extensions (5 m each)		
	 GROHE SPA	29 414 000 Chrome	4005176758690 467.23
	F-digital Deluxe Rough-in set steam generator for use with steam module (26 828 000 or 26 829 000) Consisting of: - 1 rough-in box for steam outlet (115 x 115 x 49-77 mm) - 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm) - 1 cable extension temperature sensor, 5 m - 1 cable extension steam generator, 5 m		
	 GROHE SPA	42 634 000 Chrome	4005176758782 89.84
	F-digital Deluxe Cable extension (4-pin) steam generator and LED light of Aquasymphony, 5 m extension between base unit box (26 864 000 or 36 476 000) and steam generator (26 828 000 or 26 829 000) cable extension up to 10 m		
	 GROHE SPA	42 635 000 Chrome	4005176758799 89.84
	F-digital Deluxe Cable extension (5-pin) light set, 5 m connection between base unit box (26 864 000 or 36 476 000) and light modules (36 472 000) each light module needs a separate extension cable cable extension up to 10 m		
	 GROHE SPA	42 636 000 Chrome	4005176758805 89.84
	F-digital Deluxe Cable extension (2-pin) for power supply and speaker, 5 m connection between base unit box (26 864 or 36 476) and power supply (42 633 or 42 638) or sound rough-in (29 413) each power supply/sound rough-in needs a separate extension cable cable extension up to 5 m		
	 GROHE SPA	42 637 000 Chrome	4005176758812 89.84
	F-digital Deluxe Cable extension temperature sensor, 5 m extension between base unit box (26 864 000 or 36 476 000) and temperature sensor cable extension up to 10 m		

Ref. No.

Colour

EAN

Retail Guide
Price (£)



100964 000 0 Chrome

4005176949739

2,013.66

Rainshower Aqua Pure

Shower system with thermostat for wall mounting

Consisting of:

horizontal 435 mm shower arm

exposed SmartControl thermostat with metal housing

allows change between:

head shower Rainshower Aqua Duo round, 360 mm, white acrylic spray plate

swing angle 0° - 30°

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Rainshower Aqua 130 (101 676 0000), white acrylic spray plate

3 spray patterns:

GROHE Rain, Rain+ and ActiveMassage

adjustable height via gliding element

initial Rainshower Aqua Pure unit (101 672 9990) enclosed

shower hose 1750 mm

GROHE Rainshower Aqua Pure removes chlorine and odor (hand shower)

GROHE SmartTip showering spray selection via push of a ring

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 8.7 l/min

GROHE SmartControl with recessed metal buttons, push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

GROHE ProGrip Metal with knurl structure

GROHE TurboStat compact cartridge with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

integrated GROHE EasyReach shower tray (white glass)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life finish

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

GROHE CoolTouch prevents scalding on hot surfaces

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 5 l/min.

min. recommended pressure 1.0 bar

internal 6 V lithium battery (42 886 000) type CR-P2

battery lifetime approx. 10 years

replacement filter: Rainshower Aqua Pure unit (101 672 9990)

optional: Rainshower Aqua glass shelf (101 677 0000)

to change the filter, a minimum distance of 20 cm from the right-hand side wall

must be maintained



101680 000 0 Chrome

4067393005452

2,013.66

ditto, maximum flow rate (at 3 bar): 15.0 l/min

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	100964 K10 0	black/chrome	4067393032397	2,013.66
	100964 KF0 0	phantom black	4005176949777	2,819.11
	100964 AL0 0	brushed hard graphite	4005176949746	3,423.23
	100964 GL0 0	cool sunrise	4005176949760	3,221.87
	100964 DA0 0	warm sunset	4005176949753	3,221.87

Rainshower Aqua Pure

Shower system with thermostat for wall mounting

Consisting of:

horizontal 435 mm shower arm

exposed SmartControl thermostat with metal housing

allows change between:

head shower Rainshower Aqua Duo round, 360 mm, black acrylic spray plate
swing angle 0° - 30°

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Rainshower Aqua 130 (101 676), black acrylic spray plate

3 spray patterns:

GROHE Rain, Rain+ and ActiveMassage

adjustable height via gliding element

initial Rainshower Aqua Pure unit (101 672 9990) enclosed

shower hose 1750 mm

GROHE Rainshower Aqua Pure removes chlorine and odor (hand shower)

GROHE SmartTip showering spray selection via push of a ring

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 8.7 l/min

GROHE SmartControl with recessed metal buttons, push for ON-OFF, turn for

volume adjustment from GROHE Water Saving to full flow

GROHE ProGrip Metal with knurl structure

GROHE TurboStar compact cartridge with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

integrated **GROHE EasyReach** shower tray (black glass)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life finish

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

GROHE CoolTouch prevents scalding on hot surfaces

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 5 l/min.

min. recommended pressure 1.0 bar

internal 6 V lithium battery (42 886 000) type CR-P2


battery lifetime approx. 10 years

replacement filter: Rainshower Aqua Pure unit (101 672 9990)

optional: Rainshower Aqua glass shelf (101 677 0000)

to change the filter, a minimum distance of 20 cm from the right-hand side wall

must be maintained




	101680 K10 0	black/chrome	4067393032427	2,013.66
	101680 KF0 0	phantom black	4067393005735	2,819.11
	101680 AL0 0	brushed hard graphite	4067393005476	3,423.23
	101680 GL0 0	cool sunrise	4067393005711	3,221.84
	101680 GN0 0	brushed cool sunrise	4067393005728	3,423.23
	101680 DL0 0	brushed warm sunset	4067393005704	3,423.21
	101680 DA0 0	warm sunset	4067393005483	3,221.84
	101680 DC0 0	supersteel	4067393005490	2,819.11

ditto, maximum flow rate (at 3 bar): 15 l/min



Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------



100961 000 0 Chrome

4005176949456

2,013.66

Rainshower Aqua Pure

Shower system with thermostat for wall mounting

Consisting of:

horizontal 435 mm shower arm

exposed SmartControl thermostat with metal housing

allows change between:

head shower Rainshower Aqua Duo square, 400 x 230 mm, white acrylic spray plate

swing angle 0° - 30°

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Rainshower Aqua 130 (101 676 0000), white acrylic spray plate

3 spray patterns:

GROHE Rain, Rain+ and ActiveMassage

adjustable height via gliding element

initial Rainshower Aqua Pure unit (101 672 9990) enclosed

shower hose 1750 mm

GROHE Rainshower Aqua Pure removes chlorine and odor (hand shower)

GROHE SmartTip showering spray selection via push of a ring

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 8.7 l/min

GROHE SmartControl with recessed metal buttons, push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

GROHE ProGrip Metal with knurl structure

GROHE TurboStat compact cartridge with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

integrated GROHE EasyReach shower tray (white glass)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life finish

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

GROHE CoolTouch prevents scalding on hot surfaces

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 5 l/min.

min. recommended pressure 1.0 bar

internal 6 V lithium battery (42 886 000) type CR-P2

battery lifetime approx. 10 years

replacement filter: Rainshower Aqua Pure unit (101 672 9990)

optional: Rainshower Aqua glass shelf (101 677 0000)

to change the filter, a minimum distance of 20 cm from the right-hand side wall must be maintained



100962 000 0 Chrome

4005176949609

2,013.66

ditto, maximum flow rate (at 3 bar): 15 l/min

Ref. No.	Colour	EAN	Retail Guide Price (£)
100961 K10 0	black/chrome	4067393032373	2,013.66
100961 KF0 0	phantom black	4005176949593	2,819.11
100961 AL0 0	brushed hard graphite	4005176949463	3,423.23
100961 GL0 0	cool sunrise	4005176949586	3,221.87
100961 DA0 0	warm sunset	4005176949470	3,221.87



Rainshower Aqua Pure

Shower system with thermostat for wall mounting

Consisting of:

horizontal 435 mm shower arm

exposed SmartControl thermostat with metal housing

allows change between:

head shower Rainshower Aqua Duo square 400 x 230 mm, black acrylic spray plate

swing angle 0° - 30°

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Rainshower Aqua 130 (101 676), black acrylic spray plate

3 spray patterns:

GROHE Rain, Rain+ and ActiveMassage

adjustable height via gliding element

initial Rainshower Aqua Pure unit (101 672 9990) enclosed

shower hose 1750 mm

GROHE Rainshower Aqua Pure removes chlorine and odor (hand shower)

GROHE SmartTip showering spray selection via push of a ring

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 8.7 l/min

GROHE SmartControl with recessed metal buttons, push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

GROHE ProGrip Metal with knurl structure

GROHE TurboStat compact cartridge with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included integrated GROHE EasyReach shower tray (black glass)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life finish

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

GROHE CoolTouch prevents scalding on hot surfaces

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 5 l/min.

min. recommended pressure 1.0 bar


internal 6 V lithium battery (42 886 000) type CR-P2

battery lifetime approx. 10 years

replacement filter: Rainshower Aqua Pure unit (101 672 9990)

optional: Rainshower Aqua glass shelf (101 677 0000)

to change the filter, a minimum distance of 20 cm from the right-hand side wall must be maintained



100962 K10 0	black/chrome	4067393032380	2,013.66
100962 KF0 0	phantom black	4005176949685	2,819.11
100962 AL0 0	brushed hard graphite	4005176949623	3,423.23
100962 GN0 0	brushed cool sunrise	4005176949678	3,423.23
100962 GL0 0	cool sunrise	4005176949661	3,221.84
100962 DL0 0	brushed warm sunset	4005176949654	3,423.21
100962 DA0 0	warm sunset	4005176949630	3,221.84
100962 DC0 0	supersteel	4005176949647	2,819.11

ditto, maximum flow rate (at 3 bar): 15 l/min



101672 999 0

4067393005582

59.75

Rainshower Aqua Pure

Unit for Rainshower Aqua Pure shower systems

compatible with 100961, 100962, 100964, 101680


water purifying unit

GROHE Rainshower Aqua Pure removes chlorine and odor (hand shower)

capacity 12,000 l / approx. 6 month for a household of 1 person

for beautiful, healthy skin and hair

reduces substances responsible for unpleasant odour, e.g. chlorine




Ref. No.

Colour

EAN

Retail Guide
Price (€)



101676 000 0 Chrome

4067393005216

95.73

Rainshower Aqua

Hand shower 3 sprays

white acrylic spray plate

spray patterns:

GROHE Rain, Rain+ and ActiveMassage

GROHE SmartTip showering spray selection via push of a ring

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 8.4 l/min

GROHE DreamSpray perfect spray pattern

GROHE Long-Life finish


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

Universal Mounting System. Fits all standard shower hoses

suitable for instantaneous heater

min. recommended pressure 1.0 bar



101676 K10 0 black/chrome

4067393032403

95.73

101676 KF0 0 phantom black

4067393005292

134.02

101676 AL0 0 brushed hard graphite

4067393005230

162.76

101676 GNO 0 brushed cool sunrise

4067393005285

162.76

101676 GL0 0 cool sunrise

4067393005278

153.17

101676 DL0 0 brushed warm sunset

4067393005261

162.76

101676 DAO 0 warm sunset

4067393005247

153.17

101676 DC0 0 supersteel

4067393005254

134.02

Rainshower Aqua

Hand shower 3 sprays

black acrylic spray plate

spray patterns:

GROHE Rain, Rain+ and ActiveMassage

GROHE SmartTip showering spray selection via push of a ring

GROHE Water Saving - Less water, perfect flow

maximum flow rate (at 3 bar): 8.4 l/min

GROHE DreamSpray perfect spray pattern

GROHE Long-Life finish


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

Universal Mounting System. Fits all standard shower hoses

suitable for instantaneous heater

min. recommended pressure 1.0 bar



101673 000 0 Chrome

4067393005162

146.33

101673 KF0 0 phantom black

4067393005544

204.85

101673 AL0 0 brushed hard graphite

4067393005186

248.76

101673 GNO 0 brushed cool sunrise

4067393005537

248.76

101673 GL0 0 cool sunrise

4067393005520

234.14

101673 DL0 0 brushed warm sunset

4067393005513

248.76

101673 DAO 0 warm sunset

4067393005193

234.14

101673 DC0 0 supersteel

4067393005506

204.85


Rainshower Aqua

Shower rail, 600 mm

metal wall brackets

height adjustable glide element and swivel holder

GROHE Long-Life finish



101677 000 0 Chrome

4067393005339

143.43

Rainshower Aqua

Shelf

for Rainshower Aqua Pure shower systems

compatible with 100961, 100962, 100964, 101680


height adjustable (by using an Allen key)

with white glass shower tray

material: metal

GROHE EasyReach shower tray

GROHE Long-Life finish



 GROHE SPA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

101677 K10 0	black/chrome	4067393032410	143.43
101677 KF0 0	phantom black	4067393005414	200.79
101677 AL0 0	brushed hard graphite	4067393005353	243.81
101677 GN0 0	brushed cool sunrise	4067393005407	243.81
101677 GL0 0	cool sunrise	4067393005391	229.48
101677 DL0 0	brushed warm sunset	4067393005384	243.81
101677 DA0 0	warm sunset	4067393005360	229.48
101677 DC0 0	supersteel	4067393005377	215.13

Rainshower Aqua Shelf

for Rainshower Aqua Pure shower systems
compatible with 100961, 100962, 100964, 101680
height adjustable (by using an Allen key)
with black glass shower tray
material: metal

GROHE EasyReach shower tray

GROHE Long-Life finish





RAINSHOWER AQUA CEILING SHOWERS

Ref. No.


Colour

EAN

Retail Guide
Price (€)

	 <p>26 873 000 Chrome Rainshower Aqua 20" Ceiling shower 1 spray spray pattern: Rain 508 x 508 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system</p>	4005176759178	2,247.26
	 <p>26 888 000 Chrome Rainshower Aqua 15" Ceiling shower 3 sprays spray patterns: Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 17 mm (height) x 456 mm (depth) material: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min head shower has to be controlled by 4 outlets</p>	4005176759390	3,659.66
	 <p>26 883 000 Chrome Rainshower Aqua 230 Ceiling shower 1 spray spray pattern: Rain 230 x 230 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system</p>	4005176759291	802.87
	 <p>26 874 000 Chrome Rainshower Aqua 10" Ceiling shower 1 spray spray pattern: Rain 254 x 254 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system</p>	4005176759192	740.33

RAINSHOWER AQUA HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (€)
	26 887 000	Chrome	4005176759383	3,659.66
	26 855 000	Chrome	4005176759024	251.60
	26 862 000	Chrome	4005176758867	538.68
	26 860 000	Chrome	4005176758843	557.55
	26 861 000	Chrome	4005176758850	557.55
<hr/>				
Rainshower Aqua 15" Head shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 60 mm (height) x 677 mm (depth) material: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min requires rough-in set (26 855 000) - to be ordered separately head shower has to be controlled by 4 outlets				
Rainshower Aqua 15" Rough-in set for use with Rainshower Aqua 15" multi spray head shower 295 mm (width) x 121 mm (height) x 181 mm (depth) Max. installation depth: 91 mm Min. wall thickness: not less than 200 mm Minimum screw-in depth of stud bolts: 14 mm Full metal construction Waterways: Brass 1/2" connections				
Rainshower Aqua 10" Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower Aqua 10" (26 871) 1 spray pattern: Rain shower arm Rainshower square 422 mm (26 145) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system suitable for instantaneous heater				
Rainshower Aqua 10" Head shower set 286 mm, 1 spray Consisting of: head shower Rainshower Aqua 10" (26 872) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 488) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system				
ditto, with non-restricted flow				
Rainshower Aqua 10" Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower Aqua 10" (26 872) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system				



	 GROHE SPA	26 872 000 Chrome Rainshower Aqua 10" Head shower 1 spray Rain 254 x 254 mm material: metal Ball joint +/- 20° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system	4005176759161	540.24
	 GROHE SPA	26 858 000 Chrome Rainshower Aqua 230 Head shower set 286 mm, 1 spray Consisting of: head shower Rainshower Aqua 230 (26 877 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system	4005176759079	643.34
	 GROHE SPA	26 856 000 Chrome ditto, with non-restricted flow	4005176759031	643.34
	 GROHE SPA	26 859 000 Chrome Rainshower Aqua 230 Head shower set ceiling 154 mm, 1 spray Consisting of: head shower Rainshower Aqua 230 (26 877 000) material: metal 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system	4005176758836	589.44
	 GROHE SPA	26 877 00D Chrome Rainshower Aqua 230 Head shower 1 spray spray pattern: Rain 230 x 230 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 1.0 bar	4005176759239	575.12

Ref. No.

Colour

EAN

Retail Guide
Price (£)


	 GROHE SPA	26 868 000 Chrome Rainshower Aqua 230 Head shower 1 spray Rain 230 x 230 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system suitable for instantaneous heater	4005176759116	575.10
	 GROHE SPA	26 877 000 Chrome ditto, maximum flow rate (at 3 bar): 9.5 l/min	4005176759222	575.12
	 GROHE SPA	26 876 000 Chrome ditto, with non-restricted flow	4005176759215	575.12
	 GROHE SPA	26 890 000 Chrome Rainshower Aqua 75 Head shower 1 spray Normal spray sprayface: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system	4005176759420	167.64
		27 709 000 Chrome Rainshower Shower arm 286 mm material: metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE Long-Life finish	4005176909092	126.98
		27 711 000 Chrome Rainshower Shower arm ceiling 154 mm material: metal connection thread 1/2" GROHE Long-Life finish	4005176909115	108.32

GROHE RAINSHOWER AQUA BODY SPRAYS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
--	----------	--------	-----	------------------------



GROHE SPA



26 801 000

Chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

4005176722769
4005176722837
4005176722813
4005176722783
4005176722790
4005176722820
4005176722851
4005176722868
4005176722806
4005176722844

147.15
206.01
235.44
250.15
235.44
250.15
235.44
250.15
235.44
250.15

26 801 BE0
26 801 EN0
26 801 GL0
26 801 GN0
26 801 DAO
26 801 DLO
26 801 A00
26 801 AL0


brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

4005176722813
4005176722783
4005176722790
4005176722820
4005176722851
4005176722868
4005176722806
4005176722844

235.44
250.15
235.44
250.15
235.44
250.15
235.44
250.15

Rainshower Aqua Body spray round 2 spray

spray patterns:
PureRain, ActiveJet
including concealed body and compound seal
Ø 75 mm
pivoting range ± 15° rotatable
connection thread 1/2"
throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life finish
SpeedClean anti-limescale system
min. recommended pressure 1.0 bar
not suitable for instantaneous heater



GROHE SPA

26 802 000




Chrome
supersteel
brushed cool sunrise
brushed warm sunset
hard graphite
brushed hard graphite






4005176722776
4005176722899
4005176722882
4005176722912
4005176722875
4005176722905





147.15
206.01
250.15
250.15
235.44
250.15

26 802 DC0
26 802 GN0
26 802 DL0
26 802 A00
26 802 AL0

spray patterns:
PureRain, ActiveJet
including concealed body and compound seal
75 x 75 mm
pivoting range ± 15° rotatable
connection thread 1/2"
throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life finish
SpeedClean anti-limescale system
min. recommended pressure 1.0 bar
not suitable for instantaneous heater

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 866 000 GROHE SPA	Chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	4005176758904 4005176758959 4005176758935 4005176758973 4005176758980 4005176758997 4005176758942 4005176758966 4005176758911 4005176758928	170.63 238.88 273.02 290.08 273.02 290.08 273.02 290.08 273.02 290.08
	<p>Rainshower Aqua Stick Hand shower 1 spray Normal spray material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>			
	26 889 000 GROHE SPA	Chrome ditto, with non-restricted flow	4005176759406	170.62
	<p>Rainshower Aqua Stick Wall holder set 1 spray material: metal hand shower Rainshower Aqua Stick (26 889 000) wall shower holder (26 894 000) shower hose (28 151 002) GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
	26 894 000 GROHE SPA	Chrome Rainshower Aqua Wall hand Shower holder non-adjustable material: metal GROHE Long-Life finish	4005176758652	127.03
	26 893 000 GROHE SPA	Chrome Rainshower Aqua Adapter 1/2" x 1/2" material: metal for use with hand shower holder or shower rail GROHE Long-Life finish	4005176758645	42.84
	<p>Rainshower Aqua Adapter 1/2" x 1/2" material: metal for use with hand shower holder or shower rail GROHE Long-Life finish</p>			


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 885 000 26 885 DC0 26 885 GL0 26 885 DAO 26 885 DL0 26 885 A00 26 885 AL0	Chrome supersteel cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	4005176759314 4005176759345 4005176950179 4005176950162 4005176759352 4005176759321 4005176759338	112.04 156.85 179.26 179.26 190.46 179.26 190.46
	<p>Rainshower Aqua Cube Stick Hand shower 1 spray Normal spray material: metal GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>			
	26 867 000 ditto, with GROHE Water Saving 6.6 l/min flow limiter	Chrome	4005176759000	112.02
	26 884 000 ditto, with non-restricted flow	Chrome	4005176759307	112.04
	26 886 000 GROHE SPA	Chrome	4005176759376	156.84
	<p>Rainshower Aqua Cube Stick Wall holder set 1 spray hand shower, metal (26 885 000) wall shower holder (26 847 000) metal shower hose 1500 mm (28 417) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting</p>			
	26 847 000 26 847 DC0 26 847 AL0 GROHE SPA	Chrome supersteel brushed hard graphite	4005176755057 4005176755071 4005176755064	37.33 52.27 63.46
	<p>Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE Long-Life finish</p>			
	26 850 000 26 850 DC0 26 850 AL0 GROHE SPA	Chrome supersteel brushed hard graphite	4005176754456 4005176754470 4005176754463	59.75 83.66 101.58
	<p>Allure Brilliant Shower outlet elbow, 1/2" male connection thread 1/2" protected against backflow material: metal GROHE Long-Life finish</p>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 841 000	Chrome	4005176754241	210.06
	Rainshower Aqua Wall holder set with self-closing angle valve, 1 spray Consisting of: hand shower with trigger control (26 839) valve with integrated shower holder (26 842) Silverflex Long-Life shower hose 1250 mm (26 335) GROHE Long-Life finish SpeedClean anti-limescale system TwistStop preventing the hose from twisting Min. recommended pressure 0.5 bar Please refer to local norms regarding installation.			
	26 840 000	Chrome	4005176754234	206.67
	Rainshower Aqua Wall holder set with angle valve 1 spray Consisting of: hand shower with trigger control (26 839) valve with integrated shower holder (26 842) Silverflex Long-Life shower hose 1250 mm (26 335) GROHE Long-Life finish SpeedClean anti-limescale system TwistStop preventing the hose from twisting Please refer to local norms regarding installation.			
	26 839 000	Chrome	4005176754227	84.70
	Rainshower Aqua Hand shower 1 spray with trigger control material: metal GROHE Long-Life finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses Min. recommended pressure 0.5 bar Please refer to local norms regarding installation.			
	26 842 000	Chrome	4005176754258	101.64
	Rainshower Aqua Valve with wall shower holder escutcheon connection thread 1/2" GROHE Long-Life finish Please refer to local norms regarding installation.			

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 658 000	Chrome	4005176533082	67.92
26 658 DC0	supersteel	4005176950032	95.07
26 658 GL0	cool sunrise	4005176950056	108.66
26 658 GN0	brushed cool sunrise	4005176950063	115.46
26 658 DAO	warm sunset	4005176950025	108.66
26 658 DL0	brushed warm sunset	4005176950049	115.46
26 658 A00	hard graphite	4005176950001	108.66
26 658 AL0	brushed hard graphite	4005176950018	115.46
Rainshower			
Shower outlet elbow 1/2" with holder with round escutcheon			
Ø 48 mm			
male connection thread 1/2"			
metal body			
protected against backflow			
GROHE Long-Life finish			
26 659 DC0	supersteel	4005176950100	95.07
26 659 GL0	cool sunrise	4005176950124	108.66
26 659 GN0	brushed cool sunrise	4005176950131	115.46
26 659 DAO	warm sunset	4005176950094	108.66
26 659 DL0	brushed warm sunset	4005176950117	115.46
26 659 A00	hard graphite	4005176950070	108.66
26 659 AL0	brushed hard graphite	4005176950087	115.46
Rainshower			
Shower outlet elbow 1/2" with holder with square escutcheon			
48 x 48 mm			
male connection thread 1/2"			
metal body			
protected against backflow			
GROHE Long-Life finish			
26 370 000	Chrome	4005176341380	46.50
26 370 GL0	cool sunrise	4005176556876	74.40
26 370 DAO	warm sunset	4005176556845	74.40
Euphoria Cube			
Shower outlet elbow, 1/2" with wall shower holder			
male connection thread 1/2"			
protected against backflow			
GROHE Long-Life finish			
27 074 000	Chrome	4005176833083	38.90
27 074 DC0	supersteel	4005176374487	54.45
27 074 LS0	moon white	4005176873591	50.42
27 074 GL0	cool sunrise	4005176338984	62.23
27 074 GN0	brushed cool sunrise	4005176427084	66.12
27 074 DAO	warm sunset	4005176338977	62.23
27 074 DL0	brushed warm sunset	4005176427091	66.12
27 074 A00	hard graphite	4005176338991	62.23
27 074 AL0	brushed hard graphite	4005176339004	66.12
Rainshower			
Wall hand Shower holder			
non-adjustable			
with round escutcheon			
GROHE Long-Life finish			
27 057 000	Chrome	4005176830457	60.78
27 057 DC0	supersteel	4005176371196	85.09
27 057 GL0	cool sunrise	4005176338946	97.26
27 057 GN0	brushed cool sunrise	4005176426933	103.33
27 057 DAO	warm sunset	4005176338939	97.26
27 057 DL0	brushed warm sunset	4005176426940	103.33
27 057 AL0	brushed hard graphite	4005176338960	103.33
27 057 A00	hard graphite	4005176338953	97.26
Rainshower			
Shower outlet elbow, 1/2" male connection thread 1/2"			
with round escutcheon			
protected against backflow			
GROHE Long-Life finish			






Ref. No.	Colour	EAN	Retail Guide Price (£)
27 075 000	Chrome	4005176833090	38.90
27 075 DC0	supersteel	400517693030546	54.45
27 075 GL0	cool sunrise	400517693030560	62.23
27 075 GN0	brushed cool sunrise	400517693030577	66.12
27 075 DAO	warm sunset	400517693030539	62.23
27 075 DL0	brushed warm sunset	400517693030553	66.12
27 075 A00	hard graphite	400517693030515	62.23
27 075 AL0	brushed hard graphite	400517693030522	66.12
Rainshower Wall hand Shower holder non-adjustable with square escutcheon GROHE Long-Life finish			
27 076 000	Chrome	4005176833106	60.78
27 076 DC0	supersteel	4005176950216	85.09
27 076 GL0	cool sunrise	4005176950230	97.26
27 076 GN0	brushed cool sunrise	4005176954016	103.33
27 076 DAO	warm sunset	4005176950209	97.26
27 076 DL0	brushed warm sunset	4005176950223	103.33
27 076 A00	hard graphite	4005176950186	97.26
27 076 AL0	brushed hard graphite	4005176950193	103.33
Rainshower Shower outlet elbow male connection thread 1/2" with square escutcheon protected against backflow GROHE Long-Life finish			
26 900 000	Chrome	4005176758614	119.20
26 900 IG0	chrome/gold	4005176758638	154.99
26 900 DA0	warm sunset	4005176758621	190.73
Rainshower Grandera Shower arm 286 mm projection 286 mm material: metal connection thread 1/2" Grandera escutcheon GROHE Long-Life finish			
26 899 000	Chrome	4005176758607	87.66
Rainshower Grandera Shower arm ceiling 142 mm material: metal length 142 mm connection thread 1/2" Grandera escutcheon GROHE Long-Life finish			
26 847 000	Chrome	4005176755057	37.33
26 847 DC0	supersteel	4005176755071	52.27
26 847 AL0	brushed hard graphite	4005176755064	63.46
Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE Long-Life finish			

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------



26 850 000	Chrome	4005176754456	59.75
26 850 DCO	supersteel	4005176754470	83.66
26 850 AL0	brushed hard graphite	4005176754463	101.58

Allure Brilliant
Shower outlet elbow, 1/2"
 male connection thread 1/2"
 protected against backflow
 material: metal
GROHE Long-Life finish

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 879 000	Chrome	4005176759253	284.75
	Grohtherm F Single volume control trim for use with rough-in box 35 028 000 (1/2" connections) sold separately metal handle for volume control metal wall escutcheon with hidden fixing and hidden sealing GROHE Long-Life finish	35 028 000	4005176908316	160.19
	26 880 000	Chrome	4005176759260	711.90
	Grohtherm F Triple volume control trim for use with rough-in box 35 031 000 (1/2" connections) sold separately metal handles for volume control metal wall escutcheon with hidden fixing and hidden sealing vertical and horizontal installation GROHE Long-Life finish	26 878 000	Chrome	4005176759246
	Grohtherm F Wall shower union with integrated shower holder shower outlet 1/2" vertical and horizontal installation protected against backflow for use with rough-in box 35 107 000 (1/2" connection), sold separately hand shower and shower hose sold separately	35 107 000	Chrome	4005176758706
	Grohtherm F rough-in box for wall shower union 26 878 000			251.60
	29 123 000	Chrome	4005176413292	571.85
	29 123 GN0	brushed cool sunrise	4005176558122	914.96
	29 123 DLO	brushed warm sunset	4005176558092	914.96
	29 123 A00	hard graphite	4005176558054	857.77
	29 123 AL0	brushed hard graphite	4005176558061	914.96
	Grohtherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE Long-Life finish	35 604 000		80.96
	GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow exchangeable symbols	GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min	4005176698774	
	GROHE Rapido SmartBox universal rough-in box for concealed installation			



GROHE SPA


GROHE SPA THERMOSTATS

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 124 000	Chrome	4005176413308	622.68
29 124 DC0	supersteel	4005176526329	871.75
29 124 GL0	cool sunrise	4005176558191	934.02
29 124 GN0	brushed cool sunrise	4005176558207	996.30
29 124 DAO	warm sunset	4005176558160	934.02
29 124 DL0	brushed warm sunset	4005176558177	996.30
29 124 A00	hard graphite	4005176558139	934.02
29 124 AL0	brushed hard graphite	4005176558146	996.30
Grohtherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE Long-Life finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min outlet B+C = 29 l/min			
 35 604 000		4005176698774	80.96
GROHE Rapido SmartBox universal rough-in box for concealed installation			
29 125 000	Chrome	4005176413315	747.22
Grohtherm SmartControl Thermostat for concealed installation with 2 valves and integrated shower holder set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE Long-Life finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously integrated shower union with shower outlet 1/2" without roughing-in-set flow performance: outlet B = 24 l/min hand shower = 12 l/min outlet B + hand shower = 27 l/min			
 35 604 000		4005176698774	80.96
GROHE Rapido SmartBox universal rough-in box for concealed installation			

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 126 000	Chrome	4005176413322	673.52
29 126 DC0	supersteel	4005176526343	942.92
29 126 GL0	cool sunrise	4005176558351	1,010.28
29 126 GN0	brushed cool sunrise	4005176558368	1,077.62
29 126 DAO	warm sunset	4005176558320	1,010.28
29 126 DL0	brushed warm sunset	4005176558337	1,077.62
29 126 A00	hard graphite	4005176558290	1,010.28
29 126 AL0	brushed hard graphite	4005176558306	1,077.62
Grohtherm SmartControl			
Thermostat for concealed installation with 3 valves			
set for final installation for GROHE Rapido SmartBox 35 600/35 604			
metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable			
GROHE Long-Life finish			
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow			
exchangeable symbols			
GROHE TurboStat compact cartridge with wax thermoelement			
GROHE ProGrip with knurl structure			
GROHE SafeStop safety button at 38°C (calibration required)			
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included			
built-in non return valve and dirt strainers			
multiple outlets can be run simultaneously			
without roughing-in-set			
flow performance:			
outlet A = 23 l/min			
outlet B = 27 l/min			
outlet C = 23 l/min			
outlet A + B = 33 l/min			
outlet A + B + C = 36 l/min			
35 604 000		4005176698774	80.96
GROHE Rapido SmartBox universal rough-in box for concealed installation			
29 127 000	Chrome	4005176413339	410.96
29 127 DC0	supersteel	4005176526350	575.35
29 127 GN0	brushed cool sunrise	4005176558443	657.55
29 127 DL0	brushed warm sunset	4005176558412	657.55
29 127 A00	hard graphite	4005176558375	616.46
29 127 AL0	brushed hard graphite	4005176558382	657.55
Grohtherm SmartControl			
Triple volume control trim			
set for final installation for GROHE Rapido SmartBox 35 600/35 604/35 601			
metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable			
10 mm thin profile escutcheon			
GROHE Long-Life finish			
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow			
exchangeable symbols			
GROHE ProGrip with knurl structure			
multiple outlets can be run simultaneously			
without roughing-in-set			
flow performance:			
outlet D = 28 l/min			
outlet E = 28 l/min			
outlet A = 28 l/min			
outlet D+E+A = 65 l/min			
optional flow reducer for CALGreen compliance included			
35 604 000		4005176698774	80.96
GROHE Rapido SmartBox universal rough-in box for concealed installation			

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 118 000	Chrome	4005176412240	571.85
29 118 DC0	supersteel	4005176455032	800.59
29 118 GL0	cool sunrise	4005176492976	857.77
29 118 DA0	warm sunset	4005176492990	857.77
29 118 DL0	brushed warm sunset	4005176493003	914.96
29 118 A00	hard graphite	4005176493010	857.77
29 118 AL0	brushed hard graphite	4005176455049	914.96
Grohtherm SmartControl			
Thermostat for concealed installation with one valve			
set for final installation for			
GROHE Rapido SmartBox 35 600/35 604			
metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable			
GROHE Long-Life finish			
GROHE SmartControl push for ON-OFF, turn for volume adjustment from			
GROHE Water Saving to Full Flow			
exchangeable symbols			
GROHE TurboStar compact cartridge with wax thermoelement			
GROHE ProGrip with knurl structure			
GROHE SafeStop safety button at 38°C			
(calibration required)			
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included			
built-in non return valve			
and dirt strainers			
without roughing-in-set			
flow performance:			
outlet A (to external shut-off) = 34 l/min			
outlet B/C = 29 l/min			
	35 604 000	4005176698774	80.96
GROHE Rapido SmartBox universal rough-in box for concealed installation			
29 119 000	Chrome	4005176412257	622.68
29 119 DC0	supersteel	4005176455056	871.75
29 119 GL0	cool sunrise	4005176493041	934.02
29 119 GN0	brushed cool sunrise	4005176493058	996.30
29 119 DAO	warm sunset	4005176493065	934.02
29 119 DL0	brushed warm sunset	4005176493072	996.30
29 119 A00	hard graphite	4005176493089	934.02
29 119 AL0	brushed hard graphite	4005176455063	996.30
Grohtherm SmartControl			
Thermostat for concealed installation with 2 valves			
set for final installation for			
GROHE Rapido SmartBox 35 600/35 604			
metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable			
GROHE Long-Life finish			
GROHE SmartControl push for ON-OFF, turn for volume adjustment from			
GROHE Water Saving to Full Flow			
exchangeable symbols			
GROHE TurboStar compact cartridge with wax thermoelement			
GROHE ProGrip with knurl structure			
GROHE SafeStop safety button at 38°C			
(calibration required)			
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included			
built-in non return valve			
and dirt strainers			
multiple outlets can be run simultaneously			
without roughing-in-set			
flow performance:			
outlet B = 24 l/min			
outlet C = 26 l/min			
outlet B+C = 29 l/min			
	35 604 000	4005176698774	80.96
GROHE Rapido SmartBox universal rough-in box for concealed installation			

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------




29 120 000	Chrome	4005176412264	747.22
------------	--------	---------------	--------

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously integrated shower union with shower outlet 1/2" **without roughing-in-set** flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min
 outlet B + hand shower = 27 l/min

PROFESSIONAL	GROHE	35 604 000	4005176698774	80.96
---------------------	--------------	------------	---------------	-------

GROHE Rapido SmartBox universal rough-in box for concealed installation




29 121 000	Chrome	4005176412271	673.52
29 121 DC0	supersteel	4005176455094	942.92
29 121 GLO	cool sunrise	4005176493188	1,010.28
29 121 GN0	brushed cool sunrise	4005176493195	1,077.62
29 121 DAO	warm sunset	4005176493201	1,010.28
29 121 DLO	brushed warm sunset	4005176493218	1,077.62
29 121 A00	hard graphite	4005176493225	1,010.28
29 121 AL0	brushed hard graphite	4005176455100	1,077.62

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously **without roughing-in-set** flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min

PROFESSIONAL	GROHE	35 604 000	4005176698774	80.96
---------------------	--------------	------------	---------------	-------


GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 122 000	Chrome	4005176412288	410.96
29 122 DC0	supersteel	4005176455117	575.35
29 122 GL0	cool sunrise	4005176515194	616.46
29 122 DA0	warm sunset	4005176515217	616.46
29 122 DL0	brushed warm sunset	4005176515224	657.55
29 122 A00	hard graphite	4005176515231	616.46
29 122 AL0	brushed hard graphite	4005176455124	657.55
Grotherm SmartControl			
Triple volume control trim			
set for final installation for GROHE Rapido SmartBox 35 600/35 604/35 601 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable			
10 mm thin profile escutcheon			
GROHE Long-Life finish			
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to Full Flow			
exchangeable symbols			
GROHE ProGrip with knurl structure			
multiple outlets can be run simultaneously			
without roughing-in-set			
flow performance:			
outlet D = 28 l/min			
outlet E = 28 l/min			
outlet A = 28 l/min			
outlet D+E+A = 65 l/min			
35 604 000		4005176698774	80.96
GROHE Rapido SmartBox universal rough-in box for concealed installation			



35 604 000 4005176698774 80.96
GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (€)
----------	--------	-----	------------------------



35 500 000 4005176831522 265.72

GROHE Rapido T

Thermostatic mixer for concealed installation for use with Grohtherm Special and Grohtherm F without finishing trim set

flat installation depth 70 mm - 95 mm

GROHE TurboStat compact cartridge with wax thermoelement

two top outlets 1/2", lockable

bottom outlet 1/2" - can only be used


with separate stopvalve

body of DR brass

built-in non return valve

and dirt strainers

min. recommended pressure 1.0 bar



35 028 000 4005176908316 160.19

GROHE Rapido C

Rough-in for single volume control

for grid installation of Grohtherm Custom Shower system

built-in box with removable protection cover

waterproof membrane base for wall sealing

for masonry and drywall installation

fixing points for front and back wall

body of DR brass

pre-assembled ceramic headpart 3/4"

connection threads 1/2"

installation depth 70 - 95 mm



35 107 000 Chrome

4005176758706

251.60

Grohtherm F

Rough-in box for wall shower union 26 878 000

for grid installation of Grohtherm Custom Shower system

built-in box with removable protection cover

waterproof membrane base for wall sealing

flushing plug

for masonry and drywall installation

fixing points for front and back wall

body of DR brass

1/2" connections

installation depth 70 - 95 mm

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
10				13 484 DA0	4005176757730	69	420.81
100961 000 0	4005176949456	90	2,013.66	13 484 IG0	4005176757747	69	364.72
100961 AL0 0	4005176949463	91	3,423.23	13 485 000	4005176756603	52	378.93
100961 DAO 0	4005176949470	91	3,221.87	13 485 AL0	4005176756610	52	606.29
100961 GLO 0	4005176949586	91	3,221.87	13 485 DC0	4005176756627	52	530.51
100961 KFO 0	4005176949593	91	2,819.11	13 486 000	4005176756634	52	876.71
100961 KIO 0	4067393032373	91	2,013.66	13 486 AL0	4005176756641	52	1,402.74
100962 000 0	4005176949609	90	2,013.66	13 486 DC0	4005176756658	52	1,227.39
100962 AL0 0	4005176949623	91	3,423.23	13 487 000	4005176761683	23	285.92
100962 DAO 0	4005176949630	91	3,221.84	13 487 AL0	4005176761706	23	457.48
100962 DC0 0	4005176949647	91	2,819.11	13 487 DAO	4005176761713	23	428.89
100962 DLO 0	4005176949654	91	3,423.21	13 487 DC0	4005176761720	23	400.30
100962 GLO 0	4005176949661	91	3,221.84	13 487 DL0	4005176951657	23	457.48
100962 GN0 0	4005176949678	91	3,423.23	13 487 GL0	4005176761737	23	428.89
100962 KFO 0	4005176949685	91	2,819.11	13 487 GN0	4005176951664	23	457.48
100962 KIO 0	4067393032380	91	2,013.66	19			
100964 000 0	4005176949739	88	2,013.66	19 309 002	4005176499982	38	1,070.27
100964 AL0 0	4005176949746	89	3,423.23	19 309 AL2	4005176514289	38	1,712.42
100964 DAO 0	4005176949753	89	3,221.87	19 309 DA2	4005176514241	38	1,605.39
100964 GLO 0	4005176949760	89	3,221.87	19 309 DC2	4005176954108	38	1,498.36
100964 KFO 0	4005176949777	89	2,819.11	19 309 DL2	4005176514227	38	1,712.42
100964 KIO 0	4067393032397	89	2,013.66	19 309 GL2	4005176514197	38	1,605.39
101672 999 0	4067393005582	91	59.75	19 309 GN2	4005176514173	38	1,712.42
101673 000 0	4067393005162	92	146.33	19 315 001	4005176514159	39	477.28
101673 AL0 0	4067393005186	92	248.76	19 315 AL1	4005176514111	39	763.65
101673 DAO 0	4067393005193	92	234.14	19 315 DA1	4005176514050	39	715.93
101673 DC0 0	4067393005506	92	204.85	19 315 DC1	4005176954115	39	668.19
101673 DL0 0	4067393005513	92	248.76	19 315 DL1	4005176514036	39	763.65
101673 GLO 0	4067393005520	92	234.14	19 315 GL1	4005176513992	39	715.93
101673 GN0 0	4067393005537	92	248.76	19 315 GN1	4005176513978	39	763.65
101673 KFO 0	4067393005544	92	204.85	19 316 001	4005176513954	42	1,599.50
101676 000 0	4067393005216	92	95.73	19 316 AL1	4005176513916	42	2,559.20
101676 AL0 0	4067393005230	92	162.76	19 316 DA1	4005176513855	42	2,399.24
101676 DAO 0	4067393005247	92	153.17	19 316 DC1	4005176954122	42	2,239.30
101676 DC0 0	4067393005254	92	134.02	19 316 DL1	4005176513831	42	2,559.20
101676 DL0 0	4067393005261	92	162.76	19 316 GL1	4005176513794	42	2,399.24
101676 GLO 0	4067393005278	92	153.17	19 316 GN1	4005176513770	42	2,559.20
101676 GN0 0	4067393005285	92	162.76	19 317 001	4005176513756	39	419.43
101676 KFO 0	4067393005292	92	134.02	19 317 AL1	4005176513718	39	671.08
101676 KIO 0	4067393032403	92	95.73	19 317 DA1	4005176513657	39	629.14
101677 000 0	4067393005339	92	143.43	19 317 DC1	4005176954139	39	587.20
101677 AL0 0	4067393005353	93	243.81	19 317 DL1	4005176513633	39	671.08
101677 DAO 0	4067393005360	93	229.48	19 317 GL1	4005176513596	39	629.14
101677 DC0 0	4067393005377	93	215.13	19 317 GN1	4005176513572	39	671.08
101677 DL0 0	4067393005384	93	243.81	19 334 001	4005176513558	43	144.62
101677 GLO 0	4067393005391	93	229.48	19 334 AL1	4005176513510	43	231.41
101677 GN0 0	4067393005407	93	243.81	19 334 DA1	4005176513459	43	216.95
101677 KFO 0	4067393005414	93	200.79	19 334 DC1	4005176954146	43	202.48
101677 KIO 0	4067393032410	93	143.43	19 334 DL1	4005176513435	43	231.41
101680 000 0	4067393005452	88	2,013.66	19 334 GL1	4005176513398	43	216.95
101680 AL0 0	4067393005476	89	3,423.23	19 334 GN1	4005176513374	43	231.41
101680 DAO 0	4067393005483	89	3,221.84	19 380 002	4005176513190	40	549.59
101680 DC0 0	4067393005490	89	2,819.11	19 380 AL2	4005176513152	40	879.35
101680 DL0 0	4067393005704	89	3,423.21	19 380 DA2	4005176513091	40	824.39
101680 GLO 0	4067393005711	89	3,221.84	19 380 DC2	4005176954153	40	769.43
101680 GN0 0	4067393005728	89	3,423.23	19 380 DL2	4005176513077	40	879.35
101680 KFO 0	4067393005735	89	2,819.11	19 380 GL2	4005176513039	40	824.39
101680 KIO 0	4067393032427	89	2,013.66	19 380 GN2	4005176513015	40	879.35
13				19 386 002	4005176512995	38	1,099.20
13 264 001	4005176515149	43	361.57	19 386 AL2	4005176512957	38	1,758.71
13 264 AL1	4005176515101	43	578.52	19 386 DA2	4005176512896	38	1,648.79
13 264 DA1	4005176515040	43	542.36	19 386 DC2	4005176954160	38	1,538.87
13 264 DC1	4005176954085	43	506.21	19 386 DL2	4005176512872	38	1,758.71
13 264 GL1	4005176514982	43	542.36	19 386 GL2	4005176512834	38	1,648.79
13 484 000	4005176757716	69	280.54	19 386 GN2	4005176512810	38	1,758.71
				19 446 002	4005176512797	41	578.52

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
19 446 AL2	4005176512759	41	925.63	20 595 DC0	4005176511158	28	1,186.21
19 446 DA2	4005176512698	41	867.78	20 595 DL0	4005176499234	28	1,355.66
19 446 DC2	4005176954177	41	809.93	20 595 GL0	4005176511110	28	1,270.93
19 446 DL2	4005176512674	41	925.63	20 595 GN0	4005176511097	28	1,355.66
19 446 GL2	4005176512636	41	867.78	20 619 000	4005176757921	67	655.79
19 446 GN2	4005176512612	41	925.63	20 619 DAO	4005176757945	67	983.69
19 590 001	4005176512599	43	245.87	20 619 IGO	4005176757952	67	852.53
19 590 AL1	4005176512551	43	393.40	20 622 000	4005176757976	67	490.96
19 590 DA1	4005176512490	43	368.80	20 622 IGO	4005176757990	67	638.25
19 590 DC1	4005176954184	43	344.21	20 623 000	4005176758010	67	543.54
19 590 DL1	4005176512476	43	393.40	20 623 IGO	4005176758027	67	706.62
19 590 GL1	4005176512438	43	368.80	20 624 000	4005176758034	66	592.67
19 590 GN1	4005176512414	43	393.40	20 624 IGO	4005176758058	66	770.46
19 952 000	4005176174230	78	66.83	20 626 000	4005176760136	49	824.11
19 952 AL0	4005176353376	78	322.48	20 626 AL0	4005176760143	49	1,318.58
19 952 DAO	4005176351945	78	302.32	20 626 DC0	4005176760150	49	1,153.75
19 952 DC0	4005176467776	78	282.17	20 627 000	4005176760167	48	983.78
19 952 DL0	4005176468124	78	322.48	20 627 AL0	4005176760181	48	1,574.04
19 952 GL0	4005176352423	78	302.32	20 627 DC0	4005176760198	48	1,377.28
19 952 GN0	4005176468117	78	322.48	20 628 000	4005176760204	49	856.25
19 952 AL0	4005176468117	78	322.48	20 628 AL0	4005176760228	49	1,369.99
19 952 DC0	4005176468117	78	322.48	20 628 DC0	4005176760235	49	1,198.74
20 188 001	4005176499685	37	983.49	20 629 000	4005176760242	49	910.90
20 188 AL1	4005176499760	37	1,573.58	20 629 AL0	4005176759611	49	1,457.44
20 188 DA1	4005176499739	37	1,475.23	20 629 DC0	4005176759628	49	1,275.26
20 188 DC1	4005176954191	37	1,376.88	20 634 SD0	4005176759635	12	27,349.49
20 188 DL1	4005176499746	37	1,573.58	20 635 SD0	4005176759642	12	27,349.49
20 188 GL1	4005176499715	37	1,475.23	20 643 000	4005176762871	20	635.39
20 188 GN1	4005176499722	37	1,573.58	20 643 AL0	4005176762901	20	1,016.63
20 189 002	4005176499784	37	954.56	20 643 DA0	4005176762918	20	953.09
20 189 AL2	4005176499869	37	1,527.29	20 643 DC0	4005176762925	20	889.54
20 189 DA2	4005176499838	37	1,431.84	20 643 DL0	4005176951756	20	1,016.63
20 189 DC2	4005176954207	37	1,336.38	20 643 GL0	4005176762932	20	953.09
20 189 DL2	4005176499845	37	1,527.29	20 643 GN0	4005176951763	20	1,016.63
20 189 GL2	4005176499814	37	1,431.84	20 649 000	4005176762949	19	635.39
20 189 GN2	4005176499821	37	1,527.29	20 649 AL0	4005176762963	19	1,016.63
20 193 002	4005176499883	37	983.49	20 649 DA0	4005176762970	19	953.09
20 193 AL2	4005176499968	37	1,573.58	20 649 DC0	4005176762987	19	889.54
20 193 DA2	4005176499937	37	1,475.23	20 649 DL0	4005176951770	19	1,016.63
20 193 DC2	4005176954214	37	1,376.88	20 649 GL0	4005176762994	19	953.09
20 193 DL2	4005176499944	37	1,573.58	20 649 GN0	4005176951787	19	1,016.63
20 193 GL2	4005176499913	37	1,475.23	20 658 000	4005176763007	18	317.69
20 193 GN2	4005176499920	37	1,573.58	20 658 AL0	4005176763014	18	508.31
20 587 000	4005176512070	32	540.08	20 658 DA0	4005176763021	18	476.54
20 587 AL0	4005176512032	32	864.13	20 658 DC0	4005176763038	18	444.77
20 587 DAO	4005176511998	32	810.12	20 658 DL0	4005176951794	18	508.31
20 587 DC0	4005176511974	32	756.11	20 658 GL0	4005176763045	18	476.54
20 587 DL0	4005176511950	32	864.13	20 658 GN0	4005176951800	18	508.31
20 587 GL0	4005176511936	32	810.12	20 661 000	4005176763090	20	540.08
20 587 GNO	4005176511912	32	864.13	20 661 AL0	4005176763113	20	864.13
20 589 000	4005176511691	28	720.20	20 661 DA0	4005176763120	20	810.12
20 589 AL0	4005176511653	28	1,152.28	20 661 DC0	4005176763137	20	756.11
20 589 DAO	4005176511615	28	1,080.30	20 661 DL0	4005176952012	20	864.13
20 589 DC0	4005176511592	28	1,008.26	20 661 EN0	4005176763144	20	864.13
20 589 DL0	4005176511578	28	1,152.31	20 661 GL0	4005176763151	20	810.12
20 589 GL0	4005176503306	28	1,080.30	20 661 GN0	4005176952029	20	864.13
20 589 GNO	4005176511530	28	1,152.31	20 662 000	4005176763168	20	540.08
20 593 000	4005176511516	33	635.39	20 662 AL0	4005176763182	20	864.13
20 593 AL0	4005176499272	33	1,016.63	20 662 DA0	4005176763199	20	810.12
20 593 DAO	4005176511479	33	953.09	20 662 DC0	4005176763205	20	756.11
20 593 DC0	4005176511455	33	889.54	20 662 DL0	4005176952036	20	864.13
20 593 DL0	4005176499210	33	1,016.63	20 662 GL0	4005176763212	20	810.12
20 593 GL0	4005176511417	33	953.09	20 662 GN0	4005176952043	20	864.13
20 593 GNO	4005176511394	33	1,016.63	20 664 SD0	4005176763243	12	27,759.74
20 595 000	4005176511233	28	847.29	20 665 SD0	4005176763250	12	27,759.74
20 595 AL0	4005176511219	28	1,355.66	20 666 000	4005176761546	66	505.00
20 595 DAO	4005176511172	28	1,270.93	20 666 IGO	4005176761553	66	656.47

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
20 667 000	4005176795510	59	1,464.15	21 149 GL0	4005176761256	19	1,048.40
20 667 AL0	4005176795534	59	2,342.63	21 149 GNO	4005176952104	19	1,118.29
20 667 DCO	4005176795527	59	2,196.22	22			
20 668 000	4005176795008	59	2,968.82	22 012 000	4005176906343	78	56.57
20 668 AL0	4005176795022	59	4,948.03	22 012 AL0	4005176585944	78	90.50
20 668 DCO	4005176795015	59	4,700.64	22 012 DCO	4005176525742	78	79.19
20 669 000	4005176795039	59	2,968.82	22 037 000	4005176305535	77	8.07
20 669 AL0	4005176795053	59	4,948.03	23			
20 669 DCO	4005176795046	59	4,700.64	23 200 000	4005176908354	49, 60	279.24
20 670 000	4005176791680	60	1,464.15	23 200 002	4005176519901	49, 60	279.14
20 670 AL0	4005176791703	60	2,342.63	23 319 000	4005176931192	67, 79	274.09
20 670 DCO	4005176791697	60	2,196.22	23 403 001	4005176499487	36	665.30
20 671 000	4005176791710	60	2,928.28	23 403 AL1	4005176499562	36	1,064.48
20 671 AL0	4005176791734	60	4,685.25	23 403 DA1	4005176499531	36	997.95
20 671 DCO	4005176791727	60	4,392.43	23 403 DC1	4005176954221	36	931.41
20 672 000	4005176791741	60	2,928.28	23 403 DL1	4005176499548	36	1,064.48
20 672 AL0	4005176791963	60	4,685.25	23 403 GL1	4005176499517	36	997.95
20 672 DCO	4005176791758	60	4,392.43	23 403 GN1	4005176499524	36	1,064.48
21				23 429 000	4005176993695	14, 38	288.93
21 134 000	4005176499067	32	508.31	24			
21 134 AL0	4005176510977	32	813.30	24 154 000	4005176481185	51	619.51
21 134 DAO	4005176510939	32	762.46	24 154 AL0	4005176585920	51	991.21
21 134 DCO	4005176510915	32	711.64	24 154 DCO	4005176574238	51	867.31
21 134 DLO	4005176510892	32	813.30	24 160 001	4005176596230	38	520.67
21 134 GL0	4005176510854	32	762.46	24 160 AL1	4005176598715	38	833.08
21 134 GNO	4005176510830	32	813.30	24 160 DA1	4005176596285	38	781.02
21 138 000	4005176499081	27	745.62	24 160 DC1	4005176954245	38	728.94
21 138 AL0	4005176510618	27	1,192.99	24 160 DL1	4005176598692	38	833.08
21 138 DAO	4005176510571	27	1,118.42	24 160 GL1	4005176596261	38	781.02
21 138 DCO	4005176510557	27	1,043.85	24 160 GN1	4005176596278	38	833.08
21 138 DLO	4005176510533	27	1,192.98	24 259 000	4005176758348	68	341.87
21 138 GL0	4005176510496	27	1,118.42	24 259 IGO	4005176758355	68	410.24
21 138 GNO	4005176510472	27	1,192.98	24 260 000	4005176758362	68	376.05
21 140 000	4005176510458	32	698.92	24 260 DAO	4005176758379	68	564.08
21 140 AL0	4005176510410	32	1,118.29	24 260 DC0	4005176758386	68	451.27
21 140 DAO	4005176510373	32	1,048.40	24 277 000	4005176759918	50	420.27
21 140 DCO	4005176510359	32	978.50	24 277 AL0	4005176759925	50	672.44
21 140 DLO	4005176510335	32	1,118.29	24 277 DC0	4005176759932	50	588.38
21 140 GL0	4005176510298	32	1,048.40	24 279 000	4005176759949	50	462.30
21 140 GNO	4005176510274	32	1,118.29	24 279 AL0	4005176759956	50	739.67
21 142 000	4005176510052	27	1,025.21	24 279 DCO	4005176759963	50	647.22
21 142 AL0	4005176510014	27	1,640.32	24 340 000	4005176759970	50	489.65
21 142 DAO	4005176509971	27	1,537.83	24 340 AL0	4005176759987	50	783.44
21 142 DCO	4005176509957	27	1,435.28	24 340 DC0	4005176759994	50	685.51
21 142 DLO	4005176509933	27	1,640.34	24 341 000	4005176759659	48	674.07
21 142 GL0	4005176509896	27	1,537.83	24 341 AL0	4005176759673	48	1,078.51
21 142 GNO	4005176509872	27	1,640.34	24 341 DCO	4005176759680	48	943.70
21 144 000	4005176763267	19	508.31	24 342 000	4005176759697	48	674.07
21 144 AL0	4005176763274	19	813.30	24 342 AL0	4005176759703	48	1,078.51
21 144 DAO	4005176763281	19	762.46	24 342 DCO	4005176759710	48	943.70
21 144 DCO	4005176763298	19	711.64	24 344 000	4005176759734	48	838.02
21 144 DLO	4005176952050	19	813.30	24 344 AL0	4005176759741	48	1,340.85
21 144 GL0	4005176763304	19	762.46	24 344 DCO	4005176759758	48	1,173.24
21 144 GNO	4005176952067	19	813.30	24 345 000	4005176759765	48	838.02
21 145 000	4005176763311	18	508.31	24 345 AL0	4005176759772	48	1,340.85
21 145 AL0	4005176763335	18	813.30	24 345 DCO	4005176759789	48	1,173.24
21 145 DAO	4005176763342	18	762.46	24 346 000	4005176759796	48	1,038.43
21 145 DCO	4005176763359	18	711.64	24 346 AL0	4005176759819	48	1,661.49
21 145 DLO	4005176952074	18	813.30	24 346 DCO	4005176759826	48	1,453.80
21 145 GL0	4005176763366	18	762.46	24 347 000	4005176759833	50	765.16
21 145 GNO	4005176952081	18	813.30	24 347 AL0	4005176759857	50	1,224.25
21 149 000	4005176762017	19	698.92	24 347 DCO	4005176759864	50	1,071.23
21 149 AL0	4005176761225	19	1,118.29	24 348 000	4005176759871	51	3,024.20
21 149 DAO	4005176761232	19	1,048.40	24 348 001	4005176770616	51	3,024.20
21 149 DCO	4005176761249	19	978.50				
21 149 DLO	4005176952098	19	1,118.29				

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
24 348 AL0	4005176759895	51	4,838.71	24 364 DA0	4005176760945	14	810.12
24 348 DC0	4005176759901	51	4,233.87	24 364 DC0	4005176760952	14	756.11
24 353 000	4005176761300	21	540.08	24 364 DL0	4005176952296	14	864.13
24 353 AL0	4005176761317	21	864.13	24 364 GL0	4005176760969	14	810.12
24 353 DA0	4005176761324	21	810.12	24 364 GNO	4005176952302	14	864.13
24 353 DC0	4005176761331	21	756.11	24 365 000	4005176760976	13	667.17
24 353 DL0	4005176952111	21	864.13	24 365 AL0	4005176760983	13	1,067.45
24 353 GL0	4005176761560	21	810.12	24 365 DA0	4005176760990	13	1,000.74
24 353 GNO	4005176952128	21	864.13	24 365 DC0	4005176761003	13	934.02
24 354 000	4005176762062	15	364.58	24 365 DL0	4005176952319	13	1,067.45
24 354 AL0	4005176761577	15	583.32	24 365 GL0	4005176761010	13	1,000.74
24 354 DAO	4005176761584	15	546.87	24 365 GNO	4005176952326	13	1,067.45
24 354 DC0	4005176761591	15	510.40	24 366 000	4005176762239	14	571.85
24 354 DL0	4005176952135	15	583.32	24 366 AL0	4005176761027	14	914.96
24 354 GL0	4005176761607	15	546.87	24 366 DA0	4005176761034	14	857.77
24 354 GNO	4005176952142	15	583.32	24 366 DC0	4005176761041	14	800.59
24 355 000	4005176762079	15	401.04	24 366 DL0	4005176952333	14	914.96
24 355 AL0	4005176761614	15	641.65	24 366 GL0	4005176761058	14	857.77
24 355 DAO	4005176761621	15	601.56	24 366 GNO	4005176952340	14	914.96
24 355 DC0	4005176761638	15	561.45	24 367 000	4005176762246	15	667.17
24 355 DL0	4005176952159	15	641.65	24 367 AL0	4005176761065	15	1,067.45
24 355 GL0	4005176761645	15	601.56	24 367 DA0	4005176761072	15	1,000.74
24 355 GNO	4005176952166	15	641.65	24 367 DC0	4005176761089	15	934.02
24 356 000	4005176762086	16	428.80	24 367 DL0	4005176952357	15	1,067.45
24 356 AL0	4005176761652	16	686.07	24 367 GL0	4005176761096	15	1,000.74
24 356 DAO	4005176761669	16	643.19	24 367 GNO	4005176952364	15	1,067.45
24 356 DC0	4005176761164	16	600.31	24 368 000	4005176761102	18	1,842.63
24 356 DL0	4005176952173	16	686.07	24 368 AL0	4005176761119	18	2,948.20
24 356 GL0	4005176761171	16	643.19	24 368 DA0	4005176761126	18	2,763.95
24 356 GNO	4005176952180	16	686.07	24 368 DC0	4005176761133	18	2,579.67
24 357 000	4005176762093	16	704.17	24 368 DL0	4005176952371	18	2,948.20
24 357 AL0	4005176761188	16	1,126.68	24 368 EN0	4005176761140	18	2,948.20
24 357 DAO	4005176761195	16	1,056.26	24 368 GL0	4005176761157	18	2,763.95
24 357 DC0	4005176761201	16	985.84	24 368 GNO	4005176952388	18	2,948.20
24 357 DL0	4005176952197	16	1,126.68	24 369 000	4005176758089	66	420.83
24 357 GL0	4005176761218	16	1,056.26	24 369 DA0	4005176758102	66	631.25
24 357 GNO	4005176952203	16	1,126.68	24 369 IGO	4005176758119	66	547.08
24 358 000	4005176762109	17	753.22	24 370 000	4005176758133	66	420.83
24 358 AL0	4005176761348	17	1,205.14	24 370 IGO	4005176758157	66	547.08
24 358 DAO	4005176761355	17	1,129.82	24 371 000	4005176758164	66	557.59
24 358 DC0	4005176761362	17	1,054.50	24 371 IGO	4005176758171	66	724.87
24 358 DL0	4005176952210	17	1,205.14	24 372 000	4005176758195	67	473.43
24 358 GL0	4005176761379	17	1,129.82	24 372 IGO	4005176758218	67	615.45
24 358 GNO	4005176952227	17	1,205.14	24 373 000	4005176758232	68	490.96
24 359 000	4005176762116	17	753.22	24 373 IGO	4005176758256	68	638.25
24 359 AL0	4005176761386	17	1,205.14	24 374 000	4005176758263	68	613.71
24 359 DAO	4005176761393	17	1,129.82	24 374 IGO	4005176758287	68	797.81
24 359 DC0	4005176761409	17	1,054.50	24 375 000	4005176758300	69	1,967.35
24 359 DL0	4005176952234	17	1,205.14	24 375 IGO	4005176758317	69	2,557.56
24 359 GL0	4005176761416	17	1,129.82	24 396 000	4005176786204	31	1,004.41
24 359 GNO	4005176952241	17	1,205.14	24 396 AL0	4005176786242	31	1,607.05
24 362 000	4005176760846	13	476.54	24 396 DA0	4005176786235	31	1,506.62
24 362 AL0	4005176760853	13	762.46	24 396 DC0	4005176786211	31	1,406.16
24 362 DAO	4005176760860	13	714.81	24 396 DL0	4005176951817	31	1,607.06
24 362 DC0	4005176760877	13	667.17	24 396 GL0	4005176786228	31	1,506.62
24 362 DL0	4005176952258	13	762.46	24 396 GNO	4005176951824	31	1,607.06
24 362 GL0	4005176760884	13	714.81	24 397 000	4005176795541	57	1,003.23
24 362 GNO	4005176952265	13	762.46	24 397 AL0	4005176795565	57	1,605.15
24 363 000	4005176762215	13	413.00	24 397 DC0	4005176795558	57	1,504.83
24 363 AL0	4005176760891	13	660.80	24 398 000	4005176795572	57	1,003.23
24 363 DAO	4005176760907	13	619.51	24 398 AL0	4005176795596	57	1,605.15
24 363 DC0	4005176760914	13	578.21	24 398 DC0	4005176795589	57	1,504.83
24 363 DL0	4005176952272	13	660.80	24 399 000	4005176794933	57	1,003.23
24 363 GL0	4005176760921	13	619.51	24 399 AL0	4005176794957	57	1,605.15
24 363 GNO	4005176952289	13	660.80	24 399 DC0	4005176794940	57	1,504.83
24 364 000	4005176762222	14	540.08	24 400 000	4005176794964	57	1,247.22
24 364 AL0	4005176760938	14	864.13	24 400 AL0	4005176795428	57	1,995.55

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
24 400 DC0	4005176794971	57	1,870.84	25 226 AL0	4005176508516	30	3,050.23
24 408 000	4005176795435	58	1,608.11	25 226 DAO	4005176508479	30	2,859.60
24 408 AL0	4005176795459	58	2,572.98	25 226 DC0	4005176508455	30	2,668.96
24 408 DCO	4005176795442	58	2,251.36	25 226 DL0	4005176508431	30	3,050.23
24 414 000	4005176795466	58	1,608.11	25 226 GLO	4005176508394	30	2,859.60
24 414 AL0	4005176794865	58	2,572.98	25 226 GNO	4005176508370	30	3,050.23
24 414 DCO	4005176794056	58	2,251.36	25 227 000	4005176508356	33	2,382.71
24 417 000	4005176794872	58	1,545.49	25 227 AL0	4005176508318	33	3,812.34
24 417 AL0	4005176794902	58	2,472.78	25 227 DA0	4005176508271	33	3,574.06
24 417 DCO	4005176794896	58	2,318.24	25 227 DC0	4005176508257	33	3,335.80
24 418 000	4005176794919	58	1,545.49	25 227 DL0	4005176508233	33	3,812.34
24 418 AL0	4005176795473	58	2,472.78	25 227 GL0	4005176508196	33	3,574.06
24 418 DCO	4005176794926	58	2,318.24	25 227 GNO	4005176508172	33	3,812.34
24 419 000	4005176795480	59	1,545.49	25 229 000	4005176507977	28	3,177.33
24 419 AL0	4005176795503	59	2,472.78	25 229 AL0	4005176507939	28	5,083.68
24 419 DCO	4005176795497	59	2,318.24	25 229 DA0	4005176507892	28	4,765.95
24 422 000	4005176795169	64	4,500.93	25 229 DC0	4005176507878	28	4,448.26
24 422 AL0	4005176795183	64	7,201.49	25 229 DL0	4005176507854	28	5,083.72
24 422 DCO	4005176795176	64	6,751.39	25 229 GL0	4005176507816	28	4,765.95
24 423 000	4005176795312	65	4,500.93	25 229 GNO	4005176507793	28	5,083.72
24 423 AL0	4005176795336	65	7,201.49	25 268 000	088754140470	21	762.46
24 423 DCO	4005176795329	65	6,751.39	25 268 AL0	4005176761447	21	1,219.95
24 424 000	4005176795190	65	4,500.93	25 268 DAO	4005176761454	21	1,143.69
24 424 AL0	4005176795213	65	7,201.49	25 268 DC0	4005176761461	21	1,067.45
24 424 DCO	4005176795206	65	6,751.39	25 268 DL0	4005176952395	21	1,219.95
24 425 000	4005176795220	61	642.14	25 268 GL0	4005176761478	21	1,143.69
24 425 AL0	4005176795244	61	1,027.42	25 268 GNO	4005176952401	21	1,219.95
24 425 DCO	4005176795237	61	963.20	25 272 000	4005176762154	22	2,382.71
24 426 000	4005176795251	62	642.14	25 272 AL0	4005176761485	22	3,812.34
24 426 AL0	4005176795275	62	1,027.42	25 272 DAO	4005176761492	22	3,574.06
24 426 DCO	4005176795268	62	963.20	25 272 DC0	4005176761508	22	3,335.80
24 427 000	4005176795282	62	642.14	25 272 DL0	4005176952418	22	3,812.34
24 427 AL0	4005176795305	62	1,027.42	25 272 EN0	4005176761515	22	3,812.34
24 427 DCO	4005176795299	62	963.20	25 272 GL0	4005176761522	22	3,574.06
24 428 000	4005176795343	62	983.48	25 272 GNO	4005176952425	22	3,812.34
24 428 AL0	4005176795367	62	1,573.56				
24 428 DCO	4005176795350	62	1,475.21				
24 429 000	4005176795374	63	983.48				
24 429 AL0	4005176795398	63	1,573.56				
24 429 DCO	4005176795381	63	1,475.21				
24 430 000	4005176795404	63	983.48				
24 430 AL0	4005176794889	63	1,573.56				
24 430 DCO	4005176795411	63	1,475.21				
25							
25 221 001	4005176509438	42	1,599.50	26 370 000	4005176341380	102	46.50
25 221 AL1	4005176509391	42	2,559.20	26 370 DAO	4005176556845	102	74.40
25 221 DA1	4005176509339	42	2,399.24	26 370 GL0	4005176556876	102	74.40
25 221 DC1	4005176954252	42	2,239.30	26 658 000	4005176533082	102	67.92
25 221 DL1	4005176509315	42	2,559.20	26 658 A00	4005176950001	102	108.66
25 221 GL1	4005176509278	42	2,399.24	26 658 AL0	4005176950018	102	115.46
25 221 GN1	4005176509254	42	2,559.20	26 658 DA0	4005176950025	102	108.66
25 222 001	4005176509230	42	2,545.48	26 658 DC0	4005176950032	102	95.07
25 222 AL1	4005176509193	42	4,072.78	26 658 DL0	4005176950049	102	115.46
25 222 DA1	4005176509131	42	3,818.23	26 658 GL0	4005176950056	102	108.66
25 222 DC1	4005176954269	42	3,563.69	26 658 GNO	4005176950063	102	115.46
25 222 DL1	4005176509117	42	4,072.78	26 659 A00	4005176950070	102	108.66
25 222 GL1	4005176509070	42	3,818.23	26 659 AL0	4005176950087	102	115.46
25 222 GN1	4005176509056	42	4,072.78	26 659 DA0	4005176950094	102	108.66
25 224 000	4005176508950	35	1,429.63	26 659 DC0	4005176950100	102	95.07
25 224 AL0	4005176508912	35	2,287.40	26 659 DL0	4005176950117	102	115.46
25 224 DAO	4005176508875	35	2,144.44	26 659 GL0	4005176950124	102	108.66
25 224 DCO	4005176508851	35	2,001.48	26 659 GNO	4005176950131	102	115.46
25 224 DL0	4005176508837	35	2,287.40	26 801 000	4005176722769	98	147.15
25 224 GL0	4005176508790	35	2,144.44	26 801 A00	4005176722806	98	235.44
25 224 GNO	4005176508776	35	2,287.40	26 801 AL0	4005176722844	98	250.15
25 226 000	4005176508554	30	1,906.39	26 801 BE0	4005176722813	98	235.44
				26 801 DAO	4005176722851	98	235.44
				26 801 DC0	4005176722837	98	206.01
				26 801 DL0	4005176722868	98	250.15
				26 801 EN0	4005176722783	98	250.15
				26 801 GL0	4005176722790	98	235.44
				26 801 GNO	4005176722820	98	250.15
				26 802 000	4005176722776	53, 98	147.15
				26 802 A00	4005176722875	98	235.44

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
26 802 AL0	4005176722905	53, 98	250.15	26 893 000	4005176758645	99	42.84
26 802 DC0	4005176722899	53, 98	206.01	26 894 000	4005176758652	99	127.03
26 802 DL0	4005176722912	98	250.15	26 895 000	4005176762185	21	571.85
26 802 GN0	4005176722882	98	250.15	26 895 AL0	4005176760778	21	914.96
26 839 000	4005176754227	101	84.70	26 895 DAO	4005176760785	21	857.77
26 840 000	4005176754234	101	206.67	26 895 DC0	4005176760792	21	800.59
26 841 000	4005176754241	101	210.06	26 895 DL0	4005176952432	21	914.96
26 842 000	4005176754258	101	101.64	26 895 GL0	4005176760808	21	857.77
26 843 000	4005176754265	101	210.06	26 895 GN0	4005176952449	21	914.96
26 847 000	4005176755057	53, 100	37.33	26 896 000	4005176758416	72	100.64
26 847 AL0	4005176755064	53, 100	63.46	26 896 DAO	4005176758423	72	161.02
26 847 DC0	4005176755071	53, 100	52.27	26 896 IG0	4005176758430	72	131.20
26 850 000	4005176754456	53, 100	59.75	26 897 000	4005176758447	72	150.96
26 850 AL0	4005176754463	53, 100	101.58	26 897 DAO	4005176758454	72	241.54
26 850 DC0	4005176754470	53, 100	83.66	26 897 IG0	4005176758461	72	197.70
26 852 000	4005176758492	70	133.26	26 898 000	4005176758560	71	525.99
26 852 IG0	4005176758515	70	173.21	26 898 DAO	4005176758577	71	841.59
26 853 000	4005176758522	71	277.02	26 898 IG0	4005176758584	71	683.76
26 853 IG0	4005176758539	71	360.11	26 899 000	4005176758607	71, 103	87.66
26 855 000	4005176759024	95	251.60	26 900 000	4005176758614	71, 103	119.20
26 856 000	4005176759031	52, 96	643.34	26 900 DAO	4005176758621	71, 103	190.73
26 857 000	4005176759055	95	557.55	26 900 IG0	4005176758638	71, 103	154.99
26 858 000	4005176759079	52, 96	643.34	26 901 000	4005176757518	70	182.35
26 859 000	4005176758836	53, 96	589.44	26 901 00F	4005176757525	70	182.35
26 860 000	4005176758843	95	557.55	26 901 IG0	4005176757501	70	237.06
26 861 000	4005176758850	95	557.55				
26 862 000	4005176758867	95	538.68				
26 863 000	4005176758874	84	26,571.99	27 057 000	4005176830457	102	60.78
26 864 000	4005176758881	85	1,295.38	27 057 A00	4005176338953	102	97.26
26 865 000	4005176758898	84	2,524.34	27 057 AL0	4005176338960	102	103.33
26 866 000	4005176758904	99	170.63	27 057 DAO	4005176338939	102	97.26
26 866 A00	4005176758911	99	273.02	27 057 DCO	4005176371196	102	85.09
26 866 AL0	4005176758928	99	290.08	27 057 DL0	4005176426940	102	103.33
26 866 BE0	4005176758935	99	273.02	27 057 GL0	4005176338946	102	97.26
26 866 DAO	4005176758942	99	273.02	27 057 GNO	4005176426933	102	103.33
26 866 DC0	4005176758959	99	238.88	27 074 000	4005176833083	102	38.90
26 866 DL0	4005176758966	99	290.08	27 074 A00	4005176338991	102	62.23
26 866 EN0	4005176758973	99	290.08	27 074 AL0	4005176339004	102	66.12
26 866 GL0	4005176758980	99	273.02	27 074 DAO	4005176338977	102	62.23
26 866 GN0	4005176758997	99	290.08	27 074 DCO	4005176374487	102	54.45
26 867 000	4005176759000	100	112.02	27 074 DL0	4005176427091	102	66.12
26 868 000	4005176759116	97	575.10	27 074 GL0	4005176338984	102	62.23
26 871 000	4005176759147	96	540.24	27 074 GNO	4005176427084	102	66.12
26 872 000	4005176759161	96	540.24	27 074 LSO	4005176873591	102	50.42
26 873 000	4005176759178	94	2,247.26	27 075 000	4005176833090	103	38.90
26 874 000	4005176759192	94	740.33	27 075 A00	4067393030515	103	62.23
26 876 000	4005176759215	97	575.12	27 075 AL0	4067393030522	103	66.12
26 877 000	4005176759222	97	575.12	27 075 DAO	4067393030539	103	62.23
26 877 00D	4005176759239	96	575.12	27 075 DCO	4067393030546	103	54.45
26 878 000	4005176759246	105	373.41	27 075 DL0	4067393030553	103	66.12
26 879 000	4005176759253	105	284.75	27 075 GL0	4067393030560	103	62.23
26 880 000	4005176759260	105	711.90	27 075 GNO	4067393030577	103	66.12
26 883 000	4005176759291	94	802.87	27 076 000	4005176833106	103	60.78
26 884 000	4005176759307	53, 100	112.04	27 076 A00	4005176950186	103	97.26
26 885 000	4005176759314	100	112.04	27 076 AL0	4005176950193	103	103.33
26 885 A00	4005176759321	100	179.26	27 076 DAO	4005176950209	103	97.26
26 885 AL0	4005176759338	100	190.46	27 076 DCO	4005176950216	103	85.09
26 885 DAO	4005176950162	100	179.26	27 076 DL0	4005176950223	103	103.33
26 885 DC0	4005176759345	100	156.85	27 076 GL0	4005176950230	103	97.26
26 885 DL0	4005176759352	100	190.46	27 076 GNO	4005176954016	103	103.33
26 885 GL0	4005176950179	100	179.26	27 709 000	4005176909092	97	126.98
26 886 000	4005176759376	100	156.84	27 711 000	4005176909115	97	108.32
26 887 000	4005176759383	95	3,659.66				
26 888 000	4005176759390	94	3,659.66				
26 889 000	4005176759406	99	170.62	28 912 000	4005176266751	72, 77	104.04
26 890 000	4005176759420	97	167.64	28 912 AL0	4005176467844	77	166.48
26 892 000	4005176759451	99	299.12	28 912 DC0	4005176467905	77	145.66

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
28 912 DL0	4005176467899	77	166.48	29 127 AL0	4005176558382	107	657.55
28 912 GNO	4005176467875	77	166.48	29 127 DCO	4005176526350	107	575.35
28 990 000	4005176174025	78	177.33	29 127 DL0	4005176558412	107	657.55
29				29 127 GNO	4005176558443	107	657.55
				29 176 001	4005176507779	40	520.67
29 025 002	4005176519895	20	291.48	29 176 AL1	4005176507731	40	833.07
29 032 000	4005176845277	43, 52	37.94	29 176 DA1	4005176500534	40	781.00
29 033 000	4005176845338	43, 52	311.16	29 176 DC1	4005176954276	40	728.93
29 037 000	4005176865749	51, 63	924.58	29 176 DL1	4005176507670	40	833.07
29 037 001	4005176455490	42	921.32	29 176 GL1	4005176507632	40	781.00
29 037 002	4005176519918	23	921.32	29 176 GN1	4005176507618	40	833.07
29 086 000	4005176935497	51, 64	406.28	29 181 002	4005176558993	41	578.52
29 118 000	4005176412240	108	571.85	29 181 AL2	4005176559075	41	925.63
29 118 A00	4005176493010	108	857.77	29 181 DA2	4005176559044	41	867.78
29 118 AL0	4005176455049	108	914.96	29 181 DC2	4005176954283	41	809.93
29 118 DAO	4005176492990	108	857.77	29 181 DL2	4005176559051	41	925.63
29 118 DCO	4005176455032	108	800.59	29 181 GL2	4005176559020	41	867.78
29 118 DL0	4005176493003	108	914.96	29 181 GN2	4005176559037	41	925.63
29 118 GL0	4005176492976	108	857.77	29 396 000	4005176754067	22	111.20
29 119 000	4005176412257	108	622.68	29 396 AL0	4005176754074	22	177.91
29 119 A00	4005176493089	108	934.02	29 396 DA0	4005176754081	22	166.79
29 119 AL0	4005176455063	108	996.30	29 396 DC0	4005176754098	22	155.67
29 119 DAO	4005176493065	108	934.02	29 396 DL0	4005176952456	22	177.91
29 119 DCO	4005176455056	108	871.75	29 396 GL0	4005176754104	22	166.79
29 119 DL0	4005176493072	108	996.30	29 396 GN0	4005176952463	22	177.91
29 119 GL0	4005176493041	108	934.02	29 397 000	4005176754111	22	111.20
29 119 GNO	4005176493058	108	996.30	29 397 AL0	4005176754128	22	177.91
29 120 000	4005176412264	109	747.22	29 397 DA0	4005176754135	22	166.79
29 121 000	4005176412271	109	673.52	29 397 DC0	4005176754142	22	155.67
29 121 A00	4005176493225	109	1,010.28	29 397 DL0	4005176952470	22	177.91
29 121 AL0	4005176455100	109	1,077.62	29 397 GL0	4005176754159	22	166.79
29 121 DAO	4005176493201	109	1,010.28	29 397 GN0	4005176952487	22	177.91
29 121 DCO	4005176455094	109	942.92	29 398 000	4005176754166	52	222.26
29 121 DL0	4005176493218	109	1,077.62	29 398 AL0	4005176754173	52	355.62
29 121 GL0	4005176493188	109	1,010.28	29 398 DC0	4005176754180	52	311.17
29 121 GNO	4005176493195	109	1,077.62	29 399 000	4005176754197	52	309.71
29 122 000	4005176412288	110	410.96	29 399 AL0	4005176754203	52	495.53
29 122 A00	4005176515231	110	616.46	29 399 DC0	4005176754210	52	433.59
29 122 AL0	4005176455124	110	657.55	29 402 000	4005176760037	49	819.81
29 122 DAO	4005176515217	110	616.46	29 402 AL0	4005176760044	49	1,311.70
29 122 DCO	4005176455117	110	575.35	29 402 DC0	4005176760051	49	1,147.73
29 122 DL0	4005176515224	110	657.55	29 403 000	4005176760068	49	874.46
29 122 GL0	4005176515194	110	616.46	29 403 AL0	4005176760075	49	1,399.15
29 123 000	4005176413292	105	571.85	29 403 DC0	4005176760082	49	1,224.25
29 123 A00	4005176558054	105	857.77	29 405 000	4005176760105	51	1,803.59
29 123 AL0	4005176558061	105	914.96	29 405 AL0	4005176760112	51	2,885.74
29 123 DL0	4005176558092	105	914.96	29 405 DC0	4005176760129	51	2,525.02
29 123 GNO	4005176558122	105	914.96	29 406 000	4005176762727	14	540.08
29 124 000	4005176413308	106	622.68	29 406 AL0	4005176762734	14	864.13
29 124 A00	4005176558139	106	934.02	29 406 DA0	4005176762741	14	810.12
29 124 AL0	4005176558146	106	996.30	29 406 DC0	4005176762758	14	756.11
29 124 DAO	4005176558160	106	934.02	29 406 DL0	4005176952494	14	864.13
29 124 DCO	4005176526329	106	871.75	29 406 GL0	4005176762765	14	810.12
29 124 DL0	4005176558177	106	996.30	29 406 GN0	4005176952500	14	864.13
29 124 GL0	4005176558191	106	934.02	29 407 000	4005176762772	23	1,429.63
29 124 GNO	4005176558207	106	996.30	29 407 AL0	4005176762789	23	2,287.40
29 125 000	4005176413315	106	747.22	29 407 DA0	4005176762796	23	2,144.44
29 126 000	4005176413322	107	673.52	29 407 DC0	4005176762802	23	2,001.48
29 126 A00	4005176558290	107	1,010.28	29 407 DL0	4005176952517	23	2,287.40
29 126 AL0	4005176558306	107	1,077.62	29 407 GL0	4005176762819	23	2,144.44
29 126 DAO	4005176558320	107	1,010.28	29 407 GN0	4005176952524	23	2,287.40
29 126 DCO	4005176526343	107	942.92	29 408 000	4005176762826	23	1,429.63
29 126 DL0	4005176558337	107	1,077.62	29 408 AL0	4005176762833	23	2,287.40
29 126 GL0	4005176558351	107	1,010.28	29 408 DA0	4005176762840	23	2,144.44
29 126 GNO	4005176558368	107	1,077.62	29 408 DC0	4005176762857	23	2,001.48
29 127 000	4005176413339	107	410.96	29 408 DL0	4005176952531	23	2,287.40
29 127 A00	4005176558375	107	616.46	29 408 GL0	4005176762864	23	2,144.44

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
29 408 GNO	4005176952548	23	2,287.40	32 826 AL1	4005176507038	39	1,110.75
29 410 000	4005176762680	14	476.54	32 826 DA1	4005176500930	39	1,041.34
29 410 AL0	4005176763403	14	762.46	32 826 DC1	4005176954313	39	971.92
29 410 DAO	4005176763410	14	714.81	32 826 DL1	4005176506970	39	1,110.75
29 410 DCO	4005176763427	14	667.17	32 826 GL1	4005176506932	39	1,041.34
29 410 DLO	4005176952555	14	762.46	32 826 GN1	4005176506918	39	1,110.75
29 410 GLO	4005176763434	14	714.81	32 846 001	4005176506895	38	636.37
29 410 GNO	4005176952562	14	762.46	32 846 AL1	4005176506857	38	1,018.19
29 412 000	4005176758676	87	287.54	32 846 DA1	4005176506819	38	954.56
29 413 000	4005176758683	86	287.54	32 846 DC1	4005176954320	38	890.93
29 414 000	4005176758690	87	467.23	32 846 DL1	4005176506796	38	1,018.19
29 415 000	4005176757693	69	1,385.21	32 846 GL1	4005176506758	38	954.56
29 415 IGO	4005176757754	69	1,800.77	32 846 GN1	4005176506734	38	1,018.19
29 416 000	4005176757778	67	505.00				
29 416 DAO	4005176757785	67	757.49				
29 416 IGO	4005176757792	67	656.47	35 028 000	4005176908316	22	160.19
29 417 000	4005176757815	67	557.59	35 107 000	4005176758706	105, 111	251.60
29 417 IGO	4005176757822	67	724.87	35 500 000	4005176831522	111	265.72
29 418 000	4005176757839	69	1,297.55	35 604 000	4005176698774	15	80.96
29 418 IGO	4005176757853	69	1,686.80				
29 420 000	4005176757891	70	126.25				
29 420 DAO	4005176757907	70	189.37	36 472 000	4005176758720	86	1,509.55
29 420 IGO	4005176757914	70	164.11	36 473 000	4005176758737	86	1,293.89
29 517 000	4005176795060	60	1,301.46	36 474 000	4005176758744	86	341.45
29 517 AL0	4005176795084	60	2,082.33	36 475 000	4005176758751	85	730.73
29 517 DCO	4005176795077	60	1,952.18	36 476 000	4005176758768	85	1,295.38
29 519 000	4005176795091	61	1,731.82				
29 519 AL0	4005176794995	61	2,474.01				
29 519 DCO	4005176794988	61	2,226.61	39 958 00H	4005176747694	75	538.03
29 521 000	4005176795602	61	1,731.82	39 966 00H	4005176747779	75	663.71
29 521 AL0	4005176795626	61	2,474.01	39 980 KS0	4005176770647	76	1,042.03
29 521 DCO	4005176795619	61	2,226.61	39 980 LS0	4005176754487	76	1,042.03
29 523 000	4005176795633	63	2,684.28				
29 523 AL0	4005176795657	63	4,294.87				
29 523 DCO	4005176795640	63	4,026.44	40 278 001	4005176531545	44	133.06
29 525 000	4005176795107	64	2,684.28	40 278 AL1	4005176531620	44	212.90
29 525 AL0	4005176795121	64	4,294.87	40 278 DA1	4005176531590	44	199.59
29 525 DCO	4005176795114	64	4,026.44	40 278 DC1	4005176953569	44	186.28
29 527 000	4005176795138	64	2,684.28	40 278 DL1	4005176531606	44	212.90
29 527 AL0	4005176795152	64	4,294.87	40 278 GL1	4005176531576	44	199.59
29 527 DCO	4005176795145	64	4,026.44	40 278 GN1	4005176531583	44	212.90
29 802 000	4005176504853	72, 81	47.13	40 279 001	4005176532047	46	173.55
29 811 000	4005176062711	72	23.12	40 279 AL1	4005176532122	46	277.69
				40 279 DA1	4005176532092	46	260.33
				40 279 DC1	4005176953576	46	242.97
				40 279 DL1	4005176532108	46	277.69
				40 279 GL1	4005176532078	46	260.33
				40 279 GN1	4005176532085	46	277.69
				40 284 001	4005176531941	45	72.31
				40 284 AL1	4005176532023	45	115.71
				40 284 DA1	4005176531996	45	108.47
				40 284 DC1	4005176953583	45	101.24
				40 284 DL1	4005176532009	45	115.71
				40 284 GL1	4005176531972	45	108.47
				40 284 GN1	4005176531989	45	115.71
				40 339 001	4005176531026	45	115.71
				40 339 AL1	4005176531101	45	185.13
				40 339 DA1	4005176531071	45	173.55
				40 339 DC1	4005176953590	45	161.98
				40 339 DL1	4005176531088	45	185.13
				40 339 GL1	4005176531057	45	173.55
				40 339 GN1	4005176531064	45	185.13
				40 340 001	4005176532245	46	289.26
				40 340 AL1	4005176532320	46	462.81
				40 340 DA1	4005176532290	46	433.88
				40 340 DC1	4005176953606	46	404.97
				40 340 DL1	4005176532306	46	462.81

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
40 340 GL1	4005176532276	46	433.88	40 889 000	4005176754685	25	196.97
40 340 GN1	4005176532283	46	462.81	40 889 AL0	4005176754692	25	315.15
40 341 001	4005176531743	45	266.12	40 889 DA0	4005176754708	25	295.45
40 341 AL1	4005176531828	45	425.80	40 889 DC0	4005176754715	25	275.76
40 341 DA1	4005176531798	45	399.18	40 889 DL0	4005176952753	25	315.15
40 341 DC1	4005176953613	45	372.57	40 889 EN0	4005176754722	25	315.15
40 341 DL1	4005176531804	45	425.80	40 889 GL0	4005176754739	25	295.45
40 341 GL1	4005176531774	45	399.18	40 890 000	4005176754746	25	63.54
40 341 GN1	4005176531781	45	425.80	40 890 AL0	4005176754753	25	101.66
40 342 001	4005176531644	45	266.12	40 890 DA0	4005176754760	25	95.31
40 342 AL1	4005176531729	45	425.80	40 890 DC0	4005176754777	25	88.96
40 342 DA1	4005176531699	45	399.18	40 890 DL0	4005176952777	25	101.66
40 342 DC1	4005176953620	45	372.57	40 890 EN0	4005176754784	25	101.66
40 342 DL1	4005176531705	45	425.80	40 890 GL0	4005176754791	25	95.31
40 342 GL1	4005176531675	45	399.18	40 891 000	4005176754807	26	139.78
40 342 GN1	4005176531682	45	425.80	40 891 AL0	4005176754814	26	223.66
40 564 000	4005176912740	54, 77	114.46	40 891 DA0	4005176754821	26	209.68
40 564 A00	4005176491849	77	171.67	40 891 DC0	4005176754838	26	195.70
40 564 AL0	4005176491788	54, 77	183.13	40 891 DL0	4005176952791	26	223.66
40 564 DC0	4005176491795	54, 77	160.23	40 891 EN0	4005176755088	26	223.66
40 565 000	4005176912757	54, 77	92.55	40 891 GL0	4005176755095	26	209.68
40 565 A00	4005176491757	77	138.82	40 892 000	4005176755101	26	277.98
40 565 AL0	4005176491696	54, 77	148.07	40 892 AL0	4005176755118	26	444.77
40 565 DC0	4005176491702	54, 77	129.57	40 892 DA0	4005176755125	26	416.97
40 791 001	4005176323409	26	8.96	40 892 DC0	4005176755132	26	389.17
40 791 KS1	4005176336379	26	8.96	40 892 DL0	4005176952814	26	444.77
40 882 000	4005176754494	24, 44	60.36	40 892 EN0	4005176755149	26	444.77
40 883 000	4005176755262	24, 44	69.89	40 892 GL0	4005176755156	26	416.97
40 884 000	4005176754326	24	92.13	40 892 GN0	4005176952821	26	444.77
40 884 AL0	4005176752902	24	147.41	40 893 000	4005176755163	55	395.71
40 884 DAO	4005176752919	24	138.19	40 894 000	4005176755170	55	1,105.81
40 884 DC0	4005176752926	24	128.99	40 895 000	4005176754333	55	325.45
40 884 DL0	4005176950254	24	147.41	40 896 000	4005176754340	55	843.61
40 884 EN0	4005176752933	24	147.41	40 897 000	4005176754357	55	155.33
40 884 GL0	4005176752940	24	138.19	40 898 000	4005176754364	55	315.86
40 884 GN0	4005176950261	24	147.41	40 900 000	4005176754371	56	517.77
40 885 000	4005176752957	24	92.13	40 908 000	4005176754401	74	238.46
40 885 AL0	4005176753961	24	147.41	40 908 IG0	4005176754425	74	310.00
40 885 DAO	4005176753978	24	138.19	40 909 000	4005176754432	73	227.96
40 885 DC0	4005176753985	24	128.99	40 909 IG0	4005176754449	73	296.32
40 885 DL0	4005176950278	24	147.41	40 910 000	4005176754845	73	298.08
40 885 EN0	4005176753992	24	147.41	40 910 IG0	4005176754852	73	387.52
40 885 GL0	4005176754005	24	138.19	40 923 000	4005176754869	73	280.54
40 885 GN0	4005176952685	24	147.41	40 923 IG0	4005176754876	73	364.72
40 886 000	4005176754012	24, 44	92.13	40 928 000	4005176754883	73	315.63
40 886 AL0	4005176754517	24, 44	147.41	40 928 IG0	4005176754906	73	410.29
40 886 DAO	4005176754524	24, 44	138.19	40 929 000	4005176754913	73	192.87
40 886 DC0	4005176754531	24, 44	128.99	40 929 IG0	4005176754937	73	250.73
40 886 DL0	4005176952692	24, 44	147.41	40 930 000	4005176754944	73	91.17
40 886 EN0	4005176754548	24, 44	147.41	40 930 IG0	4005176754968	73	118.52
40 886 GL0	4005176754555	24, 44	138.19	40 946 000	4005176754975	74	333.17
40 886 GN0	4005176952708	24, 44	147.41	40 946 IG0	4005176754982	74	433.11
40 887 000	4005176754562	25	123.90	40 955 001	4005176531842	46	245.87
40 887 AL0	4005176754579	25	198.24	40 955 AL1	4005176531927	46	393.40
40 887 DAO	4005176754586	25	185.85	40 955 DA1	4005176531897	46	368.80
40 887 DC0	4005176754593	25	173.46	40 955 DC1	4005176952838	46	344.21
40 887 DL0	4005176952715	25	198.24	40 955 DL1	4005176531903	46	393.40
40 887 EN0	4005176754609	25	198.24	40 955 GL1	4005176531873	46	368.80
40 887 GL0	4005176754616	25	185.85	40 955 GN1	4005176531880	46	393.40
40 888 000	4005176754623	25	206.51	40 956 001	4005176532146	46	159.09
40 888 AL0	4005176754630	25	330.41	40 956 AL1	4005176532221	46	254.54
40 888 DAO	4005176754647	25	309.75	40 956 DA1	4005176532191	46	238.65
40 888 DC0	4005176754654	25	289.10	40 956 DC1	4005176952845	46	222.73
40 888 DL0	4005176952739	25	330.41	40 956 DL1	4005176532207	46	254.54
40 888 EN0	4005176754661	25	330.41	40 956 GL1	4005176532177	46	238.65
40 888 GL0	4005176754678	25	309.75	40 956 GN1	4005176532184	46	254.54
40 888 GN0	4005176952746	25	330.41	40 960 000	4005176754999	74	213.91

GROHE

SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
40 960 IG0	4005176755019	74	277.04	48 651 DL0	4005176951930	35	692.73
40 963 001	4005176530913	44	133.06	48 651 GN0	4005176951947	35	692.73
40 963 AL1	4005176530999	44	212.90	65			
40 963 DA1	4005176530968	44	199.59	65 807 000	4005176849893	77	54.01
40 963 DC1	4005176952852	44	186.28	65 807 AL0	4005176467714	77	86.41
40 963 DL1	4005176530975	44	212.90	65 807 DA0	4005176467752	77	81.02
40 963 GL1	4005176530944	44	199.59	65 807 DC0	4005176442797	77	75.61
40 963 GN1	4005176530951	44	212.90	65 807 DL0	4005176467769	77	86.41
40 964 001	4005176531019	25, 45	43.40	65 807 GL0	4005176467738	77	81.02
40 965 001	4005176531125	46	390.50	65 807 GN0	4005176467745	77	86.41
40 967 001	4005176531323	47	202.48	65 807 KS0	4005176849909	77	91.69
40 967 AL1	4005176531408	47	323.98	65 807 LS0	4005176849916	77	102.39
40 967 DA1	4005176531378	47	303.73				
40 967 DC1	4005176952883	47	283.47				
40 967 DL1	4005176531385	47	323.98				
40 967 GL1	4005176531354	47	303.73				
40 967 GN1	4005176531361	47	323.98				
42							
42 633 000	4005176758775	86	129.41				
42 634 000	4005176758782	87	89.84				
42 635 000	4005176758799	87	89.84				
42 636 000	4005176758805	87	89.84				
42 637 000	4005176758812	87	89.84				
45							
45 984 001	4005176992056	18, 22	552.23				
48							
48 456 000	4005176520778	27	371.11				
48 457 000	4005176520785	27	371.11				
48 458 000	4005176523793	33	494.81				
48 458 AL0	4005176788475	33	494.81				
48 458 DA0	4005176788468	33	494.81				
48 458 DC0	4005176787249	33	494.81				
48 458 DL0	4005176951831	33	692.73				
48 458 GL0	4005176787256	33	494.81				
48 458 GN0	4005176951848	33	692.73				
48 459 000	4005176523809	34	494.81				
48 459 AL0	4005176788512	34	494.81				
48 459 DAO	4005176788505	34	494.81				
48 459 DC0	4005176788482	34	494.81				
48 459 DL0	4005176951855	34	692.73				
48 459 GL0	4005176788499	34	494.81				
48 459 GN0	4005176951862	34	692.73				
48 460 000	4005176523816	29	371.11				
48 461 000	4005176523823	29	371.11				
48 462 000	4005176523830	30	371.11				
48 463 000	4005176523847	30	371.11				
48 464 000	4005176523854	35	494.81				
48 464 AL0	4005176788550	35	494.81				
48 464 DAO	4005176788543	35	494.81				
48 464 DC0	4005176788529	35	494.81				
48 464 DL0	4005176951879	35	692.73				
48 464 GL0	4005176788536	35	494.81				
48 464 GN0	4005176951886	35	692.73				
48 465 000	4005176523861	35	494.81				
48 465 AL0	4005176788598	35	494.81				
48 465 DAO	4005176788581	35	494.81				
48 465 DC0	4005176788567	35	494.81				
48 465 DL0	4005176951893	35	692.73				
48 465 GL0	4005176788574	35	494.81				
48 465 GN0	4005176951909	35	692.73				
48 466 000	4005176523878	31	371.11				
48 467 000	4005176523885	31	371.11				
48 646 DL0	4005176951916	34	692.73				
48 646 GN0	4005176951923	34	692.73				

Visit us:



GROHE Limited
World Business Centre 1
Newall Road
London Heathrow Airport
Hounslow
Middlesex
TW6 2SF
Tel: 0208 283 2840
Fax: 0871 200 3415
E-Mail: info-uk@grohe.com