


Pure Freude
an Wasser



CATALOGUE 2019

GROHE TABLE OF CONTENTS.

Our brand			8
GROHE Rapido SmartBox			12
GROHE Sense			24
Bath fittings	SmartControl	SmartControl mixers	33
	Fittings	Allure Brilliant	37
		Allure	47
		Atrio	57
		Grandera	73
		Lineare	83
		Eurocube Joy	89
		Eurocube	95
		Plus	103
		Europlus	115
		Essence	119
		Eurodisc Joy	129
		Eurodisc Cosmopolitan	133
		Concetto	139
		Eurostyle Cosmopolitan	145
		Eurostyle	151
		Eurosmart Cosmopolitan	161
		Eurosmart	167
		BauEdge	173
		BauLoop	177
		BauFlow	181
		GROHE SilkMove ES	185
	Two Handle fittings	Costa L	191
		Costa S	195
	Universal	Universal tap	199
	Bath sets	Talentofill	201
	Accessories	Selection Cube	205
		Essentials	209

GROHE TABLE OF CONTENTS.

		Essentials Cube	217
		BauCosmopolitan	223
		Essentials Authentic	227
Thermostats	Grohtherm	Grohtherm SmartControl	235
		Grohtherm 2 handle trim sets	245
		Grohtherm 3000 Cosmopolitan	253
		Grohtherm 2000	257
		Grohtherm Cube	261
		Grohtherm 1000 Cosmopolitan M	265
		Grohtherm 1000	269
		Grohtherm 800	273
Concealed solutions		GROHE Rapido SmartBox	279
		GROHE Rapido C / stop valves	282
Showers	GROHE Digital	F-digital Deluxe	287
		F-digital Controllers	295
	Shower Systems	Rainshower SmartControl System	297
		Rainshower System	303
		Euphoria SmartControl System	307
		Euphoria System	311
		Tempesta System	323
		Retro-fit shower system	327
		Shower system accessories	329
	Headshowers	Head and side showers	333
	Showers	Sena	359
		Rainshower	361
		Power&Soul	367
		Movario	373
		Euphoria	375
		Tempesta	387
		Sena trigger sprays	401
		Tempesta-F trigger sprays	403

GROHE TABLE OF CONTENTS.

		Shower hoses	407	
		Shower accessories	411	
Kitchen fittings	Water systems	GROHE Blue Professional	427	
		GROHE Blue Home	433	
		GROHE Blue Pure	443	
		GROHE Blue accessories	449	
		GROHE Red	453	
		Premium lines	K7	459
		FootControl	461	
		Minta / Minta Touch	463	
		Zedra / Zedra Touch	469	
		Atrio	473	
		Essence	475	
		Eurocube	477	
		Competence lines	Eurodisc Cosmopolitan	479
			Eurodisc	481
			Concetto	483
			Eurostyle Cosmopolitan	487
			Eurosmart Cosmopolitan	491
			Eurosmart	495
			Euroeco / Euroeco Special	499
			Costa	501
			Bau Lines	503
			Soap dispensers	505
		Kitchen sinks	Stainless steel sinks	507
			Composite sinks	517
	Special fittings	Electronic fittings	Essence E	527
			Eurocube E	531
Bluetooth monitoring			535	
Europlus E			545	
Eurosmart Cosmopolitan E			549	

GROHE TABLE OF CONTENTS.

		Euroeco Cosmopolitan E	557
		Bau Cosmopolitan E	563
Special thermostats		Grohtherm Micro	567
		Grohtherm Special	569
		Grohtherm XL	575
Single-lever mixer		Euroeco Special	579
		Euroeco Single Sequential	585
Self-closing fittings		Eurodisc SE	589
		Eurosmart Cosmopolitan T	591
		Euroeco Cosmopolitan T	593
		Contromix	595
Shower toilet		Sensia IGS	601
		Sensia Arena	605
Ceramics		Essence	611
		Cube Ceramic	617
		Euro Ceramic	623
		Bau Ceramic	631
		Acrylic shower trays	639
Installation Systems	Rapid SL	Rapid SL for WC	645
		Rapid SL for urinal	659
		Rapid SL for wash basin and bidet	663
		Rapid SL for the disabled	669
		Rapid SL free-standing installation	673
		Rapid SL fitting supports	677
		Rapid SL accessories	679
	Uniset	Uniset frames and accessories	685
Flushing systems	WC	Flushing cisterns	693
		Accessories for flushing cisterns	697
		WC flush valves	707
		Electronic actuations for WC	713
	Urinal	Electronic actuations for urinal	719

GROHE

TABLE OF CONTENTS.

		Urinal flush valves	727
Actuations	WC	Wall plates for WC	735
		GROHE Fresh	743
		Wall plates for WC flush valves	745
	Urinal	Wall plates for urinal	747
Connections and Security		Angle valves	752
		WAS valves	755
		Safety systems	758
Spare parts		Cartridges	762
		Thermo elements and thermostatic compact cartridges	763
		Aquadimmer	764
		Head parts	765
		Extension sets	766
		Unions	767
		Outlets and spouts	769
		Flow straighteners	770
		Waste sets and traps	772
		Connections and non-return valves	773
		Spare parts for electronics	774
		Hoses	775
		Spare parts for kitchen faucets	776
		Spare parts for showers	777
		Special tools	778
		Cleaning and care	779
	Spare parts for sanitary systems	780	
	Spare parts for shower toilet	781	
Survey of contents			782
Discover the World of GROHE			800
A globally connected Company			802

PURE FREUDE AN WASSER.

Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.







QUALITY

From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

*"No.1 most trusted brand in the sanitary industry" –
Wirtschaftswoche, 2017*

TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

*"Top 50 companies to change the world" –
Fortune Magazine, 2017*



DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

Over 350 design awards won since 2003




SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

CSR Award winner of the German Government, 2017

THE UNIVERSAL SOLUTION FOR THE NEEDS OF TOMORROW




Exchangeable function units for single-lever mixers, thermostats and SmartControl, fully pre-configured and 100% factory tested



new

TWO-HANDLE THERMOSTATS

More space and more control with our new thermostats



All thermostats with retrofit service stops



SMARTCONTROL

Ultimate and intuitive control of every shower function, space-saving and slim design

Subsequently adjustable by up to six degrees: ensures that the wall plate is always in level and allows for perfect alignment with tile joints



new


SINGLE-LEVER MIXERS

Simple to operate, control up three functions with our new mixers

INSTALLER-FRIENDLY INSTALLATION

1


Few things count more in the installation business than efficiency and convenience. That makes the GROHE Rapido SmartBox System an obvious choice. One box offers unlimited options. And the easy installation is a huge plus: job-side mounting, shallow installation depth and with three outlets, only one rough-in needs to be installed, instead of the usual two. This is simply well thought through.



2

GROHE


A	B	C
X	☒	X
X	X	☒
X	☒	☒
X	☒	☒
☒	☒	☒
☒	☒	☒
☒	☒	☒
☒	☒	☒
X	☒	X
X	☒	X



D	E	A	C
☒	☒	☒	☒
☒	☒	☒	☒
☒	☒	☒	☒
☒	☒	☒	☒
☒	☒	X	☒
☒	☒	X	☒
☒	☒	X	☒
☒	☒	X	☒
☒	☒	X	☒
☒	☒	X	☒
☒	☒	X	☒

3

SLIMMED DOWN DESIGN
FOR MORE SPACE IN THE
SHOWER



GROHE SMARTCONTROL



43 mm

NEW TWO-HANDLE THERMOSTATS



43 mm



Creating a beautiful area for bathing and showering can often be a challenge, since the space available is frequently very limited. The GROHE Rapido SmartBox System offers the luxury of extra space thanks to our super slim trimsets. One great advantage is the extra flexibility that comes with our system, allowing you to install the box now and decide on the final design and look later on.

GROHE SMARTCONTROL FEATURES AT A GLANCE

Slim design,
overall outreach
only 43 mm,
all wall plates
only 10 mm high

All trims
subsequently
**adjustable by
up to 6°**

Perfect shower
experience with
GROHE SmartControl:
push, turn, shower

**Retrofit back-flow
protection combination**
for bath fill and
overflow unit



VARIANTS

- Mixer with 1, 2, 3-function
- Thermostat with 1, 2, 3-function
- Triple volume control trim
- Round and square design + colour options



**GROHE
TurboStrat**



**GROHE
QuickFix**



**GROHE
StarLight**



SafeStop



**SafeStop
Plus**

Original Size 1:1

GROHE Turbostat, SafeStop and SafeStop Plus only for thermostats



reddot award 2018
winner

#METROPOLISlikes



Small plates,
all trims **only 158 mm**
square or in diameter
(Illustration in original size)

QuickFix System for
force-fit fixation
and hidden fixation
and sealing

**Available as a mixer
and thermostat**

38°C SafeStop Button
(thermostat)

Thermostats come
with optional
43°C temperature limiter

All plates are **metal
made**

Thermostat with **GROHE
TurboStat** technology
ensuring constant shower
temperature for comfort
and safety

Retrofit service stops

NEW TWO-HANDLE THERMOSTATS

FEATURES AT A GLANCE

new

Slim design, overall outreach **only 43 mm**, independent from installation depth
+ all plates only 10 mm high

new

All trims subsequently **adjustable by up to 6°**

Retrofit back-flow protection combination for bath fill and overflow unit

VARIANTS

- Volume control (shower)
- AquaDimmer (head/hand shower symbol)
- AquaDimmer (bath/shower symbol)
- Round, square, cube design
- Atrio design with wide range of colour options



GROHE TurboStrat



GROHE QuickFix



GROHE StarLight




SafeStop



SafeStop Plus

Original Size 1:1



new

Small plates,
all trims **only 158 mm**
square or in diameter
(Illustration in original size)

new

QuickFix System for
force-fit fixation
and hidden fixation
and sealing

38°C SafeStop Button

Optional
43°C temperature
limiter included

new

All plates are **metal made**

Thermostat with **GROHE TurboStat** technology
ensuring constant shower
temperature for comfort
and safety

new

Retrofit service stops

NEW SINGLE-LEVER MIXERS

FEATURES AT A GLANCE

new

Slim design, **all plates**
10 mm high*

new

All trims
subsequently
adjustable by
up to 6°

Retrofit back-flow
protection combination
for 2-way diverter trims
in combination with bath
fill and overflow unit

VARIANTS

- Volume control (shower)
- 2-way diverter trims
- 3-way diverter trims for selected designs



GROHE
SilkMove




GROHE
QuickFix



GROHE
StarLight

Original Size 1:1



new

Small plates,
all trims **only 158 mm**
square or in diameter
(Illustration in original size)

new

QuickFix System for
force-fit fixation
and hidden fixation
and sealing

new

3-way diverter variants
to operate:
- 2-spray head shower +
hand shower
- head shower + hand
shower + bath spout

2-way diverter –
only 43 mm total outreach*,
3-way diverter –
only 30 mm total outreach*
(independent of rough-in
installation depth)

new

All plates are **metal made**

Design variants for all
GROHE bath lines

* with exception of Allure Brillant due to special design



BEFORE A DRIP
BECOMES A FLOOD.
DETECT TO TAKE CARE WITH GROHE SENSE.



GROHE











CONNECTION



WATER ON/OFF

GROHE SENSE

	Article No.	Colour	Price
 	<p>22 505 LNO</p> <p>GROHE Sense Smart water sensor for wireless LAN, battery powered automatic warnings in emergency situations - flooding alarm and frost risk alarm daily updates of humidity and temperature receive notifications and customize settings via GROHE Ondus App status indication via LED light, buzzer and app for placement on a flat non-conductive surface wireless LAN 2.4 GHz, WPA/WPA2 protected including 3 x AAA batteries CE approved Made in Germany</p>	<p>white</p>	<p>49.99</p>
 	<p>22 594 LNO</p> <p>GROHE Sense Trio bundle 3 x GROHE Sense smart water sensor for wireless LAN, battery powered automatic flooding alarm and frost risk alarm senses room temperature receive notifications and customize settings via GROHE Ondus App status indication via LED light, buzzer and app for placement on a flat non-conductive surface wireless LAN 2.4 GHz, WPA/WPA2 protected including 9 x AAA batteries CE approved Made in Germany</p>	<p>white</p>	<p>*</p>
 	<p>22 597 LNO</p> <p>GROHE Sense Extension bundle Made in Germany</p> <p>1 x GROHE Sense smart water sensor for wireless LAN, battery powered automatic flooding alarm and frost risk alarm senses room temperature receive notifications and customize settings via GROHE Ondus App status indication via LED light, buzzer and app for placement on a flat non-conductive surface wireless LAN 2.4 GHz, WPA/WPA2 protected</p> <p>1 x extension set for difficult to reach locations for installing GROHE Sense smart water sensor on the wall including 3 x AAA batteries including dowels and screw set CE approved</p>	<p>white</p>	<p>*</p>
 	<p>22 506 LNO</p> <p>GROHE Sense Extension set for difficult to reach locations for installing GROHE Sense smart water sensor on the wall sensor extension cable 1.2 m length including dowels and screw set GROHE Sense smart water sensor not included CE approved</p>	<p>white</p>	<p>24.99</p>

GROHE SENSE

Article No. Colour Price

22 502 LNO white 540.83


GROHE Sense kit
1 x GROHE Sense Guard smart water controller + 3 x GROHE Sense smart water sensor
 Made in Germany

1 x GROHE Sense Guard Dispozitivul inteligent de control al apei for wireless LAN, mains powered, 230 V

for single-family houses
 cold water only
 detects pipe breaks, micro leaks, frost risk and unusual water flow automatic, manual or remote shut off function to limit water damage
 senses flow rate, water pressure and system temperature
 tracks water consumption
 receive notifications and customize settings via GROHE Ondus App
 status indication via LED light, buzzer and push notifications
 wireless LAN 2.4 GHz, WPA/WPA2 protected
 for horizontal or vertical installation right downstream the water meter
 use of wall mounting set 22 501 000 with G1" connection recommended, sold separately
 including R3/4" mounting nuts, extendable power cable 0.7 m, plug type C
 acoustic group I in accordance with DIN 4109
 to be installed on cold water pipes only

3 x GROHE Sense smart water sensor


for wireless LAN, battery powered
 automatic flooding alarm and frost risk alarm
 senses room temperature
 receive notifications and customize settings via GROHE Ondus App
 status indication via LED light, buzzer and app
 for placement on a flat non-conductive surface
 wireless LAN 2.4 GHz, WPA/WPA2 protected
 including 9 x AAA batteries
 CE approved



22 500 LNO white 415.83


GROHE Sense Guard Smart water controller
for wireless LAN, mains powered, 230 V

for single-family houses
 detects pipe breaks, micro leaks, frost risk and unusual water flow automatic, manual or remote shut off function to limit water damage
 senses flow rate, water pressure and system temperature
 tracks water consumption
 receive notifications and customize settings via GROHE Ondus App
 status indication via LED light, buzzer and push notifications
 wireless LAN 2.4 GHz, WPA/WPA2 protected
 for horizontal or vertical installation right downstream the water meter
 use of wall mounting set 22 501 000 with G1" connection recommended, sold separately
 including R3/4" mounting nuts, extendable power cable 0.7 m, plug type C
 acoustic group I in accordance with DIN 4109
 to be installed on cold water pipes only
 CE approved
 Made in Germany




22 521 LNO white 16.66

GROHE Sense Guard Power extension cable
 cable length 3 m



22 501 000 chrome 66.66

GROHE Sense Guard Wall mounting set
 for installation on the wall
 easy and stable installation
 mounting nuts with G1" connection
 for use with 22 500 LNO, 22 502 LNO, 22 503 LNO, 22 513 LNO, 22 517 LNO



Pure Freude
an Wasser



CATALOGUE **2019**

GROHE
BATH FITTINGS





CONTENTS

SmartControl	SmartControl mixers	33
Fittings	Allure Brilliant	37
	Allure	47
	Atrio	57
	Grandera	73
	Lineare	83
	Eurocube Joy	89
	Eurocube	95
	Plus	103
	Europlus	115
	Essence	119
	Eurodisc Joy	129
	Eurodisc Cosmopolitan	133
	Concetto	139
	Eurostyle Cosmopolitan	145
	Eurostyle	151
	Eurosmart Cosmopolitan	161
	Eurosmart	167
	BauEdge	173
	BauLoop	177
	BauFlow	181
	GROHE SilkMove ES	185
Two Handle fittings	Costa L	191
	Costa S	195
Universal	Universal tap	199
Bath sets	Talentofill	201
Accessories	Selection Cube	205
	Essentials	209
	Essentials Cube	217
	BauCosmopolitan	223
	Essentials Authentic	227


GROHE SMARTCONTROL MIXERS



GROHE SMARTCONTROL MIXERS

Ref. No. Colour Price netto (€)


29 147 000 chrome 374.00



SmartControl
Concealed mixer with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
cartridge for temperature mixing
without roughing-in-set
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


29 148 000 chrome 414.00



SmartControl
Concealed mixer with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
cartridge for temperature mixing
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 23 l/min
outlet C = 25 l/min
outlet B + C = 27 l/min

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 149 000 chrome 452.00



SmartControl
Concealed mixer with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
cartridge for temperature mixing
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 22 l/min
outlet B = 26 l/min
outlet C = 22 l/min
outlet A + B = 31 l/min
outlet A + B + C = 34 l/min

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE SMARTCONTROL MIXERS

	Ref. No.	Colour	Price netto (€)
	29 144 000	chrome	360.00
	<p>SmartControl Concealed mixer with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing without roughing-in-set flow performance: outlet B = 27 l/min, outlet C = 27 l/min</p>		
	35 600 000	chrome	68.00
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
	29 145 000	chrome	416.00
	<p>SmartControl Concealed mixer with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 23 l/min outlet C = 25 l/min outlet B + C = 27 l/min</p>		
	35 600 000	chrome	68.00
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
	29 146 000	chrome	452.00
	<p>SmartControl Concealed mixer with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet A = 22 l/min outlet B = 26 l/min outlet C = 22 l/min outlet A + B = 31 l/min outlet A + B + C = 34 l/min</p>		
	35 600 000	chrome	68.00
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
	34 709 000	chrome	1,200.00
	<p>SmartControl Perfect shower set consisting of: concealed mixer with 3 valves SmartControl mixer set for final installation (29 146 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>		


* price upon request

GROHE SMARTCONTROL MIXERS

Ref. No.

Colour

Price netto (€)



34 712 000

chrome

1,160.00

**SmartControl
Perfect shower set**

consisting of:

concealed mixer with 3 valves

SmartControl mixer set for final installation

(29 149 000)

GROHE Rapido SmartBox 35 600 000

Rainshower 310 SmartActive Cube head shower set (26 479)

including head shower with 2 sprays, horizontal shower arm 400 mm

and head shower rough-in (26 483 000)

hand shower Euphoria Cube Stick (27 698 000)

Euphoria Cube wall union with integrated shower holder (26 370 000)


Silverflex shower hose 1.500 mm (28 364)

GROHE ALLURE BRILLIANT



GROHE ALLURE BRILLIANT


Ref. No. Colour Price netto (€)



23 029 000	chrome	585.00
23 029 DC0	supersteel	*
23 029 A00	hard graphite	751.00
23 029 AL0	brushed hard graphite	801.00

Allure Brilliant
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter, GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar


23 033 000	chrome	585.00
23 033 DC0	supersteel	*
23 033 A00	hard graphite	*
23 033 AL0	brushed hard graphite	*
ditto, smooth body		



23 109 000	chrome	729.00
23 109 DC0	supersteel	*
23 109 A00	hard graphite	825.00
23 109 AL0	brushed hard graphite	995.00


Allure Brilliant
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter, GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

23 112 000	chrome	722.00
23 112 DC0	supersteel	*
23 112 A00	hard graphite	*
23 112 AL0	brushed hard graphite	*
ditto, smooth body		



23 114 000	chrome	904.00
23 114 DC0	supersteel	*
23 114 A00	hard graphite	*
23 114 AL0	brushed hard graphite	1,230.00

Allure Brilliant
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar




20 344 000	chrome	817.00
20 344 DC0	supersteel	*
20 344 A00	hard graphite	1,020.00
20 344 AL0	brushed hard graphite	968.00

Allure Brilliant
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar



GROHE ALLURE BRILLIANT

Ref. No. Colour Price netto (€)



20 342 000	chrome	612.00
20 342 DC0	supersteel	*
20 342 A00	hard graphite	*
20 342 AL0	brushed hard graphite	*

Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
low spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar




20 346 000	chrome	636.00
20 346 DC0	supersteel	*
20 346 A00	hard graphite	*
20 346 AL0	brushed hard graphite	*

Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
wall mounted
without concealed body
set for final installation for
29 025 000
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
projection 161 mm
min. recommended pressure 1.0 bar


20 348 000	chrome	800.00
20 348 DC0	supersteel	*
20 348 A00	hard graphite	*
20 348 AL0	brushed hard graphite	*

ditto, projection 210 mm



29 025 000	chrome	238.00
------------	--------	--------

Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device



19 781 000	chrome	675.00
19 781 DC0	supersteel	*
19 781 A00	hard graphite	*
19 781 AL0	brushed hard graphite	*


Allure Brilliant
Two-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for
23 200 000
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
centre distance 110 mm
projection 161 mm
min. recommended pressure 1.0 bar

19 783 000	chrome	761.00
19 783 DC0	supersteel	*
19 783 A00	hard graphite	*
19 783 AL0	brushed hard graphite	*


ditto, projection 210 mm

GROHE ALLURE BRILLIANT


Ref. No. Colour Price netto (€)



23 200 000	chrome	236.00
Single-lever mixer 1/2", concealed body		
for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device		




23 117 000	chrome	664.00
23 117 DC0	supersteel	*
23 117 A00	hard graphite	*
23 117 AL0	brushed hard graphite	*
Allure Brilliant		
Single-lever bidet mixer 1/2"		
M-Size		
single hole installation GROHE SilkMove 28 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses		



24 071 000	chrome	312.00
24 071 DC0	supersteel	437.00
24 071 A00	hard graphite	468.00
24 071 AL0	brushed hard graphite	499.00
Allure Brilliant		
Single-lever shower mixer		
set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set		

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 072 000	chrome	343.00
24 072 DC0	supersteel	480.00
24 072 A00	hard graphite	515.00
24 072 AL0	brushed hard graphite	549.00


Allure Brilliant		
Single-lever mixer with 2-way diverter		
set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set		

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE ALLURE BRILLIANT


Ref. No. Colour Price netto (€)

24 099 000	chrome	363.00
24 099 DC0	supersteel	509.00
24 099 A00	hard graphite	545.00
24 099 AL0	brushed hard graphite	582.00




Allure Brilliant
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
 without roughing-in-set

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



19 789 000	chrome	381.00
------------	--------	--------


Allure Brilliant
Single-lever shower mixer
 set for final installation for
 35 501 000
 without concealed body
GROHE StarLight chrome finish
 escutcheon- and shaft-sealing
 metal escutcheon
 covered coupling



19 785 000	chrome	490.00
------------	--------	--------

Allure Brilliant
Single-lever bath mixer
 set for final installation for
 35 501 000
 without concealed body
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing
 metal escutcheon
 covered coupling


19 787 001	chrome	1,340.00
19 787 DC1	supersteel	*
19 787 A01	hard graphite	*
19 787 AL1	brushed hard graphite	*



Allure Brilliant
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with integrated mousseur
 diverter bath/shower
 hand shower Euphoria Cube+ 6.6 l/min
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with (29 037 000)

GROHE ALLURE BRILLIANT


Ref. No. Colour Price netto (€)



29 037 000 chrome 734.00


**4/5-hole bath combination (optional)
baseframe for installation under tiled surround**
consisting of:
base frame
drainage box with integrated outlet for splash water

45 388 000 chrome 133.00
Supporting legs for baseframe





23 119 001 chrome 2,240.00

**Allure Brilliant
Single-lever bath mixer 1/2", floor mounted**
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with integrated mousseur
hand shower Euphoria Cube+ 6.6 l/min
Silverflex shower hose 1250 mm
projection 270 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
protected against backflow



23 119 000 chrome 2,560.00
23 119 DC0 supersteel *
23 119 A00 hard graphite 3,370.00
23 119 AL0 brushed hard graphite 3,590.00











**Allure Brilliant
Single-lever bath mixer 1/2", floor mounted**
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube+
metal shower hose 1250 mm
protected against backflow















13 301 000 chrome 1,340.00
13 301 DC0 supersteel *
13 301 A00 hard graphite *
13 301 AL0 brushed hard graphite *

**Allure Brilliant
Bath spout, floor mounted**
set for final installation for
45 984
without roughing-in-set
GROHE StarLight chrome finish
spout with integrated mousseur
Total height 1070 mm
projection 270 mm







GROHE ALLURE BRILLIANT

	Ref. No.	Colour	Price netto (€)
 	45 984 001 Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug gasket fixing material	chrome	444.00
 	13 299 000 13 299 DC0 13 299 A00 13 299 AL0 Allure Brilliant Bath spout wall mounted GROHE StarLight chrome finish projection 161 mm spout with integrated mousseur	chrome supersteel hard graphite brushed hard graphite	313.00 * * *
 	19 798 000 19 798 DC0 19 798 A00 19 798 AL0 Allure Brilliant 5-way diverter set for final installation for 29 033 without concealed body GROHE StarLight chrome finish installation depth infinitely adjustable 66 - 113 mm	chrome supersteel hard graphite brushed hard graphite	262.00 * * 368.00
 	29 033 000 5-way diverter concealed body wall installation with ceramic sealing discs connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth infinitely adjustable 66 - 113 mm DR-brass min. recommended pressure 1.0 bar	chrome	261.00
 	19 796 000 19 796 DC0 19 796 A00 19 796 AL0 Allure Brilliant Concealed valve exposed part set for final installation for 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used for the main line shut-off) 35 028 000 GROHE StarLight chrome finish installation depth infinitely adjustable 43 - 91 mm	chrome supersteel hard graphite brushed hard graphite	165.00 * * *

GROHE ALLURE BRILLIANT

		Ref. No.	Colour	Price netto (€)
		40 494 000 40 494 DC0 40 494 A00 40 494 AL0	chrome supersteel hard graphite brushed hard graphite	340.83 * * *
		Allure Brilliant Holder with soap dispenser filling quantity 150 ml GROHE StarLight chrome finish		
		40 493 000 40 493 DC0 40 493 A00 40 493 AL0	chrome supersteel hard graphite brushed hard graphite	224.17 * * *
		Allure Brilliant Holder with tumbler GROHE StarLight chrome finish		
		40 503 000 40 503 DC0 40 503 A00 40 503 AL0	chrome supersteel hard graphite brushed hard graphite	265.83 * * *
		Allure Brilliant Shelf with tumbler GROHE StarLight chrome finish		
		40 504 000 40 504 DC0 40 504 A00 40 504 AL0	chrome supersteel hard graphite brushed hard graphite	265.83 * * *
		Allure Brilliant Shelf with soap dish GROHE StarLight chrome finish		
		40 496 000 40 496 DC0 40 496 A00 40 496 AL0	chrome supersteel hard graphite brushed hard graphite	182.50 * * *
		Allure Brilliant Towel bar 2 parts GROHE StarLight chrome finish length 431 mm non swivelling		
		40 497 000 40 497 DC0 40 497 A00 40 497 AL0	chrome supersteel hard graphite brushed hard graphite	207.50 * * *
		Allure Brilliant Towel rail 600 mm GROHE StarLight chrome finish		

GROHE ALLURE BRILLIANT


	Ref. No.	Colour	Price netto (€)
 	40 498 000	chrome	87.49
	40 498 DC0	supersteel	*
	40 498 A00	hard graphite	*
	40 498 AL0	brushed hard graphite	*
	Allure Brilliant Robe hook GROHE StarLight chrome finish		
 	40 499 000	chrome	182.50
	40 499 DC0	supersteel	*
	40 499 A00	hard graphite	*
	40 499 AL0	brushed hard graphite	*
	Allure Brilliant Toilet paper holder GROHE StarLight chrome finish		
 	40 500 000	chrome	290.83
	40 500 DC0	supersteel	*
	40 500 A00	hard graphite	*
	40 500 AL0	brushed hard graphite	*
	Allure Brilliant Toilet brush set GROHE StarLight chrome finish		

GROHE ALLURE



GROHE ALLURE


Ref. No. Colour Price netto (€)



32 757 000 chrome 416.00

Allure
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses


32 759 000 chrome 475.00
ditto, smooth body



32 146 000 chrome 497.00


Allure
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
U - spout
pop-up waste set 1 1/4"
flexible connection hoses

23 076 000 chrome 497.00
ditto, without pop-up waste set



32 760 000 chrome 669.00









Allure
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
projection 104 mm
min. recommended pressure 1.0 bar





23 403 000 chrome 733.00

Allure
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
GROHE QuickFix Plus installation system
smooth body
projection 180 mm
flexible connection hoses
temperature limiter
min. recommended pressure 1.0 bar

GROHE ALLURE

	Ref. No.	Colour	Price netto (€)
 	32 249 000	chrome	890.00
<p>Allure Single-lever basin mixer 1/2" XL-Size single hole installation for free-standing basins GROHE SilkMove 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur U - spout pop-up waste set 1 1/4" flexible connection hoses</p>			
 	20 143 000	chrome	744.00
<p>Allure Three-hole basin mixer 1/2" M-Size with metal plate GROHE StarLight chrome finish Carbodur ceramic headpart 1/2", 180° flow limiter 8 l/min. spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves min. recommended pressure 1.0 bar</p>			
 	20 188 000	chrome	742.00
<p>Allure Three-hole basin mixer 1/2" M-Size with lever handles metal escutcheon ceramic headparts 1/2", 90° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur pressure-proof, flexible connection hoses between spout and side valves pop-up waste set 1 1/4"</p>			
 	20 190 000	chrome	557.00
<p>Allure Three-hole basin mixer 1/2" S-Size wall mounted without concealed body set for final installation for 32 706 000 with metal plate valves hot/cold with Carbodur ceramic headparts 1/2" - 180° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur, centre distance 200 mm projection 172 mm,</p>			
		chrome	596.00
<p>20 192 000 ditto, projection 220 mm</p>			
 	32 706 000	chrome	229.00
<p>Two-handle basin mixer concealed body, 1/2" for 3-hole wash-basin mixer wall installation without finishing trim set installation depth 30 - 75 mm DR-brass installation device</p>			


Ref. No. Colour Price netto (€)



20 189 000 chrome 652.00


Allure
Three-hole basin mixer 1/2"
S-Size
wall mounted
without concealed body
set for final installation for
29 025 000
with lever handles, with metal plate
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur, centre distance 200 mm
projection 172 mm,

20 193 000 chrome 696.00
ditto, projection 220 mm



29 025 000 chrome 238.00


Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device



19 309 000 chrome 651.00


Allure
Two-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for
33 769 000
with metal plate
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur, centre distance 110 mm
projection 172 mm

19 386 000 chrome 696.00
ditto, projection 220 mm



33 769 000 chrome 252.00











Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device




32 147 000 chrome 424.00

Allure
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

GROHE ALLURE



	Ref. No.	Colour	Price netto (€)
 	32 846 000	chrome	766.00
<p>Allure Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter shower front outlet 1/2" with integrated non return-valve flat wall installation with covered unions protected against backflow min. recommended pressure 1.0 bar</p>			
 	32 826 000	chrome	971.00
<p>Allure Single-lever bath mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flat wall installation with covered unions protected against backflow</p>			
 	24 069 000	chrome	288.00
<p>Allure Single-lever shower mixer set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 600 000	chrome	68.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			
 	24 070 000	chrome	316.00
<p>Allure Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 600 000	chrome	68.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			
 	19 316 000	chrome	1,220.00
<p>Allure Three-hole single-lever bath combination for installation under tiled surround GROHE StarLight chrome finish trim set for 33 339 without baseframe consisting of: single lever mixer operating element bath inlet with automatic diverter bath/shower hand shower Sena (28 034 000) metal shower hose 2000 mm min. recommended pressure 1.0 bar</p>			



33 339 000 **chrome** **791.00**


Three-hole single-lever bath combination baseframe for installation under tiled surround
without finishing trim set
consisting of:
mounting plate and base frame
GROHE SilkMove 46 mm cartridge
and spout fixing pre-assembled
flexible connection hoses
connection for shower hose
drainage box with integrated outlet for splash water
protected against backflow

45 388 000 **chrome** **133.00**
Supporting legs for baseframe




32 754 002 **chrome** **1,803.20**

Allure
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur and stop limiter
projection 300 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
Sena hand shower 6.6 l/min
shower hose 1500 mm
protected against backflow
min. recommended pressure 1.0 bar
shower hose 49"




13 218 000 **chrome** **1,220.00**

Allure
Bath spout, floor mounted
set for final installation for
45 984
without roughing-in-set
GROHE StarLight chrome finish
spout with mousseur
projection 300 mm
Total height 910 mm
min. recommended pressure 1.0 bar



45 984 001 **chrome** **444.00**















Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and
3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material













13 317 000 **chrome** **717.00**

Allure
Cascade spout for bath and shower
wall mounted
GROHE StarLight chrome finish
projection 180 mm
min. recommended pressure 1.0 bar







GROHE ALLURE

	Ref. No.	Colour	Price netto (€)
 	13 264 000	chrome	265.00
<p>Allure Bath spout 3/4" wall mounted GROHE StarLight chrome finish projection 172 mm mousseur min. recommended pressure 1.0 bar</p>			
 	19 590 000	chrome	170.00
<p>Allure 5-way diverter set for final installation for 29 033 without concealed body bayonet union escutcheon installation depth infinitely adjustable 66 - 113 mm only for use with concealed body GROHE StarLight chrome finish</p>			
 	29 033 000	chrome	261.00
<p>5-way diverter concealed body wall installation with ceramic sealing discs connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth infinitely adjustable 66 - 113 mm DR-brass min. recommended pressure 1.0 bar</p>			
 	19 334 000	chrome	116.00
<p>Allure Concealed valve exposed part set for final installation for 35 028 000 for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm escutcheon with screwable wall sealing without concealed body GROHE StarLight chrome finish</p>			
 	19 384 000	chrome	132.00
<p>Allure Concealed valve exposed part with lever handle set for final installation for 29 032, 35 028 000 installation depth infinitely adjustable 43 - 91 mm metal escutcheon without concealed body GROHE StarLight chrome finish</p>			
 	35 028 000	chrome	135.00
<p>GROHE Rapido C rough-in box for single volume control</p>			
 	29 032 000	chrome	32.00
<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth infinitely adjustable 43 - 91 mm DR-brass</p>			

GROHE ALLURE

	Ref. No.	Colour	Price netto (€)
 	40 363 000	chrome	190.83
<p>Allure Soap dispenser wall model filling quantity 160 ml complete with holder and tank GROHE StarLight chrome finish</p>			
 	40 278 000	chrome	87.49
<p>Allure Holder for glass or soap dish without glass GROHE StarLight chrome finish</p>			
	40 254 000	chrome	29.58
<p>Glass</p>			
 	40 278 000	chrome	87.49
<p>Allure Holder for glass or soap dish without glass GROHE StarLight chrome finish</p>			
	40 256 000	chrome	41.66
<p>Soap dish</p>			
 	40 339 000	chrome	116.66
<p>Allure Towel ring GROHE StarLight chrome finish</p>			
 	40 342 000	chrome	174.17
<p>Allure Towel bar 2 parts swivelling GROHE StarLight chrome finish length 426 mm</p>			
 	40 341 000	chrome	174.17
<p>Allure Towel rail 600 mm GROHE StarLight chrome finish</p>			

GROHE ALLURE


	Ref. No.	Colour	Price netto (€)
 	40 284 000 Allure Robe hook GROHE StarLight chrome finish	chrome	47.91
 	40 279 000 Allure Toilet paper holder without cover GROHE StarLight chrome finish	chrome	116.66
 	40 340 000 Allure Toilet brush set wall model GROHE StarLight chrome finish 40 207 000 Spare brush head 40 206 000 Spare brush 40 265 000 Spare glass for brush	chrome	190.83
		chrome	14.00
		chrome	51.00
		chrome	94.00

GROHE ATRIO




GROHE ATRIO

Ref. No. Colour Price netto (€)




32 043 003	chrome	260.00
32 043 DC3	supersteel	423.00
32 043 GL3	cool sunrise	*
32 043 DA3	warm sunset	*
32 043 AL3	brushed hard graphite	483.00

Atrio
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses




32 042 003	chrome	300.00
32 042 DC3	supersteel	488.00
32 042 GL3	cool sunrise	*
32 042 DA3	warm sunset	*
32 042 AL3	brushed hard graphite	558.00

Atrio
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses



32 647 003	chrome	455.40
32 647 DC3	supersteel	683.00
32 647 GL3	cool sunrise	*
32 647 DA3	warm sunset	*
32 647 AL3	brushed hard graphite	781.00

Atrio
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses



19 287 003	chrome	349.00
19 287 DC3	supersteel	488.00
19 287 GL3	cool sunrise	*
19 287 DA3	warm sunset	523.00
19 287 AL3	brushed hard graphite	558.00


Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 185 mm

GROHE ATRIO

	Ref. No.	Colour	Price netto (€)
	19 918 003	chrome	395.00
	19 918 DC3	supersteel	553.00
	19 918 GL3	cool sunrise	*
	19 918 DA3	warm sunset	*
	19 918 AL3	brushed hard graphite	632.00
	<p>Atrio Two-hole basin mixer joystick wall mounted without concealed body set for final installation for 23 429 000 GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur centre distance 110 mm projection 221 mm</p>		
	23 429 000	chrome	237.00
	<p>Joystick mixer 1/2", concealed body for 2-hole basin mixers without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass</p>		
			
	32 108 003	chrome	340.00
	32 108 DC3	supersteel	553.00
	32 108 GL3	cool sunrise	*
	32 108 DA3	warm sunset	553.00
	32 108 AL3	brushed hard graphite	632.00
	<p>Atrio Single-lever bidet mixer 1/2" M-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge GROHE StarLight chrome finish rapid installation system tubular C-spout with ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>		
	32 650 003	chrome	418.00
	32 650 DC3	supersteel	544.00
	32 650 GL3	cool sunrise	*
	32 650 DA3	warm sunset	*
	32 650 AL3	brushed hard graphite	669.00
	<p>Atrio Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow</p>		
	32 652 003	chrome	455.40
	32 652 DC3	supersteel	683.00
	32 652 GL3	cool sunrise	*
	32 652 DA3	warm sunset	*
	32 652 AL3	brushed hard graphite	781.00
	<p>Atrio Single-lever bath mixer 1/2" wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower cast spout mousseur shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow</p>		

GROHE ATRIO

Ref. No. Colour Price netto (€)




24 065 003	chrome	267.00
24 065 DC3	supersteel	373.00
24 065 GL3	cool sunrise	400.00
24 065 DA3	warm sunset	400.00
24 065 AL3	brushed hard graphite	427.00

Atrio

Single-lever shower mixer

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with GROHE QuickFix (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		




24 066 003	chrome	293.00
24 066 DC3	supersteel	411.00
24 066 GL3	cool sunrise	440.00
24 066 DA3	warm sunset	440.00
24 066 AL3	brushed hard graphite	469.00

Atrio

Single-lever mixer with 2-way diverter

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with GROHE QuickFix (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 096 003	chrome	314.00
24 096 DC3	supersteel	439.00
24 096 GL3	cool sunrise	470.00
24 096 DA3	warm sunset	470.00
24 096 AL3	brushed hard graphite	439.00

Atrio

Single-lever mixer with 3-way diverter


set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with GROHE QuickFix (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE ATRIO

Ref. No. Colour Price netto (€)


24 134 003	chrome	515.00
24 134 DC3	supersteel	670.00
24 134 DA3	warm sunset	773.00
24 134 AL3	brushed hard graphite	824.00



Atrio
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 ceramic stop valve, 120°
 metal handles
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
 without roughing-in-set

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		


24 135 003	chrome	551.00
24 135 DC3	supersteel	771.00
24 135 AL3	brushed hard graphite	881.00



Atrio
**Thermostatic shower mixer for 2 outlets
 with integrated shut off/diverter valve**
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 metal handles
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
 without roughing-in-set

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

24 138 003	chrome	551.00
24 138 DC3	supersteel	771.00
24 138 GL3	cool sunrise	826.00
24 138 DA3	warm sunset	826.00
24 138 AL3	brushed hard graphite	881.00




Atrio
**Thermostatic bath tub mixer for 2 outlets
 with integrated shut off/diverter valve**
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed shower and bath symbol
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 metal handles
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
 without roughing-in-set

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		


GROHE ATRIO

Ref. No. Colour Price netto (€)



32 653 003	chrome	1,350.00
32 653 DC3	supersteel	1,750.00
32 653 GL3	cool sunrise	*
32 653 DA3	warm sunset	*
32 653 AL3	brushed hard graphite	1,890.00

Atrio
Single-lever bath mixer, floor mounted
 set for final installation for 45 984
 without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish automatic diverter: bath/shower spout with mousseur projection 301 mm
 integrated non-return valve in the shower outlet 1/2" with shower holder
 hand shower Sena Stick (26 465)
 Silverflex shower hose 1250 mm protected against backflow




45 984 001	chrome	444.00
------------	--------	--------

Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 gasket
 fixing material


GROHE ATRIO

Ref. No. Colour Price netto (€)




20 021 003	chrome	232.00
20 021 DC3	supersteel	325.00
20 021 AL3	brushed hard graphite	325.00

Atrio
Pillar tap 1/2"
XS-Size
 Headpart 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 mousseur
 fixed spout
 flexible connection hoses
 with lever handle




21 022 003	chrome	372.00
21 022 DC3	supersteel	520.00
21 022 GL3	cool sunrise	*
21 022 DA3	warm sunset	*
21 022 AL3	brushed hard graphite	595.00

Atrio
One-hole basin mixer, 1/2"
L-Size
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout
 with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 with lever handles
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.



21 019 003	chrome	320.00
21 019 DC3	supersteel	520.00
21 019 GL3	cool sunrise	*
21 019 DA3	warm sunset	*
21 019 AL3	brushed hard graphite	595.00

Atrio
One-hole basin mixer, 1/2"
L-Size
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout
 with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 with cross handles
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.




21 044 003	chrome	477.40
21 044 DC3	supersteel	716.00
21 044 GL3	cool sunrise	*
21 044 DA3	warm sunset	*
21 044 AL3	brushed hard graphite	818.00

Atrio
One-hole basin mixer, 1/2"
XL-Size
for free-standing basins
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout
 with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 with cross handles
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.


GROHE ATRIO

Ref. No. Colour Price netto (€)




20 009 003	chrome	465.00
20 009 DC3	supersteel	651.00
20 009 GL3	cool sunrise	*
20 009 DA3	warm sunset	*
20 009 AL3	brushed hard graphite	744.00

Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves
with lever handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.




20 008 003	chrome	429.66
20 008 DC3	supersteel	651.00
20 008 GL3	cool sunrise	*
20 008 DA3	warm sunset	*
20 008 AL3	brushed hard graphite	744.00

Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



20 169 003	chrome	395.00
20 169 DC3	supersteel	553.00
20 169 GL3	cool sunrise	*
20 169 DA3	warm sunset	*
20 169 AL3	brushed hard graphite	632.00









Atrio
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for 29 025 000
without concealed body
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with lever handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



20 164 003	chrome	327.00
20 164 DC3	supersteel	553.00
20 164 GL3	cool sunrise	*
20 164 DA3	warm sunset	*
20 164 AL3	brushed hard graphite	519.20


Atrio
Three-hole basin mixer
wall mounted
set for final installation for 29 025 000
without concealed body
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

GROHE ATRIO

	Ref. No.	Colour	Price netto (€)
	29 025 000 Two-handle basin mixer concealed body, 1/2" for 3-hole wash-basin mixer wall installation without finishing trim set Installation depth 43 - 85 mm DR-brass installation device	chrome	238.00
			
	24 027 003 24 027 DC3 24 027 GL3 24 027 DA3 24 027 AL3 Atrio Single-hole bidet mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish rapid installation system ball-joint mousseur bow spout pop-up waste set 1 1/4" flexible connection hoses with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.	chrome supersteel cool sunrise warm sunset brushed hard graphite	365.65 553.00 * * 632.00
			
	26 003 003 26 003 DC3 26 003 GL3 26 003 DA3 26 003 AL3 Atrio Shower mixer 1/2" wall mounted ceramic headparts 1/2", 90° GROHE StarLight chrome finish shower outlet 1/2" integrated non-return valves in the shower outlet 1/2" covered S-unions protected against backflow without shower set with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.	chrome supersteel cool sunrise warm sunset brushed hard graphite	418.00 586.00 * * 669.00
			
	25 010 003 25 010 DC3 25 010 GL3 25 010 DA3 25 010 AL3 Atrio Bath mixer 1/2" wall mounted ceramic headparts 1/2", 90° GROHE StarLight chrome finish automatic diverter: bath/shower tubular spout with stop restriction mousseur integrated non-return valves in the shower outlet 1/2" covered S-unions protected against backflow without shower set with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.	chrome supersteel cool sunrise warm sunset brushed hard graphite	515.57 781.00 * * 892.00
			


GROHE ATRIO

Ref. No. Colour Price netto (€)




25 044 003	chrome	1,740.00
25 044 DC3	supersteel	2,440.00
25 044 GL3	cool sunrise	*
25 044 DA3	warm sunset	*
25 044 AL3	brushed hard graphite	2,790.00

Atrio
Bath mixer 1/2"
floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001
without roughing-in-set
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel tubular spout
with mousseur and stop limiter
projection 301 mm
integrated non-return valve in the shower outlet 1/2"
hand shower Sena Stick (26 465)
with shower holder
Silverflex shower hose 1 250 mm (28 362)
protected against backflow
with cross handles
Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.




45 984 001	chrome	444.00
------------	--------	--------

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and
3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material



19 088 003	chrome	81.00
19 088 DC3	supersteel	*
19 088 GL3	cool sunrise	*
19 088 DA3	warm sunset	*
19 088 AL3	brushed hard graphite	*

Atrio
Concealed valve exposed part
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
installation depth infinitely adjustable
20-80 mm
escutcheon with screwable wall sealing
with lever handle





19 069 003	chrome	81.00
19 069 DC3	supersteel	*
19 069 GL3	cool sunrise	*
19 069 DA3	warm sunset	*
19 069 AL3	brushed hard graphite	*

Atrio
Concealed valve exposed part
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
installation depth infinitely adjustable
20-80 mm
escutcheon with screwable wall sealing
with cross handle


Ref. No. Colour Price netto (€)

35 028 000 chrome 135.00




Rapido C
Rough-in for single volume control
 for grid installation of Grohtherm Custom Shower system
 built-in box with removable protection cover
 waterproof membrane base for wall sealing
 for masonry and drywall installation
 fixing points for front and back wall
 aramã DR
 pre-assembled ceramic headpart 3/4"
 connection threads 1/2"
 flow rate:
 55 l/min. at 3 bar
 installation depth 70 - 95 mm
 min. recommended pressure 1.0 bar

29 032 000 chrome 32.00




Concealed valve
 pre-assembled headpart 1/2"
 threaded union 1/2"
 installation depth infinitely adjustable
 43 - 91 mm
 DR-brass

19 922 003 chrome 1,050.00
19 922 DC3 supersteel 1,460.00
19 922 GL3 cool sunrise *
19 922 DA3 warm sunset *
19 922 AL3 brushed hard graphite 1,460.00



Atrio
5-hole bath combination
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 with lever handles
 bath spout with mousseur and diverter bath/shower
 Sena hand shower 6.6 l/min
 shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 001
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.


19 923 003 chrome 1,050.00
19 923 DC3 supersteel 1,360.00
19 923 GL3 cool sunrise *
19 923 DA3 warm sunset *
19 923 AL3 brushed hard graphite 1,670.00




Atrio
5-hole bath combination
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 with cross handles
 bath spout with mousseur and diverter bath/shower
 Sena hand shower 6.6 l/min
 shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 001
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.

GROHE ATRIO


Ref. No. Colour Price netto (€)



29 037 001 **chrome** **674.00**
4/5-hole bath combination (optional)
baseframe for installation under tiled surround
 consisting of:
 base frame
 drainage box with integrated outlet for splash water




13 139 003 **chrome** **209.00**
13 139 DC3 **supersteel** **293.00**
13 139 GL3 **cool sunrise** *****
13 139 DA3 **warm sunset** *****
13 139 AL3 **brushed hard graphite** **335.00**
Atrio
Bath spout
 wall mounted
GROHE StarLight chrome finish
 mousseur
 projection 171 mm
 min. recommended pressure 1.0 bar



29 118 000 **chrome** **432.00**
29 118 DC0 **supersteel** **586.00**
29 118 AL0 **brushed hard graphite** **586.00**

Grotherm SmartControl
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 without roughing-in-set
 flow performance:
 outlet A (to external shut-off) = 34 l/min
 outlet B/C = 29 l/min

35 600 000 **chrome** **68.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation



29 119 000 **chrome** **475.00**
29 119 DC0 **supersteel** **638.00**
29 119 AL0 **brushed hard graphite** **729.00**


Grotherm SmartControl
Thermostat for concealed installation with 2 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 outlet C = 26 l/min
 outlet B+C = 29 l/min

35 600 000 **chrome** **68.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE ATRIO

Ref. No. Colour Price netto (€)


29 120 000	chrome	565.00
29 120 DC0	supersteel	710.00
29 120 AL0	brushed hard graphite	874.00



Grotherm SmartControl
Thermostat for concealed installation
with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2"
 without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		


29 121 000	chrome	513.00
29 121 DC0	supersteel	690.00
29 121 AL0	brushed hard graphite	788.00



Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		













29 122 000	chrome	301.00
29 122 DC0	supersteel	391.00
29 122 AL0	brushed hard graphite	481.00













Grotherm SmartControl
Triple volume control trim
 set for final installation for
 GROHE Rapido SmartBox 35 600 000/35 601 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
 10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet D = 28 l/min
 outlet E = 28 l/min
 outlet A = 28 l/min
 outlet D+E+A = 65 l/min

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE ATRIO

	Ref. No.	Colour	Price netto (€)
 	40 304 003	chrome	53.74
	40 304 DC3	supersteel	75.41
	40 304 GL3	cool sunrise	*
	40 304 DA3	warm sunset	*
	40 304 AL3	brushed hard graphite	75.41
Atrio Holder for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3) material: metal concealed fastening GROHE StarLight chrome finish			
 	40 306 003	chrome	53.74
	40 306 DC3	supersteel	75.41
	40 306 GL3	cool sunrise	*
	40 306 DA3	warm sunset	*
	40 306 AL3	brushed hard graphite	87.49
Atrio Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holder: Atrio (40 304) GROHE StarLight chrome finish			
 	40 254 003	chrome	*
	Atrio Glass material: glass fits in the following holder: Atrio (40 304)		
 	40 305 003	chrome	53.74
	40 305 DC3	supersteel	75.41
	40 305 GL3	cool sunrise	*
	40 305 DA3	warm sunset	*
	40 305 AL3	brushed hard graphite	87.49
Atrio Holder for Atrio soap dish (40 256 003) material: metal concealed fastening GROHE StarLight chrome finish			
 	40 256 003	chrome	40.83
	Atrio Soap dish material: glass fits in the following holder: Atrio (40 305 xx3)		
 	40 307 003	chrome	72.49
	40 307 DC3	supersteel	99.99
	40 307 GL3	cool sunrise	*
	40 307 DA3	warm sunset	*
	40 307 AL3	brushed hard graphite	99.99
Atrio Towel ring material: metal concealed fastening GROHE StarLight chrome finish			

GROHE ATRIO


	Ref. No.	Colour	Price netto (€)	
 	40 308 003	chrome	120.83	
	40 308 DC3	supersteel	166.66	
	40 308 GL3	cool sunrise	*	
	40 308 DA3	warm sunset	*	
	40 308 AL3	brushed hard graphite	190.83	
<p>Atrio Towel bar material: metal concealed fastening 2 arms, pivotable length 489 mm GROHE StarLight chrome finish</p>				
 	40 309 003	chrome	116.66	
	40 309 DC3	supersteel	162.49	
	40 309 GL3	cool sunrise	*	
	40 309 DA3	warm sunset	*	
	40 309 AL3	brushed hard graphite	182.50	
<p>Atrio Towel rail material: metal concealed fastening 600 mm GROHE StarLight chrome finish</p>				
 	40 312 003	chrome	37.08	
	40 312 DC3	supersteel	48.33	
	40 312 GL3	cool sunrise	*	
	40 312 DA3	warm sunset	*	
	40 312 AL3	brushed hard graphite	59.16	
<p>Atrio Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 313 003	chrome	81.66	
	40 313 DC3	supersteel	112.49	
	40 313 GL3	cool sunrise	*	
	40 313 DA3	warm sunset	*	
	40 313 AL3	brushed hard graphite	112.49	
<p>Atrio Toilet paper holder material: metal concealed fastening without cover GROHE StarLight chrome finish</p>				
 	40 314 003	chrome	162.49	
	40 314 DC3	supersteel	224.17	
	40 314 GL3	cool sunrise	*	
	40 314 DA3	warm sunset	*	
	40 314 AL3	brushed hard graphite	257.50	
<p>Atrio Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish</p>				
		40 791 001	white	5.16
		40 791 KS1	velvet black	5.16
<p>Spare brush head</p>				

GROHE GRANDERA




GROHE GRANDERA

Ref. No. Colour Price netto (€)




23 303 000	chrome	354.00
23 303 IGO	chrome/gold	458.00
23 303 GLO	cool sunrise	432.00
23 303 DA0	warm sunset	469.00
23 303 A00	hard graphite	437.00
23 303 AL0	brushed hard graphite	500.00

Grandera
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




23 310 000	chrome	354.00
23 310 IGO	chrome/gold	406.00
23 310 DA0	warm sunset	414.00

Grandera
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar



21 107 000	chrome	423.00
21 107 IGO	chrome/gold	487.00

Grandera
Two-handle basin mixer, 1/2"
L-Size
single hole installation
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
swivel spout
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




23 313 000	chrome	471.00
23 313 IGO	chrome/gold	538.00

Grandera
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar


GROHE GRANDERA

Ref. No. Colour Price netto (€)




20 417 000 chrome 440.00
20 417 IGO chrome/gold 645.00

Grandera
Three-hole basin mixer 1/2"
S-Size
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar



20 389 000 chrome 537.00
20 389 IGO chrome/gold 724.00
20 389 GLO cool sunrise 730.00
20 389 DAO warm sunset 682.00
20 389 ALO brushed hard graphite 682.00


Grandera
Three-hole basin mixer 1/2"
M-Size
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar



20 414 000 chrome 412.00
20 414 IGO chrome/gold 474.00


Grandera
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for 29 025 000
without concealed body
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 200 mm
projection 177 mm

20 415 000 chrome 403.00
20 415 IGO chrome/gold 525.00
20 415 DAO warm sunset 535.00
ditto, projection 234 mm



29 025 000 chrome 238.00

Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device



19 929 000 chrome 375.00
19 929 IGO chrome/gold 487.00


Grandera
Two-hole basin mixer
S-Size
wall mounted
set for final installation for 23 319 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 110 mm
projection 177 mm

19 930 000 chrome 414.00
19 930 IGO chrome/gold 538.00
ditto, projection 234 mm

* price upon request


GROHE GRANDERA

Ref. No. Colour Price netto (€)




23 319 000 chrome 200.00

Grandera
Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device
min. recommended pressure 1.0 bar




23 315 000 chrome 387.00
23 315 IGO chrome/gold 517.00

Grandera
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




23 316 000 chrome 414.00
23 316 IGO chrome/gold 474.00

Grandera
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar



23 317 000 chrome 500.00
23 317 IGO chrome/gold 668.00

Grandera
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar



24 067 000 chrome 254.00
24 067 IGO chrome/gold 305.00


Grandera
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GRANDERA


Ref. No. Colour Price netto (€)

24 068 000	chrome	279.00
24 068 IGO	chrome/gold	335.00




Grandera
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
 without roughing-in-set

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		




19 932 000	chrome	273.00
19 932 IGO	chrome/gold	355.00

Grandera
Single-lever shower mixer
 set for final installation for
 35 501 000
 without concealed body
GROHE StarLight chrome finish
 escutcheon- and shaft-sealing
 metal escutcheon
 covered fixing
 min. recommended pressure 1.0 bar



19 920 000	chrome	340.00
19 920 IGO	chrome/gold	389.00
19 920 DAO	warm sunset	449.00

Grandera
Single-lever bath mixer
 set for final installation for
 35 501 000
 without concealed body
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing
 metal escutcheon
 covered fixing
 min. recommended pressure 1.0 bar




19 936 000	chrome	1,060.00
19 936 IGO	chrome/gold	1,250.00
19 936 GL0	cool sunrise	1,440.00
19 936 DAO	warm sunset	1,440.00
19 936 A00	hard graphite	1,440.00
19 936 AL0	brushed hard graphite	1,350.00

Grandera
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with mousseur and diverter bath/shower
 Grandera hand shower 7,6 l
 metal shower hose 1500 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 000
 min. recommended pressure 1.0 bar


GROHE GRANDERA

Ref. No. Colour Price netto (€)



19 919 000	chrome	1,130.00
19 919 IG0	chrome/gold	1,470.00
19 919 DA0	warm sunset	1,360.00

Grandera
5-hole bath combination
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with mousseur and diverter bath/shower
 Grandera hand shower 7,6 l
 metal shower hose 1500 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 000
 min. recommended pressure 1.0 bar




29 037 000	chrome	734.00
------------	--------	--------

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
 consisting of:
 base frame
 drainage box with integrated outlet for splash water


45 388 000	chrome	133.00
------------	--------	--------

Supporting legs for baseframe




23 318 000	chrome	1,610.00
23 318 IG0	chrome/gold	1,900.00
23 318 GL0	cool sunrise	2,190.00
23 318 DA0	warm sunset	2,190.00
23 318 A00	hard graphite	2,040.00
23 318 AL0	brushed hard graphite	2,040.00

Grandera
Single-lever bath mixer 1/2", floor mounted
 set for final installation for 45 984
without roughing-in set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 spout with mousseur
 projection 320 mm
 with shower holder
 Grandera hand shower 7,6 l
 Silverflex shower hose 1250 mm
 protected against backflow



45 984 001	chrome	444.00
------------	--------	--------







Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
 without finishing trim set
 installation plate with 360° horizontal and
 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/
 spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower
 mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 gasket
 fixing material



13 341 000	chrome	208.00
13 341 IG0	chrome/gold	271.00
13 341 DA0	warm sunset	276.00

Grandera
Bath spout
 wall mounted
GROHE StarLight chrome finish
 mousseur
 projection 177 mm
 min. recommended pressure 1.0 bar







GROHE GRANDERA

	Ref. No.	Colour	Price netto (€)
	19 942 000	chrome	130.00
	19 942 IGO	chrome/gold	169.00
	Grandera 5-way diverter set for final installation for 29 708 000 without concealed body GROHE StarLight chrome finish min. recommended pressure 1.0 bar		
	19 944 000	chrome	94.00
	19 944 IGO	chrome/gold	122.00
	Grandera Volume Control Trim set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used for the main line shut-off) GROHE StarLight chrome finish installation depth infinitely adjustable 43 - 91 mm for use with rough-in valve (35 029)		
	26 037 000	chrome	107.00
	26 037 IGO	chrome/gold	127.00
	26 037 DA0	warm sunset	129.00
	Grandera Stick Hand shower 1 spray spray pattern: Rain metal GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch no risk of scalding GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar max. flow rate 2.0 gpm (7.6 l/min)		

GROHE GRANDERA

	Ref. No.	Colour	Price netto (€)
	40 627 000	chrome	174.17
	40 627 IG0	chrome/gold	224.17
	Grandera Holder with ceramic soap dispenser filling quantity 110 ml GROHE StarLight chrome finish		
	40 626 000	chrome	133.33
	40 626 IG0	chrome/gold	174.17
	Grandera Holder with ceramic tumbler GROHE StarLight chrome finish		
	40 628 000	chrome	162.49
	40 628 IG0	chrome/gold	207.50
	Grandera Holder with ceramic soap dish GROHE StarLight chrome finish		
	40 630 000	chrome	112.49
	40 630 IG0	chrome/gold	145.83
	40 630 DA0	warm sunset	166.66
	Grandera Towel ring Ø 205 mm GROHE StarLight chrome finish		
	40 629 000	chrome	182.50
	40 629 IG0	chrome/gold	232.50
	40 629 DA0	warm sunset	257.50
	Grandera Towel rail 600 mm GROHE StarLight chrome finish		
	40 631 000	chrome	52.49
	40 631 IG0	chrome/gold	68.33
	40 631 GL0	cool sunrise	73.74
	40 631 DA0	warm sunset	79.16
	40 631 A00	hard graphite	79.16
		Grandera Robe hook GROHE StarLight chrome finish	

GROHE GRANDERA


	Ref. No.	Colour	Price netto (€)
	40 633 000	chrome	124.99
	40 633 IG0	chrome/gold	158.33
	Grandera Bath grip length 385 mm GROHE StarLight chrome finish		
	40 625 000	chrome	137.49
	40 625 IG0	chrome/gold	174.17
	40 625 DA0	warm sunset	190.83
	Grandera Toilet paper holder GROHE StarLight chrome finish		
	40 632 000	chrome	190.83
	40 632 IG0	chrome/gold	249.17
	Grandera Toilet brush set material: ceramic GROHE StarLight chrome finish		

GROHE LINEARE




GROHE LINEARE

Ref. No. Colour Price netto (€)




32 109 001 **chrome** **182.00**
32 109 DC1 **supersteel** **250.00**

Lineare
Single-lever basin mixer 1/2"
XS-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




23 791 001 **chrome** **181.00**
23 791 DC1 **supersteel** **250.00**

Lineare
Single-lever basin mixer 1/2"
XS-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses




32 114 001 **chrome** **193.00**
32 114 DC1 **supersteel** **248.00**

Lineare
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses



23 106 001 **chrome** **193.00**
23 106 DC1 **supersteel** **267.00**

Lineare
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses




23 296 001 **chrome** **253.00**
23 296 DC1 **supersteel** **350.00**

Lineare
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar


GROHE LINEARE

Ref. No. Colour Price netto (€)




23 405 001 **chrome** 272.00
 23 405 DC1 **supersteel** 373.00

Lineare
Single-lever basin mixer 1/2"
XL-Size
single hole installation
 metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus rapid installation system
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar





20 304 001 **chrome** 284.00

Lineare
Three-hole basin mixer 1/2"
M-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 min. recommended pressure 1.0 bar
 union nut 1/2" x 10.5 mm




19 409 001 **chrome** 221.00
 19 409 DC1 **supersteel** 304.00

Lineare
Two-hole basin mixer
M-Size
 wall mounted
 set for final installation for
 23 571 000
 without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 149 mm
 min. recommended pressure 1.0 bar



23 444 001 **chrome** 239.00
 23 444 DC1 **supersteel** 329.00

Lineare
Two-hole basin mixer
L-Size
 wall mounted
 set for final installation for
 23 571 000
 without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 207 mm
 min. recommended pressure 1.0 bar




23 571 000 **chrome** 236.00

Single-lever mixer 1/2", universal concealed body
 for 2-hole basin mixers
 wall installation
 without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
 spout can be positioned on the right or left
 DR-brass
 installation device


GROHE LINEARE

Ref. No. Colour Price netto (€)





33 848 001 chrome 213.00
33 848 DC1 supersteel 271.00

Lineare
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




33 865 001 chrome 217.00
33 865 DC1 supersteel 300.00

Lineare
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar



33 849 001 chrome 278.00
33 849 DC1 supersteel 383.00

Lineare
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar
pillar installation optional with pillar unions 12 030 000




33 850 001 chrome 324.00

Lineare
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
with shower set
consisting of:
hand shower Sena Stick (26 465)
wall shower holder Tempesta Cosmopolitan 100
(27 594 000)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.0 bar

GROHE LINEARE

Ref. No. Colour Price netto (€)


24 063 001 chrome 161.00
 24 063 DC1 supersteel 225.00



Lineare
Single-lever shower mixer
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
 without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


24 064 001 chrome 177.00
 24 064 DC1 supersteel 248.00



Lineare
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
 without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


24 095 001 chrome 197.00
 24 095 DC1 supersteel 276.00



Lineare
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
 without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


19 577 001 chrome 754.00
 19 577 DC1 supersteel 1,040.00



Lineare
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 single lever mixer operating element
 metal lever
 bath inlet with mousseur
 diverter bath/shower
 hand shower Sena Stick (26 465)
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with (29 037 000)
 min. recommended pressure 1.0 bar


Ref. No. Colour Price netto (€)

19 965 001 chrome 595.00



Lineare
Three-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish consisting of:
single lever mixer operating element
diverter bath/shower without spout
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose protected against backflow for use with (29 037 000) for combination with (28 990 / 28 991)


29 037 000 chrome 734.00



4/5-hole bath combination (optional) baseframe for installation under tiled surround consisting of:
base frame
drainage box with integrated outlet for splash water


45 388 000 chrome 133.00
Supporting legs for baseframe

23 792 001 chrome 1,380.00
23 792 DC1 supersteel 1,930.00




Lineare
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur projection 271 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1 250 mm (28 362)
protected against backflow

45 984 001 chrome 444.00



Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

13 383 001 chrome 202.00
13 383 DC1 supersteel 263.00



Lineare
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

GROHE EUROCUBE JOY




GROHE EUROCUBE JOY

Ref. No.

Colour

Price netto (€)



23 654 000

chrome

233.00

Eurocube Joy
Single-lever basin mixer 1/2"
S-Size

single hole installation

metal lever

GROHE FeatherControl Joystick cartridge


GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE QuickFix Plus installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 656 000

chrome

221.00

Eurocube Joy
Single-lever basin mixer 1/2"
S-Size

single hole installation

metal lever

GROHE FeatherControl Joystick cartridge


GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE QuickFix Plus installation system

smooth body

flexible connection hoses



23 657 000

chrome

244.00

Eurocube Joy
Single-lever basin mixer 1/2"
M-Size

single hole installation

metal lever

GROHE FeatherControl Joystick cartridge


GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE QuickFix Plus installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 658 000

chrome

239.00

Eurocube Joy
Single-lever basin mixer 1/2"
M-Size

single hole installation

metal lever

GROHE FeatherControl Joystick cartridge


GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE QuickFix Plus installation system

smooth body

flexible connection hoses



23 661 000

chrome

322.00

Eurocube Joy
Single-lever basin mixer 1/2"
XL-Size

single hole installation

metal lever

for free-standing basins

GROHE FeatherControl Joystick cartridge

GROHE StarLight chrome finish











GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE QuickFix Plus installation system

smooth body


flexible connection hoses

GROHE EUROCUBE JOY

	Ref. No.	Colour	Price netto (€)
	19 997 000 Eurocube Joy Two-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm	chrome	263.00
	19 998 000 ditto, projection 231 mm	chrome	270.00
	23 429 000 Joystick mixer 1/2", concealed body for 2-hole basin mixers without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass	chrome	237.00
	46 901 000 Extension-set, 25 mm for 23 429 000 Joystick mixer 1/2", concealed body for 2-hole basin mixers wall installation including disassembly-key	chrome	69.00
			
	23 664 000 Eurocube Joy Single-lever bidet mixer 1/2" single hole installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy ball-joint mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses	chrome	250.00
	23 665 000 Eurocube Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish shower bottom outlet 1/2" with integrated non return-valve protected against backflow	chrome	286.00
			


GROHE EUROCUBE JOY

Ref. No. Colour Price netto (€)



23 666 000 chrome 353.00


Eurocube Joy
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE XL Waterfall
integrated non-return valve in the shower outlet 1/2"
S-unions
protected against backflow



24 061 000 chrome 155.00

Eurocube
Single-lever shower mixer
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 062 000 chrome 170.00

Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 094 000 chrome 191.00

Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EUROCUBE JOY

Ref. No.	Colour	Price netto (€)
24 153 000	chrome	406.00
<p>Grohtherm Cube Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermosteement GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valves and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>		
35 600 000	chrome	68.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
24 154 000	chrome	453.00
<p>Grohtherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermosteement GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>		
35 600 000	chrome	68.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
24 155 000	chrome	453.00
<p>Grohtherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermosteement GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed shower and bath symbol GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>		
35 600 000	chrome	68.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		

GROHE EUROCUBE JOY

Ref. No.

Colour

Price netto (€)

34 741 000

chrome

1,070.00




Grotherm Cube
Perfect shower set with Rainshower Allure 230

consisting of:
Grotherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9,5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1 250 mm (28 362)

23 667 001

chrome

*




Eurocube Joy
Single-lever bath mixer 1/2", floor mounted

set for final installation for
45 984 001
without roughing-in-set
GROHE FeatherControl Joystick cartridge
GROHE StarLight finish
automatic diverter: bath/shower
spout with mousseur
hand shower Euphoria Cube+ 6.6 l/min
Silverflex shower hose 1 250 mm (28 362)
projection 298 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
protected against backflow

45 984 001

chrome

444.00



Rough-in set 1/2"


for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and
3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

GROHE EUROCUBE




GROHE EUROCUBE

Ref. No. Colour Price netto (€)




23 137 000 **chrome** **166.00**
Eurocube
Pillar tap
XS-Size
single hole installation
 metal lever
 ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
 union nut 1/2" x 10.5 mm




23 127 00E **chrome** **215.00**
Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

23 127 000 **chrome** **214.00**
ditto, with non-restricted flow




23 132 00E **chrome** **209.00**
Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses

23 132 000 **chrome** **204.00**
ditto, with non-restricted flow




23 445 000 **chrome** **228.00**
Eurocube
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar



23 446 000 **chrome** **216.00**
Eurocube
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar


Ref. No. Colour Price netto (€)



23 135 00E chrome 239.00


Eurocube
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

23 135 000 chrome 245.00
ditto, with non-restricted flow




23 406 000 chrome 293.00

Eurocube
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar



20 351 000 chrome 308.00


Eurocube
Three-hole basin mixer 1/2"
S-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm



19 895 000 chrome 267.00

Eurocube
Two-hole basin mixer
S-Size
wall mounted
set for final installation for concealed body 23 200 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm
min. recommended pressure 1.0 bar

23 447 000 chrome 279.00
ditto, projection 231 mm




23 200 000 chrome 236.00

Single-lever mixer 1/2", concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device


GROHE EUROCUBE

Ref. No. Colour Price netto (€)



23 138 000 chrome 214.00

Eurocube
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses




23 145 000 chrome 244.00

Eurocube
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
with integrated non return-valve
covered S-unions
protected against backflow
optional temperature limiter ref. no. 46 375 000




18 541 000 chrome 30.00

Eurocube
Shelf
for shower mixer 23 145 000



23 140 000 chrome 283.00


Eurocube
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
covered S-unions
protected against backflow
optional temperature limiter ref. no. 46 375 000



23 141 000 chrome 333.00

Eurocube
Single-lever bath mixer 1/2"
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve in the shower outlet 1/2"
covered S-unions
optional temperature limiter ref. no. 46 375 000
consisting of:
hand shower (27 698 000)
wall shower holder (27 693 000)
shower hose 1500 mm (28 151 000)
min. recommended pressure 1.0 bar


Ref. No. Colour Price netto (€)



24 061 000 chrome 155.00

Eurocube
Single-lever shower mixer
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
 without roughing-in-set


35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 062 000 chrome 170.00

Eurocube
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
 without roughing-in-set


35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 094 000 chrome 191.00

Eurocube
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
 without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation




24 153 000 chrome 406.00

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
 without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 154 000 chrome 453.00




Grotherm Cube
Thermostatic shower mixer for 2 outlets
with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 155 000 chrome 453.00




Grotherm Cube
Thermostatic bath tub mixer for 2 outlets
with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


34 741 000 chrome 1,070.00



Grotherm Cube
Perfect shower set with Rainshower Allure 230

consisting of:
Grotherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9,5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1 250 mm (28 362)






23 409 000 chrome 655.00



Eurocube
Perfect shower set with Euphoria Cube 152


consisting of:
Eurocube set for final installation (19 896 000)
Euphoria Cube 152 head shower (27 705 000)
Rainshower shower arm 275 mm (27 488 000)
Euphoria Cube Stick hand shower set (27 702 000)
Euphoria Cube shower outlet elbow (27 704 000)
min. recommended pressure 1.0 bar

Ref. No. Colour Price netto (€)

	<p>19 897 001 chrome 893.00</p> <p>Eurocube 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish consisting of: pre-assembled spout fixing single lever mixer operating element metal lever bath inlet with mousseur diverter bath/shower hand shower Euphoria Cube+ 6.6 l/min metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with (29 037 000) min. recommended pressure 1.0 bar</p>
	<p>19 966 000 chrome 632.00</p> <p>Eurocube 3-hole bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish consisting of: single lever mixer operating element diverter bath/shower without spout Euphoria Cube hand shower (27 699 000) 9.4 l/min metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with (29 037 000) for combination with (28 990 / 28 991)</p>
	<p>29 037 000 chrome 734.00</p> <p>4/5-hole bath combination (optional) baseframe for installation under tiled surround consisting of: base frame drainage box with integrated outlet for splash water</p> <p>45 388 000 chrome 133.00</p> <p>Supporting legs for baseframe</p>
	<p>23 672 001 chrome 1,370.00</p> <p>Eurocube Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower spout with mousseur hand shower Euphoria Cube+ 6.6 l/min Silverflex shower hose 1 250 mm (28 362) projection 298 mm integrated non-return valve in the shower outlet 1/2" protected against backflow with shower holder</p>
	<p>45 984 001 chrome 444.00</p> <p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/ spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug gasket fixing material</p>


GROHE EUROCUBE

Ref. No. Colour Price netto (€)




13 303 000 **chrome** **121.00**

Eurocube
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm
min. recommended pressure 1.0 bar




13 304 000 **chrome** **135.00**

Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
with concealed connection piece
male thread 1/2"
projection 170 mm
min. recommended pressure 1.0 bar



19 910 000 **chrome** **51.00**

Eurocube
Volume Control Trim
for GROHE concealed valves, 1/2", 3/4", 1"
without concealed body
installation depth infinitely adjustable
16 - 38 mm
metal handle
sliding escutcheon with wall sealing
GROHE StarLight chrome finish
for use with rough-in valve 29 273 & 29 274




22 012 000 **chrome** **47.00**

Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet thread 3/8"
Cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon

GROHE PLUS






23 848 003

chrome

*

Plus
Single-lever basin mixer 1/2" with temperature display M-Size

LED water temperature display
single hole installation
metal lever
6 V alkaline mono battery, 4 x mono cell external battery
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses




23 850 003

chrome

*

Plus
Single-lever basin mixer 1/2" with temperature display L-Size

LED water temperature display
single hole installation
metal lever
6 V alkaline mono battery, 4 x mono cell external battery
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses




32 612 003

chrome

180.00

Plus
Single-lever basin mixer 1/2" S-Size

single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



32 612 30L


chrome

*


Plus
Single-lever basin mixer 1/2" S-Size

single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
for low pressure
min. recommended pressure 0.2 bar


Ref. No. Colour Price netto (€)




33 163 003 **chrome** **180.00**
Plus
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses




23 870 003 **chrome** **180.00**
Plus
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




23 871 003 **chrome** **226.00**
Plus
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 pop-up waste set 1 1/4"
 flexible connection hoses



23 872 003 **chrome** **226.00**
Plus
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses



23 851 003 **chrome** **253.00**
Plus
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 pop-up waste set 1 1/4"
 flexible connection hoses




23 873 003

chrome

253.00

Plus
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses




23 843 003

chrome

293.00

Plus
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 pull out spout
GROHE EasyDock guarantees easy retraction and
 smooth docking back to the starting position
 pop-up waste set 1 1/4"
 flexible connection hoses




23 844 003

chrome

293.00

Plus
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 pull out spout
GROHE EasyDock guarantees easy retraction and
 smooth docking back to the starting position
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses




32 618 003

chrome

280.00


Plus
Single-lever basin mixer 1/2"
XL-Size
single hole installation
 metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 smooth body
 flexible connection hoses

Ref. No. Colour Price netto (€)




20 301 003 **chrome** **280.00**

Plus
Three-hole basin mixer 1/2"
M-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 pop-up waste set 1 1/4"
GROHE QuickFix installation system
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm




29 303 003 **chrome** **220.00**

Plus
Two-hole basin mixer
M-Size
 wall mounted
 set for final installation for 23 200 000
 without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 147 mm
 min. recommended pressure 1.0 bar




29 306 003 **chrome** **235.00**

Plus
Two-hole basin mixer
L-Size
 wall mounted
 set for final installation for 23 200 000
 without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 203 mm
 min. recommended pressure 1.0 bar













23 200 000 **chrome** **236.00**

Single-lever mixer 1/2", concealed body
 for 2-hole basin mixers
 wall installation
 without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 installation depth 45 to 75 mm
 DR-brass
 installation device



33 241 003 **chrome** *


Plus
Single-lever bidet mixer 1/2"
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 rapid installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar

		<p>33 577 003 chrome 217.00</p> <p>Plus Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1.0 bar</p>
		<p>33 553 003 chrome 271.00</p> <p>Plus Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower laminar mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1.0 bar</p>
		<p>33 547 003 chrome 305.00</p> <p>Plus Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower laminar mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow with shower set consisting of: hand shower Euphoria Cube Stick (27 698 000) wall shower holder (27 693 000) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1.0 bar</p>
		<p>40 954 000 chrome 97.00</p> <p>Plus Tray suitable for 33 553 003 33 547 003 33 577 003</p>
		<p>24 059 003 chrome 171.00</p> <p>Plus Single-lever shower mixer set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p> <p>35 600 000 chrome 68.00 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>

GROHE PLUS

Ref. No. Colour Price netto (€)


24 060 003 chrome 180.00



Plus
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
 without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


24 093 003 chrome 203.00



Plus
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
 without roughing-in-set


35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

29 307 003 chrome 744.00











Plus
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout laminar mousseur
 single lever mixer operating element
 metal lever
 diverter bath/shower
 hand shower Euphoria Cube 6.6 l/min
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 001
 min. recommended pressure 1.0 bar


23 845 003 chrome 614.00



Plus
Three-hole single-lever bath combination
 Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 consisting of:
 single lever mixer operating element
 diverter bath/shower
 without spout
 Euphoria Cube hand shower 7.6 l/min
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 001
 for combination with (28 990 / 28 991)
 min. recommended pressure 1.0 bar


	Ref. No.	Colour	Price netto (€)	
	29 037 001 4/5-hole bath combination (optional) baseframe for installation under tiled surround consisting of: base frame drainage box with integrated outlet for splash water	chrome	674.00	
	45 388 000 Supporting legs for baseframe	chrome	133.00	
	23 846 003 Plus Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower spout with laminar mousseur projection 282 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Euphoria Cube 6.6 l/min Silverflex shower hose 1 250 mm (28 362) protected against backflow min. recommended pressure 1.0 bar	chrome	1,370.00	
	45 984 001 Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/ spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug gasket fixing material	chrome	444.00	
		13 404 003 Plus Bath spout wall mounted GROHE StarLight chrome finish laminar mousseur male thread 1/2" projection 168 mm	chrome	126.00
				

Ref. No. Colour Price netto (€)



26 507 000 chrome 913.00
26 507 LS0 moon white 1,002.40

Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower 310 SmartActive, spray plate chrome
GROHE PureRain and Centered Jet spray
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar




26 508 000 chrome 913.00
26 508 LS0 moon white 1,050.00

Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower 310 SmartActive Cube, spray plate chrome
GROHE PureRain and Centered Jet spray
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

26 509 000

chrome

792.00




Euphoria SmartControl System 260 Mono Shower system with thermostat for wall mounting

consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

26 510 000

chrome

922.00



Euphoria SmartControl System 260 Mono Shower system with bath thermostat for wall mounting

consisting of:
horizontal swivable 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar


GROHE PLUS

	Ref. No.	Colour	Price netto (€)
 	19 952 000	chrome	173.00
<p>Talentofill Inlet-, pop-up and waste-system set for final installation consisting of: escutcheon, supply part, waste plug, fixing set in combination with Talentofill 28 990/28 991 GROHE StarLight chrome finish</p>			
 	19 025 000	chrome	57.00
<p>Talento Waste and overflow set for bath tubes set for final installation escutcheon, waste plug, fixing set in combination with Talentofill 28 939/28 943 GROHE StarLight chrome finish</p>			
 	40 564 000	chrome	262.00
<p>Bottle trap for wash basin GROHE StarLight chrome finish brass body</p>			
 	28 912 000	chrome	228.00
<p>Trap 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish</p>			
 	37 535 000	chrome	67.00
<p>Skate Cosmopolitan S Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small shaft 40 911 000 sold separately</p>			
 	37 624 000	chrome	82.00
<p>Arena Cosmopolitan S Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small shaft 40 911 000 sold separately</p>			

* price upon request

GROHE EUROPLUS






33 156 002

chrome

188.00

Europlus
Single-lever basin mixer 1/2"
XS-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
rapid installation system
adjustable mousseur
pop-up waste set 1 1/4"
flexible connection hoses



32 612 00E

chrome

194.00


Europlus
Single-lever basin mixer 1/2"
S-Size
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFixPlus installation
system with centering support
pop-up waste set 1 1/4"
flexible connection hoses

32 612 002

chrome

188.00

ditto, with non-restricted flow




33 163 002

chrome

188.00

Europlus
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFixPlus installation
system with centering support
SpeedClean mousseur
smooth body
flexible connection hoses
certificate applied for



33 155 002

chrome


263.00

Europlus
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
rapid installation system
pull out spout with **SpeedClean** mousseur
integrated non-return valve
pop-up waste set 1 1/4"
flexible connection hoses

GROHE EUROPLUS


Ref. No. Colour Price netto (€)

		<p>32 618 002 chrome 258.00</p> <p>Europlus Single-lever basin mixer 1/2" XL-Size single hole installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFixPlus installation system with centering support SpeedClean mousseur pop-up waste set 1 1/4" flexible connection hoses</p>
		<p>33 241 002 chrome 188.00</p> <p>Europlus Single-lever bidet mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFixPlus installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses certificate applied for</p>
		<p>20 301 000 chrome 311.00</p> <p>Europlus Three-hole basin mixer 1/2" S-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut with 10.5 mm drilling</p>
		<p>33 577 002 chrome 193.00</p> <p>Europlus Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow certificate applied for min. recommended pressure 1.0 bar</p>




33 553 002 **chrome** **229.00**

Europlus
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 automatic diverter: bath/shower
SpeedClean mousseur
 integrated non-return valve in the shower outlet 1/2"
 S-unions
 protected against backflow
 certificate applied for
 min. recommended pressure 1.0 bar



33 547 002 **chrome** **288.00**


Europlus
Single-lever bath mixer 1/2"
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 automatic diverter: bath/shower
SpeedClean mousseur
 integrated non-return valve in the shower outlet 1/2"
 S-unions
 protected against backflow
 with shower set
 hand shower Euphoria 110 Champagne (27 222)
 wall shower holder (28 622 000)
 Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
 certificate applied for



24 059 002 **chrome** **137.00**

Europlus
Single-lever shower mixer
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
 without roughing-in-set

35 600 000 **chrome** **68.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 060 002 **chrome** **150.00**

Europlus
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
 without roughing-in-set


35 600 000 **chrome** **68.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE ESSENCE



GROHE ESSENCE

Ref. No. Colour Price netto (€)




*** SPA colours:

● BE ● GL ● DA ● A0
● EN ● GN ● DL ● AL

23 589 001 chrome 151.00
23 589 DC1 supersteel 206.00
23 589 *** SPA colours 194.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




*** SPA colours:

● BE ● GL ● DA ● A0
● EN ● GN ● DL ● AL


23 590 001 chrome 142.00
23 590 DC1 supersteel 180.00
23 590 *** SPA colours 186.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses




23 591 001 chrome 150.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 797 001 chrome 135.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
waste-set with push-open plug
flexible connection hoses




32 898 001 chrome 147.00


Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

GROHE ESSENCE


Ref. No. Colour Price netto (€)



32 899 001 **chrome** **142.00**
Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 retractable chain
 flexible connection hoses




34 294 001 **chrome** **142.00**
Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses




23 462 001 **chrome** **185.00**
23 462 DC1 **supersteel** **225.00**
23 462 *** **SPA colours** **225.00**
Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar

*** SPA colours:


- BE ● GL ● DA ● A0
- EN ● GN ● DL ● AL



23 480 001 **chrome** **168.00**
Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 retractable chain
 flexible connection hoses




23 798 001 **chrome** **162.00**
Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 smooth body
 waste-set with push-open plug
 flexible connection hoses
 min. recommended pressure 1.0 bar



23 463 001 **chrome** **168.00**


Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses



32 628 001 **chrome** **199.00**
32 628 DC1 **supersteel** **247.00**
32 628 *** **SPA colours** **264.00**


Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

*** SPA colours:
● BE ● GL ● DA ● A0
● EN ● GN ● DL ● AL



23 799 001 **chrome** **176.00**

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
smooth body
waste-set with push-open plug
flexible connection hoses
min. recommended pressure 1.0 bar




23 541 001 **chrome** **195.00**

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar

GROHE ESSENCE


Ref. No. Colour Price netto (€)



32 901 001	chrome	276.00
32 901 DC1	supersteel	334.00
32 901 ***	SPA colours	358.00


Essence
Single-lever basin mixer 1/2"
XL-Size
single hole installation
 metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus rapid installation system
 swivel spout with mousseur and stop limiter
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar

*** SPA colours:
 ● BE ● GL ● DA ● A0
 ● EN ● GN ● DL ● AL




20 296 001	chrome	253.00
------------	--------	--------

Essence
Three-hole basin mixer 1/2"
M-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 spout with mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm



20 299 001	chrome	246.00
------------	--------	--------

Essence
3-hole basin mixer
L-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm



19 408 001	chrome	204.00
19 408 DC1	supersteel	247.00
19 408 ***	SPA colours	247.00

Essence
Two-hole basin mixer
M-Size
 wall mounted
 set for final installation for
 23 571 000
 without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 183 mm


*** SPA colours:
 ● BE ● GL ● DA ● A0
 ● EN ● GN ● DL ● AL

19 967 001	chrome	218.00
19 967 DC1	supersteel	278.00
19 967 BE1	SPA colours	298.00


ditto, projection 230 mm

GROHE ESSENCE

Ref. No. Colour Price netto (€)




23 571 000 **chrome** **236.00**
Single-lever mixer 1/2", universal concealed body
 for 2-hole basin mixers
 wall installation
 without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
 spout can be positioned on the right or left
 DR-brass
 installation device



32 935 001 **chrome** **151.00**
32 935 DC1 **supersteel** **221.00**
32 935 *** **SPA colours** **194.00**
Essence
Single-lever bidet mixer 1/2"
S-Size
 single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar

*** SPA colours:


- BE ● GL ● DA ● A0
- EN ● GN ● DL ● AL



33 636 001 **chrome** **171.00**
33 636 DC1 **supersteel** **214.00**
33 636 *** **SPA colours** **227.00**
Essence
Single-lever shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow
 min. recommended pressure 1.0 bar

*** SPA colours:

- BE ● GL ● DA ● A0
- EN ● GN ● DL ● AL



33 624 001 **chrome** **210.00**
33 624 DC1 **supersteel** **261.00**
33 624 *** **SPA colours** **261.00**
Essence
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow
 min. recommended pressure 1.0 bar


*** SPA colours:

- BE ● GL ● DA ● A0
- EN ● GN ● DL ● AL

GROHE ESSENCE


Ref. No. Colour Price netto (€)

33 628 001 chrome 252.00



Essence
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow
 with shower set
 consisting of:
 hand shower Euphoria Cosmopolitan
 Stick (27 400 000) 6.6 l/min
 wall shower holder Tempesta Cosmopolitan 100
 (27 594 000)
 Silverflex shower hose 1.500 mm (28 364)
 min. recommended pressure 1.0 bar

24 057 001 chrome 141.00
 24 057 DC1 supersteel 197.00
 24 057 *** SPA colours 211.00




Essence
Single-lever shower mixer
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
 without roughing-in-set

*** SPA colours:
 ● BE ● GL ● DA ● A0
 ● EN ● GN ● DL ● AL

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 058 001 chrome 155.00
 24 058 DC1 supersteel 217.00
 24 058 *** SPA colours 217.00




Essence
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
 without roughing-in-set

*** SPA colours:
 ● BE ● GL ● DA ● A0
 ● EN ● GN ● DL ● AL

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE ESSENCE

Ref. No. Colour Price netto (€)




24 092 001	chrome	175.00
24 092 DC1	supersteel	245.00
24 092 ***	SPA colours	263.00

Essence
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
 without roughing-in-set

*** SPA colours:
 ● BE ● GL ● DA ● A0
 ● EN ● GN ● DL ● AL

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		




19 286 001	chrome	145.00
19 286 DC1	supersteel	184.00
19 286 ***	SPA colours	197.00

Essence
Single-lever shower mixer
 set for final installation for
 35 501 000
 without concealed body
 metal lever
GROHE StarLight chrome finish
 escutcheon- and shaft-sealing
 metal escutcheon
 covered fixing

*** SPA colours:
 ● BE ● GL ● DA ● A0
 ● EN ● GN ● DL ● AL


19 285 001	chrome	165.00
19 285 DC1	supersteel	200.00
19 285 ***	SPA colours	214.00



Essence
Single-lever bath mixer
 set for final installation for
 35 501 000
 without concealed body
 metal lever
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing
 metal escutcheon
 covered fixing

*** SPA colours:
 ● BE ● GL ● DA ● A0
 ● EN ● GN ● DL ● AL

19 578 001	chrome	714.00
19 578 DC1	supersteel	864.00
19 578 ***	SPA colours	953.00




Essence
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 pre-assembled spout fixing
 single lever mixer operating element
 metal lever
 bath inlet with mousseur
 diverter bath/shower
 for chrome: hand shower 27 806, for other colours: hand shower 26 465
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with (29 037 000)

*** SPA colours:
 ● BE ● GL ● DA ● A0
 ● EN ● GN ● DL ● AL


GROHE ESSENCE

Ref. No. Colour Price netto (€)



19 976 001 chrome 515.00


Essence
Three-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
single lever mixer operating element
diverter bath/shower
hand shower 27 400 000
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with (29 037 000)
for combination with (28 990 / 28 991)



29 037 000 chrome 734.00


4/5-hole bath combination (optional) baseframe for installation under tiled surround
consisting of:
base frame
drainage box with integrated outlet for splash water

45 388 000 chrome 133.00
Supporting legs for baseframe



23 741 001 chrome 2,070.00
23 741 DC1 supersteel 2,630.00


Essence
Single-lever free-standing shower mixer 1/2"
floor-mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
automatic diverter:
head shower/hand shower
360° horizontal swivable shower arm
integrated non-return valve in the shower outlet 1/2"
with shower holder
Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)
with ball joint
rotation angle ± 15°
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
for chrome: hand shower 27 806, for other colours: hand shower 26 465
Silverflex shower hose 1750 mm (28 388 000)
protected against backflow
min. recommended pressure 1.0 bar



23 491 001 chrome 1,260.00
23 491 DC1 supersteel 1,400.00
23 491 *** SPA colours 1,400.00

Essence
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur and stop limiter
projection 277 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
for chrome: hand shower 27 806, for other colours: hand shower 26 465
Silverflex shower hose 1 250 mm (28 362)
protected against backflow

*** SPA colours:
● BE ● GL ● DA ● A0
● EN ● GN ● DL ● AL



45 984 001

chrome

444.00

Rough-in set 1/2"


for floor-mounted bath mixers/spouts and shower mixers without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 gasket
 fixing material

GROHE EURODISC JOY




GROHE EURODISC JOY

Ref. No. Colour Price netto (€)




23 425 000 chrome 188.00
23 425 LS0 moon white/chrome 244.00

Eurodisc Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 427 000 chrome 200.00
23 427 LS0 moon white/chrome 268.00

Eurodisc Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 428 000 chrome 278.00
23 428 LS0 moon white/chrome 375.00

Eurodisc Joy
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses



19 968 000 chrome 218.00
19 968 LS0 moon white/chrome 262.00











Eurodisc Joy
Two-hole basin mixer
M-Size
wall mounted
set for final installation for 23 429 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 171 mm
min. recommended pressure 1.0 bar



19 969 000 chrome 231.00
19 969 LS0 moon white/chrome 299.00

Eurodisc Joy
Two-hole basin mixer
L-Size
wall mounted
set for final installation for 23 429 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 226 mm
min. recommended pressure 1.0 bar

GROHE EURODISC JOY


	Ref. No.	Colour	Price netto (€)
 	23 429 000	chrome	237.00
<p>Joystick mixer 1/2", concealed body for 2-hole basin mixers without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass</p>			
 	46 901 000	chrome	69.00
<p>Extension-set, 25 mm for 23 429 000 Joystick mixer 1/2", concealed body for 2-hole basin mixers wall installation including disassembly-key</p>			
 	24 036 000 24 036 LS0	chrome moon white/chrome	200.00 260.00
<p>Eurodisc Joy Single-lever bidet mixer 1/2" S-Size single hole installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy ball-joint mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
 	23 430 000 23 430 LS0	chrome moon white/chrome	211.00 275.00
<p>Eurodisc Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow min. recommended pressure 1.0 bar</p>			
 	23 431 000 23 431 LS0	chrome moon white/chrome	285.00 384.00
<p>Eurodisc Joy Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove Joystick cartridge GROHE StarLight chrome finish automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow min. recommended pressure 1.0 bar</p>			

GROHE EURODISC JOY

Ref. No.

Colour

Price netto (€)



24 055 002

chrome

132.00

**Eurodisc Cosmopolitan
Single-lever shower mixer**

set for final installation for
GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

flow performance:

outlet B or C = 30 l/min


without roughing-in-set

35 600 000

chrome

68.00

GROHE Rapido SmartBox universal rough-in box for concealed installation



24 056 002

chrome

145.00

**Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter**

set for final installation for
GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

automatic 2-way diverter

flow performance:

outlet B = 27 l/min, outlet C = 27 l/min

without roughing-in-set

35 600 000

chrome

68.00


GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EURODISC COSMOPOLITAN




GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)




23 051 002 **chrome** 94.00

Eurodisc Cosmopolitan Pillar tap XS-Size single hole installation
metal lever
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
union nut 1/2" x 10.5 mm
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109



23 049 002 **chrome** 164.00

Eurodisc Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFixPlus installation system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses




33 190 20E **chrome** 160.00

Eurodisc Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFixPlus installation system with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109

33 190 002 **chrome** 164.00

ditto, with non-restricted flow




32 469 20E **chrome** 157.00

Eurodisc Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFixPlus installation system with centering support
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109


GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)




23 448 002 chrome 174.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




23 449 002 chrome 176.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar



23 054 003 chrome 185.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix Plus installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000





23 432 000 chrome 275.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000


GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)



23 055 002 chrome 225.00


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFixPlus installation
system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109



19 573 002 chrome 201.00


Eurodisc Cosmopolitan
Two-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide mousseur
centre distance 110 mm
projection 170 mm
min. recommended pressure 1.0 bar

19 974 002 chrome 217.00
ditto, projection 225 mm



23 571 000 chrome 236.00









Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device



33 244 002 chrome 160.00

Eurodisc Cosmopolitan
Single-lever bidet mixer 1/2"
S-Size
metal lever
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFixPlus installation
system with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109

GROHE EURODISC COSMOPOLITAN


	Ref. No.	Colour	Price netto (€)
 	33 569 002	chrome	160.00
	<p>Eurodisc Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109</p>		
 	33 390 002	chrome	201.00
	<p>Eurodisc Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109</p>		
 	33 395 002	chrome	239.00
	<p>Eurodisc Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109 with shower set consisting of: hand shower Euphoria 110 Champagne (27 222) wall shower holder (27 056) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>		
 	24 055 002	chrome	132.00
	<p>Eurodisc Cosmopolitan Single-lever shower mixer set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>		
	35 600 000	chrome	68.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE EURODISC COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



24 056 002

chrome

145.00


Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
 without roughing-in-set

35 600 000

chrome

68.00

GROHE Rapido SmartBox universal rough-in box for concealed installation




13 278 002

chrome

90.00

Eurodisc Cosmopolitan
Bath spout
 wall mounted
GROHE StarLight chrome finish
 mousseur
 male thread 1/2"
 projection 170 mm
 min. recommended pressure 1.0 bar




13 279 002

chrome

114.00

Eurodisc Cosmopolitan
Bath spout
 wall mounted
GROHE StarLight chrome finish
 mousseur
 automatic diverter: bath/shower
 with concealed connection piece
 male thread 1/2"
 projection 170 mm



37 624 000

chrome

82.00


Arena Cosmopolitan S
Wall plate
 for dual flush or start & stop actuation
 for pneumatic discharge valve AV1
 GD 2 cistern
 vertical installation
 130 x 172 mm
 made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
 flush plate with magnetic holder
 and fixing brackets included
small shaft 40 911 000 sold separately

GROHE CONCETTO




GROHE CONCETTO

Ref. No. Colour Price netto (€)




32 207 001 **chrome** **110.00**
Concetto
Pillar tap
XS-Size
single hole installation
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
 union nut 1/2" x 10.5 mm
 acoustic group I in accordance with DIN 4109




32 204 10E **chrome** **142.00**
Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
 with centering support
 pop-up waste set 1 1/4"
 flexible connection hoses
 acoustic group I in accordance with DIN 4109


32 204 001 **chrome** **141.00**
ditto, with non-restricted flow



23 060 001 **chrome** **148.00**
Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
 with centering support
 flow straightener
 pop-up waste set 1 1/4"
 flexible connection hoses
for open water heater
 optional temperature limiter ref. no. 46 375 000
 acoustic group I in accordance with DIN 4109



32 240 10E **chrome** **137.00**
Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
 with centering support
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar
 acoustic group I in accordance with DIN 4109




23 450 001 **chrome** **159.00**
Concetto
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar

GROHE CONCETTO

Ref. No.

Colour

Price netto (€)




23 451 001

chrome

141.00

Concetto
Single-lever basin mixer 1/2"
M-Size

single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar




23 739 002

chrome

201.00

Concetto
Single-lever basin mixer 1/2"
L-Size

single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix installation system
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
min. recommended pressure 1.0 bar




32 629 002

chrome

170.00

Concetto
Single-lever basin mixer 1/2"
L-Size

single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
min. recommended pressure 1.0 bar



20 216 001

chrome


263.00

Concetto
Three-hole basin mixer 1/2"
L-Size

ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between middle-body and side valves
union nut with 10.5 mm drilling


GROHE CONCETTO

Ref. No. Colour Price netto (€)




19 575 001 **chrome** 199.00

Concetto
Two-hole basin mixer
S-Size
wall mounted
set for final installation for 23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 147 mm




23 571 000 **chrome** 236.00

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device




32 208 001 **chrome** 141.00

Concetto
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
acoustic group I in accordance with DIN 4109



32 210 001 **chrome** 141.00

Concetto
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
protected against backflow
optional temperature limiter ref. no. 46 308 000
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109




18 391 001 **chrome** 36.00

Concetto
Plastic tray
for 32 210 001


GROHE CONCETTO

Ref. No. Colour Price netto (€)




32 211 001 **chrome** **170.00**

Concetto
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 adjustable flow rate limiter
 automatic diverter: bath/shower
 mousseur
 integrated non-return valve in the shower outlet 1/2"
 S-unions
 protected against backflow
 optional temperature limiter ref. no. 46 308 000
 min. recommended pressure 1.0 bar
 acoustic group I in accordance with DIN 4109



32 212 001 **chrome** **203.00**


Concetto
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 adjustable flow rate limiter
 automatic diverter: bath/shower
 mousseur
 integrated non-return valve in the shower outlet 1/2"
 S-unions
 protected against backflow
 optional temperature limiter ref. no. 46 308 000
 acoustic group I in accordance with DIN 4109
 with shower set
 consisting of:
 Euphoria Cosmopolitan hand shower (27 400)
 wall shower holder (27 056)
 Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)



24 053 001 **chrome** **129.00**

Concetto
Single-lever shower mixer
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
 without roughing-in-set

35 600 000 **chrome** **68.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 054 001 **chrome** **141.00**

Concetto
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
 without roughing-in-set

35 600 000 **chrome** **68.00**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE CONCETTO

Ref. No.


Colour

Price netto (€)

13 280 001

chrome

99.00




Concetto
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
min. recommended pressure 1.0 bar

13 281 001

chrome

132.00



Concetto
Bath spout with diverter
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"

GROHE EUROSTYLE COSMOPOLITAN




GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



23 039 002

chrome

98.00

**Eurostyle Cosmopolitan
Pillar tap**
XS-Size

single hole installation

metal lever

ceramic headpart 1/2", 90°


GROHE StarLight chrome finish

mousseur

min. recommended pressure 1.0 bar

acoustic group I in accordance with DIN 4109

union nut 1/2" x 10.5 mm



23 037 002

chrome

128.00

Eurostyle Cosmopolitan

Single-lever basin mixer 1/2"

S-Size

single hole installation

metal lever

GROHE SilkMove 28 mm ceramic cartridge

GROHE StarLight chrome finish


GROHE QuickFix installation system

with centering support

mousseur

pop-up waste set 1 1/4"

flexible connection hoses



33 552 20E

chrome

128.00

Eurostyle Cosmopolitan

Single-lever basin mixer 1/2"

S-Size

single hole installation

metal lever

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE QuickFix installation system

with centering support

pop-up waste set 1 1/4"

flexible connection hoses

min. recommended pressure 1.0 bar


acoustic group I in accordance with DIN 4109

33 552 002

chrome

131.00

ditto, with non-restricted flow



33 561 002

chrome

155.00

Eurostyle Cosmopolitan

Single-lever basin mixer 1/2"

S-Size

single hole installation

metal lever

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

GROHE StarLight chrome finish

GROHE QuickFix installation system

with centering support

flow straightener

pop-up waste set 1 1/4"









flexible connection hoses

for open water heater











optional temperature limiter ref. no. 46 375 000

acoustic group I in accordance with DIN 4109









GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	23 549 000	chrome	148.96
<p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter temperature limiter GROHE StarLight finish GROHE EcoJoy mousseur 4.0 l/min GROHE QuickFix installation system retractable chain flexible connection hoses with shower set consisting of: hand shower with integrated diverter wall shower holder shower hose recommended pressure 1.0 - 5.0 bar</p>			
 	32 468 20E	chrome	120.00
<p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body flexible connection hoses min. recommended pressure 1.0 bar acoustic group I in accordance with DIN 4109</p>			
 	23 043 003	chrome	156.00
<p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" L-Size single hole installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000</p>			
 	20 208 002	chrome	223.00
<p>Eurostyle Cosmopolitan Three-hole basin mixer S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between middle-body and side valves union nut with 10.5 mm drilling</p>			

GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	19 571 002	chrome	231.00
<p>Eurostyle Cosmopolitan Two-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm</p>			
 	23 571 000	chrome	236.00
<p>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>			
 	33 565 002	chrome	131.00
<p>Eurostyle Cosmopolitan Single-lever bidet mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000</p>			
	33 566 002	chrome	107.00
<p>ditto, with retractable chain</p>			
 	33 590 002	chrome	131.00
<p>Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109 min. recommended pressure 1.0 bar</p>			
 	33 591 002	chrome	172.00
<p>Eurostyle Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109 min. recommended pressure 1.0 bar</p>			

GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	33 592 20A	chrome	161.59
<p>Eurostyle Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow acoustic group I in accordance with DIN 4109 with shower set hand shower Tempesta Cosmopolitan 100, 2 sprays (27 571) wall shower holder (27 056) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
 	24 051 002	chrome	127.00
<p>Eurostyle Cosmopolitan Single-lever shower mixer set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
			35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	24 052 002	chrome	139.00
<p>Eurostyle Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
			35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	19 507 002	chrome	165.00
<p>Eurostyle Cosmopolitan Single-lever shower mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>			

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

33 635 002

chrome

143.00



Eurostyle Cosmopolitan
Single-lever shower mixer 1/2"
wall installation


GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish

consisting of:
set for final installation
concealed body
33 964 000
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter

19 506 002

chrome

176.00



Eurostyle Cosmopolitan
Single-lever bath mixer


set for final installation for
35 501 000

without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

33 637 002

chrome

155.00



Eurostyle Cosmopolitan
Single-lever bath mixer 1/2"
wall installation


GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish

consisting of:
set for final installation
concealed body
33 963 000
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter

13 276 002

chrome

102.00




Eurostyle Cosmopolitan
Bath spout

wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm
min. recommended pressure 1.0 bar

13 277 002

chrome

126.00



Eurostyle Cosmopolitan
Bath spout

wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
with concealed connection piece
male thread 1/2"
projection 170 mm

GROHE EUROSTYLE




GROHE EUROSTYLE

Ref. No.

Colour

Price netto (€)



33 558 003
33 558 LS3

chrome
moon white/chrome

118.00
153.00

Eurostyle
Single-lever basin mixer 1/2"

S-Size

single hole installation

loop metal lever

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

with temperature limiter


GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 707 003
23 707 LS3

chrome
moon white/chrome

113.00
147.00

Eurostyle
Single-lever basin mixer 1/2"

S-Size

single hole installation

solid metal lever

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

with temperature limiter


GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 564 003

chrome

123.00

Eurostyle
Single-lever basin mixer 1/2"

S-Size

single hole installation

loop metal lever

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

with temperature limiter


GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 708 003

chrome

107.00

Eurostyle
Single-lever basin mixer 1/2"

S-Size

single hole installation

solid metal lever

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

with temperature limiter


GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 374 003
23 374 LS3

chrome
moon white/chrome

118.00
149.00

Eurostyle
Single-lever basin mixer 1/2"

S-Size

single hole installation

loop metal lever

GROHE SilkMove ES 35 mm ceramic cartridge

with energy saving function via cold start

adjustable flow rate limiter

with temperature limiter

GROHE StarLight chrome finish


GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system

pop-up waste set 1 1/4"


flexible connection hoses

Ref. No. Colour Price netto (€)




23 709 003 **chrome** 110.00
23 709 LS3 **moon white/chrome** 143.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses




33 561 003 **chrome** 151.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for open water heater




32 468 003 **chrome** 113.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses



23 715 003 **chrome** 108.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses




23 567 003 **chrome** 115.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses


GROHE EUROSTYLE

Ref. No. Colour Price netto (€)




23 716 003 chrome 102.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses




23 569 003 chrome 184.00
23 569 LS3 moon white/chrome 240.00

Eurostyle
Single-lever basin mixer 1/2"
L-Size
single hole installation
loop metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4"
flexible connection hoses




23 718 003 chrome 175.00
23 718 LS3 moon white/chrome 229.00

Eurostyle
Single-lever basin mixer 1/2"
L-Size
single hole installation
solid metal lever
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4"



23 570 003 chrome 231.00
23 570 LS3 moon white/chrome 298.00











Eurostyle
Single-lever basin mixer 1/2"
XL-Size
single hole installation
loop metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses











23 719 003 chrome 218.00
23 719 LS3 moon white/chrome 282.00

Eurostyle
Single-lever basin mixer 1/2"
XL-Size
single hole installation
solid metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses









GROHE EUROSTYLE

	Ref. No.	Colour	Price netto (€)
	19 571 003 19 571 LS3	chrome moon white/chrome	202.00 289.00
		Eurostyle Two-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 metal escutcheon loop metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm	
	29 097 003 29 097 LS3	chrome moon white/chrome	205.00 249.00
		Eurostyle Two-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 metal escutcheon solid metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm	
	23 571 000	chrome	236.00
		Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device	
	33 565 003 33 565 LS3	chrome moon white/chrome	115.00 149.00
		Eurostyle Single-lever bidet mixer 1/2" S-Size single hole installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses	
	23 720 003 23 720 LS3	chrome moon white/chrome	113.00 147.00
		Eurostyle Single-lever bidet mixer 1/2" S-Size single hole installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses	

GROHE EUROSTYLE


	Ref. No.	Colour	Price netto (€)
	33 590 003 33 590 LS3	chrome moon white/chrome	129.00 165.00
		Eurostyle Single-lever shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow	
	23 722 003 23 722 LS3	chrome moon white/chrome	124.00 156.00
		Eurostyle Single-lever shower mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow	
	33 591 003 33 591 LS3	chrome moon white/chrome	160.00 208.00
		Eurostyle Single-lever bath mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow	
	23 726 003 23 726 LS3	chrome moon white/chrome	153.00 198.00
		Eurostyle Single-lever bath mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions protected against backflow	

GROHE EUROSTYLE

	Ref. No.	Colour	Price netto (€)
 	33 592 30A	chrome	154.56
	<p>Eurostyle Single-lever bath mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow with shower set Tempesta consisting of: hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161) wall shower holder (28 605) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>		
 	23 729 30A	chrome	129.00
	<p>Eurostyle Single-lever bath mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons with shower set Tempesta consisting of: hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161) wall shower holder (28 605) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>		
 	24 048 003 24 048 LS3	chrome moon white	116.00 151.00
	<p>Eurostyle Single-lever shower mixer set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>		
	35 600 000	chrome	68.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation		
 	24 046 003 24 046 LS3	chrome moon white	111.00 144.00
	<p>Eurostyle Single-lever shower mixer set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>		
	35 600 000	chrome	68.00
	GROHE Rapido SmartBox universal rough-in box for concealed installation		

Ref. No. Colour Price netto (€)


24 049 003 chrome 128.00
24 049 LS3 moon white 166.00



Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


24 047 003 chrome 122.00
24 047 LS3 moon white 159.00



Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

19 507 003 chrome 128.00
19 507 LS3 moon white/chrome 172.00




Eurostyle
Single-lever shower mixer
set for final installation for
35 501 000
without concealed body
loop metal lever
GROHE StarLight chrome finish
GROHE QuickFix covered fixation
escutcheon- and shaft-sealing
metal wall escutcheon

29 098 003 chrome 123.00
29 098 LS3 moon white/chrome 150.00









Eurostyle
Single-lever shower mixer
set for final installation for
35 501 000
without concealed body
solid metal lever
GROHE StarLight chrome finish
GROHE QuickFix covered fixation
escutcheon- and shaft-sealing
metal wall escutcheon

23 725 003 chrome 146.00



Eurostyle
Single-lever shower mixer 1/2"
wall installation
consisting of:
set for final installation
(19 507 003)
with concealed body
solid metal lever
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
metal wall escutcheon
escutcheon- and shaft-sealing
GROHE QuickFix covered fixation
optional temperature limiter ref. no. 46 308 000

GROHE EUROSTYLE

	Ref. No.	Colour	Price netto (€)
	19 506 003	chrome	146.00
	19 506 LS3	moon white/chrome	188.00
	<p>Eurostyle Single-lever bath mixer set for final installation for 35 501 000 without concealed body loop metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixation automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon</p>		
	29 099 LS3	moon white/chrome	180.00
		<p>Eurostyle Single-lever bath mixer set for final installation for 35 501 000 without concealed body solid metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixation automatic diverter: bath/shower escutcheon- and shaft-sealing</p>	
	33 637 003	chrome	149.00
		<p>Eurostyle Single-lever bath mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix covered fixation consisting of: set for final installation (19 506 003) with concealed body adjustable flow rate limiter automatic diverter: bath/shower loop metal lever escutcheon- and shaft-sealing metal wall escutcheon optional temperature limiter ref. no. 46 308 000</p>	

GROHE EUROSMART COSMOPOLITAN




GROHE EUROSMART COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



32 825 00E

chrome


111.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min

temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109



32 825 000

chrome


111.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support

mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109



23 125 000

chrome

179.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever


GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
optional temperature limiter ref. no. 46 375 000
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 4.0 l/min
GROHE QuickFix installation system
retractable chain
flexible connection hoses
optional temperature limiter
with shower set consisting of:
hand shower with integrated diverter
wall shower holder
shower hose
recommended pressure 1.0 - 5.0 bar

23 433 000

chrome

287.00

with integrated stop valve



32 824 000

chrome

105.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size


single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min

GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur
smooth body
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109


GROHE EUROSMART COSMOPOLITAN

Ref. No. Colour Price netto (€)




23 325 000 chrome 127.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000




23 327 000 chrome 121.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000




23 398 00E chrome 118.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body
flexible connection hoses



32 830 001 chrome 128.00











Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix installation system
mousseur
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter ref. no. 46 375 000











20 187 000 chrome 177.00

Eurosmart Cosmopolitan
Three-hole basin mixer 1/2"
S-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut with 10.5 mm drilling

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)	
		19 381 000	chrome	206.00
<p>Eurosmart Cosmopolitan Two-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 170 mm</p>				
		23 571 000	chrome	236.00
<p>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>				
		32 839 000	chrome	108.00
<p>Eurosmart Cosmopolitan Single-lever bidet mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter ref. no. 46 375 000 acoustic group I in accordance with DIN 4109</p>				
<p>32 840 000 chrome 102.00 ditto, with retractable chain</p>				
		32 837 000	chrome	111.00
<p>Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter ref. no. 46 308 000 protected against backflow acoustic group I in accordance with DIN 4109</p>				
		18 349 000	chrome	31.00
<p>Eurosmart Cosmopolitan Plastic tray for 32 837 000</p>				

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	32 831 000	chrome	132.00
<p>Eurosmart Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109</p>			
 	32 832 000	chrome	165.00
<p>Eurosmart Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 with shower set consisting of: Euphoria Cosmopolitan hand shower (27 367) wall shower holder (27 056) Relaxflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
 	32 847 000	chrome	240.00
<p>Eurosmart Cosmopolitan Solid basin mixer, 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower swivel tubular spout projection 400 mm S-unions</p>			
 	24 044 000	chrome	115.00
<p>Eurosmart Cosmopolitan Single-lever shower mixer set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 600 000	chrome	68.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			

GROHE EUROSMART COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

24 045 000

chrome

127.00



Eurosmart Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000

chrome


68.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

25 219 001

chrome

377.00




Eurosmart Cosmopolitan
Perfect shower set with Tempesta 210

consisting of:
Eurosmart Cosmopolitan set for final installation with automatic diverter bath /
shower (24 045)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II 9.5 l/min (27 597)
shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

32 880 000

chrome

132.00




Eurosmart Cosmopolitan
Single-lever shower mixer 1/2"
wall installation

GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
set for final installation
concealed body 33 962 000
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter

13 261 000

chrome

96.00




Eurosmart Cosmopolitan
Bath spout

wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm
min. recommended pressure 1.0 bar

13 262 000

chrome

111.00



Eurosmart Cosmopolitan
Bath spout


wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"
projection 170 mm

GROHE EUROSMART




		<p>23 788 002 chrome 78.00</p> <p>Eurosmart Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 3.8 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p> <p>33 265 002 chrome 95.00 ditto, with GROHE EcoJoy mousseur 5.7 l/min</p>
		<p>23 588 000 chrome 91.00</p> <p>Eurosmart Single-lever basin mixer with angle valves, 1/2" consisting of: Eurosmart single-lever basin mixer, 1/2" (33 265 002) single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses angle valve, 1/2" (2 x 22 037 000)</p>
		<p>23 124 002 chrome 136.00</p> <p>Eurosmart Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 4.0 l/min GROHE QuickFix rapid installation system retractable chain flexible connection hoses with shower set consisting of: hand shower with integrated diverter wall shower holder shower hose</p>
		<p>32 467 002 chrome 90.00</p> <p>Eurosmart Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>

Ref. No. Colour Price netto (€)




23 322 001 **chrome** **111.00**

Eurosmart
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 324 001 **chrome** **101.00**

Eurosmart
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses




23 537 002 **chrome** **154.00**

Eurosmart
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel tubular spout
swivel area 360°
pop-up waste set 1 1/4"
flexible connection hoses



23 743 002 **chrome** **115.00**


Eurosmart
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
swivel tubular spout
swivel area 360°
flexible connection hoses
retractable chain
GROHE QuickFix rapid installation system



23 789 002 **chrome** **78.00**


Eurosmart
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 3.8 l/min
GROHE QuickFix rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

32 929 002 **chrome** **95.00**
ditto, with **GROHE EcoJoy** mousseur 5.7 l/min




33 555 002 **chrome** **99.00**

Eurosmart
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow




33 412 002 **chrome** **125.00**

Eurosmart
Single-lever bath mixer 1/2"
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge with Eco-Override-Stop
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
flexible connection hoses
protected against backflow











33 300 002 **chrome** **120.00**

Eurosmart
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow




33 302 20A **chrome** **112.00**

Eurosmart
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
with shower set
consisting of:
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)


	Ref. No.	Colour	Price netto (€)
		24 042 002 Eurosmart Single-lever shower mixer set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set	chrome 106.00
		35 600 000 GROHE Rapido SmartBox universal rough-in box for concealed installation	chrome 68.00
		24 043 002 Eurosmart Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set	chrome 116.00
		35 600 000 GROHE Rapido SmartBox universal rough-in box for concealed installation	chrome 68.00
		19 451 002 Eurosmart Single-lever shower mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixation escutcheon- and shaft-sealing metal wall escutcheon	chrome 116.00
		19 450 002 Eurosmart Single-lever bath mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixation automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon	chrome 129.00
		19 970 002 Eurosmart 3-way diverter for use with diverter rough-in valve 29 706 000 without concealed body GROHE StarLight chrome finish	chrome 51.00

Ref. No. Colour Price netto (€)




29 706 000 **chrome** 277.00

**3-way diverter
concealed body, 1/2"**
without finishing trim set
wall installation
DR-brass
ceramic discs
connection mixed water 1/2"
2 outlets 1/2"
protection sleeve
installation depth infinitely adjustable
24-60 mm



19 972 002 **chrome** 44.00

**Eurosmart
5-way diverter**
for use with diverter rough-in valve
29 708 000
without concealed body
GROHE StarLight chrome finish




29 708 000 **chrome** 284.00

**5-way diverter
concealed body, 1/2"**
without finishing trim set
wall installation
with ceramic sealing discs
connection cold and hot 1/2"
2 outlets 1/2"
bath outlet 3/4"
protection sleeve
installation depth infinitely adjustable
24-60 mm
DR-brass


GROHE BAUEDGE





20 421 000 **chrome** **63.00**

BauEdge
Pillar tap 1/2"
XS-Size
single hole installation
metal lever
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"
min. recommended pressure 1.0 bar




23 328 000 **chrome** **80.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses


23 802 000 **chrome** **59.92**

ditto, with temperature limiter




23 330 000 **chrome** **75.00**

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar



23 757 000 **chrome** **91.00**


BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 35 mm ceramic cartridge
adjustable flow rate limiter
optional temperature limiter ref. no. 46 375 000
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 4.0 l/min
rapid installation system
retractable chain
flexible connection hoses
with shower set consisting of:
hand shower with integrated diverter
wall shower holder
shower hose
recommended pressure 1.0 - 5.0 bar



23 758 000 **chrome** **80.00**


BauEdge
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

Ref. No. Colour Price netto (€)




23 759 000 chrome 82.00

BauEdge
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge
with energy saving function via cold start
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses



23 760 000 chrome 93.00

BauEdge
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses




23 761 000 chrome 108.00

BauEdge
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses



20 474 000 chrome 297.00

BauEdge
Two-hole basin mixer
wall mounted
consisting of:
set for final installation and concealed body
metal lever
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
centre distance 110 mm
projection 166 mm




23 331 000 chrome 78.00

BauEdge
Single-lever bidet mixer 1/2"
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

		<p>23 333 000 chrome 78.00</p> <p>BauEdge Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter ref. no. 46 375 000</p>
		<p>23 334 000 chrome 98.00</p> <p>BauEdge Single-lever bath mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter ref. no. 46 375 000</p>
		<p>29 078 000 chrome 124.00</p> <p>BauEdge Single-lever shower mixer 1/2" concealed installation consisting of: set for final installation concealed body (33 964) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter escutcheon- and shaft-sealing optional temperature limiter ref. no. 46 308 000</p>
		<p>29 079 000 chrome 132.00</p> <p>BauEdge Single-lever bath mixer 1/2" concealed installation consisting of: set for final installation concealed body (32 963000) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower escutcheon- and shaft-sealing optional temperature limiter ref. no. 46 308 000</p>
		<p>13 257 000 chrome *</p> <p>BauCosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower projection 140 mm female thread 1/2" flexible connection hoses</p>


GROHE BAULOOP






20 422 000 **chrome** **61.00**

BauLoop
Pillar tap 1/2"
XS-Size
single hole installation
 metal lever
 ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 fixation nut G 1/2"
 min. recommended pressure 1.0 bar




23 335 000 **chrome** **80.00**

BauLoop
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 plastic pop-up waste set 1 1/4"
 flexible connection hoses




23 336 000 **chrome** **75.00**

BauLoop
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 retractable chain
 flexible connection hoses




23 337 000 **chrome** **73.00**

BauLoop
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar




23 762 000 **chrome** **82.00**

BauLoop
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 plastic pop-up waste set 1 1/4"
 flexible connection hoses




23 341 000 chrome 98.00

BauLoop
Single-lever bath mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter ref. no. 46 308 000





29 080 000 chrome 121.00

BauLoop
Single-lever shower mixer 1/2"
concealed installation
consisting of:
set for final installation
concealed body (33 964)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308 000



29 081 000 chrome 132.00

BauLoop
Single-lever bath mixer 1/2"
concealed installation
consisting of:
set for final installation
concealed body (32 963000)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308 000




13 257 000 chrome *

BauCosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
projection 140 mm
female thread 1/2"
flexible connection hoses


GROHE BAUFLOW






20 575 000 **chrome** 47.00

BauFlow
Pillar tap 1/2"
XS-Size
single hole installation
metal lever
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"




23 751 000 **chrome** 76.00

BauFlow
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses




23 752 000 **chrome** 63.00

BauFlow
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses



23 753 000 **chrome** 93.00











BauFlow
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses



23 754 000 **chrome** 76.00

BauFlow
Single-lever bidet mixer 1/2"
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

GROHE BAUFLOW

	Ref. No.	Colour	Price netto (€)
 	23 755 000	chrome	67.00
<p>BauFlow Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>			
 	23 756 000	chrome	81.00
<p>BauFlow Single-lever bath mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>			
 	29 112 000	chrome	112.00
<p>BauFlow Single-lever shower mixer concealed installation consisting of: set for final installation concealed body (33 964) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter escutcheon- and shaft-sealing metal wall escutcheon</p>			
 	29 113 000	chrome	124.00
<p>BauFlow Single-lever bath mixer concealed installation consisting of: set for final installation concealed body (33 963) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon</p>			
 	13 257 000	chrome	*
<p>BauCosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower projection 140 mm female thread 1/2" flexible connection hoses</p>			

GROHE SILKMOVE ES




GROHE SILKMOVE ES

Ref. No.

Colour

Price netto (€)




23 790 001

chrome

181.00

Lineare
Single-lever basin mixer 1/2"
XS-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 390 00E

chrome

183.00


Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 392 00E

chrome

178.00

ditto, smooth body




23 591 001

chrome

150.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 379 001


chrome

151.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses


GROHE SILKMOVE ES

Ref. No. Colour Price netto (€)




23 382 20E chrome 143.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFixPlus installation
 system with centering support
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar




23 385 10E chrome 113.00

Concetto
Single-lever basin mixer 1/2"
S-Size
 metal lever
single hole installation
GROHE SilkMove ES 28 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 smooth body
 flexible connection hoses



23 373 20E chrome 107.00

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 adjustable minimum flow rate
 approx. 2.5 l/min
 temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
 with centering support
 smooth body
 flexible connection hoses



23 374 003 chrome 118.00
 23 374 LS3 moon white/chrome 149.00


Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
 loop metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
 with energy saving function via cold start
 adjustable flow rate limiter
 with temperature limiter
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

GROHE SILKMOVE ES

Ref. No.

Colour

Price netto (€)



23 709 003
23 709 LS3

chrome
moon white/chrome

110.00
143.00

Eurostyle
Single-lever basin mixer 1/2"

S-Size
single hole installation

solid metal lever

GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter

with temperature limiter


GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 376 00E

chrome

83.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"

S-Size

single hole installation

metal lever

GROHE SilkMove ES 35 mm ceramic cartridge

with energy saving function via cold start

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

temperature limiter

GROHE StarLight chrome finish


GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix installation system

with centering support

smooth body

flexible connection hoses



23 398 00E

chrome

118.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"

M-Size

single hole installation

metal lever

GROHE SilkMove ES 35 mm ceramic cartridge

with energy saving function via cold start

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

temperature limiter

GROHE StarLight chrome finish


GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix installation system

with centering support

smooth body

flexible connection hoses



32 154 002

chrome

72.00

Eurosmart
Single-lever basin mixer 1/2"

S-Size

single hole installation

metal lever

GROHE SilkMove ES 35 mm ceramic cartridge

with energy saving function via cold start

adjustable flow rate limiter

with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system

smooth body


flexible connection hoses

GROHE SILKMOVE ES

Ref. No.

Colour

Price netto (€)



23 395 10E

chrome

101.00

Eurosmart
Single-lever basin mixer 1/2"
M-Size

single hole installation

metal lever

GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system

smooth body

flexible connection hoses

GROHE COSTA L




GROHE COSTA L

Ref. No.

Colour

Price netto (€)




20 393 001

chrome

66.00

Costa L
Pillar tap 1/2"
metal handle
heat-insulated
screwable
marking: blue
Longlife-headpart
swivel tubular spout with mousseur
union nut 1/2" with 10.5 mm drilling
GROHE StarLight chrome finish




21 390 001

chrome

156.00

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
cast spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish




21 375 001

chrome

111.00

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
swivel tubular spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish




21 374 001

chrome

88.00

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
swivel tubular spout with mousseur
retractable chain
flexible connection hoses
GROHE StarLight chrome finish













21 337 001

chrome

86.00

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
swivel tubular spout with mousseur
retractable chain
flexible connection hoses
GROHE StarLight chrome finish


GROHE COSTA L

	Ref. No.	Colour	Price netto (€)
 	26 330 001	chrome	88.00
<p>Costa L Shower mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart shower connection 1/2" S-unions GROHE StarLight chrome finish</p>			
 	25 450 001	chrome	125.00
<p>Costa L Bath mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart automatic diverter: bath/shower mousseur S-unions GROHE StarLight chrome finish</p>			
 	13 540 000	chrome	153.00
<p>Bath spout 3/4" wall mounted flow straightener sliding escutcheon female thread 3/4" projection 140 mm GROHE StarLight chrome finish</p>			
 	30 484 001	chrome	53.00
<p>Costa L Bibtap 1/2" wall mounted metal handle heat-insulated marking: blue GROHE StarLight finish mousseur Longlife-headparts swivel tubular spout swivel area 360° projection 200 mm</p>			
 	19 808 001	chrome	28.00
<p>Costa L Concealed valve exposed part set for final installation for 35 028 000 for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue GROHE StarLight chrome finish</p>			
	19 809 001	chrome	28.00
<p>ditto, marking red</p>			

GROHE COSTA L


Ref. No. Colour Price netto (€)

19 806 001 chrome 38.00



Costa L
Concealed valve exposed part
 set for final installation for
 35 028 000
 for GROHE concealed valves, 1/2", 3/4", 1"
 installation depth infinitely adjustable
 20 - 200 mm
 escutcheon with wall sealing
 screwable
 metal handle
 heat-insulated
 marking: blue
GROHE StarLight chrome finish

35 028 000 chrome 135.00



Rapido C
Rough-in for single volume control
 for grid installation of Grohtherm Custom Shower system
 built-in box with removable protection cover
 waterproof membrane base for wall sealing
 for masonry and drywall installation
 fixing points for front and back wall
 aramã DR
 pre-assembled ceramic headpart 3/4"
 connection threads 1/2"
 flow rate:
 55 l/min. at 3 bar
 installation depth 70 - 95 mm
 min. recommended pressure 1.0 bar

GROHE COSTA S




GROHE COSTA S

Ref. No.

Colour

Price netto (€)



20 405 001

chrome

50.00

Costa S
Pillar tap 1/2"
metal handle
heat-insulated
screwable
marking: blue
Carbodur headpart
cast spout with mousseur
union nut 1/2" x 10.5 mm
GROHE StarLight chrome finish




20 179 001

chrome

100.00

Costa S
Pillar tap
metal handle
heat-insulated
screwable
GROHE StarLight finish
ceramic headpart 1/2", 90°
flow straightener
swivel tubular spout
swivel area 360°
union nut 1/2" with 10.5 mm drilling




21 255 001

chrome

154.00

Costa S
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Carbodur headpart
cast spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish




21 257 001

chrome

139.00

Costa S
One-hole basin mixer, 1/2"
heat-insulated
metal handles
screwable
Carbodur headpart
swivel tubular spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish




21 338 001

chrome

98.00

Costa S
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Carbodur headpart
swivel tubular spout with mousseur
retractable chain
flexible connection hoses
GROHE StarLight chrome finish



26 317 001

chrome

92.00


Costa S
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
shower connection 1/2"
S-unions
GROHE StarLight chrome finish

GROHE COSTA S

Ref. No.

Colour

Price netto (€)




25 483 001

chrome

136.00

Costa S
Bath mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
automatic diverter: bath/shower
mousseur
S-unions
GROHE StarLight chrome finish



26 788 001

chrome

106.00


Costa S
50 mm extension
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
diverter
without connection unions
swivel tubular spout
centre distance 120 mm
GROHE StarLight chrome finish

GROHE UNIVERSAL TAP




GROHE UNIVERSAL TAP


Ref. No. Colour Price netto (€)




20 201 000 **chrome** **102.00**
Universal pillar tap DN15
 C-spout
 Flow rate: 6l/min at 3 bar flow pressure
 Flow-Stop mousseur
 ceramic headpart
 union nut 1/2"
 with 10.5 mm drilling
GROHE StarLight chrome finish
 projection 113 mm



20 202 000 **chrome** **114.00**
Universal pillar tap DN15
 7°-spout
 Flow rate: 6l/min at 3 bar flow pressure
 Flow-Stop mousseur
 ceramic headpart
 union nut 1/2"
 with 10.5 mm drilling
GROHE StarLight chrome finish
 projection 114 mm



20 205 000 **chrome** **91.00**
Universal wall-mounted tap DN15
 Flow rate: 6l/min at 3 bar flow pressure
 Flow-Stop mousseur
 ceramic headpart
 connection thread 1/2"
GROHE StarLight chrome finish
 projection 106 mm



20 203 000 **chrome** **92.00**
Universal wall-mounted tap DN15
 Flow rate: 6l/min at 3 bar flow pressure
 Flow-Stop mousseur
 ceramic headpart
 connection thread 1/2"
GROHE StarLight chrome finish
 projection 185 mm

GROHE TALENTOFILL



GROHE TALENTOFILL

	Ref. No.	Colour	Price netto (€)
 	19 952 000 19 952 GL0 19 952 DA0 19 952 A00	chrome cool sunrise warm sunset hard graphite	173.00 * * *
Talentofill Inlet-, pop-up and waste-system set for final installation consisting of: escutcheon, supply part, waste plug, fixing set in combination with Talentofill 28 990/28 991 GROHE StarLight chrome finish			
 	28 990 000	chrome	172.00
Talentofill Inlet-, pop-up and waste-system for normal bath tubs without finishing trim set with bottle trap and 45°-outlet-bend without anti-vacuum device installation acc. to DIN 1988 only with anti-vacuum device A2 type or Talentofill connection set (28 995)			
 	28 991 000	chrome	154.00
Talentofill Inlet-, pop-up and waste-system for body formed bath tubs without finishing trim set with bottle trap and 45°-outlet-bend without anti-vacuum device installation acc. to DIN 1988 only with anti-vacuum device A2 type or Talentofill connection set (28 995)			
 	28 993 000	chrome	56.00
Talentofill Connection set 3/4" with 1.5 m-flexible connection pipe without finishing trim set			
 	28 995 000	chrome	382.00
Talentofill Connection set 3/4" with concealed anti-vacuum device consisting of: -concealed-pipe-interrupter (A2 type, DIN 1988, part IV) - 3.5 m-flexible connection pipe (in 2 parts) without escutcheon (19 954)			
 	19 954 000	chrome	18.00
Talentofill Escutcheon for connection set 28 995 GROHE StarLight chrome finish			

GROHE TALENTOFILL

	Ref. No.	Colour	Price netto (€)
	29 007 000 Safety Combination (EN 1717) for Rapido T 35 500 000 re-fitting-set for backflow protection, for use with inlet- pop-up and waste-sets e.g.: Talentofill 28 990 000 or 28 991 000 replaces use of pipe interrupter, therefore no additional escutcheon necessary	chrome	172.00
	28 963 000 Inlet part with mousseur suitable for Talentofill 28 990/28 991 production before 03/2007	chrome	49.00
	29 009 000 Inlet part with mousseur suitable for Talentofill 28 990/28 991 production after 03/2007	chrome	50.00
 	14 055 000 Backflow protection combination (DIN-EN1717) retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers	chrome	139.00
 	19 025 000 Talento Waste and overflow set for bath tubes set for final installation escutcheon, waste plug, fixing set in combination with Talentofill 28 939/28 943 GROHE StarLight chrome finish	chrome	57.00
 	28 939 000 Talento Pop-up bath waste and overflow set for normal bath and deep shower trays with bowden cable without finishing trim set bottle trap 45° waste elbow	chrome	80.00


* price upon request

GROHE TALENTOFILL

Ref. No.

Colour

Price netto (€)



28 943 000

chrome

119.00

Talento
Pop-up bath waste and overflow
 set for special baths
 with bowden cable
 without finishing trim set
 bottle trap
 45° waste elbow












GROHE SELECTION CUBE



GROHE SELECTION CUBE


	Ref. No.	Colour	Price netto (€)
 	40 865 000	chrome	36.66
<p>Selection Cube Holder for Selection Cube glass (40 789 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000) material: metal concealed fastening GROHE StarLight chrome finish</p>			
 	40 805 000	chrome	45.83
<p>Selection Cube Soap dispenser material: glass / metal filling quantity 300 ml GROHE StarLight finish fits in the following holder: Selection Cube (40 865 000)</p>			
 	40 806 000	chrome	30.41
<p>Selection Cube Soap dish material: glass fits in the following holder: Selection Cube (40 865 000)</p>			
 	40 783 000	chrome	24.58
<p>Selection Cube Glass material: glass fits in the following holder: Selection Cube (40 865 000)</p>			
 	40 766 000	chrome	52.08
<p>Selection Cube Towel ring material: metal concealed fastening GROHE StarLight finish</p>			
 	40 768 000	chrome	145.83
<p>Selection Cube Double towel bar material: metal concealed fastening 2 arms, pivotable 400 mm GROHE StarLight finish</p>			

GROHE SELECTION CUBE

	Ref. No.	Colour	Price netto (€)
 	40 767 000 Selection Cube Towel rail material: metal 500 mm (functional length 459 mm) concealed fastening GROHE StarLight finish	chrome	95.83
 	40 804 000 Selection Cube Multi bath towel rack material: metal 600 mm (functional length 575 mm) concealed fastening GROHE StarLight finish	chrome	274.17
 	40 782 000 Selection Cube Robe hook material: metal concealed fastening GROHE StarLight finish	chrome	27.49
 	40 807 000 Selection Cube Grip bar/towel bar material: metal 600 mm (functional length 548 mm) concealed fastening GROHE StarLight finish	chrome	154.16
 	40 781 000 Selection Cube Toilet paper holder material: metal concealed fastening with cover GROHE StarLight finish	chrome	79.58
 	40 784 000 Selection Cube Reserve toilet paper holder material: metal wall mounted concealed fastening GROHE StarLight finish	chrome	36.66

GROHE SELECTION CUBE

Ref. No. Colour Price netto (€)



40 857 000 chrome 108.33

Selection Cube
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight finish

40 870 000 chrome 9.58



Spare brush head

40 868 000 chrome 32.91

Spare brush


40 867 000 chrome 41.66

Spare glass



40 809 000 chrome 108.33

Selection Cube
Large corner basket
material: metal
for corner installation
GROHE StarLight finish



40 808 000 chrome 133.33


Selection Cube
Cosmetic mirror
material: glass / metal
wall mounted
concealed fastening
magnification: x 3
GROHE StarLight finish

GROHE ESSENTIALS



GROHE ESSENTIALS

Ref. No. Colour Price netto (€)



*** SPA colours:


● BE ● GL ● DA ● A0
● EN ● GN ● DL ● AL

40 369 001	chrome	20.83
40 369 DC1	supersteel	27.08
40 369 ***	SPA colours	29.16

Essentials

Holder

material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish



*** SPA colours:


● BE ● GL ● DA ● A0
● EN ● GN ● DL ● AL

40 394 001	chrome	17.08
40 394 DC1	supersteel	22.08
40 394 ***	SPA colours	23.74

Essentials

Soap dispenser

material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish




40 368 001	chrome	5.74
------------	--------	------

Essentials

Soap dish

material: glass
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)




40 372 001	chrome	6.91
------------	--------	------

Essentials

Crystal glass

material: glass
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)















40 448 001	chrome	38.74
40 448 DC1	supersteel	49.16
40 448 EN1	brushed nickel	43.74

Essentials

Soap dispenser with holder













material: glass / metal
filling quantity 160 ml
consisting of:
holder (40 369 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS











	Ref. No.	Colour	Price netto (€)
 	40 444 001	chrome	26.66
	40 444 DC1	supersteel	37.08
	40 444 EN1	brushed nickel	42.49
	Essentials Soap dish with holder material: glass / metal consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish		
 	40 447 001	chrome	25.83
	40 447 DC1	supersteel	34.58
	Essentials Crystal glass with holder material: glass / metal consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening GROHE StarLight chrome finish		
 	40 365 001	chrome	20.83
	40 365 DC1	supersteel	29.16
	40 365 ***	SPA colours	31.24
	Essentials Towel ring material: metal concealed fastening GROHE StarLight chrome finish		
*** SPA colours: ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
 	40 371 001	chrome	37.08
	40 371 DC1	supersteel	51.66
	40 371 ***	SPA colours	55.41
	Essentials Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE StarLight chrome finish		
*** SPA colours: ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
 	40 688 001	chrome	30.41
	40 688 DC1	supersteel	39.16
	40 688 ***	SPA colours	45.41
	Essentials Towel rail material: metal 504 mm (functional length 450 mm) concealed fastening GROHE StarLight chrome finish		
*** SPA colours: ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
 	40 366 001	chrome	32.91
	40 366 DC1	supersteel	42.91
	40 366 ***	SPA colours	49.58
	Essentials Towel rail material: metal 654 mm (functional length 600 mm) concealed fastening GROHE StarLight chrome finish		
*** SPA colours: ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			

* price upon request

GROHE ESSENTIALS


	Ref. No.	Colour	Price netto (€)
	40 386 001	chrome	41.66
	40 386 DC1	supersteel	58.33
	40 386 ***	SPA colours	62.49
	Essentials Towel rail material: metal 854 mm (functional length 800 mm) concealed fastening GROHE StarLight chrome finish		
*** SPA colours: ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
	40 802 001	chrome	56.66
	40 802 DC1	supersteel	79.58
	40 802 ***	SPA colours	83.33
	Essentials Double towel rail material: metal 654 mm (functional length 600 mm) concealed fastening GROHE StarLight chrome finish		
*** SPA colours: ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
	40 800 001	chrome	112.49
	40 800 DC1	supersteel	154.16
	40 800 ***	SPA colours	166.66
	Essentials Multi bath towel rack material: metal 604 mm (functional length 550 mm) concealed fastening GROHE StarLight chrome finish		
*** SPA colours: ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
	40 364 001	chrome	11.24
	40 364 DC1	supersteel	15.83
	40 364 ***	SPA colours	17.08
	Essentials Robe hook material: metal concealed fastening GROHE StarLight chrome finish		
*** SPA colours: ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
	40 421 001	chrome	32.91
	40 421 DC1	supersteel	46.24
	40 421 ***	SPA colours	49.58
	Essentials Grip bar material: metal 349 mm (functional length 295 mm) concealed fastening GROHE StarLight chrome finish		
*** SPA colours: ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL			
	40 793 001	chrome	47.08
	40 793 DC1	supersteel	61.66
	Essentials Grip bar material: metal 507 mm (functional length 450 mm) concealed fastening GROHE StarLight chrome finish		

GROHE ESSENTIALS

	Ref. No.	Colour	Price netto (€)
	40 794 001	chrome	56.66
	40 794 DC1	supersteel	79.58
	<p>Essentials Grip bar material: metal 657 mm (functional length 600 mm) concealed fastening GROHE StarLight chrome finish</p>		
	40 797 001	chrome	145.83
	<p>Essentials Grip bar material: metal 737 x 997 mm (functional length 680 x 940 mm) concealed fastening GROHE StarLight chrome finish</p>		
	40 799 001	chrome	37.91
	40 799 DC1	supersteel	52.91
	<p>Essentials Glass shelf material: glass / metal 530 mm (functional length 380 mm) concealed fastening GROHE StarLight chrome finish</p>		
	40 689 001	chrome	24.58
	40 689 DC1	supersteel	34.58
	40 689 ***	SPA colours	37.08
	<p>Essentials Toilet paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish</p>		
<p>*** SPA colours:</p> <ul style="list-style-type: none"> <li style="margin-right: 10px;">● BE <li style="margin-right: 10px;">● GL <li style="margin-right: 10px;">● DA <li style="margin-right: 10px;">● A0 <li style="margin-right: 10px;">● EN <li style="margin-right: 10px;">● GN <li style="margin-right: 10px;">● DL ● AL 			
	40 367 001	chrome	27.49
	40 367 DC1	supersteel	35.83
	40 367 ***	SPA colours	38.33
	<p>Essentials Toilet paper holder material: metal with cover concealed fastening GROHE StarLight chrome finish</p>		
<p>*** SPA colours:</p> <ul style="list-style-type: none"> <li style="margin-right: 10px;">● BE <li style="margin-right: 10px;">● GL <li style="margin-right: 10px;">● DA <li style="margin-right: 10px;">● A0 <li style="margin-right: 10px;">● EN <li style="margin-right: 10px;">● GN <li style="margin-right: 10px;">● DL ● AL 			

GROHE ESSENTIALS


Ref. No. Colour Price netto (€)



40 385 001	chrome	20.83
40 385 DC1	supersteel	29.16
40 385 ***	SPA colours	29.16

Essentials
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

*** SPA colours:




40 374 001	chrome	34.16
40 374 DC1	supersteel	47.49
40 374 ***	SPA colours	51.24

Essentials
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 791 001	white	5.16
40 791 KS1	velvet black	5.16


40 392 000	chrome	25.00
40 393 000	daVinci satin white	20.00

*** SPA colours:




40 407 001	chrome	65.41
40 407 DC1	supersteel	83.33

Essentials
City restroom accessories set 3-in-1
material: glass / metal
consisting of:
toilet brush set (40 374 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish



40 775 001	chrome	64.58
40 775 DC1	supersteel	91.66

Essentials
Guest bathroom accessories set 3-in-1
material: metal
consisting of:
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish







40 776 001	chrome	83.33
40 776 DC1	supersteel	116.66

Essentials
Master bathroom accessories set 4-in-1
material: metal
consisting of:
towel ring (40 365 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
towel rail, 600 mm (40 366 001)
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS

Ref. No. Colour Price netto (€)



		<p>40 846 001</p> <p>Essentials Master bathroom accessories set 4-in-1 material: metal consisting of: soap dispenser with holder (40 448 001) crystal glass with holder (40 447 001) double towel bar (40 371 001) robe hook (40 364 001) concealed fastening GROHE StarLight finish</p>	<p>chrome</p> <p>99.99</p>	
		<p>40 344 001 40 344 DC1</p> <p>Essentials Master bathroom accessories set 5-in-1 material: glass / metal consisting of: towel ring (40 365 001) towel rail, 600 mm (40 366 001) robe hook (40 364 001) paper holder with cover (40 367 001) soap dish with holder (40 444 001) concealed fastening GROHE StarLight chrome finish</p>	<p>chrome supersteel</p> <p>104.16 145.83</p>	

GROHE ESSENTIALS CUBE




GROHE ESSENTIALS CUBE

Ref. No. Colour Price netto (€)




40 508 001 **chrome** **27.49**

Essentials Cube Holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish




40 394 001 **chrome** **17.08**

Essentials Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish




40 368 001 **chrome** **5.74**

Essentials Soap dish
material: glass
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)




40 372 001 **chrome** **6.91**

Essentials Crystal glass
material: glass
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 756 001 **chrome** **44.58**













Essentials Cube Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
consisting of:
holder (40 508 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish













40 755 001 **chrome** **32.91**

Essentials Cube Crystal glass with holder
material: glass / metal
consisting of:
holder (40 508 001)
crystal glass (40 372 001)
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS CUBE



	Ref. No.	Colour	Price netto (€)
 	40 754 001	chrome	33.33
<p>Essentials Cube Soap dish with holder material: glass / metal consisting of: holder (40 508 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish</p>			
 	40 510 001	chrome	37.91
<p>Essentials Cube Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>			
 	40 624 001	chrome	52.91
<p>Essentials Cube Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE StarLight chrome finish</p>			
 	40 509 001	chrome	42.08
<p>Essentials Cube Towel rail material: metal 600 mm (functional length 558 mm) concealed fastening GROHE StarLight chrome finish</p>			
 	40 512 001	chrome	137.49
<p>Essentials Cube Multi-towel rack material: metal 600 mm (functional length 558 mm) concealed fastening GROHE StarLight chrome finish</p>			
 	40 511 001	chrome	15.83
<p>Essentials Cube Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>			

GROHE ESSENTIALS CUBE

	Ref. No.	Colour	Price netto (€)
 	40 514 001 Essentials Cube Grip bar material: metal 392 mm (functional length 340 mm) concealed fastening GROHE StarLight chrome finish	chrome	56.66
 	40 507 001 Essentials Cube Toilet paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish	chrome	31.66
 	40 623 001 Essentials Cube Spare toilet paper holder material: metal concealed fastening GROHE StarLight chrome finish	chrome	26.66
 	40 513 001 Essentials Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish 40 791 001 40 791 KS1 Spare brush head 40 392 000 Spare brush 40 393 000 Spare glass	chrome white velvet black	54.99 5.16 5.16 25.00 20.00
 	40 757 001 Essentials Cube City restroom accessories set 3-in-1 material: glass / metal consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening GROHE StarLight chrome finish	chrome	91.66



GROHE ESSENTIALS CUBE

Ref. No. Colour Price netto (€)




40 777 001 **chrome** **80.83**

Essentials Cube
Guest bathroom accessories set 3-in-1
 material: metal
 consisting of:
 robe hook (40 511 001)
 toilet paper holder (40 507 001)
 towel rail, 558 mm (40 509 001)
 concealed fastening
GROHE StarLight chrome finish





40 778 001 **chrome** **116.66**

Essentials Cube
Master bathroom accessories set 4-in-1
 material: metal
 consisting of:
 robe hook (40 511 001)
 towel ring (40 510 001)
 toilet paper holder (40 507 001)
 towel rail, 558 mm (40 509 001)
 concealed fastening
GROHE StarLight chrome finish



40 847 001 **chrome** **133.33**

Essentials Cube
Bathroom accessories set 4-in-1
 material: glass / metal
 consisting of:
 soap dispenser with holder (40 756 001)
 crystal glass with holder (40 755 001)
 double towel bar (40 624 001)
 robe hook (40 511 001)
 concealed fastening
GROHE StarLight finish



40 758 001 **chrome** **141.66**

Essentials Cube
Master bathroom accessories set 5-in-1
 material: glass / metal
 consisting of:
 soap dish with holder (40 754 001)
 towel rail, 558 mm (40 509 001)
 toilet paper holder (40 507 001)
 robe hook (40 511 001)
 towel ring (40 510 001)
 concealed fastening
GROHE StarLight chrome finish











GROHE BAUCOSMOPOLITAN



GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	40 585 001 BauCosmopolitan Holder material: metal for crystal glass (40 372 001), soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish	chrome	16.24
 	40 394 001 Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish	chrome	17.08
 	40 368 001 Essentials Soap dish material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)	chrome	5.74
 	40 372 001 Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)	chrome	6.91
 	40 460 001 BauCosmopolitan Towel ring material: metal concealed fastening GROHE StarLight chrome finish	chrome	16.24
 	40 459 001 BauCosmopolitan Towel rail material: metal 522 mm (functional length 430 mm) concealed fastening GROHE StarLight chrome finish	chrome	23.74

GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	40 462 001 BauCosmopolitan Multi-towel rack material: metal 564 mm (functional length 510 mm) concealed fastening GROHE StarLight chrome finish	chrome	87.49
 	40 461 001 BauCosmopolitan Robe hook material: metal concealed fastening GROHE StarLight chrome finish	chrome	9.99
 	40 457 001 BauCosmopolitan Paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish	chrome	20.41
 	40 463 001 BauCosmopolitan Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish	chrome	26.66
	40 791 001 40 791 KS1 Spare brush head	white velvet black	5.16 5.16
	40 392 000 Spare brush	chrome	25.00
	40 393 000 Spare glass	daVinci satin white	20.00
 	40 663 001 BauCosmopolitan Large corner basket	chrome	46.24

GROHE BAUCOSMOPOLITAN

Ref. No.

Colour


Price netto (€)

40 664 001

chrome

37.08

BauCosmopolitan
Filling basket, small









GROHE ESSENTIALS AUTHENTIC



GROHE ESSENTIALS AUTHENTIC

	Ref. No.	Colour	Price netto (€)
 	40 652 001 40 652 EN1	chrome brushed nickel	20.83 29.16
Essentials Authentic Holder material: metal for crystal glass (40 372 001), soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish			
 	40 394 001	chrome	17.08
Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish			
 	40 368 001	chrome	5.74
Essentials Soap dish material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 372 001	chrome	6.91
Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 655 001 40 655 EN1	chrome brushed nickel	20.83 29.16
Essentials Authentic Towel ring material: metal concealed fastening GROHE StarLight chrome finish			
 	40 653 001 40 653 EN1	chrome brushed nickel	32.91 52.91
Essentials Authentic Towel rail material: metal 626 mm (functional length 582 mm) concealed fastening GROHE StarLight chrome finish			

GROHE ESSENTIALS AUTHENTIC



		Ref. No.	Colour	Price netto (€)
		40 654 001 40 654 EN1	chrome brushed nickel	56.66 79.58
<p>Essentials Authentic Double towel rail material: metal 626 mm (functional length 582 mm) concealed fastening GROHE StarLight chrome finish</p>				
		40 660 001 40 660 EN1	chrome brushed nickel	112.49 154.16
<p>Essentials Authentic Multi-towel rack material: metal 586 mm (functional length 542 mm) concealed fastening GROHE StarLight chrome finish</p>				
		40 656 001 40 656 EN1	chrome brushed nickel	11.24 18.33
<p>Essentials Authentic Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>				
		40 657 001 40 657 EN1	chrome brushed nickel	24.58 39.16
<p>Essentials Authentic Toilet paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish</p>				
		40 658 001 40 658 EN1	chrome brushed nickel	34.16 47.49
<p>Essentials Authentic Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish</p>				
		40 791 001 40 791 KS1	white velvet black	5.16 5.16
<p>Spare brush head</p>				
		40 392 000	chrome	25.00
<p>Spare brush</p>				
		40 393 000	daVinci satin white	20.00
<p>Spare glass</p>				

GROHE ESSENTIALS AUTHENTIC

Ref. No.

Colour

Price netto (€)



40 659 001
40 659 EN1

chrome
brushed nickel

37.08
48.33

Essentials Authentic
Filling basket, small
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHTHERM THERMOSTATS





CONTENTS

Grohtherm SmartControl	235
Grohtherm 2 handle trim sets	245
Grohtherm 3000 Cosmopolitan	253
Grohtherm 2000	257
Grohtherm Cube	261
Grohtherm 1000 Cosmopolitan M	265
Grohtherm 1000	269
Grohtherm 800	273

SAFETY NOTE

Avoiding scalding

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.




Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.

GROHE GROHTHERM SMARTCONTROL

THERMOSTATS




GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	Price netto (€)
	29 123 000	chrome	435.00
	<p>Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valves and dirt strainers without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>		
	35 600 000	chrome	68.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			
	29 124 000	chrome	475.00
	<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valves and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min outlet B+C = 29 l/min</p>		
	35 600 000	chrome	68.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			
	29 125 000	chrome	565.00
	<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves and integrated shower holder set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valves and dirt strainers multiple outlets can be run simultaneously integrated shower union with shower outlet 1/2" without roughing-in-set flow performance: outlet B = 24 l/min hand shower = 12 l/min</p>		
	35 600 000	chrome	68.00
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			

GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)


29 126 000 chrome 513.00



Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


29 127 000 chrome 313.00



Grotherm SmartControl
Triple volume control trim
 set for final installation for
 GROHE Rapido SmartBox 35 600 000/35 601 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
 10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet D = 28 l/min
 outlet E = 28 l/min
 outlet A = 28 l/min
 outlet D+E+A = 65 l/min
 optional flow reducer for CALGreen compliance included

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

29 153 LS0 moon white 561.00



Grotherm SmartControl
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 cover plate in moon white acrylic glass
 without roughing-in-set
 flow performance:
 outlet A (to external shut-off) = 34 l/min
 outlet B/C = 29 l/min

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM SMARTCONTROL

Ref. No.


Colour

Price netto (€)

29 156 LS0

moon white

600.00



Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min

35 600 000

chrome


68.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 157 LS0

moon white

638.00



Grotherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for
GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min

outlet A + B + C = 36 l/min

35 600 000

chrome


68.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 158 LS0

moon white

396.00



Grotherm SmartControl

Triple volume control trim

set for final installation for
GROHE Rapido SmartBox 35 600 000/35 601 000

metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

10 mm thin profile escutcheon

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min

optional flow reducer for CALGreen compliance included

35 600 000


chrome

68.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM SMARTCONTROL


Ref. No.	Colour	Price netto (€)
29 118 000	chrome	432.00
29 118 DC0	supersteel	586.00
29 118 AL0	brushed hard graphite	586.00



Grotherm SmartControl
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 without roughing-in-set
 flow performance:
 outlet A (to external shut-off) = 34 l/min
 outlet B/C = 29 l/min

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		


29 119 000	chrome	475.00
29 119 DC0	supersteel	638.00
29 119 AL0	brushed hard graphite	729.00



Grotherm SmartControl
Thermostat for concealed installation with 2 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 outlet C = 26 l/min
 outlet B+C = 29 l/min

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 120 000	chrome	565.00
29 120 DC0	supersteel	710.00
29 120 AL0	brushed hard graphite	874.00




Grotherm SmartControl
**Thermostat for concealed installation
 with 2 valves and integrated shower holder**
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2"
 without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min

35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)

29 121 000	chrome	513.00
29 121 DC0	supersteel	690.00
29 121 AL0	brushed hard graphite	788.00



Grotherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for

GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix**

(covered escutcheon and shaft sealing, covered

fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow, exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min


outlet A + B = 33 l/min

outlet A + B + C = 36 l/min

35 600 000	chrome	68.00
------------	--------	-------

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 122 000	chrome	301.00
29 122 DC0	supersteel	391.00
29 122 EN0	brushed nickel	421.00
29 122 AL0	brushed hard graphite	481.00



Grotherm SmartControl

Triple volume control trim

set for final installation for

GROHE Rapido SmartBox 35 600 000/35 601 000

metal wall escutcheon with **GROHE QuickFix**

(covered escutcheon and shaft sealing, covered

fixing), retroactively 6° adjustable

10 mm thin profile escutcheon

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow, exchangeable symbols

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min

35 600 000	chrome	68.00
------------	--------	-------

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 150 LS0	moon white	562.00
------------	------------	--------

Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix**

(covered escutcheon and shaft sealing, covered

fixing), retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

cover plate in moon white acrylic glass

without roughing-in-set


flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min

35 600 000	chrome	68.00
------------	--------	-------


GROHE Rapido SmartBox universal rough-in box for concealed installation



GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)


29 151 LS0 moon white 601.00



Grotherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


29 904 LS0 moon white 639.00



Grotherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

29 152 LS0 moon white 396.00



Grotherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000/35 601 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow, exchangeable symbols
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation


GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	Price netto (€)
	34 742 000	chrome	1,070.00
<p>Grotherm SmartControl Perfect shower set consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grotherm SmartControl set for final installation (29 125 000) GROHE Rapido SmartBox 35 600 000 Rainshower F-Series 10" head shower set (26 070 000) including horizontal shower arm 286 mm Hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1 250 mm (28 362)</p>			
	34 706 000	chrome	1,250.00
<p>Grotherm SmartControl Perfect shower set with Rainshower 310 SmartActive Cube consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 SmartActive Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Silverflex shower hose 1.500 mm (28 364)</p>			
	34 743 000	chrome	1,000.00
<p>Grotherm SmartControl Perfect shower set consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grotherm SmartControl set for final installation (29 120 000) GROHE Rapido SmartBox 35 600 000 Rainshower Cosmopolitan 210 head shower set (26 062 000) including horizontal shower arm 286 mm Hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1 250 mm (28 362)</p>			
	34 744 000	chrome	843.00
<p>Grotherm SmartControl Perfect shower set consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grotherm SmartControl set for final installation (29 120 000) GROHE Rapido SmartBox 35 600 000 Euphoria 260 head shower set 3 sprays (26 458 000) including horizontal shower arm 380 mm hand shower Euphoria Cosmopolitan Stick (27 400 000) Silverflex shower hose 1 250 mm (28 362)</p>			
	34 705 000	chrome	1,260.00
<p>Grotherm SmartControl Perfect shower set with Rainshower 310 SmartActive consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>			

GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)


34 713 000 chrome 729.00



Grotherm SmartControl
Combi thermostatic shower mixer with 3 valves, exposed/concealed
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols
GROHE EasyReach shower tray shower bottom outlet 1/2" multiple outlets can be run simultaneously protected against backflow

requires concealed body 26 449 000 – to be ordered separately


34 714 000 chrome 694.00



Grotherm SmartControl
Combi thermostatic shower mixer with 2 valves, exposed/concealed
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE EasyReach shower tray shower bottom outlet 1/2" multiple outlets can be run simultaneously protected against backflow


requires concealed body 26 449 000 – to be ordered separately

26 449 000 chrome 121.00



Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device

34 719 000 chrome 261.00




Grotherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated **GROHE EasyReach** shower tray shower bottom outlet 1/2" built-in non return valves and dirt strainers protected against backflow

GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour

Price netto (€)



34 718 000

chrome

321.44

Grotherm SmartControl
Thermostatic bath mixer 1/2"
wall mounted

GROHE CoolTouch no risk of scalding

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge
with wax thermostatic element

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow


integrated **GROHE EasyReach** shower tray

shower bottom outlet 1/2"

bath spout with mousseur

built-in non return valves and dirt strainers

protected against backflow



34 721 000

chrome


339.00

Grotherm SmartControl
Thermostatic shower mixer 1/2" with shower set

consisting of:

Grotherm SmartControl thermostatic shower mixer (34 719 000)

Euphoria 110 Massage shower set, 900 mm (27 226 001)



34 720 000

chrome

395.00

Grotherm SmartControl
Thermostatic shower mixer 1/2" with shower set

consisting of:

Grotherm SmartControl thermostatic shower mixer (34 719 000)

Euphoria 110 Massage shower set,
600 mm (27 231)

GROHE GROHTHERM 2 HANDLE TRIM SETS

THERMOSTATS



GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.



Colour

Price netto (€)

24 078 000

chrome

313.00



Grotherm

Thermostatic mixer for 1 outlet with shut off valve

set for final installation for
GROHE Rapido SmartBox 35 600 000

GROHE TurboStat compact cartridge
with wax thermostatic element

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valves and dirt strainers

ceramic stop valve, 120°

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set

35 600 000

chrome



68.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 079 000

chrome

349.00



Grotherm

Thermostatic shower mixer for 2 outlets

with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000

GROHE TurboStat compact cartridge
with wax thermostatic element

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set

35 600 000

chrome



68.00

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 080 000

chrome

349.00



Grotherm

Thermostatic bath tub mixer for 2 outlets

with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000

GROHE TurboStat compact cartridge
with wax thermostatic element

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed shower and bath symbol

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set

35 600 000

chrome

68.00

GROHE Rapido SmartBox universal rough-in box for concealed installation



GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.

Colour

Price netto (€)

THERMOSTATS



34 728 000

chrome


533.00

Grotherm

Perfect shower set with Tempesta 210

consisting of:

Grotherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection
and shower hose to be ordered separately



34 729 000

chrome


588.00

Grotherm

Perfect shower set with Tempesta 210

consisting of:

Grotherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II 9.5 l/min (27 597)
shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)



34 730 000

chrome


1,080.00

Grotherm

Perfect shower set with Rainshower Cosmopolitan 310

consisting of:

Grotherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
Rainshower shower arm 422 mm (26 145 000)
hand shower Sena (28 034 000)
Rainshower wall holder (27 075 000)
Rainshower wall elbow connection (27 076 000)
Silverflex shower hose 1 250 mm (28 362)



34 734 000

chrome

812.00

Grotherm

Perfect shower set with Rainshower Cosmopolitan 210


consisting of:

Grotherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
shower arm Rainshower 422 mm (26 146 000)
Euphoria hand shower (27 265)
shower outlet elbow (28 628 000)
Silverflex shower hose 1 250 mm (28 362)

GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No. Colour Price netto (€)

24 075 000 chrome 313.00




Grotherm
Thermostatic mixer for 1 outlet with shut off valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valves and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 076 000 chrome 349.00




Grotherm
Thermostatic shower mixer for 2 outlets
with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 077 000 chrome 349.00



Grotherm
Thermostatic bath tub mixer for 2 outlets
with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation











GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.

Colour

Price netto (€)







THERMOSTATS

		<p>34 726 000</p> <p>Grotherm Perfect shower set with Tempesta 210 consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</p>	<p>chrome</p> <p>533.00</p>
		<p>34 727 000</p> <p>Grotherm Perfect shower set with Tempesta 210 consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II 9.5 l/min (27 597) shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p>	<p>chrome</p> <p>588.00</p>
		<p>34 731 000</p> <p>Grotherm Perfect shower set with Rainshower Cosmopolitan 310 consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) metal head shower Rainshower Cosmopolitan 310 (27 477 000) shower arm Rainshower 422 mm (26 146 000) hand shower Sena (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1 250 mm (28 362)</p>	<p>chrome</p> <p>1,080.00</p>
		<p>34 732 000</p> <p>Grotherm Perfect shower set with Rainshower Cosmopolitan 210 consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Cosmopolitan 210 metal head shower (28 373) Rainshower shower arm 286 mm (28 576) hand shower Sena (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1 250 mm (28 362)</p>	<p>chrome</p> <p>946.00</p>
		<p>34 735 000</p> <p>Grotherm Perfect shower set with Rainshower Cosmopolitan 160 consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Cosmopolitan head shower 160mm (27 134) Rainshower shower arm 286 mm (28 576) Euphoria hand shower (27 265) shower outlet elbow (28 628 000) Silverflex shower hose 1 250 mm (28 362)</p>	<p>chrome</p> <p>628.00</p>

* price upon request

249

GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	Price netto (€)
 	24 153 000	chrome	406.00
	<p>Grotherm Cube Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valves and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>		
 	24 154 000	chrome	453.00
	<p>Grotherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>		
 	24 155 000	chrome	453.00
	<p>Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed shower and bath symbol GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>		
	35 600 000	chrome	68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation			


GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.

Colour

Price netto (€)

THERMOSTATS



34 741 000

chrome

1,070.00

Grotherm Cube

Perfect shower set with Rainshower Allure 230

consisting of:

Grotherm Cube set for final installation with Aquadimmer (24 154)

GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)

Rainshower Allure 230 metal head shower (27 479)


Rainshower shower arm (27 709)

hand shower Euphoria Cube (27 699 000) 9,5 l/min.

shower outlet elbow (26 370)

Silverflex shower hose 1 250 mm (28 362)

GROHE GROHTHERM 3000 COSMOPOLITAN



GROHE GROHTHERM 3000 COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

34 274 000

chrome

459.00




Grotherm 3000 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carborundum ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EcoJoy technology for less water and perfect flow

34 276 000

chrome

514.00




Grotherm 3000 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
Aquadimmer with multiple function
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EcoJoy technology for less water and perfect flow

34 277 000

chrome

430.00




Grotherm 3000 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted

GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
Aquadimmer with multiple function
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
without connection unions
GROHE EcoJoy technology for less water and perfect flow
min. recommended pressure 1.0 bar

19 470 000

chrome

67.00




Grotherm 3000 Cosmopolitan
Concealed valve exposed part
set for final installation for 35 028 000

GROHE StarLight chrome finish
for GROHE concealed valves, 1/2", 3/4", 1"
installation depth infinitely adjustable
20-80 mm
metal escutcheon with wall sealing
shut-off handle


GROHE GROHTHERM 3000 COSMOPOLITAN

Ref. No. Colour Price netto (€)




35 028 000 **chrome** **135.00**

Rapido C
Rough-in for single volume control
 for grid installation of Grohtherm Custom Shower system
 built-in box with removable protection cover
 waterproof membrane base for wall sealing
 for masonry and drywall installation
 fixing points for front and back wall
 aramã DR
 pre-assembled ceramic headpart 3/4"
 connection threads 1/2"
 flow rate:
 55 l/min. at 3 bar
 installation depth 70 - 95 mm
 min. recommended pressure 1.0 bar




29 811 000 **chrome** **27.00**

Concealed valve 1/2"
 preassembled ceramic headpart 1/2"
 180°
 threaded union 1/2"
 installation depth adjustable
 25 - 80 mm
 DR-brass



29 813 000 **chrome** **35.00**

Concealed valve 3/4"
 pre-assembled ceramic headpart 3/4"
 90°
 threaded union 3/4"
 installation depth adjustable
 25 - 80 mm
 DR-brass
 min. recommended pressure 1.0 bar




29 800 000 **chrome** **26.00**

Concealed stop-valve, 1/2"
 pre-assembled headpart 1/2"
 short spindle, protection sleeve
 threaded union 1/2", DR-brass

29 802 000 **chrome** **46.00**
 ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"

29 805 000 **chrome** **65.00**
 ditto, 1", pre-assembled headpart 1", thread union 1"



29 801 000 **chrome** **25.00**

Concealed stop-valve, 1/2"
 pre-assembled headpart 1/2"
 short spindle, protection sleeve
 soldered connection Ø15 mm
 DR-brass

29 803 000 **chrome** **39.00**
 ditto, soldered connection Ø 18 mm

29 804 000 **chrome** **38.00**
 ditto, soldered connection Ø 22 mm



47 175 000 **chrome** **101.00**

GROHE TurboStat cartridge 1/2"
 for reversed inlets (hot water right)
 fits Grohtherm 800, Grohtherm 1000, Grohtherm 1000 Cosmopolitan, Grohtherm 2000, Grohtherm Cube and Grohtherm 3000 exposed thermostats
 service solution, does not comply with EN1111
 Note: CoolTouch-function is omitted after being installed in exposed fittings


GROHE GROHTHERM 2000



GROHE GROHTHERM 2000


Ref. No. Colour Price netto (€)

34 469 001 chrome 333.00




Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
temperature scale handle with
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
GROHE TurboStat compact cartridge
with wax thermoelement
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
removable for easy cleaning
chrome
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

34 169 001 chrome 296.00



Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow

34 464 001 chrome 398.00




Grohtherm 2000
Thermostatic bath mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated Economy button
(with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
removable for easy cleaning
chrome
GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM 2000


Ref. No. Colour Price netto (€)

34 174 001 chrome 360.00




Grohtherm 2000
Thermostatic bath mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated Economy button (with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow

34 176 001 chrome 527.00



Grohtherm 2000
Thermostatic bath mixer 1/2"
pillar installation
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- flow control
- diverter: bath/shower
- integrated Economy button (with economy stop for shower)
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
pillar unions with covered fixing
GROHE EcoJoy technology for less water and perfect flow

34 482 001 chrome 507.00



Grohtherm 2000
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 2000 thermostat shower mixer (34 169)
Power&Soul Cosmopolitan 130 shower set (27 734)

GROHE GROHTHERM 2000

Ref. No.


Colour

Price netto (€)

34 281 001

chrome

481.00




Grohtherm 2000
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 2000 thermostat shower mixer (34 169)
Power&Soul Cosmopolitan shower set 130/
600 mm rail (27 731)
min. recommended pressure 1.0 bar

34 195 001

chrome

360.00




Grohtherm 2000
Thermostatic shower mixer 1/2" with shower set
consisting of:
Grohtherm 2000 thermostat shower mixer (34 169)
Euphoria 110 Massage shower set,
600 mm (27 231)
min. recommended pressure 1.0 bar

18 608 001

chrome

44.00



Grohtherm 2000
GROHE EasyReach shower tray
metal tray
removable for easy cleaning
GROHE StarLight chrome finish
suitable for Grohtherm 2000
- exposed thermostatic shower mixer
with centre distance 150 mm
- exposed thermostatic bath mixer
with centre distance 150 mm

47 175 000

chrome

101.00



GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 1000, Grohtherm 1000 Cosmopolitan, Grohtherm
2000, Grohtherm Cube and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings

GROHE GROHTHERM CUBE

THERMOSTATS



GROHE GROHTHERM CUBE

Ref. No.


Colour

Price netto (€)

34 491 000

chrome

394.00



Grotherm Cube

Thermostatic shower mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

covered S-unions

GROHE EasyReach shower tray (18 700 000)

removable for easy cleaning

da Vinci satin white finish


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 488 000

chrome

356.00



Grotherm Cube

Thermostatic shower mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

covered S-unions


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 502 000

chrome

489.00



Grotherm Cube

Thermostatic bath mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

GROHE AquaDimmer Eco with multiple function:

- integrated GROHE EcoButton

(economy button with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

flow straightener

built-in non return valves

dirt strainers

protected against backflow

covered S-unions

GROHE EasyReach shower tray (18 700 000)

removable for easy cleaning


da Vinci satin white finish

GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM CUBE


Ref. No. Colour Price netto (€)

34 497 000 chrome 467.00




Grohtherm Cube
Thermostatic bath mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated GROHE EcoButton
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
 GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

18 700 000 daVinci satin white 40.00



Grohtherm Cube
GROHE EasyReach tray
 for Grohtherm Cube
 removable for easy cleaning
 da Vinci satin white finish
 - exposed thermostatic shower mixer
 with centre distance 150 mm
 - exposed thermostatic bath mixer
 with centre distance 150 mm


24 153 000 chrome 406.00



Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
 without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 154 000 chrome 453.00




Grohtherm Cube
**Thermostatic shower mixer for 2 outlets
 with integrated shut off/diverter valve**
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
 without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM CUBE

Ref. No. Colour Price netto (€)

24 155 000 chrome 453.00




Grotherm Cube
Thermostatic bath tub mixer for 2 outlets
with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix** (covered
escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

34 741 000 chrome 1,070.00



Grotherm Cube
Perfect shower set with Rainshower Allure 230

consisting of:
Grotherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9,5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1 250 mm (28 362)

47 175 000 chrome 101.00



GROHE TurboStat cartridge 1/2"

for reversed inlets (hot water right)
fits Grotherm 800, Grotherm 1000, Grotherm 1000 Cosmopolitan, Grotherm
2000, Grotherm Cube and Grotherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings

GROHE GROHTHERM 1000 COSMOPOLITAN M




GROHE GROHTHERM 1000 COSMOPOLITAN M

Ref. No.

Colour

Price netto (€)

34 065 002	chrome	262.00
34 065 DC2	supersteel	312.00
34 065 ***	SPA colours	335.00



Grohtherm 1000 Cosmopolitan M
Thermostatic shower mixer 1/2"
wall mounted

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

*** SPA colours:

● BE	● GL	● DA	● A0
● EN	● GN	● DL	● AL

34 215 002	chrome	307.00
------------	--------	--------



Grohtherm 1000 Cosmopolitan M
Thermostatic bath mixer 1/2"
wall mounted

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

automatic diverter: bath/shower

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

mousseur

built-in non return valves

dirt strainers

protected against backflow


S-unions

metal escutcheon

min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 286 002	chrome	338.00
------------	--------	--------



Grohtherm 1000 Cosmopolitan M
Thermostatic shower mixer 1/2" with shower set

consisting of:

Grohtherm 1000 Cosmopolitan M thermostatic shower mixer 1/2"

(34 065 002)

Euphoria 110 Massage shower set,

600 mm (27 231)



min. recommended pressure 1.0 bar

GROHE GROHTHERM 1000 COSMOPOLITAN M

Ref. No.

Colour

Price netto (€)



34 321 002

chrome

341.00

Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" with shower set

consisting of:

Grotherm 1000 Cosmopolitan M thermostatic shower mixer 1/2"
(34 065 002)

Euphoria 110 Massage shower set, 900 mm (27 226 001)

min. recommended pressure 1.0 bar

47 175 000

chrome

101.00



GROHE TurboStat cartridge 1/2"

for reversed inlets (hot water right)

fits Grotherm 800, Grotherm 1000, Grotherm 1000 Cosmopolitan, Grotherm
2000, Grotherm Cube and Grotherm 3000 exposed thermostats
service solution, does not comply with EN1111

Note: CoolTouch-function is omitted after
being installed in exposed fittings

GROHE GROHTHERM 1000

THERMOSTATS



GROHE GROHTHERM 1000

Ref. No.


Colour

Price netto (€)

34 143 003

chrome

232.00



Grotherm 1000

Thermostatic shower mixer 1/2"

wall mounted

GROHE CoolTouch safety housing

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 155 003

chrome

294.00



Grotherm 1000

Thermostatic bath mixer 1/2"

wall mounted

GROHE CoolTouch safety housing

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

GROHE AquaDimmer Eco with multiple function:

- integrated GROHE EcoButton

(economy button with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

mousseur

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 256 004

chrome

*



Grotherm 1000

Thermostatic shower mixer 1/2" with shower set

consisting of:

Grotherm 1000 NEW thermostatic shower mixer 1/2"

(34 143 003)

Tempesta shower set II, 900 mm (27 646)

min. recommended pressure 1.0 bar


GROHE GROHTHERM 1000

Ref. No.

Colour

Price netto (€)

THERMOSTATS



34 151 004

chrome

243.00

Grotherm 1000

Thermostatic shower mixer 1/2" with shower set

consisting of:

Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 143 003)

Tempesta shower rail set II, 600 mm (27 598)

min. recommended pressure 1.0 bar

47 175 000

chrome

101.00



GROHE TurboStat cartridge 1/2"

for reversed inlets (hot water right)

fits Grotherm 800, Grotherm 1000, Grotherm 1000 Cosmopolitan, Grotherm

2000, Grotherm Cube and Grotherm 3000 exposed thermostats

service solution, does not comply with EN1111

Note: CoolTouch-function is omitted after

being installed in exposed fittings

GROHE GROHTHERM 800

THERMOSTATS



GROHE GROHTHERM 800

Ref. No.


Colour

Price netto (€)

34 558 000

chrome

188.00



Grotherm 800

Thermostatic shower mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

dirt strainers

built-in non return valves

protected against backflow

S-unions

metal escutcheon


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 567 000

chrome

244.00



Grotherm 800

Thermostatic bath mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

automatic diverter: bath/shower

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

mousseur

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 564 000

chrome

248.00



Grotherm 800

Thermostatic bath mixer 1/2"

Attention: reversed thermoelement for changed water ways

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

automatic diverter: bath/shower

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

mousseur

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM 800


Ref. No. Colour Price netto (€)

34 576 000 chrome 236.00




Grohtherm 800
Thermostatic bath mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 integrated mixed water shut off
 automatic diverter: bath/shower
 volume handle with **GROHE EcoButton** (economy
 button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 adjustable mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

34 566 001 chrome 207.00



Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
 consisting of:
 Grohtherm 800 thermostatic shower mixer 1/2"
 (34 558 000)
 Tempesta shower set II, 900 mm (27 646)
 min. recommended pressure 1.0 bar

34 565 001 chrome 197.00



Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
 consisting of:
 Grohtherm 800 thermostatic shower mixer 1/2"
 (34 558 000)
 Tempesta shower rail set II, 600 mm (27 598)
 min. recommended pressure 1.0 bar

47 175 000 chrome 101.00



GROHE TurboStat cartridge 1/2"
 for reversed inlets (hot water right)
 fits Grohtherm 800, Grohtherm 1000, Grohtherm 1000 Cosmopolitan, Grohtherm
 2000, Grohtherm Cube and Grohtherm 3000 exposed thermostats
 service solution, does not comply with EN1111
 Note: CoolTouch-function is omitted after
 being installed in exposed fittings

GROHE
CONCEALED SOLUTIONS





CONTENTS

GROHE Rapido SmartBox

279

GROHE Rapido C / Concealed Valves

282

GROHE RAPIDO SMARTBOX




GROHE RAPIDO SMARTBOX

Ref. No.

Colour

Price netto (€)




35 600 000

chrome

68.00

**Rapido SmartBox
Universal rough-in box, 1/2"**

3 outlets 1/2"
2 inlets below, 1/2"
installation depth 75-105 mm
connection unit in DR brass
pre-mounted flushing plug
stable build-in box and protective cover
fixation options for solid walls and dry cladding
gasket
without set for final installation




14 055 000

chrome

139.00

Backflow protection combination (DIN-EN1717)

retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grotherm SmartControl, SmartControl Mixer, Grotherm 2-handle thermostats, single-lever mixers





14 053 00M

chrome

42.00

Service stops

fits Grotherm SmartControl, SmartControl mixer and Grotherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox
packaging unit: 2 pieces




14 048 000

chrome

129.00

**Rapido SmartBox
Universal extension set single-lever mixers, 25 mm**

25 mm
fits Grotherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox




14 056 000

chrome

*

Universal extension set single-lever mixers, 25 mm

fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox



14 057 000

chrome

*

Universal extension set single-lever mixers, 50 mm




fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox

GROHE RAPIDO SMARTBOX

Ref. No.

Colour



Price netto (€)

	<p>14 058 000 chrome *</p>
	<p>49 003 000 chrome 181.00</p> <p>GROHE TurboStat cartridge 3/4" for reversed inlets (hot water right) fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox service solution, does not comply with EN1111</p>
	<p>38 652 000 chrome 108.00</p> <p>Rapid SL Mounting plate for fixing concealed fittings and room ventilation for studded walls for empty frames for GROHE Rapido 500 x 240 x 77 mm variable depth adjustment 75-115 mm with waterproof plywood board for fixation fixing material</p>

CONCEALED SOLUTIONS


GROHE RAPIDO C / STOP VALVES

Ref. No. Colour Price netto (€)



35 028 000 chrome 135.00

Rapido C
Rough-in for single volume control
 for grid installation of Grohtherm Custom Shower system
 built-in box with removable protection cover
 waterproof membrane base for wall sealing
 for masonry and drywall installation
 fixing points for front and back wall
 aramä DR
 pre-assembled ceramic headpart 3/4"
 connection threads 1/2"
 flow rate:
 55 l/min. at 3 bar
 installation depth 70 - 95 mm
 min. recommended pressure 1.0 bar



29 800 000 chrome 26.00


Concealed stop-valve, 1/2"
 pre-assembled headpart 1/2"
 short spindle, protection sleeve
 threaded union 1/2", DR-brass

29 802 000 chrome 46.00

ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"

29 805 000 chrome 65.00

ditto, 1", pre-assembled headpart 1", thread union 1"



29 801 000 chrome 25.00


Concealed stop-valve, 1/2"
 pre-assembled headpart 1/2"
 short spindle, protection sleeve
 soldered connection Ø15 mm
 DR-brass

29 803 000 chrome 39.00

ditto, soldered connection Ø 18 mm

29 804 000 chrome 38.00

ditto, soldered connection Ø 22 mm



29 811 000 chrome 27.00

Concealed valve 1/2"
 preassembled ceramic headpart 1/2"
 180°
 threaded union 1/2"
 installation depth adjustable
 25 - 80 mm
 DR-brass

29 813 000 chrome 35.00

ditto, 3/4"



45 202 000 chrome 6.90

Extension-set, 80 mm
 for GROHE concealed valves, 1/2", 3/4", 1"

45 203 000 chrome 14.00

ditto, 200 mm

GROHE
SHOWERS





CONTENTS

GROHE Digital	F-digital Deluxe	287
	F-digital Controllers	295
Shower Systems	Rainshower SmartControl System	297
	Rainshower System	303
	Euphoria SmartControl System	307
	Euphoria System	311
	Tempesta System	323
	Retro-fit shower system	327
	Shower system accessories	329
Headshowers	Head and side showers	333
Showers	Sena	359
	Rainshower	361
	Power&Soul	367
	Movario	373
	Euphoria	375
	Tempesta	387
	Sena trigger sprays	401
	Tempesta-F trigger sprays	403
	Shower hoses	407
	Shower accessories	411

GROHE F-DIGITAL DELUXE




GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)

26 373 001 chrome 19,700.00

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
 1016 mm x 762 mm x 145 mm
 metal
 minimum flow rate 25 l/min
 min. recommended pressure 3.0 bar
 1 x AquaCurtain
 1 x Pure XL spray
 1 x 2 cold mist spray
 2 x GROHE PureRain spray 400 x 190 mm
 2 x XL Waterfall (separately controlled)
 1 x 4 Bokoma Spray with adjustment angle 20° and combinations
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
SpeedClean anti-lime system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish



requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation


The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm F or Grohtherm SmartControl

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++

26 376 001 chrome 1,860.00


Rainshower F-Series 40"
Roughing-in set
 for use with Rainshower F-Series 40" AquaSymphony ceiling shower
 1000 mm x 745 mm x 152 mm
 min. installation depth: 167 mm
 waterways: brass
 1/2" connections



The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

29 126 000 chrome 513.00

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min




35 600 000 chrome 68.00
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE F-DIGITAL DELUXE


Ref. No. Colour Price netto (€)

27 865 000 chrome 4,620.00




Rainshower F-Series 20"
Ceiling shower with light, 1 spray
Rain
508 x 508 x 59 mm
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.

29 069 000 chrome 136.00




Rainshower F-Series
Cable connection
for ceiling shower with light (27 865 000)
consisting of:
2 cable extensions (5 m each)

36 359 000 chrome 1,290.00



Rainshower F-Series
Light set
127 x 127 mm per module
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
consisting of:
- 1 light module with two plug connections
- 1 light module with one plug connection
waterproof & corrosion protected
supply voltage: 12 V DC
CE approved
GROHE StarLight chrome finish
requires rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.

29 072 000 chrome 241.00




Rainshower F-Series
Rough-in set light set
for use with double light modules (36 359 000)
consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)

GROHE F-DIGITAL DELUXE


Ref. No. Colour Price netto (€)

36 360 000 chrome 1,100.00




**Rainshower F-Series
Sound set**
127 x 127 mm per module
full range stereo speaker
consisting of:
2 speakers with plug connections
waterproof & corrosion protected
GROHE StarLight chrome finish
requires rough-in set (29 073 000), F-digital Deluxe base unit
box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000)
and various cable connections – all to be ordered separately
due to installation situation
For detailed planning and product information please
contact your local GROHE Customer Service.

29 073 000 chrome 246.00



**Rainshower F-Series
Rough-in set sound set**
for use with double sound modules (36 360 000)
consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece

27 934 000 chrome 3,210.00



**GROHE F-digital Deluxe
Steam generator 6.6 kW
with steam outlet and temperature sensor**
consisting of:
steam generator
415 x 445 x 130 mm
suitable for steam rooms up to 17 m³
supply voltage 400 V 3L+N+PE AC, 50 Hz
power 6.6 kW
water inlet 3/4" inch
operating pressure 1 – 5 bar (above pressure reducer)
automatic emptying
water outlet 1/2" inch
steam temperature: max. 55° C
steam outlet 1/2" inch
type of protection IP 23
CE approved
with connecting plug
steam outlet module with indentation for fragranced oil
127 x 127 mm
connection thread 1/2" inch
temperature sensor module
60 x 60 x 12 mm
SpeedClean anti-lime system
GROHE StarLight chrome finish
requires rough-in set (29 074 000), F-digital Deluxe base unit
box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000)
and various cable connections – all to be ordered separately
due to installation situation
For detailed planning and product information please
contact your local GROHE Customer Service.

GROHE F-DIGITAL DELUXE

Ref. No.


Colour

Price netto (€)

36 362 000

chrome

3,270.00



GROHE F-digital Deluxe Steam generator 2.2 kW with steam outlet and temperature sensor

consisting of:
steam generator
415 x 445 x 130 mm
suitable for steam rooms up to 2.5 m³
supply voltage 230 V AC, 50 Hz
power 2.2 kW
water inlet 3/4"
operating pressure 1 – 5 bar (above pressure reducer)
automatic emptying
water outlet 1/2"
steam temperature: max. 55° C
steam outlet 1/2"
type of protection IP 23
CE approved

steam outlet module with indentation for fragranced oil
127 x 127 mm
connection thread 1/2"

temperature sensor module
60 x 60 x 12 mm


SpeedClean anti-lime system

GROHE StarLight chrome finish

requires rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation

For detailed planning and product information please contact your local GROHE Customer Service.

SHOWERS



29 074 000

chrome

381.00

GROHE F-digital Deluxe Rough-in set steam generator

for use with steam module (36 362 000 or 27 934 000)

consisting of:

- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m

26 374 000

chrome

1,050.00

GROHE F-digital Deluxe

Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)

to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower

additional light, sound and steam modules can be connected and controlled

consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40" AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)



CE approved

must be accessible for service

optional: the base unit box can be placed into

extra equipment 36 367 000



component has to be ordered separately



GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)

36 397 000 chrome 1,480.00



GROHE F-digital Deluxe

Base Unit Box 2.0 Bluetooth (BCU V2.0)

for connecting light, sound and steam modules

consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) or
- 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)


CE approved

must be accessible for service

optional: the base unit box can be placed into

extra equipment 36 367 000

42 429 000 chrome 112.00



GROHE F-digital Deluxe

Power supply base unit box

power supply for base unit box (26 374 000 or 36 397 000)

each power supply for 2 light/sound modules (36 359 000)

or 1 ceiling shower with integrated light (27 865 000)

total 2 power supplies max (8 devices max.) can be

connected to the base unit box

with one power supply 4 devices (light/sound modules) can be driven

- ceiling shower with integrated light (27 865 000): 4 devices

- per light module: 1 device

- per sound module: 1 device

input voltage: 90-240 V AC, 50-60 Hz

output voltage: 12 V DC

CE approved

36 371 000 chrome 635.00

GROHE F-digital Deluxe

Bluetooth unit BT-01A for Apple and Android devices

with integrated electronic for wireless data communication

combinable with existing 36 365 000 docking station

wall mounted

86 x 73 x 42 mm

Features:

reset switch

status indicator (LED)

stand alone/maximum configuration

one-to-one connection

with safety cut-off mechanism (1 user)

safety shutdown in case of connection loss

connection cable set for data communication and power supply (5 m each)

CE approved

bluetooth transmitter power supply: 12 V


bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

requires Base Unit Box 2.0 Bluetooth (36 397 000) – to be ordered separately

bluetooth-enabled device (bluetooth V2.1 or higher) necessary



System requirements

Android

operating system: as of release 2.3.3

pixel density: 160 dpi minimum

display resolution: 320 x 470 pixels per inch

System requirements

Apple

iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**

Apple operating system: as of release iOS 6.0 and above

Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.


GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)




36 367 000 **chrome** **294.00**

**GROHE F-digital Deluxe
Rough-in set base unit box**
for use with base unit box (26 374 000 or 36 397 000)
550 x 700 x 110 mm
with removable front panel for installation
with adjustable front frame for installation in wall niches
galvanized and powder coated (RAL 9010, pure white) steel plate
1 mm thick steel plate
with two mounting rails and elbow for power outlets
and mounting materials




47 837 000 **chrome** **66.00**

**GROHE F-digital Deluxe
Cable extension steam generator AquaSymphony, 5 m**
extension between base unit box (26 374 000 or 36 397 000) and
steam generator (36 362 000 or 27 934 000)
cable extension up to 10 m



47 838 000 **chrome** **66.00**

**GROHE F-digital Deluxe
Cable extension sound set, 5 m**
connection between base unit box (26 374 000 or 36 397 000) and
sound modules (36 360 000)
each music module needs a separate extension cable
cable extension up to 10 m




47 867 000 **chrome** **66.00**

**GROHE F-digital Deluxe
Cable extension light set, 5 m**
connection between base unit box (26 374 000 or 36 397 000)
and light modules (27 865 000)
each light module needs a separate extension cable
cable extension up to 10 m


47 910 000 **chrome** **53.00**

Cable extension light set, 1.65 m



47 868 000 **chrome** **66.00**

**GROHE F-digital Deluxe
Cable extension for power supply, 5 m**
connection between power supply (42 429 000) and
base unit box (26 374 000 or 36 397 000)
each power supply needs a separate extension cable
cable extension up to 5 m



47 877 000 **chrome** **66.00**

**GROHE F-digital Deluxe
Cable extension temperature sensor, 5 m**
extension between base unit box (26 374 000 or 36 397 000) and
temperature sensor
cable extension up to 5 m

GROHE F-DIGITAL DELUXE

Ref. No.	Colour	Price netto (€)
----------	--------	-----------------












48 348 000	chrome	30.00
------------	--------	-------

Spray face
for SmartControl and head showers with multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly-key

GROHE F-DIGITAL CONTROLLERS



GROHE F-DIGITAL CONTROLLERS

	Ref. No.	Colour	Price netto (€)
 	36 309 000	chrome	275.00
	F-digital Digital controller Remote controller for bath or shower additional (optional) multifunctional operating unit - Wireless technology - Temperature and flow control - Pause function - Memory function - LED-ring GROHE StarLight chrome finish energy efficiency class illumination of control unit: not applicable		
 	36 078 000	chrome	119.00
	Plug power supply 110-240 V operating voltage 6 V cable length 400 mm		
	65 790 000	chrome	61.00
	Plug power supply 230 V operating voltage 6 V cable length 400 mm		
 	47 727 000	chrome	29.00
	Connection wire 2-pole cable length 3 m		
 	36 356 000	chrome	143.00
	GROHE F-digital Transceiver optional accessory for digital mixing unit		

GROHE RAINSHOWER SMARTCONTROL SYSTEM




GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)



26 250 000

chrome

1,310.00

Rainshower System SmartControl 360 DUO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 DUO, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters


from 18 kW/h

Twistfree to prevent hose from twisting

* to be decided at first installation; factory default

setting: GROHE PureRain

In case of a 160 cc thermostat you need to purchase one of the following wall fixation sets for installation: 125356, 125357



26 250 LS0

moon white

1,310.00

Rainshower System SmartControl 360 DUO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 DUO, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

Twistfree to prevent hose from twisting

* to be decided at first installation; factory default

setting: GROHE PureRain


In case of a 160 cc thermostat you need to purchase one of the following wall fixation sets for installation: 125356, 125357

GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)



26 361 000

chrome

1,190.00

Rainshower System SmartControl 360 MONO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 MONO, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters


from 18 kW/h

Twistfree to prevent hose from twisting

* to be decided at first installation; factory default

setting: GROHE PureRain

In case of a 160 cc thermostat you need to purchase one of the following wall fixation sets for installation: 125356, 125357



26 361 LS0

moon white

1,190.00

Rainshower System SmartControl 360 MONO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 MONO, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

Twistfree to prevent hose from twisting

* to be decided at first installation; factory default

setting: GROHE PureRain


SHOWERS

GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)



26 443 000

chrome

1,310.00

Rainshower System SmartControl 360 DUO
Combi shower system with thermostat, exposed/concealed

consisting of:

exposed/concealed SmartControl thermostat
allows change between:

head shower Rainshower 360 DUO with horizontal
450 mm shower arm, spray plate chrome

GROHE PureRain/GROHE Rain O² spray* and TrioMassage

hand shower Power&Soul 115, spray plate white (27 671 LS0)

hand shower wall holder (27 055)

Silverflex shower hose 1.500 mm (28 364)

minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system


Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit

26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain



26 443 LS0

moon white

1,310.00

Rainshower System SmartControl 360 DUO
Combi shower system with thermostat, exposed/concealed

consisting of:

exposed/concealed SmartControl thermostat
allows change between:

head shower Rainshower 360 DUO with horizontal
450 mm shower arm, spray plate white

GROHE PureRain/GROHE Rain O² spray* and TrioMassage

hand shower Power&Soul 115, spray plate white (27 671 LS0)

hand shower wall holder (27 055)

Silverflex shower hose 1.500 mm (28 364)

minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit

26 449 000 – all to be ordered separately


* to be decided at first installation; factory default
setting: GROHE PureRain

GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)



26 446 000

chrome

1,190.00

Rainshower System SmartControl 360 MONO
Combi shower system with thermostat, exposed/concealed

consisting of:

exposed/concealed SmartControl thermostat

allows change between:

head shower Rainshower 360 MONO with horizontal

450 mm shower arm, spray plate chrome

GROHE PureRain/GROHE Rain O² spray*

Power&Soul 130 hand shower, spray plate white (27 673 LS0)

hand shower wall holder (27 055)

Silverflex shower hose 1.500 mm (28 364)

minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit

26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain

SHOWERS



26 446 LS0

moon white

1,190.00

Rainshower System SmartControl 360 MONO
Combi shower system with thermostat, exposed/concealed

consisting of:

exposed/concealed SmartControl thermostat

allows change between:

head shower Rainshower 360 MONO with horizontal

450 mm shower arm, spray plate white

GROHE PureRain/GROHE Rain O² spray*

Power&Soul 130 hand shower, spray plate white (27 673 LS0)

hand shower wall holder (27 055)

Silverflex shower hose 1.500 mm (28 364)

minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system


Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit

26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain



26 264 001

chrome

97.00

Rainshower 360
Rough-in box for head shower set 26 254 / 26 450

inlets and outlets 1/2"

fixing points for back wall

leakproof housing


removable protection cover with installation information

GROHE RAINSHOWER SMARTCONTROL SYSTEM

Ref. No.

Colour

Price netto (€)




26 449 000

chrome

121.00

Concealed body for exposed/concealed variants

wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device




48 349 000

chrome

87.00

**Rainshower SmartControl
Shower system pipe for retrofitting**

metal
shower pipe for retrofitting - 15 cm shorter than
original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish



48 350 000

chrome

109.00

**Rainshower SmartControl
Shower system pipe for retrofitting**

metal
shower pipe for retrofitting
15 cm longer than
original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI




48 348 000

chrome

30.00

Spray face

for SmartControl and head showers with multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly-key



26 385 000

chrome

14.00

**Rainshower SmartControl
Compensation disc**

for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable

GROHE RAINSHOWER SYSTEM




GROHE RAINSHOWER SYSTEM

Ref. No.

Colour

Price netto (€)



27 174 001

chrome

1,290.00

Rainshower System 400

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function

allows change between:

Rainshower Cosmopolitan 400 head shower (28 778 000)

with ball joint, rotation angle $\pm 20^\circ$

hand shower Sena (28 034 000)

adjustable in height with gliding element (12 140 000)

shower hose, 1.750 mm

1/2" x 1/2" (28 025 000)

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

**suitable for instantaneous heaters
from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 966 000

chrome

1,150.00

Rainshower System 310

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

Rainshower Cosmopolitan 310 head shower (27 477 000)

with ball joint

rotation angle $\pm 15^\circ$

hand shower Sena (28 034 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

**suitable for instantaneous heaters
from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 968 000

chrome

1,150.00

Rainshower System 310

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

Rainshower Cosmopolitan 310 head shower (27 477 000)

with ball joint

rotation angle $\pm 15^\circ$

Hand shower Power&Soul Cosmopolitan 130 (27 664 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection

with one click

GROHE StarLight chrome finish

SpeedClean anti-lime system

**suitable for instantaneous heaters
from 18 kW/h**

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE RAINSHOWER SYSTEM

Ref. No.

Colour

Price netto (€)



27 469 000

chrome

1,120.00

Rainshower F-Series System 254 Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function

allows change between:

head shower Rainshower F-Series 254 (27 285 000)

with ball joint, rotation angle $\pm 20^\circ$

hand shower Sena (28 341 000)

adjustable in height with gliding element (12 140 000)

metal shower hose 1750 mm

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch

GROHE DreamSpray perfect flow

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.



27 032 001

chrome

974.00

Rainshower System 210 Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

with ball joint, rotation angle $\pm 15^\circ$

hand shower Sena (28 034 000)

adjustable in height with gliding element (12 140 000)

metal shower hose 1750 mm (27 178)

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 967 000

chrome

997.00

Rainshower System 210 Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

Rainshower Cosmopolitan 210 head shower (28 368 000)

with ball joint

rotation angle $\pm 15^\circ$

Hand shower Power&Soul Cosmopolitan 130 (27 664 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection

with one click

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE RAINSHOWER SYSTEM

Ref. No.

Colour

Price netto (€)



27 641 000

chrome

1,150.00

Rainshower System 210 Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function

allows change between:

Head shower Rainshower Cosmopolitan 210 (28 373 000)

with ball joint, rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower Sena (28 341 000)

adjustable in height with gliding element (12 140 000)

metal shower hose 1750 mm (27 178)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 058 000

chrome

850.00

Rainshower System 210 Shower system with diverter for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

change between hand and head shower

by diverter

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

with ball joint

rotation angle $\pm 15^\circ$

hand shower Sena (28 034 000)

adjustable in height with gliding element (12 140 000)

metal shower hose 1750 mm

connection to water supply with 1/2"-thread of

the 800 mm shower hose to faucet / wall union

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE EUPHORIA SMARTCONTROL SYSTEM



GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No.


Colour

Price netto (€)

26 507 000
26 507 LS0

chrome
moon white

913.00
1,002.40



Euphoria SmartControl System 310 Duo

Shower system with thermostat for wall mounting

consisting of:

horizontal 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl thermostat

allows change between:

head shower Rainshower 310 SmartActive, spray plate chrome

GROHE PureRain and Centered Jet spray

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

26 508 000
26 508 LS0

chrome
moon white

913.00
1,050.00



Euphoria SmartControl System 310 Cube Duo

Shower system with thermostat for wall mounting

consisting of:

horizontal 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl thermostat

allows change between:

head shower Rainshower 310 SmartActive Cube, spray plate chrome

GROHE PureRain and Centered Jet spray

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE StarLight chrome finish

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No.


Colour

Price netto (€)

26 509 000

chrome

792.00



Euphoria SmartControl System 260 Mono Shower system with thermostat for wall mounting

consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

26 510 000

chrome

922.00



Euphoria SmartControl System 260 Mono

Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl bath thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM



GROHE EUPHORIA SYSTEM

Ref. No. Colour Price netto (€)



26 075 000	chrome	848.00
26 075 DC0	supersteel	1,110.00
26 075 ***	SPA colours	1,190.00

Euphoria System 310

Shower system with thermostatic mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostatic mixer with

Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 310 (27 477 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

Inner WaterGuide for a longer life

SpeedClean anti-lime system

Twistfree to prevent hose from twisting

GROHE MetalGrip ergonomically shaped metal handles

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

*** SPA colours:

● BE	● GL	● DA	● A0
● EN	● GN	● DL	● AL



27 296 002	chrome	496.00
------------	--------	--------

Euphoria System 260

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow

rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

27 615 001

chrome

496.00



Euphoria System 260

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 239 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow

rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

26 087 000

chrome

1,290.00



Euphoria Cube System 230

Shower system with thermostatic mixer for wall mounting

consisting of:

shower arm

projection 400 mm

exposed thermostat with

Aquadimmer function

allows change between:

Rainshower Allure head shower (27 479 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria Cube (27 699)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy technology for less water and perfect flow

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

26 187 000

chrome

781.00



Euphoria System 230

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Allure 230 (27 479 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

GROHE MetalGrip ergonomically shaped metal handles

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

26 363 000

chrome

699.00



Euphoria System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray (26 362 LN0)

minimum flow rate 7 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

27 964 000

chrome

709.00



Euphoria System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

GROHE MetalGrip ergonomically shaped metal handles

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

26 186 000

chrome

665.00



Euphoria Power&Soul System 190

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

Grohtherm 1000 Cosmopolitan exposed

thermostat with Aquadimmer function

allows change between:

head shower Power&Soul 190

4+ spray patterns:

GROHE Rain O², Rain, Bokoma Spray, Jet

with ball joint

rotation angle $\pm 15^\circ$

Hand shower Power&Soul 115 (27 671 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE One-click showering

spray selection via push of a button

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

26 249 000

chrome

570.00



Euphoria System 190

Shower system with thermostat for wall mounting

horizontal swivable 390 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower 190 1 spray (27 370)

Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower 100 3 sprays: GROHE Rain O², Rain, Massage (27 574)

adjustable in height with gliding element

GROHE EasyReach shower tray

Silverflex shower hose 1750 mm (28 388 000)

9.5 l/min. flow limiter

GROHE EcoJoy technology for less water and perfect flow

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters



from 18 kW/h

min. recommended pressure 1.0 bar

26 418 000

chrome

484.00



Euphoria System 180 E

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

with ergonomic handles

allows change between:

head shower Euphoria Cosmopolitan 180

(27 491 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

27 932 000

chrome

649.00



Euphoria System 150

Shower system with thermostatic mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria Cube 150 (27 705 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 12^\circ$

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

26 241 000

chrome

369.00



Euphoria System

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE StarLight chrome finish

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SYSTEM

Ref. No.



Colour

Price netto (€)

27 475 001

chrome

620.00



Euphoria System 260

Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Euphoria 110 Massage (27 239 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow

rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

26 114 001

chrome

612.00



Euphoria System 260

Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Euphoria 110 Massage (27 221 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

distance between thermostat and upper bracket: 1016 mm

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow

rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

26 243 000

chrome

496.00



Euphoria System

Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

separate diverter for hand shower

gliding element

Silverflex shower hose 1750 mm (28 388 000)

distance between thermostat and upper bracket: 1016 mm

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE StarLight chrome finish

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters
from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

27 473 001

chrome

447.00



Euphoria System 260

Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 239 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow

rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters
from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

23 061 002

chrome

471.00



Euphoria Concetto System 260

Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria Cosmopolitan Stick (27 400 000)

spray pattern: Rain

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters
from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



23 058 003

chrome

689.00

Euphoria Eurodisc Cosmopolitan System 210 Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria Cosmopolitan Stick (27 400 000)

spray pattern: Rain

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



23 147 001

chrome

1,090.00

Euphoria Cube System 230 Shower system with single lever mixer for wall mounting

consisting of:

shower arm

projection 400 mm

exposed single-lever shower mixer with diverter

allows change between:

spray pattern: Rain

Rainshower Allure 230 metal head shower (27 479)

with ball joint

rotation angle $\pm 15^\circ$

spray pattern: Rain

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE SilkMove 35 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



26 240 000

chrome

338.00

Euphoria System Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

minimum flow rate 7 l/min.

suitable for instantaneous heaters

from 18 kW/h

min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

27 421 002

chrome

397.00




Euphoria System 260
Shower system with diverter
for wall mounting

consisting of:
horizontal swivable 450 mm shower arm
change between hand and head shower
by diverter
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow
rate reduction)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

27 911 000

chrome

557.00



Euphoria Power&Soul System 190
Shower system with diverter
for wall mounting

consisting of:
horizontal swivable 450 mm shower arm
change between hand and head shower
by diverter
Power&Soul head shower (27 766 000)
with ball joint
rotation angle $\pm 15^\circ$
Hand shower Power&Soul 115 (27 671 000)
adjustable in height with gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

SHOWERS

GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

27 696 000

chrome

670.00



Euphoria Cube System 150 Shower system with diverter for wall mounting

consisting of:

shower arm

projection 400 mm

change between hand and head shower
by diverter

head shower Euphoria Cube 152 mm x 152 mm

spray pattern: Rain

with ball joint

rotation angle $\pm 20^\circ$

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

Silverflex shower hose 800 mm

connection to water supply with 1/2"-thread of

the 800 mm shower hose to faucet / wall union

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE TEMPESTA SYSTEM



GROHE TEMPESTA SYSTEM

Ref. No.


Colour

Price netto (€)

27 922 001

chrome

447.00



Tempesta Cosmopolitan System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 390 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Tempesta 210 (26 408)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

27 922 000

chrome

539.00



Tempesta Cosmopolitan 160

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 390 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower 1 spray (28 232 000)

Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.



optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE TEMPESTA SYSTEM

Ref. No.

Colour

Price netto (€)



26 223 001

chrome

571.00

Tempesta Cosmopolitan System 210 Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 390 mm shower arm
exposed thermostat Grohtherm 1000 Cosmopolitan
with Aquadimmer function

allows change between:

head shower Tempesta 210 (26 408)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

SHOWERS



26 224 001

chrome

397.00

Tempesta Cosmopolitan System 210 Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 390 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

head shower Tempesta 210 (26 408)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE TEMPESTA SYSTEM

Ref. No.


Colour

Price netto (€)

26 381 001

chrome

211.00



Tempesta System 210

Flex shower system with diverter for wall mounting

consisting of:

horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower
or head shower Eco setting

head shower Tempesta 210 (26 408)

2 spray patterns (via diverter):

Rain, SmartRain

chrome plated spray face

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta 100 (27 852)

spray pattern: Rain

adjustable in height with gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to faucet / wall union for water

supply with 1/2" thread of the 1250 mm shower hose

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

ShockProof silicone ring prevents damages

caused by shower falling

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

GROHE RETRO-FIT SHOWER SYSTEM



GROHE RETRO-FIT SHOWER SYSTEM

Ref. No.


Colour

Price netto (€)

26 190 001

chrome

511.00




**Retrofit System 210
Shower system with diverter
for wall mounting**

consisting of:
horizontal swivable 450 mm shower arm
built-in diverter allows change between:
head shower Tempesta 210 (26 410)
spray pattern: Rain
GROHE EcoJoy 9,5 l/min flow limiter
with ball joint
rotation angle $\pm 15^\circ$
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)
angle adapter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow
rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
**suitable for instantaneous heaters
from 18 kW/h**
min. recommended pressure 1.0 bar

26 191 000

chrome

47.00













Retro-fit

Compensation disc
for GROHE retrofit shower system 26 190 000
GROHE StarLight chrome finish











GROHE SHOWER SYSTEM ACCESSORIES



GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	48 349 000	chrome	87.00
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p>			
 	48 350 000	chrome	109.00
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p> <p>Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>			
 	48 053 000	chrome	95.00
<p>Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe for bath/shower systems: 30 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems GROHE StarLight chrome finish not suitable for shower systems with side sprays</p>			
 	48 054 000	chrome	73.00
<p>Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe for bath/shower systems: 60 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems GROHE StarLight chrome finish not suitable for shower systems with side sprays</p>			
 	14 014 000	chrome	45.00
<p>Rainshower Shower arm for shower systems metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE StarLight chrome finish suitable for all GROHE shower systems</p>			






GROHE SHOWER SYSTEM ACCESSORIES






	Ref. No.	Colour	Price netto (€)
 	14 047 000	chrome	45.00
	Rainshower Shower arm for shower systems metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE StarLight chrome finish suitable for GROHE shower systems with short nippel, see TPI		
 	27 180 000	chrome	40.00
	Rainshower Compensation disc for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031 GROHE StarLight chrome finish		
 	26 385 000	chrome	14.00
	Rainshower SmartControl Compensation disc for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable		
 	27 933 000	chrome	197.00
	Euphoria Cube Compensation disc for Euphoria Cube shower systems (Cube brackets) GROHE StarLight chrome finish		
 	26 191 000	chrome	47.00
	Retro-fit Compensation disc for GROHE retrofit shower system 26 190 000 GROHE StarLight chrome finish		
 	26 362 LN0	white	28.00
	GROHE EasyReach tray for Euphoria and NTempesta shower systems with thermostat centre distance 150 mm		

GROHE HEAD AND SIDE SHOWERS













GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	26 254 000 Rainshower 360 Duo Head shower set 450 mm, 2 sprays consisting of: head shower Rainshower 360 DUO, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided at first installation; factory default setting: GROHE PureRain	chrome	595.00
	26 254 LS0 Rainshower 360 Duo Head shower set 450 mm, 2 sprays consisting of: head shower Rainshower 360 DUO, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided at first installation; factory default setting: GROHE PureRain	moon white	543.00
	26 450 000 Rainshower 360 Mono Head shower set 450 mm, 1 spray consisting of: head shower Rainshower 360 MONO, spray plate chrome 1 spray: GROHE PureRain/GROHE Rain O ² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided at first installation; factory default setting: GROHE PureRain	chrome	468.00
	26 450 LS0 Rainshower 360 Mono Head shower set 450 mm, 1 spray consisting of: head shower Rainshower 360 MONO, spray plate white 1 spray: GROHE PureRain/GROHE Rain O ² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided at first installation; factory default setting: GROHE PureRain	moon white	471.00
	26 264 001 Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information	chrome	97.00













GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

 	<p>26 475 000 chrome 451.00</p> <p>Rainshower 310 SmartActive Head shower set 430 mm, 2 sprays consisting of: head shower Rainshower 310 SmartActive, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
 	<p>26 475 LS0 moon white 574.00</p> <p>Rainshower 310 SmartActive Head shower set 430 mm, 2 sprays consisting of: head shower Rainshower 310 SmartActive, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
 	<p>26 477 000 chrome 437.00</p> <p>Rainshower 310 SmartActive Head shower set ceiling 142 mm, 2 sprays consisting of: head shower Rainshower 310 SmartActive, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
 	<p>26 477 LS0 moon white 574.00</p> <p>Rainshower 310 SmartActive Head shower set ceiling 142 mm, 2 sprays consisting of: head shower Rainshower 310 SmartActive, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
 	<p>26 479 000 chrome 475.00</p> <p>Rainshower 310 SmartActive Cube Head shower set 430 mm, 2 sprays consisting of: head shower Rainshower 310 SmartActive Cube, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately head shower Rainshower 310 SmartActive Cube, spray plate chrome</p>











GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

 	<p>26 479 LSO moon white 616.00</p> <p>Rainshower 310 SmartActive Cube Head shower set 430 mm, 2 sprays consisting of: head shower Rainshower 310 SmartActive Cube, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
 	<p>26 481 000 chrome 475.00</p> <p>Rainshower 310 SmartActive Cube Head shower set ceiling 142 mm, 2 sprays consisting of: head shower Rainshower 310 SmartActive Cube, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
 	<p>26 481 LSO moon white 616.00</p> <p>Rainshower 310 SmartActive Cube Head shower set ceiling 142 mm, 2 sprays consisting of: head shower Rainshower 310 SmartActive Cube, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
 	<p>26 483 000 chrome 93.00</p> <p>Rainshower Universal rough-in box, 1/2" for head shower set 26 475 / 26 477 / 26 479 / 26 481 2 inlets, 1/2" installation depth 75-105 mm connection unit in DR brass stable build-in box and protective cover leakproof housing gasket integrated flushing plug without set for final installation</p>
 	<p>26 484 000 chrome 93.00</p> <p>Rainshower Universal rough-in box, 1/2" for head shower set 26 475 / 26 477 / 26 479 / 26 481 2 inlets, 1/2" installation depth 75-105 mm connection unit in DR brass stable build-in box and protective cover leakproof housing gasket integrated flushing plug GROHE EcoJoy 9.5 l/min flow limiter per each water way without set for final installation</p>









GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)











		<p>26 558 000 chrome 314.00</p> <p>Rainshower 310 Mono Head shower set 422 mm, 1 spray consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray: GROHE PureRain shower arm Rainshower 422 mm (26 146 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>26 560 000 chrome 314.00</p> <p>Rainshower 310 Mono Head shower set ceiling 142 mm, 1 spray consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray: GROHE PureRain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>26 564 000 chrome 336.00</p> <p>Rainshower 310 Mono Cube Head shower set 422 mm, 1 spray consisting of: head shower Rainshower 310, spray plate chrome (26 568) 1 spray: GROHE PureRain Rainshower shower arm 422 mm (26 145 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>26 566 000 chrome 336.00</p> <p>Rainshower 310 Mono Cube Head shower set ceiling 142 mm, 1 spray consisting of: head shower Rainshower 310, spray plate chrome (26 568) 1 spray: GROHE PureRain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>26 255 000 chrome 593.00</p> <p>Rainshower Cosmopolitan 400 Head shower set 422 mm, 1 spray consisting of: metal head shower Rainshower Cosmopolitan 400 (28 778 000) 1 spray: Rain shower arm Rainshower 422 mm (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>

GROHE HEAD AND SIDE SHOWERS











Ref. No. Colour Price netto (€)

 	<p>26 256 000 chrome 1,810.00</p> <p>Rainshower Cosmopolitan 400 Head shower set ceiling 142 mm, 1 spray consisting of: head shower Rainshower Cosmopolitan 400 (28 778 000) 1 spray: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
 	<p>26 257 000 chrome 489.00</p> <p>Rainshower 310 Head shower set 422 mm, 1 spray consisting of: Rainshower Cosmopolitan 310 head shower (27 477 000) 1 spray: Rain shower arm Rainshower 422 mm (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
  <p>*** SPA colours: ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL</p>	<p>26 066 000 chrome 511.00 26 066 DC0 supersteel 743.00 26 066 *** SPA colours 734.00</p> <p>Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray: Rain Shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater min. recommended pressure 1.0 bar</p> <p>26 056 000 chrome 515.00 ditto, with non-restricted flow</p>
  <p>*** SPA colours: ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL</p>	<p>26 067 000 chrome 511.00 26 067 DC0 supersteel 663.00 26 067 *** SPA colours 734.00</p> <p>Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater min. recommended pressure 1.0 bar</p>

GROHE HEAD AND SIDE SHOWERS


	Ref. No.	Colour	Price netto (€)
 	26 170 000	chrome	514.00
	<p>Rainshower Veris 300 x 150 Head shower set 422 mm, 1 spray consisting of: metal head shower Rainshower Veris, spray plate chrome (27 470 000) 1 spray: Rain Rainshower shower arm 422 mm, escutcheon chrome (26 146) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater starting at 0.5 bar flow pressure</p>		
 	26 170 LS0	moon white/chrome	611.00
	<p>Rainshower Veris 300 x 150 Head shower set 422 mm, 1 spray consisting of: metal head shower Rainshower Veris, spray plate white (27 470 LS0) 1 spray: Rain Rainshower shower arm 422 mm, escutcheon white (26 146 LS0) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater starting at 0.5 bar flow pressure</p>		
 	26 068 000	chrome	461.00
	<p>Rainshower Veris 300 Head shower set 286 mm, 1 spray consisting of: Head shower Rainshower Veris (27 471 000) 1 spray: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
 	26 069 000	chrome	408.00
	<p>Rainshower Veris 300 Head shower set ceiling 142 mm, 1 spray consisting of: Head shower Rainshower Veris (27 471 000) 1 spray: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
 	26 259 000	chrome	456.00
	<p>Rainshower F-Series 10" 254 x 254 Head shower set 422 mm, 1 spray consisting of: head shower Rainshower F-Series 10" (27 271 000) 1 spray: Rain shower arm Rainshower square 422 mm (26 145 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater</p>		

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 070 000 Rainshower F-Series 10" 254 x 254 Head shower set 275 mm, 1 spray consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray: Rain Shower arm Rainshower 275 mm (27 488 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	461.00
	26 060 000 ditto, with non-restricted flow	chrome	408.00
 	26 071 000 Rainshower F-Series 10" Head shower set ceiling 142 mm, 1 spray consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray: Rain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	465.00
 	26 064 000 Rainshower Allure 230 Head shower set 286 mm, 1 spray consisting of: Head shower Rainshower Allure 230 (27 480 000) 1 spray: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	525.00
	26 054 000 ditto, with non-restricted flow	chrome	523.00
 	26 065 000 Rainshower Allure 230 Head shower set ceiling 154 mm, 1 spray consisting of: Head shower Rainshower Allure 230 (27 480 000) 1 spray: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	468.00
 	26 171 000 Rainshower Cosmopolitan 210 Head shower set 422 mm, 1 spray consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate chrome (28 368 000) 1 spray: Rain Rainshower shower arm 422 mm, escutcheon chrome (26 146) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater starting at 0.5 bar flow pressure	chrome	398.00


GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)



26 171 LS0 moon white/chrome 525.00


Rainshower Cosmopolitan 210
Head shower set 422 mm, 1 spray
 consisting of:
 Rainshower Cosmopolitan 210 metal head shower,
 spray plate white (28 368 LS0)
 1 spray:
 Rain
 Rainshower shower arm 422 mm, escutcheon
 white (26 146 LS0)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
DropStop no afterdripping from the horizontal
 shower head after closing the valve
 suitable for instantaneous heater
 starting at 0.5 bar flow pressure



26 062 000 chrome 361.00


Rainshower Cosmopolitan 210
Head shower set 286 mm, 1 spray
 consisting of:
 Head shower Rainshower Cosmopolitan 210 (28 373 000)
 1 spray:
 Rain
 Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
DropStop no afterdripping from the horizontal
 shower head after closing the valve
 starting at 0.5 bar flow pressure
 min. recommended pressure 1.0 bar

26 052 000 chrome 361.00
 ditto, with non-restricted flow



26 063 000 chrome 331.00

Rainshower Cosmopolitan 210
Head shower set ceiling 142 mm, 1 spray
 consisting of:
 Head shower Rainshower Cosmopolitan 210 (28 373 000)
 1 spray:
 Rain
 Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
DropStop no afterdripping from the horizontal
 shower head after closing the valve
 starting at 0.5 bar flow pressure











26 459 000 chrome 191.00

Euphoria 260
Head shower set 380 mm, 3 sprays
 consisting of:
 head shower Euphoria 260 (26 457)
 3 spray patterns:
 Rain, SmartRain, Jet
 Shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar











26 458 000 chrome 192.00
 ditto, with non-restricted flow

SHOWERS

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 461 000	chrome	152.00
	Euphoria 260 Head shower set ceiling 142 mm, 3 sprays consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 460 000	chrome	147.00
	ditto, with non-restricted flow		
 	26 073 000	chrome	238.00
	Euphoria Cube 150 Head shower set 286 mm, 1 spray consisting of: head shower Euphoria Cube 150 (27 705 000) 1 spray: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 412 000	chrome	139.00
	Tempesta 210 Head shower set 286 mm, 1 spray consisting of: head shower Tempesta 210 (26 410) 1 spray: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 411 000	chrome	139.00
	ditto, with non-restricted flow		
 	26 414 000	chrome	117.00
	Tempesta 210 Head shower set ceiling 142 mm, 1 spray consisting of: head shower Tempesta 210 (26 410) 1 spray: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 413 000	chrome	114.00
	ditto, with non-restricted flow		

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 870 001	chrome	56.00
<p>Tempesta 100 Head shower set 4 sprays GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	26 088 001	chrome	51.52
<p>Tempesta 100 Head shower set 3 sprays GROHE Rain O², Rain, Massage ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 869 001	chrome	63.00
<p>Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	26 090 001	chrome	49.00
<p>Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O², Rain, Massage ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	26 089 001	chrome	56.00
<p>Tempesta Rustic 100 Head shower set 4 sprays GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			

GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

26 373 001 **chrome** 19,700.00


Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
 1016 mm x 762 mm x 145 mm
 metal
 minimum flow rate 25 l/min
 min. recommended pressure 3.0 bar
 1 x AquaCurtain
 1 x Pure XL spray
 1 x 2 cold mist spray
 2 x GROHE PureRain spray 400 x 190 mm
 2 x XL Waterfall (separately controlled)
 1 x 4 Bokoma Spray with adjustment angle 20° and combinations
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
SpeedClean anti-lime system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish

requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm F or Grohtherm SmartControl


this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++



26 376 001 **chrome** 1,860.00


Rainshower F-Series 40"
Roughing-in set
 for use with Rainshower F-Series 40" AquaSymphony ceiling shower
 1000 mm x 745 mm x 152 mm
 min. installation depth: 167 mm
 waterways: brass
 1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.




27 865 000 **chrome** 4,620.00

Rainshower F-Series 20"
Ceiling shower with light, 1 spray
 Rain
 508 x 508 x 59 mm
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
 suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
 this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
 For detailed planning and product information please contact your local GROHE Customer Service.



GROHE HEAD AND SIDE SHOWERS


Ref. No. Colour Price netto (€)



27 286 000 chrome 1,930.00

Rainshower F-Series 20"
Ceiling shower 1 spray


Rain
508 x 508 mm
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
min. recommended pressure 1.0 bar



27 939 001 chrome 3,120.00

Rainshower F-Series 15"
Ceiling shower 3 sprays



Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 17 mm (height) x 456 mm (depth)
metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-lime system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: approx. 20 l/min
2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min
head shower has to be controlled by 4 outlets



27 938 001 chrome 3,140.00

Rainshower F-Series 15"
Head shower 3 sprays


Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 60 mm (height) x 677 mm (depth)
metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-lime system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: approx. 20 l/min
2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min
requires rough-in (26 042 000) – to be ordered separately
head shower has to be controlled by 4 outlets



26 042 000 chrome 219.00

Rainshower F-Series 15"
Roughing-in set

for use with Rainshower F-Series 15" Multi Spray head shower
295 mm (width) x 121 mm (height) x 181 mm (depth)
max. installation depth: 91 mm
min. wall thickness: not less than 200 mm
minimum screw-in depth of stud bolts: 14 mm
full metal construction
waterways: brass
1/2" connections













27 467 000 chrome 603.00

Rainshower F-Series 10" 254 x 254
Ceiling shower 1 spray











Rain
254 x 254 mm
metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heater
min. recommended pressure 1.0 bar

SHOWERS







GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 285 000	chrome	459.00
	Rainshower F-Series 10" Head shower 1 spray Rain 254 x 254 mm metal ball joint $\pm 20^\circ$ rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 271 000	chrome	445.00
	ditto, with non-restricted flow		
 	27 251 000	chrome	114.00
	Rainshower F-Series 5" Side shower 1 spray Normal spray including concealed body 127 x 127 mm Flow straightener with ball joint ($\pm 12.5^\circ$ rotatable) connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-lime system suitable for instantaneous heater		
 	27 253 000	chrome	172.00
	Rainshower F-Series 5" Head shower 1 spray Normal spray wall mounted 127 x 127 mm Flow straightener with ball joint ($\pm 12.5^\circ$ rotatable) connection thread 1/2" with pre-assembled Teflon sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-lime system		
 	26 562 000 26 562 LS0	chrome moon white	257.00 334.00
	Rainshower 310 Mono Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 568 000 26 568 LS0	chrome moon white	280.00 364.00
	Rainshower 310 Mono Cube Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		











GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)	
	27 471 000 Rainshower Veris 300 Head shower 1 spray Rain 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	458.00	
	27 470 000 ditto, with non-restricted flow	chrome	456.00	
	27 470 LS0 Rainshower Veris 300 Head shower 1 spray Rain spray plate white 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	moon white/chrome	608.00	
	27 863 000 Rainshower Allure 230 Ceiling shower 1 spray Rain 230 x 230 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	672.00	
		27 480 000 Rainshower Allure 230 Head shower 1 spray Rain 230 x 230 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	493.00
		27 479 000 ditto, with non-restricted flow	chrome	493.00
	28 778 000 Rainshower Cosmopolitan 400 Head shower 1 spray normal (wide) spray starting at 0.5 bar flow pressure Ø 400 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497	chrome	620.00	
				

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 478 000	chrome	497.00
	Rainshower Cosmopolitan 310 Head shower 1 spray Rain Ø 310 mm metal ball joint with turning angle 20° ± 20° connection thread 1/2"		
	GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 477 000	chrome	509.00
	27 477 GL0	cool sunrise	608.00
	27 477 DA0	warm sunset	608.00
27 477 A00	hard graphite	608.00	
27 477 AL0	brushed hard graphite	608.00	
	ditto, with non-restricted flow		
 	28 368 00E	chrome	377.00
	Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure Ø 210 mm metal with ball joint rotation angle ± 15° connection thread 1/2"		
	GROHE EcoJoy 5.7 l/min. flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar This head shower should only be used in conjunction with shower arm 28 384, 28 497 or 28 576!		
	28 368 000	chrome	369.00
	28 373 000	chrome	296.00
	ditto, with 9.5 l/min flow limiter		
 	28 368 LS0	moon white/chrome	403.00
	Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure spray plate white Ø 210 mm metal with ball joint rotation angle ± 15° connection thread 1/2"		
GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater This head shower should only be used in conjunction with shower arm 28 384, 28 497, 28 576 or 28 724!			

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 134 000	chrome	123.00
<p>Rainshower Cosmopolitan 160 Head shower 4 sprays Rain, Jet, Pure, Champagne spray Ø 160 mm ball joint with turning angle $\pm 15^\circ$ connection thread 1/2"</p> <p>GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 0.5 bar the head shower is suitable for minimum flow rate of 7,5 l/min and a maximum of 25 l/min (DIN EN 1112). Minimum pressure > 1 bar, maximum 5 bar (DIN EN 1112). Recommended for use with Rainshower shower arms.</p>			
 	28 369 000	chrome	359.00
<p>Rainshower Rustic 210 Head shower 1 spray normal (wide) spray starting at 0.5 bar flow pressure Ø 212 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2"</p> <p>GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater This head shower should only be used in conjunction with shower arm 28 384, 28 497 or 28 576!</p>			
 	27 974 000 27 974 IGO	chrome chrome/gold	417.00 500.00
<p>Grandera 210 Head shower 1 spray Rain 221 x 221 mm metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2"</p> <p>GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 765 000	chrome	150.00
<p>Power&Soul Cosmopolitan 190 Head shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 764 LSO	moon white/chrome	164.00
<p>Power&Soul Cosmopolitan 190 Head shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm ball joint with turning angle $\pm 15^\circ$ connection thread 1/2"</p> <p>GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			

GROHE HEAD AND SIDE SHOWERS

Ref. No.


Colour

Price netto (€)

27 767 000

chrome

134.00



Power&Soul 190

Head shower 4+ sprays

GROHE Rain O², Rain, Bokoma Spray, Jet

Ø 190 mm

ball joint with turning angle ± 15°

connection thread 1/2"

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE One-click showering

spray selection via push of a button

GROHE StarLight chrome finish

SpeedClean anti-lime system


suitable for instantaneous heater

min. recommended pressure 1.0 bar

GROHE HEAD AND SIDE SHOWERS


	Ref. No.	Colour	Price netto (€)
 	28 308 000 Sena 75 Head shower 1 spray Normal spray metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system min. recommended pressure 1.0 bar	chrome	134.00
 	27 530 000 Relaxa Deluxe 130 Head shower 4 sprays Normal, Rain, Champagne spray, Champagne spray Deluxe ball joint ± 15° rotatable GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish Inner WaterGuide for a longer life min. recommended pressure 1.0 bar	chrome	412.00
 	27 062 000 Relaxa 100 Five Head shower 5 sprays Normal, Jet, Rain, Massage, Champagne spray ball-joint installation dependent angle of inclination connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life minimum flow rate 7,5 l/min. min. recommended pressure 1.0 bar	chrome	208.00
 	27 065 000 Relaxa 100 Trio Head shower 3 sprays Normal, Jet, Rain ball-joint installation dependent angle of inclination connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life minimum flow rate 5 l/min. min. recommended pressure 1.0 bar	chrome	166.00
	26 456 000 26 456 EN0 Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome brushed nickel	113.00 156.00
	26 457 000 26 457 EN0 ditto, with 9.5 l/min flow limiter	chrome brushed nickel	116.00 190.00
	26 455 000 ditto, with non-restricted flow	chrome	116.00

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 492 000	chrome	134.00
	Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	28 233 000	chrome	83.00
	Euphoria Cosmopolitan 160 Head shower 1 spray Rain ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 705 000	chrome	151.00
	Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 409 000	chrome	77.00
	26 409 ENO	brushed nickel	129.00
	Tempesta 210 Head shower 1 spray Rain Ø 210 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 410 000	chrome	79.00
	26 410 ENO	brushed nickel	106.00
	ditto, with 9.5 l/min flow limiter		
	26 408 000	chrome	79.00
	ditto, with non-restricted flow		
 	27 606 001	chrome	43.00
	Tempesta 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		


GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)



26 050 001 **chrome** 40.00

Tempesta 100
Head shower 1 spray
Rain
ball joint $\pm 15^\circ$ rotatable
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar




27 591 001 **chrome** 54.00

Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
ball joint $\pm 15^\circ$ rotatable
connection thread 1/2"
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar



26 051 001 **chrome** 43.00

Tempesta Cosmopolitan 100
Head shower 1 spray
Rain
ball joint $\pm 15^\circ$ rotatable
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar













27 610 001 **chrome** 49.00

Tempesta Rustic 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
ball joint $\pm 15^\circ$ rotatable
connection thread 1/2"
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar











GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	28 404 000 Relexa Basic 85 Head shower 1 spray Rain brass tin plate 50 mm high connection thread 1/2"	chrome	16.00
 	28 545 000 Relexa Low Aerosol 45 Head shower 1 spray only disassemble with tool flow limiter 9.5 l/min. maximum flow rate at 1 - 6 bar connection thread 1/2" GROHE StarLight chrome finish	chrome	252.00
 	28 190 000 Relexa Plus 80 Dual Head shower 2 sprays Turbo Jet (normal spray hard)/Normal (full shower spray) ball-joint installation dependent angle of inclination connection thread with pre-assembled sealing for shower or rather bath GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	128.00
 	28 002 000 Relexa 70 Sports head shower 1 spray low aerosol emission heavy, casted model theft proof connection thread 1/2" projection 58 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suicide-resisting design pipe union plug-in for wall connection min. recommended pressure 1.0 bar	chrome	190.00
 	28 948 000 Relexa Plus 60 Sports head shower 1 spray heavy, casted model theft proof connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	271.00
 	28 089 000 Relexa Plus 30 Sports head shower 1 spray heavy, casted model theft proof connection thread 1/2" projection 148 mm GROHE StarLight chrome finish adjustable flow rate from 5 till 35 l/min.	chrome	215.00

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 146 000	chrome	85.00
	Rainshower Shower arm 422 mm metal connection thread 1/2" with round escutcheon, chrome suitable for all Rainshower head showers GROHE StarLight chrome finish		
 	26 146 LS0	moon white/chrome	107.00
	Rainshower Shower arm 422 mm metal connection thread 1/2" with round escutcheon, white suitable for all Rainshower head showers GROHE StarLight chrome finish		
 	28 982 000	chrome	135.00
	Rainshower Shower arm 378 mm metal connection thread 1/2" GROHE StarLight chrome finish suitable for all Rainshower head showers		
 	28 361 000	chrome	100.00
	Rainshower Shower arm, 380 mm metal connection thread 1/2" can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish with circle escutcheon		
	28 576 000	chrome	80.00
	28 576 GL0	cool sunrise	108.00
	28 576 DA0	warm sunset	108.00
	28 576 A00	hard graphite	108.00
	28 576 AL0	brushed hard graphite	94.00
	ditto, projection 286 mm		
 	28 384 000	chrome	177.00
	Rainshower Rustic Shower arm 272 mm metal connection thread 1/2" GROHE StarLight chrome finish		

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 145 000	chrome	85.00
	Rainshower Shower arm 422 mm metal connection thread 1/2" with square escutcheon suitable for all Rainshower head showers GROHE StarLight chrome finish		
 	27 488 000	chrome	80.00
	Rainshower Shower arm 275 mm metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish		
 	27 709 000	chrome	110.00
	Rainshower Shower arm 286 mm metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE StarLight chrome finish		
 	28 497 000	chrome	66.00
	Rainshower Shower arm ceiling 292 mm metal connection thread 1/2" suitable for all Rainshower head showers GROHE StarLight chrome finish		
	28 724 000	chrome	64.00
	28 724 LS0	moon white/chrome	66.00
	28 724 GL0	cool sunrise	62.00
	28 724 DA0	warm sunset	62.00
	28 724 A00	hard graphite	62.00
	28 724 AL0	brushed hard graphite	62.00
	ditto, length 142 mm		
 	27 484 000	chrome	63.00
	Rainshower Shower arm ceiling 292 mm metal connection thread 1/2" with square escutcheon suitable for all Rainshower head showers GROHE StarLight chrome finish		
	27 485 000	chrome	55.00
	ditto, length 142 mm		

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 711 000 Rainshower Shower arm ceiling 154 mm metal connection thread 1/2" GROHE StarLight chrome finish	chrome	93.00
 	27 986 000 27 986 IGO Rainshower Grandera Shower arm 285 mm projection 286 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers min. recommended pressure 1.0 bar	chrome chrome/gold	95.00 126.00
 	27 982 000 27 982 IGO Rainshower Grandera Shower arm ceiling 292 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers min. recommended pressure 1.0 bar	chrome chrome/gold	84.00 100.00
 	27 978 000 27 978 IGO ditto, length 142 mm	chrome chrome/gold	75.00 83.00
 	27 406 000 Relaxa Shower arm 218 mm connection thread 1/2" projection 218 mm sliding escutcheon GROHE StarLight chrome finish	chrome	50.00
 	28 541 000 Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish	chrome	84.00
 	28 429 000 Relaxa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish	chrome	58.00

GROHE HEAD AND SIDE SHOWERS

Ref. No.	Colour	Price netto (€)
48 348 000	chrome	30.00




Spray face
for SmartControl and head showers with multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly-key

GROHE SENA



GROHE SENA


Ref. No. Colour Price netto (€)



28 341 000 chrome 140.00

Sena Stick
Hand shower 1 spray
Normal spray
metal
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar

28 034 000 chrome 140.00
ditto, with non-restricted flow




26 465 000 chrome 125.00
26 465 DC0 supersteel 175.00
26 465 *** SPA colours 175.00

Sena Stick
Hand shower 1 spray
Normal spray
metal
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1.0 bar


*** SPA colours:

- BE ● GL ● DA ● A0
- EN ● GN ● DL ● AL




28 348 000 chrome 235.00

Sena
Wall holder set 1 spray
metal
consisting of:
hand shower Sena (28 034 000)
wall shower holder (28 690)
shower hose (28 151 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
min. recommended pressure 1.0 bar



28 308 000 chrome 134.00

Sena 75
Head shower 1 spray
Normal spray
metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
min. recommended pressure 1.0 bar













28 690 000 chrome 108.00

Sena
Wall hand shower holder
not adjustable
metal
GROHE StarLight chrome finish

GROHE RAINSHOWER



GROHE RAINSHOWER

	Ref. No.	Colour	Price netto (€)
	27 276 000	chrome	84.00
	27 276 LS0	moon white	82.00
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) GROHE EcoJoy technology for less water and perfect flow metal elbow adapter for the combination of hand showers with shower hoses GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
	27 443 000	red	90.00
		Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater	
	27 444 000	orange	92.00
		Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater	
	27 446 000	yellow	90.00
		Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater	
	27 447 000	pink	92.00
		Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater	

GROHE RAINSHOWER


	Ref. No.	Colour	Price netto (€)
 	27 448 000	purple	90.00
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
 	27 449 000	blue	90.00
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
 	27 628 000	chrome/natural sandstone	90.00
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
 	27 630 000	chrome/limestone	90.00
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
 	27 633 000	chrome/fired clay	90.00
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		

GROHE RAINSHOWER

Ref. No.

Colour

Price netto (€)




27 635 000

chrome/sheer marble

90.00

Rainshower Icon 150
Hand shower 2 sprays

Rain, SmartRain
eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater




27 637 000

chrome/misty slate

92.00

Rainshower Icon 150
Hand shower 2 sprays

Rain, SmartRain
eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater




27 639 000

chrome/frosted granite

90.00

Rainshower Icon 150
Hand shower 2 sprays

Rain, SmartRain
eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater



27 277 001

chrome


201.00

Rainshower Icon 150
Shower rail set 2 sprays

consisting of:
hand shower Icon 150 (27 276 000)
shower rail, 900 mm (28 819)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
elbow adapter for the combination of hand showers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater

GROHE RAINSHOWER

Ref. No. Colour Price netto (€)




27 272 000

chrome

115.00

Rainshower Solo 150
Hand shower 2 sprays

eco function (reduction of flow rate)
elbow adapter for the combination of hand showers with shower sets
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater



27 273 001

chrome

241.00

Rainshower Solo 150
Shower rail set 2 sprays


consisting of:
hand shower Solo (27 272)
shower rail, 900 mm (28 819)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
elbow adapter for the combination of hand showers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater

GROHE RAINSHOWER

Ref. No.

Colour

Price netto (€)



27 274 000

chrome

115.00

Rainshower Eco 120
Hand shower 2 sprays

Rain, SmartRain

eco function (reduction of flow rate)
elbow adapter for the combination of
hand showers with shower sets

GROHE StarLight chrome finish

GROHE DreamSpray perfect spray pattern











SpeedClean anti-lime system

Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE POWER&SOUL




GROHE POWER&SOUL

	Ref. No.	Colour	Price netto (€)
 	27 668 000	chrome	129.00
<p>Power&Soul Cosmopolitan 160 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 664 000	chrome	120.00
<p>Power&Soul Cosmopolitan 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 663 LS0	moon white/chrome	129.00
<p>Power&Soul Cosmopolitan 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar</p>			
 	27 661 000	chrome	103.00
<p>Power&Soul Cosmopolitan 115 Hand shower 2 sprays GROHE Rain O², Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 744 000	chrome	224.00
<p>Power&Soul Cosmopolitan 160 Shower rail set 4+ sprays consisting of: Hand shower Power&Soul Cosmopolitan 160 (27 668 000) shower rail, 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	27 746 000	chrome	235.00
<p>ditto, 900 mm</p>			

GROHE POWER&SOUL

Ref. No. Colour Price netto (€)



27 732 000 **chrome** **207.00**

**Power&Soul Cosmopolitan 130
Shower rail set 4+ sprays**

consisting of:

Hand shower Power&Soul Cosmopolitan 130 (27 664 000)

shower rail, 600 mm (27 784 000)

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE QuickFix Plus adjustable distance between brackets

for adaption to existing drilling holes

SpeedClean anti-lime system


Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar

27 734 000 **chrome** **213.00**
ditto, 900 mm



27 741 000 **chrome** **159.00**

**Power&Soul Cosmopolitan 130
Wall holder set 4+ sprays**

consisting of:

Hand shower Power&Soul Cosmopolitan 130 (27 664 000)

wall shower holder, adjustable (27 055)

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heater

min. recommended pressure 1.0 bar


GROHE POWER&SOUL

Ref. No. Colour Price netto (€)




27 675 000 **chrome** 109.00

Power&Soul 160
Hand shower 4+ sprays
 GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
 spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater




27 673 000 **chrome** 93.00

Power&Soul 130
Hand shower 4+ sprays, spray plate night time grey
 GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
 spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 673 LS0 **moon white** 82.00

Power&Soul 130
Hand shower 4+ sprays, spray plate white
 GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
 spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 672 000	chrome	91.00
27 672 GL0	cool sunrise	113.00
27 672 DA0	warm sunset	129.00
27 672 A00	hard graphite	129.00
27 672 AL0	brushed hard graphite	138.00
27 672 PV0	chrome/natural sandstone	100.00
27 672 DR0	chrome/limestone	90.00
27 672 HF0	chrome/fired clay	90.00
27 672 TN0	chrome/misty slate	102.00
27 672 XH0	chrome/frosted granite	100.00


Power&Soul 130
Hand shower 4+ sprays
 GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
 spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

GROHE POWER&SOUL

	Ref. No.	Colour	Price netto (€)
 	27 962 000	chrome	97.00
	<p>Power&Soul 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet consisting of: Hand shower Power&Soul 130 (27 673 000) travellers kit GROHE DreamSpray perfect spray pattern GROHE One-Click Showering spray selection with one click GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>		
 	27 671 000	chrome	83.00
	<p>Power&Soul 115 Hand shower 2 sprays, spray plate night time grey GROHE Rain O², Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>		
 	27 671 LS0	moon white	73.00
	<p>Power&Soul 115 Hand shower 2 sprays, spray plate white GROHE Rain O², Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar</p>		
 	27 748 000	chrome	209.00
	<p>Power&Soul 160 Shower rail set 4+ sprays consisting of: Hand shower Power&Soul 160 (27 675 000) shower rail, 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	27 750 000	chrome	214.00
	ditto, 900 mm		

GROHE POWER&SOUL


Ref. No. Colour Price netto (€)



27 736 000 **chrome** 194.00


Power&Soul 130
Shower rail set 4+ sprays
consisting of:
Hand shower Power&Soul 130 (27 673 000)
shower rail, 600 mm (27 784 000)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 738 000 **chrome** 199.00
ditto, 900 mm



27 742 000 **chrome** 135.00

Power&Soul 130
Wall holder set 4+ sprays
consisting of:
Hand shower Power&Soul 130 (27 673 000)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar



27 785 000 **chrome** 106.00
27 785 DA0 **warm sunset** 133.00

Power&Soul
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE QuickFix (adjustable distance between
wall shower holders for adaption to existing drillings)
GROHE StarLight chrome finish

27 784 000 **chrome** 102.00
ditto, 600 mm

GROHE MOVARIO




GROHE MOVARIO

Ref. No.

Colour

Price netto (€)



28 393 000

chrome

164.00

Movario 100 Five

Hand shower 5 sprays

Normal, Jet, Rain, Massage,

Champagne spray

Rotahead adjustable shower head system

GROHE EcoJoy 9,5 l/min flow limiter

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater


minimum flow rate 7,5 l/min.

GROHE EUPHORIA



GROHE EUPHORIA


	Ref. No.	Colour	Price netto (€)
 	27 222 000	chrome	59.00
	Euphoria 110 Champagne Hand shower 3 sprays Rain, Champagne spray, SmartRain GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 239 001	chrome	47.00
	Euphoria 110 Massage Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish spray plate white SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 221 001	chrome	48.59
	ditto, with non-restricted flow		
 	27 239 000	chrome	62.00
	Euphoria 110 Massage Hand shower 3 sprays Rain, Massage, SmartRain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 221 000	chrome	58.00
	ditto, with non-restricted flow		
 	27 238 000	chrome	46.00
	Euphoria 110 Duo Hand shower 2 sprays Rain, SmartRain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 220 000	chrome	42.00
	ditto, with non-restricted flow		
 	27 265 00E	chrome	31.00
	Euphoria 110 Mono Hand shower 1 spray Rain GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 265 000	chrome	31.00
	ditto, with hand shower Mono		



27 232 001 **chrome** **109.00**

**Euphoria 110 Champagne
Shower rail set 3 sprays**

consisting of:
 hand shower Champagne (27 222 000)
 shower rail, 600 mm (27 499)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar




27 243 001 **chrome** **110.00**

**Euphoria 110 Massage
Shower rail set 3 sprays**

consisting of:
 hand shower Massage (27 239 000)
 shower rail, 600 mm (27 499)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

27 231 001 **chrome** **107.00**
ditto, with non-restricted flow




27 242 001 **chrome** **91.00**

**Euphoria 110 Duo
Shower rail set 2 sprays**

consisting of:
 hand shower Euphoria 110 Duo (27 238)
 shower rail, 600 mm (27 499)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

27 230 001 **chrome** **91.00**
ditto, with non-restricted flow




27 266 00E **chrome** 88.00

**Euphoria 110 Mono
Shower rail set 1 spray**

consisting of:
hand shower Euphoria 110 (27 265 00E), 1 spray, 5.7 l/min
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable
for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 266 001 **chrome** 87.00
ditto, with hand shower Mono



27 227 001 **chrome** 114.00

**Euphoria 110 Champagne
Shower rail set 3 sprays**

consisting of:
hand shower Champagne (27 222 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)


GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow
rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable
for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 226 001 **chrome** 114.00
27 226 DC1 **supersteel** 154.00
27 226 *** **SPA colours** 151.00

**Euphoria 110 Massage
Shower rail set 3 sprays**


consisting of:
hand shower Massage (27 221 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow
rate reduction)
GROHE QuickFix (upper bracket adjustable
for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar



*** SPA colours:

- BE ● GL ● DA ● A0
- EN ● GN ● DL ● AL




27 225 001

chrome

105.00

**Euphoria 110 Duo
Shower rail set 2 sprays**

consisting of:
 hand shower Duo (27 220 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar




27 267 001

chrome

92.00

**Euphoria 110 Mono
Shower rail set 1 spray**

consisting of:
 hand shower Mono (27 265 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar




27 355 000

chrome

99.00

**Euphoria 110 Champagne
Wall holder set 3 sprays**

consisting of:
 hand shower Champagne (27 222 000)
 Wall shower holder 28 401
 Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 354 000








chrome

54.00

**Euphoria 110 Mono
Wall holder set 1 spray**

consisting of:
 hand shower Mono (27 265 000)
 wall shower holder (27 056)
 Silverflex shower hose 1 250 mm (28 362)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

GROHE EUPHORIA

	Ref. No.	Colour	Price netto (€)
 	26 459 000	chrome	191.00
	<p>Euphoria 260 Head shower set 380 mm, 3 sprays consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	26 458 000	chrome	192.00
	ditto, with non-restricted flow		
 	26 461 000	chrome	152.00
	<p>Euphoria 260 Head shower set ceiling 142 mm, 3 sprays consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	26 460 000	chrome	147.00
	ditto, with non-restricted flow		
	26 456 000	chrome	113.00
	26 456 ENO	brushed nickel	156.00
	<p>Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
	26 457 000	chrome	116.00
	26 457 ENO	brushed nickel	190.00
	ditto, with 9.5 l/min flow limiter		
	26 455 000	chrome	116.00
	ditto, with non-restricted flow		
 	27 499 000	chrome	48.00
	<p>Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) GROHE StarLight chrome finish</p>		

GROHE EUPHORIA

Ref. No.


Colour

Price netto (€)

48 051 000

chrome

6.30




Compensation disc

for Tempesta shower rails 27 519 / 27 520 /
27 521 / 27 522 / 27 523 / 27 524
for Euphoria shower rails 27 499 / 27 500

27 596 000

chrome











6.50




















GROHE EasyReach tray

Acrylic
for Tempesta and Euphoria
shower rails Ø 22 mm







GROHE EUPHORIA

	Ref. No.	Colour	Price netto (€)
 	27 400 000	chrome	49.00
	Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 367 000	chrome	49.00
	ditto, with non-restricted flow		
 	27 368 000	chrome	168.00
	Euphoria Cosmopolitan Stick Shower rail set 1 spray consisting of: hand shower 27 400 000 shower rail, 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) soap dish (27 206) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 404 000	chrome	66.00
	Euphoria Cosmopolitan Stick Wall holder set 1 spray with integrated wall union 1/2" consisting of: hand shower 27 400 000 shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 369 000	chrome	79.00
	Euphoria Cosmopolitan Stick Wall holder set 1 spray consisting of: hand shower 27 400 000 wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 0.5 bar		
 	28 233 000	chrome	83.00
	Euphoria Cosmopolitan 160 Head shower 1 spray Rain ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		

		<p>27 888 000</p> <p>Euphoria Cube+ Stick Hand shower 1 spray Normal spray metal GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 92.00</p>
		<p>27 884 001</p> <p>ditto, with non-restricted flow</p>	<p>chrome 91.00</p>
		<p>27 891 000</p> <p>Euphoria Cube+ Stick Shower rail set 1 spray consisting of: hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 244.00</p>
		<p>27 890 000</p> <p>Euphoria Cube+ Stick Shower rail set 1 spray consisting of: hand shower, metal shower rail 900 mm (27 841) metal shower hose 1750 mm (28 025) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 246.00</p>
		<p>27 889 000</p> <p>Euphoria Cube+ Stick Wall holder set 1 spray consisting of: hand shower, metal (27 888 000) wall shower holder (27 706) metal shower hose 1500 mm (28 417) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 127.00</p>

	Ref. No.	Colour	Price netto (€)
 	27 699 000	chrome	47.00
	Euphoria Cube Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 698 000	chrome	48.00
	ditto, with non-restricted flow		
 	27 936 000	chrome	208.00
	Euphoria Cube Shower set consisting of: hand shower (27 698 000) shower rail 600 mm (27 892 000) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 700 000	chrome	218.00
	Euphoria Cube Stick Shower rail set 1 spray consisting of: hand shower (27 698 000) shower rail 900 mm (27 841) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 405 000	chrome	85.00
	Euphoria Cube Stick Wall holder set 1 spray with integrated wall union 1/2" consisting of: hand shower (27 699 000) shower outlet elbow 1/2" with wall shower holder (26 370) male thread protected against backflow Silverflex shower hose 1 250 mm (28 362) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		

GROHE EUPHORIA


	Ref. No.	Colour	Price netto (€)
 	27 703 000	chrome	84.00
<p>Euphoria Cube Stick Wall holder set 1 spray consisting of: hand shower (27 699 000) wall shower holder (27 693 000) Silverflex shower hose 1 250 mm (28 362) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	27 702 000	chrome	84.00
<p>ditto, with non-restricted flow</p>			
 	27 892 000	chrome	192.00
<p>Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE StarLight chrome finish</p>			
	27 841 000	chrome	172.00
<p>ditto, 900mm</p>			
 	27 845 000	chrome	1.10
<p>Euphoria Cube Compensation disc for Euphoria Cube shower bars 27 892 000 / 27 841 000</p>			

GROHE TEMPESTA



GROHE TEMPESTA

Ref. No. Colour Price netto (€)




27 608 001 chrome 35.00

Tempesta Rustic 100
Hand shower 4 sprays
 GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater

26 085 001 chrome *

ditto, with non-restricted flow




27 609 001 chrome 81.00

Tempesta Rustic 100
Shower rail set 4 sprays
 consisting of:
 hand shower (27 608)
 shower rail, 600 mm (27 519)
 Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater

26 086 001 chrome *

ditto, with non-restricted flow




27 805 001 chrome 55.00

Tempesta Rustic 100
Wall holder set 4 sprays
 consisting of:
 hand shower (27 608)
 wall shower holder adjustable (27 595)
 Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar


26 089 001 chrome 56.00

Tempesta Rustic 100
Head shower set 4 sprays
 GROHE Rain O², Rain, Massage, Jet
 ball joint ± 15° rotatable
 Shower arm with connection thread 1/2"
 escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 610 001 chrome 49.00

Tempesta Rustic 100
Head shower 4 sprays
 GROHE Rain O², Rain, Massage, Jet
 ball joint ± 15° rotatable
 connection thread 1/2"
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



GROHE TEMPESTA


	Ref. No.	Colour	Price netto (€)
 	27 575 002	chrome	39.00
	Tempesta Cosmopolitan 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 573 002	chrome	39.00
	ditto, with non-restricted flow		
 	27 574 002	chrome	27.50
	Tempesta Cosmopolitan 100 Hand shower 3 sprays GROHE Rain O ² , Rain, Massage GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 572 002	chrome	29.00
	ditto, with non-restricted flow		
 	27 571 20E	chrome	24.00
	Tempesta Cosmopolitan 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 046 002	chrome	*
	ditto, with 6.6 l/min flow limiter		
	27 571 002	chrome	23.00
	ditto, with non-restricted flow		
 	26 082 002	chrome	18.50
	Tempesta Cosmopolitan 100 Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar		

GROHE TEMPESTA

Ref. No.

Colour

Price netto (€)



27 577 002

chrome

74.00

**Tempesta Cosmopolitan 100
Shower rail set 4 sprays**

consisting of:

hand shower (27 575)
shower rail, 600 mm (27 521)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

GROHE EasyReach tray (27 596)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



27 576 002

chrome

68.00

**Tempesta Cosmopolitan 100
Shower set 3 sprays**

consisting of:

hand shower (27 574)
shower rail, 600 mm
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

GROHE EasyReach tray (27 596)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater


min. recommended pressure 1.0 bar

27 929 002

chrome

57.00

ditto, with non-restricted flow



27 928 002

chrome

61.00

**Tempesta Cosmopolitan 100
Shower rail set 2 sprays**

consisting of:

hand shower (27 571)
shower rail, 600 mm (27 521)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

GROHE EasyReach tray (27 596)

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 083 002

chrome

53.00

**Tempesta Cosmopolitan 100
Shower rail set 1 spray**

consisting of:

hand shower (26 082)
shower rail, 600 mm (27 521)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)

GROHE EasyReach tray (27 596)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar

GROHE TEMPESTA

Ref. No. Colour Price netto (€)


		<p>27 580 002</p> <p>Tempesta Cosmopolitan 100 Shower rail set 4 sprays consisting of: hand shower Tempesta Cosmopolitan 100 (27 575) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 67.00</p>
		<p>27 579 002</p> <p>Tempesta Cosmopolitan 100 Shower rail set 3 sprays consisting of: hand shower (27 574) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 59.00</p>
		<p>27 578 20E</p> <p>Tempesta Cosmopolitan 100 Shower rail set 2 sprays consisting of: hand shower Tempesta Cosmopolitan 100 (27 571 20E) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 52.00</p>
		<p>27 786 002</p> <p>ditto, with non-restricted flow</p> <p>26 076 002 ditto, with 6.6 l/min flow limiter</p> <p>27 578 002 ditto, with non-restricted flow</p>	<p>chrome 59.00</p> <p>chrome *</p> <p>chrome 53.00</p>
		<p>27 790 002</p> <p>Tempesta Cosmopolitan 100 Shower rail set 4 sprays consisting of: hand shower (27 573) shower rail, 900 mm (27 522) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 72.00</p>

GROHE TEMPESTA

Ref. No.

Colour

Price netto (€)



27 789 002

chrome

65.00

**Tempesta Cosmopolitan 100
Shower rail set 3 sprays**

consisting of:

hand shower (27 572)

shower rail, 900 mm (27 522)

Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



27 788 002

chrome

57.00

**Tempesta Cosmopolitan 100
Shower rail set 2 sprays**

consisting of:

hand shower (27 571)

shower rail, 900 mm (27 522)

Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



27 584 002

chrome

43.00

**Tempesta Cosmopolitan 100
Shower set 3 sprays**

consisting of:

hand shower (27 574)

wall shower holder adjustable (27 595)

Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



27 588 002

chrome

41.00

**Tempesta Cosmopolitan 100
Wall holder set 3 sprays**

consisting of:

hand shower (27 574)

wall shower holder non-adjustable (27 594)

Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE StarLight chrome finish

GROHE DreamSpray perfect spray pattern











SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar

GROHE TEMPESTA


	Ref. No.	Colour	Price netto (€)
 	26 084 002	chrome	29.00
<p>Tempesta Cosmopolitan 100 Wall holder set 1 spray consisting of: hand shower (26 082) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 869 001	chrome	63.00
<p>Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 591 001	chrome	54.00
<p>Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	26 051 001	chrome	43.00
<p>Tempesta Cosmopolitan 100 Head shower 1 spray Rain ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 851 000	chrome	42.00
<p>Tempesta Shower arm 400 mm metal projection 400 mm connection thread 1/2"</p>			
 	27 559 000	chrome	33.00
<p>Tempesta Shower arm ceiling 186 mm metal length 186 mm connection thread 1/2"</p>			

GROHE TEMPESTA

	Ref. No.	Colour	Price netto (€)
 	28 421 002	chrome	35.00
	Tempesta 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
	28 578 002	chrome	35.00
	ditto, with non-restricted flow		
 	28 419 002	chrome	27.00
	Tempesta 100 Hand shower 3 sprays GROHE Rain O ² , Rain, Massage GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
	28 261 002	chrome	27.00
	ditto, with non-restricted flow		
 	27 597 10E	chrome	20.00
	Tempesta 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 047 001	chrome	*
	ditto, with 6.6 l/min flow limiter		
	26 161 001	chrome	21.00
	ditto, with 9.5 l/min flow limiter		
	27 597 001	chrome	22.00
	ditto, with non-restricted flow		
 	27 923 001	chrome	17.00
	Tempesta 100 Hand shower 1 spray Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 852 001	chrome	18.50
	ditto, with non-restricted flow		

GROHE TEMPESTA


Ref. No. Colour Price netto (€)



28 436 002 chrome 68.00

Tempesta 100
Shower rail set 4 sprays
consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar


28 593 002 chrome 68.00
ditto, with non-restricted flow



27 600 001 chrome 61.00

Tempesta 100
Shower rail set 3 sprays
consisting of:
hand shower (28 419)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar


27 927 001 chrome 61.00
ditto, with non-restricted flow



26 638 000 chrome *

Tempesta 100
Shower rail set 2 sprays
consisting of:
hand shower Tempesta 100 (26 161)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 926 001 chrome 55.00
ditto, with non-restricted flow











27 645 001 chrome 59.00

Tempesta 100
Shower rail set 4 sprays
consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 795 001 chrome 59.00
ditto, with non-restricted flow

GROHE TEMPESTA

	Ref. No.	Colour	Price netto (€)
 	27 644 001	chrome	54.00
	Tempesta 100 Shower rail set 3 sprays consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 794 001	chrome	54.00
	ditto, with non-restricted flow		
 	27 598 10E	chrome	48.00
	Tempesta 100 Shower rail set 2 sprays consisting of: hand shower Tempesta 100 II 5.7 l/min (27 597) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 162 001	chrome	*
	ditto, with 9.5 l/min flow limiter		
	27 598 001	chrome	56.00
	ditto, with non-restricted flow		
 	27 924 001	chrome	48.00
	Tempesta 100 Shower rail set 1 spray consisting of: hand shower (27 923) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 853 001	chrome	42.00
	ditto, with non-restricted flow		
 	28 789 002	chrome	59.00
	Tempesta 100 Shower rail set 3 sprays consisting of: hand shower (28 419) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 796 001	chrome	60.00
	ditto, with non-restricted flow		

GROHE TEMPESTA

Ref. No. Colour Price netto (€)

		<p>27 646 10E chrome 53.00</p> <p>Tempesta 10E Shower rail set 2 sprays consisting of: hand shower (27 597) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
		<p>26 163 001 chrome 55.00</p> <p>ditto, with 9.5 l/min flow limiter</p>	
		<p>27 646 001 chrome 54.00</p> <p>ditto, with non-restricted flow</p>	
		<p>27 925 001 chrome 45.00</p> <p>Tempesta 100 Shower rail set 1 spray consisting of: hand shower (27 923) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
		<p>27 854 001 chrome 44.00</p> <p>ditto, with non-restricted flow</p>	
		<p>27 601 10E chrome 35.00</p> <p>Tempesta 100 Wall holder set 2 sprays consisting of: hand shower (27 597) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
		<p>26 639 000 chrome *</p>	
		<p>27 849 001 chrome 39.00</p> <p>Tempesta 100 Wall holder set 3 sprays consisting of: hand shower Tempesta 100 (28 419) wall shower holder (28 605), not adjustable Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	

SHOWERS

GROHE TEMPESTA

Ref. No. Colour Price netto (€)

		<p>27 803 10E chrome 31.00</p> <p>Tempesta 100 Wall holder set 2 sprays consisting of: hand shower (27 597) wall shower holder (28 605), not adjustable Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>27 798 10E chrome 28.08</p> <p>Tempesta 100 Wall holder set 2 sprays consisting of: hand shower (27 597) wall shower holder (28 605), not adjustable Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p> <p>26 164 001 chrome 31.00 ditto, with 9.5 l/min flow limiter</p> <p>27 799 001 chrome 30.00 ditto, with non-restricted flow</p>
		<p>26 406 001 chrome 44.00</p> <p>Tempesta 100 Wall holder set 2 sprays with integrated wall union 1/2" consisting of: hand shower (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>26 412 000 chrome 139.00</p> <p>Tempesta 210 Head shower set 286 mm, 1 spray consisting of: head shower Tempesta 210 (26 410) 1 spray: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p> <p>26 411 000 chrome 139.00 ditto, with non-restricted flow</p>

GROHE TEMPESTA


	Ref. No.	Colour	Price netto (€)
 	27 870 001	chrome	56.00
	Tempesta 100 Head shower set 4 sprays GROHE Rain O ² , Rain, Massage, Jet ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 088 001	chrome	51.52
	Tempesta 100 Head shower set 3 sprays GROHE Rain O ² , Rain, Massage ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 414 000	chrome	117.00
	Tempesta 210 Head shower set ceiling 142 mm, 1 spray consisting of: head shower Tempesta 210 (26 410) 1 spray: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 413 000	chrome	114.00
	ditto, with non-restricted flow		
	26 409 000	chrome	77.00
	26 409 EN0	brushed nickel	129.00
	Tempesta 210 Head shower 1 spray Rain Ø 210 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 410 000	chrome	79.00
	26 410 EN0	brushed nickel	106.00
	ditto, with 9.5 l/min flow limiter		
	26 408 000	chrome	79.00
	ditto, with non-restricted flow		

GROHE TEMPESTA

Ref. No.

Colour

Price netto (€)



27 606 001

chrome

43.00

Tempesta 100

Head shower 4 sprays

GROHE Rain O², Rain, Massage, Jet

ball joint ± 15° rotatable

connection thread 1/2"

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar



26 050 001

chrome

40.00

Tempesta 100

Head shower 1 spray

Rain

ball joint ± 15° rotatable

GROHE EcoJoy 5.7 l/min. flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater


min. recommended pressure 1.0 bar

GROHE SENA TRIGGER SPRAYS




GROHE SENA TRIGGER SPRAYS

Ref. No. Colour Price netto (€)



26 328 000 **chrome** 62.00


Sena Trigger Spray 35
Hand shower 1 spray
 with trigger control
 metal
GROHE StarLight chrome finish
SpeedClean anti-lime system
 universal mounting system, fitting all standard shower hoses
 min. recommended pressure 0.5 bar
 Please refer to local norms regarding installation.



26 332 000 **chrome** 165.00

Sena Trigger Spray 35
Wall holder set with angle valve 1 spray
 consisting of:
 hand shower with trigger control (26 328)
 valve with integrated shower holder (26 333)
 Silverflex Longlife shower hose 1250 mm (26 335)
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
 min. recommended pressure 0.5 bar
 Please refer to local norms regarding installation.

26 329 000 **chrome** 159.00
 ditto, hose 1.000 mm













26 333 000 **chrome** 79.00

Valve
 with wall shower holder
 escutcheon
 connection thread 1/2"
GROHE StarLight chrome finish
 Please refer to local norms regarding installation.

GROHE TEMPESTA-F TRIGGER SPRAYS



GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	Price netto (€)
 	27 512 001	chrome	19.00
<p>Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>			
 	28 020 L01	white	13.50
<p>Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>			
 	26 353 000	chrome	35.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>			
	27 513 001	chrome	35.00
	ditto, with 1250 mm hose		
	26 352 000	chrome	32.00
	ditto, with 1000 mm hose		
 	26 354 000	chrome	38.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>			
 	27 812 IL1	chrome/white	28.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) Silverflex Longlife shower hose 1250 mm (26 335) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>			
	26 355 IL0	chrome/white	27.00
	ditto, with 1000 mm hose		







GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	Price netto (€)
 	26 356 ILO	chrome/white	30.00
Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar Please refer to local norms regarding installation.			
 	26 357 000	chrome	67.00
Tempesta-F Trigger Spray 30 Wall holder set with angle valve 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) angle valve 1/2" (22 958) GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.			
	27 514 001	chrome	68.00
ditto, with 1250 mm hose			
 	26 358 000	chrome	108.00
Tempesta-F Trigger Spray 30 Wall holder set with self-closing angle valve, 1 spray consisting of: hand shower with trigger control (27 512 001) valve with integrated shower holder (26 333) Silverflex Longlife shower hose 1000 mm (26 334) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.			
 	26 346 000	chrome	21.66
Silverflex Longlife Shower hose Twistfree 1500 1500 mm smooth surface for easy cleaning Longlife strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function GROHE StarLight chrome finish blister packaging			
	26 335 000	chrome	19.58
ditto, 1.250 mm			
	26 334 000	chrome	17.49
ditto, 1.000 mm			







GROHE SHOWER HOSES











GROHE SHOWER HOSES

	Ref. No.	Colour	Price netto (€)
 	28 025 000 Rotaflex Metal Longlife Metal shower hose Twistfree 1750 1750 mm metal Longlife strengthened model tensile strength 500 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function cone with silicone tape to prevent the turning of the hand shower during the usage GROHE StarLight chrome finish blister packaging	chrome	27.91
	28 417 000 ditto, 1500 mm	chrome	25.83
 	28 145 000 Relexaflex Metal Longlife Metal shower hose 2000 2000 mm metal Longlife strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging	chrome	27.91
	28 143 000 28 143 LS0 28 143 KS0 ditto, 1500 mm 28 142 000 ditto, 1250 mm	chrome moon white velvet black	23.74 30.83 30.83
 	28 140 000 Relexaflex Metal Metal shower hose 2000 2000 mm metal tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging	chrome	23.74
	28 139 000 ditto, 1750 mm 28 105 000 ditto, 1500 mm	chrome	21.66 19.58

GROHE SHOWER HOSES

	Ref. No.	Colour	Price netto (€)								
 	26 346 000	chrome	21.66								
	Silverflex Longlife Shower hose Twistfree 1500 1500 mm smooth surface for easy cleaning Longlife strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function GROHE StarLight chrome finish blister packaging										
	26 335 000	chrome	19.58								
	ditto, 1.250 mm										
	26 334 000	chrome	17.49								
	ditto, 1.000 mm										
 	27 137 000	chrome	21.66								
	Silverflex Shower hose Twistfree 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function GROHE StarLight chrome finish blister packaging										
	28 388 000	chrome	19.58								
	28 388 DC0	supersteel	27.49								
	28 388 ***	SPA colours	27.49								
	ditto, 1750 mm										
	28 364 000	chrome	17.49								
	ditto, 1500 mm										
	28 362 000	chrome	15.41								
	28 362 DC0	supersteel	21.24								
28 362 ***	SPA colours	24.16									
ditto, 1250 mm											
*** SPA colours: <table border="0"> <tr> <td>● BE</td> <td>● GL</td> <td>● DA</td> <td>● A0</td> </tr> <tr> <td>● EN</td> <td>● GN</td> <td>● DL</td> <td>● AL</td> </tr> </table>				● BE	● GL	● DA	● A0	● EN	● GN	● DL	● AL
● BE	● GL	● DA	● A0								
● EN	● GN	● DL	● AL								
 	28 413 001	chrome	17.08								
	Rotaflex Shower hose Twistfree 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function GROHE StarLight chrome finish blister packaging										
	28 410 001	chrome	14.99								
	ditto, 1750 mm										
	28 409 001	chrome	13.33								
	ditto, 1500 mm										







GROHE SHOWER HOSES

	Ref. No.	Colour	Price netto (€)
	28 155 001 Relexaflex Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging	chrome	14.99
	28 154 001 ditto, 1750 mm	chrome	13.33
	28 151 001 28 151 L01 ditto, 1500 mm	chrome white	11.24 14.58
	28 150 001 ditto, 1250 mm	chrome	9.58
			
	28 158 000 Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets GROHE StarLight chrome finish	chrome	33.33
			
	28 146 000 Metal hose 2000 mm M15 x M15 GROHE StarLight chrome finish	chrome	51.00
			
	45 973 001 Relexaflex Shower hose 1500 1500 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging in units of 10	chrome	10.83
	45 971 001 ditto, 1250 mm	chrome	8.74
			













GROHE SHOWER ACCESSORIES






GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	27 055 000	chrome	44.00
<p>Rainshower Wall hand shower holder adjustable GROHE StarLight chrome finish</p>			
 	28 623 000	chrome	29.00
<p>Relexa Wall hand shower holder adjustable GROHE StarLight chrome finish</p>			
 	27 595 000	chrome	19.00
<p>Tempesta Wall hand shower holder adjustable GROHE StarLight chrome finish</p>			

GROHE SHOWER ACCESSORIES


	Ref. No.	Colour	Price netto (€)
 	28 690 000	chrome	108.00
	Sena Wall hand shower holder not adjustable metal GROHE StarLight chrome finish		
 	27 056 000	chrome	30.00
	Rainshower Wall hand shower holder not adjustable without escutcheon GROHE StarLight chrome finish		
 	27 074 000 27 074 DC0 27 074 LS0 27 074 ***	chrome supersteel moon white SPA colours	34.00 58.00 42.00 40.00
	Rainshower Wall hand shower holder not adjustable with round escutcheon GROHE StarLight chrome finish		
<p>*** SPA colours:</p> <ul style="list-style-type: none"> ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL 			
 	27 075 000 27 075 LS0	chrome moon white	34.00 41.00
	Rainshower Wall hand shower holder not adjustable with square escutcheon GROHE StarLight chrome finish		
 	27 706 000	chrome	33.00
	Allure Brilliant Wall hand shower holder not adjustable metal GROHE StarLight chrome finish		
 	27 693 000	chrome	27.00
	Euphoria Cube Wall hand shower holder not adjustable GROHE StarLight chrome finish		

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	28 622 000	chrome	16.00
<p>Relexa Wall hand shower holder not adjustable GROHE StarLight chrome finish</p>			
 	27 594 000	chrome	13.00
<p>Tempesta Cosmopolitan Wall hand shower holder not adjustable GROHE StarLight chrome finish</p>			
 	28 605 000	chrome	16.00
<p>Relexa Wall hand shower holder not adjustable GROHE StarLight chrome finish</p>			
 	27 151 000	chrome	99.00
<p>Lead-through for pull-out showers for bath rim installation and under tiled surround Lead-through for shower hose shower hose 1/2" x 3/8", 2000 mm (28 158 000) The lead-through can be combined with all hand showers GROHE StarLight chrome finish</p>			
 	27 531 000	chrome	137.00
<p>Lead-through for pull-out showers for bath rim installation and under tiled surround Lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000) The lead-through can be combined with all hand showers GROHE StarLight chrome finish</p>			


GROHE SHOWER ACCESSORIES

Ref. No. Colour Price netto (€)




27 621 000 chrome 313.00

Grotherm F
Wall shower union with integrated shower holder
Vertical or horizontal installation
for use with rough-in box 35 034 000 (1/2" connection) /
35 035 (1/2" NPT connection)
sold separately
shower outlet 1/2"
hand shower and shower hose sold separately
protected against backflow
vertical and horizontal installation



35 034 000 chrome 215.00

Grotherm F
Rough-in for wall shower union 27 621
for grid installation of Grotherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
flushing plug
for masonry and drywall installation
fixing points for front and back wall
aramã DR
1/2" connections
installation depth 70 - 95 mm




27 057 000 chrome 52.00
27 057 DC0 supersteel 63.00
27 057 LS0 moon white/chrome 63.00
27 057 *** SPA colours 71.00

Rainshower
Shower outlet elbow, 1/2"
male thread
with round escutcheon
protected against backflow
GROHE StarLight chrome finish


*** SPA colours:

● BE ● GL ● DA ● A0
● EN ● GN ● DL ● AL




27 076 000 chrome 52.00
27 076 LS0 moon white 62.00

Rainshower
Shower outlet elbow
male thread
with square escutcheon
protected against backflow
GROHE StarLight chrome finish



27 707 000 chrome 51.00

Allure Brilliant
Shower outlet elbow, 1/2"
male thread
protected against backflow
metal
GROHE StarLight chrome finish











27 704 000 chrome 30.00

Euphoria Cube
Shower outlet elbow, 1/2"
male thread
protected against backflow
GROHE StarLight chrome finish











SHOWERS

GROHE SHOWER ACCESSORIES

















	Ref. No.	Colour	Price netto (€)
 	26 370 000 Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE StarLight finish	chrome	38.00
 	28 671 000 Relaxa Shower outlet elbow, 1/2" male thread suitable for the Relaxa plus hand sprays Single (28 212) Exquisit (28 215) Duo (28 419) Duo (28 261) Trio (28 421) Trio (28 578) GROHE StarLight chrome finish	chrome	31.00
	28 680 000 ditto, protected against backflow	chrome	46.00
 	28 626 000 Relaxa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE StarLight chrome finish with matt chrome cap	chrome	32.00
	28 678 000 ditto, protected against backflow	chrome	29.00
	28 636 000 ditto, for IG-combination	chrome	37.00
 	28 628 000 Relaxa Shower outlet elbow, 1/2" with wall shower holder male thread GROHE StarLight chrome finish	chrome	32.00
	28 679 000 ditto, protected against backflow	chrome	53.00

GROHE SHOWER ACCESSORIES

Ref. No. Colour Price netto (€)

		<p>27 136 001</p> <p>Rainshower Shower rail, 1150 mm with wall holders made of metal glide element and swivel holder adjustable distance between wall shower holders for adaption to existing drillings GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>155.00</p>
		<p>27 784 000</p> <p>Power&Soul Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (adjustable distance between wall shower holders for adaption to existing drillings) GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>102.00</p>
		<p>28 620 000</p> <p>Relaxa Shower rail, 600 mm Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment by click stop GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>78.00</p>
		<p>28 621 000</p> <p>Relaxa Shower rail, 1000 mm Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment by click stop GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>128.00</p>
		<p>28 587 000</p> <p>Relaxa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment by click stop GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>196.00</p>







GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	27 892 000	chrome	192.00
	Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE StarLight chrome finish		
 	27 841 000	chrome	172.00
	ditto, 900mm		
 	27 499 000	chrome	48.00
	Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) GROHE StarLight chrome finish		
 	27 500 000	chrome	51.00
	ditto, 900 mm		
 	27 519 000	chrome	51.00
	Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish		
 	27 520 000	chrome	55.00
	ditto, 900 mm		
 	27 521 000	chrome	51.00
	Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish		
	27 522 000	chrome	52.00
	ditto, 900 mm		
	27 523 000	chrome	46.00
	Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish		
	27 524 000	chrome	49.00
	ditto, 900 mm		
 	45 914 XE0	gray night time	3.10
Compensation disc			

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	45 406 000	chrome	6.20
Compensation disc (for shower rails 28 600/28 601/28 666)			
 	45 459 000	chrome	14.50
Compensation disc for shower rail 28 620/28 621			
 	48 051 000	chrome	6.30
Compensation disc for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500			
 	27 845 000	chrome	1.10
Euphoria Cube Compensation disc for Euphoria Cube shower bars 27 892 000 / 27 841 000			
 	26 385 000	chrome	14.00
Rainshower SmartControl Compensation disc for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable			
 	28 856 000	chrome	32.00
Soap dish acrylic, clear for Relexa shower rails (28 820 and 28 666) GROHE StarLight chrome finish			

GROHE SHOWER ACCESSORIES











	Ref. No.	Colour	Price netto (€)
 	28 631 000 Relexa Soap dish for shower rail 28 620/28 621 GROHE StarLight chrome finish	chrome	31.00
 	27 206 000 Soap dish transparent surface in parts with eroded structure for shower rail Ø 22 or 25 mm	chrome	19.50
 	27 596 000 GROHE EasyReach tray Acrylic for Tempesta and Euphoria shower rails Ø 22 mm	chrome	6.50

GROHE SHOWER ACCESSORIES

Ref. No.

Colour

Price netto (€)

		<p>27 320 000</p> <p>Riser pipe 1300 mm with compression coupling 3/4" wall support with compensation piece GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>118.00</p>
		<p>27 304 000</p> <p>Riser pipe 1300 mm shower riser Ø 18 mm union nut 3/4" 1300 mm high projection 330 mm GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>71.00</p>
		<p>28 708 000</p> <p>Pipe clip for pillar shower, 1/2" for shower riser Ø 18 mm with stone pin for fixing with wooden screws GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>100.00</p>
		<p>28 788 000</p> <p>Relaxa Hand shower cradle for wall mixers for mounting on top of the union nut 3/4" GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>110.00</p>
		<p>28 389 000</p> <p>Sena Adapter 1/2" x 1/2" metal for use with hand shower holder or shower rail GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>75.00</p>

GROHE SHOWER ACCESSORIES


	Ref. No.	Colour	Price netto (€)
	28 812 000 Adapter 1/2" x 1/2" black (to combine hand showers of other manufacturers with Relexa shower rails)	black	4.40
	28 813 000 Adapter 1/2" x 1/2" white (to combine hand showers of other manufacturers with Relexa shower rails)	white	4.70
	28 635 XX0 Relexa Coupling piece as replacement connector for new hand shower and hose each hand shower is equipped with a coupling piece	dark grey	5.60
	28 634 XX0 Relexa Quick coupling for combination with average showers without integrated Grohclick with new system only in connection with coupling piece (28 635/28 637)	dark grey	39.00
	28 874 000 T connection, 1/2" for connection to shower and bath/shower-mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE StarLight chrome finish	chrome	52.00
	28 988 000 Drain down valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE StarLight chrome finish	chrome	59.00

GROHE SHOWER ACCESSORIES

Ref. No.

Colour

Price netto (€)



28 799 000

chrome

113.00

Diverter
GROHE StarLight chrome finish

SHOWERS

GROHE
KITCHEN FITTINGS





CONTENTS

Water systems	GROHE Blue Professional	427
	GROHE Blue Home	433
	GROHE Blue Pure	443
	GROHE Blue accessories	449
	GROHE Red	453
	Premium lines	K7
Competence lines	FootControl	461
	Minta / Minta Touch	463
	Zedra / Zedra Touch	469
	Atrio	473
	Essence	475
	Eurocube	477
	Eurodisc Cosmopolitan	479
	Eurodisc	481
	Concetto	483
	Eurostyle Cosmopolitan	487
Kitchen sinks	Eurosmart Cosmopolitan	491
	Eurosmart	495
	Euroeco / Euroeco Special	499
	Costa	501
	Bau Lines	503
	Soap dispensers	505
	Stainless steel sinks	507
	Composite sinks	517

GROHE BLUE PROFESSIONAL



GROHE BLUE PROFESSIONAL

Ref. No. Colour Price netto (€)

31 323 002 chrome 2,210.00
31 323 DC2 supersteel 2,540.00

GROHE Blue Professional C-spout kit

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication


for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the
delivery and have to be ordered separately



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	Price netto (€)
31 347 003	chrome	2,210.00
31 347 DC3	supersteel	2,540.00

GROHE Blue Professional

L-spout kit

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

L-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android


smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



GROHE BLUE PROFESSIONAL

Ref. No.	Colour	Price netto (€)
31 325 002	chrome	2,430.00
31 325 DC2	supersteel	2,800.00

GROHE Blue Professional

C-spout kit

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

pull out mousseur

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication


for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the
delivery and have to be ordered separately



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	Price netto (€)
31 326 002	chrome	2,430.00
31 326 DC2	supersteel	2,800.00

GROHE Blue Professional

L-spout kit

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

L-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

pull out mousseur

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices


Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	Price netto (€)
31 302 002	chrome	2,140.00
31 302 DC2	supersteel	2,460.00

GROHE Blue Professional

C-spout kit

consisting of:

GROHE Blue Mono faucet with filter function

single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight chrome finish

swivel tubular spout

swivel area 150°

GROHE Blue Professional cooler

delivers 12 liters of chilled water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the
delivery and have to be ordered separately

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android


smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have
to be ordered separately via an authorised Apple store/store/iTunes or Google Play
store.

* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



GROHE BLUE HOME



31 455 001	chrome	1,700.00
31 455 DC1	supersteel	1,950.00
31 455 DA1	warm sunset	*
31 455 DL1	brushed warm sunset	*
31 455 A01	hard graphite	*
31 455 AL1	brushed hard graphite	*

GROHE Blue Home

C-spout Starter kit

consisting of:

GROHE Blue Home single-lever sink mixer with filter function

single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water

still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with

flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle



System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME

Ref. No.

Colour

Price netto (€)

31 455 DC0

supersteel

2,220.00

**GROHE Blue Home
C-spout Starter kit**

consisting of:

GROHE Blue Home single-lever sink mixer with filter function
single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with


flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle



31 541 000	chrome	1,970.00
31 541 DC0	supersteel	*

**GROHE Blue Home
C-spout Starter kit**

consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation

C-spout
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

pull out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved

requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO₂ capacity
possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please
order activated carbon filter 40 547 001
GROHE Blue 425 g CO₂ bottle

System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



GROHE BLUE HOME

Ref. No. Colour Price netto (€)

31 454 001	chrome	1,700.00
31 454 DC1	supersteel	*
31 454 DA1	warm sunset	*
31 454 DL1	brushed warm sunset	*
31 454 A01	hard graphite	*
31 454 AL1	brushed hard graphite	*

GROHE Blue Home

L-spout Starter kit

consisting of:

GROHE Blue Home single-lever sink mixer with filter function

single hole installation

L-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with

flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



31 539 000	chrome	1,970.00
31 539 DC0	supersteel	*

**GROHE Blue Home
L-spout Starter kit**

consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation

L-spout
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

pull out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved

requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please
order activated carbon filter 40 547 001
GROHE Blue 425 g CO₂ bottle

System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



GROHE BLUE HOME

Ref. No. Colour Price netto (€)

31 456 001 chrome 1,700.00
31 456 DC1 supersteel *

GROHE Blue Home U-spout Starter kit

consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation

U - spout
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with

flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle



System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME

Ref. No.	Colour	Price netto (€)
31 543 000	chrome	1,970.00
31 543 DC0	supersteel	2,270.00



GROHE Blue Home U-spout Starter kit

consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation

U - spout
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

pull out mousseur
swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved

requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO₂ capacity
possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please
order activated carbon filter 40 547 001
GROHE Blue 425 g CO₂ bottle

System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME

Ref. No. Colour Price netto (€)

31 498 001	chrome	*
31 498 DC1	supersteel	*
31 498 DA1	warm sunset	*
31 498 DL1	brushed warm sunset	*
31 498 A01	hard graphite	*
31 498 AL1	brushed hard graphite	*

GROHE Blue Home

Mono Starter kit

consisting of:

GROHE Blue Home Mono faucet with filter function

single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water

still, medium, sparkling

GROHE StarLight finish

swivel tubular spout

swivel area 150°

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with

flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher


Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/




GROHE BLUE PURE



GROHE BLUE PURE


Ref. No. Colour Price netto (€)

33 249 001 chrome 745.00
33 249 DC1 supersteel 879.00




GROHE Blue Pure Starter Kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 180°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit
GROHE Blue size S filter, filter head with flexible adjustment
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

33 251 000 chrome 471.00



GROHE Blue Single-lever sink mixer 1/2" Bi-Flow
C-spout
single hole installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
metal lever
adjustable flow rate limiter
swivel tubular spout
separate inner water ways for filtered and non-filtered water
with integrated drinking water outlet
with ceramic headpart to shut off drinking water
mousseur
flexible connection hoses
filter for drinking water not included in delivery
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

31 299 001 chrome 727.00
31 299 DC1 supersteel 879.00




GROHE Blue Pure Starter Kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
U - spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 180°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit
GROHE Blue size S filter, filter head with flexible adjustment
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

GROHE BLUE PURE

Ref. No. Colour Price netto (€)

31 345 002 chrome 887.00
31 345 DC2 supersteel 888.00



GROHE Blue Pure Minta Starter Kit

consisting of:
GROHE Blue Minta single-lever sink mixer with filter function

single hole installation
separate handle for filtered water headpart 1/2"

GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter


swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses type of protection IP 21

main switching power supply 100 - 240 V AC 50/60 Hz with safety extra-low voltage (SELV) 6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

KITCHEN FITTINGS



31 301 001 chrome 701.00

GROHE Blue Pure Mono Starter Kit

consisting of:
GROHE Blue Minta Mono faucet with filter function

single hole installation
handle for filtered table water

GROHE StarLight finish
swivel tubular spout swivel area 150°

flexible connection hoses type of protection IP 21

main switching power supply 100 - 240 V AC 50/60 Hz with safety extra-low voltage (SELV) 6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment

30 382 000 chrome *
30 382 DC0 supersteel *



GROHE Blue Pure Minta Starter Kit

consisting of:
GROHE Blue single-lever sink mixer with filter function

single hole installation
L-spout pull out mousseur separate handle for filtered water headpart 1/2"

GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge swivel tubular spout swivel area 360°


separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue filter head GROHE Blue activated carbon filter for premium taste capacity 3000 l filter exchange timer including 2 x AA batteries

GROHE BLUE PURE

Ref. No.

Colour

Price netto (€)



30 383 000

chrome

*

**GROHE Blue Pure Eurosmart
Starter Kit**

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

C-spout

separate handle for filtered water
headpart 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water


flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

capacity 3000 l

filter exchange timer including 2 x AA batteries



30 385 000

chrome

*

**GROHE Blue Pure BauCurve
Starter Kit**

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

C-spout

separate handle for filtered water
headpart 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water


flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

capacity 3000 l

filter exchange timer including 2 x AA batteries



30 387 000

chrome

*

**GROHE Blue Pure Mono
Starter Kit**

consisting of:

GROHE Blue Mono faucet with filter function

single hole installation

C-spout

handle for filtered table water
headpart 1/2"

GROHE StarLight chrome finish

swivel tubular spout

swivel area 360°

flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

capacity 3000 l


filter exchange timer including 2 x AA batteries

GROHE BLUE PURE

Ref. No.

Colour

Price netto (€)



30 393 000

chrome

*

GROHE Blue Pure Minta Starter Kit

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

L-spout

pull out mousseur

separate handle for filtered water

headpart 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 46 mm ceramic cartridge

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water


flexible connection hoses

GROHE Blue filter head

GROHE Blue Ultrasafe filter for bacteria filtration and premium taste

capacity 3000 l

flow meter for filter lifetime measurement including 2 x AA batteries



30 384 000

chrome

*

GROHE Blue Pure Eurosmart Starter Kit

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

C-spout

separate handle for filtered water

headpart 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water


flexible connection hoses

GROHE Blue filter head

GROHE Blue Ultrasafe filter for bacteria filtration and premium taste

capacity 3000 l

flow meter for filter lifetime measurement including 2 x AA batteries



30 386 000

chrome

*

GROHE Blue Pure BauCurve Starter Kit

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

C-spout

separate handle for filtered water

headpart 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue filter head

GROHE Blue Ultrasafe filter for bacteria filtration and premium taste

capacity 3000 l


flow meter for filter lifetime measurement including 2 x AA batteries

GROHE BLUE PURE

Ref. No.

Colour

Price netto (€)



30 388 000

chrome

*

**GROHE Blue Pure Mono
Starter Kit**

consisting of:

GROHE Blue Mono faucet with filter function
single hole installation

C-spout

handle for filtered table water

headpart 1/2"

GROHE StarLight chrome finish

swivel tubular spout

swivel area 360°

flexible connection hoses

GROHE Blue filter head

GROHE Blue Ultrasafe filter for bacteria filtration and premium taste
capacity 3000 l

flow meter for filter lifetime measurement including 2 x AA batteries



31 721 000

chrome

*

31 721 DC0

supersteel

*

GROHE Blue Pure Minta

**Single-lever sink mixer with filter function
single hole installation**

L-spout

pull out mousseur

separate handle for filtered water

headpart 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 46 mm ceramic cartridge


swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses



31 722 000

chrome

*

GROHE Blue Pure Eurosmart

**Single-lever sink mixer with filter function
single hole installation**

C-spout

separate handle for filtered water

headpart 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge


swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses



31 723 000

chrome

*

GROHE Blue Pure BauCurve

**Single-lever sink mixer with filter function
single hole installation**

C-spout

separate handle for filtered water

headpart 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge


swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses



31 724 000

chrome

*

GROHE Blue Pure Mono

**Mono faucet with filter function
single hole installation**

C-spout

handle for filtered table water

headpart 1/2"

GROHE StarLight chrome finish

swivel tubular spout












swivel area 360°

flexible connection hoses








GROHE BLUE ACCESSORIES



GROHE BLUE ACCESSORIES

		Ref. No.	Colour	Price netto (€)
		40 848 000 GROHE Blue Drinking bottle Tritan drinking bottle with GROHE Blue decor BPA (Bisphenol A) free lid with strap volume 500 ml	chrome	8.33
		40 848 SD0 GROHE Blue Thermo drinking bottle stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml	stainless steel	12.49
		40 405 000 GROHE Blue Glass carafe crystal glass with GROHE Blue decor stainless steel lid dish washer safe volume 1.0 l	chrome	29.16
		40 437 000 GROHE Blue Water glasses (6 pieces) crystal glasses with GROHE Blue decor dish washer safe volume 250 ml	chrome	29.16
		46 717 000 Pressure indicator for GROHE Blue including adapters for 425 g and 2 kg CO ₂ bottles	chrome	209.00
		40 452 000 GROHE Blue Pressure reducing valve for installation of GROHE Blue Chilled & Sparkling with more than 5 bar water pressure	chrome	25.00


GROHE BLUE ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	40 621 000 GROHE Blue Shorter mixed water lever for GROHE Blue and GROHE Red faucets to avoid hitting the lever to the backwall of the kitchen in warm water position fits to: - 31 323 001 / DC1 - 31 324 001 / DC1 - all GROHE Red Duo faucets	chrome	26.00
	40 404 001 GROHE Blue Filter S-Size BWT replacement filter for GROHE Blue capacity 600 l at 20° dKH 5-phases filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure	chrome	58.33
	40 430 001 ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high	chrome	108.33
	40 412 001 ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high	chrome	141.66
	40 547 001 GROHE Blue Active carbon filter BWT replacement filter for GROHE Blue systems for regions with water hardness below 9° dKH capacity 3000 l 3-phases filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure	chrome	74.99
	40 691 001 GROHE Blue Magnesiumfilter BWT replacement filter for GROHE Blue for recharge of the water with magnesium capacity 400 l at 17° dGH 5-phases filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure	chrome	58.33
	40 575 001 GROHE Blue UltraSafe Filter exchange filter for GROHE Blue UltraSafe capacity 3000 l 2-phase-filter	chrome	264.00
	64 508 001 GROHE Blue filter head for use with GROHE Blue filters 40 404 001 / 40 430 001 / 40 412 001 / 40 691 001 / 40 547 001, sold separately	chrome	64.38

KITCHEN
FITTINGS

GROHE BLUE ACCESSORIES

Ref. No. Colour Price netto (€)



40 434 001 chrome 33.33

GROHE Blue Cleaning cartridge
for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including sprayhead
for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



40 694 000 chrome 24.99

GROHE Blue cleaning cartridge adapter
for GROHE Blue BWT Filterhead 64 508 001
for use with GROHE Blue cleaning cartridge 40 434 001, sold separately




40 422 000 chrome 66.66

GROHE Blue Starter kit 425 g CO₂ bottles (4 pieces)
carbondioxid from natural sources for food and beverage (E290)
Purity: CO₂ 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
for refilling please order 40 687 000
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



40 687 000 chrome 29.16

GROHE Blue Refill 425 g CO₂ bottles (4 pieces)
carbondioxid from natural sources for food and beverage (E290)
Purity: CO₂ 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



40 423 000 chrome 99.99

GROHE Blue Starter kit 2 kg CO₂ bottle
carbondioxid from natural sources for food and beverage (E290)
Purity: CO₂ 99.9 % v/v min.
volume 1 bottle: 2 kg, up to 350 l sparkling water
integrated shut-off valve and safety carrier handle
for refilling please order 40 424 000
not suitable for the GROHE Blue Home cooler

GROHE RED



30 083 001	chrome	1,500.00
30 083 DC1	supersteel	1,670.00
30 083 DA1	warm sunset	*
30 083 DL1	brushed warm sunset	*
30 083 A01	hard graphite	*
30 083 AL1	brushed hard graphite	*

GROHE Red Duo

Faucet and M size boiler

consisting of:

GROHE Red Duo single-lever sink mixer single hole installation

C-spout

GROHE ChildLock push buttons for boiling water

TÜV certified triple electronic safeguards against accidental activation of boiling water

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

GROHE Red boiler M size

reservoir for boiling and hot water

3 liter 100° C boiling water

4 liter total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for boiling water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set

for protection of the boiler from limescale

capacity 600 l at 20° dKH

5 phase filter

flow rate measuring unit



30 327 001	chrome	1,450.00
30 327 DC1	supersteel	1,670.00
30 327 DA1	warm sunset	*
30 327 DL1	brushed warm sunset	*
30 327 A01	hard graphite	*
30 327 AL1	brushed hard graphite	*

GROHE Red Duo

Faucet and M size boiler

consisting of:

GROHE Red Duo single-lever sink mixer single hole installation

L-spout

GROHE ChildLock push buttons for boiling water

TÜV certified triple electronic safeguards against accidental activation of boiling water

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

GROHE Red boiler M size

reservoir for boiling and hot water

3 liter 100° C boiling water

4 liter total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for boiling water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set

for protection of the boiler from limescale

capacity 600 l at 20° dKH

5 phase filter

flow rate measuring unit




GROHE RED

Ref. No. Colour Price netto (€)

30 339 001 chrome 1,340.00
30 339 DC1 supersteel 1,540.00

GROHE Red Mono
Pillar tap and M size boiler
consisting of:
GROHE Red Mono pillar tap
single hole installation




L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
capacity 600 l at 20° dKH
5 phase filter
flow rate measuring unit

40 841 001 chrome 113.00




GROHE Red
Mixing valve
for thermostatic mixing of mains and boiling water to generate warm water
adjustable between 35°C and 75°C
hot fill and cold fill installation possible
including 70 cm connection hose, manifold and wall fixation

40 438 001 chrome 277.00



GROHE Red
Filter with filter head
for regions with water hardness higher 12° KH
turn before GROHE Red boiler
flexible connection hoses
filter 600 l

40 919 SD0 stainless steel 14.99




GROHE Red
Thermo drinking bottle
stainless steel bottle with GROHE Red decor
double-walled
lid with strap
with tea strainer
volume 450 ml

KITCHEN
FITTINGS

GROHE RED

Ref. No. Colour Price netto (€)

40 432 000 chrome 24.99




GROHE Red
Tea glasses (4 pieces)
heat proof glass with GROHE Red decor
dish washer safe
volume 250 ml

GROHE K7




GROHE K7

Ref. No. Colour Price netto (€)




32 950 000	chrome	736.00
32 950 DC0	supersteel	817.00
32 950 A00	hard graphite	*
32 950 AL0	brushed hard graphite	*

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 professional spray
 diverter: mousseur/**SpeedClean** shower jet
 automatic return to mousseur
 metal spray
 adjustable flow rate limiter
 swivel spout
 swivel area 140°
 protected against backflow
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar



31 379 000	chrome	690.00
31 379 DC0	supersteel	920.00
31 379 A00	hard graphite	*
31 379 AL0	brushed hard graphite	*

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 professional spray
 diverter: mousseur/**SpeedClean** shower jet
 automatic return to mousseur
 metal spray
 adjustable flow rate limiter
 swivel spout
 swivel area 140°
 protected against backflow
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar



32 176 000	chrome	645.00
32 176 DC0	supersteel	838.00

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 pull-out dual spray control -
 switches back and forth between
 regular flow and spray
 diverter: mousseur/**SpeedClean** shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 protected against backflow
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar

GROHE FOOTCONTROL




GROHE FOOTCONTROL

Ref. No.

Colour

Price netto (€)




30 312 000
30 312 DC0

chrome
supersteel

997.00
1,080.00

K7 Foot Control Electronic single-lever sink mixer 1/2" medium spout

Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system





30 311 000
30 311 DC0

chrome
supersteel

663.00
623.00

Essence Foot Control Electronic single-lever sink mixer 1/2" L-spout

Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 28 mm ceramic cartridge
flow strainer
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



30 309 000

chrome

337.00

FootControl Retro-fit set


Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
upgrade set for GROHE pull-out kitchen faucets

GROHE MINTA / MINTA TOUCH




GROHE MINTA / MINTA TOUCH

Ref. No. Colour Price netto (€)




31 360 001 chrome 594.00
31 360 DC1 supersteel 771.00

Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




31 358 002 chrome 538.00
31 358 DC2 supersteel 699.00

Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout
single hole installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



31 375 000 chrome 249.00
31 375 DC0 supersteel 287.00
31 375 DA0 warm sunset *
31 375 DL0 brushed warm sunset *
31 375 A00 hard graphite *
31 375 AL0 brushed hard graphite *

Minta
Single-lever sink mixer 1/2"
L-spout
GROHE StarLight chrome finish
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




32 168 000 chrome 276.00
32 168 DC0 supersteel 335.00

Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system


GROHE MINTA / MINTA TOUCH

Ref. No. Colour Price netto (€)




30 274 000	chrome	328.00
30 274 DC0	supersteel	414.00
30 274 DA0	warm sunset	*
30 274 DL0	brushed warm sunset	*
30 274 A00	hard graphite	*
30 274 AL0	brushed hard graphite	*

Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



32 917 000	chrome	233.00
32 917 DC0	supersteel	286.00
32 917 KS0	velvet black	278.00
32 917 DA0	warm sunset	*
32 917 DL0	brushed warm sunset	*
32 917 A00	hard graphite	*
32 917 AL0	brushed hard graphite	*

Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
connector set 3/8"
rapid installation system
optional temperature limiter ref. no. 46 308 000



32 918 000	chrome	276.00
32 918 DC0	supersteel	370.00


Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

32 918 00E	chrome	272.00
with GROHE EcoJoy 5.7 l/min. flow limiter		

KITCHEN
FITTINGS

GROHE MINTA / MINTA TOUCH

Ref. No. Colour Price netto (€)




32 321 002	chrome	234.00
32 321 DC2	supersteel	304.00
32 321 DA2	warm sunset	*
32 321 DL2	brushed warm sunset	*
32 321 A02	hard graphite	*
32 321 AL2	brushed hard graphite	*

Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




30 348 001	chrome	234.00
------------	--------	--------

Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
shorter lever (71 mm)
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



32 488 000	chrome	227.00
32 488 DC0	supersteel	244.00
32 488 DA0	warm sunset	*
32 488 DL0	brushed warm sunset	*
32 488 A00	hard graphite	*
32 488 AL0	brushed hard graphite	*

Minta
Single-lever sink mixer 1/2"
U - spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
selectable swivel area : 0° / 150° / 360°
swivel tubular spout
flexible connection hoses
rapid installation system
optional temperature limiter ref. no. 46 308 000




32 067 000	chrome	279.00
------------	--------	--------

Minta
Single-lever sink mixer 1/2"
U - spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout, swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

GROHE MINTA / MINTA TOUCH

Ref. No. Colour Price netto (€)



32 322 002	chrome	234.00
32 322 DC2	supersteel	304.00
32 322 DA2	warm sunset	*
32 322 DL2	brushed warm sunset	*
32 322 A02	hard graphite	*
32 322 AL2	brushed hard graphite	*

Minta
Single-lever sink mixer 1/2"

U - spout

single hole installation

GROHE StarLight chrome finish

GROHE SilkMove 46 mm ceramic cartridge

GROHE EasyDock guarantees easy retraction and

smooth docking back to the starting position

pull-out dual spray

diverter: laminar spray/SpeedClean shower jet

adjustable flow rate limiter

swivel tubular spout

swivel area 360°

integrated non-return valve

protected against backflow

flexible connection hoses

rapid installation system

min. recommended pressure 1.0 bar

40 684 000	chrome	75.00
------------	--------	-------

Minta

Lever

for Minta single lever sink mixer



GROHE ZEDRA / ZEDRA TOUCH



GROHE ZEDRA / ZEDRA TOUCH

Ref. No.


Colour

Price netto (€)

30 219 002
30 219 DC2

chrome
supersteel

*
*





Ladylux Touch
Electronic single-lever sink mixer 1/2"
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/eco jet (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system

32 294 002
32 294 DC2

chrome
supersteel

*
*




Ladylux
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/eco jet (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system

32 553 002
32 553 DC2

chrome
supersteel

*
*




Ladylux
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system

30 026 002
30 026 DC2

chrome
supersteel

*
*




Ladylux
Pillar tap with filter function
single hole installation
handle for filtered table water
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE QuickFix rapid installation system
requires GROHE Blue filter including filter head (40 438 001), sold separately

GROHE ZEDRA / ZEDRA TOUCH

Ref. No.

Colour

Price netto (€)




30 219 DC1

supersteel

947.00

Zedra Touch
Electronic single-lever sink mixer 1/2"
Touch: activation of water via skin contact
 battery supply 6 V lithium-battery, type CR-P2
 CE approved
 solenoid valve
 fixed value mixing valve
 automatically safety stop after 60 sec. (factory set)
 type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
 pull-out dual spray control -
 switches back and forth between
 regular flow and spray
 diverter: mousseur/**SpeedClean** shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system




32 553 SD0

stainless steel

539.00

Zedra
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
 pull-out dual spray control -
 switches back and forth between
 regular flow and spray
 diverter: mousseur/**SpeedClean** shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system




30 026 SD0

stainless steel

424.00

Zedra
Pillar tap 1/2"
single hole installation
GROHE StarLight finish
 ceramic headpart 1/2", 90°
 mousseur
 swivel tubular spout
 swivel area 360°



31 203 000

chrome

444.00

Zedra
Single-lever sink mixer 1/2"
 shut off valve
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
 flow strainer
 pull-out mousseur spray
 diverter: laminar spray/**SpeedClean** shower jet
 automatic return to laminar spray
 swivel area 140°
 protected against backflow
 flexible connection hoses
 rapid installation system

KITCHEN
FITTINGS

GROHE ATRIO




GROHE ATRIO

Ref. No.

Colour

Price netto (€)



30 362 000
30 362 DC0
30 362 AL0

chrome
supersteel
brushed hard graphite

471.00
613.00
707.00

Atrio

Sink mixer

C-spout

single hole installation

GROHE StarLight chrome finish

ceramic headparts 1/2", 90°

selectable swivel area : 0° / 150° / 360°

flexible connection hoses

rapid installation system


mousseur

GROHE ESSENCE



GROHE ESSENCE

Ref. No. Colour Price netto (€)



30 294 000	chrome	417.00
30 294 DC0	supersteel	557.00
30 294 ***	SPA colours	*


Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
 flow strainer
 with integrated temperature limiter
 professional spray
 with flexible, hygienic GROHflexx kitchen santoprene hose
 diverter: laminar spray/**SpeedClean** shower jet
 automatic return to laminar spray
 metal spray
GROHE EasyDock M integrated magnet for seamless docking of the spray head
 swivel spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system

*** SPA colours:



30 321 GE0	green	60.00
30 321 XC0	dark grey	95.00
30 321 MW0	chrome/sheer marble	97.00
30 321 HG0	dark brown	60.00
30 321 DG0	red	59.00
30 321 DP0	pink	60.00
30 321 DU0	purple	60.00
30 321 TY0	blue	59.00
30 321 YF0	yellow	60.00
30 321 YR0	orange	59.00


GROHflexx kitchen hose spout
 hose spout for Essence kitchen faucet
 for 30 294 000/30 294 DC0
 flexible, hygienic **GROHflexx kitchen** santoprene hose
 including fixing parts



30 269 000	chrome	253.00
30 269 DC0	supersteel	334.00
30 269 ***	SPA colours	323.00

Essence
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
 mousseur
 swivel tubular spout
 adjustable swivel area 0° / 150° / 360°
 flexible connection hoses
 rapid installation system
 integrated temperature limiter
 min. recommended pressure 1.0 bar

*** SPA colours:



30 270 000	chrome	335.00
30 270 DC0	supersteel	430.00
30 270 ***	SPA colours	425.00

Essence
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
 flow strainer
 pull-out dual spray control - switches back and forth between regular flow and spray
 diverter: laminar spray/**SpeedClean** shower jet
 automatic return to laminar spray
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system
 integrated temperature limiter
 min. recommended pressure 1.0 bar

*** SPA colours:



GROHE EUROCUBE




GROHE EUROCUBE

Ref. No.

Colour

Price netto (€)




31 395 000
31 395 DC0

chrome
supersteel

626.00
795.00

Eurocube
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
diverter: mousseur/**SpeedClean** shower jet
swivel spout
swivel area 140°
360° maneuverable spring arm
protected against backflow
flexible connection hoses
applicable for under cupboard installation
rapid installation system



31 255 000
31 255 DC0

chrome
supersteel

249.00
318.00


Eurocube
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
mousseur
swivel cast spout
swivel area 360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

GROHE EURODISC COSMOPOLITAN




GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)




32 259 003 **chrome** **192.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
mousseur
flexible connection hoses
rapid installation system




31 122 004 **chrome** **231.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




33 770 002 **chrome** **219.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system



32 257 002 **chrome** **266.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




33 772 002 **chrome** **222.00**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
projection 211 mm
S-unions

GROHE EURODISC






33 770 001

chrome

215.00

Eurodisc
Single-lever sink mixer 1/2"
 low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 140°
 with stop restriction
 flexible connection hoses
 rapid installation system



32 257 001

chrome

298.00


Eurodisc
Single-lever sink mixer 1/2"
 low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
 pull-out dual spray
 diverter: mousseur/**SpeedClean** shower jet
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar

GROHE CONCETTO




GROHE CONCETTO

Ref. No. Colour Price netto (€)




31 491 000 chrome 339.00
31 491 DC0 supersteel 457.00

Concetto
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHflexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
GROHE EasyDock M integrated magnet for seamless docking of the spray head
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




32 661 003 chrome 172.00
32 661 DC3 supersteel 222.00

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
rapid installation system



32 663 003 chrome 209.00
32 663 DC3 supersteel 269.00

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




31 212 003 chrome *

Concetto
Single-lever sink mixer 1/2"
for open water heater
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
pull-out laminar spray
automatic returning
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system


GROHE CONCETTO

Ref. No. Colour Price netto (€)




31 483 002 chrome 222.00
31 483 DC2 supersteel 288.00

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/**SpeedClean** shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




31 128 001 chrome 208.00
31 128 DC1 supersteel 230.00

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



31 129 001 chrome 252.00
31 129 DC1 supersteel 321.00

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



30 273 001 chrome 270.00
30 273 DC1 supersteel 320.00

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
pull-out dual spray control - switches back and forth between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
integrated non-return valve
flexible connection hoses
rapid installation system


KITCHEN
FITTINGS

GROHE CONCETTO

Ref. No.

Colour

Price netto (€)




31 210 001

chrome

292.00

Concetto
Single-lever sink mixer 1/2"
for installation in front of window
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses




32 659 001

chrome

181.00

Concetto
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system



32 667 001

chrome

174.00

Concetto
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 223 mm
S-unions

GROHE EUROSTYLE COSMOPOLITAN




GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



33 975 004

chrome

154.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout

single hole installation

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

mousseur


adjustable flow rate limiter

swivel tubular spout

selectable swivel area : 0° / 150°

flexible connection hoses

rapid installation system



31 126 004

chrome

190.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout

single hole installation

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

GROHE EasyDock guarantees easy retraction and

smooth docking back to the starting position

GROHE Zero separated inner water ways - lead and nickel free

pull out mousseur

adjustable flow rate limiter


swivel tubular spout

swivel area 360°

protected against backflow

flexible connection hoses

rapid installation system



31 482 003

chrome

213.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout

single hole installation

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

GROHE EasyDock guarantees easy retraction and

smooth docking back to the starting position

GROHE Zero separated inner water ways - lead and nickel free

pull-out dual spray

diverter: laminar spray/SpeedClean shower jet

adjustable flow rate limiter


swivel tubular spout

swivel area 360°

protected against backflow

flexible connection hoses

rapid installation system



30 221 002

chrome

147.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout

single hole installation

GROHE StarLight finish

GROHE SilkMove 35 mm ceramic cartridge

mousseur

adjustable flow rate limiter


swivel tubular spout

adjustable swivel area 0° / 150° / 360°

flexible connection hoses

rapid installation system

integrated temperature limiter



31 124 002

chrome

211.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
medium spout

single hole installation

GROHE StarLight finish

GROHE SilkMove 35 mm ceramic cartridge

mousseur

adjustable flow rate limiter

swivel tubular spout

swivel area 140°

flexible connection hoses


rapid installation system

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)




31 159 002

chrome

262.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
 for installation in front of window
 medium spout
 single hole installation
 GROHE StarLight finish
 GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 140°
 non-removable socket height: 30 mm
 flexible connection hoses




33 977 002

chrome

141.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
 low spout
 single hole installation
 GROHE StarLight finish
 GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 140°
 flexible connection hoses
 rapid installation system




33 982 002

chrome

171.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
 wall mounted
 GROHE StarLight finish
 GROHE SilkMove 46 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 selectable swivel area : 0° / 150°
 projection 273 mm
 S-unions



45 562 000

chrome

80.00

Adapter
 To convert to other spouts with screw coupling G3/4
 Suitable for several sink mixer wall mount
 e.g. 33 772 001, 33 772 002, 33 982 002

KITCHEN
FITTINGS

GROHE EUROSMART COSMOPOLITAN




GROHE EUROSMART COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



32 843 002
32 843 DC2

chrome
supersteel

138.00
179.00


Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"

high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
rapid installation system

32 843 20E
ditto, with GROHE Ecojoy

chrome

142.00




31 481 001

chrome

206.00

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"

high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




30 193 000
30 193 DC0

chrome
supersteel

122.00
156.00

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"

medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




32 842 000

chrome

132.00

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"

low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system



31 170 000

chrome

209.00

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"


for installation in front of window
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
mousseur
swivel tubular spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses

GROHE EUROSMART COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



31 188 002

chrome

142.00

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"

high spout

single hole installation

GROHE SilkMove 35 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE Zero separated inner water ways - lead and nickel free

mousseur

adjustable flow rate limiter

swivel tubular spout

selectable swivel area : 0° / 150°


flexible connection hoses

rapid installation system

GROHE EUROSMART




Ref. No. Colour Price netto (€)




33 202 002 chrome 121.00
33 202 DC2 supersteel 133.00

Eurosmart
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



30 305 000 chrome 160.00
30 305 DC0 supersteel 211.00


Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
with integrated temperature limiter
pull-out dual spray control - switches back and forth between regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
88° swivel radius
separate inner water ways – lead and nickel free
flexible connection hoses
rapid installation system
protected against backflow



33 281 002 chrome 116.00
33 281 DC2 supersteel 126.00


Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways – lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

33 281 20E chrome 97.00
ditto, with GROHE EcoJoy 5.7 l/min. flow limiter



30 260 002 chrome 113.00

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways – lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




32 482 002

chrome

141.00

Eurosmart
Single-lever sink mixer 1/2"
 wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel area 360°
 swivel tubular spout
 projection 186 mm
 integrated temperature limiter
 S-unions




32 224 002

chrome

141.00

Eurosmart
Single-lever sink mixer 1/2"
 wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 projection 277 mm
 integrated temperature limiter
 S-unions




31 391 002

chrome

142.00

Eurosmart
Single-lever sink mixer 1/2"
 wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 projection 217 mm
 integrated temperature limiter
 S-unions



31 509 002

chrome

119.00

Eurosmart
Single-lever sink mixer 1/2"
 wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 projection 150 mm
 integrated temperature limiter
 S-unions

GROHE EUROECO / EUROECO SPECIAL




GROHE EUROECO / EUROECO SPECIAL

Ref. No.

Colour

Price netto (€)




32 752 000

chrome

99.00

Euroeco
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
metal lever
flexible connection hoses
rapid installation system




32 750 000

chrome

99.00

Euroeco
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
metal lever
flexible connection hoses
rapid installation system




32 786 000

chrome

121.00

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min.
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses
rapid installation system




33 912 000

chrome

284.00

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min.
swivel tubular spout
metal lever
lever length 120 mm
temperature limiter
Attention: old product



32 787 000

chrome

151.00

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min.
swivel tubular spout
lever length 120 mm
flexible connection hoses


GROHE COSTA



Ref. No.

Colour

Price netto (€)




31 831 001

chrome

88.00

Costa L
Single-hole sink mixer 1/2"
metal handles
heat-insulated
GROHE StarLight finish
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses




31 187 001

chrome

99.00

Costa L
Wall sink mixer 1/2"
metal handles
heat-insulated
GROHE StarLight finish
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
projection 200 mm
S-unions



30 484 001

chrome

53.00

Costa L
Bibtap 1/2"
wall mounted
metal handle
heat-insulated
marking: blue
GROHE StarLight finish
mousseur
Longlife-headparts
swivel tubular spout
swivel area 360°
projection 200 mm




20 179 001

chrome

100.00

Costa S
Pillar tap
metal handle
heat-insulated
screwable
GROHE StarLight finish
ceramic headpart 1/2", 90°
flow straightener
swivel tubular spout
swivel area 360°
union nut 1/2" with 10.5 mm drilling



31 195 001

chrome

113.00

Costa S
Wall sink mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
GROHE StarLight finish
Carbodur headpart
mousseur
swivel spout
swivel area 360°
projection 200 mm
without connection unions


GROHE BAU LINES



Ref. No.

Colour

Price netto (€)




31 367 000

chrome

103.00

BauEdge
Single-lever sink mixer 1/2"
 high spout
single hole installation
 GROHE StarLight chrome finish
 GROHE Longlife 28 mm ceramic cartridge
 spout with mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar




31 368 001

chrome

*

BauLoop
Single-lever sink mixer 1/2"
 high spout
single hole installation
 GROHE StarLight chrome finish
 GROHE Longlife 28 mm ceramic cartridge
 GROHE Zero separated inner water ways - lead and nickel free
 spout with mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar




31 535 000

chrome

91.00

BauClassic
Single-lever sink mixer 1/2"
 high spout
single hole installation
 GROHE StarLight finish
 GROHE Longlife 28 mm ceramic cartridge
 spout with mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar




31 536 000

chrome

91.00

BauCurve
Single-lever sink mixer 1/2"
 high spout
single hole installation
 GROHE StarLight finish
 GROHE Longlife 28 mm ceramic cartridge
 spout with mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar



31 538 000

chrome

88.00

BauFlow
Single-lever sink mixer 1/2"
 high spout
single hole installation
 GROHE StarLight finish
 GROHE Longlife 28 mm ceramic cartridge
 spout with mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar

GROHE SOAP DISPENSERS




GROHE SOAP DISPENSERS

Ref. No.

Colour

Price netto (€)




40 934 000
40 934 DC0

chrome
supersteel

*
*

Cube soap dispenser
for liquid soaps,
storage bin 500 ml
GROHE StarLight finish



40 535 000
40 535 DC0
40 535 ***


chrome
supersteel
SPA colours

60.00
80.00
*

Cosmopolitan soap dispenser
for liquid soaps,
storage bin 500 ml
GROHE StarLight finish

*** SPA colours:

● BE ● GL ● DA ● A0
● EN ● GN ● DL ● AL




40 536 000
40 536 DC0

chrome
supersteel

55.00
64.00

Contemporary soap dispenser
for liquid soaps,
storage bin 500 ml
GROHE StarLight finish




40 553 000
40 553 DC0

chrome
supersteel

76.00
76.24

Ladylux / Zedra soap dispenser
for liquid soaps,
storage bin 500 ml
GROHE StarLight finish



40 537 000
40 537 ZB0

chrome
antique bronze

68.00
78.00

Authentic soap dispenser
for liquid soaps,
storage bin 500 ml
GROHE StarLight finish

GROHE STAINLESS STEEL SINKS




GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 582 SD0

stainless steel

1,290.83

K1000

Stainless steel sink with drainer

model: K1000 80-S 116/52 1.0 rh

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 1160 x 520 mm

1 bowl: 710 x 400 mm

GROHE QuickFix installation system


sink mountable right

cut-out: 1148 x 508 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set



31 581 SD0

stainless steel

1,290.83

K1000

Stainless steel sink with drainer

model: K1000 80-S 116/52 1.0 lh

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 1160 x 520 mm

1 bowl: 710 x 400 mm

GROHE QuickFix installation system

sink mountable left

cut-out: 1148 x 508 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,


waste kit, basket strainer waste, mounting set

GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 583 SD0

stainless steel

832.50

K800

Stainless steel sink

model: K800 60-S 51.8/56 1.0

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm


dimensions: 518 x 560 mm

1 bowl: 462 x 400 x 200 mm

GROHE QuickFix installation system

drainer: automatic waste fitting

accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set



31 584 SD0

stainless steel

915.83

K800

Stainless steel sink

model: K800 90-S 84.6/56 1.0

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 900 mm


dimensions: 846 x 560 mm

1 bowl: 790 x 400 x 200 mm

GROHE QuickFix installation system

drainer: automatic waste fitting

accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set



31 585 SD0

stainless steel

1,707.50

K800

Stainless steel sink

model: K800 120-S 102.4/56 2.0

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 1200 mm


dimensions: 1024 x 560 mm

2 bowls: 462 x 400 x 200 mm

GROHE QuickFix installation system

drainer: automatic waste fitting

accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set



31 586 SD0

stainless steel

1,082.50

K800

Stainless steel sink

model: K800 120-S 102.4/56 1.0

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 1200 mm

dimensions: 1024 x 560 mm

1 bowl: 968 x 400 x 200 mm

GROHE QuickFix installation system

drainer: automatic waste fitting

accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set


KITCHEN
FITTINGS

GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)




31 574 SD0
31 574 GN0
31 574 DL0
31 574 AL0

stainless steel
brushed cool sunrise
brushed warm sunset
brushed hard graphite

265.83
*
*
*

K700 Undermount
Stainless steel sink

model: K700U 60-S 54.4/44.4 1.0
mounting type: undermount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 540 x 440 mm
1 bowl: 500 x 400 x 195 mm
GROHE QuickFix installation system
cut-out: 500 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set




31 575 SD0

stainless steel

474.17

K700 Undermount
Stainless steel sink

model: K700U 80-S 76/45 1.5 lh
mounting type: undermount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 760 x 450 mm
1 bowl: 500 x 400 x 195 mm
0.5 bowl: 180 x 400 x 140 mm
GROHE QuickFix installation system
sink mountable left
cut-out: 710 x 400 mm (R15)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set



31 576 SD0

stainless steel

440.83

K700 Undermount
Stainless steel sink


model: K700U 60-S 58.5/44 1.5 rh
mounting type: undermount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 585 x 440 mm
1 bowl: 340 x 400 x 195 mm
0.5 bowl: 180 x 400 x 140 mm
GROHE QuickFix installation system
sink mountable right
cut-out: 545 x 400 mm (R15)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set

GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 577 SD0

stainless steel

440.83

**K700 Undermount
Stainless steel sink**

model: K700U 60-S 58.5/44 1.5 lh

mounting type: undermount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 585 x 440 mm

1 bowl: 340 x 400 x 195 mm

0.5 bowl: 180 x 400 x 140 mm

GROHE QuickFix installation system


sink mountable left

cut-out: 545 x 400 mm (R15)

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket

strainer waste, mounting set



31 578 SD0

stainless steel

465.83

**K700
Stainless steel sink**

model: K700 45-S 46.4/46.4 1.0

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 450 mm

dimensions: 464 x 464 mm


1 bowl: 400 x 400 x 200 mm

GROHE QuickFix installation system

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket

strainer waste, mounting set



31 580 SD0

stainless steel

549.17

**K700
Stainless steel sink**

model: K700 90-S 86.4/46.4 1.0

mounting type: flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 900 mm

dimensions: 864 x 464 mm


1 bowl: 800 x 400 x 200 mm

GROHE QuickFix installation system

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket

strainer waste, mounting set



31 726 SD0

stainless steel

*

K700

Stainless steel sink

model: K700 60-S 55/45 1.0

mounting type: standard built-in, flush mount or undermount

material: stainless steel AISI 304 (V2A)

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 550 x 450 mm

1 bowl: 500 x 400 x 200 mm

GROHE QuickFix installation system

cut-out: 535 x 435 mm

cut-out for undermount installation: 505 x 405 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket

strainer waste, mounting set

GROHE STAINLESS STEEL SINKS

Ref. No.


Colour

Price netto (€)

31 571 SD0

stainless steel

182.50



K500

Stainless steel sink with drainer

model: K500 45-S 86/50 1.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 450 mm

dimensions: 860 x 500 mm

1 bowl: 340 x 400 x 195 mm

GROHE QuickFix installation system

sink mountable left or right

cut-out: 840 x 480 mm

drilling holes: 2 x 35 mm


drainer: automatic waste fitting

accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

31 572 SD0

stainless steel

249.17



K500

Stainless steel sink with drainer

model: K500 60-S 97/50 1.5 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 970 x 500 mm

1 bowl: 340 x 400 x 195 mm

0.5 bowl: 150 x 300 x 162 mm

GROHE QuickFix installation system

sink mountable left or right

cut-out: 950 x 480 mm

drilling holes: 2 x 35 mm


drainer: automatic waste fitting

accessories included: waste kit, basket
strainer waste, mounting set

31 588 SD0

stainless steel

290.83



K500

Stainless steel sink with drainer

model: K500 80-S 116/50 2.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 1160 x 500 mm

2 bowls: 340 x 400 x 195 mm

GROHE QuickFix installation system

sink mountable left or right

cut-out: 1140 x 480 mm

drilling holes: 2 x 35 mm


drainer: automatic waste fitting

accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

31 573 SD0

stainless steel

340.83



Minta

Kitchen sink and tap bundle

consisting of:

K500 stainless steel sink with drainer (31 571 SD0)

Minta single-lever sink mixer (32 168)

high spout

single hole installation

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

pull out mousseur

adjustable flow rate limiter

swivel tubular spout

swivel area 360°

protected against backflow

flexible connection hoses


rapid installation system

GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 568 SD0

stainless steel

190.83

K400+

Stainless steel sink with drainer

model: K400+ 45-S 87.3/51.3 1.0 rev

mounting type: flat edge

material: stainless steel AISI 316 (V4A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 450 mm

dimensions: 873 x 513 mm

1 bowl: 363 x 400 x 188 mm

GROHE QuickFix installation system


sink mountable left or right

cut-out: 840 x 480 mm

drilling holes: 2 x 35 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set



31 569 SD0

stainless steel

265.83

K400+

Stainless steel sink with drainer

model: K400+ 60-S 98.3/51.3 1.5 rev

mounting type: flat edge

material: stainless steel AISI 316 (V4A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 983 x 513 mm

1 bowl: 363 x 400 x 188 mm

0.5 bowl: 150 x 300 x 188 mm

GROHE QuickFix installation system

sink mountable left or right

cut-out: 950 x 480 mm

drilling holes: 2 x 35 mm

drainer: automatic waste fitting

accessories included: waste kit, basket
strainer waste, mounting set

GROHE STAINLESS STEEL SINKS

Ref. No.


Colour

Price netto (€)

31 566 SD0

stainless steel

149.99



K400

Stainless steel sink with drainer

model: K400 45-S 86/50 1.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 450 mm

dimensions: 860 x 500 mm

1 bowl: 362.5 x 400 x 188 mm

GROHE QuickFix installation system

sink mountable left or right

cut-out: 840 x 480 mm

drilling holes: 2 x 35 mm


drainer: automatic waste fitting

accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 567 SD0

stainless steel

215.83



K400

Stainless steel sink with drainer

model: K400 60-S 97/50 1.5 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 970 x 500 mm

1 bowl: 363 x 400 x 188 mm

0.5 bowl: 150 x 300 x 188 mm

GROHE QuickFix installation system

sink mountable left or right

cut-out: 950 x 480 mm

drilling holes: 2 x 35 mm


drainer: automatic waste fitting

accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 587 SD0

stainless steel

215.83



K400

Stainless steel sink with drainer

model: K400 80-S 116/50 2.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 1160 x 500 mm

2 bowls: 362.5 x 400 x 188 mm

GROHE QuickFix installation system

sink mountable left or right

cut-out: 1140 x 480 mm

drilling holes: 2 x 35 mm


drainer: automatic waste fitting

accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 570 SD0

stainless steel

290.83



Concetto

Kitchen sink and tap bundle

consisting of:

K400 stainless steel sink with drainer (31 566 SD0)

Concetto single lever sink mixer (32 663 003)

high spout

single hole installation

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

pull out mousseur

adjustable flow rate limiter

swivel tubular spout

swivel area 360°

protected against backflow

flexible connection hoses

rapid installation system

GROHE STAINLESS STEEL SINKS

Ref. No.


Colour

Price netto (€)

31 563 SD0

stainless steel

120.83



K300

Stainless steel sink with drainer

model: K300 45-S 86/50 1.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 450 mm

dimensions: 860 x 500 mm

1 bowl: 360 x 400 x 175 mm

GROHE QuickFix installation system

sink mountable left or right

cut-out: 840 x 480 mm

drilling holes: 2 x 35 mm


drainer: automatic waste fitting

accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

31 564 SD0

stainless steel

182.50



K300

Stainless steel sink with drainer

model: K300 60-S 97/50 1.5 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.7 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 970 x 500 mm

1 bowl: 360 x 400 x 175 mm

0.5 bowl: 150 x 300 x 155 mm

GROHE QuickFix installation system

sink mountable left or right

cut-out: 950 x 480 mm

drilling holes: 2 x 35 mm


drainer: automatic waste fitting

accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

31 565 SD0

stainless steel

190.83



Eurosmart

Kitchen sink and tap bundle

consisting of:

K300 stainless steel sink with drainer (31 563 SD0)

Eurosmart single-lever sink mixer (33 281 002)

low spout

single hole installation

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

with integrated temperature limiter

adjustable flow rate limiter

swivel cast spout

swivel area 140°

separate inner water ways – lead and nickel free

mousseur with coin slot for tool free replacement

flexible connection hoses

rapid installation system


KITCHEN
FITTINGS

GROHE STAINLESS STEEL SINKS

Ref. No.

Colour

Price netto (€)



31 720 SD0

stainless steel

*

K200

Stainless steel sink with drainer

model: K200 50-S Ø 44 1.0

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

GROHE Whisper

min. cabinet size: 500 mm

dimensions: Ø 440 mm

1 bowl: Ø 390 mm


GROHE QuickFix installation system

cut-out: Ø 422 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket

strainer waste, mounting set



31 719 SD0

stainless steel

*

K200

Stainless steel sink with drainer

model: K200 60-S 53.3/45.8 1.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 533 x 458 mm

1 bowl: 482 x 406 mm


GROHE QuickFix installation system

cut-out: 517 x 442 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket

strainer waste, mounting set



31 562 SD0

stainless steel

165.83

Bau

Kitchen sink and tap bundle

consisting of:

K200 stainless steel sink with drainer (31 552 SD0)

Bau Edge single lever sink mixer (31 367 000)

high spout

single hole installation

GROHE StarLight chrome finish

GROHE Longlife 28 mm ceramic cartridge


mousseur

swivel tubular spout

swivel area 360°

flexible connection hoses

rapid installation system



31 552 SD0

stainless steel

95.83

K200

Stainless steel sink with drainer

model: K200 45-S 86/50 1.0 rev

mounting type: standard built-in

material: stainless steel AISI 304 (V2A)

material thickness: 0.6 mm

GROHE StarLight finish

finish: pre-polished

GROHE Whisper

min. cabinet size: 450 mm

dimensions: 860 x 500 mm

1 bowl: 340 x 400 x 170 mm

GROHE QuickFix installation system

sink mountable left or right


cut-out: 840 x 480 mm

drilling holes: 2 x 35 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,

waste kit, basket strainer waste, mounting set



40 953 000

chrome

*

Pop-up waste set with overflow

square pop-up with remote control

overflow with square escutcheon

space saving waste set

including strainer plug

Ø 35 mm cut-out diameter

fits to kitchen sinks series K700, K700U

GROHE COMPOSITE SINKS











GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)


		<p>31 650 AT0 31 650 AP0</p> <p>K700 Composite sink model: K700 50-C 40/50 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 400 x 500 mm 1 bowl: 340 x 370 x 200 mm GROHE QuickFix installation system cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>	<p>granite gray *</p> <p>granite black *</p>
		<p>31 651 AT0 31 651 AP0</p> <p>K700 Composite sink model: K700 60-C 56/51 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 560 x 510 mm 1 bowl: 500 x 360 x 200 mm GROHE QuickFix installation system cut-out: 545 x 495 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>	<p>granite gray *</p> <p>granite black *</p>
		<p>31 652 AT0 31 652 AP0</p> <p>K700 Composite sink model: K700 80-C 78/51 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 780 x 510 mm 1 bowl: 720 x 370 x 220 mm GROHE QuickFix installation system cut-out: 764 x 494 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>	<p>granite gray *</p> <p>granite black *</p>
		<p>31 653 AT0 31 653 AP0</p> <p>K700 Undermount Composite sink model: K700U 50-C 45.7/40.6 1.0 mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 457 x 406 mm 1 bowl: 417 x 366 x 203 mm GROHE QuickFix installation system cut-out: 417 x 366 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>	<p>granite gray *</p> <p>granite black *</p>

GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)



31 654 AT0
31 654 AP0

granite gray
granite black

*
*

K700 Undermount
Composite sink


model: K700U 60-C 53.3/45.7 1.0
mounting type: standard built-in and undermount
material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 533 x 457 mm
1 bowl: 469 x 393 x 205 mm

GROHE QuickFix installation system

cut-out: 468 x 390 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket
strainer waste, mounting set



31 655 AT0
31 655 AP0

granite gray
granite black

*
*

K700 Undermount
Composite sink


model: K700U 70-C 61/45.7 1.0
mounting type: standard built-in and undermount
material: quartz composite

GROHE Whisper

min. cabinet size: 700 mm
dimensions: 610 x 460 mm
1 bowl: 544 x 394 x 205 mm

GROHE QuickFix installation system

cut-out: 543 x 393 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket
strainer waste, mounting set



31 644 AT0
31 644 AP0

granite gray
granite black

*
*

K500

Composite sink with drainer


model: K500 50-C 86/50 1.0 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 347 x 440 x 200 mm

GROHE QuickFix installation system

sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set



31 645 AT0
31 645 AP0

granite gray
granite black

*
*

K500

Composite sink with drainer

model: K500 60-C 100/50 1.0 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 440 x 200 mm

GROHE QuickFix installation system


sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)



31 646 AT0
31 646 AP0

granite gray
granite black

*
*

K500

Composite sink with drainer

model: K500 60-C 100/50 1.5 rev

mounting type: standard built-in

material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 1000 x 500 mm

1 bowl: 345 x 440 x 200 mm

0.5 bowl: 155 x 295 x 146 mm


GROHE QuickFix installation system

sink mountable left or right

cut-out: 980 x 480 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set



31 647 AT0
31 647 AP0

granite gray
granite black

*
*

K500

Composite sink with drainer

model: K500 80-C 116/50 2.0 rev

mounting type: standard built-in

material: quartz composite

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 1160 x 500 mm

1 bowl: 330 x 440 x 200 mm

2 bowl: 330 x 440 x 200 mm


GROHE QuickFix installation system

sink mountable left or right

cut-out: 1140 x 480 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set



31 648 AT0
31 648 AP0

granite gray
granite black

*
*

K500

Composite sink

model: K500 60-C 55.5/46 1.5 rev

mounting type: standard built-in and undermount

material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 555 x 460 mm

1 bowl: 335 x 400 x 200 mm

0.5 bowl: 155 x 400 x 140 mm

GROHE QuickFix installation system


sink mountable left or right

cut-out: 525 x 400 mm

drainer: Ø 3.5"/90 mm basket strainer waste

optional automatic waste fitting

accessories included: waste kit, basket
strainer waste, mounting set



31 649 AT0
31 649 AP0

granite gray
granite black

*
*

K500

Composite sink

model: K500 90-C 86/50 2.0 rev

mounting type: standard built-in

material: quartz composite

GROHE Whisper

min. cabinet size: 900 mm

dimensions: 860 x 500 mm

1 bowl: 390 x 430 x 200 mm

2 bowl: 380 x 365 x 200 mm

GROHE QuickFix installation system

sink mountable left or right

cut-out: 840 x 480 mm

drainer: automatic waste fitting


accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)



31 639 AT0
31 639 AP0

granite gray
granite black

*
*

K400

Composite sink with drainer


model: K400 50-C 78/50 1.0 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm
dimensions: 780 x 500 mm
1 bowl: 347 x 440 x 205 mm

GROHE QuickFix installation system

sink mountable left or right
cut-out: 765 x 485 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set



31 640 AT0
31 640 AP0

granite gray
granite black

*
*

K400

Composite sink with drainer


model: K400 50-C 86/50 1.0 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 337 x 420 x 205 mm

GROHE QuickFix installation system

sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set



31 641 AT0
31 641 AP0

granite gray
granite black

*
*

K400

Composite sink with drainer


model: K400 60-C 100/50 1.0 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 420 x 205 mm

GROHE QuickFix installation system

sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set



31 642 AT0
31 642 AP0

granite gray
granite black

*
*

K400

Composite sink with drainer

model: K400 60-C 100/50 1.5 rev
mounting type: standard built-in
material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 335 x 420 x 205 mm
0.5 bowl: 155 x 295 x 146 mm

GROHE QuickFix installation system


sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

GROHE COMPOSITE SINKS

Ref. No.

Colour

Price netto (€)



31 643 AT0
31 643 AP0

granite gray
granite black

*
*

K400

Composite sink with drainer

model: K400 80-C 116/50 1.5 rev

mounting type: standard built-in

material: quartz composite

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 1160 x 500 mm

1 bowl: 400 x 420 x 205 mm

2 bowl: 295 x 295 x 205 mm


GROHE QuickFix installation system

sink mountable left or right

cut-out: 1140 x 480 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set



31 656 AT0
31 656 AP0

granite gray
granite black

*
*

K200

Composite sink

model: K200 50-C 51 1.0

mounting type: standard built-in

material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm

dimensions: Ø 510 mm

1 bowl: Ø 380 x 200 mm

GROHE QuickFix installation system

cut-out: Ø 490 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

GROHE
SPECIAL FITTINGS





CONTENTS

Electronic fittings	Essence E	527
	Eurocube E	531
	Bluetooth monitoring	535
	Europlus E	545
	Eurosmart Cosmopolitan E	549
	Euroeco Cosmopolitan E	557
	Bau Cosmopolitan E	563
Special thermostats	Grohtherm Micro	567
	Grohtherm Special	569
	Grohtherm XL	575
Single-lever mixer	Euroeco Special	579
Self-closing fittings	Euroeco Single Sequential	585
	Eurodisc SE	589
	Eurosmart Cosmopolitan T	591
	Euroeco Cosmopolitan T	593
	Contromix	595

SYSTEM REQUIREMENTS FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.


GROHE ESSENCE E



36 444 000

chrome

575.00



Essence E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight chrome finish adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 445 000

chrome

508.00



Essence E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 446 000

chrome

474.00



Essence E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hose

dirt strainer

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

GROHE ESSENCE E

Ref. No. Colour Price netto (€)

36 407 001 chrome 308.00



Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

36 340 000 chrome 59.00



Power extension cable
length 3.00 m

36 341 000 chrome 91.00
ditto, length 10 m


42 393 000 chrome 44.00



Battery housing

including 6 V lithium-battery, type CR-P2 to replace transformer

36 338 000 chrome 101.00




Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE EUROCUBE E





36 440 000

chrome

654.00

Eurocube E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight chrome finish laminar spray regulator 5.7 l/min flexible connection hoses

non-return valve dirt strainers with integrated solenoid valve rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar



36 441 000

chrome

671.00

Eurocube E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish laminar spray regulator 5.7 l/min flexible connection hoses

non-return valve dirt strainers with integrated solenoid valve external battery

rapid installation system multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar



36 442 000

chrome

711.00

Eurocube E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

laminar spray regulator 5.7 l/min

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

set for final installation

for use with Rapid SL 38 748 002 or roughing-in set 36 264 001


CE approved

acoustic group I in accordance with DIN 4109

min. recommended pressure 1.0 bar


GROHE EUROCUBE E

Ref. No. Colour Price netto (€)



36 264 001 **chrome** **166.00**

Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000




38 748 002 **chrome** **417.00**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000

1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

SPECIAL FITTINGS



36 407 001 **chrome** **308.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018

monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service
send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply







36 340 000 **chrome** **59.00**

Power extension cable
length 3.00 m

36 341 000 **chrome** **91.00**
ditto, length 10 m

GROHE EUROCUBE E

	Ref. No.	Colour	Price netto (€)
	42 388 000 Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery	chrome	46.00
	42 393 000 Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer	chrome	44.00
	36 338 000 Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief	chrome	101.00



GROHE BLUETOOTH MONITORING



GROHE BLUETOOTH MONITORING

BLUETOOTH* MONITORING - SYSTEM REQUIREMENTS



System requirements

Apple

iPhone 5/6/7, iPad 2/3/4/Air/Air 2, iPad mini/2/3
Apple operating system: as of release iOS 8.0 and above (32/64 bit)

Android

min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 413 000

chrome

636.00




Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" with mixing device
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
 rapid installation system
 mixing device with adjustable hot water limiter
GROHE StarLight finish
 GROHE EcoJoy mousseur 5.7 l/min
 with integrated solenoid valve
 integrated non-return valves and dirt strainers
 with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush usage per day / 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K

36 409 000

chrome

523.00



Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" without mixing device
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
 rapid installation system
GROHE StarLight finish
 GROHE EcoJoy mousseur 5.7 l/min
 external solenoid valve
 dirt strainer
 with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush usage per day / 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 detection range and shut off delay
 thermal disinfection
 auto flush
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection faucet IP 59K

SPECIAL FITTINGS

GROHE BLUETOOTH MONITORING

Ref. No.

Colour

Price netto (€)

36 414 000

chrome

865.00

**Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

GROHE StarLight finish

GROHE CoolTouch

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

swivel cast spout 219 mm

with swivel stop at 130° or fixed

projection 287 mm

laminar mousseur 9 l/min

S-unions

escutcheon covers for S unions

non-return valve

dirt strainers

power connection cable 3.0 m

for use with connection set

39 383 000

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles


reset to factory or user settings

hard and software version

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K



39 383 000

chrome

61.00

**Eurosmart Cosmopolitan E
Thermostatic 230 V connection set**


fitting support

2 fitting connections 1/2"

power supply connector

wall installation

for use with Eurosmart Cosmopolitan E thermostat 230 V



GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 410 000

chrome

600.00



Euroeco Cosmopolitan E Bluetooth

Infra-red electronic basin tap without mixing device

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC set for final installation for concealed fitting box
36 336 000/36 337 000

GROHE StarLight finish

GROHE EcoJoy technology for less water and perfect flow laminar flow straightener 9 l/min.

chrome escutcheon and spout

projection 172 mm

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version


CE approved

acoustic group I in accordance with DIN 4109

36 337 000

chrome

112.00



Euroeco Cosmopolitan E

Concealed mounting box

wall installation

for installation with pre-mixed or cold water

suitable for IR-sets for final installation

stop valve

connection housing for power supply


suitable for

36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000

36 336 000

chrome

307.00



Eurosmart Cosmopolitan E

Concealed mounting box

with integrated pre-adjustable

thermostatic mixer

wall installation

suitable for IR-sets for final installation

2 stop valves

non-return valve

connection housing for power supply

suitable for

GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 412 000

chrome

750.00



**Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC set for final installation for concealed fitting box

36 339 000

GROHE StarLight finish

GROHE EcoJoy technology for less water and perfect flow laminar flow straightener 9 l/min.

chrome escutcheon and spout projection 172 mm

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version


CE approved

acoustic group I in accordance with DIN 4109

36 339 000

chrome

206.00



**Eurosmart Cosmopolitan E
Concealed mounting box
with mixture**

wall installation

suitable for IR-sets for final installation

2 stop valves

housing with mixing device

non-return valve

connection housing for power supply

suitable for

36 315 000, 36 412 000, 36 376 000

GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 415 000

chrome

625.00



**Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic for concealed shower thermostat**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC for concealed installation box 36 416 000

GROHE StarLight finish

chrome escutcheon with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

monitoring

password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day / 30 days thermal disinfection cycles and timings last disinfection

configuration

shut off delay auto flush thermal disinfection cleaning mode

2 on/off timers identification by name


service

send and save 3 profiles reset to factory or user settings hard and software version CE approved

36 416 000

chrome

587.00




**Eurosmart Cosmopolitan E
Concealed body**

for shower with integrated pre-adjustable thermostatic mixer suitable for IR-set 36 415 000 2 stop valves Grotherm Micro integrated non-return valves with filters connection housing for power supply min. recommended pressure 1.0 bar

37 503 000

chrome

759.00



**Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U**

37 338 000 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

GROHE StarLight finish

flow pressure min 0.5 bar operating pressure max 10 bar with Bluetooth 4.0* for wireless data communication bluetooth transmitter frequency: 2.4 GHz for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

monitoring

password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day / 30 days

configuration

detection range and shut off delay auto flush cleaning mode 2 on/off timers

identification by name

service


send and save 3 profiles reset to factory or user settings CE approved hard and software version

GROHE BLUETOOTH MONITORING

Ref. No.

Colour

Price netto (€)



37 338 000

chrome


131.00

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and
masonry-in
shortable inspection shaft incl. protection

37 505 SD0

stainless steel

759.00




Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for
bi-directional communication for monitoring,
configuration and service purpose
front plate 156 x 197 mm
servo motor
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

37 504 000







chrome

935.00




Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for
bi-directional communication for monitoring,
configuration and service purpose
with additional manual actuation
GROHE StarLight finish
front plate 156 x 197 mm
servo motor
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

GROHE BLUETOOTH MONITORING

	Ref. No.	Colour	Price netto (€)
 	36 340 000	chrome	59.00
	Power extension cable length 3.00 m		
	36 341 000	chrome	91.00
	ditto, length 10 m		
 	36 338 000	chrome	101.00
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		
 	36 407 001	chrome	308.00
	Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared faucets) auto flush cycles (infrared faucets) cleaning mode cycles (GROHE Blue Home) filter and CO ₂ capacity (GROHE Blue Home) configuration cleaning mode on/off thermal disinfection (infrared faucets) detection range shut off delay (infrared faucets) auto flush (infrared faucets) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings filter capacity (GROHE Blue Home) demo mode error codes (GROHE Blue Home) 3 x 1.5 V AAA DC battery supply		

GROHE EUROPLUS E






36 207 001 **chrome** **550.00**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6 V lithium-battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 208 001 **chrome** **424.00**
ditto, without mixing device




36 015 001 **chrome** **627.00**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 016 001 **chrome** **488.00**
ditto, without mixing device



36 407 001 **chrome** **308.00**

Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018

monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)
configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

GROHE EUROPLUS E

	Ref. No.	Colour	Price netto (€)
	36 340 000	chrome	59.00
	Power extension cable length 3.00 m		
	36 341 000	chrome	91.00
	ditto, length 10 m		
	42 393 000	chrome	44.00
Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer			
	42 388 000	chrome	46.00
Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery			
	36 338 000	chrome	101.00
Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief			
			

GROHE EUROSMART COSMOPOLITAN E



GROHE EUROSMART COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 327 001

chrome

360.00



**Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 331 001

chrome


365.00

ditto, with pop-up waste set 1 1/4"

36 422 000

chrome

399.00



Eurosmart Cosmopolitan E

**Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter**

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 325 001

chrome

442.00



Eurosmart Cosmopolitan E

**Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar

GROHE EUROSMART COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 421 000

chrome

395.00




Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

36 439 000

chrome

282.00




Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2" without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium-battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

36 330 001

chrome

361.00



Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium-battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar


SPECIAL FITTINGS

GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)



36 386 001

chrome

716.00

Eurosmart Cosmopolitan E Powerbox

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and service purpose including Powerbox self-generating power system **GROHE EcoJoy** 6.0 l/min mousseur including all flexible connection hoses non-return valve dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 min. recommended pressure 1.0 bar


36 332 000

chrome

847.00

Eurosmart Cosmopolitan E Infra-red electronic wall basin mixer with thermostatic temperature control

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose **6 V lithium-battery, type CR-P2** battery lifetime: approx. 7 years (150 actuations a day) 3 modi to start mixer: hand-hand, hand-body or body-body reflection laminar mousseur 9 l/min non-return valve dirt strainers temperature scale handle with GROHE SafeStop at 38°C swivel cast spout 219 mm projection 287 mm swivel range stop at 130°, lockable multistage battery status display 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved acoustic group I in accordance with DIN 4109



36 333 000

chrome

716.00

ditto, projection 255 mm


36 334 SD0

stainless steel

430.00

Eurosmart Cosmopolitan E Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar mousseur 9 l/min stainless steel escutcheon SuperSteel spout projection 232 mm 7 pre-set programs: auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 000/36 337 000 CE approved acoustic group I in accordance with DIN 4109



36 335 SD0

stainless steel

365.00


ditto, spout 172 mm

GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)




36 337 000

chrome

112.00

**Euroeco Cosmopolitan E
Concealed mounting box**

wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000




36 336 000

chrome

307.00

**Eurosmart Cosmopolitan E
Concealed mounting box**

with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
suitable for



36 376 000

chrome

466.00

**Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device
and adjustable temperature limiter**


with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min.
chrome escutcheon
chrome spout
projection 232 mm
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed
fitting box
36 339 000
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

36 315 000

chrome

471.00

ditto, projection 170 mm



36 339 000

chrome

206.00

**Eurosmart Cosmopolitan E
Concealed mounting box
with mixture**



wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000

SPECIAL FITTINGS

GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	Price netto (€)
 	36 407 001	chrome	308.00
	<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p>monitoring consumption and usage data thermal disinfection cycles (infrared faucets) auto flush cycles (infrared faucets) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)</p> <p>configuration cleaning mode on/off thermal disinfection (infrared faucets) detection range shut off delay (infrared faucets) auto flush (infrared faucets) filter capacity (GROHE Blue Home)</p> <p>service send and save profile reset to factory or user settings filter capacity (GROHE Blue Home) demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V AAA DC battery supply</p>		
 	36 340 000	chrome	59.00
	<p>Power extension cable length 3.00 m</p>		
	36 341 000	chrome	91.00
	<p>ditto, length 10 m</p>		
	42 393 000	chrome	44.00
	<p>Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer</p>		
	42 388 000	chrome	46.00
	<p>Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery</p>		
 	36 338 000	chrome	101.00
	<p>Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief</p>		

GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	Price netto (€)
	42 408 000 Hidden mixing device re-fitting set for vandal-proof, covered and pre-adjustable mixer suitable for single hole mixers Eurosmart Cosmopolitan E metallic cap GROHE StarLight chrome finish	chrome	15.50
	34 507 000 Grotherm Micro Thermostatic scalding protection temperature adjustment 15-43° C ($\pm 2^\circ$ C) thermal disinfection without re-adjustment of temperature GROHE TurboStat thermoelement built-in non return valves dirt strainers with connection set and T piece GROHE StarLight chrome finish max. pressure differential 5:1 min. recommended pressure 1.0 bar	chrome	198.00

GROHE EUROECO COSMOPOLITAN E



GROHE EUROECO COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 271 000

chrome

271.00



Euroeco Cosmopolitan E

Infra-red electronic basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses

dirt strainers
external solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:


auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407

CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 269 000

chrome

308.00



Euroeco Cosmopolitan E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses

dirt strainers
external solenoid valve
rapid installation system


7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407

CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

36 384 000

chrome

538.00



Euroeco Cosmopolitan E

Powerbox

infra-red electronic basin tap 1/2"
without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
including Powerbox self-generating power system

GROHE EcoJoy 6.0 l/min mousseur
flexible connection hose

dirt strainer
rapid installation system

Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs:

auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407


min. recommended pressure 1.0 bar

GROHE EUROECO COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)




36 274 000

chrome

325.00

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
 with infrared sensor for bi-directional communication
 for monitoring, configuration and service purpose
 for cold or premixed water
6 V lithium-battery, type CR-P2
 battery lifetime: approx. 7 years (150 actuations a day)
 metal body
 multistage battery status display
 7 pre-set programs:
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved




36 273 000

chrome

377.00

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
 with infrared sensor for bi-directional communication
 for monitoring, configuration and service purpose
 for cold or premixed water
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC
 chrome spout
 projection 172 mm
 7 pre-set programs:
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 set for final installation for concealed
 fitting box
 36 336 000/36 337 000
 CE approved
 acoustic group I in accordance with DIN 4109




36 337 000

chrome

112.00

Euroeco Cosmopolitan E
Concealed mounting box
 wall installation
 for installation with pre-mixed or cold water
 suitable for IR-sets for final installation
 stop valve
 connection housing for power supply
 suitable for
 36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000



36 336 000

chrome

307.00


Eurosmart Cosmopolitan E
Concealed mounting box
 with integrated pre-adjustable
 thermostatic mixer
 wall installation
 suitable for IR-sets for final installation
 2 stop valves
 non-return valve
 connection housing for power supply
 suitable for

SPECIAL FITTINGS

GROHE EUROECO COSMOPOLITAN E

Ref. No. Colour Price netto (€)

36 407 001 chrome 308.00



Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018

monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service
send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

36 340 000 chrome 59.00



Power extension cable
length 3.00 m

36 341 000 chrome 91.00
ditto, length 10 m

42 393 000 chrome 44.00




Battery housing
including 6 V lithium-battery, type CR-P2
to replace transformer

42 388 000 chrome 46.00




Mains adaptor
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
to replace battery



36 338 000 chrome 101.00



Switch-mode power supply
for one eye infra-red wash basin mixer
switch-mode power supply with operating
voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE EUROECO COSMOPOLITAN E

	Ref. No.	Colour	Price netto (€)
	34 507 000	chrome	198.00
	Grohtherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature GROHE TurboStat thermoelement built-in non return valves dirt strainers with connection set and T piece GROHE StarLight chrome finish max. pressure differential 5:1 min. recommended pressure 1.0 bar		

		45 704 000	chrome	40.00
		Flexible connection hose 300 mm 3/8" x 3/8"		

SPECIAL FITTINGS

GROHE BAU COSMOPOLITAN E



GROHE BAU COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 451 000

chrome

194.00



Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
body made of composite polymer
flexible connection hoses
non-return valve


dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:

auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

36 452 000

chrome

180.00



Bau Cosmopolitan E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
body made of composite polymer
flexible connection hose


dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:

auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

36 453 000

chrome

205.00



Bau Cosmopolitan E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
body made of composite polymer
flexible connection hoses
non-return valve


dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:

auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

GROHE BAU COSMOPOLITAN E

Ref. No. Colour Price netto (€)

36 407 001 chrome 308.00



Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home until 12/2018

monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service
send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply



36 340 000 chrome 59.00


Power extension cable
length 3.00 m

36 341 000 chrome 91.00
ditto, length 10 m



42 393 000 chrome 44.00

Battery housing
including 6 V lithium-battery, type CR-P2
to replace transformer



36 338 000 chrome 101.00

Switch-mode power supply
for one eye infra-red wash basin mixer
switch-mode power supply with operating
voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

SPECIAL FITTINGS

GROHE GROHTHERM MICRO




GROHE GROHTHERM MICRO

Ref. No.

Colour

Price netto (€)



34 487 000

chrome

165.00

Grotherm Micro
Thermostatic scalding protection
 temperature adjustment 15-43° C (± 2° C)
 thermal disinfection without re-adjustment of temperature
 connection 3/8" below with cap nut
 above 3/8" male thread
 GROHE TurboStat thermoelement
GROHE StarLight chrome finish
 built-in non return valves
 dirt strainer
 without connection set
 max. pressure differential 5:1
 min. recommended pressure 1.0 bar




34 507 000

chrome

198.00

Grotherm Micro
Thermostatic scalding protection
 temperature adjustment 15-43° C (± 2° C)
 thermal disinfection without re-adjustment of temperature
 GROHE TurboStat thermoelement
 built-in non return valves
 dirt strainers
 with connection set and T piece
GROHE StarLight chrome finish
 max. pressure differential 5:1
 min. recommended pressure 1.0 bar




47 533 000

chrome

40.00

Grotherm Micro
Connection set
 for Grotherm Micro
 consisting of:
 union nut 3/8"
 T-unit
 2 outlets 3/8" male thread
 flexible connection hose
 union nuts
GROHE StarLight chrome finish




45 704 000

chrome

40.00

Flexible connection hose
 300 mm
 3/8" x 3/8"



45 120 000

chrome

14.00

Connection hose, 300 mm
 connector set 3/8"
 for copper pipe Ø 10 mm
 coupling nut 3/8"
 300 mm

GROHE GROHTHERM SPECIAL



GROHE GROHTHERM SPECIAL

Ref. No.


Colour

Price netto (€)

34 667 000

chrome

309.00




Grotherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2"
with integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE Quickfix for fast exchange of
non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus

34 665 000

chrome

386.00




Grotherm Special
Thermostatic bath mixer 1/2"
wall mounted
ergonomic handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet 1/2"
with integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
with S-unions and with covers
GROHE Quickfix for fast exchange of
non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus

34 681 000







chrome

305.00



Grotherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2"
with integrated non return-valve
metal temperature safety stop
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of
non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafetyPlus

GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	Price netto (€)
 	34 671 000 Grohtherm Special Thermostatic bath mixer 1/2" wall mounted ergonomic handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermostatic element Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C easy thermal disinfection via optional key 47 994 000 shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers without S-unions and covers GROHE Quickfix for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE SafetyPlus	chrome	383.00
 	13 080 000 Spout length 77 mm GROHE StarLight chrome finish	chrome	206.00
	13 137 000 Cast swivel spout length 115 mm GROHE StarLight chrome finish	chrome	235.00
	13 138 000 Spout length 175 mm GROHE StarLight chrome finish	chrome	299.00

GROHE GROHTHERM SPECIAL

Ref. No.

Colour

Price netto (€)


34 666 000

chrome

343.00

**Grotherm Special
Thermostatic basin mixer 1/2"**

wall mounted
ergonomic handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
bottom outlet for spouts 13 378 or 13 380
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE Quickfix for fast exchange of
non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus



13 378 000

chrome

92.00

Cast swivel spout


length 115 mm
swivelling (180 or 90°) and lockable
laminar flow straightener 9 l/min.
GROHE StarLight finish

13 380 000

chrome

102.00

ditto, length 175 mm




29 094 000

chrome

236.00

**Grotherm Special
Thermostatic shower mixer**

set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic handles
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
integrated mixed water shut off
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus



35 500 000

chrome


245.00

**GROHE Rapido T Universal thermostatic
mixer for concealed installation**

GROHE GROHTHERM SPECIAL

Ref. No. Colour Price netto (€)

29 095 000 chrome 242.00




**Grotherm Special
Thermostatic bath mixer**
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
integrated mixed water shut off
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus

35 500 000 chrome 245.00

**GROHE Rapido T Universal thermostatic
mixer for concealed installation**

29 096 000 chrome 190.00



**Grotherm Special
Central thermostatic mixer**
set for final installation for
GROHE Rapido T 35 500 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handle
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
metal temperature safety stop
easy thermal disinfection via optional key 47 994 000
GROHE StarLight chrome finish
GROHE SafetyPlus

35 500 000 chrome 245.00

**GROHE Rapido T Universal thermostatic
mixer for concealed installation**

47 979 000 chrome 24.00



Non-return valves
including screws and O-rings for **GROHE QuickFix**
packaging unit: 2 pieces

47 994 000 chrome 6.10




**Grotherm Special
Temperature unlocking handle**
unlocking of temperature handle for thermal disinfection

SPECIAL FITTINGS


GROHE GROHTHERM SPECIAL

Ref. No. Colour Price netto (€)




12 051 000 chrome 60.00

S-union, lockable
1/2" x 3/4"
screw socket to cover the union nut and the rosette
sealing towards wall
adjustment range 12.5 mm
lockable for service
suitable for 1/2" connections
GROHE StarLight chrome finish



28 874 000 chrome 52.00

T connection, 1/2"
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE StarLight chrome finish

















28 988 000 chrome 59.00

Drain down valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish












GROHE GROHTHERM XL



GROHE GROHTHERM XL

	Ref. No.	Colour	Price netto (€)
		35 085 000 Grotherm XL Thermostatic mixer 1" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/4" outlet thread 1 1/2" changeable top/bottom outlet without connection unions GROHE StarLight chrome finish min. recommended pressure 1.0 bar	chrome 1,180.00
		35 087 000 Grotherm XL Thermostatic mixer 1 1/4" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/2" outlet thread 2" changeable top/bottom outlet without connection unions GROHE StarLight chrome finish min. recommended pressure 1.0 bar	chrome 1,280.00
		12 411 000 S-union nut 1 1/4" x 1" male thread adjustment range 50 mm screw escutcheon (for Grotherm XL 1", 35 085/35 086) GROHE StarLight chrome finish in units of 1	chrome 201.00
		12 417 000 Straight union nut 1 1/4" x 1" male thread screw escutcheon (for Grotherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome 137.00
		12 420 000 ditto, nut, 1 1/2" x 1 1/4", male thread (for Grotherm XL 1 1/4", 35 087/35 088)	chrome 121.00
		12 424 000 Straight union nut 1 1/2" x 1 1/4" male thread (for Grotherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome 101.00
		12 426 000 ditto, nut, 2" x 1 1/2", external thread (for Grotherm XL 1 1/4", 35 087/35 088)	chrome 376.00

GROHE GROHTHERM XL

	Ref. No.	Colour	Price netto (€)
 	12 428 000	chrome	247.00
	Elbow union nut 1 1/4" x 1" male thread (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish		
	12 430 000	chrome	218.00
	Elbow union nut, 1 1/2" x 1 1/4", male thread (for Grohtherm XL 1 1/4", 35 087/35 088)		
 	12 432 000	chrome	226.00
	Wall union, male 1 1/4" nut 1 1/2" x 1 1/4" male thread projection 125 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish		
 	12 444 000	chrome	322.00
	Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish		
 	12 448 000	chrome	584.00
	Wall union, male 1 1/2" with thermometer nut 2" x 1 1/2" male thread projection 90 mm screw escutcheon GROHE StarLight chrome finish		
 	12 436 000	chrome	236.00
	Wall union, male 1 1/4" without thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish		
	47 569 000	chrome	552.00
	Loose key and shield		

GROHE GROHTHERM XL

Ref. No. Colour Price netto (€)



12 124 000 chrome 126.00

Mixed water circulation connection
consisting of:
flexible connection hose
3/4" x 3/4", 90° angle
connecting nipple M45 x 1.5 x 3/4"
for connection to existing circulation pipe
double nipple 1" male thread x 3/4"
for connection to Grotherm XL
GROHE StarLight chrome finish


GROHE EUROECO SPECIAL



GROHE EUROECO SPECIAL

Ref. No. Colour Price netto (€)


32 762 000 chrome 120.00



Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
smooth body
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min.
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses

32 763 000 chrome 117.00
ditto, with pop-up waste set 1 1/4"


32 765 000 chrome 241.00



Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
smooth body, high version
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min.
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses


32 766 000 chrome 249.00
ditto, with pop-up waste set 1 1/4"

30 208 000 chrome 243.00



Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
high spout
302 mm
smooth body
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 5.7 l/min.
swivel tubular spout
swivel area 140°
metal lever
lever length 170 mm
rapid installation system
flexible connection hoses
min. recommended pressure 1.0 bar


32 776 000 chrome 213.00



Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min.
cast spout
projection 157 mm
metal lever
lever length 120 mm
S-unions

GROHE EUROECO SPECIAL

Ref. No. Colour Price netto (€)




32 778 000 **chrome** **248.00**

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min.
cast spout, projection 205 mm
metal lever
lever length 170 mm
S-unions

32 779 000 **chrome** **278.00**

ditto, with lockable S unions, projection 221 mm




32 770 000 **chrome** **211.00**

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min.
cast swivel spout, lockable
projection 157 mm
metal lever
lever length 120 mm
S-unions

32 768 000 **chrome** **239.00**

ditto, with lockable S unions, projection 174 mm




32 767 000 **chrome** **265.00**

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min.
cast swivel spout, lockable
projection 197 mm
metal lever
lever length 120 mm
S-unions

32 771 000 **chrome** **268.00**

ditto, with lockable S unions, projection 214 mm



32 773 000 **chrome** **278.00**

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
cast swivel spout, lockable
laminar flow straightener 9 l/min.
projection 257 mm
metal lever
lever length 170 mm
S-unions

32 775 000 **chrome** **291.00**

ditto, with lockable S unions, projection 342 mm


SPECIAL FITTINGS

GROHE EUROECO SPECIAL

Ref. No.

Colour

Price netto (€)



32 774 000

chrome

306.00

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted

GROHE StarLight chrome finish

GROHE SilkMove 46 mm ceramic cartridge

GROHE EcoJoy technology for less water and perfect flow

adjustable flow rate limiter

adjustable temperature limiter

adjustable minimum flow rate

approx. 2.5 l/min

laminar flow straightener 9 l/min.


cast swivel spout, lockable

projection 274 mm

metal lever

lever length 170 mm

with lockable S-unions



32 772 000

chrome

242.00

Euroeco Special
Single-lever basin mixer
wall mounted

GROHE StarLight chrome finish

GROHE SilkMove 46 mm ceramic cartridge

GROHE EcoJoy technology for less water and perfect flow

adjustable minimum flow rate

approx. 2.5 l/min

adjustable temperature limiter

adjustable flow rate limiter

laminar flow straightener 9 l/min.


cast swivel spout, lockable

projection 222 mm

metal lever

lever length 170 mm

without S-unions
water saving



32 780 000

chrome

126.00

Euroeco Special
Single-lever shower mixer 1/2"
wall mounted

GROHE StarLight chrome finish

GROHE SilkMove 46 mm ceramic cartridge

GROHE EcoJoy technology for less water and perfect flow

adjustable flow rate limiter

adjustable temperature limiter

adjustable minimum flow rate

approx. 2.5 l/min

shower bottom outlet 1/2"

integrated non-return valve


metal lever

lever length 120 mm

S-unions

protected against backflow

without shower set



32 783 000

chrome

145.00

Euroeco Special
Single-lever bath mixer 1/2"
wall mounted

GROHE StarLight chrome finish

GROHE SilkMove 46 mm ceramic cartridge

GROHE EcoJoy technology for less water and perfect flow

adjustable flow rate limiter

automatic diverter:

bath/shower

mousseur

integrated non-return valve

metal lever

lever length 120 mm

temperature limiter, S-unions

protected against backflow

without shower set




GROHE EUROECO SPECIAL

	Ref. No.	Colour	Price netto (€)
 	32 784 000 Euroeco Special Single-lever shower mixer set for final installation for without concealed body GROHE StarLight chrome finish metal lever lever length 120 mm escutcheon- and shaft-sealing metal escutcheon screwed temperature limiter	chrome	113.00
 	33 912 000 Euroeco Special Single-lever sink mixer 1/2\" single hole installation GROHE StarLight chrome finish ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min. swivel tubular spout metal lever lever length 120 mm temperature limiter Attention: old product	chrome	284.00
	32 870 000 Euroeco Special Lever 115 mm for Euroeco Special single-lever mixer GROHE StarLight chrome finish	chrome	21.00
	32 871 000 ditto, length 160 mm	chrome	28.00
	46 259 000 Lever 120 mm GROHE StarLight chrome finish	chrome	22.00
	46 257 000 Lever 170 mm GROHE StarLight chrome finish	chrome	52.00
	46 688 000 Lever 120 mm for Euroeco Special single lever basin mixer metal, 120 mm GROHE StarLight chrome finish	chrome	27.00
	46 689 000 length 170 mm	chrome	24.00

GROHE EUROECO SINGLE SEQUENTIAL



GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	Price netto (€)
 	32 789 000	chrome	215.00
	<p>Euroeco Single Sequential Single-lever safety basin mixer 1/2" single hole installation smooth body GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min. metal lever lever length 120 mm rapid installation system flexible connection hoses,</p>		
	32 788 000	chrome	225.00
	<p>ditto, with pop-up waste set 1 1/4"</p>		
 	32 790 000	chrome	304.00
	<p>Euroeco Single Sequential Single-lever safety basin mixer 1/2" single hole installation smooth body, high version GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min. metal lever lever length 120 mm rapid installation system flexible connection hoses min. recommended pressure 1.0 bar</p>		
 	32 823 000	chrome	320.00
	<p>Euroeco Special Single-lever safety basin mixer 1/2" ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 170 mm metal lever lever length 170 mm without connection unions</p>		
 	32 795 000	chrome	323.00
	<p>Euroeco Single Sequential Single-lever safety basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 204 mm metal lever lever length 170 mm S-unions</p>		

GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	Price netto (€)
 	32 792 000	chrome	373.00
	<p>Euroeco Single Sequential Single-lever safety basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. projection 197 mm metal lever lever length 120 mm S-unions min. recommended pressure 1.0 bar</p>		
	32 793 000	chrome	358.00
	ditto, projection 256 mm		
	46 277 000	chrome	9.80
	<p>Temperature limiter for cartridge 46 278 for Euroeco safety mixer batteries</p>		
	46 278 000	chrome	72.00
	<p>Cartridge with ceramic sealing system for Euroeco safety mixer batteries</p>		
	46 686 000	chrome	31.00
	<p>Lever 120 mm for Euroeco Special single sequential basin mixer metal, 120 mm GROHE StarLight chrome finish</p>		
	46 687 000	chrome	35.00
	<p>Lever 170 mm for Euroeco Special single sequential basin mixer metal, 170 mm GROHE StarLight chrome finish</p>		

GROHE EURODISC SE



GROHE EURODISC SE

Ref. No.


Colour

Price netto (€)

36 233 000

chrome

654.00




Eurodisc SE
Self-closing basin mixer with mixing device
and adjustable temperature limiter
6 V lithium-battery, type CR-P2
GROHE StarLight chrome finish
flexible connection hoses
non-return valves with integrated dirt strainers
rapid installation system
start-stop function
electronic control of operating time
safety stop after 180 sec.
functions to activate with tip code
flow time infinitely adjustable from 2-180 sec.
automatic flushing: 5 min after 3 days
without use
thermal disinfection for 3.5 or 11 min
CE approved
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

36 249 000

chrome

718.00



Eurodisc SE
Self-closing basin tap 1/2"
without mixing device
6 V lithium-battery, type CR-P2
for cold or premixed water
marking: blue
GROHE StarLight chrome finish
flexible connection hose
dirt strainer
rapid installation system
start-stop function
electronic control of operating time
safety stop after 180 sec.
functions to activate with tip code
flow time infinitely adjustable from 2-180 sec.
automatic flushing: 5 min after 3 days
without use
CE approved
type of protection faucet IP 59K

36 209 000

chrome

119.00



Hidden mixing device
vandal-proof, covered and pre-adjustable
mixer
suitable for single hole mixers
Europlus E and Eurodisc SE
consisting of:
special mixing device, adjustment by
screwdriver
metallic cap
GROHE StarLight chrome finish

42 886 000

chrome

22.00




Battery

45 704 000

chrome

40.00



Flexible connection hose
300 mm
3/8" x 3/8"

GROHE EUROSMART COSMOPOLITAN T




GROHE EUROSMART COSMOPOLITAN T

Ref. No.

Colour

Price netto (€)



36 317 000

chrome

281.00

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device
and adjustable temperature limiter


GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
2 flexible hoses
non-return valve
dirt strainers,

36 318 000

chrome

305.00

ditto, with pop-up waste set 1 1/4"




36 319 000

chrome

504.00

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device
and adjustable temperature limiter

wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min., swivel cast spout 200 mm
swivel range stop at 130°, lockable
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
S-unions, non-return valve
dirt strainers




36 320 000

chrome

442.00

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device
and adjustable temperature limiter

wall mounted
GROHE StarLight chrome finish
mixing device with hot water stop-valve
hose connection G 1/2"
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
S-unions, non-return valve
dirt strainers




36 321 000

chrome

316.00

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device
and adjustable temperature limiter

GROHE StarLight chrome finish
chrome escutcheon
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
dirt strainers
for use with 36 322 000
without concealed body



36 322 000

chrome

140.00

Eurosmart Cosmopolitan T
Concealed mounting box
with mixture

wall installation
suitable for self-closing final installation sets
with adhesive flange for sealing the wall
2 stop valves
housing with mixing device
non-return valve
for use with 36 321 000

GROHE EUROECO COSMOPOLITAN T




GROHE EUROECO COSMOPOLITAN T

Ref. No.

Colour

Price netto (€)



36 265 000

chrome

129.00


**Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"**

for cold or premixed water
marking: blue/red

GROHE StarLight chrome finish

3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)

min. recommended pressure 1.0 bar



36 266 000

chrome

99.00

**Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"**

wall mounted


marking: blue/red

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

flow limiter 5.7 l/min

escutcheon



36 316 000


chrome

35.00

**Euroeco Cosmopolitan T
Extension, 42 mm**

for self-closing pillar tap 1/2" (36 266 000)

GROHE StarLight chrome finish



36 268 000

chrome

99.00

**Euroeco Cosmopolitan T
Self-closing gate valve 1/2"**

for concealed installation


for cold or premixed water

marking: blue/red

GROHE StarLight chrome finish

3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)

min. recommended pressure 1.0 bar



36 267 000

chrome

84.00

**Euroeco Cosmopolitan T
Self-closing shower valve 1/2"**

exposed installation

for cold or premixed water

marking: blue/red

GROHE StarLight chrome finish

3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)

escutcheon

min. recommended pressure 1.0 bar

GROHE CONTROMIX




GROHE CONTROMIX

Ref. No.

Colour

Price netto (€)




36 109 000

chrome

498.00

Contromix Public
Self-closing basin mixer 1/2"
with mixing device
GROHE StarLight chrome finish
economy stop function
temperature limiter
flow time adjustable
5-40 sec.
flexible connection hoses
non-return valve
dirt strainer
min. recommended pressure 1.2 bar




36 121 000

chrome

562.00

Contromix Surf
Self-closing shower mixer 1/2"
with mixture
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
economy stop function
temperature limiter
flow time adjustable
5-40 sec.
escutcheon, plastic chromed
escutcheon- and shaft-sealing
non-return valve
dirt strainers
set for final installation for 36 122
without concealed body
min. recommended pressure 1.5 bar




36 122 000

chrome

244.00

Contromix Surf
Concealed mounting box
(for 36 121/36 123)
without finishing trim set
wall mounting box with adhesive
flange for sealing the wall
installation from top or at the sides
stop valve and flush elbow



45 704 000

chrome

40.00

Flexible connection hose
300 mm
3/8" x 3/8"



43 813 000

chrome

156.00

Cartridge
for Contromix Surf/Public

GROHE CONTROMIX

Ref. No.	Colour	Price netto (€)
43 959 000	chrome	54.00



Socket Spanner
for Contromix Surf/Public

SPECIAL FITTINGS

* price upon request

GROHE SENSIA SHOWER TOILETS





CONTENTS

Shower toilet

Sensia IGS

601

Sensia Arena

605

SHOWER TOILET

GROHE SENSIA IGS



GROHE SENSIA IGS

Ref. No. Colour Price netto (€)

39 111 SH0	alpine white	3,980.00
39 111 LPO	alpine white/alpine white	4,370.00
39 111 LDO	alpine white/red	4,370.00
39 111 LKO	alpine white/black	4,370.00

GROHE Sensia IGS

Shower toilet complete system for concealed flushing cisterns, wall-hung

GROHE Hygiene decalcification program, unique 70°C hot water cleaning for entire water system, automatic shower cleaning before and after every use

GROHE DreamSpray technology

separate water way for lady spray

aerated shower spray

oscillating spray (automatic forward and reverse motion of the spray)

pulsating spray for massage

adjustable spray intensity

automatic pre- and post-rinsing of spray nozzle with fresh water

warm water with adjustable temperature

Other function

warm air dryer with adjustable temperature

odor extraction with filter

Duroplast WC seat and lid with soft close function

push and turn seat control operation

4 programmable user profiles for remote controller

power switch

inside night lighting

hidden water supply and power supply connections

includes:

touchscreen remote control with wall-mounted holder

batteries for remote controller

active carbon filter

fixing and connecting material

flush pipe

installation guide, manual

cable with system plug on device

pressure 0.1 - 1.0 MPa (1 - 10 bar)

nominal voltage 220-240 V AC 1400 W

main frequency 50-60 Hz

type of protection IPX4

complying with EN 1717/13077

CE approved

SH0:

alpine white ceramic, housing, front, seat and lid

LPO:

alpine white ceramic, front, seat and lid

matt chrome housing

LDO:

alpine white ceramic, seat and lid

matt chrome housing


red front

LKO:

alpine white ceramic, seat and lid

matt chrome housing

black front



46 884 000	chrome	79.00
------------	--------	-------

Care set

for GROHE Sensia IGS shower WC

consisting of:

1 odor filter

descaling agent for 2 applications



46 882 00M	chrome	52.00
------------	--------	-------

Descaling agent

for GROHE Sensia IGS shower WC

for 4 applications

This product is a hazardous substance. Find more information

in the safety data sheet. You can download the safety data at:

www.grohe.com/safety-data-sheets/



GROHE SENSIA IGS

	Ref. No.	Colour	Price netto (€)
	46 883 00M Odor filter for GROHE Sensia IGS shower WC contains 2 odor filters	chrome	97.00
	40 899 000 Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm	chrome	36.00

GROHE SENSIA ARENA



GROHE SENSIA ARENA

Ref. No. Colour Price netto (€)

39 354 SH1 **alpine white** **2,010.00**

GROHE Sensia Arena

Shower toilet complete system for concealed flushing cisterns, wall-hung

GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and anti stick coating ceramic appliance with Aquaceramics technology

GROHE power flush: rimless wash down jet WC with **GROHE Triple Vortex** flushing technology

GROHE Skin Clean:

- 2 dedicated adjustable spray arms (1 for rear spray, 1 for lady spray)
- separate water way for lady spray
- oscillating spray (automatic forward and reverse motion of the spray)
- pulsating spray for massage
- adjustable spray intensity
- automatic pre- and post-rinsing of spray nozzle with fresh water
- integrated instant heater provides unlimited warm water
- adjustable temperature

Other function

warm air dryer with adjustable temperature

odor extraction with filter

PlasmaCluster function - ion technology

descaling function

Duroplast WC seat and lid with automatic opening/close function

infra-red user detection

seat control panel operation

power switch

inside bowl night light

hidden water supply and power supply connections

remote control

smart phone app for iOS and Android

includes:

noise protection sheet, mounting bases and washers

manual remote controller with wall-mounted holder

active carbon filter for odour absorption

water supply connection set for concealed cistern

nozzle guard

cable with system plug on device

pressure 0.05 - 1 MPa (0.5 - 10 bar)

nominal voltage 220-240 V AC


main frequency 50-60 Hz

type of protection IPX4

complies with

EN 1717

CE approved



46 944 001 **chrome** **182.00**

GROHE Sensia Arena

Installation kit for automatic flush and pre-flush

consisting of:

servo motor for GD 2


actuation rod for flushing valve

cable + blind cap

flexible hose

WC actuation plate not included

CE approved



40 899 000 **chrome** **36.00**

Retrofit kit for shower toilets Sensia Arena and IGS

retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS

including:

conduit pipe with locking ring and flat seal

cable ties

WC connecting pipe Ø 45 mm

waste sleeve Ø 90 mm



GROHE
CERAMICS






CONTENTS

Essence	611
Cube Ceramic	617
Euro Ceramic	623
Bau Ceramic	631
Acrylic shower trays	639


GROHE ESSENCE






39 564 00H **alpine white** **176.00**

Essence
Wash basin 70
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
700 x 485 mm
suitable for half and full pedestal
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
12 pieces per pallet




39 565 00H **alpine white** **164.00**

Essence
Wash basin 60
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
600 x 485 mm
suitable for half and full pedestal
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet




39 566 00H **alpine white** **386.00**

Essence
Vanity basin 100
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
1000 x 460 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
8 pieces per pallet




39 567 00H **alpine white** **277.00**

Essence
Vanity basin 80
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
800 x 460 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
12 pieces per pallet



39 568 00H **alpine white** **190.00**

Essence
Vanity basin 60
wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
600 x 460 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet



39 608 00H **alpine white** **369.00**


Essence
Vessel basin 60
without overflow
600 x 400 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
PureGuard anti scale coating and anti bacterial glazing

GROHE ESSENCE

Ref. No.

Colour

Price netto (€)




39 609 00H

alpine white

246.00

Essence
Vessel basin 45
without overflow
450 x 450 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 570 000

alpine white

103.00

Essence
Half pedestal
including fixation set
sanitary ware
33 pieces per pallet




39 571 00H

alpine white

245.00

Essence
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
12 pieces per pallet




39 572 00H

alpine white

274.00

Essence
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
wash down
rimless
flush volume 3/4.5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
6 pieces per pallet



39 573 00H

alpine white


255.00

Essence
Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
for concealed cistern
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
8 pieces per pallet

CERAMICS


GROHE ESSENCE

Ref. No. Colour Price netto (€)




39 578 000 alpine white 154.00

Essence
Exposed flushing cistern for close coupled combination
side inlet
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware
24 pieces per pallet




39 579 000 alpine white 154.00

Essence
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware
24 pieces per pallet




39 577 000 alpine white 103.00

Essence
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
7 pieces per master carton




39 576 000 alpine white 68.00

Essence
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
7 pieces per master carton



39 574 00H alpine white 245.00

Essence
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet




39 575 00H alpine white 255.00

Essence
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
8 pieces per pallet


GROHE ESSENCE

Ref. No. Colour Price netto (€)




19 025 000 chrome 57.00

Talento
Waste and overflow set for bath tubes
set for final installation
escutcheon, waste plug, fixing set
in combination with
Talentofill 28 939/28 943
GROHE StarLight chrome finish




19 952 000 chrome 173.00

Talentofill
Inlet-, pop-up and waste-system
set for final installation
consisting of:
escutcheon, supply part, waste plug, fixing set
in combination with
Talentofill 28 990/28 991
GROHE StarLight chrome finish



28 943 000 chrome 119.00

Talento
Pop-up bath waste and overflow
set for special baths
with bowden cable
without finishing trim set
bottle trap
45° waste elbow



28 991 000 chrome 154.00

Talentofill
Inlet-, pop-up and waste-system
for body formed bath tubs
without finishing trim set
with bottle trap and 45°-outlet-bend
without anti-vacuum device
installation acc. to DIN 1988
only with anti-vacuum device
A2 type
or Talentofill connection set (28 995)

CERAMICS

GROHE CUBE CERAMIC




GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)



39 386 00H


alpine white

368.00

**Cube Ceramic
Wash basin 100**

wall hung
1 hole punched, 2 holes pre-punched
with overflow
1010 x 490 mm

sanitary ware
PureGuard anti scale coating and anti bacterial glazing
10 pieces per pallet



39 469 00H


alpine white

318.00

**Cube Ceramic
Wash basin 80**

wall hung
1 hole punched, 2 holes pre-punched
with overflow
800 x 490 mm

sanitary ware
PureGuard anti scale coating and anti bacterial glazing
10 pieces per pallet



39 473 00H


alpine white

173.00

**Cube Ceramic
Wash basin 60**

wall hung
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm

sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet



39 474 00H


alpine white

162.00

**Cube Ceramic
Wash basin 50**

wall hung
1 hole punched, 2 holes pre-punched
with overflow
500 x 490 mm

sanitary ware
PureGuard anti scale coating and anti bacterial glazing
18 pieces per pallet



39 475 00H


alpine white

368.00

**Cube Ceramic
Counter top basin 100**

flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
1000 x 490 mm

including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
10 pieces per pallet



39 476 00H

alpine white

319.00

**Cube Ceramic
Counter top basin 80**

flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
800 x 490 mm


including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
10 pieces per pallet

GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)




39 477 00H

alpine white

173.00

Cube Ceramic Counter top basin 60
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet




39 478 00H

alpine white

162.00

Cube Ceramic Counter top basin 50
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
500 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
18 pieces per pallet




39 481 00H

alpine white

155.00

Cube Ceramic Vessel basin 50
without overflow
500 x 470 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
20 pieces per pallet




39 482 00H

alpine white

137.00

Cube Ceramic Vessel basin 40
without overflow
400 x 400 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
24 pieces per pallet




39 480 00H

alpine white

155.00

Cube Ceramic Under-counter wash basin 50
installation from below
with overflow
492 x 370 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
18 pieces per pallet



39 479 00H

alpine white


166.00

Cube Ceramic Counter basin 60
flat back side glazed
built-in
1 hole punched, 2 holes pre-punched
with overflow
605 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing
16 pieces per pallet


CERAMICS

GROHE CUBE CERAMIC


Ref. No. Colour Price netto (€)




39 483 00H **alpine white** **134.00**
Cube Ceramic
Hand rinse basin 45
 wall hung
 1 hole punched
 with overflow
 455 x 350 mm
 sanitary ware
PureGuard anti scale coating and anti bacterial glazing
22 pieces per pallet




39 485 00H **alpine white** **320.00**
Cube Ceramic
Floor standing back to wall WC
 for concealed cistern
 universal trap for horizontal and vertical outlet
 back to wall
 wash down
 rimless
 flush volume 3/4.5 l
 including fixation set
 sanitary ware
 fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
8 pieces per pallet




39 484 00H **alpine white** **343.00**
Cube Ceramic
Floor standing WC for close coupled combination
 close coupled
 universal trap for horizontal and vertical outlet
 rimless
 flush volume 3/4.5 l
 including fixation set
 cistern to be ordered separately
 sanitary ware
 fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
6 pieces per pallet



39 489 000 **alpine white** **188.00**
Cube Ceramic
Exposed flushing cistern for close coupled combination
 side inlet
 including flushing set GROHE AV1
 including fixation set
 sanitary ware
24 pieces per pallet



39 490 000 **alpine white** **188.00**
Cube Ceramic
Exposed flushing cistern for close coupled combination
 bottom inlet
 inlet and outlet concealed
 including flushing set GROHE AV1
 including fixation set
 sanitary ware
24 pieces per pallet




39 488 000 **alpine white** **132.00**
Cube Ceramic
WC seat soft close
 with lid
 soft close
 quick release function
 detachable
 material: Duroplast
 including fixation set

GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)




39 486 00H

alpine white

252.00

**Cube Ceramic
Wall hung bidet**

1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
6 pieces per pallet



39 487 00H

alpine white

261.00













**Cube Ceramic
Floor standing bidet**

1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
8 pieces per pallet

GROHE EURO CERAMIC




GROHE EURO CERAMIC

	Ref. No.	Colour	Price netto (€)
 	39 585 00H Euro Ceramic Vanity basin 100 wall hung 1 hole punched with overflow 1000 x 460 mm suitable for vanity units sanitary ware PureGuard anti scale coating and anti bacterial glazing 8 pieces per pallet	alpine white	296.00
 	39 584 00H Euro Ceramic Vanity basin 80 wall hung 1 hole punched with overflow 800 x 460 mm suitable for vanity units sanitary ware PureGuard anti scale coating and anti bacterial glazing 12 pieces per pallet	alpine white	229.00
 	39 323 000 39 323 00H Euro Ceramic Wash basin 65 wall hung 1 hole punched with overflow 650 x 515 mm sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H) 18 pieces per pallet	alpine white alpine white	64.00 96.00
 	39 335 000 39 335 00H Euro Ceramic Wash basin 60 wall hung 1 hole punched with overflow 600 x 480 mm sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H) 18 pieces per pallet	alpine white alpine white	57.00 90.00
 	39 337 000 39 337 00H Euro Ceramic Counter top basin 60 1 hole punched with overflow 600 x 480 mm including fixation set sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H) 18 pieces per pallet	alpine white alpine white	63.00 95.00
 	39 336 000 39 336 00H Euro Ceramic Wash basin 55 wall hung 1 hole punched with overflow 550 x 450 mm sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H) 21 pieces per pallet	alpine white alpine white	56.00 89.00


GROHE EURO CERAMIC

Ref. No. Colour Price netto (€)




39 328 000 alpine white 178.00
39 328 00H alpine white 210.00

Euro Ceramic Wall hung WC
for concealed cistern
horizontal outlet
GROHE Triple Vortex flushing technology
wash down
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
16 pieces per pallet




39 206 000 alpine white 162.00
39 206 00H alpine white 194.00

Euro Ceramic Wall hung compact WC
for concealed cistern
horizontal outlet
GROHE Triple Vortex flushing technology
wash down
rimless
flush volume 3/5 l
49 cm width
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
16 pieces per pallet




39 538 000 alpine white 142.00

Euro Ceramic Wall hung WC, basic
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware
12 pieces per pallet



39 338 000 alpine white 138.00
39 338 00H alpine white 171.00

Euro Ceramic Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
GROHE Triple Vortex flushing technology
wash down
rimless
flush volume 3/5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
9 pieces per pallet




39 332 000 alpine white 129.00


Euro Ceramic Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set with dual flush
including fixation set
sanitary ware
18 pieces per pallet

GROHE EURO CERAMIC


Ref. No. Colour Price netto (€)




39 333 000 **alpine white** **129.00**
Euro Ceramic
Exposed flushing cistern
 side or back inlet
 for back inlet please order mounting set 49 522 000 (sold separately)
 including flushing set with dual flush
 including fixation set
 sanitary ware
18 pieces per pallet



39 329 000 **alpine white** **133.00**
39 329 00H **alpine white** **166.00**
Euro Ceramic
Floor standing WC
 universal trap for horizontal and vertical outlet
 wash down
 rimless
 flush volume 3/5 l
 including fixation set
 sanitary ware
 fully skirted with invisible fixation
 optional: **PureGuard** anti scale coating and
 anti bacterial glazing (00H)
12 pieces per pallet



39 339 000 **alpine white** **138.00**
39 339 00H **alpine white** **170.00**
Euro Ceramic
Floor standing back to wall WC
 horizontal outlet
 back to wall
 GROHE Triple Vortex flushing technology
 wash down
 rimless
 flush volume 3/5 l
 including fixation set
 sanitary ware
 fully skirted with invisible fixation
 optional: **PureGuard** anti scale coating and
 anti bacterial glazing (00H)
12 pieces per pallet



39 330 001 **alpine white** **65.00**
Euro Ceramic
WC seat
 with lid
 soft close
 quick release function
 detachable
 material: Duroplast
 including fixation set
 suitable for all GROHE Euro Ceramic WCs



39 331 001 **alpine white** *****
Euro Ceramic
WC seat
 with lid
 quick release function
 detachable
 material: Duroplast
 including fixation set
 suitable for all GROHE Euro Ceramic WCs


CERAMICS

GROHE EURO CERAMIC

Ref. No.

Colour

Price netto (€)




39 208 000
39 208 00H

alpine white
alpine white

160.00
193.00

Euro Ceramic Wall hung bidet

1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
16 pieces per pallet



39 340 000
39 340 00H

alpine white
alpine white

141.00
173.00

Euro Ceramic Floor standing bidet


1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and
anti bacterial glazing (00H)
12 pieces per pallet

GROHE EURO CERAMIC

Ref. No.

Colour

Price netto (€)




39 453 000

WC connection outlet
horizontal
320 mm from wall

chrome

*




39 454 000

WC connection outlet
horizontal and vertical
length adjustable
60 to 105 mm from wall

chrome

*




39 457 000

WC connection outlet
vertical
length adjustable
93.5 to 137 mm from wall

chrome

*




49 532 000

Escutcheon
for 39 457 000

chrome

*



39 551 000

WC connection outlet
vertical
length adjustable
200 to 250 mm from wall

chrome

*

GROHE BAU CERAMIC




GROHE BAU CERAMIC

Ref. No.

Colour

Price netto (€)




39 420 000

alpine white

44.00

Bau Ceramic Wash basin 65
wall hung
1 hole punched with overflow
646 x 468 mm
sanitary ware
18 pieces per pallet




39 421 000

alpine white

38.00

Bau Ceramic Wash basin 60
wall hung
1 hole punched with overflow
609 x 442 mm
sanitary ware
18 pieces per pallet




39 440 000

alpine white

37.00

Bau Ceramic Wash basin 55
wall hung
1 hole punched with overflow
553 x 386 mm
sanitary ware
21 pieces per pallet




39 422 000

alpine white

68.00

Bau Ceramic Counter basin 55
built-in
1 hole punched with overflow
560 x 400 mm
sanitary ware
21 pieces per pallet




39 423 000

alpine white

68.00

Universal tap Undercounter wash basin 55
installation from below
with overflow
560 x 420 mm
sanitary ware
18 pieces per pallet















39 424 000

alpine white







37.00

Bau Ceramic Hand rinse basin 45
wall hung
1 hole punched with overflow
453 x 354 mm
sanitary ware
27 pieces per pallet













GROHE BAU CERAMIC

	Ref. No.	Colour	Price netto (€)
 	39 426 000	alpine white	42.00
<p>Bau Ceramic Half pedestal including fixation set sanitary ware 30 pieces per pallet</p>			
 	39 425 000	alpine white	37.00
<p>Bau Ceramic Full pedestal including fixation set sanitary ware 30 pieces per pallet</p>			
 	39 427 000	alpine white	70.00
<p>Bau Ceramic Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware 16 pieces per pallet</p>			
 	39 491 000	alpine white	55.00
<p>Bau Ceramic Wall hung WC for concealed cistern wash down open rim horizontal outlet flush volume 6/3 l including fixation set sanitary ware 16 pieces per pallet</p>			
 	39 428 000	alpine white	77.00
<p>Bau Ceramic Floor standing WC for close coupled combination wash down boxed rim horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware 9 pieces per pallet</p>			
 	39 349 000	alpine white	86.00
<p>Bau Ceramic Floor standing WC for close coupled combination wash down rimless horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware 9 pieces per pallet</p>			

GROHE BAU CERAMIC


	Ref. No.	Colour	Price netto (€)
 	39 429 000	alpine white	86.00
<p>Bau Ceramic Floor standing WC for close coupled combination wash down rimless vertical outlet, concealed flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware 9 pieces per pallet</p>			
 	39 436 000	alpine white	67.00
<p>Bau Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set sanitary ware 24 pieces per pallet</p>			
 	39 437 000	alpine white	67.00
<p>Bau Ceramic Exposed flushing cistern side inlet including flushing set sanitary ware 24 pieces per pallet</p>			
 	39 494 000	alpine white	52.00
<p>Bau Ceramic Exposed flushing cistern side inlet including flushing set sanitary ware 24 pieces per pallet</p>			
 	39 430 000	alpine white	58.00
<p>Bau Ceramic Floor standing WC wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware 12 pieces per pallet</p>			
 	39 431 000	alpine white	58.00
<p>Bau Ceramic Floor standing WC wash down rimless vertical outlet flush volume 6/3 l including fixation set sanitary ware 12 pieces per pallet</p>			

GROHE BAU CERAMIC

	Ref. No.	Colour	Price netto (€)
 	39 492 000 Bau Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set 126 pieces per pallet	alpine white	30.00
 	39 493 000 Bau Ceramic WC seat soft close with lid quick release function detachable material: Duroplast including fixation set 126 pieces per pallet	alpine white	54.00
 	39 433 000 Bau Ceramic Wall hung bidet 1 hole punched with overflow sanitary ware 16 pieces per pallet	alpine white	118.00
 	39 432 000 Bau Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware 12 pieces per pallet	alpine white	117.00
 	39 438 000 Bau Ceramic Urinal concealed inlet flush volume 1 l including fixation set sanitary ware 16 pieces per pallet	alpine white	133.00
 	39 439 000 Bau Ceramic Urinal top inlet flush volume 1 l including fixation set sanitary ware 16 pieces per pallet	alpine white	133.00


GROHE BAU CERAMIC

Ref. No. Colour Price netto (€)




39 351 000 alpine white 117.00

Bau Ceramic Wall hung WC set
WC seat and lid with soft close feature
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
12 pieces per pallet



39 497 000 alpine white 83.00

Bau Ceramic Wall hung WC set
WC seat and lid
for concealed cistern
wash down
open rim
horizontal outlet
flush volume 6/3 l
sanitary ware
12 pieces per pallet




39 347 000 alpine white 189.00

Bau Ceramic Bundle close coupled WC
consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)
wash down
boxed rim
horizontal outlet, concealed
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 437 000)
side inlet
including flushing set
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet



39 346 000 alpine white 197.00

Bau Ceramic Bundle close coupled WC
consisting of:
Bau Ceramic floor standing toilet with vertical outlet (39 429 000)
wash down
rimless
vertical outlet
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 437 000)
side inlet
including flushing set
sanitary ware


Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet

GROHE BAU CERAMIC

Ref. No.

Colour

Price netto (€)




39 453 000

WC connection outlet
horizontal
320 mm from wall

chrome

*




39 454 000

WC connection outlet
horizontal and vertical
length adjustable
60 to 105 mm from wall

chrome

*




39 457 000

WC connection outlet
vertical
length adjustable
93.5 to 137 mm from wall

chrome

*




49 532 000

Escutcheon
for 39 457 000

chrome

*



39 551 000

WC connection outlet
vertical
length adjustable
200 to 250 mm from wall

chrome









*

GROHE ACRYLIC SHOWER TRAYS




GROHE ACRYLIC SHOWER TRAYS

Ref. No. Colour Price netto (€)

		<p>39 300 000 alpine white 157.00</p> <p>Acrylic shower tray 1000 x 1000 dimensions: 1000 x 1000 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014416 recommended Schedel installation set SD 90083 20 pieces per pallet</p>
		<p>39 301 000 alpine white 116.00</p> <p>Acrylic shower tray 900 x 900 dimensions: 900 x 900 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014408 recommended Schedel installation set SD 90081 20 pieces per pallet</p>
		<p>39 302 000 alpine white 111.00</p> <p>Acrylic shower tray 800 x 800 dimensions: 800 x 800 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014411 recommended Schedel installation set SD 90080 20 pieces per pallet</p>
		<p>39 305 000 alpine white 197.00</p> <p>Acrylic shower tray 800 x 1200 dimensions: 800 x 1200 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA mounting frame SF (# 150183) extension set MR SF (# 150194) height adjustment easy lift (# 150193) wall rails for shower trays (# 190032) rim sealing (# 180040) recommended Poresta installation set # 17014413 recommended Schedel installation set SD 90084 20 pieces per pallet</p>


GROHE ACRYLIC SHOWER TRAYS

Ref. No. Colour Price netto (€)




39 306 000 alpine white 128.00

Acrylic shower tray 800 x 1000
 dimensions: 800 x 1000 mm
 depth: 30 mm
 material: acrylic
 diameter of waste outlet: 90 mm
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
 recommended installation material:
 MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)
 or
 MEPA mounting frame SF (# 150183)
 rim sealing (# 180040)
 recommended Poresta installation set # 17014412
 recommended Schedel installation set SD 90082
20 pieces per pallet




39 307 000 alpine white 282.00

Acrylic shower tray 900 x 1400
 dimensions: 900 x 1400 mm
 depth: 30 mm
 material: acrylic
 diameter of waste outlet: 90 mm
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
 recommended installation material:
 MEPA mounting frame SF (# 150181)
 height adjustment easy lift (# 150193)
 wall rails for shower trays (# 190032)
 rim sealing (# 180040)
 recommended Poresta installation set # 17014415
 recommended Schedel installation set SD 90086
20 pieces per pallet




39 308 000 alpine white 243.00

Acrylic shower tray 900 x 1200
 dimensions: 900 x 1200 mm
 depth: 30 mm
 material: acrylic
 diameter of waste outlet: 90 mm
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
 recommended installation material:
 MEPA mounting frame SF (# 150183)
 extension set MR SF (# 150194)
 height adjustment easy lift (# 150193)
 wall rails for shower trays (# 190032)
 rim sealing (# 180040)
 recommended Poresta installation set # 17014414
 recommended Schedel installation set SD 90085
20 pieces per pallet



49 533 000 chrome 34.00

Waste set for universal shower tray
 Ø 112 mm
 vertical outlet
GROHE StarLight chrome finish
 flow rate 1.1 l/s according to DIN EN 274



49 534 000 chrome 34.00

Waste set for universal shower tray
 Ø 112 mm
 horizontal outlet
GROHE StarLight chrome finish
 flow rate 0.7 l/s (42 l/min) according to DIN EN 274

CERAMICS

GROHE
INSTALLATION SYSTEMS





CONTENTS

Rapid SL	Rapid SL for WC	645
	Rapid SL for urinal	659
	Rapid SL for wash basin and bidet	663
	Rapid SL for the disabled	669
	Rapid SL free-standing installation	673
	Rapid SL fitting supports	677
	Rapid SL accessories	679
Uniset	Uniset frames and accessories	685

GROHE RAPID SL FOR WC




GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)



39 374 KS0

velvet black

762.00

GROHE glass module

for Rapid SL / Uniset

with flushing cistern GD 2

for connecting shower toilet Sensia Arena

or common wall-hung WCs

for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate

is kept flush with glass cover

HPL mounting plate with hole pattern for all connections


mounting plate with concealed water connection

for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish

set for noise protection

including accessory for mounting glass plate and WC ceramic



39 374 LS0

moon white

767.00

GROHE glass module

for Rapid SL / Uniset

with flushing cistern GD 2

for connecting shower toilet Sensia Arena

or common wall-hung WCs

for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate

is kept flush with glass cover

HPL mounting plate with hole pattern for all connections

mounting plate with concealed water connection

for shower toilet Sensia Arena


mounting plate with with quality edges in silver finish

set for noise protection

including accessory for mounting glass plate and WC ceramic

GROHE RAPID SL FOR WC


Ref. No. Colour Price netto (€)



38 827 000 **chrome** **387.00**

Rapid SL
5-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2


consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)



38 750 001 **chrome** **322.00**

Rapid SL
4-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2


consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, chrome, vertical installation (38 505 000)
Rapid SL wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)



38 775 001 **chrome** **223.00**

Rapid SL
4-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2

consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
Rapid SL wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)



38 813 001 **chrome** **235.00**

Rapid SL
4-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2


consisting of:
Rapid SL element for WC (38 528 001)
Nova Cosmopolitan flush plate, chrome (38 765 000)
Rapid SL wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)

GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)



38 929 000

chrome

235.00

Rapid SL
4-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2


consisting of:

Rapid SL element for WC (38 528 001)

Arena Cosmopolitan flush plate, chrome, vertical installation (38 844 000)

Rapid SL wall brackets (38 558 00M)

including WC set for noise protection (37 131 000)



38 719 001

alpine white

202.00


Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2

consisting of:

Rapid SL element for WC (38 840 000)

Skate Air flush plate, alpine white, vertical installation (38 505 SH0)

Rapid SL wall brackets (38 558 00M)



38 722 001

alpine white

276.00


Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2

consisting of:

Rapid SL element for WC (38 528 001)

Skate Air flush plate, alpine white, vertical installation (38 505 SH0)

Rapid SL wall brackets (38 558 00M)



38 772 001

chrome

322.00

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2

consisting of:

Rapid SL element for WC (38 528 001)

Skate Cosmopolitan flush plate, chrome (38 732 000)

Rapid SL wall brackets (38 558 00M)

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 528 001

chrome

248.00



Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:


adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 536 001

chrome

289.00



Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 539 001

chrome

229.00



Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:


adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
including WC set for noise protection (37 131 000)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 624 001

chrome

227.00



Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
angle valve 1/2"
water inlet with pipe fixation
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

39 002 000

chrome

345.00



Rapid SL

Element for WC, 1.13 m installation height, for external odour extraction with flushing cistern GD 2

with flush pipe for external odour extraction
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:


adjustment ex factory 6 l and 3 l
flush pipe with connection for odor extraction 50 mm
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 897 000

chrome

299.00



Rapid SL

Element for WC, 1.13 m installation height, with vertical support for ceramics with small bearing area

with vertical support for WC bowls
with a bearing area of less than 20 cm
with flushing cistern GD 2
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

39 062 000

chrome

401.00



Rapid SL

Element for WC with leakage box, 1.13 m installation height with flushing cistern GD 2

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material

2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

leakage box

collection body with wastewater lead-through
and connection for spill, black
leakage / slash water protection

flushing cistern GD 2, 6 - 9 l, containing following features:


adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
fully insulated against condensation
angle valve 1/2"
water inlet with pipe fixation
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

38 675 001

chrome

354.00



Rapid SL

Element for WC, 1.13 m installation height, 0.42 m width with flush cistern 6 l

for WC bowls 70 cm projection

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please
order fixing element 38 559 001 (sold separately)

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 588 001

chrome

360.00



Rapid SL

Element for WC, 1.13 m installation height, for shaft installation with flushing cistern GD 2

for shaft installation 800 - 1100 mm width
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 994 000

chrome

328.00

Rapid SL


Element for WC with flushing cistern 80 mm, 1.13 m installation height element width 0.62 m

for small, narrow bathrooms
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from top or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
water supply 1/2" and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)



GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 995 000

chrome

339.00



Rapid SL

Element for WC with flushing cistern 80 mm, variable width 1.13 m installation height

for small, narrow bathrooms
variable element width 0.70 – 1.20 m
for on-the-wall installation
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from top
low noise (group I acc. to German Noise Specification)
insulated against condensation
water supply 1/2" and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical use

including wall brackets 38 558 00M for on-the-wall installation
for installation in Scandinavia please order adapter 38 338 000 (sold separately)

38 525 001

chrome

314.00

Rapid SL


Element for WC, 1.00 m installation height with flushing cistern 6 - 9 l

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
Shortable inspection shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)



GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 526 000

chrome

337.00



Rapid SL

Element for WC, 0.82 m installation height with flushing cistern 6 - 9 l

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:


pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
Shortable inspection shaft incl. protection during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

38 618 000

chrome

279.00



Rapid SL

Element for WC, 0.82 m installation height with flushing cistern 6 - 9 l

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:


pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
angle valve 1/2"
water inlet with pipe fixation
Shortable inspection shaft incl. protection during construction phase

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)
for installation in Scandinavia please order adapter 38 338 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No. Colour Price netto (€)

38 519 001 chrome 335.00



Rapid SL
Element for WC with flush valve, 1.13 m installation height
with flush valve 6 - 9 l

for manual / electronic actuation

for on-the-wall installations or studded walls
steel frame with foil coating/hot galvanized,
self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
TUV approved
2 WC fixing bolts
distance of fixing bolts 180/230 mm
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
manual/electronic actuation
adjustable
low noise (group I acc. to
German Noise Specification)
¾"

stop valve

6 l flush
flush bend
flow rate adjustment
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

40 899 000 chrome 36.00




Retrofit kit for shower toilets Sensia Arena and IGS

retrofit of existing Rapid SL and Uniset installations to
shower toilets Sensia Arena or IGS

including:

conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

38 558 00M chrome 23.00




Rapid SL

Wall brackets

for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces

42 333 000 chrome 19.00



4.5 l adapter for GD2


to reduce the maximum flush volume to 4.5 liters
suitable for all elements with flushing cistern GD 2

GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)




42 327 000

PP-outlet bend Ø 90 mm
variable depth adjustment

chrome

16.00



42 946 000

Elbow
made of PE
Ø 80/100 mm

chrome

20.00

GROHE RAPID SL FOR URINAL



GROHE RAPID SL FOR URINAL

Ref. No.


Colour

Price netto (€)

38 786 001

chrome

284.00



Rapid SL

Element for urinal with infra-red electronic with GROHE Rapido U


1.13 and 1.30 m installation height for manual actuation or Tectron infra-red electronic 6 V or 230 V

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for the ceramic
inlet connection and inlet connecting set
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
Shortable inspection shaft incl. protection
during construction phase for sets for final
installation with dimensions 116 x 144 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 803 001

chrome

279.00



Rapid SL

Element for urinal with infra-red electronic with GROHE Rapido U


1.13 and 1.30 m installation height for manual actuation or Tectron infra-red electronic 6 V or 230 V

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
inlet connection and inlet connecting set
fixing bolts M8, with fixing device for the ceramic
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
Shortable inspection shaft incl. protection
during construction phase for sets for final
installation with dimensions 116 x 144 mm
including wall brackets 38 558 00M for on-the-wall installation

39 376 000

chrome

262.00



Rapid SL

Element for urinal with temperature sensor with roughing-in set for T sensor

1.13 and 1.30 m installation height


for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for the ceramic
inlet connection and inlet connecting set
box for concealed installation
including roughing-in box
water group with stop valve and flush elbow
for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold separately)
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FOR URINAL

Ref. No.

Colour

Price netto (€)



38 517 001

chrome

219.00


Rapid SL
Element for urinal without fitting
1.13 and 1.30 m installation height
for manual / electronic actuation
for exposed fittings

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for the ceramic
inlet connection and inlet connecting set
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 558 00M

chrome

23.00



Rapid SL

Wall brackets

for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces

42 824 000

chrome

689.00

Pull-off device for urinal

for 505.00.200, 508.00.200 and 809.00.200



GROHE RAPID SL FOR WASH BASIN AND BIDET




GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)



38 554 001

chrome

148.00


Rapid SL
Element for wash basin, single hole installation
with noise protection

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm

2 noise protected fitting connections 1/2"

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



39 052 000

chrome

145.00


Rapid SL
Element for wash basin, single hole installation, height adjustable
with noise protection

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
fixing and connecting traverse, height adjustable
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm

2 noise protected fitting connections 1/2"

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 557 001

chrome

113.00

Rapid SL
Element for wash basin, single hole installation
1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.


Colour

Price netto (€)

38 625 001

chrome

290.00



Rapid SL

Element for wash basin with concealed trap

for single hole installation or wall mounted fittings

1.13 m installation height

with concealed trap Ø 50 mm

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

single installation or fitting to a rail

quick adjustment, lockable

fixing material

TÜV approved

wash basin fixing bolts M10 with

fixing device for ceramic

variable distance of fixing bolts

2 noise protected fitting connections 1/2"

concealed syphon

for concealed wall installation

including cover plate for concealed trap, stainless steel

including adjustable brass outlet bend

chrome plated


height adjustable

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 748 002

chrome

417.00



Rapid SL

Element for wash basin with rough-in set for infra-red electronic

for wall mounted fittings

suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000

and Eurocube E 36 442 000

1.13 m installation height

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

quick adjustment, lockable

fixing material

wash basin fixing bolts M10 with

fixing device for ceramic

variable distance of fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm

pre-mounted roughing-in set

with protecting block

fire-proof pipe for laying electronic cables

installation box with water group, stop valve and flush elbow

connection with noise protected fitting holder 1/2"

connecting box for mains supply 230 V

CE approved


for installation with pre-mixed or cold water

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 546 000

chrome

118.00



Rapid SL

Element for wash basin, for wall mounted fittings

1.30 m installation height

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

wash basin fixing bolts M10 with

fixing device for ceramic

variable distance of fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm

2 noise protected fitting connections 1/2"


for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)




38 541 000

chrome

124.00

Rapid SL
Element for wash basin, single hole installation
1.00 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)





38 544 000

chrome

224.00

Rapid SL
Element for hospital waste sink
for wall mounted fittings
1.30 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
waterproof plywood
HT-outlet bend Ø 50 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)




38 553 001

chrome

261.00

Rapid SL
Element for bidet, 1.13 m installation height

vertical support for ceramics with
small bearing area (< 205 mm)
powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 545 000

chrome

309.00

Rapid SL
Element for bidet, 1.00 m installation height

powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.



Colour

Price netto (€)

38 543 000

chrome

279.00



Rapid SL


Element for bidet, 0.82 m installation height

powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 558 00M

chrome

23.00



Rapid SL

Wall brackets

for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces

GROHE RAPID SL FOR THE DISABLED



GROHE RAPID SL FOR THE DISABLED

Ref. No.


Colour

Price netto (€)

38 675 001

chrome

354.00



Rapid SL

Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 l

for WC bowls 70 cm projection

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)


for the mounting of support rails for the disabled please

order fixing element 38 559 001 (sold separately)

39 140 000

chrome

648.00



	A	B	C	D	E	F
	1130	280	960	1000	1060	460
	1060	230	910	950	1010	410

Rapid SL

Element for WC, 1.13 m installation height

with fixing element for back support and support rails

with flushing cistern GD 2

for the disabled

for WC bowls 70 cm projection

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

4 wall brackets

fixing device for ceramic

distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation

for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR THE DISABLED

Ref. No.


Colour

Price netto (€)

38 759 SD0

stainless steel

858.00




Radio electronic

for WC
receiver modul 868,4 MHz
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
for flushing cistern GD 2, for flushing cistern 6 l
concealed installation, front plate 156 x 197 mm
servo motor
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
adjustable flush volume
adjustable flow time
72 h flushing can be activated
with extension cable, 3.00 m length,
for connecting transformer and
electronic
CE approved

38 934 SD0

stainless steel

468.00




WC control for manual remote actuation

for concealed flushing cisterns, 6 - 9 l
for connecting one or more potential-free actuation buttons via cable
suitable for support rails for the disabled with integrated actuation button
from Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
stainless steel wall plate 156 x 197 mm
transformer for external installation
operating voltage 230 V AC, 50/60 Hz, 4.0 VA
servo motor
3 m connecting cable
for the connection of transformer and electronic
3 m connection cable with plug
CE approved
delivery range without actuation button/support rails

39 141 000

chrome

533.00




Radio electronic

for WC with flushing cistern GD2
receiver modul 868,4 MHz
for wall sender 39 142 000 or radio transmitter 38 758 000
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
servo motor
integrated battery box for 4 x 1.5 V Mono D (LR20)
adjustable flush volume
72 h flushing can be activated
Dual Flush possible (6/3 or 9/4.5 l)
WC actuation plate and batteries are not included
CE approved

39 142 000

chrome

235.00



Radio transmitter

for WC receiver module 39 141 000, 38 759 SD0
frequency 868.4 MHz
with option for Dual Flush
can be integrated into a standard electricity box
(measurements according to DIN 49073)
CE approved

INSTALLATION
SYSTEMS

GROHE RAPID SL FOR THE DISABLED

Ref. No.


Colour

Price netto (€)

38 625 001

chrome

290.00



Rapid SL

Element for wash basin with concealed trap

for single hole installation or wall mounted fittings

1.13 m installation height

with concealed trap Ø 50 mm

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

single installation or fitting to a rail

quick adjustment, lockable

fixing material

TÜV approved

wash basin fixing bolts M10 with

fixing device for ceramic

variable distance of fixing bolts

2 noise protected fitting connections 1/2"

concealed syphon

for concealed wall installation

including cover plate for concealed trap, stainless steel

including adjustable brass outlet bend

chrome plated


height adjustable

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 541 000

chrome

124.00



Rapid SL

Element for wash basin, single hole installation

1.00 m installation height

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

wash basin fixing bolts M10 with

fixing device for ceramic

variable distance of fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm


2 noise protected fitting connections 1/2"

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 559 001

chrome

193.00



Rapid SL

Fixing element, 1.13 m installation height

to fix **support** for the disabled in

lightweight studded wall partitions

or on-the-wall installations

0.31 m wide

powder coated steel frame

waterproof plywood

fixing material

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FREE-STANDING INSTALLATION



GROHE RAPID SL FREE-STANDING INSTALLATION

Ref. No.

Colour

Price netto (€)

38 584 001


chrome

408.00

Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2

for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
lockable
fixing material
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm) require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set



flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 340 001


chrome

235.00

Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2

for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
lockable
fixing material
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PVC outlet bend 100 mm
spacer Ø 80 mm
inlet and outlet connecting set



flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FREE-STANDING INSTALLATION

Ref. No.

Colour

Price netto (€)

38 586 001

chrome

548.00

Rapid SL

Element for WC, 1.00 m installation height with flushing cistern 6 - 9 l

for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

front or top actuation

water supply from left/right or back

low noise (group I acc. to German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit


flexible hose union

Shortable inspection shaft incl. protection

during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)



38 587 000

chrome

326.00

Rapid SL

Element for WC, 0.82 m installation height with flushing cistern 6 - 9 l

for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
lockable

TÜV approved

fixing material

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

front or top actuation

water supply from left/right or back

low noise (group I acc. to German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit


flexible hose union

Shortable inspection shaft incl. protection

during construction phase

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)




GROHE RAPID SL FREE-STANDING INSTALLATION

Ref. No.

Colour

Price netto (€)



38 581 001



chrome

500.00

Rapid SL

Element for bidet, 1.13 m installation height

for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
pre-assembled
height adjustable fitting connections
lockable
TÜV approved
fixing material
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 548 001


chrome

124.00

Rapid SL

Empty element, 1.13 m installation height

for the installation of fitting holders
or to cover the distance between
two elements (60 - 170 cm)
for installation back to back with free-standing
elements
TÜV approved
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 558 00M

chrome

23.00

Rapid SL









Wall brackets

for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces

GROHE RAPID SL FITTING SUPPORTS



GROHE RAPID SL FITTING SUPPORTS

	Ref. No.	Colour	Price netto (€)
 	37 998 000	chrome	78.00
<p>Rapid SL Fitting support for exposed fittings for studded walls for empty frames 2 noise protected fitting connections 1/2" fixing material</p>			
 	38 652 000	chrome	108.00
<p>Rapid SL Mounting plate for fixing concealed fittings and room ventilation for studded walls for empty frames for GROHE Rapido 500 x 240 x 77 mm variable depth adjustment 75-115 mm with waterproof plywood board for fixation fixing material</p>			
 	38 437 000	chrome	95.00
<p>Rapid SL Fitting support for kitchen sink for studded walls 2 noise protected fitting connections 1/2" HT-outlet bend Ø 50 mm seal Ø 40 mm fixing material</p>			
 	38 548 001	chrome	124.00
<p>Rapid SL Empty element, 1.13 m installation height for the installation of fitting holders or to cover the distance between two elements (60 - 170 cm) for installation back to back with free-standing elements TÜV approved for on-the-wall installation please order wall brackets 38 558 00M (sold separately)</p>			

GROHE RAPID SL ACCESSORIES




GROHE RAPID SL ACCESSORIES

Ref. No.

Colour

Price netto (€)




38 636 001

chrome

176.00

Rapid SL
Cladding for wall mounted WC
1.13 m installation height

gypsum fibre boards 1190 x 480 x 12.5 mm
with all cut-outs
self-tapping screws
2 zinc coated support angles with
fixing screws




38 630 001

chrome

158.00

Rapid SL
Cladding
for bidet, urinal elements or between
elements
1.13 m installation height

gypsum fibre boards 1190 x 480 x 12.5 mm
without cut-outs
self-tapping screws
2 zinc coated support angles with
fixing screws





38 558 00M

chrome

23.00

Rapid SL
Wall brackets

for on-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
steady vertical adjustment from
130 - 230 mm
cladding for single or series installation
fixing material
2 pieces




38 548 001

chrome

124.00

Rapid SL
Empty element, 1.13 m installation height

for the installation of fitting holders
or to cover the distance between
two elements (60 - 170 cm)
for installation back to back with free-standing
elements
TÜV approved
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 629 000







chrome

46.00

Rapid SL
Extension

for floor constructions from 200 up to 350 mm
fixing material
not suitable for project elements

GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	37 310 000	chrome	82.00
	Installation rail for row installation fixing material 1 piece 2600 x 36 x 20 mm mounting set for 3 Rapid or Uniset elements not available for Uniset WC		
	37 220 001	chrome	17.50
	Rapid SL Wall brackets for Rapid SL, to fix claddings to side walls and intermediate plates to the masonry 1.13 m, 1.00 m and 0.82 m installation height dimension 50 x 25 mm		
	38 733 000	chrome	28.00
	Rapid SL Mounting angle for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material 2 pieces		
	38 562 001	chrome	85.00
	Rapid SL Set for corner installation for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets 1.13 m 135°		
	38 563 000	chrome	7.70
	Extension set for Rapid SL for max. distance to the wall 330 mm 2 threaded bolts with sleeves		
	38 779 000	chrome	101.00
	Rapid SL Accessory for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)		

GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	37 131 000 Set for noise protection for WC sound insulation 2 rubber pipes	chrome	13.00
	42 397 000 Tube	chrome	8.30
	42 766 000 Distance pipe 3"	chrome	7.00
 	38 338 000 Connecting box	chrome	26.00
 	40 911 000 Revision shaft for small flush plates for combination with Rapid SL and Uniset GD 2 cisterns	chrome	13.00
 	40 950 000 Revision shaft for small flush plates for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height	chrome	*

GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 <p>The image shows a white plastic revision shaft with a curved handle and a set of screws. To its right are technical drawings: a front view showing a rectangular frame with a central opening, and a side view showing a vertical shaft with a diameter of 48 mm and a height of 157 mm.</p>	<p>40 949 000 Revision shaft for small flush plates for combination with 80 mm cistern</p>	<p>chrome</p>	<p>*</p>
 <p>The image shows a white plastic inspection shaft with a clear window on the front, revealing internal components.</p>	<p>66 791 000 Inspection shaft</p>	<p>chrome</p>	<p>10.00</p>
 <p>The image shows a grey metal motor support device with a curved shape and a circular hole. It is accompanied by several screws and washers.</p>	<p>43 617 000 Motor support device for Rapid SL 38 675 for the disabled as of mid 2008 for installation of infra-red electronic</p>	<p>chrome</p>	<p>86.00</p>

* price upon request

GROHE UNISSET FRAMES AND ACCESSORIES




GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.

Colour

Price netto (€)



38 723 001

chrome


200.00

**Uniset
2-in-1 set for WC
with flushing cistern GD 2**

consisting of:

Uniset element for WC (38 643 001)

Skate Air flush plate, chrome, vertical installation (38 505 000)



38 643 001

chrome

204.00

**Uniset
Element for WC with EPS housing
with flushing cistern GD 2**

sound-insulating EPS module for
masonry-in

830 x 470 x 130 mm

rail adaptors for modular fixing

for single or rail installation

wall rail with fixing accessories for

single installation

2 WC fixing bolts

distance of fixing bolts 180/230 mm

fixing device for ceramic

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right/back or top

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

for vertical or horizontal use

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

preparation for shower toilets with additional

accessory 40 899 000 (sold separately)

for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)

GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.


Colour

Price netto (€)

38 642 001

chrome

203.00



Uniset

Element for WC with EPS housing and support feet with flushing cistern GD 2

sound-insulating EPS module for masonry-in
830 x 470 x 130 mm
rail adaptors for modular fixing
wall rail with fixing accessories for single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend \varnothing 90 mm
depth adjustable
reducer \varnothing 90/110 mm

flushing cistern GD 2, 6 - 9 l, containing following features:


inlet and outlet connecting set
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase

preparation for shower toilets with additional accessory 40 899 000 (sold separately)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

39 165 000

chrome

117.00



Uniset

Element for WC with flushing cistern GD 2

778 x 440 x 116 mm
for single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend \varnothing 90 mm
reducer \varnothing 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
cistern insulated against condensation
1/2" angle valve with push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use

preparation for shower toilets with additional accessory 40 899 000 (sold separately)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.


Colour

Price netto (€)

38 415 001

chrome

243.00



Uniset

**Element for WC, 0.82 m installation height
with flushing cistern 6 - 9 l**

front or top actuation

sound-insulating EPS module for masonry-in
rail adaptors for modular fixing for single or rail installation
wall rail with fixing accessories for single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
depth adjustable
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:


pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection
angle valve 1/2"
Shortable inspection shaft incl. protection during construction phase

preparation for shower toilets with additional accessory 40 899 000 (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

38 785 000

chrome

189.00



Uniset

Element for urinal with infra-red electronic

with GROHE Rapido U
roughing-in set for urinal
**for manual actuation or Tectron
infra-red electronic 6 V or 230 V**


sound-insulating EPS module for masonry-in with closed surface
rail adaptors for modular fixing for single or series installation
fixing accessories for single installation
height adjustable fitting connections
inlet connection and inlet connecting set
HT-outlet bend Ø 50 mm
threaded bolts M8
fixing material for urinal bowl
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid

functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
Shortable inspection shaft incl. protection during construction phase for sets for final installation with dimensions 116 x 144 mm

37 576 000

chrome

202.00












Uniset

Element for wash basin, single hole installation

sound-insulating EPS module for masonry-in with closed surface
rail adaptors for modular fixing for single or series installation
fixing accessories for single installation
height adjustable fitting and outlet connections
wash basin fixing bolts
distance of fixing bolts 280 mm
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 fitting connections 1/2"

fixing material for wash basin
for on-the-wall installation please order support feet 37 304 000 (sold separately)

GROHE UNISSET FRAMES AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	37 578 001	chrome	198.00
	<p>Uniset Element for bidet with EPS housing sound-insulating EPS module for masonry-in with closed surface rail adaptors for modular fixing for single or series installation wall rail with fixing accessories for single installation bidet fixing bolts height adjustable fitting and outlet connections HT-outlet bend Ø 50 mm seal Ø 32 mm 2 variable fitting connections fixing material for bidet for on-the-wall installation please order support feet 37 304 000 (sold separately)</p>		
 	37 304 000	chrome	40.00
	<p>Uniset Support feet matching Uniset for WC and bidet made of hot galvanized steel fixing material for on-the-wall installations</p>		
 	37 310 000	chrome	82.00
	<p>Installation rail for row installation fixing material 1 piece 2600 x 36 x 20 mm mounting set for 3 Rapid or Uniset elements not available for Uniset WC</p>		
	40 899 000	chrome	36.00
	<p>Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm</p>		
 	40 911 000	chrome	13.00
	<p>Revision shaft for small flush plates for combination with Rapid SL and Uniset GD 2 cisterns</p>		
	40 950 000	chrome	*
	ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height		
	40 949 000	chrome	*
	ditto, for combination with 80 mm cistern		

GROHE
FLUSHING SYSTEMS





CONTENTS

WC	Flushing cisterns	693
	Accessories for flushing cisterns	697
	WC flush valves	707
	Electronic actuations for WC	713
Urinal	Electronic actuations for urinal	719
	Urinal flush valves	727

GROHE FLUSHING CISTERNS




GROHE FLUSHING CISTERNS

Ref. No.

Colour

Price netto (€)




37 355 SH0

alpine white

90.00

Flushing cistern for WC

6 l flush
 exposed installation
 interruptible flush cycle
 servo actuation
 low level
 made of ABS
 low noise (group I acc. to German Noise Specification)
 fully insulated against condensation
 angle valve 1/2"
 copper pipe
 mounting template
 flush pipe bend
 WC inlet connector




38 895 000

chrome

188.00

GD2 set

6 l flush
 adjustment ex factory 6 l and 3 l
 pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
 water supply from left/right/back or top
 low noise (group I acc. to German Noise Specification)
 insulated against condensation
 1/2" water supply connection including integrated angle valve and push fit flexible hose union
 no tools required for the installation of the inspection shaft incl. protection during construction phase for vertical or horizontal use
 flush pipe insulated against condensation
 fixing brackets
 inlet and outlet connecting set
 fixing device for ceramic
 Skate Air wall plate
 vertical installation
 156 x 197 mm
 chrome
 made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow



38 661 000

chrome

162.00

Flushing cistern GD 2


6 l flush
 adjustment ex factory 6 l and 3 l
 pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
 water supply from left/right/back or top
 low noise (group I acc. to German Noise Specification)
 insulated against condensation
 1/2" water supply connection including integrated angle valve and push fit flexible hose union
 no tools required for the installation of the inspection shaft incl. protection during construction phase for vertical or horizontal use
 flush pipe insulated against condensation
 fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow
 for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE FLUSHING CISTERNS

Ref. No.

Colour

Price netto (€)




38 863 000

chrome

101.00

**Flushing cistern for WC 80 mm
6 l flush**

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply connection from top
low noise (group I acc. to German Noise Specification)
with plaster base coating made of vinyl fleece with push fit flexible hose union
angle valve 1/2"
Shortable inspection shaft incl. protection during construction phase,
for vertical use
fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow
revision shaft 40 949 000 (sold separately)




38 422 000

chrome

196.00

**Flushing cistern for WC
6 l flush**

concealed installation
0.82 m installation height
dual flush discharge valve, pneumatic
front or top actuation
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
415 x 410 x 360 mm
1/2" water supply connection
fixing brackets
flush pipe
Shortable inspection shaft incl. protection during construction phase
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow



38 691 000

chrome

153.00

**Eau2
WC flushing cistern 0.82 m
6l / 3l**

Dual Flush
low noise filling valve
6 l flush
concealed installation
0.82 m installation height
water supply from left/right or back
connection from left / right or back
non-interruptible flush cycle
front or top single 6 l only flush
water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
415 x 410 x 360 mm
with angle stop valve 1/2" and flush pipe
1/2" water supply connection
angle valve 1/2"
fixing brackets
flush pipe
without wall plate/actuation
protecting block
min. recommended static pressure 0.2 bar
air button
front or top actuation
extended hose length for flexibility when positioning the actuation
sleek and minimal styling allows the button to be fitted in any 360degree orientation
GROHE EcoJoy technology for less water and perfect flow

GROHE FLUSHING CISTERNS

Ref. No.


Colour

Price netto (€)

38 771 000

chrome

36.00



Pneumatic push button actuation

for dual flush or start & stop actuation
Ø 48 mm

in combination with bath furniture or
removable claddings for cistern
inspection











for material thickness from 18 -24 mm
pneumatic hose 600 mm

GROHE StarLight chrome finish




GROHE ACCESSORIES FOR FLUSHING CISTERNS










GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	37 095 000 Filling valve 3/8" universal application without adapter for the pipe connection cap, restrictor **) max. shortening 100 mm	chrome	32.00
 	43 537 000 Filling valve for concealed flushing cisterns 6 l	chrome	22.00
 	42 297 P10 Eco-discharge valve dual flush discharge valve AV1 push button actuation \varnothing 40 mm with Eco-knob with fixing device for lid GROHE EcoJoy technology for less water and perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia.	matt chrome/chrome	55.00
	42 253 000 Discharge valve, Dual Flush	chrome	53.00
 	37 088 P10 Servo discharge valve interruptible flush cycle with short discharge valve housing decide for maintenance opening and complete before installation escutcheon push button for lid holes \varnothing 16 - 35 mm fixing material GROHE StarLight chrome finish	matt chrome/chrome	61.00
	43 536 000 Valve head	chrome	3.20

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	43 733 000	chrome	3.90
	Membrane filling valve		
	43 758 00M	chrome	24.00
	ditto, 10 pieces per set		
	42 271 00M	chrome	65.00
	Nipple multi-packaging: 10 pieces		
 	37 099 K00	black	70.00
	Flush pipe for low level flushing cistern behind the wall for remote control two-parts 180 x 70 mm 300 mm extension including protecting plug		
 	38 735 000	chrome	54.00
	Retro-fit set for flushing cistern 6 l concealed installation dual flush discharge valve AV1 including valve seat for 6 l or 3 l angle valve 1/2" guiding pipe for screws without wall plate GROHE EcoJoy technology for less water and perfect flow		
 	38 736 000	chrome	40.00
	Retro-fit set dual flush for flushing cistern GD 2 6 l flush dual flush discharge valve AV1 including valve seat without wall plate/actuation GROHE EcoJoy technology for less water and perfect flow		
 	42 320 000	chrome	41.00
	Dual Flush discharge valve AV1 AV1 complete with pipe extension 6 l flush without valve seat without actuation		

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	42 137 000	chrome	28.00
 	43 486 000	chrome	22.00
 	42 774 000	chrome	55.00
	42 233 000	chrome	9.50
 	43 908 000	chrome	17.50
 	37 311 K00	black	28.00

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	37 489 000 Extension for concealed flush pipe length 200 mm	chrome	6.70
	43 352 000 ditto, length 300 mm	chrome	7.70
	37 103 SH0 Inlet set connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC connector escutcheon	alpine white	11.00
	37 104 K00 WC inlet and outlet connecting set for wall hung WC connecting pipe Ø 45 mm length 200 mm connector waste sleeve Ø 110 mm 150 mm long cover for WC fixing bolts	black	31.00
	37 105 K00 Extension for concealed flush pipe length 300 mm	black	31.00
	37 115 PI0 Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 40 mm GROHE StarLight chrome finish	matt chrome/chrome	10.00
	37 117 PI0 Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 16 - 35 mm GROHE StarLight chrome finish	matt chrome/chrome	10.00







GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	37 119 000 Connector 55 mm for low level flushing cistern	chrome	2.70
 	37 125 000 Dummy plug and escutcheon cap for ceramic flushing cisterns lid hole Ø 40 mm GROHE StarLight chrome finish	chrome	8.10
 	42 327 000 PP-outlet bend Ø 90 mm variable depth adjustment	chrome	16.00
 	42 333 000 4.5 l adapter for GD2 to reduce the maximum flush volume to 4.5 liters suitable for all elements with flushing cistern GD 2	chrome	19.00
 	42 946 000 Elbow made of PE Ø 80/100 mm	chrome	20.00
 	37 131 000 Set for noise protection for WC sound insulation 2 rubber pipes	chrome	13.00








GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	42 773 000 Valve seat for concealed cisterns, dual flush	chrome	8.60
	42 315 000 Valve seat for GD2	chrome	8.00
	43 542 000 Valve seat with o-ring valve seat for concealed flushing cisterns 6 - 9 l / 6 l 0.82 m installation height (from 02.97) for Variella Compact Ø 41 mm	chrome	6.70
	43 545 000 Valve seat with o-ring for concealed flushing cisterns 6 - 9 l / 6 l 0.82 m installation height (until 02.97) for Variella Compact Ø 55 mm	chrome	19.00
 	43 535 000 Push Bar for Servo discharge valve 350 mm	chrome	2.90
 	43 540 000 Pop-up rod for Servo discharge valve 451 mm	chrome	3.50

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	43 544 000 Outlet piston for Servo discharge valve	chrome	10.50
	43 722 000 Set of seals	chrome	7.10
	43 734 000 Lever	chrome	3.10
	43 735 000 Screw cap	chrome	2.50
	43 745 000 Seal	chrome	5.30
	43 770 00M Seal multi-packaging: 10 pieces	chrome	7.80

GROHE ACCESSORIES FOR FLUSHING CISTERNS


	Ref. No.	Colour	Price netto (€)
	43 976 000 Lever	chrome	3.10
	42 242 000 4" outlet adaptor for Rapid SL	chrome	9.60
	42 075 000 Flow restrictor reduces flow rate for exposed flushing cisterns installation in flush pipe shorten if necessary	chrome	5.30
 	42 300 000 Flow restrictor reduces flow rate for flushing cistern GD 2 installation in valve seat	chrome	17.00
 	38 714 000 Extension set 70 mm for wall plates/actuators for flushing cistern GD 2, 6 - 9 l with pneumatic discharge valve	chrome	17.50

GROHE WC FLUSH VALVES




GROHE WC FLUSH VALVES

Ref. No. Colour Price netto (€)




37 347 000 chrome 218.00

Rondo A.S.
Flush valve for WC
3/4"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
control cap and connection to
plastic flush pipe
with flow rate adjustment
6 l flush
with escutcheon
flow pressure min 1.2 bar
operating pressure max 5 bar
low noise (group I acc. to
German Noise Specification)




37 349 000 chrome 214.00

Rondo A.S.
Flush valve for WC
3/4"
brass
integrated stop valve
GROHE StarLight chrome finish
for wash-down and wash-out bowls
control cap and connection to
plastic flush pipe
with flow rate adjustment
6 l flush
with escutcheon
flow pressure min 1.2 bar
operating pressure max 5 bar
low noise (group I acc. to
German Noise Specification)




37 141 000 chrome 93.00

DAL-Full-automatic flush valve for WC
3/4"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
with automatic flow rate
flow pressure range from 1.2 - 5.0 bar
low noise (group II according to
German noise specification)



37 139 000 chrome 98.00















DAL-Automatic flush valve for WC
3/4"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
with flow rate adjustment







37 636 000 chrome 137.00

Stop valve
3/4"
exposed installation
with inside lying spindle
escutcheon
for roughing-in set for concealed installation
GROHE StarLight chrome finish

GROHE WC FLUSH VALVES


	Ref. No.	Colour	Price netto (€)
 	37 132 000	chrome	28.00
	Fixing device hidden fixing screws for flush pipes \varnothing 28 mm for distance to the wall from 15 - 85 mm		
 	37 133 000	chrome	94.00
	Inlet adaptor for corner installation $\frac{3}{4}$ "		
 	37 107 000	chrome	94.00
	Flush pipe for WC flush valve \varnothing 28 x 26 mm 600 x 200 mm brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector		
 	38 251 000	chrome	57.00
	ditto, 750 x 250 mm		
 	37 112 000	chrome	124.00
	Flush pipe for flush valves \varnothing 28 x 26 mm adjustable, 500 - 750 mm brass		
 	37 108 000	chrome	89.00
	Flush pipe for WC flush valve \varnothing 28 x 26 mm 1000 x 200 mm straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector		
 	37 114 000	chrome	33.00
	Flush pipe extension \varnothing 28 x 26 mm 260 mm brass		

GROHE WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
 	<p>42 041 000</p> <p>Flush pipe set for WC flush valve Rondo A.S. for squatting WC flush pipe 850 mm distributor for the flush pipe flush pipe fixing device</p>	<p>chrome</p>	<p>143.00</p>
 	<p>37 135 000</p> <p>Connector 55 mm for flush valve to pedestal WC</p>	<p>chrome</p>	<p>8.20</p>


GROHE WC FLUSH VALVES

Ref. No. Colour Price netto (€)




37 153 000 **chrome** **268.00**

Flush valve for WC
concealed installation
3/4"
stop valve
6 l flush
flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation
low noise (group I acc. to
German Noise Specification)





37 157 000 **chrome** **234.00**

Flush valve for WC
concealed installation
3/4"
stop valve
6 - 14 l adjustable
for low pressure
for wash-down and wash-out bowls
flow pressure range from 0.6 - 3.0 bar
(min. static pressure 1.5 bar)
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation
volume needed: 1.6 l/sec




37 048 000 **chrome** **330.00**

Flush valve for WC
concealed installation
3/4"
with **connection** to solenoid valve
stop valve
6 l flush
flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
2 m connecting cable
box for concealed installation with
flush elbow
concealed flush pipe
without electronic actuation



43 996 000 **chrome** **205.00**

Flush valve for WC
concealed installation
3/4"
retrofit for 677.00.200/677.03.200/680.00.200
without stop valve
without flush pipe








43 997 000 **chrome** **236.00**

Flush valve for WC
3/4"
retrofit for 677.00.500/677.03.500/680.00.500
for low pressure
without stop valve
without flush pipe

reference:
Model 677. with stainless steel actuation is to be replaced
by ref. 43 997 and 43 179 P00 (plastic actuation).

GROHE WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
	<p>42 902 000</p> <p>Flush valve for WC concealed installation 3/4" 6 l flush stainless steel wall plate without stop valve without flush pipe to replace against model 663.04.200 (G1)</p>	<p>chrome</p>	<p>490.00</p>
	<p>42 901 000</p> <p>Flush valve for WC 3/4" concealed installation 6 l flush wall plate Classic, 220 x 255 mm GROHE StarLight chrome finish without stop valve without flush pipe retrofit for 623.03.200 (G3/4)</p>	<p>chrome</p>	<p>381.00</p>
	<p>37 134 000</p> <p>Fixing set 50 mm extension for WC flush valve concealed installation</p>	<p>chrome</p>	<p>57.00</p>
	<p>37 102 SH0</p> <p>Inlet set connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC connector escutcheon</p>	<p>alpine white</p>	<p>25.00</p>
	<p>37 131 000</p> <p>Set for noise protection for WC sound insulation 2 rubber pipes</p>	<p>chrome</p>	<p>13.00</p>

GROHE ELECTRONIC ACTUATIONS FOR WC




GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.

Colour

Price netto (€)



38 698 SD1

stainless steel

597.00


Tectron Skate

Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2

servo motor
concealed installation
front plate 156 x 197 mm

infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved



38 699 001

chrome

513.00

Tectron Surf


Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

GROHE StarLight chrome finish
with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2

servo motor
concealed installation
front plate 156 x 197 mm

infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved



37 419 000

chrome

803.00

37 419 SD0

stainless steel

827.00

Tectron Skate


Infra-red electronic for WC flushing cistern

with additional manual actuation with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC

for single flush actuation
for flushing cistern GD 2

servo motor
concealed installation
hidden fixing screws
front plate 156 x 197 mm

7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved



38 393 SD1

stainless steel

513.00

Tectron Skate






Infra-red electronic for WC flush valve

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

concealed installation
front plate 156 x 197 mm
infra-red control

solenoid valve
7 pre-set programs:
CE approved

GROHE ELECTRONIC ACTUATIONS FOR WC


	Ref. No.	Colour	Price netto (€)
 	43 617 000	chrome	86.00
<p>Motor support device for Rapid SL 38 675 for the disabled as of mid 2008 for installation of infra-red electronic</p>			
 	38 759 SD0	stainless steel	858.00
<p>Radio electronic for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB for flushing cistern GD 2, for flushing cistern 6 l concealed installation, front plate 156 x 197 mm servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic CE approved</p>			
 	38 778 000	chrome	692.00
<p>Radio electronic for an additional wall plate for manual actuation for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB for flushing cistern GD 2, for flushing cistern 6 l concealed installation servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic</p>			
 	39 141 000	chrome	533.00
<p>Radio electronic for WC with flushing cistern GD2 receiver modul 868,4 MHz for wall sender 39 142 000 or radio transmitter 38 758 000 for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB servo motor integrated battery box for 4 x 1.5 V Mono D (LR20) adjustable flush volume 72 h flushing can be activated Dual Flush possible (6/3 or 9/4.5 l) WC actuation plate and batteries are not included CE approved</p>			
 	39 142 000	chrome	235.00
<p>Radio transmitter for WC receiver module 39 141 000, 38 759 SD0 frequency 868.4 MHz with option for Dual Flush can be integrated into a standard electricity box (measurements according to DIN 49073) CE approved</p>			

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.

Colour

Price netto (€)



38 934 SD0

stainless steel

468.00

WC control for manual remote actuation

for concealed flushing cisterns, 6 - 9 l
for connecting one or more potential-free actuation buttons via cable
suitable for support rails for the disabled with integrated actuation button
from Hewi, Keuco, Lehen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
stainless steel wall plate 156 x 197 mm
transformer for external installation
operating voltage 230 V AC, 50/60 Hz, 4.0 VA
servo motor
3 m connecting cable
for the connection of transformer and electronic
3 m connection cable with plug
CE approved
delivery range without actuation button/support rails



36 340 000

chrome

59.00

Power extension cable

length 3.00 m



36 341 000

chrome

91.00

Power extension cable

length 10.00 m

GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	Price netto (€)
 	43 977 000	chrome	425.00
<p>Pneumatic actuation GROHE StarLight chrome finish remote hand-actuation for institutional requirements push button with escutcheon Ø 100 mm for walls of 80 - 240 mm thickness actuation stop pneumatic hose 1.50 m</p>			
  	37 059 000	chrome	180.00
<p>Pneumatic actuation GROHE StarLight chrome finish remote hand actuation push button actuation with escutcheon Ø 100 mm vertical and horizontal installation wall plate Surf 156 x 197 mm pneumatic hose 1.50 m</p>			
 	37 060 000	chrome	112.00
<p>Pneumatic actuation GROHE StarLight chrome finish push button actuation with escutcheon Ø 100 mm pneumatic hose 1.50 m without wall plate</p>			
 	36 407 001	chrome	308.00
<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared faucets) auto flush cycles (infrared faucets) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home) configuration cleaning mode on/off thermal disinfection (infrared faucets) detection range shut off delay (infrared faucets) auto flush (infrared faucets) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings filter capacity (GROHE Blue Home) demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V AAA DC battery supply</p>			

GROHE ELECTRONIC ACTUATIONS FOR URINAL



GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 421 000

chrome

468.00



Tectron Rondo

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

flow pressure min 0.5 bar

operating pressure max 10 bar

G 1/2

with **integrated stop valve**

flush pipe with rubber connector

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407


adjustable flow time by hand or remote

CE approved

37 426 000

chrome

399.00



Tectron Rondo

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

flow pressure min 0.5 bar

operating pressure max 10 bar

G 1/2

with **integrated stop valve**

flush pipe with rubber connector

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings


by remote control 36 407

CE approved

37 427 000

chrome

340.00



Tectron retro-fit unit 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

for urinal flush valve 37 021 and variants

flow pressure min 0.5 bar

operating pressure max 10 bar

with piston

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 428 000

chrome

292.00



Tectron retro-fit unit 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

for urinal flush valve 37 339 000 and variants

flow pressure min 0.5 bar

operating pressure max 10 bar

with piston

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 336 001

chrome

531.00



Tectron Surf


Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U
CE approved

37 337 001

chrome

547.00



Tectron Surf

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6 V lithium-battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U or Rapido UMB
CE approved

37 321 001

chrome

548.00

37 321 SH1


alpine white

549.00

37 321 SD1

stainless steel

548.00



Tectron Skate

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
set for final installation
for Rapido U
CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 324 001
37 324 SD1

chrome
stainless steel

548.00
546.00



Tectron Skate

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

cartridge with solenoid valve and dirt strainer

front plate 116 x 144 mm

flow pressure min 0.5 bar

operating pressure max 10 bar

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

set for final installation


for Rapido U or Rapido UMB

CE approved

37 751 001

chrome

457.00



Tectron

Retro-fit unit

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

exposed installation

for concealed urinal flush valve 37 017

and DAL 509

metal housing 145 x 90 x 45 mm

solenoid valve with dirt strainer

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407


adjustable flow time by hand or remote

CE approved

37 338 000

chrome

131.00



GROHE Rapido U

roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V

water group with stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread

connecting box for mains supply

installation box with gasket


fixing points for dry cladding and masonry-in

shortable inspection shaft incl. protection

38 787 000

chrome

105.00



GROHE Rapido UMB

roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V

water group with stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread

installation box with gasket

fixing points for dry cladding and masonry-in

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

36 407 001

chrome

308.00



Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service


send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

39 368 000

chrome

629.00



Temperature sensor for urinal


with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

can be used with 39 376 000
siphon with temperature sensor
cartridge with solenoid valve
and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
CE approved

39 367 000

chrome

573.00



**Temperature sensor for urinal
6 V lithium-battery, type CR-P2**

with water connection set and stop valve
siphon with temperature sensor
cartridge with solenoid valve
and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
CE approved
only for certain urinal ceramics, check online TPI

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.

Colour

Price netto (€)

39 369 000

chrome

763.00

Temperature sensor with Bluetooth for urinal

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

siphon with temperature sensor

cartridge with solenoid valve

and dirt strainer

flow pressure min 0.5 bar

operating pressure max 10 bar

with Bluetooth module for bi-directional communication

for monitoring, configuration and service purpose

with Bluetooth 4.0* for wireless data communication

bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

for Apple** and Android devices

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

configuration

shut-off delay

auto flush

cleaning mode

2 on/off timers

identification by name


service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved



Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE URINAL FLUSH VALVES




GROHE URINAL FLUSH VALVES

Ref. No.

Colour

Price netto (€)




37 339 000

chrome

124.00

Rondo
Flush valve for urinal
1/2"
brass
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar




37 342 000

chrome

150.00

Rondo
Flush valve for urinal
1/2", brass
vandal proof by metal actuation knob
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar




37 345 000

chrome

137.00

Rondo
Flush valve for urinal
1/2"
brass
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar




37 346 000

chrome

96.00

Rondo
Flush valve for urinal
1/2"
brass
without stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar



37 396 000

chrome

95.00

Press urinal flush valve
1/2"
brass
GROHE StarLight chrome finish
with wall escutcheon


GROHE URINAL FLUSH VALVES

Ref. No. Colour Price netto (€)




37 044 000 chrome 17.00

Inlet connecting set 1/2"
for urinal bowls with inlet from back
connector Ø 33.5 - 38 mm



37 035 000 chrome 12.50

Urinal flush pipe
Ø 18 mm
200 mm
brass
chrome plated
straight




37 036 000 chrome 17.50

Urinal flush pipe
Ø 18 mm
200 mm
brass
chrome plated
offset 10 mm

37 037 000 chrome 21.00

Offset 20 mm




37 038 000 chrome 17.50

Urinal flush pipe
Ø 18 mm
200 mm
brass
chrome plated
offset 30 mm

37 039 000 chrome 17.50

ditto, offset 40 mm



37 040 000 chrome 23.00

Urinal flush pipe
Ø 18 mm
200 mm
brass
chrome plated
offset 50 mm



37 043 000 chrome 32.00


Urinal flush pipe
Ø 18 mm
400 mm
brass
straight

GROHE URINAL FLUSH VALVES

Ref. No.

Colour

Price netto (€)



37 042 000

chrome

16.50


Flush pipe extension
Ø 16 mm
200 mm
brass

GROHE URINAL FLUSH VALVES

Ref. No.

Colour

Price netto (€)




37 338 000

chrome

131.00

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and
masonry-in
shortable inspection shaft incl. protection





38 787 000

chrome

105.00

GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
installation box with gasket
fixing points for dry cladding and
masonry-in



38 896 000

chrome

70.00

Extension-set, 50 mm
for Rapido U or Rapido UMB
shaft extension with fixing material




43 040 000

chrome

31.00

Converter set
for wall plate Surf
for manual urinal flush valve
concealed installation
for installation on model 509.
without wall plate/actuation



43 310 000

chrome

61.00

Fixing nut



43 818 000

chrome

3.40

Adapter for urinal
with inlet pipe
1/2"
GROHE StarLight chrome finish

GROHE
ACTUATIONS





CONTENTS


WC	Wall plates for WC	735
	GROHE Fresh	743
	Wall plates for WC flush valves	745
Urinal	Wall plates for urinal	747

GROHE WALL PLATES FOR WC



GROHE WALL PLATES FOR WC

Ref. No. Colour Price netto (€)



37 535 000	chrome	67.00
37 535 P00	matt chrome	67.00
37 535 SH0	alpine white	55.00
37 535 DC0	supersteel	142.00
37 535 ***	SPA colours	*

Skate Cosmopolitan S

Wall plate



for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder
and fixing brackets included

small shaft 40 911 000 sold separately

*** SPA colours:



37 601 000	chrome	82.00
37 601 P00	matt chrome	80.00
37 601 SH0	alpine white	65.00
37 601 DC0	supersteel	142.00
37 601 ***	SPA colours	*

Nova Cosmopolitan S

Wall plate


for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder
and fixing brackets included

small shaft 40 911 000 sold separately

*** SPA colours:



37 624 000	chrome	82.00
37 624 P00	matt chrome	79.00
37 624 SH0	alpine white	65.00
37 624 DC0	supersteel	93.00
37 624 ***	SPA colours	*

Arena Cosmopolitan S

Wall plate



for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder
and fixing brackets included

small shaft 40 911 000 sold separately

*** SPA colours:



37 965 000	chrome	53.00
37 965 SH0	alpine white	44.00

Skate Air S

Wall plate











for dual flush or start & stop actuation
for pneumatic discharge valve AV1
GD 2 cistern
vertical installation
130 x 172 mm
made of ABS

GROHE StarLight chrome finish













GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder
and fixing brackets included

small shaft 40 911 000 sold separately

GROHE WALL PLATES FOR WC


	Ref. No.	Colour	Price netto (€)
		40 911 000	chrome 13.00
		Revision shaft for small flush plates for combination with Rapid SL and Uniset GD 2 cisterns	
		40 950 000	chrome *
		ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height	*
		40 949 000	chrome *
		ditto, for combination with 80 mm cistern	*
		38 915 KS0	velvet black 926.00
		38 915 LS0	moon white 928.00
		Veris Light Wall plate for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green light colour individually adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor 110 V to 240 V 50/60 Hz broad range power supply 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass GROHE EcoJoy technology for less water and perfect flow	
		38 809 000	chrome 580.00
		Nova Cosmopolitan Light Wall plate for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green light colour individually adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation operating voltage 230 V AC 50/60 Hz, 2.0 VA, this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic discharge valve AV1 vertical and horizontal installation, 156 x 197 mm, made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow	
		38 765 000	chrome 63.00
		38 765 SH0	alpine white 63.00
		38 765 P00	matt chrome 70.00
		Nova Cosmopolitan Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow	
		38 847 K10	black/chrome 102.00
		38 847 L10	white/chrome 101.00
		38 847 XG0	black graphics 98.00
		Nova Cosmopolitan Wall plate with printed graphics for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE EcoJoy technology for less water and perfect flow	

GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
 	38 766 000	chrome	177.00
<p>GROHE Ondus Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm, made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>			
 	38 845 KS0 38 845 LS0 38 845 MF0	velvet black moon white chrome/ daVinci satin	243.00 237.00 243.00
<p>Skate Cosmopolitan Wall plate with glass surface for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting-set not suitable for flushing cistern 6 l GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow</p>			
 	38 916 0A0	mirror glass	289.00
<p>Skate Cosmopolitan Wall plate with mirror surface plastic actuation buttons, titanium for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting-set GROHE EcoJoy technology for less water and perfect flow</p>			
 	38 957 000	chrome	94.00
<p>Mounting set for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness for vertical or horizontal use protection plate dismantling tool for wall plate fixing material</p>			
 	38 958 000	chrome	80.00
<p>Covering frame for wall-aligned installation of Skate Cosmopolitan with glass surface chrome plated plastic for covering wide tile joints 8 mm frame coverage</p>			
 	38 821 000	chrome	245.00
<p>Skate Cosmopolitan Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm made of brass GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>			

GROHE WALL PLATES FOR WC


Ref. No. Colour Price netto (€)



38 732 SD0 stainless steel 157.00

Skate Cosmopolitan
Wall plate, stainless steel
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
plastic fixing frame
hidden fixing screws
not suitable for GROHE Fresh
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow

38 776 SD0 stainless steel 160.00
ditto, horizontal installation




38 732 000 chrome 74.00
38 732 SH0 alpine white 63.00
38 732 P00 matt chrome 59.00
38 732 *** SPA colours 120.00

Skate Cosmopolitan
Wall plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow


38 732 BR0 titanium 121.00
ditto, with anti-fingerprint surface

*** SPA colours:
● BE ● GL ● DA ● A0
● EN ● GN ● DL ● AL



38 859 XG0 black graphics 100.00

Skate Cosmopolitan
Wall plate
with printed graphics
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow




38 844 000 chrome 70.00
38 844 SH0 alpine white 62.00
38 844 P00 matt chrome 70.00

Arena Cosmopolitan
Wall plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of ABS
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish

38 858 000 chrome 68.00
38 858 SH0 alpine white 60.00
38 858 P00 matt chrome 70.00
ditto, horizontal installation

GROHE WALL PLATES FOR WC

Ref. No. Colour Price netto (€)



38 505 000	chrome	66.00
38 505 SH0	alpine white	59.00
38 505 P00	matt chrome	75.00
38 505 DA0	warm sunset	61.00
38 505 GL0	cool sunrise	120.00
38 505 A00	hard graphite	57.00
38 505 AL0	brushed hard graphite	57.00

Skate Air

Wall plate


for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

38 506 000	chrome	75.00
38 506 SH0	alpine white	67.00
38 506 P00	matt chrome	73.00

ditto, horizontal installation



38 862 000	chrome	67.00
38 862 SH0	alpine white	58.00
38 862 P00	matt chrome	60.00
38 862 SD0	stainless steel	143.00


Skate

Wall plate

for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow



38 861 000	chrome	71.00
------------	--------	-------

Surf













Wall plate

for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
	38 564 000	chrome	73.00
	38 564 SH0	alpine white	65.00
	Skate Air Wall plate for single flush actuation for pneumatic discharge valve vertical installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
	38 565 000	chrome	68.00
	38 565 SH0	alpine white	65.00
	ditto, horizontal installation		
	38 573 000	chrome	73.00
	38 573 SH0	alpine white	65.00
	38 573 P00	matt chrome	73.00
	Skate Wall plate for single flush actuation for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
	38 672 SD0	stainless steel	124.00
	Skate Wall plate, stainless steel for single flush actuation for pneumatic discharge valve vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws GROHE EcoJoy technology for less water and perfect flow		
	38 672 SD0	stainless steel	124.00
	Skate Wall plate, stainless steel for single flush actuation for pneumatic discharge valve vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws GROHE EcoJoy technology for less water and perfect flow		
	38 574 000	chrome	75.00
	Surf Wall plate for single flush actuation for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
	38 574 000	chrome	75.00
	Surf Wall plate for single flush actuation for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
	37 059 000	chrome	180.00
	Pneumatic actuation GROHE StarLight chrome finish remote hand actuation push button actuation with escutcheon Ø 100 mm vertical and horizontal installation wall plate Surf 156 x 197 mm pneumatic hose 1.50 m		
	37 059 000	chrome	180.00
	Pneumatic actuation GROHE StarLight chrome finish remote hand actuation push button actuation with escutcheon Ø 100 mm vertical and horizontal installation wall plate Surf 156 x 197 mm pneumatic hose 1.50 m		
	43 977 000	chrome	425.00
	Pneumatic actuation GROHE StarLight chrome finish remote hand-actuation for institutional requirements push button with escutcheon Ø 100 mm for walls of 80 - 240 mm thickness actuation stop pneumatic hose 1.50 m		
	43 977 000	chrome	425.00
	Pneumatic actuation GROHE StarLight chrome finish remote hand-actuation for institutional requirements push button with escutcheon Ø 100 mm for walls of 80 - 240 mm thickness actuation stop pneumatic hose 1.50 m		

GROHE WALL PLATES FOR WC

Ref. No.


Colour

Price netto (€)

37 060 000

chrome

112.00




Pneumatic actuation
GROHE StarLight chrome finish
push button actuation with
escutcheon \varnothing 100 mm
pneumatic hose 1.50 m
without wall plate

38 771 000

chrome

36.00





Pneumatic push button actuation
for dual flush or start & stop actuation
 \varnothing 48 mm
in combination with bath furniture or
removable claddings for cistern
inspection
for material thickness from 18 -24 mm
pneumatic hose 600 mm
GROHE StarLight chrome finish

38 714 000


chrome

17.50



Extension set 70 mm
for wall plates/actuators for flushing
cistern GD 2, 6 - 9 l
with pneumatic discharge valve

GROHE FRESH




GROHE FRESH

Ref. No.

Colour

Price netto (€)



38 805 000

chrome


132.00

Skate Cosmopolitan Set Fresh Wall plate

for dual flush or start & stop actuation
with **GROHE Fresh**
fixing frame with opening function
with box for support of aromatic tabs
for chlorine-free tabs only
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow



38 796 000

chrome

71.00

GROHE Fresh retro-fit set

for GROHE flushing cistern GD 2 with pneumatic
discharge valve and regular inspection shaft
not suitable for Skate Cosmopolitan with
wood or glass or metal surface
fixing frame with opening function
with box for support of aromatic tabs
for chlorine-free tabs only
for all GROHE wall plates
156 x 197 mm



38 882 000

chrome

8.30

GROHE Fresh Tabs

2 x 50 g WC tabs

This product is a hazardous substance. Find more information
in the safety data sheet. You can download the safety data at:
www.grohe.com/safety-data-sheets/

GROHE WALL PLATES FOR WC FLUSH VALVES











GROHE WALL PLATES FOR WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
 	37 547 000 37 547 SH0 37 547 P00	chrome alpine white matt chrome	54.00 60.00 67.00
<p>Skate Wall plate vertical installation 156 x 197 mm manual activation push button actuation made of ABS GROHE StarLight chrome finish</p>			
 	38 445 SD0	stainless steel	104.00
<p>Skate Wall plate, stainless steel vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws</p>			
 	37 063 000 37 063 SH0	chrome alpine white	36.00 51.00
<p>Surf Wall plate 156 x 197 mm manual activation push button actuation made of ABS GROHE StarLight chrome finish</p>			
 	37 069 000	chrome	311.00
<p>Surf Wall plate vertical installation 156 x 197 mm for concealed flush valve 6 - 9 l brass push button actuation fixing frame hidden fixing screws GROHE StarLight chrome finish</p>			









GROHE WALL PLATES FOR URINAL



GROHE WALL PLATES FOR URINAL

	Ref. No.	Colour	Price netto (€)
	38 846 MF0	chrome/ daVinci satin	277.00
	38 846 LS0	moon white	277.00
	38 846 KS0	velvet black	309.00
	Skate Cosmopolitan Actuation plate with glass surface made of security glass manual activation for urinal plastic actuation button, chrome plated set for final installation for Rapido U or Rapido UMB fixing frame with mounting-set 116 x 144 mm, mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable, low noise (group II according to German noise specification) GROHE StarLight chrome finish		
	38 784 000	chrome	118.00
	38 784 SH0	alpine white	115.00
	38 784 P00	matt chrome	115.00
	Skate Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE StarLight chrome finish		
	38 784 SD0	stainless steel	178.00
		Skate Cosmopolitan Wall plate, stainless steel manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) plastic fixing frame hidden fixing screws	
	38 804 000	chrome	118.00
	38 804 SH0	alpine white	115.00
	Nova Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE StarLight chrome finish		

GROHE WALL PLATES FOR URINAL

	Ref. No.	Colour	Price netto (€)
	38 857 000	chrome	115.00
	38 857 SH0	alpine white	109.00
	38 857 P00	matt chrome	105.00
	Arena Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE StarLight chrome finish		
	38 808 000	chrome	103.00
	38 808 SH0	alpine white	98.00
	38 808 P00	matt chrome	92.00
	Surf Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE StarLight chrome finish		
	37 018 P00	matt chrome	67.00
		Surf Wall plate 116 x 144 mm with push button actuation GROHE StarLight finish	
	38 595 000	chrome	54.00
	38 595 P00	matt chrome	60.00
	38 595 SH0	alpine white	27.00
	Skate Wall plate 116 x 144 mm with push button actuation GROHE StarLight chrome finish		

GROHE
CONNECTION AND SECURITY TECHNOLOGY





CONTENTS

Angle valves

752

WAS valves











755

Safety systems











758

GROHE ANGLE VALVES













Ref. No. Colour Price netto (€)

 <p>*** SPA colours:</p> <ul style="list-style-type: none"> ● BE ● GL ● DA ● A0 ● EN ● GN ● DL ● AL 		<p>22 039 000 22 039 DC0 22 039 ***</p> <p>chrome supersteel SPA colours</p> <p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>	<p>8.40 * *</p>
		<p>22 043 000</p> <p>chrome</p> <p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>	<p>6.50</p>
		<p>22 037 000</p> <p>chrome</p> <p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>	<p>7.50</p>
		<p>22 041 000</p> <p>chrome</p> <p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>	<p>5.60</p>
		<p>22 045 000</p> <p>chrome</p> <p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>	<p>8.30</p>

GROHE ANGLE VALVES


	Ref. No.	Colour	Price netto (€)
 	22 046 000	chrome	6.60
	<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>		
 	22 023 00M	chrome	50.00
	<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm sales unit 10 pieces GROHE StarLight finish</p>		
	22 023 000	chrome	5.30
	ditto, 1 piece		
 	22 027 00M	chrome	48.00
	<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm 10 pieces GROHE StarLight finish</p>		
 	22 018 00M	chrome	48.00
	<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm 10 pieces GROHE StarLight finish</p>		
	22 018 000	chrome	4.40
	ditto, 1 piece		
 	22 025 00M	chrome	50.00
	<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm 10 pieces GROHE StarLight finish</p>		

GROHE ANGLE VALVES

	Ref. No.	Colour	Price netto (€)
 	22 031 000	chrome	5.30
	Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish		
 	22 029 000	chrome	4.70
	Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish		
 	22 032 000	chrome	5.10
	Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish		
 	22 017 00M	chrome	52.00
	Universal angle valve 1/2" with compression coupling 3/8" for copper pipe Ø 10 mm plastic handle marking: neutral screw escutcheon metal 10 pieces GROHE StarLight finish		
 	22 939 000	chrome	20.00
	Angle valve 1/2" connector set 3/8" for copper pipe Ø 10 mm TDL handle marking: neutral sliding escutcheon GROHE StarLight finish		
 	41 263 000	chrome	22.00
	EGAPLUS service valve 1/2" wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm ergonomic handle marking: neutral metal push-on escutcheon		

GROHE WAS VALVES


Ref. No. Colour Price netto (€)



22 036 000 chrome 28.00

Original WAS combination service valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10mm
outlet 3/4"
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handles
marking: neutral
metal push-on escutcheon Ø 55 mm
for combination with pipe ventilating valve type HB 41 239 000


22 035 000 chrome 19.00
ditto, non self-sealing



22 034 000 chrome 23.00


Original WAS combination service valve 3/8"
self-sealing connection thread
wall connection 3/8"
outlet thread 3/8"
with length compensation
with compression nut Ø 10mm
outlet 3/4"
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handles
marking: neutral
metal push-on escutcheon Ø 55 mm
for combination with pipe ventilating valve type HB 41 239 000

22 033 000 chrome 19.00
ditto, non self-sealing




41 073 000 chrome 28.00

Original WAS combination service valve 1/2"
wall mounted
Cartridge headpart for closable
copper pipe connection
grease chamber headpart 3/8" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish



41 070 000 chrome 31.00

Original WAS combination service valve 3/8"
wall mounted
Cartridge headpart for closable
copper pipe connection
grease chamber headpart 3/8" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000




41 030 000 chrome 42.00


Original WAS valve „Eckfix“ 3/8"
Installation on service valve
Axis dimension 60 mm
grease chamber headpart 3/8" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000

GROHE WAS VALVES

Ref. No. Colour Price netto (€)




41 033 000 **chrome** **67.00**
Original WAS valve „Eckfix“ 3/8"
 Installation on service valve
 Axis dimension 60 mm
 with safety unit type HD (pipe ventilating valve combined with non-return valve)
 grease chamber headpart 3/8" for closable hose connection
 protected against backflow
GROHE StarLight chrome finish




41 010 000 **chrome** **28.00**
Original WAS connecting valve 1/2"
 wall mounted
 grease chamber headpart 1/2" for closable hose connection
 non-return valve type EB
 protected against backflow
GROHE StarLight finish


41 015 000 **chrome** **59.00**
ditto, 1/2", with pipe ventilating valve



41 190 000 **chrome** **34.00**
Fitting combination 1/2"
 wall mounted
 slanted seat model
 with safety unit type HD (pipe ventilating valve combined with non-return valve)
 grease chamber headpart 1/2" for closable hose connection
 protected against backflow
GROHE StarLight chrome finish




41 154 000 **chrome** **56.00**
Fitting combination 1/2"
 wall mounted
 with safety unit type HD (pipe ventilating valve combined with non-return valve)
 grease chamber headpart 1/2" for closable hose connection
 protected against backflow
GROHE StarLight chrome finish



41 043 000 **chrome** **90.00**
Original WAS valve „Mixer“ 3/4"
 wall mounted
 for wall mixers 1/2"
 right-hand connection
 grease chamber headpart 1/2" for closable hose connection
 non-return valve type EB
 Spacer
 protected against backflow
GROHE StarLight chrome finish
 for combination with pipe ventilating valve type HB 41 239 000


41 040 000 **chrome** **80.00**
ditto, left hand connection



41 110 000 **chrome** **46.00**
Original WAS valve „Electro“ 1/2"
 wall mounted
 grease chamber headpart 3/8" for closable hose connection
 non-return valve type EB
 protected against backflow
GROHE StarLight chrome finish
 for combination with pipe ventilating valve type HB 41 239 000


GROHE WAS VALVES

Ref. No. Colour Price netto (€)




41 050 000 chrome 91.00

Original WAS under-basin valve 1/2"
Sink installation
adjustable up to 50 mm
grease chamber headpart 1/2" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish
for combination with pipe ventilating valve type HB 41 239 000




41 130 000 chrome 59.00

Eggemann
Original WAS connection adapter 1/2"
Sink installation
adjustable up to 70 mm
coupling nut 3/4"
Connecting pipe diameter 12 mm
GROHE StarLight chrome finish




41 133 000 chrome 47.00

Eggemann
Original WAS connecting pipe 3/4"
coupling nut 3/4"
Connecting pipe diameter 12 mm
GROHE StarLight chrome finish




41 007 000 chrome 27.00

Eggemann
Original WAS T-piece 3/8"
for service valve
connector set 3/8"
GROHE StarLight chrome finish



41 020 000 chrome 86.00

Original WAS double valve „Simple“ 1/2"
wall mounted
grease chamber headpart 1/2" for closable hose connection
non-return valve type EB
female thread 1/2"
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000



41 022 000 chrome 85.00

Original WAS double valve „Simple“ 1/2"
wall mounted
grease chamber headpart 1/2" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight chrome finish
for combination with pipe ventilating valve type HB 41 239 000

GROHE SAFETY SYSTEMS

	Ref. No.	Colour	Price netto (€)
 	41 230 000	chrome	33.00
	Pipe-ventilating valve 1/2" with safety unit type HD (pipe ventilating valve combined with non-return valve) vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717		
 	41 231 000	chrome	41.00
	ditto, 3/4"		
 	41 238 000	chrome	27.00
	Pipe-ventilating valve 1/2" type HB vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717 GROHE StarLight chrome finish		
 	41 239 000	chrome	25.00
	ditto, 3/4"		
 	41 270 000	chrome	34.00
	Non-return valve 3/8" for service valve connector set \varnothing 10 mm (3/8") coupling nut 3/8" safety unit type EB Vertical or horizontal installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717		
 	41 126 000	chrome	53.00
	Original WAS hose-connecting elbow 1/2" wall mounted pipe ventilating valve type HB protected against backflow GROHE StarLight chrome finish		
 	41 125 000	chrome	28.00
	ditto, without pipe ventilating valve		
 	41 001 000	chrome	26.00
	Original WAS hose-burst protection 3/4" for 1/2" hoses female thread 3/4" male thread 3/4" GROHE StarLight chrome finish		
 	41 275 000	chrome	74.00
	Original WAS inclined filter 3/4" suitable for cold and warm water up to + 80° C Transparent cap mesh width 315 μ m stainless steel filter insert GROHE StarLight chrome finish		

GROHE SAFETY SYSTEMS

Ref. No. Colour Price netto (€)



41 827 000 **chrome** 19.00
Strainer
for original WAS inclined filter
Transparent cap
mesh width 315 µm
stainless steel filter insert

* price upon request

GROHE
SPARE PARTS





CONTENTS

Cartridges	762
Thermo elements and thermostatic cartridges	763
Aquadimmer	764
Head parts	765
Extension sets	766
Unions	767
Outlets and spouts	769
Flow straighteners	770
Waste sets and traps	772
Connections and non-return valves	773
Spare parts for electronics	774
Hoses	775
Spare parts for kitchen faucets	776
Spare parts for showers	777
Special tools	778
Cleaning and care	779
Spare parts for sanitary systems	780
Spare parts for shower toilet	781

GROHE CARTRIDGES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	46 580 000	chrome	41.00		46 907 000	chrome	35.00
	46 374 000	chrome	43.00		46 048 000	chrome	44.00
					46 409 000	chrome	35.00
	46 386 000	chrome	132.00		46 278 000	chrome	72.00
	46 308 000	chrome	16.50		46 375 000	chrome	9.40
	46 277 000	chrome	9.80		48 297 000	chrome	48.00
	43 813 000	chrome	156.00				



GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	47 450 000	chrome	79.00		47 310 000	chrome	106.00
	Thermo-element 1/2" wax element with slider made of stainless steel to avoid corrosion				Thermo-element 3/4" wax element		
	47 282 000	chrome	187.00		47 379 000	chrome	461.00
	ditto, for inverted waterways, 1/2"				ditto, for inverted waterways, 3/4"		
	47 349 000	chrome	79.00		47 217 000	chrome	60.00
	Thermo-element 3/8" wax element				Thermo-element 1/2" wax element with non-rising spindle		
	47 220 000	chrome	100.00		47 010 000	chrome	91.00
	Thermo-element 3/4" wax element with non-rising spindle				Thermo-element 1/2" bimetal for Grohmix thermostats		
	47 019 000	chrome	158.00		47 439 000	chrome	80.00
	Thermo-element 3/4" bimetal for Grohmix thermostats				Thermostatic compact cartridge 1/2" GROHE TurboStat compact cartridge with wax thermoelement		
	47 483 000	chrome	47.00		47 175 000	chrome	101.00
	Thermostatic compact cartridge 3/4" GROHE TurboStat compact cartridge with wax thermoelement				ditto, for inverted waterways, 1/2"		
	47 186 000	chrome	93.00				
	ditto, for inverted waterways, 3/4"						

GROHE AQUADIMMER

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	47 364 000	chrome	69.00		12 433 000	chrome	31.00
	Aquadimmer for thermostatic mixers				Aquadimmer for exposed fittings		

GROHE HEAD PARTS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	45 346 000	chrome	27.00		45 342 000	chrome	16.50
	Ceramic headpart, 1/2" with ceramic sealing discs rotation angle 180° stop: right-hand				Ceramic headpart, 1/2" with ceramic sealing discs rotation angle 180° stop: left-hand		
	45 978 000	chrome	15.50				
	ditto, packaging unit 20						
	45 885 000	chrome	38.00				
	Ceramic headpart 3/4" with ceramic sealing discs rotation angle 180° stop: right-hand						

GROHE EXTENSION SETS

Ref. No.	Colour	Price netto (€)	Ref. No.	Colour	Price netto (€)
	45 202 000	chrome	6.90		
	Extension-set, 80 mm for GROHE concealed valves, 1/2", 3/4", 1"				
	45 203 000	chrome	14.00		
	ditto, 200 mm				

GROHE UNIONS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	12 001 000	chrome	9.00		12 050 000	chrome	33.00
	S-union 1/2" x 3/4" adjustment range 7.5 mm screw escutcheon in dispense of 2 piece at 00M GROHE StarLight chrome finish				S-union 3/8" x 3/4" adjustment range 17 mm screw escutcheon in dispense of 2 piece at 00M GROHE StarLight chrome finish		
					12 004 000	chrome	30.00
					ditto , 1/2" x 1/2", adjustment range 10 mm		
	12 400 000	chrome	46.00		12 051 000	chrome	60.00
	12 400 00M	chrome	93.00		S-union, lockable 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish		
	S-union, lockable 1/2" x 3/4" adjustment range 10 mm sliding escutcheon lockable for service GROHE StarLight chrome finish						
	12 465 000	chrome	49.00		12 075 000	chrome	12.50
	S-union male thread screw escutcheon 1/2" x 3/4" adjustment range 55 mm GROHE StarLight chrome finish				S-union 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon diameter: 70 mm / depth: 26 mm GROHE StarLight chrome finish content: 1 piece		
	12 411 000	chrome	201.00		12 013 000	chrome	26.00
	S-union nut 1 1/4" x 1" male thread adjustment range 50 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish in units of 1				Wall union male thread 3/4" x 1/2" GROHE StarLight chrome finish		
	12 015 000	chrome	24.00		12 041 000	chrome	123.00
	Wall unions male thread 3/4" x 1/2" GROHE StarLight chrome finish				Pillar union 1/2" angle 3/4" stop screw 1/2" diameter of nut 10.5 mm adjustment range 12.5 mm projection 30 mm GROHE StarLight chrome finish		
	12 030 000	chrome	53.00		12 060 000	chrome	262.00
	Pillar union 1/2" for all series with 3/4" visible nuts angle 3/4" x 1/2" mounting set 1/2" projection 47 mm GROHE StarLight chrome finish				Pillar union 1/2" plug-in connection connection thread 1/2" mounting set 1/2" projection 57 mm 70 mm high without connection nipple GROHE StarLight chrome finish		








* price upon request

767

GROHE UNIONS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	12 036 000	chrome	288.00		12 063 000	chrome	73.00
	Pillar union 1/2" for Europlus and Florida plug-in connection connection thread 1/2" mounting set 1/2" projection 57 mm 150 mm high without connection nipple GROHE StarLight chrome finish				Elbow union male thread 1/2" x 3/4" sliding escutcheon for Vertica-mixers GROHE StarLight chrome finish		
	12 407 000	chrome	159.00		12 901 00M	chrome	10.00
	Wall union, male 1/2" without thermometer connection pipe Ø 18 mm connector set 3/4" male thread 1/2" sliding escutcheon GROHE StarLight chrome finish				Coupling nut 1/2" drilling 10.5 mm nickel-plated in dispense of 2 piece at 00M GROHE StarLight chrome finish		





GROHE OUTLETS AND SPOUTS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	13 005 000	chrome	22.00		13 051 000	chrome	24.00
	Swivel tube spout for kitchen wall mixers, 1/2" tubular spout projection 150 mm mousseur coupling nut 3/4" DR-brass GROHE StarLight chrome finish				Tubular spout for kitchen wall mixer swivelling mousseur coupling nut M 22 x 1 projection 200 mm DR-brass GROHE StarLight chrome finish		
	13 084 000	chrome	24.00		13 052 000	chrome	23.00
	ditto, projection 200 mm				ditto, projection 150 mm		
	13 017 000	chrome	31.00				
	ditto, projection 300 mm						
	13 028 000	chrome	23.00		13 076 000	chrome	25.00
	Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 200 mm coupling nut 3/4" DR-brass GROHE StarLight finish				Tubular spout swivelling with stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE StarLight chrome finish		
	13 034 000	chrome	32.00		13 071 000	chrome	23.00
	ditto, projection 300 mm				ditto, without stop		
	13 072 000	chrome	23.00		13 073 000	chrome	26.00
	Tubular spout swivelling mousseur coupling nut M 22 x 1 projection 140 mm DR-brass GROHE StarLight chrome finish				Tubular swivel spout for kitchen pillar mixers, 1/2" tubular spout mousseur projection 185 mm DR-brass GROHE StarLight chrome finish		
	13 070 000	chrome	27.00				
	Tubular spout for kitchen pillar mixers, 1/2" mousseur coupling nut 3/4" projection 185 mm without stop DR-brass GROHE StarLight chrome finish						
	13 077 000	chrome	29.00				
	ditto, projection 235 mm						

GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	48 189 000	chrome	18.00	Water saving set includes two supply adapters incl. flow regulator and one mousseur insert connection size G 3/8"		48 190 000	chrome 18.00 Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8"
	48 191 000	chrome	18.00	Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8"		13 954 000	chrome 10.00 Flow straightener internal thread M 22 x 1 flow class PCA 7.8 l/min. at 3.5 bar SpeedClean anti-lime system GROHE StarLight finish
	13 928 000	chrome	5.80	Mousseur internal thread M 22 x 1 flow class A 13.5 - 15.0 l/min at 3 bar GROHE StarLight finish		13 960 000	chrome 7.00 Flow straightener external thread M 24 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar GROHE StarLight finish
	36 133 000	chrome	16.00	Mousseur external thread M 24 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly-key theft proof GROHE StarLight finish		13 955 000	chrome 6.50 Flow straightener external thread M 24 x 1 flow class: X 8.3 l/min at 4.14 bar GROHE StarLight finish
	64 451 000	chrome	7.80	Flow straightener external thread M 24 x 1 flow class A 13.5 - 15.0 l/min at 3 bar GROHE AquaGuide adjustable mousseur GROHE StarLight finish		13 929 000	chrome 4.40 13 929 G00 gold 81.00 13 929 L00 white 36.00 Mousseur external thread M 24 x 1 flow class A 13.5 - 15.0 l/min at 3 bar GROHE StarLight finish
	13 930 000	chrome	11.00	Mousseur external thread M 28 x 1.5 55 l/min. at 3 bar for pull out shower (46 108) GROHE StarLight finish		13 937 000	chrome 17.50 Mousseur set consisting of: mousseur 14.9 l/min at 3 bar mousseur 7.2 l/min at 3 bar external thread M 16.5 x 1 including disassembly-key

GROHE FLOW STRAIGHTENERS





	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	13 926 000	chrome	9.90		13 925 000	chrome	13.00
	Mousseur external thread M 24 x 1 flow class C 27.0 l/min at 3 bar integrated including disassembly-key GROHE StarLight finish				Ball-joint aerator internal thread M 22 x 1 flow class A 13.5 - 15.0 l/min at 3 bar GROHE StarLight finish		
	13 915 000	chrome	22.00		13 220 000	chrome	16.50
	Ball-joint aerator external thread M 24 x 1 flow class A 13.5 - 15.0 l/min at 3 bar GROHE StarLight finish				Mousseur flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly-key		

GROHE CONNECTIONS AND NON-RETURN VALVES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	14 165 00M	chrome	18.50		14 116 00M	chrome	40.00
	Non-return valve male thread 1/2" female thread 1/2" GROHE StarLight chrome finish multi-packaging: 2 pieces				Non-return valve 1/2" multi-packaging: 2 pieces		

* price upon request

GROHE SPARE PARTS FOR ELECTRONICS


	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	42 229 000	chrome	105.00		42 886 000	chrome	22.00
	Solenoid valve for Europlus E				Battery		
	42 393 000	chrome	44.00		42 388 000	chrome	46.00
	Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer				Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		

GROHE HOSES

Ref. No.

Colour

Price netto (€)






28 112 000

chrome





30.00

Metal hose
for sink mixers
1500 mm
M 15 x 1 x 3/8" nut
GROHE StarLight chrome finish

GROHE SPARE PARTS FOR KITCHEN FAUCETS

Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
46 710 000	chrome	58.00	 <p>Pull out spray GROHE StarLight chrome finish</p>	46 731 000	chrome	59.00
						<p>Pull out spray professional spray regular flow/shower jet automatic return to mousseur SpeedClean anti-lime system GROHE StarLight chrome finish</p> 
46 769 000	chrome	38.00	 <p>Pull out spray GROHE StarLight chrome finish</p>			

GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	28 635 XX0	dark grey	5.60		28 634 XX0	dark grey	39.00
	Relexa Coupling piece as replacement connector for new hand shower and hose each hand shower is equipped with a coupling piece				Relexa Quick coupling for combination with average showers without integrated Grohclick with new system only in connection with coupling piece (28 635/28 637)		
	28 785 000	black	13.00		12 435 000	chrome	51.00
	Swivel adaptor 1/2" black (to combine Relexa hand showers with shower rails of other manufacturers)				Relexa Plus Gliding element with metal sleeve for shower rail 28 620/28 621, Ø 28 mm angle of inclination adjustable by click stop device height adjustment by click stop GROHE StarLight chrome finish		

GROHE SPECIAL TOOLS

Ref. No. Colour Price netto (€) Ref. No. Colour Price netto (€)

48 021 000 chrome 6.40



Disassembling key
for Grohtherm 1000 after 2006
(M 22 x 1, M 24 x 1, M 28 x 1)
for integrated mousseurs:
M 16.5 x 1, M 18.5 x 1, M 21.5 x 1, M 24 x 1
sales unit 10 pieces

GROHE CLEANING AND CARE




	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	45 937 000	chrome	9.20		48 166 000	chrome	19.00
	Grohe Special grease 25 g sales unit 15 pieces				Grohclean Detergent for fittings and bathrooms 500 ml spray bottle in display box sales unit 10 pieces		

* price upon request

GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)	
	42 302 000	chrome	66.00	Surf Wall plate for retrofit for dual flush or start & stop actuation for pneumatic discharge valve with 2 hoses (42 253 and 42 774) vertical and horizontal installation 156 x 197 mm, made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow	42 303 000	chrome	67.00	
	42 302 SH0	alpine white	69.00		42 303 SH0	alpine white	72.00	
	42 304 000	chrome	55.00	Skate Air Wall plate for dual flush or start & stop actuation for retrofit for pneumatic discharge valve with 2 hoses (42 253 and 42 774), vertical installation 156 x 197 mm, made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		42 305 000	chrome	50.00
	42 304 SH0	alpine white	51.00			42 305 SH0	alpine white	49.00
	42 304 P00	matt chrome	81.00			42 305 P00	matt chrome	84.00
	37 115 P10	matt chrome/ chrome	10.00	Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 40 mm GROHE StarLight chrome finish		37 117 P10	matt chrome/ chrome	10.00
	43 544 000	chrome	10.50	Outlet piston for Servo discharge valve		43 535 000	chrome	2.90
	43 540 000	chrome	3.50	Pop-up rod for Servo discharge valve 451 mm		43 745 000	chrome	5.30
	43 722 000	chrome	7.10	Set of seals		43 758 00M	chrome	24.00

GROHE SPARE PARTS FOR SHOWER TOILET

	Ref. No.	Colour	Price netto (€)
	14 917 000 Connecting pipe for Sensia IGS shower WC system flush- and waste pipe	chrome	134.00
 	14 926 000 GROHE Sensia Arena Remote control for 39 354 SH0 for Sensia Arena shower toilet system, wall hung including wall holder including batteries	chrome	290.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
07			13 052 000	769	23.00	13 929 000	770	4.40
07 182 G00	772	121.00	13 070 000	769	27.00	13 929 G00	770	81.00
07 182 L00		50.00	13 071 000	769	23.00	13 929 L00	770	36.00
07 749 000		104.00	13 072 000	769	23.00	13 930 000	770	11.00
11			13 073 000	769	26.00	13 937 000	770	17.50
11 046 000		336.00	13 076 000	769	25.00	13 951 000		3.00
11 513 000		54.00	13 077 000	769	29.00	13 954 000	770	10.00
11 514 000		59.00	13 080 000	571	206.00	13 955 000	770	6.50
11 515 000		86.00	13 084 000	769	24.00	13 960 000	770	7.00
11 516 000		140.00	13 137 000	571	235.00	14		
11 550 000		54.00	13 138 000	571	299.00	14 014 000	330	45.00
11 551 000		66.00	13 139 003	68	209.00	14 047 000	331	45.00
12			13 139 AL3	68	335.00	14 048 000	280	129.00
12 001 000	767	9.00	13 139 DA3	68	*	14 053 00M	280	42.00
12 003 000		105.00	13 139 DC3	68	293.00	14 055 000	203, 280	139.00
12 004 000	767	30.00	13 139 GL3	68	*	14 056 000	280	*
12 011 000		183.00	13 216 001		1,220.00	14 057 000	280	*
12 013 000	767	26.00	13 218 000	52	1,220.00	14 058 000	281	*
12 015 000	767	24.00	13 220 000	771	16.50	14 116 00M	773	40.00
12 030 000	767	53.00	13 257 000	176, 180	*	14 159 000		16.00
12 036 000	768	288.00	13 261 000	166	96.00	14 165 00M	773	18.50
12 037 000		65.00	13 262 000	166	111.00	14 917 000	781	134.00
12 041 000	767	123.00	13 264 000	53	265.00	14 926 000	781	290.00
12 050 000	767	33.00	13 268 000		222.00	18		
12 051 000	574, 767	60.00	13 269 000		242.00	18 349 000	164	31.00
12 060 000	767	262.00	13 270 000		264.00	18 391 001	142	36.00
12 063 000	768	73.00	13 271 000		375.00	18 541 000	98	30.00
12 075 000	767	12.50	13 276 002	150	102.00	18 608 001	260	44.00
12 092 000		166.00	13 277 002	150	126.00	18 700 000	263	40.00
12 110 000		57.00	13 278 002	138	90.00	18 864 000		86.00
12 124 000	578	126.00	13 279 002	138	114.00	18 978 000		123.00
12 400 000	767	46.00	13 280 001	144	99.00	19		
12 400 00M	767	93.00	13 281 001	144	132.00	19 025 000	113, 203	57.00
12 407 000	768	159.00	13 289 000	43	313.00	19 069 003	66	81.00
12 408 000		347.00	13 299 A00	43	*	19 069 AL3	66	*
12 409 000		208.00	13 299 AL0	43	*	19 069 DA3	66	*
12 411 000	576, 767	201.00	13 299 DC0	43	*	19 069 DC3	66	*
12 417 000	576	137.00	13 301 000	42	1,340.00	19 069 EN3		*
12 419 000		38.00	13 301 A00	42	*	19 069 GL3	66	*
12 420 000	576	121.00	13 301 AL0	42	*	19 088 003	66	81.00
12 422 000		76.00	13 301 DC0	42	*	19 088 AL3	66	*
12 423 000		85.00	13 303 000	102	121.00	19 088 DA3	66	*
12 424 000	576	101.00	13 303 000	102	135.00	19 088 DC3	66	*
12 426 000	576	376.00	13 304 000		325.00	19 088 EN3		*
12 428 000	577	247.00	13 315 000		325.00	19 088 GL3	66	*
12 430 000	577	218.00	13 317 000	52	717.00	19 285 001	126	165.00
12 432 000	577	226.00	13 319 000		779.00	19 285 A01	126	202.00
12 433 000	764	31.00	13 319 A00		*	19 285 AL1	126	202.00
12 435 000	777	51.00	13 319 AL0		*	19 285 BE1	126	214.00
12 436 000	577	236.00	13 319 DC0		*	19 285 DA1	126	214.00
12 444 000	577	322.00	13 335 000		268.00	19 285 DC1	126	200.00
12 448 000	577	584.00	13 341 000	78	208.00	19 285 DL1	126	228.00
12 465 000	767	49.00	13 341 DA0	78	276.00	19 285 EN1	126	200.00
12 476 000		40.00	13 341 IGO	78	271.00	19 285 GL1	126	200.00
12 477 000		107.00	13 378 000	572	92.00	19 285 GN1	126	228.00
12 482 000		142.00	13 380 000	572	102.00	19 286 001	126	145.00
12 901 00M	768	10.00	13 383 001	88	202.00	19 286 A01	126	197.00
13			13 383 DC1	88	263.00	19 286 AL1	126	211.00
13 005 000	769	22.00	13 404 003	110	126.00	19 286 BE1	126	197.00
13 017 000	769	31.00	13 460 000		184.00	19 286 DA1	126	197.00
13 028 000	769	23.00	13 461 000		375.00	19 286 DC1	126	184.00
13 034 000	769	32.00	13 462 000		288.00	19 286 DL1	126	211.00
13 051 000	769	24.00	13 540 000	193	153.00	19 286 EN1	126	184.00
			13 914 000		19.00	19 286 GL1	126	197.00
			13 915 000	771	22.00			
			13 925 000	771	13.00			
			13 926 000	771	9.90			
			13 928 000	770	5.80			

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
20 342 A00	39	*	22 023 000	753	5.30	23 112 AL0	38	*
20 342 AL0	39	*	22 023 00M	753	50.00	23 112 DC0	38	*
20 342 DC0	39	*	22 025 00M	753	50.00	23 114 000	38	904.00
20 344 000	38	817.00	22 027 00M	753	48.00	23 114 A00	38	*
20 344 A00	38	1,020.00	22 029 000	754	4.70	23 114 AL0	38	1,230.00
20 344 AL0	38	968.00	22 031 000	754	5.30	23 114 DC0	38	*
20 344 DC0	38	*	22 032 000	754	5.10	23 117 000	40	664.00
20 346 000	39	636.00	22 033 000	755	19.00	23 117 A00	40	*
20 346 A00	39	*	22 034 000	755	23.00	23 117 AL0	40	*
20 346 AL0	39	*	22 035 000	755	19.00	23 117 DC0	40	*
20 346 DC0	39	*	22 036 000	755	28.00	23 119 000	42	2,560.00
20 348 000	39	800.00	22 037 000	752	7.50	23 119 001	42	2,240.00
20 348 A00	39	*	22 039 000	752	8.40	23 119 A00	42	3,370.00
20 348 AL0	39	*	22 039 A00	752	*	23 119 AL0	42	3,590.00
20 348 DC0	39	*	22 039 AL0	752	*	23 119 DC0	42	*
20 351 000	97	308.00	22 039 BE0	752	*	23 124 002	168	136.00
20 389 000	75	537.00	22 039 DA0	752	*	23 125 000	162	179.00
20 389 AL0	75	682.00	22 039 DC0	752	*	23 127 000	96	214.00
20 389 DA0	75	682.00	22 039 DL0	752	*	23 127 00E	96	215.00
20 389 GL0	75	730.00	22 039 EN0	752	*	23 132 000	96	204.00
20 389 IG0	75	724.00	22 039 GL0	752	*	23 132 00E	96	209.00
20 393 001	192	66.00	22 039 GN0	752	*	23 135 000	97	245.00
20 405 001	196	50.00	22 041 000	752	5.60	23 135 00E	97	239.00
20 414 000	75	412.00	22 043 000	752	6.50	23 137 000	96	166.00
20 414 IG0	75	474.00	22 045 000	752	8.30	23 138 000	98	214.00
20 415 000	75	403.00	22 046 000	753	6.60	23 140 000	98	283.00
20 415 DA0	75	535.00	22 047 00M		53.00	23 141 000	98	333.00
20 415 IG0	75	525.00	22 051 000		*	23 145 000	98	244.00
20 417 000	75	440.00	22 500 LN0	27	415.83	23 147 001	320	1,090.00
20 417 IG0	75	645.00	22 501 000	27	66.66	23 200 000	40, 97	236.00
20 421 000	174	63.00	22 502 LN0	27	540.83	23 296 001	84	253.00
20 422 000	178	61.00	22 505 LN0	26	49.99	23 296 DC1	84	350.00
20 474 000	175	297.00	22 506 LN0	26	24.99	23 303 000	74	354.00
20 575 000	182	47.00	22 507 LN0		83.33	23 303 A00	74	437.00
21			22 521 LN0	27	16.66	23 303 AL0	74	500.00
21 019 003	63	320.00	22 594 LN0	26	*	23 303 DA0	74	469.00
21 019 AL3	63	595.00	22 597 LN0	26	*	23 303 GL0	74	432.00
21 019 DA3	63	*	22 939 000	754	20.00	23 303 IG0	74	458.00
21 019 DC3	63	520.00	23			23 310 000	74	354.00
21 019 GL3	63	*	23 029 000	38	585.00	23 310 DA0	74	414.00
21 022 003	63	372.00	23 029 A00	38	751.00	23 310 IG0	74	406.00
21 022 A03		*	23 029 AL0	38	801.00	23 313 000	74	471.00
21 022 AL3	63	595.00	23 029 DC0	38	*	23 313 IG0	74	538.00
21 022 DA3	63	*	23 033 000	38	585.00	23 315 000	76	387.00
21 022 DC3	63	520.00	23 033 A00	38	*	23 315 IG0	76	517.00
21 022 GL3	63	*	23 033 AL0	38	*	23 316 000	76	414.00
21 044 003	63	477.40	23 033 DC0	38	*	23 316 IG0	76	474.00
21 044 AL3	63	818.00	23 037 002	146	128.00	23 317 000	76	500.00
21 044 DA3	63	*	23 039 002	146	98.00	23 317 IG0	76	668.00
21 044 DC3	63	716.00	23 043 003	147	156.00	23 318 000	78	1,610.00
21 044 GL3	63	*	23 049 002	134	164.00	23 318 A00	78	2,040.00
21 107 000	74	423.00	23 051 002	134	94.00	23 318 AL0	78	2,040.00
21 107 IG0	74	487.00	23 054 003	135	185.00	23 318 DA0	78	2,190.00
21 255 001	196	154.00	23 055 002	136	225.00	23 318 GL0	78	2,190.00
21 257 001	196	139.00	23 058 003	320	689.00	23 318 IG0	78	1,900.00
21 337 001	192	86.00	23 060 001	140	148.00	23 319 000	76	200.00
21 338 001	196	98.00	23 061 002	319	471.00	23 322 001	169	111.00
21 374 001	192	88.00	23 076 000	48	497.00	23 324 001	169	101.00
21 375 001	192	111.00	23 106 001	84	193.00	23 325 000	163	127.00
21 390 001	192	156.00	23 106 DC1	84	267.00	23 327 000	163	121.00
22			23 109 000	38	729.00	23 328 000	174	80.00
22 012 000	102	47.00	23 109 A00	38	825.00	23 330 000	174	75.00
22 017 00M	754	52.00	23 109 AL0	38	995.00	23 331 000	175	78.00
22 018 000	753	4.40	23 109 DC0	38	*	23 333 000	176	78.00
22 018 00M	753	48.00	23 112 000	38	722.00	23 334 000	176	98.00
			23 112 A00	38	*	23 335 000	178	80.00
						23 336 000	178	75.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
23 337 000	178	73.00	23 564 003	152	123.00	23 756 000	183	81.00
23 338 000	179	80.00	23 567 003	153	115.00	23 757 000	174	91.00
23 340 000	179	78.00	23 569 003	154	184.00	23 758 000	174	80.00
23 341 000	180	98.00	23 569 LS3	154	240.00	23 759 000	175	82.00
23 373 20E	187	107.00	23 570 003	154	231.00	23 760 000	175	93.00
23 374 003	152, 187	118.00	23 570 LS3	154	298.00	23 761 000	175	108.00
23 374 LS3	152, 187	149.00	23 571 000	85, 124	236.00	23 762 000	178	82.00
23 376 00E	188	83.00	23 588 000	168	91.00	23 763 000	179	93.00
23 379 001	186	151.00	23 589 001	120	151.00	23 764 000	179	111.00
23 382 20E	187	143.00	23 589 A01	120	206.00	23 788 002	168	78.00
23 385 10E	187	113.00	23 589 AL1	120	219.00	23 789 002	169	78.00
23 390 00E	186	183.00	23 589 BE1	120	194.00	23 790 001	186	181.00
23 392 00E	186	178.00	23 589 DA1	120	193.00	23 791 001	84	181.00
23 395 10E	189	101.00	23 589 DC1	120	206.00	23 791 DC1	84	250.00
23 398 00E	163, 188	118.00	23 589 DL1	120	219.00	23 792 001	88	1,380.00
23 403 000	48	733.00	23 589 EN1	120	219.00	23 792 DC1	88	1,930.00
23 405 001	85	272.00	23 589 GL1	120	206.00	23 797 001	120	135.00
23 405 DC1	85	373.00	23 589 GN1	120	219.00	23 798 001	121	162.00
23 406 000	97	293.00	23 590 001	120	142.00	23 799 001	122	176.00
23 409 000	100	655.00	23 590 A01	120	199.00	23 802 000	174	59.92
23 425 000	130	188.00	23 590 AL1	120	212.00	23 843 003	106	293.00
23 425 LS0	130	244.00	23 590 BE1	120	186.00	23 844 003	106	293.00
23 427 000	130	200.00	23 590 DA1	120	199.00	23 845 003	109	614.00
23 427 LS0	130	268.00	23 590 DC1	120	180.00	23 846 003	110	1,370.00
23 428 000	130	278.00	23 590 DL1	120	182.00	23 848 003	104	*
23 428 LS0	130	375.00	23 590 EN1	120	186.00	23 850 003	104	*
23 429 000	59, 91	237.00	23 590 GL1	120	199.00	23 851 003	105	253.00
23 430 000	131	211.00	23 590 GN1	120	212.00	23 870 003	105	180.00
23 430 LS0	131	275.00	23 591 001	120, 186	150.00	23 871 003	105	226.00
23 431 000	131	285.00	23 654 000	90	233.00	23 872 003	105	226.00
23 431 LS0	131	384.00	23 656 000	90	221.00	23 873 003	106	253.00
23 432 000	135	275.00	23 657 000	90	244.00			
23 433 000	162	287.00	23 658 000	90	239.00			
23 444 001	85	239.00	23 661 000	90	322.00	24 027 003	65	365.65
23 444 DC1	85	329.00	23 664 000	91	250.00	24 027 AL3	65	632.00
23 445 000	96	228.00	23 665 000	91	286.00	24 027 DA3	65	*
23 446 000	96	216.00	23 666 000	92	353.00	24 027 DC3	65	553.00
23 447 000	97	279.00	23 667 001	94	*	24 027 GL3	65	*
23 448 002	135	174.00	23 672 001	101	1,370.00	24 036 000	131	200.00
23 449 002	135	176.00	23 707 003	152	113.00	24 036 LS0	131	260.00
23 450 001	140	159.00	23 707 LS3	152	147.00	24 042 002	171	106.00
23 451 001	141	141.00	23 708 003	152	107.00	24 043 002	171	116.00
23 462 001	121	185.00	23 709 003	153, 188	110.00	24 044 000	165	115.00
23 462 A01	121	241.00	23 709 LS3	153, 188	143.00	24 045 000	166	127.00
23 462 AL1	121	227.00	23 715 003	153	108.00	24 046 003	157	111.00
23 462 BE1	121	225.00	23 716 003	154	102.00	24 046 LS3	157	144.00
23 462 DA1	121	225.00	23 718 003	154	175.00	24 047 003	158	122.00
23 462 DC1	121	225.00	23 718 LS3	154	229.00	24 047 LS3	158	159.00
23 462 DL1	121	257.00	23 719 003	154	218.00	24 048 003	157	116.00
23 462 EN1	121	257.00	23 719 LS3	154	282.00	24 048 LS3	157	151.00
23 462 GL1	121	241.00	23 720 003	155	113.00	24 049 003	158	128.00
23 462 GN1	121	257.00	23 720 LS3	155	147.00	24 049 LS3	158	166.00
23 463 001	122	168.00	23 722 003	156	124.00	24 051 002	149	127.00
23 480 001	121	168.00	23 722 LS3	156	156.00	24 052 002	149	139.00
23 491 001	127	1,260.00	23 725 003	158	146.00	24 053 001	143	129.00
23 491 A01	127	1,400.00	23 726 003	156	153.00	24 054 001	143	141.00
23 491 AL1	127	1,410.00	23 726 LS3	156	198.00	24 055 002	132, 137	132.00
23 491 BE1	127	1,400.00	23 729 30A	157	129.00	24 056 002	132, 138	145.00
23 491 DA1	127	1,400.00	23 739 002	141	201.00	24 057 001	125	141.00
23 491 DC1	127	1,400.00	23 741 001	127	2,070.00	24 057 A01	125	197.00
23 491 DL1	127	1,610.00	23 741 DC1	127	2,630.00	24 057 AL1	125	197.00
23 491 EN1	127	1,400.00	23 743 002	169	115.00	24 057 BE1	125	211.00
23 491 GL1	127	1,410.00	23 751 000	182	76.00	24 057 DA1	125	211.00
23 491 GN1	127	1,380.00	23 752 000	182	63.00	24 057 DC1	125	197.00
23 537 002	169	154.00	23 753 000	182	93.00	24 057 DL1	125	225.00
23 541 001	122	195.00	23 754 000	182	76.00	24 057 EN1	125	197.00
23 549 000	147	148.96	23 755 000	183	67.00	24 057 GL1	125	197.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
24 057 GN1	125	197.00	24 096 DA3	60	470.00	26 066 BE0	338	734.00
24 058 001	125	155.00	24 096 DC3	60	439.00	26 066 DA0	338	734.00
24 058 A01	125	232.00	24 096 GL3	60	470.00	26 066 DC0	338	743.00
24 058 AL1	125	248.00	24 099 000	41	363.00	26 066 DL0	338	780.00
24 058 BE1	125	217.00	24 099 A00	41	545.00	26 066 EN0	338	780.00
24 058 DA1	125	217.00	24 099 AL0	41	582.00	26 066 GL0	338	647.00
24 058 DC1	125	217.00	24 099 DC0	41	509.00	26 066 GN0	338	643.00
24 058 DL1	125	248.00	24 134 003	61	515.00	26 067 000	338	511.00
24 058 EN1	125	217.00	24 134 AL3	61	824.00	26 067 A00	338	734.00
24 058 GL1	125	232.00	24 134 DA3	61	773.00	26 067 AL0	338	780.00
24 058 GN1	125	217.00	24 134 DC3	61	670.00	26 067 BE0	338	734.00
24 059 002	118	137.00	24 135 003	61	551.00	26 067 DA0	338	643.00
24 059 003	108	171.00	24 135 AL3	61	881.00	26 067 DC0	338	663.00
24 060 002	118	150.00	24 135 DC3	61	771.00	26 067 DL0	338	643.00
24 060 003	109	180.00	24 138 003	61	551.00	26 067 EN0	338	780.00
24 061 000	92, 99	155.00	24 138 AL3	61	881.00	26 067 GL0	338	643.00
24 062 000	92, 99	170.00	24 138 DA3	61	826.00	26 067 GN0	338	643.00
24 063 001	87	161.00	24 138 DC3	61	771.00	26 068 000	339	461.00
24 063 DC1	87	225.00	24 138 GL3	61	826.00	26 069 000	339	408.00
24 064 001	87	177.00	24 153 000	93, 99	406.00	26 070 000	340	461.00
24 064 DC1	87	248.00	24 154 000	93, 100	453.00	26 071 000	340	465.00
24 065 003	60	267.00	24 155 000	93, 100	453.00	26 073 000	342	238.00
24 065 AL3	60	427.00				26 075 000	312	848.00
24 065 DA3	60	400.00	25			26 075 A00	312	1,040.00
24 065 DC3	60	373.00	25 010 003	65	515.57	26 075 AL0	312	1,260.00
24 065 GL3	60	400.00	25 010 AL3	65	892.00	26 075 BE0	312	1,190.00
24 066 003	60	293.00	25 010 DA3	65	*	26 075 DA0	312	1,190.00
24 066 AL3	60	469.00	25 010 DC3	65	781.00	26 075 DC0	312	1,110.00
24 066 DA3	60	440.00	25 010 GL3	65	*	26 075 DL0	312	1,260.00
24 066 DC3	60	411.00	25 044 003	66	1,740.00	26 075 EN0	312	1,260.00
24 066 GL3	60	440.00	25 044 AL3	66	2,790.00	26 075 GL0	312	1,190.00
24 067 000	76	254.00	25 044 DA3	66	*	26 075 GN0	312	1,260.00
24 067 IG0	76	305.00	25 044 DC3	66	2,440.00	26 076 002	391	*
24 068 000	77	279.00	25 044 EN3		*	26 082 002	389	18.50
24 068 IG0	77	335.00	25 044 GL3	66	*	26 083 002	390	53.00
24 069 000	51	288.00	25 219 001	166	377.00	26 084 002	393	29.00
24 070 000	51	316.00	25 450 001	193	125.00	26 085 001	388	*
24 071 000	40	312.00	25 460 001		*	26 086 001	388	*
24 071 A00	40	468.00	25 483 001	197	136.00	26 087 000	313	1,290.00
24 071 AL0	40	499.00	26			26 088 000		*
24 071 DC0	40	437.00	26 003 003	65	418.00	26 088 001	343, 399	51.52
24 072 000	40	343.00	26 003 AL3	65	669.00	26 089 000		*
24 072 A00	40	515.00	26 003 DA3	65	*	26 089 001	343, 388	56.00
24 072 AL0	40	549.00	26 003 DC3	65	586.00	26 090 001	343	49.00
24 072 DC0	40	480.00	26 003 GL3	65	*	26 114 001	318	612.00
24 075 000	248	313.00	26 037 000	79	107.00	26 145 000	356	85.00
24 076 000	248	349.00	26 037 DA0	79	129.00	26 146 000	355	85.00
24 077 000	248	349.00	26 037 IG0	79	127.00	26 146 LS0	355	107.00
24 078 000	246	313.00	26 038 000		203.00	26 161 000		*
24 079 000	246	349.00	26 038 IG0		263.00	26 161 001	394	21.00
24 080 000	246	349.00	26 042 000	345	219.00	26 162 001	396	*
24 092 001	126	175.00	26 046 002	389	*	26 163 001	397	55.00
24 092 A01	126	263.00	26 047 001	394	*	26 164 000		*
24 092 AL1	126	280.00	26 050 001	353, 400	40.00	26 164 001	398	31.00
24 092 BE1	126	263.00	26 051 001	353, 393	43.00	26 170 000	339	514.00
24 092 DA1	126	245.00	26 052 000	341	361.00	26 170 LS0	339	611.00
24 092 DC1	126	245.00	26 054 000	340	523.00	26 171 000	340	398.00
24 092 DL1	126	245.00	26 056 000	338	515.00	26 171 LS0	341	525.00
24 092 EN1	126	245.00	26 060 000	340	408.00	26 186 000	315	665.00
24 092 GL1	126	263.00	26 062 000	341	361.00	26 187 000	314	781.00
24 092 GN1	126	245.00	26 063 000	341	331.00	26 190 000		*
24 093 003	109	203.00	26 064 000	340	525.00	26 190 001	328	511.00
24 094 000	92, 99	191.00	26 065 000	340	468.00	26 191 000	328, 331	47.00
24 095 001	87	197.00	26 066 000	338	511.00	26 223 000		645.00
24 095 DC1	87	276.00	26 066 A00	338	734.00	26 223 001	325	571.00
24 096 003	60	314.00	26 066 AL0	338	780.00	26 224 001	325	397.00
24 096 AL3	60	439.00				26 227 000		*

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
26 240 000	320	338.00	26 459 000	341, 380	191.00	27 074 GLO	413	46.00
26 241 000	317	369.00	26 460 000	342, 380	147.00	27 074 GNO	413	48.00
26 243 000	319	496.00	26 461 000	342, 380	152.00	27 074 LSO	413	42.00
26 249 000	316	570.00	26 465 000	360	125.00	27 075 000	413	34.00
26 250 000	298	1,310.00	26 465 A00	360	175.00	27 075 LSO	413	41.00
26 250 LSO	298	1,310.00	26 465 AL0	360	212.00	27 076 000	415	52.00
26 254 000	334	595.00	26 465 BE0	360	175.00	27 076 LSO	415	62.00
26 254 LSO	334	543.00	26 465 DA0	360	200.00	27 134 000	349	123.00
26 255 000	337	593.00	26 465 DC0	360	175.00	27 136 001	417	155.00
26 256 000	338	1,810.00	26 465 DL0	360	212.00	27 137 000	409	21.66
26 257 000	338	489.00	26 465 EN0	360	212.00	27 151 000	414	99.00
26 259 000	339	456.00	26 465 GLO	360	175.00	27 174 001	304	1,290.00
26 264 001	301, 334	97.00	26 465 GNO	360	212.00	27 180 000	331	40.00
26 317 001	196	92.00	26 475 000	335	451.00	27 184 000		132.00
26 328 000	402	62.00	26 475 LSO	335	574.00	27 206 000	420	19.50
26 329 000	402	159.00	26 477 000	335	437.00	27 220 000	376	42.00
26 330 001	193	88.00	26 477 LSO	335	574.00	27 221 000	376	58.00
26 332 000	402	165.00	26 479 000	335	475.00	27 221 001	376	48.59
26 333 000	402	79.00	26 479 LSO	336	616.00	27 222 000	376	59.00
26 334 000	405, 409	17.49	26 481 000	336	475.00	27 225 001	379	105.00
26 335 000	405, 409	19.58	26 481 LSO	336	616.00	27 226 001	378	114.00
26 346 000	405, 409	21.66	26 483 000	336	93.00	27 226 A01	378	151.00
26 352 000	404	32.00	26 484 000	336	93.00	27 226 AL1	378	161.00
26 353 000	404	35.00	26 507 000	111, 308	913.00	27 226 BE1	378	151.00
26 354 000	404	38.00	26 507 LSO	111, 308	1,002.40	27 226 DA1	378	151.00
26 355 ILO	404	27.00	26 508 000	111, 308	913.00	27 226 DC1	378	154.00
26 356 ILO	405	30.00	26 508 LSO	111, 308	1,050.00	27 226 DL1	378	132.00
26 357 000	405	67.00	26 509 000	112, 309	792.00	27 226 EN1	378	161.00
26 358 000	405	108.00	26 510 000	112, 309	922.00	27 226 GL1	378	151.00
26 361 000	299	1,190.00	26 558 000	337	314.00	27 226 GN1	378	161.00
26 361 LSO	299	1,190.00	26 560 000	337	314.00	27 227 001	378	114.00
26 362 LNO	331	28.00	26 562 000	346	257.00	27 230 001	377	91.00
26 363 000	314	699.00	26 562 LSO	346	334.00	27 231 001	377	107.00
26 366 000		*	26 564 000	337	336.00	27 232 001	377	109.00
26 370 000	416	38.00	26 566 000	337	336.00	27 238 000	376	46.00
26 373 001	288, 344	19,700.00	26 568 000	346	280.00	27 239 000	376	62.00
26 374 000	291	1,050.00	26 568 LSO	346	364.00	27 239 001	376	47.00
26 376 001	288, 344	1,860.00	26 638 000	395	*	27 242 001	377	91.00
26 381 000		*	26 639 000	397	*	27 243 001	377	110.00
26 381 001	326	211.00	26 788 001	197	106.00	27 251 000	346	114.00
26 385 000	302, 331	14.00				27 253 000	346	172.00
26 404 000	382	66.00				27 265 000	376	31.00
26 405 000	384	85.00	27 032 001	305	974.00	27 265 00E	376	31.00
26 406 001	398	44.00	27 055 000	412	44.00	27 266 001	378	87.00
26 408 000	352, 399	79.00	27 056 000	413	30.00	27 266 00E	378	88.00
26 409 000	352, 399	77.00	27 057 000	415	52.00	27 267 001	379	92.00
26 409 EN0	352, 399	129.00	27 057 A00	415	71.00	27 271 000	346	445.00
26 410 000	352, 399	79.00	27 057 AL0	415	76.00	27 272 000	365	115.00
26 410 EN0	352, 399	106.00	27 057 BE0	415	71.00	27 273 001	365	241.00
26 411 000	342, 398	139.00	27 057 DA0	415	71.00	27 274 000	366	115.00
26 412 000	342, 398	139.00	27 057 DC0	415	63.00	27 276 000	362	84.00
26 413 000	342, 399	114.00	27 057 DL0	415	76.00	27 276 LSO	362	82.00
26 414 000	342, 399	117.00	27 057 EN0	415	76.00	27 277 001	364	201.00
26 418 000	316	484.00	27 057 GLO	415	62.00	27 285 000	346	459.00
26 443 000	300	1,310.00	27 057 GNO	415	61.00	27 286 000	345	1,930.00
26 443 LSO	300	1,310.00	27 057 LSO	415	63.00	27 296 002	312	496.00
26 446 000	301	1,190.00	27 058 000	306	850.00	27 304 000	421	71.00
26 446 LSO	301	1,190.00	27 062 000	351	208.00	27 320 000	421	118.00
26 449 000	243, 302	121.00	27 065 000	351	166.00	27 354 000	379	54.00
26 450 000	334	468.00	27 074 000	413	34.00	27 355 000	379	99.00
26 450 LSO	334	471.00	27 074 A00	413	46.00	27 367 000	382	49.00
26 455 000	351, 380	116.00	27 074 AL0	413	48.00	27 368 000	382	168.00
26 456 000	351, 380	113.00	27 074 BE0	413	40.00	27 369 000	382	79.00
26 456 EN0	351, 380	156.00	27 074 DA0	413	46.00	27 400 000	382	49.00
26 457 000	351, 380	116.00	27 074 DC0	413	58.00	27 406 000	357	50.00
26 457 EN0	351, 380	190.00	27 074 DL0	413	39.00	27 421 002	321	397.00
26 458 000	341, 380	192.00	27 074 EN0	413	40.00	27 443 000	362	90.00

27

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
27 444 000	362	92.00	27 615 000		*	27 785 DA0	372, 417	133.00
27 446 000	362	90.00	27 615 001	313	496.00	27 786 002	391	59.00
27 447 000	362	92.00	27 621 000	415	313.00	27 787 002	391	67.00
27 448 000	363	90.00	27 628 000	363	90.00	27 788 002	392	57.00
27 449 000	363	90.00	27 630 000	363	90.00	27 789 002	392	65.00
27 467 000	345	603.00	27 633 000	363	90.00	27 790 002	391	72.00
27 469 000	305	1,120.00	27 635 000	364	90.00	27 794 001	396	54.00
27 470 000	347	456.00	27 637 000	364	92.00	27 795 001	395	59.00
27 470 LSO	347	608.00	27 639 000	364	90.00	27 796 001	396	60.00
27 471 000	347	458.00	27 641 000	306	1,150.00	27 798 10E	398	28.08
27 473 001	319	447.00	27 644 001	396	54.00	27 799 001	398	30.00
27 475 001	318	620.00	27 645 001	395	59.00	27 803 10E	398	31.00
27 477 000	348	509.00	27 646 001	397	54.00	27 805 000		*
27 477 A00	348	608.00	27 646 10E	397	53.00	27 805 001	388	55.00
27 477 AL0	348	608.00	27 661 000	368	103.00	27 812 IL1	404	28.00
27 477 DA0	348	608.00	27 663 LSO	368	129.00	27 841 000	385, 418	172.00
27 477 GL0	348	608.00	27 664 000	368	120.00	27 845 000	385, 419	1.10
27 478 000	348	497.00	27 668 000	368	129.00	27 849 001	397	39.00
27 479 000	347	493.00	27 671 000	371	83.00	27 851 000	393	42.00
27 480 000	347	493.00	27 671 LSO	371	73.00	27 852 001	394	18.50
27 484 000	356	63.00	27 672 000	370	91.00	27 853 001	396	42.00
27 485 000	356	55.00	27 672 A00	370	129.00	27 854 001	397	44.00
27 488 000	356	80.00	27 672 AL0	370	138.00	27 863 000	347	672.00
27 492 000	352	134.00	27 672 DA0	370	129.00	27 865 000	289, 344	4,620.00
27 499 000	380, 418	48.00	27 672 DR0	370	90.00	27 869 001	343, 393	63.00
27 500 000	418	51.00	27 672 GL0	370	113.00	27 870 001	343, 399	56.00
27 512 001	404	19.00	27 672 HF0	370	90.00	27 884 001	383	91.00
27 513 001	404	35.00	27 672 PV0	370	100.00	27 888 000	383	92.00
27 514 001	405	68.00	27 672 TN0	370	102.00	27 889 000	383	127.00
27 519 000	418	51.00	27 672 XH0	370	100.00	27 890 000	383	246.00
27 520 000	418	55.00	27 673 000	370	93.00	27 891 000	383	244.00
27 521 000	418	51.00	27 673 LSO	370	82.00	27 892 000	385, 418	192.00
27 522 000	418	52.00	27 675 000	370	109.00	27 911 000	321	557.00
27 523 000	418	46.00	27 693 000	413	27.00	27 922 000	324	539.00
27 524 000	418	49.00	27 696 000	322	670.00	27 922 001	324	447.00
27 530 000	351	412.00	27 698 000	384	48.00	27 923 001	394	17.00
27 531 000	414	137.00	27 699 000	384	47.00	27 924 001	396	48.00
27 559 000	393	33.00	27 700 000	384	218.00	27 925 001	397	45.00
27 571 002	389	23.00	27 702 000	385	84.00	27 926 001	395	55.00
27 571 20E	389	24.00	27 703 000	385	84.00	27 927 001	395	61.00
27 572 002	389	29.00	27 704 000	415	30.00	27 928 002	390	61.00
27 573 002	389	39.00	27 705 000	352	151.00	27 929 002	390	57.00
27 574 002	389	27.50	27 706 000	413	33.00	27 932 000	317	649.00
27 575 002	389	39.00	27 706 A00		*	27 933 000	331	197.00
27 576 002	390	68.00	27 706 AL0		*	27 934 000	290	3,210.00
27 577 002	390	74.00	27 706 DC0		*	27 936 000	384	208.00
27 578 002	391	53.00	27 707 000	415	51.00	27 938 001	345	3,140.00
27 578 20E	391	52.00	27 707 A00		*	27 939 001	345	3,120.00
27 579 002	391	59.00	27 707 AL0		*	27 962 000	371	97.00
27 580 002	391	67.00	27 707 DC0		*	27 964 000	315	709.00
27 584 002	392	43.00	27 709 000	356	110.00	27 966 000	304	1,150.00
27 588 002	392	41.00	27 711 000	357	93.00	27 967 000	305	997.00
27 591 001	353, 393	54.00	27 732 000	369	207.00	27 968 000	304	1,150.00
27 594 000	414	13.00	27 734 000	369	213.00	27 969 000		82.00
27 595 000	412	19.00	27 736 000	372	194.00	27 969 A00		118.00
27 596 000	381, 420	6.50	27 738 000	372	199.00	27 969 AL0		125.00
27 597 001	394	22.00	27 741 000	369	159.00	27 969 BE0		118.00
27 597 10E	394	20.00	27 742 000	372	135.00	27 969 DA0		118.00
27 598 001	396	56.00	27 744 000	368	224.00	27 969 DL0		125.00
27 598 10E	396	48.00	27 746 000	368	235.00	27 969 GL0		118.00
27 600 001	395	61.00	27 748 000	371	209.00	27 969 GN0		125.00
27 601 10E	397	35.00	27 750 000	371	214.00	27 969 IGO		96.00
27 606 001	352, 400	43.00	27 764 LSO	349	164.00	27 970 000		125.00
27 608 000		*	27 765 000	349	150.00	27 970 A00		177.00
27 608 001	388	35.00	27 767 000	350	134.00	27 970 AL0		188.00
27 609 001	388	81.00	27 784 000	372, 417	102.00	27 970 BE0		155.00
27 610 001	353, 388	49.00	27 785 000	372, 417	106.00	27 970 DA0		177.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
27 970 DL0		188.00	28 388 A00	409	31.24	28 912 000	113, 772	228.00
27 970 EN0		155.00	28 388 AL0	409	27.49	28 912 A00	772	*
27 970 GL0		177.00	28 388 BE0	409	27.49	28 912 AL0	772	*
27 970 GN0		155.00	28 388 DA0	409	31.24	28 912 AS0		*
27 970 IG0		145.00	28 388 DC0	409	27.49	28 912 DA0	772	*
27 974 000	349	417.00	28 388 DL0	409	33.33	28 912 DC0	772	*
27 974 DA0		542.00	28 388 EN0	409	33.33	28 912 DL0	772	*
27 974 IG0	349	500.00	28 388 GL0	409	27.49	28 912 EN0	772	*
27 976 000		427.00	28 388 GN0	409	33.33	28 912 GL0	772	*
27 978 000	357	75.00	28 389 000	421	75.00	28 912 GN0	772	*
27 978 IG0	357	83.00	28 393 000	374	164.00	28 920 000	772	40.00
27 982 000	357	84.00	28 404 000	354	16.00	28 939 000	203	80.00
27 982 IG0	357	100.00	28 409 001	409	13.33	28 943 000	204, 615	119.00
27 986 000	357	95.00	28 410 001	409	14.99	28 946 000	772	44.00
27 986 DA0		120.00	28 413 001	409	17.08	28 947 000	772	32.00
27 986 IG0	357	126.00	28 417 000	408	25.83	28 948 000	354	271.00
27 993 000		150.00	28 419 002	394	27.00	28 961 000	772	40.00
27 993 IG0		188.00	28 421 002	394	35.00	28 963 000	203	49.00
28			28 429 000	357	58.00	28 982 000	355	135.00
28 002 000	354	190.00	28 436 002	395	68.00	28 988 000	422, 574	59.00
28 020 L01	404	13.50	28 497 000	356	66.00	28 990 000	202	172.00
28 025 000	408	27.91	28 541 000	357	84.00	28 991 000	202, 615	154.00
28 034 000	360	140.00	28 545 000	354	252.00	28 993 000	202	56.00
28 034 GN0		*	28 576 000	355	80.00	28 995 000	202	382.00
28 089 000	354	215.00	28 576 A00	355	108.00	29		
28 105 000	408	19.58	28 576 AL0	355	94.00	29 007 000	203	172.00
28 112 000	775	30.00	28 576 DA0	355	108.00	29 008 000		81.00
28 139 000	408	21.66	28 576 GL0	355	108.00	29 009 000	203	50.00
28 140 000	408	23.74	28 578 002	394	35.00	29 025 000	39, 50	238.00
28 142 000	408	21.66	28 587 000	417	196.00	29 032 000	53, 67	32.00
28 143 000	408	23.74	28 593 002	395	68.00	29 033 000	43, 53	261.00
28 143 KSO	408	30.83	28 605 000	414	16.00	29 037 000	42, 78	734.00
28 143 LSO	408	30.83	28 620 000	417	78.00	29 037 001	68, 110	674.00
28 145 000	408	27.91	28 621 000	417	128.00	29 069 000	289	136.00
28 146 000	410	51.00	28 622 000	414	16.00	29 072 000	289	241.00
28 150 001	410	9.58	28 623 000	412	29.00	29 073 000	290	246.00
28 151 001	410	11.24	28 626 000	416	32.00	29 074 000	291	381.00
28 151 L01	410	14.58	28 628 000	416	32.00	29 078 000	176	124.00
28 154 001	410	13.33	28 631 000	420	31.00	29 079 000	176	132.00
28 155 001	410	14.99	28 634 XX0	422, 777	39.00	29 080 000	180	121.00
28 158 000	410	33.33	28 635 XX0	422, 777	5.60	29 081 000	180	132.00
28 190 000	354	128.00	28 636 000	416	37.00	29 084 000	572	236.00
28 233 000	352, 382	83.00	28 671 000	416	31.00	29 094 000	572	236.00
28 261 002	394	27.00	28 678 000	416	29.00	29 095 000	573	242.00
28 308 000	351, 360	134.00	28 679 000	416	53.00	29 096 000	573	190.00
28 341 000	360	140.00	28 680 000	416	46.00	29 097 003	155	205.00
28 348 000	360	235.00	28 690 000	360, 413	108.00	29 097 LS3	155	249.00
28 361 000	355	100.00	28 708 000	421	100.00	29 098 003	158	123.00
28 362 000	409	15.41	28 724 000	356	64.00	29 098 LS3	158	150.00
28 362 A00	409	21.24	28 724 A00	356	62.00	29 099 LS3	159	180.00
28 362 AL0	409	21.24	28 724 AL0	356	62.00	29 112 000	183	112.00
28 362 BE0	409	24.16	28 724 DA0	356	62.00	29 113 000	183	124.00
28 362 DA0	409	21.24	28 724 GL0	356	62.00	29 118 000	68, 239	432.00
28 362 DC0	409	21.24	28 724 LSO	356	66.00	29 118 AL0	68, 239	586.00
28 362 DL0	409	25.83	28 778 000	347	620.00	29 118 DC0	68, 239	586.00
28 362 EN0	409	25.83	28 785 000	777	13.00	29 119 000	68, 239	475.00
28 362 GL0	409	21.24	28 785 L00		13.00	29 119 AL0	68, 239	729.00
28 362 GN0	409	21.24	28 788 000	421	110.00	29 119 DC0	68, 239	638.00
28 364 000	409	17.49	28 789 002	396	59.00	29 120 000	69, 239	565.00
28 368 000	348	369.00	28 799 000	423	113.00	29 120 AL0	69, 239	874.00
28 368 00E	348	377.00	28 812 000	422	4.40	29 120 DC0	69, 239	710.00
28 368 LSO	348	403.00	28 813 000	422	4.70	29 121 000	69, 240	513.00
28 369 000	349	359.00	28 817 000		13.50	29 121 AL0	69, 240	788.00
28 373 000	348	296.00	28 856 000	419	32.00	29 121 DC0	69, 240	690.00
28 384 000	355	177.00	28 874 000	422, 574	52.00	29 122 000	69, 240	301.00
28 388 000	409	19.58	28 910 000	772	42.00	29 122 AL0	69, 240	481.00
			28 910 L00	772	223.00	29 122 DC0	69, 240	391.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
31 375 A00	464	*	31 576 SD0	510	440.83	32 043 DC3	58	423.00
31 375 AL0	464	*	31 577 SD0	511	440.83	32 043 GL3	58	*
31 375 DA0	464	*	31 578 SD0	511	465.83	32 067 000	466	279.00
31 375 DC0	464	287.00	31 580 SD0	511	549.17	32 108 003	59	340.00
31 375 DL0	464	*	31 581 SD0	508	1,290.83	32 108 AL3	59	632.00
31 379 000	460	690.00	31 582 SD0	508	1,290.83	32 108 DA3	59	553.00
31 379 A00	460	*	31 583 SD0	509	832.50	32 108 DC3	59	553.00
31 379 AL0	460	*	31 584 SD0	509	915.83	32 108 GL3	59	*
31 379 DC0	460	920.00	31 585 SD0	509	1,707.50	32 109 001	84	182.00
31 391 002	497	142.00	31 586 SD0	509	1,082.50	32 109 DC1	84	250.00
31 395 000	478	626.00	31 587 SD0	514	215.83	32 114 001	84	193.00
31 395 DC0	478	795.00	31 588 SD0	512	290.83	32 114 DC1	84	248.00
31 454 001	437	1,700.00	31 639 AP0	521	*	32 115 000		*
31 454 A01	437	*	31 639 AT0	521	*	32 130 001		*
31 454 AL1	437	*	31 640 AP0	521	*	32 146 000	48	497.00
31 454 DA1	437	*	31 640 AT0	521	*	32 147 000	50	424.00
31 454 DC1	437	*	31 641 AP0	521	*	32 154 002	188	72.00
31 454 DL1	437	*	31 641 AT0	521	*	32 168 000	464	276.00
31 455 001	434	1,700.00	31 642 AP0	521	*	32 168 DC0	464	335.00
31 455 A01	434	*	31 642 AT0	521	*	32 176 000	460	645.00
31 455 AL1	434	*	31 643 AP0	522	*	32 176 DC0	460	838.00
31 455 DA1	434	*	31 643 AT0	522	*	32 204 001	140	141.00
31 455 DC0	435	2,220.00	31 644 AP0	519	*	32 204 10E	140	142.00
31 455 DC1	434	1,950.00	31 644 AT0	519	*	32 207 001	140	110.00
31 455 DL1	434	*	31 645 AP0	519	*	32 208 001	142	141.00
31 456 001	439	1,700.00	31 645 AT0	519	*	32 210 001	142	141.00
31 456 DC1	439	*	31 646 AP0	520	*	32 211 001	143	170.00
31 481 001	492	206.00	31 646 AT0	520	*	32 212 001	143	203.00
31 482 003	488	213.00	31 647 AP0	520	*	32 224 002	497	141.00
31 483 002	485	222.00	31 647 AT0	520	*	32 240 10E	140	137.00
31 483 DC2	485	288.00	31 648 AP0	520	*	32 249 000	49	890.00
31 491 000	484	339.00	31 648 AT0	520	*	32 257 001	482	298.00
31 491 DC0	484	457.00	31 649 AP0	520	*	32 257 002	480	266.00
31 498 001	441	*	31 649 AT0	520	*	32 259 003	480	192.00
31 498 A01	441	*	31 650 AP0	518	*	32 294 002	470	*
31 498 AL1	441	*	31 650 AT0	518	*	32 294 DC2	470	*
31 498 DA1	441	*	31 651 AP0	518	*	32 321 002	466	234.00
31 498 DC1	441	*	31 651 AT0	518	*	32 321 A02	466	*
31 498 DL1	441	*	31 652 AP0	518	*	32 321 AL2	466	*
31 509 002	497	119.00	31 652 AT0	518	*	32 321 DA2	466	*
31 535 000	504	91.00	31 653 AP0	518	*	32 321 DC2	466	304.00
31 536 000	504	91.00	31 653 AT0	518	*	32 321 DL2	466	*
31 538 000	504	88.00	31 654 AP0	519	*	32 322 002	467	234.00
31 539 000	438	1,970.00	31 654 AT0	519	*	32 322 A02	467	*
31 539 DC0	438	*	31 655 AP0	519	*	32 322 AL2	467	*
31 541 000	436	1,970.00	31 655 AT0	519	*	32 322 DA2	467	*
31 541 DC0	436	*	31 656 AP0	522	*	32 322 DC2	467	304.00
31 543 000	440	1,970.00	31 656 AT0	522	*	32 322 DL2	467	*
31 543 DC0	440	2,270.00	31 719 SD0	516	*	32 467 002	168	90.00
31 552 SD0	516	95.83	31 720 SD0	516	*	32 468 003	153	113.00
31 562 SD0	516	165.83	31 721 000	448	*	32 468 20E	147	120.00
31 563 SD0	515	120.83	31 721 DC0	448	*	32 469 20E	134	157.00
31 564 SD0	515	182.50	31 722 000	448	*	32 482 002	497	141.00
31 565 SD0	515	190.83	31 723 000	448	*	32 488 000	466	227.00
31 566 SD0	514	149.99	31 724 000	448	*	32 488 A00	466	*
31 567 SD0	514	215.83	31 726 SD0	511	*	32 488 AL0	466	*
31 568 SD0	513	190.83	31 831 001	502	88.00	32 488 DA0	466	*
31 569 SD0	513	265.83				32 488 DC0	466	244.00
31 570 SD0	514	290.83				32 488 DL0	466	*
31 571 SD0	512	182.50	32 042 003	58	300.00	32 553 002	470	*
31 572 SD0	512	249.17	32 042 AL3	58	558.00	32 553 DC2	470	*
31 573 SD0	512	340.83	32 042 DA3	58	*	32 553 SD0	471	539.00
31 574 AL0	510	*	32 042 DC3	58	488.00	32 555 000		439.00
31 574 DL0	510	*	32 042 GL3	58	*	32 612 002	116	188.00
31 574 GN0	510	*	32 043 003	58	260.00	32 612 003	104	180.00
31 574 SD0	510	265.83	32 043 AL3	58	483.00	32 612 00E	116	194.00
31 575 SD0	510	474.17	32 043 DA3	58	*	32 612 30L	104	*

32

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
32 618 002	117	258.00	32 776 000	580	213.00	32 935 GL1	124	206.00
32 618 003	106	280.00	32 778 000	581	248.00	32 935 GN1	124	188.00
32 628 001	122	199.00	32 779 000	581	278.00	32 950 000	460	736.00
32 628 A01	122	264.00	32 780 000	582	126.00	32 950 A00	460	*
32 628 AL1	122	249.00	32 783 000	582	145.00	32 950 AL0	460	*
32 628 BE1	122	264.00	32 784 000	583	113.00	32 950 DC0	460	817.00
32 628 DA1	122	264.00	32 786 000	500	121.00	32 955 000		154.00
32 628 DC1	122	247.00	32 787 000	500	151.00			
32 628 DL1	122	282.00	32 788 000	586	225.00			
32 628 EN1	122	282.00	32 789 000	586	215.00			
32 628 GL1	122	264.00	32 790 000	586	304.00	33 155 002	116	263.00
32 628 GN1	122	282.00	32 792 000	587	373.00	33 156 002	116	188.00
32 629 002	141	170.00	32 793 000	587	358.00	33 163 002	116	188.00
32 635 000		235.00	32 795 000	586	323.00	33 163 003	105	180.00
32 647 003	58	455.40	32 823 000	586	320.00	33 177 002		198.00
32 647 AL3	58	781.00	32 824 000	162	105.00	33 190 002	134	164.00
32 647 DA3	58	*	32 825 000	162	111.00	33 190 20E	134	160.00
32 647 DC3	58	683.00	32 825 00E	162	111.00	33 202 002	496	121.00
32 647 GL3	58	*	32 826 000	51	971.00	33 202 DC2	496	133.00
32 650 003	59	418.00	32 830 001	163	128.00	33 241 002	117	188.00
32 650 AL3	59	669.00	32 831 000	165	132.00	33 241 003	107	*
32 650 DA3	59	*	32 832 000	165	165.00	33 244 002	136	160.00
32 650 DC3	59	544.00	32 837 000	164	111.00	33 249 001	444	745.00
32 650 GL3	59	*	32 839 000	164	108.00	33 249 DC1	444	879.00
32 652 003	59	455.40	32 840 000	164	102.00	33 251 000	444	471.00
32 652 AL3	59	781.00	32 842 000	492	132.00	33 265 002	168	95.00
32 652 DA3	59	*	32 843 000	492	138.00	33 281 002	496	116.00
32 652 DC3	59	683.00	32 843 002	492	138.00	33 281 20E	496	97.00
32 652 GL3	59	*	32 843 20E	492	142.00	33 281 DC2	496	126.00
32 653 003	62	1,350.00	32 843 DC2	492	179.00	33 300 002	170	120.00
32 653 AL3	62	1,890.00	32 846 000	51	766.00	33 302 20A	170	112.00
32 653 DA3	62	*	32 847 000	165	240.00	33 339 000	52	791.00
32 653 DC3	62	1,750.00	32 870 000	583	21.00	33 390 002	137	201.00
32 653 EN3		*	32 871 000	583	28.00	33 395 002	137	239.00
32 653 GL3	62	*	32 880 000	166	132.00	33 412 002	170	125.00
32 659 001	486	181.00	32 882 000		69.00	33 547 002	118	288.00
32 661 003	484	172.00	32 898 001	120	147.00	33 547 003	108	305.00
32 661 DC3	484	222.00	32 899 001	121	142.00	33 552 002	146	131.00
32 663 003	484	209.00	32 901 001	123	276.00	33 552 20E	146	128.00
32 663 DC3	484	269.00	32 901 A01	123	336.00	33 553 002	118	229.00
32 667 001	486	174.00	32 901 AL1	123	382.00	33 553 003	108	271.00
32 706 000	49	229.00	32 901 BE1	123	358.00	33 555 002	170	99.00
32 708 000		*	32 901 DA1	123	358.00	33 558 003	152	118.00
32 734 000		71.00	32 901 DC1	123	334.00	33 558 LS3	152	153.00
32 740 000		78.00	32 901 DL1	123	336.00	33 561 002	146	155.00
32 742 000		117.00	32 901 EN1	123	334.00	33 561 003	153	151.00
32 743 000		96.00	32 901 GL1	123	358.00	33 565 002	148	131.00
32 747 000		134.00	32 901 GN1	123	382.00	33 565 003	155	115.00
32 750 000	500	99.00	32 911 002		*	33 565 LS3	155	149.00
32 752 000	500	99.00	32 917 000	465	233.00	33 566 002	148	107.00
32 754 002	52	1,803.20	32 917 A00	465	*	33 569 002	137	160.00
32 757 000	48	416.00	32 917 AL0	465	*	33 577 002	117	193.00
32 759 000	48	475.00	32 917 DA0	465	*	33 577 003	108	217.00
32 760 000	48	669.00	32 917 DC0	465	286.00	33 590 002	148	131.00
32 762 000	580	120.00	32 917 DL0	465	*	33 590 003	156	129.00
32 763 000	580	117.00	32 917 KSO	465	278.00	33 590 LS3	156	165.00
32 764 000		139.00	32 918 000	465	276.00	33 591 002	148	172.00
32 765 000	580	241.00	32 918 00E	465	272.00	33 591 003	156	160.00
32 766 000	580	249.00	32 918 DC0	465	370.00	33 591 LS3	156	208.00
32 767 000	581	265.00	32 929 002	169	95.00	33 592 002		*
32 768 000	581	239.00	32 935 001	124	151.00	33 592 20A	149	161.59
32 770 000	581	211.00	32 935 A01	124	206.00	33 592 30A	157	154.56
32 771 000	581	268.00	32 935 AL1	124	219.00	33 624 001	124	210.00
32 772 000	582	242.00	32 935 BE1	124	194.00	33 624 A01	124	279.00
32 773 000	581	278.00	32 935 DA1	124	193.00	33 624 AL1	124	298.00
32 774 000	582	306.00	32 935 DC1	124	221.00	33 624 BE1	124	261.00
32 775 000	581	291.00	32 935 DL1	124	219.00	33 624 DA1	124	279.00
			32 935 EN1	124	219.00	33 624 DC1	124	261.00

33

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
33 624 DL1	124	298.00	34 487 000	568	165.00	36 266 000	594	99.00
33 624 EN1	124	298.00	34 488 000	262	356.00	36 267 000	594	84.00
33 624 GL1	124	279.00	34 491 000	262	394.00	36 268 000	594	99.00
33 624 GN1	124	262.00	34 497 000	263	467.00	36 269 000	558	308.00
33 628 001	125	252.00	34 502 000	262	489.00	36 271 000	558	271.00
33 635 002	150	143.00	34 507 000	555, 561	198.00	36 273 000	559	377.00
33 636 001	124	171.00	34 558 000	274	188.00	36 274 000	559	325.00
33 636 A01	124	227.00	34 564 000	274	248.00	36 276 000		95.00
33 636 AL1	124	243.00	34 565 001	275	197.00	36 309 000	296	275.00
33 636 BE1	124	227.00	34 566 001	275	207.00	36 315 000	553	471.00
33 636 DA1	124	227.00	34 567 000	274	244.00	36 316 000	594	35.00
33 636 DC1	124	214.00	34 575 000		*	36 317 000	592	281.00
33 636 DL1	124	243.00	34 576 000	275	236.00	36 318 000	592	305.00
33 636 EN1	124	212.00	34 665 000	570	386.00	36 319 000	592	504.00
33 636 GL1	124	227.00	34 666 000	572	343.00	36 320 000	592	442.00
33 636 GN1	124	243.00	34 667 000	570	309.00	36 321 000	592	316.00
33 637 002	150	155.00	34 671 000	571	383.00	36 322 000	592	140.00
33 637 003	159	149.00	34 681 000	570	305.00	36 325 001	550	442.00
33 769 000	50	252.00	34 705 000	242	1,260.00	36 327 001	550	360.00
33 770 001	482	215.00	34 706 000	242	1,250.00	36 330 001	551	361.00
33 770 002	480	219.00	34 709 000	35	1,200.00	36 331 001	550	365.00
33 772 002	480	222.00	34 712 000	36	1,160.00	36 332 000	552	847.00
33 782 000		*	34 713 000	243	729.00	36 333 000	552	716.00
33 786 000		*	34 714 000	243	694.00	36 334 SD0	552	430.00
33 848 001	86	213.00	34 718 000	244	321.44	36 335 SD0	552	365.00
33 848 DC1	86	271.00	34 719 000	243	261.00	36 336 000	539, 553	307.00
33 849 001	86	278.00	34 720 000	244	395.00	36 337 000	539, 553	112.00
33 849 DC1	86	383.00	34 721 000	244	339.00	36 338 000	530, 534	101.00
33 850 001	86	324.00	34 726 000	249	533.00	36 339 000	540, 553	206.00
33 865 001	86	217.00	34 727 000	249	588.00	36 340 000	530, 533	59.00
33 865 DC1	86	300.00	34 728 000	247	533.00	36 341 000	530, 533	91.00
33 912 000	500, 583	284.00	34 729 000	247	588.00	36 356 000	296	143.00
33 975 004	488	154.00	34 730 000	247	1,080.00	36 359 000	289	1,290.00
33 977 002	489	141.00	34 731 000	249	1,080.00	36 360 000	290	1,100.00
33 982 002	489	171.00	34 732 000	249	946.00	36 362 000	291	3,270.00
34			34 734 000	247	812.00	36 367 000	293	294.00
34 065 002	266	262.00	34 735 000	249	628.00	36 371 000	292	635.00
34 065 A02	266	335.00	34 741 000	94, 100	1,070.00	36 376 000	553	466.00
34 065 AL2	266	357.00	34 742 000	242	1,070.00	36 384 000	558	538.00
34 065 BE2	266	335.00	34 743 000	242	1,000.00	36 386 001	552	716.00
34 065 DA2	266	335.00	34 744 000	242	843.00	36 397 000	292	1,480.00
34 065 DC2	266	312.00	35			36 407 001	530, 533	308.00
34 065 DL2	266	357.00	35 028 000	53, 67	135.00	36 409 000	537	523.00
34 065 EN2	266	357.00	35 034 000	415	215.00	36 410 000	539	600.00
34 065 GL2	266	335.00	35 085 000	576	1,180.00	36 412 000	540	750.00
34 065 GN2	266	357.00	35 087 000	576	1,280.00	36 413 000	537	636.00
34 143 003	270	232.00	35 500 000	572, 573	245.00	36 414 000	538	865.00
34 151 004	271	243.00	35 600 000	34, 35	68.00	36 415 000	541	625.00
34 155 003	270	294.00	36			36 416 000	541	587.00
34 169 001	258	296.00	36 015 001	546	627.00	36 421 000	551	395.00
34 174 001	259	360.00	36 016 001	546	488.00	36 422 000	550	399.00
34 176 001	259	527.00	36 078 000	296	119.00	36 439 000	551	282.00
34 195 001	260	360.00	36 109 000	596	498.00	36 440 000	532	654.00
34 197 001		660.00	36 121 000	596	562.00	36 441 000	532	671.00
34 215 002	266	307.00	36 122 000	596	244.00	36 442 000	532	711.00
34 256 004	270	*	36 133 000	770	16.00	36 444 000	528	575.00
34 274 000	254	459.00	36 157 000		76.00	36 445 000	528	508.00
34 276 000	254	514.00	36 194 000		204.00	36 446 000	528	474.00
34 277 000	254	430.00	36 207 001	546	550.00	36 447 000	529	722.00
34 281 001	260	481.00	36 208 001	546	424.00	36 451 000	564	194.00
34 286 002	266	338.00	36 209 000	590	119.00	36 452 000	564	180.00
34 294 001	121	142.00	36 233 000	590	654.00	36 453 000	564	205.00
34 321 002	267	341.00	36 249 000	590	718.00	37		
34 464 001	258	398.00	36 264 001	529, 533	166.00	37 018 P00	749	67.00
34 469 001	258	333.00	36 265 000	594	129.00	37 035 000	729	12.50
34 482 001	259	507.00				37 036 000	729	17.50

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
37 037 000	729	21.00	37 504 000	542	935.00	38 506 P00	740	73.00
37 038 000	729	17.50	37 505 SD0	542	759.00	38 506 SH0	740	67.00
37 039 000	729	17.50	37 535 000	113, 736	67.00	38 517 001	661	219.00
37 040 000	729	23.00	37 535 A00	736	*	38 519 001	656	335.00
37 042 000	730	16.50	37 535 AL0	736	*	38 525 001	654	314.00
37 043 000	729	32.00	37 535 BE0	736	*	38 526 000	655	337.00
37 044 000	729	17.00	37 535 DA0	736	*	38 528 001	649	248.00
37 048 000	711	330.00	37 535 DC0	736	142.00	38 536 001	649	289.00
37 053 000		95.00	37 535 DL0	736	*	38 539 001	650	229.00
37 059 000	717, 741	180.00	37 535 EN0	736	*	38 541 000	666, 672	124.00
37 060 000	717, 742	112.00	37 535 GL0	736	*	38 543 000	667	279.00
37 063 000	746	36.00	37 535 GN0	736	*	38 544 000	666	224.00
37 063 SH0	746	51.00	37 535 P00	736	67.00	38 545 000	666	309.00
37 069 000	746	311.00	37 535 SH0	736	55.00	38 546 000	665	118.00
37 088 PI0	698	61.00	37 547 000	746	54.00	38 548 001	676, 678	124.00
37 095 000	698	32.00	37 547 P00	746	67.00	38 553 001	666	261.00
37 099 K00	699	70.00	37 547 SH0	746	60.00	38 554 001	664	148.00
37 102 SH0	712	25.00	37 576 000	688	202.00	38 557 001	664	113.00
37 103 SH0	701	11.00	37 578 001	689	198.00	38 558 00M	656, 661	23.00
37 104 K00	701	31.00	37 601 000	736	82.00	38 559 001	672	193.00
37 105 K00	701	31.00	37 601 A00	736	*	38 562 001	681	85.00
37 107 000	709	94.00	37 601 AL0	736	*	38 563 000	681	7.70
37 108 000	709	89.00	37 601 BE0	736	*	38 564 000	741	73.00
37 112 000	709	124.00	37 601 DA0	736	*	38 564 SH0	741	65.00
37 114 000	709	33.00	37 601 DC0	736	142.00	38 565 000	741	68.00
37 115 PI0	701, 780	10.00	37 601 DL0	736	*	38 565 SH0	741	65.00
37 117 PI0	701, 780	10.00	37 601 EN0	736	*	38 573 000	741	73.00
37 119 000	702	2.70	37 601 GL0	736	*	38 573 P00	741	73.00
37 125 000	702	8.10	37 601 GN0	736	*	38 573 SH0	741	65.00
37 131 000	682, 702	13.00	37 601 P00	736	80.00	38 574 000	741	75.00
37 132 000	709	28.00	37 601 SH0	736	65.00	38 581 001	676	500.00
37 133 000	709	94.00	37 624 000	113, 138	82.00	38 584 001	674	408.00
37 134 000	712	57.00	37 624 A00	736	*	38 586 001	675	548.00
37 135 000	710	8.20	37 624 AL0	736	*	38 587 000	675	326.00
37 139 000	708	98.00	37 624 BE0	736	*	38 588 001	653	360.00
37 141 000	708	93.00	37 624 DA0	736	*	38 595 000	749	54.00
37 144 000		333.00	37 624 DC0	736	93.00	38 595 P00	749	60.00
37 153 000	711	268.00	37 624 DL0	736	*	38 595 SH0	749	27.00
37 157 000	711	234.00	37 624 EN0	736	*	38 618 000	655	279.00
37 220 001	681	17.50	37 624 GL0	736	*	38 624 001	650	227.00
37 304 000	689	40.00	37 624 GN0	736	*	38 625 001	665, 672	290.00
37 310 000	681, 689	82.00	37 624 P00	736	79.00	38 629 000	680	46.00
37 311 K00	700	28.00	37 624 SH0	736	65.00	38 630 001	680	158.00
37 321 001	722	548.00	37 636 000	708	137.00	38 636 001	680	176.00
37 321 SD1	722	548.00	37 749 000		427.00	38 642 001	687	203.00
37 321 SH1	722	549.00	37 751 001	723	457.00	38 643 001	686	204.00
37 324 001	723	548.00	37 965 000	736	53.00	38 652 000	281, 678	108.00
37 324 SD1	723	546.00	37 965 SH0	736	44.00	38 661 000	694	162.00
37 336 001	722	531.00	37 998 000	678	78.00	38 672 SD0	741	124.00
37 337 001	722	547.00				38 675 001	652, 670	354.00
37 338 000	542, 723	131.00				38 691 000	695	153.00
37 339 000	728	124.00	38 251 000	709	57.00	38 698 SD1	714	597.00
37 342 000	728	150.00	38 338 000	682	26.00	38 699 001	714	513.00
37 345 000	728	137.00	38 340 001	674	235.00	38 713 001		316.00
37 346 000	728	96.00	38 393 SD1	714	513.00	38 714 000	705, 742	17.50
37 347 000	708	218.00	38 415 001	688	243.00	38 719 001	648	202.00
37 349 000	708	214.00	38 422 000	695	196.00	38 722 001	648	276.00
37 355 SH0	694	90.00	38 437 000	678	95.00	38 723 001	686	200.00
37 396 000	728	95.00	38 445 SD0	746	104.00	38 732 000	739	74.00
37 419 000	714	803.00	38 505 000	740	66.00	38 732 A00	739	120.00
37 419 SD0	714	827.00	38 505 A00	740	57.00	38 732 AL0	739	120.00
37 421 000	720	468.00	38 505 AL0	740	57.00	38 732 BE0	739	120.00
37 426 000	720	399.00	38 505 DA0	740	61.00	38 732 BR0	739	121.00
37 427 000	720	340.00	38 505 GL0	740	120.00	38 732 DA0	739	70.00
37 428 000	721	292.00	38 505 P00	740	75.00	38 732 DL0	739	120.00
37 489 000	701	6.70	38 505 SH0	740	59.00	38 732 EN0	739	120.00
37 503 000	541	759.00	38 506 000	740	75.00	38 732 GL0	739	120.00

38

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
38 732 GN0	739	120.00	38 897 000	651	299.00	39 351 000	636	117.00
38 732 P00	739	59.00	38 915 KS0	737	926.00	39 354 SH1	606	2,010.00
38 732 SD0	739	157.00	38 915 LS0	737	928.00	39 367 000	724	573.00
38 732 SH0	739	63.00	38 916 OA0	738	289.00	39 368 000	724	629.00
38 733 000	681	28.00	38 925 000		90.00	39 369 000	725	763.00
38 735 000	699	54.00	38 929 000	648	235.00	39 374 KS0	646	762.00
38 736 000	699	40.00	38 934 SD0	671, 716	468.00	39 374 LS0	646	767.00
38 748 002	529, 533	417.00	38 957 000	738	94.00	39 376 000	660	262.00
38 750 001	647	322.00	38 958 000	738	80.00	39 383 000	538	61.00
38 759 SD0	671, 715	858.00	38 994 000	653	328.00	39 386 00H	618	368.00
38 765 000	737	63.00	38 995 000	654	339.00	39 420 000	632	44.00
38 765 P00	737	70.00				39 421 000	632	38.00
38 765 SH0	737	63.00				39 422 000	632	68.00
38 766 000	738	177.00	39 002 000	651	345.00	39 423 000	625, 632	68.00
38 771 000	696, 742	36.00	39 052 000	664	145.00	39 424 000	632	37.00
38 772 001	648	322.00	39 062 000	652	401.00	39 425 000	633	37.00
38 775 001	647	223.00	39 111 LD0	602	4,370.00	39 426 000	633	42.00
38 776 SD0	739	160.00	39 111 LK0	602	4,370.00	39 427 000	633	70.00
38 778 000	715	692.00	39 111 LP0	602	4,370.00	39 428 000	633	77.00
38 779 000	681	101.00	39 111 SH0	602	3,980.00	39 429 000	634	86.00
38 784 000	748	118.00	39 140 000	670	648.00	39 430 000	634	58.00
38 784 P00	748	115.00	39 141 000	671, 715	533.00	39 431 000	634	58.00
38 784 SD0	748	178.00	39 142 000	671, 715	235.00	39 432 000	635	117.00
38 784 SH0	748	115.00	39 165 000	687	117.00	39 433 000	635	118.00
38 785 000	688	189.00	39 201 000	625	45.00	39 436 000	634	67.00
38 786 001	660	284.00	39 202 000	625	50.00	39 437 000	634	67.00
38 787 000	723, 731	105.00	39 206 000	626	162.00	39 438 000	635	133.00
38 796 000	744	71.00	39 206 00H	626	194.00	39 439 000	635	133.00
38 803 001	660	279.00	39 208 000	628	160.00	39 440 000	632	37.00
38 804 000	748	118.00	39 208 00H	628	193.00	39 453 000	629, 637	*
38 804 SH0	748	115.00	39 300 000	640	157.00	39 454 000	629, 637	*
38 805 000	744	132.00	39 301 000	640	116.00	39 457 000	629, 637	*
38 808 000	749	103.00	39 302 000	640	111.00	39 469 00H	618	318.00
38 808 P00	749	92.00	39 305 000	640	197.00	39 473 00H	618	173.00
38 808 SH0	749	98.00	39 306 000	641	128.00	39 474 00H	618	162.00
38 809 000	737	580.00	39 307 000	641	282.00	39 475 00H	618	368.00
38 813 001	647	235.00	39 308 000	641	243.00	39 476 00H	618	319.00
38 821 000	738	245.00	39 323 000	624	64.00	39 477 00H	619	173.00
38 827 000	647	387.00	39 323 00H	624	96.00	39 478 00H	619	162.00
38 844 000	739	70.00	39 324 000	625	41.00	39 479 00H	619	166.00
38 844 P00	739	70.00	39 324 00H	625	74.00	39 480 00H	619	155.00
38 844 SH0	739	62.00	39 325 000	625	45.00	39 481 00H	619	155.00
38 845 KS0	738	243.00	39 327 000	625	52.00	39 482 00H	619	137.00
38 845 LS0	738	237.00	39 327 00H	625	84.00	39 483 00H	620	134.00
38 845 MF0	738	243.00	39 328 000	626	178.00	39 484 00H	620	343.00
38 846 KS0	748	309.00	39 328 00H	626	210.00	39 485 00H	620	320.00
38 846 LS0	748	277.00	39 329 000	627	133.00	39 486 00H	621	252.00
38 846 MF0	748	277.00	39 329 00H	627	166.00	39 487 00H	621	261.00
38 847 KI0	737	102.00	39 330 001	627	65.00	39 488 000	620	132.00
38 847 LI0	737	101.00	39 331 001	627	*	39 489 000	620	188.00
38 847 XG0	737	98.00	39 332 000	626	129.00	39 490 000	620	188.00
38 857 000	749	115.00	39 333 000	627	129.00	39 491 000	633	55.00
38 857 P00	749	105.00	39 335 000	624	57.00	39 492 000	635	30.00
38 857 SH0	749	109.00	39 335 00H	624	90.00	39 493 000	635	54.00
38 858 000	739	68.00	39 336 000	624	56.00	39 494 000	634	52.00
38 858 P00	739	70.00	39 336 00H	624	89.00	39 497 000	636	83.00
38 858 SH0	739	60.00	39 337 000	624	63.00	39 531 000		*
38 859 XG0	739	100.00	39 337 00H	624	95.00	39 538 000	626	142.00
38 861 000	740	71.00	39 338 000	626	138.00	39 551 000	629, 637	*
38 862 000	740	67.00	39 338 00H	626	171.00	39 564 00H	612	176.00
38 862 P00	740	60.00	39 339 000	627	138.00	39 565 00H	612	164.00
38 862 SD0	740	143.00	39 339 00H	627	170.00	39 566 00H	612	386.00
38 862 SH0	740	58.00	39 340 000	628	141.00	39 567 00H	612	277.00
38 863 000	695	101.00	39 340 00H	628	173.00	39 568 00H	612	190.00
38 882 000	744	8.30	39 346 000	636	197.00	39 570 000	613	103.00
38 895 000	694	188.00	39 347 000	636	189.00	39 571 00H	613	245.00
38 896 000	731	70.00	39 349 000	633	86.00	39 572 00H	613	274.00

39

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
39 573 00H	613	255.00	40 312 EN3		*	40 369 DC1	210	27.08
39 574 00H	614	245.00	40 312 GL3	71	*	40 369 DL1	210	33.33
39 575 00H	614	255.00	40 313 003	71	81.66	40 369 EN1	210	29.16
39 576 000	614	68.00	40 313 AL3	71	112.49	40 369 GL1	210	31.24
39 577 000	614	103.00	40 313 DA3	71	*	40 369 GN1	210	33.33
39 578 000	614	154.00	40 313 DC3	71	112.49	40 371 001	211	37.08
39 579 000	614	154.00	40 313 EN3		*	40 371 A01	211	55.41
39 584 00H	624	229.00	40 313 GL3	71	*	40 371 AL1	211	51.66
39 585 00H	624	296.00	40 314 003	71	162.49	40 371 BE1	211	55.41
39 608 00H	612	369.00	40 314 AL3	71	257.50	40 371 DA1	211	55.41
39 609 00H	613	246.00	40 314 DA3	71	*	40 371 DC1	211	51.66
			40 314 DC3	71	224.17	40 371 DL1	211	59.16
			40 314 EN3		*	40 371 EN1	211	51.66
			40 314 GL3	71	*	40 371 GL1	211	55.41
			40 339 000	54	116.66	40 371 GN1	211	59.16
			40 340 000	55	190.83	40 372 001	210, 218	6.91
			40 341 000	54	174.17	40 374 001	214	34.16
			40 342 000	54	174.17	40 374 A01	214	47.49
			40 344 001	215	104.16	40 374 AL1	214	54.58
			40 344 DC1	215	145.83	40 374 BE1	214	51.24
			40 363 000	54	190.83	40 374 DA1	214	51.24
			40 364 001	212	11.24	40 374 DC1	214	47.49
			40 364 A01	212	17.08	40 374 DL1	214	54.58
			40 364 AL1	212	18.33	40 374 EN1	214	54.58
			40 364 BE1	212	17.08	40 374 GL1	214	51.24
			40 364 DA1	212	15.83	40 374 GN1	214	47.49
			40 364 DC1	212	15.83	40 385 001	214	20.83
			40 364 DL1	212	18.33	40 385 A01	214	31.24
			40 364 EN1	212	18.33	40 385 AL1	214	33.33
			40 364 GL1	212	17.08	40 385 BE1	214	29.16
			40 364 GN1	212	15.83	40 385 DA1	214	31.24
			40 365 001	211	20.83	40 385 DC1	214	29.16
			40 365 A01	211	29.16	40 385 DL1	214	33.33
			40 365 AL1	211	33.33	40 385 EN1	214	33.33
			40 365 BE1	211	31.24	40 385 GL1	214	31.24
			40 365 DA1	211	29.16	40 385 GN1	214	29.16
			40 365 DC1	211	29.16	40 386 001	212	41.66
			40 365 DL1	211	29.16	40 386 A01	212	62.49
			40 365 EN1	211	33.33	40 386 AL1	212	66.66
			40 365 GL1	211	31.24	40 386 BE1	212	62.49
			40 365 GN1	211	33.33	40 386 DA1	212	62.49
			40 366 001	211	32.91	40 386 DC1	212	58.33
			40 366 A01	211	46.24	40 386 DL1	212	66.66
			40 366 AL1	211	52.91	40 386 EN1	212	66.66
			40 366 BE1	211	49.58	40 386 GL1	212	62.49
			40 366 DA1	211	46.24	40 386 GN1	212	66.66
			40 366 DC1	211	42.91	40 392 000	214, 220	25.00
			40 366 DL1	211	52.91	40 393 000	214, 220	20.00
			40 366 EN1	211	46.24	40 394 001	210, 218	17.08
			40 366 GL1	211	46.24	40 394 A01	210	25.41
			40 366 GN1	211	46.24	40 394 AL1	210	27.08
			40 367 001	213	27.49	40 394 BE1	210	23.74
			40 367 A01	213	41.24	40 394 DA1	210	25.41
			40 367 AL1	213	38.33	40 394 DC1	210	22.08
			40 367 BE1	213	38.33	40 394 DL1	210	27.08
			40 367 DA1	213	38.33	40 394 EN1	210	27.08
			40 367 DC1	213	35.83	40 394 GL1	210	25.41
			40 367 DL1	213	38.33	40 394 GN1	210	27.08
			40 367 EN1	213	38.33	40 404 001	451	58.33
			40 367 GL1	213	41.24	40 405 000	450	29.16
			40 367 GN1	213	43.74	40 407 001	214	65.41
			40 368 001	210, 218	5.74	40 407 DC1	214	83.33
			40 369 001	210	20.83	40 412 001	451	141.66
			40 369 A01	210	31.24	40 421 001	212	32.91
			40 369 AL1	210	33.33	40 421 A01	212	46.24
			40 369 BE1	210	29.16	40 421 AL1	212	52.91
			40 369 DA1	210	31.24	40 421 BE1	212	49.58

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
40 421 DA1	212	49.58	40 510 001	219	37.91	40 653 EN1	228	52.91
40 421 DC1	212	46.24	40 511 001	219	15.83	40 654 001	229	56.66
40 421 DL1	212	52.91	40 512 001	219	137.49	40 654 EN1	229	79.58
40 421 EN1	212	52.91	40 513 001	220	54.99	40 655 001	228	20.83
40 421 GL1	212	49.58	40 514 001	220	56.66	40 655 EN1	228	29.16
40 421 GN1	212	46.24	40 535 000	506	60.00	40 656 001	229	11.24
40 422 000	452	66.66	40 535 A00	506	*	40 656 EN1	229	18.33
40 423 000	452	99.99	40 535 AL0	506	*	40 657 001	229	24.58
40 430 001	451	108.33	40 535 BE0	506	*	40 657 EN1	229	39.16
40 432 000	458	24.99	40 535 DA0	506	*	40 658 001	229	34.16
40 434 001	452	33.33	40 535 DC0	506	80.00	40 658 EN1	229	47.49
40 437 000	450	29.16	40 535 DL0	506	*	40 659 001	230	37.08
40 438 001	457	277.00	40 535 EN0	506	*	40 659 EN1	230	48.33
40 444 001	211	26.66	40 535 GL0	506	*	40 660 001	229	112.49
40 444 DC1	211	37.08	40 535 GN0	506	*	40 660 EN1	229	154.16
40 444 EN1	211	42.49	40 536 000	506	55.00	40 661 000		*
40 447 001	211	25.83	40 536 DC0	506	64.00	40 661 IG0		*
40 447 DC1	211	34.58	40 537 000	506	68.00	40 663 001	225	46.24
40 448 001	210	38.74	40 537 ZB0	506	78.00	40 664 001	226	37.08
40 448 DC1	210	49.16	40 547 001	451	74.99	40 684 000	467	75.00
40 448 EN1	210	43.74	40 553 000	506	76.00	40 687 000	452	29.16
40 452 000	450	25.00	40 553 DC0	506	76.24	40 688 001	211	30.41
40 457 001	225	20.41	40 564 000	113, 772	262.00	40 688 A01	211	45.41
40 459 001	224	23.74	40 564 A00	772	*	40 688 AL1	211	48.33
40 460 001	224	16.24	40 564 AL0	772	*	40 688 BE1	211	45.41
40 461 001	225	9.99	40 564 DC0	772	*	40 688 DA1	211	45.41
40 462 001	225	87.49	40 565 000	772	82.00	40 688 DC1	211	39.16
40 463 001	225	26.66	40 565 A00	772	*	40 688 DL1	211	48.33
40 493 000	44	224.17	40 565 AL0	772	*	40 688 EN1	211	42.49
40 493 A00	44	*	40 565 DC0	772	*	40 688 GL1	211	45.41
40 493 AL0	44	*	40 575 001	451	264.00	40 688 GN1	211	48.33
40 493 DC0	44	*	40 585 001	224	16.24	40 689 001	213	24.58
40 494 000	44	340.83	40 621 000	451	26.00	40 689 A01	213	37.08
40 494 A00	44	*	40 623 001	220	26.66	40 689 AL1	213	39.16
40 494 AL0	44	*	40 624 001	219	52.91	40 689 BE1	213	37.08
40 494 DC0	44	*	40 625 000	81	137.49	40 689 DA1	213	37.08
40 496 000	44	182.50	40 625 DA0	81	190.83	40 689 DC1	213	34.58
40 496 A00	44	*	40 625 GL0		141.66	40 689 DL1	213	34.58
40 496 AL0	44	*	40 625 IG0	81	174.17	40 689 EN1	213	34.58
40 496 DC0	44	*	40 626 000	80	133.33	40 689 GL1	213	37.08
40 497 000	44	207.50	40 626 IG0	80	174.17	40 689 GN1	213	34.58
40 497 A00	44	*	40 627 000	80	174.17	40 691 001	451	58.33
40 497 AL0	44	*	40 627 IG0	80	224.17	40 694 000	452	24.99
40 497 DC0	44	*	40 628 000	80	162.49	40 754 001	219	33.33
40 498 000	45	87.49	40 628 IG0	80	207.50	40 755 001	218	32.91
40 498 A00	45	*	40 629 000	80	182.50	40 756 001	218	44.58
40 498 AL0	45	*	40 629 DA0	80	257.50	40 757 001	220	91.66
40 498 DC0	45	*	40 629 IG0	80	232.50	40 758 001	221	141.66
40 499 000	45	182.50	40 630 000	80	112.49	40 766 000	206	52.08
40 499 A00	45	*	40 630 DA0	80	166.66	40 767 000	207	95.83
40 499 AL0	45	*	40 630 IG0	80	145.83	40 768 000	206	145.83
40 499 DC0	45	*	40 631 000	80	52.49	40 775 001	214	64.58
40 500 000	45	290.83	40 631 A00	80	79.16	40 775 DC1	214	91.66
40 500 A00	45	*	40 631 BE0		79.16	40 776 001	214	83.33
40 500 AL0	45	*	40 631 DA0	80	79.16	40 776 DC1	214	116.66
40 500 DC0	45	*	40 631 DL0		83.33	40 777 001	221	80.83
40 503 000	44	265.83	40 631 GL0	80	73.74	40 778 001	221	116.66
40 503 A00	44	*	40 631 GN0		83.33	40 781 000	207	79.58
40 503 AL0	44	*	40 631 IG0	80	68.33	40 782 000	207	27.49
40 503 DC0	44	*	40 632 000	81	190.83	40 783 000	206	24.58
40 504 000	44	265.83	40 632 DA0		290.83	40 784 000	207	36.66
40 504 A00	44	*	40 632 IG0	81	249.17	40 791 001	71, 214	5.16
40 504 AL0	44	*	40 633 000	81	124.99	40 791 KS1	71, 214	5.16
40 504 DC0	44	*	40 633 IG0	81	158.33	40 793 001	212	47.08
40 507 001	220	31.66	40 652 001	228	20.83	40 793 DC1	212	61.66
40 508 001	218	27.49	40 652 EN1	228	29.16	40 794 001	213	56.66
40 509 001	219	42.08	40 653 001	228	32.91	40 794 DC1	213	79.58

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
40 797 001	213	145.83	41 130 000	757	59.00	43 536 000	698	3.20
40 799 001	213	37.91	41 133 000	757	47.00	43 537 000	698	22.00
40 799 DC1	213	52.91	41 154 000	756	56.00	43 540 000	703, 780	3.50
40 800 001	212	112.49	41 190 000	756	34.00	43 542 000	703	6.70
40 800 A01	212	166.66	41 206 000		239.00	43 544 000	704, 780	10.50
40 800 AL1	212	174.17	41 208 000		220.00	43 545 000	703	19.00
40 800 BE1	212	166.66	41 212 000		212.00	43 617 000	683, 715	86.00
40 800 DA1	212	166.66	41 230 000	758	33.00	43 722 000	704, 780	7.10
40 800 DC1	212	154.16	41 231 000	758	41.00	43 733 000	699	3.90
40 800 DL1	212	174.17	41 238 000	758	27.00	43 734 000	704	3.10
40 800 EN1	212	154.16	41 239 000	758	25.00	43 735 000	704	2.50
40 800 GL1	212	166.66	41 263 000	754	22.00	43 745 000	704, 780	5.30
40 800 GN1	212	174.17	41 270 000	758	34.00	43 758 00M	699, 780	24.00
40 802 001	212	56.66	41 275 000	758	74.00	43 770 00M	704	7.80
40 802 A01	212	83.33	41 827 000	759	19.00	43 812 000		41.00
40 802 AL1	212	91.66				43 813 000	596, 762	156.00
40 802 BE1	212	83.33	42			43 818 000	731	3.40
40 802 DA1	212	83.33	42 041 000	710	143.00	43 908 000	700	17.50
40 802 DC1	212	79.58	42 074 000		11.50	43 957 000		184.00
40 802 DL1	212	91.66	42 075 000	705	5.30	43 959 000	597	54.00
40 802 EN1	212	91.66	42 132 000		325.00	43 976 000	705	3.10
40 802 GL1	212	79.58	42 133 000		197.00	43 977 000	717, 741	425.00
40 802 GN1	212	91.66	42 137 000	700	28.00	43 996 000	711	205.00
40 804 000	207	274.17	42 229 000	774	105.00	43 997 000	711	236.00
40 805 000	206	45.83	42 233 000	700	9.50	45		
40 806 000	206	30.41	42 242 000	705	9.60	45 058 000		86.00
40 807 000	207	154.16	42 253 000	698	53.00	45 120 000	568	14.00
40 808 000	208	133.33	42 271 00M	699	65.00	45 202 000	282, 766	6.90
40 809 000	208	108.33	42 297 P10	698	55.00	45 203 000	282, 766	14.00
40 824 000	772	19.00	42 300 000	705	17.00	45 247 000		12.50
40 841 001	457	113.00	42 302 000	780	66.00	45 304 000		27.00
40 846 001	215	99.99	42 302 P00		71.00	45 342 000	765	16.50
40 847 001	221	133.33	42 302 SH0	780	69.00	45 346 000	765	27.00
40 848 000	450	8.33	42 303 000	780	67.00	45 388 000	42, 52	133.00
40 848 SD0	450	12.49	42 303 P00		86.00	45 406 000	419	6.20
40 857 000	208	108.33	42 303 SH0	780	72.00	45 459 000	419	14.50
40 865 000	206	36.66	42 304 000	780	55.00	45 473 000		802.00
40 867 000	208	41.66	42 304 P00	780	81.00	45 562 000	489	80.00
40 868 000	208	32.91	42 304 SH0	780	51.00	45 704 000	561, 568	40.00
40 870 000	208	9.58	42 305 000	780	50.00	45 885 000	765	38.00
40 899 000	603, 606	36.00	42 305 P00	780	84.00	45 914 XE0	418	3.10
40 911 000	682, 689	13.00	42 305 SH0	780	49.00	45 937 000	779	9.20
40 919 SD0	457	14.99	42 315 000	703	8.00	45 965 000		6.40
40 934 000	506	*	42 320 000	699	41.00	45 971 001	410	8.74
40 934 DC0	506	*	42 327 000	657, 702	16.00	45 973 001	410	10.83
40 949 000	683, 689	*	42 333 000	656, 702	19.00	45 978 000	765	15.50
40 950 000	682, 689	*	42 388 000	534, 547	46.00	45 984 001	43, 52	444.00
40 953 000	516	*	42 393 000	530, 534	44.00	45 992 000		*
40 954 000	108	97.00	42 397 000	682	8.30	46		
41			42 408 000	555	15.50	46 048 000	762	44.00
41 001 000	758	26.00	42 429 000	292	112.00	46 191 000		96.00
41 007 000	757	27.00	42 766 000	682	7.00	46 257 000	583	52.00
41 010 000	756	28.00	42 773 000	703	8.60	46 259 000	583	22.00
41 015 000	756	59.00	42 774 000	700	55.00	46 277 000	587, 762	9.80
41 020 000	757	86.00	42 791 000		201.00	46 278 000	587, 762	72.00
41 022 000	757	85.00	42 824 000	661	689.00	46 308 000	762	16.50
41 030 000	755	42.00	42 886 000	590, 774	22.00	46 343 000		271.00
41 033 000	756	67.00	42 901 000	712	381.00	46 374 000	762	43.00
41 040 000	756	80.00	42 902 000	712	490.00	46 375 000	762	9.40
41 043 000	756	90.00	42 946 000	657, 702	20.00	46 386 000	762	132.00
41 050 000	757	91.00	43			46 409 000	762	35.00
41 070 000	755	31.00	43 040 000	731	31.00	46 580 000	762	41.00
41 073 000	755	28.00	43 310 000	731	61.00	46 686 000	587	31.00
41 110 000	756	46.00	43 352 000	701	7.70	46 687 000	587	35.00
41 125 000	758	28.00	43 486 000	700	22.00	46 688 000	583	27.00
41 126 000	758	53.00	43 535 000	703, 780	2.90			

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
46 689 000	583	24.00	49 532 000	629, 637	*
46 710 000	776	58.00	49 533 000	641	34.00
46 717 000	450	209.00	49 534 000	641	34.00
46 731 000	776	59.00	64		
46 769 000	776	38.00	64 451 000	770	7.80
46 882 00M	602	52.00	64 508 001	451	64.38
46 883 00M	603	97.00	65		
46 884 000	602	79.00	65 790 000	296	61.00
46 901 000	91, 131	69.00	65 807 000	772	51.00
46 907 000	762	35.00	65 807 A00	772	*
46 944 001	606	182.00	65 807 AL0	772	63.00
47			65 807 BE0	772	*
47 010 000	763	91.00	65 807 DA0	772	*
47 019 000	763	158.00	65 807 DC0	772	*
47 095 000		84.00	65 807 DLO	772	*
47 175 000	255, 260	101.00	65 807 EN0	772	*
47 186 000	763	93.00	65 807 GLO	772	*
47 203 000		13.50	65 807 GN0	772	*
47 217 000	763	60.00	65 807 KS0		101.00
47 220 000	763	100.00	65 807 LS0		111.00
47 282 000	763	187.00	65 808 000	772	50.00
47 310 000	763	106.00	66		
47 349 000	763	79.00	66 791 000	683	10.00
47 350 000		352.00			
47 364 000	764	69.00			
47 379 000	763	461.00			
47 439 000	763	80.00			
47 450 000	763	79.00			
47 483 000	763	47.00			
47 533 000	568	40.00			
47 569 000	577	552.00			
47 727 000	296	29.00			
47 732 000		*			
47 733 000		82.00			
47 739 000		17.50			
47 749 000		74.00			
47 763 000		155.00			
47 764 000		9.70			
47 780 000		128.00			
47 781 000		161.00			
47 790 000		49.00			
47 837 000	293	66.00			
47 838 000	293	66.00			
47 867 000	293	66.00			
47 868 000	293	66.00			
47 877 000	293	66.00			
47 910 000	293	53.00			
47 979 000	573	24.00			
47 994 000	573	6.10			
48					
48 021 000	778	6.40			
48 051 000	381, 419	6.30			
48 053 000	330	95.00			
48 054 000	330	73.00			
48 166 000	779	19.00			
48 189 000	770	18.00			
48 190 000	770	18.00			
48 191 000	770	18.00			
48 297 000	762	48.00			
48 348 000	294, 302	30.00			
48 349 000	302, 330	87.00			
48 350 000	302, 330	109.00			
49					
49 003 000	281	181.00			

DISCOVER THE WORLD OF GROHE

What you see here represents just a small selection of what the world of GROHE has to offer. Whether you are looking for ideas and inspiration or solutions for bath and kitchen, here's where you'll find it.

Just scan the QR codes to view the latest brochures as download or PDF on your tablet or smartphone.

OR VISIT THE WORLD OF GROHE AT GROHE.COM



Pure Freude
an Wasser

GROHE


WATER.
INTELLIGENCE.
ENJOYMENT.
GROHE INNOVATIONS 2019

WATER. INTELLIGENCE. ENJOYMENT.
MAGAZINE






BATH BROCHURE




CERAMICS BROCHURE



SENSIA ARENA BROCHURE



SANITARY SYSTEMS BROCHURE



KITCHEN BROCHURE



BLUE HOME BROCHURE



A GLOBALLY CONNECTED COMPANY

GROHE IS PART OF LIXIL – A GLOBAL LEADER IN THE HOUSING AND BUILDING INDUSTRY.

Beginning back in early 20th century Japan, LIXIL is today the most comprehensive company in our industry, with a unique portfolio spanning everything from technologies that revolutionize how we interact with water, to a full lineup of interior and exterior materials and products for houses and major architectural projects. Operating in 150 countries, LIXIL companies design and manufacture products that are used by more than a billion people around the world every day.

The world is changing rapidly, and LIXIL companies are helping to shape it. Across our brands and technologies, we design and manufacture tomorrow's living solutions, today. From developing smart innovations in people's homes and offices, to redefining the world's most famous city skylines, LIXIL products are transforming the spaces in which we all work, learn, travel, relax, and live.

Alongside GROHE in LIXIL's family of world-class brands are American Standard, INAX, DXV by American Standard and Permasteelisa. Combined, our brands make us number one in faucets and plumbing-related products worldwide and Japan's premier provider of housing products. We're leading the way in many other areas around the world, thanks to our shared focus on creating innovations that genuinely improve people's lives.

Together we're stronger. Combining our GROHE expertise as a world leader in sanitary fittings with the unique technology and insights from LIXIL's other Water Technology brands, GROHE now offers complete bathroom solutions, featuring innovative products like shower toilets and SmartControl showers, alongside revolutionary technologies such as AquaCeramic sanitaryware that stays clean for 100 years. Beautiful, functional and reliable, LIXIL's products and solutions are changing the way people live, all over the world.

Together, we share a powerful vision of a better tomorrow, for our customers and for the world. As a truly global manufacturing company, we know that we have an important part to play in securing the future of our planet. We're leading the way in areas such as energy efficiency and water saving technology and aim to achieve a net zero environmental footprint by 2030. We believe everyone should have access to clean and safe sanitation, and are committed to using our expertise to help make this possible.

Together we're creating the future of good living for everyone, everywhere.




Follow us




QUALITY

*"No.1 most trusted brand
in the sanitary industry" –
Wirtschaftswoche, 2017*



TECHNOLOGY

*"Top 50 companies
to change the world" –
Fortune Magazine, 2017*



DESIGN

*Over 350 design awards
won since 2003*



SUSTAINABILITY

*CSR Award winner of the
German Government, 2017*

PLEASE CONTACT OUR LOCAL OFFICES BELOW:

Grohe AG Reprezenanță
Strada Nicolae Iorga nr. 13,
Corp B, etaj 2
RO - 010432 București
Romania
Tel.: +40 21 212 50 50
Fax: +40 21 212 50 48
info-ro@grohe.com
www.grohe.ro

Grohe Adria d.o.o.
Štefanovečka 10
HR - 10000 Zagreb
Croatia
Tel.: +385 (0)1 29 11 470
Fax: +385 (0)1 29 10 962
adria-hr@grohe.com
www.grohe.hr
www.grohe.si
www.grohe.rs

Grohe Hungary Kft
Montevideo utca 3/A.
H – 1037 Budapest
Hungary
Tel: +36 1 238 8045
info-hu@grohe.com
www.grohe.hu

GROHE AG
Representative Office Bulgaria
81 B, Bulgaria Blvd., floor 8,
office 21
1404 Sofia
Bulgaria
Tel: +359 (0) 2 / 971 99 59
grohe-bulgaria@grohe.com
www.grohe.bg

Grohe AG
Feldmühleplatz 15
D - 40545 Düsseldorf
Germany

CEE_05/2019 - Copyright by GROHE



PART OF LIXIL