Pure Freude an Wasser



new



# MASTERPIECE OF **TECHNOLOGY**

**GROHE RAPIDO SMARTBOX SYSTEM** 

# **THE UNIVERSAL SOLUTION**FOR THE NEEDS OF TOMORROW



Exchangeable function units for single-lever mixers, thermostats and SmartControl, fully pre-configured and 100% factory tested



# new


# TWO-HANDLE THERMOSTATS

More space and more control with our new thermostats



# SMARTCONTROL

Ultimate and intuitive control of every shower function, space-saving and slim design



Subsequently adjustable by up to six degrees: ensures that the wall plate is always in level and allows for perfect alignment with tile joints



# new

## SINGLE-LEVER MIXERS

Simple to operate, control up three functions with our new mixers



Our GROHE Rapido SmartBox System: never before have we managed to compress so much technology into such a small space. No wonder our GROHE Rapido SmartBox System represents such a remarkable advancement for our customers. For installers, that means truly universal solutions, with one rough-in that fits all plates and that runs up to three shower functions and a range of ingenious features for ultimate efficiency of installation. For planners, that means more space and more flexibility than ever before, coupled with beautiful design. Our new GROHE Rapido SmartBox System: pure genius, reduced to the max.



# INSTALLER-FRIENDLY INSTALLATION


1

Few things count more in the installation business than efficiency and convenience. That makes the GROHE Rapido SmartBox System an obvious choice. One box offers unlimited options. And the easy installation is a huge plus: job-side mounting, shallow installation depth and with three outlets, only one rough-in needs to be installed, instead of the usual two. This is simply well thought through.





# SLIMMED DOWN DESIGN FOR MORE SPACE IN THE SHOWER



**GROHE SMARTCONTROL** 

NEW TWO-HANDLE THERMOSTATS





Creating a beautiful area for bathing and showering can often be a challenge, since the space available is frequently very limited. The GROHE Rapido SmartBox System offers the luxury of extra space thanks to our super slim trimsets. One great advantage is the extra flexibility that comes with our system, allowing you to install the box now and decide on the final design and look later on.

# **GROHE SOLUTIONS**

AT A GLANCE

# GROHE CONCEALED TECHNOLOGY

Page 14



BENEFITS
IN FRONT OF
THE WALL
SMARTCONTROL

Page 20



BENEFITS
IN FRONT OF
THE WALL
TWO-HANDLE
THERMOSTATS

Page 34





# BENEFITS IN FRONT OF THE WALL SINGLE-LEVER MIXERS

Page 42




# BENEFITS BEHIND THE WALL GROHE RAPIDO SMARTBOX

Page 50



# EASY INSTALLATION

Page 66



# COMPLETE **RANGE**

Page 78



# MORE TO IT THAN MEETS THE EYE: THE ADVANTAGES OF CONCEALED TECHNOLOGY

Space – we'd all like to have more of it, especially in the shower area. With its hidden installation, GROHE Concealed technology offers more space under the shower, without compromising on functionality or comfort.

A wide selection of suitable trimsets and showers ensures that the style chosen for the bathroom extends seamlessly into the shower area. And seen from a practical angle, the slim, streamlined design makes cleaning faster and more convenient.

GROHE SmartControl Concealed promises perfect shower control and is remarkable for its exceedingly flat design and clean, uncluttered look.

Our two-handle thermostats too are compact and space-saving, blending precise performance with a sleek, minimalistic appearance.

Or take our single-lever mixers: a choice of models offering control of one, two or three functions and a range of stylish designs.





# YOUR UNIVERSAL SOLUTION



## **GROHE RAPIDO SMARTBOX**

- filler functions with just one trim
- · Efficient piping thanks to bottom inlets
- Wall plates adjustable by six degrees
- Only 75 mm minimum installation depth
- One rough-in runs up to three shower/bath Optional service stops for retrofit applies to all thermostats and SmartControl mixers
  - · Always compliant with retrofit backflow protection unit for 2-function products
  - · Easy job-side mounting, no bench vice





## **GROHE SMARTCONTROL**

- Control up to three shower functions for a better shower experience
- Intuitive operation and perfect control of water volume through SmartControl
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower





## TWO-HANDLE THERMOSTATS

- New trim range in round, square and cube style
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower
- 1-function and 2-function models available with GROHE AquaDimmer





# **SINGLE-LEVER MIXERS**

- New trims in coordinated design for all GROHE bath lines
- 1-, 2- and 3-function models
- Slim wall plates with GROHE QuickFix System and slim diverters










# GROHE SMARTCONTROL

# 1. FOR **MAXIMUM FLEXIBILITY:** THE HAND SHOWER




GROHE hand shower: versatile, practical – and always to hand





# 2. DISCOVER A **UNIQUE LEVEL OF RELAXATION:** THE GROHE PURERAIN SPRAY




GROHE PureRain spray for a soft, refreshing shower





# 3. **POWERFUL** AND REVITALISING: THE GROHE ACTIVERAIN SPRAY



NEW! GROHE ActiveRain to wash out shampoo and revitalise skin and scalp




# SMARTCONTROL

# TURN UP THE VOLUME – OR DOWN IF YOU PREFER




ALL PUSH VALVES WITH VOLUME CONTROL



JUST ONE ROUGH-IN AND ONE TRIM NEEDED GROHE SmartControl offers not just a choice of shower sprays, but also the precise control of water flow.

GROHE SmartControl features an integrated volume control for an individual shower experience. A simple push of a button starts or stops the desired shower. And just a turn of the dial allows for precise control of water volume. Thanks to the clear symbols on the buttons, operating them is simple and intuitive.

# SHOWER PLEASURE TO THE POWER OF THREE



Put power at your fingertips.
Starting with a vigorous
spray to rinse away shampoo.
Increase the volume for a
concentrated jet spray to
massage away the stress
of the day.

All the control you need for ultimate relaxation – choose a soft and refreshing rain shower or turn the volume all the way up for a summer downpour.

Simply turn up the water flow to get just the right amount. From delicate spray to refreshing shower – for seamless flexibility.



# GROHE SMARTCONTROL METAL PLATE, ERGONOMIC GRIP In keeping with its sleek design, the GROHE SmartControl Concealed uses premium materials. Its ergonomic buttons have a knurled grip for ease of use.

# SLIM IS THE **NEW BEAUTIFUL**

## **43 MM TOTAL OUTREACH**

10 mm

43 mm

Original Size 1:1

No matter what the installation depth of the rough-in is, the total height of the trim never exceeds 43 mm.

The GROHE SmartControl Concealed combines spacesaving convenience in the shower and slim good looks.

### **THINNER WALL PLATES**

With a height of only 10 mm, its super slim design makes the GROHE SmartControl Concealed wall plate both elegant and space saving.

### **HIDDEN SEALING SYSTEM**

The GROHE SmartControl Concealed has an integrated sealing system, completely eliminating water behind the wall.

# **SYMBOLS CAN BE CHANGED**

The control knobs come with a range of different symbols, representing the different shower options. These symbols are clear and recognisable and their functionality distinct. They can be individually configured and also easily exchanged if required.



GROHE SMARTCONTROL grohe.co.uk













# **GROHE SMARTCONTROL**

# FEATURES AT A GLANCE

Slim design, overall outreach only 43 mm, all wall plates only 10 mm high All trims subsequently adjustable by up to 6° Perfect shower

experience with GROHE SmartControl: push, turn, shower

Retrofit back-flow protection combination

for bath fill and overflow unit

# **VARIANTS**

- Mixer with 1-, 2-, 3-function
- Thermostat with 1-, 2-, 3-function

GROHE

QuickFix

- Triple volume control trim
- Round and square design + colour options



GROHE

TurboStat























QuickFix System for force-fit fixation

(Illustration in original size)

Small plates, all trims only 158 mm square

or in diameter

and hidden fixation and sealing

Available as a mixer and thermostat

38°C SafeStop Button (thermostat)

Thermostats come with optional 43°C temperature limiter

All plates are **metal** 

Thermostat with **GROHE** TurboStat technology ensuring constant shower temperature for comfort and safety

Retrofit service stops

33

Original Size 1:1


GROHE TurboStat, SafeStop and SafeStop Plus only for thermostats






new








# **SWITCHING SPRAYS?**YOU CAN DO IT WITH YOUR EYES SHUT

Our new thermostats with conventional operation are anything but conventional themselves. We designed them to be as user-friendly and intuitive as possible. Turn on the hand shower by rotating the upper control button slightly to the left. To increase the water flow and obtain a more powerful spray, simply keep turning the

button further to the left. And to switch over to the head shower head, turn the control button towards the right. Continue turning to the right to turn up the volume. Also available as 1-function model to operate a single shower or 2-function model for shower and bath fill operation.



Turn to the left to turn up the volume for the hand shower

Turn to the right to turn up the volume for the head shower



# GROHE METAL PLATE, ERGONOMIC GRIP The surface of the buttons is silky smooth to the touch. To ensure that soapy hands can still get a good grip, there is a hidden hollow at the base of each button. Beautiful to look at, easy to operate.

# 10 mm Original Size 1:1 43 mm


# SLEEK **SPACE-SAVER**

Designed and engineered for more comfort, convenience and space, our new two-handle thermostats look deceptively simple. The exceedingly narrow plates, with a width of just 10 mm, and the slim design of the controls ensure that the overall outreach is a mere 43 mm. All our two-handle thermostats offer this combination of good looks and extra space.





GROHE TWO-HANDLE THERMOSTATS







# SMOOTH OPERATOR: OUR SINGLE-LEVER MIXERS

new




GROHE SINGLE-LEVER MIXER



# 44

# OUR MIXER WITH 3-WAY DIVERTER – JUST HAVE IT YOUR WAY

Beautiful and streamlined design provides the setting for our single hand mixers. But the three-way diverter stands out for sheer elegance of function. The top handle has three positions. Rotating it allows you to choose, for example, between a powerful jet spray, a relaxing rain shower and a hand shower. Or between a head shower, a hand shower and a bath filler. The bottom handle offers comfortable temperature control – turn to the left for warm, to the right for cold – whilst raising the handle controls the volume of water.



# GROHE SINGLE-LEVER MIXERS GROHE

# **OUTSTANDING**WITHOUT STANDING OUT

43 mm


10 mm

Original Size 1:1

Our single-lever mixers perform outstandingly, offering comfortable and intuitive control. GROHE single lever mixers are designed for functionality and for stylish streamlined looks: the plates themselves are a mere 10 mm thin. And the automatic two-way diverter has an outreach of only 43 mm, independent of rough-in installation depth.



GROHE SINGLE-LEVER MIXERS grohe.co.uk



<sup>\*</sup>with exception of Allure Brillant due to special design





# YOUR UNIVERSAL ROUGH-IN FOR MORE FREEDOM AND FLEXIBILITY GROHE RAPIDO SMARTBOX



# ONE CAN DO THE **JOB OF TWO**

## **ROUGH-IN WITH THREE OUTLETS**

With three outlets for a wider range of shower options, the GROHE Rapido SmartBox can take on the job where two rough-ins are normally needed. Which is a huge savings in work and effort.

# **ALL PORTS WITH 1/2 INCH STANDARD**

The GROHE Rapido SmartBox makes adapters practically redundant. It has  $\frac{1}{2}$ " connections, made to fit all standard pipes. Where other rough-ins with  $\frac{3}{4}$ " outlets are made to fit the exception not the rule, the GROHE Rapido SmartBox is designed to fit 90% of all pipes. Smart, isn't it?





GROHE RAPIDO SMARTBOX

HOT COLD

(111)

HOT

COLD



─ ─ × (§)

□□ \ x □□ \ x □ \ ⊕ x

# EFFICIENCY FROM THE BOTTOM UP

# BOTTOM INLETS FOR EFFICIENT PIPING

Efficient piping leads to efficient installation. The GROHE Rapido SmartBox comes with bottom inlets, enabling a direct connection to the hot and cold water supply. That makes 90° fittings a thing of the past. Why take a detour when you can take the direct route?



NO 90° FITTINGS NEEDED





# SWEATING THE SMALL STUFF **MADE EASY**



# SUBSEQUENTLY ADJUSTABLE UP TO SIX DEGREES

Doing a perfect job comes down to getting even the smallest detail perfect. And once a job is finished, it's usually hard to adjust mistakes. Not with the GROHE wall plates. They can be subsequently adjusted by up to six degrees – thanks to slotted holes in the function unit – to allow for perfect alignment with tiles and tile joints. No drilling, no risk of damage. Just a job well done.

Whether you are installing GROHE SmartControl, GROHE single lever mixers or GROHE two-handle thermostats, they all offer this small, but all-important advantage.



SUBSEQUENTLY ADJUSTABLE

COMES WITH ALL TRIM TYPES

# A NEAT SOLUTION: BACKFLOW PROTECTION FOR RETROFIT In Europe, every combination with an integrated bath-fill and an overflow unit must conform to the EN 1717 standard, to protect drinking water from contamination. With a simple but clever backflow protection device, the GROHE Rapido SmartBox This feature is available together with 2-function trims for retrofit (mixer and thermostat) INTEGRATED BATH-FILL AND **OVERFLOW UNIT**

# ALL YOU NEED **FOR RETROFITTING**

## SERVICE STOPS FOR RETROFITTING

With its optional service stops for retrofit, the GROHE Rapido SmartBox gives you full control over the water supply in just a few steps. In case of maintenance work, each outlet in the building can be closed directly and separately – a clear advantage especially in hotels and apartment buildings. Service stops are available as a retrofit option for the basic rough-in and are easily exchangeable.





BACKFLOW PROTECTION DEVICE



SERVICE STOPS FOR RETROFIT GROHE RAPIDO SMARTBOX

# **SIMPLER INSTALLATION:** AN IN-DEPTH LOOK

## FITS IN EVERY WALL - EVEN THIN ONES

With an installation depth of only 75 mm, the GROHE Rapido SmartBox fits into every kind of wall, even particularly narrow ones. And it can be installed faster and more easily into brick walls.


# THE ROUGH-IN THAT'S ALWAYS ON THE JOB

# EASY JOB-SIDE MOUNTING – LEAVE THE BENCH VICE AT HOME

GROHE Rapido SmartBox is the smart innovation that enables fast and easy installation of rough-ins. Thanks to brass outlets, which are readily accessible, the rough-in can be mounted using an adjustable spanner or pipe wrench, allowing for efficient, on-site installation.







ONLY 75 MM INSTALLATION DEPTH



GROHE RAPIDO SMARTBOX


# MORE FEATURES AT A GLANCE GROHE RAPIDO SMARTBOX



# THE MORE YOU KNOW, THE MORE YOU'LL LOVE IT.

The GROHE Rapido SmartBox has a multitude of well thought through features. If you take a little time to become acquainted with them, you'll quickly realise how the GROHE Rapido SmartBox will enable you to work more efficiently and effectively.

We gave the GROHE Rapido SmartBox its name for a reason: it is full of clever innovations and able to adapt to every one of your projects. Combine it with any GROHE trim set for a doubly smart solution. Find out more about the many clever details of this rough-in and how to combine it with the range of add-ons.



# GROHE RAPIDO SMARTBOX **MORE BENEFITS FOR YOU** WITH THE GROHE RAPIDO **SMARTBOX SYSTEM**

# MORE BENEFITS FOR **INSTALLERS**

### Greater choice and flexibility

- Range of functions:
- SmartControl
- Single-lever mixers
- Two-handle thermostats
- Fits over 170 different GROHE plates
- · Range of design options

### Makes planning easier

- · Universal solutions with just one rough-in
- Install now, choose mixer and design later

### Satisfies every customer requirement

· Controls up to nine different shower functions

### Fast and efficient installation

 Install just one rough-in and one trim to run up to three functions

- Bottom inlets no need for 90° fittings
- Job-side mounting, no bench vice needed
- 1/2" connections, made to fit all standard pipes
- Fits even in thin walls, 75 mm minimum installation depth
- Service stops and backflow protection combination for easy retrofitting
- Subsequently adjustable by six degrees for perfect alignment

# The answer for every project

 Universal solutions, suitable for residential, hotel and public projects

### Quality you can trust

- Conforms to all major international standards
- Proven GROHE concealed technology and design

# MORE BENEFITS FOR ARCHITECTS AND PLANNERS

### More space to design

- All trims with super slim profile
- Wall plates only 10 mm thick
- Small plates all trims only 158 mm square or in diameter

### More freedom and flexibility to plan

- · Install now, choose mixer and design later
- Wide range of design options that match all bathrooms

### Satisfies every customer requirement

• Covers up to nine different shower functions

## Quality you can trust

- · Conforms to all major international standards
- Proven GROHE concealed technology and design

### Universal application

· Suitable for all projects: residential, hotel and public

# MORE BENEFITS FOR **RETAILERS**

### More efficiency for the business

- One rough-in delivers 25 installation options
- One single GROHE Rapido SmartBox fits over 170 GROHE trim sets

## Reduce storage

· Stock just one rough-in to maximise shelf space

# MORE BENEFITS FOR YOUR CUSTOMERS

### Perfect look and design

- Concealed technology for a streamlined, modern bathroom
- Small, minimalistic plates all trims only 158 mm square or in diameter

### Wide choice

- Extensive range of different designs, shapes and colours
- SmartControl available in round and square and in a choice of finishes
- Single-lever mixers that match all GROHE faucet lines
- Two-handle thermostats, available in round, square and cube

### More freedom under the shower

- Super slim plates just 10 mm thick for more space
- Just one rough-in and one trim set needed to run three shower functions for a unique shower experience

### Perfect control

- · Intuitive control of shower functions
- Precise control of temperature and water flow

## Upgrades made easy

 Simple replacement of a one hand mixer with a SmartControl trim when renovating

### Comfort and convenience

 Concealed technology and minimalistic trims make cleaning easier and faster


## Trusted quality


- Made in Germany
- · All plates metal


INSTALLATION grohe.co.uk

# **CONFIGURATIONS**


# **SMARTCONTROL**







### **COMBINATION WITH AQUASYMPHONY**



## **TEMPERATURE ZONE 1**

- 1. WATERFALL 2. RAIN
- 3. BOKOMA

# **TEMPERATURE ZONE 2**

- 1. PURE
- T
- 2. RAIN
- 3. WATERFALL




# **TEMPERATURE ZONE 3**

- 1. DRIZZLE
- 2. AQUA CURTAIN
- 3. HAND SHOWER
- I I

# **CONFIGURATIONS**TWO-HANDLE THERMOSTATS

# 1-FUNCTION





# 2-FUNCTION





# **CONFIGURATIONS**SINGLE-LEVER MIXER


# 1-FUNCTION





## 2-FUNCTION



# 3-FUNCTION










INSTALLATION grohe.co.uk


# **FLOW PERFORMANCE** SMARTCONTROL



#### SMARTCONTROL CONCEALED MIXERS

|     |  | 1 bar                                | 2 bar                                | 3 bar                                | 4 bar                                | 5 bar                                | 6 bar                                |
|-----|--|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Ö   | outlet B or C                                    | 15.6                                 | 22.0                                 | 27.0                                 | 31.2                                 | 34.9                                 | 38.2                                 |
| 0   | outlet B<br>outlet C<br>outlet B+C               | 13.3<br>14.4<br>15.6                 | 18.8<br>20.4<br>22.0                 | 23.0<br>25.0<br>27.0                 | 26.6<br>28.9<br>31.2                 | 29.7<br>32.3<br>34.9                 | 32.5<br>35.4<br>38.2                 |
| 000 | outlet A outlet B outlet C outlet A+B outlet A+B | 12.7<br>15.0<br>12.7<br>17.9<br>19.6 | 18.0<br>21.2<br>18.0<br>25.3<br>27.8 | 22.0<br>26.0<br>22.0<br>31.0<br>34.0 | 25.4<br>30.0<br>25.4<br>35.8<br>39.3 | 28.4<br>33.6<br>28.4<br>40.0<br>43.9 | 31.1<br>36.8<br>31.1<br>43.8<br>48.1 |

Flow performance in I/min




#### **GROHTHERM SMARTCONTROL THERMOSTATS**

|   |   | 1 bar  | 2 bar  | 3 bar  | 4 bar  | 5 bar  | 6 bar  |
|---|---|--|--|--|--|--|--|
| 0   | outlet B or C   | 16.7   | 23.7   | 29.0   | 33.5   | 37.4   | 41.0   |
| 9 9   | outlet B<br>outlet C<br>outlet B+C  | 13.9<br>15.0<br>16.7                                 | 19.6<br>21.2<br>23.7                                 | 24.0<br>26.0<br>29.0                                 | 27.7<br>30.0<br>33.5                                 | 31.0<br>33.6<br>37.4                                 | 33.9<br>36.8<br>41.0                                 |
| 000   | outlet A outlet B outlet C outlet A+B outlet A+B                                  | 13.3<br>15.6<br>13.3<br>19.1<br>20.8                 | 18.8<br>22.0<br>18.8<br>26.9<br>29.4                 | 23.0<br>27.0<br>23.0<br>33.0<br>36.0                 | 26.6<br>31.2<br>26.6<br>38.1<br>41.6                 | 29.7<br>34.9<br>29.7<br>42.6<br>46.5                 | 32.5<br>38.2<br>32.5<br>46.7<br>50.9                 |
| (i) (i) (ii) (ii) (iii) | outlet D<br>outlet E<br>outlet A<br>outlet D+E+A                                  | 16.2<br>16.2<br>16.2<br>37.5                         | 22.9<br>22.9<br>22.9<br>53.1                         | 28.0<br>28.0<br>28.0<br>65.0                         | 32.3<br>32.3<br>32.3<br>75.1                         | 36.1<br>36.1<br>36.1<br>83.9                         | 39.6<br>39.6<br>39.6<br>91.9                         |
| 0000+   | outlet D outlet E outlet A outlet C outlet to valve box outlet D+E+A outlet D+E+A | 12.1<br>12.1<br>12.1<br>16.7<br>19.6<br>16.7<br>20.8 | 17.1<br>17.1<br>17.1<br>23.7<br>27.8<br>23.7<br>29.4 | 21.0<br>21.0<br>21.0<br>29.0<br>34.0<br>29.0<br>36.0 | 24.2<br>24.2<br>24.2<br>33.5<br>39.3<br>33.5<br>41.6 | 27.1<br>27.1<br>27.1<br>37.4<br>43.9<br>37.4<br>46.5 | 29.7<br>29.7<br>29.7<br>41.0<br>48.1<br>41.0<br>50.9 |
|   | outlet B<br>hand shower   | 13.9<br>6.9  | 19.6<br>9.8  | 24.0<br>12.0   | 27.7<br>13.9   | 31.0<br>15.5   | 33.9<br>17.0   |

Flow performance in I/min


INSTALLATION grohe.co.uk

# **FLOW PERFORMANCE**TWO-HANDLE THERMOSTATS



A B C

x 🔊 x






| 1-FUNCTION |               | 1 bar | 2 bar | 3 bar | 4 bar | 5 bar | 6 bar |
|------------|---------------|-------|-------|-------|-------|-------|-------|
| 3          | outlet B or C | 15.5  | 22    | 27    | 31    | 35    | 38    |

| 2-FUNCTION |          | 1 bar | 2 bar | 3 bar | 4 bar | 5 bar | 6 bar |
|------------|----------|-------|-------|-------|-------|-------|-------|
| 3          | outlet B | 15.5  | 22    | 27    | 31    | 35    | 38    |
|            | outlet C | 15.5  | 22    | 27    | 31    | 35    | 38    |

Flow performance in I/min

# **FLOW PERFORMANCE** SINGLE-LEVER-MIXER



HOT COLD


<sup>\*</sup>does not apply to Allure Brillant

| 1-FUNCTION |               | 1 bar | 2 bar | 3 bar | 4 bar | 5 bar | 6 bar |
|------------|---------------|-------|-------|-------|-------|-------|-------|
| 9          | outlet B or C | 17    | 24.5  | 30    | 34.5  | 38.5  | 42    |

| 2-FUNCTION |          | 1 bar | 2 bar | 3 bar | 4 bar | 5 bar | 6 bar |
|------------|----------|-------|-------|-------|-------|-------|-------|
| 9          | outlet B | 15.5  | 22    | 27    | 31    | 35    | 38    |
|            | outlet C | 15.5  | 22    | 27    | 31    | 35    | 38    |

| 3-FUNCTION |          | 1 bar | 2 bar | 3 bar | 4 bar | 5 bar | 6 bar |
|------------|----------|-------|-------|-------|-------|-------|-------|
| 9          | outlet A | 15.5  | 22    | 27    | 31    | 35    | 38    |
|            | outlet B | 15.5  | 22    | 27    | 31    | 35    | 38    |
|            | outlet C | 15.5  | 22    | 27    | 31    | 35    | 38    |

Flow performance in I/min





COMPLETE RANGE

# **GROHE SMARTCONTROL** ROUND OR SQUARE?

GROHE SmartControl Concealed comes in two different forms – round and square. It is also available in a wide range of beautiful colours and stylish finishes. For example, classic chrome and, for a subtly elegant design statement, moon white acrylic glass. Each variant fits perfectly to its matching GROHE design line.

See next page for further colour options.



## **GROHE SMARTCONTROL OVERVIEW**

To order the coloured versions, replace the second and third last digits with the colour codes listed below (with the exception of MoonWhite, LSO, which begins with a different SKU).

#### Colour options:

#### 00 I StarLight Chrome O LS I MoonWhite

- DC | SuperSteel
- AL I Brushed Hard Graphite

#### **Colour options** available from 05/19:

- GL I Cool Sunrise
- GN I Brushed Cool Sunrise DA I Warm Sunset
- DL I Brushed Warm Sunset
- A0 I Hard Graphite
- BE I Polished Nickel EN I Brushed Nickel

#### **SMARTCONTROL MIXERS**



29 147 000 SmartControl Mixer with 1 valve



29 144 000 SmartControl Mixer with 1 valve

1-FUNCTION



29 148 000 SmartControl Mixer with 2 valves



29 145 000 Mixer with 2 valves

2-FUNCTION



29 149 000 SmartControl Mixer with 3 valves



29 146 000 Mixer with 3 valves

**3-FUNCTION** 

#### **GROHTHERM SMARTCONTROL THERMOSTATS**



29 125 000 Grohtherm SmartControl Thermostat with 2 valves and integrated hand shower union



29 120 000 Grohtherm SmartControl Thermostat with 2 valves and integrated hand shower union



29 124 000 Grohtherm SmartControl



000000000 29 119 000 Grohtherm SmartControl



29 156 LS0





29 121 000 Grohtherm SmartControl Thermostat with 3 valves



29 904 LS0



29 126 000 Thermostat with 3 valves



29 157 LS0



grohe.co.uk

29 118 000 + 29 122 000 Grohtherm SmartControl Thermostat with 1 valve and Grohtherm SmartControl Triple volume control trim



29 150 LS0 + 29 152 LS0



29 123 000 + 29 127 000 Grohtherm SmartControl Thermostat with 1 valve and Grohtherm SmartControl Triple volume control trim



29 153 LS0 + 29 158 LS0

**3-FUNCTION** 

4-FUNCTION

#### **GROHTHERM SMARTCONTROL THERMOSTATS**



29 123 000 Thermostat with 1 valve

29 153 LS0

1-FUNCTION



29 118 000 Grohtherm SmartControl Grohtherm SmartControl Thermostat with 1 valve

29 150 LS0





29 151 LS0

2-FUNCTION


# **GROHE SMARTCONTROL PERFECT SHOWER SETS**


## **OVERVIEW**

## GROHE SMARTCONTROL ACCESSORIES OVERVIEW











## NEW GROHE TWO-HANDLE THERMOSTATS: ROUND, SQUARE OR CUBE?

new

Offering the choice between round, square and cube shapes, our thermostats appeal not only to lovers of geometry. Representing the perfect balance between form and function, our two-handle thermostats provide a beautiful centrepiece for every shower.



COMPLETE RANGE grohe.co.uk

## **NEW TWO-HANDLE THERMOSTATS OVERVIEW**

To order the coloured versions, replace the second and third last digits with the colour codes listed below.

#### Colour options available from 03/19:

- 00 | StarLight ChromeDC | SuperSteelAL | Brushed Hard Graphite

#### GROHTHERM ROUND/SQUARE



24 078 000 Grohtherm Square shower



24 075 000 Grohtherm shower

1-FUNCTION



24 079 000 Grohtherm Square 2-way AquaDimmer  $\overline{\overline{}}$ 



24 076 000 2-way AquaDimmer shower/shower  $\widehat{\Pi} = \widehat{\Pi}$ 

2-FUNCTION



24 080 000 Grohtherm Square 2-way AquaDimmer bath/shower



24 077 000 2-way AquaDimmer bath/shower



#### **GROHTHERM CUBE**



24 153 000



24 154 000 Grohtherm Cube 2-way AquaDimmer 



24 155 000 Grohtherm Cube 2-way AquaDimmer bath/shower 

1-FUNCTION 2-FUNCTION

**ATRIO** available from 03/19



24 134 003



 $\bigcirc$   $\bigcirc$   $\bigcirc$ 24 135 003 2-way AquaDimmer shower/shower 



 $\bigcirc$   $\bigcirc$   $\bigcirc$ 24 138 003 2-way AquaDimmer 



**ACCESSORIES** 

35 600 000 GROHE Rapido SmartBox



Reversed GROHE TurboStat Cartridge ¾"



14 055 000 Backflow protection combination (EN 1717) for 2-function trims





14 053 00M (2 pcs)

14 058 000 Extension Rapido SmartBox THM Universal 25 mm

1-FUNCTION

2-FUNCTION

COMPLETE RANGE grohe.co.uk

## **NEW TWO-HANDLE THERMOSTATS PERFECT SHOWER SETS**

**OVERVIEW** 

#### **GROHTHERM ROUND**



Grohtherm Round Perfect Shower Set Rainshower Cosmo 160 + hand shower



Grohtherm Round Perfect Shower Set Rainshower Cosmo 210 + hand shower

+ hand shower



Grohtherm Round Perfect Shower Set Rainshower Cosmo 310 + hand shower





34 726 000 Grohtherm Round Perfect Shower Set Tempesta 210



#### 2-FUNCTION



#### **GROHTHERM SQUARE**



Perfect Shower Set Perfect Shower Set Rainshower Cosmo 210 Rainshower Cosmo 310 + hand shower + hand shower



Tempesta 210

+ hand shower

34 728 000 Grohtherm Square Perfect Shower Set Tempesta 210



#### **GROHTHERM CUBE**



34 741 000 Grohtherm Cube Perfect Shower Set Rainshower Allure 230 + hand shower

2-FUNCTION



## **GROHE SINGLE-LEVER MIXERS:** THREE STAGES OF CONTROL

new

Our single-lever mixers offer three different options for shower enjoyment: one shower function, two functions and our brand-new development, with three functions.

The simplest, with one function, operates a single shower. The two-function mixer, with super slim automatic diverter, offers two different options. The first allows you to control a shower head and a hand shower. With the second you can operate a hand shower and bath filler.

But for allround shower enjoyment, our new three-way diverter is the perfect solution, providing control over a total of three different functions. Here again there are two different options to choose from: enjoy the pleasure of switching between the two sprays of a head shower and a hand shower. Alternatively, you can opt for head shower, hand shower and bath filler. The choice is all yours.



## SINGLE-LEVER MIXERS

## **OVERVIEW**

#### ALLURE BRILLANT



24 071 000 Allure Brilliant





**24 069 000** Allure shower

#### ATRIO



24 065 003 Atrio NEW

#### **GRANDERA**



24 067 000 Grandera shower

1-FUNCTION



24 072 000 Allure Brilliant 2-way diverter



24 070 000 Allure 2-way diverter



24 066 003 Atrio NEW 2-way diverter



24 068 000 Grandera 2-way diverter

2-FUNCTION



24 099 000 Allure Brilliant 3-way diverter



•••

24 096 003 Atrio NEW 3-way diverter

**3-FUNCTION** available from 03/19

#### LINEARE

**EUROPLUS** 

**ESSENCE** 



24 063 001 Lineare NEW shower

### EUROCUBE



24 061 000 Eurocube shower



24 059 002 Europlus shower



24 057 001
Essence shower

1-FUNCTION



24 064 001 Lineare NEW 2-way diverter



24 062 000 Eurocube 2-way diverter



**24 060 002** Europlus 2-way diverter



24 058 001 Essence 2-way diverter

2-FUNCTION



24 095 001 Lineare NEW 3-way diverter



24 094 000 Eurocube 3-way diverter



24 092 001 Essence 3-way diverter

**3-FUNCTION** available from 03/19

COMPLETE RANGE

#### EURODISC COSMO



24 055 002 Eurodisc Cosmo shower

#### **CONCETTO**



24 053 001 Concetto shower

## EUROSTYLE COSMO



24 051 002 Eurostyle Cosmo

#### EUROSTYLE LOOP



24 048 003
Eurostyle loop lever

## EUROSTYLE SOLID

96



24 046 003
Eurostyle solid lever shower

1-FUNCTION



24 056 002 Eurodisc Cosmo 2-way diverter



24 054 001 Concetto 2-way diverter



**24 052 002** Eurostyle Cosmo 2-way diverter

**Colour options** 

available from 03/19:

00 I StarLight ChromeLS I MoonWhiteDC I SuperSteel

GL I Cool SunriseGN I Brushed Cool SunriseDA I Warm Sunset

DL I Brushed Warm Sunset
 A0 I Hard Graphite
 AL I Brushed Hard Graphite
 BE I Polished Nickel

To order the coloured versions, replace the second and third last digits with the colour

codes listed above.

EN I Brushed Nickel

O IG I Chrome/Gold



24 049 003 Eurostyle loop lever 2-way diverter



24 047 003
Eurostyle solid lever
2-way diverter

2-FUNCTION

### EUROSMART



24 042 002 Eurosmart shower

#### EUROSMART COSMO



**24 044 000** Eurosmart Cosmo shower





24 043 002 Eurosmart 2-way diverter



24 045 000 Eurosmart Cosm 2-way diverter





#### 2-FUNCTION

#### **ACCESSORIES**



**35 600 000** GROHE Rapido SmartBox



**14 055 000**Backflow protection combination (EN 1717) for 2-function trims

#### **14 056 000** Extension Rapido SmartBox Universal 25 mm

**14 057 000** Extension Rapido SmartBox Universal 50 mm

# WELCOME TO GROHE SMART DISCOVER A WORLD OF EXCITING BENEFITS

## BE SMART AND BECOME A PARTNER OF THE LARGEST LOYALTY PROGRAMME FOR INSTALLERS!

Every day you have a choice of which products to use for your projects. By sourcing GROHE, you not only get the best money can buy. You also get the chance to convert the money you spend into:

#### Rewards

- Over 2,500 attractive products
- Includes professional power tools, a range of multimedia devices, items for home and garden, and much more

#### Services

- Benefits, rewards and information specially tailored to you and your requirements
- Helpful and inspiring videos about the latest products, design trends and installation guides

All you have to do: join GROHE SMART, our loyalty programme exclusively for installers, and start collecting points, called SMARTS.

Why collect SMARTS? So you can enjoy more – from top rewards to valuable services for installers. The enhanced GROHE SMART Reader app makes collecting SMARTS easier than ever.



## PURE FREUDE AN WASSER

Life-giving, universal, joyful – water is the source of inspiration for the whole of our distinctive product portfolio.

Every one of these products is always on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do allows us to deliver an unrivalled enjoyment of water to our customers.







## QUALITY

From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

"No.1 most trusted brand in the sanitary industry" – Wirtschaftswoche, 2017

## **TECHNOLOGY**

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

"Top 50 companies to change the world" – Fortune Magazine, 2017





## **DESIGN**

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

Over 350 design awards won since 2003

## SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.


CSR Award winner of the German Government, 2017

## DISCOVER THE WORLD OF GROHE

What you see here represents just a small selection of what the world of GROHE has to offer.

Whether you are looking for ideas and inspiration or solutions for bath and kitchen, here's where you'll find it.

Just scan the QR codes to view the latest brochures as download or PDF on your tablet or smart phone. **Or visit the world of GROHE at grohe.co.uk** 





**SENSIA ARENA BROCHURE** 





**CERAMICS BROCHURE** 





BATH BROCHURE









SHOWERS BROCHURE





SANITARY SYSTEMS BROCHURE



# A GLOBALLY CONNECTED COMPANY

#### GROHE IS PART OF LIXIL - A GLOBAL LEADER IN THE HOUSING AND BUILDING INDUSTRY.

Beginning back in early 20th century Japan, LIXIL is today the most comprehensive company in our industry, with a unique portfolio spanning everything from technologies that revolutionize how we interact with water, to a full lineup of interior and exterior materials and products for houses and major architectural projects. Operating in 150 countries, LIXIL companies design and manufacture products that are used by more than a billion people around the world every day.

The world is changing rapidly, and LIXIL companies are helping to shape it. Across our brands and technologies, we design and manufacture tomorrow's living solutions, today. From developing smart innovations in people's homes and offices, to redefining the world's most famous city skylines, LIXIL products are transforming the spaces in which we all work, learn, travel, relax, and live.

Alongside GROHE in LIXIL's family of world-class brands are American Standard, INAX, DXV by American Standard and Permasteelisa. Combined, our brands make us number one in faucets and plumbing-related products worldwide and Japan's premier provider of housing products. We're leading the way in many other areas around the world, thanks to our shared focus on creating innovations that genuinely improve people's lives.

Together we're stronger. Combining our GROHE expertise as a world leader in sanitary fittings with the unique technology and insights from LIXIL's other Water Technology brands, GROHE now offers complete bathroom solutions, featuring innovative products like shower toilets and SmartControl showers, alongside revolutionary technologies such as AquaCeramic sanitaryware that stays clean for 100 years. Beautiful, functional and reliable, LIXIL's products and solutions are changing the way people live, all over the world.


## Together, we share a powerful vision of a better tomorrow, for our customers and for the world.

As a truly global manufacturing company, we know that we have an important part to play in securing the future of our planet. We're leading the way in areas such as energy efficiency and water saving technology and aim to achieve a net zero environmental footprint by 2030. We believe everyone should have access to clean and safe sanitation, and are committed to using our expertise to help make this possible.


Together we're creating the future of good living for everyone, everywhere.



For more information, visit lixil.com







QUALITY

"**No.1** most trusted brand in the sanitary industry" –



**TECHNOLOGY** 

"**Top 50** companies to change the world" –



**DESIGN** 

Over **350 design awards** won since 2003



SUSTAINABILITY

**CSR Award winner** of the German Government, 2017

GROHE Limited World Business Centre 2 Newall Road London Heathrow Airport Hounslow Middlesex TW6 2SF

Tel: 0208 283 2840 Fax: 0871 200 3415 email: info-uk@grohe.com